

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.012.016.0030.I	1.2	0.16	3.0	0.0761	1.63	1.81	no	stainless steel	4C
C.012.018.0030.I	1.2	0.18	3.0	0.1237	1.89	2.08	no	stainless steel	4C
C.012.020.0020.A	1.2	0.20	2.0	0.4657	1.40	1.50	no	music wire	4C
C.012.020.0020.I	1.2	0.20	2.0	0.4000	1.40	1.50	no	stainless steel	4C
C.012.020.0027.A	1.2	0.20	2.7	0.2964	1.80	1.95	no	music wire	4C
C.012.020.0027.AP	1.2	0.20	2.7	0.3763	1.56	1.80	no	music wire	4E
C.012.020.0027.I	1.2	0.20	2.7	0.2546	1.80	1.95	no	stainless steel	4C
C.012.020.0039.A	1.2	0.20	3.9	0.1918	2.40	2.63	no	music wire	4C
C.012.020.0039.AP	1.2	0.20	3.9	0.2415	2.04	2.49	no	music wire	4E
C.012.020.0039.I	1.2	0.20	3.9	0.1647	2.40	2.63	no	stainless steel	4C
C.012.020.0055.A	1.2	0.20	5.5	0.1304	3.20	3.54	no	music wire	4C
C.012.020.0055.I	1.2	0.20	5.5	0.1120	3.20	3.54	no	stainless steel	4C
C.012.020.0078.A	1.2	0.20	7.8	0.0881	4.40	4.91	no	music wire	4C
C.012.020.0078.AP	1.2	0.20	7.8	0.1108	3.64	4.73	no	music wire	4E
C.012.020.0078.I	1.2	0.20	7.8	0.0757	4.40	4.91	no	stainless steel	4C
C.012.025.0100.A	1.2	0.25	10.0	0.2530	5.45	7.53	no	music wire	4G
C.012.025.0100.I	1.2	0.25	10.0	0.2201	5.40	7.63	no	stainless steel	4G
C.013.014.0032.I	1.3	0.14	3.2	0.0409	1.16	1.30	no	stainless steel	4C
C.013.014.0040.I	1.3	0.14	4.0	0.0321	1.33	1.51	no	stainless steel	4C
C.013.014.0050.I	1.3	0.14	5.0	0.0250	1.58	1.81	no	stainless steel	4C
C.013.014.0063.I	1.3	0.14	6.3	0.0205	1.82	2.10	no	stainless steel	4C
C.013.014.0080.I	1.3	0.14	8.0	0.0161	2.18	2.54	no	stainless steel	4C
C.013.014.0100.I	1.3	0.14	10.0	0.0125	2.67	3.13	no	stainless steel	4C
C.013.014.0125.I	1.3	0.14	12.5	0.0100	3.21	3.78	no	stainless steel	4C
C.013.014.0160.I	1.3	0.14	16.0	0.0080	3.88	4.59	no	stainless steel	4C
C.013.014.0200.I	1.3	0.14	20.0	0.0064	4.72	5.61	no	stainless steel	4C
C.014.016.0030.I	1.4	0.16	3.0	0.0755	1.20	1.32	no	stainless steel	4E
C.014.016.0040.I	1.4	0.16	4.0	0.0418	1.71	1.93	no	stainless steel	4C
C.014.016.0048.I	1.4	0.16	4.8	0.0461	1.60	1.95	no	stainless steel	4E
C.014.016.0060.I	1.4	0.16	6.0	0.0273	2.32	2.65	no	stainless steel	4C
C.014.016.0064.I	1.4	0.16	6.4	0.0338	1.98	2.51	no	stainless steel	4E
C.014.016.0070.I	1.4	0.16	7.0	0.0231	2.64	3.04	no	stainless steel	4C
C.014.016.0079.I	1.4	0.16	7.9	0.0274	2.32	3.11	no	stainless steel	4E
C.014.016.0090.I	1.4	0.16	9.0	0.0179	3.25	3.76	no	stainless steel	4C
C.014.016.0097.I	1.4	0.16	9.7	0.0234	2.62	4.07	no	stainless steel	4E
C.014.016.0112.I	1.4	0.16	11.2	0.0187	3.12	4.19	no	stainless steel	4E
C.014.016.0120.I	1.4	0.16	12.0	0.0133	4.18	4.87	no	stainless steel	4C
C.014.016.0127.I	1.4	0.16	12.7	0.0171	3.38	4.99	no	stainless steel	4E
C.014.016.0142.I	1.4	0.16	14.2	0.0171	3.38	6.49	no	stainless steel	4E
C.014.016.0157.I	1.4	0.16	15.7	0.0156	3.63	7.30	no	stainless steel	4G
C.014.018.0030.I	1.4	0.18	3.0	0.1129	1.44	1.58	no	stainless steel	4C
C.014.018.0040.I	1.4	0.18	4.0	0.0657	2.02	2.25	no	stainless steel	4C
C.014.018.0048.I	1.4	0.18	4.8	0.0680	1.96	2.19	no	stainless steel	4E
C.014.018.0050.I	1.4	0.18	5.0	0.0600	2.07	2.32	no	stainless steel	4C
C.014.018.0063.I	1.4	0.18	6.3	0.0474	2.47	2.78	no	stainless steel	4C
C.014.018.0064.I	1.4	0.18	6.4	0.0529	2.36	2.94	no	stainless steel	4E
C.014.018.0070.I	1.4	0.18	7.0	0.0361	3.15	3.58	no	stainless steel	4C
C.014.018.0079.I	1.4	0.18	7.9	0.0404	2.88	3.36	no	stainless steel	4E
C.014.018.0080.I	1.4	0.18	8.0	0.0375	2.93	3.32	no	stainless steel	4C
C.014.018.0090.I	1.4	0.18	9.0	0.0278	3.91	4.46	no	stainless steel	4C
C.014.018.0097.I	1.4	0.18	9.7	0.0330	3.38	4.14	no	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.014.018.0100.I	1.4	0.18	10.0	0.0300	3.53	4.03	no	stainless steel	4C
C.014.018.0112.I	1.4	0.18	11.2	0.0302	3.65	5.13	no	stainless steel	4E
C.014.018.0120.I	1.4	0.18	12.0	0.0206	5.04	5.78	no	stainless steel	4C
C.014.018.0125.I	1.4	0.18	12.5	0.0237	4.28	4.91	no	stainless steel	4C
C.014.018.0127.I	1.4	0.18	12.7	0.0258	4.16	5.61	no	stainless steel	4E
C.014.018.0142.I	1.4	0.18	14.2	0.0226	4.66	6.08	no	stainless steel	4E
C.014.018.0150.I	1.4	0.18	15.0	0.0164	6.17	7.11	no	stainless steel	4C
C.014.018.0157.I	1.4	0.18	15.7	0.0212	4.91	7.07	no	stainless steel	4E
C.014.018.0160.I	1.4	0.18	16.0	0.0188	5.26	6.35	no	stainless steel	4C
C.014.018.0200.I	1.4	0.18	20.0	0.0150	6.41	7.94	no	stainless steel	4C
C.014.018.0250.I	1.4	0.18	25.0	0.0120	7.87	9.93	no	stainless steel	4C
C.014.020.0023.A	1.4	0.20	2.3	0.2695	1.40	1.51	no	music wire	4C
C.014.020.0023.AP	1.4	0.20	2.3	0.3468	1.24	1.45	no	music wire	4E
C.014.020.0023.I	1.4	0.20	2.3	0.2345	1.40	1.51	no	stainless steel	4C
C.014.020.0032.A	1.4	0.20	3.2	0.0775	3.14	3.14	no	music wire	4C
C.014.020.0032.AP	1.4	0.20	3.2	0.2284	1.52	1.90	no	music wire	4E
C.014.020.0032.I	1.4	0.20	3.2	0.0674	3.10	3.10	no	stainless steel	4C
C.014.020.0040.A	1.4	0.20	4.0	0.1165	2.32	2.57	no	music wire	4C
C.014.020.0040.I	1.4	0.20	4.0	0.1000	2.32	2.57	no	stainless steel	4C
C.014.020.0046.A	1.4	0.20	4.6	0.1110	2.40	2.66	no	music wire	4C
C.014.020.0046.AP	1.4	0.20	4.6	0.1486	1.96	2.61	no	music wire	4E
C.014.020.0046.I	1.4	0.20	4.6	0.0953	2.40	2.66	no	stainless steel	4C
C.014.020.0050.A	1.4	0.20	5.0	0.0916	2.76	3.08	no	music wire	4C
C.014.020.0050.I	1.4	0.20	5.0	0.0787	2.76	3.08	no	stainless steel	4C
C.014.020.0056.A	1.4	0.20	5.6	0.0813	3.02	3.38	no	music wire	4C
C.014.020.0056.I	1.4	0.20	5.6	0.0698	3.02	3.38	no	stainless steel	4C
C.014.020.0060.A	1.4	0.20	6.0	0.0755	3.20	3.59	no	music wire	4C
C.014.020.0060.I	1.4	0.20	6.0	0.0648	3.20	3.59	no	stainless steel	4C
C.014.020.0065.A	1.4	0.20	6.5	0.0755	3.20	3.59	no	music wire	4C
C.014.020.0065.AP	1.4	0.20	6.5	0.1018	2.56	3.59	no	music wire	4E
C.014.020.0065.I	1.4	0.20	6.5	0.0648	3.20	3.59	no	stainless steel	4C
C.014.020.0070.A	1.4	0.20	7.0	0.0637	3.66	4.12	no	music wire	4C
C.014.020.0070.I	1.4	0.20	7.0	0.0547	3.66	4.12	no	stainless steel	4C
C.014.020.0079.A	1.4	0.20	7.9	0.0700	3.40	3.82	no	music wire	4E
C.014.020.0079.I	1.4	0.20	7.9	0.0600	3.40	3.82	no	stainless steel	4E
C.014.020.0093.A	1.4	0.20	9.3	0.0510	4.40	4.97	no	music wire	4C
C.014.020.0093.AP	1.4	0.20	9.3	0.0688	3.44	5.00	no	music wire	4E
C.014.020.0093.I	1.4	0.20	9.3	0.0438	4.40	4.97	no	stainless steel	4C
C.014.020.0095.A	1.4	0.20	9.5	0.0465	4.76	5.39	no	music wire	4C
C.014.020.0095.I	1.4	0.20	9.5	0.0399	4.76	5.39	no	stainless steel	4C
C.014.020.0097.A	1.4	0.20	9.7	0.0588	3.92	4.66	no	music wire	4E
C.014.020.0097.I	1.4	0.20	9.7	0.0520	3.82	4.96	no	stainless steel	4E
C.014.020.0111.A	1.4	0.20	11.1	0.0395	5.48	6.22	no	music wire	4C
C.014.020.0111.I	1.4	0.20	11.1	0.0339	5.48	6.22	no	stainless steel	4C
C.014.020.0112.A	1.4	0.20	11.2	0.0507	4.42	5.36	no	music wire	4E
C.014.020.0112.I	1.4	0.20	11.2	0.0436	4.42	5.55	no	stainless steel	4E
C.014.020.0120.A	1.4	0.20	12.0	0.0364	5.88	6.68	no	music wire	4C
C.014.020.0120.I	1.4	0.20	12.0	0.0313	5.88	6.68	no	stainless steel	4C
C.014.020.0127.A	1.4	0.20	12.7	0.0421	5.18	5.87	no	music wire	4E
C.014.020.0127.I	1.4	0.20	12.7	0.0362	5.18	5.89	no	stainless steel	4E
C.014.020.0142.A	1.4	0.20	14.2	0.0378	5.68	6.45	no	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.014.020.0142.I	1.4	0.20	14.2	0.0325	5.68	6.62	no	stainless steel	4E
C.014.020.0150.A	1.4	0.20	15.0	0.0289	7.22	8.22	no	music wire	4C
C.014.020.0150.I	1.4	0.20	15.0	0.0249	7.22	8.22	no	stainless steel	4C
C.014.020.0157.A	1.4	0.20	15.7	0.0378	5.68	7.86	no	music wire	4E
C.014.020.0157.I	1.4	0.20	15.7	0.0325	5.68	8.12	no	stainless steel	4E
C.014.020.0157.N	1.4	0.20	15.7	0.0378	5.68	7.86	no	Zn coating	4G
C.014.020.0159.A	1.4	0.20	15.9	0.0273	7.62	8.69	no	music wire	4C
C.014.020.0159.I	1.4	0.20	15.9	0.0234	7.62	8.69	no	stainless steel	4C
C.014.020.0170.A	1.4	0.20	17.0	0.0254	8.12	9.26	no	music wire	4C
C.014.020.0170.I	1.4	0.20	17.0	0.0218	8.12	9.26	no	stainless steel	4C
C.014.020.0183.A	1.4	0.20	18.3	0.0290	7.20	8.20	no	music wire	4E
C.014.020.0183.I	1.4	0.20	18.3	0.0252	7.12	8.53	no	stainless steel	4E
C.015.016.0032.I	1.5	0.16	3.2	0.0509	1.31	1.46	no	stainless steel	4C
C.015.016.0040.I	1.5	0.16	4.0	0.0400	1.52	1.72	no	stainless steel	4C
C.015.016.0050.I	1.5	0.16	5.0	0.0311	1.79	2.04	no	stainless steel	4C
C.015.016.0063.I	1.5	0.16	6.3	0.0255	2.06	2.37	no	stainless steel	4C
C.015.016.0080.I	1.5	0.16	8.0	0.0200	2.46	2.85	no	stainless steel	4C
C.015.016.0100.I	1.5	0.16	10.0	0.0156	3.01	3.51	no	stainless steel	4C
C.015.016.0125.I	1.5	0.16	12.5	0.0124	3.62	4.25	no	stainless steel	4C
C.015.016.0160.I	1.5	0.16	16.0	0.0100	4.37	5.15	no	stainless steel	4C
C.015.016.0200.I	1.5	0.16	20.0	0.0080	5.33	6.31	no	stainless steel	4C
C.015.020.0064.A	1.5	0.20	6.4	0.0930	2.30	3.41	no	music wire	4E
C.015.020.0064.I	1.5	0.20	6.4	0.0809	2.28	3.54	no	stainless steel	4G
C.015.022.0032.A	1.5	0.22	3.2	0.2000	2.02	2.21	no	music wire	4C
C.015.022.0032.AP	1.5	0.22	3.2	0.2973	1.61	1.98	no	music wire	4E
C.015.022.0032.I	1.5	0.22	3.2	0.1740	2.00	2.19	no	stainless steel	4C
C.015.022.0040.A	1.5	0.22	4.0	0.1600	2.33	2.57	no	music wire	4C
C.015.022.0040.AP	1.5	0.22	4.0	0.2260	1.87	2.39	no	music wire	4E
C.015.022.0040.I	1.5	0.22	4.0	0.1392	2.31	2.54	no	stainless steel	4C
C.015.022.0050.A	1.5	0.22	5.0	0.1250	2.77	3.07	no	music wire	4C
C.015.022.0050.AP	1.5	0.22	5.0	0.1738	2.20	2.91	no	music wire	4E
C.015.022.0050.I	1.5	0.22	5.0	0.1088	2.75	3.05	no	stainless steel	4C
C.015.022.0063.A	1.5	0.22	6.3	0.1000	3.28	3.66	no	music wire	4C
C.015.022.0063.AP	1.5	0.22	6.3	0.1329	2.66	3.57	no	music wire	4E
C.015.022.0063.I	1.5	0.22	6.3	0.0870	3.23	3.60	no	stainless steel	4C
C.015.022.0080.A	1.5	0.22	8.0	0.0800	3.89	4.36	no	music wire	4C
C.015.022.0080.I	1.5	0.22	8.0	0.0696	3.85	4.31	no	stainless steel	4C
C.015.022.0100.A	1.5	0.22	10.0	0.0625	4.77	5.37	no	music wire	4C
C.015.022.0100.AP	1.5	0.22	10.0	0.0807	3.87	5.50	no	music wire	4E
C.015.022.0100.I	1.5	0.22	10.0	0.0544	4.73	5.33	no	stainless steel	4C
C.015.022.0125.A	1.5	0.22	12.5	0.0500	5.79	6.55	no	music wire	4C
C.015.022.0125.I	1.5	0.22	12.5	0.0435	5.72	6.47	no	stainless steel	4C
C.015.022.0160.A	1.5	0.22	16.0	0.0400	7.04	7.99	no	music wire	4C
C.015.022.0160.I	1.5	0.22	16.0	0.0348	6.95	7.88	no	stainless steel	4E
C.015.022.0200.A	1.5	0.22	20.0	0.0317	8.67	9.86	no	music wire	4C
C.015.022.0200.I	1.5	0.22	20.0	0.0276	8.56	9.73	no	stainless steel	4E
C.015.022.0250.A	1.5	0.22	25.0	0.0250	10.78	12.29	no	music wire	4C
C.015.022.0250.I	1.5	0.22	25.0	0.0218	10.65	12.14	no	stainless steel	4E
C.015.025.0024.A	1.5	0.25	2.4	0.6580	1.65	1.76	no	music wire	4C
C.015.025.0024.I	1.5	0.25	2.4	0.5651	1.65	1.76	no	stainless steel	4C
C.015.025.0030.A	1.5	0.25	3.0	0.3638	2.28	2.47	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.015.025.0030.I	1.5	0.25	3.0	0.3125	2.28	2.47	no	stainless steel	4C
C.015.025.0033.A	1.5	0.25	3.3	0.4187	2.10	2.27	no	music wire	4C
C.015.025.0033.I	1.5	0.25	3.3	0.3596	2.10	2.27	no	stainless steel	4E
C.015.025.0047.A	1.5	0.25	4.7	0.2709	2.75	3.01	no	music wire	4E
C.015.025.0047.I	1.5	0.25	4.7	0.2327	2.75	3.01	no	stainless steel	4E
C.015.025.0066.A	1.5	0.25	6.6	0.1842	3.65	4.03	no	music wire	4E
C.015.025.0066.I	1.5	0.25	6.6	0.1582	3.65	4.03	no	stainless steel	4E
C.015.025.0094.A	1.5	0.25	9.4	0.1245	4.98	5.54	no	music wire	4E
C.015.025.0094.I	1.5	0.25	9.4	0.1069	4.98	5.54	no	stainless steel	4E
C.016.016.0032.AP	1.6	0.16	3.2	0.0822	0.99	1.50	no	music wire	4E
C.016.016.0032.I	1.6	0.16	3.2	0.0430	1.28	1.44	no	stainless steel	4C
C.016.016.0040.AP	1.6	0.16	4.0	0.0653	1.10	1.86	no	music wire	4E
C.016.016.0040.I	1.6	0.16	4.0	0.0287	1.63	1.87	no	stainless steel	4C
C.016.016.0050.AP	1.6	0.16	5.0	0.0504	1.26	2.23	no	music wire	4E
C.016.016.0050.I	1.6	0.16	5.0	0.0260	1.74	2.00	no	stainless steel	4C
C.016.016.0063.AP	1.6	0.16	6.3	0.0396	1.46	2.77	no	music wire	4E
C.016.016.0063.I	1.6	0.16	6.3	0.0200	2.10	2.44	no	stainless steel	4C
C.016.016.0080.AP	1.6	0.16	8.0	0.0304	1.74	3.40	no	music wire	4E
C.016.016.0080.I	1.6	0.16	8.0	0.0160	2.48	2.91	no	stainless steel	4C
C.016.016.0087.AP	1.6	0.16	8.7	0.0281	1.84	3.72	no	music wire	4E
C.016.016.0087.I	1.6	0.16	8.7	0.0080	4.40	5.25	no	stainless steel	4C
C.016.016.0100.AP	1.6	0.16	10.0	0.0241	2.05	4.20	no	music wire	4E
C.016.016.0100.I	1.6	0.16	10.0	0.0120	3.12	3.69	no	stainless steel	4C
C.016.016.0125.A	1.6	0.16	12.5	0.0115	3.66	4.35	no	music wire	4C
C.016.016.0125.AP	1.6	0.16	12.5	0.0191	2.43	5.19	no	music wire	4E
C.016.016.0125.I	1.6	0.16	12.5	0.0100	3.63	4.31	no	stainless steel	4C
C.016.018.0032.AP	1.6	0.18	3.2	0.1236	1.17	1.62	no	music wire	4E
C.016.018.0032.I	1.6	0.18	3.2	0.0680	1.48	1.64	no	stainless steel	4C
C.016.018.0040.AP	1.6	0.18	4.0	0.0975	1.31	2.00	no	music wire	4E
C.016.018.0040.I	1.6	0.18	4.0	0.0520	1.75	1.97	no	stainless steel	4C
C.016.018.0050.AP	1.6	0.18	5.0	0.0756	1.51	2.42	no	music wire	4E
C.016.018.0050.I	1.6	0.18	5.0	0.0410	2.03	2.30	no	stainless steel	4C
C.016.018.0063.AP	1.6	0.18	6.3	0.0588	1.76	2.99	no	music wire	4E
C.016.018.0063.I	1.6	0.18	6.3	0.0310	2.50	2.86	no	stainless steel	4C
C.016.018.0080.AP	1.6	0.18	8.0	0.0452	2.12	3.69	no	music wire	4E
C.016.018.0080.I	1.6	0.18	8.0	0.0240	3.04	3.51	no	stainless steel	4C
C.016.018.0097.I	1.6	0.18	9.7	0.0203	3.47	4.02	no	stainless steel	4C
C.016.018.0100.AP	1.6	0.18	10.0	0.0356	2.52	4.53	no	music wire	4E
C.016.018.0100.I	1.6	0.18	10.0	0.0190	3.67	4.26	no	stainless steel	4C
C.016.018.0112.I	1.6	0.18	11.2	0.0175	3.92	4.56	no	stainless steel	4C
C.016.018.0125.AP	1.6	0.18	12.5	0.0283	3.01	5.61	no	music wire	4E
C.016.018.0125.I	1.6	0.18	12.5	0.0150	4.48	5.22	no	stainless steel	4C
C.016.018.0142.I	1.6	0.18	14.2	0.0137	4.84	5.65	no	stainless steel	4C
C.016.018.0157.I	1.6	0.18	15.7	0.0124	5.29	6.19	no	stainless steel	4C
C.016.020.0032.A	1.6	0.20	3.2	0.1207	1.68	1.85	no	music wire	4C
C.016.020.0032.AP	1.6	0.20	3.2	0.1843	1.34	1.78	no	music wire	4E
C.016.020.0032.I	1.6	0.20	3.2	0.1050	1.68	1.85	no	stainless steel	4C
C.016.020.0040.A	1.6	0.20	4.0	0.0920	2.00	2.23	no	music wire	4C
C.016.020.0040.AP	1.6	0.20	4.0	0.1404	1.54	2.13	no	music wire	4E
C.016.020.0040.I	1.6	0.20	4.0	0.0800	1.98	2.20	no	stainless steel	4C
C.016.020.0047.A	1.6	0.20	4.7	0.0310	4.54	4.54	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.016.020.0047.AP	1.6	0.20	4.7	0.1179	1.70	2.48	no	music wire	4E
C.016.020.0047.I	1.6	0.20	4.7	0.0270	4.48	4.48	no	stainless steel	4C
C.016.020.0050.A	1.6	0.20	5.0	0.0724	2.34	2.62	no	music wire	4C
C.016.020.0050.AP	1.6	0.20	5.0	0.1092	1.78	2.60	no	music wire	4E
C.016.020.0050.I	1.6	0.20	5.0	0.0630	2.32	2.60	no	stainless steel	4C
C.016.020.0063.A	1.6	0.20	6.3	0.0583	2.74	3.09	no	music wire	4C
C.016.020.0063.AP	1.6	0.20	6.3	0.0842	2.12	3.19	no	music wire	4E
C.016.020.0063.I	1.6	0.20	6.3	0.0480	2.82	3.19	no	stainless steel	4C
C.016.020.0080.A	1.6	0.20	8.0	0.0467	3.24	3.68	no	music wire	4C
C.016.020.0080.AP	1.6	0.20	8.0	0.0655	2.52	4.00	no	music wire	4E
C.016.020.0080.I	1.6	0.20	8.0	0.0370	3.46	3.94	no	stainless steel	4C
C.016.020.0100.A	1.6	0.20	10.0	0.0333	4.26	4.88	no	music wire	4C
C.016.020.0100.AL	1.6	0.20	10.0	0.0367	4.16	4.75	no	music wire	4C
C.016.020.0100.AP	1.6	0.20	10.0	0.0513	3.02	4.89	no	music wire	4E
C.016.020.0100.I	1.6	0.20	10.0	0.0290	4.22	4.83	no	stainless steel	4C
C.016.020.0125.A	1.6	0.20	12.5	0.0292	4.76	5.46	no	music wire	4C
C.016.020.0125.AP	1.6	0.20	12.5	0.0407	3.62	6.06	no	music wire	4E
C.016.020.0125.I	1.6	0.20	12.5	0.0230	5.14	5.91	no	stainless steel	4C
C.016.020.0160.A	1.6	0.20	16.0	0.0233	5.80	6.68	no	music wire	4C
C.016.020.0160.AP	1.6	0.20	16.0	0.0314	4.48	7.64	no	music wire	4E
C.016.020.0160.I	1.6	0.20	16.0	0.0203	5.74	6.61	no	stainless steel	4C
C.016.020.0174.A	1.6	0.20	17.4	0.0460	3.28	11.70	no	music wire	4G
C.016.020.0182.A	1.6	0.20	18.2	0.0180	7.30	8.45	no	music wire	4C
C.016.020.0182.AP	1.6	0.20	18.2	0.0274	5.04	8.64	no	music wire	4E
C.016.020.0182.I	1.6	0.20	18.2	0.0157	7.22	8.35	no	stainless steel	4C
C.016.020.0200.A	1.6	0.20	20.0	0.0187	7.06	8.16	no	music wire	4C
C.016.020.0200.I	1.6	0.20	20.0	0.0163	6.98	8.07	no	stainless steel	4C
C.016.020.0230.A	1.6	0.20	23.0	0.0230	5.86	11.61	no	music wire	4G
C.016.020.0230.I	1.6	0.20	23.0	0.0200	5.80	12.10	no	stainless steel	4G
C.016.020.0250.A	1.6	0.20	25.0	0.0146	8.84	10.25	no	music wire	4C
C.016.020.0250.AP	1.6	0.20	25.0	0.0199	6.68	11.80	no	music wire	4E
C.016.020.0250.I	1.6	0.20	25.0	0.0127	8.74	10.13	no	stainless steel	4C
C.016.022.0032.A	1.6	0.22	3.2	0.1805	1.87	2.04	no	music wire	4C
C.016.022.0032.AP	1.6	0.22	3.2	0.2652	1.52	1.91	no	music wire	4E
C.016.022.0032.I	1.6	0.22	3.2	0.1570	1.87	2.04	no	stainless steel	4C
C.016.022.0040.A	1.6	0.22	4.0	0.1379	2.22	2.45	no	music wire	4C
C.016.022.0040.AP	1.6	0.22	4.0	0.2003	1.76	2.29	no	music wire	4E
C.016.022.0040.I	1.6	0.22	4.0	0.1200	2.20	2.43	no	stainless steel	4C
C.016.022.0050.A	1.6	0.22	5.0	0.1069	2.64	2.94	no	music wire	4C
C.016.022.0050.AP	1.6	0.22	5.0	0.1554	2.05	2.80	no	music wire	4E
C.016.022.0050.I	1.6	0.22	5.0	0.0930	2.62	2.91	no	stainless steel	4C
C.016.022.0063.A	1.6	0.22	6.3	0.0816	3.21	3.60	no	music wire	4C
C.016.022.0063.AP	1.6	0.22	6.3	0.1186	2.46	3.42	no	music wire	4E
C.016.022.0063.I	1.6	0.22	6.3	0.0710	3.19	3.57	no	stainless steel	4C
C.016.022.0080.A	1.6	0.22	8.0	0.0632	3.94	4.44	no	music wire	4C
C.016.022.0080.AP	1.6	0.22	8.0	0.0920	2.95	4.28	no	music wire	4E
C.016.022.0080.I	1.6	0.22	8.0	0.0550	3.89	4.39	no	stainless steel	4C
C.016.022.0100.A	1.6	0.22	10.0	0.0494	4.82	5.46	no	music wire	4C
C.016.022.0100.AP	1.6	0.22	10.0	0.0721	3.54	5.26	no	music wire	4E
C.016.022.0100.I	1.6	0.22	10.0	0.0430	4.75	5.38	no	stainless steel	4C
C.016.022.0125.A	1.6	0.22	12.5	0.0391	5.87	6.68	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.016.022.0125.AP	1.6	0.22	12.5	0.0571	4.27	6.50	no	music wire	4E
C.016.022.0125.I	1.6	0.22	12.5	0.0340	5.81	6.61	no	stainless steel	4C
C.016.040.0040.A	1.6	0.40	4.0	2.7000	3.24	3.49	yes	music wire	4D
C.016.040.0040.I	1.6	0.40	4.0	2.3490	3.20	3.45	yes	stainless steel	4E
C.017.014.0050.I	1.7	0.14	5.0	0.0160	1.22	1.43	no	stainless steel	4C
C.017.014.0063.I	1.7	0.14	6.3	0.0128	1.40	1.67	no	stainless steel	4C
C.017.014.0080.I	1.7	0.14	8.0	0.0100	1.67	2.02	no	stainless steel	4C
C.017.014.0100.I	1.7	0.14	10.0	0.0080	1.95	2.38	no	stainless steel	4C
C.017.014.0125.I	1.7	0.14	12.5	0.0064	2.32	2.86	no	stainless steel	4C
C.017.014.0160.I	1.7	0.14	16.0	0.0051	2.80	3.48	no	stainless steel	4C
C.017.014.0200.I	1.7	0.14	20.0	0.0040	3.42	4.28	no	stainless steel	4C
C.017.014.0250.I	1.7	0.14	25.0	0.0032	4.14	5.21	no	stainless steel	4C
C.017.018.0040.I	1.7	0.18	4.0	0.0500	1.60	1.80	no	stainless steel	4C
C.017.018.0050.I	1.7	0.18	5.0	0.0389	1.89	2.15	no	stainless steel	4C
C.017.018.0063.I	1.7	0.18	6.3	0.0318	2.18	2.50	no	stainless steel	4C
C.017.018.0080.I	1.7	0.18	8.0	0.0250	2.59	2.99	no	stainless steel	4C
C.017.018.0100.I	1.7	0.18	10.0	0.0194	3.15	3.66	no	stainless steel	4C
C.017.018.0125.I	1.7	0.18	12.5	0.0156	3.78	4.42	no	stainless steel	4C
C.017.018.0160.I	1.7	0.18	16.0	0.0125	4.55	5.35	no	stainless steel	4C
C.017.018.0200.I	1.7	0.18	20.0	0.0100	5.53	6.53	no	stainless steel	4C
C.017.018.0250.I	1.7	0.18	25.0	0.0078	6.93	8.22	no	stainless steel	4C
C.017.025.0032.A	1.7	0.25	3.2	0.2500	2.23	2.43	no	music wire	4C
C.017.025.0040.A	1.7	0.25	4.0	0.2000	2.58	2.83	no	music wire	4C
C.017.025.0050.A	1.7	0.25	5.0	0.1600	3.00	3.32	no	music wire	4C
C.017.025.0063.A	1.7	0.25	6.3	0.1250	3.60	4.01	no	music wire	4C
C.017.025.0080.A	1.7	0.25	8.0	0.1000	4.28	4.79	no	music wire	4C
C.017.025.0100.A	1.7	0.25	10.0	0.0781	5.05	5.68	no	music wire	4C
C.017.025.0100.AP	1.7	0.25	10.0	0.1045	4.00	5.58	no	music wire	4E
C.017.025.0100.I	1.7	0.25	10.0	0.0679	5.00	5.62	no	stainless steel	4C
C.017.025.0125.A	1.7	0.25	12.5	0.0625	6.10	6.89	no	music wire	4C
C.017.025.0125.AP	1.7	0.25	12.5	0.0826	4.83	6.91	no	music wire	4E
C.017.025.0125.I	1.7	0.25	12.5	0.0544	6.03	6.80	no	stainless steel	4C
C.017.025.0160.A	1.7	0.25	16.0	0.0500	7.40	8.38	no	music wire	4C
C.017.025.0160.I	1.7	0.25	16.0	0.0435	7.33	8.30	no	stainless steel	4C
C.017.025.0200.A	1.7	0.25	20.0	0.0397	9.10	10.34	no	music wire	4C
C.017.025.0200.I	1.7	0.25	20.0	0.0345	9.00	10.22	no	stainless steel	4C
C.017.025.0250.A	1.7	0.25	25.0	0.0313	11.30	12.87	no	music wire	4C
C.017.025.0250.I	1.7	0.25	25.0	0.0272	11.18	12.73	no	stainless steel	4C
C.017.030.0080.A	1.7	0.30	8.0	0.1609	6.66	7.40	no	music wire	4C
C.017.030.0080.AP	1.7	0.30	8.0	0.2767	4.32	5.24	no	music wire	4E
C.017.030.0080.I	1.7	0.30	8.0	0.1400	6.57	7.30	no	stainless steel	4C
C.017.032.0032.A	1.7	0.32	3.2	0.6429	3.14	3.14	no	music wire	4C
C.017.032.0032.AL	1.7	0.32	3.2	0.7779	2.78	2.99	no	music wire	4C
C.017.032.0032.AP	1.7	0.32	3.2	1.1220	2.27	2.42	no	music wire	4E
C.017.032.0032.I	1.7	0.32	3.2	0.5593	3.10	3.10	no	stainless steel	4C
C.017.032.0040.A	1.7	0.32	4.0	0.5657	3.42	3.71	no	music wire	4C
C.017.032.0050.A	1.7	0.32	5.0	0.4091	4.29	4.70	no	music wire	4C
C.017.032.0050.AP	1.7	0.32	5.0	0.6311	3.17	3.56	no	music wire	4E
C.017.032.0050.I	1.7	0.32	5.0	0.3559	4.26	4.66	no	stainless steel	4C
C.017.032.0063.A	1.7	0.32	6.3	0.3273	5.09	5.60	no	music wire	4C
C.017.032.0080.A	1.7	0.32	8.0	0.2500	6.34	7.01	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.017.032.0080.AP	1.7	0.32	8.0	0.3639	4.70	5.50	no	music wire	4E
C.017.032.0080.I	1.7	0.32	8.0	0.2175	6.27	6.93	no	stainless steel	4C
C.017.032.0100.A	1.7	0.32	10.0	0.2045	7.49	8.30	no	music wire	4C
C.017.032.0100.AP	1.7	0.32	10.0	0.2825	5.73	6.78	no	music wire	4E
C.017.032.0100.I	1.7	0.32	10.0	0.1779	7.39	8.19	no	stainless steel	4C
C.017.032.0125.A	1.7	0.32	12.5	0.1636	9.06	10.07	no	music wire	4C
C.017.032.0160.A	1.7	0.32	16.0	0.1250	11.52	12.85	no	music wire	4C
C.017.032.0160.AP	1.7	0.32	16.0	0.1704	8.74	10.66	no	music wire	4E
C.017.032.0160.I	1.7	0.32	16.0	0.1088	11.39	12.70	no	stainless steel	4C
C.017.032.0200.A	1.7	0.32	20.0	0.1000	14.11	15.77	no	music wire	4C
C.017.032.0200.AP	1.7	0.32	20.0	0.1346	10.78	13.24	no	music wire	4E
C.017.032.0200.I	1.7	0.32	20.0	0.0870	13.95	15.59	no	stainless steel	4C
C.017.032.0250.A	1.7	0.32	25.0	0.0804	17.31	19.38	no	music wire	4C
C.017.032.0250.AP	1.7	0.32	25.0	0.1066	13.31	16.47	no	music wire	4E
C.017.032.0250.I	1.7	0.32	25.0	0.0700	17.09	19.13	no	stainless steel	4C
C.017.040.0030.A	1.7	0.40	3.0	3.3916	2.40	2.56	yes	music wire	4D
C.017.040.0030.I	1.7	0.40	3.0	2.9130	2.40	2.56	yes	stainless steel	4E
C.017.040.0030.N	1.7	0.40	3.0	3.3916	2.40	2.56	yes	Zn coating	4F
C.017.040.0042.A	1.7	0.40	4.2	2.1583	3.20	3.45	yes	music wire	4D
C.017.040.0042.I	1.7	0.40	4.2	1.8538	3.20	3.45	yes	stainless steel	4E
C.017.040.0042.N	1.7	0.40	4.2	2.1583	3.20	3.45	yes	Zn coating	4F
C.017.040.0062.A	1.7	0.40	6.2	1.4000	4.40	5.02	yes	music wire	4F
C.017.040.0062.I	1.7	0.40	6.2	1.2000	4.40	5.04	yes	stainless steel	4G
C.017.040.0062.N	1.7	0.40	6.2	1.4000	4.40	5.02	yes	Zn coating	4I
C.017.040.0086.A	1.7	0.40	8.6	0.9497	6.00	6.87	yes	music wire	4F
C.017.040.0086.I	1.7	0.40	8.6	0.8157	6.00	6.90	yes	stainless steel	4G
C.017.040.0086.N	1.7	0.40	8.6	0.9497	6.00	6.87	yes	Zn coating	4I
C.017.040.0124.A	1.7	0.40	12.4	0.6417	8.40	9.83	yes	music wire	4F
C.017.040.0124.I	1.7	0.40	12.4	0.5512	8.40	9.88	yes	stainless steel	4G
C.017.040.0124.N	1.7	0.40	12.4	0.6417	8.40	9.83	yes	Zn coating	4I
C.018.020.0031.A	1.8	0.20	3.1	0.1137	1.40	1.54	no	music wire	4C
C.018.020.0031.AP	1.8	0.20	3.1	0.1580	1.20	1.61	no	music wire	4E
C.018.020.0031.I	1.8	0.20	3.1	0.0989	1.40	1.54	no	stainless steel	4C
C.018.020.0044.A	1.8	0.20	4.4	0.0724	1.80	2.02	no	music wire	4C
C.018.020.0044.AP	1.8	0.20	4.4	0.1068	1.44	2.20	no	music wire	4E
C.018.020.0044.I	1.8	0.20	4.4	0.0630	1.78	1.99	no	stainless steel	4C
C.018.020.0064.A	1.8	0.20	6.4	0.0468	2.40	2.73	no	music wire	4C
C.018.020.0064.AP	1.8	0.20	6.4	0.0693	1.84	3.01	no	music wire	4E
C.018.020.0064.I	1.8	0.20	6.4	0.0402	2.40	2.73	no	stainless steel	4C
C.018.020.0092.A	1.8	0.20	9.2	0.0318	3.20	3.69	no	music wire	4C
C.018.020.0092.AP	1.8	0.20	9.2	0.0470	2.40	4.21	no	music wire	4E
C.018.020.0092.I	1.8	0.20	9.2	0.0277	3.18	3.67	no	stainless steel	4C
C.018.020.0133.A	1.8	0.20	13.3	0.0215	4.40	5.13	no	music wire	4C
C.018.020.0133.AP	1.8	0.20	13.3	0.0319	3.20	5.93	no	music wire	4E
C.018.020.0133.I	1.8	0.20	13.3	0.0185	4.40	5.13	no	stainless steel	4C
C.018.022.0050.A	1.8	0.22	5.0	0.0947	2.18	2.43	no	music wire	4C
C.018.022.0050.AP	1.8	0.22	5.0	0.1278	1.80	2.60	no	music wire	4E
C.018.022.0050.I	1.8	0.22	5.0	0.0824	2.16	2.41	no	stainless steel	4C
C.018.022.0063.A	1.8	0.22	6.3	0.0750	2.55	2.87	no	music wire	4C
C.018.022.0063.I	1.8	0.22	6.3	0.0653	2.53	2.84	no	stainless steel	4C
C.018.022.0080.A	1.8	0.22	8.0	0.0600	2.99	3.38	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.018.022.0080.I	1.8	0.22	8.0	0.0522	2.97	3.36	no	stainless steel	4E
C.018.022.0100.A	1.8	0.22	10.0	0.0474	3.59	4.09	no	music wire	4C
C.018.022.0100.I	1.8	0.22	10.0	0.0412	3.54	4.03	no	stainless steel	4E
C.018.022.0125.A	1.8	0.22	12.5	0.0375	4.31	4.94	no	music wire	4C
C.018.022.0125.I	1.8	0.22	12.5	0.0326	4.27	4.89	no	stainless steel	4E
C.018.022.0160.A	1.8	0.22	16.0	0.0300	5.21	6.00	no	music wire	4E
C.018.022.0160.I	1.8	0.22	16.0	0.0261	5.15	6.21	no	stainless steel	4E
C.018.022.0200.A	1.8	0.22	20.0	0.0240	6.31	7.29	no	music wire	4E
C.018.022.0200.I	1.8	0.22	20.0	0.0209	6.25	7.76	no	stainless steel	4E
C.018.022.0250.A	1.8	0.22	25.0	0.0188	7.85	9.11	no	music wire	4E
C.018.022.0250.I	1.8	0.22	25.0	0.0164	7.77	9.38	no	stainless steel	4E
C.018.025.0043.A	1.8	0.25	4.3	0.1911	2.28	2.50	no	music wire	4C
C.018.025.0043.I	1.8	0.25	4.3	0.1663	2.25	2.47	no	stainless steel	4C
C.018.025.0087.A	1.8	0.25	8.7	0.0843	4.05	4.55	no	music wire	4C
C.018.025.0087.AP	1.8	0.25	8.7	0.1105	3.30	4.73	no	music wire	4E
C.018.025.0087.I	1.8	0.25	8.7	0.0733	4.00	4.49	no	stainless steel	4C
C.019.020.0040.A	1.9	0.20	4.0	0.0664	1.70	1.91	no	music wire	4C
C.019.020.0040.I	1.9	0.20	4.0	0.0570	1.70	1.91	no	stainless steel	4C
C.019.020.0050.A	1.9	0.20	5.0	0.0500	2.02	2.30	no	music wire	4C
C.019.020.0063.A	1.9	0.20	6.3	0.0409	2.32	2.66	no	music wire	4C
C.019.020.0080.A	1.9	0.20	8.0	0.0306	2.86	3.31	no	music wire	4C
C.019.020.0080.AP	1.9	0.20	8.0	0.0507	2.00	3.60	no	music wire	4E
C.019.020.0080.I	1.9	0.20	8.0	0.0266	2.84	3.29	no	stainless steel	4C
C.019.020.0100.A	1.9	0.20	10.0	0.0250	3.36	3.91	no	music wire	4C
C.019.020.0120.A	1.9	0.20	12.0	0.0209	3.88	4.54	no	music wire	4C
C.019.020.0120.I	1.9	0.20	12.0	0.0179	3.88	4.54	no	stainless steel	4C
C.019.020.0125.A	1.9	0.20	12.5	0.0200	4.02	4.71	no	music wire	4C
C.019.020.0160.A	1.9	0.20	16.0	0.0157	4.92	5.80	no	music wire	4C
C.019.020.0160.AP	1.9	0.20	16.0	0.0244	3.42	6.86	no	music wire	4E
C.019.020.0160.I	1.9	0.20	16.0	0.0137	4.88	5.75	no	stainless steel	4C
C.019.020.0200.A	1.9	0.20	20.0	0.0122	6.14	7.27	no	music wire	4C
C.019.020.0200.AL	1.9	0.20	20.0	0.0129	5.86	6.94	no	music wire	4C
C.019.020.0200.AP	1.9	0.20	20.0	0.0195	4.10	8.56	no	music wire	4E
C.019.020.0200.I	1.9	0.20	20.0	0.0106	6.06	7.18	no	stainless steel	4C
C.019.020.0250.A	1.9	0.20	25.0	0.0098	7.48	8.89	no	music wire	4C
C.019.020.0250.AP	1.9	0.20	25.0	0.0155	5.00	10.58	no	music wire	4E
C.019.020.0250.I	1.9	0.20	25.0	0.0085	7.38	8.77	no	stainless steel	4C
C.019.025.0030.A	1.9	0.25	3.0	0.2776	1.68	1.81	no	music wire	4C
C.019.025.0030.I	1.9	0.25	3.0	0.2384	1.68	1.81	no	stainless steel	4C
C.019.025.0043.A	1.9	0.25	4.3	0.1766	2.13	2.34	no	music wire	4C
C.019.025.0043.I	1.9	0.25	4.3	0.1536	2.13	2.34	no	stainless steel	4C
C.019.025.0062.A	1.9	0.25	6.2	0.1143	2.83	3.15	no	music wire	4C
C.019.025.0062.I	1.9	0.25	6.2	0.0982	2.80	3.12	no	stainless steel	4C
C.019.025.0087.A	1.9	0.25	8.7	0.0777	3.73	4.20	no	music wire	4C
C.019.025.0087.I	1.9	0.25	8.7	0.0676	3.70	4.17	no	stainless steel	4C
C.019.025.0125.A	1.9	0.25	12.5	0.0525	5.10	5.80	no	music wire	4C
C.019.025.0125.I	1.9	0.25	12.5	0.0451	5.10	5.80	no	stainless steel	4C
C.019.025.0160.A	1.9	0.25	16.0	0.0356	7.10	8.13	no	music wire	4C
C.019.025.0160.I	1.9	0.25	16.0	0.0306	7.10	8.13	no	stainless steel	4C
C.019.025.0200.A	1.9	0.25	20.0	0.0282	8.73	10.03	no	music wire	4C
C.019.025.0200.I	1.9	0.25	20.0	0.0242	8.73	10.03	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.019.025.0240.A	1.9	0.25	24.0	0.0234	10.33	11.89	no	music wire	4C
C.019.025.0240.I	1.9	0.25	24.0	0.0201	10.33	11.89	no	stainless steel	4C
C.019.028.0032.A	1.9	0.28	3.2	0.3200	2.27	2.46	no	music wire	4C
C.019.028.0032.AP	1.9	0.28	3.2	0.5045	1.79	2.07	no	music wire	4E
C.019.028.0032.I	1.9	0.28	3.2	0.2784	2.24	2.43	no	stainless steel	4C
C.019.028.0040.A	1.9	0.28	4.0	0.2560	2.60	2.84	no	music wire	4C
C.019.028.0040.AP	1.9	0.28	4.0	0.3751	2.07	2.48	no	music wire	4E
C.019.028.0040.I	1.9	0.28	4.0	0.2227	2.58	2.82	no	stainless steel	4C
C.019.028.0050.A	1.9	0.28	5.0	0.2000	3.05	3.36	no	music wire	4C
C.019.028.0050.AP	1.9	0.28	5.0	0.2869	2.41	3.01	no	music wire	4E
C.019.028.0050.I	1.9	0.28	5.0	0.1740	3.02	3.33	no	stainless steel	4C
C.019.028.0063.A	1.9	0.28	6.3	0.1600	3.56	3.95	no	music wire	4C
C.019.028.0063.AP	1.9	0.28	6.3	0.2184	2.86	3.68	no	music wire	4E
C.019.028.0063.I	1.9	0.28	6.3	0.1392	3.53	3.91	no	stainless steel	4C
C.019.028.0080.A	1.9	0.28	8.0	0.1280	4.20	4.68	no	music wire	4C
C.019.028.0080.AP	1.9	0.28	8.0	0.1682	3.44	4.60	no	music wire	4E
C.019.028.0080.I	1.9	0.28	8.0	0.1114	4.17	4.65	no	stainless steel	4C
C.019.028.0100.A	1.9	0.28	10.0	0.1000	5.10	5.72	no	music wire	4C
C.019.028.0100.AP	1.9	0.28	10.0	0.1318	4.12	5.66	no	music wire	4E
C.019.028.0100.I	1.9	0.28	10.0	0.0870	5.04	5.65	no	stainless steel	4C
C.019.028.0120.A	1.9	0.28	12.0	0.0755	6.44	7.26	no	music wire	4C
C.019.028.0120.I	1.9	0.28	12.0	0.0649	6.44	7.26	no	stainless steel	4C
C.019.028.0125.A	1.9	0.28	12.5	0.0800	6.13	6.90	no	music wire	4C
C.019.028.0125.AP	1.9	0.28	12.5	0.1038	4.96	6.99	no	music wire	4E
C.019.028.0125.I	1.9	0.28	12.5	0.0696	6.08	6.85	no	stainless steel	4C
C.019.028.0140.A	1.9	0.28	14.0	0.0643	7.39	8.35	no	music wire	4C
C.019.028.0140.I	1.9	0.28	14.0	0.0552	7.39	8.35	no	stainless steel	4C
C.019.028.0160.A	1.9	0.28	16.0	0.0640	7.42	8.39	no	music wire	4C
C.019.028.0160.I	1.9	0.28	16.0	0.0557	7.34	8.29	no	stainless steel	4E
C.019.028.0180.A	1.9	0.28	18.0	0.0496	9.30	10.55	no	music wire	4C
C.019.028.0180.I	1.9	0.28	18.0	0.0426	9.30	10.55	no	stainless steel	4C
C.019.028.0200.A	1.9	0.28	20.0	0.0508	9.10	10.32	no	music wire	4C
C.019.028.0200.I	1.9	0.28	20.0	0.0442	8.99	10.19	no	stainless steel	4E
C.019.028.0220.A	1.9	0.28	22.0	0.0404	11.20	12.74	no	music wire	4C
C.019.028.0220.I	1.9	0.28	22.0	0.0347	11.20	12.74	no	stainless steel	4C
C.019.028.0240.A	1.9	0.28	24.0	0.0369	12.15	13.83	no	music wire	4C
C.019.028.0240.I	1.9	0.28	24.0	0.0317	12.15	13.83	no	stainless steel	4C
C.019.028.0250.A	1.9	0.28	25.0	0.0400	11.28	12.83	no	music wire	4C
C.019.028.0250.I	1.9	0.28	25.0	0.0348	11.17	12.70	no	stainless steel	4E
C.019.032.0031.A	1.9	0.32	3.1	0.7451	2.27	2.43	no	music wire	4C
C.019.032.0031.AP	1.9	0.32	3.1	0.9281	2.05	2.21	no	music wire	4E
C.019.032.0031.I	1.9	0.32	3.1	0.6400	2.27	2.43	no	stainless steel	4C
C.019.032.0044.A	1.9	0.32	4.4	0.4742	2.94	3.19	no	music wire	4C
C.019.032.0044.I	1.9	0.32	4.4	0.4126	2.91	3.15	no	stainless steel	4C
C.019.032.0063.A	1.9	0.32	6.3	0.3068	3.94	4.32	no	music wire	4C
C.019.032.0063.I	1.9	0.32	6.3	0.2635	3.94	4.32	no	stainless steel	4C
C.019.032.0087.A	1.9	0.32	8.7	0.2086	5.28	5.85	no	music wire	4C
C.019.032.0087.AP	1.9	0.32	8.7	0.2588	4.48	5.51	no	music wire	4E
C.019.032.0087.I	1.9	0.32	8.7	0.1815	5.22	5.78	no	stainless steel	4C
C.019.032.0125.A	1.9	0.32	12.5	0.1410	7.26	8.10	no	music wire	4C
C.019.032.0125.I	1.9	0.32	12.5	0.1227	7.20	8.03	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.019.032.0160.A	1.9	0.32	16.0	0.0988	9.89	11.09	no	music wire	4C
C.019.032.0160.I	1.9	0.32	16.0	0.0849	9.89	11.09	no	stainless steel	4C
C.019.032.0180.A	1.9	0.32	18.0	0.0876	11.01	12.36	no	music wire	4C
C.019.032.0180.I	1.9	0.32	18.0	0.0753	11.01	12.36	no	stainless steel	4C
C.019.032.0240.A	1.9	0.32	24.0	0.0651	14.43	16.25	no	music wire	4C
C.019.032.0240.I	1.9	0.32	24.0	0.0559	14.43	16.25	no	stainless steel	4C
C.019.035.0032.A	1.9	0.35	3.2	0.8000	3.01	3.01	no	music wire	4B
C.019.035.0032.AL	1.9	0.35	3.2	0.8839	2.84	3.05	no	music wire	4B
C.019.035.0032.AP	1.9	0.35	3.2	1.3164	2.31	2.45	no	music wire	4D
C.019.035.0032.I	1.9	0.35	3.2	0.6960	3.01	3.01	no	stainless steel	4B
C.019.035.0040.A	1.9	0.35	4.0	0.6222	3.54	3.84	no	music wire	4B
C.019.035.0040.AP	1.9	0.35	4.0	0.9716	2.70	2.91	no	music wire	4D
C.019.035.0040.I	1.9	0.35	4.0	0.5413	3.50	3.79	no	stainless steel	4B
C.019.035.0050.A	1.9	0.35	5.0	0.5091	4.06	4.43	no	music wire	4B
C.019.035.0050.AP	1.9	0.35	5.0	0.7287	3.19	3.55	no	music wire	4D
C.019.035.0050.I	1.9	0.35	5.0	0.4429	4.03	4.39	no	stainless steel	4B
C.019.035.0063.A	1.9	0.35	6.3	0.4000	4.83	5.30	no	music wire	4B
C.019.035.0063.AP	1.9	0.35	6.3	0.5515	3.82	4.39	no	music wire	4D
C.019.035.0063.I	1.9	0.35	6.3	0.3480	4.76	5.22	no	stainless steel	4B
C.019.035.0080.A	1.9	0.35	8.0	0.3111	5.85	6.45	no	music wire	4B
C.019.035.0080.AP	1.9	0.35	8.0	0.4164	4.69	5.47	no	music wire	4D
C.019.035.0080.I	1.9	0.35	8.0	0.2707	5.78	6.37	no	stainless steel	4B
C.019.035.0100.A	1.9	0.35	10.0	0.2545	6.86	7.59	no	music wire	4B
C.019.035.0100.AP	1.9	0.35	10.0	0.3239	5.67	6.74	no	music wire	4D
C.019.035.0100.I	1.9	0.35	10.0	0.2214	6.79	7.51	no	stainless steel	4B
C.019.035.0125.A	1.9	0.35	12.5	0.2000	8.40	9.33	no	music wire	4B
C.019.035.0125.AP	1.9	0.35	12.5	0.2535	6.90	8.34	no	music wire	4D
C.019.035.0125.I	1.9	0.35	12.5	0.1740	8.33	9.25	no	stainless steel	4B
C.019.035.0140.A	1.9	0.35	14.0	0.1703	9.66	10.75	no	music wire	4B
C.019.035.0140.I	1.9	0.35	14.0	0.1463	9.66	10.75	no	stainless steel	4B
C.019.035.0160.A	1.9	0.35	16.0	0.1556	10.47	11.67	no	music wire	4B
C.019.035.0160.AP	1.9	0.35	16.0	0.1943	8.61	10.57	no	music wire	4D
C.019.035.0160.I	1.9	0.35	16.0	0.1354	10.33	11.51	no	stainless steel	4B
C.019.035.0180.A	1.9	0.35	18.0	0.1312	12.18	13.60	no	music wire	4B
C.019.035.0180.I	1.9	0.35	18.0	0.1127	12.18	13.60	no	stainless steel	4B
C.019.035.0200.A	1.9	0.35	20.0	0.1244	12.78	14.27	no	music wire	4B
C.019.035.0200.AP	1.9	0.35	20.0	0.1528	10.64	13.09	no	music wire	4D
C.019.035.0200.I	1.9	0.35	20.0	0.1082	12.64	14.12	no	stainless steel	4B
C.019.035.0220.A	1.9	0.35	22.0	0.1066	14.70	16.44	no	music wire	4B
C.019.035.0220.I	1.9	0.35	22.0	0.0916	14.70	16.44	no	stainless steel	4B
C.019.035.0250.A	1.9	0.35	25.0	0.1000	15.61	17.47	no	music wire	4B
C.019.035.0250.AP	1.9	0.35	25.0	0.1211	13.09	16.28	no	music wire	4D
C.019.035.0250.I	1.9	0.35	25.0	0.0870	15.40	17.23	no	stainless steel	4B
C.019.035.0280.A	1.9	0.35	28.0	0.0833	18.48	20.71	no	music wire	4B
C.019.035.0280.I	1.9	0.35	28.0	0.0715	18.48	20.71	no	stainless steel	4B
C.019.035.0300.A	1.9	0.35	30.0	0.0776	19.74	22.14	no	music wire	4B
C.019.035.0300.I	1.9	0.35	30.0	0.0667	19.74	22.14	no	stainless steel	4B
C.019.035.0320.A	1.9	0.35	32.0	0.0800	19.18	21.50	no	music wire	4B
C.019.035.0320.I	1.9	0.35	32.0	0.0696	18.97	21.27	no	stainless steel	4E
C.019.035.0360.A	1.9	0.35	36.0	0.0643	23.56	26.45	no	music wire	4B
C.019.035.0360.I	1.9	0.35	36.0	0.0553	23.56	26.45	no	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.019.035.0400.A	1.9	0.35	40.0	0.0622	24.33	27.32	no	music wire	4B
C.019.035.0400.I	1.9	0.35	40.0	0.0541	24.05	27.00	no	stainless steel	4B
C.019.040.0032.A	1.9	0.40	3.2	1.6000	2.92	3.15	yes	music wire	4B
C.019.040.0032.AL	1.9	0.40	3.2	1.9058	2.64	2.84	yes	music wire	4B
C.019.040.0032.AP	1.9	0.40	3.2	2.5616	2.20	2.61	yes	music wire	4F
C.019.040.0032.I	1.9	0.40	3.2	1.3920	2.92	3.15	yes	stainless steel	4B
C.019.040.0032.N	1.9	0.40	3.2	1.6000	2.92	3.15	yes	Zn coating	4C
C.019.040.0040.A	1.9	0.40	4.0	1.2698	3.44	3.74	yes	music wire	4B
C.019.040.0040.AL	1.9	0.40	4.0	1.3860	3.40	3.69	yes	music wire	4B
C.019.040.0040.AP	1.9	0.40	4.0	1.8297	2.68	3.17	yes	music wire	4F
C.019.040.0040.I	1.9	0.40	4.0	1.1047	3.40	3.69	yes	stainless steel	4B
C.019.040.0040.N	1.9	0.40	4.0	1.2698	3.44	3.74	yes	Zn coating	4C
C.019.040.0050.A	1.9	0.40	5.0	1.0000	4.08	4.45	yes	music wire	4B
C.019.040.0050.AP	1.9	0.40	5.0	1.3482	3.28	3.88	yes	music wire	4F
C.019.040.0050.I	1.9	0.40	5.0	0.8700	4.04	4.41	yes	stainless steel	4B
C.019.040.0050.N	1.9	0.40	5.0	1.0000	4.08	4.45	yes	Zn coating	4C
C.019.040.0063.A	1.9	0.40	6.3	0.8000	4.88	5.35	yes	music wire	4B
C.019.040.0063.AP	1.9	0.40	6.3	1.0112	4.04	4.81	yes	music wire	4F
C.019.040.0063.I	1.9	0.40	6.3	0.6960	4.80	5.26	yes	stainless steel	4B
C.019.040.0063.N	1.9	0.40	6.3	0.8000	4.88	5.35	yes	Zn coating	4C
C.019.040.0080.A	1.9	0.40	8.0	0.6400	5.84	6.43	yes	music wire	4B
C.019.040.0080.I	1.9	0.40	8.0	0.5568	5.76	6.34	yes	stainless steel	4B
C.019.040.0080.N	1.9	0.40	8.0	0.6400	5.84	6.43	yes	Zn coating	4C
C.019.040.0100.A	1.9	0.40	10.0	0.5000	7.20	7.95	yes	music wire	4B
C.019.040.0100.I	1.9	0.40	10.0	0.4350	7.12	7.86	yes	stainless steel	4B
C.019.040.0100.N	1.9	0.40	10.0	0.5000	7.20	7.95	yes	Zn coating	4C
C.019.040.0120.A	1.9	0.40	12.0	0.3825	9.08	10.06	yes	music wire	4B
C.019.040.0120.I	1.9	0.40	12.0	0.3286	9.08	10.06	yes	stainless steel	4B
C.019.040.0125.A	1.9	0.40	12.5	0.3938	9.52	10.54	yes	music wire	4B
C.019.040.0160.A	1.9	0.40	16.0	0.3200	10.64	11.81	yes	music wire	4D
C.019.040.0160.I	1.9	0.40	16.0	0.2784	10.52	11.67	yes	stainless steel	4E
C.019.040.0160.N	1.9	0.40	16.0	0.3200	10.64	11.81	yes	Zn coating	4F
C.019.040.0200.A	1.9	0.40	20.0	0.2500	13.36	14.86	yes	music wire	4D
C.019.040.0200.I	1.9	0.40	20.0	0.2175	13.20	14.68	yes	stainless steel	4E
C.019.040.0200.N	1.9	0.40	20.0	0.2500	13.36	14.86	yes	Zn coating	4F
C.019.040.0240.A	1.9	0.40	24.0	0.1849	17.72	19.74	yes	music wire	4B
C.019.040.0240.I	1.9	0.40	24.0	0.1588	17.72	19.74	yes	stainless steel	4B
C.019.040.0280.A	1.9	0.40	28.0	0.1577	20.60	22.97	yes	music wire	4B
C.019.040.0280.I	1.9	0.40	28.0	0.1354	20.60	22.97	yes	stainless steel	4B
C.019.040.0360.A	1.9	0.40	36.0	0.1219	26.36	29.43	yes	music wire	4B
C.019.040.0360.I	1.9	0.40	36.0	0.1047	26.36	29.43	yes	stainless steel	4C
C.020.016.0020.I	2.0	0.16	2.0	0.0614	0.80	0.87	no	stainless steel	4C
C.020.016.0030.I	2.0	0.16	3.0	0.0384	0.94	1.05	no	stainless steel	4C
C.020.016.0048.AP	2.0	0.16	4.8	0.0394	0.99	1.93	no	music wire	4E
C.020.016.0050.I	2.0	0.16	5.0	0.0200	1.30	1.52	no	stainless steel	4C
C.020.016.0063.I	2.0	0.16	6.3	0.0160	1.49	1.77	no	stainless steel	4C
C.020.016.0064.I	2.0	0.16	6.4	0.0061	2.98	3.70	no	stainless steel	4C
C.020.016.0080.I	2.0	0.16	8.0	0.0125	1.74	2.09	no	stainless steel	4C
C.020.016.0100.I	2.0	0.16	10.0	0.0100	2.03	2.47	no	stainless steel	4C
C.020.016.0125.I	2.0	0.16	12.5	0.0080	2.40	2.95	no	stainless steel	4C
C.020.016.0160.I	2.0	0.16	16.0	0.0063	2.88	3.57	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.020.016.0200.I	2.0	0.16	20.0	0.0050	3.50	4.38	no	stainless steel	4C
C.020.016.0230.I	2.0	0.16	23.0	0.0047	3.66	4.59	no	stainless steel	4C
C.020.016.0250.I	2.0	0.16	25.0	0.0040	4.24	5.34	no	stainless steel	4C
C.020.018.0020.I	2.0	0.18	2.0	0.0896	0.94	1.02	no	stainless steel	4C
C.020.018.0030.I	2.0	0.18	3.0	0.0586	1.10	1.22	no	stainless steel	4C
C.020.018.0050.I	2.0	0.18	5.0	0.0331	1.46	1.67	no	stainless steel	4C
C.020.018.0070.I	2.0	0.18	7.0	0.0234	1.80	2.10	no	stainless steel	4C
C.020.018.0130.I	2.0	0.18	13.0	0.0124	2.84	3.40	no	stainless steel	4C
C.020.018.0200.I	2.0	0.18	20.0	0.0080	4.07	4.94	no	stainless steel	4C
C.020.020.0020.A	2.0	0.20	2.0	0.1553	1.06	1.14	no	music wire	4C
C.020.020.0020.I	2.0	0.20	2.0	0.1334	1.06	1.14	no	stainless steel	4C
C.020.020.0028.A	2.0	0.20	2.8	0.0800	1.40	1.56	no	music wire	4C
C.020.020.0028.AP	2.0	0.20	2.8	0.1541	1.06	1.42	no	music wire	4E
C.020.020.0028.I	2.0	0.20	2.8	0.0686	1.40	1.56	no	stainless steel	4C
C.020.020.0030.A	2.0	0.20	3.0	0.0964	1.28	1.41	no	music wire	4C
C.020.020.0030.I	2.0	0.20	3.0	0.0828	1.28	1.41	no	stainless steel	4C
C.020.020.0040.A	2.0	0.20	4.0	0.0621	1.60	1.80	no	music wire	4C
C.020.020.0040.AP	2.0	0.20	4.0	0.1028	1.24	1.93	no	music wire	4E
C.020.020.0040.I	2.0	0.20	4.0	0.0540	1.58	1.77	no	stainless steel	4C
C.020.020.0044.A	2.0	0.20	4.4	0.0508	1.80	2.04	no	music wire	4C
C.020.020.0044.AP	2.0	0.20	4.4	0.0925	1.30	2.10	no	music wire	4E
C.020.020.0044.I	2.0	0.20	4.4	0.0442	1.78	2.02	no	stainless steel	4C
C.020.020.0050.A	2.0	0.20	5.0	0.0471	1.88	2.14	no	music wire	4C
C.020.020.0050.AP	2.0	0.20	5.0	0.0793	1.40	2.32	no	music wire	4E
C.020.020.0050.I	2.0	0.20	5.0	0.0410	1.88	2.14	no	stainless steel	4C
C.020.020.0063.A	2.0	0.20	6.3	0.0368	2.22	2.56	no	music wire	4C
C.020.020.0063.AP	2.0	0.20	6.3	0.0617	1.60	2.85	no	music wire	4E
C.020.020.0063.I	2.0	0.20	6.3	0.0320	2.20	2.53	no	stainless steel	4C
C.020.020.0068.A	2.0	0.20	6.8	0.0329	2.40	2.78	no	music wire	4C
C.020.020.0068.AP	2.0	0.20	6.8	0.0566	1.68	3.05	no	music wire	4E
C.020.020.0068.I	2.0	0.20	6.8	0.0286	2.38	2.75	no	stainless steel	4C
C.020.020.0080.A	2.0	0.20	8.0	0.0287	2.64	3.07	no	music wire	4C
C.020.020.0080.AP	2.0	0.20	8.0	0.0470	1.88	3.48	no	music wire	4E
C.020.020.0080.I	2.0	0.20	8.0	0.0250	2.62	3.05	no	stainless steel	4C
C.020.020.0100.A	2.0	0.20	10.0	0.0224	3.20	3.75	no	music wire	4C
C.020.020.0100.AP	2.0	0.20	10.0	0.0375	2.20	4.33	no	music wire	4E
C.020.020.0100.I	2.0	0.20	10.0	0.0190	3.22	3.78	no	stainless steel	4C
C.020.020.0125.A	2.0	0.20	12.5	0.0172	3.94	4.66	no	music wire	4C
C.020.020.0125.AP	2.0	0.20	12.5	0.0295	2.60	5.30	no	music wire	4E
C.020.020.0125.I	2.0	0.20	12.5	0.0150	3.90	4.61	no	stainless steel	4C
C.020.020.0148.A	2.0	0.20	14.8	0.0151	4.40	5.22	no	music wire	4C
C.020.020.0148.AP	2.0	0.20	14.8	0.0248	2.96	6.22	no	music wire	4E
C.020.020.0148.I	2.0	0.20	14.8	0.0130	4.40	5.22	no	stainless steel	4C
C.020.020.0160.A	2.0	0.20	16.0	0.0138	4.76	5.66	no	music wire	4C
C.020.020.0160.AP	2.0	0.20	16.0	0.0227	3.16	6.66	no	music wire	4E
C.020.020.0160.I	2.0	0.20	16.0	0.0120	4.70	5.59	no	stainless steel	4C
C.020.020.0191.A	2.0	0.20	19.1	0.0119	5.38	6.42	no	music wire	4C
C.020.020.0191.I	2.0	0.20	19.1	0.0103	5.38	6.42	no	stainless steel	4C
C.020.020.0200.A	2.0	0.20	20.0	0.0103	6.10	7.30	no	music wire	4C
C.020.020.0200.AP	2.0	0.20	20.0	0.0181	3.78	8.29	no	music wire	4E
C.020.020.0200.I	2.0	0.20	20.0	0.0090	6.04	7.22	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.020.022.0020.A	2.0	0.22	2.0	0.2227	1.19	1.27	no	music wire	4C
C.020.022.0020.I	2.0	0.22	2.0	0.1913	1.19	1.27	no	stainless steel	4C
C.020.022.0040.A	2.0	0.22	4.0	0.0885	1.83	2.04	no	music wire	4C
C.020.022.0040.AP	2.0	0.22	4.0	0.1400	1.43	2.02	no	music wire	4E
C.020.022.0040.I	2.0	0.22	4.0	0.0770	1.80	2.00	no	stainless steel	4C
C.020.022.0050.A	2.0	0.22	5.0	0.0678	2.13	2.40	no	music wire	4C
C.020.022.0050.AP	2.0	0.22	5.0	0.1106	1.61	2.49	no	music wire	4E
C.020.022.0050.I	2.0	0.22	5.0	0.0590	2.13	2.40	no	stainless steel	4C
C.020.022.0063.A	2.0	0.22	6.3	0.0529	2.53	2.88	no	music wire	4C
C.020.022.0063.AP	2.0	0.22	6.3	0.0840	1.87	2.99	no	music wire	4E
C.020.022.0063.I	2.0	0.22	6.3	0.0460	2.51	2.85	no	stainless steel	4C
C.020.022.0080.A	2.0	0.22	8.0	0.0414	3.01	3.45	no	music wire	4C
C.020.022.0080.AP	2.0	0.22	8.0	0.0646	2.20	3.70	no	music wire	4E
C.020.022.0080.I	2.0	0.22	8.0	0.0360	2.99	3.43	no	stainless steel	4C
C.020.022.0100.A	2.0	0.22	10.0	0.0322	3.67	4.25	no	music wire	4C
C.020.022.0100.AP	2.0	0.22	10.0	0.0512	2.60	4.58	no	music wire	4E
C.020.022.0100.I	2.0	0.22	10.0	0.0280	3.63	4.20	no	stainless steel	4C
C.020.022.0125.A	2.0	0.22	12.5	0.0253	4.44	5.17	no	music wire	4C
C.020.022.0125.AP	2.0	0.22	12.5	0.0404	3.08	5.62	no	music wire	4E
C.020.022.0125.I	2.0	0.22	12.5	0.0220	4.40	5.12	no	stainless steel	4C
C.020.022.0160.A	2.0	0.22	16.0	0.0195	5.54	6.49	no	music wire	4C
C.020.022.0160.AP	2.0	0.22	16.0	0.0314	3.74	7.14	no	music wire	4E
C.020.022.0160.I	2.0	0.22	16.0	0.0170	5.48	6.41	no	stainless steel	4C
C.020.022.0200.A	2.0	0.22	20.0	0.0161	6.56	7.71	no	music wire	4C
C.020.022.0200.AP	2.0	0.22	20.0	0.0249	4.51	8.82	no	music wire	4E
C.020.022.0200.I	2.0	0.22	20.0	0.0140	6.49	7.62	no	stainless steel	4C
C.020.025.0020.A	2.0	0.25	2.0	0.3713	1.38	1.47	no	music wire	4C
C.020.025.0020.I	2.0	0.25	2.0	0.3189	1.38	1.47	no	stainless steel	4C
C.020.025.0032.A	2.0	0.25	3.2	0.2122	1.75	1.90	no	music wire	4C
C.020.025.0032.AP	2.0	0.25	3.2	0.2950	1.50	1.85	no	music wire	4E
C.020.025.0032.I	2.0	0.25	3.2	0.1822	1.75	1.90	no	stainless steel	4C
C.020.025.0040.A	2.0	0.25	4.0	0.1517	2.10	2.31	no	music wire	4C
C.020.025.0040.AP	2.0	0.25	4.0	0.2235	1.70	2.22	no	music wire	4E
C.020.025.0040.I	2.0	0.25	4.0	0.1320	2.08	2.29	no	stainless steel	4C
C.020.025.0049.A	2.0	0.25	4.9	0.1350	2.25	2.49	no	music wire	4C
C.020.025.0049.I	2.0	0.25	4.9	0.1175	2.23	2.46	no	stainless steel	4C
C.020.025.0050.A	2.0	0.25	5.0	0.1149	2.50	2.78	no	music wire	4C
C.020.025.0050.AP	2.0	0.25	5.0	0.1715	1.95	2.68	no	music wire	4E
C.020.025.0050.I	2.0	0.25	5.0	0.1000	2.48	2.76	no	stainless steel	4C
C.020.025.0063.A	2.0	0.25	6.3	0.0885	2.98	3.34	no	music wire	4C
C.020.025.0063.AL	2.0	0.25	6.3	0.0947	2.83	3.17	no	music wire	4C
C.020.025.0063.AP	2.0	0.25	6.3	0.1317	2.28	3.28	no	music wire	4E
C.020.025.0063.I	2.0	0.25	6.3	0.0770	2.95	3.31	no	stainless steel	4C
C.020.025.0072.A	2.0	0.25	7.2	0.0874	3.00	3.37	no	music wire	4C
C.020.025.0072.I	2.0	0.25	7.2	0.0760	2.98	3.34	no	stainless steel	4C
C.020.025.0080.A	2.0	0.25	8.0	0.0678	3.60	4.07	no	music wire	4C
C.020.025.0080.AL	2.0	0.25	8.0	0.0750	3.35	3.78	no	music wire	4C
C.020.025.0080.AP	2.0	0.25	8.0	0.1010	2.73	4.06	no	music wire	4E
C.020.025.0080.I	2.0	0.25	8.0	0.0590	3.58	4.05	no	stainless steel	4C
C.020.025.0097.A	2.0	0.25	9.7	0.0542	4.30	4.89	no	music wire	4C
C.020.025.0097.I	2.0	0.25	9.7	0.0466	4.30	4.89	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.020.025.0100.A	2.0	0.25	10.0	0.0529	4.38	4.99	no	music wire	4C
C.020.025.0100.AL	2.0	0.25	10.0	0.0600	3.98	4.52	no	music wire	4C
C.020.025.0100.AP	2.0	0.25	10.0	0.0793	3.23	4.98	no	music wire	4E
C.020.025.0100.I	2.0	0.25	10.0	0.0460	4.35	4.95	no	stainless steel	4C
C.020.025.0103.A	2.0	0.25	10.3	0.0594	4.00	4.54	no	music wire	4C
C.020.025.0103.I	2.0	0.25	10.3	0.0517	3.95	4.48	no	stainless steel	4C
C.020.025.0125.A	2.0	0.25	12.5	0.0414	5.35	6.13	no	music wire	4C
C.020.025.0125.AL	2.0	0.25	12.5	0.0474	4.80	5.48	no	music wire	4C
C.020.025.0125.AP	2.0	0.25	12.5	0.0630	3.83	6.19	no	music wire	4E
C.020.025.0125.I	2.0	0.25	12.5	0.0360	5.30	6.07	no	stainless steel	4C
C.020.025.0142.A	2.0	0.25	14.2	0.0364	5.98	6.86	no	music wire	4C
C.020.025.0142.I	2.0	0.25	14.2	0.0313	5.98	6.86	no	stainless steel	4C
C.020.025.0150.A	2.0	0.25	15.0	0.0400	5.53	6.34	no	music wire	4C
C.020.025.0150.I	2.0	0.25	15.0	0.0344	5.50	6.30	no	stainless steel	4C
C.020.025.0157.A	2.0	0.25	15.7	0.0329	6.53	7.51	no	music wire	4C
C.020.025.0157.I	2.0	0.25	15.7	0.0282	6.53	7.51	no	stainless steel	4C
C.020.025.0160.A	2.0	0.25	16.0	0.0367	5.93	6.81	no	music wire	4C
C.020.025.0160.AP	2.0	0.25	16.0	0.0485	4.70	7.80	no	music wire	4E
C.020.025.0160.I	2.0	0.25	16.0	0.0280	6.58	7.57	no	stainless steel	4C
C.020.025.0200.A	2.0	0.25	20.0	0.0293	7.20	8.30	no	music wire	4C
C.020.025.0200.AP	2.0	0.25	20.0	0.0384	5.70	9.64	no	music wire	4E
C.020.025.0200.I	2.0	0.25	20.0	0.0220	8.13	9.39	no	stainless steel	4C
C.020.025.0206.A	2.0	0.25	20.6	0.0248	8.35	9.65	no	music wire	4C
C.020.025.0206.I	2.0	0.25	20.6	0.0213	8.35	9.65	no	stainless steel	4C
C.020.025.0239.A	2.0	0.25	23.9	0.0213	9.58	11.09	no	music wire	4C
C.020.025.0239.I	2.0	0.25	23.9	0.0183	9.58	11.09	no	stainless steel	4C
C.020.025.0250.A	2.0	0.25	25.0	0.0229	8.98	10.39	no	music wire	4C
C.020.025.0250.I	2.0	0.25	25.0	0.0199	8.88	10.27	no	stainless steel	4C
C.020.025.0254.A	2.0	0.25	25.4	0.0201	10.13	11.73	no	music wire	4C
C.020.025.0254.I	2.0	0.25	25.4	0.0172	10.13	11.73	no	stainless steel	4C
C.020.025.0284.A	2.0	0.25	28.4	0.0179	11.23	13.03	no	music wire	4C
C.020.025.0284.I	2.0	0.25	28.4	0.0154	11.23	13.03	no	stainless steel	4C
C.020.025.0318.A	2.0	0.25	31.8	0.0160	12.50	14.52	no	music wire	4C
C.020.025.0318.I	2.0	0.25	31.8	0.0137	12.50	14.52	no	stainless steel	4C
C.020.025.0320.A	2.0	0.25	32.0	0.0183	11.03	12.79	no	music wire	4C
C.020.025.0320.I	2.0	0.25	32.0	0.0159	10.90	12.64	no	stainless steel	4E
C.020.025.0381.A	2.0	0.25	38.1	0.0133	14.83	17.25	no	music wire	4C
C.020.025.0381.I	2.0	0.25	38.1	0.0114	14.83	17.25	no	stainless steel	4C
C.020.028.0020.A	2.0	0.28	2.0	0.5860	1.57	1.66	no	music wire	4C
C.020.028.0020.I	2.0	0.28	2.0	0.5033	1.57	1.66	no	stainless steel	4C
C.020.028.0040.A	2.0	0.28	4.0	0.2437	2.41	2.63	no	music wire	4C
C.020.028.0040.AP	2.0	0.28	4.0	0.3493	1.96	2.44	no	music wire	4E
C.020.028.0040.I	2.0	0.28	4.0	0.2120	2.38	2.60	no	stainless steel	4C
C.020.028.0050.A	2.0	0.28	5.0	0.1862	2.83	3.12	no	music wire	4C
C.020.028.0050.AP	2.0	0.28	5.0	0.2657	2.27	2.95	no	music wire	4E
C.020.028.0050.I	2.0	0.28	5.0	0.1620	2.80	3.09	no	stainless steel	4C
C.020.028.0063.A	2.0	0.28	6.3	0.1425	3.39	3.77	no	music wire	4C
C.020.028.0063.AP	2.0	0.28	6.3	0.2004	2.69	3.58	no	music wire	4E
C.020.028.0063.I	2.0	0.28	6.3	0.1240	3.36	3.73	no	stainless steel	4C
C.020.028.0080.A	2.0	0.28	8.0	0.1092	4.14	4.64	no	music wire	4C
C.020.028.0080.AP	2.0	0.28	8.0	0.1528	3.25	4.43	no	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.020.028.0080.I	2.0	0.28	8.0	0.0950	4.09	4.58	no	stainless steel	4C
C.020.028.0100.A	2.0	0.28	10.0	0.0851	5.04	5.68	no	music wire	4C
C.020.028.0100.AP	2.0	0.28	10.0	0.1198	3.86	5.45	no	music wire	4E
C.020.028.0100.I	2.0	0.28	10.0	0.0740	4.98	5.61	no	stainless steel	4C
C.020.028.0125.A	2.0	0.28	12.5	0.0667	6.16	6.97	no	music wire	4C
C.020.028.0125.AP	2.0	0.28	12.5	0.0948	4.62	6.74	no	music wire	4E
C.020.028.0125.I	2.0	0.28	12.5	0.0580	6.08	6.88	no	stainless steel	4C
C.020.028.0160.A	2.0	0.28	16.0	0.0517	7.64	8.68	no	music wire	4C
C.020.028.0160.AP	2.0	0.28	16.0	0.0728	5.71	8.50	no	music wire	4E
C.020.028.0160.I	2.0	0.28	16.0	0.0450	7.56	8.59	no	stainless steel	4C
C.020.028.0200.A	2.0	0.28	20.0	0.0414	9.30	10.60	no	music wire	4C
C.020.028.0200.AP	2.0	0.28	20.0	0.0577	6.94	10.53	no	music wire	4E
C.020.028.0200.I	2.0	0.28	20.0	0.0360	9.21	10.50	no	stainless steel	4C
C.020.030.0020.A	2.0	0.30	2.0	0.7635	1.71	1.81	no	music wire	4C
C.020.030.0020.I	2.0	0.30	2.0	0.6557	1.71	1.81	no	stainless steel	4C
C.020.030.0030.A	2.0	0.30	3.0	0.4666	2.13	2.29	no	music wire	4C
C.020.030.0030.I	2.0	0.30	3.0	0.4007	2.13	2.29	no	stainless steel	4C
C.020.030.0040.A	2.0	0.30	4.0	0.3293	2.58	2.81	no	music wire	4C
C.020.030.0040.I	2.0	0.30	4.0	0.2829	2.58	2.81	no	stainless steel	4C
C.020.030.0380.A	2.0	0.30	38.0	0.0586	9.66	26.72	no	music wire	4G
C.020.030.0380.I	2.0	0.30	38.0	0.0510	9.54	27.14	no	stainless steel	4G
C.020.032.0020.A	2.0	0.32	2.0	1.0240	1.82	1.92	no	music wire	4C
C.020.032.0020.I	2.0	0.32	2.0	0.8795	1.82	1.92	no	stainless steel	4C
C.020.032.0030.A	2.0	0.32	3.0	0.6089	2.30	2.47	no	music wire	4C
C.020.032.0030.I	2.0	0.32	3.0	0.5230	2.30	2.47	no	stainless steel	4C
C.020.032.0040.A	2.0	0.32	4.0	0.3384	3.26	3.56	no	music wire	4C
C.020.032.0040.AP	2.0	0.32	4.0	0.5892	2.34	2.66	no	music wire	4E
C.020.032.0040.I	2.0	0.32	4.0	0.3890	2.72	2.95	no	stainless steel	4C
C.020.032.0050.A	2.0	0.32	5.0	0.2584	3.90	4.29	no	music wire	4C
C.020.032.0050.AP	2.0	0.32	5.0	0.4478	2.72	3.24	no	music wire	4E
C.020.032.0050.I	2.0	0.32	5.0	0.2970	3.20	3.49	no	stainless steel	4C
C.020.032.0063.A	2.0	0.32	6.3	0.2563	3.94	4.34	no	music wire	4C
C.020.032.0063.AP	2.0	0.32	6.3	0.3392	3.23	3.97	no	music wire	4E
C.020.032.0063.I	2.0	0.32	6.3	0.2230	3.90	4.29	no	stainless steel	4C
C.020.032.0080.A	2.0	0.32	8.0	0.1954	4.80	5.32	no	music wire	4C
C.020.032.0080.AP	2.0	0.32	8.0	0.2573	3.94	4.93	no	music wire	4E
C.020.032.0080.I	2.0	0.32	8.0	0.1700	4.77	5.29	no	stainless steel	4C
C.020.032.0095.A	2.0	0.32	9.5	0.1512	5.89	6.56	no	music wire	4C
C.020.032.0095.I	2.0	0.32	9.5	0.1299	5.89	6.56	no	stainless steel	4C
C.020.032.0100.A	2.0	0.32	10.0	0.1529	5.82	6.48	no	music wire	4C
C.020.032.0100.AP	2.0	0.32	10.0	0.1999	4.74	6.05	no	music wire	4E
C.020.032.0100.I	2.0	0.32	10.0	0.1330	5.76	6.42	no	stainless steel	4C
C.020.032.0125.A	2.0	0.32	12.5	0.1195	7.14	7.99	no	music wire	4C
C.020.032.0125.AP	2.0	0.32	12.5	0.1577	5.70	7.49	no	music wire	4E
C.020.032.0125.I	2.0	0.32	12.5	0.1040	7.07	7.91	no	stainless steel	4C
C.020.032.0160.A	2.0	0.32	16.0	0.0920	8.96	10.07	no	music wire	4C
C.020.032.0160.AP	2.0	0.32	16.0	0.1210	7.07	9.47	no	music wire	4E
C.020.032.0160.I	2.0	0.32	16.0	0.0800	8.86	9.95	no	stainless steel	4C
C.020.032.0198.A	2.0	0.32	19.8	0.0702	11.39	12.84	no	music wire	4C
C.020.032.0198.I	2.0	0.32	19.8	0.0603	11.39	12.84	no	stainless steel	4C
C.020.032.0200.A	2.0	0.32	20.0	0.0724	11.07	12.48	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.020.032.0200.AP	2.0	0.32	20.0	0.0957	8.64	11.74	no	music wire	4E
C.020.032.0200.I	2.0	0.32	20.0	0.0630	10.94	12.33	no	stainless steel	4C
C.020.035.0020.A	2.0	0.35	2.0	1.5469	2.00	2.00	no	music wire	4B
C.020.035.0020.I	2.0	0.35	2.0	1.3286	2.00	2.00	no	stainless steel	4B
C.020.035.0030.A	2.0	0.35	3.0	0.9198	2.52	2.69	no	music wire	4B
C.020.035.0030.I	2.0	0.35	3.0	0.7900	2.52	2.69	no	stainless steel	4B
C.020.035.0097.A	2.0	0.35	9.7	0.2210	6.62	7.34	no	music wire	4B
C.020.035.0097.I	2.0	0.35	9.7	0.1898	6.62	7.34	no	stainless steel	4B
C.020.035.0112.A	2.0	0.35	11.2	0.1891	7.53	8.37	no	music wire	4B
C.020.035.0112.I	2.0	0.35	11.2	0.1624	7.53	8.37	no	stainless steel	4B
C.020.035.0142.A	2.0	0.35	14.2	0.1473	9.31	10.39	no	music wire	4B
C.020.035.0142.I	2.0	0.35	14.2	0.1265	9.31	10.39	no	stainless steel	4B
C.020.035.0157.A	2.0	0.35	15.7	0.1324	10.22	11.42	no	music wire	4B
C.020.035.0157.I	2.0	0.35	15.7	0.1137	10.22	11.42	no	stainless steel	4B
C.020.035.0224.A	2.0	0.35	22.4	0.0917	14.21	15.94	no	music wire	4B
C.020.035.0224.I	2.0	0.35	22.4	0.0788	14.21	15.94	no	stainless steel	4B
C.020.035.0254.A	2.0	0.35	25.4	0.0806	16.00	17.97	no	music wire	4B
C.020.035.0254.I	2.0	0.35	25.4	0.0693	16.00	17.97	no	stainless steel	4B
C.020.035.0305.A	2.0	0.35	30.5	0.0669	19.04	21.42	no	music wire	4B
C.020.035.0305.I	2.0	0.35	30.5	0.0574	19.04	21.42	no	stainless steel	4B
C.020.035.0318.A	2.0	0.35	31.8	0.0640	19.85	22.33	no	music wire	4B
C.020.035.0318.I	2.0	0.35	31.8	0.0549	19.85	22.33	no	stainless steel	4B
C.020.035.0351.A	2.0	0.35	35.1	0.0579	21.81	24.55	no	music wire	4B
C.020.035.0351.I	2.0	0.35	35.1	0.0497	21.81	24.55	no	stainless steel	4B
C.020.035.0381.A	2.0	0.35	38.1	0.0533	23.59	26.57	no	music wire	4B
C.020.035.0381.I	2.0	0.35	38.1	0.0457	23.59	26.57	no	stainless steel	4B
C.020.036.0111.A	2.0	0.36	11.1	0.2167	7.70	8.54	no	music wire	4B
C.020.036.0111.I	2.0	0.36	11.1	0.1861	7.70	8.54	no	stainless steel	4B
C.020.040.0020.A	2.0	0.40	2.0	3.0320	1.84	1.94	yes	music wire	4B
C.020.040.0020.I	2.0	0.40	2.0	2.6042	1.84	1.94	yes	stainless steel	4B
C.020.040.0030.A	2.0	0.40	3.0	1.7209	2.48	2.66	yes	music wire	4B
C.020.040.0030.I	2.0	0.40	3.0	1.4780	2.48	2.66	yes	stainless steel	4B
C.020.040.0064.A	2.0	0.40	6.4	0.4943	6.16	6.16	yes	music wire	4B
C.020.040.0064.AP	2.0	0.40	6.4	0.8674	3.92	4.73	yes	music wire	4F
C.020.040.0064.I	2.0	0.40	6.4	0.4300	6.08	6.08	yes	stainless steel	4B
C.020.040.0071.A	2.0	0.40	7.1	0.5841	5.36	5.90	yes	music wire	4B
C.020.040.0071.I	2.0	0.40	7.1	0.5017	5.36	5.90	yes	stainless steel	4B
C.020.040.0097.A	2.0	0.40	9.7	0.4135	7.16	7.92	yes	music wire	4B
C.020.040.0097.I	2.0	0.40	9.7	0.3551	7.16	7.92	yes	stainless steel	4B
C.020.040.0157.A	2.0	0.40	15.7	0.2478	11.28	12.55	yes	music wire	4B
C.020.040.0157.I	2.0	0.40	15.7	0.2128	11.28	12.55	yes	stainless steel	4B
C.020.040.0159.A	2.0	0.40	15.9	0.2449	11.40	12.69	yes	music wire	4B
C.020.040.0159.I	2.0	0.40	15.9	0.2103	11.40	12.69	yes	stainless steel	4B
C.020.040.0174.A	2.0	0.40	17.4	0.2226	12.44	13.86	yes	music wire	4B
C.020.040.0174.I	2.0	0.40	17.4	0.1912	12.44	13.86	yes	stainless steel	4B
C.020.040.0191.A	2.0	0.40	19.1	0.2015	13.64	15.21	yes	music wire	4B
C.020.040.0191.I	2.0	0.40	19.1	0.1731	13.64	15.21	yes	stainless steel	4B
C.020.040.0198.A	2.0	0.40	19.8	0.1941	14.12	15.75	yes	music wire	4B
C.020.040.0198.I	2.0	0.40	19.8	0.1667	14.12	15.75	yes	stainless steel	4B
C.020.045.0030.A	2.0	0.45	3.0	3.2052	2.70	2.89	yes	music wire	4B
C.020.045.0030.I	2.0	0.45	3.0	2.7529	2.70	2.89	yes	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.021.016.0097.I	2.1	0.16	9.7	0.0090	1.95	2.40	no	stainless steel	4C
C.021.016.0112.I	2.1	0.16	11.2	0.0079	2.16	2.67	no	stainless steel	4C
C.021.016.0142.I	2.1	0.16	14.2	0.0061	2.61	3.27	no	stainless steel	4C
C.021.016.0157.A	2.1	0.16	15.7	0.0064	2.83	3.56	no	music wire	4C
C.021.016.0157.I	2.1	0.16	15.7	0.0055	2.83	3.56	no	stainless steel	4C
C.021.030.0220.A	2.1	0.30	22.0	0.0437	10.77	12.27	no	music wire	4C
C.021.030.0220.AP	2.1	0.30	22.0	0.0619	7.89	11.79	no	music wire	4E
C.021.030.0220.I	2.1	0.30	22.0	0.0380	10.65	12.13	no	stainless steel	4C
C.021.032.0032.A	2.1	0.32	3.2	0.4000	2.53	2.74	no	music wire	4C
C.021.032.0040.A	2.1	0.32	4.0	0.3200	3.01	3.29	no	music wire	4C
C.021.032.0040.AP	2.1	0.32	4.0	0.5378	2.24	2.59	no	music wire	4E
C.021.032.0040.I	2.1	0.32	4.0	0.2784	2.98	3.25	no	stainless steel	4C
C.021.032.0050.A	2.1	0.32	5.0	0.2560	3.33	3.66	no	music wire	4C
C.021.032.0063.A	2.1	0.32	6.3	0.2000	4.16	4.61	no	music wire	4C
C.021.032.0063.AP	2.1	0.32	6.3	0.3086	3.07	3.85	no	music wire	4E
C.021.032.0063.I	2.1	0.32	6.3	0.1740	4.10	4.54	no	stainless steel	4C
C.021.032.0080.A	2.1	0.32	8.0	0.1600	4.67	5.20	no	music wire	4C
C.021.032.0100.A	2.1	0.32	10.0	0.1280	5.86	6.55	no	music wire	4C
C.021.032.0100.I	2.1	0.32	10.0	0.1099	5.86	6.55	no	stainless steel	4C
C.021.032.0125.A	2.1	0.32	12.5	0.1000	7.17	8.06	no	music wire	4C
C.021.032.0125.AP	2.1	0.32	12.5	0.1437	5.34	7.24	no	music wire	4E
C.021.032.0125.I	2.1	0.32	12.5	0.0870	7.10	7.98	no	stainless steel	4C
C.021.032.0150.A	2.1	0.32	15.0	0.0838	8.35	9.41	no	music wire	4C
C.021.032.0150.I	2.1	0.32	15.0	0.0720	8.35	9.41	no	stainless steel	4C
C.021.032.0160.A	2.1	0.32	16.0	0.0800	8.19	9.24	no	music wire	4C
C.021.032.0200.A	2.1	0.32	20.0	0.0635	10.66	12.06	no	music wire	4C
C.021.032.0200.AP	2.1	0.32	20.0	0.0871	8.06	11.32	no	music wire	4E
C.021.032.0200.I	2.1	0.32	20.0	0.0552	10.53	11.91	no	stainless steel	4C
C.021.032.0250.A	2.1	0.32	25.0	0.0500	13.25	15.03	no	music wire	4C
C.021.032.0250.AP	2.1	0.32	25.0	0.0689	9.92	14.03	no	music wire	4E
C.021.032.0250.I	2.1	0.32	25.0	0.0435	13.09	14.84	no	stainless steel	4C
C.021.040.0040.A	2.1	0.40	4.0	0.7778	3.72	3.72	yes	music wire	4B
C.021.040.0040.AP	2.1	0.40	4.0	1.4268	2.48	3.02	yes	music wire	4F
C.021.040.0040.I	2.1	0.40	4.0	0.6767	3.68	3.68	yes	stainless steel	4B
C.021.040.0040.N	2.1	0.40	4.0	0.7778	3.72	3.72	yes	Zn coating	4C
C.021.040.0050.A	2.1	0.40	5.0	0.6222	4.28	4.70	yes	music wire	4B
C.021.040.0063.A	2.1	0.40	6.3	0.5000	5.24	5.78	yes	music wire	4B
C.021.040.0063.AP	2.1	0.40	6.3	0.7879	3.68	4.53	yes	music wire	4F
C.021.040.0063.I	2.1	0.40	6.3	0.4350	5.20	5.73	yes	stainless steel	4B
C.021.040.0063.N	2.1	0.40	6.3	0.5000	5.24	5.78	yes	Zn coating	4C
C.021.040.0080.A	2.1	0.40	8.0	0.4000	6.12	6.77	yes	music wire	4B
C.021.040.0100.A	2.1	0.40	10.0	0.3182	7.68	8.53	yes	music wire	4B
C.021.040.0100.AP	2.1	0.40	10.0	0.4590	5.64	6.97	yes	music wire	4F
C.021.040.0100.I	2.1	0.40	10.0	0.2768	7.60	8.44	yes	stainless steel	4B
C.021.040.0100.N	2.1	0.40	10.0	0.3182	7.68	8.53	yes	Zn coating	4C
C.021.040.0125.A	2.1	0.40	12.5	0.2500	9.48	10.56	yes	music wire	4B
C.021.040.0125.AP	2.1	0.40	12.5	0.3591	6.92	8.62	yes	music wire	4F
C.021.040.0125.I	2.1	0.40	12.5	0.2175	9.40	10.47	yes	stainless steel	4B
C.021.040.0125.N	2.1	0.40	12.5	0.2500	9.48	10.56	yes	Zn coating	4C
C.021.040.0150.A	2.1	0.40	15.0	0.2269	10.36	11.55	yes	music wire	4B
C.021.040.0150.I	2.1	0.40	15.0	0.1948	10.36	11.55	yes	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.021.040.0160.A	2.1	0.40	16.0	0.2000	11.24	12.55	yes	music wire	4B
C.021.040.0200.A	2.1	0.40	20.0	0.1556	14.64	16.37	yes	music wire	4B
C.021.040.0200.AP	2.1	0.40	20.0	0.2155	10.84	13.54	yes	music wire	4F
C.021.040.0200.I	2.1	0.40	20.0	0.1354	14.48	16.19	yes	stainless steel	4B
C.021.040.0200.N	2.1	0.40	20.0	0.1556	14.64	16.37	yes	Zn coating	4C
C.021.040.0250.A	2.1	0.40	25.0	0.1250	18.00	20.16	yes	music wire	4B
C.021.040.0250.AP	2.1	0.40	25.0	0.1703	13.48	16.82	yes	music wire	4F
C.021.040.0250.I	2.1	0.40	25.0	0.1088	17.76	19.89	yes	stainless steel	4B
C.021.040.0250.N	2.1	0.40	25.0	0.1250	18.00	20.16	yes	Zn coating	4C
C.021.040.0300.A	2.1	0.40	30.0	0.1104	20.24	22.69	yes	music wire	4B
C.021.040.0300.I	2.1	0.40	30.0	0.0948	20.24	22.69	yes	stainless steel	4C
C.021.040.0320.A	2.1	0.40	32.0	0.1000	22.24	24.94	yes	music wire	4B
C.021.040.0320.AP	2.1	0.40	32.0	0.1316	17.12	21.42	yes	music wire	4F
C.021.040.0320.I	2.1	0.40	32.0	0.0870	21.96	24.62	yes	stainless steel	4C
C.021.040.0320.N	2.1	0.40	32.0	0.1000	22.24	24.94	yes	Zn coating	4C
C.021.040.0350.A	2.1	0.40	35.0	0.0943	23.52	26.38	yes	music wire	4B
C.021.040.0350.I	2.1	0.40	35.0	0.0810	23.52	26.38	yes	stainless steel	4C
C.021.040.0400.A	2.1	0.40	40.0	0.0778	28.28	31.75	yes	music wire	4B
C.021.040.0400.AP	2.1	0.40	40.0	0.1045	21.32	26.68	yes	music wire	4F
C.021.040.0400.I	2.1	0.40	40.0	0.0677	27.96	31.39	yes	stainless steel	4C
C.021.040.0400.N	2.1	0.40	40.0	0.0778	28.28	31.75	yes	Zn coating	4C
C.021.045.0032.A	2.1	0.45	3.2	2.0000	3.20	3.20	yes	music wire	4B
C.021.045.0032.AL	2.1	0.45	3.2	2.6620	2.75	2.94	yes	music wire	4B
C.021.045.0032.AP	2.1	0.45	3.2	2.8914	2.57	2.74	yes	music wire	4B
C.021.045.0032.I	2.1	0.45	3.2	1.7400	3.20	3.20	yes	stainless steel	4B
C.021.045.0032.N	2.1	0.45	3.2	2.0000	3.20	3.20	yes	Zn coating	4C
C.021.045.0040.A	2.1	0.45	4.0	1.5873	3.78	3.78	yes	music wire	4B
C.021.045.0040.AL	2.1	0.45	4.0	1.9360	3.38	3.65	yes	music wire	4B
C.021.045.0040.AP	2.1	0.45	4.0	2.1518	3.06	3.29	yes	music wire	4D
C.021.045.0040.I	2.1	0.45	4.0	1.3810	3.74	3.74	yes	stainless steel	4B
C.021.045.0040.N	2.1	0.45	4.0	1.5873	3.78	3.78	yes	Zn coating	4C
C.021.045.0050.A	2.1	0.45	5.0	1.2500	4.46	4.86	yes	music wire	4B
C.021.045.0050.AL	2.1	0.45	5.0	1.3968	4.23	4.60	yes	music wire	4B
C.021.045.0050.AP	2.1	0.45	5.0	1.6233	3.69	4.00	yes	music wire	4D
C.021.045.0050.I	2.1	0.45	5.0	1.0875	4.41	4.80	yes	stainless steel	4B
C.021.045.0050.N	2.1	0.45	5.0	1.2500	4.46	4.86	yes	Zn coating	4C
C.021.045.0063.A	2.1	0.45	6.3	1.0000	5.31	5.81	yes	music wire	4B
C.021.045.0063.AP	2.1	0.45	6.3	1.2503	4.46	4.86	yes	music wire	4D
C.021.045.0063.I	2.1	0.45	6.3	0.8700	5.27	5.77	yes	stainless steel	4B
C.021.045.0063.N	2.1	0.45	6.3	1.0000	5.31	5.81	yes	Zn coating	4C
C.021.045.0080.A	2.1	0.45	8.0	0.8000	6.35	6.98	yes	music wire	4B
C.021.045.0080.AP	2.1	0.45	8.0	0.9539	5.49	6.01	yes	music wire	4D
C.021.045.0080.I	2.1	0.45	8.0	0.6960	6.30	6.92	yes	stainless steel	4B
C.021.045.0080.N	2.1	0.45	8.0	0.8000	6.35	6.98	yes	Zn coating	4C
C.021.045.0100.A	2.1	0.45	10.0	0.6250	7.83	8.64	yes	music wire	4B
C.021.045.0100.AP	2.1	0.45	10.0	0.7462	6.75	7.44	yes	music wire	4D
C.021.045.0100.I	2.1	0.45	10.0	0.5438	7.74	8.53	yes	stainless steel	4B
C.021.045.0100.N	2.1	0.45	10.0	0.6250	7.83	8.64	yes	Zn coating	4C
C.021.045.0125.A	2.1	0.45	12.5	0.5000	9.50	10.51	yes	music wire	4B
C.021.045.0125.AP	2.1	0.45	12.5	0.5856	8.28	9.24	yes	music wire	4D
C.021.045.0125.I	2.1	0.45	12.5	0.4350	9.41	10.40	yes	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.021.045.0125.N	2.1	0.45	12.5	0.5000	9.50	10.51	yes	Zn coating	4C
C.021.045.0160.A	2.1	0.45	16.0	0.4000	11.57	12.82	yes	music wire	4B
C.021.045.0160.I	2.1	0.45	16.0	0.3480	11.48	12.72	yes	stainless steel	4C
C.021.045.0160.N	2.1	0.45	16.0	0.4000	11.57	12.82	yes	Zn coating	4C
C.021.045.0200.A	2.1	0.45	20.0	0.3125	14.54	16.15	yes	music wire	4B
C.021.045.0200.I	2.1	0.45	20.0	0.2719	14.36	15.95	yes	stainless steel	4C
C.021.045.0200.N	2.1	0.45	20.0	0.3125	14.54	16.15	yes	Zn coating	4C
C.021.045.0250.A	2.1	0.45	25.0	0.2360	18.86	20.99	yes	music wire	4B
C.021.045.0250.I	2.1	0.45	25.0	0.2027	18.86	20.99	yes	stainless steel	4C
C.021.045.0300.A	2.1	0.45	30.0	0.1958	22.50	25.07	yes	music wire	4B
C.021.045.0300.I	2.1	0.45	30.0	0.1682	22.50	25.07	yes	stainless steel	4C
C.021.045.0350.A	2.1	0.45	35.0	0.1670	26.19	29.20	yes	music wire	4B
C.021.045.0350.I	2.1	0.45	35.0	0.1434	26.19	29.20	yes	stainless steel	4C
C.022.016.0070.I	2.2	0.16	7.0	0.0052	2.62	3.33	no	stainless steel	4C
C.022.020.0038.A	2.2	0.20	3.8	0.0582	1.40	1.58	no	music wire	4C
C.022.020.0038.AP	2.2	0.20	3.8	0.0963	1.12	1.79	no	music wire	4E
C.022.020.0038.I	2.2	0.20	3.8	0.0506	1.40	1.58	no	stainless steel	4C
C.022.020.0040.A	2.2	0.20	4.0	0.0370	1.80	2.08	no	music wire	4C
C.022.020.0040.AP	2.2	0.20	4.0	0.0879	1.16	1.79	no	music wire	4E
C.022.020.0040.I	2.2	0.20	4.0	0.0318	1.80	2.08	no	stainless steel	4C
C.022.020.0048.A	2.2	0.20	4.8	0.0610	1.36	1.62	no	music wire	4E
C.022.020.0048.AF	2.2	0.20	4.8	0.0511	1.50	1.70	no	music wire	4C
C.022.020.0048.AP	2.2	0.20	4.8	0.0722	1.26	2.12	no	music wire	4E
C.022.020.0048.I	2.2	0.20	4.8	0.0531	1.36	1.76	no	stainless steel	4E
C.022.020.0048.NF	2.2	0.20	4.8	0.0511	1.50	1.70	no	Zn coating	4D
C.022.020.0055.A	2.2	0.20	5.5	0.0370	1.80	2.08	no	music wire	4C
C.022.020.0055.AP	2.2	0.20	5.5	0.0632	1.34	2.43	no	music wire	4E
C.022.020.0055.I	2.2	0.20	5.5	0.0322	1.78	2.05	no	stainless steel	4C
C.022.020.0079.A	2.2	0.20	7.9	0.0370	1.80	2.66	no	music wire	4E
C.022.020.0079.I	2.2	0.20	7.9	0.0310	1.82	2.70	no	stainless steel	4E
C.022.020.0084.A	2.2	0.20	8.4	0.0240	2.40	2.83	no	music wire	4C
C.022.020.0084.AP	2.2	0.20	8.4	0.0397	1.72	3.51	no	music wire	4E
C.022.020.0084.I	2.2	0.20	8.4	0.0206	2.40	2.83	no	stainless steel	4C
C.022.020.0097.A	2.2	0.20	9.7	0.0270	2.20	2.58	no	music wire	4E
C.022.020.0097.I	2.2	0.20	9.7	0.0228	2.24	2.63	no	stainless steel	4E
C.022.020.0112.A	2.2	0.20	11.2	0.0260	2.26	3.74	no	music wire	4E
C.022.020.0112.I	2.2	0.20	11.2	0.0202	2.44	3.20	no	stainless steel	4E
C.022.020.0119.A	2.2	0.20	11.9	0.0163	3.20	3.83	no	music wire	4C
C.022.020.0119.AP	2.2	0.20	11.9	0.0273	2.20	4.80	no	music wire	4E
C.022.020.0119.I	2.2	0.20	11.9	0.0142	3.16	3.77	no	stainless steel	4C
C.022.020.0126.A	2.2	0.20	12.6	0.0163	3.20	3.83	no	music wire	4C
C.022.020.0126.AP	2.2	0.20	12.6	0.0259	2.28	5.12	no	music wire	4E
C.022.020.0126.I	2.2	0.20	12.6	0.0142	3.16	3.77	no	stainless steel	4C
C.022.020.0142.A	2.2	0.20	14.2	0.0180	2.96	3.52	no	music wire	4E
C.022.020.0142.I	2.2	0.20	14.2	0.0160	2.88	4.12	no	stainless steel	4E
C.022.020.0178.A	2.2	0.20	17.8	0.0110	4.40	5.33	no	music wire	4C
C.022.020.0178.AP	2.2	0.20	17.8	0.0181	2.96	7.06	no	music wire	4E
C.022.020.0178.I	2.2	0.20	17.8	0.0094	4.42	5.35	no	stainless steel	4C
C.022.022.0040.A	2.2	0.22	4.0	0.0778	1.65	1.84	no	music wire	4C
C.022.022.0040.AP	2.2	0.22	4.0	0.1221	1.32	1.92	no	music wire	4E
C.022.022.0040.I	2.2	0.22	4.0	0.0677	1.63	1.82	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.022.022.0050.A	2.2	0.22	5.0	0.0636	1.83	2.06	no	music wire	4C
C.022.022.0050.AP	2.2	0.22	5.0	0.0954	1.47	2.34	no	music wire	4E
C.022.022.0050.I	2.2	0.22	5.0	0.0553	1.83	2.06	no	stainless steel	4C
C.022.022.0063.A	2.2	0.22	6.3	0.0500	2.11	2.41	no	music wire	4C
C.022.022.0063.AP	2.2	0.22	6.3	0.0744	1.67	2.89	no	music wire	4E
C.022.022.0063.I	2.2	0.22	6.3	0.0435	2.11	2.41	no	stainless steel	4C
C.022.022.0080.A	2.2	0.22	8.0	0.0389	2.51	2.90	no	music wire	4C
C.022.022.0080.AP	2.2	0.22	8.0	0.0565	1.96	3.51	no	music wire	4E
C.022.022.0080.I	2.2	0.22	8.0	0.0338	2.49	2.87	no	stainless steel	4C
C.022.022.0100.A	2.2	0.22	10.0	0.0311	2.95	3.43	no	music wire	4C
C.022.022.0100.AP	2.2	0.22	10.0	0.0449	2.29	4.34	no	music wire	4E
C.022.022.0100.I	2.2	0.22	10.0	0.0271	2.93	3.41	no	stainless steel	4C
C.022.022.0125.A	2.2	0.22	12.5	0.0250	3.48	4.08	no	music wire	4C
C.022.022.0125.AP	2.2	0.22	12.5	0.0355	2.68	5.35	no	music wire	4E
C.022.022.0125.I	2.2	0.22	12.5	0.0218	3.43	4.02	no	stainless steel	4C
C.022.022.0160.A	2.2	0.22	16.0	0.0200	4.16	4.91	no	music wire	4C
C.022.022.0160.I	2.2	0.22	16.0	0.0174	4.11	4.85	no	stainless steel	4C
C.022.022.0200.A	2.2	0.22	20.0	0.0156	5.10	6.06	no	music wire	4C
C.022.022.0200.I	2.2	0.22	20.0	0.0136	5.06	6.01	no	stainless steel	4C
C.022.022.0250.A	2.2	0.22	25.0	0.0125	6.18	7.38	no	music wire	4C
C.022.022.0250.I	2.2	0.22	25.0	0.0109	6.12	7.30	no	stainless steel	4C
C.022.022.0320.A	2.2	0.22	32.0	0.0100	7.52	9.02	no	music wire	4C
C.022.022.0320.I	2.2	0.22	32.0	0.0087	7.46	8.94	no	stainless steel	4E
C.022.025.0030.A	2.2	0.25	3.0	0.1734	1.65	1.80	no	music wire	4C
C.022.025.0030.AP	2.2	0.25	3.0	0.2805	1.35	1.70	no	music wire	4E
C.022.025.0030.I	2.2	0.25	3.0	0.1489	1.65	1.80	no	stainless steel	4C
C.022.025.0050.A	2.2	0.25	5.0	0.1130	2.05	2.27	no	music wire	4C
C.022.025.0050.I	2.2	0.25	5.0	0.0983	2.05	2.27	no	stainless steel	4C
C.022.025.0064.A	2.2	0.25	6.4	0.0762	2.63	2.96	no	music wire	4C
C.022.025.0064.AP	2.2	0.25	6.4	0.1134	2.05	3.19	no	music wire	4E
C.022.025.0064.I	2.2	0.25	6.4	0.0663	2.63	2.96	no	stainless steel	4C
C.022.025.0112.A	2.2	0.25	11.2	0.0490	3.63	4.16	no	music wire	4E
C.022.025.0112.I	2.2	0.25	11.2	0.0426	3.58	4.10	no	stainless steel	4E
C.022.025.0127.A	2.2	0.25	12.7	0.0400	4.23	4.87	no	music wire	4C
C.022.025.0127.I	2.2	0.25	12.7	0.0348	4.18	4.81	no	stainless steel	4C
C.022.025.0140.A	2.2	0.25	14.0	0.0360	4.60	5.31	no	music wire	4C
C.022.025.0140.I	2.2	0.25	14.0	0.0300	4.73	5.47	no	stainless steel	4C
C.022.025.0175.A	2.2	0.25	17.5	0.0289	5.53	6.42	no	music wire	4C
C.022.025.0175.I	2.2	0.25	17.5	0.0251	5.45	6.33	no	stainless steel	4C
C.022.025.0190.A	2.2	0.25	19.0	0.0280	5.68	6.60	no	music wire	4E
C.022.025.0190.I	2.2	0.25	19.0	0.0226	5.98	6.96	no	stainless steel	4C
C.022.030.0030.A	2.2	0.30	3.0	0.3591	2.04	2.20	no	music wire	4C
C.022.030.0030.AP	2.2	0.30	3.0	0.5692	1.68	1.94	no	music wire	4E
C.022.030.0030.I	2.2	0.30	3.0	0.3085	2.07	2.23	no	stainless steel	4C
C.022.030.0031.A	2.2	0.30	3.1	0.4310	1.89	2.02	no	music wire	4C
C.022.030.0031.I	2.2	0.30	3.1	0.3750	1.89	2.02	no	stainless steel	4C
C.022.030.0048.A	2.2	0.30	4.8	0.2540	2.46	2.69	no	music wire	4C
C.022.030.0048.AP	2.2	0.30	4.8	0.3065	2.22	2.82	no	music wire	4E
C.022.030.0048.I	2.2	0.30	4.8	0.1890	2.70	2.96	no	stainless steel	4C
C.022.030.0064.A	2.2	0.30	6.4	0.1840	3.00	3.31	no	music wire	4E
C.022.030.0064.I	2.2	0.30	6.4	0.1443	3.21	3.56	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.022.030.0064.N	2.2	0.30	6.4	0.1840	3.00	3.31	no	Zn coating	4G
C.022.030.0079.A	2.2	0.30	7.9	0.1400	3.63	4.04	no	music wire	4C
C.022.030.0079.AP	2.2	0.30	7.9	0.1708	3.15	4.35	no	music wire	4E
C.022.030.0079.I	2.2	0.30	7.9	0.1065	3.96	4.43	no	stainless steel	4C
C.022.030.0097.A	2.2	0.30	9.7	0.1140	4.23	4.74	no	music wire	4E
C.022.030.0097.I	2.2	0.30	9.7	0.0907	4.47	5.02	no	stainless steel	4C
C.022.030.0112.A	2.2	0.30	11.2	0.1000	4.65	5.23	no	music wire	4E
C.022.030.0112.I	2.2	0.30	11.2	0.0790	4.98	5.61	no	stainless steel	4C
C.022.030.0127.A	2.2	0.30	12.7	0.0804	5.55	6.27	no	music wire	4C
C.022.030.0127.I	2.2	0.30	12.7	0.0700	5.49	6.20	no	stainless steel	4C
C.022.030.0130.A	2.2	0.30	13.0	0.0962	4.80	6.70	no	music wire	4E
C.022.030.0130.I	2.2	0.30	13.0	0.0826	4.80	6.85	no	stainless steel	4E
C.022.030.0142.A	2.2	0.30	14.2	0.0770	5.73	6.48	no	music wire	4E
C.022.030.0142.I	2.2	0.30	14.2	0.0627	6.00	6.79	no	stainless steel	4E
C.022.030.0157.A	2.2	0.30	15.7	0.0606	7.02	7.98	no	music wire	4C
C.022.030.0157.AP	2.2	0.30	15.7	0.0813	5.49	8.25	no	music wire	4E
C.022.030.0157.I	2.2	0.30	15.7	0.0520	7.02	7.98	no	stainless steel	4C
C.022.030.0175.A	2.2	0.30	17.5	0.0610	6.96	7.91	no	music wire	4E
C.022.030.0175.I	2.2	0.30	17.5	0.0520	7.02	7.98	no	stainless steel	4E
C.022.030.0190.A	2.2	0.30	19.0	0.0560	7.50	8.53	no	music wire	4E
C.022.030.0190.I	2.2	0.30	19.0	0.0479	7.53	8.57	no	stainless steel	4E
C.022.030.0220.A	2.2	0.30	22.0	0.0481	8.55	9.75	no	music wire	4E
C.022.030.0220.I	2.2	0.30	22.0	0.0418	8.46	9.86	no	stainless steel	4E
C.022.040.0130.A	2.2	0.40	13.0	0.3578	6.00	9.26	yes	music wire	4F
C.022.040.0130.I	2.2	0.40	13.0	0.3073	6.00	9.33	yes	stainless steel	4G
C.022.040.0130.N	2.2	0.40	13.0	0.3578	6.00	9.26	yes	Zn coating	4I
C.023.018.0063.I	2.3	0.18	6.3	0.0200	1.48	1.74	no	stainless steel	4C
C.023.018.0080.I	2.3	0.18	8.0	0.0156	1.71	2.05	no	stainless steel	4C
C.023.018.0100.I	2.3	0.18	10.0	0.0125	1.98	2.40	no	stainless steel	4C
C.023.018.0125.I	2.3	0.18	12.5	0.0100	2.32	2.85	no	stainless steel	4C
C.023.018.0160.I	2.3	0.18	16.0	0.0079	2.75	3.41	no	stainless steel	4C
C.023.018.0200.I	2.3	0.18	20.0	0.0063	3.33	4.17	no	stainless steel	4C
C.023.018.0250.I	2.3	0.18	25.0	0.0050	4.00	5.05	no	stainless steel	4C
C.023.018.0320.I	2.3	0.18	32.0	0.0040	4.84	6.15	no	stainless steel	4C
C.023.025.0036.A	2.3	0.25	3.6	0.1421	1.70	1.87	no	music wire	4C
C.023.025.0036.AP	2.3	0.25	3.6	0.2085	1.43	1.93	no	music wire	4E
C.023.025.0036.I	2.3	0.25	3.6	0.1236	1.68	1.84	no	stainless steel	4C
C.023.025.0037.A	2.3	0.25	3.7	0.1421	1.70	1.87	no	music wire	4C
C.023.025.0037.AP	2.3	0.25	3.7	0.1994	1.45	1.95	no	music wire	4E
C.023.025.0037.I	2.3	0.25	3.7	0.1236	1.68	1.84	no	stainless steel	4C
C.023.025.0053.A	2.3	0.25	5.3	0.0904	2.15	2.41	no	music wire	4C
C.023.025.0053.AP	2.3	0.25	5.3	0.1311	1.75	2.64	no	music wire	4E
C.023.025.0053.I	2.3	0.25	5.3	0.0786	2.13	2.38	no	stainless steel	4C
C.023.025.0055.A	2.3	0.25	5.5	0.0904	2.15	2.41	no	music wire	4C
C.023.025.0055.AP	2.3	0.25	5.5	0.1240	1.80	2.68	no	music wire	4E
C.023.025.0055.I	2.3	0.25	5.5	0.0786	2.13	2.38	no	stainless steel	4C
C.023.025.0078.A	2.3	0.25	7.8	0.0585	2.85	3.25	no	music wire	4C
C.023.025.0078.AP	2.3	0.25	7.8	0.0850	2.23	3.69	no	music wire	4E
C.023.025.0078.I	2.3	0.25	7.8	0.0502	2.85	3.25	no	stainless steel	4C
C.023.025.0080.A	2.3	0.25	8.0	0.0585	2.85	3.25	no	music wire	4C
C.023.025.0080.AP	2.3	0.25	8.0	0.0819	2.28	3.74	no	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.023.025.0080.I	2.3	0.25	8.0	0.0509	2.83	3.22	no	stainless steel	4C
C.023.025.0111.A	2.3	0.25	11.1	0.0398	3.78	4.36	no	music wire	4C
C.023.025.0111.AP	2.3	0.25	11.1	0.0581	2.88	5.09	no	music wire	4E
C.023.025.0111.I	2.3	0.25	11.1	0.0342	3.78	4.36	no	stainless steel	4C
C.023.025.0114.A	2.3	0.25	11.4	0.0398	3.78	4.36	no	music wire	4C
C.023.025.0114.AP	2.3	0.25	11.4	0.0566	2.93	5.24	no	music wire	4E
C.023.025.0114.I	2.3	0.25	11.4	0.0346	3.75	4.33	no	stainless steel	4C
C.023.025.0162.A	2.3	0.25	16.2	0.0269	5.18	6.04	no	music wire	4C
C.023.025.0162.AP	2.3	0.25	16.2	0.0389	3.85	7.22	no	music wire	4E
C.023.025.0162.I	2.3	0.25	16.2	0.0231	5.18	6.04	no	stainless steel	4C
C.023.025.0166.A	2.3	0.25	16.6	0.0269	5.18	6.04	no	music wire	4C
C.023.025.0166.AP	2.3	0.25	16.6	0.0379	3.93	7.39	no	music wire	4E
C.023.025.0166.I	2.3	0.25	16.6	0.0234	5.13	5.98	no	stainless steel	4C
C.023.028.0063.A	2.3	0.28	6.3	0.1167	2.80	3.12	no	music wire	4C
C.023.028.0063.AP	2.3	0.28	6.3	0.1606	2.30	3.31	no	music wire	4E
C.023.028.0063.I	2.3	0.28	6.3	0.1015	2.77	3.09	no	stainless steel	4C
C.023.028.0080.A	2.3	0.28	8.0	0.0933	3.25	3.65	no	music wire	4C
C.023.028.0080.I	2.3	0.28	8.0	0.0812	3.22	3.62	no	stainless steel	4C
C.023.028.0100.A	2.3	0.28	10.0	0.0737	3.86	4.37	no	music wire	4C
C.023.028.0100.I	2.3	0.28	10.0	0.0641	3.84	4.35	no	stainless steel	4C
C.023.028.0125.A	2.3	0.28	12.5	0.0583	4.62	5.27	no	music wire	4C
C.023.028.0125.I	2.3	0.28	12.5	0.0507	4.59	5.23	no	stainless steel	4E
C.023.028.0160.A	2.3	0.28	16.0	0.0467	5.54	6.35	no	music wire	4E
C.023.028.0160.I	2.3	0.28	16.0	0.0406	5.49	6.29	no	stainless steel	4E
C.023.028.0200.A	2.3	0.28	20.0	0.0373	6.69	7.71	no	music wire	4E
C.023.028.0200.I	2.3	0.28	20.0	0.0325	6.61	7.63	no	stainless steel	4E
C.023.028.0250.A	2.3	0.28	25.0	0.0292	8.26	9.56	no	music wire	4E
C.023.028.0250.I	2.3	0.28	25.0	0.0254	8.18	9.46	no	stainless steel	4E
C.023.028.0320.A	2.3	0.28	32.0	0.0233	10.11	11.74	no	music wire	4E
C.023.028.0320.I	2.3	0.28	32.0	0.0203	10.00	12.20	no	stainless steel	4E
C.023.032.0037.A	2.3	0.32	3.7	0.3815	2.27	2.45	no	music wire	4C
C.023.032.0037.AP	2.3	0.32	3.7	0.5065	1.98	2.33	no	music wire	4E
C.023.032.0037.I	2.3	0.32	3.7	0.3277	2.27	2.45	no	stainless steel	4C
C.023.032.0053.A	2.3	0.32	5.3	0.2428	2.94	3.23	no	music wire	4C
C.023.032.0053.AP	2.3	0.32	5.3	0.3180	2.50	3.11	no	music wire	4E
C.023.032.0053.I	2.3	0.32	5.3	0.2112	2.91	3.19	no	stainless steel	4C
C.023.032.0077.A	2.3	0.32	7.7	0.1571	3.94	4.38	no	music wire	4C
C.023.032.0077.AP	2.3	0.32	7.7	0.2072	3.23	4.34	no	music wire	4E
C.023.032.0077.I	2.3	0.32	7.7	0.1349	3.94	4.38	no	stainless steel	4C
C.023.032.0109.A	2.3	0.32	10.9	0.1068	5.25	5.90	no	music wire	4C
C.023.032.0109.AP	2.3	0.32	10.9	0.1410	4.26	5.96	no	music wire	4E
C.023.032.0109.I	2.3	0.32	10.9	0.0929	5.18	5.82	no	stainless steel	4C
C.023.032.0156.A	2.3	0.32	15.6	0.0722	7.23	8.19	no	music wire	4C
C.023.032.0156.AP	2.3	0.32	15.6	0.0963	5.70	8.37	no	music wire	4E
C.023.032.0156.I	2.3	0.32	15.6	0.0620	7.23	8.19	no	stainless steel	4C
C.023.050.0040.A	2.3	0.50	4.0	2.4200	3.45	3.71	yes	music wire	4B
C.023.050.0050.A	2.3	0.50	5.0	1.7460	4.25	4.61	yes	music wire	4B
C.023.050.0063.A	2.3	0.50	6.3	1.2500	5.60	6.12	yes	music wire	4B
C.023.050.0063.AP	2.3	0.50	6.3	1.6220	4.60	5.00	yes	music wire	4D
C.023.050.0063.I	2.3	0.50	6.3	1.0875	5.55	6.06	yes	stainless steel	4C
C.023.050.0063.N	2.3	0.50	6.3	1.2500	5.60	6.12	yes	Zn coating	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.023.050.0080.A	2.3	0.50	8.0	1.0000	6.70	7.35	yes	music wire	4B
C.023.050.0080.AP	2.3	0.50	8.0	1.2349	5.65	6.18	yes	music wire	4D
C.023.050.0080.I	2.3	0.50	8.0	0.8700	6.65	7.29	yes	stainless steel	4C
C.023.050.0080.N	2.3	0.50	8.0	1.0000	6.70	7.35	yes	Zn coating	4C
C.023.050.0100.A	2.3	0.50	10.0	0.7813	8.25	9.09	yes	music wire	4B
C.023.050.0100.AP	2.3	0.50	10.0	0.9617	6.95	7.63	yes	music wire	4D
C.023.050.0100.I	2.3	0.50	10.0	0.6797	8.15	8.97	yes	stainless steel	4C
C.023.050.0100.N	2.3	0.50	10.0	0.7813	8.25	9.09	yes	Zn coating	4C
C.023.050.0125.A	2.3	0.50	12.5	0.6250	10.00	11.05	yes	music wire	4B
C.023.050.0125.AP	2.3	0.50	12.5	0.7547	8.50	9.39	yes	music wire	4D
C.023.050.0125.I	2.3	0.50	12.5	0.5438	9.85	10.88	yes	stainless steel	4C
C.023.050.0125.N	2.3	0.50	12.5	0.6250	10.00	11.05	yes	Zn coating	4C
C.023.050.0160.A	2.3	0.50	16.0	0.5000	12.15	13.45	yes	music wire	4B
C.023.050.0160.AP	2.3	0.50	16.0	0.5781	10.70	11.94	yes	music wire	4D
C.023.050.0160.I	2.3	0.50	16.0	0.4350	12.05	13.34	yes	stainless steel	4C
C.023.050.0160.N	2.3	0.50	16.0	0.5000	12.15	13.45	yes	Zn coating	4C
C.023.050.0200.A	2.3	0.50	20.0	0.3906	15.25	16.92	yes	music wire	4B
C.023.050.0200.AP	2.3	0.50	20.0	0.4566	13.20	14.86	yes	music wire	4D
C.023.050.0200.I	2.3	0.50	20.0	0.3398	15.05	16.70	yes	stainless steel	4C
C.023.050.0200.N	2.3	0.50	20.0	0.3906	15.25	16.92	yes	Zn coating	4C
C.023.050.0250.A	2.3	0.50	25.0	0.3125	18.70	20.78	yes	music wire	4B
C.023.050.0250.AP	2.3	0.50	25.0	0.3622	16.30	18.52	yes	music wire	4D
C.023.050.0250.I	2.3	0.50	25.0	0.2719	18.50	20.56	yes	stainless steel	4C
C.023.050.0250.N	2.3	0.50	25.0	0.3125	18.70	20.78	yes	Zn coating	4C
C.024.016.0064.I	2.4	0.16	6.4	0.0026	3.68	4.91	no	stainless steel	4C
C.024.020.0159.A	2.4	0.20	15.9	0.0046	7.36	9.23	no	music wire	4C
C.024.020.0159.AP	2.4	0.20	15.9	0.0183	2.38	6.16	no	music wire	4E
C.024.020.0159.I	2.4	0.20	15.9	0.0040	7.28	9.13	no	stainless steel	4C
C.024.025.0040.A	2.4	0.25	4.0	0.1000	1.88	2.09	no	music wire	4C
C.024.025.0040.AP	2.4	0.25	4.0	0.1729	1.45	2.06	no	music wire	4E
C.024.025.0040.I	2.4	0.25	4.0	0.0870	1.88	2.09	no	stainless steel	4C
C.024.025.0050.A	2.4	0.25	5.0	0.0778	2.15	2.42	no	music wire	4C
C.024.025.0063.A	2.4	0.25	6.3	0.0643	2.43	2.76	no	music wire	4C
C.024.025.0063.AP	2.4	0.25	6.3	0.1020	1.85	3.01	no	music wire	4E
C.024.025.0063.I	2.4	0.25	6.3	0.0559	2.40	2.72	no	stainless steel	4C
C.024.025.0071.A	2.4	0.25	7.1	0.0549	2.70	3.09	no	music wire	4C
C.024.025.0071.I	2.4	0.25	7.1	0.0471	2.70	3.09	no	stainless steel	4C
C.024.025.0080.A	2.4	0.25	8.0	0.0500	2.88	3.30	no	music wire	4C
C.024.025.0100.A	2.4	0.25	10.0	0.0389	3.45	3.99	no	music wire	4C
C.024.025.0125.A	2.4	0.25	12.5	0.0311	4.10	4.78	no	music wire	4C
C.024.025.0160.A	2.4	0.25	16.0	0.0250	4.88	5.72	no	music wire	4C
C.024.025.0200.A	2.4	0.25	20.0	0.0200	5.88	6.93	no	music wire	4C
C.024.025.0200.AP	2.4	0.25	20.0	0.0295	4.28	8.62	no	music wire	4E
C.024.025.0200.I	2.4	0.25	20.0	0.0174	5.83	6.87	no	stainless steel	4C
C.024.025.0250.A	2.4	0.25	25.0	0.0161	7.10	8.41	no	music wire	4C
C.024.025.0250.AP	2.4	0.25	25.0	0.0234	5.15	10.67	no	music wire	4E
C.024.025.0250.I	2.4	0.25	25.0	0.0140	7.03	8.33	no	stainless steel	4C
C.024.025.0320.A	2.4	0.25	32.0	0.0129	8.63	10.26	no	music wire	4C
C.024.025.0320.AP	2.4	0.25	32.0	0.0182	6.40	13.54	no	music wire	4E
C.024.025.0320.I	2.4	0.25	32.0	0.0112	8.53	10.14	no	stainless steel	4C
C.024.025.0400.A	2.4	0.25	40.0	0.0100	10.88	12.99	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.024.025.0400.AP	2.4	0.25	40.0	0.0145	7.80	16.82	no	music wire	4E
C.024.025.0400.I	2.4	0.25	40.0	0.0087	10.75	12.83	no	stainless steel	4C
C.024.025.0500.A	2.4	0.25	50.0	0.0080	13.38	16.02	no	music wire	4C
C.024.025.0500.AP	2.4	0.25	50.0	0.0115	9.55	20.91	no	music wire	4E
C.024.025.0500.I	2.4	0.25	50.0	0.0070	13.23	15.84	no	stainless steel	4C
C.024.025.0630.A	2.4	0.25	63.0	0.0064	16.53	19.83	no	music wire	4C
C.024.025.0630.AP	2.4	0.25	63.0	0.0091	11.85	26.24	no	music wire	4E
C.024.025.0630.I	2.4	0.25	63.0	0.0056	16.33	19.59	no	stainless steel	4C
C.024.030.0135.A	2.4	0.30	13.5	0.1264	3.15	9.08	no	music wire	4G
C.024.030.0135.I	2.4	0.30	13.5	0.1100	3.15	9.24	no	stainless steel	4G
C.024.030.0240.A	2.4	0.30	24.0	0.0172	16.56	19.25	no	music wire	4C
C.024.030.0240.AP	2.4	0.30	24.0	0.0452	6.96	11.62	no	music wire	4E
C.024.030.0240.I	2.4	0.30	24.0	0.0150	16.35	19.00	no	stainless steel	4C
C.024.030.0290.A	2.4	0.30	29.0	0.0115	24.30	28.33	no	music wire	4C
C.024.030.0290.AP	2.4	0.30	29.0	0.0372	8.25	13.96	no	music wire	4E
C.024.030.0290.I	2.4	0.30	29.0	0.0100	24.00	27.98	no	stainless steel	4C
C.024.030.0300.A	2.4	0.30	30.0	0.0195	14.73	17.10	no	music wire	4C
C.024.030.0300.AP	2.4	0.30	30.0	0.0360	8.49	14.46	no	music wire	4E
C.024.030.0300.I	2.4	0.30	30.0	0.0170	14.55	16.89	no	stainless steel	4C
C.024.035.0032.A	2.4	0.35	3.2	0.5000	2.45	2.64	no	music wire	4B
C.024.035.0032.AP	2.4	0.35	3.2	0.8399	1.96	2.18	no	music wire	4D
C.024.035.0032.I	2.4	0.35	3.2	0.4350	2.45	2.64	no	stainless steel	4B
C.024.035.0040.A	2.4	0.35	4.0	0.4000	2.77	3.00	no	music wire	4B
C.024.035.0040.AP	2.4	0.35	4.0	0.6082	2.24	2.59	no	music wire	4D
C.024.035.0040.I	2.4	0.35	4.0	0.3480	2.77	3.00	no	stainless steel	4B
C.024.035.0050.A	2.4	0.35	5.0	0.3125	3.22	3.52	no	music wire	4B
C.024.035.0050.AP	2.4	0.35	5.0	0.4523	2.59	3.10	no	music wire	4D
C.024.035.0050.I	2.4	0.35	5.0	0.2719	3.19	3.49	no	stainless steel	4B
C.024.035.0063.A	2.4	0.35	6.3	0.2500	3.71	4.09	no	music wire	4B
C.024.035.0063.AP	2.4	0.35	6.3	0.3459	3.01	3.82	no	music wire	4D
C.024.035.0063.I	2.4	0.35	6.3	0.2175	3.68	4.05	no	stainless steel	4B
C.024.035.0080.A	2.4	0.35	8.0	0.2000	4.34	4.81	no	music wire	4B
C.024.035.0080.AP	2.4	0.35	8.0	0.2594	3.61	4.69	no	music wire	4D
C.024.035.0080.I	2.4	0.35	8.0	0.1740	4.31	4.78	no	stainless steel	4B
C.024.035.0100.A	2.4	0.35	10.0	0.1563	5.22	5.82	no	music wire	4B
C.024.035.0100.AP	2.4	0.35	10.0	0.2027	4.31	5.76	no	music wire	4D
C.024.035.0100.I	2.4	0.35	10.0	0.1360	5.15	5.74	no	stainless steel	4B
C.024.035.0125.A	2.4	0.35	12.5	0.1250	6.20	6.95	no	music wire	4B
C.024.035.0125.I	2.4	0.35	12.5	0.1088	6.13	6.87	no	stainless steel	4B
C.024.035.0160.A	2.4	0.35	16.0	0.1000	7.42	8.36	no	music wire	4B
C.024.035.0160.I	2.4	0.35	16.0	0.0870	7.35	8.28	no	stainless steel	4E
C.024.035.0200.A	2.4	0.35	20.0	0.0794	9.03	10.21	no	music wire	4D
C.024.035.0200.I	2.4	0.35	20.0	0.0691	8.96	10.13	no	stainless steel	4E
C.024.035.0250.A	2.4	0.35	25.0	0.0625	11.17	12.68	no	music wire	4D
C.024.035.0250.I	2.4	0.35	25.0	0.0544	11.03	12.51	no	stainless steel	4E
C.024.035.0320.A	2.4	0.35	32.0	0.0500	13.65	15.53	no	music wire	4D
C.024.035.0320.I	2.4	0.35	32.0	0.0435	13.48	15.41	no	stainless steel	4E
C.024.035.0400.A	2.4	0.35	40.0	0.0400	16.77	19.12	no	music wire	4D
C.024.035.0400.I	2.4	0.35	40.0	0.0348	16.56	19.26	no	stainless steel	4E
C.024.035.0500.A	2.4	0.35	50.0	0.0313	21.07	24.08	no	music wire	4D
C.024.035.0500.I	2.4	0.35	50.0	0.0272	20.83	23.80	no	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.024.040.0039.A	2.4	0.40	3.9	0.9314	2.40	2.59	yes	music wire	4D
C.024.040.0039.I	2.4	0.40	3.9	0.8000	2.40	2.59	yes	stainless steel	4E
C.024.040.0039.N	2.4	0.40	3.9	0.9314	2.40	2.59	yes	Zn coating	4F
C.024.040.0055.A	2.4	0.40	5.5	0.5927	3.20	3.50	yes	music wire	4D
C.024.040.0055.I	2.4	0.40	5.5	0.5156	3.16	3.47	yes	stainless steel	4E
C.024.040.0055.N	2.4	0.40	5.5	0.5927	3.20	3.50	yes	Zn coating	4F
C.024.040.0078.A	2.4	0.40	7.8	0.3835	4.40	4.87	yes	music wire	4D
C.024.040.0078.I	2.4	0.40	7.8	0.3294	4.40	4.87	yes	stainless steel	4E
C.024.040.0078.N	2.4	0.40	7.8	0.3835	4.40	4.87	yes	Zn coating	4F
C.024.040.0109.A	2.4	0.40	10.9	0.2608	6.00	6.69	yes	music wire	4D
C.024.040.0109.I	2.4	0.40	10.9	0.2269	5.92	6.60	yes	stainless steel	4E
C.024.040.0109.N	2.4	0.40	10.9	0.2608	6.00	6.69	yes	Zn coating	4F
C.024.040.0111.A	2.4	0.40	11.1	0.1600	9.16	10.28	yes	music wire	4B
C.024.040.0111.AP	2.4	0.40	11.1	0.3058	5.28	7.04	yes	music wire	4F
C.024.040.0111.I	2.4	0.40	11.1	0.1392	9.04	10.15	yes	stainless steel	4B
C.024.040.0140.A	2.4	0.40	14.0	0.1762	8.40	9.42	yes	music wire	4B
C.024.040.0140.AP	2.4	0.40	14.0	0.2366	6.52	8.76	yes	music wire	4F
C.024.040.0140.I	2.4	0.40	14.0	0.1514	8.40	9.42	yes	stainless steel	4B
C.024.040.0140.N	2.4	0.40	14.0	0.1762	8.40	9.42	yes	Zn coating	4C
C.024.040.0143.A	2.4	0.40	14.3	0.1494	9.72	10.92	yes	music wire	4B
C.024.040.0143.AP	2.4	0.40	14.3	0.2316	6.64	8.94	yes	music wire	4F
C.024.040.0143.I	2.4	0.40	14.3	0.1300	9.60	10.78	yes	stainless steel	4B
C.024.040.0156.A	2.4	0.40	15.6	0.1762	8.40	9.42	yes	music wire	4D
C.024.040.0156.I	2.4	0.40	15.6	0.1513	8.40	9.42	yes	stainless steel	4E
C.024.040.0156.N	2.4	0.40	15.6	0.1762	8.40	9.42	yes	Zn coating	4F
C.024.040.0250.A	2.4	0.40	25.0	0.0940	14.88	16.79	yes	music wire	4B
C.024.040.0250.AP	2.4	0.40	25.0	0.1271	11.24	15.24	yes	music wire	4F
C.024.040.0250.I	2.4	0.40	25.0	0.0818	14.68	16.56	yes	stainless steel	4C
C.024.045.0040.A	2.4	0.45	4.0	1.0000	3.65	3.97	yes	music wire	4B
C.024.045.0040.AL	2.4	0.45	4.0	1.1000	3.42	3.71	yes	music wire	4B
C.024.045.0040.AP	2.4	0.45	4.0	1.5571	2.75	2.96	yes	music wire	4D
C.024.045.0040.I	2.4	0.45	4.0	0.8700	3.65	3.97	yes	stainless steel	4B
C.024.045.0040.N	2.4	0.45	4.0	1.0000	3.65	3.97	yes	Zn coating	4C
C.024.045.0050.A	2.4	0.45	5.0	0.8182	4.23	4.63	yes	music wire	4B
C.024.045.0050.AL	2.4	0.45	5.0	0.7778	4.37	4.79	yes	music wire	4B
C.024.045.0050.AP	2.4	0.45	5.0	1.1678	3.29	3.57	yes	music wire	4D
C.024.045.0050.I	2.4	0.45	5.0	0.7118	4.19	4.58	yes	stainless steel	4B
C.024.045.0050.N	2.4	0.45	5.0	0.8182	4.23	4.63	yes	Zn coating	4C
C.024.045.0063.A	2.4	0.45	6.3	0.6429	5.09	5.60	yes	music wire	4B
C.024.045.0063.AP	2.4	0.45	6.3	0.8898	3.96	4.38	yes	music wire	4D
C.024.045.0063.I	2.4	0.45	6.3	0.5593	5.04	5.54	yes	stainless steel	4B
C.024.045.0063.N	2.4	0.45	6.3	0.6429	5.09	5.60	yes	Zn coating	4C
C.024.045.0080.A	2.4	0.45	8.0	0.5000	6.21	6.86	yes	music wire	4B
C.024.045.0080.AP	2.4	0.45	8.0	0.6836	4.82	5.50	yes	music wire	4D
C.024.045.0080.I	2.4	0.45	8.0	0.4350	6.12	6.76	yes	stainless steel	4B
C.024.045.0080.N	2.4	0.45	8.0	0.5000	6.21	6.86	yes	Zn coating	4C
C.024.045.0100.A	2.4	0.45	10.0	0.4091	7.34	8.14	yes	music wire	4B
C.024.045.0100.AL	2.4	0.45	10.0	0.3889	7.65	8.49	yes	music wire	4B
C.024.045.0100.AP	2.4	0.45	10.0	0.5339	5.90	6.80	yes	music wire	4D
C.024.045.0100.I	2.4	0.45	10.0	0.3559	7.25	8.03	yes	stainless steel	4B
C.024.045.0100.N	2.4	0.45	10.0	0.4091	7.34	8.14	yes	Zn coating	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.024.045.0125.A	2.4	0.45	12.5	0.3214	9.00	10.01	yes	music wire	4B
C.024.045.0125.AP	2.4	0.45	12.5	0.4215	7.16	8.44	yes	music wire	4D
C.024.045.0125.I	2.4	0.45	12.5	0.2796	8.91	9.91	yes	stainless steel	4B
C.024.045.0125.N	2.4	0.45	12.5	0.3214	9.00	10.01	yes	Zn coating	4C
C.024.045.0160.A	2.4	0.45	16.0	0.2500	11.25	12.55	yes	music wire	4B
C.024.045.0160.AP	2.4	0.45	16.0	0.3240	8.96	10.72	yes	music wire	4D
C.024.045.0160.I	2.4	0.45	16.0	0.2175	11.12	12.40	yes	stainless steel	4C
C.024.045.0160.N	2.4	0.45	16.0	0.2500	11.25	12.55	yes	Zn coating	4C
C.024.045.0200.A	2.4	0.45	20.0	0.2000	13.82	15.45	yes	music wire	4B
C.024.045.0200.AP	2.4	0.45	20.0	0.2560	11.03	13.32	yes	music wire	4D
C.024.045.0200.I	2.4	0.45	20.0	0.1740	13.64	15.24	yes	stainless steel	4C
C.024.045.0200.N	2.4	0.45	20.0	0.2000	13.82	15.45	yes	Zn coating	4C
C.024.045.0250.A	2.4	0.45	25.0	0.1607	16.92	18.94	yes	music wire	4B
C.024.045.0250.AP	2.4	0.45	25.0	0.2031	13.59	16.58	yes	music wire	4D
C.024.045.0250.I	2.4	0.45	25.0	0.1398	16.70	18.70	yes	stainless steel	4C
C.024.045.0250.N	2.4	0.45	25.0	0.1607	16.92	18.94	yes	Zn coating	4C
C.024.045.0320.A	2.4	0.45	32.0	0.1286	20.84	23.37	yes	music wire	4B
C.024.045.0320.AP	2.4	0.45	32.0	0.1575	17.24	21.14	yes	music wire	4D
C.024.045.0320.I	2.4	0.45	32.0	0.1119	20.61	23.11	yes	stainless steel	4C
C.024.045.0320.N	2.4	0.45	32.0	0.1286	20.84	23.37	yes	Zn coating	4C
C.024.045.0400.A	2.4	0.45	40.0	0.1000	26.46	29.71	yes	music wire	4B
C.024.045.0400.AP	2.4	0.45	40.0	0.1254	21.33	26.36	yes	music wire	4D
C.024.045.0400.I	2.4	0.45	40.0	0.0870	26.15	29.36	yes	stainless steel	4C
C.024.045.0400.N	2.4	0.45	40.0	0.1000	26.46	29.71	yes	Zn coating	4C
C.024.050.0111.A	2.4	0.50	11.1	0.9000	6.40	8.58	yes	music wire	4F
C.024.050.0111.I	2.4	0.50	11.1	0.7830	6.35	8.65	yes	stainless steel	4G
C.024.050.0151.I	2.4	0.50	15.1	1.1000	4.85	13.35	yes	stainless steel	4G
C.024.060.0071.A	2.4	0.60	7.1	4.4000	4.56	6.27	yes	music wire	4G
C.024.060.0071.I	2.4	0.60	7.1	3.8280	4.56	6.29	yes	stainless steel	4H
C.025.020.0050.A	2.5	0.20	5.0	0.0335	1.50	1.74	no	music wire	4C
C.025.020.0050.I	2.5	0.20	5.0	0.0288	1.50	1.74	no	stainless steel	4C
C.025.020.0056.A	2.5	0.20	5.6	0.0150	2.48	3.01	no	music wire	4C
C.025.020.0056.I	2.5	0.20	5.6	0.0131	2.46	2.99	no	stainless steel	4C
C.025.020.0063.A	2.5	0.20	6.3	0.0250	1.78	2.10	no	music wire	4C
C.025.020.0063.AP	2.5	0.20	6.3	0.0459	1.28	2.56	no	music wire	4E
C.025.020.0063.I	2.5	0.20	6.3	0.0218	1.76	2.08	no	stainless steel	4C
C.025.020.0080.A	2.5	0.20	8.0	0.0203	2.02	2.41	no	music wire	4C
C.025.020.0080.I	2.5	0.20	8.0	0.0174	2.02	2.41	no	stainless steel	4C
C.025.020.0100.A	2.5	0.20	10.0	0.0158	2.40	2.91	no	music wire	4C
C.025.020.0100.I	2.5	0.20	10.0	0.0136	2.40	2.91	no	stainless steel	4C
C.025.020.0125.A	2.5	0.20	12.5	0.0126	2.92	3.57	no	music wire	4C
C.025.020.0150.A	2.5	0.20	15.0	0.0107	3.20	3.95	no	music wire	4C
C.025.020.0150.I	2.5	0.20	15.0	0.0092	3.20	3.95	no	stainless steel	4C
C.025.020.0160.A	2.5	0.20	16.0	0.0100	3.38	4.18	no	music wire	4C
C.025.020.0160.I	2.5	0.20	16.0	0.0087	3.34	4.13	no	stainless steel	4C
C.025.020.0190.A	2.5	0.20	19.0	0.0070	4.52	5.66	no	music wire	4C
C.025.020.0190.I	2.5	0.20	19.0	0.0061	4.48	5.61	no	stainless steel	4C
C.025.020.0200.A	2.5	0.20	20.0	0.0081	4.00	4.98	no	music wire	4C
C.025.020.0200.I	2.5	0.20	20.0	0.0070	3.98	4.96	no	stainless steel	4C
C.025.020.0250.A	2.5	0.20	25.0	0.0063	5.12	6.42	no	music wire	4C
C.025.020.0320.A	2.5	0.20	32.0	0.0050	6.06	7.66	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.025.020.0320.I	2.5	0.20	32.0	0.0044	6.00	7.58	no	stainless steel	4C
C.025.022.0040.A	2.5	0.22	4.0	0.0598	1.52	1.72	no	music wire	4C
C.025.022.0040.AP	2.5	0.22	4.0	0.1052	1.19	1.86	no	music wire	4E
C.025.022.0040.I	2.5	0.22	4.0	0.0520	1.50	1.69	no	stainless steel	4C
C.025.022.0050.A	2.5	0.22	5.0	0.0471	1.72	1.97	no	music wire	4C
C.025.022.0050.AP	2.5	0.22	5.0	0.0800	1.32	2.19	no	music wire	4E
C.025.022.0050.I	2.5	0.22	5.0	0.0410	1.69	1.93	no	stainless steel	4C
C.025.022.0063.A	2.5	0.22	6.3	0.0368	1.98	2.30	no	music wire	4C
C.025.022.0063.AP	2.5	0.22	6.3	0.0625	1.47	2.70	no	music wire	4E
C.025.022.0063.I	2.5	0.22	6.3	0.0320	1.96	2.27	no	stainless steel	4C
C.025.022.0080.A	2.5	0.22	8.0	0.0287	2.31	2.71	no	music wire	4C
C.025.022.0080.AP	2.5	0.22	8.0	0.0488	1.67	3.39	no	music wire	4E
C.025.022.0080.I	2.5	0.22	8.0	0.0250	2.29	2.69	no	stainless steel	4C
C.025.022.0100.A	2.5	0.22	10.0	0.0218	2.79	3.32	no	music wire	4C
C.025.022.0100.AP	2.5	0.22	10.0	0.0377	1.94	4.04	no	music wire	4E
C.025.022.0100.I	2.5	0.22	10.0	0.0190	2.77	3.29	no	stainless steel	4C
C.025.022.0125.A	2.5	0.22	12.5	0.0172	3.34	4.01	no	music wire	4C
C.025.022.0125.AP	2.5	0.22	12.5	0.0298	2.24	4.97	no	music wire	4E
C.025.022.0125.I	2.5	0.22	12.5	0.0150	3.30	3.96	no	stainless steel	4C
C.025.022.0160.A	2.5	0.22	16.0	0.0138	3.98	4.82	no	music wire	4C
C.025.022.0160.AP	2.5	0.22	16.0	0.0232	2.68	6.33	no	music wire	4E
C.025.022.0160.I	2.5	0.22	16.0	0.0120	3.94	4.77	no	stainless steel	4C
C.025.022.0200.A	2.5	0.22	20.0	0.0103	5.06	6.18	no	music wire	4C
C.025.022.0200.AP	2.5	0.22	20.0	0.0185	3.17	7.86	no	music wire	4E
C.025.022.0200.I	2.5	0.22	20.0	0.0090	4.99	6.09	no	stainless steel	4C
C.025.022.0250.A	2.5	0.22	25.0	0.0080	6.27	7.71	no	music wire	4C
C.025.022.0250.AP	2.5	0.22	25.0	0.0147	3.78	9.71	no	music wire	4E
C.025.022.0250.I	2.5	0.22	25.0	0.0070	6.20	7.62	no	stainless steel	4C
C.025.025.0040.A	2.5	0.25	4.0	0.1000	1.75	1.94	no	music wire	4C
C.025.025.0040.AP	2.5	0.25	4.0	0.1652	1.40	2.05	no	music wire	4E
C.025.025.0040.I	2.5	0.25	4.0	0.0870	1.73	1.92	no	stainless steel	4C
C.025.025.0050.A	2.5	0.25	5.0	0.0700	2.13	2.41	no	music wire	4C
C.025.025.0050.AP	2.5	0.25	5.0	0.1239	1.58	2.40	no	music wire	4E
C.025.025.0050.I	2.5	0.25	5.0	0.0670	2.00	2.25	no	stainless steel	4C
C.025.025.0063.A	2.5	0.25	6.3	0.0586	2.38	2.71	no	music wire	4C
C.025.025.0063.AP	2.5	0.25	6.3	0.0964	1.78	2.95	no	music wire	4E
C.025.025.0063.I	2.5	0.25	6.3	0.0510	2.35	2.68	no	stainless steel	4C
C.025.025.0080.A	2.5	0.25	8.0	0.0437	2.88	3.32	no	music wire	4C
C.025.025.0080.AP	2.5	0.25	8.0	0.0738	2.05	3.63	no	music wire	4E
C.025.025.0080.I	2.5	0.25	8.0	0.0390	2.80	3.23	no	stainless steel	4C
C.025.025.0100.A	2.5	0.25	10.0	0.0349	3.38	3.93	no	music wire	4C
C.025.025.0100.AP	2.5	0.25	10.0	0.0578	2.38	4.42	no	music wire	4E
C.025.025.0100.I	2.5	0.25	10.0	0.0310	3.30	3.84	no	stainless steel	4C
C.025.025.0125.A	2.5	0.25	12.5	0.0279	4.00	4.69	no	music wire	4C
C.025.025.0125.AP	2.5	0.25	12.5	0.0457	2.80	5.44	no	music wire	4E
C.025.025.0125.I	2.5	0.25	12.5	0.0240	4.00	4.69	no	stainless steel	4C
C.025.025.0160.A	2.5	0.25	16.0	0.0218	4.88	5.77	no	music wire	4C
C.025.025.0160.AP	2.5	0.25	16.0	0.0350	3.38	6.80	no	music wire	4E
C.025.025.0160.I	2.5	0.25	16.0	0.0190	4.83	5.70	no	stainless steel	4C
C.025.025.0200.A	2.5	0.25	20.0	0.0172	5.95	7.07	no	music wire	4C
C.025.025.0200.AP	2.5	0.25	20.0	0.0278	4.03	8.38	no	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.025.025.0200.I	2.5	0.25	20.0	0.0150	5.88	6.99	no	stainless steel	4C
C.025.025.0250.A	2.5	0.25	25.0	0.0138	7.20	8.60	no	music wire	4C
C.025.025.0250.AP	2.5	0.25	25.0	0.0221	4.83	10.41	no	music wire	4E
C.025.025.0250.I	2.5	0.25	25.0	0.0120	7.13	8.51	no	stainless steel	4C
C.025.028.0040.A	2.5	0.28	4.0	0.1586	1.99	2.19	no	music wire	4C
C.025.028.0040.AP	2.5	0.28	4.0	0.2369	1.65	2.13	no	music wire	4E
C.025.028.0040.I	2.5	0.28	4.0	0.1380	1.99	2.19	no	stainless steel	4C
C.025.028.0050.A	2.5	0.28	5.0	0.1195	2.32	2.58	no	music wire	4C
C.025.028.0050.AP	2.5	0.28	5.0	0.1834	1.85	2.58	no	music wire	4E
C.025.028.0050.I	2.5	0.28	5.0	0.1040	2.30	2.56	no	stainless steel	4C
C.025.028.0063.A	2.5	0.28	6.3	0.0920	2.72	3.06	no	music wire	4C
C.025.028.0063.AP	2.5	0.28	6.3	0.1421	2.10	3.18	no	music wire	4E
C.025.028.0063.I	2.5	0.28	6.3	0.0800	2.69	3.02	no	stainless steel	4C
C.025.028.0080.A	2.5	0.28	8.0	0.0700	3.28	3.73	no	music wire	4C
C.025.028.0080.AP	2.5	0.28	8.0	0.1073	2.46	3.86	no	music wire	4E
C.025.028.0080.I	2.5	0.28	8.0	0.0610	3.25	3.69	no	stainless steel	4C
C.025.028.0100.A	2.5	0.28	10.0	0.0552	3.89	4.46	no	music wire	4C
C.025.028.0100.AP	2.5	0.28	10.0	0.0849	2.86	4.77	no	music wire	4E
C.025.028.0100.I	2.5	0.28	10.0	0.0480	3.84	4.39	no	stainless steel	4C
C.025.028.0125.A	2.5	0.28	12.5	0.0425	4.76	5.49	no	music wire	4C
C.025.028.0125.AP	2.5	0.28	12.5	0.0669	3.39	5.87	no	music wire	4E
C.025.028.0125.I	2.5	0.28	12.5	0.0370	4.70	5.42	no	stainless steel	4C
C.025.028.0160.A	2.5	0.28	16.0	0.0333	5.80	6.74	no	music wire	4C
C.025.028.0160.AP	2.5	0.28	16.0	0.0512	4.12	7.34	no	music wire	4E
C.025.028.0160.I	2.5	0.28	16.0	0.0290	5.74	6.66	no	stainless steel	4C
C.025.028.0200.A	2.5	0.28	20.0	0.0264	7.06	8.24	no	music wire	4C
C.025.028.0200.AP	2.5	0.28	20.0	0.0406	4.93	9.07	no	music wire	4E
C.025.028.0200.I	2.5	0.28	20.0	0.0230	6.97	8.13	no	stainless steel	4C
C.025.028.0250.A	2.5	0.28	25.0	0.0207	8.74	10.25	no	music wire	4C
C.025.028.0250.AP	2.5	0.28	25.0	0.0321	5.96	11.19	no	music wire	4E
C.025.028.0250.I	2.5	0.28	25.0	0.0180	8.62	10.11	no	stainless steel	4C
C.025.030.0028.A	2.5	0.30	2.8	0.2214	2.10	2.29	no	music wire	4C
C.025.030.0028.AP	2.5	0.30	2.8	0.5133	1.50	1.75	no	music wire	4E
C.025.030.0028.I	2.5	0.30	2.8	0.1902	2.10	2.29	no	stainless steel	4C
C.025.030.0030.A	2.5	0.30	3.0	0.2672	1.92	2.08	no	music wire	4C
C.025.030.0030.I	2.5	0.30	3.0	0.2295	1.92	2.08	no	stainless steel	4C
C.025.030.0045.A	2.5	0.30	4.5	0.1409	2.70	3.00	no	music wire	4C
C.025.030.0045.AP	2.5	0.30	4.5	0.2655	1.92	2.47	no	music wire	4E
C.025.030.0045.I	2.5	0.30	4.5	0.1210	2.70	3.00	no	stainless steel	4C
C.025.030.0068.A	2.5	0.30	6.8	0.0912	3.60	4.06	no	music wire	4C
C.025.030.0068.AP	2.5	0.30	6.8	0.1638	2.46	3.51	no	music wire	4E
C.025.030.0068.I	2.5	0.30	6.8	0.0783	3.60	4.06	no	stainless steel	4C
C.025.030.0100.A	2.5	0.30	10.0	0.0620	4.80	5.48	no	music wire	4C
C.025.030.0100.AP	2.5	0.30	10.0	0.1069	3.21	4.97	no	music wire	4E
C.025.030.0100.I	2.5	0.30	10.0	0.0533	4.80	5.48	no	stainless steel	4C
C.025.030.0148.A	2.5	0.30	14.8	0.0419	6.60	7.60	no	music wire	4C
C.025.030.0148.AP	2.5	0.30	14.8	0.0706	4.35	7.18	no	music wire	4E
C.025.030.0148.I	2.5	0.30	14.8	0.0360	6.60	7.60	no	stainless steel	4C
C.025.032.0040.A	2.5	0.32	4.0	0.2747	2.34	2.55	no	music wire	4C
C.025.032.0040.AP	2.5	0.32	4.0	0.3941	1.95	2.36	no	music wire	4E
C.025.032.0040.I	2.5	0.32	4.0	0.2390	2.30	2.50	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.025.032.0050.A	2.5	0.32	5.0	0.2103	2.69	2.96	no	music wire	4C
C.025.032.0050.AP	2.5	0.32	5.0	0.3014	2.21	2.86	no	music wire	4E
C.025.032.0050.I	2.5	0.32	5.0	0.1830	2.66	2.92	no	stainless steel	4C
C.025.032.0063.A	2.5	0.32	6.3	0.1563	3.23	3.59	no	music wire	4C
C.025.032.0063.AP	2.5	0.32	6.3	0.2277	2.56	3.47	no	music wire	4E
C.025.032.0063.I	2.5	0.32	6.3	0.1360	3.20	3.55	no	stainless steel	4C
C.025.032.0080.A	2.5	0.32	8.0	0.1195	3.87	4.34	no	music wire	4C
C.025.032.0080.AP	2.5	0.32	8.0	0.1737	3.01	4.29	no	music wire	4E
C.025.032.0080.I	2.5	0.32	8.0	0.1040	3.84	4.30	no	stainless steel	4C
C.025.032.0100.A	2.5	0.32	10.0	0.0943	4.61	5.20	no	music wire	4C
C.025.032.0100.AP	2.5	0.32	10.0	0.1348	3.55	5.22	no	music wire	4E
C.025.032.0100.I	2.5	0.32	10.0	0.0820	4.58	5.17	no	stainless steel	4C
C.025.032.0125.A	2.5	0.32	12.5	0.0736	5.60	6.36	no	music wire	4C
C.025.032.0125.AP	2.5	0.32	12.5	0.1056	4.26	6.39	no	music wire	4E
C.025.032.0125.I	2.5	0.32	12.5	0.0640	5.54	6.29	no	stainless steel	4C
C.025.032.0160.A	2.5	0.32	16.0	0.0563	6.98	7.97	no	music wire	4C
C.025.032.0160.AP	2.5	0.32	16.0	0.0813	5.18	8.07	no	music wire	4E
C.025.032.0160.I	2.5	0.32	16.0	0.0490	6.91	7.89	no	stainless steel	4C
C.025.032.0200.A	2.5	0.32	20.0	0.0448	8.48	9.73	no	music wire	4C
C.025.032.0200.AP	2.5	0.32	20.0	0.0644	6.24	9.99	no	music wire	4E
C.025.032.0200.I	2.5	0.32	20.0	0.0390	8.38	9.61	no	stainless steel	4C
C.025.032.0250.A	2.5	0.32	25.0	0.0310	11.78	13.59	no	music wire	4C
C.025.032.0250.AP	2.5	0.32	25.0	0.0510	7.58	12.35	no	music wire	4E
C.025.032.0250.I	2.5	0.32	25.0	0.0310	10.27	11.82	no	stainless steel	4C
C.025.035.0040.A	2.5	0.35	4.0	0.3106	2.98	3.25	no	music wire	4B
C.025.035.0040.AP	2.5	0.35	4.0	0.5663	2.17	2.54	no	music wire	4D
C.025.035.0040.I	2.5	0.35	4.0	0.3570	2.52	2.72	no	stainless steel	4B
C.025.035.0050.A	2.5	0.35	5.0	0.2314	3.54	3.90	no	music wire	4B
C.025.035.0050.AP	2.5	0.35	5.0	0.4247	2.49	3.05	no	music wire	4D
C.025.035.0050.I	2.5	0.35	5.0	0.2660	2.98	3.25	no	stainless steel	4B
C.025.035.0063.A	2.5	0.35	6.3	0.2333	3.54	3.90	no	music wire	4B
C.025.035.0063.AP	2.5	0.35	6.3	0.3185	2.91	3.70	no	music wire	4D
C.025.035.0063.I	2.5	0.35	6.3	0.2030	3.50	3.86	no	stainless steel	4B
C.025.035.0080.A	2.5	0.35	8.0	0.1747	4.31	4.79	no	music wire	4B
C.025.035.0080.AP	2.5	0.35	8.0	0.2427	3.43	4.59	no	music wire	4D
C.025.035.0080.I	2.5	0.35	8.0	0.1520	4.27	4.75	no	stainless steel	4B
C.025.035.0100.A	2.5	0.35	10.0	0.1368	5.15	5.76	no	music wire	4B
C.025.035.0100.AP	2.5	0.35	10.0	0.1888	4.06	5.62	no	music wire	4D
C.025.035.0100.I	2.5	0.35	10.0	0.1190	5.11	5.72	no	stainless steel	4B
C.025.035.0125.A	2.5	0.35	12.5	0.1057	6.30	7.09	no	music wire	4B
C.025.035.0125.AP	2.5	0.35	12.5	0.1470	4.90	6.87	no	music wire	4D
C.025.035.0125.I	2.5	0.35	12.5	0.0920	6.27	7.06	no	stainless steel	4B
C.025.035.0160.A	2.5	0.35	16.0	0.0816	7.81	8.84	no	music wire	4B
C.025.035.0160.AP	2.5	0.35	16.0	0.1133	5.99	8.69	no	music wire	4D
C.025.035.0160.I	2.5	0.35	16.0	0.0710	7.74	8.76	no	stainless steel	4B
C.025.035.0200.A	2.5	0.35	20.0	0.0644	9.59	10.90	no	music wire	4B
C.025.035.0200.AP	2.5	0.35	20.0	0.0889	7.28	10.69	no	music wire	4D
C.025.035.0200.I	2.5	0.35	20.0	0.0560	9.49	10.78	no	stainless steel	4B
C.025.035.0250.A	2.5	0.35	25.0	0.0506	11.87	13.54	no	music wire	4B
C.025.035.0250.AP	2.5	0.35	25.0	0.0705	8.86	13.25	no	music wire	4D
C.025.035.0250.I	2.5	0.35	25.0	0.0440	11.73	13.37	no	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.025.040.0030.A	2.5	0.40	3.0	0.9387	2.20	2.37	yes	music wire	4B
C.025.040.0030.I	2.5	0.40	3.0	0.8062	2.20	2.37	yes	stainless steel	4B
C.025.040.0040.A	2.5	0.40	4.0	0.7500	2.52	2.73	yes	music wire	4B
C.025.040.0040.I	2.5	0.40	4.0	0.6540	2.48	2.69	yes	stainless steel	4B
C.025.040.0050.A	2.5	0.40	5.0	0.5586	3.00	3.28	yes	music wire	4B
C.025.040.0050.I	2.5	0.40	5.0	0.4860	3.00	3.28	yes	stainless steel	4B
C.025.040.0063.A	2.5	0.40	6.3	0.4195	3.68	4.06	yes	music wire	4B
C.025.040.0063.I	2.5	0.40	6.3	0.3650	3.64	4.01	yes	stainless steel	4B
C.025.040.0080.A	2.5	0.40	8.0	0.3161	4.56	5.06	yes	music wire	4B
C.025.040.0080.I	2.5	0.40	8.0	0.2750	4.52	5.02	yes	stainless steel	4B
C.025.040.0087.A	2.5	0.40	8.7	0.3100	4.64	5.15	yes	music wire	4D
C.025.040.0087.I	2.5	0.40	8.7	0.2697	4.60	5.11	yes	stainless steel	4E
C.025.040.0100.A	2.5	0.40	10.0	0.2448	5.60	6.25	yes	music wire	4B
C.025.040.0100.I	2.5	0.40	10.0	0.2130	5.56	6.20	yes	stainless steel	4B
C.025.040.0125.A	2.5	0.40	12.5	0.1908	6.92	7.76	yes	music wire	4B
C.025.040.0125.I	2.5	0.40	12.5	0.1660	6.84	7.67	yes	stainless steel	4B
C.025.040.0160.A	2.5	0.40	16.0	0.1460	8.72	9.81	yes	music wire	4B
C.025.040.0160.AP	2.5	0.40	16.0	0.1880	7.00	9.63	yes	music wire	4F
C.025.040.0160.I	2.5	0.40	16.0	0.1270	8.60	9.67	yes	stainless steel	4B
C.025.040.0200.A	2.5	0.40	20.0	0.1149	10.80	12.19	yes	music wire	4B
C.025.040.0200.AP	2.5	0.40	20.0	0.1482	8.60	11.92	yes	music wire	4F
C.025.040.0200.I	2.5	0.40	20.0	0.1000	10.68	12.05	yes	stainless steel	4B
C.025.040.0250.A	2.5	0.40	25.0	0.0908	13.40	15.15	yes	music wire	4B
C.025.040.0250.AP	2.5	0.40	25.0	0.1172	10.60	14.78	yes	music wire	4F
C.025.040.0250.I	2.5	0.40	25.0	0.0790	13.24	14.97	yes	stainless steel	4C
C.025.050.0038.A	2.5	0.50	3.8	2.2740	3.00	3.22	yes	music wire	4B
C.025.050.0038.I	2.5	0.50	3.8	1.9531	3.00	3.22	yes	stainless steel	4C
C.025.050.0038.N	2.5	0.50	3.8	2.2740	3.00	3.22	yes	Zn coating	4C
C.025.050.0055.A	2.5	0.50	5.5	1.4471	4.00	4.34	yes	music wire	4B
C.025.050.0055.I	2.5	0.50	5.5	1.2590	3.95	4.28	yes	stainless steel	4E
C.025.050.0055.N	2.5	0.50	5.5	1.4471	4.00	4.34	yes	Zn coating	4C
C.025.050.0087.A	2.5	0.50	8.7	0.8378	6.00	6.59	yes	music wire	4D
C.025.050.0087.I	2.5	0.50	8.7	0.7196	6.00	6.59	yes	stainless steel	4E
C.025.050.0087.N	2.5	0.50	8.7	0.8378	6.00	6.59	yes	Zn coating	4F
C.025.050.0095.A	2.5	0.50	9.5	1.1494	4.70	7.59	yes	music wire	4F
C.025.050.0095.I	2.5	0.50	9.5	1.0000	4.65	7.64	yes	stainless steel	4G
C.025.050.0111.A	2.5	0.50	11.1	0.7000	6.95	7.96	yes	music wire	4D
C.025.050.0111.I	2.5	0.50	11.1	0.6100	6.85	8.05	yes	stainless steel	4E
C.025.050.0137.A	2.5	0.50	13.7	0.5135	9.00	9.96	yes	music wire	4D
C.025.050.0137.I	2.5	0.50	13.7	0.4410	9.00	9.96	yes	stainless steel	4E
C.025.050.0137.N	2.5	0.50	13.7	0.5135	9.00	9.96	yes	Zn coating	4F
C.026.025.0127.A	2.6	0.25	12.7	0.0333	3.18	3.71	no	music wire	4E
C.026.025.0127.I	2.6	0.25	12.7	0.0290	3.15	3.76	no	stainless steel	4E
C.026.025.0143.A	2.6	0.25	14.3	0.0294	3.48	4.08	no	music wire	4E
C.026.025.0143.I	2.6	0.25	14.3	0.0245	3.55	4.17	no	stainless steel	4E
C.026.025.0190.A	2.6	0.25	19.0	0.0216	4.43	5.26	no	music wire	4E
C.026.025.0190.I	2.6	0.25	19.0	0.0180	4.55	5.40	no	stainless steel	4E
C.026.025.0220.A	2.6	0.25	22.0	0.0186	5.00	5.96	no	music wire	4E
C.026.025.0220.I	2.6	0.25	22.0	0.0162	4.93	6.00	no	stainless steel	4E
C.026.030.0111.A	2.6	0.30	11.1	0.0765	3.72	4.32	no	music wire	4E
C.026.030.0111.I	2.6	0.30	11.1	0.0637	3.78	4.29	no	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.026.030.0220.A	2.6	0.30	22.0	0.0363	6.66	7.72	no	music wire	4E
C.026.030.0220.I	2.6	0.30	22.0	0.0302	6.84	7.93	no	stainless steel	4E
C.026.032.0080.A	2.6	0.32	8.0	0.1200	3.52	3.94	no	music wire	4C
C.026.032.0080.AP	2.6	0.32	8.0	0.1628	2.88	4.18	no	music wire	4E
C.026.032.0080.I	2.6	0.32	8.0	0.1044	3.49	3.91	no	stainless steel	4C
C.026.032.0100.A	2.6	0.32	10.0	0.0933	4.32	4.88	no	music wire	4C
C.026.032.0125.A	2.6	0.32	12.5	0.0750	4.96	5.64	no	music wire	4C
C.026.032.0125.I	2.6	0.32	12.5	0.0653	4.93	5.60	no	stainless steel	4C
C.026.032.0160.A	2.6	0.32	16.0	0.0600	5.92	6.77	no	music wire	4C
C.026.032.0160.I	2.6	0.32	16.0	0.0522	5.86	6.69	no	stainless steel	4E
C.026.032.0200.A	2.6	0.32	20.0	0.0480	7.14	8.20	no	music wire	4C
C.026.032.0200.I	2.6	0.32	20.0	0.0418	7.04	8.08	no	stainless steel	4E
C.026.032.0250.A	2.6	0.32	25.0	0.0375	8.80	10.15	no	music wire	4C
C.026.032.0250.I	2.6	0.32	25.0	0.0326	8.70	10.04	no	stainless steel	4E
C.026.032.0320.A	2.6	0.32	32.0	0.0300	10.72	12.41	no	music wire	4E
C.026.032.0320.I	2.6	0.32	32.0	0.0261	10.62	12.29	no	stainless steel	4E
C.026.032.0400.A	2.6	0.32	40.0	0.0240	13.15	15.27	no	music wire	4E
C.026.032.0400.I	2.6	0.32	40.0	0.0209	12.99	15.08	no	stainless steel	4E
C.026.055.0040.A	2.6	0.55	4.0	2.7500	3.52	3.78	yes	music wire	4C
C.026.055.0050.A	2.6	0.55	5.0	2.0000	4.35	4.71	yes	music wire	4C
C.026.055.0050.AP	2.6	0.55	5.0	2.4491	3.80	4.09	yes	music wire	4E
C.026.055.0050.I	2.6	0.55	5.0	1.7400	4.29	4.64	yes	stainless steel	4C
C.026.055.0050.N	2.6	0.55	5.0	2.0000	4.35	4.71	yes	Zn coating	4D
C.026.055.0063.A	2.6	0.55	6.3	1.5625	5.17	5.63	yes	music wire	4C
C.026.055.0080.A	2.6	0.55	8.0	1.2800	6.05	6.61	yes	music wire	4C
C.026.055.0080.I	2.6	0.55	8.0	1.1136	5.94	6.49	yes	stainless steel	4C
C.026.055.0080.N	2.6	0.55	8.0	1.2800	6.05	6.61	yes	Zn coating	4D
C.026.055.0100.A	2.6	0.55	10.0	1.0000	7.32	8.04	yes	music wire	4C
C.026.055.0125.A	2.6	0.55	12.5	0.8000	8.80	9.70	yes	music wire	4E
C.026.055.0125.I	2.6	0.55	12.5	0.6960	8.75	9.64	yes	stainless steel	4E
C.026.055.0125.N	2.6	0.55	12.5	0.8000	8.80	9.70	yes	Zn coating	4G
C.026.055.0160.A	2.6	0.55	16.0	0.6400	10.67	11.79	yes	music wire	4E
C.026.055.0160.I	2.6	0.55	16.0	0.5568	10.56	11.82	yes	stainless steel	4E
C.026.055.0160.N	2.6	0.55	16.0	0.6400	10.67	11.79	yes	Zn coating	4G
C.026.055.0200.A	2.6	0.55	20.0	0.5000	13.26	14.70	yes	music wire	4E
C.026.055.0200.I	2.6	0.55	20.0	0.4350	13.15	14.65	yes	stainless steel	4E
C.026.055.0200.N	2.6	0.55	20.0	0.5000	13.26	14.70	yes	Zn coating	4G
C.026.055.0250.A	2.6	0.55	25.0	0.4000	16.28	18.15	yes	music wire	4E
C.026.055.0250.I	2.6	0.55	25.0	0.3480	16.06	18.32	yes	stainless steel	4E
C.026.055.0250.N	2.6	0.55	25.0	0.4000	16.28	18.15	yes	Zn coating	4G
C.027.020.0054.A	2.7	0.20	5.4	0.0298	1.40	1.63	no	music wire	4C
C.027.020.0054.I	2.7	0.20	5.4	0.0259	1.40	1.63	no	stainless steel	4C
C.027.020.0070.A	2.7	0.20	7.0	0.0172	1.92	2.33	no	music wire	4C
C.027.020.0070.I	2.7	0.20	7.0	0.0150	1.90	2.30	no	stainless steel	4C
C.027.020.0080.A	2.7	0.20	8.0	0.0190	1.80	2.17	no	music wire	4C
C.027.020.0080.I	2.7	0.20	8.0	0.0163	1.80	2.17	no	stainless steel	4C
C.027.020.0100.A	2.7	0.20	10.0	0.0151	2.08	2.54	no	music wire	4C
C.027.020.0100.I	2.7	0.20	10.0	0.0130	2.08	2.54	no	stainless steel	4C
C.027.020.0127.A	2.7	0.20	12.7	0.0123	2.40	2.97	no	music wire	4C
C.027.020.0127.I	2.7	0.20	12.7	0.0106	2.40	2.97	no	stainless steel	4C
C.027.020.0160.A	2.7	0.20	16.0	0.0094	2.92	3.66	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.027.020.0160.I	2.7	0.20	16.0	0.0081	2.92	3.66	no	stainless steel	4C
C.027.020.0188.A	2.7	0.20	18.8	0.0083	3.22	4.06	no	music wire	4C
C.027.020.0188.I	2.7	0.20	18.8	0.0071	3.22	4.06	no	stainless steel	4C
C.027.020.0253.A	2.7	0.20	25.3	0.0056	4.42	5.66	no	music wire	4C
C.027.020.0253.I	2.7	0.20	25.3	0.0048	4.44	5.69	no	stainless steel	4C
C.027.028.0040.A	2.7	0.28	4.0	0.1222	1.99	2.20	no	music wire	4C
C.027.028.0040.AP	2.7	0.28	4.0	0.2195	1.54	2.12	no	music wire	4E
C.027.028.0040.I	2.7	0.28	4.0	0.1063	1.99	2.20	no	stainless steel	4C
C.027.028.0050.A	2.7	0.28	5.0	0.1000	2.21	2.47	no	music wire	4C
C.027.028.0050.AP	2.7	0.28	5.0	0.1626	1.74	2.46	no	music wire	4E
C.027.028.0050.I	2.7	0.28	5.0	0.0870	2.21	2.47	no	stainless steel	4C
C.027.028.0063.A	2.7	0.28	6.3	0.0786	2.55	2.88	no	music wire	4C
C.027.028.0063.AP	2.7	0.28	6.3	0.1254	1.96	3.01	no	music wire	4E
C.027.028.0063.I	2.7	0.28	6.3	0.0684	2.52	2.85	no	stainless steel	4C
C.027.028.0080.A	2.7	0.28	8.0	0.0611	3.00	3.43	no	music wire	4C
C.027.028.0080.AP	2.7	0.28	8.0	0.0975	2.24	3.77	no	music wire	4E
C.027.028.0080.I	2.7	0.28	8.0	0.0532	2.97	3.39	no	stainless steel	4C
C.027.028.0100.A	2.7	0.28	10.0	0.0489	3.50	4.03	no	music wire	4C
C.027.028.0100.AP	2.7	0.28	10.0	0.0757	2.60	4.55	no	music wire	4E
C.027.028.0100.I	2.7	0.28	10.0	0.0425	3.47	4.00	no	stainless steel	4C
C.027.028.0125.A	2.7	0.28	12.5	0.0393	4.12	4.79	no	music wire	4C
C.027.028.0125.AP	2.7	0.28	12.5	0.0593	3.08	5.54	no	music wire	4E
C.027.028.0125.I	2.7	0.28	12.5	0.0342	4.09	4.75	no	stainless steel	4C
C.027.028.0150.A	2.7	0.28	15.0	0.0311	4.96	5.80	no	music wire	4C
C.027.028.0150.I	2.7	0.28	15.0	0.0267	4.96	5.80	no	stainless steel	4C
C.027.028.0160.A	2.7	0.28	16.0	0.0314	4.93	5.77	no	music wire	4C
C.027.028.0160.AP	2.7	0.28	16.0	0.0462	3.67	7.07	no	music wire	4E
C.027.028.0160.I	2.7	0.28	16.0	0.0273	4.87	5.70	no	stainless steel	4C
C.027.028.0200.A	2.7	0.28	20.0	0.0244	6.05	7.12	no	music wire	4C
C.027.028.0200.AL	2.7	0.28	20.0	0.0257	5.91	6.95	no	music wire	4C
C.027.028.0200.AP	2.7	0.28	20.0	0.0363	4.40	8.63	no	music wire	4E
C.027.028.0200.I	2.7	0.28	20.0	0.0212	5.99	7.05	no	stainless steel	4C
C.027.028.0250.A	2.7	0.28	25.0	0.0196	7.28	8.62	no	music wire	4C
C.027.028.0250.AP	2.7	0.28	25.0	0.0289	5.26	10.71	no	music wire	4E
C.027.028.0250.I	2.7	0.28	25.0	0.0171	7.22	8.54	no	stainless steel	4C
C.027.028.0300.A	2.7	0.28	30.0	0.0153	9.07	10.79	no	music wire	4C
C.027.028.0300.I	2.7	0.28	30.0	0.0131	9.07	10.79	no	stainless steel	4C
C.027.028.0320.A	2.7	0.28	32.0	0.0157	8.85	10.52	no	music wire	4C
C.027.028.0320.AP	2.7	0.28	32.0	0.0224	6.50	13.58	no	music wire	4E
C.027.028.0320.I	2.7	0.28	32.0	0.0137	8.76	10.41	no	stainless steel	4C
C.027.028.0350.A	2.7	0.28	35.0	0.0131	10.44	12.45	no	music wire	4C
C.027.028.0350.I	2.7	0.28	35.0	0.0112	10.44	12.45	no	stainless steel	4C
C.027.028.0400.A	2.7	0.28	40.0	0.0122	11.12	13.27	no	music wire	4C
C.027.028.0400.AL	2.7	0.28	40.0	0.0129	10.84	12.91	no	music wire	4C
C.027.028.0400.AP	2.7	0.28	40.0	0.0178	7.92	16.88	no	music wire	4E
C.027.028.0400.I	2.7	0.28	40.0	0.0106	11.00	13.13	no	stainless steel	4C
C.027.028.0450.A	2.7	0.28	45.0	0.0101	13.19	15.78	no	music wire	4C
C.027.028.0450.I	2.7	0.28	45.0	0.0087	13.19	15.78	no	stainless steel	4C
C.027.028.0500.A	2.7	0.28	50.0	0.0098	13.61	16.29	no	music wire	4C
C.027.028.0500.AP	2.7	0.28	50.0	0.0142	9.69	20.95	no	music wire	4E
C.027.028.0500.I	2.7	0.28	50.0	0.0085	13.44	16.08	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.027.028.0550.A	2.7	0.28	55.0	0.0083	15.93	19.10	no	music wire	4C
C.027.028.0550.I	2.7	0.28	55.0	0.0071	15.93	19.10	no	stainless steel	4C
C.027.028.0600.A	2.7	0.28	60.0	0.0076	17.30	20.76	no	music wire	4C
C.027.028.0600.I	2.7	0.28	60.0	0.0065	17.30	20.76	no	stainless steel	4C
C.027.028.0630.A	2.7	0.28	63.0	0.0079	16.63	19.95	no	music wire	4C
C.027.028.0630.AP	2.7	0.28	63.0	0.0113	11.98	26.34	no	music wire	4E
C.027.028.0630.I	2.7	0.28	63.0	0.0069	16.44	19.72	no	stainless steel	4C
C.027.030.0080.A	2.7	0.30	8.0	0.0530	4.44	5.10	no	music wire	4C
C.027.030.0080.AP	2.7	0.30	8.0	0.1236	2.49	3.95	no	music wire	4E
C.027.030.0080.I	2.7	0.30	8.0	0.0461	4.38	5.03	no	stainless steel	4C
C.027.030.0200.A	2.7	0.30	20.0	0.0297	7.08	8.26	no	music wire	4C
C.027.030.0200.I	2.7	0.30	20.0	0.0255	7.08	8.26	no	stainless steel	4C
C.027.040.0050.A	2.7	0.40	5.0	0.3938	3.16	3.48	yes	music wire	4B
C.027.040.0050.AP	2.7	0.40	5.0	0.6270	2.36	3.22	yes	music wire	4F
C.027.040.0050.I	2.7	0.40	5.0	0.3426	3.16	3.48	yes	stainless steel	4B
C.027.040.0050.N	2.7	0.40	5.0	0.3938	3.16	3.48	yes	Zn coating	4C
C.027.040.0063.A	2.7	0.40	6.3	0.3125	3.76	4.17	yes	music wire	4B
C.027.040.0080.A	2.7	0.40	8.0	0.2520	4.40	4.91	yes	music wire	4B
C.027.040.0080.AP	2.7	0.40	8.0	0.3553	3.40	4.86	yes	music wire	4F
C.027.040.0080.I	2.7	0.40	8.0	0.2192	4.36	4.86	yes	stainless steel	4B
C.027.040.0080.N	2.7	0.40	8.0	0.2520	4.40	4.91	yes	Zn coating	4C
C.027.040.0100.A	2.7	0.40	10.0	0.1880	5.56	6.24	yes	music wire	4B
C.027.040.0100.AP	2.7	0.40	10.0	0.2000	5.28	5.92	yes	music wire	4B
C.027.040.0100.I	2.7	0.40	10.0	0.1615	5.56	6.24	yes	stainless steel	4B
C.027.040.0125.A	2.7	0.40	12.5	0.1575	6.44	7.25	yes	music wire	4B
C.027.040.0125.AP	2.7	0.40	12.5	0.2132	5.04	7.26	yes	music wire	4F
C.027.040.0125.I	2.7	0.40	12.5	0.1370	6.36	7.16	yes	stainless steel	4B
C.027.040.0125.N	2.7	0.40	12.5	0.1575	6.44	7.25	yes	Zn coating	4C
C.027.040.0150.A	2.7	0.40	15.0	0.1225	8.00	9.05	yes	music wire	4B
C.027.040.0150.I	2.7	0.40	15.0	0.1052	8.00	9.05	yes	stainless steel	4B
C.027.040.0160.A	2.7	0.40	16.0	0.1260	7.80	8.82	yes	music wire	4B
C.027.040.0160.I	2.7	0.40	16.0	0.1096	7.72	8.73	yes	stainless steel	4B
C.027.040.0160.N	2.7	0.40	16.0	0.1260	7.80	8.82	yes	Zn coating	4C
C.027.040.0200.A	2.7	0.40	20.0	0.0908	10.44	11.85	yes	music wire	4B
C.027.040.0200.AP	2.7	0.40	20.0	0.1000	9.56	10.84	yes	music wire	4B
C.027.040.0200.I	2.7	0.40	20.0	0.0780	10.44	11.85	yes	stainless steel	4B
C.027.040.0250.A	2.7	0.40	25.0	0.0788	11.88	13.51	yes	music wire	4B
C.027.040.0250.I	2.7	0.40	25.0	0.0686	11.76	13.37	yes	stainless steel	4C
C.027.040.0250.N	2.7	0.40	25.0	0.0788	11.88	13.51	yes	Zn coating	4C
C.027.040.0320.A	2.7	0.40	32.0	0.0630	14.60	16.63	yes	music wire	4B
C.027.040.0320.I	2.7	0.40	32.0	0.0548	14.44	16.45	yes	stainless steel	4E
C.027.040.0320.N	2.7	0.40	32.0	0.0630	14.60	16.63	yes	Zn coating	4C
C.027.040.0350.A	2.7	0.40	35.0	0.0509	17.84	20.36	yes	music wire	4B
C.027.040.0350.I	2.7	0.40	35.0	0.0437	17.84	20.36	yes	stainless steel	4C
C.027.040.0400.A	2.7	0.40	40.0	0.0504	18.00	20.54	yes	music wire	4B
C.027.040.0400.I	2.7	0.40	40.0	0.0438	17.80	20.31	yes	stainless steel	4E
C.027.040.0400.N	2.7	0.40	40.0	0.0504	18.00	20.54	yes	Zn coating	4C
C.027.040.0500.A	2.7	0.40	50.0	0.0394	22.76	26.02	yes	music wire	4B
C.027.040.0500.I	2.7	0.40	50.0	0.0343	22.48	25.69	yes	stainless steel	4E
C.027.040.0500.N	2.7	0.40	50.0	0.0394	22.76	26.02	yes	Zn coating	4C
C.027.050.0050.A	2.7	0.50	5.0	1.1499	3.85	4.19	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.027.050.0050.AP	2.7	0.50	5.0	1.0000	4.25	4.64	yes	music wire	4B
C.027.050.0050.I	2.7	0.50	5.0	0.9877	3.85	4.19	yes	stainless steel	4C
C.027.050.0063.A	2.7	0.50	6.3	0.8182	4.90	5.37	yes	music wire	4B
C.027.050.0080.A	2.7	0.50	8.0	0.6429	5.90	6.50	yes	music wire	4B
C.027.050.0100.A	2.7	0.50	10.0	0.5000	7.25	8.02	yes	music wire	4B
C.027.050.0100.AP	2.7	0.50	10.0	0.6470	5.85	6.82	yes	music wire	4D
C.027.050.0100.I	2.7	0.50	10.0	0.4350	7.15	7.91	yes	stainless steel	4C
C.027.050.0100.N	2.7	0.50	10.0	0.5000	7.25	8.02	yes	Zn coating	4C
C.027.050.0125.A	2.7	0.50	12.5	0.4091	8.55	9.49	yes	music wire	4B
C.027.050.0160.A	2.7	0.50	16.0	0.3056	11.05	12.31	yes	music wire	4B
C.027.050.0160.AP	2.7	0.50	16.0	0.3890	8.95	10.71	yes	music wire	4D
C.027.050.0160.I	2.7	0.50	16.0	0.2659	10.90	12.15	yes	stainless steel	4C
C.027.050.0160.N	2.7	0.50	16.0	0.3056	11.05	12.31	yes	Zn coating	4C
C.027.050.0200.A	2.7	0.50	20.0	0.2444	13.50	15.08	yes	music wire	4B
C.027.050.0200.AP	2.7	0.50	20.0	0.3068	11.00	13.29	yes	music wire	4D
C.027.050.0200.I	2.7	0.50	20.0	0.2126	13.35	14.91	yes	stainless steel	4C
C.027.050.0200.N	2.7	0.50	20.0	0.2444	13.50	15.08	yes	Zn coating	4C
C.027.050.0250.A	2.7	0.50	25.0	0.1964	16.45	18.41	yes	music wire	4B
C.027.050.0250.AP	2.7	0.50	25.0	0.2429	13.55	16.53	yes	music wire	4D
C.027.050.0250.I	2.7	0.50	25.0	0.1709	16.30	18.24	yes	stainless steel	4C
C.027.050.0250.N	2.7	0.50	25.0	0.1964	16.45	18.41	yes	Zn coating	4C
C.027.050.0320.A	2.7	0.50	32.0	0.1571	20.30	22.76	yes	music wire	4B
C.027.050.0320.AP	2.7	0.50	32.0	0.1884	17.10	21.07	yes	music wire	4D
C.027.050.0320.I	2.7	0.50	32.0	0.1367	20.05	22.48	yes	stainless steel	4C
C.027.050.0320.N	2.7	0.50	32.0	0.1571	20.30	22.76	yes	Zn coating	4C
C.027.050.0350.A	2.7	0.50	35.0	0.1359	23.25	26.09	yes	music wire	4B
C.027.050.0350.I	2.7	0.50	35.0	0.1167	23.25	26.09	yes	stainless steel	4C
C.027.050.0380.A	2.7	0.50	38.0	0.1590	20.05	25.06	yes	music wire	4D
C.027.050.0380.I	2.7	0.50	38.0	0.1383	19.80	25.41	yes	stainless steel	4G
C.027.050.0380.N	2.7	0.50	38.0	0.1590	20.05	25.06	yes	Zn coating	4F
C.027.050.0400.A	2.7	0.50	40.0	0.1222	25.70	28.86	yes	music wire	4B
C.027.050.0400.AP	2.7	0.50	40.0	0.1499	21.20	26.27	yes	music wire	4D
C.027.050.0400.I	2.7	0.50	40.0	0.1063	25.40	28.52	yes	stainless steel	4C
C.027.050.0400.N	2.7	0.50	40.0	0.1222	25.70	28.86	yes	Zn coating	4C
C.027.050.0450.A	2.7	0.50	45.0	0.1051	29.70	33.37	yes	music wire	4B
C.027.050.0450.I	2.7	0.50	45.0	0.0903	29.70	33.37	yes	stainless steel	4C
C.027.050.0550.A	2.7	0.50	55.0	0.0857	36.15	40.65	yes	music wire	4B
C.027.050.0550.I	2.7	0.50	55.0	0.0736	36.15	40.65	yes	stainless steel	4C
C.028.020.0047.A	2.8	0.20	4.7	0.0200	1.62	1.95	no	music wire	4C
C.028.020.0047.I	2.8	0.20	4.7	0.0174	1.62	1.95	no	stainless steel	4C
C.028.020.0079.A	2.8	0.20	7.9	0.0115	2.32	2.89	no	music wire	4C
C.028.020.0079.I	2.8	0.20	7.9	0.0100	2.30	2.87	no	stainless steel	4C
C.028.020.0087.A	2.8	0.20	8.7	0.0138	2.04	2.51	no	music wire	4C
C.028.020.0087.I	2.8	0.20	8.7	0.0120	2.02	2.49	no	stainless steel	4C
C.028.020.0095.A	2.8	0.20	9.5	0.0130	2.12	2.62	no	music wire	4C
C.028.020.0095.I	2.8	0.20	9.5	0.0113	2.10	2.59	no	stainless steel	4C
C.028.020.0143.A	2.8	0.20	14.3	0.0080	3.02	3.84	no	music wire	4C
C.028.020.0143.I	2.8	0.20	14.3	0.0030	6.02	7.90	no	stainless steel	4C
C.028.025.0048.A	2.8	0.25	4.8	0.0728	1.70	1.91	no	music wire	4C
C.028.025.0048.AP	2.8	0.25	4.8	0.1135	1.40	2.25	no	music wire	4E
C.028.025.0048.I	2.8	0.25	4.8	0.0633	1.70	1.91	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.028.025.0049.A	2.8	0.25	4.9	0.0728	1.70	1.91	no	music wire	4C
C.028.025.0049.AP	2.8	0.25	4.9	0.1083	1.43	2.23	no	music wire	4E
C.028.025.0049.I	2.8	0.25	4.9	0.0633	1.70	1.91	no	stainless steel	4C
C.028.025.0073.A	2.8	0.25	7.3	0.0463	2.18	2.51	no	music wire	4C
C.028.025.0073.AP	2.8	0.25	7.3	0.0701	1.73	3.17	no	music wire	4E
C.028.025.0073.I	2.8	0.25	7.3	0.0403	2.15	2.48	no	stainless steel	4C
C.028.025.0109.A	2.8	0.25	10.9	0.0300	2.88	3.39	no	music wire	4C
C.028.025.0109.AP	2.8	0.25	10.9	0.0450	2.20	4.46	no	music wire	4E
C.028.025.0109.I	2.8	0.25	10.9	0.0258	2.88	3.39	no	stainless steel	4C
C.028.025.0154.A	2.8	0.25	15.4	0.0204	3.83	4.59	no	music wire	4C
C.028.025.0154.AP	2.8	0.25	15.4	0.0314	2.80	6.17	no	music wire	4E
C.028.025.0154.I	2.8	0.25	15.4	0.0177	3.78	4.52	no	stainless steel	4C
C.028.025.0157.A	2.8	0.25	15.7	0.0204	3.83	4.59	no	music wire	4C
C.028.025.0157.AP	2.8	0.25	15.7	0.0310	2.83	6.35	no	music wire	4E
C.028.025.0157.I	2.8	0.25	15.7	0.0177	3.78	4.52	no	stainless steel	4C
C.028.025.0228.A	2.8	0.25	22.8	0.0138	5.23	6.34	no	music wire	4C
C.028.025.0228.AP	2.8	0.25	22.8	0.0209	3.75	8.96	no	music wire	4E
C.028.025.0228.I	2.8	0.25	22.8	0.0119	5.20	6.31	no	stainless steel	4C
C.028.025.0229.A	2.8	0.25	22.9	0.0138	5.23	6.34	no	music wire	4C
C.028.025.0229.AP	2.8	0.25	22.9	0.0209	3.75	9.06	no	music wire	4E
C.028.025.0229.I	2.8	0.25	22.9	0.0120	5.18	6.28	no	stainless steel	4C
C.028.028.0040.A	2.8	0.28	4.0	0.1264	1.85	2.04	no	music wire	4C
C.028.028.0040.AP	2.8	0.28	4.0	0.2046	1.51	2.05	no	music wire	4E
C.028.028.0040.I	2.8	0.28	4.0	0.1100	1.85	2.04	no	stainless steel	4C
C.028.028.0050.A	2.8	0.28	5.0	0.0977	2.10	2.35	no	music wire	4C
C.028.028.0050.AP	2.8	0.28	5.0	0.1555	1.68	2.44	no	music wire	4E
C.028.028.0050.I	2.8	0.28	5.0	0.0850	2.10	2.35	no	stainless steel	4C
C.028.028.0063.A	2.8	0.28	6.3	0.0759	2.44	2.76	no	music wire	4C
C.028.028.0063.AP	2.8	0.28	6.3	0.1215	1.88	3.02	no	music wire	4E
C.028.028.0063.I	2.8	0.28	6.3	0.0660	2.41	2.73	no	stainless steel	4C
C.028.028.0080.A	2.8	0.28	8.0	0.0575	2.88	3.30	no	music wire	4C
C.028.028.0080.AP	2.8	0.28	8.0	0.0925	2.16	3.69	no	music wire	4E
C.028.028.0080.I	2.8	0.28	8.0	0.0500	2.86	3.28	no	stainless steel	4C
C.028.028.0100.A	2.8	0.28	10.0	0.0448	3.42	3.96	no	music wire	4C
C.028.028.0100.AP	2.8	0.28	10.0	0.0720	2.49	4.46	no	music wire	4E
C.028.028.0100.I	2.8	0.28	10.0	0.0390	3.39	3.92	no	stainless steel	4C
C.028.028.0125.A	2.8	0.28	12.5	0.0356	4.06	4.74	no	music wire	4C
C.028.028.0125.AP	2.8	0.28	12.5	0.0572	2.88	5.53	no	music wire	4E
C.028.028.0125.I	2.8	0.28	12.5	0.0310	4.00	4.67	no	stainless steel	4C
C.028.028.0160.A	2.8	0.28	16.0	0.0276	4.96	5.84	no	music wire	4C
C.028.028.0160.AP	2.8	0.28	16.0	0.0437	3.50	6.87	no	music wire	4E
C.028.028.0160.I	2.8	0.28	16.0	0.0240	4.90	5.77	no	stainless steel	4C
C.028.028.0200.A	2.8	0.28	20.0	0.0218	5.99	7.10	no	music wire	4C
C.028.028.0200.AP	2.8	0.28	20.0	0.0347	4.14	8.52	no	music wire	4E
C.028.028.0200.I	2.8	0.28	20.0	0.0190	5.94	7.04	no	stainless steel	4C
C.028.028.0250.A	2.8	0.28	25.0	0.0172	7.34	8.75	no	music wire	4C
C.028.028.0250.AP	2.8	0.28	25.0	0.0276	4.96	10.54	no	music wire	4E
C.028.028.0250.I	2.8	0.28	25.0	0.0150	7.25	8.64	no	stainless steel	4C
C.028.028.0320.A	2.8	0.28	32.0	0.0138	8.93	10.69	no	music wire	4C
C.028.028.0320.AP	2.8	0.28	32.0	0.0214	6.10	13.34	no	music wire	4E
C.028.028.0320.I	2.8	0.28	32.0	0.0120	8.82	10.56	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.028.030.0210.A	2.8	0.30	21.0	0.0460	4.50	10.47	no	music wire	4G
C.028.030.0210.I	2.8	0.30	21.0	0.0400	4.44	10.86	no	stainless steel	4G
C.028.030.0220.A	2.8	0.30	22.0	0.0172	10.23	12.10	no	music wire	4C
C.028.030.0220.AP	2.8	0.30	22.0	0.0395	5.07	9.73	no	music wire	4E
C.028.030.0220.I	2.8	0.30	22.0	0.0150	10.11	11.96	no	stainless steel	4C
C.028.030.0290.A	2.8	0.30	29.0	0.0287	6.57	12.16	no	music wire	4E
C.028.030.0290.I	2.8	0.30	29.0	0.0250	6.48	12.78	no	stainless steel	4E
C.028.032.0040.A	2.8	0.32	4.0	0.2172	2.14	2.33	no	music wire	4C
C.028.032.0040.AP	2.8	0.32	4.0	0.3314	1.79	2.25	no	music wire	4E
C.028.032.0040.I	2.8	0.32	4.0	0.1890	2.14	2.33	no	stainless steel	4C
C.028.032.0044.A	2.8	0.32	4.4	0.1953	2.27	2.49	no	music wire	4C
C.028.032.0044.AP	2.8	0.32	4.4	0.2900	1.89	2.40	no	music wire	4E
C.028.032.0044.I	2.8	0.32	4.4	0.1699	2.24	2.45	no	stainless steel	4C
C.028.032.0047.A	2.8	0.32	4.7	0.1953	2.27	2.49	no	music wire	4C
C.028.032.0047.AP	2.8	0.32	4.7	0.2677	1.95	2.53	no	music wire	4E
C.028.032.0047.I	2.8	0.32	4.7	0.1699	2.24	2.45	no	stainless steel	4C
C.028.032.0050.A	2.8	0.32	5.0	0.1690	2.43	2.68	no	music wire	4C
C.028.032.0050.AP	2.8	0.32	5.0	0.2486	2.02	2.67	no	music wire	4E
C.028.032.0050.I	2.8	0.32	5.0	0.1470	2.43	2.68	no	stainless steel	4C
C.028.032.0063.A	2.8	0.32	6.3	0.1264	2.88	3.21	no	music wire	4C
C.028.032.0063.AP	2.8	0.32	6.3	0.1933	2.27	3.30	no	music wire	4E
C.028.032.0063.I	2.8	0.32	6.3	0.1100	2.88	3.21	no	stainless steel	4C
C.028.032.0065.A	2.8	0.32	6.5	0.1243	2.91	3.25	no	music wire	4C
C.028.032.0065.AP	2.8	0.32	6.5	0.1831	2.34	3.33	no	music wire	4E
C.028.032.0065.I	2.8	0.32	6.5	0.1081	2.91	3.25	no	stainless steel	4C
C.028.032.0068.A	2.8	0.32	6.8	0.1243	2.91	3.25	no	music wire	4C
C.028.032.0068.AP	2.8	0.32	6.8	0.1740	2.40	3.47	no	music wire	4E
C.028.032.0068.I	2.8	0.32	6.8	0.1081	2.91	3.25	no	stainless steel	4C
C.028.032.0080.A	2.8	0.32	8.0	0.0966	3.46	3.90	no	music wire	4C
C.028.032.0080.AP	2.8	0.32	8.0	0.1450	2.66	4.00	no	music wire	4E
C.028.032.0080.I	2.8	0.32	8.0	0.0840	3.42	3.86	no	stainless steel	4C
C.028.032.0095.A	2.8	0.32	9.5	0.0804	3.90	4.43	no	music wire	4C
C.028.032.0095.AP	2.8	0.32	9.5	0.1200	2.98	4.67	no	music wire	4E
C.028.032.0095.I	2.8	0.32	9.5	0.0691	3.90	4.43	no	stainless steel	4C
C.028.032.0100.A	2.8	0.32	10.0	0.0804	3.90	4.43	no	music wire	4C
C.028.032.0100.AP	2.8	0.32	10.0	0.1141	3.07	4.92	no	music wire	4E
C.028.032.0100.I	2.8	0.32	10.0	0.0650	4.10	4.67	no	stainless steel	4C
C.028.032.0125.A	2.8	0.32	12.5	0.0586	4.93	5.65	no	music wire	4C
C.028.032.0125.AP	2.8	0.32	12.5	0.0892	3.62	6.00	no	music wire	4E
C.028.032.0125.I	2.8	0.32	12.5	0.0510	4.90	5.62	no	stainless steel	4C
C.028.032.0136.A	2.8	0.32	13.6	0.0547	5.22	6.00	no	music wire	4C
C.028.032.0136.AP	2.8	0.32	13.6	0.0809	3.90	6.43	no	music wire	4E
C.028.032.0136.I	2.8	0.32	13.6	0.0470	5.22	6.00	no	stainless steel	4C
C.028.032.0142.A	2.8	0.32	14.2	0.0547	5.22	6.00	no	music wire	4C
C.028.032.0142.AP	2.8	0.32	14.2	0.0773	4.03	6.70	no	music wire	4E
C.028.032.0142.I	2.8	0.32	14.2	0.0476	5.15	5.92	no	stainless steel	4C
C.028.032.0160.A	2.8	0.32	16.0	0.0448	6.11	7.06	no	music wire	4C
C.028.032.0160.AP	2.8	0.32	16.0	0.0682	4.42	7.50	no	music wire	4E
C.028.032.0160.I	2.8	0.32	16.0	0.0390	6.05	6.99	no	stainless steel	4C
C.028.032.0196.A	2.8	0.32	19.6	0.0370	7.17	8.32	no	music wire	4C
C.028.032.0196.AP	2.8	0.32	19.6	0.0552	5.18	9.10	no	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.028.032.0196.I	2.8	0.32	19.6	0.0318	7.17	8.32	no	stainless steel	4C
C.028.032.0200.A	2.8	0.32	20.0	0.0356	7.42	8.62	no	music wire	4C
C.028.032.0200.AP	2.8	0.32	20.0	0.0540	5.28	9.25	no	music wire	4E
C.028.032.0200.I	2.8	0.32	20.0	0.0310	7.33	8.51	no	stainless steel	4C
C.028.032.0206.A	2.8	0.32	20.6	0.0370	7.17	8.32	no	music wire	4C
C.028.032.0206.AP	2.8	0.32	20.6	0.0523	5.41	9.51	no	music wire	4E
C.028.032.0206.I	2.8	0.32	20.6	0.0318	7.17	8.32	no	stainless steel	4C
C.028.032.0250.A	2.8	0.32	25.0	0.0251	10.08	11.78	no	music wire	4C
C.028.032.0250.AP	2.8	0.32	25.0	0.0430	6.34	11.50	no	music wire	4E
C.028.032.0250.I	2.8	0.32	25.0	0.0218	9.95	11.63	no	stainless steel	4C
C.028.032.0320.A	2.8	0.32	32.0	0.0218	11.39	13.34	no	music wire	4C
C.028.032.0320.AP	2.8	0.32	32.0	0.0333	7.84	14.58	no	music wire	4E
C.028.032.0320.I	2.8	0.32	32.0	0.0190	11.26	13.19	no	stainless steel	4C
C.028.035.0040.A	2.8	0.35	4.0	0.3218	2.35	2.54	no	music wire	4B
C.028.035.0040.AP	2.8	0.35	4.0	0.4697	2.00	2.41	no	music wire	4D
C.028.035.0040.I	2.8	0.35	4.0	0.2800	2.35	2.54	no	stainless steel	4B
C.028.035.0050.A	2.8	0.35	5.0	0.2437	2.73	2.99	no	music wire	4B
C.028.035.0050.AP	2.8	0.35	5.0	0.3444	2.28	2.84	no	music wire	4D
C.028.035.0050.I	2.8	0.35	5.0	0.2120	2.70	2.96	no	stainless steel	4B
C.028.035.0063.A	2.8	0.35	6.3	0.1828	3.22	3.57	no	music wire	4B
C.028.035.0063.AP	2.8	0.35	6.3	0.2650	2.59	3.49	no	music wire	4D
C.028.035.0063.I	2.8	0.35	6.3	0.1590	3.19	3.53	no	stainless steel	4B
C.028.035.0080.A	2.8	0.35	8.0	0.1500	3.64	4.06	no	music wire	4B
C.028.035.0080.AP	2.8	0.35	8.0	0.1987	3.05	4.25	no	music wire	4D
C.028.035.0080.I	2.8	0.35	8.0	0.1210	3.82	4.27	no	stainless steel	4B
C.028.035.0100.A	2.8	0.35	10.0	0.1184	4.31	4.84	no	music wire	4B
C.028.035.0100.AP	2.8	0.35	10.0	0.1566	3.54	5.24	no	music wire	4D
C.028.035.0100.I	2.8	0.35	10.0	0.0930	4.59	5.17	no	stainless steel	4B
C.028.035.0125.A	2.8	0.35	12.5	0.0938	5.11	5.78	no	music wire	4B
C.028.035.0125.AP	2.8	0.35	12.5	0.1216	4.24	6.37	no	music wire	4D
C.028.035.0125.I	2.8	0.35	12.5	0.0740	5.46	6.19	no	stainless steel	4B
C.028.035.0160.A	2.8	0.35	16.0	0.0750	6.09	6.93	no	music wire	4B
C.028.035.0160.AP	2.8	0.35	16.0	0.0939	5.11	8.06	no	music wire	4D
C.028.035.0160.I	2.8	0.35	16.0	0.0560	6.79	7.76	no	stainless steel	4B
C.028.035.0200.A	2.8	0.35	20.0	0.0600	7.28	8.33	no	music wire	4D
C.028.035.0200.AP	2.8	0.35	20.0	0.0738	6.16	9.90	no	music wire	4D
C.028.035.0200.I	2.8	0.35	20.0	0.0450	8.16	9.36	no	stainless steel	4B
C.028.035.0250.A	2.8	0.35	25.0	0.0469	9.00	10.35	no	music wire	4D
C.028.035.0250.AP	2.8	0.35	25.0	0.0584	7.46	12.23	no	music wire	4D
C.028.035.0250.I	2.8	0.35	25.0	0.0350	10.15	11.70	no	stainless steel	4B
C.028.035.0320.A	2.8	0.35	32.0	0.0375	10.92	12.60	no	music wire	4D
C.028.035.0320.AP	2.8	0.35	32.0	0.0453	9.24	15.55	no	music wire	4D
C.028.035.0320.I	2.8	0.35	32.0	0.0270	12.81	14.82	no	stainless steel	4C
C.028.035.0400.A	2.8	0.35	40.0	0.0300	13.37	15.48	no	music wire	4D
C.028.035.0400.I	2.8	0.35	40.0	0.0261	13.20	16.00	no	stainless steel	4E
C.028.040.0040.A	2.8	0.40	4.0	0.5839	2.28	2.48	yes	music wire	4B
C.028.040.0040.I	2.8	0.40	4.0	0.5080	2.28	2.48	yes	stainless steel	4B
C.028.040.0050.A	2.8	0.40	5.0	0.4299	2.76	3.03	yes	music wire	4B
C.028.040.0050.I	2.8	0.40	5.0	0.3740	2.72	2.98	yes	stainless steel	4B
C.028.040.0063.A	2.8	0.40	6.3	0.3241	3.32	3.68	yes	music wire	4B
C.028.040.0063.I	2.8	0.40	6.3	0.2820	3.28	3.63	yes	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.028.040.0080.A	2.8	0.40	8.0	0.2437	4.08	4.55	yes	music wire	4B
C.028.040.0080.I	2.8	0.40	8.0	0.2120	4.04	4.51	yes	stainless steel	4B
C.028.040.0100.A	2.8	0.40	10.0	0.1897	4.96	5.57	yes	music wire	4B
C.028.040.0100.I	2.8	0.40	10.0	0.1650	4.92	5.52	yes	stainless steel	4B
C.028.040.0125.A	2.8	0.40	12.5	0.1471	6.12	6.91	yes	music wire	4B
C.028.040.0125.AP	2.8	0.40	12.5	0.1996	4.80	7.08	yes	music wire	4F
C.028.040.0125.I	2.8	0.40	12.5	0.1280	6.08	6.86	yes	stainless steel	4B
C.028.040.0135.A	2.8	0.40	13.5	0.2700	3.80	9.50	yes	music wire	4F
C.028.040.0135.I	2.8	0.40	13.5	0.2349	3.76	9.62	yes	stainless steel	4G
C.028.040.0160.A	2.8	0.40	16.0	0.1126	7.68	8.71	yes	music wire	4B
C.028.040.0160.AP	2.8	0.40	16.0	0.1525	5.96	8.91	yes	music wire	4F
C.028.040.0160.I	2.8	0.40	16.0	0.0980	7.60	8.62	yes	stainless steel	4B
C.028.040.0200.A	2.8	0.40	20.0	0.0885	9.52	10.83	yes	music wire	4B
C.028.040.0200.AP	2.8	0.40	20.0	0.1203	7.28	11.01	yes	music wire	4F
C.028.040.0200.I	2.8	0.40	20.0	0.0770	9.40	10.69	yes	stainless steel	4B
C.028.040.0250.A	2.8	0.40	25.0	0.0700	11.80	13.46	yes	music wire	4B
C.028.040.0250.AP	2.8	0.40	25.0	0.0948	8.96	13.59	yes	music wire	4F
C.028.040.0250.I	2.8	0.40	25.0	0.0610	11.64	13.28	yes	stainless steel	4C
C.028.040.0280.A	2.8	0.40	28.0	0.0770	10.80	13.96	yes	music wire	4D
C.028.040.0280.I	2.8	0.40	28.0	0.0670	10.68	14.41	yes	stainless steel	4E
C.028.040.0290.A	2.8	0.40	29.0	0.1023	8.36	18.43	yes	music wire	4F
C.028.040.0290.I	2.8	0.40	29.0	0.0890	8.28	18.77	yes	stainless steel	4G
C.028.040.0320.A	2.8	0.40	32.0	0.0540	14.96	17.11	yes	music wire	4B
C.028.040.0320.AP	2.8	0.40	32.0	0.0733	11.28	17.25	yes	music wire	4F
C.028.040.0320.I	2.8	0.40	32.0	0.0470	14.80	16.93	yes	stainless steel	4C
C.028.040.0330.A	2.8	0.40	33.0	0.1000	8.56	22.19	yes	music wire	4F
C.028.040.0330.I	2.8	0.40	33.0	0.0870	8.44	22.53	yes	stainless steel	4G
C.028.045.0040.A	2.8	0.45	4.0	0.9030	2.75	2.98	yes	music wire	4B
C.028.045.0040.I	2.8	0.45	4.0	0.9030	2.52	2.72	yes	stainless steel	4E
C.028.045.0050.A	2.8	0.45	5.0	0.7552	3.06	3.33	yes	music wire	4B
C.028.045.0050.I	2.8	0.45	5.0	0.6570	3.02	3.29	yes	stainless steel	4E
C.028.045.0063.A	2.8	0.45	6.3	0.5540	3.74	4.11	yes	music wire	4B
C.028.045.0063.I	2.8	0.45	6.3	0.4820	3.69	4.05	yes	stainless steel	4B
C.028.045.0080.A	2.8	0.45	8.0	0.4149	4.64	5.13	yes	music wire	4B
C.028.045.0080.I	2.8	0.45	8.0	0.3610	4.59	5.08	yes	stainless steel	4B
C.028.045.0100.A	2.8	0.45	10.0	0.3195	5.67	6.31	yes	music wire	4B
C.028.045.0100.I	2.8	0.45	10.0	0.2780	5.58	6.21	yes	stainless steel	4B
C.028.045.0125.A	2.8	0.45	12.5	0.2471	6.98	7.80	yes	music wire	4B
C.028.045.0125.I	2.8	0.45	12.5	0.2150	6.93	7.75	yes	stainless steel	4C
C.028.045.0160.A	2.8	0.45	16.0	0.1885	8.82	9.90	yes	music wire	4B
C.028.045.0160.I	2.8	0.45	16.0	0.1640	8.73	9.80	yes	stainless steel	4C
C.028.045.0200.A	2.8	0.45	20.0	0.1483	10.89	12.27	yes	music wire	4B
C.028.045.0200.I	2.8	0.45	20.0	0.1290	10.76	12.12	yes	stainless steel	4C
C.028.045.0250.A	2.8	0.45	25.0	0.1172	13.50	15.24	yes	music wire	4B
C.028.045.0250.I	2.8	0.45	25.0	0.1020	13.32	15.04	yes	stainless steel	4C
C.028.045.0320.A	2.8	0.45	32.0	0.0908	17.06	19.30	yes	music wire	4B
C.028.045.0320.I	2.8	0.45	32.0	0.0790	16.88	19.10	yes	stainless steel	4C
C.028.050.0040.A	2.8	0.50	4.0	1.4952	3.00	3.23	yes	music wire	4B
C.028.050.0040.I	2.8	0.50	4.0	1.5320	2.70	2.90	yes	stainless steel	4E
C.028.050.0040.IF	2.8	0.50	4.0	1.2842	3.00	3.23	yes	stainless steel	4C
C.028.050.0040.N	2.8	0.50	4.0	1.4952	3.00	3.23	yes	Zn coating	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.028.050.0050.A	2.8	0.50	5.0	1.2655	3.30	3.57	yes	music wire	4D
C.028.050.0050.I	2.8	0.50	5.0	1.1000	3.30	3.57	yes	stainless steel	4E
C.028.050.0055.A	2.8	0.50	5.5	0.9515	4.00	4.36	yes	music wire	4B
C.028.050.0055.AP	2.8	0.50	5.5	1.1839	3.45	3.81	yes	music wire	4D
C.028.050.0055.I	2.8	0.50	5.5	0.8278	3.95	4.31	yes	stainless steel	4C
C.028.050.0055.N	2.8	0.50	5.5	0.9515	4.00	4.36	yes	Zn coating	4C
C.028.050.0063.A	2.8	0.50	6.3	0.6969	5.00	5.49	yes	music wire	4B
C.028.050.0063.AP	2.8	0.50	6.3	1.0017	3.85	4.31	yes	music wire	4D
C.028.050.0063.I	2.8	0.50	6.3	0.8000	4.05	4.42	yes	stainless steel	4E
C.028.050.0080.A	2.8	0.50	8.0	0.6157	5.50	6.06	yes	music wire	4B
C.028.050.0080.AP	2.8	0.50	8.0	0.7549	4.70	5.36	yes	music wire	4D
C.028.050.0080.I	2.8	0.50	8.0	0.5870	5.10	5.61	yes	stainless steel	4E
C.028.050.0080.N	2.8	0.50	8.0	0.6157	5.50	6.06	yes	Zn coating	4C
C.028.050.0095.A	2.8	0.50	9.5	0.6552	5.25	6.45	yes	music wire	4D
C.028.050.0095.I	2.8	0.50	9.5	0.5700	5.20	6.54	yes	stainless steel	4G
C.028.050.0100.A	2.8	0.50	10.0	0.5195	6.30	6.97	yes	music wire	4B
C.028.050.0100.I	2.8	0.50	10.0	0.4520	6.20	6.85	yes	stainless steel	4E
C.028.050.0125.A	2.8	0.50	12.5	0.4000	7.80	8.66	yes	music wire	4B
C.028.050.0125.I	2.8	0.50	12.5	0.3490	7.70	8.55	yes	stainless steel	4C
C.028.050.0130.A	2.8	0.50	13.0	0.3876	8.00	8.89	yes	music wire	4B
C.028.050.0130.I	2.8	0.50	13.0	0.3372	7.90	8.78	yes	stainless steel	4E
C.028.050.0130.N	2.8	0.50	13.0	0.3876	8.00	8.89	yes	Zn coating	4C
C.028.050.0160.A	2.8	0.50	16.0	0.3069	9.80	10.93	yes	music wire	4B
C.028.050.0160.I	2.8	0.50	16.0	0.2670	9.65	10.76	yes	stainless steel	4E
C.028.050.0200.A	2.8	0.50	20.0	0.2402	12.15	13.59	yes	music wire	4B
C.028.050.0200.I	2.8	0.50	20.0	0.2090	12.00	13.42	yes	stainless steel	4C
C.028.050.0250.A	2.8	0.50	25.0	0.1897	15.05	16.87	yes	music wire	4B
C.028.050.0250.I	2.8	0.50	25.0	0.1650	14.85	16.64	yes	stainless steel	4C
C.028.050.0320.A	2.8	0.50	32.0	0.1460	19.15	21.51	yes	music wire	4B
C.028.050.0320.I	2.8	0.50	32.0	0.1270	18.95	21.28	yes	stainless steel	4C
C.028.050.0330.A	2.8	0.50	33.0	0.1724	16.45	21.43	yes	music wire	4G
C.028.050.0330.I	2.8	0.50	33.0	0.1500	16.25	21.74	yes	stainless steel	4G
C.028.055.0040.A	2.8	0.55	4.0	2.8793	2.92	3.11	yes	music wire	4E
C.028.055.0040.I	2.8	0.55	4.0	2.5000	2.92	3.12	yes	stainless steel	4E
C.028.055.0043.A	2.8	0.55	4.3	2.3383	3.30	3.54	yes	music wire	4C
C.028.055.0043.I	2.8	0.55	4.3	2.0343	3.30	3.54	yes	stainless steel	4C
C.028.055.0043.N	2.8	0.55	4.3	2.3383	3.30	3.54	yes	Zn coating	4D
C.028.055.0050.A	2.8	0.55	5.0	2.0437	3.58	3.86	yes	music wire	4E
C.028.055.0050.I	2.8	0.55	5.0	1.7780	3.58	3.86	yes	stainless steel	4E
C.028.055.0061.A	2.8	0.55	6.1	1.4880	4.40	4.78	yes	music wire	4C
C.028.055.0061.I	2.8	0.55	6.1	1.2946	4.35	4.72	yes	stainless steel	4E
C.028.055.0061.N	2.8	0.55	6.1	1.4880	4.40	4.78	yes	Zn coating	4D
C.028.055.0063.A	2.8	0.55	6.3	1.4736	4.46	4.85	yes	music wire	4E
C.028.055.0063.I	2.8	0.55	6.3	1.2820	4.40	4.78	yes	stainless steel	4E
C.028.055.0080.A	2.8	0.55	8.0	1.0920	5.50	6.02	yes	music wire	4E
C.028.055.0080.I	2.8	0.55	8.0	0.9500	5.45	5.96	yes	stainless steel	4E
C.028.055.0097.A	2.8	0.55	9.7	0.8615	6.60	7.25	yes	music wire	4E
C.028.055.0097.I	2.8	0.55	9.7	0.7500	6.55	7.20	yes	stainless steel	4E
C.028.055.0097.N	2.8	0.55	9.7	0.8615	6.60	7.25	yes	Zn coating	4G
C.028.055.0100.A	2.8	0.55	10.0	0.8333	6.77	7.44	yes	music wire	4E
C.028.055.0100.I	2.8	0.55	10.0	0.7250	6.71	7.38	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.028.055.0125.A	2.8	0.55	12.5	0.6402	8.42	9.30	yes	music wire	4E
C.028.055.0125.I	2.8	0.55	12.5	0.5570	8.31	9.18	yes	stainless steel	4E
C.028.055.0153.A	2.8	0.55	15.3	0.5280	9.90	10.97	yes	music wire	4E
C.028.055.0153.I	2.8	0.55	15.3	0.4594	9.79	10.84	yes	stainless steel	4E
C.028.055.0153.N	2.8	0.55	15.3	0.5280	9.90	10.97	yes	Zn coating	4G
C.028.055.0160.A	2.8	0.55	16.0	0.4839	10.67	11.83	yes	music wire	4C
C.028.055.0160.I	2.8	0.55	16.0	0.4210	10.56	11.71	yes	stainless steel	4E
C.028.055.0200.A	2.8	0.55	20.0	0.3793	13.26	14.75	yes	music wire	4C
C.028.055.0200.I	2.8	0.55	20.0	0.3300	13.09	14.56	yes	stainless steel	4E
C.028.055.0250.A	2.8	0.55	25.0	0.2977	16.50	18.39	yes	music wire	4C
C.028.055.0250.I	2.8	0.55	25.0	0.2590	16.28	18.14	yes	stainless steel	4E
C.028.055.0320.A	2.8	0.55	32.0	0.2299	20.96	23.41	yes	music wire	4C
C.028.055.0320.I	2.8	0.55	32.0	0.2000	20.68	23.10	yes	stainless steel	4E
C.028.060.0032.A	2.8	0.60	3.2	4.5977	3.12	3.12	yes	music wire	4C
C.028.060.0032.AP	2.8	0.60	3.2	5.6154	2.82	2.98	yes	music wire	4C
C.028.060.0032.I	2.8	0.60	3.2	4.0000	3.12	3.12	yes	stainless steel	4C
C.028.060.0127.A	2.8	0.60	12.7	1.7000	5.88	10.79	yes	music wire	4G
C.028.060.0127.I	2.8	0.60	12.7	0.9000	8.58	9.63	yes	stainless steel	4E
C.028.060.0240.A	2.8	0.60	24.0	0.6782	12.48	19.20	yes	music wire	4G
C.028.060.0240.I	2.8	0.60	24.0	0.5900	12.36	19.31	yes	stainless steel	4H
C.029.022.0080.A	2.9	0.22	8.0	0.0250	1.87	2.22	no	music wire	4C
C.029.022.0080.I	2.9	0.22	8.0	0.0218	1.85	2.20	no	stainless steel	4C
C.029.022.0100.A	2.9	0.22	10.0	0.0200	2.13	2.57	no	music wire	4C
C.029.022.0100.I	2.9	0.22	10.0	0.0174	2.11	2.54	no	stainless steel	4C
C.029.022.0125.A	2.9	0.22	12.5	0.0159	2.49	3.04	no	music wire	4C
C.029.022.0125.I	2.9	0.22	12.5	0.0138	2.46	3.01	no	stainless steel	4C
C.029.022.0160.A	2.9	0.22	16.0	0.0125	2.95	3.65	no	music wire	4C
C.029.022.0160.I	2.9	0.22	16.0	0.0109	2.93	3.63	no	stainless steel	4C
C.029.022.0200.A	2.9	0.22	20.0	0.0100	3.50	4.38	no	music wire	4C
C.029.022.0200.I	2.9	0.22	20.0	0.0087	3.45	4.32	no	stainless steel	4C
C.029.022.0250.A	2.9	0.22	25.0	0.0080	4.18	5.28	no	music wire	4C
C.029.022.0250.I	2.9	0.22	25.0	0.0070	4.14	5.23	no	stainless steel	4C
C.029.022.0320.A	2.9	0.22	32.0	0.0063	5.10	6.50	no	music wire	4C
C.029.022.0320.I	2.9	0.22	32.0	0.0055	5.04	6.42	no	stainless steel	4C
C.029.022.0400.A	2.9	0.22	40.0	0.0050	6.23	7.99	no	music wire	4C
C.029.022.0400.I	2.9	0.22	40.0	0.0044	6.16	7.90	no	stainless steel	4C
C.029.040.0043.A	2.9	0.40	4.3	0.4769	2.40	2.62	yes	music wire	4B
C.029.040.0043.I	2.9	0.40	4.3	0.4149	2.40	2.62	yes	stainless steel	4B
C.029.040.0043.N	2.9	0.40	4.3	0.4769	2.40	2.62	yes	Zn coating	4C
C.029.040.0047.A	2.9	0.40	4.7	0.4769	2.40	2.62	yes	music wire	4D
C.029.040.0047.I	2.9	0.40	4.7	0.4149	2.40	2.62	yes	stainless steel	4E
C.029.040.0047.N	2.9	0.40	4.7	0.4769	2.40	2.62	yes	Zn coating	4F
C.029.040.0063.A	2.9	0.40	6.3	0.3035	3.20	3.55	yes	music wire	4B
C.029.040.0063.I	2.9	0.40	6.3	0.2640	3.16	3.50	yes	stainless steel	4B
C.029.040.0063.N	2.9	0.40	6.3	0.3035	3.20	3.55	yes	Zn coating	4C
C.029.040.0067.A	2.9	0.40	6.7	0.3035	3.20	3.55	yes	music wire	4D
C.029.040.0067.I	2.9	0.40	6.7	0.2640	3.16	3.50	yes	stainless steel	4E
C.029.040.0067.N	2.9	0.40	6.7	0.3035	3.20	3.55	yes	Zn coating	4F
C.029.040.0090.A	2.9	0.40	9.0	0.1964	4.40	4.94	yes	music wire	4B
C.029.040.0090.AP	2.9	0.40	9.0	0.2721	3.44	5.15	yes	music wire	4F
C.029.040.0090.I	2.9	0.40	9.0	0.1687	4.40	4.94	yes	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.029.040.0090.N	2.9	0.40	9.0	0.1964	4.40	4.94	yes	Zn coating	4C
C.029.040.0096.A	2.9	0.40	9.6	0.1964	4.40	4.94	yes	music wire	4B
C.029.040.0096.I	2.9	0.40	9.6	0.1709	4.36	4.89	yes	stainless steel	4E
C.029.040.0096.N	2.9	0.40	9.6	0.1964	4.40	4.94	yes	Zn coating	4C
C.029.040.0129.A	2.9	0.40	12.9	0.1335	6.00	6.79	yes	music wire	4B
C.029.040.0129.AF	2.9	0.40	12.9	0.0900	8.40	9.57	yes	music wire	4B
C.029.040.0129.AP	2.9	0.40	12.9	0.1804	4.72	7.10	yes	music wire	4F
C.029.040.0129.I	2.9	0.40	12.9	0.1161	5.92	6.70	yes	stainless steel	4B
C.029.040.0129.IF	2.9	0.40	12.9	0.0775	8.40	9.57	yes	stainless steel	4B
C.029.040.0129.N	2.9	0.40	12.9	0.1335	6.00	6.79	yes	Zn coating	4C
C.029.040.0129.NF	2.9	0.40	12.9	0.0900	8.40	9.57	yes	Zn coating	4C
C.029.040.0136.A	2.9	0.40	13.6	0.1335	6.00	6.79	yes	music wire	4B
C.029.040.0136.I	2.9	0.40	13.6	0.1147	6.00	6.79	yes	stainless steel	4B
C.029.040.0136.N	2.9	0.40	13.6	0.1335	6.00	6.79	yes	Zn coating	4C
C.029.040.0185.A	2.9	0.40	18.5	0.0900	8.40	9.57	yes	music wire	4B
C.029.040.0185.AP	2.9	0.40	18.5	0.1230	6.44	9.99	yes	music wire	4F
C.029.040.0185.I	2.9	0.40	18.5	0.0775	8.40	9.57	yes	stainless steel	4B
C.029.040.0185.IF	2.9	0.40	18.5	0.0637	10.00	11.43	yes	stainless steel	4B
C.029.040.0185.N	2.9	0.40	18.5	0.0900	8.40	9.57	yes	Zn coating	4C
C.029.040.0195.A	2.9	0.40	19.5	0.0900	8.40	9.57	yes	music wire	4B
C.029.040.0195.I	2.9	0.40	19.5	0.0785	8.32	9.48	yes	stainless steel	4B
C.029.040.0195.N	2.9	0.40	19.5	0.0900	8.40	9.57	yes	Zn coating	4C
C.029.050.0111.A	2.9	0.50	11.1	0.6092	5.05	7.92	yes	music wire	4F
C.029.050.0111.I	2.9	0.50	11.1	0.5300	5.00	8.01	yes	stainless steel	4G
C.029.060.0350.A	2.9	0.60	35.0	0.2414	28.50	31.80	yes	music wire	4C
C.029.060.0350.AP	2.9	0.60	35.0	0.3218	21.72	25.17	yes	music wire	4E
C.029.060.0350.I	2.9	0.60	35.0	0.2100	28.14	31.39	yes	stainless steel	4C
C.030.016.0030.I	3.0	0.16	3.0	0.0228	0.74	0.84	no	stainless steel	4C
C.030.018.0030.I	3.0	0.18	3.0	0.0341	0.85	0.95	no	stainless steel	4C
C.030.018.0040.I	3.0	0.18	4.0	0.0256	0.92	1.05	no	stainless steel	4C
C.030.018.0050.I	3.0	0.18	5.0	0.0195	1.01	1.19	no	stainless steel	4C
C.030.018.0060.I	3.0	0.18	6.0	0.0164	1.08	1.29	no	stainless steel	4C
C.030.018.0090.I	3.0	0.18	9.0	0.0108	1.31	1.63	no	stainless steel	4C
C.030.018.0120.I	3.0	0.18	12.0	0.0080	1.55	1.98	no	stainless steel	4C
C.030.018.0170.I	3.0	0.18	17.0	0.0057	1.93	2.54	no	stainless steel	4C
C.030.018.0260.I	3.0	0.18	26.0	0.0037	2.63	3.57	no	stainless steel	4C
C.030.020.0030.A	3.0	0.20	3.0	0.0571	0.96	1.06	no	music wire	4C
C.030.020.0030.I	3.0	0.20	3.0	0.0491	0.96	1.06	no	stainless steel	4C
C.030.022.0030.A	3.0	0.22	3.0	0.0793	1.08	1.18	no	music wire	4C
C.030.022.0030.I	3.0	0.22	3.0	0.0681	1.08	1.18	no	stainless steel	4C
C.030.025.0030.A	3.0	0.25	3.0	0.1196	1.28	1.39	no	music wire	4C
C.030.025.0030.I	3.0	0.25	3.0	0.1027	1.28	1.39	no	stainless steel	4C
C.030.025.0040.A	3.0	0.25	4.0	0.0870	1.43	1.58	no	music wire	4C
C.030.025.0040.I	3.0	0.25	4.0	0.0747	1.43	1.58	no	stainless steel	4C
C.030.025.0064.A	3.0	0.25	6.4	0.0546	1.75	2.00	no	music wire	4C
C.030.025.0064.I	3.0	0.25	6.4	0.0469	1.75	2.00	no	stainless steel	4C
C.030.025.0079.A	3.0	0.25	7.9	0.0428	2.00	2.32	no	music wire	4C
C.030.025.0079.I	3.0	0.25	7.9	0.0372	1.98	2.29	no	stainless steel	4C
C.030.025.0097.A	3.0	0.25	9.7	0.0352	2.23	2.61	no	music wire	4C
C.030.025.0097.I	3.0	0.25	9.7	0.0303	2.23	2.61	no	stainless steel	4C
C.030.025.0103.A	3.0	0.25	10.3	0.0266	2.68	3.19	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.030.025.0103.I	3.0	0.25	10.3	0.0228	2.68	3.19	no	stainless steel	4C
C.030.025.0111.A	3.0	0.25	11.1	0.0245	2.83	3.38	no	music wire	4C
C.030.025.0111.I	3.0	0.25	11.1	0.0211	2.83	3.38	no	stainless steel	4C
C.030.025.0112.A	3.0	0.25	11.2	0.0242	2.85	3.41	no	music wire	4C
C.030.025.0112.I	3.0	0.25	11.2	0.0208	2.85	3.41	no	stainless steel	4C
C.030.025.0127.A	3.0	0.25	12.7	0.0267	2.68	3.19	no	music wire	4E
C.030.025.0127.I	3.0	0.25	12.7	0.0230	2.68	3.19	no	stainless steel	4E
C.030.025.0142.A	3.0	0.25	14.2	0.0234	2.93	3.51	no	music wire	4C
C.030.025.0142.I	3.0	0.25	14.2	0.0201	2.93	3.51	no	stainless steel	4C
C.030.025.0157.A	3.0	0.25	15.7	0.0206	3.20	3.85	no	music wire	4C
C.030.025.0157.I	3.0	0.25	15.7	0.0179	3.18	3.83	no	stainless steel	4C
C.030.025.0175.A	3.0	0.25	17.5	0.0188	3.43	4.15	no	music wire	4C
C.030.025.0175.I	3.0	0.25	17.5	0.0161	3.43	4.15	no	stainless steel	4C
C.030.025.0190.A	3.0	0.25	19.0	0.0171	3.68	4.47	no	music wire	4C
C.030.025.0190.I	3.0	0.25	19.0	0.0146	3.68	4.47	no	stainless steel	4E
C.030.025.0206.A	3.0	0.25	20.6	0.0156	3.93	4.79	no	music wire	4C
C.030.025.0206.I	3.0	0.25	20.6	0.0134	3.93	4.79	no	stainless steel	4C
C.030.025.0239.A	3.0	0.25	23.9	0.0134	4.45	5.46	no	music wire	4C
C.030.025.0239.I	3.0	0.25	23.9	0.0115	4.45	5.46	no	stainless steel	4E
C.030.025.0254.A	3.0	0.25	25.4	0.0134	4.45	5.46	no	music wire	4E
C.030.025.0254.I	3.0	0.25	25.4	0.0115	4.45	5.77	no	stainless steel	4E
C.030.025.0279.A	3.0	0.25	27.9	0.0116	5.00	6.16	no	music wire	4C
C.030.025.0279.I	3.0	0.25	27.9	0.0101	4.95	6.10	no	stainless steel	4E
C.030.025.0284.A	3.0	0.25	28.4	0.0117	4.95	6.10	no	music wire	4E
C.030.025.0284.I	3.0	0.25	28.4	0.0102	4.90	6.26	no	stainless steel	4E
C.030.025.0305.A	3.0	0.25	30.5	0.0103	5.53	6.84	no	music wire	4C
C.030.025.0305.I	3.0	0.25	30.5	0.0090	5.45	6.74	no	stainless steel	4C
C.030.025.0318.A	3.0	0.25	31.8	0.0104	5.45	6.74	no	music wire	4C
C.030.025.0318.I	3.0	0.25	31.8	0.0091	5.40	6.91	no	stainless steel	4E
C.030.025.0381.A	3.0	0.25	38.1	0.0085	6.48	8.06	no	music wire	4E
C.030.025.0381.I	3.0	0.25	38.1	0.0073	6.48	8.06	no	stainless steel	4C
C.030.028.0190.A	3.0	0.28	19.0	0.0255	4.40	5.23	no	music wire	4C
C.030.028.0190.I	3.0	0.28	19.0	0.0212	4.51	5.36	no	stainless steel	4C
C.030.028.0220.A	3.0	0.28	22.0	0.0207	5.21	6.23	no	music wire	4C
C.030.028.0220.I	3.0	0.28	22.0	0.0180	5.15	6.16	no	stainless steel	4C
C.030.030.0064.A	3.0	0.30	6.4	0.1087	2.22	2.48	no	music wire	4E
C.030.030.0064.I	3.0	0.30	6.4	0.0933	2.22	2.48	no	stainless steel	4E
C.030.030.0079.A	3.0	0.30	7.9	0.0860	2.52	2.85	no	music wire	4E
C.030.030.0079.I	3.0	0.30	7.9	0.0739	2.52	2.85	no	stainless steel	4E
C.030.030.0095.A	3.0	0.30	9.5	0.0544	3.36	3.87	no	music wire	4C
C.030.030.0095.I	3.0	0.30	9.5	0.0468	3.36	3.87	no	stainless steel	4C
C.030.030.0097.A	3.0	0.30	9.7	0.0664	2.94	3.36	no	music wire	4C
C.030.030.0097.I	3.0	0.30	9.7	0.0570	2.94	3.36	no	stainless steel	4E
C.030.030.0112.A	3.0	0.30	11.2	0.0586	3.21	3.69	no	music wire	4E
C.030.030.0112.I	3.0	0.30	11.2	0.0503	3.21	3.69	no	stainless steel	4E
C.030.030.0119.A	3.0	0.30	11.9	0.0428	3.99	4.64	no	music wire	4C
C.030.030.0119.I	3.0	0.30	11.9	0.0367	3.99	4.64	no	stainless steel	4C
C.030.030.0127.A	3.0	0.30	12.7	0.0524	3.45	4.04	no	music wire	4E
C.030.030.0127.I	3.0	0.30	12.7	0.0450	3.45	4.26	no	stainless steel	4E
C.030.030.0142.A	3.0	0.30	14.2	0.0474	3.72	4.63	no	music wire	4E
C.030.030.0142.I	3.0	0.30	14.2	0.0407	3.72	4.86	no	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.030.030.0143.A	3.0	0.30	14.3	0.0352	4.62	5.41	no	music wire	4C
C.030.030.0143.I	3.0	0.30	14.3	0.0303	4.62	5.41	no	stainless steel	4C
C.030.030.0157.A	3.0	0.30	15.7	0.0432	3.96	5.21	no	music wire	4E
C.030.030.0157.I	3.0	0.30	15.7	0.0371	3.96	5.47	no	stainless steel	4E
C.030.030.0159.A	3.0	0.30	15.9	0.0315	5.04	5.92	no	music wire	4C
C.030.030.0159.I	3.0	0.30	15.9	0.0271	5.04	5.92	no	stainless steel	4C
C.030.030.0167.A	3.0	0.30	16.7	0.0299	5.25	6.18	no	music wire	4C
C.030.030.0167.I	3.0	0.30	16.7	0.0257	5.25	6.18	no	stainless steel	4C
C.030.030.0175.A	3.0	0.30	17.5	0.0368	4.47	5.23	no	music wire	4E
C.030.030.0175.I	3.0	0.30	17.5	0.0316	4.47	5.48	no	stainless steel	4E
C.030.030.0190.A	3.0	0.30	19.0	0.0343	4.71	5.76	no	music wire	4E
C.030.030.0190.I	3.0	0.30	19.0	0.0294	4.71	6.09	no	stainless steel	4E
C.030.030.0191.A	3.0	0.30	19.1	0.0262	5.85	6.91	no	music wire	4C
C.030.030.0191.I	3.0	0.30	19.1	0.0225	5.85	6.91	no	stainless steel	4C
C.030.030.0206.A	3.0	0.30	20.6	0.0320	4.98	6.45	no	music wire	4E
C.030.030.0206.I	3.0	0.30	20.6	0.0275	4.98	6.80	no	stainless steel	4E
C.030.030.0224.A	3.0	0.30	22.4	0.0284	5.49	6.47	no	music wire	4E
C.030.030.0224.I	3.0	0.30	22.4	0.0244	5.49	6.81	no	stainless steel	4E
C.030.030.0239.A	3.0	0.30	23.9	0.0268	5.73	7.00	no	music wire	4E
C.030.030.0239.I	3.0	0.30	23.9	0.0230	5.73	7.42	no	stainless steel	4E
C.030.030.0254.A	3.0	0.30	25.4	0.0255	6.00	7.59	no	music wire	4E
C.030.030.0254.I	3.0	0.30	25.4	0.0219	6.00	8.03	no	stainless steel	4E
C.030.030.0279.A	3.0	0.30	27.9	0.0218	6.84	8.12	no	music wire	4E
C.030.030.0279.I	3.0	0.30	27.9	0.0189	6.75	8.01	no	stainless steel	4E
C.030.030.0284.A	3.0	0.30	28.4	0.0221	6.75	8.01	no	music wire	4E
C.030.030.0284.I	3.0	0.30	28.4	0.0192	6.69	8.61	no	stainless steel	4E
C.030.030.0290.A	3.0	0.30	29.0	0.0126	11.01	13.22	no	music wire	4C
C.030.030.0290.AP	3.0	0.30	29.0	0.0269	5.73	12.13	no	music wire	4E
C.030.030.0290.I	3.0	0.30	29.0	0.0110	10.86	13.03	no	stainless steel	4C
C.030.030.0305.A	3.0	0.30	30.5	0.0200	7.35	8.75	no	music wire	4E
C.030.030.0305.I	3.0	0.30	30.5	0.0174	7.26	8.66	no	stainless steel	4E
C.030.030.0318.A	3.0	0.30	31.8	0.0203	7.26	9.41	no	music wire	4E
C.030.030.0318.I	3.0	0.30	31.8	0.0176	7.17	10.25	no	stainless steel	4E
C.030.030.0320.A	3.0	0.30	32.0	0.0103	13.20	15.89	no	music wire	4C
C.030.030.0320.AP	3.0	0.30	32.0	0.0244	6.21	13.39	no	music wire	4E
C.030.030.0320.I	3.0	0.30	32.0	0.0090	13.05	15.71	no	stainless steel	4C
C.030.030.0381.A	3.0	0.30	38.1	0.0168	8.52	11.13	no	music wire	4E
C.030.030.0381.I	3.0	0.30	38.1	0.0144	8.52	11.80	no	stainless steel	4E
C.030.032.0040.A	3.0	0.32	4.0	0.1571	2.24	2.47	no	music wire	4C
C.030.032.0050.A	3.0	0.32	5.0	0.1222	2.56	2.86	no	music wire	4C
C.030.032.0063.A	3.0	0.32	6.3	0.1000	2.88	3.24	no	music wire	4C
C.030.032.0080.A	3.0	0.32	8.0	0.0786	3.39	3.86	no	music wire	4C
C.030.032.0100.A	3.0	0.32	10.0	0.0611	4.03	4.63	no	music wire	4C
C.030.032.0125.A	3.0	0.32	12.5	0.0489	4.77	5.52	no	music wire	4C
C.030.032.0160.A	3.0	0.32	16.0	0.0393	5.63	6.56	no	music wire	4C
C.030.032.0200.A	3.0	0.32	20.0	0.0314	6.78	7.94	no	music wire	4C
C.030.032.0250.A	3.0	0.32	25.0	0.0244	8.38	9.87	no	music wire	4C
C.030.032.0320.A	3.0	0.32	32.0	0.0196	10.18	12.04	no	music wire	4C
C.030.032.0400.A	3.0	0.32	40.0	0.0157	12.42	14.74	no	music wire	4C
C.030.032.0500.A	3.0	0.32	50.0	0.0122	15.65	18.63	no	music wire	4C
C.030.032.0630.A	3.0	0.32	63.0	0.0100	18.88	22.52	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.030.032.0630.AP	3.0	0.32	63.0	0.0151	12.86	27.02	no	music wire	4E
C.030.032.0630.I	3.0	0.32	63.0	0.0087	18.66	22.26	no	stainless steel	4C
C.030.035.0064.A	3.0	0.35	6.4	0.2293	2.49	3.35	no	music wire	4D
C.030.035.0064.I	3.0	0.35	6.4	0.1970	2.49	3.42	no	stainless steel	4E
C.030.035.0079.A	3.0	0.35	7.9	0.1679	2.94	3.74	no	music wire	4D
C.030.035.0079.I	3.0	0.35	7.9	0.1461	2.91	3.88	no	stainless steel	4E
C.030.035.0097.A	3.0	0.35	9.7	0.1335	3.40	4.46	no	music wire	4D
C.030.035.0097.I	3.0	0.35	9.7	0.1161	3.36	4.64	no	stainless steel	4E
C.030.035.0112.A	3.0	0.35	11.2	0.1226	3.57	5.50	no	music wire	4D
C.030.035.0112.I	3.0	0.35	11.2	0.1053	3.57	5.62	no	stainless steel	4E
C.030.035.0127.A	3.0	0.35	12.7	0.1021	4.03	5.85	no	music wire	4D
C.030.035.0127.I	3.0	0.35	12.7	0.0888	3.99	6.09	no	stainless steel	4E
C.030.035.0142.A	3.0	0.35	14.2	0.0959	4.24	6.91	no	music wire	4D
C.030.035.0142.I	3.0	0.35	14.2	0.0823	4.24	7.07	no	stainless steel	4E
C.030.035.0157.A	3.0	0.35	15.7	0.0826	4.69	7.24	no	music wire	4D
C.030.035.0157.I	3.0	0.35	15.7	0.0719	4.66	7.53	no	stainless steel	4E
C.030.035.0175.A	3.0	0.35	17.5	0.0743	5.11	8.09	no	music wire	4D
C.030.035.0175.I	3.0	0.35	17.5	0.0638	5.11	8.29	no	stainless steel	4E
C.030.035.0190.A	3.0	0.35	19.0	0.0703	5.32	9.06	no	music wire	4D
C.030.035.0190.I	3.0	0.35	19.0	0.0604	5.32	9.27	no	stainless steel	4E
C.030.035.0206.A	3.0	0.35	20.6	0.0627	5.81	9.45	no	music wire	4D
C.030.035.0206.I	3.0	0.35	20.6	0.0546	5.74	9.84	no	stainless steel	4E
C.030.035.0224.A	3.0	0.35	22.4	0.0579	6.20	10.34	no	music wire	4D
C.030.035.0224.I	3.0	0.35	22.4	0.0498	6.20	10.60	no	stainless steel	4E
C.030.035.0239.A	3.0	0.35	23.9	0.0555	6.41	11.30	no	music wire	4F
C.030.035.0239.I	3.0	0.35	23.9	0.0477	6.41	11.58	no	stainless steel	4G
C.030.035.0254.A	3.0	0.35	25.4	0.0505	6.93	11.57	no	music wire	4D
C.030.035.0254.I	3.0	0.35	25.4	0.0440	6.83	12.04	no	stainless steel	4E
C.030.035.0279.A	3.0	0.35	27.9	0.0453	7.56	12.46	no	music wire	4D
C.030.035.0279.I	3.0	0.35	27.9	0.0394	7.49	12.99	no	stainless steel	4E
C.030.035.0280.A	3.0	0.35	28.0	0.0393	8.54	10.19	no	music wire	4D
C.030.035.0280.I	3.0	0.35	28.0	0.0342	8.47	10.80	no	stainless steel	4E
C.030.035.0284.A	3.0	0.35	28.4	0.0459	7.49	13.15	no	music wire	4D
C.030.035.0284.I	3.0	0.35	28.4	0.0400	7.39	13.72	no	stainless steel	4G
C.030.035.0305.A	3.0	0.35	30.5	0.0397	8.47	12.91	no	music wire	4D
C.030.035.0305.I	3.0	0.35	30.5	0.0346	8.37	13.51	no	stainless steel	4E
C.030.035.0381.A	3.0	0.35	38.1	0.0340	9.66	17.55	no	music wire	4D
C.030.035.0381.I	3.0	0.35	38.1	0.0292	9.66	18.00	no	stainless steel	4G
C.030.035.0400.A	3.0	0.35	40.0	0.0268	11.94	13.93	no	music wire	4D
C.030.035.0400.I	3.0	0.35	40.0	0.0233	11.83	14.82	no	stainless steel	4E
C.030.036.0111.A	3.0	0.36	11.1	0.1005	4.61	5.21	no	music wire	4B
C.030.036.0111.AP	3.0	0.36	11.1	0.1380	3.67	5.62	no	music wire	4D
C.030.036.0111.I	3.0	0.36	11.1	0.0874	4.54	5.13	no	stainless steel	4B
C.030.036.0190.A	3.0	0.36	19.0	0.0573	7.09	8.14	no	music wire	4B
C.030.036.0190.AP	3.0	0.36	19.0	0.0770	5.62	9.18	no	music wire	4D
C.030.036.0190.I	3.0	0.36	19.0	0.0498	7.02	8.06	no	stainless steel	4B
C.030.036.0220.A	3.0	0.36	22.0	0.0488	8.10	9.34	no	music wire	4B
C.030.036.0220.AP	3.0	0.36	22.0	0.0665	6.30	10.63	no	music wire	4D
C.030.036.0220.I	3.0	0.36	22.0	0.0425	8.03	9.25	no	stainless steel	4B
C.030.036.0380.A	3.0	0.36	38.0	0.0291	12.74	14.81	no	music wire	4B
C.030.036.0380.I	3.0	0.36	38.0	0.0253	12.60	14.65	no	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.030.040.0112.A	3.0	0.40	11.2	0.1637	4.64	5.23	yes	music wire	4D
C.030.040.0112.I	3.0	0.40	11.2	0.1406	4.64	5.23	yes	stainless steel	4E
C.030.040.0112.N	3.0	0.40	11.2	0.1637	4.64	5.23	yes	Zn coating	4F
C.030.040.0140.A	3.0	0.40	14.0	0.1820	4.28	8.42	yes	music wire	4F
C.030.040.0140.I	3.0	0.40	14.0	0.1583	4.20	8.60	yes	stainless steel	4G
C.030.040.0140.N	3.0	0.40	14.0	0.1820	4.28	8.42	yes	Zn coating	4I
C.030.040.0142.A	3.0	0.40	14.2	0.0805	8.36	9.56	yes	music wire	4B
C.030.040.0142.AP	3.0	0.40	14.2	0.1537	4.88	7.60	yes	music wire	4F
C.030.040.0142.I	3.0	0.40	14.2	0.0700	8.28	9.47	yes	stainless steel	4B
C.030.040.0143.A	3.0	0.40	14.3	0.1030	6.76	7.70	yes	music wire	4B
C.030.040.0143.I	3.0	0.40	14.3	0.0885	6.76	7.70	yes	stainless steel	4B
C.030.040.0152.A	3.0	0.40	15.2	0.1710	4.48	9.27	yes	music wire	4F
C.030.040.0152.I	3.0	0.40	15.2	0.1488	4.44	9.45	yes	stainless steel	4G
C.030.040.0152.N	3.0	0.40	15.2	0.1710	4.48	9.27	yes	Zn coating	4I
C.030.040.0159.A	3.0	0.40	15.9	0.0922	7.44	8.49	yes	music wire	4B
C.030.040.0159.I	3.0	0.40	15.9	0.0792	7.44	8.49	yes	stainless steel	4B
C.030.040.0175.A	3.0	0.40	17.5	0.1004	6.92	7.89	yes	music wire	4D
C.030.040.0175.I	3.0	0.40	17.5	0.0862	6.92	7.89	yes	stainless steel	4E
C.030.040.0175.N	3.0	0.40	17.5	0.1004	6.92	7.89	yes	Zn coating	4F
C.030.040.0191.A	3.0	0.40	19.1	0.0761	8.80	10.07	yes	music wire	4B
C.030.040.0191.I	3.0	0.40	19.1	0.0654	8.80	10.07	yes	stainless steel	4B
C.030.040.0220.A	3.0	0.40	22.0	0.0800	8.40	9.61	yes	music wire	4D
C.030.040.0220.I	3.0	0.40	22.0	0.0700	8.28	9.79	yes	stainless steel	4E
C.030.040.0224.A	3.0	0.40	22.4	0.0645	10.20	11.70	yes	music wire	4B
C.030.040.0224.I	3.0	0.40	22.4	0.0554	10.20	11.70	yes	stainless steel	4C
C.030.040.0230.A	3.0	0.40	23.0	0.1500	4.96	16.23	yes	music wire	4F
C.030.040.0240.A	3.0	0.40	24.0	0.0750	8.92	10.47	yes	music wire	4D
C.030.040.0240.AP	3.0	0.40	24.0	0.0878	7.76	12.45	yes	music wire	4F
C.030.040.0240.I	3.0	0.40	24.0	0.0410	13.44	15.47	yes	stainless steel	4C
C.030.040.0254.A	3.0	0.40	25.4	0.0569	11.44	13.15	yes	music wire	4B
C.030.040.0254.I	3.0	0.40	25.4	0.0488	11.44	13.15	yes	stainless steel	4C
C.030.040.0279.A	3.0	0.40	27.9	0.0619	10.60	12.17	yes	music wire	4D
C.030.040.0279.I	3.0	0.40	27.9	0.0538	10.48	12.03	yes	stainless steel	4E
C.030.040.0280.A	3.0	0.40	28.0	0.0540	12.00	13.80	yes	music wire	4B
C.030.040.0280.AP	3.0	0.40	28.0	0.0749	8.92	14.45	yes	music wire	4F
C.030.040.0280.I	3.0	0.40	28.0	0.0470	11.84	13.61	yes	stainless steel	4C
C.030.040.0280.N	3.0	0.40	28.0	0.0540	12.00	13.80	yes	Zn coating	4C
C.030.040.0290.A	3.0	0.40	29.0	0.0620	10.56	12.63	yes	music wire	4D
C.030.040.0290.AP	3.0	0.40	29.0	0.0723	9.20	14.97	yes	music wire	4F
C.030.040.0290.I	3.0	0.40	29.0	0.0340	16.00	18.45	yes	stainless steel	4C
C.030.040.0305.A	3.0	0.40	30.5	0.0559	11.60	13.33	yes	music wire	4D
C.030.040.0305.I	3.0	0.40	30.5	0.0486	11.48	13.19	yes	stainless steel	4E
C.030.040.0318.A	3.0	0.40	31.8	0.0451	14.16	16.31	yes	music wire	4B
C.030.040.0318.I	3.0	0.40	31.8	0.0387	14.16	16.31	yes	stainless steel	4C
C.030.040.0350.A	3.0	0.40	35.0	0.0320	19.56	22.59	yes	music wire	4B
C.030.040.0350.AP	3.0	0.40	35.0	0.0593	11.00	17.88	yes	music wire	4F
C.030.040.0350.I	3.0	0.40	35.0	0.0270	19.88	22.96	yes	stainless steel	4C
C.030.040.0381.A	3.0	0.40	38.1	0.0474	13.52	16.70	yes	music wire	4D
C.030.040.0381.I	3.0	0.40	38.1	0.0407	13.52	17.11	yes	stainless steel	4E
C.030.040.0381.N	3.0	0.40	38.1	0.0474	13.52	16.70	yes	Zn coating	4F
C.030.040.0445.A	3.0	0.40	44.5	0.0320	19.56	22.59	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.030.040.0445.I	3.0	0.40	44.5	0.0275	19.56	22.59	yes	stainless steel	4C
C.030.040.0457.A	3.0	0.40	45.7	0.0311	20.08	23.20	yes	music wire	4B
C.030.040.0457.I	3.0	0.40	45.7	0.0267	20.08	23.20	yes	stainless steel	4C
C.030.045.0030.A	3.0	0.45	3.0	1.1452	2.12	2.27	yes	music wire	4B
C.030.045.0030.I	3.0	0.45	3.0	0.9836	2.12	2.27	yes	stainless steel	4B
C.030.045.0063.A	3.0	0.45	6.3	0.3938	3.96	4.38	yes	music wire	4B
C.030.045.0064.A	3.0	0.45	6.4	0.5139	3.33	3.66	yes	music wire	4D
C.030.045.0064.I	3.0	0.45	6.4	0.4150	3.47	3.82	yes	stainless steel	4E
C.030.045.0064.N	3.0	0.45	6.4	0.5139	3.33	3.66	yes	Zn coating	4F
C.030.045.0079.A	3.0	0.45	7.9	0.3820	4.10	4.54	yes	music wire	4D
C.030.045.0079.I	3.0	0.45	7.9	0.3323	4.05	4.48	yes	stainless steel	4E
C.030.045.0079.N	3.0	0.45	7.9	0.3820	4.10	4.54	yes	Zn coating	4F
C.030.045.0080.A	3.0	0.45	8.0	0.3150	4.64	5.16	yes	music wire	4B
C.030.045.0097.A	3.0	0.45	9.7	0.3262	4.59	5.39	yes	music wire	4D
C.030.045.0097.I	3.0	0.45	9.7	0.2838	4.55	5.51	yes	stainless steel	4E
C.030.045.0097.N	3.0	0.45	9.7	0.3262	4.59	5.39	yes	Zn coating	4F
C.030.045.0100.A	3.0	0.45	10.0	0.2520	5.54	6.20	yes	music wire	4B
C.030.045.0112.A	3.0	0.45	11.2	0.2675	5.36	5.99	yes	music wire	4D
C.030.045.0112.I	3.0	0.45	11.2	0.2298	5.36	6.03	yes	stainless steel	4E
C.030.045.0112.N	3.0	0.45	11.2	0.2675	5.36	5.99	yes	Zn coating	4F
C.030.045.0125.A	3.0	0.45	12.5	0.1969	6.75	7.59	yes	music wire	4B
C.030.045.0127.A	3.0	0.45	12.7	0.2268	6.12	6.86	yes	music wire	4D
C.030.045.0127.I	3.0	0.45	12.7	0.1973	6.08	6.81	yes	stainless steel	4E
C.030.045.0127.N	3.0	0.45	12.7	0.2268	6.12	6.86	yes	Zn coating	4F
C.030.045.0142.A	3.0	0.45	14.2	0.1968	6.89	7.74	yes	music wire	4D
C.030.045.0142.I	3.0	0.45	14.2	0.1690	6.89	7.74	yes	stainless steel	4E
C.030.045.0142.N	3.0	0.45	14.2	0.1968	6.89	7.74	yes	Zn coating	4F
C.030.045.0157.A	3.0	0.45	15.7	0.1808	7.38	8.31	yes	music wire	4D
C.030.045.0157.I	3.0	0.45	15.7	0.1573	7.34	8.26	yes	stainless steel	4E
C.030.045.0157.N	3.0	0.45	15.7	0.1808	7.38	8.31	yes	Zn coating	4F
C.030.045.0160.A	3.0	0.45	16.0	0.1575	8.15	9.20	yes	music wire	4B
C.030.045.0175.A	3.0	0.45	17.5	0.1612	8.15	9.19	yes	music wire	4D
C.030.045.0175.I	3.0	0.45	17.5	0.1385	8.15	9.19	yes	stainless steel	4E
C.030.045.0175.N	3.0	0.45	17.5	0.1612	8.15	9.19	yes	Zn coating	4F
C.030.045.0190.A	3.0	0.45	19.0	0.1455	8.91	10.06	yes	music wire	4D
C.030.045.0190.I	3.0	0.45	19.0	0.1249	8.91	10.06	yes	stainless steel	4E
C.030.045.0190.N	3.0	0.45	19.0	0.1455	8.91	10.06	yes	Zn coating	4F
C.030.045.0200.A	3.0	0.45	20.0	0.1260	9.90	11.21	yes	music wire	4B
C.030.045.0206.A	3.0	0.45	20.6	0.1140	11.07	12.54	yes	music wire	4B
C.030.045.0206.I	3.0	0.45	20.6	0.0979	11.07	12.54	yes	stainless steel	4C
C.030.045.0224.A	3.0	0.45	22.4	0.1045	11.97	13.58	yes	music wire	4B
C.030.045.0224.I	3.0	0.45	22.4	0.0898	11.97	13.58	yes	stainless steel	4C
C.030.045.0250.A	3.0	0.45	25.0	0.1000	12.20	13.85	yes	music wire	4B
C.030.045.0254.A	3.0	0.45	25.4	0.1097	11.48	13.01	yes	music wire	4D
C.030.045.0254.I	3.0	0.45	25.4	0.0954	11.34	12.96	yes	stainless steel	4E
C.030.045.0254.N	3.0	0.45	25.4	0.1097	11.48	13.01	yes	Zn coating	4F
C.030.045.0279.A	3.0	0.45	27.9	0.0965	12.87	14.61	yes	music wire	4D
C.030.045.0279.I	3.0	0.45	27.9	0.0839	12.74	14.46	yes	stainless steel	4E
C.030.045.0284.A	3.0	0.45	28.4	0.0977	12.74	14.46	yes	music wire	4D
C.030.045.0284.I	3.0	0.45	28.4	0.0850	12.60	14.43	yes	stainless steel	4E
C.030.045.0284.N	3.0	0.45	28.4	0.0977	12.74	14.46	yes	Zn coating	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.030.045.0305.A	3.0	0.45	30.5	0.0869	14.18	16.11	yes	music wire	4D
C.030.045.0305.I	3.0	0.45	30.5	0.0756	14.00	15.91	yes	stainless steel	4E
C.030.045.0318.A	3.0	0.45	31.8	0.0881	14.00	15.91	yes	music wire	4D
C.030.045.0318.I	3.0	0.45	31.8	0.0766	13.82	16.30	yes	stainless steel	4E
C.030.045.0318.N	3.0	0.45	31.8	0.0881	14.00	15.91	yes	Zn coating	4F
C.030.045.0320.A	3.0	0.45	32.0	0.0788	15.21	17.31	yes	music wire	4B
C.030.045.0381.A	3.0	0.45	38.1	0.0736	16.56	18.98	yes	music wire	4D
C.030.045.0381.I	3.0	0.45	38.1	0.0632	16.56	19.30	yes	stainless steel	4E
C.030.045.0381.N	3.0	0.45	38.1	0.0736	16.56	18.98	yes	Zn coating	4F
C.030.045.0400.A	3.0	0.45	40.0	0.0630	18.72	21.34	yes	music wire	4B
C.030.045.0500.A	3.0	0.45	50.0	0.0504	23.09	26.36	yes	music wire	4B
C.030.050.0030.A	3.0	0.50	3.0	1.8523	2.35	2.50	yes	music wire	4B
C.030.050.0030.I	3.0	0.50	3.0	1.5909	2.35	2.50	yes	stainless steel	4C
C.030.050.0044.A	3.0	0.50	4.4	1.1643	3.00	3.24	yes	music wire	4B
C.030.050.0044.I	3.0	0.50	4.4	1.0129	3.00	3.24	yes	stainless steel	4C
C.030.050.0044.N	3.0	0.50	4.4	1.1643	3.00	3.24	yes	Zn coating	4C
C.030.050.0061.A	3.0	0.50	6.1	0.7409	4.00	4.38	yes	music wire	4B
C.030.050.0061.I	3.0	0.50	6.1	0.6364	4.00	4.38	yes	stainless steel	4C
C.030.050.0061.N	3.0	0.50	6.1	0.7409	4.00	4.38	yes	Zn coating	4C
C.030.050.0080.A	3.0	0.50	8.0	0.5640	4.85	5.34	yes	music wire	4B
C.030.050.0080.I	3.0	0.50	8.0	0.4906	4.80	5.29	yes	stainless steel	4C
C.030.050.0087.A	3.0	0.50	8.7	0.4794	5.50	6.08	yes	music wire	4B
C.030.050.0087.AP	3.0	0.50	8.7	0.5965	4.65	5.55	yes	music wire	4D
C.030.050.0087.I	3.0	0.50	8.7	0.4171	5.45	6.03	yes	stainless steel	4C
C.030.050.0087.N	3.0	0.50	8.7	0.4794	5.50	6.08	yes	Zn coating	4C
C.030.050.0090.A	3.0	0.50	9.0	0.5710	4.80	5.71	yes	music wire	4D
C.030.050.0090.I	3.0	0.50	9.0	0.4968	4.75	5.80	yes	stainless steel	4E
C.030.050.0090.N	3.0	0.50	9.0	0.5710	4.80	5.71	yes	Zn coating	4F
C.030.050.0112.A	3.0	0.50	11.2	0.4000	6.35	7.05	yes	music wire	4D
C.030.050.0112.I	3.0	0.50	11.2	0.3429	6.35	7.05	yes	stainless steel	4E
C.030.050.0112.N	3.0	0.50	11.2	0.4000	6.35	7.05	yes	Zn coating	4F
C.030.050.0119.A	3.0	0.50	11.9	0.3234	7.55	8.42	yes	music wire	4B
C.030.050.0119.I	3.0	0.50	11.9	0.2778	7.55	8.42	yes	stainless steel	4C
C.030.050.0120.A	3.0	0.50	12.0	0.3260	7.50	8.36	yes	music wire	4B
C.030.050.0120.AP	3.0	0.50	12.0	0.4182	6.10	7.51	yes	music wire	4D
C.030.050.0120.I	3.0	0.50	12.0	0.2836	7.40	8.25	yes	stainless steel	4C
C.030.050.0120.N	3.0	0.50	12.0	0.3260	7.50	8.36	yes	Zn coating	4C
C.030.050.0125.A	3.0	0.50	12.5	0.3428	7.20	8.02	yes	music wire	4B
C.030.050.0125.I	3.0	0.50	12.5	0.2982	7.10	7.90	yes	stainless steel	4E
C.030.050.0135.A	3.0	0.50	13.5	0.2810	8.50	9.50	yes	music wire	4B
C.030.050.0135.I	3.0	0.50	13.5	0.2414	8.50	9.50	yes	stainless steel	4C
C.030.050.0140.A	3.0	0.50	14.0	0.4710	5.60	10.01	yes	music wire	4F
C.030.050.0140.I	3.0	0.50	14.0	0.4098	5.50	10.12	yes	stainless steel	4G
C.030.050.0140.N	3.0	0.50	14.0	0.4710	5.60	10.01	yes	Zn coating	4I
C.030.050.0142.A	3.0	0.50	14.2	0.3197	7.60	8.47	yes	music wire	4D
C.030.050.0142.I	3.0	0.50	14.2	0.2746	7.60	8.47	yes	stainless steel	4E
C.030.050.0142.N	3.0	0.50	14.2	0.3197	7.60	8.47	yes	Zn coating	4F
C.030.050.0159.A	3.0	0.50	15.9	0.2369	9.85	11.03	yes	music wire	4B
C.030.050.0159.I	3.0	0.50	15.9	0.2035	9.85	11.03	yes	stainless steel	4C
C.030.050.0175.A	3.0	0.50	17.5	0.2203	10.50	11.77	yes	music wire	4B
C.030.050.0175.AP	3.0	0.50	17.5	0.2797	8.55	10.78	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.030.050.0175.I	3.0	0.50	17.5	0.1892	10.50	11.77	yes	stainless steel	4C
C.030.050.0175.N	3.0	0.50	17.5	0.2203	10.50	11.77	yes	Zn coating	4C
C.030.050.0190.A	3.0	0.50	19.0	0.2286	10.15	11.37	yes	music wire	4D
C.030.050.0190.I	3.0	0.50	19.0	0.1963	10.15	11.37	yes	stainless steel	4E
C.030.050.0190.N	3.0	0.50	19.0	0.2286	10.15	11.37	yes	Zn coating	4F
C.030.050.0191.A	3.0	0.50	19.1	0.1950	11.70	13.14	yes	music wire	4B
C.030.050.0191.I	3.0	0.50	19.1	0.1675	11.70	13.14	yes	stainless steel	4C
C.030.050.0198.A	3.0	0.50	19.8	0.1878	12.10	13.59	yes	music wire	4B
C.030.050.0198.I	3.0	0.50	19.8	0.1613	12.10	13.59	yes	stainless steel	4C
C.030.050.0200.A	3.0	0.50	20.0	0.1400	15.80	17.80	yes	music wire	4B
C.030.050.0200.AP	3.0	0.50	20.0	0.2444	9.60	12.31	yes	music wire	4D
C.030.050.0200.I	3.0	0.50	20.0	0.1218	15.60	17.57	yes	stainless steel	4C
C.030.050.0206.A	3.0	0.50	20.6	0.2079	11.05	12.40	yes	music wire	4D
C.030.050.0206.I	3.0	0.50	20.6	0.1809	10.95	12.28	yes	stainless steel	4E
C.030.050.0210.A	3.0	0.50	21.0	0.2000	11.45	12.85	yes	music wire	4D
C.030.050.0210.I	3.0	0.50	21.0	0.1740	11.30	12.68	yes	stainless steel	4E
C.030.050.0210.N	3.0	0.50	21.0	0.2000	11.45	12.85	yes	Zn coating	4F
C.030.050.0220.A	3.0	0.50	22.0	0.1300	16.90	19.05	yes	music wire	4B
C.030.050.0220.AP	3.0	0.50	22.0	0.2204	10.50	13.48	yes	music wire	4D
C.030.050.0220.I	3.0	0.50	22.0	0.1100	17.15	19.34	yes	stainless steel	4C
C.030.050.0224.A	3.0	0.50	22.4	0.1952	11.70	13.14	yes	music wire	4D
C.030.050.0224.I	3.0	0.50	22.4	0.1677	11.70	13.14	yes	stainless steel	4E
C.030.050.0224.N	3.0	0.50	22.4	0.1952	11.70	13.14	yes	Zn coating	4F
C.030.050.0240.A	3.0	0.50	24.0	0.1200	18.25	20.59	yes	music wire	4B
C.030.050.0240.AP	3.0	0.50	24.0	0.2018	11.35	14.69	yes	music wire	4D
C.030.050.0240.I	3.0	0.50	24.0	0.1000	18.75	21.16	yes	stainless steel	4C
C.030.050.0250.A	3.0	0.50	25.0	0.1647	13.60	15.30	yes	music wire	4B
C.030.050.0250.I	3.0	0.50	25.0	0.1433	13.45	15.13	yes	stainless steel	4E
C.030.050.0254.A	3.0	0.50	25.4	0.1703	13.20	14.84	yes	music wire	4D
C.030.050.0254.I	3.0	0.50	25.4	0.1482	13.05	14.67	yes	stainless steel	4E
C.030.050.0254.N	3.0	0.50	25.4	0.1703	13.20	14.84	yes	Zn coating	4F
C.030.050.0279.A	3.0	0.50	27.9	0.1491	14.90	16.78	yes	music wire	4D
C.030.050.0279.I	3.0	0.50	27.9	0.1298	14.75	16.61	yes	stainless steel	4E
C.030.050.0284.A	3.0	0.50	28.4	0.1511	14.75	16.61	yes	music wire	4D
C.030.050.0284.I	3.0	0.50	28.4	0.1314	14.55	16.38	yes	stainless steel	4E
C.030.050.0284.N	3.0	0.50	28.4	0.1511	14.75	16.61	yes	Zn coating	4F
C.030.050.0290.A	3.0	0.50	29.0	0.1494	14.90	16.78	yes	music wire	4D
C.030.050.0290.I	3.0	0.50	29.0	0.1300	14.70	16.77	yes	stainless steel	4E
C.030.050.0300.A	3.0	0.50	30.0	0.1420	15.60	17.57	yes	music wire	4D
C.030.050.0300.I	3.0	0.50	30.0	0.1235	15.40	17.35	yes	stainless steel	4E
C.030.050.0305.A	3.0	0.50	30.5	0.1340	16.45	18.54	yes	music wire	4D
C.030.050.0305.I	3.0	0.50	30.5	0.1166	16.25	18.31	yes	stainless steel	4E
C.030.050.0318.A	3.0	0.50	31.8	0.1357	16.25	18.31	yes	music wire	4D
C.030.050.0318.I	3.0	0.50	31.8	0.1181	16.05	18.33	yes	stainless steel	4E
C.030.050.0318.N	3.0	0.50	31.8	0.1357	16.25	18.31	yes	Zn coating	4F
C.030.050.0350.A	3.0	0.50	35.0	0.0810	26.40	29.86	yes	music wire	4B
C.030.050.0350.AP	3.0	0.50	35.0	0.1366	16.15	21.24	yes	music wire	4D
C.030.050.0350.I	3.0	0.50	35.0	0.0700	26.25	29.69	yes	stainless steel	4C
C.030.050.0381.A	3.0	0.50	38.1	0.1128	19.30	21.78	yes	music wire	4D
C.030.050.0381.I	3.0	0.50	38.1	0.0969	19.30	21.78	yes	stainless steel	4E
C.030.050.0381.N	3.0	0.50	38.1	0.1128	19.30	21.78	yes	Zn coating	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.030.050.0400.A	3.0	0.50	40.0	0.1060	20.45	23.09	yes	music wire	4D
C.030.050.0400.I	3.0	0.50	40.0	0.0883	21.05	23.77	yes	stainless steel	4E
C.030.055.0030.A	3.0	0.55	3.0	2.8814	2.59	2.75	yes	music wire	4C
C.030.055.0030.I	3.0	0.55	3.0	2.4748	2.59	2.75	yes	stainless steel	4C
C.030.055.0050.A	3.0	0.55	5.0	1.2222	4.24	4.61	yes	music wire	4C
C.030.055.0063.A	3.0	0.55	6.3	1.0000	4.84	5.29	yes	music wire	4C
C.030.055.0079.A	3.0	0.55	7.9	1.0570	4.68	5.60	yes	music wire	4G
C.030.055.0079.I	3.0	0.55	7.9	0.9196	4.62	5.65	yes	stainless steel	4H
C.030.055.0079.N	3.0	0.55	7.9	1.0570	4.68	5.60	yes	Zn coating	4I
C.030.055.0080.A	3.0	0.55	8.0	0.7857	5.83	6.41	yes	music wire	4C
C.030.055.0100.A	3.0	0.55	10.0	0.6364	6.88	7.59	yes	music wire	4C
C.030.055.0100.AP	3.0	0.55	10.0	0.7606	5.94	6.80	yes	music wire	4E
C.030.055.0100.I	3.0	0.55	10.0	0.5537	6.77	7.47	yes	stainless steel	4C
C.030.055.0100.N	3.0	0.55	10.0	0.6364	6.88	7.59	yes	Zn coating	4D
C.030.055.0112.A	3.0	0.55	11.2	0.7110	6.27	7.77	yes	music wire	4G
C.030.055.0112.I	3.0	0.55	11.2	0.6107	6.27	7.82	yes	stainless steel	4H
C.030.055.0112.N	3.0	0.55	11.2	0.7110	6.27	7.77	yes	Zn coating	4I
C.030.055.0125.A	3.0	0.55	12.5	0.5000	8.36	9.27	yes	music wire	4C
C.030.055.0125.I	3.0	0.55	12.5	0.4350	8.25	9.14	yes	stainless steel	4C
C.030.055.0125.N	3.0	0.55	12.5	0.5000	8.36	9.27	yes	Zn coating	4E
C.030.055.0127.A	3.0	0.55	12.7	0.6000	7.21	8.64	yes	music wire	4E
C.030.055.0127.I	3.0	0.55	12.7	0.5211	7.10	8.74	yes	stainless steel	4H
C.030.055.0127.N	3.0	0.55	12.7	0.6000	7.21	8.64	yes	Zn coating	4G
C.030.055.0142.A	3.0	0.55	14.2	0.5357	7.87	9.65	yes	music wire	4E
C.030.055.0142.I	3.0	0.55	14.2	0.4601	7.87	9.71	yes	stainless steel	4H
C.030.055.0142.N	3.0	0.55	14.2	0.5357	7.87	9.65	yes	Zn coating	4G
C.030.055.0157.A	3.0	0.55	15.7	0.3707	10.78	12.00	yes	music wire	4C
C.030.055.0157.I	3.0	0.55	15.7	0.3184	10.78	12.00	yes	stainless steel	4C
C.030.055.0160.A	3.0	0.55	16.0	0.3889	10.34	11.50	yes	music wire	4C
C.030.055.0160.I	3.0	0.55	16.0	0.3383	10.23	11.38	yes	stainless steel	4C
C.030.055.0160.N	3.0	0.55	16.0	0.3889	10.34	11.50	yes	Zn coating	4E
C.030.055.0175.A	3.0	0.55	17.5	0.4067	9.96	11.51	yes	music wire	4E
C.030.055.0175.I	3.0	0.55	17.5	0.3493	9.96	11.59	yes	stainless steel	4E
C.030.055.0175.N	3.0	0.55	17.5	0.4067	9.96	11.51	yes	Zn coating	4G
C.030.055.0190.A	3.0	0.55	19.0	0.3861	10.40	12.69	yes	music wire	4E
C.030.055.0190.I	3.0	0.55	19.0	0.3316	10.40	12.77	yes	stainless steel	4E
C.030.055.0190.N	3.0	0.55	19.0	0.3861	10.40	12.69	yes	Zn coating	4G
C.030.055.0200.A	3.0	0.55	20.0	0.3111	12.60	14.06	yes	music wire	4C
C.030.055.0200.I	3.0	0.55	20.0	0.2707	12.43	13.86	yes	stainless steel	4C
C.030.055.0200.N	3.0	0.55	20.0	0.3111	12.60	14.06	yes	Zn coating	4E
C.030.055.0206.A	3.0	0.55	20.6	0.2780	13.92	15.55	yes	music wire	4C
C.030.055.0206.I	3.0	0.55	20.6	0.2388	13.92	15.55	yes	stainless steel	4C
C.030.055.0239.A	3.0	0.55	23.9	0.3018	12.93	15.83	yes	music wire	4E
C.030.055.0239.I	3.0	0.55	23.9	0.2592	12.93	15.93	yes	stainless steel	4E
C.030.055.0239.N	3.0	0.55	23.9	0.3018	12.93	15.83	yes	Zn coating	4G
C.030.055.0250.A	3.0	0.55	25.0	0.2500	15.35	17.16	yes	music wire	4C
C.030.055.0250.I	3.0	0.55	25.0	0.2175	15.13	16.91	yes	stainless steel	4E
C.030.055.0250.N	3.0	0.55	25.0	0.2500	15.35	17.16	yes	Zn coating	4E
C.030.055.0254.A	3.0	0.55	25.4	0.2232	17.00	19.03	yes	music wire	4C
C.030.055.0254.I	3.0	0.55	25.4	0.1917	17.00	19.03	yes	stainless steel	4C
C.030.055.0279.A	3.0	0.55	27.9	0.2486	15.40	18.10	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.030.055.0279.I	3.0	0.55	27.9	0.2163	15.24	18.35	yes	stainless steel	4E
C.030.055.0284.A	3.0	0.55	28.4	0.2518	15.24	18.73	yes	music wire	4E
C.030.055.0284.I	3.0	0.55	28.4	0.2191	15.07	18.97	yes	stainless steel	4H
C.030.055.0284.N	3.0	0.55	28.4	0.2518	15.24	18.73	yes	Zn coating	4G
C.030.055.0305.A	3.0	0.55	30.5	0.2228	17.05	19.57	yes	music wire	4E
C.030.055.0305.I	3.0	0.55	30.5	0.1938	16.83	19.84	yes	stainless steel	4E
C.030.055.0318.A	3.0	0.55	31.8	0.1766	21.12	23.68	yes	music wire	4C
C.030.055.0318.I	3.0	0.55	31.8	0.1517	21.12	23.68	yes	stainless steel	4C
C.030.055.0320.A	3.0	0.55	32.0	0.2000	18.81	21.07	yes	music wire	4E
C.030.055.0320.I	3.0	0.55	32.0	0.1740	18.59	20.82	yes	stainless steel	4E
C.030.055.0320.N	3.0	0.55	32.0	0.2000	18.81	21.07	yes	Zn coating	4G
C.030.055.0381.A	3.0	0.55	38.1	0.1868	20.02	25.06	yes	music wire	4E
C.030.055.0381.I	3.0	0.55	38.1	0.1605	20.02	25.23	yes	stainless steel	4E
C.030.055.0381.N	3.0	0.55	38.1	0.1868	20.02	25.06	yes	Zn coating	4G
C.030.055.0400.A	3.0	0.55	40.0	0.1556	23.76	26.66	yes	music wire	4E
C.030.055.0400.I	3.0	0.55	40.0	0.1354	23.49	26.36	yes	stainless steel	4E
C.030.055.0400.N	3.0	0.55	40.0	0.1556	23.76	26.66	yes	Zn coating	4G
C.030.056.0064.A	3.0	0.56	6.4	1.1719	4.70	5.12	yes	music wire	4C
C.030.056.0064.I	3.0	0.56	6.4	1.0195	4.65	5.07	yes	stainless steel	4C
C.030.056.0079.A	3.0	0.56	7.9	0.9042	5.66	6.21	yes	music wire	4C
C.030.056.0079.AP	3.0	0.56	7.9	1.0733	4.98	5.52	yes	music wire	4E
C.030.056.0079.I	3.0	0.56	7.9	0.7867	5.60	6.14	yes	stainless steel	4C
C.030.056.0111.A	3.0	0.56	11.1	0.5895	7.95	8.79	yes	music wire	4C
C.030.056.0111.I	3.0	0.56	11.1	0.5063	7.95	8.79	yes	stainless steel	4C
C.030.056.0127.A	3.0	0.56	12.7	0.5193	8.85	9.81	yes	music wire	4C
C.030.056.0127.AP	3.0	0.56	12.7	0.6360	7.45	8.68	yes	music wire	4E
C.030.056.0127.I	3.0	0.56	12.7	0.4518	8.74	9.68	yes	stainless steel	4C
C.030.056.0143.A	3.0	0.56	14.3	0.4450	10.08	11.20	yes	music wire	4C
C.030.056.0143.I	3.0	0.56	14.3	0.3822	10.08	11.20	yes	stainless steel	4C
C.030.056.0159.A	3.0	0.56	15.9	0.4188	10.64	11.83	yes	music wire	4C
C.030.056.0159.AP	3.0	0.56	15.9	0.4977	9.18	10.76	yes	music wire	4E
C.030.056.0159.I	3.0	0.56	15.9	0.3643	10.53	11.70	yes	stainless steel	4C
C.030.056.0250.A	3.0	0.56	25.0	0.2500	16.86	18.85	yes	music wire	4C
C.030.056.0250.AP	3.0	0.56	25.0	0.3094	13.89	16.74	yes	music wire	4E
C.030.056.0250.I	3.0	0.56	25.0	0.2181	16.63	18.59	yes	stainless steel	4C
C.030.056.0320.A	3.0	0.56	32.0	0.1972	21.00	23.52	yes	music wire	4C
C.030.056.0320.AP	3.0	0.56	32.0	0.2393	17.53	21.32	yes	music wire	4E
C.030.056.0320.I	3.0	0.56	32.0	0.1716	20.72	23.20	yes	stainless steel	4C
C.030.060.0064.A	3.0	0.60	6.4	1.9000	4.50	4.87	yes	music wire	4E
C.030.060.0064.I	3.0	0.60	6.4	1.6000	4.56	4.94	yes	stainless steel	4E
C.030.060.0079.A	3.0	0.60	7.9	1.4177	5.52	6.02	yes	music wire	4E
C.030.060.0079.I	3.0	0.60	7.9	1.2177	5.52	6.02	yes	stainless steel	4E
C.030.060.0079.N	3.0	0.60	7.9	1.4177	5.52	6.02	yes	Zn coating	4G
C.030.060.0097.A	3.0	0.60	9.7	1.1330	6.54	7.17	yes	music wire	4E
C.030.060.0097.I	3.0	0.60	9.7	0.9731	6.54	7.17	yes	stainless steel	4E
C.030.060.0097.N	3.0	0.60	9.7	1.1330	6.54	7.17	yes	Zn coating	4G
C.030.060.0112.A	3.0	0.60	11.2	0.9434	7.56	8.31	yes	music wire	4E
C.030.060.0112.I	3.0	0.60	11.2	0.8103	7.56	8.31	yes	stainless steel	4E
C.030.060.0112.N	3.0	0.60	11.2	0.9434	7.56	8.31	yes	Zn coating	4G
C.030.060.0127.A	3.0	0.60	12.7	0.8383	8.34	9.19	yes	music wire	4E
C.030.060.0127.I	3.0	0.60	12.7	0.7200	8.34	9.19	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.030.060.0127.N	3.0	0.60	12.7	0.8383	8.34	9.19	yes	Zn coating	4G
C.030.060.0142.A	3.0	0.60	14.2	0.7298	9.36	10.33	yes	music wire	4E
C.030.060.0142.I	3.0	0.60	14.2	0.6268	9.36	10.33	yes	stainless steel	4E
C.030.060.0142.N	3.0	0.60	14.2	0.7298	9.36	10.33	yes	Zn coating	4G
C.030.060.0157.A	3.0	0.60	15.7	0.6653	10.14	11.21	yes	music wire	4E
C.030.060.0157.I	3.0	0.60	15.7	0.5714	10.14	11.21	yes	stainless steel	4E
C.030.060.0157.N	3.0	0.60	15.7	0.6653	10.14	11.21	yes	Zn coating	4G
C.030.060.0175.A	3.0	0.60	17.5	0.5798	11.40	12.63	yes	music wire	4E
C.030.060.0175.I	3.0	0.60	17.5	0.4980	11.40	12.63	yes	stainless steel	4E
C.030.060.0175.N	3.0	0.60	17.5	0.5798	11.40	12.63	yes	Zn coating	4G
C.030.060.0190.A	3.0	0.60	19.0	0.5383	12.12	13.44	yes	music wire	4E
C.030.060.0190.I	3.0	0.60	19.0	0.4623	12.12	13.44	yes	stainless steel	4E
C.030.060.0190.N	3.0	0.60	19.0	0.5383	12.12	13.44	yes	Zn coating	4G
C.030.060.0200.A	3.0	0.60	20.0	1.3890	5.64	17.78	yes	music wire	4G
C.030.060.0200.AP	3.0	0.60	20.0	0.5286	12.36	14.18	yes	music wire	4E
C.030.060.0200.I	3.0	0.60	20.0	0.2800	19.08	19.08	yes	stainless steel	4C
C.030.060.0206.A	3.0	0.60	20.6	0.4914	13.14	14.58	yes	music wire	4E
C.030.060.0206.I	3.0	0.60	20.6	0.4220	13.14	14.58	yes	stainless steel	4E
C.030.060.0206.N	3.0	0.60	20.6	0.4914	13.14	14.58	yes	Zn coating	4G
C.030.060.0220.A	3.0	0.60	22.0	0.3000	20.58	20.58	yes	music wire	4C
C.030.060.0220.AP	3.0	0.60	22.0	0.4782	13.50	15.56	yes	music wire	4E
C.030.060.0220.I	3.0	0.60	22.0	0.2600	20.46	20.46	yes	stainless steel	4C
C.030.060.0224.A	3.0	0.60	22.4	0.4520	14.16	15.73	yes	music wire	4E
C.030.060.0224.I	3.0	0.60	22.4	0.3882	14.16	15.73	yes	stainless steel	4E
C.030.060.0224.N	3.0	0.60	22.4	0.4520	14.16	15.73	yes	Zn coating	4G
C.030.060.0239.A	3.0	0.60	23.9	0.4185	15.18	16.88	yes	music wire	4E
C.030.060.0239.I	3.0	0.60	23.9	0.3594	15.18	16.88	yes	stainless steel	4E
C.030.060.0239.N	3.0	0.60	23.9	0.4185	15.18	16.88	yes	Zn coating	4G
C.030.060.0254.A	3.0	0.60	25.4	0.3964	15.96	17.75	yes	music wire	4E
C.030.060.0254.I	3.0	0.60	25.4	0.3405	15.96	17.75	yes	stainless steel	4E
C.030.060.0254.N	3.0	0.60	25.4	0.3964	15.96	17.75	yes	Zn coating	4G
C.030.060.0279.A	3.0	0.60	27.9	0.3485	17.94	19.98	yes	music wire	4E
C.030.060.0279.I	3.0	0.60	27.9	0.3032	17.76	19.78	yes	stainless steel	4E
C.030.060.0284.A	3.0	0.60	28.4	0.3530	17.76	19.78	yes	music wire	4E
C.030.060.0284.I	3.0	0.60	28.4	0.3071	17.52	19.88	yes	stainless steel	4E
C.030.060.0284.N	3.0	0.60	28.4	0.3530	17.76	19.78	yes	Zn coating	4G
C.030.060.0290.A	3.0	0.60	29.0	0.2299	26.40	26.40	yes	music wire	4C
C.030.060.0290.AP	3.0	0.60	29.0	0.3591	17.46	20.43	yes	music wire	4E
C.030.060.0290.I	3.0	0.60	29.0	0.2000	26.10	26.10	yes	stainless steel	4C
C.030.060.0305.A	3.0	0.60	30.5	0.3097	19.98	22.27	yes	music wire	4E
C.030.060.0305.I	3.0	0.60	30.5	0.2695	19.74	22.00	yes	stainless steel	4E
C.030.060.0318.A	3.0	0.60	31.8	0.3137	19.74	22.00	yes	music wire	4E
C.030.060.0318.I	3.0	0.60	31.8	0.2729	19.56	22.22	yes	stainless steel	4E
C.030.060.0318.N	3.0	0.60	31.8	0.3137	19.74	22.00	yes	Zn coating	4G
C.030.060.0320.A	3.0	0.60	32.0	0.3103	19.98	22.27	yes	music wire	4E
C.030.060.0320.I	3.0	0.60	32.0	0.2700	19.74	22.31	yes	stainless steel	4E
C.030.060.0350.A	3.0	0.60	35.0	0.1900	31.68	31.68	yes	music wire	4C
C.030.060.0350.AP	3.0	0.60	35.0	0.2955	20.88	24.58	yes	music wire	4E
C.030.060.0350.I	3.0	0.60	35.0	0.1600	32.28	32.28	yes	stainless steel	4C
C.030.060.0381.A	3.0	0.60	38.1	0.2596	23.58	26.32	yes	music wire	4E
C.030.060.0381.I	3.0	0.60	38.1	0.2230	23.58	26.37	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.030.060.0381.N	3.0	0.60	38.1	0.2596	23.58	26.32	yes	Zn coating	4G
C.030.065.0040.A	3.0	0.65	4.0	4.5202	3.64	3.88	yes	music wire	4C
C.030.065.0040.I	3.0	0.65	4.0	3.8824	3.64	3.88	yes	stainless steel	4C
C.030.065.0047.A	3.0	0.65	4.7	3.4444	4.29	4.61	yes	music wire	4C
C.030.065.0047.AP	3.0	0.65	4.7	4.1081	3.84	4.10	yes	music wire	4C
C.030.065.0047.I	3.0	0.65	4.7	2.9584	4.29	4.61	yes	stainless steel	4C
C.030.065.0047.N	3.0	0.65	4.7	3.4444	4.29	4.61	yes	Zn coating	4E
C.030.065.0050.A	3.0	0.65	5.0	3.3803	4.29	4.61	yes	music wire	4C
C.030.065.0050.AP	3.0	0.65	5.0	3.7750	4.03	4.32	yes	music wire	4C
C.030.065.0063.A	3.0	0.65	6.3	2.4200	5.40	5.85	yes	music wire	4C
C.030.065.0066.A	3.0	0.65	6.6	2.1919	5.79	6.29	yes	music wire	4C
C.030.065.0066.AP	3.0	0.65	6.6	2.6354	5.07	5.48	yes	music wire	4E
C.030.065.0066.I	3.0	0.65	6.6	1.8826	5.79	6.29	yes	stainless steel	4C
C.030.065.0066.N	3.0	0.65	6.6	2.1919	5.79	6.29	yes	Zn coating	4E
C.030.065.0080.A	3.0	0.65	8.0	1.6000	7.35	7.35	yes	music wire	4C
C.030.065.0080.AL	3.0	0.65	8.0	1.7600	6.83	7.45	yes	music wire	4C
C.030.065.0080.AP	3.0	0.65	8.0	2.1163	5.92	6.43	yes	music wire	4E
C.030.065.0080.I	3.0	0.65	8.0	1.3920	7.22	7.89	yes	stainless steel	4C
C.030.065.0080.N	3.0	0.65	8.0	1.6000	7.35	7.35	yes	Zn coating	4E
C.030.065.0100.A	3.0	0.65	10.0	1.2800	8.71	9.56	yes	music wire	4C
C.030.065.0106.A	3.0	0.65	10.6	1.2690	8.78	9.64	yes	music wire	4C
C.030.065.0106.AP	3.0	0.65	10.6	1.5349	7.54	8.25	yes	music wire	4E
C.030.065.0106.I	3.0	0.65	10.6	1.0899	8.78	9.64	yes	stainless steel	4C
C.030.065.0106.N	3.0	0.65	10.6	1.2690	8.78	9.64	yes	Zn coating	4E
C.030.065.0112.A	3.0	0.65	11.2	1.2185	9.10	9.99	yes	music wire	4C
C.030.065.0112.I	3.0	0.65	11.2	1.0466	9.10	9.99	yes	stainless steel	4C
C.030.065.0125.A	3.0	0.65	12.5	1.0000	10.73	11.82	yes	music wire	4C
C.030.065.0125.AP	3.0	0.65	12.5	1.2698	8.78	9.64	yes	music wire	4E
C.030.065.0125.I	3.0	0.65	12.5	0.8700	10.60	11.67	yes	stainless steel	4C
C.030.065.0125.N	3.0	0.65	12.5	1.0000	10.73	11.82	yes	Zn coating	4E
C.030.065.0142.A	3.0	0.65	14.2	0.9404	11.31	12.47	yes	music wire	4C
C.030.065.0142.I	3.0	0.65	14.2	0.8077	11.31	12.47	yes	stainless steel	4C
C.030.065.0157.A	3.0	0.65	15.7	0.8391	12.48	13.78	yes	music wire	4C
C.030.065.0157.I	3.0	0.65	15.7	0.7207	12.48	13.78	yes	stainless steel	4C
C.030.065.0160.A	3.0	0.65	16.0	0.8000	13.00	14.36	yes	music wire	4C
C.030.065.0165.A	3.0	0.65	16.5	0.7778	13.33	14.73	yes	music wire	4C
C.030.065.0165.AP	3.0	0.65	16.5	0.9437	11.25	12.47	yes	music wire	4E
C.030.065.0165.I	3.0	0.65	16.5	0.6680	13.33	14.73	yes	stainless steel	4C
C.030.065.0165.N	3.0	0.65	16.5	0.7778	13.33	14.73	yes	Zn coating	4E
C.030.065.0200.A	3.0	0.65	20.0	0.6250	16.19	17.93	yes	music wire	4C
C.030.065.0200.AP	3.0	0.65	20.0	0.7674	13.52	15.04	yes	music wire	4E
C.030.065.0200.I	3.0	0.65	20.0	0.5438	15.99	17.71	yes	stainless steel	4C
C.030.065.0200.N	3.0	0.65	20.0	0.6250	16.19	17.93	yes	Zn coating	4E
C.030.065.0206.A	3.0	0.65	20.6	0.6284	16.12	17.85	yes	music wire	4C
C.030.065.0206.I	3.0	0.65	20.6	0.5397	16.12	17.85	yes	stainless steel	4C
C.030.065.0224.A	3.0	0.65	22.4	0.5743	17.49	19.39	yes	music wire	4C
C.030.065.0224.I	3.0	0.65	22.4	0.4933	17.49	19.39	yes	stainless steel	4C
C.030.065.0239.A	3.0	0.65	23.9	0.5369	18.59	20.62	yes	music wire	4C
C.030.065.0239.I	3.0	0.65	23.9	0.4611	18.59	20.62	yes	stainless steel	4C
C.030.065.0250.A	3.0	0.65	25.0	0.5000	19.83	22.01	yes	music wire	4C
C.030.065.0250.AP	3.0	0.65	25.0	0.6047	16.71	18.70	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.030.065.0250.I	3.0	0.65	25.0	0.4350	19.63	21.78	yes	stainless steel	4C
C.030.065.0250.N	3.0	0.65	25.0	0.5000	19.83	22.01	yes	Zn coating	4E
C.030.065.0254.A	3.0	0.65	25.4	0.5022	19.76	21.93	yes	music wire	4C
C.030.065.0254.I	3.0	0.65	25.4	0.4314	19.76	21.93	yes	stainless steel	4C
C.030.065.0305.A	3.0	0.65	30.5	0.4158	23.53	26.15	yes	music wire	4C
C.030.065.0305.I	3.0	0.65	30.5	0.3571	23.53	26.15	yes	stainless steel	4C
C.030.065.0318.A	3.0	0.65	31.8	0.3981	24.51	27.25	yes	music wire	4C
C.030.065.0318.I	3.0	0.65	31.8	0.3419	24.51	27.25	yes	stainless steel	4C
C.030.065.0320.A	3.0	0.65	32.0	0.4000	24.38	27.10	yes	music wire	4C
C.030.065.0320.AP	3.0	0.65	32.0	0.4671	21.13	23.85	yes	music wire	4E
C.030.065.0320.I	3.0	0.65	32.0	0.3480	24.12	26.81	yes	stainless steel	4C
C.030.065.0320.N	3.0	0.65	32.0	0.4000	24.38	27.10	yes	Zn coating	4E
C.031.020.0075.A	3.1	0.20	7.5	0.0095	2.10	2.68	no	music wire	4C
C.031.020.0075.I	3.1	0.20	7.5	0.0082	2.10	2.68	no	stainless steel	4C
C.031.025.0080.A	3.1	0.25	8.0	0.0313	2.28	2.69	no	music wire	4C
C.031.025.0100.A	3.1	0.25	10.0	0.0250	2.60	3.11	no	music wire	4C
C.031.025.0125.A	3.1	0.25	12.5	0.0200	3.05	3.69	no	music wire	4C
C.031.025.0160.A	3.1	0.25	16.0	0.0156	3.63	4.44	no	music wire	4C
C.031.025.0160.AP	3.1	0.25	16.0	0.0267	2.48	6.16	no	music wire	4E
C.031.025.0160.I	3.1	0.25	16.0	0.0136	3.60	4.40	no	stainless steel	4C
C.031.025.0200.A	3.1	0.25	20.0	0.0125	4.35	5.37	no	music wire	4C
C.031.025.0250.A	3.1	0.25	25.0	0.0100	5.18	6.45	no	music wire	4C
C.031.025.0250.AP	3.1	0.25	25.0	0.0169	3.43	9.48	no	music wire	4E
C.031.025.0250.I	3.1	0.25	25.0	0.0087	5.13	6.38	no	stainless steel	4C
C.031.025.0320.A	3.1	0.25	32.0	0.0078	6.38	8.00	no	music wire	4C
C.031.025.0320.AP	3.1	0.25	32.0	0.0130	4.18	11.87	no	music wire	4E
C.031.025.0320.I	3.1	0.25	32.0	0.0068	6.33	7.94	no	stainless steel	4C
C.031.025.0400.A	3.1	0.25	40.0	0.0063	7.70	9.71	no	music wire	4C
C.031.025.0400.AP	3.1	0.25	40.0	0.0104	5.00	14.79	no	music wire	4E
C.031.025.0400.I	3.1	0.25	40.0	0.0055	7.60	9.58	no	stainless steel	4C
C.031.035.0064.A	3.1	0.35	6.4	0.1930	2.56	2.89	no	music wire	4D
C.031.035.0064.I	3.1	0.35	6.4	0.1679	2.56	3.01	no	stainless steel	4E
C.031.035.0112.A	3.1	0.35	11.2	0.1030	3.71	4.62	no	music wire	4D
C.031.035.0112.I	3.1	0.35	11.2	0.0896	3.68	4.84	no	stainless steel	4E
C.031.035.0142.A	3.1	0.35	14.2	0.0810	4.41	5.83	no	music wire	4D
C.031.035.0142.I	3.1	0.35	14.2	0.0705	4.38	6.12	no	stainless steel	4E
C.031.035.0190.A	3.1	0.35	19.0	0.0600	5.53	7.70	no	music wire	4D
C.031.035.0190.I	3.1	0.35	19.0	0.0522	5.46	8.09	no	stainless steel	4E
C.031.035.0240.A	3.1	0.35	24.0	0.0470	6.69	9.58	no	music wire	4D
C.031.035.0240.I	3.1	0.35	24.0	0.0409	6.62	10.07	no	stainless steel	4E
C.031.035.0285.A	3.1	0.35	28.5	0.0390	7.81	11.12	no	music wire	4D
C.031.035.0285.I	3.1	0.35	28.5	0.0339	7.74	11.71	no	stainless steel	4E
C.031.040.0120.A	3.1	0.40	12.0	0.1262	5.20	5.91	yes	music wire	4B
C.031.040.0120.AP	3.1	0.40	12.0	0.1757	4.00	6.40	yes	music wire	4F
C.031.040.0120.I	3.1	0.40	12.0	0.1098	5.16	5.86	yes	stainless steel	4B
C.031.040.0120.N	3.1	0.40	12.0	0.1262	5.20	5.91	yes	Zn coating	4C
C.031.055.0064.A	3.1	0.55	6.4	1.2360	3.85	4.48	yes	music wire	4E
C.031.055.0064.I	3.1	0.55	6.4	1.0753	3.85	4.53	yes	stainless steel	4E
C.031.055.0064.N	3.1	0.55	6.4	1.2360	3.85	4.48	yes	Zn coating	4G
C.032.020.0056.A	3.2	0.20	5.6	0.0060	2.72	3.60	no	music wire	4C
C.032.020.0056.I	3.2	0.20	5.6	0.0110	1.64	2.05	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.032.020.0127.A	3.2	0.20	12.7	0.0034	4.20	5.73	no	music wire	4C
C.032.020.0127.I	3.2	0.20	12.7	0.0030	4.16	5.67	no	stainless steel	4C
C.032.020.0200.A	3.2	0.20	20.0	0.0057	2.80	3.72	no	music wire	4C
C.032.020.0200.I	3.2	0.20	20.0	0.0050	2.78	3.69	no	stainless steel	4C
C.032.025.0080.A	3.2	0.25	8.0	0.0282	2.25	2.67	no	music wire	4C
C.032.025.0080.I	3.2	0.25	8.0	0.0242	2.25	2.67	no	stainless steel	4C
C.032.025.0120.A	3.2	0.25	12.0	0.0194	2.88	3.50	no	music wire	4C
C.032.025.0120.I	3.2	0.25	12.0	0.0167	2.88	3.50	no	stainless steel	4C
C.032.025.0150.A	3.2	0.25	15.0	0.0155	3.38	4.15	no	music wire	4C
C.032.025.0150.I	3.2	0.25	15.0	0.0133	3.38	4.15	no	stainless steel	4C
C.032.025.0180.A	3.2	0.25	18.0	0.0129	3.88	4.81	no	music wire	4C
C.032.025.0180.I	3.2	0.25	18.0	0.0111	3.88	4.81	no	stainless steel	4C
C.032.025.0200.A	3.2	0.25	20.0	0.0115	4.25	5.29	no	music wire	4C
C.032.025.0200.I	3.2	0.25	20.0	0.0099	4.23	5.26	no	stainless steel	4C
C.032.030.0050.A	3.2	0.30	5.0	0.0967	2.10	2.35	no	music wire	4C
C.032.030.0050.AP	3.2	0.30	5.0	0.1681	1.65	2.46	no	music wire	4E
C.032.030.0050.I	3.2	0.30	5.0	0.0831	2.10	2.35	no	stainless steel	4C
C.032.030.0056.A	3.2	0.30	5.6	0.0340	4.05	4.77	no	music wire	4C
C.032.030.0056.AP	3.2	0.30	5.6	0.1462	1.74	2.68	no	music wire	4E
C.032.030.0056.I	3.2	0.30	5.6	0.0296	3.99	4.70	no	stainless steel	4C
C.032.030.0064.A	3.2	0.30	6.4	0.0210	5.88	5.88	no	music wire	4C
C.032.030.0064.AP	3.2	0.30	6.4	0.1245	1.86	2.98	no	music wire	4E
C.032.030.0064.I	3.2	0.30	6.4	0.0183	5.82	5.82	no	stainless steel	4C
C.032.030.0077.A	3.2	0.30	7.7	0.0615	2.70	3.10	no	music wire	4C
C.032.030.0077.AP	3.2	0.30	7.7	0.1019	2.04	3.52	no	music wire	4E
C.032.030.0077.I	3.2	0.30	7.7	0.0528	2.70	3.10	no	stainless steel	4C
C.032.030.0087.A	3.2	0.30	8.7	0.0480	3.15	3.65	no	music wire	4C
C.032.030.0087.AP	3.2	0.30	8.7	0.0885	2.19	3.88	no	music wire	4E
C.032.030.0087.I	3.2	0.30	8.7	0.0418	3.15	3.65	no	stainless steel	4C
C.032.030.0120.A	3.2	0.30	12.0	0.0398	3.60	4.21	no	music wire	4C
C.032.030.0120.AP	3.2	0.30	12.0	0.0623	2.67	5.15	no	music wire	4E
C.032.030.0120.I	3.2	0.30	12.0	0.0342	3.60	4.21	no	stainless steel	4C
C.032.030.0135.A	3.2	0.30	13.5	0.0190	6.39	7.67	no	music wire	4C
C.032.030.0135.AP	3.2	0.30	13.5	0.0551	2.88	5.77	no	music wire	4E
C.032.030.0135.I	3.2	0.30	13.5	0.0165	6.33	7.60	no	stainless steel	4C
C.032.030.0174.AP	3.2	0.30	17.4	0.0420	3.48	7.26	no	music wire	4E
C.032.030.0175.A	3.2	0.30	17.5	0.0271	4.80	5.70	no	music wire	4C
C.032.030.0175.AP	3.2	0.30	17.5	0.0420	3.48	7.36	no	music wire	4E
C.032.030.0175.I	3.2	0.30	17.5	0.0233	4.80	5.70	no	stainless steel	4C
C.032.030.0210.A	3.2	0.30	21.0	0.0207	5.97	7.15	no	music wire	4C
C.032.030.0210.AP	3.2	0.30	21.0	0.0347	3.99	8.70	no	music wire	4E
C.032.030.0210.I	3.2	0.30	21.0	0.0180	5.88	7.04	no	stainless steel	4C
C.032.030.0220.A	3.2	0.30	22.0	0.0050	21.36	21.36	no	music wire	4C
C.032.030.0220.AP	3.2	0.30	22.0	0.0330	4.14	9.07	no	music wire	4E
C.032.030.0220.I	3.2	0.30	22.0	0.0044	21.09	21.09	no	stainless steel	4C
C.032.030.0260.A	3.2	0.30	26.0	0.0183	6.60	7.93	no	music wire	4C
C.032.030.0260.AP	3.2	0.30	26.0	0.0278	4.71	10.66	no	music wire	4E
C.032.030.0260.I	3.2	0.30	26.0	0.0157	6.60	7.93	no	stainless steel	4C
C.032.030.0350.A	3.2	0.30	35.0	0.0092	12.09	14.74	no	music wire	4C
C.032.030.0350.AP	3.2	0.30	35.0	0.0204	6.03	14.08	no	music wire	4E
C.032.030.0350.I	3.2	0.30	35.0	0.0080	11.94	14.56	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.032.030.0760.A	3.2	0.30	76.0	0.0040	26.43	32.53	no	music wire	4C
C.032.030.0760.AP	3.2	0.30	76.0	0.0093	11.97	30.10	no	music wire	4E
C.032.030.0760.I	3.2	0.30	76.0	0.0035	26.10	32.12	no	stainless steel	4C
C.032.030.1080.A	3.2	0.30	108.0	0.0011	89.40	89.40	no	music wire	4C
C.032.030.1080.AP	3.2	0.30	108.0	0.0065	16.65	42.44	no	music wire	4E
C.032.030.1080.I	3.2	0.30	108.0	0.0010	88.23	88.23	no	stainless steel	4C
C.032.032.0040.A	3.2	0.32	4.0	0.1640	1.98	2.17	no	music wire	4C
C.032.032.0040.AP	3.2	0.32	4.0	0.2777	1.63	2.16	no	music wire	4E
C.032.032.0040.I	3.2	0.32	4.0	0.1427	1.98	2.17	no	stainless steel	4C
C.032.032.0050.A	3.2	0.32	5.0	0.1270	2.24	2.49	no	music wire	4C
C.032.032.0050.AP	3.2	0.32	5.0	0.2116	1.79	2.58	no	music wire	4E
C.032.032.0050.I	3.2	0.32	5.0	0.1105	2.24	2.49	no	stainless steel	4C
C.032.032.0063.A	3.2	0.32	6.3	0.1010	2.53	2.84	no	music wire	4C
C.032.032.0063.AP	3.2	0.32	6.3	0.1587	2.02	3.08	no	music wire	4E
C.032.032.0063.I	3.2	0.32	6.3	0.0879	2.53	2.84	no	stainless steel	4C
C.032.032.0080.A	3.2	0.32	8.0	0.0760	3.01	3.43	no	music wire	4C
C.032.032.0080.AP	3.2	0.32	8.0	0.1201	2.30	3.74	no	music wire	4E
C.032.032.0080.I	3.2	0.32	8.0	0.0661	2.98	3.39	no	stainless steel	4C
C.032.032.0100.A	3.2	0.32	10.0	0.0610	3.46	3.98	no	music wire	4C
C.032.032.0100.AP	3.2	0.32	10.0	0.0946	2.62	4.59	no	music wire	4E
C.032.032.0100.I	3.2	0.32	10.0	0.0531	3.42	3.93	no	stainless steel	4C
C.032.032.0125.A	3.2	0.32	12.5	0.0480	4.10	4.76	no	music wire	4C
C.032.032.0125.AP	3.2	0.32	12.5	0.0741	3.04	5.60	no	music wire	4E
C.032.032.0125.I	3.2	0.32	12.5	0.0418	4.06	4.71	no	stainless steel	4C
C.032.032.0160.A	3.2	0.32	16.0	0.0370	4.99	5.85	no	music wire	4C
C.032.032.0160.AP	3.2	0.32	16.0	0.0570	3.62	7.03	no	music wire	4E
C.032.032.0160.I	3.2	0.32	16.0	0.0322	4.93	5.77	no	stainless steel	4C
C.032.032.0200.A	3.2	0.32	20.0	0.0300	5.89	6.95	no	music wire	4C
C.032.032.0200.AP	3.2	0.32	20.0	0.0449	4.32	8.61	no	music wire	4E
C.032.032.0200.I	3.2	0.32	20.0	0.0261	5.82	6.86	no	stainless steel	4C
C.032.032.0250.A	3.2	0.32	25.0	0.0240	7.07	8.39	no	music wire	4C
C.032.032.0250.AP	3.2	0.32	25.0	0.0356	5.15	10.62	no	music wire	4E
C.032.032.0250.I	3.2	0.32	25.0	0.0209	7.01	8.31	no	stainless steel	4C
C.032.032.0320.A	3.2	0.32	32.0	0.0180	9.06	10.82	no	music wire	4C
C.032.032.0320.AP	3.2	0.32	32.0	0.0276	6.30	13.47	no	music wire	4E
C.032.032.0320.I	3.2	0.32	32.0	0.0157	8.96	10.70	no	stainless steel	4C
C.032.032.0400.A	3.2	0.32	40.0	0.0150	10.66	12.77	no	music wire	4C
C.032.032.0400.AP	3.2	0.32	40.0	0.0219	7.65	16.64	no	music wire	4E
C.032.032.0400.I	3.2	0.32	40.0	0.0130	10.56	12.65	no	stainless steel	4C
C.032.032.0500.A	3.2	0.32	50.0	0.0120	13.06	15.70	no	music wire	4C
C.032.032.0500.AP	3.2	0.32	50.0	0.0175	9.31	20.77	no	music wire	4E
C.032.032.0500.I	3.2	0.32	50.0	0.0104	12.93	15.55	no	stainless steel	4C
C.032.032.3600.A	3.2	0.32	360.0	0.0010	141.41	172.48	no	music wire	4D
C.032.032.3600.I	3.2	0.32	360.0	0.0012	104.42	127.30	no	stainless steel	4D
C.032.035.0040.A	3.2	0.35	4.0	0.2420	2.17	2.36	no	music wire	4B
C.032.035.0040.AP	3.2	0.35	4.0	0.3861	1.82	2.30	no	music wire	4D
C.032.035.0040.I	3.2	0.35	4.0	0.2105	2.17	2.36	no	stainless steel	4B
C.032.035.0050.A	3.2	0.35	5.0	0.1820	2.49	2.74	no	music wire	4B
C.032.035.0050.AP	3.2	0.35	5.0	0.2854	2.03	2.70	no	music wire	4D
C.032.035.0050.I	3.2	0.35	5.0	0.1583	2.49	2.74	no	stainless steel	4B
C.032.035.0063.A	3.2	0.35	6.3	0.1410	2.87	3.20	no	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.032.035.0063.AP	3.2	0.35	6.3	0.2188	2.28	3.29	no	music wire	4D
C.032.035.0063.I	3.2	0.35	6.3	0.1227	2.84	3.16	no	stainless steel	4B
C.032.035.0080.A	3.2	0.35	8.0	0.1080	3.36	3.79	no	music wire	4B
C.032.035.0080.AP	3.2	0.35	8.0	0.1641	2.63	3.99	no	music wire	4D
C.032.035.0080.I	3.2	0.35	8.0	0.0940	3.33	3.75	no	stainless steel	4B
C.032.035.0100.A	3.2	0.35	10.0	0.0860	3.92	4.46	no	music wire	4B
C.032.035.0100.AP	3.2	0.35	10.0	0.1262	3.05	4.79	no	music wire	4D
C.032.035.0100.I	3.2	0.35	10.0	0.0748	3.89	4.42	no	stainless steel	4B
C.032.035.0125.A	3.2	0.35	12.5	0.0680	4.62	5.30	no	music wire	4B
C.032.035.0125.AP	3.2	0.35	12.5	0.0995	3.54	5.89	no	music wire	4D
C.032.035.0125.I	3.2	0.35	12.5	0.0592	4.59	5.26	no	stainless steel	4B
C.032.035.0160.A	3.2	0.35	16.0	0.0520	5.67	6.56	no	music wire	4B
C.032.035.0160.AP	3.2	0.35	16.0	0.0763	4.27	7.38	no	music wire	4D
C.032.035.0160.I	3.2	0.35	16.0	0.0452	5.60	6.47	no	stainless steel	4B
C.032.035.0200.A	3.2	0.35	20.0	0.0410	6.86	7.98	no	music wire	4B
C.032.035.0200.AP	3.2	0.35	20.0	0.0602	5.08	9.08	no	music wire	4D
C.032.035.0200.I	3.2	0.35	20.0	0.0357	6.79	7.90	no	stainless steel	4B
C.032.035.0250.A	3.2	0.35	25.0	0.0330	8.23	9.63	no	music wire	4B
C.032.035.0250.AP	3.2	0.35	25.0	0.0479	6.06	11.27	no	music wire	4D
C.032.035.0250.I	3.2	0.35	25.0	0.0287	8.16	9.54	no	stainless steel	4B
C.032.035.0320.A	3.2	0.35	32.0	0.0260	10.12	11.89	no	music wire	4B
C.032.035.0320.AP	3.2	0.35	32.0	0.0371	7.46	14.26	no	music wire	4D
C.032.035.0320.I	3.2	0.35	32.0	0.0226	10.01	11.76	no	stainless steel	4C
C.032.035.0400.A	3.2	0.35	40.0	0.0200	12.78	15.08	no	music wire	4B
C.032.035.0400.AP	3.2	0.35	40.0	0.0294	9.07	17.65	no	music wire	4D
C.032.035.0400.I	3.2	0.35	40.0	0.0174	12.64	14.92	no	stainless steel	4C
C.032.035.0500.A	3.2	0.35	50.0	0.0160	15.68	18.56	no	music wire	4B
C.032.035.0500.AP	3.2	0.35	50.0	0.0234	11.10	21.94	no	music wire	4D
C.032.035.0500.I	3.2	0.35	50.0	0.0139	15.51	18.36	no	stainless steel	4C
C.032.035.3600.A	3.2	0.35	360.0	0.0017	141.30	169.24	no	music wire	4C
C.032.035.3600.I	3.2	0.35	360.0	0.0019	104.09	124.61	no	stainless steel	4C
C.032.040.0040.A	3.2	0.40	4.0	0.4160	2.16	2.36	yes	music wire	4B
C.032.040.0040.AP	3.2	0.40	4.0	0.6218	1.76	2.46	yes	music wire	4F
C.032.040.0040.I	3.2	0.40	4.0	0.3619	2.12	2.31	yes	stainless steel	4B
C.032.040.0040.N	3.2	0.40	4.0	0.4160	2.16	2.36	yes	Zn coating	4C
C.032.040.0050.A	3.2	0.40	5.0	0.3150	2.52	2.78	yes	music wire	4B
C.032.040.0050.AP	3.2	0.40	5.0	0.4726	2.00	2.98	yes	music wire	4F
C.032.040.0050.I	3.2	0.40	5.0	0.2740	2.48	2.74	yes	stainless steel	4B
C.032.040.0050.N	3.2	0.40	5.0	0.3150	2.52	2.78	yes	Zn coating	4C
C.032.040.0063.A	3.2	0.40	6.3	0.2410	2.96	3.30	yes	music wire	4B
C.032.040.0063.AP	3.2	0.40	6.3	0.3475	2.36	3.55	yes	music wire	4F
C.032.040.0063.I	3.2	0.40	6.3	0.2097	2.96	3.30	yes	stainless steel	4B
C.032.040.0063.N	3.2	0.40	6.3	0.2410	2.96	3.30	yes	Zn coating	4C
C.032.040.0080.A	3.2	0.40	8.0	0.1830	3.60	4.05	yes	music wire	4B
C.032.040.0080.AP	3.2	0.40	8.0	0.2626	2.80	4.36	yes	music wire	4F
C.032.040.0080.I	3.2	0.40	8.0	0.1592	3.56	4.00	yes	stainless steel	4B
C.032.040.0080.N	3.2	0.40	8.0	0.1830	3.60	4.05	yes	Zn coating	4C
C.032.040.0100.A	3.2	0.40	10.0	0.1450	4.28	4.85	yes	music wire	4B
C.032.040.0100.AP	3.2	0.40	10.0	0.2037	3.32	5.31	yes	music wire	4F
C.032.040.0100.I	3.2	0.40	10.0	0.1261	4.24	4.80	yes	stainless steel	4B
C.032.040.0100.N	3.2	0.40	10.0	0.1450	4.28	4.85	yes	Zn coating	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.032.040.0125.A	3.2	0.40	12.5	0.1130	5.20	5.93	yes	music wire	4B
C.032.040.0125.AP	3.2	0.40	12.5	0.1597	3.96	6.51	yes	music wire	4F
C.032.040.0125.I	3.2	0.40	12.5	0.0983	5.16	5.88	yes	stainless steel	4B
C.032.040.0125.N	3.2	0.40	12.5	0.1130	5.20	5.93	yes	Zn coating	4C
C.032.040.0150.A	3.2	0.40	15.0	0.0950	6.00	6.87	yes	music wire	4B
C.032.040.0150.AP	3.2	0.40	15.0	0.1298	4.68	7.64	yes	music wire	4F
C.032.040.0150.I	3.2	0.40	15.0	0.0816	6.00	6.87	yes	stainless steel	4B
C.032.040.0150.N	3.2	0.40	15.0	0.0950	6.00	6.87	yes	Zn coating	4C
C.032.040.0160.A	3.2	0.40	16.0	0.0880	6.40	7.34	yes	music wire	4B
C.032.040.0160.AL	3.2	0.40	16.0	0.0938	6.08	6.96	yes	music wire	4B
C.032.040.0160.AP	3.2	0.40	16.0	0.1218	4.92	8.15	yes	music wire	4F
C.032.040.0160.I	3.2	0.40	16.0	0.0766	6.32	7.24	yes	stainless steel	4B
C.032.040.0160.N	3.2	0.40	16.0	0.0880	6.40	7.34	yes	Zn coating	4C
C.032.040.0180.A	3.2	0.40	18.0	0.0766	7.20	8.28	yes	music wire	4B
C.032.040.0180.AP	3.2	0.40	18.0	0.1074	5.44	9.10	yes	music wire	4F
C.032.040.0180.I	3.2	0.40	18.0	0.0658	7.20	8.28	yes	stainless steel	4B
C.032.040.0180.N	3.2	0.40	18.0	0.0766	7.20	8.28	yes	Zn coating	4C
C.032.040.0200.A	3.2	0.40	20.0	0.0690	7.88	9.07	yes	music wire	4B
C.032.040.0200.AL	3.2	0.40	20.0	0.0750	7.32	8.42	yes	music wire	4B
C.032.040.0200.AP	3.2	0.40	20.0	0.0961	5.96	10.05	yes	music wire	4F
C.032.040.0200.I	3.2	0.40	20.0	0.0600	7.80	8.98	yes	stainless steel	4C
C.032.040.0200.N	3.2	0.40	20.0	0.0690	7.88	9.07	yes	Zn coating	4C
C.032.040.0210.A	3.2	0.40	21.0	0.0642	8.40	9.68	yes	music wire	4B
C.032.040.0210.AP	3.2	0.40	21.0	0.0909	6.24	10.48	yes	music wire	4F
C.032.040.0210.I	3.2	0.40	21.0	0.0551	8.40	9.68	yes	stainless steel	4C
C.032.040.0210.N	3.2	0.40	21.0	0.0642	8.40	9.68	yes	Zn coating	4C
C.032.040.0230.A	3.2	0.40	23.0	0.0950	6.00	12.94	yes	music wire	4F
C.032.040.0230.I	3.2	0.40	23.0	0.0827	5.92	13.26	yes	stainless steel	4G
C.032.040.0250.A	3.2	0.40	25.0	0.0550	9.64	11.14	yes	music wire	4B
C.032.040.0250.AL	3.2	0.40	25.0	0.0600	8.92	10.29	yes	music wire	4B
C.032.040.0250.AP	3.2	0.40	25.0	0.0757	7.28	12.38	yes	music wire	4F
C.032.040.0250.I	3.2	0.40	25.0	0.0478	9.52	11.00	yes	stainless steel	4C
C.032.040.0250.N	3.2	0.40	25.0	0.0550	9.64	11.14	yes	Zn coating	4C
C.032.040.0320.A	3.2	0.40	32.0	0.0430	12.04	13.96	yes	music wire	4B
C.032.040.0320.AL	3.2	0.40	32.0	0.0469	11.12	12.88	yes	music wire	4B
C.032.040.0320.AP	3.2	0.40	32.0	0.0588	9.08	15.74	yes	music wire	4F
C.032.040.0320.I	3.2	0.40	32.0	0.0374	11.92	13.81	yes	stainless steel	4C
C.032.040.0320.N	3.2	0.40	32.0	0.0430	12.04	13.96	yes	Zn coating	4C
C.032.040.0400.A	3.2	0.40	40.0	0.0340	14.96	17.38	yes	music wire	4B
C.032.040.0400.AL	3.2	0.40	40.0	0.0375	13.68	15.88	yes	music wire	4B
C.032.040.0400.AP	3.2	0.40	40.0	0.0465	11.20	19.45	yes	music wire	4G
C.032.040.0400.I	3.2	0.40	40.0	0.0296	14.80	17.19	yes	stainless steel	4C
C.032.040.0400.N	3.2	0.40	40.0	0.0340	14.96	17.38	yes	Zn coating	4C
C.032.040.0500.A	3.2	0.40	50.0	0.0270	18.60	21.65	yes	music wire	4B
C.032.040.0500.AP	3.2	0.40	50.0	0.0370	13.84	24.19	yes	music wire	4G
C.032.040.0500.I	3.2	0.40	50.0	0.0235	18.36	21.37	yes	stainless steel	4C
C.032.040.0500.N	3.2	0.40	50.0	0.0270	18.60	21.65	yes	Zn coating	4C
C.032.040.3600.A	3.2	0.40	360.0	0.0034	141.16	165.41	no	music wire	4C
C.032.040.3600.I	3.2	0.40	360.0	0.0040	104.48	156.62	no	stainless steel	4F
C.032.045.0040.A	3.2	0.45	4.0	0.6720	2.48	2.69	yes	music wire	4B
C.032.045.0040.AP	3.2	0.45	4.0	0.8689	2.16	2.47	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.032.045.0040.I	3.2	0.45	4.0	0.5846	2.48	2.69	yes	stainless steel	4B
C.032.045.0040.N	3.2	0.45	4.0	0.6720	2.48	2.69	yes	Zn coating	4C
C.032.045.0050.A	3.2	0.45	5.0	0.5150	2.88	3.15	yes	music wire	4B
C.032.045.0050.I	3.2	0.45	5.0	0.4480	2.88	3.15	yes	stainless steel	4B
C.032.045.0050.N	3.2	0.45	5.0	0.5150	2.88	3.15	yes	Zn coating	4C
C.032.045.0063.A	3.2	0.45	6.3	0.3960	3.42	3.78	yes	music wire	4B
C.032.045.0063.I	3.2	0.45	6.3	0.3445	3.38	3.73	yes	stainless steel	4B
C.032.045.0063.N	3.2	0.45	6.3	0.3960	3.42	3.78	yes	Zn coating	4C
C.032.045.0080.A	3.2	0.45	8.0	0.2970	4.19	4.67	yes	music wire	4B
C.032.045.0080.AP	3.2	0.45	8.0	0.3843	3.47	4.55	yes	music wire	4D
C.032.045.0080.I	3.2	0.45	8.0	0.2584	4.14	4.61	yes	stainless steel	4B
C.032.045.0080.N	3.2	0.45	8.0	0.2970	4.19	4.67	yes	Zn coating	4C
C.032.045.0100.A	3.2	0.45	10.0	0.2340	5.00	5.60	yes	music wire	4B
C.032.045.0100.I	3.2	0.45	10.0	0.2036	4.95	5.55	yes	stainless steel	4C
C.032.045.0100.N	3.2	0.45	10.0	0.2340	5.00	5.60	yes	Zn coating	4C
C.032.045.0125.A	3.2	0.45	12.5	0.1840	6.03	6.80	yes	music wire	4B
C.032.045.0125.I	3.2	0.45	12.5	0.1601	5.99	6.75	yes	stainless steel	4C
C.032.045.0125.N	3.2	0.45	12.5	0.1840	6.03	6.80	yes	Zn coating	4C
C.032.045.0160.A	3.2	0.45	16.0	0.1420	7.47	8.46	yes	music wire	4B
C.032.045.0160.I	3.2	0.45	16.0	0.1235	7.43	8.41	yes	stainless steel	4C
C.032.045.0160.N	3.2	0.45	16.0	0.1420	7.47	8.46	yes	Zn coating	4C
C.032.045.0200.A	3.2	0.45	20.0	0.1120	9.18	10.44	yes	music wire	4B
C.032.045.0200.I	3.2	0.45	20.0	0.0974	9.09	10.33	yes	stainless steel	4C
C.032.045.0200.N	3.2	0.45	20.0	0.1120	9.18	10.44	yes	Zn coating	4C
C.032.045.0250.A	3.2	0.45	25.0	0.0890	11.30	12.89	yes	music wire	4B
C.032.045.0250.I	3.2	0.45	25.0	0.0774	11.16	12.73	yes	stainless steel	4C
C.032.045.0250.N	3.2	0.45	25.0	0.0890	11.30	12.89	yes	Zn coating	4C
C.032.045.0320.A	3.2	0.45	32.0	0.0690	14.22	16.26	yes	music wire	4B
C.032.045.0320.I	3.2	0.45	32.0	0.0600	14.09	16.11	yes	stainless steel	4C
C.032.045.0320.N	3.2	0.45	32.0	0.0690	14.22	16.26	yes	Zn coating	4C
C.032.045.0400.A	3.2	0.45	40.0	0.0550	17.55	20.11	yes	music wire	4B
C.032.045.0400.I	3.2	0.45	40.0	0.0478	17.37	19.90	yes	stainless steel	4C
C.032.045.0400.N	3.2	0.45	40.0	0.0550	17.55	20.11	yes	Zn coating	4C
C.032.045.0500.A	3.2	0.45	50.0	0.0440	21.69	24.90	yes	music wire	4B
C.032.045.0500.I	3.2	0.45	50.0	0.0383	21.38	24.54	yes	stainless steel	4C
C.032.045.0500.N	3.2	0.45	50.0	0.0440	21.69	24.90	yes	Zn coating	4C
C.032.045.3600.A	3.2	0.45	360.0	0.0100	91.98	227.35	no	music wire	4I
C.032.045.3600.I	3.2	0.45	360.0	0.0087	90.81	231.23	no	stainless steel	4I
C.032.050.0040.A	3.2	0.50	4.0	1.0370	2.80	3.02	yes	music wire	4B
C.032.050.0040.AP	3.2	0.50	4.0	1.3417	2.45	2.68	yes	music wire	4D
C.032.050.0040.I	3.2	0.50	4.0	0.9000	2.80	3.02	yes	stainless steel	4C
C.032.050.0040.N	3.2	0.50	4.0	1.0370	2.80	3.02	yes	Zn coating	4C
C.032.050.0050.A	3.2	0.50	5.0	0.7780	3.35	3.65	yes	music wire	4B
C.032.050.0050.AP	3.2	0.50	5.0	1.0062	2.85	3.24	yes	music wire	4D
C.032.050.0050.I	3.2	0.50	5.0	0.6769	3.30	3.59	yes	stainless steel	4C
C.032.050.0050.N	3.2	0.50	5.0	0.7780	3.35	3.65	yes	Zn coating	4C
C.032.050.0063.A	3.2	0.50	6.3	0.5930	4.00	4.40	yes	music wire	4B
C.032.050.0063.AP	3.2	0.50	6.3	0.7488	3.40	3.93	yes	music wire	4D
C.032.050.0063.I	3.2	0.50	6.3	0.5930	3.60	3.94	yes	stainless steel	4C
C.032.050.0080.A	3.2	0.50	8.0	0.4450	4.90	5.42	yes	music wire	4B
C.032.050.0080.AP	3.2	0.50	8.0	0.5750	4.05	4.91	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.032.050.0080.I	3.2	0.50	8.0	0.3872	4.85	5.37	yes	stainless steel	4C
C.032.050.0080.N	3.2	0.50	8.0	0.4450	4.90	5.42	yes	Zn coating	4C
C.032.050.0100.A	3.2	0.50	10.0	0.3510	5.85	6.51	yes	music wire	4B
C.032.050.0100.AP	3.2	0.50	10.0	0.4472	4.85	6.03	yes	music wire	4D
C.032.050.0100.I	3.2	0.50	10.0	0.3054	5.80	6.45	yes	stainless steel	4C
C.032.050.0100.N	3.2	0.50	10.0	0.3510	5.85	6.51	yes	Zn coating	4C
C.032.050.0125.A	3.2	0.50	12.5	0.2740	7.15	8.00	yes	music wire	4B
C.032.050.0125.AP	3.2	0.50	12.5	0.3538	5.80	7.49	yes	music wire	4D
C.032.050.0125.I	3.2	0.50	12.5	0.2384	7.10	7.94	yes	stainless steel	4C
C.032.050.0125.N	3.2	0.50	12.5	0.2740	7.15	8.00	yes	Zn coating	4C
C.032.050.0160.A	3.2	0.50	16.0	0.2090	9.00	10.11	yes	music wire	4B
C.032.050.0160.AP	3.2	0.50	16.0	0.2706	7.25	9.44	yes	music wire	4D
C.032.050.0160.I	3.2	0.50	16.0	0.1818	8.90	10.00	yes	stainless steel	4C
C.032.050.0160.N	3.2	0.50	16.0	0.2090	9.00	10.11	yes	Zn coating	4C
C.032.050.0170.A	3.2	0.50	17.0	0.2813	7.00	10.69	yes	music wire	4F
C.032.050.0170.I	3.2	0.50	17.0	0.2416	7.00	10.78	yes	stainless steel	4G
C.032.050.0170.N	3.2	0.50	17.0	0.2813	7.00	10.69	yes	Zn coating	4I
C.032.050.0174.A	3.2	0.50	17.4	0.1379	13.00	14.69	yes	music wire	4B
C.032.050.0174.AP	3.2	0.50	17.4	0.2477	7.80	10.24	yes	music wire	4D
C.032.050.0174.I	3.2	0.50	17.4	0.1200	12.85	14.52	yes	stainless steel	4C
C.032.050.0200.A	3.2	0.50	20.0	0.1660	11.00	12.40	yes	music wire	4B
C.032.050.0200.AF	3.2	0.50	20.0	0.2231	8.50	12.05	yes	music wire	4F
C.032.050.0200.AP	3.2	0.50	20.0	0.2147	8.80	11.73	yes	music wire	4D
C.032.050.0200.I	3.2	0.50	20.0	0.1444	10.85	12.23	yes	stainless steel	4C
C.032.050.0200.IF	3.2	0.50	20.0	0.1444	10.85	12.23	yes	stainless steel	4C
C.032.050.0200.N	3.2	0.50	20.0	0.2231	8.50	12.05	yes	Zn coating	4I
C.032.050.0200.NF	3.2	0.50	20.0	0.1660	11.00	12.40	yes	Zn coating	4C
C.032.050.0240.A	3.2	0.50	24.0	0.1848	10.00	14.40	yes	music wire	4G
C.032.050.0240.I	3.2	0.50	24.0	0.1587	10.00	14.54	yes	stainless steel	4G
C.032.050.0240.N	3.2	0.50	24.0	0.1848	10.00	14.40	yes	Zn coating	4I
C.032.050.0250.A	3.2	0.50	25.0	0.1310	13.60	15.38	yes	music wire	4B
C.032.050.0250.AP	3.2	0.50	25.0	0.1695	10.80	14.53	yes	music wire	4D
C.032.050.0250.I	3.2	0.50	25.0	0.1140	13.45	15.20	yes	stainless steel	4C
C.032.050.0250.N	3.2	0.50	25.0	0.1310	13.60	15.38	yes	Zn coating	4C
C.032.050.0280.A	3.2	0.50	28.0	0.1264	14.05	15.89	yes	music wire	4B
C.032.050.0280.I	3.2	0.50	28.0	0.1100	13.90	15.72	yes	stainless steel	4E
C.032.050.0320.A	3.2	0.50	32.0	0.1020	17.10	19.38	yes	music wire	4B
C.032.050.0320.AP	3.2	0.50	32.0	0.1314	13.55	18.50	yes	music wire	4D
C.032.050.0320.I	3.2	0.50	32.0	0.0887	16.90	19.15	yes	stainless steel	4C
C.032.050.0320.N	3.2	0.50	32.0	0.1020	17.10	19.38	yes	Zn coating	4C
C.032.050.0350.A	3.2	0.50	35.0	0.1400	12.80	22.33	yes	music wire	4G
C.032.050.0350.I	3.2	0.50	35.0	0.1218	12.65	22.67	yes	stainless steel	4G
C.032.050.0400.A	3.2	0.50	40.0	0.0810	21.20	24.07	yes	music wire	4B
C.032.050.0400.AP	3.2	0.50	40.0	0.1045	16.70	23.03	yes	music wire	4D
C.032.050.0400.I	3.2	0.50	40.0	0.0705	20.95	23.78	yes	stainless steel	4C
C.032.050.0400.N	3.2	0.50	40.0	0.0810	21.20	24.07	yes	Zn coating	4C
C.032.050.0500.A	3.2	0.50	50.0	0.0640	26.50	30.13	yes	music wire	4B
C.032.050.0500.AP	3.2	0.50	50.0	0.0834	20.65	28.73	yes	music wire	4E
C.032.050.0500.I	3.2	0.50	50.0	0.0557	26.20	29.79	yes	stainless steel	4C
C.032.050.0500.N	3.2	0.50	50.0	0.0640	26.50	30.13	yes	Zn coating	4C
C.032.050.0570.A	3.2	0.50	57.0	0.0990	17.60	39.08	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.032.050.0570.I	3.2	0.50	57.0	0.0861	17.40	39.56	yes	stainless steel	4G
C.032.050.3600.A	3.2	0.50	360.0	0.0100	163.50	186.75	no	music wire	4F
C.032.050.3600.I	3.2	0.50	360.0	0.0087	161.45	187.37	no	stainless steel	4F
C.032.055.0040.A	3.2	0.55	4.0	1.6060	3.08	3.31	yes	music wire	4C
C.032.055.0040.AP	3.2	0.55	4.0	1.9954	2.75	2.94	yes	music wire	4E
C.032.055.0040.I	3.2	0.55	4.0	1.4000	3.08	3.31	yes	stainless steel	4C
C.032.055.0040.N	3.2	0.55	4.0	1.6060	3.08	3.31	yes	Zn coating	4D
C.032.055.0050.A	3.2	0.55	5.0	1.2050	3.69	4.00	yes	music wire	4C
C.032.055.0050.AP	3.2	0.55	5.0	1.4672	3.25	3.50	yes	music wire	4E
C.032.055.0050.I	3.2	0.55	5.0	1.0484	3.63	3.93	yes	stainless steel	4C
C.032.055.0050.N	3.2	0.55	5.0	1.2050	3.69	4.00	yes	Zn coating	4D
C.032.055.0063.A	3.2	0.55	6.3	0.9180	4.40	4.81	yes	music wire	4C
C.032.055.0063.AP	3.2	0.55	6.3	1.1338	3.80	4.27	yes	music wire	4E
C.032.055.0063.I	3.2	0.55	6.3	0.8000	4.35	4.75	yes	stainless steel	4C
C.032.055.0063.N	3.2	0.55	6.3	0.9180	4.40	4.81	yes	Zn coating	4D
C.032.055.0080.A	3.2	0.55	8.0	0.6880	5.39	5.93	yes	music wire	4C
C.032.055.0080.AP	3.2	0.55	8.0	0.8455	4.62	5.28	yes	music wire	4E
C.032.055.0080.I	3.2	0.55	8.0	0.6000	5.34	5.87	yes	stainless steel	4C
C.032.055.0080.N	3.2	0.55	8.0	0.6880	5.39	5.93	yes	Zn coating	4D
C.032.055.0100.A	3.2	0.55	10.0	0.5350	6.55	7.25	yes	music wire	4C
C.032.055.0100.AP	3.2	0.55	10.0	0.6651	5.50	6.54	yes	music wire	4E
C.032.055.0100.I	3.2	0.55	10.0	0.4654	6.44	7.12	yes	stainless steel	4C
C.032.055.0100.N	3.2	0.55	10.0	0.5350	6.55	7.25	yes	Zn coating	4D
C.032.055.0125.A	3.2	0.55	12.5	0.4190	7.98	8.87	yes	music wire	4C
C.032.055.0125.AP	3.2	0.55	12.5	0.5196	6.66	8.07	yes	music wire	4E
C.032.055.0125.I	3.2	0.55	12.5	0.3645	7.87	8.74	yes	stainless steel	4C
C.032.055.0125.N	3.2	0.55	12.5	0.4190	7.98	8.87	yes	Zn coating	4E
C.032.055.0160.A	3.2	0.55	16.0	0.3210	9.96	11.12	yes	music wire	4C
C.032.055.0160.AP	3.2	0.55	16.0	0.3991	8.31	10.23	yes	music wire	4E
C.032.055.0160.I	3.2	0.55	16.0	0.2793	9.85	10.99	yes	stainless steel	4C
C.032.055.0160.N	3.2	0.55	16.0	0.3210	9.96	11.12	yes	Zn coating	4E
C.032.055.0200.A	3.2	0.55	20.0	0.2540	12.21	13.67	yes	music wire	4C
C.032.055.0200.AP	3.2	0.55	20.0	0.3137	10.18	12.66	yes	music wire	4E
C.032.055.0200.I	3.2	0.55	20.0	0.2210	12.10	13.55	yes	stainless steel	4C
C.032.055.0200.N	3.2	0.55	20.0	0.2540	12.21	13.67	yes	Zn coating	4E
C.032.055.0250.A	3.2	0.55	25.0	0.2020	15.02	16.86	yes	music wire	4C
C.032.055.0250.AP	3.2	0.55	25.0	0.2482	12.49	15.72	yes	music wire	4E
C.032.055.0250.I	3.2	0.55	25.0	0.1757	14.85	16.67	yes	stainless steel	4C
C.032.055.0250.N	3.2	0.55	25.0	0.2020	15.02	16.86	yes	Zn coating	4E
C.032.055.0320.A	3.2	0.55	32.0	0.1560	19.03	21.41	yes	music wire	4C
C.032.055.0320.AP	3.2	0.55	32.0	0.1926	15.68	20.04	yes	music wire	4E
C.032.055.0320.I	3.2	0.55	32.0	0.1357	18.81	21.16	yes	stainless steel	4C
C.032.055.0320.N	3.2	0.55	32.0	0.1560	19.03	21.41	yes	Zn coating	4E
C.032.055.0400.A	3.2	0.55	40.0	0.1240	23.60	26.60	yes	music wire	4C
C.032.055.0400.AP	3.2	0.55	40.0	0.1530	19.36	24.95	yes	music wire	4E
C.032.055.0400.I	3.2	0.55	40.0	0.1079	23.32	26.28	yes	stainless steel	4C
C.032.055.0400.N	3.2	0.55	40.0	0.1240	23.60	26.60	yes	Zn coating	4E
C.032.055.0500.A	3.2	0.55	50.0	0.0990	29.21	32.96	yes	music wire	4C
C.032.055.0500.AP	3.2	0.55	50.0	0.1217	24.04	31.07	yes	music wire	4E
C.032.055.0500.I	3.2	0.55	50.0	0.0861	28.88	32.59	yes	stainless steel	4C
C.032.055.0500.N	3.2	0.55	50.0	0.0990	29.21	32.96	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.032.055.3600.A	3.2	0.55	360.0	0.0100	277.42	314.56	no	music wire	4D
C.032.055.3600.I	3.2	0.55	360.0	0.0087	273.90	310.57	no	stainless steel	4E
C.032.060.0040.A	3.2	0.60	4.0	2.5130	3.30	3.53	yes	music wire	4C
C.032.060.0040.I	3.2	0.60	4.0	2.1863	3.30	3.53	yes	stainless steel	4C
C.032.060.0040.N	3.2	0.60	4.0	2.5130	3.30	3.53	yes	Zn coating	4E
C.032.060.0050.A	3.2	0.60	5.0	1.8650	3.90	4.21	yes	music wire	4C
C.032.060.0050.I	3.2	0.60	5.0	1.6226	3.90	4.21	yes	stainless steel	4C
C.032.060.0050.N	3.2	0.60	5.0	1.8650	3.90	4.21	yes	Zn coating	4E
C.032.060.0063.A	3.2	0.60	6.3	1.4100	4.68	5.09	yes	music wire	4C
C.032.060.0063.I	3.2	0.60	6.3	1.2267	4.68	5.09	yes	stainless steel	4C
C.032.060.0063.N	3.2	0.60	6.3	1.4100	4.68	5.09	yes	Zn coating	4E
C.032.060.0080.A	3.2	0.60	8.0	1.0510	5.76	6.31	yes	music wire	4C
C.032.060.0080.I	3.2	0.60	8.0	0.9144	5.76	6.31	yes	stainless steel	4C
C.032.060.0080.N	3.2	0.60	8.0	1.0510	5.76	6.31	yes	Zn coating	4E
C.032.060.0100.A	3.2	0.60	10.0	0.8140	7.02	7.73	yes	music wire	4C
C.032.060.0100.I	3.2	0.60	10.0	0.7082	6.96	7.66	yes	stainless steel	4C
C.032.060.0100.N	3.2	0.60	10.0	0.8140	7.02	7.73	yes	Zn coating	4E
C.032.060.0125.A	3.2	0.60	12.5	0.6350	8.58	9.49	yes	music wire	4C
C.032.060.0125.I	3.2	0.60	12.5	0.5524	8.52	9.42	yes	stainless steel	4C
C.032.060.0125.N	3.2	0.60	12.5	0.6350	8.58	9.49	yes	Zn coating	4E
C.032.060.0160.A	3.2	0.60	16.0	0.4860	10.80	11.99	yes	music wire	4C
C.032.060.0160.I	3.2	0.60	16.0	0.4228	10.68	11.86	yes	stainless steel	4C
C.032.060.0160.N	3.2	0.60	16.0	0.4860	10.80	11.99	yes	Zn coating	4E
C.032.060.0200.A	3.2	0.60	20.0	0.3830	13.26	14.77	yes	music wire	4C
C.032.060.0200.I	3.2	0.60	20.0	0.3332	13.14	14.63	yes	stainless steel	4C
C.032.060.0200.N	3.2	0.60	20.0	0.3830	13.26	14.77	yes	Zn coating	4E
C.032.060.0210.A	3.2	0.60	21.0	0.4023	12.72	14.16	yes	music wire	4E
C.032.060.0210.I	3.2	0.60	21.0	0.3500	12.54	13.96	yes	stainless steel	4E
C.032.060.0250.A	3.2	0.60	25.0	0.3030	16.38	18.29	yes	music wire	4C
C.032.060.0250.I	3.2	0.60	25.0	0.2636	16.20	18.08	yes	stainless steel	4C
C.032.060.0250.N	3.2	0.60	25.0	0.3030	16.38	18.29	yes	Zn coating	4E
C.032.060.0320.A	3.2	0.60	32.0	0.2340	20.76	23.23	yes	music wire	4C
C.032.060.0320.I	3.2	0.60	32.0	0.2036	20.52	22.96	yes	stainless steel	4C
C.032.060.0320.N	3.2	0.60	32.0	0.2340	20.76	23.23	yes	Zn coating	4E
C.032.060.0400.A	3.2	0.60	40.0	0.1860	25.74	28.85	yes	music wire	4C
C.032.060.0400.I	3.2	0.60	40.0	0.1618	25.44	28.51	yes	stainless steel	4C
C.032.060.0400.N	3.2	0.60	40.0	0.1860	25.74	28.85	yes	Zn coating	4E
C.032.060.0500.A	3.2	0.60	50.0	0.1470	32.16	36.09	yes	music wire	4C
C.032.060.0500.AP	3.2	0.60	50.0	0.1753	27.24	33.36	yes	music wire	4E
C.032.060.0500.I	3.2	0.60	50.0	0.1279	31.74	35.62	yes	stainless steel	4C
C.032.060.0500.N	3.2	0.60	50.0	0.1470	32.16	36.09	yes	Zn coating	4E
C.032.060.3600.A	3.2	0.60	360.0	0.0323	141.84	269.59	no	music wire	4I
C.032.060.3600.I	3.2	0.60	360.0	0.0376	105.18	294.00	no	stainless steel	4I
C.032.070.0087.A	3.2	0.70	8.7	2.0000	7.21	7.86	yes	music wire	4C
C.032.070.0087.AP	3.2	0.70	8.7	2.2958	6.51	7.08	yes	music wire	4E
C.032.070.0087.I	3.2	0.70	8.7	1.7400	7.14	7.78	yes	stainless steel	4C
C.032.080.0151.A	3.2	0.80	15.1	2.3000	12.48	13.67	yes	music wire	4C
C.032.080.0151.I	3.2	0.80	15.1	2.0000	12.40	13.58	yes	stainless steel	4F
C.032.080.0240.AP	3.2	0.80	24.0	1.4555	18.56	20.44	yes	music wire	4E
C.033.050.0063.A	3.3	0.50	6.3	0.5000	4.10	4.52	yes	music wire	4B
C.033.050.0080.A	3.3	0.50	8.0	0.4000	4.80	5.32	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.033.050.0100.A	3.3	0.50	10.0	0.3200	5.70	6.36	yes	music wire	4B
C.033.050.0125.A	3.3	0.50	12.5	0.2500	6.95	7.79	yes	music wire	4B
C.033.050.0160.A	3.3	0.50	16.0	0.2000	8.35	9.40	yes	music wire	4B
C.033.050.0200.A	3.3	0.50	20.0	0.1600	10.10	11.41	yes	music wire	4B
C.033.050.0250.A	3.3	0.50	25.0	0.1270	12.45	14.10	yes	music wire	4B
C.033.050.0320.A	3.3	0.50	32.0	0.1000	15.45	17.55	yes	music wire	4B
C.033.050.0400.A	3.3	0.50	40.0	0.0800	19.00	21.62	yes	music wire	4B
C.033.050.0500.A	3.3	0.50	50.0	0.0640	23.45	26.73	yes	music wire	4B
C.033.070.0050.A	3.3	0.70	5.0	3.8413	4.27	4.57	yes	music wire	4C
C.033.070.0063.A	3.3	0.70	6.3	2.7500	5.32	5.75	yes	music wire	4C
C.033.070.0080.A	3.3	0.70	8.0	2.0000	6.65	7.24	yes	music wire	4C
C.033.070.0100.A	3.3	0.70	10.0	1.5625	7.98	8.73	yes	music wire	4C
C.033.070.0100.AP	3.3	0.70	10.0	1.8024	7.14	7.79	yes	music wire	4E
C.033.070.0100.I	3.3	0.70	10.0	1.3594	7.91	8.65	yes	stainless steel	4C
C.033.070.0100.N	3.3	0.70	10.0	1.5625	7.98	8.73	yes	Zn coating	4E
C.033.070.0125.A	3.3	0.70	12.5	1.2500	9.52	10.46	yes	music wire	4C
C.033.070.0160.A	3.3	0.70	16.0	1.0000	11.48	12.65	yes	music wire	4E
C.033.070.0160.I	3.3	0.70	16.0	0.8700	11.34	12.50	yes	stainless steel	4E
C.033.070.0160.N	3.3	0.70	16.0	1.0000	11.48	12.65	yes	Zn coating	4G
C.033.070.0200.A	3.3	0.70	20.0	0.7813	14.21	15.71	yes	music wire	4E
C.033.070.0200.I	3.3	0.70	20.0	0.6797	14.07	15.56	yes	stainless steel	4F
C.033.070.0200.N	3.3	0.70	20.0	0.7813	14.21	15.71	yes	Zn coating	4G
C.033.070.0250.A	3.3	0.70	25.0	0.6250	17.36	19.24	yes	music wire	4E
C.033.070.0250.I	3.3	0.70	25.0	0.5438	17.15	19.01	yes	stainless steel	4F
C.033.070.0250.N	3.3	0.70	25.0	0.6250	17.36	19.24	yes	Zn coating	4G
C.033.070.0300.A	3.3	0.70	30.0	0.4593	22.96	25.52	yes	music wire	4C
C.033.070.0300.I	3.3	0.70	30.0	0.3945	22.96	25.52	yes	stainless steel	4C
C.033.070.0320.A	3.3	0.70	32.0	0.5000	21.21	23.56	yes	music wire	4E
C.033.070.0320.I	3.3	0.70	32.0	0.4350	21.00	23.58	yes	stainless steel	4F
C.033.070.0320.N	3.3	0.70	32.0	0.5000	21.21	23.56	yes	Zn coating	4G
C.033.070.0400.A	3.3	0.70	40.0	0.3411	30.31	33.76	yes	music wire	4C
C.033.070.0400.I	3.3	0.70	40.0	0.2930	30.31	33.76	yes	stainless steel	4C
C.033.070.0450.A	3.3	0.70	45.0	0.3019	34.02	37.91	yes	music wire	4C
C.033.070.0450.I	3.3	0.70	45.0	0.2593	34.02	37.91	yes	stainless steel	4C
C.033.070.0650.A	3.3	0.70	65.0	0.2068	48.86	54.55	yes	music wire	4C
C.033.070.0650.I	3.3	0.70	65.0	0.1776	48.86	54.55	yes	stainless steel	4C
C.033.070.0800.A	3.3	0.70	80.0	0.1675	59.92	66.94	yes	music wire	4C
C.033.070.0800.I	3.3	0.70	80.0	0.1438	59.92	66.94	yes	stainless steel	4C
C.033.070.1000.A	3.3	0.70	100.0	0.1334	74.76	83.57	yes	music wire	4C
C.033.070.1000.I	3.3	0.70	100.0	0.1146	74.76	83.57	yes	stainless steel	4C
C.034.035.0050.A	3.4	0.35	5.0	0.1556	2.49	2.76	no	music wire	4B
C.034.035.0063.A	3.4	0.35	6.3	0.1273	2.77	3.10	no	music wire	4B
C.034.035.0080.A	3.4	0.35	8.0	0.1000	3.19	3.60	no	music wire	4B
C.034.035.0100.A	3.4	0.35	10.0	0.0728	3.82	4.37	no	music wire	4B
C.034.035.0100.AP	3.4	0.35	10.0	0.0778	3.71	4.24	no	music wire	4B
C.034.035.0100.I	3.4	0.35	10.0	0.0625	3.82	4.37	no	stainless steel	4B
C.034.035.0125.A	3.4	0.35	12.5	0.0622	4.34	5.00	no	music wire	4B
C.034.035.0160.A	3.4	0.35	16.0	0.0500	5.11	5.93	no	music wire	4B
C.034.035.0200.A	3.4	0.35	20.0	0.0400	6.09	7.12	no	music wire	4B
C.034.035.0250.A	3.4	0.35	25.0	0.0311	7.46	8.78	no	music wire	4B
C.034.035.0300.A	3.4	0.35	30.0	0.0250	8.79	10.41	no	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.034.035.0300.AP	3.4	0.35	30.0	0.0364	6.41	12.95	no	music wire	4D
C.034.035.0300.I	3.4	0.35	30.0	0.0218	8.68	10.27	no	stainless steel	4C
C.034.035.0320.A	3.4	0.35	32.0	0.0250	9.00	10.64	no	music wire	4B
C.034.035.0400.A	3.4	0.35	40.0	0.0200	10.96	13.02	no	music wire	4B
C.034.035.0500.A	3.4	0.35	50.0	0.0156	13.72	16.36	no	music wire	4B
C.034.035.0630.A	3.4	0.35	63.0	0.0129	15.86	18.99	no	music wire	4B
C.034.035.0630.I	3.4	0.35	63.0	0.0112	15.65	18.73	no	stainless steel	4E
C.034.040.0300.A	3.4	0.40	30.0	0.0430	10.00	11.66	yes	music wire	4B
C.034.040.0300.I	3.4	0.40	30.0	0.0374	9.88	11.52	yes	stainless steel	4C
C.034.040.0300.N	3.4	0.40	30.0	0.0430	10.00	11.66	yes	Zn coating	4C
C.034.065.0050.A	3.4	0.65	5.0	2.2421	4.16	4.48	yes	music wire	4C
C.034.065.0050.I	3.4	0.65	5.0	1.9257	4.16	4.48	yes	stainless steel	4C
C.034.065.0063.A	3.4	0.65	6.3	1.5400	5.46	5.94	yes	music wire	4C
C.034.065.0080.A	3.4	0.65	8.0	1.1000	7.02	7.70	yes	music wire	4C
C.034.065.0100.A	3.4	0.65	10.0	0.8182	8.58	9.46	yes	music wire	4C
C.034.065.0100.AP	3.4	0.65	10.0	1.1940	6.37	7.12	yes	music wire	4E
C.034.065.0100.I	3.4	0.65	10.0	0.7118	8.52	9.39	yes	stainless steel	4C
C.034.065.0100.N	3.4	0.65	10.0	0.8182	8.58	9.46	yes	Zn coating	4E
C.034.065.0125.A	3.4	0.65	12.5	0.6429	10.47	11.59	yes	music wire	4C
C.034.065.0125.AP	3.4	0.65	12.5	0.9272	7.74	8.79	yes	music wire	4E
C.034.065.0125.I	3.4	0.65	12.5	0.5593	10.34	11.44	yes	stainless steel	4C
C.034.065.0125.N	3.4	0.65	12.5	0.6429	10.47	11.59	yes	Zn coating	4E
C.034.065.0160.A	3.4	0.65	16.0	0.5000	13.00	14.44	yes	music wire	4C
C.034.065.0160.AP	3.4	0.65	16.0	0.7086	9.62	11.15	yes	music wire	4E
C.034.065.0160.I	3.4	0.65	16.0	0.4350	12.87	14.30	yes	stainless steel	4C
C.034.065.0160.N	3.4	0.65	16.0	0.5000	13.00	14.44	yes	Zn coating	4E
C.034.065.0200.A	3.4	0.65	20.0	0.4000	15.86	17.67	yes	music wire	4C
C.034.065.0200.AP	3.4	0.65	20.0	0.5552	11.90	13.81	yes	music wire	4E
C.034.065.0200.I	3.4	0.65	20.0	0.3480	15.67	17.45	yes	stainless steel	4C
C.034.065.0200.N	3.4	0.65	20.0	0.4000	15.86	17.67	yes	Zn coating	4E
C.034.065.0250.A	3.4	0.65	25.0	0.3214	19.31	21.55	yes	music wire	4C
C.034.065.0250.AP	3.4	0.65	25.0	0.4402	14.56	17.19	yes	music wire	4E
C.034.065.0250.I	3.4	0.65	25.0	0.2796	19.11	21.33	yes	stainless steel	4C
C.034.065.0250.N	3.4	0.65	25.0	0.3214	19.31	21.55	yes	Zn coating	4E
C.034.065.0320.A	3.4	0.65	32.0	0.2571	23.73	26.53	yes	music wire	4C
C.034.065.0320.AP	3.4	0.65	32.0	0.3405	18.33	21.90	yes	music wire	4E
C.034.065.0320.I	3.4	0.65	32.0	0.2237	23.47	26.24	yes	stainless steel	4C
C.034.065.0320.N	3.4	0.65	32.0	0.2571	23.73	26.53	yes	Zn coating	4E
C.034.065.0400.A	3.4	0.65	40.0	0.2000	30.03	33.63	yes	music wire	4C
C.034.065.0400.AP	3.4	0.65	40.0	0.2698	22.69	27.26	yes	music wire	4E
C.034.065.0400.I	3.4	0.65	40.0	0.1740	29.71	33.27	yes	stainless steel	4C
C.034.065.0400.N	3.4	0.65	40.0	0.2000	30.03	33.63	yes	Zn coating	4E
C.034.065.0450.A	3.4	0.65	45.0	0.1926	31.14	34.88	yes	music wire	4C
C.034.065.0450.I	3.4	0.65	45.0	0.1654	31.14	34.88	yes	stainless steel	4C
C.034.065.0500.A	3.4	0.65	50.0	0.1607	36.99	41.48	yes	music wire	4C
C.034.065.0500.AP	3.4	0.65	50.0	0.2147	28.08	33.98	yes	music wire	4E
C.034.065.0500.I	3.4	0.65	50.0	0.1398	36.53	40.96	yes	stainless steel	4C
C.034.065.0500.N	3.4	0.65	50.0	0.1607	36.99	41.48	yes	Zn coating	4E
C.034.065.0630.A	3.4	0.65	63.0	0.1286	45.83	51.44	yes	music wire	4C
C.034.065.0630.AP	3.4	0.65	63.0	0.1696	35.17	42.72	yes	music wire	4E
C.034.065.0630.I	3.4	0.65	63.0	0.1119	45.24	50.77	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.034.065.0630.N	3.4	0.65	63.0	0.1286	45.83	51.44	yes	Zn coating	4E
C.034.065.1000.A	3.4	0.65	100.0	0.0853	68.25	76.70	yes	music wire	4C
C.034.065.1000.I	3.4	0.65	100.0	0.0733	68.25	76.70	yes	stainless steel	4C
C.035.025.0069.A	3.5	0.25	6.9	0.0347	1.70	1.99	no	music wire	4C
C.035.025.0069.I	3.5	0.25	6.9	0.0298	1.70	1.99	no	stainless steel	4C
C.035.025.0071.A	3.5	0.25	7.1	0.0347	1.70	1.99	no	music wire	4C
C.035.025.0071.I	3.5	0.25	7.1	0.0302	1.70	1.99	no	stainless steel	4C
C.035.025.0106.A	3.5	0.25	10.6	0.0221	2.18	2.64	no	music wire	4C
C.035.025.0106.I	3.5	0.25	10.6	0.0190	2.18	2.64	no	stainless steel	4C
C.035.025.0107.A	3.5	0.25	10.7	0.0221	2.18	2.64	no	music wire	4C
C.035.025.0107.I	3.5	0.25	10.7	0.0192	2.18	2.64	no	stainless steel	4C
C.035.025.0161.A	3.5	0.25	16.1	0.0143	2.90	3.62	no	music wire	4C
C.035.025.0161.I	3.5	0.25	16.1	0.0123	2.90	3.62	no	stainless steel	4C
C.035.025.0162.A	3.5	0.25	16.2	0.0143	2.90	3.62	no	music wire	4C
C.035.025.0162.I	3.5	0.25	16.2	0.0124	2.88	3.59	no	stainless steel	4C
C.035.025.0227.A	3.5	0.25	22.7	0.0097	3.88	4.94	no	music wire	4C
C.035.025.0227.I	3.5	0.25	22.7	0.0083	3.88	4.94	no	stainless steel	4C
C.035.025.0233.A	3.5	0.25	23.3	0.0097	3.88	4.94	no	music wire	4C
C.035.025.0233.I	3.5	0.25	23.3	0.0084	3.83	4.87	no	stainless steel	4C
C.035.025.0324.A	3.5	0.25	32.4	0.0066	5.28	6.84	no	music wire	4C
C.035.025.0324.I	3.5	0.25	32.4	0.0057	5.25	6.80	no	stainless steel	4C
C.035.025.0341.A	3.5	0.25	34.1	0.0066	5.28	6.84	no	music wire	4C
C.035.025.0341.I	3.5	0.25	34.1	0.0057	5.25	6.80	no	stainless steel	4C
C.035.028.0100.A	3.5	0.28	10.0	0.0320	2.63	3.12	no	music wire	4C
C.035.028.0100.I	3.5	0.28	10.0	0.0278	2.60	3.08	no	stainless steel	4C
C.035.028.0125.A	3.5	0.28	12.5	0.0254	3.05	3.67	no	music wire	4C
C.035.028.0125.AP	3.5	0.28	12.5	0.0423	2.21	4.90	no	music wire	4E
C.035.028.0125.I	3.5	0.28	12.5	0.0221	3.02	3.63	no	stainless steel	4C
C.035.028.0160.A	3.5	0.28	16.0	0.0200	3.61	4.40	no	music wire	4C
C.035.028.0160.AP	3.5	0.28	16.0	0.0327	2.58	6.16	no	music wire	4E
C.035.028.0160.I	3.5	0.28	16.0	0.0174	3.58	4.36	no	stainless steel	4C
C.035.028.0200.A	3.5	0.28	20.0	0.0160	4.26	5.24	no	music wire	4C
C.035.028.0200.AP	3.5	0.28	20.0	0.0259	3.00	7.57	no	music wire	4E
C.035.028.0200.I	3.5	0.28	20.0	0.0139	4.23	5.20	no	stainless steel	4C
C.035.028.0250.A	3.5	0.28	25.0	0.0128	5.10	6.33	no	music wire	4C
C.035.028.0250.AP	3.5	0.28	25.0	0.0207	3.53	9.46	no	music wire	4E
C.035.028.0250.I	3.5	0.28	25.0	0.0111	5.04	6.25	no	stainless steel	4C
C.035.028.0320.A	3.5	0.28	32.0	0.0100	6.24	7.81	no	music wire	4C
C.035.028.0320.I	3.5	0.28	32.0	0.0087	6.16	7.71	no	stainless steel	4C
C.035.028.0400.A	3.5	0.28	40.0	0.0080	7.53	9.48	no	music wire	4C
C.035.028.0400.AP	3.5	0.28	40.0	0.0128	5.10	14.79	no	music wire	4E
C.035.028.0400.I	3.5	0.28	40.0	0.0070	7.45	9.38	no	stainless steel	4C
C.035.028.0500.A	3.5	0.28	50.0	0.0064	9.18	11.63	no	music wire	4C
C.035.028.0500.I	3.5	0.28	50.0	0.0056	9.07	11.48	no	stainless steel	4C
C.035.032.0061.A	3.5	0.32	6.1	0.0931	2.27	2.56	no	music wire	4C
C.035.032.0061.AP	3.5	0.32	6.1	0.1435	1.86	2.83	no	music wire	4E
C.035.032.0061.I	3.5	0.32	6.1	0.0810	2.24	2.52	no	stainless steel	4C
C.035.032.0063.A	3.5	0.32	6.3	0.0931	2.27	2.56	no	music wire	4C
C.035.032.0063.AP	3.5	0.32	6.3	0.1375	1.89	2.89	no	music wire	4E
C.035.032.0063.I	3.5	0.32	6.3	0.0810	2.24	2.52	no	stainless steel	4C
C.035.032.0091.A	3.5	0.32	9.1	0.0593	2.91	3.35	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.035.032.0091.AP	3.5	0.32	9.1	0.0917	2.27	3.98	no	music wire	4E
C.035.032.0091.I	3.5	0.32	9.1	0.0516	2.88	3.32	no	stainless steel	4C
C.035.032.0094.A	3.5	0.32	9.4	0.0593	2.91	3.35	no	music wire	4C
C.035.032.0094.AP	3.5	0.32	9.4	0.0892	2.30	4.14	no	music wire	4E
C.035.032.0094.I	3.5	0.32	9.4	0.0516	2.88	3.32	no	stainless steel	4C
C.035.032.0137.A	3.5	0.32	13.7	0.0384	3.90	4.59	no	music wire	4C
C.035.032.0137.AP	3.5	0.32	13.7	0.0589	2.91	5.74	no	music wire	4E
C.035.032.0137.I	3.5	0.32	13.7	0.0330	3.87	4.55	no	stainless steel	4C
C.035.032.0140.A	3.5	0.32	14.0	0.0384	3.90	4.59	no	music wire	4C
C.035.032.0140.AP	3.5	0.32	14.0	0.0579	2.94	5.90	no	music wire	4E
C.035.032.0140.I	3.5	0.32	14.0	0.0334	3.84	4.51	no	stainless steel	4C
C.035.032.0195.A	3.5	0.32	19.5	0.0261	5.18	6.19	no	music wire	4C
C.035.032.0195.AP	3.5	0.32	19.5	0.0408	3.74	7.98	no	music wire	4E
C.035.032.0195.I	3.5	0.32	19.5	0.0224	5.18	6.19	no	stainless steel	4C
C.035.032.0201.A	3.5	0.32	20.1	0.0261	5.18	6.19	no	music wire	4C
C.035.032.0201.AP	3.5	0.32	20.1	0.0398	3.81	8.30	no	music wire	4E
C.035.032.0201.I	3.5	0.32	20.1	0.0227	5.15	6.15	no	stainless steel	4C
C.035.032.0286.A	3.5	0.32	28.6	0.0176	7.17	8.67	no	music wire	4C
C.035.032.0286.AP	3.5	0.32	28.6	0.0275	4.99	11.54	no	music wire	4E
C.035.032.0286.I	3.5	0.32	28.6	0.0151	7.17	8.67	no	stainless steel	4C
C.035.032.0293.A	3.5	0.32	29.3	0.0176	7.17	8.67	no	music wire	4C
C.035.032.0293.AP	3.5	0.32	29.3	0.0268	5.09	11.81	no	music wire	4E
C.035.032.0293.I	3.5	0.32	29.3	0.0153	7.07	8.55	no	stainless steel	4C
C.035.040.0060.A	3.5	0.40	6.0	0.1430	3.44	3.90	yes	music wire	4B
C.035.040.0060.AP	3.5	0.40	6.0	0.3224	2.08	3.27	yes	music wire	4F
C.035.040.0060.I	3.5	0.40	6.0	0.1244	3.40	3.86	yes	stainless steel	4B
C.035.040.0060.N	3.5	0.40	6.0	0.1430	3.44	3.90	yes	Zn coating	4C
C.035.050.0060.A	3.5	0.50	6.0	0.6738	3.00	3.57	yes	music wire	4D
C.035.050.0060.I	3.5	0.50	6.0	0.5787	3.00	3.61	yes	stainless steel	4E
C.035.050.0060.N	3.5	0.50	6.0	0.6738	3.00	3.57	yes	Zn coating	4F
C.035.050.0070.A	3.5	0.50	7.0	0.6610	3.05	4.52	yes	music wire	4F
C.035.050.0070.I	3.5	0.50	7.0	0.5751	3.00	4.59	yes	stainless steel	4G
C.035.050.0070.N	3.5	0.50	7.0	0.6610	3.05	4.52	yes	Zn coating	4I
C.035.050.0084.A	3.5	0.50	8.4	0.4288	4.00	4.58	yes	music wire	4D
C.035.050.0084.I	3.5	0.50	8.4	0.3731	3.95	4.69	yes	stainless steel	4E
C.035.050.0084.N	3.5	0.50	8.4	0.4288	4.00	4.58	yes	Zn coating	4F
C.035.050.0134.A	3.5	0.50	13.4	0.2482	6.00	6.81	yes	music wire	4D
C.035.050.0134.I	3.5	0.50	13.4	0.2159	5.95	6.98	yes	stainless steel	4E
C.035.050.0134.N	3.5	0.50	13.4	0.2482	6.00	6.81	yes	Zn coating	4F
C.035.050.0207.A	3.5	0.50	20.7	0.1521	9.00	10.19	yes	music wire	4D
C.035.050.0207.I	3.5	0.50	20.7	0.1323	8.90	10.23	yes	stainless steel	4E
C.035.050.0207.N	3.5	0.50	20.7	0.1521	9.00	10.19	yes	Zn coating	4F
C.035.055.0060.A	3.5	0.55	6.0	1.0375	3.30	3.95	yes	music wire	4E
C.035.055.0060.I	3.5	0.55	6.0	0.9000	3.30	3.99	yes	stainless steel	4E
C.035.055.0060.N	3.5	0.55	6.0	1.0375	3.30	3.95	yes	Zn coating	4G
C.035.055.0084.A	3.5	0.55	8.4	0.6602	4.40	5.18	yes	music wire	4E
C.035.055.0084.I	3.5	0.55	8.4	0.5744	4.35	5.26	yes	stainless steel	4E
C.035.055.0084.N	3.5	0.55	8.4	0.6602	4.40	5.18	yes	Zn coating	4G
C.035.055.0131.A	3.5	0.55	13.1	0.3822	6.60	7.53	yes	music wire	4E
C.035.055.0131.I	3.5	0.55	13.1	0.3325	6.55	7.67	yes	stainless steel	4E
C.035.055.0131.N	3.5	0.55	13.1	0.3822	6.60	7.53	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.035.055.0202.A	3.5	0.55	20.2	0.2343	9.90	11.12	yes	music wire	4E
C.035.055.0202.I	3.5	0.55	20.2	0.2038	9.79	11.34	yes	stainless steel	4E
C.035.055.0202.N	3.5	0.55	20.2	0.2343	9.90	11.12	yes	Zn coating	4G
C.035.070.0053.A	3.5	0.70	5.3	3.1836	4.20	4.50	yes	music wire	4C
C.035.070.0053.I	3.5	0.70	5.3	2.7697	4.20	4.50	yes	stainless steel	4C
C.035.070.0053.N	3.5	0.70	5.3	3.1836	4.20	4.50	yes	Zn coating	4E
C.035.070.0076.A	3.5	0.70	7.6	2.0259	5.60	6.08	yes	music wire	4C
C.035.070.0076.I	3.5	0.70	7.6	1.7400	5.60	6.08	yes	stainless steel	4C
C.035.070.0076.N	3.5	0.70	7.6	2.0259	5.60	6.08	yes	Zn coating	4E
C.035.070.0122.A	3.5	0.70	12.2	1.1729	8.40	9.22	yes	music wire	4E
C.035.070.0122.I	3.5	0.70	12.2	1.0074	8.40	9.22	yes	stainless steel	4E
C.035.070.0122.N	3.5	0.70	12.2	1.1729	8.40	9.22	yes	Zn coating	4G
C.035.070.0190.A	3.5	0.70	19.0	0.7189	12.60	13.95	yes	music wire	4E
C.035.070.0190.I	3.5	0.70	19.0	0.6175	12.60	13.95	yes	stainless steel	4F
C.035.070.0190.N	3.5	0.70	19.0	0.7189	12.60	13.95	yes	Zn coating	4G
C.036.020.0040.A	3.6	0.20	4.0	0.0210	1.10	1.31	no	music wire	4C
C.036.020.0040.I	3.6	0.20	4.0	0.0183	1.08	1.28	no	stainless steel	4C
C.036.020.0111.A	3.6	0.20	11.1	0.0057	2.14	2.91	no	music wire	4C
C.036.020.0111.I	3.6	0.20	11.1	0.0050	2.12	2.88	no	stainless steel	4C
C.036.020.0320.A	3.6	0.20	32.0	0.0020	4.84	7.05	no	music wire	4C
C.036.020.0320.I	3.6	0.20	32.0	0.0017	4.80	6.99	no	stainless steel	4C
C.036.030.0071.A	3.6	0.30	7.1	0.0180	4.89	5.97	no	music wire	4C
C.036.030.0071.AP	3.6	0.30	7.1	0.0951	1.77	3.10	no	music wire	4E
C.036.030.0071.I	3.6	0.30	7.1	0.0157	4.83	5.89	no	stainless steel	4C
C.036.030.0151.A	3.6	0.30	15.1	0.0060	12.54	12.54	no	music wire	4C
C.036.030.0151.AP	3.6	0.30	15.1	0.0422	2.67	6.09	no	music wire	4E
C.036.030.0151.I	3.6	0.30	15.1	0.0052	12.39	12.39	no	stainless steel	4C
C.036.030.0180.A	3.6	0.30	18.0	0.0242	3.90	4.70	no	music wire	4C
C.036.030.0180.AP	3.6	0.30	18.0	0.0351	3.00	7.15	no	music wire	4E
C.036.030.0180.I	3.6	0.30	18.0	0.0211	3.87	4.66	no	stainless steel	4C
C.036.030.0220.A	3.6	0.30	22.0	0.0080	9.66	12.08	no	music wire	4C
C.036.030.0220.AP	3.6	0.30	22.0	0.0282	3.51	8.48	no	music wire	4E
C.036.030.0220.I	3.6	0.30	22.0	0.0070	9.54	11.93	no	stainless steel	4C
C.036.030.0240.A	3.6	0.30	24.0	0.0060	12.54	15.77	no	music wire	4C
C.036.030.0240.AP	3.6	0.30	24.0	0.0259	3.72	9.32	no	music wire	4E
C.036.030.0240.I	3.6	0.30	24.0	0.0052	12.39	15.58	no	stainless steel	4C
C.036.030.0290.A	3.6	0.30	29.0	0.0050	14.82	18.70	no	music wire	4C
C.036.030.0290.AP	3.6	0.30	29.0	0.0213	4.29	11.15	no	music wire	4E
C.036.030.0290.I	3.6	0.30	29.0	0.0044	14.64	18.47	no	stainless steel	4C
C.036.035.0050.A	3.6	0.35	5.0	0.1490	2.28	2.52	no	music wire	4B
C.036.035.0050.AP	3.6	0.35	5.0	0.2459	1.86	2.61	no	music wire	4D
C.036.035.0050.I	3.6	0.35	5.0	0.1296	2.28	2.52	no	stainless steel	4B
C.036.035.0063.A	3.6	0.35	6.3	0.1140	2.59	2.90	no	music wire	4B
C.036.035.0063.AP	3.6	0.35	6.3	0.1844	2.07	3.11	no	music wire	4D
C.036.035.0063.I	3.6	0.35	6.3	0.0992	2.59	2.90	no	stainless steel	4B
C.036.035.0080.A	3.6	0.35	8.0	0.0880	3.01	3.42	no	music wire	4B
C.036.035.0080.AP	3.6	0.35	8.0	0.1383	2.35	3.75	no	music wire	4D
C.036.035.0080.I	3.6	0.35	8.0	0.0766	2.98	3.38	no	stainless steel	4B
C.036.035.0100.A	3.6	0.35	10.0	0.0700	3.47	3.98	no	music wire	4B
C.036.035.0100.AP	3.6	0.35	10.0	0.1080	2.66	4.55	no	music wire	4D
C.036.035.0100.I	3.6	0.35	10.0	0.0609	3.43	3.94	no	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.036.035.0125.A	3.6	0.35	12.5	0.0550	4.06	4.71	no	music wire	4B
C.036.035.0125.AP	3.6	0.35	12.5	0.0851	3.05	5.59	no	music wire	4D
C.036.035.0125.I	3.6	0.35	12.5	0.0478	4.03	4.67	no	stainless steel	4B
C.036.035.0160.A	3.6	0.35	16.0	0.0430	4.87	5.70	no	music wire	4B
C.036.035.0160.AP	3.6	0.35	16.0	0.0651	3.61	6.96	no	music wire	4D
C.036.035.0160.I	3.6	0.35	16.0	0.0374	4.80	5.62	no	stainless steel	4B
C.036.035.0200.A	3.6	0.35	20.0	0.0340	5.81	6.86	no	music wire	4B
C.036.035.0200.AP	3.6	0.35	20.0	0.0515	4.27	8.57	no	music wire	4D
C.036.035.0200.I	3.6	0.35	20.0	0.0296	5.74	6.78	no	stainless steel	4B
C.036.035.0250.A	3.6	0.35	25.0	0.0270	7.00	8.32	no	music wire	4B
C.036.035.0250.AP	3.6	0.35	25.0	0.0406	5.08	10.51	no	music wire	4D
C.036.035.0250.I	3.6	0.35	25.0	0.0235	6.93	8.24	no	stainless steel	4C
C.036.035.0320.A	3.6	0.35	32.0	0.0210	8.65	10.35	no	music wire	4B
C.036.035.0320.AP	3.6	0.35	32.0	0.0314	6.20	13.26	no	music wire	4D
C.036.035.0320.I	3.6	0.35	32.0	0.0183	8.54	10.22	no	stainless steel	4C
C.036.035.0400.A	3.6	0.35	40.0	0.0170	10.40	12.50	no	music wire	4B
C.036.035.0400.AP	3.6	0.35	40.0	0.0250	7.46	16.48	no	music wire	4D
C.036.035.0400.I	3.6	0.35	40.0	0.0148	10.26	12.33	no	stainless steel	4C
C.036.035.0500.A	3.6	0.35	50.0	0.0130	13.23	15.98	no	music wire	4B
C.036.035.0500.AP	3.6	0.35	50.0	0.0199	9.03	20.50	no	music wire	4D
C.036.035.0500.I	3.6	0.35	50.0	0.0113	13.06	15.77	no	stainless steel	4C
C.036.035.3600.A	3.6	0.35	360.0	0.0011	140.39	172.30	no	music wire	4C
C.036.035.3600.I	3.6	0.35	360.0	0.0013	104.20	127.81	no	stainless steel	4D
C.036.040.0050.A	3.6	0.40	5.0	0.2550	2.24	2.48	yes	music wire	4B
C.036.040.0050.AP	3.6	0.40	5.0	0.3958	1.80	2.84	yes	music wire	4F
C.036.040.0050.I	3.6	0.40	5.0	0.2218	2.24	2.48	yes	stainless steel	4B
C.036.040.0050.N	3.6	0.40	5.0	0.2550	2.24	2.48	yes	Zn coating	4C
C.036.040.0056.A	3.6	0.40	5.6	0.2274	2.40	2.67	yes	music wire	4B
C.036.040.0056.AP	3.6	0.40	5.6	0.3441	1.92	3.11	yes	music wire	4F
C.036.040.0056.I	3.6	0.40	5.6	0.1978	2.40	2.67	yes	stainless steel	4B
C.036.040.0056.N	3.6	0.40	5.6	0.2274	2.40	2.67	yes	Zn coating	4C
C.036.040.0060.A	3.6	0.40	6.0	0.2274	2.40	2.67	yes	music wire	4B
C.036.040.0060.I	3.6	0.40	6.0	0.1978	2.40	2.67	yes	stainless steel	4B
C.036.040.0060.N	3.6	0.40	6.0	0.2274	2.40	2.67	yes	Zn coating	4C
C.036.040.0063.A	3.6	0.40	6.3	0.1910	2.68	3.01	yes	music wire	4B
C.036.040.0063.AP	3.6	0.40	6.3	0.2931	2.08	3.38	yes	music wire	4F
C.036.040.0063.I	3.6	0.40	6.3	0.1662	2.64	2.96	yes	stainless steel	4B
C.036.040.0063.N	3.6	0.40	6.3	0.1910	2.68	3.01	yes	Zn coating	4C
C.036.040.0064.A	3.6	0.40	6.4	0.0770	5.12	5.93	yes	music wire	4B
C.036.040.0064.AP	3.6	0.40	6.4	0.2827	2.12	3.37	yes	music wire	4F
C.036.040.0064.I	3.6	0.40	6.4	0.0670	5.08	5.88	yes	stainless steel	4B
C.036.040.0080.A	3.6	0.40	8.0	0.1490	3.12	3.54	yes	music wire	4B
C.036.040.0080.AP	3.6	0.40	8.0	0.2199	2.44	4.11	yes	music wire	4F
C.036.040.0080.I	3.6	0.40	8.0	0.1296	3.12	3.54	yes	stainless steel	4B
C.036.040.0080.N	3.6	0.40	8.0	0.1490	3.12	3.54	yes	Zn coating	4C
C.036.040.0083.A	3.6	0.40	8.3	0.1447	3.20	3.63	yes	music wire	4B
C.036.040.0083.AP	3.6	0.40	8.3	0.2083	2.52	4.19	yes	music wire	4F
C.036.040.0083.I	3.6	0.40	8.3	0.1259	3.16	3.58	yes	stainless steel	4B
C.036.040.0083.N	3.6	0.40	8.3	0.1447	3.20	3.63	yes	Zn coating	4C
C.036.040.0087.A	3.6	0.40	8.7	0.1447	3.20	3.63	yes	music wire	4B
C.036.040.0087.I	3.6	0.40	8.7	0.1259	3.16	3.58	yes	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.036.040.0087.N	3.6	0.40	8.7	0.1447	3.20	3.63	yes	Zn coating	4C
C.036.040.0100.A	3.6	0.40	10.0	0.1160	3.76	4.30	yes	music wire	4B
C.036.040.0100.AP	3.6	0.40	10.0	0.1721	2.84	5.02	yes	music wire	4F
C.036.040.0100.I	3.6	0.40	10.0	0.1009	3.72	4.25	yes	stainless steel	4B
C.036.040.0100.N	3.6	0.40	10.0	0.1160	3.76	4.30	yes	Zn coating	4C
C.036.040.0111.A	3.6	0.40	11.1	0.1100	3.88	4.44	yes	music wire	4B
C.036.040.0111.I	3.6	0.40	11.1	0.0957	3.84	4.40	yes	stainless steel	4B
C.036.040.0122.A	3.6	0.40	12.2	0.0936	4.40	5.07	yes	music wire	4B
C.036.040.0122.AP	3.6	0.40	12.2	0.1365	3.32	5.93	yes	music wire	4F
C.036.040.0122.I	3.6	0.40	12.2	0.0814	4.36	5.02	yes	stainless steel	4B
C.036.040.0122.N	3.6	0.40	12.2	0.0936	4.40	5.07	yes	Zn coating	4C
C.036.040.0125.A	3.6	0.40	12.5	0.0910	4.48	5.16	yes	music wire	4B
C.036.040.0125.AP	3.6	0.40	12.5	0.1319	3.40	6.01	yes	music wire	4F
C.036.040.0125.I	3.6	0.40	12.5	0.0792	4.44	5.11	yes	stainless steel	4B
C.036.040.0125.N	3.6	0.40	12.5	0.0910	4.48	5.16	yes	Zn coating	4C
C.036.040.0128.A	3.6	0.40	12.8	0.0936	4.40	5.07	yes	music wire	4B
C.036.040.0128.I	3.6	0.40	12.8	0.0814	4.36	5.02	yes	stainless steel	4B
C.036.040.0128.N	3.6	0.40	12.8	0.0936	4.40	5.07	yes	Zn coating	4C
C.036.040.0160.A	3.6	0.40	16.0	0.0700	5.56	6.45	yes	music wire	4B
C.036.040.0160.AP	3.6	0.40	16.0	0.1015	4.12	7.56	yes	music wire	4F
C.036.040.0160.I	3.6	0.40	16.0	0.0609	5.48	6.36	yes	stainless steel	4B
C.036.040.0160.N	3.6	0.40	16.0	0.0700	5.56	6.45	yes	Zn coating	4C
C.036.040.0174.A	3.6	0.40	17.4	0.0637	6.00	6.98	yes	music wire	4B
C.036.040.0174.AF	3.6	0.40	17.4	0.0430	8.40	9.85	yes	music wire	4B
C.036.040.0174.AP	3.6	0.40	17.4	0.0931	4.40	8.21	yes	music wire	4F
C.036.040.0174.I	3.6	0.40	17.4	0.0547	6.00	6.98	yes	stainless steel	4C
C.036.040.0174.IF	3.6	0.40	17.4	0.0369	8.40	9.85	yes	stainless steel	4C
C.036.040.0174.N	3.6	0.40	17.4	0.0637	6.00	6.98	yes	Zn coating	4C
C.036.040.0174.NF	3.6	0.40	17.4	0.0430	8.40	9.85	yes	Zn coating	4C
C.036.040.0183.A	3.6	0.40	18.3	0.0637	6.00	6.98	yes	music wire	4B
C.036.040.0183.I	3.6	0.40	18.3	0.0554	5.92	6.88	yes	stainless steel	4C
C.036.040.0183.N	3.6	0.40	18.3	0.0637	6.00	6.98	yes	Zn coating	4C
C.036.040.0200.A	3.6	0.40	20.0	0.0560	6.68	7.79	yes	music wire	4B
C.036.040.0200.AP	3.6	0.40	20.0	0.0799	5.00	9.29	yes	music wire	4F
C.036.040.0200.I	3.6	0.40	20.0	0.0487	6.60	7.70	yes	stainless steel	4C
C.036.040.0200.N	3.6	0.40	20.0	0.0560	6.68	7.79	yes	Zn coating	4C
C.036.040.0240.A	3.6	0.40	24.0	0.0448	8.12	9.52	yes	music wire	4B
C.036.040.0240.AP	3.6	0.40	24.0	0.0660	5.84	11.02	yes	music wire	4D
C.036.040.0240.I	3.6	0.40	24.0	0.0390	8.00	9.37	yes	stainless steel	4C
C.036.040.0250.A	3.6	0.40	25.0	0.0440	8.24	9.66	yes	music wire	4B
C.036.040.0250.AP	3.6	0.40	25.0	0.0633	6.04	11.48	yes	music wire	4F
C.036.040.0250.I	3.6	0.40	25.0	0.0383	8.12	9.52	yes	stainless steel	4C
C.036.040.0250.N	3.6	0.40	25.0	0.0440	8.24	9.66	yes	Zn coating	4C
C.036.040.0252.A	3.6	0.40	25.2	0.0430	8.40	9.85	yes	music wire	4B
C.036.040.0252.AF	3.6	0.40	25.2	0.0354	10.00	11.76	yes	music wire	4B
C.036.040.0252.AP	3.6	0.40	25.2	0.0628	6.08	11.57	yes	music wire	4F
C.036.040.0252.I	3.6	0.40	25.2	0.0304	10.00	11.76	yes	stainless steel	4C
C.036.040.0252.N	3.6	0.40	25.2	0.0430	8.40	9.85	yes	Zn coating	4C
C.036.040.0252.NF	3.6	0.40	25.2	0.0354	10.00	11.76	yes	Zn coating	4C
C.036.040.0260.A	3.6	0.40	26.0	0.0580	6.48	11.24	yes	music wire	4D
C.036.040.0260.I	3.6	0.40	26.0	0.0505	6.40	11.71	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.036.040.0265.A	3.6	0.40	26.5	0.0430	8.40	9.85	yes	music wire	4B
C.036.040.0265.I	3.6	0.40	26.5	0.0369	8.40	9.85	yes	stainless steel	4C
C.036.040.0265.N	3.6	0.40	26.5	0.0430	8.40	9.85	yes	Zn coating	4C
C.036.040.0320.A	3.6	0.40	32.0	0.0340	10.36	12.19	yes	music wire	4B
C.036.040.0320.AP	3.6	0.40	32.0	0.0492	7.48	14.58	yes	music wire	4F
C.036.040.0320.I	3.6	0.40	32.0	0.0296	10.24	12.05	yes	stainless steel	4C
C.036.040.0320.N	3.6	0.40	32.0	0.0340	10.36	12.19	yes	Zn coating	4C
C.036.040.0400.A	3.6	0.40	40.0	0.0270	12.80	15.11	yes	music wire	4B
C.036.040.0400.AP	3.6	0.40	40.0	0.0390	9.16	18.04	yes	music wire	4G
C.036.040.0400.I	3.6	0.40	40.0	0.0235	12.64	14.92	yes	stainless steel	4C
C.036.040.0400.N	3.6	0.40	40.0	0.0270	12.80	15.11	yes	Zn coating	4C
C.036.040.0500.A	3.6	0.40	50.0	0.0220	15.48	18.32	yes	music wire	4B
C.036.040.0500.AP	3.6	0.40	50.0	0.0310	11.24	22.42	yes	music wire	4G
C.036.040.0500.I	3.6	0.40	50.0	0.0191	15.32	18.13	yes	stainless steel	4C
C.036.040.0500.N	3.6	0.40	50.0	0.0220	15.48	18.32	yes	Zn coating	4C
C.036.040.3600.A	3.6	0.40	360.0	0.0023	141.04	168.41	no	music wire	4C
C.036.040.3600.I	3.6	0.40	360.0	0.0027	104.60	124.83	no	stainless steel	4D
C.036.045.0050.A	3.6	0.45	5.0	0.4110	2.61	2.87	yes	music wire	4B
C.036.045.0050.I	3.6	0.45	5.0	0.3576	2.57	2.82	yes	stainless steel	4B
C.036.045.0050.N	3.6	0.45	5.0	0.4110	2.61	2.87	yes	Zn coating	4C
C.036.045.0063.A	3.6	0.45	6.3	0.3120	3.06	3.40	yes	music wire	4B
C.036.045.0063.I	3.6	0.45	6.3	0.2714	3.02	3.35	yes	stainless steel	4B
C.036.045.0063.N	3.6	0.45	6.3	0.3120	3.06	3.40	yes	Zn coating	4C
C.036.045.0080.A	3.6	0.45	8.0	0.2340	3.69	4.13	yes	music wire	4B
C.036.045.0080.AP	3.6	0.45	8.0	0.3166	3.02	4.24	yes	music wire	4D
C.036.045.0080.I	3.6	0.45	8.0	0.2036	3.65	4.09	yes	stainless steel	4B
C.036.045.0080.N	3.6	0.45	8.0	0.2340	3.69	4.13	yes	Zn coating	4C
C.036.045.0100.A	3.6	0.45	10.0	0.1840	4.41	4.98	yes	music wire	4B
C.036.045.0100.AP	3.6	0.45	10.0	0.2463	3.56	5.17	yes	music wire	4D
C.036.045.0100.I	3.6	0.45	10.0	0.1601	4.37	4.93	yes	stainless steel	4C
C.036.045.0100.N	3.6	0.45	10.0	0.1840	4.41	4.98	yes	Zn coating	4C
C.036.045.0125.A	3.6	0.45	12.5	0.1450	5.27	5.99	yes	music wire	4B
C.036.045.0125.AP	3.6	0.45	12.5	0.1927	4.23	6.32	yes	music wire	4D
C.036.045.0125.I	3.6	0.45	12.5	0.1261	5.22	5.93	yes	stainless steel	4C
C.036.045.0125.N	3.6	0.45	12.5	0.1450	5.27	5.99	yes	Zn coating	4C
C.036.045.0160.A	3.6	0.45	16.0	0.1120	6.48	7.41	yes	music wire	4B
C.036.045.0160.I	3.6	0.45	16.0	0.0974	6.44	7.36	yes	stainless steel	4C
C.036.045.0160.N	3.6	0.45	16.0	0.1120	6.48	7.41	yes	Zn coating	4C
C.036.045.0200.A	3.6	0.45	20.0	0.0880	7.97	9.16	yes	music wire	4B
C.036.045.0200.AL	3.6	0.45	20.0	0.0933	7.88	9.04	yes	music wire	4B
C.036.045.0200.AP	3.6	0.45	20.0	0.1177	6.26	9.89	yes	music wire	4D
C.036.045.0200.I	3.6	0.45	20.0	0.0766	7.88	9.05	yes	stainless steel	4C
C.036.045.0200.N	3.6	0.45	20.0	0.0880	7.97	9.16	yes	Zn coating	4C
C.036.045.0250.A	3.6	0.45	25.0	0.0700	9.72	11.21	yes	music wire	4B
C.036.045.0250.AL	3.6	0.45	25.0	0.0747	9.59	11.04	yes	music wire	4B
C.036.045.0250.AP	3.6	0.45	25.0	0.0936	7.56	12.29	yes	music wire	4D
C.036.045.0250.I	3.6	0.45	25.0	0.0609	9.59	11.06	yes	stainless steel	4C
C.036.045.0250.N	3.6	0.45	25.0	0.0700	9.72	11.21	yes	Zn coating	4C
C.036.045.0320.A	3.6	0.45	32.0	0.0540	12.29	14.23	yes	music wire	4B
C.036.045.0320.AL	3.6	0.45	32.0	0.0583	11.93	13.78	yes	music wire	4B
C.036.045.0320.AP	3.6	0.45	32.0	0.0727	9.41	15.62	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.036.045.0320.I	3.6	0.45	32.0	0.0470	12.11	14.02	yes	stainless steel	4C
C.036.045.0320.N	3.6	0.45	32.0	0.0540	12.29	14.23	yes	Zn coating	4C
C.036.045.0400.A	3.6	0.45	40.0	0.0430	15.12	17.55	yes	music wire	4B
C.036.045.0400.AL	3.6	0.45	40.0	0.0467	14.63	16.94	yes	music wire	4B
C.036.045.0400.AP	3.6	0.45	40.0	0.0578	11.52	19.42	yes	music wire	4D
C.036.045.0400.I	3.6	0.45	40.0	0.0374	14.94	17.34	yes	stainless steel	4C
C.036.045.0400.N	3.6	0.45	40.0	0.0430	15.12	17.55	yes	Zn coating	4C
C.036.045.0500.A	3.6	0.45	50.0	0.0340	18.81	21.88	yes	music wire	4B
C.036.045.0500.AL	3.6	0.45	50.0	0.0373	18.05	20.95	yes	music wire	4B
C.036.045.0500.AP	3.6	0.45	50.0	0.0460	14.18	24.14	yes	music wire	4E
C.036.045.0500.I	3.6	0.45	50.0	0.0296	18.59	21.62	yes	stainless steel	4C
C.036.045.0500.N	3.6	0.45	50.0	0.0340	18.81	21.88	yes	Zn coating	4C
C.036.045.3600.A	3.6	0.45	360.0	0.0100	61.74	240.99	no	music wire	4I
C.036.045.3600.I	3.6	0.45	360.0	0.0087	60.93	244.48	no	stainless steel	4I
C.036.050.0050.A	3.6	0.50	5.0	0.5870	3.05	3.33	yes	music wire	4B
C.036.050.0050.AP	3.6	0.50	5.0	0.7879	2.60	2.98	yes	music wire	4D
C.036.050.0050.I	3.6	0.50	5.0	0.5107	3.05	3.33	yes	stainless steel	4C
C.036.050.0050.N	3.6	0.50	5.0	0.5870	3.05	3.33	yes	Zn coating	4C
C.036.050.0063.A	3.6	0.50	6.3	0.4570	3.60	3.97	yes	music wire	4B
C.036.050.0063.AP	3.6	0.50	6.3	0.6078	3.00	3.68	yes	music wire	4D
C.036.050.0063.I	3.6	0.50	6.3	0.3976	3.55	3.91	yes	stainless steel	4C
C.036.050.0063.N	3.6	0.50	6.3	0.4570	3.60	3.97	yes	Zn coating	4C
C.036.050.0080.A	3.6	0.50	8.0	0.3430	4.35	4.84	yes	music wire	4B
C.036.050.0080.AP	3.6	0.50	8.0	0.4625	3.55	4.55	yes	music wire	4D
C.036.050.0080.I	3.6	0.50	8.0	0.2984	4.35	4.84	yes	stainless steel	4C
C.036.050.0080.N	3.6	0.50	8.0	0.3430	4.35	4.84	yes	Zn coating	4C
C.036.050.0100.A	3.6	0.50	10.0	0.2650	5.30	5.94	yes	music wire	4B
C.036.050.0100.AP	3.6	0.50	10.0	0.3606	4.20	5.58	yes	music wire	4D
C.036.050.0100.I	3.6	0.50	10.0	0.2306	5.25	5.88	yes	stainless steel	4C
C.036.050.0100.N	3.6	0.50	10.0	0.2650	5.30	5.94	yes	Zn coating	4C
C.036.050.0125.A	3.6	0.50	12.5	0.2080	6.40	7.21	yes	music wire	4B
C.036.050.0125.AP	3.6	0.50	12.5	0.2837	5.00	6.88	yes	music wire	4D
C.036.050.0125.I	3.6	0.50	12.5	0.1810	6.30	7.10	yes	stainless steel	4C
C.036.050.0125.N	3.6	0.50	12.5	0.2080	6.40	7.21	yes	Zn coating	4C
C.036.050.0160.A	3.6	0.50	16.0	0.1610	7.90	8.95	yes	music wire	4B
C.036.050.0160.AP	3.6	0.50	16.0	0.2171	6.15	8.65	yes	music wire	4D
C.036.050.0160.I	3.6	0.50	16.0	0.1401	7.80	8.83	yes	stainless steel	4C
C.036.050.0160.N	3.6	0.50	16.0	0.1610	7.90	8.95	yes	Zn coating	4C
C.036.050.0200.A	3.6	0.50	20.0	0.1280	9.60	10.92	yes	music wire	4B
C.036.050.0200.AP	3.6	0.50	20.0	0.1730	7.45	10.78	yes	music wire	4D
C.036.050.0200.I	3.6	0.50	20.0	0.1114	9.50	10.80	yes	stainless steel	4C
C.036.050.0200.N	3.6	0.50	20.0	0.1280	9.60	10.92	yes	Zn coating	4C
C.036.050.0250.A	3.6	0.50	25.0	0.1010	11.85	13.52	yes	music wire	4B
C.036.050.0250.AP	3.6	0.50	25.0	0.1364	9.10	13.30	yes	music wire	4D
C.036.050.0250.I	3.6	0.50	25.0	0.0879	11.70	13.35	yes	stainless steel	4C
C.036.050.0250.N	3.6	0.50	25.0	0.1010	11.85	13.52	yes	Zn coating	4C
C.036.050.0320.A	3.6	0.50	32.0	0.0780	14.95	17.11	yes	music wire	4B
C.036.050.0320.AP	3.6	0.50	32.0	0.1058	11.35	16.93	yes	music wire	4D
C.036.050.0320.I	3.6	0.50	32.0	0.0679	14.75	16.88	yes	stainless steel	4C
C.036.050.0320.N	3.6	0.50	32.0	0.0780	14.95	17.11	yes	Zn coating	4C
C.036.050.0330.A	3.6	0.50	33.0	0.0805	14.55	16.65	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.036.050.0330.I	3.6	0.50	33.0	0.0700	14.35	16.42	yes	stainless steel	4C
C.036.050.0350.A	3.6	0.50	35.0	0.0989	12.05	18.86	yes	music wire	4G
C.036.050.0350.I	3.6	0.50	35.0	0.0860	11.90	19.30	yes	stainless steel	4G
C.036.050.0400.A	3.6	0.50	40.0	0.0620	18.50	21.22	yes	music wire	4B
C.036.050.0400.AP	3.6	0.50	40.0	0.0844	13.90	21.11	yes	music wire	4D
C.036.050.0400.I	3.6	0.50	40.0	0.0539	18.30	20.99	yes	stainless steel	4C
C.036.050.0400.N	3.6	0.50	40.0	0.0620	18.50	21.22	yes	Zn coating	4C
C.036.050.0500.A	3.6	0.50	50.0	0.0490	23.05	26.49	yes	music wire	4B
C.036.050.0500.AP	3.6	0.50	50.0	0.0671	17.15	26.23	yes	music wire	4E
C.036.050.0500.I	3.6	0.50	50.0	0.0426	22.80	26.20	yes	stainless steel	4C
C.036.050.0500.N	3.6	0.50	50.0	0.0490	23.05	26.49	yes	Zn coating	4C
C.036.050.3600.A	3.6	0.50	360.0	0.0100	108.60	200.49	no	music wire	4I
C.036.050.3600.I	3.6	0.50	360.0	0.0087	107.25	204.82	no	stainless steel	4I
C.036.055.0050.A	3.6	0.55	5.0	0.9030	3.36	3.65	yes	music wire	4C
C.036.055.0050.AP	3.6	0.55	5.0	1.1686	2.92	3.22	yes	music wire	4E
C.036.055.0050.I	3.6	0.55	5.0	0.7856	3.36	3.65	yes	stainless steel	4C
C.036.055.0050.N	3.6	0.55	5.0	0.9030	3.36	3.65	yes	Zn coating	4D
C.036.055.0063.A	3.6	0.55	6.3	0.6830	4.02	4.41	yes	music wire	4C
C.036.055.0063.AP	3.6	0.55	6.3	0.8843	3.41	3.95	yes	music wire	4E
C.036.055.0063.I	3.6	0.55	6.3	0.5942	3.96	4.34	yes	stainless steel	4C
C.036.055.0063.N	3.6	0.55	6.3	0.6830	4.02	4.41	yes	Zn coating	4D
C.036.055.0080.A	3.6	0.55	8.0	0.5160	4.90	5.41	yes	music wire	4C
C.036.055.0080.AP	3.6	0.55	8.0	0.6678	4.07	4.89	yes	music wire	4E
C.036.055.0080.I	3.6	0.55	8.0	0.4489	4.84	5.35	yes	stainless steel	4C
C.036.055.0080.N	3.6	0.55	8.0	0.5160	4.90	5.41	yes	Zn coating	4D
C.036.055.0100.A	3.6	0.55	10.0	0.4000	5.89	6.55	yes	music wire	4C
C.036.055.0100.AP	3.6	0.55	10.0	0.5194	4.84	6.00	yes	music wire	4E
C.036.055.0100.I	3.6	0.55	10.0	0.3489	5.83	6.48	yes	stainless steel	4C
C.036.055.0100.N	3.6	0.55	10.0	0.4000	5.89	6.55	yes	Zn coating	4E
C.036.055.0125.A	3.6	0.55	12.5	0.3160	7.10	7.94	yes	music wire	4C
C.036.055.0125.AP	3.6	0.55	12.5	0.4090	5.78	7.43	yes	music wire	4E
C.036.055.0125.I	3.6	0.55	12.5	0.2749	7.04	7.87	yes	stainless steel	4C
C.036.055.0125.N	3.6	0.55	12.5	0.3160	7.10	7.94	yes	Zn coating	4E
C.036.055.0160.A	3.6	0.55	16.0	0.2430	8.80	9.88	yes	music wire	4C
C.036.055.0160.AP	3.6	0.55	16.0	0.3146	7.10	9.40	yes	music wire	4E
C.036.055.0160.I	3.6	0.55	16.0	0.2114	8.69	9.76	yes	stainless steel	4C
C.036.055.0160.N	3.6	0.55	16.0	0.2430	8.80	9.88	yes	Zn coating	4E
C.036.055.0200.A	3.6	0.55	20.0	0.1920	10.78	12.15	yes	music wire	4C
C.036.055.0200.AP	3.6	0.55	20.0	0.2479	8.69	11.63	yes	music wire	4E
C.036.055.0200.I	3.6	0.55	20.0	0.1670	10.67	12.03	yes	stainless steel	4C
C.036.055.0200.N	3.6	0.55	20.0	0.1920	10.78	12.15	yes	Zn coating	4E
C.036.055.0250.A	3.6	0.55	25.0	0.1510	13.37	15.12	yes	music wire	4C
C.036.055.0250.AP	3.6	0.55	25.0	0.1959	10.62	14.41	yes	music wire	4E
C.036.055.0250.I	3.6	0.55	25.0	0.1314	13.20	14.93	yes	stainless steel	4C
C.036.055.0250.N	3.6	0.55	25.0	0.1510	13.37	15.12	yes	Zn coating	4E
C.036.055.0320.A	3.6	0.55	32.0	0.1170	16.83	19.09	yes	music wire	4C
C.036.055.0320.AP	3.6	0.55	32.0	0.1515	13.31	18.30	yes	music wire	4E
C.036.055.0320.I	3.6	0.55	32.0	0.1018	16.61	18.84	yes	stainless steel	4C
C.036.055.0320.N	3.6	0.55	32.0	0.1170	16.83	19.09	yes	Zn coating	4E
C.036.055.0400.A	3.6	0.55	40.0	0.0930	20.79	23.63	yes	music wire	4C
C.036.055.0400.AP	3.6	0.55	40.0	0.1207	16.34	22.81	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.036.055.0400.I	3.6	0.55	40.0	0.0809	20.57	23.37	yes	stainless steel	4C
C.036.055.0400.N	3.6	0.55	40.0	0.0930	20.79	23.63	yes	Zn coating	4E
C.036.055.0500.A	3.6	0.55	50.0	0.0740	25.80	29.37	yes	music wire	4C
C.036.055.0500.AP	3.6	0.55	50.0	0.0960	20.19	28.37	yes	music wire	4E
C.036.055.0500.I	3.6	0.55	50.0	0.0644	25.47	28.99	yes	stainless steel	4C
C.036.055.0500.N	3.6	0.55	50.0	0.0740	25.80	29.37	yes	Zn coating	4E
C.036.055.3600.A	3.6	0.55	360.0	0.0100	182.66	209.07	no	music wire	4D
C.036.055.3600.I	3.6	0.55	360.0	0.0087	180.35	206.42	no	stainless steel	4E
C.036.060.0050.A	3.6	0.60	5.0	1.3940	3.60	3.89	yes	music wire	4C
C.036.060.0050.I	3.6	0.60	5.0	1.2128	3.60	3.89	yes	stainless steel	4C
C.036.060.0050.N	3.6	0.60	5.0	1.3940	3.60	3.89	yes	Zn coating	4E
C.036.060.0063.A	3.6	0.60	6.3	1.0170	4.38	4.78	yes	music wire	4C
C.036.060.0063.AP	3.6	0.60	6.3	1.2492	3.84	4.19	yes	music wire	4E
C.036.060.0063.I	3.6	0.60	6.3	0.8848	4.32	4.71	yes	stainless steel	4C
C.036.060.0063.N	3.6	0.60	6.3	1.0170	4.38	4.78	yes	Zn coating	4E
C.036.060.0080.A	3.6	0.60	8.0	0.7680	5.34	5.87	yes	music wire	4C
C.036.060.0080.AP	3.6	0.60	8.0	0.9553	4.56	5.24	yes	music wire	4E
C.036.060.0080.I	3.6	0.60	8.0	0.6682	5.28	5.80	yes	stainless steel	4C
C.036.060.0080.N	3.6	0.60	8.0	0.7680	5.34	5.87	yes	Zn coating	4E
C.036.060.0100.A	3.6	0.60	10.0	0.5970	6.42	7.10	yes	music wire	4C
C.036.060.0100.AP	3.6	0.60	10.0	0.7382	5.46	6.43	yes	music wire	4E
C.036.060.0100.I	3.6	0.60	10.0	0.5194	6.36	7.03	yes	stainless steel	4C
C.036.060.0100.N	3.6	0.60	10.0	0.5970	6.42	7.10	yes	Zn coating	4E
C.036.060.0125.A	3.6	0.60	12.5	0.4700	7.74	8.60	yes	music wire	4C
C.036.060.0125.AP	3.6	0.60	12.5	0.5800	6.54	7.96	yes	music wire	4E
C.036.060.0125.I	3.6	0.60	12.5	0.4089	7.68	8.53	yes	stainless steel	4C
C.036.060.0143.A	3.6	0.60	14.3	0.4900	7.50	8.92	yes	music wire	4E
C.036.060.0143.I	3.6	0.60	14.3	0.4263	7.44	9.05	yes	stainless steel	4E
C.036.060.0160.A	3.6	0.60	16.0	0.3580	9.72	10.85	yes	music wire	4C
C.036.060.0160.AP	3.6	0.60	16.0	0.4429	8.10	10.05	yes	music wire	4E
C.036.060.0160.I	3.6	0.60	16.0	0.3115	9.60	10.71	yes	stainless steel	4C
C.036.060.0160.N	3.6	0.60	16.0	0.3580	9.72	10.85	yes	Zn coating	4E
C.036.060.0182.A	3.6	0.60	18.2	0.3700	9.42	11.08	yes	music wire	4E
C.036.060.0182.I	3.6	0.60	18.2	0.3219	9.30	11.24	yes	stainless steel	4E
C.036.060.0200.A	3.6	0.60	20.0	0.2810	11.94	13.38	yes	music wire	4C
C.036.060.0200.AP	3.6	0.60	20.0	0.3505	9.90	12.48	yes	music wire	4E
C.036.060.0200.I	3.6	0.60	20.0	0.2445	11.82	13.24	yes	stainless steel	4C
C.036.060.0200.N	3.6	0.60	20.0	0.2810	11.94	13.38	yes	Zn coating	4E
C.036.060.0250.A	3.6	0.60	25.0	0.2230	14.64	16.45	yes	music wire	4C
C.036.060.0250.AP	3.6	0.60	25.0	0.2768	12.12	15.48	yes	music wire	4E
C.036.060.0250.I	3.6	0.60	25.0	0.1940	14.46	16.24	yes	stainless steel	4C
C.036.060.0250.N	3.6	0.60	25.0	0.2230	14.64	16.45	yes	Zn coating	4E
C.036.060.0270.A	3.6	0.60	27.0	0.1379	22.80	25.73	yes	music wire	4C
C.036.060.0270.AP	3.6	0.60	27.0	0.2551	13.02	16.67	yes	music wire	4E
C.036.060.0270.I	3.6	0.60	27.0	0.1200	22.50	25.39	yes	stainless steel	4C
C.036.060.0320.A	3.6	0.60	32.0	0.1720	18.54	20.88	yes	music wire	4C
C.036.060.0320.AP	3.6	0.60	32.0	0.2137	15.24	19.67	yes	music wire	4E
C.036.060.0320.I	3.6	0.60	32.0	0.1496	18.36	20.68	yes	stainless steel	4C
C.036.060.0320.N	3.6	0.60	32.0	0.1720	18.54	20.88	yes	Zn coating	4E
C.036.060.0400.A	3.6	0.60	40.0	0.1370	22.92	25.87	yes	music wire	4C
C.036.060.0400.AP	3.6	0.60	40.0	0.1698	18.78	24.48	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.036.060.0400.I	3.6	0.60	40.0	0.1192	22.62	25.52	yes	stainless steel	4C
C.036.060.0400.N	3.6	0.60	40.0	0.1370	22.92	25.87	yes	Zn coating	4E
C.036.060.0500.A	3.6	0.60	50.0	0.1090	28.44	32.14	yes	music wire	4C
C.036.060.0500.AP	3.6	0.60	50.0	0.1350	23.22	30.48	yes	music wire	4E
C.036.060.0500.I	3.6	0.60	50.0	0.0948	28.08	31.73	yes	stainless steel	4C
C.036.060.0500.N	3.6	0.60	50.0	0.1090	28.44	32.14	yes	Zn coating	4E
C.036.060.3600.A	3.6	0.60	360.0	0.0150	197.70	224.60	no	music wire	4D
C.036.060.3600.I	3.6	0.60	360.0	0.0131	194.46	220.91	no	stainless steel	4E
C.036.070.0050.A	3.6	0.70	5.0	2.9690	4.13	4.43	yes	music wire	4C
C.036.070.0050.I	3.6	0.70	5.0	2.5830	4.06	4.35	yes	stainless steel	4C
C.036.070.0050.N	3.6	0.70	5.0	2.9690	4.13	4.43	yes	Zn coating	4E
C.036.070.0063.A	3.6	0.70	6.3	2.2000	4.97	5.37	yes	music wire	4C
C.036.070.0063.I	3.6	0.70	6.3	1.9184	4.90	5.30	yes	stainless steel	4C
C.036.070.0063.N	3.6	0.70	6.3	2.2000	4.97	5.37	yes	Zn coating	4E
C.036.070.0080.A	3.6	0.70	8.0	1.6420	6.02	6.56	yes	music wire	4C
C.036.070.0080.I	3.6	0.70	8.0	1.4285	5.95	6.48	yes	stainless steel	4C
C.036.070.0080.N	3.6	0.70	8.0	1.6420	6.02	6.56	yes	Zn coating	4E
C.036.070.0087.A	3.6	0.70	8.7	2.1839	4.97	6.87	yes	music wire	4G
C.036.070.0087.I	3.6	0.70	8.7	1.9000	4.90	6.90	yes	stainless steel	4H
C.036.070.0100.A	3.6	0.70	10.0	1.2450	7.42	8.13	yes	music wire	4C
C.036.070.0100.I	3.6	0.70	10.0	1.0832	7.35	8.05	yes	stainless steel	4C
C.036.070.0100.N	3.6	0.70	10.0	1.2450	7.42	8.13	yes	Zn coating	4E
C.036.070.0125.A	3.6	0.70	12.5	0.9770	8.96	9.87	yes	music wire	4C
C.036.070.0125.I	3.6	0.70	12.5	0.8500	8.82	9.71	yes	stainless steel	4C
C.036.070.0125.N	3.6	0.70	12.5	0.9770	8.96	9.87	yes	Zn coating	4E
C.036.070.0160.A	3.6	0.70	16.0	0.7420	11.20	12.39	yes	music wire	4C
C.036.070.0160.I	3.6	0.70	16.0	0.6455	11.06	12.23	yes	stainless steel	4C
C.036.070.0160.N	3.6	0.70	16.0	0.7420	11.20	12.39	yes	Zn coating	4E
C.036.070.0200.A	3.6	0.70	20.0	0.5800	13.86	15.38	yes	music wire	4C
C.036.070.0200.I	3.6	0.70	20.0	0.5046	13.72	15.23	yes	stainless steel	4C
C.036.070.0200.N	3.6	0.70	20.0	0.5800	13.86	15.38	yes	Zn coating	4E
C.036.070.0250.A	3.6	0.70	25.0	0.4590	17.08	19.01	yes	music wire	4C
C.036.070.0250.I	3.6	0.70	25.0	0.4000	16.80	18.69	yes	stainless steel	4C
C.036.070.0250.N	3.6	0.70	25.0	0.4590	17.08	19.01	yes	Zn coating	4E
C.036.070.0320.A	3.6	0.70	32.0	0.3540	21.56	24.05	yes	music wire	4C
C.036.070.0320.I	3.6	0.70	32.0	0.3080	21.35	23.81	yes	stainless steel	4C
C.036.070.0320.N	3.6	0.70	32.0	0.3540	21.56	24.05	yes	Zn coating	4E
C.036.070.0400.A	3.6	0.70	40.0	0.2810	26.74	29.88	yes	music wire	4C
C.036.070.0400.I	3.6	0.70	40.0	0.2445	26.39	29.49	yes	stainless steel	4C
C.036.070.0400.N	3.6	0.70	40.0	0.2810	26.74	29.88	yes	Zn coating	4E
C.036.070.0500.A	3.6	0.70	50.0	0.2230	33.25	37.21	yes	music wire	4C
C.036.070.0500.I	3.6	0.70	50.0	0.1940	32.83	36.74	yes	stainless steel	4C
C.036.070.0500.N	3.6	0.70	50.0	0.2230	33.25	37.21	yes	Zn coating	4E
C.036.070.3600.A	3.6	0.70	360.0	0.0300	236.46	265.89	no	music wire	4E
C.036.070.3600.I	3.6	0.70	360.0	0.0261	233.45	262.50	no	stainless steel	4E
C.036.080.0099.A	3.6	0.80	9.9	2.4138	8.32	9.07	yes	music wire	4C
C.036.080.0099.AP	3.6	0.80	9.9	2.7498	7.52	8.17	yes	music wire	4E
C.036.080.0099.I	3.6	0.80	9.9	2.1000	8.24	8.98	yes	stainless steel	4C
C.036.080.0167.A	3.6	0.80	16.7	1.8391	10.24	13.60	yes	music wire	4H
C.036.080.0167.I	3.6	0.80	16.7	1.6000	10.16	13.65	yes	stainless steel	4H
C.036.080.0330.A	3.6	0.80	33.0	0.5300	30.72	30.72	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.036.080.0330.AP	3.6	0.80	33.0	0.7354	22.64	25.25	yes	music wire	4E
C.036.080.0330.I	3.6	0.80	33.0	0.4611	30.32	30.32	yes	stainless steel	4C
C.037.040.0111.A	3.7	0.40	11.1	0.1070	3.72	4.27	yes	music wire	4B
C.037.040.0111.I	3.7	0.40	11.1	0.0931	3.68	4.22	yes	stainless steel	4B
C.037.040.0143.A	3.7	0.40	14.3	0.0853	4.40	5.09	yes	music wire	4D
C.037.040.0143.I	3.7	0.40	14.3	0.0711	4.52	5.23	yes	stainless steel	4B
C.037.040.0190.A	3.7	0.40	19.0	0.0600	5.84	6.82	yes	music wire	4B
C.037.040.0190.I	3.7	0.40	19.0	0.0523	5.76	6.72	yes	stainless steel	4C
C.037.040.0240.A	3.7	0.40	24.0	0.0500	6.80	7.97	yes	music wire	4D
C.037.040.0240.I	3.7	0.40	24.0	0.0435	6.72	7.88	yes	stainless steel	4E
C.037.040.0380.A	3.7	0.40	38.0	0.0304	10.56	12.49	yes	music wire	4D
C.037.040.0380.I	3.7	0.40	38.0	0.0253	10.84	12.83	yes	stainless steel	4C
C.037.045.0143.A	3.7	0.45	14.3	0.1393	5.04	5.97	yes	music wire	4D
C.037.045.0143.I	3.7	0.45	14.3	0.1160	5.18	5.90	yes	stainless steel	4E
C.037.045.0175.A	3.7	0.45	17.5	0.1128	5.99	7.21	yes	music wire	4D
C.037.045.0175.I	3.7	0.45	17.5	0.0939	6.12	7.07	yes	stainless steel	4E
C.037.045.0190.A	3.7	0.45	19.0	0.1030	6.44	7.73	yes	music wire	4D
C.037.045.0190.I	3.7	0.45	19.0	0.0858	6.62	7.60	yes	stainless steel	4E
C.037.045.0240.A	3.7	0.45	24.0	0.0814	7.88	9.75	yes	music wire	4D
C.037.045.0240.I	3.7	0.45	24.0	0.0708	7.79	10.17	yes	stainless steel	4E
C.037.045.0380.A	3.7	0.45	38.0	0.0500	12.06	14.80	yes	music wire	4D
C.037.045.0380.I	3.7	0.45	38.0	0.0417	12.42	14.48	yes	stainless steel	4E
C.037.050.0055.A	3.7	0.50	5.5	0.5552	3.00	3.28	yes	music wire	4B
C.037.050.0055.I	3.7	0.50	5.5	0.4830	3.00	3.28	yes	stainless steel	4C
C.037.050.0055.N	3.7	0.50	5.5	0.5552	3.00	3.28	yes	Zn coating	4C
C.037.050.0079.A	3.7	0.50	7.9	0.3533	4.00	4.44	yes	music wire	4B
C.037.050.0079.I	3.7	0.50	7.9	0.3074	3.95	4.39	yes	stainless steel	4C
C.037.050.0079.N	3.7	0.50	7.9	0.3533	4.00	4.44	yes	Zn coating	4C
C.037.050.0115.A	3.7	0.50	11.5	0.2286	5.50	6.19	yes	music wire	4B
C.037.050.0115.I	3.7	0.50	11.5	0.1963	5.50	6.19	yes	stainless steel	4C
C.037.050.0115.N	3.7	0.50	11.5	0.2286	5.50	6.19	yes	Zn coating	4C
C.037.050.0160.A	3.7	0.50	16.0	0.1554	7.50	8.51	yes	music wire	4B
C.037.050.0160.AP	3.7	0.50	16.0	0.2080	5.90	8.52	yes	music wire	4D
C.037.050.0160.I	3.7	0.50	16.0	0.1352	7.40	8.39	yes	stainless steel	4C
C.037.050.0160.IF	3.7	0.50	16.0	0.0900	10.50	11.99	yes	stainless steel	4C
C.037.050.0160.N	3.7	0.50	16.0	0.1554	7.50	8.51	yes	Zn coating	4C
C.037.050.0235.A	3.7	0.50	23.5	0.1050	10.50	11.99	yes	music wire	4B
C.037.050.0235.AP	3.7	0.50	23.5	0.1391	8.25	12.32	yes	music wire	4D
C.037.050.0235.I	3.7	0.50	23.5	0.0900	10.50	11.99	yes	stainless steel	4C
C.037.050.0235.IF	3.7	0.50	23.5	0.0742	12.50	14.32	yes	stainless steel	4C
C.037.050.0235.N	3.7	0.50	23.5	0.1050	10.50	11.99	yes	Zn coating	4C
C.037.050.0280.A	3.7	0.50	28.0	0.0910	11.95	13.68	yes	music wire	4B
C.037.050.0280.I	3.7	0.50	28.0	0.0792	11.80	13.50	yes	stainless steel	4C
C.037.050.0280.N	3.7	0.50	28.0	0.0910	11.95	13.68	yes	Zn coating	4C
C.037.060.0280.A	3.7	0.60	28.0	0.1880	15.66	17.64	yes	music wire	4C
C.037.060.0280.AP	3.7	0.60	28.0	0.2324	12.96	16.93	yes	music wire	4E
C.037.060.0280.I	3.7	0.60	28.0	0.1566	16.08	18.12	yes	stainless steel	4C
C.037.060.0300.A	3.7	0.60	30.0	0.1720	16.98	19.15	yes	music wire	4C
C.037.060.0300.AP	3.7	0.60	30.0	0.2164	13.80	18.12	yes	music wire	4E
C.037.060.0300.I	3.7	0.60	30.0	0.1496	16.74	18.87	yes	stainless steel	4C
C.037.080.0063.A	3.7	0.80	6.3	3.2000	6.24	6.24	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.037.080.0063.AL	3.7	0.80	6.3	3.7813	5.60	6.03	yes	music wire	4C
C.037.080.0063.AP	3.7	0.80	6.3	4.3789	5.12	5.49	yes	music wire	4C
C.037.080.0063.I	3.7	0.80	6.3	2.7840	6.24	6.24	yes	stainless steel	4C
C.037.080.0063.N	3.7	0.80	6.3	3.2000	6.24	6.24	yes	Zn coating	4E
C.037.080.0080.A	3.7	0.80	8.0	2.5600	7.36	7.36	yes	music wire	4C
C.037.080.0080.AL	3.7	0.80	8.0	2.7500	6.96	7.55	yes	music wire	4C
C.037.080.0080.AP	3.7	0.80	8.0	3.2842	6.16	6.66	yes	music wire	4E
C.037.080.0080.I	3.7	0.80	8.0	2.2272	7.28	7.91	yes	stainless steel	4C
C.037.080.0080.N	3.7	0.80	8.0	2.5600	7.36	7.36	yes	Zn coating	4E
C.037.080.0100.A	3.7	0.80	10.0	2.0000	8.88	9.70	yes	music wire	4C
C.037.080.0100.AP	3.7	0.80	10.0	2.5115	7.44	8.09	yes	music wire	4E
C.037.080.0100.I	3.7	0.80	10.0	1.7400	8.72	9.52	yes	stainless steel	4C
C.037.080.0100.N	3.7	0.80	10.0	2.0000	8.88	9.70	yes	Zn coating	4E
C.037.080.0125.A	3.7	0.80	12.5	1.6000	10.56	11.58	yes	music wire	4C
C.037.080.0125.AP	3.7	0.80	12.5	1.9407	9.04	9.88	yes	music wire	4E
C.037.080.0125.I	3.7	0.80	12.5	1.3920	10.48	11.50	yes	stainless steel	4C
C.037.080.0125.N	3.7	0.80	12.5	1.6000	10.56	11.58	yes	Zn coating	4E
C.037.080.0160.A	3.7	0.80	16.0	1.2800	12.72	14.00	yes	music wire	4C
C.037.080.0160.AP	3.7	0.80	16.0	1.4722	11.28	12.39	yes	music wire	4E
C.037.080.0160.I	3.7	0.80	16.0	1.1136	12.56	13.82	yes	stainless steel	4C
C.037.080.0160.N	3.7	0.80	16.0	1.2800	12.72	14.00	yes	Zn coating	4E
C.037.080.0200.A	3.7	0.80	20.0	1.0000	15.68	17.32	yes	music wire	4C
C.037.080.0200.AP	3.7	0.80	20.0	1.1618	13.76	15.20	yes	music wire	4E
C.037.080.0200.I	3.7	0.80	20.0	0.8700	15.52	17.14	yes	stainless steel	4C
C.037.080.0200.N	3.7	0.80	20.0	1.0000	15.68	17.32	yes	Zn coating	4E
C.037.080.0250.A	3.7	0.80	25.0	0.8000	19.12	21.17	yes	music wire	4C
C.037.080.0250.AP	3.7	0.80	25.0	0.9133	16.96	18.89	yes	music wire	4E
C.037.080.0250.I	3.7	0.80	25.0	0.6960	18.88	20.90	yes	stainless steel	4C
C.037.080.0250.N	3.7	0.80	25.0	0.8000	19.12	21.17	yes	Zn coating	4E
C.037.080.0320.A	3.7	0.80	32.0	0.6400	23.36	25.92	yes	music wire	4C
C.037.080.0320.I	3.7	0.80	32.0	0.5568	23.12	25.65	yes	stainless steel	4F
C.037.080.0320.N	3.7	0.80	32.0	0.6400	23.36	25.92	yes	Zn coating	4E
C.037.080.0400.A	3.7	0.80	40.0	0.5079	28.96	32.19	yes	music wire	4E
C.037.080.0400.I	3.7	0.80	40.0	0.4419	28.64	31.83	yes	stainless steel	4F
C.037.080.0400.N	3.7	0.80	40.0	0.5079	28.96	32.19	yes	Zn coating	4G
C.037.080.0500.A	3.7	0.80	50.0	0.4000	36.24	40.34	yes	music wire	4C
C.037.080.0500.I	3.7	0.80	50.0	0.3480	35.76	39.80	yes	stainless steel	4F
C.037.080.0500.N	3.7	0.80	50.0	0.4000	36.24	40.34	yes	Zn coating	4E
C.037.080.0630.A	3.7	0.80	63.0	0.3200	44.80	49.92	yes	music wire	4E
C.037.080.0630.I	3.7	0.80	63.0	0.2784	44.24	49.30	yes	stainless steel	4F
C.037.080.0630.N	3.7	0.80	63.0	0.3200	44.80	49.92	yes	Zn coating	4H
C.038.030.0090.A	3.8	0.30	9.0	0.0540	2.13	2.46	no	music wire	4E
C.038.030.0090.I	3.8	0.30	9.0	0.0470	2.10	2.56	no	stainless steel	4E
C.038.030.0225.A	3.8	0.30	22.5	0.0130	5.49	6.84	no	music wire	4C
C.038.030.0225.I	3.8	0.30	22.5	0.0113	5.43	6.76	no	stainless steel	4C
C.038.040.0050.A	3.8	0.40	5.0	0.2000	2.32	2.60	yes	music wire	4B
C.038.040.0063.A	3.8	0.40	6.3	0.1636	2.64	2.98	yes	music wire	4B
C.038.040.0080.A	3.8	0.40	8.0	0.1286	3.08	3.51	yes	music wire	4B
C.038.040.0100.A	3.8	0.40	10.0	0.1000	3.64	4.19	yes	music wire	4B
C.038.040.0125.A	3.8	0.40	12.5	0.0800	4.32	5.01	yes	music wire	4B
C.038.040.0160.A	3.8	0.40	16.0	0.0643	5.12	5.98	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.038.040.0200.A	3.8	0.40	20.0	0.0720	4.68	8.70	yes	music wire	4D
C.038.040.0200.AF	3.8	0.40	20.0	0.0500	6.32	7.43	yes	music wire	4B
C.038.040.0200.AL	3.8	0.40	20.0	0.0514	6.16	7.24	yes	music wire	4B
C.038.040.0200.AP	3.8	0.40	20.0	0.0741	4.56	9.03	yes	music wire	4F
C.038.040.0200.I	3.8	0.40	20.0	0.0626	4.64	9.06	yes	stainless steel	4G
C.038.040.0200.N	3.8	0.40	20.0	0.0720	4.68	8.70	yes	Zn coating	4F
C.038.040.0200.NF	3.8	0.40	20.0	0.0500	6.32	7.43	yes	Zn coating	4C
C.038.040.0250.A	3.8	0.40	25.0	0.0400	7.64	9.02	yes	music wire	4B
C.038.040.0320.A	3.8	0.40	32.0	0.0321	9.24	10.96	yes	music wire	4B
C.038.040.0400.A	3.8	0.40	40.0	0.0257	11.32	13.47	yes	music wire	4B
C.038.040.0500.A	3.8	0.40	50.0	0.0200	14.28	17.05	yes	music wire	4B
C.038.040.0630.A	3.8	0.40	63.0	0.0161	17.48	20.91	yes	music wire	4B
C.038.040.0630.AP	3.8	0.40	63.0	0.0227	12.72	27.12	yes	music wire	4G
C.038.040.0630.I	3.8	0.40	63.0	0.0140	17.28	20.67	yes	stainless steel	4C
C.038.040.0630.N	3.8	0.40	63.0	0.0161	17.48	20.91	yes	Zn coating	4C
C.038.040.0800.A	3.8	0.40	80.0	0.0125	22.24	26.67	yes	music wire	4B
C.038.040.0800.AP	3.8	0.40	80.0	0.0178	15.92	34.26	yes	music wire	4G
C.038.040.0800.I	3.8	0.40	80.0	0.0109	21.96	26.33	yes	stainless steel	4C
C.038.040.0800.N	3.8	0.40	80.0	0.0125	22.24	26.67	yes	Zn coating	4D
C.038.050.0050.A	3.8	0.50	5.0	0.5062	3.00	3.29	yes	music wire	4B
C.038.050.0050.AP	3.8	0.50	5.0	0.7348	2.45	2.93	yes	music wire	4D
C.038.050.0050.I	3.8	0.50	5.0	0.4404	3.00	3.29	yes	stainless steel	4C
C.038.050.0050.N	3.8	0.50	5.0	0.5062	3.00	3.29	yes	Zn coating	4C
C.038.050.0080.A	3.8	0.50	8.0	0.3221	4.00	4.45	yes	music wire	4B
C.038.050.0080.AP	3.8	0.50	8.0	0.4199	3.35	4.39	yes	music wire	4D
C.038.050.0080.I	3.8	0.50	8.0	0.2802	3.95	4.40	yes	stainless steel	4C
C.038.050.0080.N	3.8	0.50	8.0	0.3221	4.00	4.45	yes	Zn coating	4C
C.038.050.0112.A	3.8	0.50	11.2	0.3103	4.10	6.31	yes	music wire	4F
C.038.050.0112.I	3.8	0.50	11.2	0.2700	4.05	6.44	yes	stainless steel	4G
C.038.050.0120.A	3.8	0.50	12.0	0.2084	5.50	6.20	yes	music wire	4B
C.038.050.0120.I	3.8	0.50	12.0	0.1813	5.45	6.14	yes	stainless steel	4C
C.038.050.0120.N	3.8	0.50	12.0	0.2084	5.50	6.20	yes	Zn coating	4C
C.038.050.0142.A	3.8	0.50	14.2	0.2414	4.90	7.91	yes	music wire	4F
C.038.050.0142.I	3.8	0.50	14.2	0.2100	4.85	8.08	yes	stainless steel	4G
C.038.050.0175.A	3.8	0.50	17.5	0.1954	5.80	9.73	yes	music wire	4F
C.038.050.0175.I	3.8	0.50	17.5	0.1700	5.75	9.94	yes	stainless steel	4G
C.038.050.0180.A	3.8	0.50	18.0	0.1312	8.00	9.12	yes	music wire	4B
C.038.050.0180.AP	3.8	0.50	18.0	0.1746	6.30	9.31	yes	music wire	4D
C.038.050.0180.I	3.8	0.50	18.0	0.1127	8.00	9.12	yes	stainless steel	4C
C.038.050.0180.N	3.8	0.50	18.0	0.1312	8.00	9.12	yes	Zn coating	4C
C.038.050.0240.A	3.8	0.50	24.0	0.1379	7.65	13.00	yes	music wire	4G
C.038.050.0240.I	3.8	0.50	24.0	0.1200	7.60	13.29	yes	stainless steel	4G
C.038.050.0290.A	3.8	0.50	29.0	0.1200	8.65	16.35	yes	music wire	4G
C.038.050.0290.I	3.8	0.50	29.0	0.1000	8.85	16.15	yes	stainless steel	4G
C.038.050.0350.A	3.8	0.50	35.0	0.0980	10.30	19.51	yes	music wire	4G
C.038.050.0350.I	3.8	0.50	35.0	0.0853	10.15	19.93	yes	stainless steel	4G
C.038.050.0380.A	3.8	0.50	38.0	0.0862	11.55	20.39	yes	music wire	4G
C.038.050.0380.I	3.8	0.50	38.0	0.0750	11.40	20.87	yes	stainless steel	4G
C.038.055.0063.A	3.8	0.55	6.3	0.6250	3.91	4.29	yes	music wire	4C
C.038.055.0064.A	3.8	0.55	6.4	0.6250	3.74	4.10	yes	music wire	4C
C.038.055.0064.I	3.8	0.55	6.4	0.5438	3.74	4.10	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.038.055.0064.N	3.8	0.55	6.4	0.6250	3.74	4.10	yes	Zn coating	4D
C.038.055.0080.A	3.8	0.55	8.0	0.5000	4.51	4.98	yes	music wire	4C
C.038.055.0097.A	3.8	0.55	9.7	0.3850	5.28	5.88	yes	music wire	4C
C.038.055.0097.I	3.8	0.55	9.7	0.3350	5.23	5.82	yes	stainless steel	4C
C.038.055.0097.N	3.8	0.55	9.7	0.3850	5.28	5.88	yes	Zn coating	4E
C.038.055.0100.A	3.8	0.55	10.0	0.4000	5.28	5.87	yes	music wire	4C
C.038.055.0112.A	3.8	0.55	11.2	0.3270	5.94	6.64	yes	music wire	4C
C.038.055.0112.I	3.8	0.55	11.2	0.3258	5.34	6.05	yes	stainless steel	4E
C.038.055.0112.N	3.8	0.55	11.2	0.3270	5.94	6.64	yes	Zn coating	4E
C.038.055.0125.A	3.8	0.55	12.5	0.3125	6.38	7.13	yes	music wire	4C
C.038.055.0127.A	3.8	0.55	12.7	0.2840	6.66	7.46	yes	music wire	4C
C.038.055.0127.I	3.8	0.55	12.7	0.2471	6.55	7.34	yes	stainless steel	4C
C.038.055.0127.N	3.8	0.55	12.7	0.2840	6.66	7.46	yes	Zn coating	4E
C.038.055.0142.A	3.8	0.55	14.2	0.3015	6.33	7.64	yes	music wire	4E
C.038.055.0142.AF	3.8	0.55	14.2	0.2500	7.37	8.28	yes	music wire	4C
C.038.055.0142.AP	3.8	0.55	14.2	0.3219	6.00	8.06	yes	music wire	4E
C.038.055.0142.I	3.8	0.55	14.2	0.2590	6.33	7.73	yes	stainless steel	4E
C.038.055.0142.N	3.8	0.55	14.2	0.3015	6.33	7.64	yes	Zn coating	4G
C.038.055.0142.NF	3.8	0.55	14.2	0.2500	7.37	8.28	yes	Zn coating	4E
C.038.055.0160.A	3.8	0.55	16.0	0.2500	7.65	8.60	yes	music wire	4C
C.038.055.0175.A	3.8	0.55	17.5	0.2400	7.59	9.26	yes	music wire	4E
C.038.055.0175.AF	3.8	0.55	17.5	0.2010	8.80	9.93	yes	music wire	4C
C.038.055.0175.AP	3.8	0.55	17.5	0.2576	7.15	9.83	yes	music wire	4E
C.038.055.0175.I	3.8	0.55	17.5	0.2061	7.59	9.37	yes	stainless steel	4E
C.038.055.0175.N	3.8	0.55	17.5	0.2400	7.59	9.26	yes	Zn coating	4G
C.038.055.0175.NF	3.8	0.55	17.5	0.2010	8.80	9.93	yes	Zn coating	4E
C.038.055.0190.A	3.8	0.55	19.0	0.1836	9.52	10.76	yes	music wire	4C
C.038.055.0190.AP	3.8	0.55	19.0	0.2352	7.70	10.60	yes	music wire	4E
C.038.055.0190.I	3.8	0.55	19.0	0.1836	8.36	9.87	yes	stainless steel	4E
C.038.055.0190.N	3.8	0.55	19.0	0.1836	9.52	10.76	yes	Zn coating	4E
C.038.055.0200.A	3.8	0.55	20.0	0.2000	9.19	10.37	yes	music wire	4C
C.038.055.0224.A	3.8	0.55	22.4	0.1560	10.95	12.41	yes	music wire	4C
C.038.055.0224.I	3.8	0.55	22.4	0.1554	9.63	11.61	yes	stainless steel	4E
C.038.055.0224.N	3.8	0.55	22.4	0.1560	10.95	12.41	yes	Zn coating	4E
C.038.055.0239.A	3.8	0.55	23.9	0.1704	10.12	12.30	yes	music wire	4E
C.038.055.0239.I	3.8	0.55	23.9	0.1464	10.12	12.45	yes	stainless steel	4E
C.038.055.0239.N	3.8	0.55	23.9	0.1704	10.12	12.30	yes	Zn coating	4G
C.038.055.0240.A	3.8	0.55	24.0	0.1450	11.66	13.23	yes	music wire	4C
C.038.055.0240.I	3.8	0.55	24.0	0.1262	11.55	13.10	yes	stainless steel	4C
C.038.055.0240.N	3.8	0.55	24.0	0.1450	11.66	13.23	yes	Zn coating	4E
C.038.055.0250.A	3.8	0.55	25.0	0.1587	11.22	12.70	yes	music wire	4C
C.038.055.0305.A	3.8	0.55	30.5	0.1248	13.37	15.20	yes	music wire	4E
C.038.055.0305.I	3.8	0.55	30.5	0.1086	13.20	15.06	yes	stainless steel	4E
C.038.055.0320.A	3.8	0.55	32.0	0.1250	13.92	16.00	yes	music wire	4C
C.038.055.0380.A	3.8	0.55	38.0	0.0890	18.15	20.71	yes	music wire	4C
C.038.055.0380.AP	3.8	0.55	38.0	0.1151	14.36	20.82	yes	music wire	4E
C.038.055.0380.I	3.8	0.55	38.0	0.0774	17.93	20.45	yes	stainless steel	4C
C.038.055.0380.N	3.8	0.55	38.0	0.0890	18.15	20.71	yes	Zn coating	4E
C.038.055.0381.A	3.8	0.55	38.1	0.1041	15.73	19.11	yes	music wire	4E
C.038.055.0381.I	3.8	0.55	38.1	0.0894	15.73	19.34	yes	stainless steel	4E
C.038.055.0381.N	3.8	0.55	38.1	0.1041	15.73	19.11	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.038.055.0400.A	3.8	0.55	40.0	0.1000	17.00	20.00	yes	music wire	4C
C.038.055.0500.A	3.8	0.55	50.0	0.0800	20.96	25.00	yes	music wire	4C
C.038.055.0630.A	3.8	0.55	63.0	0.0625	25.25	31.38	yes	music wire	4E
C.038.055.0630.I	3.8	0.55	63.0	0.0544	24.97	32.17	yes	stainless steel	4F
C.038.055.0630.N	3.8	0.55	63.0	0.0625	25.25	31.38	yes	Zn coating	4G
C.038.055.0800.A	3.8	0.55	80.0	0.0500	31.24	40.47	yes	music wire	4E
C.038.055.0800.I	3.8	0.55	80.0	0.0435	30.86	41.46	yes	stainless steel	4F
C.038.055.0800.N	3.8	0.55	80.0	0.0500	31.24	40.47	yes	Zn coating	4G
C.038.060.0060.A	3.8	0.60	6.0	1.3180	3.36	4.09	yes	music wire	4G
C.038.060.0060.I	3.8	0.60	6.0	1.1467	3.30	4.14	yes	stainless steel	4H
C.038.060.0060.N	3.8	0.60	6.0	1.3180	3.36	4.09	yes	Zn coating	4I
C.038.060.0112.A	3.8	0.60	11.2	0.4710	6.66	7.40	yes	music wire	4C
C.038.060.0112.I	3.8	0.60	11.2	0.4833	5.82	6.78	yes	stainless steel	4E
C.038.060.0112.N	3.8	0.60	11.2	0.4710	6.66	7.40	yes	Zn coating	4E
C.038.060.0120.A	3.8	0.60	12.0	0.5650	5.76	7.55	yes	music wire	4E
C.038.060.0120.I	3.8	0.60	12.0	0.4916	5.70	7.66	yes	stainless steel	4H
C.038.060.0120.N	3.8	0.60	12.0	0.5650	5.76	7.55	yes	Zn coating	4G
C.038.060.0127.A	3.8	0.60	12.7	0.4719	6.60	7.38	yes	music wire	4E
C.038.060.0127.I	3.8	0.60	12.7	0.4105	6.54	7.50	yes	stainless steel	4E
C.038.060.0142.A	3.8	0.60	14.2	0.3610	8.22	9.18	yes	music wire	4C
C.038.060.0142.AP	3.8	0.60	14.2	0.4511	6.84	8.63	yes	music wire	4E
C.038.060.0142.I	3.8	0.60	14.2	0.3568	7.32	8.22	yes	stainless steel	4E
C.038.060.0142.N	3.8	0.60	14.2	0.3610	8.22	9.18	yes	Zn coating	4E
C.038.060.0175.A	3.8	0.60	17.5	0.2890	9.84	11.03	yes	music wire	4C
C.038.060.0175.I	3.8	0.60	17.5	0.2827	8.82	9.95	yes	stainless steel	4E
C.038.060.0175.N	3.8	0.60	17.5	0.2890	9.84	11.03	yes	Zn coating	4E
C.038.060.0190.A	3.8	0.60	19.0	0.2644	10.62	11.92	yes	music wire	4C
C.038.060.0190.AP	3.8	0.60	19.0	0.3290	8.82	11.37	yes	music wire	4E
C.038.060.0190.I	3.8	0.60	19.0	0.2644	9.36	10.93	yes	stainless steel	4E
C.038.060.0190.N	3.8	0.60	19.0	0.2644	10.62	11.92	yes	Zn coating	4E
C.038.060.0200.A	3.8	0.60	20.0	0.3770	7.92	13.34	yes	music wire	4G
C.038.060.0200.I	3.8	0.60	20.0	0.3280	7.86	13.49	yes	stainless steel	4H
C.038.060.0200.N	3.8	0.60	20.0	0.3770	7.92	13.34	yes	Zn coating	4I
C.038.060.0220.A	3.8	0.60	22.0	0.2184	12.54	14.12	yes	music wire	4C
C.038.060.0220.AP	3.8	0.60	22.0	0.2827	10.08	13.12	yes	music wire	4E
C.038.060.0220.I	3.8	0.60	22.0	0.1900	12.42	13.98	yes	stainless steel	4C
C.038.060.0224.A	3.8	0.60	22.4	0.2220	12.36	13.91	yes	music wire	4C
C.038.060.0224.AP	3.8	0.60	22.4	0.2769	10.26	13.33	yes	music wire	4E
C.038.060.0224.I	3.8	0.60	22.4	0.2215	10.86	12.76	yes	stainless steel	4E
C.038.060.0224.N	3.8	0.60	22.4	0.2220	12.36	13.91	yes	Zn coating	4E
C.038.060.0239.A	3.8	0.60	23.9	0.2385	11.64	13.37	yes	music wire	4E
C.038.060.0239.I	3.8	0.60	23.9	0.2048	11.64	13.48	yes	stainless steel	4E
C.038.060.0239.N	3.8	0.60	23.9	0.2385	11.64	13.37	yes	Zn coating	4G
C.038.060.0290.A	3.8	0.60	29.0	0.1700	15.72	17.75	yes	music wire	4C
C.038.060.0290.I	3.8	0.60	29.0	0.1500	15.36	17.34	yes	stainless steel	4C
C.038.060.0305.A	3.8	0.60	30.5	0.1743	15.36	17.34	yes	music wire	4E
C.038.060.0305.I	3.8	0.60	30.5	0.1516	15.18	17.13	yes	stainless steel	4E
C.038.060.0350.A	3.8	0.60	35.0	0.1400	18.78	21.25	yes	music wire	4C
C.038.060.0350.I	3.8	0.60	35.0	0.1200	18.78	21.25	yes	stainless steel	4C
C.038.060.0381.A	3.8	0.60	38.1	0.1466	18.00	20.97	yes	music wire	4E
C.038.060.0381.I	3.8	0.60	38.1	0.1259	18.00	21.15	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.038.060.0381.N	3.8	0.60	38.1	0.1466	18.00	20.97	yes	Zn coating	4G
C.038.065.0055.A	3.8	0.65	5.5	1.4000	4.36	4.73	yes	music wire	4C
C.038.065.0055.AP	3.8	0.65	5.5	1.8708	3.64	3.91	yes	music wire	4E
C.038.065.0055.I	3.8	0.65	5.5	1.2000	4.36	4.73	yes	stainless steel	4C
C.038.065.0055.N	3.8	0.65	5.5	1.4000	4.36	4.73	yes	Zn coating	4E
C.038.065.0078.A	3.8	0.65	7.8	0.8905	5.85	6.42	yes	music wire	4C
C.038.065.0078.AP	3.8	0.65	7.8	1.2339	4.68	5.27	yes	music wire	4E
C.038.065.0078.I	3.8	0.65	7.8	0.7648	5.85	6.42	yes	stainless steel	4C
C.038.065.0078.N	3.8	0.65	7.8	0.8905	5.85	6.42	yes	Zn coating	4E
C.038.065.0110.A	3.8	0.65	11.0	0.5762	8.19	9.08	yes	music wire	4C
C.038.065.0110.AP	3.8	0.65	11.0	0.8285	6.18	7.23	yes	music wire	4E
C.038.065.0110.I	3.8	0.65	11.0	0.4949	8.19	9.08	yes	stainless steel	4C
C.038.065.0110.N	3.8	0.65	11.0	0.5762	8.19	9.08	yes	Zn coating	4E
C.038.065.0155.A	3.8	0.65	15.5	0.3918	11.25	12.55	yes	music wire	4C
C.038.065.0155.AP	3.8	0.65	15.5	0.5686	8.26	10.00	yes	music wire	4E
C.038.065.0155.I	3.8	0.65	15.5	0.3365	11.31	12.62	yes	stainless steel	4C
C.038.065.0155.N	3.8	0.65	15.5	0.3918	11.25	12.55	yes	Zn coating	4E
C.038.065.0225.A	3.8	0.65	22.5	0.2647	15.93	17.86	yes	music wire	4C
C.038.065.0225.AP	3.8	0.65	22.5	0.3815	11.51	14.31	yes	music wire	4E
C.038.065.0225.I	3.8	0.65	22.5	0.2273	15.93	17.86	yes	stainless steel	4C
C.038.065.0225.N	3.8	0.65	22.5	0.2647	15.93	17.86	yes	Zn coating	4E
C.038.070.0063.A	3.8	0.70	6.3	1.6364	5.39	5.86	yes	music wire	4C
C.038.070.0080.A	3.8	0.70	8.0	1.2857	6.37	6.96	yes	music wire	4C
C.038.070.0100.A	3.8	0.70	10.0	1.0000	7.70	8.47	yes	music wire	4C
C.038.070.0125.A	3.8	0.70	12.5	0.8182	9.03	9.97	yes	music wire	4C
C.038.070.0160.A	3.8	0.70	16.0	0.6429	11.06	12.26	yes	music wire	4C
C.038.070.0200.A	3.8	0.70	20.0	0.5000	13.72	15.26	yes	music wire	4C
C.038.070.0250.A	3.8	0.70	25.0	0.4000	16.66	18.58	yes	music wire	4C
C.038.070.0320.A	3.8	0.70	32.0	0.3214	20.37	22.77	yes	music wire	4C
C.038.070.0400.A	3.8	0.70	40.0	0.2571	24.99	27.98	yes	music wire	4C
C.038.070.0500.A	3.8	0.70	50.0	0.2000	31.64	35.49	yes	music wire	4C
C.038.070.0630.A	3.8	0.70	63.0	0.1607	37.52	42.15	yes	music wire	4E
C.038.070.0630.I	3.8	0.70	63.0	0.1398	37.03	41.60	yes	stainless steel	4F
C.038.070.0630.N	3.8	0.70	63.0	0.1607	37.52	42.15	yes	Zn coating	4H
C.039.040.0050.A	3.9	0.40	5.0	0.1330	2.84	3.24	yes	music wire	4B
C.039.040.0050.AP	3.9	0.40	5.0	0.3558	1.68	2.77	yes	music wire	4F
C.039.040.0050.I	3.9	0.40	5.0	0.1157	2.80	3.19	yes	stainless steel	4B
C.039.040.0050.N	3.9	0.40	5.0	0.1330	2.84	3.24	yes	Zn coating	4C
C.039.040.0300.A	3.9	0.40	30.0	0.0298	9.16	10.91	yes	music wire	4B
C.039.040.0300.I	3.9	0.40	30.0	0.0256	9.16	10.91	yes	stainless steel	4C
C.040.020.0087.A	4.0	0.20	8.7	0.0034	2.42	3.52	no	music wire	4C
C.040.020.0087.I	4.0	0.20	8.7	0.0030	2.40	3.49	no	stainless steel	4C
C.040.020.0100.A	4.0	0.20	10.0	0.0050	1.88	2.64	no	music wire	4C
C.040.020.0100.I	4.0	0.20	10.0	0.0044	1.88	2.64	no	stainless steel	4C
C.040.020.0103.A	4.0	0.20	10.3	0.0040	2.18	3.13	no	music wire	4C
C.040.020.0103.I	4.0	0.20	10.3	0.0035	2.16	3.10	no	stainless steel	4C
C.040.020.0127.A	4.0	0.20	12.7	0.0011	5.88	9.20	no	music wire	4C
C.040.020.0127.I	4.0	0.20	12.7	0.0010	5.80	9.07	no	stainless steel	4C
C.040.020.0174.A	4.0	0.20	17.4	0.0053	1.82	2.54	no	music wire	4C
C.040.020.0174.I	4.0	0.20	17.4	0.0046	1.82	2.54	no	stainless steel	4C
C.040.020.0191.A	4.0	0.20	19.1	0.0030	2.68	3.95	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.040.020.0191.I	4.0	0.20	19.1	0.0026	2.66	3.92	no	stainless steel	4C
C.040.022.0040.A	4.0	0.22	4.0	0.0402	1.01	1.14	no	music wire	4C
C.040.022.0040.I	4.0	0.22	4.0	0.0345	1.01	1.14	no	stainless steel	4C
C.040.022.0070.A	4.0	0.22	7.0	0.0221	1.21	1.45	no	music wire	4C
C.040.022.0180.A	4.0	0.22	18.0	0.0082	1.96	2.60	no	music wire	4C
C.040.025.0050.A	4.0	0.25	5.0	0.0472	1.28	1.46	no	music wire	4C
C.040.025.0050.I	4.0	0.25	5.0	0.0405	1.28	1.46	no	stainless steel	4C
C.040.025.0130.A	4.0	0.25	13.0	0.0172	1.98	2.46	no	music wire	4C
C.040.025.0130.I	4.0	0.25	13.0	0.0147	1.98	2.46	no	stainless steel	4C
C.040.025.0400.A	4.0	0.25	40.0	0.0054	4.35	5.87	no	music wire	4C
C.040.025.0400.I	4.0	0.25	40.0	0.0047	4.35	5.87	no	stainless steel	4C
C.040.028.0040.A	4.0	0.28	4.0	0.0869	1.37	1.51	no	music wire	4C
C.040.028.0040.I	4.0	0.28	4.0	0.0746	1.37	1.51	no	stainless steel	4C
C.040.030.0070.A	4.0	0.30	7.0	0.0465	2.10	2.44	no	music wire	4C
C.040.030.0070.I	4.0	0.30	7.0	0.0400	2.10	2.44	no	stainless steel	4C
C.040.030.0071.A	4.0	0.30	7.1	0.0264	2.91	3.52	no	music wire	4C
C.040.030.0071.I	4.0	0.30	7.1	0.0230	2.88	3.48	no	stainless steel	4C
C.040.030.0110.A	4.0	0.30	11.0	0.0296	2.70	3.24	no	music wire	4C
C.040.030.0110.I	4.0	0.30	11.0	0.0254	2.70	3.24	no	stainless steel	4C
C.040.030.0111.A	4.0	0.30	11.1	0.0302	2.67	3.20	no	music wire	4C
C.040.030.0111.I	4.0	0.30	11.1	0.0259	2.67	3.20	no	stainless steel	4C
C.040.030.0127.A	4.0	0.30	12.7	0.0253	2.97	3.60	no	music wire	4C
C.040.030.0127.I	4.0	0.30	12.7	0.0220	2.97	3.60	no	stainless steel	4C
C.040.030.0143.A	4.0	0.30	14.3	0.0220	3.27	4.00	no	music wire	4C
C.040.030.0143.I	4.0	0.30	14.3	0.0191	3.24	3.96	no	stainless steel	4C
C.040.030.0170.A	4.0	0.30	17.0	0.0192	3.60	4.44	no	music wire	4C
C.040.030.0170.I	4.0	0.30	17.0	0.0165	3.60	4.44	no	stainless steel	4C
C.040.030.0171.A	4.0	0.30	17.1	0.0070	8.04	10.33	no	music wire	4C
C.040.030.0171.I	4.0	0.30	17.1	0.0061	7.95	10.21	no	stainless steel	4C
C.040.030.0191.A	4.0	0.30	19.1	0.0050	10.83	14.04	no	music wire	4C
C.040.030.0191.I	4.0	0.30	19.1	0.0044	10.71	13.88	no	stainless steel	4C
C.040.030.0210.A	4.0	0.30	21.0	0.0100	5.94	7.54	no	music wire	4C
C.040.030.0210.I	4.0	0.30	21.0	0.0087	5.88	7.46	no	stainless steel	4C
C.040.030.0220.A	4.0	0.30	22.0	0.0046	11.67	15.16	no	music wire	4C
C.040.030.0220.I	4.0	0.30	22.0	0.0040	11.55	15.00	no	stainless steel	4C
C.040.030.0250.A	4.0	0.30	25.0	0.0130	4.80	6.03	no	music wire	4C
C.040.030.0250.I	4.0	0.30	25.0	0.0112	4.80	6.03	no	stainless steel	4C
C.040.030.0370.A	4.0	0.30	37.0	0.0088	6.60	8.42	no	music wire	4C
C.040.030.0370.I	4.0	0.30	37.0	0.0076	6.57	8.38	no	stainless steel	4C
C.040.030.0450.A	4.0	0.30	45.0	0.0020	25.50	33.52	no	music wire	4C
C.040.030.0450.I	4.0	0.30	45.0	0.0017	25.17	33.09	no	stainless steel	4C
C.040.032.0040.A	4.0	0.32	4.0	0.1340	1.63	1.78	no	music wire	4C
C.040.032.0040.I	4.0	0.32	4.0	0.1151	1.63	1.78	no	stainless steel	4C
C.040.032.0100.A	4.0	0.32	10.0	0.0400	2.85	3.37	no	music wire	4C
C.040.032.0100.AP	4.0	0.32	10.0	0.0710	2.08	4.19	no	music wire	4E
C.040.032.0100.I	4.0	0.32	10.0	0.0348	2.82	3.33	no	stainless steel	4C
C.040.032.0125.A	4.0	0.32	12.5	0.0320	3.36	4.02	no	music wire	4C
C.040.032.0160.A	4.0	0.32	16.0	0.0250	3.87	4.69	no	music wire	4C
C.040.032.0160.AP	4.0	0.32	16.0	0.0426	2.72	6.31	no	music wire	4E
C.040.032.0160.I	4.0	0.32	16.0	0.0218	3.84	4.65	no	stainless steel	4C
C.040.032.0200.A	4.0	0.32	20.0	0.0200	4.70	5.75	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.032.0250.A	4.0	0.32	25.0	0.0160	5.41	6.69	no	music wire	4C
C.040.032.0250.AP	4.0	0.32	25.0	0.0266	3.71	9.50	no	music wire	4E
C.040.032.0250.I	4.0	0.32	25.0	0.0139	5.34	6.60	no	stainless steel	4C
C.040.032.0320.A	4.0	0.32	32.0	0.0125	6.59	8.22	no	music wire	4C
C.040.032.0320.AP	4.0	0.32	32.0	0.0207	4.45	12.04	no	music wire	4E
C.040.032.0320.I	4.0	0.32	32.0	0.0109	6.53	8.14	no	stainless steel	4C
C.040.032.0400.A	4.0	0.32	40.0	0.0100	7.97	10.01	no	music wire	4C
C.040.032.0400.I	4.0	0.32	40.0	0.0087	7.90	9.92	no	stainless steel	4C
C.040.032.0500.A	4.0	0.32	50.0	0.0080	9.70	12.26	no	music wire	4C
C.040.032.0500.I	4.0	0.32	50.0	0.0070	9.60	12.13	no	stainless steel	4C
C.040.035.0050.A	4.0	0.35	5.0	0.1270	2.10	2.33	no	music wire	4B
C.040.035.0050.AP	4.0	0.35	5.0	0.2083	1.75	2.45	no	music wire	4D
C.040.035.0050.I	4.0	0.35	5.0	0.1105	2.07	2.29	no	stainless steel	4B
C.040.035.0063.A	4.0	0.35	6.3	0.0970	2.35	2.64	no	music wire	4B
C.040.035.0063.AP	4.0	0.35	6.3	0.1563	1.93	2.90	no	music wire	4D
C.040.035.0063.I	4.0	0.35	6.3	0.0844	2.35	2.64	no	stainless steel	4B
C.040.035.0080.A	4.0	0.35	8.0	0.0760	2.66	3.04	no	music wire	4B
C.040.035.0080.AP	4.0	0.35	8.0	0.1202	2.14	3.58	no	music wire	4D
C.040.035.0080.I	4.0	0.35	8.0	0.0661	2.66	3.04	no	stainless steel	4B
C.040.035.0100.A	4.0	0.35	10.0	0.0590	3.08	3.57	no	music wire	4B
C.040.035.0100.AP	4.0	0.35	10.0	0.0947	2.38	4.38	no	music wire	4D
C.040.035.0100.I	4.0	0.35	10.0	0.0513	3.08	3.57	no	stainless steel	4B
C.040.035.0125.A	4.0	0.35	12.5	0.0470	3.57	4.19	no	music wire	4B
C.040.035.0125.AP	4.0	0.35	12.5	0.0744	2.70	5.35	no	music wire	4D
C.040.035.0125.I	4.0	0.35	12.5	0.0409	3.54	4.15	no	stainless steel	4B
C.040.035.0160.A	4.0	0.35	16.0	0.0360	4.27	5.07	no	music wire	4B
C.040.035.0160.AP	4.0	0.35	16.0	0.0568	3.15	6.64	no	music wire	4D
C.040.035.0160.I	4.0	0.35	16.0	0.0313	4.24	5.03	no	stainless steel	4B
C.040.035.0200.A	4.0	0.35	20.0	0.0290	5.01	6.00	no	music wire	4B
C.040.035.0200.AP	4.0	0.35	20.0	0.0446	3.68	8.09	no	music wire	4D
C.040.035.0200.I	4.0	0.35	20.0	0.0252	4.97	5.96	no	stainless steel	4B
C.040.035.0245.A	4.0	0.35	24.5	0.0130	9.70	11.93	no	music wire	4B
C.040.035.0245.AP	4.0	0.35	24.5	0.0363	4.27	9.86	no	music wire	4D
C.040.035.0245.I	4.0	0.35	24.5	0.0113	9.59	11.79	no	stainless steel	4C
C.040.035.0250.A	4.0	0.35	25.0	0.0230	6.02	7.28	no	music wire	4B
C.040.035.0250.AP	4.0	0.35	25.0	0.0355	4.34	10.02	no	music wire	4D
C.040.035.0250.I	4.0	0.35	25.0	0.0200	5.95	7.19	no	stainless steel	4C
C.040.035.0320.A	4.0	0.35	32.0	0.0180	7.35	8.96	no	music wire	4B
C.040.035.0320.AP	4.0	0.35	32.0	0.0274	5.25	12.60	no	music wire	4D
C.040.035.0320.I	4.0	0.35	32.0	0.0157	7.25	8.83	no	stainless steel	4C
C.040.035.0400.A	4.0	0.35	40.0	0.0140	9.10	11.17	no	music wire	4B
C.040.035.0400.AP	4.0	0.35	40.0	0.0219	6.27	15.66	no	music wire	4D
C.040.035.0400.I	4.0	0.35	40.0	0.0122	8.96	11.00	no	stainless steel	4C
C.040.035.0500.A	4.0	0.35	50.0	0.0110	11.24	13.87	no	music wire	4B
C.040.035.0500.AP	4.0	0.35	50.0	0.0174	7.56	19.37	no	music wire	4D
C.040.035.0500.I	4.0	0.35	50.0	0.0096	11.06	13.65	no	stainless steel	4C
C.040.035.3600.A	4.0	0.35	360.0	0.0020	56.25	94.08	no	music wire	4F
C.040.035.3600.I	4.0	0.35	360.0	0.0017	56.81	97.15	no	stainless steel	4G
C.040.040.0050.A	4.0	0.40	5.0	0.2050	2.08	2.32	yes	music wire	4B
C.040.040.0050.AP	4.0	0.40	5.0	0.3270	1.68	2.63	yes	music wire	4F
C.040.040.0050.I	4.0	0.40	5.0	0.1783	2.08	2.32	yes	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.040.0050.N	4.0	0.40	5.0	0.2050	2.08	2.32	yes	Zn coating	4C
C.040.040.0063.A	4.0	0.40	6.3	0.1590	2.40	2.71	yes	music wire	4B
C.040.040.0063.AP	4.0	0.40	6.3	0.2527	1.88	3.23	yes	music wire	4F
C.040.040.0063.I	4.0	0.40	6.3	0.1383	2.40	2.71	yes	stainless steel	4B
C.040.040.0063.N	4.0	0.40	6.3	0.1590	2.40	2.71	yes	Zn coating	4C
C.040.040.0064.A	4.0	0.40	6.4	0.1597	2.40	2.71	yes	music wire	4B
C.040.040.0064.AP	4.0	0.40	6.4	0.2417	1.92	3.19	yes	music wire	4D
C.040.040.0064.I	4.0	0.40	6.4	0.1389	2.40	2.71	yes	stainless steel	4B
C.040.040.0064.N	4.0	0.40	6.4	0.1597	2.40	2.71	yes	Zn coating	4C
C.040.040.0080.A	4.0	0.40	8.0	0.1230	2.80	3.20	yes	music wire	4B
C.040.040.0080.AP	4.0	0.40	8.0	0.1917	2.16	3.96	yes	music wire	4F
C.040.040.0080.I	4.0	0.40	8.0	0.1070	2.80	3.20	yes	stainless steel	4B
C.040.040.0080.N	4.0	0.40	8.0	0.1230	2.80	3.20	yes	Zn coating	4C
C.040.040.0095.A	4.0	0.40	9.5	0.0414	6.40	7.60	yes	music wire	4B
C.040.040.0095.AP	4.0	0.40	9.5	0.1544	2.44	4.48	yes	music wire	4F
C.040.040.0095.I	4.0	0.40	9.5	0.0360	6.32	7.50	yes	stainless steel	4B
C.040.040.0096.A	4.0	0.40	9.6	0.1016	3.20	3.69	yes	music wire	4B
C.040.040.0096.AP	4.0	0.40	9.6	0.1544	2.44	4.58	yes	music wire	4F
C.040.040.0096.I	4.0	0.40	9.6	0.0884	3.16	3.64	yes	stainless steel	4B
C.040.040.0096.N	4.0	0.40	9.6	0.1016	3.20	3.69	yes	Zn coating	4C
C.040.040.0100.A	4.0	0.40	10.0	0.0960	3.32	3.83	yes	music wire	4B
C.040.040.0100.AP	4.0	0.40	10.0	0.1463	2.52	4.70	yes	music wire	4F
C.040.040.0100.I	4.0	0.40	10.0	0.0835	3.28	3.79	yes	stainless steel	4B
C.040.040.0100.N	4.0	0.40	10.0	0.0960	3.32	3.83	yes	Zn coating	4C
C.040.040.0125.A	4.0	0.40	12.5	0.0770	3.92	4.57	yes	music wire	4B
C.040.040.0125.AP	4.0	0.40	12.5	0.1134	2.96	5.67	yes	music wire	4D
C.040.040.0125.I	4.0	0.40	12.5	0.0670	3.88	4.52	yes	stainless steel	4B
C.040.040.0125.N	4.0	0.40	12.5	0.0770	3.92	4.57	yes	Zn coating	4C
C.040.040.0144.A	4.0	0.40	14.4	0.0658	4.40	5.15	yes	music wire	4B
C.040.040.0144.AP	4.0	0.40	14.4	0.0975	3.28	6.45	yes	music wire	4D
C.040.040.0144.I	4.0	0.40	14.4	0.0565	4.40	5.15	yes	stainless steel	4B
C.040.040.0144.N	4.0	0.40	14.4	0.0658	4.40	5.15	yes	Zn coating	4C
C.040.040.0151.A	4.0	0.40	15.1	0.0506	5.44	6.42	yes	music wire	4B
C.040.040.0151.AP	4.0	0.40	15.1	0.0926	3.40	6.74	yes	music wire	4D
C.040.040.0151.I	4.0	0.40	15.1	0.0440	5.36	6.33	yes	stainless steel	4C
C.040.040.0160.A	4.0	0.40	16.0	0.0590	4.80	5.64	yes	music wire	4B
C.040.040.0160.AP	4.0	0.40	16.0	0.0882	3.52	7.22	yes	music wire	4F
C.040.040.0160.I	4.0	0.40	16.0	0.0513	4.76	5.59	yes	stainless steel	4C
C.040.040.0160.N	4.0	0.40	16.0	0.0590	4.80	5.64	yes	Zn coating	4C
C.040.040.0200.A	4.0	0.40	20.0	0.0470	5.76	6.81	yes	music wire	4B
C.040.040.0200.AP	4.0	0.40	20.0	0.0695	4.20	8.85	yes	music wire	4F
C.040.040.0200.I	4.0	0.40	20.0	0.0409	5.68	6.72	yes	stainless steel	4C
C.040.040.0200.N	4.0	0.40	20.0	0.0470	5.76	6.81	yes	Zn coating	4C
C.040.040.0208.A	4.0	0.40	20.8	0.0447	6.00	7.11	yes	music wire	4B
C.040.040.0208.AP	4.0	0.40	20.8	0.0662	4.36	9.09	yes	music wire	4F
C.040.040.0208.I	4.0	0.40	20.8	0.0389	5.92	7.01	yes	stainless steel	4C
C.040.040.0208.N	4.0	0.40	20.8	0.0447	6.00	7.11	yes	Zn coating	4C
C.040.040.0220.A	4.0	0.40	22.0	0.0280	9.00	10.77	yes	music wire	4B
C.040.040.0220.AP	4.0	0.40	22.0	0.0625	4.56	9.59	yes	music wire	4F
C.040.040.0220.I	4.0	0.40	22.0	0.0244	8.88	10.63	yes	stainless steel	4C
C.040.040.0250.A	4.0	0.40	25.0	0.0370	7.04	8.38	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.040.0250.AP	4.0	0.40	25.0	0.0545	5.12	10.78	yes	music wire	4D
C.040.040.0250.I	4.0	0.40	25.0	0.0322	6.96	8.28	yes	stainless steel	4C
C.040.040.0250.N	4.0	0.40	25.0	0.0370	7.04	8.38	yes	Zn coating	4C
C.040.040.0270.A	4.0	0.40	27.0	0.0276	9.12	10.92	yes	music wire	4B
C.040.040.0270.AP	4.0	0.40	27.0	0.0505	5.44	11.67	yes	music wire	4F
C.040.040.0270.I	4.0	0.40	27.0	0.0240	9.00	10.77	yes	stainless steel	4C
C.040.040.0304.A	4.0	0.40	30.4	0.0302	8.40	10.04	yes	music wire	4B
C.040.040.0304.AP	4.0	0.40	30.4	0.0445	6.04	12.98	yes	music wire	4D
C.040.040.0304.I	4.0	0.40	30.4	0.0259	8.40	10.04	yes	stainless steel	4C
C.040.040.0304.N	4.0	0.40	30.4	0.0302	8.40	10.04	yes	Zn coating	4C
C.040.040.0320.A	4.0	0.40	32.0	0.0290	8.72	10.43	yes	music wire	4B
C.040.040.0320.AP	4.0	0.40	32.0	0.0424	6.28	13.74	yes	music wire	4G
C.040.040.0320.I	4.0	0.40	32.0	0.0252	8.64	10.33	yes	stainless steel	4C
C.040.040.0320.N	4.0	0.40	32.0	0.0290	8.72	10.43	yes	Zn coating	4C
C.040.040.0400.A	4.0	0.40	40.0	0.0230	10.72	12.87	yes	music wire	4B
C.040.040.0400.AP	4.0	0.40	40.0	0.0335	7.68	16.86	yes	music wire	4D
C.040.040.0400.I	4.0	0.40	40.0	0.0200	10.60	12.73	yes	stainless steel	4C
C.040.040.0400.N	4.0	0.40	40.0	0.0230	10.72	12.87	yes	Zn coating	4C
C.040.040.0500.A	4.0	0.40	50.0	0.0180	13.44	16.20	yes	music wire	4B
C.040.040.0500.AP	4.0	0.40	50.0	0.0267	9.36	21.01	yes	music wire	4G
C.040.040.0500.I	4.0	0.40	50.0	0.0157	13.24	15.95	yes	stainless steel	4C
C.040.040.0500.N	4.0	0.40	50.0	0.0180	13.44	16.20	yes	Zn coating	4C
C.040.040.0508.A	4.0	0.40	50.8	0.0167	14.36	17.32	yes	music wire	4B
C.040.040.0508.I	4.0	0.40	50.8	0.0144	14.36	17.32	yes	stainless steel	4C
C.040.040.3600.A	4.0	0.40	360.0	0.0020	113.20	137.96	no	music wire	4C
C.040.040.3600.I	4.0	0.40	360.0	0.0017	114.36	139.38	no	stainless steel	4D
C.040.045.0050.A	4.0	0.45	5.0	0.3270	2.43	2.68	yes	music wire	4B
C.040.045.0050.AP	4.0	0.45	5.0	0.4645	2.03	2.68	yes	music wire	4D
C.040.045.0050.I	4.0	0.45	5.0	0.2845	2.39	2.63	yes	stainless steel	4B
C.040.045.0050.N	4.0	0.45	5.0	0.3270	2.43	2.68	yes	Zn coating	4C
C.040.045.0063.A	4.0	0.45	6.3	0.2570	2.75	3.06	yes	music wire	4B
C.040.045.0063.AP	4.0	0.45	6.3	0.3441	2.34	3.17	yes	music wire	4D
C.040.045.0063.I	4.0	0.45	6.3	0.2236	2.75	3.06	yes	stainless steel	4B
C.040.045.0063.N	4.0	0.45	6.3	0.2570	2.75	3.06	yes	Zn coating	4C
C.040.045.0080.A	4.0	0.45	8.0	0.1940	3.29	3.71	yes	music wire	4B
C.040.045.0080.AP	4.0	0.45	8.0	0.2654	2.70	3.94	yes	music wire	4D
C.040.045.0080.I	4.0	0.45	8.0	0.1688	3.29	3.71	yes	stainless steel	4C
C.040.045.0080.N	4.0	0.45	8.0	0.1940	3.29	3.71	yes	Zn coating	4C
C.040.045.0100.A	4.0	0.45	10.0	0.1530	3.87	4.40	yes	music wire	4B
C.040.045.0100.AP	4.0	0.45	10.0	0.2065	3.15	4.78	yes	music wire	4D
C.040.045.0100.I	4.0	0.45	10.0	0.1331	3.83	4.35	yes	stainless steel	4C
C.040.045.0100.N	4.0	0.45	10.0	0.1530	3.87	4.40	yes	Zn coating	4C
C.040.045.0112.A	4.0	0.45	11.2	0.1229	4.55	5.21	yes	music wire	4B
C.040.045.0112.I	4.0	0.45	11.2	0.1055	4.55	5.21	yes	stainless steel	4C
C.040.045.0125.A	4.0	0.45	12.5	0.1200	4.64	5.32	yes	music wire	4B
C.040.045.0125.AP	4.0	0.45	12.5	0.1630	3.69	5.88	yes	music wire	4D
C.040.045.0125.I	4.0	0.45	12.5	0.1044	4.59	5.26	yes	stainless steel	4C
C.040.045.0125.N	4.0	0.45	12.5	0.1200	4.64	5.32	yes	Zn coating	4C
C.040.045.0142.A	4.0	0.45	14.2	0.0953	5.54	6.39	yes	music wire	4B
C.040.045.0142.I	4.0	0.45	14.2	0.0818	5.54	6.39	yes	stainless steel	4C
C.040.045.0160.A	4.0	0.45	16.0	0.0920	5.67	6.55	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.045.0160.AP	4.0	0.45	16.0	0.1273	4.41	7.53	yes	music wire	4D
C.040.045.0160.I	4.0	0.45	16.0	0.0800	5.63	6.50	yes	stainless steel	4C
C.040.045.0160.N	4.0	0.45	16.0	0.0920	5.67	6.55	yes	Zn coating	4C
C.040.045.0200.A	4.0	0.45	20.0	0.0730	6.89	8.00	yes	music wire	4B
C.040.045.0200.AP	4.0	0.45	20.0	0.0999	5.31	9.20	yes	music wire	4D
C.040.045.0200.I	4.0	0.45	20.0	0.0635	6.80	7.90	yes	stainless steel	4C
C.040.045.0200.N	4.0	0.45	20.0	0.0730	6.89	8.00	yes	Zn coating	4C
C.040.045.0250.A	4.0	0.45	25.0	0.0570	8.51	9.94	yes	music wire	4B
C.040.045.0250.AP	4.0	0.45	25.0	0.0794	6.44	11.42	yes	music wire	4D
C.040.045.0250.I	4.0	0.45	25.0	0.0496	8.42	9.83	yes	stainless steel	4C
C.040.045.0250.N	4.0	0.45	25.0	0.0570	8.51	9.94	yes	Zn coating	4C
C.040.045.0254.A	4.0	0.45	25.4	0.0519	9.23	10.80	yes	music wire	4B
C.040.045.0254.I	4.0	0.45	25.4	0.0446	9.23	10.80	yes	stainless steel	4C
C.040.045.0305.A	4.0	0.45	30.5	0.0430	10.89	12.78	yes	music wire	4B
C.040.045.0305.I	4.0	0.45	30.5	0.0370	10.89	12.78	yes	stainless steel	4C
C.040.045.0318.A	4.0	0.45	31.8	0.0413	11.30	13.27	yes	music wire	4B
C.040.045.0318.I	4.0	0.45	31.8	0.0355	11.30	13.27	yes	stainless steel	4C
C.040.045.0320.A	4.0	0.45	32.0	0.0450	10.44	12.24	yes	music wire	4B
C.040.045.0320.AP	4.0	0.45	32.0	0.0615	7.97	14.47	yes	music wire	4D
C.040.045.0320.I	4.0	0.45	32.0	0.0392	10.35	12.13	yes	stainless steel	4C
C.040.045.0320.N	4.0	0.45	32.0	0.0450	10.44	12.24	yes	Zn coating	4C
C.040.045.0381.A	4.0	0.45	38.1	0.0343	13.37	15.74	yes	music wire	4B
C.040.045.0381.I	4.0	0.45	38.1	0.0295	13.37	15.74	yes	stainless steel	4C
C.040.045.0400.A	4.0	0.45	40.0	0.0360	12.78	15.03	yes	music wire	4B
C.040.045.0400.AP	4.0	0.45	40.0	0.0492	9.68	18.06	yes	music wire	4D
C.040.045.0400.I	4.0	0.45	40.0	0.0313	12.65	14.88	yes	stainless steel	4C
C.040.045.0400.N	4.0	0.45	40.0	0.0360	12.78	15.03	yes	Zn coating	4C
C.040.045.0444.A	4.0	0.45	44.4	0.0294	15.44	18.21	yes	music wire	4B
C.040.045.0444.I	4.0	0.45	44.4	0.0252	15.44	18.21	yes	stainless steel	4C
C.040.045.0457.A	4.0	0.45	45.7	0.0285	15.89	18.74	yes	music wire	4B
C.040.045.0457.I	4.0	0.45	45.7	0.0245	15.89	18.74	yes	stainless steel	4C
C.040.045.0500.A	4.0	0.45	50.0	0.0280	16.11	19.01	yes	music wire	4B
C.040.045.0500.AP	4.0	0.45	50.0	0.0392	11.84	22.49	yes	music wire	4E
C.040.045.0500.I	4.0	0.45	50.0	0.0244	15.93	18.79	yes	stainless steel	4C
C.040.045.0500.N	4.0	0.45	50.0	0.0280	16.11	19.01	yes	Zn coating	4C
C.040.045.0508.A	4.0	0.45	50.8	0.0256	17.55	20.73	yes	music wire	4B
C.040.045.0508.I	4.0	0.45	50.8	0.0220	17.55	20.73	yes	stainless steel	4C
C.040.045.3600.A	4.0	0.45	360.0	0.0040	106.61	126.92	no	music wire	4D
C.040.045.3600.I	4.0	0.45	360.0	0.0035	104.67	124.60	no	stainless steel	4D
C.040.050.0050.A	4.0	0.50	5.0	0.4760	2.80	3.07	yes	music wire	4B
C.040.050.0050.AP	4.0	0.50	5.0	0.6719	2.35	2.85	yes	music wire	4D
C.040.050.0050.I	4.0	0.50	5.0	0.4141	2.80	3.07	yes	stainless steel	4C
C.040.050.0050.N	4.0	0.50	5.0	0.4760	2.80	3.07	yes	Zn coating	4C
C.040.050.0063.A	4.0	0.50	6.3	0.3570	3.35	3.71	yes	music wire	4B
C.040.050.0063.AP	4.0	0.50	6.3	0.5097	2.70	3.46	yes	music wire	4D
C.040.050.0063.I	4.0	0.50	6.3	0.3106	3.30	3.66	yes	stainless steel	4C
C.040.050.0063.N	4.0	0.50	6.3	0.3570	3.35	3.71	yes	Zn coating	4C
C.040.050.0071.A	4.0	0.50	7.1	0.3094	3.65	4.07	yes	music wire	4B
C.040.050.0071.I	4.0	0.50	7.1	0.2657	3.65	4.07	yes	stainless steel	4C
C.040.050.0080.A	4.0	0.50	8.0	0.2790	3.90	4.36	yes	music wire	4B
C.040.050.0080.AP	4.0	0.50	8.0	0.3890	3.15	4.28	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.050.0080.I	4.0	0.50	8.0	0.2427	3.90	4.36	yes	stainless steel	4C
C.040.050.0080.N	4.0	0.50	8.0	0.2790	3.90	4.36	yes	Zn coating	4C
C.040.050.0095.A	4.0	0.50	9.5	0.2217	4.60	5.18	yes	music wire	4B
C.040.050.0095.I	4.0	0.50	9.5	0.1904	4.60	5.18	yes	stainless steel	4C
C.040.050.0100.A	4.0	0.50	10.0	0.2160	4.70	5.30	yes	music wire	4B
C.040.050.0100.AL	4.0	0.50	10.0	0.2333	4.45	5.01	yes	music wire	4B
C.040.050.0100.AP	4.0	0.50	10.0	0.3017	3.70	5.20	yes	music wire	4D
C.040.050.0100.I	4.0	0.50	10.0	0.1879	4.65	5.24	yes	stainless steel	4C
C.040.050.0100.N	4.0	0.50	10.0	0.2160	4.70	5.30	yes	Zn coating	4C
C.040.050.0103.A	4.0	0.50	10.3	0.2034	4.90	5.53	yes	music wire	4B
C.040.050.0103.I	4.0	0.50	10.3	0.1747	4.90	5.53	yes	stainless steel	4C
C.040.050.0104.A	4.0	0.50	10.4	0.1747	5.50	6.24	yes	music wire	4B
C.040.050.0104.AP	4.0	0.50	10.4	0.2898	3.80	5.41	yes	music wire	4D
C.040.050.0104.I	4.0	0.50	10.4	0.1500	5.50	6.24	yes	stainless steel	4C
C.040.050.0104.N	4.0	0.50	10.4	0.1747	5.50	6.24	yes	Zn coating	4C
C.040.050.0125.A	4.0	0.50	12.5	0.1680	5.65	6.41	yes	music wire	4B
C.040.050.0125.AL	4.0	0.50	12.5	0.1842	5.30	6.00	yes	music wire	4B
C.040.050.0125.AP	4.0	0.50	12.5	0.2384	4.35	6.43	yes	music wire	4D
C.040.050.0125.I	4.0	0.50	12.5	0.1462	5.60	6.35	yes	stainless steel	4C
C.040.050.0125.N	4.0	0.50	12.5	0.1680	5.65	6.41	yes	Zn coating	4C
C.040.050.0150.A	4.0	0.50	15.0	0.1747	5.50	6.72	yes	music wire	4D
C.040.050.0150.I	4.0	0.50	15.0	0.1500	5.50	6.83	yes	stainless steel	4E
C.040.050.0150.N	4.0	0.50	15.0	0.1747	5.50	6.72	yes	Zn coating	4F
C.040.050.0160.A	4.0	0.50	16.0	0.1300	6.95	7.94	yes	music wire	4B
C.040.050.0160.AL	4.0	0.50	16.0	0.1458	6.35	7.23	yes	music wire	4B
C.040.050.0160.AP	4.0	0.50	16.0	0.1825	5.30	8.07	yes	music wire	4D
C.040.050.0160.I	4.0	0.50	16.0	0.1131	6.90	7.88	yes	stainless steel	4C
C.040.050.0160.N	4.0	0.50	16.0	0.1300	6.95	7.94	yes	Zn coating	4C
C.040.050.0174.A	4.0	0.50	17.4	0.1609	5.85	8.41	yes	music wire	4D
C.040.050.0174.I	4.0	0.50	17.4	0.1400	5.80	8.65	yes	stainless steel	4E
C.040.050.0182.A	4.0	0.50	18.2	0.0770	10.90	12.57	yes	music wire	4B
C.040.050.0182.AP	4.0	0.50	18.2	0.1589	5.90	9.09	yes	music wire	4D
C.040.050.0182.I	4.0	0.50	18.2	0.0670	10.75	12.40	yes	stainless steel	4C
C.040.050.0200.A	4.0	0.50	20.0	0.1020	8.55	9.82	yes	music wire	4B
C.040.050.0200.AL	4.0	0.50	20.0	0.1167	7.60	8.70	yes	music wire	4B
C.040.050.0200.AP	4.0	0.50	20.0	0.1449	6.35	10.01	yes	music wire	4D
C.040.050.0200.I	4.0	0.50	20.0	0.0887	8.45	9.70	yes	stainless steel	4C
C.040.050.0200.N	4.0	0.50	20.0	0.1020	8.55	9.82	yes	Zn coating	4C
C.040.050.0210.A	4.0	0.50	21.0	0.0710	11.70	13.51	yes	music wire	4B
C.040.050.0210.AP	4.0	0.50	21.0	0.1369	6.65	10.43	yes	music wire	4D
C.040.050.0210.I	4.0	0.50	21.0	0.0618	11.55	13.34	yes	stainless steel	4C
C.040.050.0210.N	4.0	0.50	21.0	0.0710	11.70	13.51	yes	Zn coating	4C
C.040.050.0220.A	4.0	0.50	22.0	0.1188	7.50	9.82	yes	music wire	4D
C.040.050.0220.I	4.0	0.50	22.0	0.1020	7.50	9.99	yes	stainless steel	4E
C.040.050.0220.N	4.0	0.50	22.0	0.1188	7.50	9.82	yes	Zn coating	4F
C.040.050.0240.A	4.0	0.50	24.0	0.1024	8.50	9.87	yes	music wire	4D
C.040.050.0240.I	4.0	0.50	24.0	0.0891	8.40	10.25	yes	stainless steel	4E
C.040.050.0240.N	4.0	0.50	24.0	0.1024	8.50	9.87	yes	Zn coating	4F
C.040.050.0250.A	4.0	0.50	25.0	0.0810	10.40	11.99	yes	music wire	4B
C.040.050.0250.AL	4.0	0.50	25.0	0.0933	9.20	10.58	yes	music wire	4B
C.040.050.0250.AP	4.0	0.50	25.0	0.1146	7.75	12.37	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.050.0250.I	4.0	0.50	25.0	0.0705	10.30	11.87	yes	stainless steel	4C
C.040.050.0250.N	4.0	0.50	25.0	0.0810	10.40	11.99	yes	Zn coating	4C
C.040.050.0300.A	4.0	0.50	30.0	0.0730	11.40	13.16	yes	music wire	4B
C.040.050.0300.I	4.0	0.50	30.0	0.0635	11.30	13.04	yes	stainless steel	4C
C.040.050.0300.N	4.0	0.50	30.0	0.0730	11.40	13.16	yes	Zn coating	4C
C.040.050.0310.A	4.0	0.50	31.0	0.0762	11.00	12.69	yes	music wire	4D
C.040.050.0310.I	4.0	0.50	31.0	0.0654	11.00	12.69	yes	stainless steel	4E
C.040.050.0310.N	4.0	0.50	31.0	0.0762	11.00	12.69	yes	Zn coating	4F
C.040.050.0320.A	4.0	0.50	32.0	0.0630	13.05	15.10	yes	music wire	4B
C.040.050.0320.AL	4.0	0.50	32.0	0.0729	11.45	13.22	yes	music wire	4B
C.040.050.0320.AP	4.0	0.50	32.0	0.0890	9.60	15.75	yes	music wire	4D
C.040.050.0320.I	4.0	0.50	32.0	0.0548	12.90	14.92	yes	stainless steel	4C
C.040.050.0320.N	4.0	0.50	32.0	0.0630	13.05	15.10	yes	Zn coating	4C
C.040.050.0350.A	4.0	0.50	35.0	0.0510	15.80	18.32	yes	music wire	4B
C.040.050.0350.AP	4.0	0.50	35.0	0.0808	10.45	17.08	yes	music wire	4D
C.040.050.0350.I	4.0	0.50	35.0	0.0444	15.60	18.09	yes	stainless steel	4C
C.040.050.0380.A	4.0	0.50	38.0	0.0700	11.85	17.32	yes	music wire	4E
C.040.050.0380.I	4.0	0.50	38.0	0.0609	11.70	17.88	yes	stainless steel	4E
C.040.050.0400.A	4.0	0.50	40.0	0.0500	16.10	18.68	yes	music wire	4B
C.040.050.0400.AL	4.0	0.50	40.0	0.0583	14.00	16.21	yes	music wire	4B
C.040.050.0400.AP	4.0	0.50	40.0	0.0707	11.75	19.54	yes	music wire	4E
C.040.050.0400.I	4.0	0.50	40.0	0.0435	15.90	18.44	yes	stainless steel	4C
C.040.050.0400.N	4.0	0.50	40.0	0.0500	16.10	18.68	yes	Zn coating	4C
C.040.050.0445.A	4.0	0.50	44.5	0.0434	18.35	21.32	yes	music wire	4B
C.040.050.0445.I	4.0	0.50	44.5	0.0373	18.35	21.32	yes	stainless steel	4C
C.040.050.0500.A	4.0	0.50	50.0	0.0400	19.80	23.02	yes	music wire	4B
C.040.050.0500.AL	4.0	0.50	50.0	0.0467	17.15	19.91	yes	music wire	4B
C.040.050.0500.AP	4.0	0.50	50.0	0.0562	14.45	24.25	yes	music wire	4E
C.040.050.0500.I	4.0	0.50	50.0	0.0348	19.60	22.78	yes	stainless steel	4C
C.040.050.0500.N	4.0	0.50	50.0	0.0400	19.80	23.02	yes	Zn coating	4D
C.040.050.3600.A	4.0	0.50	360.0	0.0050	150.25	176.01	no	music wire	4D
C.040.050.3600.I	4.0	0.50	360.0	0.0044	146.70	171.85	no	stainless steel	4D
C.040.055.0040.A	4.0	0.55	4.0	1.0319	2.59	2.78	yes	music wire	4C
C.040.055.0040.I	4.0	0.55	4.0	0.8863	2.59	2.78	yes	stainless steel	4C
C.040.055.0050.A	4.0	0.55	5.0	0.7280	3.08	3.35	yes	music wire	4C
C.040.055.0050.AP	4.0	0.55	5.0	0.9420	2.70	3.00	yes	music wire	4E
C.040.055.0050.I	4.0	0.55	5.0	0.6334	3.08	3.35	yes	stainless steel	4C
C.040.055.0050.N	4.0	0.55	5.0	0.7280	3.08	3.35	yes	Zn coating	4D
C.040.055.0063.A	4.0	0.55	6.3	0.5460	3.69	4.06	yes	music wire	4C
C.040.055.0063.AP	4.0	0.55	6.3	0.7293	3.08	3.71	yes	music wire	4E
C.040.055.0063.I	4.0	0.55	6.3	0.4750	3.63	3.99	yes	stainless steel	4C
C.040.055.0063.N	4.0	0.55	6.3	0.5460	3.69	4.06	yes	Zn coating	4D
C.040.055.0080.A	4.0	0.55	8.0	0.4160	4.40	4.88	yes	music wire	4C
C.040.055.0080.AP	4.0	0.55	8.0	0.5514	3.63	4.58	yes	music wire	4E
C.040.055.0080.I	4.0	0.55	8.0	0.3619	4.35	4.82	yes	stainless steel	4C
C.040.055.0080.N	4.0	0.55	8.0	0.4160	4.40	4.88	yes	Zn coating	4D
C.040.055.0097.A	4.0	0.55	9.7	0.3197	5.28	5.90	yes	music wire	4C
C.040.055.0097.I	4.0	0.55	9.7	0.2746	5.28	5.90	yes	stainless steel	4C
C.040.055.0100.A	4.0	0.55	10.0	0.3180	5.28	5.90	yes	music wire	4C
C.040.055.0100.AP	4.0	0.55	10.0	0.4266	4.29	5.58	yes	music wire	4E
C.040.055.0100.I	4.0	0.55	10.0	0.2767	5.23	5.84	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.055.0100.N	4.0	0.55	10.0	0.3180	5.28	5.90	yes	Zn coating	4E
C.040.055.0125.A	4.0	0.55	12.5	0.2500	6.38	7.18	yes	music wire	4C
C.040.055.0125.AP	4.0	0.55	12.5	0.3374	5.06	6.91	yes	music wire	4E
C.040.055.0125.I	4.0	0.55	12.5	0.2175	6.33	7.12	yes	stainless steel	4C
C.040.055.0125.N	4.0	0.55	12.5	0.2500	6.38	7.18	yes	Zn coating	4E
C.040.055.0142.A	4.0	0.55	14.2	0.2083	7.37	8.32	yes	music wire	4C
C.040.055.0142.I	4.0	0.55	14.2	0.1789	7.37	8.32	yes	stainless steel	4C
C.040.055.0160.A	4.0	0.55	16.0	0.1920	7.87	8.90	yes	music wire	4C
C.040.055.0160.AP	4.0	0.55	16.0	0.2569	6.22	8.66	yes	music wire	4E
C.040.055.0160.I	4.0	0.55	16.0	0.1670	7.81	8.83	yes	stainless steel	4C
C.040.055.0160.N	4.0	0.55	16.0	0.1920	7.87	8.90	yes	Zn coating	4E
C.040.055.0200.A	4.0	0.55	20.0	0.1520	9.57	10.87	yes	music wire	4C
C.040.055.0200.AP	4.0	0.55	20.0	0.2037	7.48	10.74	yes	music wire	4E
C.040.055.0200.I	4.0	0.55	20.0	0.1322	9.46	10.75	yes	stainless steel	4C
C.040.055.0200.N	4.0	0.55	20.0	0.1520	9.57	10.87	yes	Zn coating	4E
C.040.055.0250.A	4.0	0.55	25.0	0.1200	11.77	13.42	yes	music wire	4C
C.040.055.0250.AP	4.0	0.55	25.0	0.1615	9.13	13.32	yes	music wire	4E
C.040.055.0250.I	4.0	0.55	25.0	0.1044	11.66	13.30	yes	stainless steel	4C
C.040.055.0250.N	4.0	0.55	25.0	0.1200	11.77	13.42	yes	Zn coating	4E
C.040.055.0320.A	4.0	0.55	32.0	0.0920	14.96	17.12	yes	music wire	4C
C.040.055.0320.AP	4.0	0.55	32.0	0.1249	11.39	16.90	yes	music wire	4E
C.040.055.0320.I	4.0	0.55	32.0	0.0800	14.80	16.93	yes	stainless steel	4C
C.040.055.0320.N	4.0	0.55	32.0	0.0920	14.96	17.12	yes	Zn coating	4E
C.040.055.0400.A	4.0	0.55	40.0	0.0740	18.26	20.95	yes	music wire	4C
C.040.055.0400.AP	4.0	0.55	40.0	0.0996	13.92	21.06	yes	music wire	4E
C.040.055.0400.I	4.0	0.55	40.0	0.0644	18.04	20.69	yes	stainless steel	4C
C.040.055.0400.N	4.0	0.55	40.0	0.0740	18.26	20.95	yes	Zn coating	4E
C.040.055.0444.A	4.0	0.55	44.4	0.0634	21.07	24.20	yes	music wire	4C
C.040.055.0444.I	4.0	0.55	44.4	0.0545	21.07	24.20	yes	stainless steel	4C
C.040.055.0500.A	4.0	0.55	50.0	0.0590	22.55	25.92	yes	music wire	4C
C.040.055.0500.AP	4.0	0.55	50.0	0.0793	17.11	26.22	yes	music wire	4E
C.040.055.0500.I	4.0	0.55	50.0	0.0513	22.28	25.60	yes	stainless steel	4C
C.040.055.0500.N	4.0	0.55	50.0	0.0590	22.55	25.92	yes	Zn coating	4E
C.040.055.0508.A	4.0	0.55	50.8	0.0552	23.98	27.57	yes	music wire	4C
C.040.055.0508.I	4.0	0.55	50.8	0.0474	23.98	27.57	yes	stainless steel	4C
C.040.055.0572.A	4.0	0.55	57.2	0.0489	26.90	30.96	yes	music wire	4C
C.040.055.0572.I	4.0	0.55	57.2	0.0420	26.90	30.96	yes	stainless steel	4C
C.040.055.0635.A	4.0	0.55	63.5	0.0440	29.76	34.27	yes	music wire	4C
C.040.055.0635.I	4.0	0.55	63.5	0.0378	29.76	34.27	yes	stainless steel	4C
C.040.055.3600.A	4.0	0.55	360.0	0.0080	158.02	182.84	no	music wire	4E
C.040.055.3600.I	4.0	0.55	360.0	0.0070	155.10	179.46	no	stainless steel	4E
C.040.060.0040.A	4.0	0.60	4.0	1.4605	2.88	3.08	yes	music wire	4C
C.040.060.0040.I	4.0	0.60	4.0	1.2544	2.88	3.08	yes	stainless steel	4C
C.040.060.0050.A	4.0	0.60	5.0	1.0770	3.36	3.64	yes	music wire	4C
C.040.060.0050.AP	4.0	0.60	5.0	1.3387	3.00	3.22	yes	music wire	4E
C.040.060.0050.I	4.0	0.60	5.0	0.9370	3.36	3.64	yes	stainless steel	4C
C.040.060.0050.N	4.0	0.60	5.0	1.0770	3.36	3.64	yes	Zn coating	4E
C.040.060.0063.A	4.0	0.60	6.3	0.8080	4.02	4.39	yes	music wire	4C
C.040.060.0063.AP	4.0	0.60	6.3	1.0142	3.48	3.93	yes	music wire	4E
C.040.060.0063.I	4.0	0.60	6.3	0.7030	3.96	4.32	yes	stainless steel	4C
C.040.060.0063.N	4.0	0.60	6.3	0.8080	4.02	4.39	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.060.0080.A	4.0	0.60	8.0	0.6000	4.86	5.36	yes	music wire	4C
C.040.060.0080.AP	4.0	0.60	8.0	0.7783	4.08	4.92	yes	music wire	4E
C.040.060.0080.I	4.0	0.60	8.0	0.5229	4.80	5.29	yes	stainless steel	4C
C.040.060.0080.N	4.0	0.60	8.0	0.6000	4.86	5.36	yes	Zn coating	4E
C.040.060.0100.A	4.0	0.60	10.0	0.4700	5.76	6.39	yes	music wire	4C
C.040.060.0100.AP	4.0	0.60	10.0	0.5976	4.86	5.99	yes	music wire	4E
C.040.060.0100.I	4.0	0.60	10.0	0.4089	5.76	6.39	yes	stainless steel	4C
C.040.060.0100.N	4.0	0.60	10.0	0.4700	5.76	6.39	yes	Zn coating	4E
C.040.060.0119.A	4.0	0.60	11.9	0.3651	7.02	7.84	yes	music wire	4C
C.040.060.0119.I	4.0	0.60	11.9	0.3136	7.02	7.84	yes	stainless steel	4C
C.040.060.0125.A	4.0	0.60	12.5	0.3640	7.02	7.84	yes	music wire	4C
C.040.060.0125.AP	4.0	0.60	12.5	0.4714	5.76	7.41	yes	music wire	4E
C.040.060.0125.I	4.0	0.60	12.5	0.3167	6.96	7.77	yes	stainless steel	4C
C.040.060.0125.N	4.0	0.60	12.5	0.3640	7.02	7.84	yes	Zn coating	4E
C.040.060.0135.A	4.0	0.60	13.5	0.3169	7.86	8.80	yes	music wire	4C
C.040.060.0135.I	4.0	0.60	13.5	0.2722	7.86	8.80	yes	stainless steel	4C
C.040.060.0143.A	4.0	0.60	14.3	0.5172	5.40	9.66	yes	music wire	4G
C.040.060.0143.I	4.0	0.60	14.3	0.4500	5.34	9.77	yes	stainless steel	4H
C.040.060.0159.A	4.0	0.60	15.9	0.2666	9.06	10.18	yes	music wire	4C
C.040.060.0159.I	4.0	0.60	15.9	0.2290	9.06	10.18	yes	stainless steel	4C
C.040.060.0160.A	4.0	0.60	16.0	0.2780	8.76	9.84	yes	music wire	4C
C.040.060.0160.AP	4.0	0.60	16.0	0.3599	7.08	9.33	yes	music wire	4E
C.040.060.0160.I	4.0	0.60	16.0	0.2419	8.64	9.70	yes	stainless steel	4C
C.040.060.0160.N	4.0	0.60	16.0	0.2780	8.76	9.84	yes	Zn coating	4E
C.040.060.0191.A	4.0	0.60	19.1	0.2181	10.74	12.11	yes	music wire	4C
C.040.060.0191.I	4.0	0.60	19.1	0.1874	10.74	12.11	yes	stainless steel	4C
C.040.060.0200.A	4.0	0.60	20.0	0.2190	10.68	12.04	yes	music wire	4C
C.040.060.0200.AP	4.0	0.60	20.0	0.2836	8.58	11.54	yes	music wire	4E
C.040.060.0200.I	4.0	0.60	20.0	0.1905	10.56	11.90	yes	stainless steel	4C
C.040.060.0200.N	4.0	0.60	20.0	0.2190	10.68	12.04	yes	Zn coating	4E
C.040.060.0220.A	4.0	0.60	22.0	0.2870	8.52	13.64	yes	music wire	4G
C.040.060.0220.I	4.0	0.60	22.0	0.2500	8.40	13.85	yes	stainless steel	4H
C.040.060.0220.N	4.0	0.60	22.0	0.2870	8.52	13.64	yes	Zn coating	4I
C.040.060.0230.A	4.0	0.60	23.0	0.3600	7.08	16.34	yes	music wire	4G
C.040.060.0230.I	4.0	0.60	23.0	0.3132	7.02	16.49	yes	stainless steel	4H
C.040.060.0250.A	4.0	0.60	25.0	0.1730	13.14	14.86	yes	music wire	4C
C.040.060.0250.AP	4.0	0.60	25.0	0.2246	10.50	14.32	yes	music wire	4E
C.040.060.0250.I	4.0	0.60	25.0	0.1505	13.02	14.73	yes	stainless steel	4C
C.040.060.0250.N	4.0	0.60	25.0	0.1730	13.14	14.86	yes	Zn coating	4E
C.040.060.0320.A	4.0	0.60	32.0	0.1340	16.56	18.79	yes	music wire	4C
C.040.060.0320.AP	4.0	0.60	32.0	0.1734	13.14	18.17	yes	music wire	4E
C.040.060.0320.I	4.0	0.60	32.0	0.1166	16.32	18.52	yes	stainless steel	4C
C.040.060.0320.N	4.0	0.60	32.0	0.1340	16.56	18.79	yes	Zn coating	4E
C.040.060.0400.A	4.0	0.60	40.0	0.1060	20.52	23.34	yes	music wire	4C
C.040.060.0400.AP	4.0	0.60	40.0	0.1377	16.14	22.58	yes	music wire	4E
C.040.060.0400.I	4.0	0.60	40.0	0.0922	20.28	23.06	yes	stainless steel	4C
C.040.060.0400.N	4.0	0.60	40.0	0.1060	20.52	23.34	yes	Zn coating	4E
C.040.060.0500.A	4.0	0.60	50.0	0.0850	25.20	28.71	yes	music wire	4C
C.040.060.0500.AP	4.0	0.60	50.0	0.1097	19.86	28.14	yes	music wire	4E
C.040.060.0500.I	4.0	0.60	50.0	0.0740	24.90	28.37	yes	stainless steel	4C
C.040.060.0500.N	4.0	0.60	50.0	0.0850	25.20	28.71	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.060.0850.A	4.0	0.60	85.0	0.0736	28.92	52.39	yes	music wire	4H
C.040.060.0850.I	4.0	0.60	85.0	0.0640	28.56	53.15	yes	stainless steel	4I
C.040.060.0950.A	4.0	0.60	95.0	0.0655	32.28	58.39	yes	music wire	4H
C.040.060.0950.I	4.0	0.60	95.0	0.0570	31.86	59.24	yes	stainless steel	4I
C.040.060.3600.A	4.0	0.60	360.0	0.0120	170.04	194.92	no	music wire	4E
C.040.060.3600.I	4.0	0.60	360.0	0.0104	168.54	193.20	no	stainless steel	4E
C.040.065.0040.A	4.0	0.65	4.0	2.1031	3.12	3.33	yes	music wire	4C
C.040.065.0040.I	4.0	0.65	4.0	1.8063	3.12	3.33	yes	stainless steel	4C
C.040.065.0055.A	4.0	0.65	5.5	1.2000	4.23	4.59	yes	music wire	4C
C.040.065.0055.AP	4.0	0.65	5.5	1.6626	3.51	3.77	yes	music wire	4E
C.040.065.0055.I	4.0	0.65	5.5	1.0290	4.23	4.59	yes	stainless steel	4C
C.040.065.0055.N	4.0	0.65	5.5	1.2000	4.23	4.59	yes	Zn coating	4E
C.040.065.0080.A	4.0	0.65	8.0	0.7624	5.72	6.29	yes	music wire	4C
C.040.065.0080.AP	4.0	0.65	8.0	1.0715	4.55	5.21	yes	music wire	4E
C.040.065.0080.I	4.0	0.65	8.0	0.6548	5.72	6.29	yes	stainless steel	4C
C.040.065.0080.N	4.0	0.65	8.0	0.7624	5.72	6.29	yes	Zn coating	4E
C.040.065.0120.A	4.0	0.65	12.0	0.4933	8.00	8.89	yes	music wire	4C
C.040.065.0120.AP	4.0	0.65	12.0	0.6791	6.24	7.60	yes	music wire	4E
C.040.065.0120.I	4.0	0.65	12.0	0.4237	8.00	8.89	yes	stainless steel	4C
C.040.065.0120.N	4.0	0.65	12.0	0.4933	8.00	8.89	yes	Zn coating	4E
C.040.065.0180.A	4.0	0.65	18.0	0.3106	11.77	13.19	yes	music wire	4C
C.040.065.0180.AP	4.0	0.65	18.0	0.4344	8.84	11.12	yes	music wire	4E
C.040.065.0180.I	4.0	0.65	18.0	0.2668	11.77	13.19	yes	stainless steel	4C
C.040.065.0180.N	4.0	0.65	18.0	0.3106	11.77	13.19	yes	Zn coating	4E
C.040.070.0040.A	4.0	0.70	4.0	3.0938	3.29	3.50	yes	music wire	4C
C.040.070.0040.I	4.0	0.70	4.0	2.6573	3.29	3.50	yes	stainless steel	4C
C.040.070.0050.A	4.0	0.70	5.0	2.1830	3.92	4.21	yes	music wire	4C
C.040.070.0050.AP	4.0	0.70	5.0	2.6106	3.57	3.81	yes	music wire	4E
C.040.070.0050.I	4.0	0.70	5.0	1.9000	3.92	4.21	yes	stainless steel	4C
C.040.070.0050.N	4.0	0.70	5.0	2.1830	3.92	4.21	yes	Zn coating	4E
C.040.070.0063.A	4.0	0.70	6.3	1.6370	4.69	5.08	yes	music wire	4C
C.040.070.0063.I	4.0	0.70	6.3	1.4242	4.62	5.00	yes	stainless steel	4C
C.040.070.0063.N	4.0	0.70	6.3	1.6370	4.69	5.08	yes	Zn coating	4E
C.040.070.0080.A	4.0	0.70	8.0	1.2180	5.67	6.19	yes	music wire	4C
C.040.070.0080.AP	4.0	0.70	8.0	1.4756	4.97	5.52	yes	music wire	4E
C.040.070.0080.I	4.0	0.70	8.0	1.0597	5.60	6.11	yes	stainless steel	4C
C.040.070.0080.N	4.0	0.70	8.0	1.2180	5.67	6.19	yes	Zn coating	4E
C.040.070.0100.A	4.0	0.70	10.0	0.9350	6.86	7.54	yes	music wire	4C
C.040.070.0100.AP	4.0	0.70	10.0	1.1313	5.95	6.77	yes	music wire	4E
C.040.070.0100.I	4.0	0.70	10.0	0.8134	6.79	7.46	yes	stainless steel	4C
C.040.070.0100.N	4.0	0.70	10.0	0.9350	6.86	7.54	yes	Zn coating	4E
C.040.070.0125.A	4.0	0.70	12.5	0.7280	8.26	9.13	yes	music wire	4C
C.040.070.0125.I	4.0	0.70	12.5	0.6334	8.19	9.05	yes	stainless steel	4C
C.040.070.0125.N	4.0	0.70	12.5	0.7280	8.26	9.13	yes	Zn coating	4E
C.040.070.0160.A	4.0	0.70	16.0	0.5570	10.29	11.43	yes	music wire	4C
C.040.070.0160.I	4.0	0.70	16.0	0.4846	10.22	11.35	yes	stainless steel	4C
C.040.070.0160.N	4.0	0.70	16.0	0.5570	10.29	11.43	yes	Zn coating	4E
C.040.070.0200.A	4.0	0.70	20.0	0.4370	12.67	14.13	yes	music wire	4C
C.040.070.0200.I	4.0	0.70	20.0	0.3802	12.53	13.97	yes	stainless steel	4C
C.040.070.0200.N	4.0	0.70	20.0	0.4370	12.67	14.13	yes	Zn coating	4E
C.040.070.0250.A	4.0	0.70	25.0	0.3450	15.54	17.38	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.070.0250.I	4.0	0.70	25.0	0.3000	15.40	17.22	yes	stainless steel	4C
C.040.070.0250.N	4.0	0.70	25.0	0.3450	15.54	17.38	yes	Zn coating	4E
C.040.070.0320.A	4.0	0.70	32.0	0.2670	19.60	21.98	yes	music wire	4C
C.040.070.0320.I	4.0	0.70	32.0	0.2323	19.39	21.74	yes	stainless steel	4C
C.040.070.0320.N	4.0	0.70	32.0	0.2670	19.60	21.98	yes	Zn coating	4E
C.040.070.0400.A	4.0	0.70	40.0	0.2110	24.36	27.37	yes	music wire	4C
C.040.070.0400.I	4.0	0.70	40.0	0.1836	24.01	26.98	yes	stainless steel	4C
C.040.070.0400.N	4.0	0.70	40.0	0.2110	24.36	27.37	yes	Zn coating	4E
C.040.070.0450.A	4.0	0.70	45.0	0.1954	26.11	29.36	yes	music wire	4E
C.040.070.0450.I	4.0	0.70	45.0	0.1700	25.83	29.04	yes	stainless steel	4F
C.040.070.0500.A	4.0	0.70	50.0	0.1680	30.10	33.88	yes	music wire	4C
C.040.070.0500.I	4.0	0.70	50.0	0.1462	29.75	33.48	yes	stainless steel	4C
C.040.070.0500.N	4.0	0.70	50.0	0.1680	30.10	33.88	yes	Zn coating	4E
C.040.070.3600.A	4.0	0.70	360.0	0.0230	209.58	237.20	no	music wire	4E
C.040.070.3600.I	4.0	0.70	360.0	0.0200	207.06	234.34	no	stainless steel	4E
C.040.075.0040.A	4.0	0.75	4.0	4.2682	3.53	3.74	yes	music wire	4C
C.040.075.0040.I	4.0	0.75	4.0	3.6659	3.53	3.74	yes	stainless steel	4C
C.040.075.0050.A	4.0	0.75	5.0	3.1300	4.13	4.42	yes	music wire	4C
C.040.075.0050.I	4.0	0.75	5.0	2.6883	4.13	4.42	yes	stainless steel	4C
C.040.075.0070.A	4.0	0.75	7.0	1.9979	5.40	5.85	yes	music wire	4C
C.040.075.0070.I	4.0	0.75	7.0	1.7160	5.40	5.85	yes	stainless steel	4C
C.040.075.0090.A	4.0	0.75	9.0	1.4672	6.68	7.30	yes	music wire	4C
C.040.075.0090.I	4.0	0.75	9.0	1.2602	6.68	7.30	yes	stainless steel	4C
C.040.075.0120.A	4.0	0.75	12.0	1.0550	8.55	9.41	yes	music wire	4C
C.040.075.0120.I	4.0	0.75	12.0	0.9062	8.55	9.41	yes	stainless steel	4C
C.040.075.0170.A	4.0	0.75	17.0	0.7825	10.88	12.03	yes	music wire	4E
C.040.075.0170.I	4.0	0.75	17.0	0.6721	10.88	12.03	yes	stainless steel	4F
C.040.075.0170.N	4.0	0.75	17.0	0.7825	10.88	12.03	yes	Zn coating	4G
C.040.080.0040.A	4.0	0.80	4.0	6.0640	3.68	3.89	yes	music wire	4C
C.040.080.0040.I	4.0	0.80	4.0	5.2083	3.68	3.89	yes	stainless steel	4C
C.040.080.0050.A	4.0	0.80	5.0	4.2448	4.40	4.70	yes	music wire	4C
C.040.080.0050.I	4.0	0.80	5.0	3.6458	4.40	4.70	yes	stainless steel	4C
C.040.080.0070.A	4.0	0.80	7.0	2.7683	5.68	6.14	yes	music wire	4C
C.040.080.0070.I	4.0	0.80	7.0	2.3777	5.68	6.14	yes	stainless steel	4C
C.040.080.0127.A	4.0	0.80	12.7	2.5287	6.00	10.63	yes	music wire	4H
C.040.080.0127.I	4.0	0.80	12.7	2.2000	6.00	10.66	yes	stainless steel	4H
C.040.080.0140.A	4.0	0.80	14.0	1.5630	8.48	10.65	yes	music wire	4H
C.040.080.0140.I	4.0	0.80	14.0	1.3598	8.40	10.70	yes	stainless steel	4H
C.040.080.0140.N	4.0	0.80	14.0	1.5630	8.48	10.65	yes	Zn coating	4I
C.040.080.0220.A	4.0	0.80	22.0	0.7800	15.04	16.66	yes	music wire	4E
C.040.080.0220.I	4.0	0.80	22.0	0.6786	14.88	16.48	yes	stainless steel	4F
C.040.080.0240.A	4.0	0.80	24.0	0.5057	22.16	22.16	yes	music wire	4C
C.040.080.0240.AP	4.0	0.80	24.0	0.7751	15.12	17.24	yes	music wire	4E
C.040.080.0240.I	4.0	0.80	24.0	0.4400	21.92	21.92	yes	stainless steel	4C
C.040.080.0320.A	4.0	0.80	32.0	0.4253	25.92	28.89	yes	music wire	4C
C.040.080.0320.AP	4.0	0.80	32.0	0.5726	19.76	22.85	yes	music wire	4E
C.040.080.0320.I	4.0	0.80	32.0	0.3700	25.68	28.62	yes	stainless steel	4C
C.040.090.0143.A	4.0	0.90	14.3	3.1000	8.73	11.99	yes	music wire	4H
C.040.090.0143.I	4.0	0.90	14.3	2.6970	8.64	12.02	yes	stainless steel	4H
C.040.100.0095.A	4.0	1.00	9.5	6.4000	8.40	9.07	yes	music wire	4C
C.040.100.0095.I	4.0	1.00	9.5	5.5680	8.30	8.96	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.040.100.0135.A	4.0	1.00	13.5	4.5977	10.70	11.63	yes	music wire	4E
C.040.100.0135.I	4.0	1.00	13.5	4.0000	10.60	11.52	yes	stainless steel	4I
C.042.020.0097.A	4.2	0.20	9.7	0.0091	1.26	1.65	no	music wire	4C
C.042.020.0097.I	4.2	0.20	9.7	0.0078	1.26	1.65	no	stainless steel	4C
C.042.020.0112.A	4.2	0.20	11.2	0.0080	1.34	1.79	no	music wire	4C
C.042.020.0112.I	4.2	0.20	11.2	0.0068	1.34	1.79	no	stainless steel	4C
C.042.020.0119.A	4.2	0.20	11.9	0.0075	1.38	1.86	no	music wire	4C
C.042.020.0119.I	4.2	0.20	11.9	0.0064	1.38	1.86	no	stainless steel	4C
C.042.020.0142.A	4.2	0.20	14.2	0.0062	1.52	2.09	no	music wire	4C
C.042.020.0142.I	4.2	0.20	14.2	0.0053	1.52	2.09	no	stainless steel	4C
C.042.020.0157.A	4.2	0.20	15.7	0.0057	1.60	2.23	no	music wire	4C
C.042.020.0157.I	4.2	0.20	15.7	0.0049	1.60	2.23	no	stainless steel	4C
C.042.045.0063.A	4.2	0.45	6.3	0.2045	2.88	3.24	yes	music wire	4B
C.042.045.0080.A	4.2	0.45	8.0	0.1607	3.33	3.78	yes	music wire	4B
C.042.045.0100.A	4.2	0.45	10.0	0.1278	3.92	4.49	yes	music wire	4B
C.042.045.0100.I	4.2	0.45	10.0	0.1097	3.92	4.49	yes	stainless steel	4C
C.042.045.0125.A	4.2	0.45	12.5	0.1000	4.68	5.41	yes	music wire	4B
C.042.045.0160.A	4.2	0.45	16.0	0.0804	5.58	6.49	yes	music wire	4B
C.042.045.0200.A	4.2	0.45	20.0	0.0643	6.66	7.79	yes	music wire	4B
C.042.045.0250.A	4.2	0.45	25.0	0.0500	8.24	9.69	yes	music wire	4B
C.042.045.0320.A	4.2	0.45	32.0	0.0402	9.99	11.80	yes	music wire	4B
C.042.045.0400.A	4.2	0.45	40.0	0.0321	12.20	14.46	yes	music wire	4B
C.042.045.0500.A	4.2	0.45	50.0	0.0250	15.39	18.30	yes	music wire	4B
C.042.045.0630.A	4.2	0.45	63.0	0.0200	18.95	22.59	yes	music wire	4B
C.042.045.0630.AP	4.2	0.45	63.0	0.0289	13.46	27.33	yes	music wire	4E
C.042.045.0630.I	4.2	0.45	63.0	0.0174	18.72	22.31	yes	stainless steel	4C
C.042.045.0630.N	4.2	0.45	63.0	0.0200	18.95	22.59	yes	Zn coating	4D
C.042.045.0800.A	4.2	0.45	80.0	0.0156	23.99	28.66	yes	music wire	4C
C.042.045.0800.AP	4.2	0.45	80.0	0.0226	16.88	34.53	yes	music wire	4E
C.042.045.0800.I	4.2	0.45	80.0	0.0136	23.67	28.27	yes	stainless steel	4C
C.042.045.0800.N	4.2	0.45	80.0	0.0156	23.99	28.66	yes	Zn coating	4D
C.042.080.0063.A	4.3	0.80	6.3	2.2500	5.60	6.06	yes	music wire	4C
C.042.080.0080.A	4.3	0.80	8.0	1.6071	7.04	7.68	yes	music wire	4C
C.042.080.0100.A	4.3	0.80	10.0	1.2500	8.48	9.31	yes	music wire	4C
C.042.080.0125.A	4.3	0.80	12.5	1.0227	9.92	10.93	yes	music wire	4C
C.042.080.0160.A	4.3	0.80	16.0	0.8036	12.08	13.37	yes	music wire	4C
C.042.080.0200.A	4.3	0.80	20.0	0.6250	15.04	16.71	yes	music wire	4C
C.042.080.0250.A	4.3	0.80	25.0	0.5000	18.24	20.32	yes	music wire	4C
C.042.080.0320.A	4.3	0.80	32.0	0.4018	22.24	24.83	yes	music wire	4C
C.042.080.0400.A	4.3	0.80	40.0	0.3214	27.28	30.51	yes	music wire	4C
C.042.080.0500.A	4.3	0.80	50.0	0.2500	34.48	38.63	yes	music wire	4C
C.042.080.0630.A	4.3	0.80	63.0	0.2009	42.48	47.66	yes	music wire	4C
C.042.090.0063.A	4.2	0.90	6.3	5.3240	5.49	5.88	yes	music wire	4C
C.042.090.0080.A	4.2	0.90	8.0	3.2000	7.47	7.47	yes	music wire	4C
C.042.090.0080.AL	4.2	0.90	8.0	3.8720	6.75	7.29	yes	music wire	4C
C.042.090.0080.AP	4.2	0.90	8.0	4.1294	6.30	6.79	yes	music wire	4E
C.042.090.0080.I	4.2	0.90	8.0	2.7840	7.38	8.00	yes	stainless steel	4C
C.042.090.0080.N	4.2	0.90	8.0	3.2000	7.47	7.47	yes	Zn coating	4E
C.042.090.0100.A	4.2	0.90	10.0	2.8160	8.46	9.20	yes	music wire	4C
C.042.090.0125.A	4.2	0.90	12.5	2.0000	10.62	11.63	yes	music wire	4C
C.042.090.0125.AP	4.2	0.90	12.5	2.4133	9.18	10.01	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.042.090.0125.I	4.2	0.90	12.5	1.7400	10.53	11.53	yes	stainless steel	4C
C.042.090.0125.N	4.2	0.90	12.5	2.0000	10.62	11.63	yes	Zn coating	4E
C.042.090.0160.A	4.2	0.90	16.0	1.6000	13.14	14.44	yes	music wire	4C
C.042.090.0200.A	4.2	0.90	20.0	1.2500	15.66	17.27	yes	music wire	4C
C.042.090.0200.AP	4.2	0.90	20.0	1.4405	13.86	15.26	yes	music wire	4E
C.042.090.0200.I	4.2	0.90	20.0	1.0875	15.48	17.07	yes	stainless steel	4C
C.042.090.0200.N	4.2	0.90	20.0	1.2500	15.66	17.27	yes	Zn coating	4E
C.042.090.0250.A	4.2	0.90	25.0	0.9538	19.80	21.91	yes	music wire	4C
C.042.090.0250.I	4.2	0.90	25.0	0.8192	19.80	21.91	yes	stainless steel	4C
C.042.090.0320.A	4.2	0.90	32.0	0.8000	23.13	25.64	yes	music wire	4E
C.042.090.0320.I	4.2	0.90	32.0	0.6960	22.95	25.44	yes	stainless steel	4F
C.042.090.0320.N	4.2	0.90	32.0	0.8000	23.13	25.64	yes	Zn coating	4H
C.042.090.0400.A	4.2	0.90	40.0	0.6349	28.62	31.79	yes	music wire	4E
C.042.090.0400.I	4.2	0.90	40.0	0.5524	28.26	31.39	yes	stainless steel	4F
C.042.090.0400.N	4.2	0.90	40.0	0.6349	28.62	31.79	yes	Zn coating	4H
C.042.090.0500.A	4.2	0.90	50.0	0.5000	35.73	39.75	yes	music wire	4F
C.042.090.0500.I	4.2	0.90	50.0	0.4350	35.28	39.25	yes	stainless steel	4F
C.042.090.0500.N	4.2	0.90	50.0	0.5000	35.73	39.75	yes	Zn coating	4H
C.042.090.0630.A	4.2	0.90	63.0	0.4000	44.10	49.13	yes	music wire	4F
C.042.090.0630.I	4.2	0.90	63.0	0.3480	43.56	48.52	yes	stainless steel	4F
C.042.090.0630.N	4.2	0.90	63.0	0.4000	44.10	49.13	yes	Zn coating	4H
C.042.090.1050.A	4.2	0.90	105.0	0.2155	79.92	89.25	yes	music wire	4C
C.042.090.1050.I	4.2	0.90	105.0	0.1851	79.92	89.25	yes	stainless steel	4D
C.043.032.0085.A	4.3	0.32	8.5	0.0477	2.27	2.65	no	music wire	4C
C.043.032.0085.I	4.3	0.32	8.5	0.0410	2.24	2.61	no	stainless steel	4C
C.043.032.0087.A	4.3	0.32	8.7	0.0477	2.27	2.65	no	music wire	4C
C.043.032.0087.I	4.3	0.32	8.7	0.0415	2.24	2.61	no	stainless steel	4C
C.043.032.0127.A	4.3	0.32	12.7	0.0303	2.91	3.50	no	music wire	4C
C.043.032.0127.I	4.3	0.32	12.7	0.0260	2.91	3.50	no	stainless steel	4C
C.043.032.0131.A	4.3	0.32	13.1	0.0303	2.91	3.50	no	music wire	4C
C.043.032.0131.I	4.3	0.32	13.1	0.0264	2.88	3.46	no	stainless steel	4C
C.043.032.0193.A	4.3	0.32	19.3	0.0196	3.87	4.78	no	music wire	4C
C.043.032.0193.I	4.3	0.32	19.3	0.0168	3.90	4.82	no	stainless steel	4C
C.043.032.0198.A	4.3	0.32	19.8	0.0134	5.15	6.49	no	music wire	4C
C.043.032.0198.I	4.3	0.32	19.8	0.0115	5.18	6.53	no	stainless steel	4C
C.043.032.0286.A	4.3	0.32	28.6	0.0134	5.15	6.49	no	music wire	4C
C.043.032.0286.I	4.3	0.32	28.6	0.0115	5.18	6.53	no	stainless steel	4C
C.043.032.0289.A	4.3	0.32	28.9	0.0134	5.15	6.49	no	music wire	4C
C.043.032.0289.I	4.3	0.32	28.9	0.0117	5.12	6.45	no	stainless steel	4C
C.043.032.0416.A	4.3	0.32	41.6	0.0090	7.14	9.14	no	music wire	4C
C.043.032.0416.I	4.3	0.32	41.6	0.0077	7.17	9.18	no	stainless steel	4C
C.043.032.0419.A	4.3	0.32	41.9	0.0090	7.14	9.14	no	music wire	4C
C.043.032.0419.I	4.3	0.32	41.9	0.0078	7.07	9.05	no	stainless steel	4C
C.043.065.0063.A	4.3	0.65	6.3	0.7813	4.81	5.28	yes	music wire	4C
C.043.065.0080.A	4.3	0.65	8.0	0.6400	5.40	5.96	yes	music wire	4C
C.043.065.0080.AP	4.3	0.65	8.0	0.9319	4.23	4.99	yes	music wire	4E
C.043.065.0080.I	4.3	0.65	8.0	0.5568	5.40	5.96	yes	stainless steel	4C
C.043.065.0080.N	4.3	0.65	8.0	0.6400	5.40	5.96	yes	Zn coating	4E
C.043.065.0100.A	4.3	0.65	10.0	0.5000	6.63	7.36	yes	music wire	4C
C.043.065.0125.A	4.3	0.65	12.5	0.4000	7.67	8.56	yes	music wire	4C
C.043.065.0125.AP	4.3	0.65	12.5	0.5564	5.98	7.47	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.043.065.0125.I	4.3	0.65	12.5	0.3480	7.61	8.49	yes	stainless steel	4C
C.043.065.0125.N	4.3	0.65	12.5	0.4000	7.67	8.56	yes	Zn coating	4E
C.043.065.0160.A	4.3	0.65	16.0	0.3200	9.23	10.35	yes	music wire	4C
C.043.065.0160.AP	4.3	0.65	16.0	0.4285	7.28	9.46	yes	music wire	4E
C.043.065.0160.I	4.3	0.65	16.0	0.2784	9.10	10.20	yes	stainless steel	4C
C.043.065.0160.N	4.3	0.65	16.0	0.3200	9.23	10.35	yes	Zn coating	4E
C.043.065.0200.A	4.3	0.65	20.0	0.2540	11.18	12.59	yes	music wire	4C
C.043.065.0200.AP	4.3	0.65	20.0	0.3358	8.84	11.66	yes	music wire	4E
C.043.065.0200.I	4.3	0.65	20.0	0.2210	11.05	12.44	yes	stainless steel	4C
C.043.065.0200.N	4.3	0.65	20.0	0.2540	11.18	12.59	yes	Zn coating	4E
C.043.065.0250.A	4.3	0.65	25.0	0.2000	13.78	15.57	yes	music wire	4C
C.043.065.0250.AP	4.3	0.65	25.0	0.2663	10.73	14.48	yes	music wire	4E
C.043.065.0250.I	4.3	0.65	25.0	0.1740	13.65	15.42	yes	stainless steel	4C
C.043.065.0250.N	4.3	0.65	25.0	0.2000	13.78	15.57	yes	Zn coating	4E
C.043.065.0320.A	4.3	0.65	32.0	0.1600	16.84	19.08	yes	music wire	4C
C.043.065.0320.AP	4.3	0.65	32.0	0.2060	13.46	18.40	yes	music wire	4E
C.043.065.0320.I	4.3	0.65	32.0	0.1392	16.64	18.85	yes	stainless steel	4C
C.043.065.0320.N	4.3	0.65	32.0	0.1600	16.84	19.08	yes	Zn coating	4E
C.043.065.0400.A	4.3	0.65	40.0	0.1280	20.61	23.41	yes	music wire	4C
C.043.065.0400.AP	4.3	0.65	40.0	0.1635	16.51	22.87	yes	music wire	4E
C.043.065.0400.I	4.3	0.65	40.0	0.1114	20.35	23.11	yes	stainless steel	4C
C.043.065.0400.N	4.3	0.65	40.0	0.1280	20.61	23.41	yes	Zn coating	4E
C.043.065.0500.A	4.3	0.65	50.0	0.1000	25.94	29.52	yes	music wire	4C
C.043.065.0500.AP	4.3	0.65	50.0	0.1299	20.35	28.43	yes	music wire	4E
C.043.065.0500.I	4.3	0.65	50.0	0.0870	25.61	29.14	yes	stainless steel	4C
C.043.065.0500.N	4.3	0.65	50.0	0.1000	25.94	29.52	yes	Zn coating	4E
C.043.065.0630.A	4.3	0.65	63.0	0.0800	31.98	36.45	yes	music wire	4C
C.043.065.0630.AP	4.3	0.65	63.0	0.1027	25.29	35.72	yes	music wire	4E
C.043.065.0630.I	4.3	0.65	63.0	0.0696	31.66	36.08	yes	stainless steel	4C
C.043.065.0630.N	4.3	0.65	63.0	0.0800	31.98	36.45	yes	Zn coating	4E
C.043.065.0800.A	4.3	0.65	80.0	0.0640	39.59	45.18	yes	music wire	4C
C.043.065.0800.I	4.3	0.65	80.0	0.0557	39.13	44.65	yes	stainless steel	4C
C.043.065.0800.N	4.3	0.65	80.0	0.0640	39.59	45.18	yes	Zn coating	4E
C.043.080.0063.A	4.3	0.80	6.3	2.0000	5.92	5.92	yes	music wire	4C
C.043.080.0063.AP	4.3	0.80	6.3	3.0358	4.56	4.89	yes	music wire	4E
C.043.080.0063.I	4.3	0.80	6.3	1.7400	5.84	5.84	yes	stainless steel	4C
C.043.080.0063.N	4.3	0.80	6.3	2.0000	5.92	5.92	yes	Zn coating	4E
C.043.080.0630.A	4.3	0.80	63.0	0.2000	40.96	45.97	yes	music wire	4C
C.043.080.0630.AP	4.3	0.80	63.0	0.2387	34.64	42.33	yes	music wire	4F
C.043.080.0630.I	4.3	0.80	63.0	0.1740	40.40	45.34	yes	stainless steel	4C
C.043.080.0630.N	4.3	0.80	63.0	0.2000	40.96	45.97	yes	Zn coating	4E
C.044.020.0071.A	4.4	0.20	7.1	0.0040	1.80	2.64	no	music wire	4C
C.044.020.0071.I	4.4	0.20	7.1	0.0035	1.78	2.60	no	stainless steel	4C
C.044.020.0111.A	4.4	0.20	11.1	0.0011	4.52	7.43	no	music wire	4C
C.044.020.0111.I	4.4	0.20	11.1	0.0010	4.48	7.36	no	stainless steel	4C
C.044.020.0151.A	4.4	0.20	15.1	0.0023	2.62	4.08	no	music wire	4C
C.044.020.0151.I	4.4	0.20	15.1	0.0020	2.58	4.01	no	stainless steel	4C
C.044.020.0191.A	4.4	0.20	19.1	0.0020	2.90	4.58	no	music wire	4C
C.044.020.0191.I	4.4	0.20	19.1	0.0017	2.88	4.54	no	stainless steel	4C
C.044.020.0570.A	4.4	0.20	57.0	0.0010	5.10	8.45	no	music wire	4C
C.044.020.0570.I	4.4	0.20	57.0	0.0009	5.04	8.34	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.044.030.0048.A	4.4	0.30	4.8	0.0241	2.55	3.12	no	music wire	4C
C.044.030.0048.I	4.4	0.30	4.8	0.0210	2.52	3.08	no	stainless steel	4C
C.044.030.0079.A	4.4	0.30	7.9	0.0640	1.62	3.00	no	music wire	4E
C.044.030.0095.A	4.4	0.30	9.5	0.0207	2.79	3.45	no	music wire	4C
C.044.030.0095.I	4.4	0.30	9.5	0.0180	2.76	3.41	no	stainless steel	4C
C.044.030.0119.A	4.4	0.30	11.9	0.0207	2.79	3.45	no	music wire	4C
C.044.030.0119.I	4.4	0.30	11.9	0.0180	2.76	3.41	no	stainless steel	4C
C.044.030.0127.A	4.4	0.30	12.7	0.0057	7.29	9.66	no	music wire	4C
C.044.030.0127.I	4.4	0.30	12.7	0.0050	7.23	9.58	no	stainless steel	4C
C.044.030.0143.A	4.4	0.30	14.3	0.0170	3.15	3.95	no	music wire	4C
C.044.030.0143.I	4.4	0.30	14.3	0.0070	5.46	7.14	no	stainless steel	4C
C.044.030.0151.A	4.4	0.30	15.1	0.0100	4.65	6.02	no	music wire	4C
C.044.030.0151.I	4.4	0.30	15.1	0.0087	4.59	5.94	no	stainless steel	4C
C.044.030.0250.A	4.4	0.30	25.0	0.0057	7.29	9.66	no	music wire	4C
C.044.030.0250.I	4.4	0.30	25.0	0.0050	7.23	9.58	no	stainless steel	4C
C.044.030.0830.A	4.4	0.30	83.0	0.0010	36.96	50.61	no	music wire	4C
C.044.030.0830.I	4.4	0.30	83.0	0.0009	36.51	49.99	no	stainless steel	4C
C.044.035.0125.A	4.4	0.35	12.5	0.0397	3.26	3.87	no	music wire	4B
C.044.035.0125.AP	4.4	0.35	12.5	0.0654	2.45	5.08	no	music wire	4D
C.044.035.0125.I	4.4	0.35	12.5	0.0345	3.22	3.82	no	stainless steel	4B
C.044.035.0160.A	4.4	0.35	16.0	0.0313	3.82	4.60	no	music wire	4B
C.044.035.0160.AP	4.4	0.35	16.0	0.0497	2.84	6.24	no	music wire	4D
C.044.035.0160.I	4.4	0.35	16.0	0.0272	3.78	4.55	no	stainless steel	4B
C.044.035.0200.A	4.4	0.35	20.0	0.0250	4.45	5.42	no	music wire	4B
C.044.035.0200.AP	4.4	0.35	20.0	0.0394	3.26	7.70	no	music wire	4D
C.044.035.0200.I	4.4	0.35	20.0	0.0218	4.41	5.37	no	stainless steel	4C
C.044.035.0250.A	4.4	0.35	25.0	0.0200	5.25	6.46	no	music wire	4B
C.044.035.0250.AP	4.4	0.35	25.0	0.0313	3.78	9.52	no	music wire	4D
C.044.035.0250.I	4.4	0.35	25.0	0.0174	5.22	6.42	no	stainless steel	4C
C.044.035.0320.A	4.4	0.35	32.0	0.0156	6.41	7.97	no	music wire	4B
C.044.035.0320.I	4.4	0.35	32.0	0.0136	6.34	7.88	no	stainless steel	4C
C.044.035.0400.A	4.4	0.35	40.0	0.0125	7.49	9.40	no	music wire	4B
C.044.035.0500.A	4.4	0.35	50.0	0.0100	9.03	11.41	no	music wire	4B
C.044.035.0630.A	4.4	0.35	63.0	0.0078	11.55	14.66	no	music wire	4B
C.044.035.0630.I	4.4	0.35	63.0	0.0068	11.41	14.47	no	stainless steel	4C
C.044.040.0075.A	4.4	0.40	7.5	0.1164	2.40	2.75	yes	music wire	4B
C.044.040.0075.AP	4.4	0.40	7.5	0.1762	1.92	3.48	yes	music wire	4D
C.044.040.0075.I	4.4	0.40	7.5	0.1013	2.40	2.75	yes	stainless steel	4B
C.044.040.0075.N	4.4	0.40	7.5	0.1164	2.40	2.75	yes	Zn coating	4C
C.044.040.0079.A	4.4	0.40	7.9	0.1164	2.40	2.75	yes	music wire	4B
C.044.040.0079.I	4.4	0.40	7.9	0.1013	2.40	2.75	yes	stainless steel	4B
C.044.040.0079.N	4.4	0.40	7.9	0.1164	2.40	2.75	yes	Zn coating	4C
C.044.040.0110.A	4.4	0.40	11.0	0.0500	4.28	5.10	yes	music wire	4B
C.044.040.0110.AP	4.4	0.40	11.0	0.1158	2.40	4.89	yes	music wire	4F
C.044.040.0110.I	4.4	0.40	11.0	0.0435	4.20	5.00	yes	stainless steel	4B
C.044.040.0110.N	4.4	0.40	11.0	0.0500	4.28	5.10	yes	Zn coating	4C
C.044.040.0112.A	4.4	0.40	11.2	0.0741	3.20	3.75	yes	music wire	4B
C.044.040.0112.AP	4.4	0.40	11.2	0.1126	2.44	4.92	yes	music wire	4D
C.044.040.0112.I	4.4	0.40	11.2	0.0636	3.20	3.75	yes	stainless steel	4B
C.044.040.0112.N	4.4	0.40	11.2	0.0741	3.20	3.75	yes	Zn coating	4C
C.044.040.0117.A	4.4	0.40	11.7	0.0741	3.20	3.75	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.044.040.0117.AP	4.4	0.40	11.7	0.1095	2.48	5.24	yes	music wire	4F
C.044.040.0117.I	4.4	0.40	11.7	0.0645	3.16	3.70	yes	stainless steel	4B
C.044.040.0117.N	4.4	0.40	11.7	0.0741	3.20	3.75	yes	Zn coating	4C
C.044.040.0166.A	4.4	0.40	16.6	0.0479	4.40	5.25	yes	music wire	4B
C.044.040.0166.AP	4.4	0.40	16.6	0.0737	3.20	7.00	yes	music wire	4D
C.044.040.0166.I	4.4	0.40	16.6	0.0417	4.36	5.20	yes	stainless steel	4C
C.044.040.0166.N	4.4	0.40	16.6	0.0479	4.40	5.25	yes	Zn coating	4C
C.044.040.0175.A	4.4	0.40	17.5	0.0479	4.40	5.25	yes	music wire	4B
C.044.040.0175.AP	4.4	0.40	17.5	0.0699	3.32	7.38	yes	music wire	4D
C.044.040.0175.I	4.4	0.40	17.5	0.0411	4.40	5.25	yes	stainless steel	4C
C.044.040.0175.N	4.4	0.40	17.5	0.0479	4.40	5.25	yes	Zn coating	4C
C.044.040.0220.A	4.4	0.40	22.0	0.0240	7.80	9.50	yes	music wire	4B
C.044.040.0220.AP	4.4	0.40	22.0	0.0548	3.96	9.08	yes	music wire	4D
C.044.040.0220.I	4.4	0.40	22.0	0.0209	7.72	9.40	yes	stainless steel	4C
C.044.040.0240.A	4.4	0.40	24.0	0.0322	6.08	7.35	yes	music wire	4B
C.044.040.0240.AP	4.4	0.40	24.0	0.0500	4.24	9.86	yes	music wire	4D
C.044.040.0240.I	4.4	0.40	24.0	0.0280	6.00	7.25	yes	stainless steel	4C
C.044.040.0241.A	4.4	0.40	24.1	0.0326	6.00	7.25	yes	music wire	4B
C.044.040.0241.AF	4.4	0.40	24.1	0.0220	8.40	10.25	yes	music wire	4B
C.044.040.0241.AP	4.4	0.40	24.1	0.0500	4.24	9.96	yes	music wire	4F
C.044.040.0241.I	4.4	0.40	24.1	0.0189	8.40	10.25	yes	stainless steel	4C
C.044.040.0241.N	4.4	0.40	24.1	0.0326	6.00	7.25	yes	Zn coating	4C
C.044.040.0241.NF	4.4	0.40	24.1	0.0220	8.40	10.25	yes	Zn coating	4C
C.044.040.0251.A	4.4	0.40	25.1	0.0326	6.00	7.25	yes	music wire	4B
C.044.040.0251.AP	4.4	0.40	25.1	0.0477	4.40	10.26	yes	music wire	4D
C.044.040.0251.I	4.4	0.40	25.1	0.0284	5.92	7.15	yes	stainless steel	4C
C.044.040.0251.N	4.4	0.40	25.1	0.0326	6.00	7.25	yes	Zn coating	4C
C.044.040.0350.A	4.4	0.40	35.0	0.0130	13.52	16.65	yes	music wire	4B
C.044.040.0350.AP	4.4	0.40	35.0	0.0341	5.80	14.23	yes	music wire	4G
C.044.040.0350.I	4.4	0.40	35.0	0.0113	13.36	16.45	yes	stainless steel	4C
C.044.040.0355.A	4.4	0.40	35.5	0.0181	10.00	12.25	yes	music wire	4B
C.044.040.0355.AF	4.4	0.40	35.5	0.0181	10.00	12.25	yes	music wire	4B
C.044.040.0355.AP	4.4	0.40	35.5	0.0335	5.88	14.38	yes	music wire	4G
C.044.040.0355.I	4.4	0.40	35.5	0.0189	8.40	10.25	yes	stainless steel	4C
C.044.040.0355.IF	4.4	0.40	35.5	0.0155	10.04	12.30	yes	stainless steel	4C
C.044.040.0355.N	4.4	0.40	35.5	0.0181	10.00	12.25	yes	Zn coating	4C
C.044.040.0366.A	4.4	0.40	36.6	0.0220	8.40	10.25	yes	music wire	4B
C.044.040.0366.AP	4.4	0.40	36.6	0.0324	6.04	14.78	yes	music wire	4G
C.044.040.0366.I	4.4	0.40	36.6	0.0189	8.40	10.25	yes	stainless steel	4C
C.044.040.0366.N	4.4	0.40	36.6	0.0220	8.40	10.25	yes	Zn coating	4C
C.044.050.0111.A	4.4	0.50	11.1	0.2299	3.60	5.34	yes	music wire	4D
C.044.050.0111.I	4.4	0.50	11.1	0.2000	3.55	5.50	yes	stainless steel	4E
C.044.050.0290.A	4.4	0.50	29.0	0.0720	8.70	10.61	yes	music wire	4D
C.044.050.0290.I	4.4	0.50	29.0	0.0626	8.60	11.11	yes	stainless steel	4E
C.044.050.0740.A	4.4	0.50	74.0	0.0207	27.20	32.16	yes	music wire	4C
C.044.050.0740.AP	4.4	0.50	74.0	0.0327	17.70	33.48	yes	music wire	4E
C.044.050.0740.I	4.4	0.50	74.0	0.0180	26.85	31.75	yes	stainless steel	4C
C.044.060.0115.A	4.4	0.60	11.5	0.3900	5.22	5.86	yes	music wire	4E
C.044.060.0115.I	4.4	0.60	11.5	0.3393	5.16	5.99	yes	stainless steel	4E
C.044.060.0174.A	4.4	0.60	17.4	0.2184	8.10	9.16	yes	music wire	4C
C.044.060.0174.I	4.4	0.60	17.4	0.1900	8.04	9.09	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.044.060.0190.A	4.4	0.60	19.0	0.2150	8.22	9.30	yes	music wire	4E
C.044.060.0190.I	4.4	0.60	19.0	0.1871	8.10	9.16	yes	stainless steel	4E
C.044.060.0190.N	4.4	0.60	19.0	0.2150	8.22	9.30	yes	Zn coating	4G
C.044.060.0220.A	4.4	0.60	22.0	0.1000	15.96	18.28	yes	music wire	4C
C.044.060.0220.AP	4.4	0.60	22.0	0.2160	8.16	11.82	yes	music wire	4E
C.044.060.0220.I	4.4	0.60	22.0	0.0870	15.78	18.07	yes	stainless steel	4C
C.044.060.0230.A	4.4	0.60	23.0	0.1954	8.88	11.74	yes	music wire	4E
C.044.060.0230.I	4.4	0.60	23.0	0.1700	8.82	12.00	yes	stainless steel	4E
C.044.060.0290.A	4.4	0.60	29.0	0.1839	9.36	17.04	yes	music wire	4H
C.044.060.0290.I	4.4	0.60	29.0	0.1600	9.24	17.32	yes	stainless steel	4H
C.044.060.0310.A	4.4	0.60	31.0	0.1700	10.02	18.06	yes	music wire	4H
C.044.060.0310.I	4.4	0.60	31.0	0.1479	9.90	18.36	yes	stainless steel	4H
C.044.060.0380.A	4.4	0.60	38.0	0.0621	24.78	28.51	yes	music wire	4C
C.044.060.0380.AP	4.4	0.60	38.0	0.1223	13.32	20.02	yes	music wire	4E
C.044.060.0380.I	4.4	0.60	38.0	0.0540	24.48	28.16	yes	stainless steel	4C
C.044.070.0700.A	4.4	0.70	70.0	0.0862	40.95	46.51	yes	music wire	4C
C.044.070.0700.AP	4.4	0.70	70.0	0.1175	30.52	41.37	yes	music wire	4F
C.044.070.0700.I	4.4	0.70	70.0	0.0750	40.46	45.95	yes	stainless steel	4C
C.044.070.0760.A	4.4	0.70	76.0	0.0750	46.83	53.23	yes	music wire	4C
C.044.070.0760.AP	4.4	0.70	76.0	0.1080	33.04	44.85	yes	music wire	4F
C.044.070.0760.I	4.4	0.70	76.0	0.0653	46.27	52.59	yes	stainless steel	4C
C.044.080.0060.A	4.4	0.80	6.0	2.5554	4.80	5.17	yes	music wire	4C
C.044.080.0060.AP	4.4	0.80	6.0	3.0784	4.32	4.62	yes	music wire	4E
C.044.080.0060.I	4.4	0.80	6.0	2.2232	4.80	5.17	yes	stainless steel	4C
C.044.080.0060.N	4.4	0.80	6.0	2.5554	4.80	5.17	yes	Zn coating	4E
C.044.080.0090.A	4.4	0.80	9.0	1.6261	6.40	6.97	yes	music wire	4C
C.044.080.0090.I	4.4	0.80	9.0	1.4000	6.40	6.97	yes	stainless steel	4C
C.044.080.0090.N	4.4	0.80	9.0	1.6261	6.40	6.97	yes	Zn coating	4E
C.044.080.0095.A	4.4	0.80	9.5	1.9540	5.68	7.02	yes	music wire	4H
C.044.080.0095.I	4.4	0.80	9.5	1.7000	5.60	7.07	yes	stainless steel	4H
C.044.080.0130.A	4.4	0.80	13.0	1.0522	8.80	9.69	yes	music wire	4C
C.044.080.0130.I	4.4	0.80	13.0	0.9154	8.72	9.60	yes	stainless steel	4C
C.044.080.0130.N	4.4	0.80	13.0	1.0522	8.80	9.69	yes	Zn coating	4E
C.044.080.0167.A	4.4	0.80	16.7	1.0345	8.88	12.02	yes	music wire	4H
C.044.080.0167.I	4.4	0.80	16.7	0.9000	8.80	12.10	yes	stainless steel	4H
C.044.080.0200.A	4.4	0.80	20.0	0.6625	12.80	14.21	yes	music wire	4C
C.044.080.0200.I	4.4	0.80	20.0	0.5764	12.64	14.03	yes	stainless steel	4F
C.044.080.0200.N	4.4	0.80	20.0	0.6625	12.80	14.21	yes	Zn coating	4E
C.044.080.0210.A	4.4	0.80	21.0	0.7500	11.52	14.55	yes	music wire	4H
C.044.080.0210.I	4.4	0.80	21.0	0.6525	11.44	14.66	yes	stainless steel	4H
C.044.080.0240.A	4.4	0.80	24.0	0.7356	11.76	17.42	yes	music wire	4H
C.044.080.0240.I	4.4	0.80	24.0	0.6400	11.60	17.53	yes	stainless steel	4H
C.044.080.0270.A	4.4	0.80	27.0	0.4700	17.20	19.18	yes	music wire	4C
C.044.080.0270.I	4.4	0.80	27.0	0.4089	17.04	19.00	yes	stainless steel	4C
C.044.080.0300.A	4.4	0.80	30.0	0.4100	19.44	21.71	yes	music wire	4C
C.044.080.0300.I	4.4	0.80	30.0	0.3567	19.20	21.44	yes	stainless steel	4C
C.044.080.0330.A	4.4	0.80	33.0	0.3380	23.20	25.96	yes	music wire	4C
C.044.080.0330.AP	4.4	0.80	33.0	0.4419	18.16	22.06	yes	music wire	4E
C.044.080.0330.I	4.4	0.80	33.0	0.2941	22.88	25.60	yes	stainless steel	4C
C.044.080.0330.N	4.4	0.80	33.0	0.3380	23.20	25.96	yes	Zn coating	4E
C.044.090.0087.A	4.4	0.90	8.7	2.4138	8.10	8.10	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.044.090.0087.AP	4.4	0.90	8.7	3.3139	6.48	7.00	yes	music wire	4E
C.044.090.0087.I	4.4	0.90	8.7	2.1000	8.01	8.01	yes	stainless steel	4C
C.044.090.0182.A	4.4	0.90	18.2	2.1839	8.64	15.16	yes	music wire	4H
C.044.090.0182.I	4.4	0.90	18.2	1.9000	8.55	15.20	yes	stainless steel	4I
C.044.090.0450.A	4.4	0.90	45.0	0.7931	19.98	36.64	yes	music wire	4H
C.044.090.0450.I	4.4	0.90	45.0	0.6900	19.71	36.75	yes	stainless steel	4I
C.044.100.0191.A	4.4	1.00	19.1	2.4000	13.30	15.45	yes	music wire	4H
C.044.100.0191.I	4.4	1.00	19.1	2.0880	13.20	15.49	yes	stainless steel	4I
C.044.110.0151.A	4.4	1.10	15.1	4.0000	14.19	14.19	yes	music wire	4C
C.044.110.0151.AP	4.4	1.10	15.1	4.6677	12.54	13.65	yes	music wire	4F
C.044.110.0151.I	4.4	1.10	15.1	3.4800	13.97	13.97	yes	stainless steel	4C
C.045.030.0135.A	4.5	0.30	13.5	0.0214	2.61	3.22	no	music wire	4C
C.045.030.0135.I	4.5	0.30	13.5	0.0184	2.61	3.22	no	stainless steel	4C
C.045.030.0174.A	4.5	0.30	17.4	0.0164	3.09	3.89	no	music wire	4C
C.045.030.0174.I	4.5	0.30	17.4	0.0141	3.09	3.89	no	stainless steel	4C
C.045.032.0064.A	4.5	0.32	6.4	0.0804	1.70	1.91	no	music wire	4E
C.045.032.0064.I	4.5	0.32	6.4	0.0670	1.73	1.95	no	stainless steel	4E
C.045.032.0079.A	4.5	0.32	7.9	0.0592	1.92	2.20	no	music wire	4C
C.045.032.0079.I	4.5	0.32	7.9	0.0515	1.89	2.16	no	stainless steel	4C
C.045.032.0095.A	4.5	0.32	9.5	0.0479	2.11	2.46	no	music wire	4C
C.045.032.0095.I	4.5	0.32	9.5	0.0417	2.08	2.42	no	stainless steel	4E
C.045.032.0111.A	4.5	0.32	11.1	0.0422	2.24	2.64	no	music wire	4E
C.045.032.0111.I	4.5	0.32	11.1	0.0351	2.27	2.68	no	stainless steel	4E
C.045.032.0127.A	4.5	0.32	12.7	0.0357	2.43	2.90	no	music wire	4C
C.045.032.0127.I	4.5	0.32	12.7	0.0310	2.40	2.86	no	stainless steel	4E
C.045.032.0142.A	4.5	0.32	14.2	0.0248	3.01	3.68	no	music wire	4C
C.045.032.0142.I	4.5	0.32	14.2	0.0213	3.01	3.68	no	stainless steel	4C
C.045.032.0143.A	4.5	0.32	14.3	0.0310	2.62	3.16	no	music wire	4C
C.045.032.0143.I	4.5	0.32	14.3	0.0270	2.62	3.16	no	stainless steel	4E
C.045.032.0159.A	4.5	0.32	15.9	0.0282	2.78	3.37	no	music wire	4E
C.045.032.0159.I	4.5	0.32	15.9	0.0245	2.75	3.33	no	stainless steel	4E
C.045.032.0190.A	4.5	0.32	19.0	0.0235	3.10	3.81	no	music wire	4E
C.045.032.0190.I	4.5	0.32	19.0	0.0205	3.07	3.91	no	stainless steel	4E
C.045.032.0206.A	4.5	0.32	20.6	0.0168	3.90	4.89	no	music wire	4C
C.045.032.0206.I	4.5	0.32	20.6	0.0144	3.90	4.89	no	stainless steel	4C
C.045.032.0250.A	4.5	0.32	25.0	0.0169	3.90	4.89	no	music wire	4C
C.045.032.0250.I	4.5	0.32	25.0	0.0147	3.84	4.81	no	stainless steel	4E
C.045.032.0380.A	4.5	0.32	38.0	0.0113	5.28	6.76	no	music wire	4E
C.045.032.0380.I	4.5	0.32	38.0	0.0098	5.22	6.68	no	stainless steel	4E
C.045.035.0239.A	4.5	0.35	23.9	0.0194	5.08	6.28	no	music wire	4B
C.045.035.0239.I	4.5	0.35	23.9	0.0167	5.08	6.28	no	stainless steel	4C
C.045.035.0284.A	4.5	0.35	28.4	0.0162	5.85	7.29	no	music wire	4B
C.045.035.0284.I	4.5	0.35	28.4	0.0139	5.85	7.29	no	stainless steel	4C
C.045.035.0285.A	4.5	0.35	28.5	0.0162	5.85	7.29	no	music wire	4B
C.045.035.0285.I	4.5	0.35	28.5	0.0139	5.85	7.29	no	stainless steel	4C
C.045.040.0050.A	4.5	0.40	5.0	0.1710	1.88	2.11	yes	music wire	4B
C.045.040.0050.AP	4.5	0.40	5.0	0.2895	1.52	2.61	yes	music wire	4F
C.045.040.0050.I	4.5	0.40	5.0	0.1488	1.88	2.11	yes	stainless steel	4B
C.045.040.0050.N	4.5	0.40	5.0	0.1710	1.88	2.11	yes	Zn coating	4C
C.045.040.0063.A	4.5	0.40	6.3	0.1320	2.16	2.46	yes	music wire	4B
C.045.040.0063.AP	4.5	0.40	6.3	0.2091	1.72	2.99	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.045.040.0063.I	4.5	0.40	6.3	0.1148	2.12	2.41	yes	stainless steel	4B
C.045.040.0063.N	4.5	0.40	6.3	0.1320	2.16	2.46	yes	Zn coating	4C
C.045.040.0080.A	4.5	0.40	8.0	0.1000	2.52	2.91	yes	music wire	4B
C.045.040.0080.AP	4.5	0.40	8.0	0.1636	1.92	3.77	yes	music wire	4F
C.045.040.0080.I	4.5	0.40	8.0	0.0870	2.48	2.86	yes	stainless steel	4B
C.045.040.0080.N	4.5	0.40	8.0	0.1000	2.52	2.91	yes	Zn coating	4C
C.045.040.0100.A	4.5	0.40	10.0	0.0810	2.88	3.36	yes	music wire	4B
C.045.040.0100.AP	4.5	0.40	10.0	0.1254	2.20	4.48	yes	music wire	4F
C.045.040.0100.I	4.5	0.40	10.0	0.0705	2.84	3.31	yes	stainless steel	4B
C.045.040.0100.N	4.5	0.40	10.0	0.0810	2.88	3.36	yes	Zn coating	4C
C.045.040.0111.A	4.5	0.40	11.1	0.0873	2.72	3.17	yes	music wire	4D
C.045.040.0111.I	4.5	0.40	11.1	0.0759	2.72	3.42	yes	stainless steel	4E
C.045.040.0125.A	4.5	0.40	12.5	0.0630	3.40	4.02	yes	music wire	4B
C.045.040.0125.AP	4.5	0.40	12.5	0.0990	2.52	5.51	yes	music wire	4F
C.045.040.0125.I	4.5	0.40	12.5	0.0548	3.36	3.97	yes	stainless steel	4B
C.045.040.0125.N	4.5	0.40	12.5	0.0630	3.40	4.02	yes	Zn coating	4C
C.045.040.0127.A	4.5	0.40	12.7	0.0785	2.92	3.88	yes	music wire	4D
C.045.040.0127.I	4.5	0.40	12.7	0.0683	2.92	4.15	yes	stainless steel	4E
C.045.040.0135.A	4.5	0.40	13.5	0.0548	3.76	4.47	yes	music wire	4B
C.045.040.0135.I	4.5	0.40	13.5	0.0471	3.76	4.47	yes	stainless steel	4C
C.045.040.0140.A	4.5	0.40	14.0	0.0340	5.44	6.58	yes	music wire	4B
C.045.040.0140.AP	4.5	0.40	14.0	0.0855	2.76	5.90	yes	music wire	4D
C.045.040.0140.I	4.5	0.40	14.0	0.0296	5.40	6.53	yes	stainless steel	4C
C.045.040.0140.N	4.5	0.40	14.0	0.0340	5.44	6.58	yes	Zn coating	4C
C.045.040.0143.A	4.5	0.40	14.3	0.0518	3.92	4.67	yes	music wire	4B
C.045.040.0143.I	4.5	0.40	14.3	0.0445	3.92	4.67	yes	stainless steel	4C
C.045.040.0154.A	4.5	0.40	15.4	0.0390	4.88	5.88	yes	music wire	4B
C.045.040.0154.AP	4.5	0.40	15.4	0.0784	2.92	6.57	yes	music wire	4F
C.045.040.0154.I	4.5	0.40	15.4	0.0339	4.84	5.83	yes	stainless steel	4C
C.045.040.0154.N	4.5	0.40	15.4	0.0390	4.88	5.88	yes	Zn coating	4C
C.045.040.0160.A	4.5	0.40	16.0	0.0490	4.08	4.87	yes	music wire	4B
C.045.040.0160.AP	4.5	0.40	16.0	0.0753	3.00	6.80	yes	music wire	4F
C.045.040.0160.I	4.5	0.40	16.0	0.0426	4.04	4.82	yes	stainless steel	4C
C.045.040.0160.N	4.5	0.40	16.0	0.0490	4.08	4.87	yes	Zn coating	4C
C.045.040.0200.A	4.5	0.40	20.0	0.0390	4.88	5.88	yes	music wire	4B
C.045.040.0200.AP	4.5	0.40	20.0	0.0588	3.56	8.23	yes	music wire	4D
C.045.040.0200.I	4.5	0.40	20.0	0.0339	4.84	5.83	yes	stainless steel	4C
C.045.040.0200.N	4.5	0.40	20.0	0.0390	4.88	5.88	yes	Zn coating	4C
C.045.040.0220.A	4.5	0.40	22.0	0.0382	4.96	5.98	yes	music wire	4B
C.045.040.0220.I	4.5	0.40	22.0	0.0333	4.92	5.93	yes	stainless steel	4C
C.045.040.0250.A	4.5	0.40	25.0	0.0310	5.88	7.14	yes	music wire	4B
C.045.040.0250.AP	4.5	0.40	25.0	0.0470	4.20	10.28	yes	music wire	4F
C.045.040.0250.I	4.5	0.40	25.0	0.0270	5.80	7.04	yes	stainless steel	4C
C.045.040.0250.N	4.5	0.40	25.0	0.0310	5.88	7.14	yes	Zn coating	4C
C.045.040.0320.A	4.5	0.40	32.0	0.0240	7.32	8.95	yes	music wire	4B
C.045.040.0320.AP	4.5	0.40	32.0	0.0362	5.20	12.87	yes	music wire	4G
C.045.040.0320.I	4.5	0.40	32.0	0.0209	7.24	8.85	yes	stainless steel	4C
C.045.040.0320.N	4.5	0.40	32.0	0.0240	7.32	8.95	yes	Zn coating	4C
C.045.040.0400.A	4.5	0.40	40.0	0.0190	8.96	11.01	yes	music wire	4B
C.045.040.0400.AP	4.5	0.40	40.0	0.0287	6.28	15.90	yes	music wire	4D
C.045.040.0400.I	4.5	0.40	40.0	0.0165	8.88	10.91	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.045.040.0400.N	4.5	0.40	40.0	0.0190	8.96	11.01	yes	Zn coating	4C
C.045.040.0420.A	4.5	0.40	42.0	0.0090	17.80	22.13	yes	music wire	4B
C.045.040.0420.AP	4.5	0.40	42.0	0.0273	6.56	16.61	yes	music wire	4D
C.045.040.0420.I	4.5	0.40	42.0	0.0078	17.60	21.88	yes	stainless steel	4C
C.045.040.0420.N	4.5	0.40	42.0	0.0090	17.80	22.13	yes	Zn coating	4C
C.045.040.0450.A	4.5	0.40	45.0	0.0167	10.08	12.42	yes	music wire	4B
C.045.040.0450.AP	4.5	0.40	45.0	0.0254	6.96	17.77	yes	music wire	4D
C.045.040.0450.I	4.5	0.40	45.0	0.0139	10.36	12.77	yes	stainless steel	4C
C.045.040.0500.A	4.5	0.40	50.0	0.0150	11.08	13.68	yes	music wire	4B
C.045.040.0500.AP	4.5	0.40	50.0	0.0229	7.60	19.83	yes	music wire	4G
C.045.040.0500.I	4.5	0.40	50.0	0.0130	11.00	13.58	yes	stainless steel	4C
C.045.040.0500.N	4.5	0.40	50.0	0.0150	11.08	13.68	yes	Zn coating	4C
C.045.040.0900.A	4.5	0.40	90.0	0.0100	16.12	20.76	yes	music wire	4E
C.045.040.0900.I	4.5	0.40	90.0	0.0087	15.96	22.96	yes	stainless steel	4E
C.045.040.0900.N	4.5	0.40	90.0	0.0100	16.12	20.76	yes	Zn coating	4G
C.045.040.3600.A	4.5	0.40	360.0	0.0020	77.08	96.57	no	music wire	4D
C.045.040.3600.I	4.5	0.40	360.0	0.0017	77.88	97.58	no	stainless steel	4D
C.045.045.0050.A	4.5	0.45	5.0	0.2690	2.16	2.39	yes	music wire	4B
C.045.045.0050.AP	4.5	0.45	5.0	0.3910	1.85	2.53	yes	music wire	4D
C.045.045.0050.I	4.5	0.45	5.0	0.2340	2.16	2.39	yes	stainless steel	4B
C.045.045.0050.N	4.5	0.45	5.0	0.2690	2.16	2.39	yes	Zn coating	4C
C.045.045.0063.A	4.5	0.45	6.3	0.2100	2.48	2.78	yes	music wire	4B
C.045.045.0063.AP	4.5	0.45	6.3	0.2979	2.07	3.06	yes	music wire	4D
C.045.045.0063.I	4.5	0.45	6.3	0.1827	2.48	2.78	yes	stainless steel	4B
C.045.045.0063.N	4.5	0.45	6.3	0.2100	2.48	2.78	yes	Zn coating	4C
C.045.045.0079.A	4.5	0.45	7.9	0.1840	2.66	3.00	yes	music wire	4B
C.045.045.0079.I	4.5	0.45	7.9	0.1601	2.66	3.00	yes	stainless steel	4E
C.045.045.0080.A	4.5	0.45	8.0	0.1560	2.93	3.33	yes	music wire	4B
C.045.045.0080.AP	4.5	0.45	8.0	0.2235	2.39	3.68	yes	music wire	4D
C.045.045.0080.I	4.5	0.45	8.0	0.1357	2.93	3.33	yes	stainless steel	4C
C.045.045.0080.N	4.5	0.45	8.0	0.1560	2.93	3.33	yes	Zn coating	4C
C.045.045.0100.A	4.5	0.45	10.0	0.1240	3.42	3.93	yes	music wire	4B
C.045.045.0100.AP	4.5	0.45	10.0	0.1738	2.75	4.45	yes	music wire	4D
C.045.045.0100.I	4.5	0.45	10.0	0.1079	3.38	3.88	yes	stainless steel	4C
C.045.045.0100.N	4.5	0.45	10.0	0.1240	3.42	3.93	yes	Zn coating	4C
C.045.045.0125.A	4.5	0.45	12.5	0.0970	4.05	4.70	yes	music wire	4B
C.045.045.0125.AP	4.5	0.45	12.5	0.1390	3.15	5.56	yes	music wire	4D
C.045.045.0125.I	4.5	0.45	12.5	0.0844	4.01	4.65	yes	stainless steel	4C
C.045.045.0125.N	4.5	0.45	12.5	0.0970	4.05	4.70	yes	Zn coating	4C
C.045.045.0160.A	4.5	0.45	16.0	0.0740	4.95	5.80	yes	music wire	4B
C.045.045.0160.AP	4.5	0.45	16.0	0.1060	3.78	6.90	yes	music wire	4D
C.045.045.0160.I	4.5	0.45	16.0	0.0644	4.91	5.75	yes	stainless steel	4C
C.045.045.0160.N	4.5	0.45	16.0	0.0740	4.95	5.80	yes	Zn coating	4C
C.045.045.0200.A	4.5	0.45	20.0	0.0590	5.94	7.01	yes	music wire	4B
C.045.045.0200.AP	4.5	0.45	20.0	0.0846	4.46	8.59	yes	music wire	4D
C.045.045.0200.I	4.5	0.45	20.0	0.0513	5.85	6.90	yes	stainless steel	4C
C.045.045.0200.N	4.5	0.45	20.0	0.0590	5.94	7.01	yes	Zn coating	4C
C.045.045.0250.A	4.5	0.45	25.0	0.0470	7.16	8.50	yes	music wire	4B
C.045.045.0250.AP	4.5	0.45	25.0	0.0673	5.31	10.66	yes	music wire	4D
C.045.045.0250.I	4.5	0.45	25.0	0.0409	7.07	8.39	yes	stainless steel	4C
C.045.045.0250.N	4.5	0.45	25.0	0.0470	7.16	8.50	yes	Zn coating	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.045.045.0320.A	4.5	0.45	32.0	0.0360	9.00	10.74	yes	music wire	4B
C.045.045.0320.AP	4.5	0.45	32.0	0.0521	6.57	13.50	yes	music wire	4D
C.045.045.0320.I	4.5	0.45	32.0	0.0313	8.91	10.63	yes	stainless steel	4C
C.045.045.0320.N	4.5	0.45	32.0	0.0360	9.00	10.74	yes	Zn coating	4C
C.045.045.0400.A	4.5	0.45	40.0	0.0290	10.89	13.05	yes	music wire	4B
C.045.045.0400.AP	4.5	0.45	40.0	0.0414	7.97	16.72	yes	music wire	4E
C.045.045.0400.I	4.5	0.45	40.0	0.0252	10.76	12.89	yes	stainless steel	4C
C.045.045.0400.N	4.5	0.45	40.0	0.0290	10.89	13.05	yes	Zn coating	4C
C.045.045.0500.A	4.5	0.45	50.0	0.0230	13.41	16.13	yes	music wire	4B
C.045.045.0500.AP	4.5	0.45	50.0	0.0331	9.68	20.86	yes	music wire	4E
C.045.045.0500.I	4.5	0.45	50.0	0.0200	13.28	15.97	yes	stainless steel	4C
C.045.045.0500.N	4.5	0.45	50.0	0.0230	13.41	16.13	yes	Zn coating	4D
C.045.045.3600.A	4.5	0.45	360.0	0.0030	95.90	116.79	no	music wire	4D
C.045.045.3600.I	4.5	0.45	360.0	0.0026	95.04	115.74	no	stainless steel	4D
C.045.050.0050.A	4.5	0.50	5.0	0.3830	2.55	2.80	yes	music wire	4B
C.045.050.0050.AP	4.5	0.50	5.0	0.5502	2.15	2.64	yes	music wire	4D
C.045.050.0050.I	4.5	0.50	5.0	0.3332	2.55	2.80	yes	stainless steel	4C
C.045.050.0050.N	4.5	0.50	5.0	0.3830	2.55	2.80	yes	Zn coating	4C
C.045.050.0063.A	4.5	0.50	6.3	0.2940	2.95	3.28	yes	music wire	4B
C.045.050.0063.AP	4.5	0.50	6.3	0.4306	2.40	3.29	yes	music wire	4D
C.045.050.0063.I	4.5	0.50	6.3	0.2558	2.90	3.22	yes	stainless steel	4C
C.045.050.0063.N	4.5	0.50	6.3	0.2940	2.95	3.28	yes	Zn coating	4C
C.045.050.0070.A	4.5	0.50	7.0	0.2842	3.00	3.34	yes	music wire	4B
C.045.050.0070.I	4.5	0.50	7.0	0.2473	3.00	3.34	yes	stainless steel	4C
C.045.050.0070.N	4.5	0.50	7.0	0.2842	3.00	3.34	yes	Zn coating	4C
C.045.050.0079.A	4.5	0.50	7.9	0.2676	3.10	3.46	yes	music wire	4B
C.045.050.0079.I	4.5	0.50	7.9	0.2328	3.10	3.46	yes	stainless steel	4E
C.045.050.0080.A	4.5	0.50	8.0	0.2190	3.50	3.94	yes	music wire	4B
C.045.050.0080.AP	4.5	0.50	8.0	0.3195	2.80	3.94	yes	music wire	4D
C.045.050.0080.I	4.5	0.50	8.0	0.1905	3.50	3.94	yes	stainless steel	4C
C.045.050.0080.N	4.5	0.50	8.0	0.2190	3.50	3.94	yes	Zn coating	4C
C.045.050.0095.A	4.5	0.50	9.5	0.2132	3.60	4.06	yes	music wire	4B
C.045.050.0095.I	4.5	0.50	9.5	0.1854	3.55	4.00	yes	stainless steel	4E
C.045.050.0100.A	4.5	0.50	10.0	0.1700	4.20	4.78	yes	music wire	4B
C.045.050.0100.AP	4.5	0.50	10.0	0.2539	3.20	4.90	yes	music wire	4D
C.045.050.0100.I	4.5	0.50	10.0	0.1554	4.00	4.54	yes	stainless steel	4C
C.045.050.0100.N	4.5	0.50	10.0	0.1809	4.00	4.54	yes	Zn coating	4C
C.045.050.0110.A	4.5	0.50	11.0	0.1400	4.80	5.50	yes	music wire	4B
C.045.050.0110.AP	4.5	0.50	11.0	0.2251	3.45	5.24	yes	music wire	4D
C.045.050.0110.I	4.5	0.50	11.0	0.1218	4.75	5.44	yes	stainless steel	4C
C.045.050.0110.N	4.5	0.50	11.0	0.1400	4.80	5.50	yes	Zn coating	4C
C.045.050.0120.A	4.5	0.50	12.0	0.1780	4.05	4.72	yes	music wire	4D
C.045.050.0120.I	4.5	0.50	12.0	0.1549	4.00	4.92	yes	stainless steel	4E
C.045.050.0120.N	4.5	0.50	12.0	0.1780	4.05	4.72	yes	Zn coating	4F
C.045.050.0125.A	4.5	0.50	12.5	0.1340	4.95	5.68	yes	music wire	4B
C.045.050.0125.AP	4.5	0.50	12.5	0.1981	3.75	5.96	yes	music wire	4D
C.045.050.0125.I	4.5	0.50	12.5	0.1166	4.90	5.62	yes	stainless steel	4C
C.045.050.0125.N	4.5	0.50	12.5	0.1340	4.95	5.68	yes	Zn coating	4C
C.045.050.0150.A	4.5	0.50	15.0	0.1170	5.50	6.33	yes	music wire	4B
C.045.050.0150.AP	4.5	0.50	15.0	0.1623	4.30	7.02	yes	music wire	4D
C.045.050.0150.I	4.5	0.50	15.0	0.1005	5.50	6.33	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.045.050.0150.N	4.5	0.50	15.0	0.1170	5.50	6.33	yes	Zn coating	4C
C.045.050.0160.A	4.5	0.50	16.0	0.1030	6.10	7.05	yes	music wire	4B
C.045.050.0160.AP	4.5	0.50	16.0	0.1524	4.50	7.49	yes	music wire	4D
C.045.050.0160.I	4.5	0.50	16.0	0.0896	6.00	6.93	yes	stainless steel	4C
C.045.050.0160.N	4.5	0.50	16.0	0.1030	6.10	7.05	yes	Zn coating	4C
C.045.050.0170.A	4.5	0.50	17.0	0.0890	6.85	7.95	yes	music wire	4B
C.045.050.0170.AP	4.5	0.50	17.0	0.1435	4.70	7.97	yes	music wire	4D
C.045.050.0170.I	4.5	0.50	17.0	0.0774	6.75	7.83	yes	stainless steel	4C
C.045.050.0170.N	4.5	0.50	17.0	0.0890	6.85	7.95	yes	Zn coating	4C
C.045.050.0190.A	4.5	0.50	19.0	0.0700	8.35	9.74	yes	music wire	4B
C.045.050.0190.AP	4.5	0.50	19.0	0.1270	5.15	8.79	yes	music wire	4D
C.045.050.0190.I	4.5	0.50	19.0	0.0609	8.25	9.62	yes	stainless steel	4C
C.045.050.0190.N	4.5	0.50	19.0	0.0700	8.35	9.74	yes	Zn coating	4C
C.045.050.0200.A	4.5	0.50	20.0	0.0810	7.40	8.61	yes	music wire	4B
C.045.050.0200.AF	4.5	0.50	20.0	0.1047	6.00	7.62	yes	music wire	4D
C.045.050.0200.AP	4.5	0.50	20.0	0.1208	5.35	9.27	yes	music wire	4D
C.045.050.0200.I	4.5	0.50	20.0	0.0900	6.00	7.81	yes	stainless steel	4E
C.045.050.0200.IF	4.5	0.50	20.0	0.0705	7.30	8.49	yes	stainless steel	4C
C.045.050.0200.N	4.5	0.50	20.0	0.1047	6.00	7.62	yes	Zn coating	4F
C.045.050.0200.NF	4.5	0.50	20.0	0.0810	7.40	8.61	yes	Zn coating	4C
C.045.050.0215.A	4.5	0.50	21.5	0.0796	7.50	8.72	yes	music wire	4B
C.045.050.0215.AP	4.5	0.50	21.5	0.1113	5.70	9.85	yes	music wire	4D
C.045.050.0215.I	4.5	0.50	21.5	0.0684	7.50	8.72	yes	stainless steel	4C
C.045.050.0215.IF	4.5	0.50	21.5	0.0462	10.50	12.31	yes	stainless steel	4C
C.045.050.0215.N	4.5	0.50	21.5	0.0796	7.50	8.72	yes	Zn coating	4C
C.045.050.0250.A	4.5	0.50	25.0	0.0650	8.90	10.40	yes	music wire	4B
C.045.050.0250.AP	4.5	0.50	25.0	0.0952	6.45	11.39	yes	music wire	4D
C.045.050.0250.I	4.5	0.50	25.0	0.0566	8.80	10.28	yes	stainless steel	4C
C.045.050.0250.N	4.5	0.50	25.0	0.0650	8.90	10.40	yes	Zn coating	4C
C.045.050.0310.A	4.5	0.50	31.0	0.0538	10.50	12.31	yes	music wire	4B
C.045.050.0310.AP	4.5	0.50	31.0	0.0768	7.75	14.12	yes	music wire	4D
C.045.050.0310.I	4.5	0.50	31.0	0.0462	10.50	12.31	yes	stainless steel	4C
C.045.050.0310.IF	4.5	0.50	31.0	0.0380	12.50	14.71	yes	stainless steel	4C
C.045.050.0310.N	4.5	0.50	31.0	0.0538	10.50	12.31	yes	Zn coating	4C
C.045.050.0320.A	4.5	0.50	32.0	0.0500	11.20	13.15	yes	music wire	4B
C.045.050.0320.AP	4.5	0.50	32.0	0.0739	8.00	14.46	yes	music wire	4D
C.045.050.0320.I	4.5	0.50	32.0	0.0435	11.05	12.97	yes	stainless steel	4C
C.045.050.0320.N	4.5	0.50	32.0	0.0500	11.20	13.15	yes	Zn coating	4C
C.045.050.0350.A	4.5	0.50	35.0	0.0420	13.10	15.42	yes	music wire	4B
C.045.050.0350.AP	4.5	0.50	35.0	0.0678	8.60	15.89	yes	music wire	4E
C.045.050.0350.I	4.5	0.50	35.0	0.0365	12.95	15.24	yes	stainless steel	4C
C.045.050.0350.N	4.5	0.50	35.0	0.0420	13.10	15.42	yes	Zn coating	4C
C.045.050.0400.A	4.5	0.50	40.0	0.0400	13.70	16.14	yes	music wire	4B
C.045.050.0400.AP	4.5	0.50	40.0	0.0589	9.70	18.01	yes	music wire	4E
C.045.050.0400.I	4.5	0.50	40.0	0.0348	13.55	15.96	yes	stainless steel	4C
C.045.050.0400.N	4.5	0.50	40.0	0.0400	13.70	16.14	yes	Zn coating	4C
C.045.050.0500.A	4.5	0.50	50.0	0.0320	16.80	19.85	yes	music wire	4B
C.045.050.0500.AP	4.5	0.50	50.0	0.0469	11.85	22.38	yes	music wire	4E
C.045.050.0500.I	4.5	0.50	50.0	0.0278	16.60	19.61	yes	stainless steel	4C
C.045.050.0500.N	4.5	0.50	50.0	0.0320	16.80	19.85	yes	Zn coating	4D
C.045.050.3600.A	4.5	0.50	360.0	0.0040	126.10	150.47	no	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.045.050.3600.I	4.5	0.50	360.0	0.0035	123.80	147.72	no	stainless steel	4D
C.045.055.0050.A	4.5	0.55	5.0	0.5540	2.86	3.12	yes	music wire	4C
C.045.055.0050.AP	4.5	0.55	5.0	0.7928	2.42	2.87	yes	music wire	4E
C.045.055.0050.I	4.5	0.55	5.0	0.4820	2.86	3.12	yes	stainless steel	4C
C.045.055.0050.N	4.5	0.55	5.0	0.5540	2.86	3.12	yes	Zn coating	4D
C.045.055.0063.A	4.5	0.55	6.3	0.4310	3.30	3.64	yes	music wire	4C
C.045.055.0063.AP	4.5	0.55	6.3	0.6025	2.75	3.49	yes	music wire	4E
C.045.055.0063.I	4.5	0.55	6.3	0.3750	3.30	3.64	yes	stainless steel	4C
C.045.055.0063.N	4.5	0.55	6.3	0.4310	3.30	3.64	yes	Zn coating	4D
C.045.055.0080.A	4.5	0.55	8.0	0.3230	3.96	4.42	yes	music wire	4C
C.045.055.0080.AP	4.5	0.55	8.0	0.4565	3.19	4.29	yes	music wire	4E
C.045.055.0080.I	4.5	0.55	8.0	0.2810	3.91	4.36	yes	stainless steel	4C
C.045.055.0080.N	4.5	0.55	8.0	0.3230	3.96	4.42	yes	Zn coating	4E
C.045.055.0100.A	4.5	0.55	10.0	0.2530	4.68	5.27	yes	music wire	4C
C.045.055.0100.AP	4.5	0.55	10.0	0.3503	3.74	5.17	yes	music wire	4E
C.045.055.0100.I	4.5	0.55	10.0	0.2201	4.62	5.20	yes	stainless steel	4C
C.045.055.0100.N	4.5	0.55	10.0	0.2530	4.68	5.27	yes	Zn coating	4E
C.045.055.0125.A	4.5	0.55	12.5	0.1970	5.61	6.36	yes	music wire	4C
C.045.055.0125.AL	4.5	0.55	12.5	0.2368	4.90	5.52	yes	music wire	4C
C.045.055.0125.AP	4.5	0.55	12.5	0.2790	4.35	6.44	yes	music wire	4E
C.045.055.0125.I	4.5	0.55	12.5	0.1714	5.56	6.30	yes	stainless steel	4C
C.045.055.0125.N	4.5	0.55	12.5	0.1970	5.61	6.36	yes	Zn coating	4E
C.045.055.0160.A	4.5	0.55	16.0	0.1510	6.88	7.86	yes	music wire	4C
C.045.055.0160.AF	4.5	0.55	16.0	0.1833	5.94	6.77	yes	music wire	4E
C.045.055.0160.AL	4.5	0.55	16.0	0.1875	5.83	6.98	yes	music wire	4C
C.045.055.0160.AP	4.5	0.55	16.0	0.2122	5.28	8.03	yes	music wire	4E
C.045.055.0160.I	4.5	0.55	16.0	0.1314	6.82	7.79	yes	stainless steel	4C
C.045.055.0160.N	4.5	0.55	16.0	0.1833	5.94	6.77	yes	Zn coating	4G
C.045.055.0160.NF	4.5	0.55	16.0	0.1510	6.88	7.86	yes	Zn coating	4E
C.045.055.0200.A	4.5	0.55	20.0	0.1190	8.36	9.60	yes	music wire	4C
C.045.055.0200.AF	4.5	0.55	20.0	0.1467	7.04	8.47	yes	music wire	4E
C.045.055.0200.AL	4.5	0.55	20.0	0.1500	6.93	8.72	yes	music wire	4C
C.045.055.0200.AP	4.5	0.55	20.0	0.1674	6.33	9.89	yes	music wire	4E
C.045.055.0200.I	4.5	0.55	20.0	0.1035	8.31	9.54	yes	stainless steel	4C
C.045.055.0200.N	4.5	0.55	20.0	0.1467	7.04	8.47	yes	Zn coating	4G
C.045.055.0200.NF	4.5	0.55	20.0	0.1190	8.36	9.60	yes	Zn coating	4E
C.045.055.0250.A	4.5	0.55	25.0	0.0940	10.23	11.80	yes	music wire	4C
C.045.055.0250.AF	4.5	0.55	25.0	0.1146	8.64	10.24	yes	music wire	4E
C.045.055.0250.AL	4.5	0.55	25.0	0.1200	8.31	10.90	yes	music wire	4C
C.045.055.0250.AP	4.5	0.55	25.0	0.1333	7.59	12.31	yes	music wire	4E
C.045.055.0250.I	4.5	0.55	25.0	0.0818	10.12	11.67	yes	stainless steel	4C
C.045.055.0250.N	4.5	0.55	25.0	0.1146	8.64	10.24	yes	Zn coating	4G
C.045.055.0250.NF	4.5	0.55	25.0	0.0940	10.23	11.80	yes	Zn coating	4E
C.045.055.0320.A	4.5	0.55	32.0	0.0730	12.76	14.78	yes	music wire	4C
C.045.055.0320.AF	4.5	0.55	32.0	0.0917	10.45	13.55	yes	music wire	4E
C.045.055.0320.AL	4.5	0.55	32.0	0.0938	10.23	13.96	yes	music wire	4C
C.045.055.0320.AP	4.5	0.55	32.0	0.1032	9.46	15.61	yes	music wire	4E
C.045.055.0320.I	4.5	0.55	32.0	0.0635	12.65	14.65	yes	stainless steel	4C
C.045.055.0320.N	4.5	0.55	32.0	0.0917	10.45	13.55	yes	Zn coating	4G
C.045.055.0320.NF	4.5	0.55	32.0	0.0730	12.76	14.78	yes	Zn coating	4E
C.045.055.0400.A	4.5	0.55	40.0	0.0580	15.73	18.28	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.045.055.0400.AF	4.5	0.55	40.0	0.0733	12.71	16.92	yes	music wire	4E
C.045.055.0400.AL	4.5	0.55	40.0	0.0750	12.49	17.45	yes	music wire	4C
C.045.055.0400.AP	4.5	0.55	40.0	0.0819	11.55	19.34	yes	music wire	4E
C.045.055.0400.I	4.5	0.55	40.0	0.0505	15.51	18.02	yes	stainless steel	4C
C.045.055.0400.N	4.5	0.55	40.0	0.0733	12.71	16.92	yes	Zn coating	4G
C.045.055.0400.NF	4.5	0.55	40.0	0.0580	15.73	18.28	yes	Zn coating	4E
C.045.055.0500.A	4.5	0.55	50.0	0.0460	19.47	22.68	yes	music wire	4C
C.045.055.0500.AF	4.5	0.55	50.0	0.0579	15.73	20.79	yes	music wire	4E
C.045.055.0500.AL	4.5	0.55	50.0	0.0600	15.24	21.81	yes	music wire	4C
C.045.055.0500.AP	4.5	0.55	50.0	0.0652	14.14	24.06	yes	music wire	4E
C.045.055.0500.I	4.5	0.55	50.0	0.0400	19.25	22.42	yes	stainless steel	4C
C.045.055.0500.N	4.5	0.55	50.0	0.0579	15.73	20.79	yes	Zn coating	4G
C.045.055.0500.NF	4.5	0.55	50.0	0.0460	19.47	22.68	yes	Zn coating	4E
C.045.055.0630.A	4.5	0.55	63.0	0.0458	19.53	26.07	yes	music wire	4E
C.045.055.0630.I	4.5	0.55	63.0	0.0398	19.31	26.99	yes	stainless steel	4F
C.045.055.0630.N	4.5	0.55	63.0	0.0458	19.53	26.07	yes	Zn coating	4G
C.045.055.3600.A	4.5	0.55	360.0	0.0060	140.58	165.17	no	music wire	4E
C.045.055.3600.I	4.5	0.55	360.0	0.0052	139.32	163.69	no	stainless steel	4E
C.045.060.0050.A	4.5	0.60	5.0	0.8160	3.12	3.38	yes	music wire	4C
C.045.060.0050.AP	4.5	0.60	5.0	1.1088	2.70	3.06	yes	music wire	4E
C.045.060.0050.I	4.5	0.60	5.0	0.7099	3.12	3.38	yes	stainless steel	4C
C.045.060.0050.N	4.5	0.60	5.0	0.8160	3.12	3.38	yes	Zn coating	4E
C.045.060.0063.A	4.5	0.60	6.3	0.6120	3.66	4.01	yes	music wire	4C
C.045.060.0063.AP	4.5	0.60	6.3	0.8213	3.12	3.68	yes	music wire	4E
C.045.060.0063.I	4.5	0.60	6.3	0.5324	3.66	4.01	yes	stainless steel	4C
C.045.060.0063.N	4.5	0.60	6.3	0.6120	3.66	4.01	yes	Zn coating	4E
C.045.060.0080.A	4.5	0.60	8.0	0.4630	4.38	4.85	yes	music wire	4C
C.045.060.0080.AP	4.5	0.60	8.0	0.6336	3.60	4.60	yes	music wire	4E
C.045.060.0080.I	4.5	0.60	8.0	0.4028	4.32	4.78	yes	stainless steel	4C
C.045.060.0080.N	4.5	0.60	8.0	0.4630	4.38	4.85	yes	Zn coating	4E
C.045.060.0100.A	4.5	0.60	10.0	0.3570	5.22	5.83	yes	music wire	4C
C.045.060.0100.AP	4.5	0.60	10.0	0.4821	4.26	5.53	yes	music wire	4E
C.045.060.0100.I	4.5	0.60	10.0	0.3106	5.22	5.83	yes	stainless steel	4C
C.045.060.0100.N	4.5	0.60	10.0	0.3570	5.22	5.83	yes	Zn coating	4E
C.045.060.0125.A	4.5	0.60	12.5	0.2810	6.24	7.01	yes	music wire	4C
C.045.060.0125.AP	4.5	0.60	12.5	0.3823	4.98	6.87	yes	music wire	4E
C.045.060.0125.I	4.5	0.60	12.5	0.2445	6.18	6.94	yes	stainless steel	4C
C.045.060.0125.N	4.5	0.60	12.5	0.2810	6.24	7.01	yes	Zn coating	4E
C.045.060.0160.A	4.5	0.60	16.0	0.2140	7.74	8.76	yes	music wire	4C
C.045.060.0160.AP	4.5	0.60	16.0	0.2918	6.06	8.62	yes	music wire	4E
C.045.060.0160.I	4.5	0.60	16.0	0.1862	7.68	8.69	yes	stainless steel	4C
C.045.060.0160.N	4.5	0.60	16.0	0.2140	7.74	8.76	yes	Zn coating	4E
C.045.060.0200.A	4.5	0.60	20.0	0.1700	9.36	10.64	yes	music wire	4C
C.045.060.0200.AP	4.5	0.60	20.0	0.2286	7.32	10.58	yes	music wire	4E
C.045.060.0200.I	4.5	0.60	20.0	0.1479	9.24	10.50	yes	stainless steel	4C
C.045.060.0200.N	4.5	0.60	20.0	0.1700	9.36	10.64	yes	Zn coating	4E
C.045.060.0250.A	4.5	0.60	25.0	0.1340	11.46	13.09	yes	music wire	4C
C.045.060.0250.AP	4.5	0.60	25.0	0.1818	8.82	13.15	yes	music wire	4E
C.045.060.0250.I	4.5	0.60	25.0	0.1166	11.34	12.95	yes	stainless steel	4C
C.045.060.0250.N	4.5	0.60	25.0	0.1340	11.46	13.09	yes	Zn coating	4E
C.045.060.0320.A	4.5	0.60	32.0	0.1040	14.34	16.44	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.045.060.0320.AP	4.5	0.60	32.0	0.1404	11.04	16.65	yes	music wire	4E
C.045.060.0320.I	4.5	0.60	32.0	0.0905	14.16	16.23	yes	stainless steel	4C
C.045.060.0320.N	4.5	0.60	32.0	0.1040	14.34	16.44	yes	Zn coating	4E
C.045.060.0400.A	4.5	0.60	40.0	0.0820	17.76	20.42	yes	music wire	4C
C.045.060.0400.AP	4.5	0.60	40.0	0.1114	13.50	20.67	yes	music wire	4E
C.045.060.0400.I	4.5	0.60	40.0	0.0713	17.58	20.21	yes	stainless steel	4C
C.045.060.0400.N	4.5	0.60	40.0	0.0820	17.76	20.42	yes	Zn coating	4E
C.045.060.0500.A	4.5	0.60	50.0	0.0660	21.72	25.02	yes	music wire	4C
C.045.060.0500.AP	4.5	0.60	50.0	0.0887	16.56	25.71	yes	music wire	4E
C.045.060.0500.I	4.5	0.60	50.0	0.0574	21.48	24.74	yes	stainless steel	4C
C.045.060.0500.N	4.5	0.60	50.0	0.0660	21.72	25.02	yes	Zn coating	4E
C.045.060.3600.A	4.5	0.60	360.0	0.0090	150.48	174.72	no	music wire	4E
C.045.060.3600.I	4.5	0.60	360.0	0.0078	149.16	173.19	no	stainless steel	4E
C.045.065.0127.A	4.5	0.65	12.7	0.4717	6.05	7.00	yes	music wire	4E
C.045.065.0127.I	4.5	0.65	12.7	0.4104	5.98	7.12	yes	stainless steel	4E
C.045.065.0320.A	4.5	0.65	32.0	0.1624	14.37	16.31	yes	music wire	4E
C.045.065.0320.I	4.5	0.65	32.0	0.1413	14.24	16.16	yes	stainless steel	4F
C.045.070.0050.A	4.5	0.70	5.0	1.6340	3.64	3.91	yes	music wire	4C
C.045.070.0050.AP	4.5	0.70	5.0	2.0206	3.29	3.51	yes	music wire	4E
C.045.070.0050.I	4.5	0.70	5.0	1.4216	3.64	3.91	yes	stainless steel	4C
C.045.070.0050.N	4.5	0.70	5.0	1.6340	3.64	3.91	yes	Zn coating	4E
C.045.070.0063.A	4.5	0.70	6.3	1.2250	4.27	4.63	yes	music wire	4C
C.045.070.0063.AP	4.5	0.70	6.3	1.5329	3.78	4.15	yes	music wire	4E
C.045.070.0063.I	4.5	0.70	6.3	1.0658	4.27	4.63	yes	stainless steel	4C
C.045.070.0063.N	4.5	0.70	6.3	1.2250	4.27	4.63	yes	Zn coating	4E
C.045.070.0080.A	4.5	0.70	8.0	0.9270	5.11	5.59	yes	music wire	4C
C.045.070.0080.I	4.5	0.70	8.0	0.8065	5.04	5.51	yes	stainless steel	4C
C.045.070.0080.N	4.5	0.70	8.0	0.9270	5.11	5.59	yes	Zn coating	4E
C.045.070.0100.A	4.5	0.70	10.0	0.7000	6.23	6.88	yes	music wire	4C
C.045.070.0100.AP	4.5	0.70	10.0	0.8891	5.25	6.29	yes	music wire	4E
C.045.070.0100.I	4.5	0.70	10.0	0.6090	6.16	6.80	yes	stainless steel	4C
C.045.070.0100.N	4.5	0.70	10.0	0.7000	6.23	6.88	yes	Zn coating	4E
C.045.070.0125.A	4.5	0.70	12.5	0.5450	7.49	8.32	yes	music wire	4C
C.045.070.0125.AP	4.5	0.70	12.5	0.6839	6.30	7.68	yes	music wire	4E
C.045.070.0125.I	4.5	0.70	12.5	0.4742	7.42	8.24	yes	stainless steel	4C
C.045.070.0125.N	4.5	0.70	12.5	0.5450	7.49	8.32	yes	Zn coating	4E
C.045.070.0160.A	4.5	0.70	16.0	0.4180	9.24	10.32	yes	music wire	4C
C.045.070.0160.AP	4.5	0.70	16.0	0.5230	7.70	9.70	yes	music wire	4E
C.045.070.0160.I	4.5	0.70	16.0	0.3637	9.10	10.16	yes	stainless steel	4C
C.045.070.0160.N	4.5	0.70	16.0	0.4180	9.24	10.32	yes	Zn coating	4E
C.045.070.0200.A	4.5	0.70	20.0	0.3270	11.27	12.64	yes	music wire	4C
C.045.070.0200.AP	4.5	0.70	20.0	0.4116	9.31	11.99	yes	music wire	4E
C.045.070.0200.I	4.5	0.70	20.0	0.2845	11.20	12.56	yes	stainless steel	4C
C.045.070.0200.N	4.5	0.70	20.0	0.3270	11.27	12.64	yes	Zn coating	4E
C.045.070.0250.A	4.5	0.70	25.0	0.2580	13.86	15.61	yes	music wire	4C
C.045.070.0250.AP	4.5	0.70	25.0	0.3245	11.34	14.84	yes	music wire	4E
C.045.070.0250.I	4.5	0.70	25.0	0.2245	13.72	15.45	yes	stainless steel	4C
C.045.070.0250.N	4.5	0.70	25.0	0.2580	13.86	15.61	yes	Zn coating	4E
C.045.070.0320.A	4.5	0.70	32.0	0.1990	17.43	19.69	yes	music wire	4C
C.045.070.0320.AP	4.5	0.70	32.0	0.2512	14.14	18.87	yes	music wire	4E
C.045.070.0320.I	4.5	0.70	32.0	0.1731	17.22	19.45	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.045.070.0320.N	4.5	0.70	32.0	0.1990	17.43	19.69	yes	Zn coating	4E
C.045.070.0400.A	4.5	0.70	40.0	0.1580	21.49	24.34	yes	music wire	4C
C.045.070.0400.AP	4.5	0.70	40.0	0.1993	17.43	23.46	yes	music wire	4E
C.045.070.0400.I	4.5	0.70	40.0	0.1375	21.21	24.02	yes	stainless steel	4C
C.045.070.0400.N	4.5	0.70	40.0	0.1580	21.49	24.34	yes	Zn coating	4E
C.045.070.0500.A	4.5	0.70	50.0	0.1260	26.53	30.10	yes	music wire	4C
C.045.070.0500.AP	4.5	0.70	50.0	0.1582	21.49	29.16	yes	music wire	4E
C.045.070.0500.I	4.5	0.70	50.0	0.1096	26.18	29.70	yes	stainless steel	4C
C.045.070.0500.N	4.5	0.70	50.0	0.1260	26.53	30.10	yes	Zn coating	4E
C.045.070.3600.A	4.5	0.70	360.0	0.0170	185.99	212.46	no	music wire	4E
C.045.070.3600.I	4.5	0.70	360.0	0.0148	183.54	209.65	no	stainless steel	4E
C.045.080.0050.A	4.5	0.80	5.0	3.1700	4.08	4.35	yes	music wire	4C
C.045.080.0050.I	4.5	0.80	5.0	2.7579	4.08	4.35	yes	stainless steel	4C
C.045.080.0050.N	4.5	0.80	5.0	3.1700	4.08	4.35	yes	Zn coating	4E
C.045.080.0063.A	4.5	0.80	6.3	2.3480	4.80	5.17	yes	music wire	4C
C.045.080.0063.I	4.5	0.80	6.3	2.0428	4.80	5.17	yes	stainless steel	4C
C.045.080.0063.N	4.5	0.80	6.3	2.3480	4.80	5.17	yes	Zn coating	4E
C.045.080.0080.A	4.5	0.80	8.0	1.7130	5.84	6.35	yes	music wire	4C
C.045.080.0080.I	4.5	0.80	8.0	1.4903	5.76	6.26	yes	stainless steel	4C
C.045.080.0080.N	4.5	0.80	8.0	1.7130	5.84	6.35	yes	Zn coating	4E
C.045.080.0100.A	4.5	0.80	10.0	1.3210	6.96	7.62	yes	music wire	4C
C.045.080.0100.I	4.5	0.80	10.0	1.1493	6.96	7.62	yes	stainless steel	4C
C.045.080.0100.N	4.5	0.80	10.0	1.3210	6.96	7.62	yes	Zn coating	4E
C.045.080.0125.A	4.5	0.80	12.5	1.0060	8.56	9.43	yes	music wire	4C
C.045.080.0125.I	4.5	0.80	12.5	0.8752	8.48	9.34	yes	stainless steel	4C
C.045.080.0125.N	4.5	0.80	12.5	1.0060	8.56	9.43	yes	Zn coating	4E
C.045.080.0160.A	4.5	0.80	16.0	0.7640	10.64	11.78	yes	music wire	4C
C.045.080.0160.I	4.5	0.80	16.0	0.6647	10.48	11.60	yes	stainless steel	4C
C.045.080.0160.N	4.5	0.80	16.0	0.7640	10.64	11.78	yes	Zn coating	4E
C.045.080.0200.A	4.5	0.80	20.0	0.6040	12.88	14.32	yes	music wire	4C
C.045.080.0200.I	4.5	0.80	20.0	0.5255	12.80	14.23	yes	stainless steel	4C
C.045.080.0200.N	4.5	0.80	20.0	0.6040	12.88	14.32	yes	Zn coating	4E
C.045.080.0250.A	4.5	0.80	25.0	0.4730	15.92	17.76	yes	music wire	4C
C.045.080.0250.I	4.5	0.80	25.0	0.4115	15.76	17.58	yes	stainless steel	4C
C.045.080.0250.N	4.5	0.80	25.0	0.4730	15.92	17.76	yes	Zn coating	4E
C.045.080.0320.A	4.5	0.80	32.0	0.3640	20.08	22.47	yes	music wire	4C
C.045.080.0320.I	4.5	0.80	32.0	0.3167	19.84	22.20	yes	stainless steel	4C
C.045.080.0320.N	4.5	0.80	32.0	0.3640	20.08	22.47	yes	Zn coating	4E
C.045.080.0400.A	4.5	0.80	40.0	0.2890	24.80	27.81	yes	music wire	4C
C.045.080.0400.I	4.5	0.80	40.0	0.2514	24.48	27.45	yes	stainless steel	4C
C.045.080.0400.N	4.5	0.80	40.0	0.2890	24.80	27.81	yes	Zn coating	4E
C.045.080.0500.A	4.5	0.80	50.0	0.2300	30.64	34.42	yes	music wire	4C
C.045.080.0500.I	4.5	0.80	50.0	0.2000	30.32	34.06	yes	stainless steel	4C
C.045.080.0500.N	4.5	0.80	50.0	0.2300	30.64	34.42	yes	Zn coating	4E
C.045.080.3600.A	4.5	0.80	360.0	0.0310	215.36	243.44	no	music wire	4E
C.045.080.3600.I	4.5	0.80	360.0	0.0270	212.48	240.18	no	stainless steel	4E
C.045.090.0068.A	4.5	0.90	6.8	4.0930	5.40	5.79	yes	music wire	4C
C.045.090.0068.I	4.5	0.90	6.8	3.5155	5.40	5.79	yes	stainless steel	4C
C.045.090.0068.N	4.5	0.90	6.8	4.0930	5.40	5.79	yes	Zn coating	4E
C.045.090.0097.A	4.5	0.90	9.7	2.6040	7.20	7.81	yes	music wire	4C
C.045.090.0097.I	4.5	0.90	9.7	2.2366	7.20	7.81	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.045.090.0097.N	4.5	0.90	9.7	2.6040	7.20	7.81	yes	Zn coating	4E
C.045.090.0156.A	4.5	0.90	15.6	1.5080	10.80	11.86	yes	music wire	4E
C.045.090.0156.I	4.5	0.90	15.6	1.2952	10.80	11.86	yes	stainless steel	4F
C.045.090.0156.N	4.5	0.90	15.6	1.5080	10.80	11.86	yes	Zn coating	4G
C.045.090.0244.A	4.5	0.90	24.4	0.9243	16.20	17.93	yes	music wire	4E
C.045.090.0244.I	4.5	0.90	24.4	0.7939	16.20	17.93	yes	stainless steel	4F
C.045.090.0244.N	4.5	0.90	24.4	0.9243	16.20	17.93	yes	Zn coating	4H
C.046.030.0064.A	4.6	0.30	6.4	0.0630	1.53	1.73	no	music wire	4E
C.046.030.0064.I	4.6	0.30	6.4	0.0488	1.59	1.81	no	stainless steel	4C
C.046.030.0079.A	4.6	0.30	7.9	0.0510	1.65	2.01	no	music wire	4E
C.046.030.0079.I	4.6	0.30	7.9	0.0396	1.71	1.98	no	stainless steel	4C
C.046.030.0097.A	4.6	0.30	9.7	0.0400	1.83	2.20	no	music wire	4E
C.046.030.0097.I	4.6	0.30	9.7	0.0314	1.89	2.23	no	stainless steel	4C
C.046.030.0112.A	4.6	0.30	11.2	0.0350	1.95	2.62	no	music wire	4E
C.046.030.0112.I	4.6	0.30	11.2	0.0273	2.04	2.44	no	stainless steel	4C
C.046.030.0127.A	4.6	0.30	12.7	0.0300	2.10	2.69	no	music wire	4E
C.046.030.0127.I	4.6	0.30	12.7	0.0236	2.19	2.66	no	stainless steel	4E
C.046.030.0142.A	4.6	0.30	14.2	0.0260	2.25	2.74	no	music wire	4E
C.046.030.0142.I	4.6	0.30	14.2	0.0212	2.31	2.82	no	stainless steel	4C
C.046.030.0157.A	4.6	0.30	15.7	0.0221	2.46	3.04	no	music wire	4C
C.046.030.0157.I	4.6	0.30	15.7	0.0190	2.46	3.04	no	stainless steel	4E
C.046.030.0175.A	4.6	0.30	17.5	0.0210	2.52	3.21	no	music wire	4E
C.046.030.0175.I	4.6	0.30	17.5	0.0171	2.61	3.25	no	stainless steel	4E
C.046.030.0190.A	4.6	0.30	19.0	0.0190	2.70	3.37	no	music wire	4E
C.046.030.0190.I	4.6	0.30	19.0	0.0163	2.70	3.58	no	stainless steel	4E
C.046.030.0206.A	4.6	0.30	20.6	0.0180	2.79	3.93	no	music wire	4E
C.046.030.0206.I	4.6	0.30	20.6	0.0141	2.94	3.71	no	stainless steel	4C
C.046.030.0220.A	4.6	0.30	22.0	0.0172	2.85	4.59	no	music wire	4E
C.046.030.0220.I	4.6	0.30	22.0	0.0150	2.82	5.24	no	stainless steel	4E
C.046.030.0224.A	4.6	0.30	22.4	0.0180	2.79	5.73	no	music wire	4E
C.046.030.0224.AF	4.6	0.30	22.4	0.0145	3.21	4.09	no	music wire	4C
C.046.030.0224.I	4.6	0.30	22.4	0.0125	3.21	4.09	no	stainless steel	4C
C.046.030.0224.NF	4.6	0.30	22.4	0.0145	3.21	4.09	no	Zn coating	4D
C.046.030.0239.A	4.6	0.30	23.9	0.0145	3.21	4.09	no	music wire	4C
C.046.030.0239.I	4.6	0.30	23.9	0.0125	3.21	4.09	no	stainless steel	4C
C.046.030.0254.A	4.6	0.30	25.4	0.0140	3.27	4.18	no	music wire	4E
C.046.030.0254.I	4.6	0.30	25.4	0.0111	3.45	4.43	no	stainless steel	4C
C.046.030.0305.A	4.6	0.30	30.5	0.0106	3.99	5.19	no	music wire	4C
C.046.030.0305.I	4.6	0.30	30.5	0.0092	3.96	5.15	no	stainless steel	4C
C.046.030.0318.A	4.6	0.30	31.8	0.0107	3.96	5.15	no	music wire	4E
C.046.030.0318.I	4.6	0.30	31.8	0.0093	3.93	5.11	no	stainless steel	4E
C.046.030.0320.A	4.6	0.30	32.0	0.0126	3.51	8.26	no	music wire	4E
C.046.030.0320.I	4.6	0.30	32.0	0.0110	3.48	9.14	no	stainless steel	4E
C.046.030.0380.A	4.6	0.30	38.0	0.0110	3.87	10.71	no	music wire	4E
C.046.030.0381.A	4.6	0.30	38.1	0.0091	4.47	5.87	no	music wire	4E
C.046.030.0381.I	4.6	0.30	38.1	0.0078	4.47	5.95	no	stainless steel	4E
C.046.035.0064.A	4.6	0.35	6.4	0.1090	1.86	2.14	no	music wire	4D
C.046.035.0064.I	4.6	0.35	6.4	0.1032	1.82	2.62	no	stainless steel	4E
C.046.035.0079.A	4.6	0.35	7.9	0.0860	2.03	2.50	no	music wire	4D
C.046.035.0079.I	4.6	0.35	7.9	0.0816	1.96	3.12	no	stainless steel	4E
C.046.035.0097.A	4.6	0.35	9.7	0.0680	2.24	2.87	no	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.046.035.0097.I	4.6	0.35	9.7	0.0643	2.17	3.63	no	stainless steel	4E
C.046.035.0112.A	4.6	0.35	11.2	0.0600	2.38	3.45	no	music wire	4D
C.046.035.0112.I	4.6	0.35	11.2	0.0552	2.31	4.13	no	stainless steel	4E
C.046.035.0127.A	4.6	0.35	12.7	0.0510	2.59	3.59	no	music wire	4D
C.046.035.0127.I	4.6	0.35	12.7	0.0475	2.49	4.49	no	stainless steel	4E
C.046.035.0142.A	4.6	0.35	14.2	0.0460	2.73	4.10	no	music wire	4D
C.046.035.0142.I	4.6	0.35	14.2	0.0405	2.70	4.56	no	stainless steel	4E
C.046.035.0157.A	4.6	0.35	15.7	0.0472	2.70	5.84	no	music wire	4D
C.046.035.0157.I	4.6	0.35	15.7	0.0405	2.70	6.06	no	stainless steel	4E
C.046.035.0160.A	4.6	0.35	16.0	0.0400	2.98	4.38	no	music wire	4D
C.046.035.0160.I	4.6	0.35	16.0	0.0348	2.94	4.78	no	stainless steel	4E
C.046.035.0175.A	4.6	0.35	17.5	0.0370	3.12	4.94	no	music wire	4D
C.046.035.0175.I	4.6	0.35	17.5	0.0353	2.91	6.43	no	stainless steel	4E
C.046.035.0190.A	4.6	0.35	19.0	0.0330	3.33	4.92	no	music wire	4D
C.046.035.0190.I	4.6	0.35	19.0	0.0312	3.15	6.50	no	stainless steel	4E
C.046.035.0224.A	4.6	0.35	22.4	0.0280	3.71	5.80	no	music wire	4D
C.046.035.0224.I	4.6	0.35	22.4	0.0254	3.57	7.04	no	stainless steel	4E
C.046.035.0254.A	4.6	0.35	25.4	0.0250	4.03	6.81	no	music wire	4D
C.046.035.0254.I	4.6	0.35	25.4	0.0233	3.82	8.61	no	stainless steel	4E
C.046.035.0300.A	4.6	0.35	30.0	0.0190	4.90	6.08	no	music wire	4D
C.046.035.0300.I	4.6	0.35	30.0	0.0158	5.01	6.22	no	stainless steel	4E
C.046.035.0305.A	4.6	0.35	30.5	0.0213	4.48	8.68	no	music wire	4D
C.046.035.0305.I	4.6	0.35	30.5	0.0185	4.45	9.43	no	stainless steel	4E
C.046.035.0318.A	4.6	0.35	31.8	0.0216	4.45	10.25	no	music wire	4D
C.046.035.0318.I	4.6	0.35	31.8	0.0188	4.41	10.99	no	stainless steel	4E
C.046.035.0320.A	4.6	0.35	32.0	0.0190	4.90	7.54	no	music wire	4D
C.046.035.0320.I	4.6	0.35	32.0	0.0165	4.83	8.38	no	stainless steel	4E
C.046.035.0351.A	4.6	0.35	35.1	0.0190	4.90	10.64	no	music wire	4D
C.046.035.0351.I	4.6	0.35	35.1	0.0165	4.83	11.48	no	stainless steel	4E
C.046.035.0356.A	4.6	0.35	35.6	0.0188	4.94	10.83	no	music wire	4D
C.046.035.0356.I	4.6	0.35	35.6	0.0163	4.90	11.67	no	stainless steel	4E
C.046.035.0381.A	4.6	0.35	38.1	0.0179	5.11	12.18	no	music wire	4D
C.046.035.0381.I	4.6	0.35	38.1	0.0154	5.11	12.74	no	stainless steel	4E
C.046.035.0400.A	4.6	0.35	40.0	0.0134	6.44	8.11	no	music wire	4B
C.046.035.0400.I	4.6	0.35	40.0	0.0117	6.37	8.02	no	stainless steel	4E
C.046.036.0111.A	4.6	0.36	11.1	0.0526	2.81	3.29	no	music wire	4B
C.046.036.0111.I	4.6	0.36	11.1	0.0457	2.77	3.24	no	stainless steel	4B
C.046.036.0127.A	4.6	0.36	12.7	0.0460	3.02	3.56	no	music wire	4B
C.046.036.0127.AP	4.6	0.36	12.7	0.0656	2.48	5.03	no	music wire	4D
C.046.036.0127.I	4.6	0.36	12.7	0.0400	2.99	3.52	no	stainless steel	4B
C.046.036.0143.A	4.6	0.36	14.3	0.0404	3.28	3.90	no	music wire	4B
C.046.036.0143.I	4.6	0.36	14.3	0.0351	3.24	3.85	no	stainless steel	4B
C.046.036.0159.A	4.6	0.36	15.9	0.0357	3.53	4.23	no	music wire	4B
C.046.036.0159.I	4.6	0.36	15.9	0.0310	3.49	4.18	no	stainless steel	4B
C.046.036.0174.A	4.6	0.36	17.4	0.0329	3.71	4.46	no	music wire	4B
C.046.036.0174.I	4.6	0.36	17.4	0.0286	3.67	4.41	no	stainless steel	4B
C.046.036.0190.A	4.6	0.36	19.0	0.0300	3.96	4.79	no	music wire	4B
C.046.036.0190.I	4.6	0.36	19.0	0.0261	3.92	4.74	no	stainless steel	4B
C.046.036.0220.A	4.6	0.36	22.0	0.0254	4.46	5.45	no	music wire	4B
C.046.036.0220.I	4.6	0.36	22.0	0.0221	4.39	5.35	no	stainless steel	4C
C.046.040.0056.A	4.6	0.40	5.6	0.1408	2.00	2.27	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.046.040.0056.I	4.6	0.40	5.6	0.1209	2.00	2.27	yes	stainless steel	4B
C.046.040.0064.A	4.6	0.40	6.4	0.1560	1.92	2.16	yes	music wire	4D
C.046.040.0064.I	4.6	0.40	6.4	0.1454	1.84	2.47	yes	stainless steel	4E
C.046.040.0064.N	4.6	0.40	6.4	0.1560	1.92	2.16	yes	Zn coating	4F
C.046.040.0079.A	4.6	0.40	7.9	0.1377	2.04	2.98	yes	music wire	4D
C.046.040.0079.I	4.6	0.40	7.9	0.1198	2.00	3.13	yes	stainless steel	4E
C.046.040.0097.A	4.6	0.40	9.7	0.1030	2.36	3.12	yes	music wire	4D
C.046.040.0097.I	4.6	0.40	9.7	0.0900	2.36	3.35	yes	stainless steel	4E
C.046.040.0097.N	4.6	0.40	9.7	0.1030	2.36	3.12	yes	Zn coating	4F
C.046.040.0112.A	4.6	0.40	11.2	0.0872	2.60	3.43	yes	music wire	4D
C.046.040.0112.I	4.6	0.40	11.2	0.0759	2.60	3.67	yes	stainless steel	4E
C.046.040.0127.A	4.6	0.40	12.7	0.0752	2.88	3.69	yes	music wire	4D
C.046.040.0127.I	4.6	0.40	12.7	0.0654	2.84	3.97	yes	stainless steel	4E
C.046.040.0142.A	4.6	0.40	14.2	0.0650	3.16	3.77	yes	music wire	4D
C.046.040.0142.I	4.6	0.40	14.2	0.0513	3.36	3.99	yes	stainless steel	4C
C.046.040.0142.N	4.6	0.40	14.2	0.0650	3.16	3.77	yes	Zn coating	4F
C.046.040.0157.A	4.6	0.40	15.7	0.0598	3.36	4.36	yes	music wire	4D
C.046.040.0157.I	4.6	0.40	15.7	0.0513	3.36	4.57	yes	stainless steel	4E
C.046.040.0157.N	4.6	0.40	15.7	0.0598	3.36	4.36	yes	Zn coating	4F
C.046.040.0190.A	4.6	0.40	19.0	0.0490	3.88	5.17	yes	music wire	4D
C.046.040.0190.I	4.6	0.40	19.0	0.0388	4.12	4.95	yes	stainless steel	4E
C.046.040.0190.N	4.6	0.40	19.0	0.0490	3.88	5.17	yes	Zn coating	4F
C.046.040.0224.A	4.6	0.40	22.4	0.0440	4.20	6.99	yes	music wire	4D
C.046.040.0224.I	4.6	0.40	22.4	0.0359	4.36	6.48	yes	stainless steel	4E
C.046.040.0224.N	4.6	0.40	22.4	0.0440	4.20	6.99	yes	Zn coating	4F
C.046.040.0240.A	4.6	0.40	24.0	0.0260	6.40	7.83	yes	music wire	4B
C.046.040.0240.AP	4.6	0.40	24.0	0.0473	3.96	9.67	yes	music wire	4D
C.046.040.0240.I	4.6	0.40	24.0	0.0230	6.24	7.63	yes	stainless steel	4C
C.046.040.0254.A	4.6	0.40	25.4	0.0390	4.60	8.02	yes	music wire	4D
C.046.040.0254.I	4.6	0.40	25.4	0.0339	4.56	8.57	yes	stainless steel	4E
C.046.040.0254.N	4.6	0.40	25.4	0.0390	4.60	8.02	yes	Zn coating	4F
C.046.040.0290.A	4.6	0.40	29.0	0.0210	7.72	9.50	yes	music wire	4B
C.046.040.0290.AP	4.6	0.40	29.0	0.0389	4.64	11.57	yes	music wire	4D
C.046.040.0290.I	4.6	0.40	29.0	0.0180	7.72	9.50	yes	stainless steel	4C
C.046.040.0305.A	4.6	0.40	30.5	0.0284	5.96	7.28	yes	music wire	4D
C.046.040.0305.I	4.6	0.40	30.5	0.0247	5.88	7.38	yes	stainless steel	4E
C.046.040.0318.A	4.6	0.40	31.8	0.0288	5.88	8.23	yes	music wire	4D
C.046.040.0318.I	4.6	0.40	31.8	0.0250	5.84	8.98	yes	stainless steel	4E
C.046.040.0318.N	4.6	0.40	31.8	0.0288	5.88	8.23	yes	Zn coating	4F
C.046.040.0351.A	4.6	0.40	35.1	0.0249	6.64	8.14	yes	music wire	4D
C.046.040.0351.I	4.6	0.40	35.1	0.0217	6.60	8.73	yes	stainless steel	4E
C.046.040.0351.N	4.6	0.40	35.1	0.0249	6.64	8.14	yes	Zn coating	4F
C.046.040.0380.A	4.6	0.40	38.0	0.0150	10.40	12.89	yes	music wire	4B
C.046.040.0380.AP	4.6	0.40	38.0	0.0294	5.80	14.96	yes	music wire	4D
C.046.040.0380.I	4.6	0.40	38.0	0.0130	10.32	12.79	yes	stainless steel	4C
C.046.040.0381.A	4.6	0.40	38.1	0.0238	6.92	9.64	yes	music wire	4D
C.046.040.0381.I	4.6	0.40	38.1	0.0205	6.92	10.19	yes	stainless steel	4E
C.046.040.0381.N	4.6	0.40	38.1	0.0238	6.92	9.64	yes	Zn coating	4F
C.046.040.0444.A	4.6	0.40	44.4	0.0196	8.20	10.11	yes	music wire	4D
C.046.040.0444.I	4.6	0.40	44.4	0.0171	8.08	10.93	yes	stainless steel	4E
C.046.040.0444.N	4.6	0.40	44.4	0.0196	8.20	10.11	yes	Zn coating	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.046.040.0457.A	4.6	0.40	45.7	0.0194	8.28	10.68	yes	music wire	4E
C.046.040.0457.I	4.6	0.40	45.7	0.0168	8.20	11.79	yes	stainless steel	4E
C.046.045.0064.A	4.6	0.45	6.4	0.2500	2.16	2.62	yes	music wire	4D
C.046.045.0064.I	4.6	0.45	6.4	0.2177	2.16	2.74	yes	stainless steel	4E
C.046.045.0079.A	4.6	0.45	7.9	0.2000	2.43	3.18	yes	music wire	4D
C.046.045.0079.I	4.6	0.45	7.9	0.1898	2.30	3.70	yes	stainless steel	4E
C.046.045.0079.N	4.6	0.45	7.9	0.2000	2.43	3.18	yes	Zn coating	4F
C.046.045.0097.A	4.6	0.45	9.7	0.1630	2.75	3.90	yes	music wire	4D
C.046.045.0097.I	4.6	0.45	9.7	0.1330	2.84	3.70	yes	stainless steel	4E
C.046.045.0097.N	4.6	0.45	9.7	0.1630	2.75	3.90	yes	Zn coating	4F
C.046.045.0112.A	4.6	0.45	11.2	0.1370	3.06	4.30	yes	music wire	4D
C.046.045.0112.I	4.6	0.45	11.2	0.1157	3.06	4.31	yes	stainless steel	4E
C.046.045.0112.N	4.6	0.45	11.2	0.1370	3.06	4.30	yes	Zn coating	4F
C.046.045.0127.A	4.6	0.45	12.7	0.1170	3.38	4.63	yes	music wire	4D
C.046.045.0127.I	4.6	0.45	12.7	0.1024	3.33	4.91	yes	stainless steel	4E
C.046.045.0127.N	4.6	0.45	12.7	0.1170	3.38	4.63	yes	Zn coating	4F
C.046.045.0142.A	4.6	0.45	14.2	0.1000	3.74	4.75	yes	music wire	4D
C.046.045.0142.I	4.6	0.45	14.2	0.0832	3.83	4.62	yes	stainless steel	4E
C.046.045.0142.N	4.6	0.45	14.2	0.1000	3.74	4.75	yes	Zn coating	4F
C.046.045.0157.A	4.6	0.45	15.7	0.0886	4.10	5.04	yes	music wire	4D
C.046.045.0157.I	4.6	0.45	15.7	0.0761	4.10	5.22	yes	stainless steel	4E
C.046.045.0157.N	4.6	0.45	15.7	0.0886	4.10	5.04	yes	Zn coating	4F
C.046.045.0175.A	4.6	0.45	17.5	0.0810	4.37	5.84	yes	music wire	4D
C.046.045.0175.I	4.6	0.45	17.5	0.0650	4.59	5.38	yes	stainless steel	4E
C.046.045.0175.N	4.6	0.45	17.5	0.0810	4.37	5.84	yes	Zn coating	4F
C.046.045.0190.A	4.6	0.45	19.0	0.0720	4.77	5.88	yes	music wire	4D
C.046.045.0190.I	4.6	0.45	19.0	0.0567	5.13	6.04	yes	stainless steel	4C
C.046.045.0190.N	4.6	0.45	19.0	0.0720	4.77	5.88	yes	Zn coating	4F
C.046.045.0224.A	4.6	0.45	22.4	0.0650	5.18	7.87	yes	music wire	4D
C.046.045.0224.I	4.6	0.45	22.4	0.0503	5.63	6.65	yes	stainless steel	4E
C.046.045.0224.N	4.6	0.45	22.4	0.0650	5.18	7.87	yes	Zn coating	4F
C.046.045.0254.A	4.6	0.45	25.4	0.0560	5.81	8.53	yes	music wire	4D
C.046.045.0254.I	4.6	0.45	25.4	0.0487	5.76	9.03	yes	stainless steel	4E
C.046.045.0254.N	4.6	0.45	25.4	0.0560	5.81	8.53	yes	Zn coating	4F
C.046.045.0300.A	4.6	0.45	30.0	0.0460	6.84	9.46	yes	music wire	4D
C.046.045.0300.I	4.6	0.45	30.0	0.0400	6.80	10.06	yes	stainless steel	4E
C.046.045.0305.A	4.6	0.45	30.5	0.0414	7.47	8.91	yes	music wire	4D
C.046.045.0305.I	4.6	0.45	30.5	0.0360	7.38	8.80	yes	stainless steel	4E
C.046.045.0320.A	4.6	0.45	32.0	0.0460	6.84	11.46	yes	music wire	4D
C.046.045.0320.I	4.6	0.45	32.0	0.0400	6.80	12.06	yes	stainless steel	4E
C.046.045.0320.N	4.6	0.45	32.0	0.0460	6.84	11.46	yes	Zn coating	4F
C.046.045.0351.A	4.6	0.45	35.1	0.0374	8.15	9.84	yes	music wire	4D
C.046.045.0351.I	4.6	0.45	35.1	0.0325	8.06	10.58	yes	stainless steel	4E
C.046.045.0351.N	4.6	0.45	35.1	0.0374	8.15	9.84	yes	Zn coating	4F
C.046.045.0356.A	4.6	0.45	35.6	0.0369	8.24	10.02	yes	music wire	4D
C.046.045.0356.I	4.6	0.45	35.6	0.0321	8.15	10.77	yes	stainless steel	4E
C.046.045.0381.A	4.6	0.45	38.1	0.0349	8.69	11.02	yes	music wire	4D
C.046.045.0381.I	4.6	0.45	38.1	0.0300	8.64	11.51	yes	stainless steel	4E
C.046.045.0381.N	4.6	0.45	38.1	0.0349	8.69	11.02	yes	Zn coating	4F
C.046.045.0444.A	4.6	0.45	44.4	0.0290	10.17	12.23	yes	music wire	4E
C.046.045.0444.I	4.6	0.45	44.4	0.0252	10.08	12.80	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.046.045.0444.N	4.6	0.45	44.4	0.0290	10.17	12.23	yes	Zn coating	4F
C.046.045.0457.A	4.6	0.45	45.7	0.0286	10.31	12.72	yes	music wire	4E
C.046.045.0457.I	4.6	0.45	45.7	0.0249	10.17	13.69	yes	stainless steel	4E
C.046.050.0064.A	4.6	0.50	6.4	0.3710	2.50	2.98	yes	music wire	4D
C.046.050.0064.I	4.6	0.50	6.4	0.3066	2.55	2.90	yes	stainless steel	4E
C.046.050.0064.N	4.6	0.50	6.4	0.3710	2.50	2.98	yes	Zn coating	4F
C.046.050.0097.A	4.6	0.50	9.7	0.2290	3.25	4.16	yes	music wire	4D
C.046.050.0097.I	4.6	0.50	9.7	0.1992	3.25	4.31	yes	stainless steel	4E
C.046.050.0097.N	4.6	0.50	9.7	0.2290	3.25	4.16	yes	Zn coating	4F
C.046.050.0112.A	4.6	0.50	11.2	0.1779	3.85	4.37	yes	music wire	4D
C.046.050.0112.I	4.6	0.50	11.2	0.1547	3.80	4.31	yes	stainless steel	4E
C.046.050.0142.A	4.6	0.50	14.2	0.1510	4.30	5.79	yes	music wire	4D
C.046.050.0142.I	4.6	0.50	14.2	0.1193	4.60	5.27	yes	stainless steel	4E
C.046.050.0142.N	4.6	0.50	14.2	0.1510	4.30	5.79	yes	Zn coating	4F
C.046.050.0160.A	4.6	0.50	16.0	0.1350	4.65	6.60	yes	music wire	4D
C.046.050.0160.I	4.6	0.50	16.0	0.1175	4.65	6.85	yes	stainless steel	4E
C.046.050.0160.N	4.6	0.50	16.0	0.1350	4.65	6.60	yes	Zn coating	4F
C.046.050.0175.A	4.6	0.50	17.5	0.1190	5.15	6.83	yes	music wire	4D
C.046.050.0175.I	4.6	0.50	17.5	0.0971	5.35	6.43	yes	stainless steel	4E
C.046.050.0175.N	4.6	0.50	17.5	0.1190	5.15	6.83	yes	Zn coating	4F
C.046.050.0190.A	4.6	0.50	19.0	0.1100	5.45	7.46	yes	music wire	4D
C.046.050.0190.I	4.6	0.50	19.0	0.0863	5.85	6.77	yes	stainless steel	4E
C.046.050.0190.N	4.6	0.50	19.0	0.1100	5.45	7.46	yes	Zn coating	4F
C.046.050.0240.A	4.6	0.50	24.0	0.0600	8.95	10.50	yes	music wire	4B
C.046.050.0240.AP	4.6	0.50	24.0	0.0968	6.00	10.88	yes	music wire	4D
C.046.050.0240.I	4.6	0.50	24.0	0.0510	9.05	10.62	yes	stainless steel	4C
C.046.050.0254.A	4.6	0.50	25.4	0.0810	6.95	9.73	yes	music wire	4D
C.046.050.0254.I	4.6	0.50	25.4	0.0705	6.90	10.15	yes	stainless steel	4E
C.046.050.0254.N	4.6	0.50	25.4	0.0810	6.95	9.73	yes	Zn coating	4F
C.046.050.0290.A	4.6	0.50	29.0	0.0490	10.70	12.60	yes	music wire	4B
C.046.050.0290.AP	4.6	0.50	29.0	0.0793	7.10	12.98	yes	music wire	4D
C.046.050.0290.I	4.6	0.50	29.0	0.0420	10.70	12.60	yes	stainless steel	4C
C.046.050.0320.A	4.6	0.50	32.0	0.0650	8.35	12.47	yes	music wire	4D
C.046.050.0320.I	4.6	0.50	32.0	0.0566	8.25	13.00	yes	stainless steel	4E
C.046.050.0320.N	4.6	0.50	32.0	0.0650	8.35	12.47	yes	Zn coating	4F
C.046.050.0351.A	4.6	0.50	35.1	0.0533	9.90	11.64	yes	music wire	4E
C.046.050.0351.I	4.6	0.50	35.1	0.0464	9.80	11.94	yes	stainless steel	4E
C.046.050.0351.N	4.6	0.50	35.1	0.0533	9.90	11.64	yes	Zn coating	4F
C.046.050.0356.A	4.6	0.50	35.6	0.0527	10.00	11.76	yes	music wire	4E
C.046.050.0356.I	4.6	0.50	35.6	0.0458	9.90	12.14	yes	stainless steel	4E
C.046.050.0381.A	4.6	0.50	38.1	0.0490	10.65	12.54	yes	music wire	4E
C.046.050.0381.I	4.6	0.50	38.1	0.0421	10.65	12.58	yes	stainless steel	4E
C.046.050.0381.N	4.6	0.50	38.1	0.0490	10.65	12.54	yes	Zn coating	4F
C.046.050.0444.A	4.6	0.50	44.4	0.0422	12.20	14.40	yes	music wire	4E
C.046.050.0444.I	4.6	0.50	44.4	0.0367	12.05	15.13	yes	stainless steel	4E
C.046.050.0444.N	4.6	0.50	44.4	0.0422	12.20	14.40	yes	Zn coating	4F
C.046.050.0457.A	4.6	0.50	45.7	0.0417	12.35	15.23	yes	music wire	4E
C.046.050.0457.I	4.6	0.50	45.7	0.0363	12.20	16.06	yes	stainless steel	4E
C.046.055.0064.A	4.6	0.55	6.4	0.6220	2.64	3.74	yes	music wire	4G
C.046.055.0064.AF	4.6	0.55	6.4	0.5180	2.86	3.20	yes	music wire	4E
C.046.055.0064.I	4.6	0.55	6.4	0.5342	2.64	3.77	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.046.055.0064.N	4.6	0.55	6.4	0.6220	2.64	3.74	yes	Zn coating	4I
C.046.055.0064.NF	4.6	0.55	6.4	0.5180	2.86	3.20	yes	Zn coating	4G
C.046.055.0079.A	4.6	0.55	7.9	0.4150	3.25	3.91	yes	music wire	4E
C.046.055.0079.I	4.6	0.55	7.9	0.3896	3.08	4.29	yes	stainless steel	4E
C.046.055.0079.N	4.6	0.55	7.9	0.4150	3.25	3.91	yes	Zn coating	4G
C.046.055.0097.A	4.6	0.55	9.7	0.3470	3.58	4.92	yes	music wire	4E
C.046.055.0097.I	4.6	0.55	9.7	0.3431	3.30	5.60	yes	stainless steel	4H
C.046.055.0097.N	4.6	0.55	9.7	0.3470	3.58	4.92	yes	Zn coating	4G
C.046.055.0112.A	4.6	0.55	11.2	0.2960	3.96	5.60	yes	music wire	4E
C.046.055.0112.I	4.6	0.55	11.2	0.2770	3.80	6.13	yes	stainless steel	4H
C.046.055.0112.N	4.6	0.55	11.2	0.2960	3.96	5.60	yes	Zn coating	4G
C.046.055.0127.A	4.6	0.55	12.7	0.2490	4.46	6.04	yes	music wire	4E
C.046.055.0127.I	4.6	0.55	12.7	0.2323	4.24	6.65	yes	stainless steel	4E
C.046.055.0127.N	4.6	0.55	12.7	0.2490	4.46	6.04	yes	Zn coating	4G
C.046.055.0142.A	4.6	0.55	14.2	0.2080	5.06	6.23	yes	music wire	4E
C.046.055.0142.I	4.6	0.55	14.2	0.1870	4.90	6.68	yes	stainless steel	4E
C.046.055.0142.N	4.6	0.55	14.2	0.2080	5.06	6.23	yes	Zn coating	4G
C.046.055.0157.A	4.6	0.55	15.7	0.1902	5.45	6.99	yes	music wire	4E
C.046.055.0157.I	4.6	0.55	15.7	0.1655	5.39	7.21	yes	stainless steel	4E
C.046.055.0175.A	4.6	0.55	17.5	0.1680	6.00	7.64	yes	music wire	4E
C.046.055.0175.I	4.6	0.55	17.5	0.1484	5.83	8.03	yes	stainless steel	4E
C.046.055.0175.N	4.6	0.55	17.5	0.1680	6.00	7.64	yes	Zn coating	4G
C.046.055.0190.A	4.6	0.55	19.0	0.1520	6.44	8.10	yes	music wire	4E
C.046.055.0190.I	4.6	0.55	19.0	0.1345	6.33	8.55	yes	stainless steel	4E
C.046.055.0190.N	4.6	0.55	19.0	0.1520	6.44	8.10	yes	Zn coating	4G
C.046.055.0239.A	4.6	0.55	23.9	0.1223	7.70	10.35	yes	music wire	4E
C.046.055.0239.I	4.6	0.55	23.9	0.1051	7.70	10.52	yes	stainless steel	4E
C.046.055.0239.N	4.6	0.55	23.9	0.1223	7.70	10.35	yes	Zn coating	4G
C.046.055.0254.A	4.6	0.55	25.4	0.1165	7.98	11.18	yes	music wire	4E
C.046.055.0254.I	4.6	0.55	25.4	0.1014	7.92	11.53	yes	stainless steel	4E
C.046.055.0279.A	4.6	0.55	27.9	0.1021	8.91	11.67	yes	music wire	4E
C.046.055.0279.I	4.6	0.55	27.9	0.0888	8.86	12.08	yes	stainless steel	4E
C.046.055.0284.A	4.6	0.55	28.4	0.1034	8.86	12.38	yes	music wire	4E
C.046.055.0284.I	4.6	0.55	28.4	0.0900	8.75	12.78	yes	stainless steel	4E
C.046.055.0284.N	4.6	0.55	28.4	0.1034	8.86	12.38	yes	Zn coating	4G
C.046.055.0300.A	4.6	0.55	30.0	0.0880	10.12	11.71	yes	music wire	4E
C.046.055.0300.I	4.6	0.55	30.0	0.0766	10.01	11.64	yes	stainless steel	4E
C.046.055.0305.A	4.6	0.55	30.5	0.0909	9.85	12.27	yes	music wire	4E
C.046.055.0305.I	4.6	0.55	30.5	0.0791	9.74	12.72	yes	stainless steel	4E
C.046.055.0381.A	4.6	0.55	38.1	0.0755	11.61	16.14	yes	music wire	4E
C.046.055.0381.I	4.6	0.55	38.1	0.0648	11.61	16.42	yes	stainless steel	4F
C.046.055.0381.N	4.6	0.55	38.1	0.0755	11.61	16.14	yes	Zn coating	4G
C.046.055.0444.A	4.6	0.55	44.4	0.0692	12.54	20.46	yes	music wire	4E
C.046.055.0444.I	4.6	0.55	44.4	0.0602	12.38	21.06	yes	stainless steel	4F
C.046.055.0444.N	4.6	0.55	44.4	0.0692	12.54	20.46	yes	Zn coating	4G
C.046.055.0457.A	4.6	0.55	45.7	0.0683	12.65	21.45	yes	music wire	4E
C.046.055.0457.I	4.6	0.55	45.7	0.0595	12.54	22.06	yes	stainless steel	4F
C.046.056.0290.A	4.6	0.56	29.0	0.0920	10.64	12.29	yes	music wire	4C
C.046.056.0290.I	4.6	0.56	29.0	0.0800	10.53	12.16	yes	stainless steel	4C
C.046.056.0450.A	4.6	0.56	45.0	0.0582	16.02	18.62	yes	music wire	4C
C.046.056.0450.I	4.6	0.56	45.0	0.0506	15.85	18.42	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.046.060.0064.A	4.6	0.60	6.4	0.7410	3.18	3.55	yes	music wire	4E
C.046.060.0064.I	4.6	0.60	6.4	0.6447	3.12	3.62	yes	stainless steel	4E
C.046.060.0064.N	4.6	0.60	6.4	0.7410	3.18	3.55	yes	Zn coating	4G
C.046.060.0079.A	4.6	0.60	7.9	0.5710	3.66	4.20	yes	music wire	4E
C.046.060.0079.I	4.6	0.60	7.9	0.4900	3.66	4.24	yes	stainless steel	4E
C.046.060.0079.N	4.6	0.60	7.9	0.5710	3.66	4.20	yes	Zn coating	4G
C.046.060.0097.A	4.6	0.60	9.7	0.4500	4.26	5.01	yes	music wire	4E
C.046.060.0097.I	4.6	0.60	9.7	0.3915	4.20	5.12	yes	stainless steel	4E
C.046.060.0097.N	4.6	0.60	9.7	0.4500	4.26	5.01	yes	Zn coating	4G
C.046.060.0112.A	4.6	0.60	11.2	0.3458	5.10	5.70	yes	music wire	4E
C.046.060.0112.I	4.6	0.60	11.2	0.3000	5.04	5.63	yes	stainless steel	4E
C.046.060.0127.A	4.6	0.60	12.7	0.3310	5.22	6.32	yes	music wire	4E
C.046.060.0127.I	4.6	0.60	12.7	0.2880	5.22	6.47	yes	stainless steel	4E
C.046.060.0127.N	4.6	0.60	12.7	0.3310	5.22	6.32	yes	Zn coating	4G
C.046.060.0140.A	4.6	0.60	14.0	0.3120	5.46	7.23	yes	music wire	4E
C.046.060.0140.I	4.6	0.60	14.0	0.2714	5.40	7.39	yes	stainless steel	4E
C.046.060.0140.N	4.6	0.60	14.0	0.3120	5.46	7.23	yes	Zn coating	4G
C.046.060.0142.A	4.6	0.60	14.2	0.2686	6.12	6.89	yes	music wire	4E
C.046.060.0142.I	4.6	0.60	14.2	0.2337	6.06	6.82	yes	stainless steel	4E
C.046.060.0160.A	4.6	0.60	16.0	0.2610	6.24	7.91	yes	music wire	4E
C.046.060.0160.I	4.6	0.60	16.0	0.2200	6.36	7.84	yes	stainless steel	4E
C.046.060.0160.N	4.6	0.60	16.0	0.2610	6.24	7.91	yes	Zn coating	4G
C.046.060.0175.A	4.6	0.60	17.5	0.2300	6.90	8.32	yes	music wire	4E
C.046.060.0175.I	4.6	0.60	17.5	0.2000	6.84	8.53	yes	stainless steel	4E
C.046.060.0190.A	4.6	0.60	19.0	0.1931	7.92	8.99	yes	music wire	4E
C.046.060.0190.I	4.6	0.60	19.0	0.1680	7.80	8.85	yes	stainless steel	4E
C.046.060.0220.A	4.6	0.60	22.0	0.1300	11.04	12.63	yes	music wire	4C
C.046.060.0220.AP	4.6	0.60	22.0	0.1996	7.68	11.42	yes	music wire	4E
C.046.060.0220.I	4.6	0.60	22.0	0.1100	11.16	12.77	yes	stainless steel	4C
C.046.060.0224.A	4.6	0.60	22.4	0.1800	8.40	10.67	yes	music wire	4E
C.046.060.0224.I	4.6	0.60	22.4	0.1399	9.12	10.39	yes	stainless steel	4E
C.046.060.0224.N	4.6	0.60	22.4	0.1800	8.40	10.67	yes	Zn coating	4G
C.046.060.0240.A	4.6	0.60	24.0	0.1700	8.76	11.58	yes	music wire	4E
C.046.060.0240.I	4.6	0.60	24.0	0.1400	9.12	11.18	yes	stainless steel	4E
C.046.060.0254.A	4.6	0.60	25.4	0.1580	9.36	12.04	yes	music wire	4E
C.046.060.0254.I	4.6	0.60	25.4	0.1375	9.24	12.35	yes	stainless steel	4E
C.046.060.0254.N	4.6	0.60	25.4	0.1580	9.36	12.04	yes	Zn coating	4G
C.046.060.0279.A	4.6	0.60	27.9	0.1269	11.28	12.91	yes	music wire	4E
C.046.060.0279.I	4.6	0.60	27.9	0.1104	11.10	12.70	yes	stainless steel	4F
C.046.060.0284.A	4.6	0.60	28.4	0.1285	11.16	12.77	yes	music wire	4E
C.046.060.0284.I	4.6	0.60	28.4	0.1118	10.98	12.56	yes	stainless steel	4F
C.046.060.0284.N	4.6	0.60	28.4	0.1285	11.16	12.77	yes	Zn coating	4G
C.046.060.0305.A	4.6	0.60	30.5	0.1121	12.54	14.38	yes	music wire	4C
C.046.060.0305.I	4.6	0.60	30.5	0.0975	12.42	14.24	yes	stainless steel	4C
C.046.060.0320.A	4.6	0.60	32.0	0.1240	11.46	14.97	yes	music wire	4E
C.046.060.0320.I	4.6	0.60	32.0	0.1079	11.34	15.37	yes	stainless steel	4F
C.046.060.0320.N	4.6	0.60	32.0	0.1240	11.46	14.97	yes	Zn coating	4G
C.046.060.0350.A	4.6	0.60	35.0	0.0810	16.80	19.35	yes	music wire	4C
C.046.060.0350.AP	4.6	0.60	35.0	0.1231	11.58	17.85	yes	music wire	4E
C.046.060.0350.I	4.6	0.60	35.0	0.0680	17.16	19.77	yes	stainless steel	4C
C.046.060.0381.A	4.6	0.60	38.1	0.0957	14.46	16.62	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.046.060.0381.I	4.6	0.60	38.1	0.0822	14.46	16.62	yes	stainless steel	4F
C.046.060.0381.N	4.6	0.60	38.1	0.0957	14.46	16.62	yes	Zn coating	4G
C.046.060.0444.A	4.6	0.60	44.4	0.0813	16.74	19.28	yes	music wire	4E
C.046.060.0444.I	4.6	0.60	44.4	0.0708	16.50	19.05	yes	stainless steel	4F
C.046.060.0444.N	4.6	0.60	44.4	0.0813	16.74	19.28	yes	Zn coating	4G
C.046.060.0457.A	4.6	0.60	45.7	0.0803	16.92	19.49	yes	music wire	4E
C.046.060.0457.I	4.6	0.60	45.7	0.0700	16.68	20.07	yes	stainless steel	4F
C.046.060.0510.A	4.6	0.60	51.0	0.0770	17.58	23.58	yes	music wire	4E
C.046.060.0510.I	4.6	0.60	51.0	0.0670	17.34	24.22	yes	stainless steel	4F
C.046.060.0510.N	4.6	0.60	51.0	0.0770	17.58	23.58	yes	Zn coating	4G
C.046.065.0064.A	4.6	0.65	6.4	1.0120	3.51	3.80	yes	music wire	4E
C.046.065.0064.I	4.6	0.65	6.4	0.8857	3.51	3.87	yes	stainless steel	4E
C.046.065.0064.N	4.6	0.65	6.4	1.0120	3.51	3.80	yes	Zn coating	4G
C.046.065.0067.A	4.6	0.65	6.7	0.7164	4.29	4.70	yes	music wire	4C
C.046.065.0067.AP	4.6	0.65	6.7	1.0142	3.51	4.10	yes	music wire	4E
C.046.065.0067.I	4.6	0.65	6.7	0.6153	4.29	4.70	yes	stainless steel	4C
C.046.065.0067.N	4.6	0.65	6.7	0.7164	4.29	4.70	yes	Zn coating	4E
C.046.065.0079.A	4.6	0.65	7.9	0.8230	3.97	4.70	yes	music wire	4E
C.046.065.0079.I	4.6	0.65	7.9	0.6957	3.97	4.67	yes	stainless steel	4E
C.046.065.0079.N	4.6	0.65	7.9	0.8230	3.97	4.70	yes	Zn coating	4G
C.046.065.0096.A	4.6	0.65	9.6	0.4559	5.85	6.51	yes	music wire	4C
C.046.065.0096.AP	4.6	0.65	9.6	0.6685	4.49	5.66	yes	music wire	4E
C.046.065.0096.I	4.6	0.65	9.6	0.3916	5.85	6.51	yes	stainless steel	4C
C.046.065.0096.N	4.6	0.65	9.6	0.4559	5.85	6.51	yes	Zn coating	4E
C.046.065.0097.A	4.6	0.65	9.7	0.6570	4.55	5.69	yes	music wire	4E
C.046.065.0097.I	4.6	0.65	9.7	0.5263	4.75	5.44	yes	stainless steel	4E
C.046.065.0097.N	4.6	0.65	9.7	0.6570	4.55	5.69	yes	Zn coating	4G
C.046.065.0112.A	4.6	0.65	11.2	0.5460	5.14	6.37	yes	music wire	4E
C.046.065.0112.I	4.6	0.65	11.2	0.4528	5.27	6.25	yes	stainless steel	4E
C.046.065.0112.N	4.6	0.65	11.2	0.5460	5.14	6.37	yes	Zn coating	4G
C.046.065.0127.A	4.6	0.65	12.7	0.4303	6.11	6.81	yes	music wire	4E
C.046.065.0127.I	4.6	0.65	12.7	0.3744	6.05	6.74	yes	stainless steel	4E
C.046.065.0140.A	4.6	0.65	14.0	0.2950	8.13	9.14	yes	music wire	4C
C.046.065.0140.AP	4.6	0.65	14.0	0.4325	6.05	7.91	yes	music wire	4E
C.046.065.0140.I	4.6	0.65	14.0	0.2534	8.13	9.14	yes	stainless steel	4C
C.046.065.0140.N	4.6	0.65	14.0	0.2950	8.13	9.14	yes	Zn coating	4E
C.046.065.0142.A	4.6	0.65	14.2	0.4120	6.31	7.80	yes	music wire	4E
C.046.065.0142.I	4.6	0.65	14.2	0.3356	6.57	7.52	yes	stainless steel	4E
C.046.065.0142.N	4.6	0.65	14.2	0.4120	6.31	7.80	yes	Zn coating	4G
C.046.065.0157.A	4.6	0.65	15.7	0.3340	7.35	8.24	yes	music wire	4E
C.046.065.0157.I	4.6	0.65	15.7	0.2905	7.28	8.16	yes	stainless steel	4E
C.046.065.0175.A	4.6	0.65	17.5	0.3290	7.48	9.49	yes	music wire	4E
C.046.065.0175.I	4.6	0.65	17.5	0.2667	7.80	9.09	yes	stainless steel	4E
C.046.065.0175.N	4.6	0.65	17.5	0.3290	7.48	9.49	yes	Zn coating	4G
C.046.065.0190.A	4.6	0.65	19.0	0.2980	8.06	10.16	yes	music wire	4E
C.046.065.0190.I	4.6	0.65	19.0	0.2374	8.58	9.66	yes	stainless steel	4E
C.046.065.0190.N	4.6	0.65	19.0	0.2980	8.06	10.16	yes	Zn coating	4G
C.046.065.0200.A	4.6	0.65	20.0	0.2006	11.18	12.66	yes	music wire	4C
C.046.065.0200.AP	4.6	0.65	20.0	0.2971	8.06	11.13	yes	music wire	4E
C.046.065.0200.I	4.6	0.65	20.0	0.1723	11.18	12.66	yes	stainless steel	4C
C.046.065.0200.IF	4.6	0.65	20.0	0.1164	15.80	18.00	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.046.065.0200.N	4.6	0.65	20.0	0.2006	11.18	12.66	yes	Zn coating	4E
C.046.065.0206.A	4.6	0.65	20.6	0.2458	9.43	10.64	yes	music wire	4E
C.046.065.0206.I	4.6	0.65	20.6	0.2139	9.30	10.49	yes	stainless steel	4F
C.046.065.0224.A	4.6	0.65	22.4	0.2520	9.23	11.94	yes	music wire	4E
C.046.065.0224.I	4.6	0.65	22.4	0.2007	9.82	11.22	yes	stainless steel	4F
C.046.065.0224.N	4.6	0.65	22.4	0.2520	9.23	11.94	yes	Zn coating	4G
C.046.065.0254.A	4.6	0.65	25.4	0.1945	11.51	13.05	yes	music wire	4E
C.046.065.0254.I	4.6	0.65	25.4	0.1692	11.38	12.90	yes	stainless steel	4F
C.046.065.0279.A	4.6	0.65	27.9	0.1721	12.74	14.47	yes	music wire	4C
C.046.065.0279.I	4.6	0.65	27.9	0.1497	12.61	14.32	yes	stainless steel	4F
C.046.065.0284.A	4.6	0.65	28.4	0.1743	12.61	14.32	yes	music wire	4E
C.046.065.0284.I	4.6	0.65	28.4	0.1516	12.48	14.17	yes	stainless steel	4F
C.046.065.0284.N	4.6	0.65	28.4	0.1743	12.61	14.32	yes	Zn coating	4G
C.046.065.0290.A	4.6	0.65	29.0	0.1355	15.80	18.00	yes	music wire	4C
C.046.065.0290.AP	4.6	0.65	29.0	0.2015	11.12	15.92	yes	music wire	4E
C.046.065.0290.I	4.6	0.65	29.0	0.1164	15.80	18.00	yes	stainless steel	4C
C.046.065.0290.IF	4.6	0.65	29.0	0.0957	18.85	21.53	yes	stainless steel	4C
C.046.065.0290.N	4.6	0.65	29.0	0.1355	15.80	18.00	yes	Zn coating	4E
C.046.065.0305.A	4.6	0.65	30.5	0.1543	14.04	15.97	yes	music wire	4C
C.046.065.0305.I	4.6	0.65	30.5	0.1342	13.91	15.82	yes	stainless steel	4C
C.046.065.0381.A	4.6	0.65	38.1	0.1295	16.45	18.75	yes	music wire	4E
C.046.065.0381.I	4.6	0.65	38.1	0.1112	16.45	18.75	yes	stainless steel	4F
C.046.065.0381.N	4.6	0.65	38.1	0.1295	16.45	18.75	yes	Zn coating	4G
C.046.065.0444.A	4.6	0.65	44.4	0.1105	18.98	21.68	yes	music wire	4E
C.046.065.0444.I	4.6	0.65	44.4	0.0962	18.79	21.46	yes	stainless steel	4F
C.046.065.0444.N	4.6	0.65	44.4	0.1105	18.98	21.68	yes	Zn coating	4G
C.046.065.0457.A	4.6	0.65	45.7	0.1091	19.18	21.91	yes	music wire	4E
C.046.065.0457.I	4.6	0.65	45.7	0.0949	18.98	22.07	yes	stainless steel	4F
C.046.065.0508.A	4.6	0.65	50.8	0.0952	21.78	24.91	yes	music wire	4E
C.046.065.0508.I	4.6	0.65	50.8	0.0828	21.52	24.61	yes	stainless steel	4F
C.046.065.0510.A	4.6	0.65	51.0	0.1030	20.22	25.42	yes	music wire	4E
C.046.065.0510.I	4.6	0.65	51.0	0.0896	20.02	25.96	yes	stainless steel	4F
C.046.065.0510.N	4.6	0.65	51.0	0.1030	20.22	25.42	yes	Zn coating	4G
C.046.070.0240.A	4.6	0.70	24.0	0.2184	14.98	16.92	yes	music wire	4C
C.046.070.0240.AP	4.6	0.70	24.0	0.3264	10.57	14.10	yes	music wire	4E
C.046.070.0240.I	4.6	0.70	24.0	0.1900	14.77	16.68	yes	stainless steel	4C
C.046.070.0290.A	4.6	0.70	29.0	0.2989	11.41	18.18	yes	music wire	4H
C.046.070.0290.I	4.6	0.70	29.0	0.2600	11.27	18.40	yes	stainless steel	4H
C.046.070.0350.A	4.6	0.70	35.0	0.1500	21.00	23.82	yes	music wire	4C
C.046.070.0350.AP	4.6	0.70	35.0	0.2187	14.98	20.22	yes	music wire	4E
C.046.070.0350.I	4.6	0.70	35.0	0.1300	20.79	23.58	yes	stainless steel	4C
C.046.075.0064.A	4.6	0.75	6.4	2.0485	3.98	4.49	yes	music wire	4E
C.046.075.0064.AF	4.6	0.75	6.4	1.6300	4.50	4.87	yes	music wire	4C
C.046.075.0064.I	4.6	0.75	6.4	1.7595	3.98	4.50	yes	stainless steel	4F
C.046.075.0064.N	4.6	0.75	6.4	2.0485	3.98	4.49	yes	Zn coating	4G
C.046.075.0064.NF	4.6	0.75	6.4	1.6300	4.50	4.87	yes	Zn coating	4E
C.046.075.0079.A	4.6	0.75	7.9	1.2430	5.25	5.72	yes	music wire	4C
C.046.075.0079.I	4.6	0.75	7.9	1.1798	4.95	5.38	yes	stainless steel	4F
C.046.075.0079.N	4.6	0.75	7.9	1.2430	5.25	5.72	yes	Zn coating	4E
C.046.075.0097.A	4.6	0.75	9.7	0.9720	6.23	6.84	yes	music wire	4C
C.046.075.0097.I	4.6	0.75	9.7	0.9461	5.70	6.23	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.046.075.0097.N	4.6	0.75	9.7	0.9720	6.23	6.84	yes	Zn coating	4E
C.046.075.0112.A	4.6	0.75	11.2	0.8200	7.05	7.77	yes	music wire	4C
C.046.075.0112.I	4.6	0.75	11.2	0.7896	6.45	7.09	yes	stainless steel	4F
C.046.075.0112.N	4.6	0.75	11.2	0.8200	7.05	7.77	yes	Zn coating	4E
C.046.075.0127.A	4.6	0.75	12.7	0.7090	7.88	8.72	yes	music wire	4C
C.046.075.0127.I	4.6	0.75	12.7	0.6776	7.28	8.03	yes	stainless steel	4F
C.046.075.0127.N	4.6	0.75	12.7	0.7090	7.88	8.72	yes	Zn coating	4E
C.046.075.0142.A	4.6	0.75	14.2	0.6230	8.70	9.65	yes	music wire	4C
C.046.075.0142.I	4.6	0.75	14.2	0.5934	8.03	8.89	yes	stainless steel	4F
C.046.075.0142.N	4.6	0.75	14.2	0.6230	8.70	9.65	yes	Zn coating	4E
C.046.075.0157.A	4.6	0.75	15.7	0.6145	8.78	9.74	yes	music wire	4E
C.046.075.0157.I	4.6	0.75	15.7	0.5278	8.78	9.74	yes	stainless steel	4F
C.046.075.0157.N	4.6	0.75	15.7	0.6145	8.78	9.74	yes	Zn coating	4G
C.046.075.0175.A	4.6	0.75	17.5	0.4960	10.43	11.62	yes	music wire	4C
C.046.075.0175.I	4.6	0.75	17.5	0.4753	9.53	10.60	yes	stainless steel	4F
C.046.075.0175.N	4.6	0.75	17.5	0.4960	10.43	11.62	yes	Zn coating	4E
C.046.075.0190.A	4.6	0.75	19.0	0.4520	11.25	12.56	yes	music wire	4C
C.046.075.0190.I	4.6	0.75	19.0	0.4322	10.28	11.45	yes	stainless steel	4F
C.046.075.0190.N	4.6	0.75	19.0	0.4520	11.25	12.56	yes	Zn coating	4E
C.046.075.0206.A	4.6	0.75	20.6	0.4170	12.00	13.41	yes	music wire	4C
C.046.075.0206.I	4.6	0.75	20.6	0.3964	11.03	12.31	yes	stainless steel	4F
C.046.075.0206.N	4.6	0.75	20.6	0.4170	12.00	13.41	yes	Zn coating	4E
C.046.075.0224.A	4.6	0.75	22.4	0.3820	12.98	14.53	yes	music wire	4C
C.046.075.0224.I	4.6	0.75	22.4	0.3660	11.85	13.29	yes	stainless steel	4F
C.046.075.0224.N	4.6	0.75	22.4	0.3820	12.98	14.53	yes	Zn coating	4E
C.046.075.0239.A	4.6	0.75	23.9	0.3958	12.60	14.10	yes	music wire	4E
C.046.075.0239.I	4.6	0.75	23.9	0.3399	12.60	14.10	yes	stainless steel	4F
C.046.075.0239.N	4.6	0.75	23.9	0.3958	12.60	14.10	yes	Zn coating	4G
C.046.075.0254.A	4.6	0.75	25.4	0.3330	14.63	16.41	yes	music wire	4C
C.046.075.0254.I	4.6	0.75	25.4	0.3173	13.35	14.95	yes	stainless steel	4F
C.046.075.0254.N	4.6	0.75	25.4	0.3330	14.63	16.41	yes	Zn coating	4E
C.046.075.0279.A	4.6	0.75	27.9	0.3220	15.00	16.83	yes	music wire	4E
C.046.075.0279.I	4.6	0.75	27.9	0.2801	14.85	16.66	yes	stainless steel	4F
C.046.075.0284.A	4.6	0.75	28.4	0.3261	14.85	16.66	yes	music wire	4E
C.046.075.0284.I	4.6	0.75	28.4	0.2837	14.70	16.64	yes	stainless steel	4F
C.046.075.0284.N	4.6	0.75	28.4	0.3261	14.85	16.66	yes	Zn coating	4G
C.046.075.0305.A	4.6	0.75	30.5	0.2881	16.58	18.63	yes	music wire	4E
C.046.075.0305.I	4.6	0.75	30.5	0.2500	16.43	18.46	yes	stainless steel	4F
C.046.075.0318.A	4.6	0.75	31.8	0.2919	16.43	18.46	yes	music wire	4E
C.046.075.0318.I	4.6	0.75	31.8	0.2539	16.20	18.66	yes	stainless steel	4F
C.046.075.0318.N	4.6	0.75	31.8	0.2919	16.43	18.46	yes	Zn coating	4G
C.046.075.0351.A	4.6	0.75	35.1	0.2641	17.93	20.32	yes	music wire	4E
C.046.075.0351.I	4.6	0.75	35.1	0.2298	17.70	20.58	yes	stainless steel	4F
C.046.075.0351.N	4.6	0.75	35.1	0.2641	17.93	20.32	yes	Zn coating	4G
C.046.075.0356.A	4.6	0.75	35.6	0.2608	18.15	20.63	yes	music wire	4E
C.046.075.0356.I	4.6	0.75	35.6	0.2269	17.93	20.90	yes	stainless steel	4F
C.046.075.0381.A	4.6	0.75	38.1	0.2412	19.43	21.91	yes	music wire	4E
C.046.075.0381.I	4.6	0.75	38.1	0.2072	19.43	22.00	yes	stainless steel	4F
C.046.075.0381.N	4.6	0.75	38.1	0.2412	19.43	21.91	yes	Zn coating	4G
C.046.075.0444.A	4.6	0.75	44.4	0.2056	22.50	25.40	yes	music wire	4E
C.046.075.0444.I	4.6	0.75	44.4	0.1788	22.20	25.75	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.046.075.0444.N	4.6	0.75	44.4	0.2056	22.50	25.40	yes	Zn coating	4H
C.046.075.0457.A	4.6	0.75	45.7	0.2029	22.73	26.46	yes	music wire	4E
C.046.075.0457.I	4.6	0.75	45.7	0.1765	22.50	26.80	yes	stainless steel	4F
C.046.075.0508.A	4.6	0.75	50.8	0.1791	25.50	28.99	yes	music wire	4E
C.046.075.0508.I	4.6	0.75	50.8	0.1538	25.50	29.11	yes	stainless steel	4F
C.046.075.0508.N	4.6	0.75	50.8	0.1791	25.50	28.99	yes	Zn coating	4H
C.046.080.0079.A	4.6	0.80	7.9	2.1490	4.80	5.73	yes	music wire	4H
C.046.080.0079.I	4.6	0.80	7.9	1.7809	4.96	5.66	yes	stainless steel	4F
C.046.080.0079.N	4.6	0.80	7.9	2.1490	4.80	5.73	yes	Zn coating	4I
C.046.080.0112.A	4.6	0.80	11.2	1.3570	6.48	7.77	yes	music wire	4E
C.046.080.0112.I	4.6	0.80	11.2	1.1089	6.72	7.61	yes	stainless steel	4F
C.046.080.0112.N	4.6	0.80	11.2	1.3570	6.48	7.77	yes	Zn coating	4G
C.046.080.0142.A	4.6	0.80	14.2	1.0310	7.92	9.69	yes	music wire	4E
C.046.080.0142.I	4.6	0.80	14.2	0.8379	8.24	9.45	yes	stainless steel	4F
C.046.080.0142.N	4.6	0.80	14.2	1.0310	7.92	9.69	yes	Zn coating	4G
C.046.080.0175.A	4.6	0.80	17.5	0.8320	9.28	11.90	yes	music wire	4H
C.046.080.0175.I	4.6	0.80	17.5	0.6520	10.00	11.39	yes	stainless steel	4F
C.046.080.0175.N	4.6	0.80	17.5	0.8320	9.28	11.90	yes	Zn coating	4I
C.046.080.0190.A	4.6	0.80	19.0	0.7230	10.40	12.56	yes	music wire	4E
C.046.080.0190.I	4.6	0.80	19.0	0.5628	11.28	12.52	yes	stainless steel	4F
C.046.080.0190.N	4.6	0.80	19.0	0.7230	10.40	12.56	yes	Zn coating	4G
C.046.080.0224.A	4.6	0.80	22.4	0.5870	12.40	14.47	yes	music wire	4E
C.046.080.0224.I	4.6	0.80	22.4	0.4618	13.28	14.79	yes	stainless steel	4F
C.046.080.0224.N	4.6	0.80	22.4	0.5870	12.40	14.47	yes	Zn coating	4G
C.046.080.0239.A	4.6	0.80	23.9	0.4870	14.48	16.15	yes	music wire	4C
C.046.080.0239.I	4.6	0.80	23.9	0.4237	14.32	15.97	yes	stainless steel	4F
C.046.080.0240.A	4.6	0.80	24.0	0.5480	13.12	15.51	yes	music wire	4E
C.046.080.0240.I	4.6	0.80	24.0	0.4768	12.96	15.65	yes	stainless steel	4F
C.046.080.0240.N	4.6	0.80	24.0	0.5480	13.12	15.51	yes	Zn coating	4G
C.046.080.0280.A	4.6	0.80	28.0	0.4347	16.00	17.87	yes	music wire	4E
C.046.080.0280.I	4.6	0.80	28.0	0.3782	15.84	17.69	yes	stainless steel	4F
C.046.080.0285.A	4.6	0.80	28.5	0.4480	15.60	18.11	yes	music wire	4E
C.046.080.0285.I	4.6	0.80	28.5	0.3898	15.44	18.28	yes	stainless steel	4F
C.046.080.0285.N	4.6	0.80	28.5	0.4480	15.60	18.11	yes	Zn coating	4G
C.046.080.0290.A	4.6	0.80	29.0	0.4368	15.92	18.34	yes	music wire	4E
C.046.080.0290.I	4.6	0.80	29.0	0.3800	15.76	18.52	yes	stainless steel	4F
C.046.080.0305.A	4.6	0.80	30.5	0.3607	18.88	21.14	yes	music wire	4C
C.046.080.0305.I	4.6	0.80	30.5	0.3138	18.64	20.87	yes	stainless steel	4C
C.046.080.0351.A	4.6	0.80	35.1	0.3301	20.40	22.86	yes	music wire	4E
C.046.080.0351.I	4.6	0.80	35.1	0.2872	20.16	22.59	yes	stainless steel	4F
C.046.080.0351.N	4.6	0.80	35.1	0.3301	20.40	22.86	yes	Zn coating	4G
C.046.080.0356.A	4.6	0.80	35.6	0.3259	20.64	23.13	yes	music wire	4E
C.046.080.0356.I	4.6	0.80	35.6	0.2836	20.40	22.86	yes	stainless steel	4F
C.046.080.0381.A	4.6	0.80	38.1	0.3011	22.24	24.95	yes	music wire	4E
C.046.080.0381.I	4.6	0.80	38.1	0.2586	22.24	24.95	yes	stainless steel	4F
C.046.080.0381.N	4.6	0.80	38.1	0.3011	22.24	24.95	yes	Zn coating	4H
C.046.080.0444.A	4.6	0.80	44.4	0.2588	25.52	28.67	yes	music wire	4E
C.046.080.0444.I	4.6	0.80	44.4	0.2223	25.52	28.67	yes	stainless steel	4F
C.046.080.0444.N	4.6	0.80	44.4	0.2588	25.52	28.67	yes	Zn coating	4H
C.046.080.0510.A	4.6	0.80	51.0	0.2450	26.80	32.00	yes	music wire	4E
C.046.080.0510.I	4.6	0.80	51.0	0.2132	26.48	32.31	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.046.080.0510.N	4.6	0.80	51.0	0.2450	26.80	32.00	yes	Zn coating	4H
C.046.090.0112.A	4.6	0.90	11.2	2.0080	8.19	8.93	yes	music wire	4C
C.046.090.0112.I	4.6	0.90	11.2	1.8792	7.65	8.33	yes	stainless steel	4F
C.046.090.0112.N	4.6	0.90	11.2	2.0080	8.19	8.93	yes	Zn coating	4E
C.046.090.0127.A	4.6	0.90	12.7	1.7280	9.09	9.95	yes	music wire	4C
C.046.090.0127.I	4.6	0.90	12.7	1.5829	8.73	9.54	yes	stainless steel	4F
C.046.090.0127.N	4.6	0.90	12.7	1.7280	9.09	9.95	yes	Zn coating	4E
C.046.090.0142.A	4.6	0.90	14.2	1.5160	10.08	11.06	yes	music wire	4C
C.046.090.0142.I	4.6	0.90	14.2	1.4155	9.45	10.35	yes	stainless steel	4F
C.046.090.0142.N	4.6	0.90	14.2	1.5160	10.08	11.06	yes	Zn coating	4E
C.046.090.0160.A	4.6	0.90	16.0	1.2644	11.61	12.78	yes	music wire	4C
C.046.090.0160.I	4.6	0.90	16.0	1.1000	11.52	12.68	yes	stainless steel	4C
C.046.090.0175.A	4.6	0.90	17.5	1.2000	12.15	13.39	yes	music wire	4E
C.046.090.0175.I	4.6	0.90	17.5	1.1042	11.52	12.68	yes	stainless steel	4F
C.046.090.0175.N	4.6	0.90	17.5	1.2000	12.15	13.39	yes	Zn coating	4G
C.046.090.0190.A	4.6	0.90	19.0	1.0930	13.14	14.51	yes	music wire	4E
C.046.090.0190.I	4.6	0.90	19.0	1.0200	12.24	13.62	yes	stainless steel	4F
C.046.090.0190.N	4.6	0.90	19.0	1.0930	13.14	14.51	yes	Zn coating	4G
C.046.090.0206.A	4.6	0.90	20.6	1.0050	14.04	15.52	yes	music wire	4E
C.046.090.0206.I	4.6	0.90	20.6	0.9260	13.23	14.67	yes	stainless steel	4F
C.046.090.0206.N	4.6	0.90	20.6	1.0050	14.04	15.52	yes	Zn coating	4G
C.046.090.0224.A	4.6	0.90	22.4	0.9180	15.21	16.83	yes	music wire	4E
C.046.090.0224.I	4.6	0.90	22.4	0.8478	14.31	15.93	yes	stainless steel	4F
C.046.090.0224.N	4.6	0.90	22.4	0.9180	15.21	16.83	yes	Zn coating	4G
C.046.090.0230.A	4.6	0.90	23.0	0.8197	16.74	18.56	yes	music wire	4C
C.046.090.0230.AP	4.6	0.90	23.0	0.9766	14.40	16.45	yes	music wire	4E
C.046.090.0230.I	4.6	0.90	23.0	0.7132	16.56	18.35	yes	stainless steel	4C
C.046.090.0254.A	4.6	0.90	25.4	0.8000	17.10	18.96	yes	music wire	4E
C.046.090.0254.I	4.6	0.90	25.4	0.7386	16.02	17.97	yes	stainless steel	4F
C.046.090.0254.N	4.6	0.90	25.4	0.8000	17.10	18.96	yes	Zn coating	4H
C.046.090.0279.A	4.6	0.90	27.9	0.7500	18.09	20.08	yes	music wire	4E
C.046.090.0279.I	4.6	0.90	27.9	0.6544	17.82	19.77	yes	stainless steel	4F
C.046.090.0284.A	4.6	0.90	28.4	0.7619	17.82	20.01	yes	music wire	4E
C.046.090.0284.I	4.6	0.90	28.4	0.6628	17.64	20.12	yes	stainless steel	4F
C.046.090.0284.N	4.6	0.90	28.4	0.7619	17.82	20.01	yes	Zn coating	4H
C.046.090.0290.A	4.6	0.90	29.0	0.6897	19.44	21.59	yes	music wire	4E
C.046.090.0290.I	4.6	0.90	29.0	0.6000	19.26	21.39	yes	stainless steel	4F
C.046.090.0305.A	4.6	0.90	30.5	0.6751	19.80	22.00	yes	music wire	4E
C.046.090.0305.I	4.6	0.90	30.5	0.5874	19.62	21.80	yes	stainless steel	4F
C.046.090.0318.A	4.6	0.90	31.8	0.6839	19.62	22.45	yes	music wire	4E
C.046.090.0318.I	4.6	0.90	31.8	0.5950	19.35	22.58	yes	stainless steel	4F
C.046.090.0318.N	4.6	0.90	31.8	0.6839	19.62	22.45	yes	Zn coating	4H
C.046.090.0320.A	4.6	0.90	32.0	0.6207	21.42	23.82	yes	music wire	4E
C.046.090.0320.I	4.6	0.90	32.0	0.5400	21.15	23.52	yes	stainless steel	4F
C.046.090.0350.A	4.6	0.90	35.0	0.5698	23.13	25.75	yes	music wire	4E
C.046.090.0350.I	4.6	0.90	35.0	0.4746	23.76	26.46	yes	stainless steel	4C
C.046.090.0381.A	4.6	0.90	38.1	0.5608	23.40	26.70	yes	music wire	4E
C.046.090.0381.I	4.6	0.90	38.1	0.4817	23.40	26.71	yes	stainless steel	4F
C.046.090.0381.N	4.6	0.90	38.1	0.5608	23.40	26.70	yes	Zn coating	4H
C.046.090.0444.A	4.6	0.90	44.4	0.4802	27.00	31.08	yes	music wire	4F
C.046.090.0444.I	4.6	0.90	44.4	0.4178	26.64	31.26	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.046.090.0444.N	4.6	0.90	44.4	0.4802	27.00	31.08	yes	Zn coating	4H
C.046.090.0457.A	4.6	0.90	45.7	0.4741	27.27	32.21	yes	music wire	4F
C.046.090.0457.I	4.6	0.90	45.7	0.4124	27.00	32.40	yes	stainless steel	4I
C.046.090.0508.A	4.6	0.90	50.8	0.4161	30.78	35.43	yes	music wire	4F
C.046.090.0508.I	4.6	0.90	50.8	0.3574	30.78	35.45	yes	stainless steel	4F
C.046.090.0508.N	4.6	0.90	50.8	0.4161	30.78	35.43	yes	Zn coating	4H
C.046.090.0570.A	4.6	0.90	57.0	0.3413	37.08	41.45	yes	music wire	4F
C.046.090.0570.I	4.6	0.90	57.0	0.2843	38.16	42.66	yes	stainless steel	4C
C.046.100.0063.A	4.7	1.00	6.3	6.6550	5.60	5.97	yes	music wire	4C
C.046.100.0080.A	4.7	1.00	8.0	4.8400	6.80	7.32	yes	music wire	4C
C.046.100.0100.A	4.7	1.00	10.0	3.5200	8.50	9.22	yes	music wire	4C
C.046.100.0125.A	4.7	1.00	12.5	2.5000	10.90	11.91	yes	music wire	4C
C.046.100.0160.A	4.7	1.00	16.0	2.0000	13.00	14.26	yes	music wire	4C
C.046.100.0200.A	4.7	1.00	20.0	1.6000	15.60	17.17	yes	music wire	4C
C.046.100.0250.A	4.7	1.00	25.0	1.2500	19.30	21.32	yes	music wire	4C
C.046.100.0320.A	4.7	1.00	32.0	1.0000	23.50	26.02	yes	music wire	4C
C.046.100.0400.A	4.7	1.00	40.0	0.8000	28.70	31.84	yes	music wire	4C
C.046.100.0500.A	4.7	1.00	50.0	0.6349	35.50	39.46	yes	music wire	4C
C.046.100.0630.A	4.7	1.00	63.0	0.5000	44.40	49.43	yes	music wire	4C
C.047.025.0044.A	4.7	0.25	4.4	0.0133	1.73	2.22	no	music wire	4C
C.047.025.0044.AP	4.7	0.25	4.4	0.0408	1.15	1.31	no	music wire	4C
C.047.025.0044.I	4.7	0.25	4.4	0.0114	1.73	2.22	no	stainless steel	4C
C.047.025.0080.A	4.7	0.25	8.0	0.0085	2.20	2.96	no	music wire	4C
C.047.025.0080.I	4.7	0.25	8.0	0.0073	2.20	2.96	no	stainless steel	4C
C.047.025.0150.A	4.7	0.25	15.0	0.0055	2.93	4.11	no	music wire	4C
C.047.025.0150.I	4.7	0.25	15.0	0.0047	2.95	4.14	no	stainless steel	4C
C.047.025.0150.N	4.7	0.25	15.0	0.0055	2.93	4.11	no	Zn coating	4D
C.047.025.0221.A	4.7	0.25	22.1	0.0037	3.93	5.68	no	music wire	4C
C.047.025.0221.I	4.7	0.25	22.1	0.0032	3.90	5.64	no	stainless steel	4C
C.047.025.0292.A	4.7	0.25	29.2	0.0025	5.40	8.00	no	music wire	4C
C.047.025.0292.I	4.7	0.25	29.2	0.0021	5.50	8.16	no	stainless steel	4C
C.047.030.0064.A	4.7	0.30	6.4	0.0140	3.12	3.99	no	music wire	4C
C.047.030.0064.I	4.7	0.30	6.4	0.0122	3.09	3.95	no	stainless steel	4C
C.047.045.0170.A	4.7	0.45	17.0	0.0670	4.77	5.62	yes	music wire	4B
C.047.045.0170.AP	4.7	0.45	17.0	0.0950	3.69	7.26	yes	music wire	4D
C.047.045.0170.I	4.7	0.45	17.0	0.0583	4.73	5.57	yes	stainless steel	4C
C.047.045.0170.N	4.7	0.45	17.0	0.0670	4.77	5.62	yes	Zn coating	4C
C.047.070.0080.A	4.7	0.70	8.0	0.8000	5.11	5.61	yes	music wire	4C
C.047.070.0100.A	4.7	0.70	10.0	0.6400	5.95	6.58	yes	music wire	4C
C.047.070.0125.A	4.7	0.70	12.5	0.5000	7.07	7.86	yes	music wire	4C
C.047.070.0160.A	4.7	0.70	16.0	0.4000	8.47	9.47	yes	music wire	4C
C.047.070.0200.A	4.7	0.70	20.0	0.3200	10.08	11.32	yes	music wire	4C
C.047.070.0250.A	4.7	0.70	25.0	0.2540	12.25	13.81	yes	music wire	4C
C.047.070.0320.A	4.7	0.70	32.0	0.2000	15.12	17.11	yes	music wire	4C
C.047.070.0400.A	4.7	0.70	40.0	0.1600	18.48	20.97	yes	music wire	4C
C.047.070.0500.A	4.7	0.70	50.0	0.1280	22.68	25.80	yes	music wire	4C
C.047.070.0630.A	4.7	0.70	63.0	0.1000	28.49	32.47	yes	music wire	4E
C.047.070.0630.I	4.7	0.70	63.0	0.0870	28.14	32.07	yes	stainless steel	4F
C.047.070.0630.N	4.7	0.70	63.0	0.1000	28.49	32.47	yes	Zn coating	4H
C.047.070.0800.A	4.7	0.70	80.0	0.0800	35.21	40.37	yes	music wire	4F
C.047.070.0800.I	4.7	0.70	80.0	0.0696	34.79	41.15	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.047.070.0800.N	4.7	0.70	80.0	0.0800	35.21	40.37	yes	Zn coating	4H
C.047.070.1000.A	4.7	0.70	100.0	0.0625	44.59	50.97	yes	music wire	4F
C.047.070.1000.I	4.7	0.70	100.0	0.0544	44.03	50.33	yes	stainless steel	4F
C.047.070.1000.N	4.7	0.70	100.0	0.0625	44.59	50.97	yes	Zn coating	4H
C.047.070.1530.A	4.7	0.70	153.0	0.0390	70.35	80.57	yes	music wire	4F
C.047.070.1530.I	4.7	0.70	153.0	0.0339	69.44	79.52	yes	stainless steel	4G
C.047.070.1530.N	4.7	0.70	153.0	0.0390	70.35	80.57	yes	Zn coating	4I
C.047.070.1700.A	4.7	0.70	170.0	0.0360	76.09	87.17	yes	music wire	4G
C.047.070.1700.I	4.7	0.70	170.0	0.0313	75.11	86.04	yes	stainless steel	4G
C.047.070.1700.N	4.7	0.70	170.0	0.0360	76.09	87.17	yes	Zn coating	4I
C.047.100.0063.A	4.7	1.00	6.3	5.0000	6.30	6.30	yes	music wire	4C
C.047.100.0063.AP	4.7	1.00	6.3	7.1830	5.30	5.64	yes	music wire	4C
C.047.100.0063.I	4.7	1.00	6.3	4.3500	6.30	6.30	yes	stainless steel	4C
C.047.100.0063.N	4.7	1.00	6.3	5.0000	6.30	6.30	yes	Zn coating	4E
C.047.100.0125.A	4.7	1.00	12.5	2.5000	10.50	11.46	yes	music wire	4C
C.047.100.0125.AP	4.7	1.00	12.5	2.9577	9.30	10.12	yes	music wire	4E
C.047.100.0125.I	4.7	1.00	12.5	2.1750	10.40	11.35	yes	stainless steel	4C
C.047.100.0125.N	4.7	1.00	12.5	2.5000	10.50	11.46	yes	Zn coating	4E
C.047.100.0200.A	4.7	1.00	20.0	1.5625	15.40	16.95	yes	music wire	4C
C.047.100.0200.I	4.7	1.00	20.0	1.3594	15.20	16.73	yes	stainless steel	4C
C.047.100.0200.N	4.7	1.00	20.0	1.5625	15.40	16.95	yes	Zn coating	4E
C.047.100.0250.A	4.7	1.00	25.0	1.2500	18.60	20.54	yes	music wire	4C
C.047.100.0250.I	4.7	1.00	25.0	1.0875	18.40	20.32	yes	stainless steel	4F
C.047.100.0250.N	4.7	1.00	25.0	1.2500	18.60	20.54	yes	Zn coating	4E
C.047.100.0320.A	4.7	1.00	32.0	1.0000	22.60	25.02	yes	music wire	4F
C.047.100.0320.I	4.7	1.00	32.0	0.8700	22.40	24.80	yes	stainless steel	4F
C.047.100.0320.N	4.7	1.00	32.0	1.0000	22.60	25.02	yes	Zn coating	4H
C.047.100.0400.A	4.7	1.00	40.0	0.7937	27.80	30.85	yes	music wire	4F
C.047.100.0400.I	4.7	1.00	40.0	0.6905	27.50	30.51	yes	stainless steel	4F
C.047.100.0400.N	4.7	1.00	40.0	0.7937	27.80	30.85	yes	Zn coating	4H
C.047.100.0500.A	4.7	1.00	50.0	0.6250	34.70	38.58	yes	music wire	4F
C.047.100.0500.I	4.7	1.00	50.0	0.5438	34.30	38.13	yes	stainless steel	4F
C.047.100.0500.N	4.7	1.00	50.0	0.6250	34.70	38.58	yes	Zn coating	4H
C.047.100.0630.A	4.7	1.00	63.0	0.5000	42.70	47.55	yes	music wire	4F
C.047.100.0630.I	4.7	1.00	63.0	0.4350	42.20	46.99	yes	stainless steel	4F
C.047.100.0630.N	4.7	1.00	63.0	0.5000	42.70	47.55	yes	Zn coating	4H
C.048.020.0079.A	4.8	0.20	7.9	0.0060	1.26	1.76	no	music wire	4C
C.048.020.0079.I	4.8	0.20	7.9	0.0052	1.26	1.76	no	stainless steel	4C
C.048.020.0095.A	4.8	0.20	9.5	0.0023	2.16	3.46	no	music wire	4C
C.048.020.0095.I	4.8	0.20	9.5	0.0020	2.14	3.43	no	stainless steel	4C
C.048.020.0159.A	4.8	0.20	15.9	0.0034	1.68	2.56	no	music wire	4C
C.048.020.0159.I	4.8	0.20	15.9	0.0030	1.66	2.52	no	stainless steel	4C
C.048.030.0079.A	4.8	0.30	7.9	0.0230	2.22	2.73	no	music wire	4C
C.048.030.0079.I	4.8	0.30	7.9	0.0200	2.22	2.73	no	stainless steel	4C
C.048.030.0087.A	4.8	0.30	8.7	0.0172	2.64	3.34	no	music wire	4C
C.048.030.0087.I	4.8	0.30	8.7	0.0150	2.61	3.29	no	stainless steel	4C
C.048.030.0095.A	4.8	0.30	9.5	0.0190	2.49	3.12	no	music wire	4C
C.048.030.0095.I	4.8	0.30	9.5	0.0130	2.85	3.64	no	stainless steel	4C
C.048.030.0111.A	4.8	0.30	11.1	0.0270	2.07	2.52	no	music wire	4C
C.048.030.0111.I	4.8	0.30	11.1	0.0150	2.61	3.29	no	stainless steel	4C
C.048.030.0127.A	4.8	0.30	12.7	0.0046	6.96	9.55	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.048.030.0127.I	4.8	0.30	12.7	0.0040	6.87	9.42	no	stainless steel	4C
C.048.030.0159.A	4.8	0.30	15.9	0.0103	3.69	4.84	no	music wire	4C
C.048.030.0159.I	4.8	0.30	15.9	0.0090	3.63	4.76	no	stainless steel	4C
C.048.030.0167.A	4.8	0.30	16.7	0.0046	6.96	9.55	no	music wire	4C
C.048.030.0167.I	4.8	0.30	16.7	0.0040	6.87	9.42	no	stainless steel	4C
C.048.030.0191.A	4.8	0.30	19.1	0.0092	3.99	5.28	no	music wire	4C
C.048.030.0191.I	4.8	0.30	19.1	0.0080	3.96	5.23	no	stainless steel	4C
C.048.030.0198.A	4.8	0.30	19.8	0.0050	6.48	8.86	no	music wire	4C
C.048.030.0198.I	4.8	0.30	19.8	0.0044	6.42	8.77	no	stainless steel	4C
C.048.030.0250.A	4.8	0.30	25.0	0.0034	8.94	12.39	no	music wire	4C
C.048.030.0250.I	4.8	0.30	25.0	0.0030	8.82	12.22	no	stainless steel	4C
C.048.030.0410.A	4.8	0.30	41.0	0.0030	10.11	14.07	no	music wire	4C
C.048.030.0410.I	4.8	0.30	41.0	0.0026	9.99	13.90	no	stainless steel	4C
C.048.030.0500.A	4.8	0.30	50.0	0.0011	24.69	35.03	no	music wire	4C
C.048.030.0500.I	4.8	0.30	50.0	0.0010	24.39	34.60	no	stainless steel	4C
C.048.040.0064.A	4.8	0.40	6.4	0.0908	2.36	2.74	yes	music wire	4B
C.048.040.0064.I	4.8	0.40	6.4	0.0790	2.32	2.69	yes	stainless steel	4B
C.048.040.0079.A	4.8	0.40	7.9	0.0310	4.96	6.07	yes	music wire	4B
C.048.040.0079.I	4.8	0.40	7.9	0.0270	4.88	5.97	yes	stainless steel	4B
C.048.040.0087.A	4.8	0.40	8.7	0.0736	2.68	3.15	yes	music wire	4B
C.048.040.0087.AP	4.8	0.40	8.7	0.1324	1.92	3.78	yes	music wire	4D
C.048.040.0087.I	4.8	0.40	8.7	0.0640	2.64	3.10	yes	stainless steel	4B
C.048.040.0143.A	4.8	0.40	14.3	0.0126	10.68	13.40	yes	music wire	4B
C.048.040.0143.AP	4.8	0.40	14.3	0.0781	2.56	5.97	yes	music wire	4F
C.048.040.0143.I	4.8	0.40	14.3	0.0110	10.56	13.25	yes	stainless steel	4C
C.048.040.0159.A	4.8	0.40	15.9	0.0172	8.12	10.12	yes	music wire	4B
C.048.040.0159.AP	4.8	0.40	15.9	0.0692	2.76	6.50	yes	music wire	4D
C.048.040.0159.I	4.8	0.40	15.9	0.0150	8.00	9.97	yes	stainless steel	4C
C.048.040.0174.A	4.8	0.40	17.4	0.0103	12.84	16.17	yes	music wire	4B
C.048.040.0174.AP	4.8	0.40	17.4	0.0634	2.92	7.14	yes	music wire	4F
C.048.040.0174.I	4.8	0.40	17.4	0.0090	12.68	15.97	yes	stainless steel	4C
C.048.040.0191.A	4.8	0.40	19.1	0.0149	9.20	11.51	yes	music wire	4B
C.048.040.0191.AP	4.8	0.40	19.1	0.0574	3.12	7.77	yes	music wire	4F
C.048.040.0191.I	4.8	0.40	19.1	0.0130	9.08	11.35	yes	stainless steel	4C
C.048.040.0198.A	4.8	0.40	19.8	0.0253	5.84	7.20	yes	music wire	4B
C.048.040.0198.AP	4.8	0.40	19.8	0.0554	3.20	8.05	yes	music wire	4F
C.048.040.0198.I	4.8	0.40	19.8	0.0220	5.80	7.15	yes	stainless steel	4C
C.048.040.0210.A	4.8	0.40	21.0	0.0380	4.24	5.15	yes	music wire	4B
C.048.040.0210.I	4.8	0.40	21.0	0.0331	4.20	5.10	yes	stainless steel	4E
C.048.040.0220.A	4.8	0.40	22.0	0.0069	18.76	18.76	yes	music wire	4B
C.048.040.0220.AP	4.8	0.40	22.0	0.0491	3.48	8.75	yes	music wire	4D
C.048.040.0220.I	4.8	0.40	22.0	0.0060	18.52	18.52	yes	stainless steel	4C
C.048.040.0230.A	4.8	0.40	23.0	0.0530	3.32	10.72	yes	music wire	4F
C.048.040.0250.A	4.8	0.40	25.0	0.0070	18.48	23.40	yes	music wire	4B
C.048.040.0250.AP	4.8	0.40	25.0	0.0429	3.84	9.83	yes	music wire	4D
C.048.040.0250.I	4.8	0.40	25.0	0.0061	18.28	23.14	yes	stainless steel	4C
C.048.040.0270.A	4.8	0.40	27.0	0.0149	9.20	11.51	yes	music wire	4B
C.048.040.0270.AP	4.8	0.40	27.0	0.0395	4.08	10.54	yes	music wire	4D
C.048.040.0270.I	4.8	0.40	27.0	0.0130	9.08	11.35	yes	stainless steel	4C
C.048.040.0290.A	4.8	0.40	29.0	0.0414	3.96	13.28	yes	music wire	4G
C.048.050.0080.A	4.8	0.50	8.0	0.2000	3.25	3.67	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.048.050.0100.A	4.8	0.50	10.0	0.1556	3.80	4.34	yes	music wire	4B
C.048.050.0111.A	4.8	0.50	11.1	0.1100	4.90	5.67	yes	music wire	4B
C.048.050.0111.AP	4.8	0.50	11.1	0.2044	3.20	5.13	yes	music wire	4D
C.048.050.0111.I	4.8	0.50	11.1	0.0957	4.85	5.61	yes	stainless steel	4C
C.048.050.0125.A	4.8	0.50	12.5	0.1244	4.45	5.13	yes	music wire	4B
C.048.050.0143.A	4.8	0.50	14.3	0.0770	6.45	7.55	yes	music wire	4B
C.048.050.0143.AP	4.8	0.50	14.3	0.1563	3.80	6.50	yes	music wire	4D
C.048.050.0143.I	4.8	0.50	14.3	0.0670	6.40	7.49	yes	stainless steel	4C
C.048.050.0160.A	4.8	0.50	16.0	0.1000	5.25	6.09	yes	music wire	4B
C.048.050.0200.A	4.8	0.50	20.0	0.0800	6.25	7.30	yes	music wire	4B
C.048.050.0250.A	4.8	0.50	25.0	0.0622	7.70	9.06	yes	music wire	4B
C.048.050.0280.A	4.8	0.50	28.0	0.0437	10.40	12.33	yes	music wire	4B
C.048.050.0280.AP	4.8	0.50	28.0	0.0774	6.40	12.24	yes	music wire	4D
C.048.050.0280.I	4.8	0.50	28.0	0.0380	10.30	12.21	yes	stainless steel	4C
C.048.050.0320.A	4.8	0.50	32.0	0.0500	9.25	10.94	yes	music wire	4B
C.048.050.0400.A	4.8	0.50	40.0	0.0400	11.25	13.36	yes	music wire	4B
C.048.050.0430.A	4.8	0.50	43.0	0.0430	10.55	14.64	yes	music wire	4E
C.048.050.0430.I	4.8	0.50	43.0	0.0374	10.45	15.41	yes	stainless steel	4E
C.048.050.0500.A	4.8	0.50	50.0	0.0311	14.10	16.81	yes	music wire	4B
C.048.050.0630.A	4.8	0.50	63.0	0.0250	17.25	20.63	yes	music wire	4C
C.048.050.0630.I	4.8	0.50	63.0	0.0218	17.05	20.38	yes	stainless steel	4C
C.048.050.0630.N	4.8	0.50	63.0	0.0250	17.25	20.63	yes	Zn coating	4D
C.048.050.0650.A	4.8	0.50	65.0	0.0230	18.65	22.32	yes	music wire	4C
C.048.050.0650.AP	4.8	0.50	65.0	0.0328	13.45	27.83	yes	music wire	4E
C.048.050.0650.I	4.8	0.50	65.0	0.0200	18.45	22.08	yes	stainless steel	4C
C.048.050.0800.A	4.8	0.50	80.0	0.0194	21.90	26.26	yes	music wire	4C
C.048.050.0800.I	4.8	0.50	80.0	0.0169	21.65	25.95	yes	stainless steel	4C
C.048.050.0800.N	4.8	0.50	80.0	0.0194	21.90	26.26	yes	Zn coating	4D
C.048.050.1000.A	4.8	0.50	100.0	0.0156	26.90	32.31	yes	music wire	4C
C.048.050.1000.I	4.8	0.50	100.0	0.0136	26.60	31.95	yes	stainless steel	4C
C.048.050.1000.N	4.8	0.50	100.0	0.0156	26.90	32.31	yes	Zn coating	4D
C.048.050.1020.A	4.8	0.50	102.0	0.0218	19.60	46.16	yes	music wire	4G
C.048.050.1020.I	4.8	0.50	102.0	0.0190	19.35	47.67	yes	stainless steel	4G
C.048.050.1250.A	4.8	0.50	125.0	0.0125	33.30	40.06	yes	music wire	4C
C.048.050.1250.I	4.8	0.50	125.0	0.0109	32.85	39.52	yes	stainless steel	4C
C.048.050.1250.N	4.8	0.50	125.0	0.0125	33.30	40.06	yes	Zn coating	4D
C.048.060.0048.A	4.8	0.60	4.8	1.2644	2.34	3.19	yes	music wire	4G
C.048.060.0048.I	4.8	0.60	4.8	1.1000	2.34	3.23	yes	stainless steel	4H
C.048.060.0110.A	4.8	0.60	11.0	0.3300	4.74	5.30	yes	music wire	4E
C.048.060.0110.I	4.8	0.60	11.0	0.2871	4.68	5.23	yes	stainless steel	4E
C.048.060.0110.N	4.8	0.60	11.0	0.3300	4.74	5.30	yes	Zn coating	4G
C.048.060.0111.A	4.8	0.60	11.1	0.2200	6.36	7.20	yes	music wire	4C
C.048.060.0111.AP	4.8	0.60	11.1	0.3860	4.26	5.84	yes	music wire	4E
C.048.060.0111.I	4.8	0.60	11.1	0.1914	6.30	7.13	yes	stainless steel	4C
C.048.060.0220.A	4.8	0.60	22.0	0.1954	6.96	11.61	yes	music wire	4G
C.048.060.0220.I	4.8	0.60	22.0	0.1700	6.90	11.85	yes	stainless steel	4H
C.048.060.0350.A	4.8	0.60	35.0	0.1264	9.96	18.95	yes	music wire	4H
C.048.060.0350.I	4.8	0.60	35.0	0.1100	9.84	19.32	yes	stainless steel	4H
C.048.060.0360.A	4.8	0.60	36.0	0.1126	10.98	17.98	yes	music wire	4E
C.048.060.0360.I	4.8	0.60	36.0	0.0980	10.86	18.40	yes	stainless steel	4H
C.048.060.0800.A	4.8	0.60	80.0	0.0448	25.38	34.73	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.048.060.0800.I	4.8	0.60	80.0	0.0390	25.02	35.77	yes	stainless steel	4F
C.048.070.0095.A	4.8	0.70	9.5	0.8506	4.69	5.84	yes	music wire	4E
C.048.070.0095.I	4.8	0.70	9.5	0.7400	4.62	5.92	yes	stainless steel	4E
C.048.070.0360.A	4.8	0.70	36.0	0.1494	18.41	20.93	yes	music wire	4C
C.048.070.0360.AP	4.8	0.70	36.0	0.1966	14.35	20.18	yes	music wire	4E
C.048.070.0360.I	4.8	0.70	36.0	0.1300	18.13	20.61	yes	stainless steel	4C
C.048.070.0760.A	4.8	0.70	76.0	0.0470	54.60	62.60	yes	music wire	4C
C.048.070.0760.AP	4.8	0.70	76.0	0.0915	28.91	41.99	yes	music wire	4F
C.048.070.0760.I	4.8	0.70	76.0	0.0409	53.90	61.80	yes	stainless steel	4C
C.048.080.0069.A	4.8	0.80	6.9	1.8629	4.80	5.18	yes	music wire	4C
C.048.080.0069.I	4.8	0.80	6.9	1.6207	4.80	5.18	yes	stainless steel	4C
C.048.080.0069.N	4.8	0.80	6.9	1.8629	4.80	5.18	yes	Zn coating	4E
C.048.080.0097.A	4.8	0.80	9.7	1.1855	6.40	7.00	yes	music wire	4C
C.048.080.0097.I	4.8	0.80	9.7	1.0314	6.32	6.91	yes	stainless steel	4C
C.048.080.0097.N	4.8	0.80	9.7	1.1855	6.40	7.00	yes	Zn coating	4E
C.048.080.0140.A	4.8	0.80	14.0	0.7671	8.80	9.73	yes	music wire	4C
C.048.080.0140.I	4.8	0.80	14.0	0.6589	8.80	9.73	yes	stainless steel	4C
C.048.080.0140.N	4.8	0.80	14.0	0.7671	8.80	9.73	yes	Zn coating	4E
C.048.080.0170.A	4.8	0.80	17.0	0.6740	9.76	10.83	yes	music wire	4E
C.048.080.0170.I	4.8	0.80	17.0	0.5864	9.68	10.74	yes	stainless steel	4F
C.048.080.0170.N	4.8	0.80	17.0	0.6740	9.76	10.83	yes	Zn coating	4G
C.048.080.0195.A	4.8	0.80	19.5	0.5216	12.00	13.38	yes	music wire	4C
C.048.080.0195.I	4.8	0.80	19.5	0.4538	11.84	13.19	yes	stainless steel	4C
C.048.080.0195.N	4.8	0.80	19.5	0.5216	12.00	13.38	yes	Zn coating	4E
C.048.080.0270.A	4.8	0.80	27.0	0.3660	16.24	18.20	yes	music wire	4C
C.048.080.0270.AP	4.8	0.80	27.0	0.4488	13.60	17.01	yes	music wire	4E
C.048.080.0270.I	4.8	0.80	27.0	0.3184	16.08	18.02	yes	stainless steel	4C
C.048.080.0270.N	4.8	0.80	27.0	0.3660	16.24	18.20	yes	Zn coating	4E
C.048.080.0280.A	4.8	0.80	28.0	0.3524	16.80	18.84	yes	music wire	4C
C.048.080.0280.AP	4.8	0.80	28.0	0.4310	14.08	17.59	yes	music wire	4E
C.048.080.0280.I	4.8	0.80	28.0	0.3027	16.80	18.84	yes	stainless steel	4C
C.048.080.0280.N	4.8	0.80	28.0	0.3524	16.80	18.84	yes	Zn coating	4E
C.048.080.0430.A	4.8	0.80	43.0	0.4300	14.16	32.57	yes	music wire	4H
C.048.080.0430.I	4.8	0.80	43.0	0.3741	14.00	32.74	yes	stainless steel	4I
C.048.080.0480.A	4.8	0.80	48.0	0.3200	18.32	33.98	yes	music wire	4H
C.048.080.0480.I	4.8	0.80	48.0	0.2784	18.08	34.22	yes	stainless steel	4I
C.048.080.0700.A	4.8	0.80	70.0	0.1200	45.44	51.41	yes	music wire	4C
C.048.080.0700.AP	4.8	0.80	70.0	0.1673	33.20	43.19	yes	music wire	4F
C.048.080.0700.I	4.8	0.80	70.0	0.1000	46.80	52.96	yes	stainless steel	4D
C.048.090.0063.A	4.8	0.90	6.3	2.5714	6.21	6.21	yes	music wire	4C
C.048.090.0063.AL	4.8	0.90	6.3	3.0800	5.58	6.01	yes	music wire	4C
C.048.090.0063.AP	4.8	0.90	6.3	4.0206	4.77	5.09	yes	music wire	4C
C.048.090.0063.I	4.8	0.90	6.3	2.2371	6.12	6.12	yes	stainless steel	4C
C.048.090.0063.N	4.8	0.90	6.3	2.5714	6.21	6.21	yes	Zn coating	4E
C.048.090.0080.A	4.8	0.90	8.0	2.2000	6.84	7.43	yes	music wire	4C
C.048.090.0100.A	4.8	0.90	10.0	1.5556	8.73	9.56	yes	music wire	4C
C.048.090.0125.A	4.8	0.90	12.5	1.2727	10.26	11.29	yes	music wire	4C
C.048.090.0160.A	4.8	0.90	16.0	1.0000	12.42	13.72	yes	music wire	4C
C.048.090.0200.A	4.8	0.90	20.0	0.7778	15.30	16.97	yes	music wire	4C
C.048.090.0250.A	4.8	0.90	25.0	0.6222	18.54	20.63	yes	music wire	4C
C.048.090.0320.A	4.8	0.90	32.0	0.5000	22.50	25.10	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.048.090.0400.A	4.8	0.90	40.0	0.4000	27.63	30.88	yes	music wire	4C
C.048.090.0480.A	4.8	0.90	48.0	0.4943	22.77	35.52	yes	music wire	4H
C.048.090.0480.I	4.8	0.90	48.0	0.4300	22.50	35.69	yes	stainless steel	4I
C.048.090.0500.A	4.8	0.90	50.0	0.3111	34.83	39.01	yes	music wire	4C
C.048.090.0630.A	4.8	0.90	63.0	0.2571	41.67	46.72	yes	music wire	4C
C.048.090.0630.AP	4.8	0.90	63.0	0.3059	35.37	42.83	yes	music wire	4F
C.048.090.0630.I	4.8	0.90	63.0	0.2237	41.22	46.21	yes	stainless steel	4D
C.048.090.0630.N	4.8	0.90	63.0	0.2571	41.67	46.72	yes	Zn coating	4E
C.048.090.0800.A	4.8	0.90	80.0	0.2000	52.92	59.41	yes	music wire	4C
C.048.090.0800.AP	4.8	0.90	80.0	0.2395	44.55	54.24	yes	music wire	4F
C.048.090.0800.I	4.8	0.90	80.0	0.1740	52.29	58.70	yes	stainless steel	4D
C.048.090.0800.N	4.8	0.90	80.0	0.2000	52.92	59.41	yes	Zn coating	4E
C.048.100.0119.A	4.8	1.00	11.9	3.1000	8.50	9.26	yes	music wire	4E
C.048.100.0119.I	4.8	1.00	11.9	2.6970	8.40	9.29	yes	stainless steel	4F
C.048.100.0220.A	4.8	1.00	22.0	1.2000	18.00	19.89	yes	music wire	4C
C.048.100.0220.AP	4.8	1.00	22.0	1.4853	15.00	16.52	yes	music wire	4E
C.048.100.0220.I	4.8	1.00	22.0	1.0440	17.80	19.66	yes	stainless steel	4C
C.048.110.0064.A	4.8	1.10	6.4	11.2000	5.61	5.94	yes	music wire	4C
C.048.110.0064.I	4.8	1.10	6.4	9.7440	5.61	5.94	yes	stainless steel	4C
C.049.040.0125.A	4.9	0.40	12.5	0.0500	3.24	3.90	yes	music wire	4B
C.049.040.0160.A	4.9	0.40	16.0	0.0397	3.80	4.62	yes	music wire	4B
C.049.040.0200.A	4.9	0.40	20.0	0.0313	4.56	5.60	yes	music wire	4B
C.049.040.0250.A	4.9	0.40	25.0	0.0250	5.44	6.74	yes	music wire	4B
C.049.040.0320.A	4.9	0.40	32.0	0.0200	6.56	8.19	yes	music wire	4B
C.049.040.0400.A	4.9	0.40	40.0	0.0156	8.12	10.21	yes	music wire	4B
C.049.040.0500.A	4.9	0.40	50.0	0.0125	9.92	12.54	yes	music wire	4B
C.049.040.0630.A	4.9	0.40	63.0	0.0100	12.44	15.76	yes	music wire	4B
C.049.040.0630.AP	4.9	0.40	63.0	0.0163	8.04	23.78	yes	music wire	4G
C.049.040.0630.I	4.9	0.40	63.0	0.0087	12.32	15.60	yes	stainless steel	4C
C.049.040.0630.N	4.9	0.40	63.0	0.0100	12.44	15.76	yes	Zn coating	4D
C.049.045.0580.A	4.9	0.45	58.0	0.0120	18.90	23.28	yes	music wire	4B
C.049.045.0580.AP	4.9	0.45	58.0	0.0255	9.50	23.12	yes	music wire	4E
C.049.045.0580.I	4.9	0.45	58.0	0.0104	18.68	23.01	yes	stainless steel	4C
C.049.045.0580.N	4.9	0.45	58.0	0.0120	18.90	23.28	yes	Zn coating	4D
C.050.022.0050.A	5.0	0.22	5.0	0.0199	1.01	1.21	no	music wire	4C
C.050.022.0050.I	5.0	0.22	5.0	0.0171	1.01	1.21	no	stainless steel	4C
C.050.028.0080.A	5.0	0.28	8.0	0.0313	1.51	1.79	no	music wire	4C
C.050.028.0080.I	5.0	0.28	8.0	0.0269	1.51	1.79	no	stainless steel	4C
C.050.028.0140.A	5.0	0.28	14.0	0.0170	1.96	2.48	no	music wire	4C
C.050.028.0140.I	5.0	0.28	14.0	0.0146	1.96	2.48	no	stainless steel	4C
C.050.028.0290.A	5.0	0.28	29.0	0.0082	3.02	4.10	no	music wire	4C
C.050.028.0430.A	5.0	0.28	43.0	0.0055	4.00	5.59	no	music wire	4C
C.050.030.0119.A	5.0	0.30	11.9	0.0218	2.13	2.64	no	music wire	4C
C.050.030.0119.I	5.0	0.30	11.9	0.0190	2.13	2.64	no	stainless steel	4C
C.050.035.0060.A	5.0	0.35	6.0	0.0845	1.86	2.09	no	music wire	4B
C.050.035.0060.I	5.0	0.35	6.0	0.0726	1.86	2.09	no	stainless steel	4B
C.050.040.0063.A	5.0	0.40	6.3	0.1150	1.92	2.19	yes	music wire	4B
C.050.040.0063.I	5.0	0.40	6.3	0.1000	1.92	2.19	yes	stainless steel	4B
C.050.040.0063.N	5.0	0.40	6.3	0.1150	1.92	2.19	yes	Zn coating	4C
C.050.040.0080.A	5.0	0.40	8.0	0.0860	2.24	2.61	yes	music wire	4B
C.050.040.0080.I	5.0	0.40	8.0	0.0748	2.24	2.61	yes	stainless steel	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.050.040.0080.N	5.0	0.40	8.0	0.0860	2.24	2.61	yes	Zn coating	4C
C.050.040.0087.A	5.0	0.40	8.7	0.0766	2.40	2.82	yes	music wire	4B
C.050.040.0087.I	5.0	0.40	8.7	0.0666	2.40	2.82	yes	stainless steel	4B
C.050.040.0087.N	5.0	0.40	8.7	0.0766	2.40	2.82	yes	Zn coating	4C
C.050.040.0100.A	5.0	0.40	10.0	0.0690	2.56	3.03	yes	music wire	4B
C.050.040.0100.I	5.0	0.40	10.0	0.0600	2.52	2.97	yes	stainless steel	4B
C.050.040.0100.N	5.0	0.40	10.0	0.0690	2.56	3.03	yes	Zn coating	4C
C.050.040.0111.A	5.0	0.40	11.1	0.0582	2.84	3.39	yes	music wire	4B
C.050.040.0111.I	5.0	0.40	11.1	0.0500	2.84	3.39	yes	stainless steel	4B
C.050.040.0125.A	5.0	0.40	12.5	0.0540	3.00	3.60	yes	music wire	4B
C.050.040.0125.I	5.0	0.40	12.5	0.0470	2.96	3.54	yes	stainless steel	4C
C.050.040.0125.N	5.0	0.40	12.5	0.0540	3.00	3.60	yes	Zn coating	4C
C.050.040.0137.A	5.0	0.40	13.7	0.0487	3.20	3.86	yes	music wire	4B
C.050.040.0137.I	5.0	0.40	13.7	0.0418	3.20	3.86	yes	stainless steel	4C
C.050.040.0137.N	5.0	0.40	13.7	0.0487	3.20	3.86	yes	Zn coating	4C
C.050.040.0160.A	5.0	0.40	16.0	0.0410	3.60	4.38	yes	music wire	4B
C.050.040.0160.I	5.0	0.40	16.0	0.0357	3.56	4.32	yes	stainless steel	4C
C.050.040.0160.N	5.0	0.40	16.0	0.0410	3.60	4.38	yes	Zn coating	4C
C.050.040.0200.A	5.0	0.40	20.0	0.0330	4.24	5.21	yes	music wire	4B
C.050.040.0200.I	5.0	0.40	20.0	0.0287	4.20	5.15	yes	stainless steel	4C
C.050.040.0200.N	5.0	0.40	20.0	0.0330	4.24	5.21	yes	Zn coating	4C
C.050.040.0212.A	5.0	0.40	21.2	0.0315	4.40	5.41	yes	music wire	4B
C.050.040.0212.I	5.0	0.40	21.2	0.0271	4.40	5.41	yes	stainless steel	4C
C.050.040.0212.N	5.0	0.40	21.2	0.0315	4.40	5.41	yes	Zn coating	4C
C.050.040.0250.A	5.0	0.40	25.0	0.0260	5.12	6.35	yes	music wire	4B
C.050.040.0250.I	5.0	0.40	25.0	0.0226	5.08	6.30	yes	stainless steel	4C
C.050.040.0250.N	5.0	0.40	25.0	0.0260	5.12	6.35	yes	Zn coating	4C
C.050.040.0312.A	5.0	0.40	31.2	0.0214	6.00	7.49	yes	music wire	4B
C.050.040.0312.I	5.0	0.40	31.2	0.0186	5.96	7.44	yes	stainless steel	4C
C.050.040.0312.N	5.0	0.40	31.2	0.0214	6.00	7.49	yes	Zn coating	4C
C.050.040.0320.A	5.0	0.40	32.0	0.0200	6.36	7.96	yes	music wire	4B
C.050.040.0320.AF	5.0	0.40	32.0	0.0140	8.64	10.92	yes	music wire	4B
C.050.040.0320.I	5.0	0.40	32.0	0.0174	6.28	7.86	yes	stainless steel	4C
C.050.040.0320.N	5.0	0.40	32.0	0.0200	6.36	7.96	yes	Zn coating	4C
C.050.040.0320.NF	5.0	0.40	32.0	0.0140	8.64	10.92	yes	Zn coating	4C
C.050.040.0400.A	5.0	0.40	40.0	0.0160	7.68	9.67	yes	music wire	4B
C.050.040.0400.I	5.0	0.40	40.0	0.0139	7.64	9.62	yes	stainless steel	4C
C.050.040.0400.N	5.0	0.40	40.0	0.0160	7.68	9.67	yes	Zn coating	4C
C.050.040.0462.A	5.0	0.40	46.2	0.0145	8.40	10.61	yes	music wire	4B
C.050.040.0462.I	5.0	0.40	46.2	0.0125	8.36	10.56	yes	stainless steel	4C
C.050.040.0462.N	5.0	0.40	46.2	0.0145	8.40	10.61	yes	Zn coating	4C
C.050.040.0500.A	5.0	0.40	50.0	0.0130	9.24	11.70	yes	music wire	4B
C.050.040.0500.I	5.0	0.40	50.0	0.0113	9.16	11.59	yes	stainless steel	4C
C.050.040.0500.N	5.0	0.40	50.0	0.0130	9.24	11.70	yes	Zn coating	4D
C.050.040.3600.A	5.0	0.40	360.0	0.0020	55.00	70.99	no	music wire	4D
C.050.040.3600.I	5.0	0.40	360.0	0.0017	55.56	71.72	no	stainless steel	4E
C.050.045.0063.A	5.0	0.45	6.3	0.1710	2.30	2.60	yes	music wire	4B
C.050.045.0063.AP	5.0	0.45	6.3	0.2596	1.89	2.94	yes	music wire	4D
C.050.045.0063.I	5.0	0.45	6.3	0.1488	2.30	2.60	yes	stainless steel	4B
C.050.045.0063.N	5.0	0.45	6.3	0.1710	2.30	2.60	yes	Zn coating	4C
C.050.045.0080.A	5.0	0.45	8.0	0.1310	2.66	3.05	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.050.045.0080.AP	5.0	0.45	8.0	0.1918	2.16	3.45	yes	music wire	4D
C.050.045.0080.I	5.0	0.45	8.0	0.1140	2.61	2.99	yes	stainless steel	4C
C.050.045.0080.N	5.0	0.45	8.0	0.1310	2.66	3.05	yes	Zn coating	4C
C.050.045.0100.A	5.0	0.45	10.0	0.1030	3.06	3.55	yes	music wire	4B
C.050.045.0100.AP	5.0	0.45	10.0	0.1522	2.43	4.27	yes	music wire	4D
C.050.045.0100.I	5.0	0.45	10.0	0.0896	3.06	3.55	yes	stainless steel	4C
C.050.045.0100.N	5.0	0.45	10.0	0.1030	3.06	3.55	yes	Zn coating	4C
C.050.045.0125.A	5.0	0.45	12.5	0.0810	3.60	4.23	yes	music wire	4B
C.050.045.0125.AP	5.0	0.45	12.5	0.1193	2.79	5.19	yes	music wire	4D
C.050.045.0125.I	5.0	0.45	12.5	0.0705	3.56	4.18	yes	stainless steel	4C
C.050.045.0125.N	5.0	0.45	12.5	0.0810	3.60	4.23	yes	Zn coating	4C
C.050.045.0160.A	5.0	0.45	16.0	0.0630	4.28	5.08	yes	music wire	4B
C.050.045.0160.AP	5.0	0.45	16.0	0.0919	3.29	6.51	yes	music wire	4D
C.050.045.0160.I	5.0	0.45	16.0	0.0548	4.28	5.08	yes	stainless steel	4C
C.050.045.0160.N	5.0	0.45	16.0	0.0630	4.28	5.08	yes	Zn coating	4C
C.050.045.0200.A	5.0	0.45	20.0	0.0500	5.13	6.14	yes	music wire	4B
C.050.045.0200.AP	5.0	0.45	20.0	0.0735	3.83	8.14	yes	music wire	4D
C.050.045.0200.I	5.0	0.45	20.0	0.0435	5.09	6.09	yes	stainless steel	4C
C.050.045.0200.N	5.0	0.45	20.0	0.0500	5.13	6.14	yes	Zn coating	4C
C.050.045.0250.A	5.0	0.45	25.0	0.0400	6.12	7.39	yes	music wire	4B
C.050.045.0250.AP	5.0	0.45	25.0	0.0581	4.55	9.98	yes	music wire	4D
C.050.045.0250.I	5.0	0.45	25.0	0.0348	6.03	7.27	yes	stainless steel	4C
C.050.045.0250.N	5.0	0.45	25.0	0.0400	6.12	7.39	yes	Zn coating	4C
C.050.045.0320.A	5.0	0.45	32.0	0.0310	7.56	9.19	yes	music wire	4B
C.050.045.0320.AP	5.0	0.45	32.0	0.0455	5.49	12.83	yes	music wire	4D
C.050.045.0320.I	5.0	0.45	32.0	0.0270	7.47	9.08	yes	stainless steel	4C
C.050.045.0320.N	5.0	0.45	32.0	0.0310	7.56	9.19	yes	Zn coating	4C
C.050.045.0381.A	5.0	0.45	38.1	0.0240	9.45	11.56	yes	music wire	4B
C.050.045.0381.I	5.0	0.45	38.1	0.0206	9.45	11.56	yes	stainless steel	4C
C.050.045.0400.A	5.0	0.45	40.0	0.0250	9.09	11.11	yes	music wire	4B
C.050.045.0400.AP	5.0	0.45	40.0	0.0362	6.66	15.88	yes	music wire	4E
C.050.045.0400.I	5.0	0.45	40.0	0.0218	9.00	11.00	yes	stainless steel	4C
C.050.045.0400.N	5.0	0.45	40.0	0.0250	9.09	11.11	yes	Zn coating	4C
C.050.045.0500.A	5.0	0.45	50.0	0.0200	11.12	13.65	yes	music wire	4B
C.050.045.0500.AP	5.0	0.45	50.0	0.0288	8.06	19.76	yes	music wire	4E
C.050.045.0500.I	5.0	0.45	50.0	0.0174	10.98	13.48	yes	stainless steel	4C
C.050.045.0500.N	5.0	0.45	50.0	0.0200	11.12	13.65	yes	Zn coating	4D
C.050.045.3600.A	5.0	0.45	360.0	0.0030	68.09	84.94	no	music wire	4G
C.050.045.3600.I	5.0	0.45	360.0	0.0026	67.50	84.20	no	stainless steel	4G
C.050.050.0063.A	5.0	0.50	6.3	0.2440	2.70	3.02	yes	music wire	4B
C.050.050.0063.AP	5.0	0.50	6.3	0.3661	2.20	3.10	yes	music wire	4D
C.050.050.0063.I	5.0	0.50	6.3	0.2123	2.65	2.96	yes	stainless steel	4C
C.050.050.0063.N	5.0	0.50	6.3	0.2440	2.70	3.02	yes	Zn coating	4C
C.050.050.0080.A	5.0	0.50	8.0	0.1850	3.15	3.57	yes	music wire	4B
C.050.050.0080.AP	5.0	0.50	8.0	0.2782	2.50	3.78	yes	music wire	4D
C.050.050.0080.I	5.0	0.50	8.0	0.1610	3.10	3.51	yes	stainless steel	4C
C.050.050.0080.N	5.0	0.50	8.0	0.1850	3.15	3.57	yes	Zn coating	4C
C.050.050.0100.A	5.0	0.50	10.0	0.1420	3.70	4.24	yes	music wire	4B
C.050.050.0100.AP	5.0	0.50	10.0	0.2173	2.85	4.60	yes	music wire	4D
C.050.050.0100.I	5.0	0.50	10.0	0.1235	3.70	4.24	yes	stainless steel	4C
C.050.050.0100.N	5.0	0.50	10.0	0.1420	3.70	4.24	yes	Zn coating	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.050.050.0120.A	5.0	0.50	12.0	0.1270	4.00	4.61	yes	music wire	4B
C.050.050.0120.AP	5.0	0.50	12.0	0.1783	3.20	5.42	yes	music wire	4D
C.050.050.0120.I	5.0	0.50	12.0	0.1105	3.95	4.55	yes	stainless steel	4C
C.050.050.0120.N	5.0	0.50	12.0	0.1270	4.00	4.61	yes	Zn coating	4C
C.050.050.0125.A	5.0	0.50	12.5	0.1120	4.35	5.04	yes	music wire	4B
C.050.050.0125.AP	5.0	0.50	12.5	0.1696	3.30	5.58	yes	music wire	4D
C.050.050.0125.I	5.0	0.50	12.5	0.0974	4.35	5.04	yes	stainless steel	4C
C.050.050.0125.N	5.0	0.50	12.5	0.1120	4.35	5.04	yes	Zn coating	4C
C.050.050.0160.A	5.0	0.50	16.0	0.0850	5.35	6.26	yes	music wire	4B
C.050.050.0160.AP	5.0	0.50	16.0	0.1312	3.90	7.06	yes	music wire	4D
C.050.050.0160.I	5.0	0.50	16.0	0.0740	5.30	6.20	yes	stainless steel	4C
C.050.050.0160.N	5.0	0.50	16.0	0.0850	5.35	6.26	yes	Zn coating	4C
C.050.050.0170.A	5.0	0.50	17.0	0.0822	5.50	6.44	yes	music wire	4B
C.050.050.0170.AF	5.0	0.50	17.0	0.0310	12.50	14.99	yes	music wire	4B
C.050.050.0170.AP	5.0	0.50	17.0	0.1220	4.10	7.39	yes	music wire	4D
C.050.050.0170.I	5.0	0.50	17.0	0.0706	5.50	6.44	yes	stainless steel	4C
C.050.050.0170.N	5.0	0.50	17.0	0.0822	5.50	6.44	yes	Zn coating	4C
C.050.050.0170.NF	5.0	0.50	17.0	0.0310	12.50	14.99	yes	Zn coating	4C
C.050.050.0200.A	5.0	0.50	20.0	0.0680	6.40	7.54	yes	music wire	4B
C.050.050.0200.AP	5.0	0.50	20.0	0.1038	4.60	8.70	yes	music wire	4D
C.050.050.0200.I	5.0	0.50	20.0	0.0592	6.30	7.42	yes	stainless steel	4C
C.050.050.0200.N	5.0	0.50	20.0	0.0680	6.40	7.54	yes	Zn coating	4C
C.050.050.0250.A	5.0	0.50	25.0	0.0540	7.70	9.13	yes	music wire	4B
C.050.050.0250.AP	5.0	0.50	25.0	0.0818	5.50	10.66	yes	music wire	4D
C.050.050.0250.I	5.0	0.50	25.0	0.0470	7.65	9.07	yes	stainless steel	4C
C.050.050.0250.N	5.0	0.50	25.0	0.0540	7.70	9.13	yes	Zn coating	4C
C.050.050.0260.A	5.0	0.50	26.0	0.0559	7.50	8.88	yes	music wire	4B
C.050.050.0260.AP	5.0	0.50	26.0	0.0790	5.65	11.16	yes	music wire	4D
C.050.050.0260.I	5.0	0.50	26.0	0.0480	7.50	8.88	yes	stainless steel	4C
C.050.050.0260.N	5.0	0.50	26.0	0.0559	7.50	8.88	yes	Zn coating	4C
C.050.050.0270.A	5.0	0.50	27.0	0.0310	12.50	14.99	yes	music wire	4B
C.050.050.0270.AP	5.0	0.50	27.0	0.0756	5.85	11.48	yes	music wire	4D
C.050.050.0270.I	5.0	0.50	27.0	0.0270	12.40	14.87	yes	stainless steel	4C
C.050.050.0270.N	5.0	0.50	27.0	0.0310	12.50	14.99	yes	Zn coating	4C
C.050.050.0320.A	5.0	0.50	32.0	0.0420	9.55	11.39	yes	music wire	4B
C.050.050.0320.AP	5.0	0.50	32.0	0.0638	6.75	13.62	yes	music wire	4E
C.050.050.0320.I	5.0	0.50	32.0	0.0365	9.45	11.27	yes	stainless steel	4C
C.050.050.0320.N	5.0	0.50	32.0	0.0420	9.55	11.39	yes	Zn coating	4C
C.050.050.0370.A	5.0	0.50	37.0	0.0378	10.50	12.55	yes	music wire	4B
C.050.050.0370.AP	5.0	0.50	37.0	0.0552	7.60	15.75	yes	music wire	4E
C.050.050.0370.I	5.0	0.50	37.0	0.0325	10.50	12.55	yes	stainless steel	4C
C.050.050.0370.N	5.0	0.50	37.0	0.0378	10.50	12.55	yes	Zn coating	4C
C.050.050.0400.A	5.0	0.50	40.0	0.0330	11.85	14.20	yes	music wire	4B
C.050.050.0400.AP	5.0	0.50	40.0	0.0508	8.15	16.89	yes	music wire	4E
C.050.050.0400.I	5.0	0.50	40.0	0.0287	11.70	14.01	yes	stainless steel	4C
C.050.050.0400.N	5.0	0.50	40.0	0.0330	11.85	14.20	yes	Zn coating	4D
C.050.050.0500.A	5.0	0.50	50.0	0.0260	14.70	17.68	yes	music wire	4B
C.050.050.0500.AP	5.0	0.50	50.0	0.0404	9.90	20.99	yes	music wire	4E
C.050.050.0500.I	5.0	0.50	50.0	0.0226	14.55	17.50	yes	stainless steel	4C
C.050.050.0500.N	5.0	0.50	50.0	0.0260	14.70	17.68	yes	Zn coating	4D
C.050.050.3600.A	5.0	0.50	360.0	0.0040	89.10	108.45	no	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.050.050.3600.I	5.0	0.50	360.0	0.0035	87.50	106.49	no	stainless steel	4E
C.050.055.0063.A	5.0	0.55	6.3	0.3540	3.03	3.36	yes	music wire	4C
C.050.055.0063.AP	5.0	0.55	6.3	0.5017	2.53	3.25	yes	music wire	4E
C.050.055.0063.I	5.0	0.55	6.3	0.3080	3.03	3.36	yes	stainless steel	4C
C.050.055.0063.N	5.0	0.55	6.3	0.3540	3.03	3.36	yes	Zn coating	4D
C.050.055.0080.A	5.0	0.55	8.0	0.2630	3.58	4.02	yes	music wire	4C
C.050.055.0080.AP	5.0	0.55	8.0	0.3902	2.86	4.07	yes	music wire	4E
C.050.055.0080.I	5.0	0.55	8.0	0.2288	3.58	4.02	yes	stainless steel	4C
C.050.055.0080.N	5.0	0.55	8.0	0.2630	3.58	4.02	yes	Zn coating	4E
C.050.055.0100.A	5.0	0.55	10.0	0.2040	4.24	4.81	yes	music wire	4C
C.050.055.0100.AP	5.0	0.55	10.0	0.3010	3.30	4.91	yes	music wire	4E
C.050.055.0100.I	5.0	0.55	10.0	0.1775	4.18	4.74	yes	stainless steel	4C
C.050.055.0100.N	5.0	0.55	10.0	0.2040	4.24	4.81	yes	Zn coating	4E
C.050.055.0125.A	5.0	0.55	12.5	0.1600	5.01	5.73	yes	music wire	4C
C.050.055.0125.AP	5.0	0.55	12.5	0.2341	3.85	5.95	yes	music wire	4E
C.050.055.0125.I	5.0	0.55	12.5	0.1392	4.95	5.66	yes	stainless steel	4C
C.050.055.0125.N	5.0	0.55	12.5	0.1600	5.01	5.73	yes	Zn coating	4E
C.050.055.0160.A	5.0	0.55	16.0	0.1230	6.11	7.05	yes	music wire	4C
C.050.055.0160.AP	5.0	0.55	16.0	0.1816	4.57	7.56	yes	music wire	4E
C.050.055.0160.I	5.0	0.55	16.0	0.1070	6.05	6.98	yes	stainless steel	4C
C.050.055.0160.N	5.0	0.55	16.0	0.1230	6.11	7.05	yes	Zn coating	4E
C.050.055.0200.A	5.0	0.55	20.0	0.0980	7.32	8.50	yes	music wire	4C
C.050.055.0200.AP	5.0	0.55	20.0	0.1424	5.45	9.24	yes	music wire	4E
C.050.055.0200.I	5.0	0.55	20.0	0.0853	7.26	8.43	yes	stainless steel	4C
C.050.055.0200.N	5.0	0.55	20.0	0.0980	7.32	8.50	yes	Zn coating	4E
C.050.055.0230.A	5.0	0.55	23.0	0.0846	8.25	9.61	yes	music wire	4C
C.050.055.0230.AP	5.0	0.55	23.0	0.1239	6.05	10.64	yes	music wire	4E
C.050.055.0230.I	5.0	0.55	23.0	0.0727	8.25	9.61	yes	stainless steel	4C
C.050.055.0230.N	5.0	0.55	23.0	0.0846	8.25	9.61	yes	Zn coating	4E
C.050.055.0250.A	5.0	0.55	25.0	0.0780	8.86	10.34	yes	music wire	4C
C.050.055.0250.AP	5.0	0.55	25.0	0.1133	6.49	11.47	yes	music wire	4E
C.050.055.0250.I	5.0	0.55	25.0	0.0679	8.75	10.21	yes	stainless steel	4C
C.050.055.0250.N	5.0	0.55	25.0	0.0780	8.86	10.34	yes	Zn coating	4E
C.050.055.0320.A	5.0	0.55	32.0	0.0600	11.06	12.98	yes	music wire	4C
C.050.055.0320.AP	5.0	0.55	32.0	0.0878	8.03	14.55	yes	music wire	4E
C.050.055.0320.I	5.0	0.55	32.0	0.0522	10.95	12.85	yes	stainless steel	4C
C.050.055.0320.N	5.0	0.55	32.0	0.0600	11.06	12.98	yes	Zn coating	4E
C.050.055.0390.A	5.0	0.55	39.0	0.0492	13.20	15.54	yes	music wire	4C
C.050.055.0390.AP	5.0	0.55	39.0	0.0717	9.52	17.62	yes	music wire	4E
C.050.055.0390.I	5.0	0.55	39.0	0.0423	13.20	15.54	yes	stainless steel	4C
C.050.055.0390.N	5.0	0.55	39.0	0.0492	13.20	15.54	yes	Zn coating	4E
C.050.055.0400.A	5.0	0.55	40.0	0.0480	13.48	15.88	yes	music wire	4C
C.050.055.0400.AP	5.0	0.55	40.0	0.0698	9.74	18.04	yes	music wire	4E
C.050.055.0400.I	5.0	0.55	40.0	0.0418	13.31	15.68	yes	stainless steel	4C
C.050.055.0400.N	5.0	0.55	40.0	0.0480	13.48	15.88	yes	Zn coating	4E
C.050.055.0500.A	5.0	0.55	50.0	0.0380	16.67	19.70	yes	music wire	4C
C.050.055.0500.AP	5.0	0.55	50.0	0.0554	11.88	22.36	yes	music wire	4E
C.050.055.0500.I	5.0	0.55	50.0	0.0331	16.50	19.50	yes	stainless steel	4C
C.050.055.0500.N	5.0	0.55	50.0	0.0380	16.67	19.70	yes	Zn coating	4E
C.050.055.3600.A	5.0	0.55	360.0	0.0050	118.31	141.38	no	music wire	4E
C.050.055.3600.I	5.0	0.55	360.0	0.0044	115.50	138.01	no	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.050.060.0063.A	5.0	0.60	6.3	0.4970	3.36	3.70	yes	music wire	4C
C.050.060.0063.AP	5.0	0.60	6.3	0.7019	2.82	3.52	yes	music wire	4E
C.050.060.0063.I	5.0	0.60	6.3	0.4324	3.36	3.70	yes	stainless steel	4C
C.050.060.0063.N	5.0	0.60	6.3	0.4970	3.36	3.70	yes	Zn coating	4E
C.050.060.0080.A	5.0	0.60	8.0	0.3730	4.02	4.48	yes	music wire	4C
C.050.060.0080.AP	5.0	0.60	8.0	0.5325	3.24	4.33	yes	music wire	4E
C.050.060.0080.I	5.0	0.60	8.0	0.3245	3.96	4.40	yes	stainless steel	4C
C.050.060.0080.N	5.0	0.60	8.0	0.3730	4.02	4.48	yes	Zn coating	4E
C.050.060.0100.A	5.0	0.60	10.0	0.2910	4.68	5.25	yes	music wire	4C
C.050.060.0100.AP	5.0	0.60	10.0	0.4064	3.78	5.19	yes	music wire	4E
C.050.060.0100.I	5.0	0.60	10.0	0.2532	4.68	5.25	yes	stainless steel	4C
C.050.060.0100.N	5.0	0.60	10.0	0.2910	4.68	5.25	yes	Zn coating	4E
C.050.060.0125.A	5.0	0.60	12.5	0.2290	5.58	6.32	yes	music wire	4C
C.050.060.0125.AP	5.0	0.60	12.5	0.3217	4.38	6.43	yes	music wire	4E
C.050.060.0125.I	5.0	0.60	12.5	0.1992	5.52	6.25	yes	stainless steel	4C
C.050.060.0125.N	5.0	0.60	12.5	0.2290	5.58	6.32	yes	Zn coating	4E
C.050.060.0143.A	5.0	0.60	14.3	0.1890	6.42	7.31	yes	music wire	4C
C.050.060.0143.I	5.0	0.60	14.3	0.1623	6.42	7.31	yes	stainless steel	4C
C.050.060.0160.A	5.0	0.60	16.0	0.1730	6.90	7.88	yes	music wire	4C
C.050.060.0160.AP	5.0	0.60	16.0	0.2451	5.28	8.03	yes	music wire	4E
C.050.060.0160.I	5.0	0.60	16.0	0.1505	6.78	7.73	yes	stainless steel	4C
C.050.060.0160.N	5.0	0.60	16.0	0.1730	6.90	7.88	yes	Zn coating	4E
C.050.060.0200.A	5.0	0.60	20.0	0.1370	8.28	9.50	yes	music wire	4C
C.050.060.0200.AP	5.0	0.60	20.0	0.1930	6.30	9.88	yes	music wire	4E
C.050.060.0200.I	5.0	0.60	20.0	0.1192	8.22	9.43	yes	stainless steel	4C
C.050.060.0200.N	5.0	0.60	20.0	0.1370	8.28	9.50	yes	Zn coating	4E
C.050.060.0250.A	5.0	0.60	25.0	0.1080	10.14	11.70	yes	music wire	4C
C.050.060.0250.AP	5.0	0.60	25.0	0.1529	7.56	12.22	yes	music wire	4E
C.050.060.0250.I	5.0	0.60	25.0	0.0940	10.02	11.56	yes	stainless steel	4C
C.050.060.0250.N	5.0	0.60	25.0	0.1080	10.14	11.70	yes	Zn coating	4E
C.050.060.0300.A	5.0	0.60	30.0	0.1270	8.82	14.62	yes	music wire	4E
C.050.060.0300.I	5.0	0.60	30.0	0.1105	8.70	14.97	yes	stainless steel	4H
C.050.060.0300.N	5.0	0.60	30.0	0.1270	8.82	14.62	yes	Zn coating	4G
C.050.060.0320.A	5.0	0.60	32.0	0.0840	12.60	14.61	yes	music wire	4C
C.050.060.0320.AP	5.0	0.60	32.0	0.1179	9.36	15.43	yes	music wire	4E
C.050.060.0320.I	5.0	0.60	32.0	0.0731	12.42	14.39	yes	stainless steel	4C
C.050.060.0320.N	5.0	0.60	32.0	0.0840	12.60	14.61	yes	Zn coating	4E
C.050.060.0400.A	5.0	0.60	40.0	0.0670	15.36	17.86	yes	music wire	4C
C.050.060.0400.AP	5.0	0.60	40.0	0.0942	11.40	19.25	yes	music wire	4E
C.050.060.0400.I	5.0	0.60	40.0	0.0583	15.18	17.65	yes	stainless steel	4C
C.050.060.0400.N	5.0	0.60	40.0	0.0670	15.36	17.86	yes	Zn coating	4E
C.050.060.0500.A	5.0	0.60	50.0	0.0530	19.02	22.19	yes	music wire	4C
C.050.060.0500.AP	5.0	0.60	50.0	0.0746	13.98	23.81	yes	music wire	4E
C.050.060.0500.I	5.0	0.60	50.0	0.0461	18.84	21.97	yes	stainless steel	4C
C.050.060.0500.N	5.0	0.60	50.0	0.0530	19.02	22.19	yes	Zn coating	4E
C.050.060.3600.A	5.0	0.60	360.0	0.0070	134.94	158.94	no	music wire	4E
C.050.060.3600.I	5.0	0.60	360.0	0.0061	133.02	156.67	no	stainless steel	4E
C.050.065.0050.A	5.0	0.65	5.0	0.9606	3.12	3.37	yes	music wire	4C
C.050.065.0050.I	5.0	0.65	5.0	0.8250	3.12	3.37	yes	stainless steel	4C
C.050.070.0050.A	5.0	0.70	5.0	1.3376	3.36	3.61	yes	music wire	4C
C.050.070.0050.I	5.0	0.70	5.0	1.1489	3.36	3.61	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.050.070.0063.A	5.0	0.70	6.3	0.9860	3.92	4.26	yes	music wire	4C
C.050.070.0063.AP	5.0	0.70	6.3	1.2272	3.50	3.86	yes	music wire	4E
C.050.070.0063.I	5.0	0.70	6.3	0.8578	3.92	4.26	yes	stainless steel	4C
C.050.070.0063.N	5.0	0.70	6.3	0.9860	3.92	4.26	yes	Zn coating	4E
C.050.070.0080.A	5.0	0.70	8.0	0.7170	4.76	5.23	yes	music wire	4C
C.050.070.0080.AP	5.0	0.70	8.0	0.9297	4.06	4.78	yes	music wire	4E
C.050.070.0080.I	5.0	0.70	8.0	0.6238	4.69	5.15	yes	stainless steel	4C
C.050.070.0080.N	5.0	0.70	8.0	0.7170	4.76	5.23	yes	Zn coating	4E
C.050.070.0085.A	5.0	0.70	8.5	0.8790	4.20	5.09	yes	music wire	4E
C.050.070.0085.I	5.0	0.70	8.5	0.7550	4.20	5.11	yes	stainless steel	4E
C.050.070.0085.N	5.0	0.70	8.5	0.8790	4.20	5.09	yes	Zn coating	4G
C.050.070.0100.A	5.0	0.70	10.0	0.5510	5.67	6.28	yes	music wire	4C
C.050.070.0100.AP	5.0	0.70	10.0	0.7305	4.69	5.90	yes	music wire	4E
C.050.070.0100.I	5.0	0.70	10.0	0.4794	5.60	6.20	yes	stainless steel	4C
C.050.070.0100.N	5.0	0.70	10.0	0.5510	5.67	6.28	yes	Zn coating	4E
C.050.070.0121.A	5.0	0.70	12.1	0.5594	5.60	6.74	yes	music wire	4E
C.050.070.0121.I	5.0	0.70	12.1	0.4805	5.60	6.78	yes	stainless steel	4F
C.050.070.0121.N	5.0	0.70	12.1	0.5594	5.60	6.74	yes	Zn coating	4G
C.050.070.0125.A	5.0	0.70	12.5	0.4300	6.79	7.58	yes	music wire	4C
C.050.070.0125.AP	5.0	0.70	12.5	0.5578	5.60	7.13	yes	music wire	4E
C.050.070.0125.I	5.0	0.70	12.5	0.3741	6.72	7.50	yes	stainless steel	4C
C.050.070.0125.N	5.0	0.70	12.5	0.4300	6.79	7.58	yes	Zn coating	4E
C.050.070.0135.A	5.0	0.70	13.5	0.7550	4.62	9.53	yes	music wire	4H
C.050.070.0135.I	5.0	0.70	13.5	0.6569	4.55	9.61	yes	stainless steel	4H
C.050.070.0135.N	5.0	0.70	13.5	0.7550	4.62	9.53	yes	Zn coating	4I
C.050.070.0160.A	5.0	0.70	16.0	0.3290	8.33	9.36	yes	music wire	4C
C.050.070.0160.AP	5.0	0.70	16.0	0.4321	6.72	9.06	yes	music wire	4E
C.050.070.0160.I	5.0	0.70	16.0	0.2862	8.19	9.20	yes	stainless steel	4C
C.050.070.0160.N	5.0	0.70	16.0	0.3290	8.33	9.36	yes	Zn coating	4E
C.050.070.0190.A	5.0	0.70	19.0	0.3238	8.40	9.74	yes	music wire	4E
C.050.070.0190.I	5.0	0.70	19.0	0.2781	8.40	9.81	yes	stainless steel	4F
C.050.070.0190.N	5.0	0.70	19.0	0.3238	8.40	9.74	yes	Zn coating	4G
C.050.070.0200.A	5.0	0.70	20.0	0.2570	10.15	11.47	yes	music wire	4C
C.050.070.0200.AP	5.0	0.70	20.0	0.3371	8.12	11.11	yes	music wire	4E
C.050.070.0200.I	5.0	0.70	20.0	0.2236	10.01	11.30	yes	stainless steel	4C
C.050.070.0200.N	5.0	0.70	20.0	0.2570	10.15	11.47	yes	Zn coating	4E
C.050.070.0240.A	5.0	0.70	24.0	0.2630	9.94	12.61	yes	music wire	4E
C.050.070.0240.I	5.0	0.70	24.0	0.2288	9.80	12.83	yes	stainless steel	4F
C.050.070.0240.N	5.0	0.70	24.0	0.2630	9.94	12.61	yes	Zn coating	4G
C.050.070.0250.A	5.0	0.70	25.0	0.2040	12.32	13.98	yes	music wire	4C
C.050.070.0250.AP	5.0	0.70	25.0	0.2668	9.80	13.77	yes	music wire	4E
C.050.070.0250.I	5.0	0.70	25.0	0.1775	12.18	13.81	yes	stainless steel	4C
C.050.070.0250.N	5.0	0.70	25.0	0.2040	12.32	13.98	yes	Zn coating	4E
C.050.070.0295.A	5.0	0.70	29.5	0.1985	12.60	14.40	yes	music wire	4E
C.050.070.0295.I	5.0	0.70	29.5	0.1705	12.60	14.51	yes	stainless steel	4F
C.050.070.0295.N	5.0	0.70	29.5	0.1985	12.60	14.40	yes	Zn coating	4G
C.050.070.0320.A	5.0	0.70	32.0	0.1580	15.40	17.54	yes	music wire	4C
C.050.070.0320.AP	5.0	0.70	32.0	0.2059	12.18	17.45	yes	music wire	4E
C.050.070.0320.I	5.0	0.70	32.0	0.1375	15.19	17.29	yes	stainless steel	4C
C.050.070.0320.N	5.0	0.70	32.0	0.1580	15.40	17.54	yes	Zn coating	4E
C.050.070.0400.A	5.0	0.70	40.0	0.1250	18.97	21.67	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.050.070.0400.AP	5.0	0.70	40.0	0.1632	14.98	21.64	yes	music wire	4E
C.050.070.0400.I	5.0	0.70	40.0	0.1088	18.76	21.42	yes	stainless steel	4C
C.050.070.0400.N	5.0	0.70	40.0	0.1250	18.97	21.67	yes	Zn coating	4E
C.050.070.0500.A	5.0	0.70	50.0	0.0990	23.52	26.93	yes	music wire	4C
C.050.070.0500.AP	5.0	0.70	50.0	0.1300	18.34	26.95	yes	music wire	4E
C.050.070.0500.I	5.0	0.70	50.0	0.0861	23.24	26.61	yes	stainless steel	4C
C.050.070.0500.N	5.0	0.70	50.0	0.0990	23.52	26.93	yes	Zn coating	4E
C.050.070.3600.A	5.0	0.70	360.0	0.0130	168.14	194.09	no	music wire	4E
C.050.070.3600.I	5.0	0.70	360.0	0.0113	166.11	191.74	no	stainless steel	4E
C.050.075.0050.A	5.0	0.75	5.0	1.8257	3.60	3.86	yes	music wire	4C
C.050.075.0050.I	5.0	0.75	5.0	1.5680	3.60	3.86	yes	stainless steel	4C
C.050.075.0070.A	5.0	0.75	7.0	1.1664	4.58	4.98	yes	music wire	4C
C.050.075.0070.I	5.0	0.75	7.0	1.0018	4.58	4.98	yes	stainless steel	4C
C.050.075.0090.A	5.0	0.75	9.0	0.8748	5.48	6.01	yes	music wire	4C
C.050.075.0090.I	5.0	0.75	9.0	0.7514	5.48	6.01	yes	stainless steel	4C
C.050.080.0050.A	5.0	0.80	5.0	2.4488	3.84	4.10	yes	music wire	4C
C.050.080.0050.I	5.0	0.80	5.0	2.1033	3.84	4.10	yes	stainless steel	4C
C.050.080.0063.A	5.0	0.80	6.3	1.8060	4.48	4.83	yes	music wire	4C
C.050.080.0063.I	5.0	0.80	6.3	1.5712	4.48	4.83	yes	stainless steel	4C
C.050.080.0063.N	5.0	0.80	6.3	1.8060	4.48	4.83	yes	Zn coating	4E
C.050.080.0080.A	5.0	0.80	8.0	1.3130	5.44	5.93	yes	music wire	4C
C.050.080.0080.I	5.0	0.80	8.0	1.1423	5.36	5.83	yes	stainless steel	4C
C.050.080.0080.N	5.0	0.80	8.0	1.3130	5.44	5.93	yes	Zn coating	4E
C.050.080.0100.A	5.0	0.80	10.0	1.0080	6.48	7.11	yes	music wire	4C
C.050.080.0100.I	5.0	0.80	10.0	0.8770	6.40	7.02	yes	stainless steel	4C
C.050.080.0100.N	5.0	0.80	10.0	1.0080	6.48	7.11	yes	Zn coating	4E
C.050.080.0125.A	5.0	0.80	12.5	0.7740	7.84	8.67	yes	music wire	4C
C.050.080.0125.I	5.0	0.80	12.5	0.6734	7.76	8.57	yes	stainless steel	4C
C.050.080.0125.N	5.0	0.80	12.5	0.7740	7.84	8.67	yes	Zn coating	4E
C.050.080.0160.A	5.0	0.80	16.0	0.5940	9.60	10.67	yes	music wire	4C
C.050.080.0160.I	5.0	0.80	16.0	0.5168	9.52	10.58	yes	stainless steel	4C
C.050.080.0160.N	5.0	0.80	16.0	0.5940	9.60	10.67	yes	Zn coating	4E
C.050.080.0174.A	5.0	0.80	17.4	0.5029	10.96	12.23	yes	music wire	4C
C.050.080.0174.I	5.0	0.80	17.4	0.4319	10.96	12.23	yes	stainless steel	4C
C.050.080.0200.A	5.0	0.80	20.0	0.4610	11.76	13.14	yes	music wire	4C
C.050.080.0200.I	5.0	0.80	20.0	0.4000	11.68	13.05	yes	stainless steel	4C
C.050.080.0200.N	5.0	0.80	20.0	0.4610	11.76	13.14	yes	Zn coating	4E
C.050.080.0240.A	5.0	0.80	24.0	0.4610	11.76	14.62	yes	music wire	4E
C.050.080.0240.I	5.0	0.80	24.0	0.4000	11.68	14.75	yes	stainless steel	4F
C.050.080.0240.N	5.0	0.80	24.0	0.4610	11.76	14.62	yes	Zn coating	4G
C.050.080.0250.A	5.0	0.80	25.0	0.3640	14.40	16.15	yes	music wire	4C
C.050.080.0250.I	5.0	0.80	25.0	0.3167	14.24	15.97	yes	stainless steel	4C
C.050.080.0250.N	5.0	0.80	25.0	0.3640	14.40	16.15	yes	Zn coating	4E
C.050.080.0320.A	5.0	0.80	32.0	0.2810	18.00	20.26	yes	music wire	4C
C.050.080.0320.I	5.0	0.80	32.0	0.2445	17.84	20.08	yes	stainless steel	4C
C.050.080.0320.N	5.0	0.80	32.0	0.2810	18.00	20.26	yes	Zn coating	4E
C.050.080.0400.A	5.0	0.80	40.0	0.2220	22.32	25.19	yes	music wire	4C
C.050.080.0400.I	5.0	0.80	40.0	0.1931	22.08	24.92	yes	stainless steel	4C
C.050.080.0400.N	5.0	0.80	40.0	0.2220	22.32	25.19	yes	Zn coating	4E
C.050.080.0500.A	5.0	0.80	50.0	0.1760	27.60	31.22	yes	music wire	4C
C.050.080.0500.I	5.0	0.80	50.0	0.1531	27.28	30.85	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.050.080.0500.N	5.0	0.80	50.0	0.1760	27.60	31.22	yes	Zn coating	4E
C.050.080.0950.A	5.0	0.80	95.0	0.1200	39.52	58.95	yes	music wire	4I
C.050.080.0950.I	5.0	0.80	95.0	0.1044	39.04	59.54	yes	stainless steel	4I
C.050.080.0950.N	5.0	0.80	95.0	0.1200	39.52	58.95	yes	Zn coating	4I
C.050.080.3600.A	5.0	0.80	360.0	0.0240	190.56	217.10	no	music wire	4E
C.050.080.3600.I	5.0	0.80	360.0	0.0209	188.00	214.18	no	stainless steel	4E
C.050.090.0050.A	5.0	0.90	5.0	4.2166	4.32	4.59	yes	music wire	4C
C.050.090.0050.I	5.0	0.90	5.0	3.6216	4.32	4.59	yes	stainless steel	4C
C.050.090.0060.A	5.0	0.90	6.0	3.3442	4.86	5.20	yes	music wire	4C
C.050.090.0060.I	5.0	0.90	6.0	2.8723	4.86	5.20	yes	stainless steel	4C
C.050.090.0063.A	5.0	0.90	6.3	3.1100	5.04	5.41	yes	music wire	4C
C.050.090.0063.I	5.0	0.90	6.3	2.7057	5.04	5.41	yes	stainless steel	4C
C.050.090.0063.N	5.0	0.90	6.3	3.1100	5.04	5.41	yes	Zn coating	4E
C.050.090.0080.A	5.0	0.90	8.0	2.2620	6.12	6.63	yes	music wire	4C
C.050.090.0080.I	5.0	0.90	8.0	1.9679	6.03	6.53	yes	stainless steel	4C
C.050.090.0080.N	5.0	0.90	8.0	2.2620	6.12	6.63	yes	Zn coating	4E
C.050.090.0100.A	5.0	0.90	10.0	1.7000	7.38	8.05	yes	music wire	4C
C.050.090.0100.AP	5.0	0.90	10.0	2.0186	6.57	7.14	yes	music wire	4E
C.050.090.0100.I	5.0	0.90	10.0	1.4755	7.29	7.95	yes	stainless steel	4C
C.050.090.0100.N	5.0	0.90	10.0	1.7000	7.38	8.05	yes	Zn coating	4E
C.050.090.0125.A	5.0	0.90	12.5	1.3090	8.91	9.78	yes	music wire	4C
C.050.090.0125.AP	5.0	0.90	12.5	1.5628	7.83	8.69	yes	music wire	4E
C.050.090.0125.I	5.0	0.90	12.5	1.1388	8.82	9.68	yes	stainless steel	4C
C.050.090.0125.N	5.0	0.90	12.5	1.3090	8.91	9.78	yes	Zn coating	4E
C.050.090.0160.A	5.0	0.90	16.0	0.9950	10.98	12.12	yes	music wire	4C
C.050.090.0160.I	5.0	0.90	16.0	0.8656	10.89	12.02	yes	stainless steel	4C
C.050.090.0160.N	5.0	0.90	16.0	0.9950	10.98	12.12	yes	Zn coating	4E
C.050.090.0200.A	5.0	0.90	20.0	0.7770	13.50	14.98	yes	music wire	4C
C.050.090.0200.I	5.0	0.90	20.0	0.6760	13.32	14.77	yes	stainless steel	4C
C.050.090.0200.N	5.0	0.90	20.0	0.7770	13.50	14.98	yes	Zn coating	4E
C.050.090.0250.A	5.0	0.90	25.0	0.6120	16.47	18.33	yes	music wire	4C
C.050.090.0250.I	5.0	0.90	25.0	0.5324	16.29	18.13	yes	stainless steel	4C
C.050.090.0250.N	5.0	0.90	25.0	0.6120	16.47	18.33	yes	Zn coating	4E
C.050.090.0320.A	5.0	0.90	32.0	0.4690	20.88	23.32	yes	music wire	4C
C.050.090.0320.AP	5.0	0.90	32.0	0.5601	17.82	21.36	yes	music wire	4E
C.050.090.0320.I	5.0	0.90	32.0	0.4080	20.61	23.02	yes	stainless steel	4C
C.050.090.0320.N	5.0	0.90	32.0	0.4690	20.88	23.32	yes	Zn coating	4E
C.050.090.0400.A	5.0	0.90	40.0	0.3710	25.74	28.82	yes	music wire	4C
C.050.090.0400.AP	5.0	0.90	40.0	0.4445	21.87	26.59	yes	music wire	4F
C.050.090.0400.I	5.0	0.90	40.0	0.3228	25.47	28.51	yes	stainless steel	4C
C.050.090.0400.N	5.0	0.90	40.0	0.3710	25.74	28.82	yes	Zn coating	4E
C.050.090.0500.A	5.0	0.90	50.0	0.2940	31.95	35.84	yes	music wire	4C
C.050.090.0500.AP	5.0	0.90	50.0	0.3523	27.00	33.09	yes	music wire	4F
C.050.090.0500.I	5.0	0.90	50.0	0.2558	31.59	35.44	yes	stainless steel	4C
C.050.090.0500.N	5.0	0.90	50.0	0.2940	31.95	35.84	yes	Zn coating	4E
C.050.090.3600.A	5.0	0.90	360.0	0.0400	221.40	250.02	no	music wire	4E
C.050.090.3600.I	5.0	0.90	360.0	0.0348	218.61	246.86	no	stainless steel	4E
C.050.095.0050.A	5.0	0.95	5.0	5.6777	4.47	4.74	yes	music wire	4C
C.050.095.0050.I	5.0	0.95	5.0	4.8766	4.47	4.74	yes	stainless steel	4C
C.050.095.0070.A	5.0	0.95	7.0	3.4697	5.80	6.24	yes	music wire	4C
C.050.095.0070.I	5.0	0.95	7.0	2.9801	5.80	6.24	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.050.095.0090.A	5.0	0.95	9.0	2.5492	7.03	7.62	yes	music wire	4C
C.050.095.0090.I	5.0	0.95	9.0	2.1895	7.03	7.62	yes	stainless steel	4C
C.050.095.0120.A	5.0	0.95	12.0	1.8103	8.93	9.76	yes	music wire	4C
C.050.095.0120.I	5.0	0.95	12.0	1.5548	8.93	9.76	yes	stainless steel	4C
C.050.095.0150.A	5.0	0.95	15.0	1.3879	10.93	12.02	yes	music wire	4C
C.050.095.0150.I	5.0	0.95	15.0	1.1921	10.93	12.02	yes	stainless steel	4C
C.050.095.0180.A	5.0	0.95	18.0	1.1355	12.83	14.16	yes	music wire	4C
C.050.095.0180.I	5.0	0.95	18.0	0.9753	12.83	14.16	yes	stainless steel	4C
C.050.095.0220.A	5.0	0.95	22.0	0.9118	15.39	17.05	yes	music wire	4C
C.050.095.0220.I	5.0	0.95	22.0	0.7831	15.39	17.05	yes	stainless steel	4C
C.050.095.0270.A	5.0	0.95	27.0	0.7305	18.62	20.69	yes	music wire	4C
C.050.095.0270.I	5.0	0.95	27.0	0.6274	18.62	20.69	yes	stainless steel	4C
C.050.095.0340.A	5.0	0.95	34.0	0.5730	23.09	25.73	yes	music wire	4C
C.050.095.0340.I	5.0	0.95	34.0	0.4921	23.09	25.73	yes	stainless steel	4C
C.050.095.0480.A	5.0	0.95	48.0	0.3991	32.11	35.89	yes	music wire	4C
C.050.095.0480.I	5.0	0.95	48.0	0.3428	32.11	35.89	yes	stainless steel	4C
C.050.100.0050.A	5.0	1.00	5.0	7.5800	4.60	4.86	yes	music wire	4C
C.050.100.0050.I	5.0	1.00	5.0	6.5104	4.60	4.86	yes	stainless steel	4C
C.050.100.0060.A	5.0	1.00	6.0	5.6850	5.30	5.65	yes	music wire	4C
C.050.100.0060.I	5.0	1.00	6.0	4.8828	5.30	5.65	yes	stainless steel	4C
C.050.100.0076.A	5.0	1.00	7.6	4.5480	6.00	6.43	yes	music wire	4C
C.050.100.0076.I	5.0	1.00	7.6	3.9063	6.00	6.43	yes	stainless steel	4C
C.050.100.0076.N	5.0	1.00	7.6	4.5480	6.00	6.43	yes	Zn coating	4E
C.050.100.0090.A	5.0	1.00	9.0	3.2486	7.40	8.01	yes	music wire	4C
C.050.100.0090.I	5.0	1.00	9.0	2.7902	7.40	8.01	yes	stainless steel	4C
C.050.100.0108.A	5.0	1.00	10.8	2.8942	8.00	8.68	yes	music wire	4E
C.050.100.0108.I	5.0	1.00	10.8	2.5180	7.90	8.57	yes	stainless steel	4F
C.050.100.0108.N	5.0	1.00	10.8	2.8942	8.00	8.68	yes	Zn coating	4H
C.050.100.0160.A	5.0	1.00	16.0	2.1224	10.00	12.28	yes	music wire	4H
C.050.100.0160.I	5.0	1.00	16.0	1.8229	10.00	12.27	yes	stainless steel	4I
C.050.100.0160.N	5.0	1.00	16.0	2.1224	10.00	12.28	yes	Zn coating	4I
C.050.100.0173.A	5.0	1.00	17.3	1.6756	12.00	13.18	yes	music wire	4E
C.050.100.0173.I	5.0	1.00	17.3	1.4392	12.00	13.18	yes	stainless steel	4F
C.050.100.0173.N	5.0	1.00	17.3	1.6756	12.00	13.18	yes	Zn coating	4H
C.050.100.0269.A	5.0	1.00	26.9	1.0270	18.00	19.92	yes	music wire	4F
C.050.100.0269.I	5.0	1.00	26.9	0.8821	18.00	19.92	yes	stainless steel	4F
C.050.100.0269.N	5.0	1.00	26.9	1.0270	18.00	19.92	yes	Zn coating	4H
C.050.100.0330.A	5.0	1.00	33.0	0.8163	22.00	24.42	yes	music wire	4F
C.050.100.0330.I	5.0	1.00	33.0	0.7000	22.00	24.42	yes	stainless steel	4F
C.050.100.0330.N	5.0	1.00	33.0	0.8163	22.00	24.42	yes	Zn coating	4H
C.050.100.0450.A	5.0	1.00	45.0	0.5451	31.70	35.32	yes	music wire	4C
C.050.100.0450.I	5.0	1.00	45.0	0.4682	31.70	35.32	yes	stainless steel	4D
C.050.105.0060.A	5.0	1.05	6.0	7.1759	5.57	5.93	yes	music wire	4C
C.050.105.0060.I	5.0	1.05	6.0	6.1633	5.57	5.93	yes	stainless steel	4C
C.050.105.0080.A	5.0	1.05	8.0	4.9006	6.93	7.45	yes	music wire	4C
C.050.105.0080.I	5.0	1.05	8.0	4.2091	6.93	7.45	yes	stainless steel	4C
C.050.105.0480.A	5.0	1.05	48.0	0.6461	35.28	39.24	yes	music wire	4C
C.050.105.0480.I	5.0	1.05	48.0	0.5549	35.28	39.24	yes	stainless steel	4D
C.051.065.0100.A	5.1	0.65	10.0	0.3685	5.27	5.89	yes	music wire	4C
C.051.065.0100.I	5.1	0.65	10.0	0.3165	5.27	5.89	yes	stainless steel	4C
C.051.065.0125.A	5.1	0.65	12.5	0.2917	6.24	7.03	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.051.065.0125.AP	5.1	0.65	12.5	0.4114	4.88	6.67	yes	music wire	4E
C.051.065.0125.I	5.1	0.65	12.5	0.2538	6.18	6.95	yes	stainless steel	4C
C.051.065.0125.N	5.1	0.65	12.5	0.2917	6.24	7.03	yes	Zn coating	4E
C.051.065.0160.A	5.1	0.65	16.0	0.2333	7.35	8.32	yes	music wire	4C
C.051.065.0160.AP	5.1	0.65	16.0	0.3165	5.85	8.43	yes	music wire	4E
C.051.065.0160.I	5.1	0.65	16.0	0.2030	7.28	8.24	yes	stainless steel	4C
C.051.065.0160.N	5.1	0.65	16.0	0.2333	7.35	8.32	yes	Zn coating	4E
C.051.065.0200.A	5.1	0.65	20.0	0.1734	9.36	10.68	yes	music wire	4C
C.051.065.0200.AP	5.1	0.65	20.0	0.1833	8.97	10.22	yes	music wire	4C
C.051.065.0200.I	5.1	0.65	20.0	0.1489	9.36	10.68	yes	stainless steel	4C
C.051.065.0250.A	5.1	0.65	25.0	0.1458	10.86	12.43	yes	music wire	4C
C.051.065.0250.AP	5.1	0.65	25.0	0.1959	8.45	12.77	yes	music wire	4E
C.051.065.0250.I	5.1	0.65	25.0	0.1268	10.73	12.28	yes	stainless steel	4C
C.051.065.0250.N	5.1	0.65	25.0	0.1458	10.86	12.43	yes	Zn coating	4E
C.051.065.0300.A	5.1	0.65	30.0	0.1128	13.52	15.55	yes	music wire	4C
C.051.065.0300.I	5.1	0.65	30.0	0.0969	13.52	15.55	yes	stainless steel	4C
C.051.065.0320.A	5.1	0.65	32.0	0.1167	13.13	15.09	yes	music wire	4C
C.051.065.0320.I	5.1	0.65	32.0	0.1015	13.00	14.94	yes	stainless steel	4C
C.051.065.0320.N	5.1	0.65	32.0	0.1167	13.13	15.09	yes	Zn coating	4E
C.051.065.0400.A	5.1	0.65	40.0	0.0933	15.99	18.44	yes	music wire	4C
C.051.065.0400.I	5.1	0.65	40.0	0.0812	15.80	18.21	yes	stainless steel	4C
C.051.065.0400.N	5.1	0.65	40.0	0.0933	15.99	18.44	yes	Zn coating	4E
C.051.065.0500.A	5.1	0.65	50.0	0.0737	19.83	22.93	yes	music wire	4C
C.051.065.0500.I	5.1	0.65	50.0	0.0641	19.57	22.63	yes	stainless steel	4C
C.051.065.0500.N	5.1	0.65	50.0	0.0737	19.83	22.93	yes	Zn coating	4E
C.051.065.0630.A	5.1	0.65	63.0	0.0583	24.64	28.56	yes	music wire	4C
C.051.065.0630.I	5.1	0.65	63.0	0.0507	24.31	28.17	yes	stainless steel	4C
C.051.065.0630.N	5.1	0.65	63.0	0.0583	24.64	28.56	yes	Zn coating	4E
C.051.065.1000.A	5.1	0.65	100.0	0.0329	42.38	49.32	yes	music wire	4C
C.051.065.1000.I	5.1	0.65	100.0	0.0283	42.38	49.32	yes	stainless steel	4D
C.051.080.0100.A	5.1	0.80	10.0	0.8895	6.72	7.40	yes	music wire	4C
C.051.080.0100.I	5.1	0.80	10.0	0.7640	6.72	7.40	yes	stainless steel	4C
C.051.080.0260.A	5.1	0.80	26.0	0.4680	10.96	16.92	yes	music wire	4H
C.051.080.0260.I	5.1	0.80	26.0	0.4072	10.88	17.07	yes	stainless steel	4H
C.051.080.0260.N	5.1	0.80	26.0	0.4680	10.96	16.92	yes	Zn coating	4I
C.051.100.0230.A	5.1	1.00	23.0	1.1370	15.50	17.13	yes	music wire	4F
C.051.100.0230.I	5.1	1.00	23.0	0.9766	15.50	17.13	yes	stainless steel	4F
C.051.100.0230.N	5.1	1.00	23.0	1.1370	15.50	17.13	yes	Zn coating	4H
C.051.100.0600.A	5.1	1.00	60.0	0.3614	43.40	48.52	yes	music wire	4C
C.051.100.0600.I	5.1	1.00	60.0	0.3104	43.40	48.52	yes	stainless steel	4D
C.051.110.0063.A	5.1	1.10	6.3	9.1506	5.50	5.83	yes	music wire	4C
C.051.110.0063.AP	5.1	1.10	6.3	9.3308	5.50	5.83	yes	music wire	4C
C.051.110.0080.A	5.1	1.10	8.0	6.0500	6.93	7.43	yes	music wire	4C
C.051.110.0100.A	5.1	1.10	10.0	3.9375	9.24	9.24	yes	music wire	4C
C.051.110.0100.AL	5.1	1.10	10.0	4.4000	8.47	9.16	yes	music wire	4C
C.051.110.0100.AP	5.1	1.10	10.0	4.9632	7.92	8.54	yes	music wire	4E
C.051.110.0100.I	5.1	1.10	10.0	3.4256	9.13	9.89	yes	stainless steel	4C
C.051.110.0100.N	5.1	1.10	10.0	3.9375	9.24	9.24	yes	Zn coating	4E
C.051.110.0125.A	5.1	1.10	12.5	3.1250	10.78	11.74	yes	music wire	4C
C.051.110.0160.A	5.1	1.10	16.0	2.5200	12.87	14.08	yes	music wire	4C
C.051.110.0160.I	5.1	1.10	16.0	2.1924	12.76	13.96	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.051.110.0160.N	5.1	1.10	16.0	2.5200	12.87	14.08	yes	Zn coating	4E
C.051.110.0200.A	5.1	1.10	20.0	1.9688	15.73	17.29	yes	music wire	4C
C.051.110.0200.I	5.1	1.10	20.0	1.7129	15.62	17.16	yes	stainless steel	4C
C.051.110.0200.N	5.1	1.10	20.0	1.9688	15.73	17.29	yes	Zn coating	4E
C.051.110.0250.A	5.1	1.10	25.0	1.5750	19.03	20.98	yes	music wire	4C
C.051.110.0250.I	5.1	1.10	25.0	1.3703	18.81	20.73	yes	stainless steel	4C
C.051.110.0250.N	5.1	1.10	25.0	1.5750	19.03	20.98	yes	Zn coating	4E
C.051.110.0300.A	5.1	1.10	30.0	1.2075	23.98	26.52	yes	music wire	4C
C.051.110.0300.I	5.1	1.10	30.0	1.0371	23.98	26.52	yes	stainless steel	4D
C.051.110.0320.A	5.1	1.10	32.0	1.2600	23.10	25.54	yes	music wire	4F
C.051.110.0320.I	5.1	1.10	32.0	1.0962	22.88	25.29	yes	stainless steel	4F
C.051.110.0320.N	5.1	1.10	32.0	1.2600	23.10	25.54	yes	Zn coating	4H
C.051.110.0400.A	5.1	1.10	40.0	1.0000	28.38	31.45	yes	music wire	4F
C.051.110.0400.I	5.1	1.10	40.0	0.8700	28.05	31.08	yes	stainless steel	4F
C.051.110.0400.N	5.1	1.10	40.0	1.0000	28.38	31.45	yes	Zn coating	4H
C.051.110.0500.A	5.1	1.10	50.0	0.7875	35.31	39.21	yes	music wire	4F
C.051.110.0500.I	5.1	1.10	50.0	0.6851	34.87	38.72	yes	stainless steel	4G
C.051.110.0500.N	5.1	1.10	50.0	0.7875	35.31	39.21	yes	Zn coating	4H
C.051.110.0600.A	5.1	1.10	60.0	0.5812	46.86	52.15	yes	music wire	4C
C.051.110.0600.I	5.1	1.10	60.0	0.4992	46.86	52.15	yes	stainless steel	4D
C.051.110.0630.A	5.1	1.10	63.0	0.6300	43.45	48.33	yes	music wire	4F
C.051.110.0630.I	5.1	1.10	63.0	0.5481	42.90	47.71	yes	stainless steel	4G
C.051.110.0630.N	5.1	1.10	63.0	0.6300	43.45	48.33	yes	Zn coating	4H
C.051.110.0700.A	5.1	1.10	70.0	0.4959	54.45	60.65	yes	music wire	4C
C.051.110.0700.I	5.1	1.10	70.0	0.4259	54.45	60.65	yes	stainless steel	4D
C.051.110.0800.A	5.1	1.10	80.0	0.5040	53.57	60.13	yes	music wire	4F
C.051.110.0800.I	5.1	1.10	80.0	0.4385	53.02	60.30	yes	stainless steel	4G
C.051.110.0800.N	5.1	1.10	80.0	0.5040	53.57	60.13	yes	Zn coating	4I
C.051.110.1000.A	5.1	1.10	100.0	0.3437	77.33	86.27	yes	music wire	4D
C.051.110.1000.I	5.1	1.10	100.0	0.2952	77.33	86.27	yes	stainless steel	4D
C.051.110.1300.A	5.1	1.10	130.0	0.2630	100.21	111.89	yes	music wire	4D
C.051.110.1300.I	5.1	1.10	130.0	0.2259	100.21	111.89	yes	stainless steel	4D
C.052.020.0064.A	5.2	0.20	6.4	0.0020	2.00	3.35	no	music wire	4C
C.052.020.0064.I	5.2	0.20	6.4	0.0017	1.98	3.31	no	stainless steel	4C
C.052.030.0050.A	5.2	0.30	5.0	0.0501	1.47	1.68	no	music wire	4C
C.052.030.0050.I	5.2	0.30	5.0	0.0430	1.47	1.68	no	stainless steel	4C
C.052.030.0127.A	5.2	0.30	12.7	0.0138	2.58	3.35	no	music wire	4C
C.052.030.0127.I	5.2	0.30	12.7	0.0120	2.55	3.30	no	stainless steel	4C
C.052.030.0174.A	5.2	0.30	17.4	0.0126	2.70	3.53	no	music wire	4C
C.052.030.0174.I	5.2	0.30	17.4	0.0110	2.70	3.53	no	stainless steel	4C
C.052.030.0191.A	5.2	0.30	19.1	0.0120	2.79	3.66	no	music wire	4C
C.052.030.0191.I	5.2	0.30	19.1	0.0104	2.79	3.66	no	stainless steel	4C
C.052.030.0250.A	5.2	0.30	25.0	0.0023	10.20	14.78	no	music wire	4C
C.052.030.0250.I	5.2	0.30	25.0	0.0020	10.08	14.60	no	stainless steel	4C
C.052.040.0048.A	5.2	0.40	4.8	0.0437	3.16	3.84	yes	music wire	4B
C.052.040.0048.AP	5.2	0.40	4.8	0.2132	1.44	1.98	yes	music wire	4D
C.052.040.0048.I	5.2	0.40	4.8	0.0380	3.12	3.79	yes	stainless steel	4B
C.052.040.0071.A	5.2	0.40	7.1	0.0368	3.56	4.37	yes	music wire	4B
C.052.040.0071.I	5.2	0.40	7.1	0.0320	3.52	4.32	yes	stainless steel	4B
C.052.040.0127.A	5.2	0.40	12.7	0.0130	8.24	10.53	yes	music wire	4B
C.052.040.0127.I	5.2	0.40	12.7	0.0113	8.16	10.42	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.052.040.0143.A	5.2	0.40	14.3	0.0420	3.24	3.95	yes	music wire	4B
C.052.040.0143.I	5.2	0.40	14.3	0.0365	3.20	3.90	yes	stainless steel	4C
C.052.040.0174.A	5.2	0.40	17.4	0.0195	5.84	7.37	yes	music wire	4B
C.052.040.0174.I	5.2	0.40	17.4	0.0170	5.76	7.26	yes	stainless steel	4C
C.052.040.0250.A	5.2	0.40	25.0	0.0236	5.00	6.26	yes	music wire	4B
C.052.040.0250.I	5.2	0.40	25.0	0.0203	5.00	6.26	yes	stainless steel	4C
C.052.040.0330.A	5.2	0.40	33.0	0.0140	7.72	9.84	yes	music wire	4B
C.052.040.0330.I	5.2	0.40	33.0	0.0122	7.64	9.74	yes	stainless steel	4C
C.052.050.0032.A	5.2	0.50	3.2	0.6667	1.70	1.80	yes	music wire	4B
C.052.050.0032.I	5.2	0.50	3.2	0.5800	1.70	1.80	yes	stainless steel	4C
C.052.050.0087.A	5.2	0.50	8.7	0.0471	7.75	7.75	yes	music wire	4B
C.052.050.0087.AP	5.2	0.50	8.7	0.2348	2.55	3.89	yes	music wire	4D
C.052.050.0087.I	5.2	0.50	8.7	0.0410	7.65	7.65	yes	stainless steel	4C
C.052.050.0200.A	5.2	0.50	20.0	0.0632	6.10	7.23	yes	music wire	4B
C.052.050.0200.I	5.2	0.50	20.0	0.0543	6.10	7.23	yes	stainless steel	4C
C.052.050.0330.A	5.2	0.50	33.0	0.0287	11.90	14.38	yes	music wire	4B
C.052.050.0330.AP	5.2	0.50	33.0	0.0587	6.45	13.75	yes	music wire	4E
C.052.050.0330.I	5.2	0.50	33.0	0.0250	11.80	14.25	yes	stainless steel	4C
C.052.060.0100.A	5.2	0.60	10.0	0.2609	4.62	5.21	yes	music wire	4C
C.052.060.0100.I	5.2	0.60	10.0	0.2240	4.62	5.21	yes	stainless steel	4C
C.052.060.0182.A	5.2	0.60	18.2	0.1900	5.76	8.29	yes	music wire	4E
C.052.060.0182.I	5.2	0.60	18.2	0.1653	5.70	8.52	yes	stainless steel	4E
C.052.060.0240.A	5.2	0.60	24.0	0.0900	10.56	12.26	yes	music wire	4C
C.052.060.0240.AP	5.2	0.60	24.0	0.1502	6.90	11.46	yes	music wire	4E
C.052.060.0240.I	5.2	0.60	24.0	0.0783	10.44	12.12	yes	stainless steel	4C
C.052.060.0270.A	5.2	0.60	27.0	0.1149	8.58	10.62	yes	music wire	4E
C.052.060.0270.I	5.2	0.60	27.0	0.1000	8.52	10.99	yes	stainless steel	4F
C.052.070.0174.A	5.2	0.70	17.4	0.3100	7.84	8.83	yes	music wire	4E
C.052.070.0174.I	5.2	0.70	17.4	0.3000	7.14	9.18	yes	stainless steel	4F
C.052.070.0210.A	5.2	0.70	21.0	0.2299	9.94	11.27	yes	music wire	4C
C.052.070.0210.AP	5.2	0.70	21.0	0.3008	7.98	11.39	yes	music wire	4E
C.052.070.0210.I	5.2	0.70	21.0	0.2000	9.80	11.10	yes	stainless steel	4C
C.052.070.0270.A	5.2	0.70	27.0	0.1700	12.81	14.60	yes	music wire	4C
C.052.070.0270.AP	5.2	0.70	27.0	0.2288	9.94	14.36	yes	music wire	4E
C.052.070.0270.I	5.2	0.70	27.0	0.1479	12.67	14.44	yes	stainless steel	4C
C.052.070.0450.A	5.2	0.70	45.0	0.0959	21.35	24.52	yes	music wire	4C
C.052.070.0450.I	5.2	0.70	45.0	0.0823	21.35	24.52	yes	stainless steel	4C
C.052.080.0111.A	5.2	0.80	11.1	0.8966	6.40	7.04	yes	music wire	4E
C.052.080.0111.I	5.2	0.80	11.1	0.7800	6.32	6.95	yes	stainless steel	4F
C.052.080.0182.A	5.2	0.80	18.2	0.3900	12.08	13.55	yes	music wire	4C
C.052.080.0182.AP	5.2	0.80	18.2	0.5821	8.72	11.02	yes	music wire	4E
C.052.080.0182.I	5.2	0.80	18.2	0.3393	11.92	13.36	yes	stainless steel	4C
C.052.080.0220.A	5.2	0.80	22.0	0.3333	13.76	15.47	yes	music wire	4C
C.052.080.0220.AP	5.2	0.80	22.0	0.4747	10.24	13.20	yes	music wire	4E
C.052.080.0220.I	5.2	0.80	22.0	0.2900	13.60	15.29	yes	stainless steel	4C
C.052.080.0270.A	5.2	0.80	27.0	0.1954	22.08	25.00	yes	music wire	4C
C.052.080.0270.AP	5.2	0.80	27.0	0.3820	12.24	16.06	yes	music wire	4E
C.052.080.0270.I	5.2	0.80	27.0	0.1700	21.76	24.63	yes	stainless steel	4C
C.052.080.0290.A	5.2	0.80	29.0	0.4700	10.32	20.11	yes	music wire	4H
C.052.080.0290.I	5.2	0.80	29.0	0.4089	10.24	20.26	yes	stainless steel	4I
C.052.080.0310.A	5.2	0.80	31.0	0.2500	17.68	19.96	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.052.080.0310.AP	5.2	0.80	31.0	0.3304	13.84	18.36	yes	music wire	4E
C.052.080.0310.I	5.2	0.80	31.0	0.1700	21.76	24.63	yes	stainless steel	4C
C.052.080.0350.A	5.2	0.80	35.0	0.1839	23.28	26.37	yes	music wire	4C
C.052.080.0350.AP	5.2	0.80	35.0	0.2910	15.44	20.65	yes	music wire	4E
C.052.080.0350.I	5.2	0.80	35.0	0.1600	23.04	26.10	yes	stainless steel	4C
C.052.080.0450.A	5.2	0.80	45.0	0.1666	25.52	28.94	yes	music wire	4C
C.052.080.0450.I	5.2	0.80	45.0	0.1431	25.52	28.94	yes	stainless steel	4C
C.052.080.0650.A	5.2	0.80	65.0	0.1142	36.32	41.31	yes	music wire	4C
C.052.080.0650.I	5.2	0.80	65.0	0.0981	36.32	41.31	yes	stainless steel	4D
C.052.080.1020.A	5.2	0.80	102.0	0.0655	61.84	70.54	yes	music wire	4C
C.052.080.1020.AP	5.2	0.80	102.0	0.0970	42.40	58.94	yes	music wire	4F
C.052.080.1020.I	5.2	0.80	102.0	0.0570	61.04	69.62	yes	stainless steel	4D
C.052.090.0174.I	5.2	0.90	17.4	2.6970	4.68	15.57	yes	stainless steel	4I
C.052.090.0300.A	5.2	0.90	30.0	0.5100	17.10	19.09	yes	music wire	4E
C.052.090.0300.I	5.2	0.90	30.0	0.4437	16.92	18.89	yes	stainless steel	4F
C.052.100.0143.A	5.2	1.00	14.3	1.7241	10.50	11.51	yes	music wire	4C
C.052.100.0143.I	5.2	1.00	14.3	1.5000	10.40	11.40	yes	stainless steel	4C
C.052.100.0352.A	5.2	1.00	35.2	0.7100	21.90	24.42	yes	music wire	4F
C.052.100.0352.I	5.2	1.00	35.2	0.6177	21.60	24.54	yes	stainless steel	4F
C.052.100.0352.N	5.2	1.00	35.2	0.7100	21.90	24.42	yes	Zn coating	4H
C.052.130.0143.A	5.2	1.30	14.3	8.6207	10.66	12.54	yes	music wire	4I
C.052.130.0143.I	5.2	1.30	14.3	7.5000	10.53	12.54	yes	stainless steel	4I
C.053.040.0115.A	5.3	0.40	11.5	0.0180	5.92	7.52	yes	music wire	4B
C.053.040.0115.I	5.3	0.40	11.5	0.0157	5.88	7.47	yes	stainless steel	4C
C.053.045.0063.A	5.3	0.45	6.3	0.1570	2.16	2.44	yes	music wire	4B
C.053.045.0063.AP	5.3	0.45	6.3	0.2277	1.85	2.68	yes	music wire	4D
C.053.045.0063.I	5.3	0.45	6.3	0.1366	2.16	2.44	yes	stainless steel	4C
C.053.045.0063.N	5.3	0.45	6.3	0.1570	2.16	2.44	yes	Zn coating	4C
C.053.045.0080.A	5.3	0.45	8.0	0.1230	2.48	2.85	yes	music wire	4B
C.053.045.0080.AP	5.3	0.45	8.0	0.1822	2.03	3.47	yes	music wire	4D
C.053.045.0080.I	5.3	0.45	8.0	0.1070	2.43	2.79	yes	stainless steel	4C
C.053.045.0080.N	5.3	0.45	8.0	0.1230	2.48	2.85	yes	Zn coating	4C
C.053.045.0100.A	5.3	0.45	10.0	0.0940	2.88	3.36	yes	music wire	4B
C.053.045.0100.AP	5.3	0.45	10.0	0.1401	2.30	4.11	yes	music wire	4D
C.053.045.0100.I	5.3	0.45	10.0	0.0818	2.84	3.31	yes	stainless steel	4C
C.053.045.0100.N	5.3	0.45	10.0	0.0940	2.88	3.36	yes	Zn coating	4C
C.053.045.0112.A	5.3	0.45	11.2	0.1020	2.75	3.19	yes	music wire	4D
C.053.045.0112.I	5.3	0.45	11.2	0.0834	2.84	3.31	yes	stainless steel	4C
C.053.045.0112.N	5.3	0.45	11.2	0.1020	2.75	3.19	yes	Zn coating	4F
C.053.045.0125.A	5.3	0.45	12.5	0.0740	3.33	3.93	yes	music wire	4B
C.053.045.0125.AP	5.3	0.45	12.5	0.1104	2.61	5.03	yes	music wire	4D
C.053.045.0125.I	5.3	0.45	12.5	0.0644	3.33	3.93	yes	stainless steel	4C
C.053.045.0125.N	5.3	0.45	12.5	0.0740	3.33	3.93	yes	Zn coating	4C
C.053.045.0142.A	5.3	0.45	14.2	0.0790	3.20	3.77	yes	music wire	4D
C.053.045.0142.I	5.3	0.45	14.2	0.0642	3.33	3.93	yes	stainless steel	4C
C.053.045.0142.N	5.3	0.45	14.2	0.0790	3.20	3.77	yes	Zn coating	4F
C.053.045.0160.A	5.3	0.45	16.0	0.0580	3.96	4.74	yes	music wire	4B
C.053.045.0160.AP	5.3	0.45	16.0	0.0867	3.02	6.49	yes	music wire	4D
C.053.045.0160.I	5.3	0.45	16.0	0.0505	3.92	4.69	yes	stainless steel	4C
C.053.045.0160.N	5.3	0.45	16.0	0.0580	3.96	4.74	yes	Zn coating	4C
C.053.045.0175.A	5.3	0.45	17.5	0.0630	3.74	4.46	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.053.045.0175.I	5.3	0.45	17.5	0.0522	3.83	4.57	yes	stainless steel	4E
C.053.045.0175.N	5.3	0.45	17.5	0.0630	3.74	4.46	yes	Zn coating	4F
C.053.045.0190.A	5.3	0.45	19.0	0.0580	3.96	4.78	yes	music wire	4D
C.053.045.0190.I	5.3	0.45	19.0	0.0477	4.10	4.91	yes	stainless steel	4E
C.053.045.0190.N	5.3	0.45	19.0	0.0580	3.96	4.78	yes	Zn coating	4F
C.053.045.0200.A	5.3	0.45	20.0	0.0450	4.77	5.77	yes	music wire	4B
C.053.045.0200.AP	5.3	0.45	20.0	0.0687	3.51	8.00	yes	music wire	4D
C.053.045.0200.I	5.3	0.45	20.0	0.0392	4.73	5.72	yes	stainless steel	4C
C.053.045.0200.N	5.3	0.45	20.0	0.0450	4.77	5.77	yes	Zn coating	4C
C.053.045.0224.A	5.3	0.45	22.4	0.0490	4.50	5.57	yes	music wire	4D
C.053.045.0224.I	5.3	0.45	22.4	0.0407	4.59	5.54	yes	stainless steel	4E
C.053.045.0224.N	5.3	0.45	22.4	0.0490	4.50	5.57	yes	Zn coating	4F
C.053.045.0250.A	5.3	0.45	25.0	0.0360	5.72	6.98	yes	music wire	4B
C.053.045.0250.AP	5.3	0.45	25.0	0.0544	4.14	9.83	yes	music wire	4D
C.053.045.0250.I	5.3	0.45	25.0	0.0313	5.63	6.86	yes	stainless steel	4C
C.053.045.0250.N	5.3	0.45	25.0	0.0360	5.72	6.98	yes	Zn coating	4C
C.053.045.0305.A	5.3	0.45	30.5	0.0325	6.21	7.60	yes	music wire	4B
C.053.045.0305.I	5.3	0.45	30.5	0.0283	6.12	7.49	yes	stainless steel	4C
C.053.045.0320.A	5.3	0.45	32.0	0.0280	7.02	8.64	yes	music wire	4B
C.053.045.0320.AP	5.3	0.45	32.0	0.0419	5.04	12.31	yes	music wire	4D
C.053.045.0320.I	5.3	0.45	32.0	0.0244	6.93	8.52	yes	stainless steel	4C
C.053.045.0320.N	5.3	0.45	32.0	0.0280	7.02	8.64	yes	Zn coating	4C
C.053.045.0381.A	5.3	0.45	38.1	0.0274	7.16	8.81	yes	music wire	4E
C.053.045.0381.I	5.3	0.45	38.1	0.0235	7.16	8.81	yes	stainless steel	4E
C.053.045.0381.N	5.3	0.45	38.1	0.0274	7.16	8.81	yes	Zn coating	4F
C.053.045.0400.A	5.3	0.45	40.0	0.0230	8.28	10.24	yes	music wire	4B
C.053.045.0400.AP	5.3	0.45	40.0	0.0334	6.08	15.33	yes	music wire	4E
C.053.045.0400.I	5.3	0.45	40.0	0.0200	8.19	10.13	yes	stainless steel	4C
C.053.045.0400.N	5.3	0.45	40.0	0.0230	8.28	10.24	yes	Zn coating	4C
C.053.045.0444.A	5.3	0.45	44.4	0.0234	8.15	10.08	yes	music wire	4E
C.053.045.0444.I	5.3	0.45	44.4	0.0204	8.06	10.23	yes	stainless steel	4E
C.053.045.0444.N	5.3	0.45	44.4	0.0234	8.15	10.08	yes	Zn coating	4F
C.053.045.0457.A	5.3	0.45	45.7	0.0231	8.24	10.19	yes	music wire	4E
C.053.045.0457.I	5.3	0.45	45.7	0.0201	8.15	11.10	yes	stainless steel	4E
C.053.045.0500.A	5.3	0.45	50.0	0.0180	10.26	12.77	yes	music wire	4B
C.053.045.0500.AP	5.3	0.45	50.0	0.0268	7.29	19.21	yes	music wire	4E
C.053.045.0500.I	5.3	0.45	50.0	0.0157	10.13	12.60	yes	stainless steel	4C
C.053.045.0500.N	5.3	0.45	50.0	0.0180	10.26	12.77	yes	Zn coating	4D
C.053.045.0510.A	5.3	0.45	51.0	0.0210	8.96	11.73	yes	music wire	4E
C.053.045.0510.I	5.3	0.45	51.0	0.0183	8.87	12.88	yes	stainless steel	4E
C.053.045.0510.N	5.3	0.45	51.0	0.0210	8.96	11.73	yes	Zn coating	4G
C.053.045.0630.A	5.3	0.45	63.0	0.0140	12.92	16.15	yes	music wire	4C
C.053.045.0630.AP	5.3	0.45	63.0	0.0212	8.91	24.06	yes	music wire	4E
C.053.045.0630.I	5.3	0.45	63.0	0.0122	12.74	15.92	yes	stainless steel	4C
C.053.045.0630.N	5.3	0.45	63.0	0.0140	12.92	16.15	yes	Zn coating	4D
C.053.045.3600.A	5.3	0.45	360.0	0.0020	83.97	106.57	no	music wire	4D
C.053.045.3600.I	5.3	0.45	360.0	0.0017	84.83	107.66	no	stainless steel	4E
C.053.050.0063.A	5.3	0.50	6.3	0.2220	2.55	2.86	yes	music wire	4B
C.053.050.0063.AP	5.3	0.50	6.3	0.3371	2.10	3.01	yes	music wire	4D
C.053.050.0063.I	5.3	0.50	6.3	0.1931	2.55	2.86	yes	stainless steel	4C
C.053.050.0080.A	5.3	0.50	8.0	0.1645	3.00	3.42	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.053.050.0080.AP	5.3	0.50	8.0	0.2605	2.35	3.74	yes	music wire	4D
C.053.050.0080.I	5.3	0.50	8.0	0.1427	3.00	3.42	yes	stainless steel	4C
C.053.050.0080.N	5.3	0.50	8.0	0.1645	3.00	3.42	yes	Zn coating	4C
C.053.050.0100.A	5.3	0.50	10.0	0.1300	3.45	3.97	yes	music wire	4B
C.053.050.0100.AP	5.3	0.50	10.0	0.1976	2.70	4.38	yes	music wire	4D
C.053.050.0100.I	5.3	0.50	10.0	0.1131	3.45	3.97	yes	stainless steel	4C
C.053.050.0120.A	5.3	0.50	12.0	0.1047	4.00	4.66	yes	music wire	4B
C.053.050.0120.AP	5.3	0.50	12.0	0.1637	3.00	5.22	yes	music wire	4D
C.053.050.0120.I	5.3	0.50	12.0	0.0911	3.95	4.59	yes	stainless steel	4C
C.053.050.0120.N	5.3	0.50	12.0	0.1047	4.00	4.66	yes	Zn coating	4C
C.053.050.0125.A	5.3	0.50	12.5	0.1010	4.10	4.78	yes	music wire	4B
C.053.050.0125.AP	5.3	0.50	12.5	0.1592	3.05	5.53	yes	music wire	4D
C.053.050.0125.I	5.3	0.50	12.5	0.0879	4.05	4.72	yes	stainless steel	4C
C.053.050.0160.A	5.3	0.50	16.0	0.0780	4.95	5.83	yes	music wire	4B
C.053.050.0160.AP	5.3	0.50	16.0	0.1219	3.60	6.90	yes	music wire	4D
C.053.050.0160.I	5.3	0.50	16.0	0.0679	4.90	5.77	yes	stainless steel	4C
C.053.050.0190.A	5.3	0.50	19.0	0.0677	5.50	6.51	yes	music wire	4B
C.053.050.0190.AP	5.3	0.50	19.0	0.1005	4.10	7.96	yes	music wire	4D
C.053.050.0190.I	5.3	0.50	19.0	0.0581	5.50	6.51	yes	stainless steel	4C
C.053.050.0190.N	5.3	0.50	19.0	0.0677	5.50	6.51	yes	Zn coating	4C
C.053.050.0200.A	5.3	0.50	20.0	0.0620	5.90	7.01	yes	music wire	4B
C.053.050.0200.AP	5.3	0.50	20.0	0.0955	4.25	8.38	yes	music wire	4D
C.053.050.0200.I	5.3	0.50	20.0	0.0539	5.85	6.95	yes	stainless steel	4C
C.053.050.0250.A	5.3	0.50	25.0	0.0490	7.10	8.49	yes	music wire	4B
C.053.050.0250.AP	5.3	0.50	25.0	0.0764	5.00	10.48	yes	music wire	4D
C.053.050.0250.I	5.3	0.50	25.0	0.0426	7.05	8.43	yes	stainless steel	4C
C.053.050.0280.A	5.3	0.50	28.0	0.0523	6.75	8.06	yes	music wire	4D
C.053.050.0280.I	5.3	0.50	28.0	0.0449	6.75	8.06	yes	stainless steel	4E
C.053.050.0280.N	5.3	0.50	28.0	0.0523	6.75	8.06	yes	Zn coating	4F
C.053.050.0290.A	5.3	0.50	29.0	0.0426	8.00	9.61	yes	music wire	4B
C.053.050.0290.AP	5.3	0.50	29.0	0.0651	5.65	11.96	yes	music wire	4E
C.053.050.0290.I	5.3	0.50	29.0	0.0366	8.00	9.61	yes	stainless steel	4C
C.053.050.0290.N	5.3	0.50	29.0	0.0426	8.00	9.61	yes	Zn coating	4C
C.053.050.0320.A	5.3	0.50	32.0	0.0380	8.85	10.66	yes	music wire	4B
C.053.050.0320.AP	5.3	0.50	32.0	0.0591	6.10	13.22	yes	music wire	4E
C.053.050.0320.I	5.3	0.50	32.0	0.0331	8.75	10.54	yes	stainless steel	4C
C.053.050.0400.A	5.3	0.50	40.0	0.0300	10.85	13.14	yes	music wire	4B
C.053.050.0400.AP	5.3	0.50	40.0	0.0470	7.40	16.38	yes	music wire	4E
C.053.050.0400.I	5.3	0.50	40.0	0.0261	10.70	12.95	yes	stainless steel	4C
C.053.050.0500.A	5.3	0.50	50.0	0.0240	13.25	16.11	yes	music wire	4B
C.053.050.0500.AP	5.3	0.50	50.0	0.0375	8.95	20.37	yes	music wire	4E
C.053.050.0500.I	5.3	0.50	50.0	0.0209	13.10	15.92	yes	stainless steel	4C
C.053.050.0630.A	5.3	0.50	63.0	0.0190	16.40	20.01	yes	music wire	4C
C.053.050.0630.AP	5.3	0.50	63.0	0.0295	11.00	25.43	yes	music wire	4E
C.053.050.0630.I	5.3	0.50	63.0	0.0165	16.20	19.76	yes	stainless steel	4C
C.053.050.3600.A	5.3	0.50	360.0	0.0030	97.70	120.56	no	music wire	4D
C.053.050.3600.I	5.3	0.50	360.0	0.0026	96.85	119.51	no	stainless steel	4E
C.053.055.0063.A	5.3	0.55	6.3	0.3190	2.86	3.17	yes	music wire	4C
C.053.055.0063.AP	5.3	0.55	6.3	0.4559	2.42	3.12	yes	music wire	4E
C.053.055.0063.I	5.3	0.55	6.3	0.2775	2.86	3.17	yes	stainless steel	4C
C.053.055.0063.N	5.3	0.55	6.3	0.3190	2.86	3.17	yes	Zn coating	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.053.055.0064.A	5.3	0.55	6.4	0.4669	2.42	3.29	yes	music wire	4E
C.053.055.0064.I	5.3	0.55	6.4	0.4062	2.37	3.37	yes	stainless steel	4E
C.053.055.0079.A	5.3	0.55	7.9	0.3200	2.86	3.37	yes	music wire	4E
C.053.055.0079.I	5.3	0.55	7.9	0.2790	2.86	3.49	yes	stainless steel	4E
C.053.055.0079.N	5.3	0.55	7.9	0.3200	2.86	3.37	yes	Zn coating	4G
C.053.055.0080.A	5.3	0.55	8.0	0.2390	3.36	3.78	yes	music wire	4C
C.053.055.0080.AP	5.3	0.55	8.0	0.3465	2.75	3.81	yes	music wire	4E
C.053.055.0080.I	5.3	0.55	8.0	0.2079	3.36	3.78	yes	stainless steel	4C
C.053.055.0080.N	5.3	0.55	8.0	0.2390	3.36	3.78	yes	Zn coating	4E
C.053.055.0097.A	5.3	0.55	9.7	0.2540	3.25	3.99	yes	music wire	4E
C.053.055.0097.I	5.3	0.55	9.7	0.2412	3.08	4.60	yes	stainless steel	4E
C.053.055.0097.N	5.3	0.55	9.7	0.2540	3.25	3.99	yes	Zn coating	4G
C.053.055.0100.A	5.3	0.55	10.0	0.1860	3.96	4.51	yes	music wire	4C
C.053.055.0100.AP	5.3	0.55	10.0	0.2794	3.08	4.81	yes	music wire	4E
C.053.055.0100.I	5.3	0.55	10.0	0.1618	3.91	4.45	yes	stainless steel	4C
C.053.055.0100.N	5.3	0.55	10.0	0.1860	3.96	4.51	yes	Zn coating	4E
C.053.055.0112.A	5.3	0.55	11.2	0.2150	3.58	4.46	yes	music wire	4E
C.053.055.0112.I	5.3	0.55	11.2	0.1898	3.52	4.72	yes	stainless steel	4E
C.053.055.0112.N	5.3	0.55	11.2	0.2150	3.58	4.46	yes	Zn coating	4G
C.053.055.0125.A	5.3	0.55	12.5	0.1460	4.68	5.38	yes	music wire	4C
C.053.055.0125.AP	5.3	0.55	12.5	0.2166	3.58	5.80	yes	music wire	4E
C.053.055.0125.I	5.3	0.55	12.5	0.1270	4.62	5.31	yes	stainless steel	4C
C.053.055.0125.N	5.3	0.55	12.5	0.1460	4.68	5.38	yes	Zn coating	4E
C.053.055.0127.A	5.3	0.55	12.7	0.1972	3.80	5.34	yes	music wire	4E
C.053.055.0127.I	5.3	0.55	12.7	0.1715	3.80	5.53	yes	stainless steel	4E
C.053.055.0142.A	5.3	0.55	14.2	0.1650	4.29	5.41	yes	music wire	4E
C.053.055.0142.I	5.3	0.55	14.2	0.1565	4.02	6.34	yes	stainless steel	4E
C.053.055.0142.N	5.3	0.55	14.2	0.1650	4.29	5.41	yes	Zn coating	4G
C.053.055.0157.A	5.3	0.55	15.7	0.1550	4.46	6.34	yes	music wire	4E
C.053.055.0157.I	5.3	0.55	15.7	0.1331	4.46	6.46	yes	stainless steel	4E
C.053.055.0157.N	5.3	0.55	15.7	0.1550	4.46	6.34	yes	Zn coating	4G
C.053.055.0160.A	5.3	0.55	16.0	0.1120	5.67	6.58	yes	music wire	4C
C.053.055.0160.AP	5.3	0.55	16.0	0.1666	4.24	7.29	yes	music wire	4E
C.053.055.0160.I	5.3	0.55	16.0	0.0974	5.61	6.51	yes	stainless steel	4C
C.053.055.0160.N	5.3	0.55	16.0	0.1120	5.67	6.58	yes	Zn coating	4E
C.053.055.0175.A	5.3	0.55	17.5	0.1310	5.01	6.43	yes	music wire	4E
C.053.055.0175.I	5.3	0.55	17.5	0.1238	4.68	7.57	yes	stainless steel	4E
C.053.055.0175.N	5.3	0.55	17.5	0.1310	5.01	6.43	yes	Zn coating	4G
C.053.055.0190.A	5.3	0.55	19.0	0.1210	5.34	7.02	yes	music wire	4E
C.053.055.0190.I	5.3	0.55	19.0	0.1087	5.17	7.69	yes	stainless steel	4E
C.053.055.0190.N	5.3	0.55	19.0	0.1210	5.34	7.02	yes	Zn coating	4G
C.053.055.0200.A	5.3	0.55	20.0	0.0880	6.82	7.97	yes	music wire	4C
C.053.055.0200.AP	5.3	0.55	20.0	0.1312	5.01	8.95	yes	music wire	4E
C.053.055.0200.I	5.3	0.55	20.0	0.0766	6.77	7.91	yes	stainless steel	4C
C.053.055.0200.N	5.3	0.55	20.0	0.0880	6.82	7.97	yes	Zn coating	4E
C.053.055.0206.A	5.3	0.55	20.6	0.1178	5.45	8.29	yes	music wire	4E
C.053.055.0206.I	5.3	0.55	20.6	0.1025	5.39	8.60	yes	stainless steel	4E
C.053.055.0224.A	5.3	0.55	22.4	0.1020	6.05	8.18	yes	music wire	4E
C.053.055.0224.I	5.3	0.55	22.4	0.0919	5.83	9.02	yes	stainless steel	4E
C.053.055.0224.N	5.3	0.55	22.4	0.1020	6.05	8.18	yes	Zn coating	4G
C.053.055.0250.A	5.3	0.55	25.0	0.0700	8.20	9.64	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.053.055.0250.AP	5.3	0.55	25.0	0.1044	5.94	11.11	yes	music wire	4E
C.053.055.0250.I	5.3	0.55	25.0	0.0609	8.14	9.57	yes	stainless steel	4C
C.053.055.0250.N	5.3	0.55	25.0	0.0700	8.20	9.64	yes	Zn coating	4E
C.053.055.0254.A	5.3	0.55	25.4	0.0957	6.38	10.25	yes	music wire	4E
C.053.055.0254.I	5.3	0.55	25.4	0.0833	6.33	10.63	yes	stainless steel	4E
C.053.055.0305.A	5.3	0.55	30.5	0.0748	7.76	11.11	yes	music wire	4E
C.053.055.0305.I	5.3	0.55	30.5	0.0651	7.70	11.59	yes	stainless steel	4F
C.053.055.0318.A	5.3	0.55	31.8	0.0757	7.70	12.65	yes	music wire	4E
C.053.055.0318.I	5.3	0.55	31.8	0.0659	7.59	13.13	yes	stainless steel	4F
C.053.055.0318.N	5.3	0.55	31.8	0.0757	7.70	12.65	yes	Zn coating	4G
C.053.055.0320.A	5.3	0.55	32.0	0.0540	10.23	12.11	yes	music wire	4C
C.053.055.0320.AP	5.3	0.55	32.0	0.0810	7.26	14.09	yes	music wire	4E
C.053.055.0320.I	5.3	0.55	32.0	0.0470	10.12	11.97	yes	stainless steel	4C
C.053.055.0320.N	5.3	0.55	32.0	0.0540	10.23	12.11	yes	Zn coating	4E
C.053.055.0381.A	5.3	0.55	38.1	0.0621	9.08	14.76	yes	music wire	4E
C.053.055.0381.I	5.3	0.55	38.1	0.0534	9.08	15.05	yes	stainless steel	4F
C.053.055.0381.N	5.3	0.55	38.1	0.0621	9.08	14.76	yes	Zn coating	4G
C.053.055.0400.A	5.3	0.55	40.0	0.0430	12.49	14.84	yes	music wire	4C
C.053.055.0400.AP	5.3	0.55	40.0	0.0642	8.86	17.40	yes	music wire	4E
C.053.055.0400.I	5.3	0.55	40.0	0.0374	12.38	14.71	yes	stainless steel	4C
C.053.055.0400.N	5.3	0.55	40.0	0.0430	12.49	14.84	yes	Zn coating	4E
C.053.055.0444.A	5.3	0.55	44.4	0.0527	10.45	16.86	yes	music wire	4E
C.053.055.0444.I	5.3	0.55	44.4	0.0458	10.34	17.55	yes	stainless steel	4F
C.053.055.0444.N	5.3	0.55	44.4	0.0527	10.45	16.86	yes	Zn coating	4G
C.053.055.0457.A	5.3	0.55	45.7	0.0520	10.56	17.81	yes	music wire	4E
C.053.055.0457.I	5.3	0.55	45.7	0.0452	10.45	18.51	yes	stainless steel	4F
C.053.055.0500.A	5.3	0.55	50.0	0.0340	15.46	18.44	yes	music wire	4C
C.053.055.0500.AP	5.3	0.55	50.0	0.0510	10.78	21.54	yes	music wire	4E
C.053.055.0500.I	5.3	0.55	50.0	0.0296	15.24	18.18	yes	stainless steel	4C
C.053.055.0500.N	5.3	0.55	50.0	0.0340	15.46	18.44	yes	Zn coating	4E
C.053.055.0508.A	5.3	0.55	50.8	0.0467	11.61	19.77	yes	music wire	4E
C.053.055.0508.I	5.3	0.55	50.8	0.0401	11.61	20.16	yes	stainless steel	4F
C.053.055.0508.N	5.3	0.55	50.8	0.0467	11.61	19.77	yes	Zn coating	4G
C.053.055.0630.A	5.3	0.55	63.0	0.0270	19.09	22.84	yes	music wire	4C
C.053.055.0630.AP	5.3	0.55	63.0	0.0403	13.26	27.01	yes	music wire	4E
C.053.055.0630.I	5.3	0.55	63.0	0.0235	18.87	22.58	yes	stainless steel	4C
C.053.055.0630.N	5.3	0.55	63.0	0.0270	19.09	22.84	yes	Zn coating	4E
C.053.055.3600.A	5.3	0.55	360.0	0.0050	97.63	117.91	no	music wire	4E
C.053.055.3600.I	5.3	0.55	360.0	0.0044	95.32	115.11	no	stainless steel	4E
C.053.056.0111.A	5.3	0.56	11.1	0.1834	4.26	4.85	yes	music wire	4C
C.053.056.0111.AP	5.3	0.56	11.1	0.2603	3.42	5.24	yes	music wire	4E
C.053.056.0111.I	5.3	0.56	11.1	0.1528	4.37	4.99	yes	stainless steel	4C
C.053.056.0143.A	5.3	0.56	14.3	0.1383	5.21	6.00	yes	music wire	4C
C.053.056.0143.AP	5.3	0.56	14.3	0.1994	4.03	6.65	yes	music wire	4E
C.053.056.0143.I	5.3	0.56	14.3	0.1203	5.15	5.93	yes	stainless steel	4C
C.053.056.0175.A	5.3	0.56	17.5	0.1098	6.22	7.22	yes	music wire	4C
C.053.056.0175.AP	5.3	0.56	17.5	0.1615	4.65	8.06	yes	music wire	4E
C.053.056.0175.I	5.3	0.56	17.5	0.0956	6.16	7.15	yes	stainless steel	4C
C.053.056.0190.A	5.3	0.56	19.0	0.1000	6.66	7.75	yes	music wire	4C
C.053.056.0190.AP	5.3	0.56	19.0	0.1464	4.98	8.58	yes	music wire	4E
C.053.056.0190.I	5.3	0.56	19.0	0.0833	6.83	7.96	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.053.056.0380.A	5.3	0.56	38.0	0.0460	12.82	15.19	yes	music wire	4C
C.053.056.0380.AP	5.3	0.56	38.0	0.0715	8.79	16.67	yes	music wire	4E
C.053.056.0380.I	5.3	0.56	38.0	0.0400	12.71	15.06	yes	stainless steel	4C
C.053.056.0450.A	5.3	0.56	45.0	0.0422	13.89	16.48	yes	music wire	4C
C.053.056.0450.AP	5.3	0.56	45.0	0.0604	10.14	19.77	yes	music wire	4E
C.053.056.0450.I	5.3	0.56	45.0	0.0351	14.28	16.95	yes	stainless steel	4C
C.053.060.0063.A	5.3	0.60	6.3	0.4450	3.24	3.57	yes	music wire	4C
C.053.060.0063.AP	5.3	0.60	6.3	0.6335	2.70	3.38	yes	music wire	4E
C.053.060.0063.I	5.3	0.60	6.3	0.3872	3.18	3.50	yes	stainless steel	4C
C.053.060.0063.N	5.3	0.60	6.3	0.4450	3.24	3.57	yes	Zn coating	4E
C.053.060.0080.A	5.3	0.60	8.0	0.3370	3.78	4.22	yes	music wire	4C
C.053.060.0080.AP	5.3	0.60	8.0	0.4873	3.06	4.20	yes	music wire	4E
C.053.060.0080.I	5.3	0.60	8.0	0.2932	3.72	4.15	yes	stainless steel	4C
C.053.060.0080.N	5.3	0.60	8.0	0.3370	3.78	4.22	yes	Zn coating	4E
C.053.060.0100.A	5.3	0.60	10.0	0.2580	4.44	5.00	yes	music wire	4C
C.053.060.0100.AP	5.3	0.60	10.0	0.3726	3.54	5.04	yes	music wire	4E
C.053.060.0100.I	5.3	0.60	10.0	0.2245	4.44	5.00	yes	stainless steel	4C
C.053.060.0100.N	5.3	0.60	10.0	0.2580	4.44	5.00	yes	Zn coating	4E
C.053.060.0125.A	5.3	0.60	12.5	0.2040	5.22	5.93	yes	music wire	4C
C.053.060.0125.AP	5.3	0.60	12.5	0.2947	4.08	6.22	yes	music wire	4E
C.053.060.0125.I	5.3	0.60	12.5	0.1775	5.22	5.93	yes	stainless steel	4C
C.053.060.0125.N	5.3	0.60	12.5	0.2040	5.22	5.93	yes	Zn coating	4E
C.053.060.0142.A	5.3	0.60	14.2	0.1494	6.60	7.58	yes	music wire	4C
C.053.060.0142.AP	5.3	0.60	14.2	0.2534	4.50	6.90	yes	music wire	4E
C.053.060.0142.I	5.3	0.60	14.2	0.1300	6.54	7.51	yes	stainless steel	4C
C.053.060.0160.A	5.3	0.60	16.0	0.1550	6.42	7.36	yes	music wire	4C
C.053.060.0160.AP	5.3	0.60	16.0	0.2223	4.92	7.68	yes	music wire	4E
C.053.060.0160.I	5.3	0.60	16.0	0.1348	6.36	7.29	yes	stainless steel	4C
C.053.060.0160.N	5.3	0.60	16.0	0.1550	6.42	7.36	yes	Zn coating	4E
C.053.060.0175.A	5.3	0.60	17.5	0.1149	8.16	9.44	yes	music wire	4C
C.053.060.0175.AP	5.3	0.60	17.5	0.2044	5.22	8.45	yes	music wire	4E
C.053.060.0175.I	5.3	0.60	17.5	0.1000	8.04	9.30	yes	stainless steel	4C
C.053.060.0200.A	5.3	0.60	20.0	0.1220	7.74	8.94	yes	music wire	4C
C.053.060.0200.AP	5.3	0.60	20.0	0.1760	5.82	9.49	yes	music wire	4E
C.053.060.0200.I	5.3	0.60	20.0	0.1061	7.68	8.87	yes	stainless steel	4C
C.053.060.0200.N	5.3	0.60	20.0	0.1220	7.74	8.94	yes	Zn coating	4E
C.053.060.0240.A	5.3	0.60	24.0	0.0908	9.90	11.51	yes	music wire	4C
C.053.060.0240.AP	5.3	0.60	24.0	0.1456	6.72	11.30	yes	music wire	4E
C.053.060.0240.I	5.3	0.60	24.0	0.0790	9.78	11.37	yes	stainless steel	4C
C.053.060.0250.A	5.3	0.60	25.0	0.0970	9.36	10.87	yes	music wire	4C
C.053.060.0250.AP	5.3	0.60	25.0	0.1392	6.96	11.71	yes	music wire	4E
C.053.060.0250.I	5.3	0.60	25.0	0.0844	9.24	10.73	yes	stainless steel	4C
C.053.060.0250.N	5.3	0.60	25.0	0.0970	9.36	10.87	yes	Zn coating	4E
C.053.060.0290.A	5.3	0.60	29.0	0.0770	11.40	13.30	yes	music wire	4C
C.053.060.0290.AP	5.3	0.60	29.0	0.1195	7.86	13.52	yes	music wire	4E
C.053.060.0290.I	5.3	0.60	29.0	0.0650	11.58	13.52	yes	stainless steel	4C
C.053.060.0320.A	5.3	0.60	32.0	0.0750	11.70	13.66	yes	music wire	4C
C.053.060.0320.AP	5.3	0.60	32.0	0.1083	8.52	14.92	yes	music wire	4E
C.053.060.0320.I	5.3	0.60	32.0	0.0652	11.58	13.52	yes	stainless steel	4C
C.053.060.0320.N	5.3	0.60	32.0	0.0750	11.70	13.66	yes	Zn coating	4E
C.053.060.0350.A	5.3	0.60	35.0	0.0630	13.62	15.95	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.053.060.0350.AP	5.3	0.60	35.0	0.0982	9.24	16.17	yes	music wire	4E
C.053.060.0350.I	5.3	0.60	35.0	0.0540	13.62	15.95	yes	stainless steel	4C
C.053.060.0380.A	5.3	0.60	38.0	0.0530	15.90	18.67	yes	music wire	4C
C.053.060.0380.AP	5.3	0.60	38.0	0.0905	9.96	17.56	yes	music wire	4E
C.053.060.0380.I	5.3	0.60	38.0	0.0461	15.72	18.45	yes	stainless steel	4C
C.053.060.0400.A	5.3	0.60	40.0	0.0600	14.22	16.66	yes	music wire	4C
C.053.060.0400.AP	5.3	0.60	40.0	0.0862	10.38	18.54	yes	music wire	4E
C.053.060.0400.I	5.3	0.60	40.0	0.0522	14.04	16.45	yes	stainless steel	4C
C.053.060.0400.N	5.3	0.60	40.0	0.0600	14.22	16.66	yes	Zn coating	4E
C.053.060.0500.A	5.3	0.60	50.0	0.0480	17.40	20.45	yes	music wire	4C
C.053.060.0500.AP	5.3	0.60	50.0	0.0685	12.66	22.99	yes	music wire	4E
C.053.060.0500.I	5.3	0.60	50.0	0.0418	17.16	20.17	yes	stainless steel	4C
C.053.060.0500.N	5.3	0.60	50.0	0.0480	17.40	20.45	yes	Zn coating	4E
C.053.060.0600.A	5.3	0.60	60.0	0.0310	26.10	30.82	yes	music wire	4C
C.053.060.0600.AP	5.3	0.60	60.0	0.0568	14.94	27.44	yes	music wire	4E
C.053.060.0600.I	5.3	0.60	60.0	0.0270	25.80	30.47	yes	stainless steel	4C
C.053.060.0600.N	5.3	0.60	60.0	0.0310	26.10	30.82	yes	Zn coating	4E
C.053.060.0630.A	5.3	0.60	63.0	0.0370	22.14	26.10	yes	music wire	4C
C.053.060.0630.AP	5.3	0.60	63.0	0.0541	15.60	28.83	yes	music wire	4E
C.053.060.0630.I	5.3	0.60	63.0	0.0322	21.84	25.75	yes	stainless steel	4C
C.053.060.0630.N	5.3	0.60	63.0	0.0370	22.14	26.10	yes	Zn coating	4E
C.053.060.3600.A	5.3	0.60	360.0	0.0060	129.24	153.66	no	music wire	4E
C.053.060.3600.I	5.3	0.60	360.0	0.0052	128.10	152.30	no	stainless steel	4E
C.053.065.0064.A	5.3	0.65	6.4	0.7720	3.12	3.40	yes	music wire	4E
C.053.065.0064.I	5.3	0.65	6.4	0.6287	3.25	3.54	yes	stainless steel	4E
C.053.065.0064.N	5.3	0.65	6.4	0.7720	3.12	3.40	yes	Zn coating	4G
C.053.065.0079.A	5.3	0.65	7.9	0.5940	3.58	4.01	yes	music wire	4E
C.053.065.0079.I	5.3	0.65	7.9	0.4777	3.77	4.15	yes	stainless steel	4E
C.053.065.0079.N	5.3	0.65	7.9	0.5940	3.58	4.01	yes	Zn coating	4G
C.053.065.0097.A	5.3	0.65	9.7	0.4660	4.16	4.74	yes	music wire	4E
C.053.065.0097.I	5.3	0.65	9.7	0.3851	4.23	4.69	yes	stainless steel	4E
C.053.065.0097.N	5.3	0.65	9.7	0.4660	4.16	4.74	yes	Zn coating	4G
C.053.065.0112.A	5.3	0.65	11.2	0.3940	4.62	5.33	yes	music wire	4E
C.053.065.0112.I	5.3	0.65	11.2	0.3226	4.75	5.30	yes	stainless steel	4E
C.053.065.0112.N	5.3	0.65	11.2	0.3940	4.62	5.33	yes	Zn coating	4G
C.053.065.0127.A	5.3	0.65	12.7	0.3190	5.33	5.98	yes	music wire	4E
C.053.065.0127.I	5.3	0.65	12.7	0.2776	5.27	5.91	yes	stainless steel	4E
C.053.065.0142.A	5.3	0.65	14.2	0.3010	5.53	6.52	yes	music wire	4E
C.053.065.0142.I	5.3	0.65	14.2	0.2436	5.79	6.53	yes	stainless steel	4E
C.053.065.0142.N	5.3	0.65	14.2	0.3010	5.53	6.52	yes	Zn coating	4G
C.053.065.0157.A	5.3	0.65	15.7	0.2500	6.31	7.14	yes	music wire	4E
C.053.065.0157.I	5.3	0.65	15.7	0.2170	6.31	7.14	yes	stainless steel	4E
C.053.065.0175.A	5.3	0.65	17.5	0.2400	6.50	7.87	yes	music wire	4E
C.053.065.0175.I	5.3	0.65	17.5	0.1956	6.76	7.67	yes	stainless steel	4F
C.053.065.0175.N	5.3	0.65	17.5	0.2400	6.50	7.87	yes	Zn coating	4G
C.053.065.0190.A	5.3	0.65	19.0	0.2190	7.02	8.44	yes	music wire	4E
C.053.065.0190.I	5.3	0.65	19.0	0.1781	7.28	8.28	yes	stainless steel	4F
C.053.065.0190.N	5.3	0.65	19.0	0.2190	7.02	8.44	yes	Zn coating	4G
C.053.065.0200.A	5.3	0.65	20.0	0.1746	8.39	9.58	yes	music wire	4C
C.053.065.0200.AP	5.3	0.65	20.0	0.2341	6.63	10.12	yes	music wire	4E
C.053.065.0200.I	5.3	0.65	20.0	0.1519	8.26	9.43	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.053.065.0206.A	5.3	0.65	20.6	0.2010	7.48	9.10	yes	music wire	4E
C.053.065.0206.I	5.3	0.65	20.6	0.1634	7.80	8.89	yes	stainless steel	4F
C.053.065.0206.N	5.3	0.65	20.6	0.2010	7.48	9.10	yes	Zn coating	4G
C.053.065.0224.A	5.3	0.65	22.4	0.1840	8.00	9.83	yes	music wire	4E
C.053.065.0224.I	5.3	0.65	22.4	0.1510	8.32	9.50	yes	stainless steel	4F
C.053.065.0224.N	5.3	0.65	22.4	0.1840	8.00	9.83	yes	Zn coating	4G
C.053.065.0254.A	5.3	0.65	25.4	0.1507	9.43	10.81	yes	music wire	4E
C.053.065.0254.I	5.3	0.65	25.4	0.1311	9.30	10.66	yes	stainless steel	4F
C.053.065.0305.A	5.3	0.65	30.5	0.1224	11.25	12.95	yes	music wire	4E
C.053.065.0305.I	5.3	0.65	30.5	0.1065	11.12	12.80	yes	stainless steel	4F
C.053.065.0320.A	5.3	0.65	32.0	0.1052	12.81	14.79	yes	music wire	4C
C.053.065.0320.AP	5.3	0.65	32.0	0.1431	9.82	15.84	yes	music wire	4E
C.053.065.0320.I	5.3	0.65	32.0	0.0915	12.68	14.63	yes	stainless steel	4C
C.053.065.0381.A	5.3	0.65	38.1	0.1021	13.13	15.46	yes	music wire	4E
C.053.065.0381.I	5.3	0.65	38.1	0.0877	13.13	15.65	yes	stainless steel	4F
C.053.065.0381.N	5.3	0.65	38.1	0.1021	13.13	15.46	yes	Zn coating	4G
C.053.065.0444.A	5.3	0.65	44.4	0.0868	15.15	17.76	yes	music wire	4E
C.053.065.0444.I	5.3	0.65	44.4	0.0755	15.02	18.33	yes	stainless steel	4F
C.053.065.0444.N	5.3	0.65	44.4	0.0868	15.15	17.76	yes	Zn coating	4G
C.053.065.0457.A	5.3	0.65	45.7	0.0857	15.34	18.71	yes	music wire	4E
C.053.065.0457.I	5.3	0.65	45.7	0.0746	15.15	19.29	yes	stainless steel	4F
C.053.065.0508.A	5.3	0.65	50.8	0.0745	17.42	20.21	yes	music wire	4E
C.053.065.0508.I	5.3	0.65	50.8	0.0648	17.23	20.43	yes	stainless steel	4F
C.053.065.0510.A	5.3	0.65	51.0	0.0790	16.51	21.73	yes	music wire	4E
C.053.065.0510.I	5.3	0.65	51.0	0.0687	16.32	22.35	yes	stainless steel	4F
C.053.065.0510.N	5.3	0.65	51.0	0.0790	16.51	21.73	yes	Zn coating	4H
C.053.070.0063.A	5.3	0.70	6.3	0.8410	3.85	4.20	yes	music wire	4C
C.053.070.0063.AP	5.3	0.70	6.3	1.1391	3.29	3.81	yes	music wire	4E
C.053.070.0063.I	5.3	0.70	6.3	0.7317	3.78	4.11	yes	stainless steel	4C
C.053.070.0063.N	5.3	0.70	6.3	0.8410	3.85	4.20	yes	Zn coating	4E
C.053.070.0080.A	5.3	0.70	8.0	0.6450	4.48	4.93	yes	music wire	4C
C.053.070.0080.AP	5.3	0.70	8.0	0.8353	3.85	4.60	yes	music wire	4E
C.053.070.0080.I	5.3	0.70	8.0	0.5612	4.41	4.85	yes	stainless steel	4C
C.053.070.0080.N	5.3	0.70	8.0	0.6450	4.48	4.93	yes	Zn coating	4E
C.053.070.0100.A	5.3	0.70	10.0	0.4960	5.32	5.91	yes	music wire	4C
C.053.070.0100.AP	5.3	0.70	10.0	0.6595	4.41	5.69	yes	music wire	4E
C.053.070.0100.I	5.3	0.70	10.0	0.4315	5.25	5.83	yes	stainless steel	4C
C.053.070.0100.N	5.3	0.70	10.0	0.4960	5.32	5.91	yes	Zn coating	4E
C.053.070.0125.A	5.3	0.70	12.5	0.3790	6.37	7.13	yes	music wire	4C
C.053.070.0125.AP	5.3	0.70	12.5	0.5114	5.18	6.95	yes	music wire	4E
C.053.070.0125.I	5.3	0.70	12.5	0.3297	6.30	7.05	yes	stainless steel	4C
C.053.070.0125.N	5.3	0.70	12.5	0.3790	6.37	7.13	yes	Zn coating	4E
C.053.070.0160.A	5.3	0.70	16.0	0.2890	7.84	8.84	yes	music wire	4C
C.053.070.0160.AP	5.3	0.70	16.0	0.3855	6.30	8.63	yes	music wire	4E
C.053.070.0160.I	5.3	0.70	16.0	0.2514	7.77	8.76	yes	stainless steel	4C
C.053.070.0160.N	5.3	0.70	16.0	0.2890	7.84	8.84	yes	Zn coating	4E
C.053.070.0200.A	5.3	0.70	20.0	0.2280	9.45	10.72	yes	music wire	4C
C.053.070.0200.AP	5.3	0.70	20.0	0.3056	7.49	10.70	yes	music wire	4E
C.053.070.0200.I	5.3	0.70	20.0	0.1984	9.38	10.64	yes	stainless steel	4C
C.053.070.0200.N	5.3	0.70	20.0	0.2280	9.45	10.72	yes	Zn coating	4E
C.053.070.0240.A	5.3	0.70	24.0	0.1700	12.11	13.82	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.053.070.0240.AP	5.3	0.70	24.0	0.2506	8.75	12.66	yes	music wire	4E
C.053.070.0240.I	5.3	0.70	24.0	0.1400	12.53	14.31	yes	stainless steel	4C
C.053.070.0250.A	5.3	0.70	25.0	0.1810	11.48	13.08	yes	music wire	4C
C.053.070.0250.AP	5.3	0.70	25.0	0.2410	9.03	13.21	yes	music wire	4E
C.053.070.0250.I	5.3	0.70	25.0	0.1575	11.34	12.92	yes	stainless steel	4C
C.053.070.0250.N	5.3	0.70	25.0	0.1810	11.48	13.08	yes	Zn coating	4E
C.053.070.0290.A	5.3	0.70	29.0	0.1400	14.28	16.34	yes	music wire	4C
C.053.070.0290.AP	5.3	0.70	29.0	0.2071	10.22	15.28	yes	music wire	4E
C.053.070.0290.I	5.3	0.70	29.0	0.1200	14.35	16.43	yes	stainless steel	4C
C.053.070.0320.A	5.3	0.70	32.0	0.1390	14.42	16.51	yes	music wire	4C
C.053.070.0320.AP	5.3	0.70	32.0	0.1856	11.20	16.70	yes	music wire	4E
C.053.070.0320.I	5.3	0.70	32.0	0.1209	14.28	16.34	yes	stainless steel	4C
C.053.070.0320.N	5.3	0.70	32.0	0.1390	14.42	16.51	yes	Zn coating	4E
C.053.070.0350.A	5.3	0.70	35.0	0.1100	17.71	20.34	yes	music wire	4C
C.053.070.0350.AP	5.3	0.70	35.0	0.1693	12.11	18.22	yes	music wire	4E
C.053.070.0350.I	5.3	0.70	35.0	0.0970	17.36	19.93	yes	stainless steel	4C
C.053.070.0400.A	5.3	0.70	40.0	0.1110	17.57	20.18	yes	music wire	4C
C.053.070.0400.AP	5.3	0.70	40.0	0.1474	13.65	20.73	yes	music wire	4E
C.053.070.0400.I	5.3	0.70	40.0	0.0966	17.36	19.93	yes	stainless steel	4C
C.053.070.0400.N	5.3	0.70	40.0	0.1110	17.57	20.18	yes	Zn coating	4E
C.053.070.0500.A	5.3	0.70	50.0	0.0880	21.77	25.07	yes	music wire	4C
C.053.070.0500.AP	5.3	0.70	50.0	0.1177	16.73	25.85	yes	music wire	4E
C.053.070.0500.I	5.3	0.70	50.0	0.0766	21.49	24.74	yes	stainless steel	4C
C.053.070.0500.N	5.3	0.70	50.0	0.0880	21.77	25.07	yes	Zn coating	4E
C.053.070.0630.A	5.3	0.70	63.0	0.0690	27.23	31.43	yes	music wire	4C
C.053.070.0630.AP	5.3	0.70	63.0	0.0928	20.72	32.39	yes	music wire	4F
C.053.070.0630.I	5.3	0.70	63.0	0.0600	26.95	31.10	yes	stainless steel	4C
C.053.070.0630.N	5.3	0.70	63.0	0.0690	27.23	31.43	yes	Zn coating	4E
C.053.070.3600.A	5.3	0.70	360.0	0.0120	149.03	173.18	no	music wire	4E
C.053.070.3600.I	5.3	0.70	360.0	0.0104	147.70	171.63	no	stainless steel	4E
C.053.075.0350.A	5.3	0.75	35.0	0.2100	14.10	18.63	yes	music wire	4E
C.053.075.0350.I	5.3	0.75	35.0	0.1827	13.95	18.92	yes	stainless steel	4F
C.053.075.0350.N	5.3	0.75	35.0	0.2100	14.10	18.63	yes	Zn coating	4G
C.053.080.0063.A	5.3	0.80	6.3	1.5320	4.40	4.75	yes	music wire	4C
C.053.080.0063.AP	5.3	0.80	6.3	1.9045	3.92	4.20	yes	music wire	4E
C.053.080.0063.I	5.3	0.80	6.3	1.3328	4.40	4.75	yes	stainless steel	4C
C.053.080.0063.N	5.3	0.80	6.3	1.5320	4.40	4.75	yes	Zn coating	4E
C.053.080.0080.A	5.3	0.80	8.0	1.1370	5.20	5.67	yes	music wire	4C
C.053.080.0080.AP	5.3	0.80	8.0	1.4284	4.56	5.13	yes	music wire	4E
C.053.080.0080.I	5.3	0.80	8.0	0.9892	5.20	5.67	yes	stainless steel	4C
C.053.080.0080.N	5.3	0.80	8.0	1.1370	5.20	5.67	yes	Zn coating	4E
C.053.080.0100.A	5.3	0.80	10.0	0.8810	6.16	6.77	yes	music wire	4C
C.053.080.0100.I	5.3	0.80	10.0	0.7665	6.08	6.68	yes	stainless steel	4C
C.053.080.0100.N	5.3	0.80	10.0	0.8810	6.16	6.77	yes	Zn coating	4E
C.053.080.0125.A	5.3	0.80	12.5	0.6780	7.44	8.24	yes	music wire	4C
C.053.080.0125.I	5.3	0.80	12.5	0.5899	7.36	8.15	yes	stainless steel	4C
C.053.080.0125.N	5.3	0.80	12.5	0.6780	7.44	8.24	yes	Zn coating	4E
C.053.080.0160.A	5.3	0.80	16.0	0.5180	9.04	10.08	yes	music wire	4C
C.053.080.0160.I	5.3	0.80	16.0	0.4507	8.96	9.99	yes	stainless steel	4C
C.053.080.0160.N	5.3	0.80	16.0	0.5180	9.04	10.08	yes	Zn coating	4E
C.053.080.0200.A	5.3	0.80	20.0	0.4050	11.04	12.37	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.053.080.0200.I	5.3	0.80	20.0	0.3524	10.96	12.28	yes	stainless steel	4C
C.053.080.0200.N	5.3	0.80	20.0	0.4050	11.04	12.37	yes	Zn coating	4E
C.053.080.0250.A	5.3	0.80	25.0	0.3170	13.52	15.22	yes	music wire	4C
C.053.080.0250.I	5.3	0.80	25.0	0.2758	13.44	15.13	yes	stainless steel	4C
C.053.080.0250.N	5.3	0.80	25.0	0.3170	13.52	15.22	yes	Zn coating	4E
C.053.080.0320.A	5.3	0.80	32.0	0.2450	16.96	19.17	yes	music wire	4C
C.053.080.0320.I	5.3	0.80	32.0	0.2132	16.72	18.89	yes	stainless steel	4C
C.053.080.0320.N	5.3	0.80	32.0	0.2450	16.96	19.17	yes	Zn coating	4E
C.053.080.0400.A	5.3	0.80	40.0	0.1940	20.88	23.66	yes	music wire	4C
C.053.080.0400.I	5.3	0.80	40.0	0.1688	20.64	23.39	yes	stainless steel	4C
C.053.080.0400.N	5.3	0.80	40.0	0.1940	20.88	23.66	yes	Zn coating	4E
C.053.080.0500.A	5.3	0.80	50.0	0.1540	25.76	29.26	yes	music wire	4C
C.053.080.0500.I	5.3	0.80	50.0	0.1340	25.52	28.99	yes	stainless steel	4C
C.053.080.0500.N	5.3	0.80	50.0	0.1540	25.76	29.26	yes	Zn coating	4E
C.053.080.0630.A	5.3	0.80	63.0	0.1220	32.00	36.42	yes	music wire	4C
C.053.080.0630.I	5.3	0.80	63.0	0.1061	31.68	36.06	yes	stainless steel	4D
C.053.080.0630.N	5.3	0.80	63.0	0.1220	32.00	36.42	yes	Zn coating	4E
C.053.080.3600.A	5.3	0.80	360.0	0.0210	177.28	203.01	no	music wire	4E
C.053.080.3600.I	5.3	0.80	360.0	0.0183	174.72	200.07	no	stainless steel	4E
C.053.090.0063.A	5.3	0.90	6.3	2.6250	4.95	5.32	yes	music wire	4C
C.053.090.0063.AP	5.3	0.90	6.3	3.1357	4.50	4.81	yes	music wire	4C
C.053.090.0063.I	5.3	0.90	6.3	2.2838	4.95	5.32	yes	stainless steel	4C
C.053.090.0063.N	5.3	0.90	6.3	2.6250	4.95	5.32	yes	Zn coating	4E
C.053.090.0080.A	5.3	0.90	8.0	1.9480	5.85	6.34	yes	music wire	4C
C.053.090.0080.AP	5.3	0.90	8.0	2.3756	5.22	5.62	yes	music wire	4E
C.053.090.0080.I	5.3	0.90	8.0	1.6948	5.85	6.34	yes	stainless steel	4C
C.053.090.0080.N	5.3	0.90	8.0	1.9480	5.85	6.34	yes	Zn coating	4E
C.053.090.0100.A	5.3	0.90	10.0	1.4730	7.02	7.67	yes	music wire	4C
C.053.090.0100.AP	5.3	0.90	10.0	1.7817	6.21	6.82	yes	music wire	4E
C.053.090.0100.I	5.3	0.90	10.0	1.2815	7.02	7.67	yes	stainless steel	4C
C.053.090.0100.N	5.3	0.90	10.0	1.4730	7.02	7.67	yes	Zn coating	4E
C.053.090.0125.A	5.3	0.90	12.5	1.1390	8.46	9.30	yes	music wire	4C
C.053.090.0125.I	5.3	0.90	12.5	0.9909	8.37	9.20	yes	stainless steel	4C
C.053.090.0125.N	5.3	0.90	12.5	1.1390	8.46	9.30	yes	Zn coating	4E
C.053.090.0160.A	5.3	0.90	16.0	0.8500	10.53	11.65	yes	music wire	4C
C.053.090.0160.AP	5.3	0.90	16.0	1.0452	9.00	10.58	yes	music wire	4E
C.053.090.0160.I	5.3	0.90	16.0	0.7395	10.44	11.55	yes	stainless steel	4C
C.053.090.0160.N	5.3	0.90	16.0	0.8500	10.53	11.65	yes	Zn coating	4E
C.053.090.0200.A	5.3	0.90	20.0	0.6710	12.78	14.21	yes	music wire	4C
C.053.090.0200.I	5.3	0.90	20.0	0.5838	12.60	14.01	yes	stainless steel	4C
C.053.090.0200.N	5.3	0.90	20.0	0.6710	12.78	14.21	yes	Zn coating	4E
C.053.090.0250.A	5.3	0.90	25.0	0.5250	15.66	17.48	yes	music wire	4C
C.053.090.0250.AP	5.3	0.90	25.0	0.6426	13.23	16.18	yes	music wire	4E
C.053.090.0250.I	5.3	0.90	25.0	0.4568	15.57	17.38	yes	stainless steel	4C
C.053.090.0250.N	5.3	0.90	25.0	0.5250	15.66	17.48	yes	Zn coating	4E
C.053.090.0320.A	5.3	0.90	32.0	0.4030	19.80	22.18	yes	music wire	4C
C.053.090.0320.AP	5.3	0.90	32.0	0.4930	16.56	20.51	yes	music wire	4E
C.053.090.0320.I	5.3	0.90	32.0	0.3506	19.53	21.88	yes	stainless steel	4C
C.053.090.0320.N	5.3	0.90	32.0	0.4030	19.80	22.18	yes	Zn coating	4E
C.053.090.0400.A	5.3	0.90	40.0	0.3190	24.39	27.40	yes	music wire	4C
C.053.090.0400.AP	5.3	0.90	40.0	0.3900	20.34	25.47	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.053.090.0400.I	5.3	0.90	40.0	0.2775	24.12	27.09	yes	stainless steel	4C
C.053.090.0400.N	5.3	0.90	40.0	0.3190	24.39	27.40	yes	Zn coating	4E
C.053.090.0500.A	5.3	0.90	50.0	0.2530	30.15	33.94	yes	music wire	4C
C.053.090.0500.AP	5.3	0.90	50.0	0.3099	25.02	31.72	yes	music wire	4F
C.053.090.0500.I	5.3	0.90	50.0	0.2201	29.79	33.53	yes	stainless steel	4C
C.053.090.0500.N	5.3	0.90	50.0	0.2530	30.15	33.94	yes	Zn coating	4E
C.053.090.0630.A	5.3	0.90	63.0	0.1990	37.71	42.53	yes	music wire	4C
C.053.090.0630.AP	5.3	0.90	63.0	0.2442	31.14	39.80	yes	music wire	4F
C.053.090.0630.I	5.3	0.90	63.0	0.1731	37.26	42.02	yes	stainless steel	4D
C.053.090.0630.N	5.3	0.90	63.0	0.1990	37.71	42.53	yes	Zn coating	4E
C.053.090.3600.A	5.3	0.90	360.0	0.0340	210.87	239.09	no	music wire	4E
C.053.090.3600.I	5.3	0.90	360.0	0.0296	208.08	235.92	no	stainless steel	4E
C.053.100.0063.A	5.3	1.00	6.3	4.4820	5.40	5.77	yes	music wire	4C
C.053.100.0063.AP	5.3	1.00	6.3	5.1253	5.00	5.32	yes	music wire	4C
C.053.100.0063.I	5.3	1.00	6.3	3.8993	5.30	5.66	yes	stainless steel	4C
C.053.100.0063.N	5.3	1.00	6.3	4.4820	5.40	5.77	yes	Zn coating	4E
C.053.100.0080.A	5.3	1.00	8.0	3.2870	6.40	6.90	yes	music wire	4C
C.053.100.0080.AF	5.3	1.00	8.0	2.5000	7.60	7.60	yes	music wire	4C
C.053.100.0080.AL	5.3	1.00	8.0	2.8286	7.00	7.57	yes	music wire	4C
C.053.100.0080.AP	5.3	1.00	8.0	3.7686	5.90	6.33	yes	music wire	4E
C.053.100.0080.I	5.3	1.00	8.0	2.8597	6.30	6.79	yes	stainless steel	4C
C.053.100.0080.N	5.3	1.00	8.0	3.2870	6.40	6.90	yes	Zn coating	4E
C.053.100.0080.NF	5.3	1.00	8.0	2.5000	7.60	7.60	yes	Zn coating	4E
C.053.100.0100.A	5.3	1.00	10.0	2.4650	7.70	8.36	yes	music wire	4C
C.053.100.0100.AF	5.3	1.00	10.0	2.0455	8.80	9.60	yes	music wire	4C
C.053.100.0100.AL	5.3	1.00	10.0	2.0000	8.90	9.72	yes	music wire	4C
C.053.100.0100.AP	5.3	1.00	10.0	2.8474	7.00	7.57	yes	music wire	4E
C.053.100.0100.I	5.3	1.00	10.0	2.1445	7.60	8.25	yes	stainless steel	4C
C.053.100.0100.N	5.3	1.00	10.0	2.4650	7.70	8.36	yes	Zn coating	4E
C.053.100.0100.NF	5.3	1.00	10.0	2.0455	8.80	9.60	yes	Zn coating	4E
C.053.100.0125.A	5.3	1.00	12.5	1.8960	9.30	10.17	yes	music wire	4C
C.053.100.0125.AF	5.3	1.00	12.5	1.9000	9.20	10.06	yes	music wire	4C
C.053.100.0125.AL	5.3	1.00	12.5	1.6364	10.30	11.30	yes	music wire	4C
C.053.100.0125.AP	5.3	1.00	12.5	2.1718	8.40	9.15	yes	music wire	4E
C.053.100.0125.I	5.3	1.00	12.5	1.6495	9.20	10.06	yes	stainless steel	4C
C.053.100.0125.N	5.3	1.00	12.5	1.9000	9.20	10.06	yes	Zn coating	4E
C.053.100.0125.NF	5.3	1.00	12.5	1.6071	10.50	11.52	yes	Zn coating	4E
C.053.100.0160.A	5.3	1.00	16.0	1.4090	11.60	12.76	yes	music wire	4C
C.053.100.0160.AP	5.3	1.00	16.0	1.2857	12.50	13.78	yes	music wire	4C
C.053.100.0160.I	5.3	1.00	16.0	1.2258	11.50	12.65	yes	stainless steel	4C
C.053.100.0160.N	5.3	1.00	16.0	1.4090	11.60	12.76	yes	Zn coating	4E
C.053.100.0200.A	5.3	1.00	20.0	1.0960	14.20	15.69	yes	music wire	4C
C.053.100.0200.AP	5.3	1.00	20.0	1.0000	15.30	16.93	yes	music wire	4C
C.053.100.0200.I	5.3	1.00	20.0	0.9535	14.00	15.47	yes	stainless steel	4C
C.053.100.0200.N	5.3	1.00	20.0	1.0960	14.20	15.69	yes	Zn coating	4E
C.053.100.0250.A	5.3	1.00	25.0	0.8650	17.30	19.19	yes	music wire	4C
C.053.100.0250.AP	5.3	1.00	25.0	0.8000	18.50	20.54	yes	music wire	4C
C.053.100.0250.I	5.3	1.00	25.0	0.7525	17.10	18.96	yes	stainless steel	4C
C.053.100.0250.N	5.3	1.00	25.0	0.8650	17.30	19.19	yes	Zn coating	4E
C.053.100.0320.A	5.3	1.00	32.0	0.6620	21.90	24.38	yes	music wire	4C
C.053.100.0320.I	5.3	1.00	32.0	0.5759	21.60	24.04	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.053.100.0320.N	5.3	1.00	32.0	0.6620	21.90	24.38	yes	Zn coating	4E
C.053.100.0400.A	5.3	1.00	40.0	0.5250	26.90	30.02	yes	music wire	4C
C.053.100.0400.I	5.3	1.00	40.0	0.4568	26.60	29.68	yes	stainless steel	4D
C.053.100.0400.N	5.3	1.00	40.0	0.5250	26.90	30.02	yes	Zn coating	4E
C.053.100.0500.A	5.3	1.00	50.0	0.4140	33.50	37.46	yes	music wire	4C
C.053.100.0500.I	5.3	1.00	50.0	0.3602	33.10	37.01	yes	stainless steel	4D
C.053.100.0500.N	5.3	1.00	50.0	0.4140	33.50	37.46	yes	Zn coating	4E
C.053.100.0630.A	5.3	1.00	63.0	0.3270	41.70	46.71	yes	music wire	4C
C.053.100.0630.I	5.3	1.00	63.0	0.2845	41.20	46.14	yes	stainless steel	4D
C.053.100.0630.N	5.3	1.00	63.0	0.3270	41.70	46.71	yes	Zn coating	4E
C.053.100.0800.A	5.3	1.00	80.0	0.2500	53.80	60.35	yes	music wire	4C
C.053.100.0800.AP	5.3	1.00	80.0	0.2987	45.40	54.79	yes	music wire	4F
C.053.100.0800.I	5.3	1.00	80.0	0.2175	53.10	59.56	yes	stainless steel	4D
C.053.100.0800.N	5.3	1.00	80.0	0.2500	53.80	60.35	yes	Zn coating	4E
C.053.100.3600.A	5.3	1.00	360.0	0.0560	232.30	261.53	no	music wire	4E
C.053.100.3600.I	5.3	1.00	360.0	0.0487	229.50	258.37	no	stainless steel	4F
C.053.110.0200.A	5.3	1.10	20.0	2.3250	12.32	15.82	yes	music wire	4H
C.053.110.0200.I	5.3	1.10	20.0	2.0228	12.10	15.86	yes	stainless steel	4I
C.053.110.0200.N	5.3	1.10	20.0	2.3250	12.32	15.82	yes	Zn coating	4I
C.054.040.0105.A	5.4	0.40	10.5	0.0596	2.40	2.87	yes	music wire	4B
C.054.040.0105.I	5.4	0.40	10.5	0.0512	2.40	2.87	yes	stainless steel	4B
C.054.040.0105.N	5.4	0.40	10.5	0.0596	2.40	2.87	yes	Zn coating	4C
C.054.040.0109.A	5.4	0.40	10.9	0.0596	2.40	2.87	yes	music wire	4B
C.054.040.0109.I	5.4	0.40	10.9	0.0519	2.40	2.87	yes	stainless steel	4B
C.054.040.0109.N	5.4	0.40	10.9	0.0596	2.40	2.87	yes	Zn coating	4C
C.054.040.0157.A	5.4	0.40	15.7	0.0379	3.20	3.94	yes	music wire	4B
C.054.040.0157.I	5.4	0.40	15.7	0.0330	3.16	3.88	yes	stainless steel	4C
C.054.040.0157.N	5.4	0.40	15.7	0.0379	3.20	3.94	yes	Zn coating	4C
C.054.040.0164.A	5.4	0.40	16.4	0.0379	3.20	3.94	yes	music wire	4B
C.054.040.0164.I	5.4	0.40	16.4	0.0330	3.16	3.88	yes	stainless steel	4C
C.054.040.0164.N	5.4	0.40	16.4	0.0379	3.20	3.94	yes	Zn coating	4C
C.054.040.0237.A	5.4	0.40	23.7	0.0245	4.40	5.54	yes	music wire	4B
C.054.040.0237.I	5.4	0.40	23.7	0.0210	4.40	5.54	yes	stainless steel	4C
C.054.040.0237.N	5.4	0.40	23.7	0.0245	4.40	5.54	yes	Zn coating	4C
C.054.040.0247.A	5.4	0.40	24.7	0.0245	4.40	5.54	yes	music wire	4B
C.054.040.0247.I	5.4	0.40	24.7	0.0213	4.36	5.48	yes	stainless steel	4C
C.054.040.0247.N	5.4	0.40	24.7	0.0245	4.40	5.54	yes	Zn coating	4C
C.054.040.0334.A	5.4	0.40	33.4	0.0167	6.00	7.67	yes	music wire	4B
C.054.040.0334.AF	5.4	0.40	33.4	0.0113	8.40	10.87	yes	music wire	4B
C.054.040.0334.I	5.4	0.40	33.4	0.0143	6.00	7.67	yes	stainless steel	4C
C.054.040.0334.IF	5.4	0.40	33.4	0.0097	8.40	10.87	yes	stainless steel	4C
C.054.040.0334.N	5.4	0.40	33.4	0.0167	6.00	7.67	yes	Zn coating	4C
C.054.040.0334.NF	5.4	0.40	33.4	0.0113	8.40	10.87	yes	Zn coating	4C
C.054.040.0358.A	5.4	0.40	35.8	0.0167	6.00	7.67	yes	music wire	4B
C.054.040.0358.I	5.4	0.40	35.8	0.0143	6.00	7.67	yes	stainless steel	4C
C.054.040.0358.N	5.4	0.40	35.8	0.0167	6.00	7.67	yes	Zn coating	4C
C.054.040.0513.A	5.4	0.40	51.3	0.0113	8.40	10.87	yes	music wire	4B
C.054.040.0513.AF	5.4	0.40	51.3	0.0093	9.96	12.96	yes	music wire	4B
C.054.040.0513.I	5.4	0.40	51.3	0.0097	8.40	10.87	yes	stainless steel	4C
C.054.040.0513.IF	5.4	0.40	51.3	0.0080	9.96	12.96	yes	stainless steel	4C
C.054.040.0513.N	5.4	0.40	51.3	0.0113	8.40	10.87	yes	Zn coating	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.054.040.0513.NF	5.4	0.40	51.3	0.0093	9.96	12.96	yes	Zn coating	4D
C.054.040.0524.A	5.4	0.40	52.4	0.0113	8.40	10.87	yes	music wire	4B
C.054.040.0524.I	5.4	0.40	52.4	0.0097	8.40	10.87	yes	stainless steel	4C
C.054.040.0524.N	5.4	0.40	52.4	0.0113	8.40	10.87	yes	Zn coating	4D
C.054.055.0080.A	5.4	0.55	8.0	0.2500	3.25	3.65	yes	music wire	4C
C.054.055.0100.A	5.4	0.55	10.0	0.1944	3.69	4.19	yes	music wire	4C
C.054.055.0125.A	5.4	0.55	12.5	0.1556	4.35	4.99	yes	music wire	4C
C.054.055.0160.A	5.4	0.55	16.0	0.1250	5.06	5.85	yes	music wire	4C
C.054.055.0200.A	5.4	0.55	20.0	0.1000	6.00	6.99	yes	music wire	4C
C.054.055.0250.A	5.4	0.55	25.0	0.0778	7.32	8.59	yes	music wire	4C
C.054.055.0320.A	5.4	0.55	32.0	0.0625	8.80	10.39	yes	music wire	4C
C.054.055.0400.A	5.4	0.55	40.0	0.0500	10.67	12.66	yes	music wire	4C
C.054.055.0500.A	5.4	0.55	50.0	0.0389	13.31	15.87	yes	music wire	4C
C.054.055.0630.A	5.4	0.55	63.0	0.0321	15.40	18.62	yes	music wire	4E
C.054.055.0630.I	5.4	0.55	63.0	0.0279	15.18	19.73	yes	stainless steel	4F
C.054.055.0630.N	5.4	0.55	63.0	0.0321	15.40	18.62	yes	Zn coating	4H
C.054.055.0800.A	5.4	0.55	80.0	0.0250	19.36	23.26	yes	music wire	4F
C.054.055.0800.I	5.4	0.55	80.0	0.0218	19.14	24.44	yes	stainless steel	4F
C.054.055.0800.N	5.4	0.55	80.0	0.0250	19.36	23.26	yes	Zn coating	4H
C.054.055.1000.A	5.4	0.55	100.0	0.0200	23.87	28.77	yes	music wire	4F
C.054.055.1000.I	5.4	0.55	100.0	0.0174	23.54	30.55	yes	stainless steel	4F
C.054.055.1000.N	5.4	0.55	100.0	0.0200	23.87	28.77	yes	Zn coating	4H
C.054.055.1250.A	5.4	0.55	125.0	0.0161	29.32	36.51	yes	music wire	4F
C.054.055.1250.I	5.4	0.55	125.0	0.0140	28.93	38.73	yes	stainless steel	4G
C.054.055.1250.N	5.4	0.55	125.0	0.0161	29.32	36.51	yes	Zn coating	4H
C.054.075.0200.A	5.4	0.75	20.0	0.3312	9.15	10.30	yes	music wire	4E
C.054.075.0200.I	5.4	0.75	20.0	0.2845	9.15	10.30	yes	stainless steel	4F
C.054.075.0200.N	5.4	0.75	20.0	0.3312	9.15	10.30	yes	Zn coating	4G
C.054.080.0080.A	5.4	0.80	8.0	1.0000	5.44	5.95	yes	music wire	4C
C.054.080.0100.A	5.4	0.80	10.0	0.8000	6.32	6.97	yes	music wire	4C
C.054.080.0125.A	5.4	0.80	12.5	0.6250	7.52	8.35	yes	music wire	4C
C.054.080.0160.A	5.4	0.80	16.0	0.5000	8.88	9.91	yes	music wire	4C
C.054.080.0200.A	5.4	0.80	20.0	0.4000	10.56	11.84	yes	music wire	4C
C.054.080.0250.A	5.4	0.80	25.0	0.3175	12.80	14.42	yes	music wire	4C
C.054.080.0320.A	5.4	0.80	32.0	0.2500	15.68	17.73	yes	music wire	4C
C.054.080.0400.A	5.4	0.80	40.0	0.2000	19.12	21.68	yes	music wire	4C
C.054.080.0500.A	5.4	0.80	50.0	0.1600	23.44	26.65	yes	music wire	4C
C.054.080.0630.A	5.4	0.80	63.0	0.1250	29.44	33.54	yes	music wire	4C
C.054.080.0800.A	5.4	0.80	80.0	0.1000	36.32	41.45	yes	music wire	4F
C.054.080.0800.I	5.4	0.80	80.0	0.0870	35.84	40.90	yes	stainless steel	4G
C.054.080.0800.N	5.4	0.80	80.0	0.1000	36.32	41.45	yes	Zn coating	4H
C.054.080.1000.A	5.4	0.80	100.0	0.0781	45.92	52.49	yes	music wire	4F
C.054.080.1000.I	5.4	0.80	100.0	0.0679	45.36	51.85	yes	stainless steel	4G
C.054.080.1000.N	5.4	0.80	100.0	0.0781	45.92	52.49	yes	Zn coating	4I
C.054.090.0240.A	5.4	0.90	24.0	0.5642	13.95	15.56	yes	music wire	4E
C.054.090.0240.I	5.4	0.90	24.0	0.4846	13.95	15.56	yes	stainless steel	4F
C.054.090.0240.N	5.4	0.90	24.0	0.5642	13.95	15.56	yes	Zn coating	4H
C.055.035.0370.A	5.5	0.35	37.0	0.0060	7.77	10.55	no	music wire	4B
C.055.035.0370.I	5.5	0.35	37.0	0.0052	7.67	10.41	no	stainless steel	4C
C.055.045.0097.A	5.5	0.45	9.7	0.0877	2.79	3.27	yes	music wire	4B
C.055.045.0097.I	5.5	0.45	9.7	0.0753	2.79	3.27	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.055.045.0112.A	5.5	0.45	11.2	0.0754	3.06	3.62	yes	music wire	4B
C.055.045.0112.I	5.5	0.45	11.2	0.0648	3.06	3.62	yes	stainless steel	4C
C.055.045.0142.A	5.5	0.45	14.2	0.0579	3.65	4.38	yes	music wire	4B
C.055.045.0142.I	5.5	0.45	14.2	0.0498	3.65	4.38	yes	stainless steel	4C
C.055.045.0157.A	5.5	0.45	15.7	0.0523	3.92	4.73	yes	music wire	4B
C.055.045.0157.I	5.5	0.45	15.7	0.0449	3.92	4.73	yes	stainless steel	4C
C.055.050.0094.A	5.5	0.50	9.4	0.1455	3.00	3.44	yes	music wire	4B
C.055.050.0094.AP	5.5	0.50	9.4	0.2028	2.50	4.12	yes	music wire	4D
C.055.050.0094.I	5.5	0.50	9.4	0.1250	3.00	3.44	yes	stainless steel	4C
C.055.050.0094.N	5.5	0.50	9.4	0.1455	3.00	3.44	yes	Zn coating	4C
C.055.050.0111.A	5.5	0.50	11.1	0.1455	3.00	3.74	yes	music wire	4D
C.055.050.0111.I	5.5	0.50	11.1	0.1250	3.00	3.85	yes	stainless steel	4E
C.055.050.0111.N	5.5	0.50	11.1	0.1455	3.00	3.74	yes	Zn coating	4F
C.055.050.0140.A	5.5	0.50	14.0	0.0926	4.00	4.69	yes	music wire	4B
C.055.050.0140.AP	5.5	0.50	14.0	0.1334	3.15	5.97	yes	music wire	4D
C.055.050.0140.I	5.5	0.50	14.0	0.0795	4.00	4.69	yes	stainless steel	4C
C.055.050.0140.N	5.5	0.50	14.0	0.0926	4.00	4.69	yes	Zn coating	4C
C.055.050.0164.A	5.5	0.50	16.4	0.0926	4.00	4.83	yes	music wire	4D
C.055.050.0164.I	5.5	0.50	16.4	0.0795	4.00	5.00	yes	stainless steel	4E
C.055.050.0164.N	5.5	0.50	16.4	0.0926	4.00	4.83	yes	Zn coating	4F
C.055.050.0205.A	5.5	0.50	20.5	0.0600	5.50	6.56	yes	music wire	4B
C.055.050.0205.AP	5.5	0.50	20.5	0.0890	4.10	8.46	yes	music wire	4D
C.055.050.0205.I	5.5	0.50	20.5	0.0521	5.45	6.50	yes	stainless steel	4C
C.055.050.0205.N	5.5	0.50	20.5	0.0600	5.50	6.56	yes	Zn coating	4C
C.055.050.0271.A	5.5	0.50	27.1	0.0536	6.00	7.19	yes	music wire	4D
C.055.050.0271.I	5.5	0.50	27.1	0.0466	5.95	7.66	yes	stainless steel	4E
C.055.050.0271.N	5.5	0.50	27.1	0.0536	6.00	7.19	yes	Zn coating	4F
C.055.050.0300.A	5.5	0.50	30.0	0.0408	7.50	9.06	yes	music wire	4B
C.055.050.0300.AP	5.5	0.50	30.0	0.0597	5.50	12.04	yes	music wire	4E
C.055.050.0300.I	5.5	0.50	30.0	0.0350	7.50	9.06	yes	stainless steel	4C
C.055.050.0300.IF	5.5	0.50	30.0	0.0236	10.50	12.81	yes	stainless steel	4C
C.055.050.0300.N	5.5	0.50	30.0	0.0408	7.50	9.06	yes	Zn coating	4C
C.055.050.0370.A	5.5	0.50	37.0	0.0430	7.15	12.09	yes	music wire	4E
C.055.050.0370.I	5.5	0.50	37.0	0.0374	7.10	12.77	yes	stainless steel	4E
C.055.050.0370.N	5.5	0.50	37.0	0.0430	7.15	12.09	yes	Zn coating	4F
C.055.050.0445.A	5.5	0.50	44.5	0.0275	10.50	12.81	yes	music wire	4B
C.055.050.0445.AP	5.5	0.50	44.5	0.0402	7.60	17.88	yes	music wire	4E
C.055.050.0445.I	5.5	0.50	44.5	0.0236	10.50	12.81	yes	stainless steel	4C
C.055.050.0445.IF	5.5	0.50	44.5	0.0194	12.55	15.38	yes	stainless steel	4C
C.055.050.0445.N	5.5	0.50	44.5	0.0275	10.50	12.81	yes	Zn coating	4D
C.055.055.1900.A	5.5	0.55	190.0	0.0090	48.35	58.75	yes	music wire	4D
C.055.055.1900.AP	5.5	0.55	190.0	0.0126	34.98	78.79	yes	music wire	4G
C.055.055.1900.I	5.5	0.55	190.0	0.0078	47.74	58.01	yes	stainless steel	4E
C.055.055.1900.N	5.5	0.55	190.0	0.0090	48.35	58.75	yes	Zn coating	4F
C.055.070.0310.A	5.5	0.70	31.0	0.1670	10.99	14.56	yes	music wire	4E
C.055.070.0310.I	5.5	0.70	31.0	0.1453	10.92	14.89	yes	stainless steel	4F
C.055.070.0310.N	5.5	0.70	31.0	0.1670	10.99	14.56	yes	Zn coating	4G
C.055.070.0500.A	5.5	0.70	50.0	0.1100	15.82	25.04	yes	music wire	4E
C.055.070.0500.I	5.5	0.70	50.0	0.0957	15.68	25.53	yes	stainless steel	4I
C.055.070.0500.N	5.5	0.70	50.0	0.1100	15.82	25.04	yes	Zn coating	4H
C.055.080.0150.A	5.5	0.80	15.0	0.7170	6.48	9.46	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.055.080.0150.I	5.5	0.80	15.0	0.6238	6.40	9.55	yes	stainless steel	4H
C.055.080.0150.N	5.5	0.80	15.0	0.7170	6.48	9.46	yes	Zn coating	4I
C.055.090.0230.A	5.5	0.90	23.0	0.6420	11.88	14.46	yes	music wire	4E
C.055.090.0230.I	5.5	0.90	23.0	0.5585	11.79	14.57	yes	stainless steel	4F
C.055.090.0230.N	5.5	0.90	23.0	0.6420	11.88	14.46	yes	Zn coating	4H
C.055.090.0560.A	5.5	0.90	56.0	0.3000	22.86	37.72	yes	music wire	4I
C.055.090.0560.I	5.5	0.90	56.0	0.2610	22.59	37.97	yes	stainless steel	4I
C.055.090.0560.N	5.5	0.90	56.0	0.3000	22.86	37.72	yes	Zn coating	4I
C.055.100.0280.A	5.5	1.00	28.0	0.8130	16.30	19.02	yes	music wire	4F
C.055.100.0280.I	5.5	1.00	28.0	0.7073	16.10	19.12	yes	stainless steel	4F
C.055.100.0280.N	5.5	1.00	28.0	0.8130	16.30	19.02	yes	Zn coating	4H
C.055.100.0500.A	5.5	1.00	50.0	0.5630	22.40	37.04	yes	music wire	4I
C.055.100.0500.I	5.5	1.00	50.0	0.4898	22.10	37.18	yes	stainless steel	4I
C.055.100.0500.N	5.5	1.00	50.0	0.5630	22.40	37.04	yes	Zn coating	4I
C.055.110.0083.A	5.5	1.10	8.3	5.0028	6.60	7.08	yes	music wire	4C
C.055.110.0083.I	5.5	1.10	8.3	4.2969	6.60	7.08	yes	stainless steel	4C
C.055.110.0083.N	5.5	1.10	8.3	5.0028	6.60	7.08	yes	Zn coating	4E
C.055.110.0119.A	5.5	1.10	11.9	3.1836	8.80	9.55	yes	music wire	4F
C.055.110.0119.I	5.5	1.10	11.9	2.7344	8.80	9.55	yes	stainless steel	4F
C.055.110.0119.N	5.5	1.10	11.9	3.1836	8.80	9.55	yes	Zn coating	4H
C.055.110.0189.A	5.5	1.10	18.9	1.8431	13.20	14.50	yes	music wire	4F
C.055.110.0189.I	5.5	1.10	18.9	1.5830	13.20	14.50	yes	stainless steel	4F
C.055.110.0189.N	5.5	1.10	18.9	1.8431	13.20	14.50	yes	Zn coating	4H
C.055.110.0260.A	5.5	1.10	26.0	1.5630	15.07	19.97	yes	music wire	4H
C.055.110.0260.I	5.5	1.10	26.0	1.3598	14.96	20.02	yes	stainless steel	4I
C.055.110.0260.N	5.5	1.10	26.0	1.5630	15.07	19.97	yes	Zn coating	4I
C.055.110.0295.A	5.5	1.10	29.5	1.1297	19.80	21.91	yes	music wire	4F
C.055.110.0295.I	5.5	1.10	29.5	0.9703	19.80	21.91	yes	stainless steel	4F
C.055.110.0295.N	5.5	1.10	29.5	1.1297	19.80	21.91	yes	Zn coating	4H
C.056.030.0079.A	5.6	0.30	7.9	0.0241	1.74	2.13	no	music wire	4C
C.056.030.0079.I	5.6	0.30	7.9	0.0210	1.74	2.13	no	stainless steel	4C
C.056.030.0111.A	5.6	0.30	11.1	0.0070	3.42	4.77	no	music wire	4C
C.056.030.0111.I	5.6	0.30	11.1	0.0061	3.39	4.72	no	stainless steel	4C
C.056.030.0135.A	5.6	0.30	13.5	0.0180	1.98	2.51	no	music wire	4C
C.056.030.0135.I	5.6	0.30	13.5	0.0157	1.95	2.46	no	stainless steel	4C
C.056.030.0143.A	5.6	0.30	14.3	0.0030	6.60	9.75	no	music wire	4C
C.056.030.0143.I	5.6	0.30	14.3	0.0030	5.82	8.53	no	stainless steel	4C
C.056.030.0167.A	5.6	0.30	16.7	0.0057	3.93	5.57	no	music wire	4C
C.056.030.0167.I	5.6	0.30	16.7	0.0050	3.90	5.52	no	stainless steel	4C
C.056.030.0174.A	5.6	0.30	17.4	0.0080	3.12	4.30	no	music wire	4C
C.056.030.0174.I	5.6	0.30	17.4	0.0070	3.09	4.25	no	stainless steel	4C
C.056.030.0191.A	5.6	0.30	19.1	0.0030	6.60	9.75	no	music wire	4C
C.056.030.0191.I	5.6	0.30	19.1	0.0026	6.51	9.61	no	stainless steel	4C
C.056.030.0220.A	5.6	0.30	22.0	0.0126	2.37	3.12	no	music wire	4E
C.056.030.0380.A	5.6	0.30	38.0	0.0050	4.38	6.27	no	music wire	4C
C.056.030.0380.I	5.6	0.30	38.0	0.0044	4.32	6.18	no	stainless steel	4C
C.056.030.0390.A	5.6	0.30	39.0	0.0011	15.51	23.73	no	music wire	4C
C.056.030.0390.I	5.6	0.30	39.0	0.0010	15.33	23.44	no	stainless steel	4C
C.056.040.0111.A	5.6	0.40	11.1	0.0190	4.92	6.31	yes	music wire	4B
C.056.040.0111.I	5.6	0.40	11.1	0.0165	4.84	6.20	yes	stainless steel	4C
C.056.040.0127.A	5.6	0.40	12.7	0.0300	3.48	4.36	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.056.040.0127.I	5.6	0.40	12.7	0.0080	8.96	11.77	yes	stainless steel	4C
C.056.040.0159.A	5.6	0.40	15.9	0.0120	7.20	9.39	yes	music wire	4B
C.056.040.0159.I	5.6	0.40	15.9	0.0104	7.12	9.28	yes	stainless steel	4C
C.056.040.0191.A	5.6	0.40	19.1	0.0149	5.96	7.71	yes	music wire	4B
C.056.040.0191.I	5.6	0.40	19.1	0.0130	5.92	7.66	yes	stainless steel	4C
C.056.040.0220.A	5.6	0.40	22.0	0.0161	5.60	7.23	yes	music wire	4B
C.056.040.0220.I	5.6	0.40	22.0	0.0140	5.56	7.17	yes	stainless steel	4C
C.056.040.0240.A	5.6	0.40	24.0	0.0092	9.08	11.94	yes	music wire	4B
C.056.040.0240.I	5.6	0.40	24.0	0.0080	8.96	11.77	yes	stainless steel	4C
C.056.040.0350.A	5.6	0.40	35.0	0.0092	9.08	11.94	yes	music wire	4B
C.056.040.0350.I	5.6	0.40	35.0	0.0080	8.96	11.77	yes	stainless steel	4C
C.056.045.0063.A	5.6	0.45	6.3	0.1470	2.07	2.35	yes	music wire	4B
C.056.045.0063.AP	5.6	0.45	6.3	0.2174	1.76	2.70	yes	music wire	4D
C.056.045.0063.I	5.6	0.45	6.3	0.1279	2.07	2.35	yes	stainless steel	4C
C.056.045.0063.N	5.6	0.45	6.3	0.1470	2.07	2.35	yes	Zn coating	4C
C.056.045.0080.A	5.6	0.45	8.0	0.1120	2.34	2.70	yes	music wire	4B
C.056.045.0080.AP	5.6	0.45	8.0	0.1691	1.94	3.37	yes	music wire	4D
C.056.045.0080.I	5.6	0.45	8.0	0.0974	2.34	2.70	yes	stainless steel	4C
C.056.045.0080.N	5.6	0.45	8.0	0.1120	2.34	2.70	yes	Zn coating	4C
C.056.045.0100.A	5.6	0.45	10.0	0.0870	2.70	3.17	yes	music wire	4B
C.056.045.0100.AP	5.6	0.45	10.0	0.1323	2.16	4.09	yes	music wire	4D
C.056.045.0100.I	5.6	0.45	10.0	0.0757	2.70	3.17	yes	stainless steel	4C
C.056.045.0100.N	5.6	0.45	10.0	0.0870	2.70	3.17	yes	Zn coating	4C
C.056.045.0125.A	5.6	0.45	12.5	0.0690	3.11	3.70	yes	music wire	4B
C.056.045.0125.AL	5.6	0.45	12.5	0.0640	3.33	3.98	yes	music wire	4B
C.056.045.0125.AP	5.6	0.45	12.5	0.1049	2.43	5.05	yes	music wire	4D
C.056.045.0125.I	5.6	0.45	12.5	0.0600	3.11	3.70	yes	stainless steel	4C
C.056.045.0125.N	5.6	0.45	12.5	0.0690	3.11	3.70	yes	Zn coating	4C
C.056.045.0160.A	5.6	0.45	16.0	0.0530	3.74	4.51	yes	music wire	4B
C.056.045.0160.AP	5.6	0.45	16.0	0.0801	2.84	6.23	yes	music wire	4D
C.056.045.0160.I	5.6	0.45	16.0	0.0461	3.69	4.45	yes	stainless steel	4C
C.056.045.0160.N	5.6	0.45	16.0	0.0530	3.74	4.51	yes	Zn coating	4C
C.056.045.0200.A	5.6	0.45	20.0	0.0420	4.41	5.38	yes	music wire	4B
C.056.045.0200.AL	5.6	0.45	20.0	0.0400	4.64	5.67	yes	music wire	4B
C.056.045.0200.AP	5.6	0.45	20.0	0.0634	3.29	7.66	yes	music wire	4D
C.056.045.0200.I	5.6	0.45	20.0	0.0365	4.37	5.33	yes	stainless steel	4C
C.056.045.0200.N	5.6	0.45	20.0	0.0420	4.41	5.38	yes	Zn coating	4C
C.056.045.0250.A	5.6	0.45	25.0	0.0340	5.18	6.38	yes	music wire	4B
C.056.045.0250.AL	5.6	0.45	25.0	0.0320	5.54	6.83	yes	music wire	4B
C.056.045.0250.AP	5.6	0.45	25.0	0.0507	3.83	9.58	yes	music wire	4D
C.056.045.0250.I	5.6	0.45	25.0	0.0296	5.13	6.32	yes	stainless steel	4C
C.056.045.0250.N	5.6	0.45	25.0	0.0340	5.18	6.38	yes	Zn coating	4C
C.056.045.0320.A	5.6	0.45	32.0	0.0260	6.44	8.01	yes	music wire	4B
C.056.045.0320.AP	5.6	0.45	32.0	0.0395	4.59	12.21	yes	music wire	4E
C.056.045.0320.I	5.6	0.45	32.0	0.0226	6.35	7.90	yes	stainless steel	4C
C.056.045.0320.N	5.6	0.45	32.0	0.0260	6.44	8.01	yes	Zn coating	4C
C.056.045.0400.A	5.6	0.45	40.0	0.0210	7.70	9.65	yes	music wire	4B
C.056.045.0400.AL	5.6	0.45	40.0	0.0200	8.19	10.26	yes	music wire	4B
C.056.045.0400.AP	5.6	0.45	40.0	0.0314	5.49	15.07	yes	music wire	4E
C.056.045.0400.I	5.6	0.45	40.0	0.0183	7.61	9.53	yes	stainless steel	4C
C.056.045.0400.N	5.6	0.45	40.0	0.0210	7.70	9.65	yes	Zn coating	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.056.045.0500.A	5.6	0.45	50.0	0.0160	9.72	12.27	yes	music wire	4B
C.056.045.0500.AP	5.6	0.45	50.0	0.0249	6.66	18.64	yes	music wire	4E
C.056.045.0500.I	5.6	0.45	50.0	0.0139	9.63	12.15	yes	stainless steel	4C
C.056.045.0500.N	5.6	0.45	50.0	0.0160	9.72	12.27	yes	Zn coating	4D
C.056.045.0630.A	5.6	0.45	63.0	0.0130	11.70	14.84	yes	music wire	4C
C.056.045.0630.AP	5.6	0.45	63.0	0.0198	8.10	23.42	yes	music wire	4E
C.056.045.0630.I	5.6	0.45	63.0	0.0113	11.57	14.67	yes	stainless steel	4C
C.056.045.0630.N	5.6	0.45	63.0	0.0130	11.70	14.84	yes	Zn coating	4D
C.056.045.0800.A	5.6	0.45	80.0	0.0100	14.90	18.98	yes	music wire	4C
C.056.045.0800.AP	5.6	0.45	80.0	0.0155	9.99	29.62	yes	music wire	4E
C.056.045.0800.I	5.6	0.45	80.0	0.0087	14.72	18.75	yes	stainless steel	4C
C.056.045.0800.N	5.6	0.45	80.0	0.0100	14.90	18.98	yes	Zn coating	4D
C.056.045.3600.A	5.6	0.45	360.0	0.0020	70.38	90.78	no	music wire	4E
C.056.045.3600.I	5.6	0.45	360.0	0.0017	71.10	91.71	no	stainless steel	4E
C.056.050.0063.A	5.6	0.50	6.3	0.1940	2.50	2.82	yes	music wire	4B
C.056.050.0063.AP	5.6	0.50	6.3	0.3185	2.00	3.00	yes	music wire	4D
C.056.050.0063.I	5.6	0.50	6.3	0.1688	2.45	2.76	yes	stainless steel	4C
C.056.050.0063.N	5.6	0.50	6.3	0.1940	2.50	2.82	yes	Zn coating	4C
C.056.050.0080.A	5.6	0.50	8.0	0.1540	2.80	3.20	yes	music wire	4B
C.056.050.0080.AP	5.6	0.50	8.0	0.2389	2.25	3.59	yes	music wire	4D
C.056.050.0080.I	5.6	0.50	8.0	0.1340	2.80	3.20	yes	stainless steel	4C
C.056.050.0080.N	5.6	0.50	8.0	0.1540	2.80	3.20	yes	Zn coating	4C
C.056.050.0100.A	5.6	0.50	10.0	0.1190	3.25	3.76	yes	music wire	4B
C.056.050.0100.AP	5.6	0.50	10.0	0.1838	2.55	4.27	yes	music wire	4D
C.056.050.0100.I	5.6	0.50	10.0	0.1035	3.25	3.76	yes	stainless steel	4C
C.056.050.0100.N	5.6	0.50	10.0	0.1190	3.25	3.76	yes	Zn coating	4C
C.056.050.0111.A	5.6	0.50	11.1	0.0471	6.35	7.66	yes	music wire	4B
C.056.050.0111.AP	5.6	0.50	11.1	0.1648	2.70	4.71	yes	music wire	4D
C.056.050.0111.I	5.6	0.50	11.1	0.0410	6.30	7.59	yes	stainless steel	4C
C.056.050.0125.A	5.6	0.50	12.5	0.0920	3.85	4.52	yes	music wire	4B
C.056.050.0125.AP	5.6	0.50	12.5	0.1448	2.90	5.23	yes	music wire	4D
C.056.050.0125.I	5.6	0.50	12.5	0.0800	3.85	4.52	yes	stainless steel	4C
C.056.050.0125.N	5.6	0.50	12.5	0.0920	3.85	4.52	yes	Zn coating	4C
C.056.050.0160.A	5.6	0.50	16.0	0.0710	4.65	5.52	yes	music wire	4B
C.056.050.0160.AP	5.6	0.50	16.0	0.1138	3.35	6.75	yes	music wire	4D
C.056.050.0160.I	5.6	0.50	16.0	0.0618	4.60	5.46	yes	stainless steel	4C
C.056.050.0160.N	5.6	0.50	16.0	0.0710	4.65	5.52	yes	Zn coating	4C
C.056.050.0174.A	5.6	0.50	17.4	0.0276	9.95	12.18	yes	music wire	4B
C.056.050.0174.AP	5.6	0.50	17.4	0.1039	3.55	7.27	yes	music wire	4D
C.056.050.0174.I	5.6	0.50	17.4	0.0240	9.85	12.05	yes	stainless steel	4C
C.056.050.0200.A	5.6	0.50	20.0	0.0570	5.45	6.53	yes	music wire	4B
C.056.050.0200.AP	5.6	0.50	20.0	0.0885	3.95	8.10	yes	music wire	4D
C.056.050.0200.I	5.6	0.50	20.0	0.0496	5.40	6.46	yes	stainless steel	4C
C.056.050.0200.N	5.6	0.50	20.0	0.0570	5.45	6.53	yes	Zn coating	4C
C.056.050.0250.A	5.6	0.50	25.0	0.0450	6.60	7.97	yes	music wire	4B
C.056.050.0250.AF	5.6	0.50	25.0	0.0600	5.25	7.46	yes	music wire	4D
C.056.050.0250.AP	5.6	0.50	25.0	0.0703	4.65	10.02	yes	music wire	4D
C.056.050.0250.I	5.6	0.50	25.0	0.0515	5.25	7.70	yes	stainless steel	4E
C.056.050.0250.IF	5.6	0.50	25.0	0.0392	6.50	7.84	yes	stainless steel	4C
C.056.050.0250.N	5.6	0.50	25.0	0.0600	5.25	7.46	yes	Zn coating	4F
C.056.050.0250.NF	5.6	0.50	25.0	0.0450	6.60	7.97	yes	Zn coating	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.056.050.0270.AP	5.6	0.50	27.0	0.0655	4.90	10.92	yes	music wire	4E
C.056.050.0320.A	5.6	0.50	32.0	0.0350	8.10	9.85	yes	music wire	4B
C.056.050.0320.AP	5.6	0.50	32.0	0.0549	5.60	12.83	yes	music wire	4E
C.056.050.0320.I	5.6	0.50	32.0	0.0304	8.05	9.79	yes	stainless steel	4C
C.056.050.0320.N	5.6	0.50	32.0	0.0350	8.10	9.85	yes	Zn coating	4C
C.056.050.0400.A	5.6	0.50	40.0	0.0280	9.80	11.99	yes	music wire	4B
C.056.050.0400.AP	5.6	0.50	40.0	0.0438	6.75	15.98	yes	music wire	4E
C.056.050.0400.I	5.6	0.50	40.0	0.0244	9.70	11.86	yes	stainless steel	4C
C.056.050.0400.N	5.6	0.50	40.0	0.0280	9.80	11.99	yes	Zn coating	4D
C.056.050.0500.A	5.6	0.50	50.0	0.0220	12.15	14.94	yes	music wire	4C
C.056.050.0500.AP	5.6	0.50	50.0	0.0349	8.15	19.81	yes	music wire	4E
C.056.050.0500.I	5.6	0.50	50.0	0.0191	12.05	14.82	yes	stainless steel	4C
C.056.050.0500.N	5.6	0.50	50.0	0.0220	12.15	14.94	yes	Zn coating	4D
C.056.050.0630.A	5.6	0.50	63.0	0.0170	15.35	18.96	yes	music wire	4C
C.056.050.0630.AP	5.6	0.50	63.0	0.0275	10.00	24.66	yes	music wire	4E
C.056.050.0630.I	5.6	0.50	63.0	0.0148	15.20	18.77	yes	stainless steel	4C
C.056.050.0630.N	5.6	0.50	63.0	0.0170	15.35	18.96	yes	Zn coating	4D
C.056.050.3600.A	5.6	0.50	360.0	0.0030	81.75	102.23	no	music wire	4E
C.056.050.3600.I	5.6	0.50	360.0	0.0026	81.05	101.36	no	stainless steel	4E
C.056.055.0063.A	5.6	0.55	6.3	0.2790	2.81	3.13	yes	music wire	4C
C.056.055.0063.AP	5.6	0.55	6.3	0.4240	2.31	3.05	yes	music wire	4E
C.056.055.0063.I	5.6	0.55	6.3	0.2427	2.81	3.13	yes	stainless steel	4C
C.056.055.0063.N	5.6	0.55	6.3	0.2790	2.81	3.13	yes	Zn coating	4E
C.056.055.0080.A	5.6	0.55	8.0	0.2140	3.25	3.67	yes	music wire	4C
C.056.055.0080.AP	5.6	0.55	8.0	0.3277	2.59	3.80	yes	music wire	4E
C.056.055.0080.I	5.6	0.55	8.0	0.1862	3.19	3.60	yes	stainless steel	4C
C.056.055.0080.N	5.6	0.55	8.0	0.2140	3.25	3.67	yes	Zn coating	4E
C.056.055.0100.A	5.6	0.55	10.0	0.1690	3.74	4.28	yes	music wire	4C
C.056.055.0100.AP	5.6	0.55	10.0	0.2574	2.92	4.65	yes	music wire	4E
C.056.055.0100.I	5.6	0.55	10.0	0.1470	3.69	4.21	yes	stainless steel	4C
C.056.055.0100.N	5.6	0.55	10.0	0.1690	3.74	4.28	yes	Zn coating	4E
C.056.055.0125.A	5.6	0.55	12.5	0.1330	4.35	5.02	yes	music wire	4C
C.056.055.0125.AP	5.6	0.55	12.5	0.2002	3.36	5.63	yes	music wire	4E
C.056.055.0125.I	5.6	0.55	12.5	0.1157	4.35	5.02	yes	stainless steel	4C
C.056.055.0125.N	5.6	0.55	12.5	0.1330	4.35	5.02	yes	Zn coating	4E
C.056.055.0160.A	5.6	0.55	16.0	0.1010	5.34	6.24	yes	music wire	4C
C.056.055.0160.AP	5.6	0.55	16.0	0.1534	3.96	7.03	yes	music wire	4E
C.056.055.0160.I	5.6	0.55	16.0	0.0879	5.28	6.16	yes	stainless steel	4C
C.056.055.0160.N	5.6	0.55	16.0	0.1010	5.34	6.24	yes	Zn coating	4E
C.056.055.0200.A	5.6	0.55	20.0	0.0800	6.33	7.45	yes	music wire	4C
C.056.055.0200.AP	5.6	0.55	20.0	0.1222	4.62	8.74	yes	music wire	4E
C.056.055.0200.I	5.6	0.55	20.0	0.0696	6.27	7.38	yes	stainless steel	4C
C.056.055.0200.N	5.6	0.55	20.0	0.0800	6.33	7.45	yes	Zn coating	4E
C.056.055.0250.A	5.6	0.55	25.0	0.0630	7.70	9.13	yes	music wire	4C
C.056.055.0250.AP	5.6	0.55	25.0	0.0961	5.50	10.68	yes	music wire	4E
C.056.055.0250.I	5.6	0.55	25.0	0.0548	7.59	9.00	yes	stainless steel	4C
C.056.055.0250.N	5.6	0.55	25.0	0.0630	7.70	9.13	yes	Zn coating	4E
C.056.055.0320.A	5.6	0.55	32.0	0.0490	9.52	11.36	yes	music wire	4C
C.056.055.0320.AP	5.6	0.55	32.0	0.0743	6.71	13.48	yes	music wire	4E
C.056.055.0320.I	5.6	0.55	32.0	0.0426	9.41	11.23	yes	stainless steel	4C
C.056.055.0320.N	5.6	0.55	32.0	0.0490	9.52	11.36	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.056.055.0400.A	5.6	0.55	40.0	0.0390	11.61	13.93	yes	music wire	4C
C.056.055.0400.AP	5.6	0.55	40.0	0.0596	8.09	16.90	yes	music wire	4E
C.056.055.0400.I	5.6	0.55	40.0	0.0339	11.44	13.72	yes	stainless steel	4C
C.056.055.0400.N	5.6	0.55	40.0	0.0390	11.61	13.93	yes	Zn coating	4E
C.056.055.0500.A	5.6	0.55	50.0	0.0310	14.19	17.09	yes	music wire	4C
C.056.055.0500.AP	5.6	0.55	50.0	0.0474	9.79	20.98	yes	music wire	4E
C.056.055.0500.I	5.6	0.55	50.0	0.0270	14.03	16.89	yes	stainless steel	4C
C.056.055.0500.N	5.6	0.55	50.0	0.0310	14.19	17.09	yes	Zn coating	4E
C.056.055.0630.A	5.6	0.55	63.0	0.0250	17.33	20.94	yes	music wire	4C
C.056.055.0630.AP	5.6	0.55	63.0	0.0373	12.05	26.15	yes	music wire	4E
C.056.055.0630.I	5.6	0.55	63.0	0.0218	17.05	20.60	yes	stainless steel	4C
C.056.055.0630.N	5.6	0.55	63.0	0.0250	17.33	20.94	yes	Zn coating	4E
C.056.055.3600.A	5.6	0.55	360.0	0.0040	101.48	124.02	no	music wire	4E
C.056.055.3600.I	5.6	0.55	360.0	0.0035	99.61	121.73	no	stainless steel	4E
C.056.060.0063.A	5.6	0.60	6.3	0.4060	3.06	3.38	yes	music wire	4C
C.056.060.0063.AP	5.6	0.60	6.3	0.5846	2.58	3.30	yes	music wire	4E
C.056.060.0063.I	5.6	0.60	6.3	0.3532	3.06	3.38	yes	stainless steel	4C
C.056.060.0063.N	5.6	0.60	6.3	0.4060	3.06	3.38	yes	Zn coating	4E
C.056.060.0080.A	5.6	0.60	8.0	0.3010	3.60	4.03	yes	music wire	4C
C.056.060.0080.AP	5.6	0.60	8.0	0.4385	2.94	3.99	yes	music wire	4E
C.056.060.0080.I	5.6	0.60	8.0	0.2619	3.60	4.03	yes	stainless steel	4C
C.056.060.0080.N	5.6	0.60	8.0	0.3010	3.60	4.03	yes	Zn coating	4E
C.056.060.0100.A	5.6	0.60	10.0	0.2390	4.14	4.68	yes	music wire	4C
C.056.060.0100.AP	5.6	0.60	10.0	0.3395	3.36	4.83	yes	music wire	4E
C.056.060.0100.I	5.6	0.60	10.0	0.2079	4.14	4.68	yes	stainless steel	4C
C.056.060.0100.N	5.6	0.60	10.0	0.2390	4.14	4.68	yes	Zn coating	4E
C.056.060.0125.A	5.6	0.60	12.5	0.1850	4.92	5.62	yes	music wire	4C
C.056.060.0125.AP	5.6	0.60	12.5	0.2698	3.84	5.99	yes	music wire	4E
C.056.060.0125.I	5.6	0.60	12.5	0.1610	4.86	5.55	yes	stainless steel	4C
C.056.060.0125.N	5.6	0.60	12.5	0.1850	4.92	5.62	yes	Zn coating	4E
C.056.060.0160.A	5.6	0.60	16.0	0.1400	6.00	6.92	yes	music wire	4C
C.056.060.0160.AP	5.6	0.60	16.0	0.2063	4.56	7.49	yes	music wire	4E
C.056.060.0160.I	5.6	0.60	16.0	0.1218	5.94	6.85	yes	stainless steel	4C
C.056.060.0160.N	5.6	0.60	16.0	0.1400	6.00	6.92	yes	Zn coating	4E
C.056.060.0180.A	5.6	0.60	18.0	0.1408	6.00	6.92	yes	music wire	4C
C.056.060.0180.I	5.6	0.60	18.0	0.1209	6.00	6.92	yes	stainless steel	4C
C.056.060.0180.N	5.6	0.60	18.0	0.1408	6.00	6.92	yes	Zn coating	4E
C.056.060.0200.A	5.6	0.60	20.0	0.1110	7.20	8.36	yes	music wire	4C
C.056.060.0200.AP	5.6	0.60	20.0	0.1619	5.40	9.15	yes	music wire	4E
C.056.060.0200.I	5.6	0.60	20.0	0.0966	7.14	8.29	yes	stainless steel	4C
C.056.060.0200.N	5.6	0.60	20.0	0.1110	7.20	8.36	yes	Zn coating	4E
C.056.060.0220.A	5.6	0.60	22.0	0.0862	8.88	10.39	yes	music wire	4C
C.056.060.0220.AP	5.6	0.60	22.0	0.1462	5.82	9.98	yes	music wire	4E
C.056.060.0220.I	5.6	0.60	22.0	0.0750	8.76	10.24	yes	stainless steel	4C
C.056.060.0230.A	5.6	0.60	23.0	0.1494	5.76	11.25	yes	music wire	4H
C.056.060.0230.I	5.6	0.60	23.0	0.1300	5.70	11.52	yes	stainless steel	4H
C.056.060.0250.A	5.6	0.60	25.0	0.0880	8.70	10.17	yes	music wire	4C
C.056.060.0250.AP	5.6	0.60	25.0	0.1283	6.42	11.31	yes	music wire	4E
C.056.060.0250.I	5.6	0.60	25.0	0.0766	8.58	10.03	yes	stainless steel	4C
C.056.060.0250.N	5.6	0.60	25.0	0.0880	8.70	10.17	yes	Zn coating	4E
C.056.060.0320.A	5.6	0.60	32.0	0.0680	10.80	12.70	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.056.060.0320.AP	5.6	0.60	32.0	0.0993	7.86	14.31	yes	music wire	4E
C.056.060.0320.I	5.6	0.60	32.0	0.0592	10.68	12.55	yes	stainless steel	4C
C.056.060.0320.N	5.6	0.60	32.0	0.0680	10.80	12.70	yes	Zn coating	4E
C.056.060.0330.A	5.6	0.60	33.0	0.0644	11.34	13.35	yes	music wire	4C
C.056.060.0330.AP	5.6	0.60	33.0	0.0965	8.04	14.81	yes	music wire	4E
C.056.060.0330.I	5.6	0.60	33.0	0.0560	11.22	13.20	yes	stainless steel	4C
C.056.060.0400.A	5.6	0.60	40.0	0.0540	13.26	15.66	yes	music wire	4C
C.056.060.0400.AP	5.6	0.60	40.0	0.0791	9.48	17.80	yes	music wire	4E
C.056.060.0400.I	5.6	0.60	40.0	0.0470	13.08	15.44	yes	stainless steel	4C
C.056.060.0400.N	5.6	0.60	40.0	0.0540	13.26	15.66	yes	Zn coating	4E
C.056.060.0500.A	5.6	0.60	50.0	0.0430	16.26	19.27	yes	music wire	4C
C.056.060.0500.AP	5.6	0.60	50.0	0.0630	11.58	22.13	yes	music wire	4E
C.056.060.0500.I	5.6	0.60	50.0	0.0374	16.08	19.06	yes	stainless steel	4C
C.056.060.0500.N	5.6	0.60	50.0	0.0430	16.26	19.27	yes	Zn coating	4E
C.056.060.0630.A	5.6	0.60	63.0	0.0340	20.16	23.97	yes	music wire	4C
C.056.060.0630.AP	5.6	0.60	63.0	0.0499	14.22	27.79	yes	music wire	4E
C.056.060.0630.I	5.6	0.60	63.0	0.0296	19.86	23.61	yes	stainless steel	4C
C.056.060.0630.N	5.6	0.60	63.0	0.0340	20.16	23.97	yes	Zn coating	4E
C.056.060.3600.A	5.6	0.60	360.0	0.0060	107.70	129.26	no	music wire	4E
C.056.060.3600.I	5.6	0.60	360.0	0.0052	106.80	128.18	no	stainless steel	4E
C.056.065.0085.A	5.6	0.65	8.5	0.3668	4.29	4.79	yes	music wire	4C
C.056.065.0085.AP	5.6	0.65	8.5	0.5535	3.38	4.53	yes	music wire	4E
C.056.065.0085.I	5.6	0.65	8.5	0.3150	4.29	4.79	yes	stainless steel	4C
C.056.065.0085.N	5.6	0.65	8.5	0.3668	4.29	4.79	yes	Zn coating	4E
C.056.065.0125.A	5.6	0.65	12.5	0.2334	5.79	6.57	yes	music wire	4C
C.056.065.0125.AP	5.6	0.65	12.5	0.3558	4.36	6.33	yes	music wire	4E
C.056.065.0125.I	5.6	0.65	12.5	0.2000	5.79	6.57	yes	stainless steel	4C
C.056.065.0125.N	5.6	0.65	12.5	0.2334	5.79	6.57	yes	Zn coating	4E
C.056.065.0185.A	5.6	0.65	18.5	0.1510	8.06	9.26	yes	music wire	4C
C.056.065.0185.AP	5.6	0.65	18.5	0.2335	5.79	9.09	yes	music wire	4E
C.056.065.0185.I	5.6	0.65	18.5	0.1297	8.06	9.26	yes	stainless steel	4C
C.056.065.0185.N	5.6	0.65	18.5	0.1510	8.06	9.26	yes	Zn coating	4E
C.056.065.0260.A	5.6	0.65	26.0	0.1027	11.12	12.89	yes	music wire	4C
C.056.065.0260.AP	5.6	0.65	26.0	0.1624	7.61	12.48	yes	music wire	4E
C.056.065.0260.I	5.6	0.65	26.0	0.0882	11.12	12.89	yes	stainless steel	4C
C.056.065.0260.IF	5.6	0.65	26.0	0.0596	15.67	18.30	yes	stainless steel	4C
C.056.065.0260.N	5.6	0.65	26.0	0.1027	11.12	12.89	yes	Zn coating	4E
C.056.065.0385.A	5.6	0.65	38.5	0.0694	15.67	18.30	yes	music wire	4C
C.056.065.0385.AP	5.6	0.65	38.5	0.1083	10.60	18.22	yes	music wire	4E
C.056.065.0385.I	5.6	0.65	38.5	0.0596	15.67	18.30	yes	stainless steel	4C
C.056.065.0385.IF	5.6	0.65	38.5	0.0490	18.72	21.92	yes	stainless steel	4C
C.056.065.0385.N	5.6	0.65	38.5	0.0694	15.67	18.30	yes	Zn coating	4E
C.056.070.0063.A	5.6	0.70	6.3	0.7620	3.64	3.97	yes	music wire	4C
C.056.070.0063.AP	5.6	0.70	6.3	1.0367	3.15	3.70	yes	music wire	4E
C.056.070.0063.I	5.6	0.70	6.3	0.6629	3.64	3.97	yes	stainless steel	4C
C.056.070.0063.N	5.6	0.70	6.3	0.7620	3.64	3.97	yes	Zn coating	4E
C.056.070.0080.A	5.6	0.70	8.0	0.5710	4.27	4.71	yes	music wire	4C
C.056.070.0080.AP	5.6	0.70	8.0	0.7679	3.64	4.48	yes	music wire	4E
C.056.070.0080.I	5.6	0.70	8.0	0.4968	4.27	4.71	yes	stainless steel	4C
C.056.070.0080.N	5.6	0.70	8.0	0.5710	4.27	4.71	yes	Zn coating	4E
C.056.070.0100.A	5.6	0.70	10.0	0.4440	5.04	5.61	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.056.070.0100.AP	5.6	0.70	10.0	0.5924	4.20	5.44	yes	music wire	4E
C.056.070.0100.I	5.6	0.70	10.0	0.3863	4.97	5.53	yes	stainless steel	4C
C.056.070.0100.N	5.6	0.70	10.0	0.4440	5.04	5.61	yes	Zn coating	4E
C.056.070.0125.A	5.6	0.70	12.5	0.3400	6.02	6.76	yes	music wire	4C
C.056.070.0125.AP	5.6	0.70	12.5	0.4607	4.90	6.64	yes	music wire	4E
C.056.070.0125.I	5.6	0.70	12.5	0.2958	5.95	6.68	yes	stainless steel	4C
C.056.070.0125.N	5.6	0.70	12.5	0.3400	6.02	6.76	yes	Zn coating	4E
C.056.070.0160.A	5.6	0.70	16.0	0.2580	7.42	8.40	yes	music wire	4C
C.056.070.0160.AP	5.6	0.70	16.0	0.3514	5.88	8.32	yes	music wire	4E
C.056.070.0160.I	5.6	0.70	16.0	0.2245	7.35	8.32	yes	stainless steel	4C
C.056.070.0160.N	5.6	0.70	16.0	0.2580	7.42	8.40	yes	Zn coating	4E
C.056.070.0200.A	5.6	0.70	20.0	0.2050	8.82	10.05	yes	music wire	4C
C.056.070.0200.AP	5.6	0.70	20.0	0.2764	7.00	10.23	yes	music wire	4E
C.056.070.0200.I	5.6	0.70	20.0	0.1783	8.75	9.96	yes	stainless steel	4C
C.056.070.0200.N	5.6	0.70	20.0	0.2050	8.82	10.05	yes	Zn coating	4E
C.056.070.0220.A	5.6	0.70	22.0	0.2184	8.40	9.64	yes	music wire	4E
C.056.070.0220.I	5.6	0.70	22.0	0.1900	8.33	9.88	yes	stainless steel	4F
C.056.070.0250.A	5.6	0.70	25.0	0.1620	10.71	12.26	yes	music wire	4C
C.056.070.0250.AP	5.6	0.70	25.0	0.2206	8.33	12.76	yes	music wire	4E
C.056.070.0250.I	5.6	0.70	25.0	0.1409	10.64	12.18	yes	stainless steel	4C
C.056.070.0250.N	5.6	0.70	25.0	0.1620	10.71	12.26	yes	Zn coating	4E
C.056.070.0290.A	5.6	0.70	29.0	0.2069	8.75	15.95	yes	music wire	4H
C.056.070.0290.I	5.6	0.70	29.0	0.1800	8.68	16.21	yes	stainless steel	4H
C.056.070.0320.A	5.6	0.70	32.0	0.1240	13.51	15.55	yes	music wire	4C
C.056.070.0320.AP	5.6	0.70	32.0	0.1699	10.29	16.11	yes	music wire	4E
C.056.070.0320.I	5.6	0.70	32.0	0.1079	13.30	15.30	yes	stainless steel	4C
C.056.070.0320.N	5.6	0.70	32.0	0.1240	13.51	15.55	yes	Zn coating	4E
C.056.070.0350.A	5.6	0.70	35.0	0.1379	12.32	15.43	yes	music wire	4E
C.056.070.0350.I	5.6	0.70	35.0	0.1200	12.18	15.81	yes	stainless steel	4F
C.056.070.0400.A	5.6	0.70	40.0	0.0990	16.45	19.00	yes	music wire	4C
C.056.070.0400.AP	5.6	0.70	40.0	0.1346	12.53	19.95	yes	music wire	4E
C.056.070.0400.I	5.6	0.70	40.0	0.0861	16.24	18.75	yes	stainless steel	4C
C.056.070.0400.N	5.6	0.70	40.0	0.0990	16.45	19.00	yes	Zn coating	4E
C.056.070.0500.A	5.6	0.70	50.0	0.0780	20.44	23.68	yes	music wire	4C
C.056.070.0500.AP	5.6	0.70	50.0	0.1074	15.33	24.87	yes	music wire	4E
C.056.070.0500.I	5.6	0.70	50.0	0.0679	20.16	23.35	yes	stainless steel	4C
C.056.070.0500.N	5.6	0.70	50.0	0.0780	20.44	23.68	yes	Zn coating	4E
C.056.070.0630.A	5.6	0.70	63.0	0.0620	25.20	29.27	yes	music wire	4C
C.056.070.0630.AP	5.6	0.70	63.0	0.0846	18.97	31.10	yes	music wire	4F
C.056.070.0630.I	5.6	0.70	63.0	0.0539	24.92	28.94	yes	stainless steel	4C
C.056.070.0630.N	5.6	0.70	63.0	0.0620	25.20	29.27	yes	Zn coating	4E
C.056.070.3600.A	5.6	0.70	360.0	0.0110	134.75	157.70	no	music wire	4E
C.056.070.3600.I	5.6	0.70	360.0	0.0096	132.65	155.24	no	stainless steel	4E
C.056.080.0063.A	5.6	0.80	6.3	1.3830	4.16	4.49	yes	music wire	4C
C.056.080.0063.I	5.6	0.80	6.3	1.2000	4.16	4.49	yes	stainless steel	4C
C.056.080.0063.N	5.6	0.80	6.3	1.3830	4.16	4.49	yes	Zn coating	4E
C.056.080.0080.A	5.6	0.80	8.0	1.0000	5.04	5.51	yes	music wire	4C
C.056.080.0080.AP	5.6	0.80	8.0	1.2987	4.32	4.99	yes	music wire	4E
C.056.080.0080.I	5.6	0.80	8.0	0.8709	4.96	5.42	yes	stainless steel	4C
C.056.080.0080.N	5.6	0.80	8.0	1.0000	5.04	5.51	yes	Zn coating	4E
C.056.080.0100.A	5.6	0.80	10.0	0.7850	5.84	6.43	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.056.080.0100.I	5.6	0.80	10.0	0.6830	5.76	6.34	yes	stainless steel	4C
C.056.080.0100.N	5.6	0.80	10.0	0.7850	5.84	6.43	yes	Zn coating	4E
C.056.080.0125.A	5.6	0.80	12.5	0.6050	6.96	7.72	yes	music wire	4C
C.056.080.0125.I	5.6	0.80	12.5	0.5264	6.96	7.72	yes	stainless steel	4C
C.056.080.0125.N	5.6	0.80	12.5	0.6050	6.96	7.72	yes	Zn coating	4E
C.056.080.0135.A	5.6	0.80	13.5	0.4483	8.72	9.75	yes	music wire	4C
C.056.080.0135.AP	5.6	0.80	13.5	0.6974	6.32	7.90	yes	music wire	4E
C.056.080.0135.I	5.6	0.80	13.5	0.3900	8.64	9.66	yes	stainless steel	4C
C.056.080.0160.A	5.6	0.80	16.0	0.4540	8.64	9.66	yes	music wire	4C
C.056.080.0160.AP	5.6	0.80	16.0	0.5794	7.20	9.26	yes	music wire	4E
C.056.080.0160.I	5.6	0.80	16.0	0.3950	8.56	9.57	yes	stainless steel	4C
C.056.080.0160.N	5.6	0.80	16.0	0.4540	8.64	9.66	yes	Zn coating	4E
C.056.080.0200.A	5.6	0.80	20.0	0.3580	10.40	11.69	yes	music wire	4C
C.056.080.0200.I	5.6	0.80	20.0	0.3115	10.32	11.60	yes	stainless steel	4C
C.056.080.0200.N	5.6	0.80	20.0	0.3580	10.40	11.69	yes	Zn coating	4E
C.056.080.0250.A	5.6	0.80	25.0	0.2820	12.72	14.37	yes	music wire	4C
C.056.080.0250.I	5.6	0.80	25.0	0.2453	12.56	14.19	yes	stainless steel	4C
C.056.080.0250.N	5.6	0.80	25.0	0.2820	12.72	14.37	yes	Zn coating	4E
C.056.080.0320.A	5.6	0.80	32.0	0.2170	15.92	18.06	yes	music wire	4C
C.056.080.0320.I	5.6	0.80	32.0	0.1888	15.76	17.88	yes	stainless steel	4C
C.056.080.0320.N	5.6	0.80	32.0	0.2170	15.92	18.06	yes	Zn coating	4E
C.056.080.0400.A	5.6	0.80	40.0	0.1720	19.52	22.22	yes	music wire	4C
C.056.080.0400.I	5.6	0.80	40.0	0.1496	19.36	22.03	yes	stainless steel	4C
C.056.080.0400.N	5.6	0.80	40.0	0.1720	19.52	22.22	yes	Zn coating	4E
C.056.080.0500.A	5.6	0.80	50.0	0.1360	24.16	27.57	yes	music wire	4C
C.056.080.0500.AP	5.6	0.80	50.0	0.1744	19.28	27.59	yes	music wire	4F
C.056.080.0500.I	5.6	0.80	50.0	0.1183	23.92	27.30	yes	stainless steel	4C
C.056.080.0500.N	5.6	0.80	50.0	0.1360	24.16	27.57	yes	Zn coating	4E
C.056.080.0630.A	5.6	0.80	63.0	0.1070	30.24	34.59	yes	music wire	4C
C.056.080.0630.AP	5.6	0.80	63.0	0.1380	23.92	34.68	yes	music wire	4F
C.056.080.0630.I	5.6	0.80	63.0	0.0931	29.84	34.13	yes	stainless steel	4D
C.056.080.0630.N	5.6	0.80	63.0	0.1070	30.24	34.59	yes	Zn coating	4E
C.056.080.3600.A	5.6	0.80	360.0	0.0180	170.48	196.30	no	music wire	4E
C.056.080.3600.I	5.6	0.80	360.0	0.0157	167.92	193.35	no	stainless steel	4F
C.056.090.0063.A	5.6	0.90	6.3	2.3590	4.68	5.02	yes	music wire	4C
C.056.090.0063.I	5.6	0.90	6.3	2.0523	4.68	5.02	yes	stainless steel	4C
C.056.090.0063.N	5.6	0.90	6.3	2.3590	4.68	5.02	yes	Zn coating	4E
C.056.090.0080.A	5.6	0.90	8.0	1.7080	5.67	6.15	yes	music wire	4C
C.056.090.0080.AP	5.6	0.90	8.0	2.0748	5.04	5.43	yes	music wire	4E
C.056.090.0080.I	5.6	0.90	8.0	1.4860	5.58	6.05	yes	stainless steel	4C
C.056.090.0080.N	5.6	0.90	8.0	1.7080	5.67	6.15	yes	Zn coating	4E
C.056.090.0100.A	5.6	0.90	10.0	1.2700	6.84	7.49	yes	music wire	4C
C.056.090.0100.AP	5.6	0.90	10.0	1.6080	5.85	6.64	yes	music wire	4E
C.056.090.0100.I	5.6	0.90	10.0	1.1049	6.75	7.38	yes	stainless steel	4C
C.056.090.0100.N	5.6	0.90	10.0	1.2700	6.84	7.49	yes	Zn coating	4E
C.056.090.0125.A	5.6	0.90	12.5	0.9910	8.10	8.92	yes	music wire	4C
C.056.090.0125.AP	5.6	0.90	12.5	1.2136	7.02	8.05	yes	music wire	4E
C.056.090.0125.I	5.6	0.90	12.5	0.8622	8.01	8.82	yes	stainless steel	4C
C.056.090.0125.N	5.6	0.90	12.5	0.9910	8.10	8.92	yes	Zn coating	4E
C.056.090.0143.A	5.6	0.90	14.3	1.1000	7.56	9.39	yes	music wire	4E
C.056.090.0143.AP	5.6	0.90	14.3	1.0544	7.74	9.18	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.056.090.0143.I	5.6	0.90	14.3	0.6700	9.72	10.77	yes	stainless steel	4C
C.056.090.0160.A	5.6	0.90	16.0	0.7390	10.08	11.18	yes	music wire	4C
C.056.090.0160.AP	5.6	0.90	16.0	0.9322	8.46	10.21	yes	music wire	4E
C.056.090.0160.I	5.6	0.90	16.0	0.6429	9.99	11.08	yes	stainless steel	4C
C.056.090.0160.N	5.6	0.90	16.0	0.7390	10.08	11.18	yes	Zn coating	4E
C.056.090.0174.A	5.6	0.90	17.4	0.6300	11.43	12.72	yes	music wire	4C
C.056.090.0174.AP	5.6	0.90	17.4	0.8463	9.09	11.02	yes	music wire	4E
C.056.090.0174.I	5.6	0.90	17.4	0.5481	11.34	12.62	yes	stainless steel	4C
C.056.090.0200.A	5.6	0.90	20.0	0.5830	12.15	13.55	yes	music wire	4C
C.056.090.0200.AP	5.6	0.90	20.0	0.7227	10.26	12.53	yes	music wire	4E
C.056.090.0200.I	5.6	0.90	20.0	0.5072	12.06	13.44	yes	stainless steel	4C
C.056.090.0200.N	5.6	0.90	20.0	0.5830	12.15	13.55	yes	Zn coating	4E
C.056.090.0250.A	5.6	0.90	25.0	0.4590	14.85	16.63	yes	music wire	4C
C.056.090.0250.AP	5.6	0.90	25.0	0.5692	12.42	15.52	yes	music wire	4E
C.056.090.0250.I	5.6	0.90	25.0	0.4000	14.67	16.42	yes	stainless steel	4C
C.056.090.0250.N	5.6	0.90	25.0	0.4590	14.85	16.63	yes	Zn coating	4E
C.056.090.0270.A	5.6	0.90	27.0	0.3800	17.46	19.60	yes	music wire	4C
C.056.090.0270.AP	5.6	0.90	27.0	0.5272	13.23	16.76	yes	music wire	4E
C.056.090.0270.I	5.6	0.90	27.0	0.3306	17.28	19.40	yes	stainless steel	4C
C.056.090.0320.A	5.6	0.90	32.0	0.3510	18.72	21.04	yes	music wire	4C
C.056.090.0320.AP	5.6	0.90	32.0	0.4405	15.39	19.75	yes	music wire	4F
C.056.090.0320.I	5.6	0.90	32.0	0.3054	18.54	20.84	yes	stainless steel	4C
C.056.090.0320.N	5.6	0.90	32.0	0.3510	18.72	21.04	yes	Zn coating	4E
C.056.090.0400.A	5.6	0.90	40.0	0.2780	23.13	26.07	yes	music wire	4C
C.056.090.0400.AP	5.6	0.90	40.0	0.3477	18.90	24.48	yes	music wire	4F
C.056.090.0400.I	5.6	0.90	40.0	0.2419	22.86	25.76	yes	stainless steel	4C
C.056.090.0400.N	5.6	0.90	40.0	0.2780	23.13	26.07	yes	Zn coating	4E
C.056.090.0500.A	5.6	0.90	50.0	0.2200	28.62	32.34	yes	music wire	4C
C.056.090.0500.AP	5.6	0.90	50.0	0.2761	23.22	30.45	yes	music wire	4F
C.056.090.0500.I	5.6	0.90	50.0	0.1914	28.26	31.93	yes	stainless steel	4D
C.056.090.0500.N	5.6	0.90	50.0	0.2200	28.62	32.34	yes	Zn coating	4E
C.056.090.0630.A	5.6	0.90	63.0	0.1740	35.55	40.24	yes	music wire	4C
C.056.090.0630.AP	5.6	0.90	63.0	0.2173	28.89	38.16	yes	music wire	4F
C.056.090.0630.I	5.6	0.90	63.0	0.1514	35.10	39.73	yes	stainless steel	4D
C.056.090.0630.N	5.6	0.90	63.0	0.1740	35.55	40.24	yes	Zn coating	4E
C.056.090.3600.A	5.6	0.90	360.0	0.0300	196.29	223.50	no	music wire	4E
C.056.090.3600.I	5.6	0.90	360.0	0.0261	193.86	220.73	no	stainless steel	4F
C.056.100.0063.A	5.6	1.00	6.3	3.8360	5.20	5.56	yes	music wire	4C
C.056.100.0063.AP	5.6	1.00	6.3	4.5506	4.80	5.10	yes	music wire	4C
C.056.100.0063.I	5.6	1.00	6.3	3.3373	5.20	5.56	yes	stainless steel	4C
C.056.100.0063.N	5.6	1.00	6.3	3.8360	5.20	5.56	yes	Zn coating	4E
C.056.100.0080.A	5.6	1.00	8.0	2.7770	6.30	6.80	yes	music wire	4C
C.056.100.0080.AP	5.6	1.00	8.0	3.2707	5.70	6.12	yes	music wire	4E
C.056.100.0080.I	5.6	1.00	8.0	2.4160	6.20	6.69	yes	stainless steel	4C
C.056.100.0080.N	5.6	1.00	8.0	2.7770	6.30	6.80	yes	Zn coating	4E
C.056.100.0100.A	5.6	1.00	10.0	2.1200	7.40	8.05	yes	music wire	4C
C.056.100.0100.I	5.6	1.00	10.0	1.8444	7.40	8.05	yes	stainless steel	4C
C.056.100.0100.N	5.6	1.00	10.0	2.1200	7.40	8.05	yes	Zn coating	4E
C.056.100.0111.A	5.6	1.00	11.1	1.9000	8.00	8.72	yes	music wire	4C
C.056.100.0111.I	5.6	1.00	11.1	2.0000	7.00	8.01	yes	stainless steel	4F
C.056.100.0125.A	5.6	1.00	12.5	1.6110	9.00	9.86	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.056.100.0125.AP	5.6	1.00	12.5	1.9030	8.00	8.72	yes	music wire	4E
C.056.100.0125.I	5.6	1.00	12.5	1.4000	8.90	9.74	yes	stainless steel	4C
C.056.100.0125.N	5.6	1.00	12.5	1.6110	9.00	9.86	yes	Zn coating	4E
C.056.100.0135.A	5.6	1.00	13.5	1.4000	10.00	10.99	yes	music wire	4C
C.056.100.0135.AP	5.6	1.00	13.5	1.7444	8.50	9.38	yes	music wire	4E
C.056.100.0135.I	5.6	1.00	13.5	1.2180	9.90	10.87	yes	stainless steel	4C
C.056.100.0143.A	5.6	1.00	14.3	1.3793	10.10	11.10	yes	music wire	4C
C.056.100.0143.I	5.6	1.00	14.3	1.2000	10.00	10.99	yes	stainless steel	4C
C.056.100.0160.A	5.6	1.00	16.0	1.2200	11.10	12.23	yes	music wire	4C
C.056.100.0160.I	5.6	1.00	16.0	1.0614	11.00	12.12	yes	stainless steel	4C
C.056.100.0160.N	5.6	1.00	16.0	1.2200	11.10	12.23	yes	Zn coating	4E
C.056.100.0200.A	5.6	1.00	20.0	0.9480	13.50	14.95	yes	music wire	4C
C.056.100.0200.I	5.6	1.00	20.0	0.8248	13.40	14.84	yes	stainless steel	4C
C.056.100.0200.N	5.6	1.00	20.0	0.9480	13.50	14.95	yes	Zn coating	4E
C.056.100.0250.A	5.6	1.00	25.0	0.7460	16.50	18.34	yes	music wire	4C
C.056.100.0250.I	5.6	1.00	25.0	0.6490	16.40	18.23	yes	stainless steel	4C
C.056.100.0250.N	5.6	1.00	25.0	0.7460	16.50	18.34	yes	Zn coating	4E
C.056.100.0280.A	5.6	1.00	28.0	0.6200	19.40	21.63	yes	music wire	4C
C.056.100.0280.AP	5.6	1.00	28.0	0.7811	15.90	18.80	yes	music wire	4F
C.056.100.0280.I	5.6	1.00	28.0	0.5394	19.20	21.40	yes	stainless steel	4C
C.056.100.0320.A	5.6	1.00	32.0	0.5710	20.80	23.21	yes	music wire	4C
C.056.100.0320.I	5.6	1.00	32.0	0.4968	20.60	22.98	yes	stainless steel	4C
C.056.100.0320.N	5.6	1.00	32.0	0.5710	20.80	23.21	yes	Zn coating	4E
C.056.100.0400.A	5.6	1.00	40.0	0.4500	25.80	28.87	yes	music wire	4C
C.056.100.0400.I	5.6	1.00	40.0	0.3915	25.50	28.53	yes	stainless steel	4D
C.056.100.0400.N	5.6	1.00	40.0	0.4500	25.80	28.87	yes	Zn coating	4E
C.056.100.0500.A	5.6	1.00	50.0	0.3560	31.90	35.77	yes	music wire	4C
C.056.100.0500.I	5.6	1.00	50.0	0.3097	31.50	35.32	yes	stainless steel	4D
C.056.100.0500.N	5.6	1.00	50.0	0.3560	31.90	35.77	yes	Zn coating	4E
C.056.100.0630.A	5.6	1.00	63.0	0.2820	39.60	44.49	yes	music wire	4C
C.056.100.0630.I	5.6	1.00	63.0	0.2453	39.10	43.92	yes	stainless steel	4D
C.056.100.0630.N	5.6	1.00	63.0	0.2820	39.60	44.49	yes	Zn coating	4E
C.056.100.3600.A	5.6	1.00	360.0	0.0480	221.50	250.22	no	music wire	4E
C.056.100.3600.I	5.6	1.00	360.0	0.0418	218.60	246.94	no	stainless steel	4F
C.056.110.0119.A	5.6	1.10	11.9	4.0230	7.26	9.59	yes	music wire	4H
C.056.110.0119.I	5.6	1.10	11.9	3.5000	7.15	9.61	yes	stainless steel	4I
C.056.120.0174.A	5.6	1.20	17.4	4.0000	10.44	14.48	yes	music wire	4H
C.056.120.0174.I	5.6	1.20	17.4	2.7000	12.48	13.66	yes	stainless steel	4F
C.056.130.0159.A	5.6	1.30	15.9	5.4000	12.09	13.23	yes	music wire	4I
C.056.130.0159.I	5.6	1.30	15.9	4.6980	11.96	13.24	yes	stainless steel	4I
C.056.150.0198.A	5.6	1.50	19.8	10.3448	14.55	17.80	yes	music wire	4I
C.057.060.0620.A	5.7	0.60	62.0	0.0424	15.60	21.27	yes	music wire	4E
C.057.060.0620.I	5.7	0.60	62.0	0.0364	15.60	21.68	yes	stainless steel	4F
C.057.060.0620.N	5.7	0.60	62.0	0.0424	15.60	21.27	yes	Zn coating	4H
C.057.070.0125.A	5.7	0.70	12.5	0.3684	5.46	6.11	yes	music wire	4C
C.057.070.0160.A	5.7	0.70	16.0	0.2917	6.44	7.27	yes	music wire	4C
C.057.070.0200.A	5.7	0.70	20.0	0.2333	7.63	8.67	yes	music wire	4C
C.057.070.0250.A	5.7	0.70	25.0	0.1867	9.10	10.77	yes	music wire	4C
C.057.070.0320.A	5.7	0.70	32.0	0.1458	11.13	13.79	yes	music wire	4C
C.057.070.0400.A	5.7	0.70	40.0	0.1167	13.51	17.24	yes	music wire	4C
C.057.070.0480.A	5.7	0.70	48.0	0.0612	24.15	28.10	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.057.070.0480.AP	5.7	0.70	48.0	0.1084	14.35	23.51	yes	music wire	4E
C.057.070.0480.I	5.7	0.70	48.0	0.0526	24.15	28.10	yes	stainless steel	4C
C.057.070.0480.N	5.7	0.70	48.0	0.0612	24.15	28.10	yes	Zn coating	4E
C.057.070.0500.A	5.7	0.70	50.0	0.0933	16.45	21.55	yes	music wire	4C
C.057.070.0630.A	5.7	0.70	63.0	0.0737	20.37	26.96	yes	music wire	4C
C.057.070.0800.A	5.7	0.70	80.0	0.0600	24.57	35.74	yes	music wire	4F
C.057.070.0800.I	5.7	0.70	80.0	0.0522	24.29	36.61	yes	stainless steel	4F
C.057.070.0800.N	5.7	0.70	80.0	0.0600	24.57	35.74	yes	Zn coating	4H
C.058.040.0350.A	5.8	0.40	35.0	0.0100	7.64	10.12	yes	music wire	4B
C.058.040.0350.I	5.8	0.40	35.0	0.0087	7.56	10.01	yes	stainless steel	4C
C.058.040.0350.N	5.8	0.40	35.0	0.0100	7.64	10.12	yes	Zn coating	4C
C.058.060.0220.A	5.8	0.60	22.0	0.0740	9.12	10.74	yes	music wire	4C
C.058.060.0220.AP	5.8	0.60	22.0	0.1396	5.52	9.83	yes	music wire	4E
C.058.060.0220.I	5.8	0.60	22.0	0.0644	9.00	10.60	yes	stainless steel	4C
C.058.060.0220.N	5.8	0.60	22.0	0.0740	9.12	10.74	yes	Zn coating	4E
C.058.080.0083.A	5.8	0.80	8.3	0.9538	4.80	5.24	yes	music wire	4C
C.058.080.0083.I	5.8	0.80	8.3	0.8298	4.80	5.24	yes	stainless steel	4C
C.058.080.0083.N	5.8	0.80	8.3	0.9538	4.80	5.24	yes	Zn coating	4E
C.058.080.0120.A	5.8	0.80	12.0	0.6070	6.40	7.10	yes	music wire	4C
C.058.080.0120.I	5.8	0.80	12.0	0.5280	6.32	7.01	yes	stainless steel	4C
C.058.080.0120.N	5.8	0.80	12.0	0.6070	6.40	7.10	yes	Zn coating	4E
C.058.080.0175.A	5.8	0.80	17.5	0.3927	8.80	9.88	yes	music wire	4C
C.058.080.0175.I	5.8	0.80	17.5	0.3373	8.80	9.88	yes	stainless steel	4C
C.058.080.0175.N	5.8	0.80	17.5	0.3927	8.80	9.88	yes	Zn coating	4E
C.058.080.0245.A	5.8	0.80	24.5	0.2671	12.00	13.59	yes	music wire	4C
C.058.080.0245.AP	5.8	0.80	24.5	0.3435	9.76	13.49	yes	music wire	4E
C.058.080.0245.I	5.8	0.80	24.5	0.1549	16.80	19.15	yes	stainless steel	4C
C.058.080.0245.IF	5.8	0.80	24.5	0.1549	16.80	19.15	yes	stainless steel	4C
C.058.080.0245.N	5.8	0.80	24.5	0.2671	12.00	13.59	yes	Zn coating	4E
C.058.080.0360.A	5.8	0.80	36.0	0.1804	16.80	19.15	yes	music wire	4C
C.058.080.0360.AP	5.8	0.80	36.0	0.2298	13.60	19.54	yes	music wire	4E
C.058.080.0360.I	5.8	0.80	36.0	0.1549	16.80	19.15	yes	stainless steel	4C
C.058.080.0360.IF	5.8	0.80	36.0	0.1275	20.00	22.85	yes	stainless steel	4C
C.058.080.0360.N	5.8	0.80	36.0	0.1804	16.80	19.15	yes	Zn coating	4E
C.058.090.0440.A	5.8	0.90	44.0	0.3010	19.26	26.62	yes	music wire	4H
C.058.090.0440.I	5.8	0.90	44.0	0.2619	18.99	26.86	yes	stainless steel	4I
C.058.090.0440.N	5.8	0.90	44.0	0.3010	19.26	26.62	yes	Zn coating	4I
C.058.090.1100.A	5.8	0.90	110.0	0.1020	52.38	59.62	yes	music wire	4G
C.058.090.1100.I	5.8	0.90	110.0	0.0887	51.75	59.41	yes	stainless steel	4G
C.058.090.1100.N	5.8	0.90	110.0	0.1020	52.38	59.62	yes	Zn coating	4I
C.058.100.0300.A	5.8	1.00	30.0	0.6353	17.00	19.03	yes	music wire	4F
C.058.100.0300.I	5.8	1.00	30.0	0.5457	17.00	19.01	yes	stainless steel	4F
C.058.100.0300.N	5.8	1.00	30.0	0.6353	17.00	19.03	yes	Zn coating	4H
C.058.125.0080.A	5.8	1.25	8.0	6.4000	8.00	8.00	yes	music wire	4C
C.058.125.0080.AL	5.8	1.25	8.0	8.3853	7.00	7.46	yes	music wire	4C
C.058.125.0080.AP	5.8	1.25	8.0	8.8217	6.88	7.33	yes	music wire	4C
C.058.125.0080.I	5.8	1.25	8.0	5.5680	8.00	8.00	yes	stainless steel	4C
C.058.125.0080.N	5.8	1.25	8.0	6.4000	8.00	8.00	yes	Zn coating	4E
C.058.125.0100.A	5.8	1.25	10.0	5.0000	9.75	9.75	yes	music wire	4C
C.058.125.0100.AL	5.8	1.25	10.0	6.0984	8.50	9.14	yes	music wire	4C
C.058.125.0100.AP	5.8	1.25	10.0	6.6162	8.13	8.73	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.058.125.0100.I	5.8	1.25	10.0	4.3500	9.63	9.63	yes	stainless steel	4D
C.058.125.0100.N	5.8	1.25	10.0	5.0000	9.75	9.75	yes	Zn coating	4E
C.058.125.0125.A	5.8	1.25	12.5	4.0000	11.38	12.37	yes	music wire	4C
C.058.125.0125.AL	5.8	1.25	12.5	4.3313	10.75	11.66	yes	music wire	4C
C.058.125.0125.AP	5.8	1.25	12.5	4.9934	9.75	10.54	yes	music wire	4F
C.058.125.0125.I	5.8	1.25	12.5	3.4800	11.25	12.22	yes	stainless steel	4D
C.058.125.0125.N	5.8	1.25	12.5	4.0000	11.38	12.37	yes	Zn coating	4E
C.058.125.0160.A	5.8	1.25	16.0	3.2000	13.50	14.74	yes	music wire	4C
C.058.125.0160.AP	5.8	1.25	16.0	3.7275	12.00	13.06	yes	music wire	4F
C.058.125.0160.I	5.8	1.25	16.0	2.7840	13.25	14.46	yes	stainless steel	4D
C.058.125.0160.N	5.8	1.25	16.0	3.2000	13.50	14.74	yes	Zn coating	4E
C.058.125.0200.A	5.8	1.25	20.0	2.5000	16.38	17.97	yes	music wire	4C
C.058.125.0200.AP	5.8	1.25	20.0	2.8766	14.63	16.01	yes	music wire	4F
C.058.125.0200.I	5.8	1.25	20.0	2.1750	16.13	17.69	yes	stainless steel	4D
C.058.125.0200.N	5.8	1.25	20.0	2.5000	16.38	17.97	yes	Zn coating	4E
C.058.125.0250.A	5.8	1.25	25.0	2.0000	19.63	21.61	yes	music wire	4C
C.058.125.0250.I	5.8	1.25	25.0	1.7400	19.38	21.33	yes	stainless steel	4D
C.058.125.0250.N	5.8	1.25	25.0	2.0000	19.63	21.61	yes	Zn coating	4E
C.058.125.0320.A	5.8	1.25	32.0	1.6000	23.75	26.22	yes	music wire	4F
C.058.125.0320.I	5.8	1.25	32.0	1.3920	23.50	25.94	yes	stainless steel	4G
C.058.125.0320.N	5.8	1.25	32.0	1.6000	23.75	26.22	yes	Zn coating	4H
C.058.125.0400.A	5.8	1.25	40.0	1.2698	29.13	32.25	yes	music wire	4F
C.058.125.0400.I	5.8	1.25	40.0	1.1047	28.75	31.82	yes	stainless steel	4G
C.058.125.0400.N	5.8	1.25	40.0	1.2698	29.13	32.25	yes	Zn coating	4H
C.058.125.0500.A	5.8	1.25	50.0	1.0000	36.13	40.09	yes	music wire	4F
C.058.125.0500.I	5.8	1.25	50.0	0.8700	35.75	39.66	yes	stainless steel	4G
C.058.125.0500.N	5.8	1.25	50.0	1.0000	36.13	40.09	yes	Zn coating	4I
C.058.125.0630.A	5.8	1.25	63.0	0.8000	44.38	49.32	yes	music wire	4F
C.058.125.0630.I	5.8	1.25	63.0	0.6960	43.88	48.76	yes	stainless steel	4G
C.058.125.0630.N	5.8	1.25	63.0	0.8000	44.38	49.32	yes	Zn coating	4I
C.058.125.0800.A	5.8	1.25	80.0	0.6400	54.75	60.94	yes	music wire	4G
C.058.125.0800.I	5.8	1.25	80.0	0.5568	54.00	60.33	yes	stainless steel	4G
C.058.125.0800.N	5.8	1.25	80.0	0.6400	54.75	60.94	yes	Zn coating	4I
C.059.030.0079.A	5.9	0.30	7.9	0.0190	1.80	2.27	no	music wire	4C
C.059.030.0079.I	5.9	0.30	7.9	0.0165	1.77	2.22	no	stainless steel	4C
C.059.030.0095.A	5.9	0.30	9.5	0.0180	1.83	2.32	no	music wire	4C
C.059.030.0095.I	5.9	0.30	9.5	0.0060	3.06	4.31	no	stainless steel	4C
C.059.030.0159.A	5.9	0.30	15.9	0.0023	7.17	10.98	no	music wire	4C
C.059.030.0159.I	5.9	0.30	15.9	0.0020	7.11	10.88	no	stainless steel	4C
C.059.030.0230.A	5.9	0.30	23.0	0.0060	3.39	4.85	no	music wire	4C
C.059.030.0230.I	5.9	0.30	23.0	0.0052	3.36	4.80	no	stainless steel	4C
C.059.030.0290.A	5.9	0.30	29.0	0.0050	3.87	5.63	no	music wire	4C
C.059.030.0290.I	5.9	0.30	29.0	0.0044	3.84	5.58	no	stainless steel	4C
C.059.040.0111.A	5.9	0.40	11.1	0.0264	3.36	4.27	yes	music wire	4B
C.059.040.0111.I	5.9	0.40	11.1	0.0230	3.36	4.27	yes	stainless steel	4C
C.059.040.0135.A	5.9	0.40	13.5	0.0149	5.20	6.81	yes	music wire	4B
C.059.040.0135.I	5.9	0.40	13.5	0.0130	5.16	6.76	yes	stainless steel	4C
C.059.040.0143.A	5.9	0.40	14.3	0.0126	5.96	7.86	yes	music wire	4B
C.059.040.0143.I	5.9	0.40	14.3	0.0110	5.88	7.75	yes	stainless steel	4C
C.059.040.0191.A	5.9	0.40	19.1	0.0080	8.84	11.85	yes	music wire	4B
C.059.040.0191.I	5.9	0.40	19.1	0.0170	4.16	5.37	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.059.040.0210.A	5.9	0.40	21.0	0.0161	4.88	6.37	yes	music wire	4B
C.059.040.0210.I	5.9	0.40	21.0	0.0140	4.84	6.31	yes	stainless steel	4C
C.059.040.0250.A	5.9	0.40	25.0	0.0172	4.64	6.04	yes	music wire	4B
C.059.040.0250.I	5.9	0.40	25.0	0.0150	4.60	5.98	yes	stainless steel	4C
C.059.040.0260.A	5.9	0.40	26.0	0.0115	6.44	8.53	yes	music wire	4B
C.059.040.0260.I	5.9	0.40	26.0	0.0100	6.40	8.47	yes	stainless steel	4C
C.059.040.0380.A	5.9	0.40	38.0	0.0103	7.08	9.41	yes	music wire	4B
C.059.040.0380.I	5.9	0.40	38.0	0.0090	7.00	9.30	yes	stainless steel	4C
C.059.040.0570.A	5.9	0.40	57.0	0.0050	13.56	18.38	yes	music wire	4C
C.059.040.0570.I	5.9	0.40	57.0	0.0044	13.40	18.16	yes	stainless steel	4C
C.059.050.0040.A	5.9	0.50	4.0	0.0950	3.40	3.99	yes	music wire	4B
C.059.050.0040.AP	5.9	0.50	4.0	0.3659	1.80	1.95	yes	music wire	4B
C.059.050.0040.I	5.9	0.50	4.0	0.0827	3.35	3.93	yes	stainless steel	4C
C.059.050.0080.A	5.9	0.50	8.0	0.1410	2.70	3.10	yes	music wire	4B
C.059.050.0080.AP	5.9	0.50	8.0	0.2236	2.15	3.52	yes	music wire	4D
C.059.050.0080.I	5.9	0.50	8.0	0.1227	2.65	3.03	yes	stainless steel	4C
C.059.050.0080.N	5.9	0.50	8.0	0.1410	2.70	3.10	yes	Zn coating	4C
C.059.050.0100.A	5.9	0.50	10.0	0.1070	3.15	3.67	yes	music wire	4B
C.059.050.0100.AP	5.9	0.50	10.0	0.1750	2.40	4.28	yes	music wire	4D
C.059.050.0100.I	5.9	0.50	10.0	0.0931	3.10	3.61	yes	stainless steel	4C
C.059.050.0100.N	5.9	0.50	10.0	0.1070	3.15	3.67	yes	Zn coating	4C
C.059.050.0125.A	5.9	0.50	12.5	0.0860	3.60	4.25	yes	music wire	4B
C.059.050.0125.AP	5.9	0.50	12.5	0.1342	2.75	5.04	yes	music wire	4D
C.059.050.0125.I	5.9	0.50	12.5	0.0748	3.55	4.18	yes	stainless steel	4C
C.059.050.0125.N	5.9	0.50	12.5	0.0860	3.60	4.25	yes	Zn coating	4C
C.059.050.0159.A	5.9	0.50	15.9	0.0437	5.90	7.18	yes	music wire	4B
C.059.050.0159.AP	5.9	0.50	15.9	0.1059	3.15	6.45	yes	music wire	4D
C.059.050.0159.I	5.9	0.50	15.9	0.0380	5.80	7.05	yes	stainless steel	4C
C.059.050.0160.A	5.9	0.50	16.0	0.0660	4.30	5.14	yes	music wire	4B
C.059.050.0160.AP	5.9	0.50	16.0	0.1059	3.15	6.55	yes	music wire	4D
C.059.050.0160.I	5.9	0.50	16.0	0.0574	4.30	5.14	yes	stainless steel	4C
C.059.050.0160.N	5.9	0.50	16.0	0.0660	4.30	5.14	yes	Zn coating	4C
C.059.050.0200.A	5.9	0.50	20.0	0.0520	5.15	6.22	yes	music wire	4B
C.059.050.0200.AP	5.9	0.50	20.0	0.0839	3.65	8.06	yes	music wire	4D
C.059.050.0200.I	5.9	0.50	20.0	0.0452	5.10	6.16	yes	stainless steel	4C
C.059.050.0200.N	5.9	0.50	20.0	0.0520	5.15	6.22	yes	Zn coating	4C
C.059.050.0240.A	5.9	0.50	24.0	0.0170	13.15	16.42	yes	music wire	4B
C.059.050.0240.AP	5.9	0.50	24.0	0.0694	4.15	9.57	yes	music wire	4D
C.059.050.0240.I	5.9	0.50	24.0	0.0200	9.95	12.34	yes	stainless steel	4C
C.059.050.0250.A	5.9	0.50	25.0	0.0410	6.20	7.56	yes	music wire	4B
C.059.050.0250.AP	5.9	0.50	25.0	0.0660	4.30	9.83	yes	music wire	4D
C.059.050.0250.I	5.9	0.50	25.0	0.0357	6.10	7.43	yes	stainless steel	4C
C.059.050.0250.N	5.9	0.50	25.0	0.0410	6.20	7.56	yes	Zn coating	4C
C.059.050.0320.A	5.9	0.50	32.0	0.0320	7.55	9.28	yes	music wire	4B
C.059.050.0320.AP	5.9	0.50	32.0	0.0516	5.15	12.60	yes	music wire	4E
C.059.050.0320.I	5.9	0.50	32.0	0.0278	7.50	9.22	yes	stainless steel	4C
C.059.050.0320.N	5.9	0.50	32.0	0.0320	7.55	9.28	yes	Zn coating	4D
C.059.050.0360.A	5.9	0.50	36.0	0.0230	10.05	12.47	yes	music wire	4B
C.059.050.0360.AP	5.9	0.50	36.0	0.0452	5.70	13.86	yes	music wire	4E
C.059.050.0360.I	5.9	0.50	36.0	0.0200	9.95	12.34	yes	stainless steel	4C
C.059.050.0400.A	5.9	0.50	40.0	0.0260	9.05	11.19	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.059.050.0400.AP	5.9	0.50	40.0	0.0407	6.20	15.37	yes	music wire	4E
C.059.050.0400.I	5.9	0.50	40.0	0.0226	8.95	11.07	yes	stainless steel	4C
C.059.050.0400.N	5.9	0.50	40.0	0.0260	9.05	11.19	yes	Zn coating	4D
C.059.050.0480.A	5.9	0.50	48.0	0.0195	11.60	14.45	yes	music wire	4C
C.059.050.0480.AP	5.9	0.50	48.0	0.0338	7.25	18.40	yes	music wire	4E
C.059.050.0480.I	5.9	0.50	48.0	0.0170	11.45	14.25	yes	stainless steel	4C
C.059.050.0500.A	5.9	0.50	50.0	0.0200	11.35	14.13	yes	music wire	4C
C.059.050.0500.AP	5.9	0.50	50.0	0.0325	7.50	19.16	yes	music wire	4E
C.059.050.0500.I	5.9	0.50	50.0	0.0174	11.25	14.00	yes	stainless steel	4C
C.059.050.0500.N	5.9	0.50	50.0	0.0200	11.35	14.13	yes	Zn coating	4D
C.059.050.0630.A	5.9	0.50	63.0	0.0160	13.90	17.38	yes	music wire	4C
C.059.050.0630.AP	5.9	0.50	63.0	0.0258	9.10	24.20	yes	music wire	4E
C.059.050.0630.I	5.9	0.50	63.0	0.0139	13.75	17.19	yes	stainless steel	4C
C.059.050.0630.N	5.9	0.50	63.0	0.0160	13.90	17.38	yes	Zn coating	4D
C.059.050.3600.A	5.9	0.50	360.0	0.0030	69.15	87.68	no	music wire	4E
C.059.050.3600.I	5.9	0.50	360.0	0.0026	68.55	86.92	no	stainless steel	4E
C.059.055.0080.A	5.9	0.55	8.0	0.1950	3.08	3.49	yes	music wire	4C
C.059.055.0080.AP	5.9	0.55	8.0	0.3031	2.48	3.68	yes	music wire	4E
C.059.055.0080.I	5.9	0.55	8.0	0.1696	3.08	3.49	yes	stainless steel	4C
C.059.055.0080.N	5.9	0.55	8.0	0.1950	3.08	3.49	yes	Zn coating	4E
C.059.055.0100.A	5.9	0.55	10.0	0.1560	3.52	4.04	yes	music wire	4C
C.059.055.0100.AP	5.9	0.55	10.0	0.2332	2.81	4.38	yes	music wire	4E
C.059.055.0100.I	5.9	0.55	10.0	0.1357	3.52	4.04	yes	stainless steel	4C
C.059.055.0100.N	5.9	0.55	10.0	0.1560	3.52	4.04	yes	Zn coating	4E
C.059.055.0125.A	5.9	0.55	12.5	0.1200	4.18	4.86	yes	music wire	4C
C.059.055.0125.AP	5.9	0.55	12.5	0.1837	3.19	5.37	yes	music wire	4E
C.059.055.0125.I	5.9	0.55	12.5	0.1044	4.13	4.80	yes	stainless steel	4C
C.059.055.0125.N	5.9	0.55	12.5	0.1200	4.18	4.86	yes	Zn coating	4E
C.059.055.0160.A	5.9	0.55	16.0	0.0940	4.95	5.81	yes	music wire	4C
C.059.055.0160.AP	5.9	0.55	16.0	0.1443	3.69	6.93	yes	music wire	4E
C.059.055.0160.I	5.9	0.55	16.0	0.0818	4.90	5.75	yes	stainless steel	4C
C.059.055.0160.N	5.9	0.55	16.0	0.0940	4.95	5.81	yes	Zn coating	4E
C.059.055.0200.A	5.9	0.55	20.0	0.0730	5.94	7.04	yes	music wire	4C
C.059.055.0200.AP	5.9	0.55	20.0	0.1123	4.35	8.34	yes	music wire	4E
C.059.055.0200.I	5.9	0.55	20.0	0.0635	5.89	6.98	yes	stainless steel	4C
C.059.055.0200.N	5.9	0.55	20.0	0.0730	5.94	7.04	yes	Zn coating	4E
C.059.055.0250.A	5.9	0.55	25.0	0.0580	7.15	8.55	yes	music wire	4C
C.059.055.0250.AP	5.9	0.55	25.0	0.0892	5.12	10.31	yes	music wire	4E
C.059.055.0250.I	5.9	0.55	25.0	0.0505	7.10	8.48	yes	stainless steel	4C
C.059.055.0250.N	5.9	0.55	25.0	0.0580	7.15	8.55	yes	Zn coating	4E
C.059.055.0320.A	5.9	0.55	32.0	0.0450	8.80	10.60	yes	music wire	4C
C.059.055.0320.AP	5.9	0.55	32.0	0.0697	6.16	13.21	yes	music wire	4E
C.059.055.0320.I	5.9	0.55	32.0	0.0392	8.69	10.46	yes	stainless steel	4C
C.059.055.0320.N	5.9	0.55	32.0	0.0450	8.80	10.60	yes	Zn coating	4E
C.059.055.0400.A	5.9	0.55	40.0	0.0360	10.67	12.92	yes	music wire	4C
C.059.055.0400.AP	5.9	0.55	40.0	0.0551	7.43	16.24	yes	music wire	4E
C.059.055.0400.I	5.9	0.55	40.0	0.0313	10.56	12.78	yes	stainless steel	4C
C.059.055.0400.N	5.9	0.55	40.0	0.0360	10.67	12.92	yes	Zn coating	4E
C.059.055.0500.A	5.9	0.55	50.0	0.0290	12.93	15.72	yes	music wire	4C
C.059.055.0500.AP	5.9	0.55	50.0	0.0443	8.97	20.41	yes	music wire	4E
C.059.055.0500.I	5.9	0.55	50.0	0.0252	12.76	15.51	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.059.055.0500.N	5.9	0.55	50.0	0.0290	12.93	15.72	yes	Zn coating	4E
C.059.055.0630.A	5.9	0.55	63.0	0.0230	15.95	19.48	yes	music wire	4C
C.059.055.0630.AP	5.9	0.55	63.0	0.0348	11.00	25.42	yes	music wire	4E
C.059.055.0630.I	5.9	0.55	63.0	0.0200	15.73	19.20	yes	stainless steel	4C
C.059.055.0630.N	5.9	0.55	63.0	0.0230	15.95	19.48	yes	Zn coating	4E
C.059.055.3600.A	5.9	0.55	360.0	0.0040	85.64	105.89	no	music wire	4E
C.059.055.3600.I	5.9	0.55	360.0	0.0035	84.10	103.98	no	stainless steel	4E
C.059.060.0040.A	5.9	0.60	4.0	0.4253	2.76	3.03	yes	music wire	4C
C.059.060.0040.AP	5.9	0.60	4.0	0.8033	2.16	2.30	yes	music wire	4C
C.059.060.0040.I	5.9	0.60	4.0	0.3700	2.76	3.03	yes	stainless steel	4C
C.059.060.0080.A	5.9	0.60	8.0	0.2730	3.42	3.84	yes	music wire	4C
C.059.060.0080.AP	5.9	0.60	8.0	0.4016	2.82	3.84	yes	music wire	4E
C.059.060.0080.I	5.9	0.60	8.0	0.2375	3.42	3.84	yes	stainless steel	4C
C.059.060.0080.N	5.9	0.60	8.0	0.2730	3.42	3.84	yes	Zn coating	4E
C.059.060.0100.A	5.9	0.60	10.0	0.2130	4.02	4.57	yes	music wire	4C
C.059.060.0100.AP	5.9	0.60	10.0	0.3156	3.18	4.70	yes	music wire	4E
C.059.060.0100.I	5.9	0.60	10.0	0.1853	3.96	4.49	yes	stainless steel	4C
C.059.060.0100.N	5.9	0.60	10.0	0.2130	4.02	4.57	yes	Zn coating	4E
C.059.060.0125.A	5.9	0.60	12.5	0.1660	4.68	5.37	yes	music wire	4C
C.059.060.0125.AP	5.9	0.60	12.5	0.2525	3.60	5.88	yes	music wire	4E
C.059.060.0125.I	5.9	0.60	12.5	0.1444	4.68	5.37	yes	stainless steel	4C
C.059.060.0125.N	5.9	0.60	12.5	0.1660	4.68	5.37	yes	Zn coating	4E
C.059.060.0160.A	5.9	0.60	16.0	0.1290	5.64	6.54	yes	music wire	4C
C.059.060.0160.AP	5.9	0.60	16.0	0.1921	4.26	7.30	yes	music wire	4E
C.059.060.0160.I	5.9	0.60	16.0	0.1122	5.58	6.47	yes	stainless steel	4C
C.059.060.0160.N	5.9	0.60	16.0	0.1290	5.64	6.54	yes	Zn coating	4E
C.059.060.0200.A	5.9	0.60	20.0	0.1020	6.72	7.85	yes	music wire	4C
C.059.060.0200.AP	5.9	0.60	20.0	0.1498	5.04	8.84	yes	music wire	4E
C.059.060.0200.I	5.9	0.60	20.0	0.0887	6.66	7.78	yes	stainless steel	4C
C.059.060.0200.N	5.9	0.60	20.0	0.1020	6.72	7.85	yes	Zn coating	4E
C.059.060.0230.A	5.9	0.60	23.0	0.0770	8.40	9.90	yes	music wire	4C
C.059.060.0230.AP	5.9	0.60	23.0	0.1299	5.58	10.14	yes	music wire	4E
C.059.060.0230.I	5.9	0.60	23.0	0.0670	8.34	9.82	yes	stainless steel	4C
C.059.060.0250.A	5.9	0.60	25.0	0.0800	8.16	9.61	yes	music wire	4C
C.059.060.0250.AP	5.9	0.60	25.0	0.1194	5.94	11.00	yes	music wire	4E
C.059.060.0250.I	5.9	0.60	25.0	0.0696	8.04	9.46	yes	stainless steel	4C
C.059.060.0250.N	5.9	0.60	25.0	0.0800	8.16	9.61	yes	Zn coating	4E
C.059.060.0320.A	5.9	0.60	32.0	0.0620	10.08	11.94	yes	music wire	4C
C.059.060.0320.AP	5.9	0.60	32.0	0.0930	7.20	14.03	yes	music wire	4E
C.059.060.0320.I	5.9	0.60	32.0	0.0539	9.96	11.80	yes	stainless steel	4C
C.059.060.0320.N	5.9	0.60	32.0	0.0620	10.08	11.94	yes	Zn coating	4E
C.059.060.0400.A	5.9	0.60	40.0	0.0490	12.36	14.72	yes	music wire	4C
C.059.060.0400.AP	5.9	0.60	40.0	0.0736	8.70	17.30	yes	music wire	4E
C.059.060.0400.I	5.9	0.60	40.0	0.0426	12.24	14.57	yes	stainless steel	4C
C.059.060.0400.N	5.9	0.60	40.0	0.0490	12.36	14.72	yes	Zn coating	4E
C.059.060.0500.A	5.9	0.60	50.0	0.0390	15.12	18.08	yes	music wire	4C
C.059.060.0500.AP	5.9	0.60	50.0	0.0585	10.62	21.43	yes	music wire	4E
C.059.060.0500.I	5.9	0.60	50.0	0.0339	15.00	17.93	yes	stainless steel	4C
C.059.060.0500.N	5.9	0.60	50.0	0.0390	15.12	18.08	yes	Zn coating	4E
C.059.060.0630.A	5.9	0.60	63.0	0.0310	18.66	22.38	yes	music wire	4C
C.059.060.0630.AP	5.9	0.60	63.0	0.0463	13.02	26.87	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.059.060.0630.I	5.9	0.60	63.0	0.0270	18.42	22.09	yes	stainless steel	4C
C.059.060.0630.N	5.9	0.60	63.0	0.0310	18.66	22.38	yes	Zn coating	4E
C.059.060.0830.A	5.9	0.60	83.0	0.0218	25.86	31.15	yes	music wire	4C
C.059.060.0830.AP	5.9	0.60	83.0	0.0351	16.68	35.33	yes	music wire	4F
C.059.060.0830.I	5.9	0.60	83.0	0.0190	25.56	30.78	yes	stainless steel	4D
C.059.060.3600.A	5.9	0.60	360.0	0.0050	108.54	131.64	no	music wire	4E
C.059.060.3600.I	5.9	0.60	360.0	0.0044	105.96	128.50	no	stainless steel	4F
C.059.070.0080.A	5.9	0.70	8.0	0.5150	4.13	4.56	yes	music wire	4C
C.059.070.0080.AP	5.9	0.70	8.0	0.6939	3.50	4.29	yes	music wire	4E
C.059.070.0080.I	5.9	0.70	8.0	0.4480	4.06	4.48	yes	stainless steel	4C
C.059.070.0080.N	5.9	0.70	8.0	0.5150	4.13	4.56	yes	Zn coating	4E
C.059.070.0100.A	5.9	0.70	10.0	0.3940	4.83	5.39	yes	music wire	4C
C.059.070.0100.AP	5.9	0.70	10.0	0.5421	3.99	5.26	yes	music wire	4E
C.059.070.0100.I	5.9	0.70	10.0	0.3428	4.83	5.39	yes	stainless steel	4C
C.059.070.0100.N	5.9	0.70	10.0	0.3940	4.83	5.39	yes	Zn coating	4E
C.059.070.0125.A	5.9	0.70	12.5	0.3110	5.67	6.39	yes	music wire	4C
C.059.070.0125.AP	5.9	0.70	12.5	0.4231	4.62	6.42	yes	music wire	4E
C.059.070.0125.I	5.9	0.70	12.5	0.2706	5.60	6.30	yes	stainless steel	4C
C.059.070.0125.N	5.9	0.70	12.5	0.3110	5.67	6.39	yes	Zn coating	4E
C.059.070.0143.A	5.9	0.70	14.3	0.3200	5.53	6.26	yes	music wire	4E
C.059.070.0143.I	5.9	0.70	14.3	0.2784	5.53	6.42	yes	stainless steel	4F
C.059.070.0160.A	5.9	0.70	16.0	0.2350	6.93	7.88	yes	music wire	4C
C.059.070.0160.AP	5.9	0.70	16.0	0.3273	5.46	8.14	yes	music wire	4E
C.059.070.0160.I	5.9	0.70	16.0	0.2044	6.86	7.79	yes	stainless steel	4C
C.059.070.0160.N	5.9	0.70	16.0	0.2350	6.93	7.88	yes	Zn coating	4E
C.059.070.0174.A	5.9	0.70	17.4	0.2184	7.35	8.37	yes	music wire	4C
C.059.070.0174.AP	5.9	0.70	17.4	0.2991	5.81	8.80	yes	music wire	4E
C.059.070.0174.I	5.9	0.70	17.4	0.1900	7.28	8.29	yes	stainless steel	4C
C.059.070.0200.A	5.9	0.70	20.0	0.1830	8.40	9.62	yes	music wire	4C
C.059.070.0200.AP	5.9	0.70	20.0	0.2551	6.51	9.92	yes	music wire	4E
C.059.070.0200.I	5.9	0.70	20.0	0.1592	8.33	9.53	yes	stainless steel	4C
C.059.070.0200.N	5.9	0.70	20.0	0.1830	8.40	9.62	yes	Zn coating	4E
C.059.070.0250.A	5.9	0.70	25.0	0.1460	10.08	11.60	yes	music wire	4C
C.059.070.0250.AP	5.9	0.70	25.0	0.2017	7.77	12.25	yes	music wire	4E
C.059.070.0250.I	5.9	0.70	25.0	0.1270	10.01	11.52	yes	stainless steel	4C
C.059.070.0250.N	5.9	0.70	25.0	0.1460	10.08	11.60	yes	Zn coating	4E
C.059.070.0290.A	5.9	0.70	29.0	0.1200	11.90	13.76	yes	music wire	4C
C.059.070.0290.AP	5.9	0.70	29.0	0.1735	8.75	14.18	yes	music wire	4E
C.059.070.0290.I	5.9	0.70	29.0	0.1044	11.76	13.59	yes	stainless steel	4C
C.059.070.0300.A	5.9	0.70	30.0	0.1379	10.57	12.18	yes	music wire	4E
C.059.070.0300.I	5.9	0.70	30.0	0.1200	10.50	12.10	yes	stainless steel	4F
C.059.070.0320.A	5.9	0.70	32.0	0.1120	12.60	14.58	yes	music wire	4C
C.059.070.0320.AP	5.9	0.70	32.0	0.1563	9.52	15.55	yes	music wire	4E
C.059.070.0320.I	5.9	0.70	32.0	0.0974	12.46	14.42	yes	stainless steel	4C
C.059.070.0320.N	5.9	0.70	32.0	0.1120	12.60	14.58	yes	Zn coating	4E
C.059.070.0330.A	5.9	0.70	33.0	0.1092	12.88	14.91	yes	music wire	4C
C.059.070.0330.AP	5.9	0.70	33.0	0.1509	9.80	15.95	yes	music wire	4E
C.059.070.0330.I	5.9	0.70	33.0	0.0950	12.74	14.75	yes	stainless steel	4C
C.059.070.0400.A	5.9	0.70	40.0	0.0890	15.40	17.89	yes	music wire	4C
C.059.070.0400.AP	5.9	0.70	40.0	0.1239	11.55	19.25	yes	music wire	4E
C.059.070.0400.I	5.9	0.70	40.0	0.0774	15.26	17.73	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.059.070.0400.N	5.9	0.70	40.0	0.0890	15.40	17.89	yes	Zn coating	4E
C.059.070.0500.A	5.9	0.70	50.0	0.0710	18.90	22.03	yes	music wire	4C
C.059.070.0500.AP	5.9	0.70	50.0	0.0986	14.07	23.91	yes	music wire	4E
C.059.070.0500.I	5.9	0.70	50.0	0.0618	18.69	21.79	yes	stainless steel	4C
C.059.070.0500.N	5.9	0.70	50.0	0.0710	18.90	22.03	yes	Zn coating	4E
C.059.070.0630.A	5.9	0.70	63.0	0.0560	23.52	27.50	yes	music wire	4C
C.059.070.0630.AP	5.9	0.70	63.0	0.0778	17.43	29.95	yes	music wire	4F
C.059.070.0630.I	5.9	0.70	63.0	0.0487	23.24	27.17	yes	stainless steel	4C
C.059.070.0630.N	5.9	0.70	63.0	0.0560	23.52	27.50	yes	Zn coating	4E
C.059.070.3600.A	5.9	0.70	360.0	0.0100	124.25	146.51	no	music wire	4E
C.059.070.3600.I	5.9	0.70	360.0	0.0087	122.64	144.61	no	stainless steel	4F
C.059.080.0080.A	5.9	0.80	8.0	0.8970	4.80	5.25	yes	music wire	4C
C.059.080.0080.AP	5.9	0.80	8.0	1.1629	4.16	4.80	yes	music wire	4E
C.059.080.0080.I	5.9	0.80	8.0	0.7804	4.80	5.25	yes	stainless steel	4C
C.059.080.0080.N	5.9	0.80	8.0	0.8970	4.80	5.25	yes	Zn coating	4E
C.059.080.0100.A	5.9	0.80	10.0	0.6920	5.60	6.18	yes	music wire	4C
C.059.080.0100.AP	5.9	0.80	10.0	0.8971	4.80	5.85	yes	music wire	4E
C.059.080.0100.I	5.9	0.80	10.0	0.6020	5.60	6.18	yes	stainless steel	4C
C.059.080.0100.N	5.9	0.80	10.0	0.6920	5.60	6.18	yes	Zn coating	4E
C.059.080.0125.A	5.9	0.80	12.5	0.5380	6.64	7.39	yes	music wire	4C
C.059.080.0125.AP	5.9	0.80	12.5	0.6978	5.60	7.16	yes	music wire	4E
C.059.080.0125.I	5.9	0.80	12.5	0.4681	6.64	7.39	yes	stainless steel	4C
C.059.080.0125.N	5.9	0.80	12.5	0.5380	6.64	7.39	yes	Zn coating	4E
C.059.080.0160.A	5.9	0.80	16.0	0.4030	8.24	9.24	yes	music wire	4C
C.059.080.0160.AP	5.9	0.80	16.0	0.5322	6.72	9.00	yes	music wire	4E
C.059.080.0160.I	5.9	0.80	16.0	0.3506	8.16	9.15	yes	stainless steel	4C
C.059.080.0160.N	5.9	0.80	16.0	0.4030	8.24	9.24	yes	Zn coating	4E
C.059.080.0200.A	5.9	0.80	20.0	0.3190	9.92	11.19	yes	music wire	4C
C.059.080.0200.AP	5.9	0.80	20.0	0.4131	8.08	10.98	yes	music wire	4E
C.059.080.0200.I	5.9	0.80	20.0	0.2775	9.76	11.01	yes	stainless steel	4C
C.059.080.0200.N	5.9	0.80	20.0	0.3190	9.92	11.19	yes	Zn coating	4E
C.059.080.0250.A	5.9	0.80	25.0	0.2500	12.08	13.70	yes	music wire	4C
C.059.080.0250.AP	5.9	0.80	25.0	0.3271	9.68	13.61	yes	music wire	4E
C.059.080.0250.I	5.9	0.80	25.0	0.2175	11.92	13.52	yes	stainless steel	4C
C.059.080.0250.N	5.9	0.80	25.0	0.2500	12.08	13.70	yes	Zn coating	4E
C.059.080.0320.A	5.9	0.80	32.0	0.1940	14.96	17.05	yes	music wire	4C
C.059.080.0320.AP	5.9	0.80	32.0	0.2532	11.92	17.29	yes	music wire	4E
C.059.080.0320.I	5.9	0.80	32.0	0.1688	14.80	16.86	yes	stainless steel	4C
C.059.080.0320.N	5.9	0.80	32.0	0.1940	14.96	17.05	yes	Zn coating	4E
C.059.080.0400.A	5.9	0.80	40.0	0.1530	18.48	21.13	yes	music wire	4C
C.059.080.0400.AP	5.9	0.80	40.0	0.2000	14.56	21.38	yes	music wire	4E
C.059.080.0400.I	5.9	0.80	40.0	0.1331	18.24	20.85	yes	stainless steel	4C
C.059.080.0400.N	5.9	0.80	40.0	0.1530	18.48	21.13	yes	Zn coating	4E
C.059.080.0500.A	5.9	0.80	50.0	0.1220	22.64	25.96	yes	music wire	4C
C.059.080.0500.AP	5.9	0.80	50.0	0.1586	17.84	26.51	yes	music wire	4F
C.059.080.0500.I	5.9	0.80	50.0	0.1061	22.40	25.68	yes	stainless steel	4C
C.059.080.0500.N	5.9	0.80	50.0	0.1220	22.64	25.96	yes	Zn coating	4E
C.059.080.0630.A	5.9	0.80	63.0	0.0960	28.24	32.46	yes	music wire	4C
C.059.080.0630.AP	5.9	0.80	63.0	0.1256	22.00	33.34	yes	music wire	4F
C.059.080.0630.I	5.9	0.80	63.0	0.0835	27.92	32.09	yes	stainless steel	4D
C.059.080.0630.N	5.9	0.80	63.0	0.0960	28.24	32.46	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.059.080.3600.A	5.9	0.80	360.0	0.0160	160.08	185.40	no	music wire	4E
C.059.080.3600.I	5.9	0.80	360.0	0.0139	158.32	183.35	no	stainless steel	4F
C.059.090.0040.A	5.9	0.90	4.0	4.8276	3.24	3.38	yes	music wire	4C
C.059.090.0040.I	5.9	0.90	4.0	4.2000	3.24	3.38	yes	stainless steel	4C
C.059.090.0080.A	5.9	0.90	8.0	1.4700	5.49	5.96	yes	music wire	4C
C.059.090.0080.AP	5.9	0.90	8.0	1.9080	4.77	5.30	yes	music wire	4E
C.059.090.0080.I	5.9	0.90	8.0	1.2789	5.49	5.96	yes	stainless steel	4C
C.059.090.0080.N	5.9	0.90	8.0	1.4700	5.49	5.96	yes	Zn coating	4E
C.059.090.0100.A	5.9	0.90	10.0	1.1430	6.48	7.10	yes	music wire	4C
C.059.090.0100.AP	5.9	0.90	10.0	1.4439	5.58	6.43	yes	music wire	4E
C.059.090.0100.I	5.9	0.90	10.0	0.9944	6.39	7.00	yes	stainless steel	4C
C.059.090.0100.N	5.9	0.90	10.0	1.1430	6.48	7.10	yes	Zn coating	4E
C.059.090.0125.A	5.9	0.90	12.5	0.8760	7.74	8.54	yes	music wire	4C
C.059.090.0125.AP	5.9	0.90	12.5	1.1130	6.57	7.87	yes	music wire	4E
C.059.090.0125.I	5.9	0.90	12.5	0.7621	7.65	8.44	yes	stainless steel	4C
C.059.090.0125.N	5.9	0.90	12.5	0.8760	7.74	8.54	yes	Zn coating	4E
C.059.090.0160.A	5.9	0.90	16.0	0.6530	9.63	10.71	yes	music wire	4C
C.059.090.0160.AP	5.9	0.90	16.0	0.8347	8.01	9.83	yes	music wire	4E
C.059.090.0160.I	5.9	0.90	16.0	0.5681	9.54	10.61	yes	stainless steel	4C
C.059.090.0160.N	5.9	0.90	16.0	0.6530	9.63	10.71	yes	Zn coating	4E
C.059.090.0200.A	5.9	0.90	20.0	0.5140	11.61	12.98	yes	music wire	4C
C.059.090.0200.AP	5.9	0.90	20.0	0.6515	9.63	12.09	yes	music wire	4E
C.059.090.0200.I	5.9	0.90	20.0	0.4472	11.52	12.88	yes	stainless steel	4C
C.059.090.0200.N	5.9	0.90	20.0	0.5140	11.61	12.98	yes	Zn coating	4E
C.059.090.0210.A	5.9	0.90	21.0	0.4023	14.22	15.97	yes	music wire	4C
C.059.090.0210.AP	5.9	0.90	21.0	0.6212	9.99	12.71	yes	music wire	4E
C.059.090.0210.I	5.9	0.90	21.0	0.3500	14.04	15.76	yes	stainless steel	4C
C.059.090.0250.A	5.9	0.90	25.0	0.4030	14.22	15.97	yes	music wire	4C
C.059.090.0250.AP	5.9	0.90	25.0	0.5137	11.61	14.97	yes	music wire	4E
C.059.090.0250.I	5.9	0.90	25.0	0.3506	14.04	15.76	yes	stainless steel	4C
C.059.090.0250.N	5.9	0.90	25.0	0.4030	14.22	15.97	yes	Zn coating	4E
C.059.090.0320.A	5.9	0.90	32.0	0.3090	17.82	20.10	yes	music wire	4C
C.059.090.0320.AP	5.9	0.90	32.0	0.3957	14.40	18.98	yes	music wire	4F
C.059.090.0320.I	5.9	0.90	32.0	0.2688	17.64	19.89	yes	stainless steel	4C
C.059.090.0320.N	5.9	0.90	32.0	0.3090	17.82	20.10	yes	Zn coating	4E
C.059.090.0400.A	5.9	0.90	40.0	0.2450	21.87	24.74	yes	music wire	4C
C.059.090.0400.AP	5.9	0.90	40.0	0.3124	17.64	23.51	yes	music wire	4F
C.059.090.0400.I	5.9	0.90	40.0	0.2132	21.60	24.43	yes	stainless steel	4C
C.059.090.0400.N	5.9	0.90	40.0	0.2450	21.87	24.74	yes	Zn coating	4E
C.059.090.0500.A	5.9	0.90	50.0	0.1940	27.09	30.72	yes	music wire	4C
C.059.090.0500.AP	5.9	0.90	50.0	0.2485	21.60	29.27	yes	music wire	4F
C.059.090.0500.I	5.9	0.90	50.0	0.1688	26.73	30.31	yes	stainless steel	4D
C.059.090.0500.N	5.9	0.90	50.0	0.1940	27.09	30.72	yes	Zn coating	4E
C.059.090.0630.A	5.9	0.90	63.0	0.1540	33.48	38.05	yes	music wire	4C
C.059.090.0630.AP	5.9	0.90	63.0	0.1957	26.82	36.68	yes	music wire	4F
C.059.090.0630.I	5.9	0.90	63.0	0.1340	33.12	37.64	yes	stainless steel	4D
C.059.090.0630.N	5.9	0.90	63.0	0.1540	33.48	38.05	yes	Zn coating	4E
C.059.090.3600.A	5.9	0.90	360.0	0.0260	188.28	215.36	no	music wire	4E
C.059.090.3600.I	5.9	0.90	360.0	0.0226	186.03	212.78	no	stainless steel	4F
C.059.100.0080.A	5.9	1.00	8.0	2.4680	6.00	6.48	yes	music wire	4C
C.059.100.0080.I	5.9	1.00	8.0	2.1472	6.00	6.48	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.059.100.0080.N	5.9	1.00	8.0	2.4680	6.00	6.48	yes	Zn coating	4E
C.059.100.0100.A	5.9	1.00	10.0	1.8510	7.20	7.84	yes	music wire	4C
C.059.100.0100.I	5.9	1.00	10.0	1.6104	7.10	7.73	yes	stainless steel	4C
C.059.100.0100.N	5.9	1.00	10.0	1.8510	7.20	7.84	yes	Zn coating	4E
C.059.100.0111.A	5.9	1.00	11.1	1.8391	7.20	7.84	yes	music wire	4E
C.059.100.0111.I	5.9	1.00	11.1	1.6000	7.10	7.73	yes	stainless steel	4F
C.059.100.0125.A	5.9	1.00	12.5	1.4180	8.60	9.43	yes	music wire	4C
C.059.100.0125.I	5.9	1.00	12.5	1.2337	8.50	9.32	yes	stainless steel	4C
C.059.100.0125.N	5.9	1.00	12.5	1.4180	8.60	9.43	yes	Zn coating	4E
C.059.100.0160.A	5.9	1.00	16.0	1.0580	10.70	11.82	yes	music wire	4C
C.059.100.0160.AP	5.9	1.00	16.0	1.2924	9.20	10.69	yes	music wire	4E
C.059.100.0160.I	5.9	1.00	16.0	0.9205	10.60	11.70	yes	stainless steel	4C
C.059.100.0160.N	5.9	1.00	16.0	1.0580	10.70	11.82	yes	Zn coating	4E
C.059.100.0200.A	5.9	1.00	20.0	0.8330	12.90	14.31	yes	music wire	4C
C.059.100.0200.I	5.9	1.00	20.0	0.7247	12.80	14.20	yes	stainless steel	4C
C.059.100.0200.N	5.9	1.00	20.0	0.8330	12.90	14.31	yes	Zn coating	4E
C.059.100.0210.A	5.9	1.00	21.0	0.6897	15.10	16.81	yes	music wire	4C
C.059.100.0210.AP	5.9	1.00	21.0	0.9516	11.60	13.78	yes	music wire	4F
C.059.100.0210.I	5.9	1.00	21.0	0.6000	14.90	16.59	yes	stainless steel	4C
C.059.100.0220.A	5.9	1.00	22.0	1.6000	7.90	17.71	yes	music wire	4H
C.059.100.0220.I	5.9	1.00	22.0	1.3920	7.80	17.75	yes	stainless steel	4I
C.059.100.0250.A	5.9	1.00	25.0	0.6470	15.90	17.72	yes	music wire	4C
C.059.100.0250.AP	5.9	1.00	25.0	0.7872	13.50	16.28	yes	music wire	4F
C.059.100.0250.I	5.9	1.00	25.0	0.5629	15.70	17.50	yes	stainless steel	4C
C.059.100.0250.N	5.9	1.00	25.0	0.6470	15.90	17.72	yes	Zn coating	4E
C.059.100.0270.A	5.9	1.00	27.0	0.6667	15.50	17.27	yes	music wire	4F
C.059.100.0270.I	5.9	1.00	27.0	0.5800	15.30	17.04	yes	stainless steel	4F
C.059.100.0320.A	5.9	1.00	32.0	0.4970	19.90	22.27	yes	music wire	4C
C.059.100.0320.AP	5.9	1.00	32.0	0.6055	16.80	20.66	yes	music wire	4F
C.059.100.0320.I	5.9	1.00	32.0	0.4324	19.70	22.04	yes	stainless steel	4C
C.059.100.0320.N	5.9	1.00	32.0	0.4970	19.90	22.27	yes	Zn coating	4E
C.059.100.0400.A	5.9	1.00	40.0	0.3940	24.50	27.49	yes	music wire	4C
C.059.100.0400.I	5.9	1.00	40.0	0.3428	24.20	27.15	yes	stainless steel	4D
C.059.100.0400.N	5.9	1.00	40.0	0.3940	24.50	27.49	yes	Zn coating	4E
C.059.100.0500.A	5.9	1.00	50.0	0.3110	30.30	34.08	yes	music wire	4C
C.059.100.0500.AP	5.9	1.00	50.0	0.3798	25.30	31.92	yes	music wire	4F
C.059.100.0500.I	5.9	1.00	50.0	0.2706	30.00	33.74	yes	stainless steel	4D
C.059.100.0500.N	5.9	1.00	50.0	0.3110	30.30	34.08	yes	Zn coating	4E
C.059.100.0630.A	5.9	1.00	63.0	0.2460	37.70	42.49	yes	music wire	4C
C.059.100.0630.I	5.9	1.00	63.0	0.2140	37.30	42.03	yes	stainless steel	4D
C.059.100.0630.N	5.9	1.00	63.0	0.2460	37.70	42.49	yes	Zn coating	4E
C.059.100.0850.A	5.9	1.00	85.0	0.1600	56.60	63.96	yes	music wire	4C
C.059.100.0850.AP	5.9	1.00	85.0	0.2198	41.90	53.75	yes	music wire	4F
C.059.100.0850.I	5.9	1.00	85.0	0.1392	55.90	63.16	yes	stainless steel	4D
C.059.100.1850.A	5.9	1.00	185.0	0.1600	56.60	142.08	yes	music wire	4I
C.059.100.1850.I	5.9	1.00	185.0	0.1392	55.90	142.55	yes	stainless steel	4I
C.059.100.3600.A	5.9	1.00	360.0	0.0430	204.90	232.29	no	music wire	4E
C.059.100.3600.I	5.9	1.00	360.0	0.0374	202.40	229.45	no	stainless steel	4F
C.059.110.0080.A	5.9	1.10	8.0	3.9920	6.49	6.97	yes	music wire	4C
C.059.110.0080.I	5.9	1.10	8.0	3.4730	6.38	6.85	yes	stainless steel	4C
C.059.110.0080.N	5.9	1.10	8.0	3.9920	6.49	6.97	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.059.110.0095.A	5.9	1.10	9.5	3.5632	6.93	7.47	yes	music wire	4F
C.059.110.0095.I	5.9	1.10	9.5	3.1000	6.82	7.34	yes	stainless steel	4F
C.059.110.0100.A	5.9	1.10	10.0	2.9650	7.70	8.34	yes	music wire	4C
C.059.110.0100.I	5.9	1.10	10.0	2.5795	7.70	8.34	yes	stainless steel	4C
C.059.110.0100.N	5.9	1.10	10.0	2.9650	7.70	8.34	yes	Zn coating	4E
C.059.110.0125.A	5.9	1.10	12.5	2.2560	9.35	10.20	yes	music wire	4C
C.059.110.0125.I	5.9	1.10	12.5	1.9627	9.24	10.07	yes	stainless steel	4C
C.059.110.0125.N	5.9	1.10	12.5	2.2560	9.35	10.20	yes	Zn coating	4E
C.059.110.0160.A	5.9	1.10	16.0	1.6740	11.66	12.81	yes	music wire	4C
C.059.110.0160.I	5.9	1.10	16.0	1.4564	11.55	12.68	yes	stainless steel	4C
C.059.110.0160.N	5.9	1.10	16.0	1.6740	11.66	12.81	yes	Zn coating	4E
C.059.110.0200.A	5.9	1.10	20.0	1.3000	14.19	15.66	yes	music wire	4C
C.059.110.0200.I	5.9	1.10	20.0	1.1284	14.08	15.54	yes	stainless steel	4C
C.059.110.0200.N	5.9	1.10	20.0	1.3000	14.19	15.66	yes	Zn coating	4E
C.059.110.0210.A	5.9	1.10	21.0	1.3793	13.53	14.92	yes	music wire	4F
C.059.110.0210.I	5.9	1.10	21.0	1.2000	13.42	14.79	yes	stainless steel	4F
C.059.110.0250.A	5.9	1.10	25.0	1.0180	17.27	19.14	yes	music wire	4C
C.059.110.0250.I	5.9	1.10	25.0	0.8857	17.16	19.01	yes	stainless steel	4C
C.059.110.0250.N	5.9	1.10	25.0	1.0180	17.27	19.14	yes	Zn coating	4E
C.059.110.0320.A	5.9	1.10	32.0	0.7800	21.78	24.23	yes	music wire	4C
C.059.110.0320.I	5.9	1.10	32.0	0.6786	21.56	23.98	yes	stainless steel	4D
C.059.110.0320.N	5.9	1.10	32.0	0.7800	21.78	24.23	yes	Zn coating	4E
C.059.110.0400.A	5.9	1.10	40.0	0.6140	26.95	30.06	yes	music wire	4C
C.059.110.0400.I	5.9	1.10	40.0	0.5342	26.62	29.69	yes	stainless steel	4D
C.059.110.0400.N	5.9	1.10	40.0	0.6140	26.95	30.06	yes	Zn coating	4E
C.059.110.0500.A	5.9	1.10	50.0	0.4870	33.22	37.14	yes	music wire	4C
C.059.110.0500.I	5.9	1.10	50.0	0.4237	32.78	36.64	yes	stainless steel	4D
C.059.110.0500.N	5.9	1.10	50.0	0.4870	33.22	37.14	yes	Zn coating	4E
C.059.110.0630.A	5.9	1.10	63.0	0.3830	41.47	46.45	yes	music wire	4C
C.059.110.0630.I	5.9	1.10	63.0	0.3332	41.03	45.95	yes	stainless steel	4D
C.059.110.0630.N	5.9	1.10	63.0	0.3830	41.47	46.45	yes	Zn coating	4E
C.059.110.0700.A	5.9	1.10	70.0	0.3103	50.60	56.75	yes	music wire	4C
C.059.110.0700.AP	5.9	1.10	70.0	0.4018	39.71	47.89	yes	music wire	4F
C.059.110.0700.I	5.9	1.10	70.0	0.2700	49.94	56.01	yes	stainless steel	4D
C.059.110.3600.A	5.9	1.10	360.0	0.0650	232.10	261.44	no	music wire	4F
C.059.110.3600.I	5.9	1.10	360.0	0.0566	229.02	257.97	no	stainless steel	4F
C.059.130.0174.A	5.9	1.30	17.4	5.1000	10.92	14.69	yes	music wire	4I
C.059.130.0174.I	5.9	1.30	17.4	4.4370	10.79	14.70	yes	stainless steel	4I
C.059.140.0151.A	5.9	1.40	15.1	6.0920	13.30	14.43	yes	music wire	4E
C.059.140.0151.I	5.9	1.40	15.1	5.3000	13.30	14.43	yes	stainless steel	4E
C.060.028.0060.A	6.0	0.28	6.0	0.0304	1.29	1.51	no	music wire	4C
C.060.032.0090.A	6.0	0.32	9.0	0.0324	1.70	2.03	no	music wire	4C
C.060.032.0090.I	6.0	0.32	9.0	0.0278	1.70	2.03	no	stainless steel	4C
C.060.035.0070.A	6.0	0.35	7.0	0.0565	1.75	2.01	no	music wire	4B
C.060.035.0070.I	6.0	0.35	7.0	0.0485	1.75	2.01	no	stainless steel	4B
C.060.035.0110.A	6.0	0.35	11.0	0.0353	2.07	2.48	no	music wire	4B
C.060.035.0110.I	6.0	0.35	11.0	0.0303	2.07	2.48	no	stainless steel	4B
C.060.035.0160.A	6.0	0.35	16.0	0.0242	2.45	3.05	no	music wire	4B
C.060.035.0160.I	6.0	0.35	16.0	0.0208	2.45	3.05	no	stainless steel	4C
C.060.035.0250.A	6.0	0.35	25.0	0.0151	3.19	4.15	no	music wire	4B
C.060.035.0250.I	6.0	0.35	25.0	0.0130	3.19	4.15	no	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.060.035.0550.A	6.0	0.35	55.0	0.0068	5.57	7.70	no	music wire	4B
C.060.035.0550.I	6.0	0.35	55.0	0.0059	5.57	7.70	no	stainless steel	4C
C.060.040.0095.A	6.0	0.40	9.5	0.0530	2.12	2.56	yes	music wire	4B
C.060.040.0095.I	6.0	0.40	9.5	0.0456	2.12	2.56	yes	stainless steel	4B
C.060.040.0110.A	6.0	0.40	11.0	0.0464	2.28	2.78	yes	music wire	4B
C.060.040.0110.I	6.0	0.40	11.0	0.0399	2.28	2.78	yes	stainless steel	4C
C.060.040.0129.A	6.0	0.40	12.9	0.0424	2.40	2.95	yes	music wire	4B
C.060.040.0129.I	6.0	0.40	12.9	0.0364	2.40	2.95	yes	stainless steel	4C
C.060.040.0129.N	6.0	0.40	12.9	0.0424	2.40	2.95	yes	Zn coating	4C
C.060.040.0151.A	6.0	0.40	15.1	0.0330	2.80	3.51	yes	music wire	4B
C.060.040.0151.I	6.0	0.40	15.1	0.0283	2.80	3.51	yes	stainless steel	4C
C.060.040.0198.A	6.0	0.40	19.8	0.0270	3.20	4.07	yes	music wire	4B
C.060.040.0198.I	6.0	0.40	19.8	0.0232	3.20	4.07	yes	stainless steel	4C
C.060.040.0198.N	6.0	0.40	19.8	0.0270	3.20	4.07	yes	Zn coating	4C
C.060.040.0302.A	6.0	0.40	30.2	0.0175	4.40	5.74	yes	music wire	4B
C.060.040.0302.I	6.0	0.40	30.2	0.0150	4.40	5.74	yes	stainless steel	4C
C.060.040.0302.N	6.0	0.40	30.2	0.0175	4.40	5.74	yes	Zn coating	4C
C.060.040.0350.A	6.0	0.40	35.0	0.0080	8.44	11.37	yes	music wire	4B
C.060.040.0350.I	6.0	0.40	35.0	0.0070	8.32	11.20	yes	stainless steel	4C
C.060.040.0350.N	6.0	0.40	35.0	0.0080	8.44	11.37	yes	Zn coating	4C
C.060.040.0441.A	6.0	0.40	44.1	0.0119	6.00	7.97	yes	music wire	4B
C.060.040.0441.I	6.0	0.40	44.1	0.0102	6.00	7.97	yes	stainless steel	4C
C.060.040.0441.N	6.0	0.40	44.1	0.0119	6.00	7.97	yes	Zn coating	4D
C.060.040.0647.A	6.0	0.40	64.7	0.0080	8.44	11.37	yes	music wire	4C
C.060.040.0647.I	6.0	0.40	64.7	0.0069	8.40	11.32	yes	stainless steel	4C
C.060.040.0647.N	6.0	0.40	64.7	0.0080	8.44	11.37	yes	Zn coating	4D
C.060.045.0284.A	6.0	0.45	28.4	0.0249	5.54	6.99	yes	music wire	4B
C.060.045.0284.I	6.0	0.45	28.4	0.0214	5.54	6.99	yes	stainless steel	4C
C.060.045.0351.A	6.0	0.45	35.1	0.0202	6.57	8.36	yes	music wire	4B
C.060.045.0351.I	6.0	0.45	35.1	0.0173	6.57	8.36	yes	stainless steel	4C
C.060.050.0066.A	6.0	0.50	6.6	0.1093	3.00	3.49	yes	music wire	4B
C.060.050.0066.AP	6.0	0.50	6.6	0.2721	1.95	2.98	yes	music wire	4D
C.060.050.0066.I	6.0	0.50	6.6	0.0939	3.00	3.49	yes	stainless steel	4C
C.060.050.0066.N	6.0	0.50	6.6	0.1093	3.00	3.49	yes	Zn coating	4C
C.060.050.0095.A	6.0	0.50	9.5	0.1126	2.95	3.43	yes	music wire	4B
C.060.050.0095.I	6.0	0.50	9.5	0.0967	2.95	3.43	yes	stainless steel	4C
C.060.050.0110.A	6.0	0.50	11.0	0.1080	3.00	3.49	yes	music wire	4B
C.060.050.0110.AP	6.0	0.50	11.0	0.1524	2.50	4.54	yes	music wire	4D
C.060.050.0110.I	6.0	0.50	11.0	0.0940	3.00	3.49	yes	stainless steel	4C
C.060.050.0111.A	6.0	0.50	11.1	0.0957	3.25	3.81	yes	music wire	4B
C.060.050.0111.I	6.0	0.50	11.1	0.0822	3.25	3.81	yes	stainless steel	4C
C.060.050.0123.A	6.0	0.50	12.3	0.0589	4.50	5.41	yes	music wire	4B
C.060.050.0123.AP	6.0	0.50	12.3	0.1361	2.65	5.06	yes	music wire	4D
C.060.050.0123.I	6.0	0.50	12.3	0.0506	4.50	5.41	yes	stainless steel	4C
C.060.050.0123.N	6.0	0.50	12.3	0.0589	4.50	5.41	yes	Zn coating	4C
C.060.050.0130.A	6.0	0.50	13.0	0.0440	5.60	6.82	yes	music wire	4B
C.060.050.0130.AP	6.0	0.50	13.0	0.1270	2.75	5.24	yes	music wire	4D
C.060.050.0130.I	6.0	0.50	13.0	0.0383	5.55	6.76	yes	stainless steel	4C
C.060.050.0130.N	6.0	0.50	13.0	0.0440	5.60	6.82	yes	Zn coating	4C
C.060.050.0140.A	6.0	0.50	14.0	0.0830	3.55	4.20	yes	music wire	4B
C.060.050.0140.AP	6.0	0.50	14.0	0.1190	2.85	5.72	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.060.050.0140.I	6.0	0.50	14.0	0.0691	3.65	4.33	yes	stainless steel	4C
C.060.050.0143.A	6.0	0.50	14.3	0.0722	3.90	4.65	yes	music wire	4B
C.060.050.0143.I	6.0	0.50	14.3	0.0620	3.90	4.65	yes	stainless steel	4C
C.060.050.0150.A	6.0	0.50	15.0	0.0850	3.50	4.13	yes	music wire	4B
C.060.050.0150.I	6.0	0.50	15.0	0.0730	3.50	4.13	yes	stainless steel	4E
C.060.050.0150.N	6.0	0.50	15.0	0.0850	3.50	4.13	yes	Zn coating	4C
C.060.050.0170.A	6.0	0.50	17.0	0.0670	4.10	4.90	yes	music wire	4B
C.060.050.0170.AP	6.0	0.50	17.0	0.0977	3.20	6.91	yes	music wire	4D
C.060.050.0170.I	6.0	0.50	17.0	0.0583	4.05	4.84	yes	stainless steel	4C
C.060.050.0174.A	6.0	0.50	17.4	0.0589	4.50	5.41	yes	music wire	4B
C.060.050.0174.I	6.0	0.50	17.4	0.0506	4.50	5.41	yes	stainless steel	4C
C.060.050.0180.A	6.0	0.50	18.0	0.0330	7.05	8.68	yes	music wire	4B
C.060.050.0180.AP	6.0	0.50	18.0	0.0907	3.35	7.14	yes	music wire	4D
C.060.050.0180.I	6.0	0.50	18.0	0.0287	6.95	8.55	yes	stainless steel	4C
C.060.050.0180.N	6.0	0.50	18.0	0.0330	7.05	8.68	yes	Zn coating	4C
C.060.050.0182.A	6.0	0.50	18.2	0.0563	4.65	5.61	yes	music wire	4B
C.060.050.0182.I	6.0	0.50	18.2	0.0483	4.65	5.61	yes	stainless steel	4C
C.060.050.0190.A	6.0	0.50	19.0	0.0600	4.45	5.35	yes	music wire	4B
C.060.050.0190.AP	6.0	0.50	19.0	0.0866	3.45	7.62	yes	music wire	4D
C.060.050.0190.I	6.0	0.50	19.0	0.0500	4.55	5.48	yes	stainless steel	4C
C.060.050.0191.A	6.0	0.50	19.1	0.0532	4.85	5.86	yes	music wire	4B
C.060.050.0191.I	6.0	0.50	19.1	0.0457	4.85	5.86	yes	stainless steel	4C
C.060.050.0199.A	6.0	0.50	19.9	0.0364	6.50	7.98	yes	music wire	4B
C.060.050.0199.AP	6.0	0.50	19.9	0.0828	3.55	8.00	yes	music wire	4D
C.060.050.0199.I	6.0	0.50	19.9	0.0313	6.50	7.98	yes	stainless steel	4C
C.060.050.0199.N	6.0	0.50	19.9	0.0364	6.50	7.98	yes	Zn coating	4C
C.060.050.0220.A	6.0	0.50	22.0	0.0480	5.25	6.38	yes	music wire	4B
C.060.050.0220.AP	6.0	0.50	22.0	0.0733	3.85	8.55	yes	music wire	4D
C.060.050.0220.I	6.0	0.50	22.0	0.0418	5.20	6.31	yes	stainless steel	4C
C.060.050.0220.N	6.0	0.50	22.0	0.0480	5.25	6.38	yes	Zn coating	4C
C.060.050.0237.A	6.0	0.50	23.7	0.0306	7.50	9.26	yes	music wire	4B
C.060.050.0237.AP	6.0	0.50	23.7	0.0680	4.05	9.22	yes	music wire	4D
C.060.050.0237.I	6.0	0.50	23.7	0.0263	7.50	9.26	yes	stainless steel	4C
C.060.050.0237.N	6.0	0.50	23.7	0.0306	7.50	9.26	yes	Zn coating	4C
C.060.050.0275.A	6.0	0.50	27.5	0.0264	8.50	10.54	yes	music wire	4B
C.060.050.0275.AP	6.0	0.50	27.5	0.0586	4.50	10.69	yes	music wire	4E
C.060.050.0275.I	6.0	0.50	27.5	0.0227	8.50	10.54	yes	stainless steel	4C
C.060.050.0275.N	6.0	0.50	27.5	0.0264	8.50	10.54	yes	Zn coating	4C
C.060.050.0280.A	6.0	0.50	28.0	0.0410	5.90	7.21	yes	music wire	4B
C.060.050.0280.AP	6.0	0.50	28.0	0.0577	4.55	10.93	yes	music wire	4E
C.060.050.0280.I	6.0	0.50	28.0	0.0342	6.05	7.40	yes	stainless steel	4C
C.060.050.0284.A	6.0	0.50	28.4	0.0354	6.65	8.17	yes	music wire	4B
C.060.050.0284.I	6.0	0.50	28.4	0.0304	6.65	8.17	yes	stainless steel	4C
C.060.050.0300.A	6.0	0.50	30.0	0.0370	6.40	7.85	yes	music wire	4B
C.060.050.0300.AP	6.0	0.50	30.0	0.0537	4.80	11.64	yes	music wire	4E
C.060.050.0300.I	6.0	0.50	30.0	0.0322	6.35	7.79	yes	stainless steel	4C
C.060.050.0330.A	6.0	0.50	33.0	0.0364	6.50	7.98	yes	music wire	4B
C.060.050.0330.I	6.0	0.50	33.0	0.0313	6.50	7.98	yes	stainless steel	4C
C.060.050.0330.N	6.0	0.50	33.0	0.0364	6.50	7.98	yes	Zn coating	4D
C.060.050.0350.A	6.0	0.50	35.0	0.0320	7.25	8.94	yes	music wire	4B
C.060.050.0350.AP	6.0	0.50	35.0	0.0459	5.40	13.54	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.060.050.0350.I	6.0	0.50	35.0	0.0267	7.40	9.13	yes	stainless steel	4C
C.060.050.0450.A	6.0	0.50	45.0	0.0239	9.25	11.50	yes	music wire	4B
C.060.050.0450.AP	6.0	0.50	45.0	0.0356	6.60	17.33	yes	music wire	4E
C.060.050.0450.I	6.0	0.50	45.0	0.0208	9.15	11.37	yes	stainless steel	4C
C.060.055.0120.A	6.0	0.55	12.0	0.1645	3.30	4.17	yes	music wire	4E
C.060.055.0120.I	6.0	0.55	12.0	0.1413	3.30	4.27	yes	stainless steel	4E
C.060.055.0120.N	6.0	0.55	12.0	0.1645	3.30	4.17	yes	Zn coating	4G
C.060.055.0177.A	6.0	0.55	17.7	0.1047	4.40	5.39	yes	music wire	4E
C.060.055.0177.I	6.0	0.55	17.7	0.0900	4.40	5.56	yes	stainless steel	4E
C.060.055.0177.N	6.0	0.55	17.7	0.1047	4.40	5.39	yes	Zn coating	4G
C.060.055.0224.A	6.0	0.55	22.4	0.0626	6.44	7.69	yes	music wire	4C
C.060.055.0224.I	6.0	0.55	22.4	0.0538	6.44	7.69	yes	stainless steel	4C
C.060.055.0239.A	6.0	0.55	23.9	0.0588	6.77	8.10	yes	music wire	4C
C.060.055.0239.I	6.0	0.55	23.9	0.0505	6.77	8.10	yes	stainless steel	4C
C.060.055.0292.A	6.0	0.55	29.2	0.0606	6.60	7.94	yes	music wire	4E
C.060.055.0292.I	6.0	0.55	29.2	0.0520	6.60	8.18	yes	stainless steel	4F
C.060.055.0292.N	6.0	0.55	29.2	0.0606	6.60	7.94	yes	Zn coating	4G
C.060.055.0457.A	6.0	0.55	45.7	0.0300	11.94	14.55	yes	music wire	4C
C.060.055.0457.I	6.0	0.55	45.7	0.0258	11.94	14.55	yes	stainless steel	4C
C.060.055.0465.A	6.0	0.55	46.5	0.0372	9.90	12.01	yes	music wire	4E
C.060.055.0465.I	6.0	0.55	46.5	0.0320	9.90	12.35	yes	stainless steel	4F
C.060.055.0465.N	6.0	0.55	46.5	0.0372	9.90	12.01	yes	Zn coating	4G
C.060.060.0111.A	6.0	0.60	11.1	0.1823	4.26	4.87	yes	music wire	4C
C.060.060.0111.I	6.0	0.60	11.1	0.1566	4.26	4.87	yes	stainless steel	4C
C.060.060.0143.A	6.0	0.60	14.3	0.1375	5.16	5.97	yes	music wire	4C
C.060.060.0143.I	6.0	0.60	14.3	0.1181	5.16	5.97	yes	stainless steel	4C
C.060.060.0159.A	6.0	0.60	15.9	0.1233	5.58	6.48	yes	music wire	4C
C.060.060.0159.I	6.0	0.60	15.9	0.1059	5.58	6.48	yes	stainless steel	4C
C.060.060.0170.A	6.0	0.60	17.0	0.1250	5.52	6.41	yes	music wire	4C
C.060.060.0170.AP	6.0	0.60	17.0	0.1740	4.38	7.55	yes	music wire	4E
C.060.060.0170.I	6.0	0.60	17.0	0.1088	5.46	6.34	yes	stainless steel	4C
C.060.060.0230.A	6.0	0.60	23.0	0.0570	10.32	12.27	yes	music wire	4C
C.060.060.0230.AP	6.0	0.60	23.0	0.1266	5.46	10.00	yes	music wire	4E
C.060.060.0230.I	6.0	0.60	23.0	0.0496	10.20	12.13	yes	stainless steel	4C
C.060.060.0230.N	6.0	0.60	23.0	0.0570	10.32	12.27	yes	Zn coating	4E
C.060.060.0280.A	6.0	0.60	28.0	0.0750	8.22	9.71	yes	music wire	4C
C.060.060.0280.AP	6.0	0.60	28.0	0.1031	6.36	12.05	yes	music wire	4E
C.060.060.0280.I	6.0	0.60	28.0	0.0625	8.40	9.93	yes	stainless steel	4C
C.060.065.0100.A	6.0	0.65	10.0	0.2444	4.81	5.45	yes	music wire	4C
C.060.065.0100.AP	6.0	0.65	10.0	0.4082	3.51	4.96	yes	music wire	4E
C.060.065.0100.I	6.0	0.65	10.0	0.2126	4.75	5.38	yes	stainless steel	4C
C.060.065.0100.N	6.0	0.65	10.0	0.2444	4.81	5.45	yes	Zn coating	4E
C.060.065.0125.A	6.0	0.65	12.5	0.1964	5.53	6.32	yes	music wire	4C
C.060.065.0125.AP	6.0	0.65	12.5	0.3199	4.03	6.07	yes	music wire	4E
C.060.065.0125.I	6.0	0.65	12.5	0.1709	5.53	6.32	yes	stainless steel	4C
C.060.065.0125.N	6.0	0.65	12.5	0.1964	5.53	6.32	yes	Zn coating	4E
C.060.065.0160.A	6.0	0.65	16.0	0.1571	6.57	7.57	yes	music wire	4C
C.060.065.0160.AP	6.0	0.65	16.0	0.2466	4.75	7.65	yes	music wire	4E
C.060.065.0160.I	6.0	0.65	16.0	0.1367	6.50	7.48	yes	stainless steel	4C
C.060.065.0160.N	6.0	0.65	16.0	0.1571	6.57	7.57	yes	Zn coating	4E
C.060.065.0200.A	6.0	0.65	20.0	0.1222	7.93	9.20	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.060.065.0200.AP	6.0	0.65	20.0	0.1941	5.59	9.39	yes	music wire	4E
C.060.065.0200.I	6.0	0.65	20.0	0.1063	7.87	9.13	yes	stainless steel	4C
C.060.065.0200.N	6.0	0.65	20.0	0.1222	7.93	9.20	yes	Zn coating	4E
C.060.065.0250.A	6.0	0.65	25.0	0.0982	9.49	11.08	yes	music wire	4C
C.060.065.0250.AP	6.0	0.65	25.0	0.1518	6.70	11.44	yes	music wire	4E
C.060.065.0250.I	6.0	0.65	25.0	0.0854	9.36	10.92	yes	stainless steel	4C
C.060.065.0250.N	6.0	0.65	25.0	0.0982	9.49	11.08	yes	Zn coating	4E
C.060.065.0279.A	6.0	0.65	27.9	0.0907	10.14	11.86	yes	music wire	4C
C.060.065.0279.I	6.0	0.65	27.9	0.0779	10.14	11.86	yes	stainless steel	4C
C.060.065.0284.A	6.0	0.65	28.4	0.0886	10.34	12.10	yes	music wire	4C
C.060.065.0284.I	6.0	0.65	28.4	0.0761	10.34	12.10	yes	stainless steel	4C
C.060.065.0320.A	6.0	0.65	32.0	0.0786	11.44	13.42	yes	music wire	4C
C.060.065.0320.AP	6.0	0.65	32.0	0.1184	8.13	14.61	yes	music wire	4E
C.060.065.0320.I	6.0	0.65	32.0	0.0684	11.31	13.26	yes	stainless steel	4C
C.060.065.0320.N	6.0	0.65	32.0	0.0786	11.44	13.42	yes	Zn coating	4E
C.060.065.0381.A	6.0	0.65	38.1	0.0653	13.46	15.85	yes	music wire	4C
C.060.065.0381.I	6.0	0.65	38.1	0.0560	13.46	15.85	yes	stainless steel	4C
C.060.065.0400.A	6.0	0.65	40.0	0.0611	14.24	16.78	yes	music wire	4C
C.060.065.0400.AP	6.0	0.65	40.0	0.0939	9.82	18.09	yes	music wire	4E
C.060.065.0400.I	6.0	0.65	40.0	0.0532	14.11	16.63	yes	stainless steel	4C
C.060.065.0400.N	6.0	0.65	40.0	0.0611	14.24	16.78	yes	Zn coating	4E
C.060.065.0450.A	6.0	0.65	45.0	0.0314	26.20	31.15	yes	music wire	4C
C.060.065.0450.AP	6.0	0.65	45.0	0.0834	10.86	20.31	yes	music wire	4E
C.060.065.0450.I	6.0	0.65	45.0	0.0270	26.20	31.15	yes	stainless steel	4C
C.060.065.0450.N	6.0	0.65	45.0	0.0314	26.20	31.15	yes	Zn coating	4E
C.060.065.0500.A	6.0	0.65	50.0	0.0489	17.42	20.60	yes	music wire	4C
C.060.065.0500.AP	6.0	0.65	50.0	0.0744	12.03	22.35	yes	music wire	4E
C.060.065.0500.I	6.0	0.65	50.0	0.0425	17.23	20.38	yes	stainless steel	4C
C.060.065.0500.N	6.0	0.65	50.0	0.0489	17.42	20.60	yes	Zn coating	4E
C.060.065.0508.A	6.0	0.65	50.8	0.0487	17.49	20.69	yes	music wire	4C
C.060.065.0508.I	6.0	0.65	50.8	0.0418	17.49	20.69	yes	stainless steel	4C
C.060.065.0572.A	6.0	0.65	57.2	0.0430	19.57	23.19	yes	music wire	4C
C.060.065.0572.I	6.0	0.65	57.2	0.0370	19.57	23.19	yes	stainless steel	4C
C.060.065.0630.A	6.0	0.65	63.0	0.0400	20.93	24.82	yes	music wire	4C
C.060.065.0635.A	6.0	0.65	63.5	0.0387	21.58	25.60	yes	music wire	4C
C.060.065.0635.I	6.0	0.65	63.5	0.0332	21.58	25.60	yes	stainless steel	4C
C.060.065.0800.A	6.0	0.65	80.0	0.0306	26.85	31.93	yes	music wire	4C
C.060.065.0800.AP	6.0	0.65	80.0	0.0462	18.33	35.49	yes	music wire	4F
C.060.065.0800.I	6.0	0.65	80.0	0.0266	26.52	31.54	yes	stainless steel	4D
C.060.065.0800.N	6.0	0.65	80.0	0.0306	26.85	31.93	yes	Zn coating	4E
C.060.065.1000.A	6.0	0.65	100.0	0.0244	33.28	39.66	yes	music wire	4C
C.060.065.1000.AP	6.0	0.65	100.0	0.0369	22.56	44.19	yes	music wire	4F
C.060.065.1000.I	6.0	0.65	100.0	0.0212	32.83	39.12	yes	stainless steel	4D
C.060.065.1000.N	6.0	0.65	100.0	0.0244	33.28	39.66	yes	Zn coating	4E
C.060.065.1250.A	6.0	0.65	125.0	0.0196	41.02	48.96	yes	music wire	4D
C.060.065.1250.AP	6.0	0.65	125.0	0.0294	27.82	55.10	yes	music wire	4F
C.060.065.1250.I	6.0	0.65	125.0	0.0171	40.50	48.34	yes	stainless steel	4D
C.060.065.1250.N	6.0	0.65	125.0	0.0196	41.02	48.96	yes	Zn coating	4E
C.060.065.1600.A	6.0	0.65	160.0	0.0157	50.77	60.68	yes	music wire	4D
C.060.065.1600.AP	6.0	0.65	160.0	0.0230	35.23	70.45	yes	music wire	4G
C.060.065.1600.I	6.0	0.65	160.0	0.0137	50.18	59.97	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.060.065.1600.N	6.0	0.65	160.0	0.0157	50.77	60.68	yes	Zn coating	4F
C.060.065.1700.A	6.0	0.65	170.0	0.0190	42.25	61.67	yes	music wire	4G
C.060.065.1700.I	6.0	0.65	170.0	0.0165	41.73	63.99	yes	stainless steel	4G
C.060.065.1700.N	6.0	0.65	170.0	0.0190	42.25	61.67	yes	Zn coating	4I
C.060.070.0070.A	6.0	0.70	7.0	0.6085	3.64	3.99	yes	music wire	4C
C.060.070.0070.I	6.0	0.70	7.0	0.5226	3.64	3.99	yes	stainless steel	4C
C.060.070.0095.A	6.0	0.70	9.5	0.3912	4.69	5.24	yes	music wire	4C
C.060.070.0095.I	6.0	0.70	9.5	0.3360	4.69	5.24	yes	stainless steel	4C
C.060.070.0103.A	6.0	0.70	10.3	0.3496	5.04	5.65	yes	music wire	4C
C.060.070.0103.I	6.0	0.70	10.3	0.3002	5.04	5.65	yes	stainless steel	4C
C.060.070.0130.A	6.0	0.70	13.0	0.2300	6.72	7.64	yes	music wire	4C
C.060.070.0130.AP	6.0	0.70	13.0	0.3996	4.62	6.67	yes	music wire	4E
C.060.070.0130.I	6.0	0.70	13.0	0.2000	6.72	7.64	yes	stainless steel	4C
C.060.070.0130.N	6.0	0.70	13.0	0.2300	6.72	7.64	yes	Zn coating	4E
C.060.070.0151.A	6.0	0.70	15.1	0.2282	6.79	7.73	yes	music wire	4C
C.060.070.0151.I	6.0	0.70	15.1	0.1960	6.79	7.73	yes	stainless steel	4C
C.060.070.0159.A	6.0	0.70	15.9	0.2162	7.07	8.06	yes	music wire	4C
C.060.070.0159.I	6.0	0.70	15.9	0.1857	7.07	8.06	yes	stainless steel	4C
C.060.070.0191.A	6.0	0.70	19.1	0.1786	8.19	9.39	yes	music wire	4C
C.060.070.0191.I	6.0	0.70	19.1	0.1534	8.19	9.39	yes	stainless steel	4C
C.060.075.0060.A	6.0	0.75	6.0	0.9685	3.60	3.90	yes	music wire	4C
C.060.075.0060.I	6.0	0.75	6.0	0.8319	3.60	3.90	yes	stainless steel	4C
C.060.075.0080.A	6.0	0.75	8.0	0.6961	4.28	4.70	yes	music wire	4C
C.060.075.0080.I	6.0	0.75	8.0	0.5979	4.28	4.70	yes	stainless steel	4C
C.060.075.0142.A	6.0	0.75	14.2	0.3228	7.05	7.95	yes	music wire	4C
C.060.075.0142.I	6.0	0.75	14.2	0.2773	7.05	7.95	yes	stainless steel	4C
C.060.075.0150.A	6.0	0.75	15.0	0.4050	6.00	7.43	yes	music wire	4E
C.060.075.0150.I	6.0	0.75	15.0	0.3479	6.00	7.47	yes	stainless steel	4F
C.060.075.0150.N	6.0	0.75	15.0	0.4050	6.00	7.43	yes	Zn coating	4G
C.060.075.0157.A	6.0	0.75	15.7	0.2893	7.65	8.65	yes	music wire	4C
C.060.075.0157.I	6.0	0.75	15.7	0.2485	7.65	8.65	yes	stainless steel	4C
C.060.075.0270.A	6.0	0.75	27.0	0.2122	9.75	12.55	yes	music wire	4E
C.060.075.0270.I	6.0	0.75	27.0	0.1823	9.75	12.63	yes	stainless steel	4F
C.060.075.0270.N	6.0	0.75	27.0	0.2122	9.75	12.55	yes	Zn coating	4G
C.060.075.0279.A	6.0	0.75	27.9	0.1558	12.60	14.46	yes	music wire	4C
C.060.075.0279.I	6.0	0.75	27.9	0.1338	12.60	14.46	yes	stainless steel	4C
C.060.075.0445.A	6.0	0.75	44.5	0.0890	20.63	23.88	yes	music wire	4C
C.060.075.0445.AP	6.0	0.75	44.5	0.1380	13.95	22.28	yes	music wire	4E
C.060.075.0445.I	6.0	0.75	44.5	0.0774	20.40	23.61	yes	stainless steel	4C
C.060.075.0445.N	6.0	0.75	44.5	0.0890	20.63	23.88	yes	Zn coating	4E
C.060.075.0572.A	6.0	0.75	57.2	0.0738	24.53	28.46	yes	music wire	4C
C.060.075.0572.I	6.0	0.75	57.2	0.0634	24.53	28.46	yes	stainless steel	4C
C.060.075.0635.A	6.0	0.75	63.5	0.0663	27.08	31.45	yes	music wire	4C
C.060.075.0635.I	6.0	0.75	63.5	0.0569	27.08	31.45	yes	stainless steel	4D
C.060.080.0071.A	6.0	0.80	7.1	0.9573	4.48	4.89	yes	music wire	4C
C.060.080.0071.I	6.0	0.80	7.1	0.8222	4.48	4.89	yes	stainless steel	4C
C.060.080.0103.A	6.0	0.80	10.3	0.6057	5.92	6.56	yes	music wire	4C
C.060.080.0103.I	6.0	0.80	10.3	0.5202	5.92	6.56	yes	stainless steel	4C
C.060.080.0143.A	6.0	0.80	14.3	0.4122	7.76	8.70	yes	music wire	4C
C.060.080.0143.I	6.0	0.80	14.3	0.3540	7.76	8.70	yes	stainless steel	4C
C.060.080.0210.A	6.0	0.80	21.0	0.2430	11.76	13.35	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.060.080.0210.AP	6.0	0.80	21.0	0.3847	8.16	11.47	yes	music wire	4E
C.060.080.0210.I	6.0	0.80	21.0	0.2114	11.68	13.26	yes	stainless steel	4C
C.060.080.0210.N	6.0	0.80	21.0	0.2430	11.76	13.35	yes	Zn coating	4E
C.060.080.0280.A	6.0	0.80	28.0	0.2630	11.04	14.06	yes	music wire	4E
C.060.080.0280.I	6.0	0.80	28.0	0.2191	11.28	13.68	yes	stainless steel	4F
C.060.080.0300.A	6.0	0.80	30.0	0.3070	9.76	18.05	yes	music wire	4H
C.060.080.0300.I	6.0	0.80	30.0	0.2671	9.60	18.25	yes	stainless steel	4I
C.060.080.0300.N	6.0	0.80	30.0	0.3070	9.76	18.05	yes	Zn coating	4I
C.060.080.0900.A	6.0	0.80	90.0	0.0600	41.60	48.07	yes	music wire	4C
C.060.080.0900.I	6.0	0.80	90.0	0.0515	41.60	48.07	yes	stainless steel	4D
C.060.090.0070.A	6.0	0.90	7.0	1.7375	4.86	5.25	yes	music wire	4C
C.060.090.0070.I	6.0	0.90	7.0	1.4923	4.86	5.25	yes	stainless steel	4C
C.060.090.0080.A	6.0	0.90	8.0	1.2500	5.85	6.38	yes	music wire	4C
C.060.090.0095.A	6.0	0.90	9.5	1.0954	6.39	7.00	yes	music wire	4C
C.060.090.0095.I	6.0	0.90	9.5	0.9408	6.39	7.00	yes	stainless steel	4C
C.060.090.0100.A	6.0	0.90	10.0	1.0000	6.75	7.42	yes	music wire	4C
C.060.090.0103.A	6.0	0.90	10.3	1.0078	6.75	7.42	yes	music wire	4C
C.060.090.0103.I	6.0	0.90	10.3	0.8656	6.75	7.42	yes	stainless steel	4C
C.060.090.0125.A	6.0	0.90	12.5	0.7813	8.01	8.86	yes	music wire	4C
C.060.090.0157.A	6.0	0.90	15.7	0.6145	9.63	10.72	yes	music wire	4C
C.060.090.0157.I	6.0	0.90	15.7	0.5278	9.63	10.72	yes	stainless steel	4C
C.060.090.0159.A	6.0	0.90	15.9	0.6071	9.72	10.83	yes	music wire	4C
C.060.090.0159.I	6.0	0.90	15.9	0.5214	9.72	10.83	yes	stainless steel	4C
C.060.090.0160.A	6.0	0.90	16.0	0.6250	9.54	10.62	yes	music wire	4C
C.060.090.0200.A	6.0	0.90	20.0	0.5000	11.34	12.69	yes	music wire	4C
C.060.090.0224.A	6.0	0.90	22.4	0.4164	13.14	14.75	yes	music wire	4C
C.060.090.0224.I	6.0	0.90	22.4	0.3577	13.14	14.75	yes	stainless steel	4C
C.060.090.0250.A	6.0	0.90	25.0	0.3968	13.68	15.37	yes	music wire	4C
C.060.090.0254.A	6.0	0.90	25.4	0.3625	14.76	16.61	yes	music wire	4C
C.060.090.0254.I	6.0	0.90	25.4	0.3114	14.76	16.61	yes	stainless steel	4C
C.060.090.0318.A	6.0	0.90	31.8	0.2863	18.09	20.44	yes	music wire	4C
C.060.090.0318.I	6.0	0.90	31.8	0.2459	18.09	20.44	yes	stainless steel	4C
C.060.090.0320.A	6.0	0.90	32.0	0.3125	16.74	18.89	yes	music wire	4C
C.060.090.0400.A	6.0	0.90	40.0	0.2500	20.43	23.12	yes	music wire	4C
C.060.090.0444.A	6.0	0.90	44.4	0.2016	24.75	28.08	yes	music wire	4C
C.060.090.0444.I	6.0	0.90	44.4	0.1731	24.75	28.08	yes	stainless steel	4C
C.060.090.0450.A	6.0	0.90	45.0	0.2300	21.96	24.88	yes	music wire	4F
C.060.090.0450.I	6.0	0.90	45.0	0.2000	21.69	24.57	yes	stainless steel	4F
C.060.090.0450.N	6.0	0.90	45.0	0.2300	21.96	24.88	yes	Zn coating	4H
C.060.090.0500.A	6.0	0.90	50.0	0.2000	24.93	28.29	yes	music wire	4C
C.060.090.0508.A	6.0	0.90	50.8	0.1750	28.17	32.01	yes	music wire	4C
C.060.090.0508.I	6.0	0.90	50.8	0.1503	28.17	32.01	yes	stainless steel	4D
C.060.090.0630.A	6.0	0.90	63.0	0.1563	31.23	35.52	yes	music wire	4C
C.060.090.0762.A	6.0	0.90	76.2	0.1153	41.58	47.41	yes	music wire	4C
C.060.090.0762.I	6.0	0.90	76.2	0.0990	41.58	47.41	yes	stainless steel	4D
C.060.090.0800.A	6.0	0.90	80.0	0.1280	37.71	42.96	yes	music wire	4F
C.060.090.0800.I	6.0	0.90	80.0	0.1114	37.26	42.45	yes	stainless steel	4G
C.060.090.0800.N	6.0	0.90	80.0	0.1280	37.71	42.96	yes	Zn coating	4I
C.060.090.1000.A	6.0	0.90	100.0	0.1000	47.61	54.33	yes	music wire	4F
C.060.090.1000.I	6.0	0.90	100.0	0.0870	46.98	53.61	yes	stainless steel	4G
C.060.090.1000.N	6.0	0.90	100.0	0.1000	47.61	54.33	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.060.090.1250.A	6.0	0.90	125.0	0.0800	58.95	67.35	yes	music wire	4G
C.060.090.1250.I	6.0	0.90	125.0	0.0696	58.23	66.52	yes	stainless steel	4G
C.060.090.1250.N	6.0	0.90	125.0	0.0800	58.95	67.35	yes	Zn coating	4I
C.060.095.0060.A	6.0	0.95	6.0	2.8013	4.56	4.87	yes	music wire	4C
C.060.095.0060.I	6.0	0.95	6.0	2.4060	4.56	4.87	yes	stainless steel	4C
C.060.095.0445.A	6.0	0.95	44.5	0.2537	26.51	29.95	yes	music wire	4C
C.060.095.0445.I	6.0	0.95	44.5	0.2179	26.51	29.95	yes	stainless steel	4C
C.060.100.0070.A	6.0	1.00	7.0	3.2000	5.00	5.34	yes	music wire	4C
C.060.100.0070.I	6.0	1.00	7.0	2.7840	5.00	5.34	yes	stainless steel	4C
C.060.100.0070.N	6.0	1.00	7.0	3.2000	5.00	5.34	yes	Zn coating	4E
C.060.100.0085.A	6.0	1.00	8.5	2.3289	6.00	6.48	yes	music wire	4C
C.060.100.0085.I	6.0	1.00	8.5	2.0261	6.00	6.48	yes	stainless steel	4C
C.060.100.0085.N	6.0	1.00	8.5	2.3289	6.00	6.48	yes	Zn coating	4E
C.060.100.0095.A	6.0	1.00	9.5	1.7717	7.10	7.73	yes	music wire	4C
C.060.100.0095.I	6.0	1.00	9.5	1.5217	7.10	7.73	yes	stainless steel	4C
C.060.100.0120.A	6.0	1.00	12.0	1.4818	8.00	8.76	yes	music wire	4C
C.060.100.0120.I	6.0	1.00	12.0	1.2892	7.90	8.64	yes	stainless steel	4C
C.060.100.0120.N	6.0	1.00	12.0	1.4818	8.00	8.76	yes	Zn coating	4E
C.060.100.0159.A	6.0	1.00	15.9	0.9702	10.90	12.06	yes	music wire	4C
C.060.100.0159.I	6.0	1.00	15.9	0.8333	10.90	12.06	yes	stainless steel	4C
C.060.100.0170.A	6.0	1.00	17.0	0.9588	11.00	12.17	yes	music wire	4C
C.060.100.0170.I	6.0	1.00	17.0	0.8235	11.00	12.17	yes	stainless steel	4C
C.060.100.0170.N	6.0	1.00	17.0	0.9588	11.00	12.17	yes	Zn coating	4E
C.060.100.0174.A	6.0	1.00	17.4	0.8763	11.80	13.08	yes	music wire	4C
C.060.100.0174.I	6.0	1.00	17.4	0.7527	11.80	13.08	yes	stainless steel	4C
C.060.100.0182.A	6.0	1.00	18.2	0.8316	12.30	13.65	yes	music wire	4C
C.060.100.0182.I	6.0	1.00	18.2	0.7143	12.30	13.65	yes	stainless steel	4C
C.060.100.0206.A	6.0	1.00	20.6	0.7277	13.70	15.24	yes	music wire	4C
C.060.100.0206.I	6.0	1.00	20.6	0.6250	13.70	15.24	yes	stainless steel	4C
C.060.100.0240.A	6.0	1.00	24.0	0.6520	15.00	16.72	yes	music wire	4C
C.060.100.0240.I	6.0	1.00	24.0	0.5600	15.00	16.72	yes	stainless steel	4C
C.060.100.0240.N	6.0	1.00	24.0	0.6520	15.00	16.72	yes	Zn coating	4E
C.060.100.0254.A	6.0	1.00	25.4	0.5780	16.60	18.54	yes	music wire	4C
C.060.100.0254.I	6.0	1.00	25.4	0.4965	16.60	18.54	yes	stainless steel	4C
C.060.100.0318.A	6.0	1.00	31.8	0.4528	20.50	22.98	yes	music wire	4C
C.060.100.0318.I	6.0	1.00	31.8	0.3889	20.50	22.98	yes	stainless steel	4C
C.060.100.0330.A	6.0	1.00	33.0	0.5160	18.30	20.47	yes	music wire	4F
C.060.100.0330.I	6.0	1.00	33.0	0.4489	18.10	20.25	yes	stainless steel	4F
C.060.100.0330.N	6.0	1.00	33.0	0.5160	18.30	20.47	yes	Zn coating	4H
C.060.100.0340.A	6.0	1.00	34.0	0.4179	22.00	24.68	yes	music wire	4C
C.060.100.0340.AP	6.0	1.00	34.0	0.5470	17.40	21.63	yes	music wire	4F
C.060.100.0340.I	6.0	1.00	34.0	0.3589	22.00	24.68	yes	stainless steel	4C
C.060.100.0340.N	6.0	1.00	34.0	0.4179	22.00	24.68	yes	Zn coating	4E
C.060.100.0345.A	6.0	1.00	34.5	0.3622	25.00	28.09	yes	music wire	4C
C.060.100.0345.AP	6.0	1.00	34.5	0.5397	17.60	21.96	yes	music wire	4F
C.060.100.0345.I	6.0	1.00	34.5	0.3111	25.00	28.09	yes	stainless steel	4C
C.060.100.0345.N	6.0	1.00	34.5	0.3622	25.00	28.09	yes	Zn coating	4E
C.060.100.0559.A	6.0	1.00	55.9	0.2515	34.90	39.35	yes	music wire	4C
C.060.100.0559.I	6.0	1.00	55.9	0.2160	34.90	39.35	yes	stainless steel	4D
C.060.100.0635.A	6.0	1.00	63.5	0.2203	39.50	44.59	yes	music wire	4C
C.060.100.0635.I	6.0	1.00	63.5	0.1892	39.50	44.59	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.060.100.0698.A	6.0	1.00	69.8	0.1998	43.30	48.91	yes	music wire	4C
C.060.100.0698.I	6.0	1.00	69.8	0.1716	43.30	48.91	yes	stainless steel	4D
C.060.100.0762.A	6.0	1.00	76.2	0.1827	47.10	53.23	yes	music wire	4C
C.060.100.0762.I	6.0	1.00	76.2	0.1570	47.10	53.23	yes	stainless steel	4D
C.060.100.2500.A	6.0	1.00	250.0	0.0547	151.60	172.10	yes	music wire	4E
C.060.100.2500.I	6.0	1.00	250.0	0.0469	151.60	172.10	yes	stainless steel	4E
C.060.105.0070.A	6.0	1.05	7.0	3.5206	5.67	6.08	yes	music wire	4C
C.060.105.0070.I	6.0	1.05	7.0	3.0238	5.67	6.08	yes	stainless steel	4C
C.060.105.0090.A	6.0	1.05	9.0	2.5524	6.83	7.39	yes	music wire	4C
C.060.105.0090.I	6.0	1.05	9.0	2.1922	6.83	7.39	yes	stainless steel	4C
C.060.110.0060.A	6.0	1.10	6.0	5.5122	5.28	5.61	yes	music wire	4C
C.060.110.0060.I	6.0	1.10	6.0	4.7344	5.28	5.61	yes	stainless steel	4C
C.060.110.0070.A	6.0	1.10	7.0	4.5279	5.83	6.23	yes	music wire	4C
C.060.110.0070.I	6.0	1.10	7.0	3.8890	5.83	6.23	yes	stainless steel	4C
C.060.110.0080.A	6.0	1.10	8.0	3.2143	7.04	7.60	yes	music wire	4C
C.060.110.0100.A	6.0	1.10	10.0	2.5000	8.36	9.09	yes	music wire	4C
C.060.110.0111.A	6.0	1.10	11.1	2.3478	8.69	9.46	yes	music wire	4C
C.060.110.0111.I	6.0	1.10	11.1	2.0165	8.69	9.46	yes	stainless steel	4C
C.060.110.0125.A	6.0	1.10	12.5	2.0455	9.57	10.46	yes	music wire	4C
C.060.110.0143.A	6.0	1.10	14.3	1.7132	10.89	11.95	yes	music wire	4C
C.060.110.0143.I	6.0	1.10	14.3	1.4715	10.89	11.95	yes	stainless steel	4C
C.060.110.0160.A	6.0	1.10	16.0	1.6071	11.44	12.57	yes	music wire	4C
C.060.110.0182.A	6.0	1.10	18.2	1.3070	13.42	14.80	yes	music wire	4C
C.060.110.0182.I	6.0	1.10	18.2	1.1226	13.42	14.80	yes	stainless steel	4C
C.060.110.0200.A	6.0	1.10	20.0	1.2444	13.97	15.43	yes	music wire	4C
C.060.110.0200.I	6.0	1.10	20.0	1.0826	13.86	15.30	yes	stainless steel	4C
C.060.110.0200.N	6.0	1.10	20.0	1.2444	13.97	15.43	yes	Zn coating	4E
C.060.110.0250.A	6.0	1.10	25.0	1.0000	16.72	18.53	yes	music wire	4C
C.060.110.0254.A	6.0	1.10	25.4	0.8991	18.26	20.27	yes	music wire	4C
C.060.110.0254.I	6.0	1.10	25.4	0.7723	18.26	20.27	yes	stainless steel	4D
C.060.110.0280.A	6.0	1.10	28.0	0.9320	17.71	19.65	yes	music wire	4F
C.060.110.0280.I	6.0	1.10	28.0	0.7764	18.15	20.15	yes	stainless steel	4F
C.060.110.0300.A	6.0	1.10	30.0	0.8480	19.25	21.39	yes	music wire	4F
C.060.110.0300.I	6.0	1.10	30.0	0.7378	19.03	21.14	yes	stainless steel	4F
C.060.110.0320.A	6.0	1.10	32.0	0.8036	20.13	22.39	yes	music wire	4C
C.060.110.0400.A	6.0	1.10	40.0	0.6429	24.42	27.23	yes	music wire	4C
C.060.110.0500.A	6.0	1.10	50.0	0.5000	30.69	34.32	yes	music wire	4C
C.060.110.0508.A	6.0	1.10	50.8	0.4312	35.09	39.29	yes	music wire	4C
C.060.110.0508.I	6.0	1.10	50.8	0.3704	35.09	39.29	yes	stainless steel	4D
C.060.110.0550.A	6.0	1.10	55.0	0.4460	33.99	38.04	yes	music wire	4F
C.060.110.0550.I	6.0	1.10	55.0	0.3715	34.98	39.16	yes	stainless steel	4D
C.060.110.0559.A	6.0	1.10	55.9	0.3901	38.50	43.14	yes	music wire	4C
C.060.110.0559.I	6.0	1.10	55.9	0.3350	38.50	43.14	yes	stainless steel	4D
C.060.110.0600.A	6.0	1.10	60.0	0.4080	36.96	41.40	yes	music wire	4F
C.060.110.0600.I	6.0	1.10	60.0	0.3399	37.95	42.52	yes	stainless steel	4D
C.060.110.0630.A	6.0	1.10	63.0	0.4018	37.51	42.02	yes	music wire	4C
C.060.110.0635.A	6.0	1.10	63.5	0.3417	43.56	48.86	yes	music wire	4C
C.060.110.0635.I	6.0	1.10	63.5	0.2935	43.56	48.86	yes	stainless steel	4D
C.060.110.0650.A	6.0	1.10	65.0	0.3750	39.93	44.75	yes	music wire	4F
C.060.110.0650.I	6.0	1.10	65.0	0.3124	41.14	46.12	yes	stainless steel	4D
C.060.110.0698.A	6.0	1.10	69.8	0.3100	47.74	53.58	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.060.110.0698.I	6.0	1.10	69.8	0.2662	47.74	53.58	yes	stainless steel	4D
C.060.110.0711.A	6.0	1.10	71.1	0.3040	48.62	54.57	yes	music wire	4C
C.060.110.0711.I	6.0	1.10	71.1	0.2611	48.62	54.57	yes	stainless steel	4D
C.060.110.0762.A	6.0	1.10	76.2	0.2830	52.03	58.42	yes	music wire	4D
C.060.110.0762.I	6.0	1.10	76.2	0.2431	52.03	58.42	yes	stainless steel	4D
C.060.110.0800.A	6.0	1.10	80.0	0.3111	47.63	53.45	yes	music wire	4F
C.060.110.0800.I	6.0	1.10	80.0	0.2707	46.97	52.71	yes	stainless steel	4G
C.060.110.0800.N	6.0	1.10	80.0	0.3111	47.63	53.45	yes	Zn coating	4I
C.060.110.0830.A	6.0	1.10	83.0	0.2593	56.54	63.52	yes	music wire	4D
C.060.110.0830.I	6.0	1.10	83.0	0.2227	56.54	63.52	yes	stainless steel	4D
C.060.110.0889.A	6.0	1.10	88.9	0.2415	60.50	67.99	yes	music wire	4D
C.060.110.0889.I	6.0	1.10	88.9	0.2074	60.50	67.99	yes	stainless steel	4D
C.060.110.2200.A	6.0	1.10	220.0	0.0962	147.73	166.54	yes	music wire	4E
C.060.110.2200.I	6.0	1.10	220.0	0.0826	147.73	166.54	yes	stainless steel	4E
C.060.110.2500.A	6.0	1.10	250.0	0.0846	167.64	189.04	yes	music wire	4E
C.060.110.2500.I	6.0	1.10	250.0	0.0726	167.64	189.04	yes	stainless steel	4E
C.060.115.0060.A	6.0	1.15	6.0	7.0992	5.41	5.73	yes	music wire	4C
C.060.115.0060.I	6.0	1.15	6.0	6.0975	5.41	5.73	yes	stainless steel	4C
C.060.115.0080.A	6.0	1.15	8.0	4.5936	6.79	7.29	yes	music wire	4C
C.060.115.0080.I	6.0	1.15	8.0	3.9454	6.79	7.29	yes	stainless steel	4C
C.060.115.0090.A	6.0	1.15	9.0	4.0047	7.36	7.93	yes	music wire	4C
C.060.115.0090.I	6.0	1.15	9.0	3.4396	7.36	7.93	yes	stainless steel	4C
C.060.120.0060.A	6.0	1.20	6.0	8.6825	5.64	5.97	yes	music wire	4C
C.060.120.0060.I	6.0	1.20	6.0	7.4574	5.64	5.97	yes	stainless steel	4C
C.060.120.0070.A	6.0	1.20	7.0	7.0747	6.24	6.64	yes	music wire	4C
C.060.120.0070.I	6.0	1.20	7.0	6.0764	6.24	6.64	yes	stainless steel	4C
C.060.120.0080.A	6.0	1.20	8.0	5.7884	6.96	7.45	yes	music wire	4C
C.060.120.0080.I	6.0	1.20	8.0	4.9716	6.96	7.45	yes	stainless steel	4C
C.060.120.0090.A	6.0	1.20	9.0	5.4576	7.20	7.72	yes	music wire	4C
C.060.120.0090.I	6.0	1.20	9.0	4.6875	7.20	7.72	yes	stainless steel	4C
C.060.120.0090.N	6.0	1.20	9.0	5.4576	7.20	7.72	yes	Zn coating	4E
C.060.120.0100.A	6.0	1.20	10.0	3.7500	9.12	9.88	yes	music wire	4C
C.060.120.0100.AP	6.0	1.20	10.0	4.9069	7.68	8.26	yes	music wire	4F
C.060.120.0100.I	6.0	1.20	10.0	3.2625	9.00	9.74	yes	stainless steel	4C
C.060.120.0100.N	6.0	1.20	10.0	3.7500	9.12	9.88	yes	Zn coating	4E
C.060.120.0120.A	6.0	1.20	12.0	3.4110	9.72	10.55	yes	music wire	4C
C.060.120.0120.I	6.0	1.20	12.0	2.9297	9.72	10.55	yes	stainless steel	4C
C.060.120.0129.A	6.0	1.20	12.9	3.4730	9.60	10.42	yes	music wire	4F
C.060.120.0129.I	6.0	1.20	12.9	2.9829	9.60	10.42	yes	stainless steel	4F
C.060.120.0129.N	6.0	1.20	12.9	3.4730	9.60	10.42	yes	Zn coating	4H
C.060.120.0160.A	6.0	1.20	16.0	2.4179	12.48	13.66	yes	music wire	4C
C.060.120.0160.I	6.0	1.20	16.0	2.0767	12.48	13.66	yes	stainless steel	4D
C.060.120.0180.A	6.0	1.20	18.0	2.1224	13.80	15.14	yes	music wire	4C
C.060.120.0180.I	6.0	1.20	18.0	1.8229	13.80	15.14	yes	stainless steel	4D
C.060.120.0205.A	6.0	1.20	20.5	2.0107	14.40	15.81	yes	music wire	4F
C.060.120.0205.I	6.0	1.20	20.5	1.7270	14.40	15.81	yes	stainless steel	4F
C.060.120.0205.N	6.0	1.20	20.5	2.0107	14.40	15.81	yes	Zn coating	4H
C.060.120.0270.A	6.0	1.20	27.0	1.3547	19.92	22.02	yes	music wire	4C
C.060.120.0270.I	6.0	1.20	27.0	1.1636	19.92	22.02	yes	stainless steel	4D
C.060.120.0320.A	6.0	1.20	32.0	1.2324	21.60	23.91	yes	music wire	4F
C.060.120.0320.I	6.0	1.20	32.0	1.0585	21.60	23.91	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.060.120.0320.N	6.0	1.20	32.0	1.2324	21.60	23.91	yes	Zn coating	4H
C.060.120.0440.A	6.0	1.20	44.0	0.8026	31.56	35.10	yes	music wire	4C
C.060.120.0440.I	6.0	1.20	44.0	0.6893	31.56	35.10	yes	stainless steel	4D
C.060.120.0530.A	6.0	1.20	53.0	0.6610	37.68	41.98	yes	music wire	4C
C.060.120.0530.I	6.0	1.20	53.0	0.5677	37.68	41.98	yes	stainless steel	4D
C.060.120.0610.A	6.0	1.20	61.0	0.5702	43.20	48.18	yes	music wire	4C
C.060.120.0610.I	6.0	1.20	61.0	0.4897	43.20	48.18	yes	stainless steel	4D
C.060.125.0070.A	6.0	1.25	7.0	8.5953	6.50	6.91	yes	music wire	4C
C.060.125.0070.I	6.0	1.25	7.0	7.3825	6.50	6.91	yes	stainless steel	4C
C.060.125.0360.A	6.0	1.25	36.0	1.2087	27.13	30.05	yes	music wire	4C
C.060.125.0360.I	6.0	1.25	36.0	1.0382	27.13	30.05	yes	stainless steel	4D
C.060.125.0450.A	6.0	1.25	45.0	0.9550	33.50	37.20	yes	music wire	4C
C.060.125.0450.I	6.0	1.25	45.0	0.8203	33.50	37.20	yes	stainless steel	4D
C.060.125.0560.A	6.0	1.25	56.0	0.7609	41.25	45.89	yes	music wire	4C
C.060.125.0560.I	6.0	1.25	56.0	0.6535	41.25	45.89	yes	stainless steel	4D
C.060.130.0190.A	6.0	1.30	19.0	4.5850	11.18	16.02	yes	music wire	4I
C.060.130.0190.I	6.0	1.30	19.0	3.9890	11.05	16.03	yes	stainless steel	4I
C.060.130.0190.N	6.0	1.30	19.0	4.5850	11.18	16.02	yes	Zn coating	4I
C.060.150.0380.A	6.0	1.50	38.0	3.7040	26.70	32.67	yes	music wire	4I
C.060.150.0380.I	6.0	1.50	38.0	3.2225	26.40	32.67	yes	stainless steel	4J
C.060.150.0380.N	6.0	1.50	38.0	3.7040	26.70	32.67	yes	Zn coating	4J
C.061.040.0064.A	6.1	0.40	6.4	0.1090	1.52	1.73	yes	music wire	4D
C.061.040.0064.I	6.1	0.40	6.4	0.0837	1.56	1.79	yes	stainless steel	4B
C.061.040.0064.N	6.1	0.40	6.4	0.1090	1.52	1.73	yes	Zn coating	4F
C.061.040.0079.A	6.1	0.40	7.9	0.0840	1.68	1.96	yes	music wire	4D
C.061.040.0079.I	6.1	0.40	7.9	0.0662	1.72	2.01	yes	stainless steel	4B
C.061.040.0079.N	6.1	0.40	7.9	0.0840	1.68	1.96	yes	Zn coating	4F
C.061.040.0097.A	6.1	0.40	9.7	0.0680	1.84	2.18	yes	music wire	4D
C.061.040.0097.I	6.1	0.40	9.7	0.0533	1.92	2.29	yes	stainless steel	4B
C.061.040.0097.N	6.1	0.40	9.7	0.0680	1.84	2.18	yes	Zn coating	4F
C.061.040.0100.A	6.1	0.40	10.0	0.0503	2.12	2.57	yes	music wire	4B
C.061.040.0100.I	6.1	0.40	10.0	0.0432	2.12	2.57	yes	stainless steel	4C
C.061.040.0112.A	6.1	0.40	11.2	0.0580	1.96	2.35	yes	music wire	4D
C.061.040.0112.I	6.1	0.40	11.2	0.0456	2.08	2.52	yes	stainless steel	4C
C.061.040.0112.N	6.1	0.40	11.2	0.0580	1.96	2.35	yes	Zn coating	4F
C.061.040.0127.A	6.1	0.40	12.7	0.0510	2.12	2.59	yes	music wire	4D
C.061.040.0127.I	6.1	0.40	12.7	0.0430	2.12	2.59	yes	stainless steel	4E
C.061.040.0127.N	6.1	0.40	12.7	0.0510	2.12	2.59	yes	Zn coating	4F
C.061.040.0142.A	6.1	0.40	14.2	0.0440	2.28	2.80	yes	music wire	4D
C.061.040.0142.I	6.1	0.40	14.2	0.0361	2.32	2.85	yes	stainless steel	4C
C.061.040.0142.N	6.1	0.40	14.2	0.0440	2.28	2.80	yes	Zn coating	4F
C.061.040.0157.A	6.1	0.40	15.7	0.0353	2.60	3.25	yes	music wire	4B
C.061.040.0157.I	6.1	0.40	15.7	0.0304	2.60	3.25	yes	stainless steel	4C
C.061.040.0157.N	6.1	0.40	15.7	0.0353	2.60	3.25	yes	Zn coating	4C
C.061.040.0175.A	6.1	0.40	17.5	0.0353	2.60	3.25	yes	music wire	4D
C.061.040.0175.I	6.1	0.40	17.5	0.0304	2.60	3.25	yes	stainless steel	4E
C.061.040.0175.N	6.1	0.40	17.5	0.0353	2.60	3.25	yes	Zn coating	4F
C.061.040.0190.A	6.1	0.40	19.0	0.0330	2.72	3.42	yes	music wire	4D
C.061.040.0190.I	6.1	0.40	19.0	0.0287	2.68	3.87	yes	stainless steel	4E
C.061.040.0190.N	6.1	0.40	19.0	0.0330	2.72	3.42	yes	Zn coating	4F
C.061.040.0200.A	6.1	0.40	20.0	0.0239	3.36	4.31	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.040.0200.I	6.1	0.40	20.0	0.0205	3.36	4.31	yes	stainless steel	4C
C.061.040.0224.A	6.1	0.40	22.4	0.0280	3.00	3.98	yes	music wire	4D
C.061.040.0224.I	6.1	0.40	22.4	0.0230	3.12	3.98	yes	stainless steel	4E
C.061.040.0224.N	6.1	0.40	22.4	0.0280	3.00	3.98	yes	Zn coating	4F
C.061.040.0240.A	6.1	0.40	24.0	0.0265	3.12	4.52	yes	music wire	4D
C.061.040.0240.I	6.1	0.40	24.0	0.0230	3.12	5.14	yes	stainless steel	4E
C.061.040.0254.A	6.1	0.40	25.4	0.0250	3.24	4.77	yes	music wire	4D
C.061.040.0254.I	6.1	0.40	25.4	0.0205	3.36	4.31	yes	stainless steel	4E
C.061.040.0254.N	6.1	0.40	25.4	0.0250	3.24	4.77	yes	Zn coating	4F
C.061.040.0300.A	6.1	0.40	30.0	0.0158	4.56	6.00	yes	music wire	4B
C.061.040.0300.I	6.1	0.40	30.0	0.0136	4.56	6.00	yes	stainless steel	4C
C.061.040.0318.A	6.1	0.40	31.8	0.0181	4.12	5.38	yes	music wire	4B
C.061.040.0318.I	6.1	0.40	31.8	0.0157	4.08	5.33	yes	stainless steel	4E
C.061.040.0318.N	6.1	0.40	31.8	0.0181	4.12	5.38	yes	Zn coating	4C
C.061.040.0320.A	6.1	0.40	32.0	0.0184	4.08	5.33	yes	music wire	4B
C.061.040.0320.I	6.1	0.40	32.0	0.0160	4.04	5.27	yes	stainless steel	4E
C.061.040.0381.A	6.1	0.40	38.1	0.0145	4.88	6.45	yes	music wire	4B
C.061.040.0381.I	6.1	0.40	38.1	0.0125	4.88	6.45	yes	stainless steel	4C
C.061.040.0381.N	6.1	0.40	38.1	0.0145	4.88	6.45	yes	Zn coating	4C
C.061.040.0400.A	6.1	0.40	40.0	0.0118	5.76	7.69	yes	music wire	4B
C.061.040.0400.I	6.1	0.40	40.0	0.0102	5.76	7.69	yes	stainless steel	4C
C.061.040.0445.A	6.1	0.40	44.5	0.0140	5.04	7.66	yes	music wire	4E
C.061.040.0445.I	6.1	0.40	44.5	0.0122	4.96	8.83	yes	stainless steel	4E
C.061.040.0445.N	6.1	0.40	44.5	0.0140	5.04	7.66	yes	Zn coating	4F
C.061.040.0457.A	6.1	0.40	45.7	0.0127	5.44	7.24	yes	music wire	4B
C.061.040.0457.I	6.1	0.40	45.7	0.0110	5.40	7.18	yes	stainless steel	4E
C.061.040.0500.A	6.1	0.40	50.0	0.0095	6.96	9.37	yes	music wire	4B
C.061.040.0500.I	6.1	0.40	50.0	0.0081	6.96	9.37	yes	stainless steel	4C
C.061.040.0508.A	6.1	0.40	50.8	0.0115	5.88	7.85	yes	music wire	4E
C.061.040.0508.I	6.1	0.40	50.8	0.0099	5.88	7.85	yes	stainless steel	4E
C.061.040.0508.N	6.1	0.40	50.8	0.0115	5.88	7.85	yes	Zn coating	4G
C.061.040.0600.A	6.1	0.40	60.0	0.0079	8.16	11.06	yes	music wire	4C
C.061.040.0600.I	6.1	0.40	60.0	0.0068	8.16	11.06	yes	stainless steel	4C
C.061.040.0800.A	6.1	0.40	80.0	0.0059	10.60	14.48	yes	music wire	4C
C.061.040.0800.I	6.1	0.40	80.0	0.0050	10.60	14.48	yes	stainless steel	4C
C.061.040.0900.A	6.1	0.40	90.0	0.0052	11.80	16.17	yes	music wire	4C
C.061.040.0900.I	6.1	0.40	90.0	0.0045	11.80	16.17	yes	stainless steel	4C
C.061.045.0064.A	6.1	0.45	6.4	0.1660	1.76	2.06	yes	music wire	4D
C.061.045.0064.I	6.1	0.45	6.4	0.1313	1.80	2.03	yes	stainless steel	4C
C.061.045.0064.N	6.1	0.45	6.4	0.1660	1.76	2.06	yes	Zn coating	4F
C.061.045.0079.A	6.1	0.45	7.9	0.1300	1.94	2.36	yes	music wire	4D
C.061.045.0079.I	6.1	0.45	7.9	0.1011	2.03	2.33	yes	stainless steel	4C
C.061.045.0079.N	6.1	0.45	7.9	0.1300	1.94	2.36	yes	Zn coating	4F
C.061.045.0097.A	6.1	0.45	9.7	0.1030	2.12	2.71	yes	music wire	4D
C.061.045.0097.I	6.1	0.45	9.7	0.0823	2.21	2.57	yes	stainless steel	4E
C.061.045.0097.N	6.1	0.45	9.7	0.1030	2.12	2.71	yes	Zn coating	4F
C.061.045.0100.A	6.1	0.45	10.0	0.0724	2.57	3.05	yes	music wire	4B
C.061.045.0100.I	6.1	0.45	10.0	0.0622	2.57	3.05	yes	stainless steel	4C
C.061.045.0112.A	6.1	0.45	11.2	0.0876	2.30	2.98	yes	music wire	4D
C.061.045.0112.I	6.1	0.45	11.2	0.0752	2.30	3.12	yes	stainless steel	4E
C.061.045.0112.N	6.1	0.45	11.2	0.0876	2.30	2.98	yes	Zn coating	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.045.0127.A	6.1	0.45	12.7	0.0770	2.48	3.35	yes	music wire	4D
C.061.045.0127.I	6.1	0.45	12.7	0.0620	2.57	3.05	yes	stainless steel	4E
C.061.045.0127.N	6.1	0.45	12.7	0.0770	2.48	3.35	yes	Zn coating	4F
C.061.045.0142.A	6.1	0.45	14.2	0.0680	2.66	3.61	yes	music wire	4D
C.061.045.0142.I	6.1	0.45	14.2	0.0527	2.84	3.42	yes	stainless steel	4C
C.061.045.0142.N	6.1	0.45	14.2	0.0680	2.66	3.61	yes	Zn coating	4F
C.061.045.0157.A	6.1	0.45	15.7	0.0534	3.06	3.71	yes	music wire	4B
C.061.045.0157.I	6.1	0.45	15.7	0.0459	3.06	3.71	yes	stainless steel	4C
C.061.045.0157.N	6.1	0.45	15.7	0.0534	3.06	3.71	yes	Zn coating	4C
C.061.045.0175.A	6.1	0.45	17.5	0.0540	3.06	4.17	yes	music wire	4D
C.061.045.0175.I	6.1	0.45	17.5	0.0459	3.06	4.24	yes	stainless steel	4E
C.061.045.0175.N	6.1	0.45	17.5	0.0540	3.06	4.17	yes	Zn coating	4F
C.061.045.0190.A	6.1	0.45	19.0	0.0490	3.24	4.31	yes	music wire	4D
C.061.045.0190.I	6.1	0.45	19.0	0.0406	3.33	4.07	yes	stainless steel	4E
C.061.045.0190.N	6.1	0.45	19.0	0.0490	3.24	4.31	yes	Zn coating	4F
C.061.045.0200.A	6.1	0.45	20.0	0.0351	4.10	5.10	yes	music wire	4B
C.061.045.0200.I	6.1	0.45	20.0	0.0301	4.10	5.10	yes	stainless steel	4C
C.061.045.0206.A	6.1	0.45	20.6	0.0460	3.38	4.95	yes	music wire	4D
C.061.045.0206.I	6.1	0.45	20.6	0.0364	3.60	4.43	yes	stainless steel	4E
C.061.045.0206.N	6.1	0.45	20.6	0.0460	3.38	4.95	yes	Zn coating	4F
C.061.045.0224.A	6.1	0.45	22.4	0.0420	3.60	5.26	yes	music wire	4D
C.061.045.0224.I	6.1	0.45	22.4	0.0330	3.83	4.74	yes	stainless steel	4E
C.061.045.0224.N	6.1	0.45	22.4	0.0420	3.60	5.26	yes	Zn coating	4F
C.061.045.0254.A	6.1	0.45	25.4	0.0370	3.96	5.94	yes	music wire	4D
C.061.045.0254.I	6.1	0.45	25.4	0.0302	4.10	5.24	yes	stainless steel	4E
C.061.045.0254.N	6.1	0.45	25.4	0.0370	3.96	5.94	yes	Zn coating	4F
C.061.045.0300.A	6.1	0.45	30.0	0.0232	5.63	7.14	yes	music wire	4B
C.061.045.0300.I	6.1	0.45	30.0	0.0199	5.63	7.14	yes	stainless steel	4C
C.061.045.0305.A	6.1	0.45	30.5	0.0276	4.91	6.18	yes	music wire	4B
C.061.045.0305.I	6.1	0.45	30.5	0.0240	4.86	6.12	yes	stainless steel	4E
C.061.045.0318.A	6.1	0.45	31.8	0.0279	4.86	6.12	yes	music wire	4E
C.061.045.0318.I	6.1	0.45	31.8	0.0243	4.82	6.79	yes	stainless steel	4E
C.061.045.0318.N	6.1	0.45	31.8	0.0279	4.86	6.12	yes	Zn coating	4F
C.061.045.0381.A	6.1	0.45	38.1	0.0232	5.63	7.14	yes	music wire	4E
C.061.045.0381.I	6.1	0.45	38.1	0.0199	5.63	7.59	yes	stainless steel	4E
C.061.045.0381.N	6.1	0.45	38.1	0.0232	5.63	7.14	yes	Zn coating	4F
C.061.045.0400.A	6.1	0.45	40.0	0.0173	7.16	9.19	yes	music wire	4B
C.061.045.0400.I	6.1	0.45	40.0	0.0148	7.16	9.19	yes	stainless steel	4C
C.061.045.0444.A	6.1	0.45	44.4	0.0198	6.39	8.16	yes	music wire	4E
C.061.045.0444.I	6.1	0.45	44.4	0.0173	6.30	9.17	yes	stainless steel	4E
C.061.045.0444.N	6.1	0.45	44.4	0.0198	6.39	8.16	yes	Zn coating	4G
C.061.045.0457.A	6.1	0.45	45.7	0.0196	6.44	8.94	yes	music wire	4E
C.061.045.0457.I	6.1	0.45	45.7	0.0170	6.39	10.02	yes	stainless steel	4E
C.061.045.0500.A	6.1	0.45	50.0	0.0137	8.73	11.29	yes	music wire	4B
C.061.045.0500.I	6.1	0.45	50.0	0.0118	8.73	11.29	yes	stainless steel	4C
C.061.045.0508.A	6.1	0.45	50.8	0.0173	7.16	9.26	yes	music wire	4E
C.061.045.0508.I	6.1	0.45	50.8	0.0149	7.16	9.94	yes	stainless steel	4E
C.061.045.0508.N	6.1	0.45	50.8	0.0173	7.16	9.26	yes	Zn coating	4G
C.061.045.0600.A	6.1	0.45	60.0	0.0114	10.26	13.33	yes	music wire	4C
C.061.045.0600.I	6.1	0.45	60.0	0.0098	10.26	13.33	yes	stainless steel	4C
C.061.045.0800.A	6.1	0.45	80.0	0.0085	13.32	17.42	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.045.0800.I	6.1	0.45	80.0	0.0073	13.32	17.42	yes	stainless steel	4C
C.061.050.0064.A	6.1	0.50	6.4	0.2470	2.00	2.47	yes	music wire	4D
C.061.050.0064.I	6.1	0.50	6.4	0.1919	2.05	2.28	yes	stainless steel	4E
C.061.050.0064.N	6.1	0.50	6.4	0.2470	2.00	2.47	yes	Zn coating	4F
C.061.050.0079.A	6.1	0.50	7.9	0.1930	2.20	2.88	yes	music wire	4D
C.061.050.0079.I	6.1	0.50	7.9	0.1535	2.25	2.55	yes	stainless steel	4E
C.061.050.0079.N	6.1	0.50	7.9	0.1930	2.20	2.88	yes	Zn coating	4F
C.061.050.0097.A	6.1	0.50	9.7	0.1520	2.45	3.32	yes	music wire	4D
C.061.050.0097.I	6.1	0.50	9.7	0.1203	2.55	2.92	yes	stainless steel	4E
C.061.050.0097.N	6.1	0.50	9.7	0.1520	2.45	3.32	yes	Zn coating	4F
C.061.050.0100.A	6.1	0.50	10.0	0.1036	3.00	3.50	yes	music wire	4B
C.061.050.0100.I	6.1	0.50	10.0	0.0890	3.00	3.50	yes	stainless steel	4C
C.061.050.0112.A	6.1	0.50	11.2	0.1300	2.65	3.74	yes	music wire	4D
C.061.050.0112.I	6.1	0.50	11.2	0.1006	2.80	3.25	yes	stainless steel	4E
C.061.050.0112.N	6.1	0.50	11.2	0.1300	2.65	3.74	yes	Zn coating	4F
C.061.050.0127.A	6.1	0.50	12.7	0.1120	2.85	4.04	yes	music wire	4D
C.061.050.0127.I	6.1	0.50	12.7	0.0974	2.85	4.28	yes	stainless steel	4E
C.061.050.0127.N	6.1	0.50	12.7	0.1120	2.85	4.04	yes	Zn coating	4F
C.061.050.0142.A	6.1	0.50	14.2	0.1000	3.05	4.50	yes	music wire	4D
C.061.050.0142.I	6.1	0.50	14.2	0.0870	3.05	4.77	yes	stainless steel	4E
C.061.050.0142.N	6.1	0.50	14.2	0.1000	3.05	4.50	yes	Zn coating	4F
C.061.050.0160.A	6.1	0.50	16.0	0.0890	3.30	5.11	yes	music wire	4D
C.061.050.0160.I	6.1	0.50	16.0	0.0774	3.25	5.40	yes	stainless steel	4E
C.061.050.0160.N	6.1	0.50	16.0	0.0890	3.30	5.11	yes	Zn coating	4F
C.061.050.0175.A	6.1	0.50	17.5	0.0810	3.50	5.53	yes	music wire	4D
C.061.050.0175.I	6.1	0.50	17.5	0.0674	3.55	5.32	yes	stainless steel	4E
C.061.050.0175.N	6.1	0.50	17.5	0.0810	3.50	5.53	yes	Zn coating	4F
C.061.050.0190.A	6.1	0.50	19.0	0.0730	3.75	5.72	yes	music wire	4D
C.061.050.0190.I	6.1	0.50	19.0	0.0607	3.80	5.49	yes	stainless steel	4E
C.061.050.0190.N	6.1	0.50	19.0	0.0730	3.75	5.72	yes	Zn coating	4F
C.061.050.0200.A	6.1	0.50	20.0	0.0497	4.90	5.95	yes	music wire	4B
C.061.050.0200.I	6.1	0.50	20.0	0.0427	4.90	5.95	yes	stainless steel	4C
C.061.050.0206.A	6.1	0.50	20.6	0.0670	3.95	6.13	yes	music wire	4D
C.061.050.0206.I	6.1	0.50	20.6	0.0553	4.05	5.75	yes	stainless steel	4E
C.061.050.0206.N	6.1	0.50	20.6	0.0670	3.95	6.13	yes	Zn coating	4F
C.061.050.0220.A	6.1	0.50	22.0	0.0451	5.25	6.40	yes	music wire	4B
C.061.050.0220.AP	6.1	0.50	22.0	0.0722	3.75	8.57	yes	music wire	4D
C.061.050.0220.I	6.1	0.50	22.0	0.0392	5.20	6.34	yes	stainless steel	4C
C.061.050.0224.A	6.1	0.50	22.4	0.0610	4.20	6.51	yes	music wire	4D
C.061.050.0224.I	6.1	0.50	22.4	0.0507	4.30	6.21	yes	stainless steel	4E
C.061.050.0224.N	6.1	0.50	22.4	0.0610	4.20	6.51	yes	Zn coating	4F
C.061.050.0240.A	6.1	0.50	24.0	0.0560	4.50	6.69	yes	music wire	4D
C.061.050.0240.I	6.1	0.50	24.0	0.0480	4.50	6.90	yes	stainless steel	4E
C.061.050.0254.A	6.1	0.50	25.4	0.0540	4.60	7.45	yes	music wire	4E
C.061.050.0254.I	6.1	0.50	25.4	0.0435	4.85	6.53	yes	stainless steel	4E
C.061.050.0254.N	6.1	0.50	25.4	0.0540	4.60	7.45	yes	Zn coating	4F
C.061.050.0290.A	6.1	0.50	29.0	0.0470	5.10	8.37	yes	music wire	4E
C.061.050.0290.I	6.1	0.50	29.0	0.0400	5.15	8.48	yes	stainless steel	4E
C.061.050.0300.A	6.1	0.50	30.0	0.0327	6.80	8.40	yes	music wire	4B
C.061.050.0300.I	6.1	0.50	30.0	0.0281	6.80	8.40	yes	stainless steel	4C
C.061.050.0305.A	6.1	0.50	30.5	0.0389	5.90	7.24	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.050.0305.I	6.1	0.50	30.5	0.0339	5.85	7.18	yes	stainless steel	4E
C.061.050.0318.A	6.1	0.50	31.8	0.0394	5.85	7.22	yes	music wire	4E
C.061.050.0318.I	6.1	0.50	31.8	0.0343	5.80	7.88	yes	stainless steel	4E
C.061.050.0318.N	6.1	0.50	31.8	0.0394	5.85	7.22	yes	Zn coating	4F
C.061.050.0350.A	6.1	0.50	35.0	0.0390	5.90	10.14	yes	music wire	4E
C.061.050.0350.I	6.1	0.50	35.0	0.0330	5.95	10.13	yes	stainless steel	4E
C.061.050.0380.A	6.1	0.50	38.0	0.0275	7.85	9.75	yes	music wire	4B
C.061.050.0380.AP	6.1	0.50	38.0	0.0415	5.60	14.63	yes	music wire	4E
C.061.050.0380.I	6.1	0.50	38.0	0.0239	7.75	9.62	yes	stainless steel	4C
C.061.050.0381.A	6.1	0.50	38.1	0.0338	6.60	9.44	yes	music wire	4E
C.061.050.0381.I	6.1	0.50	38.1	0.0291	6.60	9.86	yes	stainless steel	4E
C.061.050.0381.N	6.1	0.50	38.1	0.0338	6.60	9.44	yes	Zn coating	4G
C.061.050.0400.A	6.1	0.50	40.0	0.0243	8.70	10.85	yes	music wire	4B
C.061.050.0400.I	6.1	0.50	40.0	0.0209	8.70	10.85	yes	stainless steel	4C
C.061.050.0444.A	6.1	0.50	44.4	0.0284	7.60	10.31	yes	music wire	4E
C.061.050.0444.I	6.1	0.50	44.4	0.0247	7.55	11.23	yes	stainless steel	4E
C.061.050.0444.N	6.1	0.50	44.4	0.0284	7.60	10.31	yes	Zn coating	4G
C.061.050.0457.A	6.1	0.50	45.7	0.0281	7.70	11.17	yes	music wire	4E
C.061.050.0457.I	6.1	0.50	45.7	0.0244	7.60	12.11	yes	stainless steel	4E
C.061.050.0500.A	6.1	0.50	50.0	0.0194	10.60	13.29	yes	music wire	4C
C.061.050.0500.I	6.1	0.50	50.0	0.0167	10.60	13.29	yes	stainless steel	4C
C.061.050.0508.A	6.1	0.50	50.8	0.0245	8.65	11.28	yes	music wire	4E
C.061.050.0508.I	6.1	0.50	50.8	0.0211	8.65	11.85	yes	stainless steel	4E
C.061.050.0508.N	6.1	0.50	50.8	0.0245	8.65	11.28	yes	Zn coating	4G
C.061.050.0600.A	6.1	0.50	60.0	0.0161	12.50	15.74	yes	music wire	4C
C.061.050.0600.I	6.1	0.50	60.0	0.0138	12.50	15.74	yes	stainless steel	4C
C.061.050.0700.A	6.1	0.50	70.0	0.0138	14.40	18.19	yes	music wire	4C
C.061.050.0700.I	6.1	0.50	70.0	0.0118	14.40	18.19	yes	stainless steel	4C
C.061.050.0800.A	6.1	0.50	80.0	0.0120	16.30	20.64	yes	music wire	4C
C.061.050.0800.I	6.1	0.50	80.0	0.0103	16.30	20.64	yes	stainless steel	4C
C.061.050.1000.A	6.1	0.50	100.0	0.0096	20.10	25.53	yes	music wire	4C
C.061.050.1000.I	6.1	0.50	100.0	0.0083	20.10	25.53	yes	stainless steel	4C
C.061.050.1200.A	6.1	0.50	120.0	0.0080	23.90	30.43	yes	music wire	4C
C.061.050.1200.I	6.1	0.50	120.0	0.0069	23.90	30.43	yes	stainless steel	4C
C.061.055.0064.A	6.1	0.55	6.4	0.3410	2.26	2.68	yes	music wire	4E
C.061.055.0064.I	6.1	0.55	6.4	0.3296	2.15	3.14	yes	stainless steel	4E
C.061.055.0064.N	6.1	0.55	6.4	0.3410	2.26	2.68	yes	Zn coating	4G
C.061.055.0079.A	6.1	0.55	7.9	0.2640	2.53	3.10	yes	music wire	4E
C.061.055.0079.I	6.1	0.55	7.9	0.2544	2.37	3.67	yes	stainless steel	4E
C.061.055.0079.N	6.1	0.55	7.9	0.2640	2.53	3.10	yes	Zn coating	4G
C.061.055.0097.A	6.1	0.55	9.7	0.2150	2.75	3.80	yes	music wire	4E
C.061.055.0097.I	6.1	0.55	9.7	0.2072	2.64	4.51	yes	stainless steel	4E
C.061.055.0097.N	6.1	0.55	9.7	0.2150	2.75	3.80	yes	Zn coating	4G
C.061.055.0100.A	6.1	0.55	10.0	0.1435	3.47	4.00	yes	music wire	4C
C.061.055.0100.I	6.1	0.55	10.0	0.1233	3.47	4.00	yes	stainless steel	4C
C.061.055.0112.A	6.1	0.55	11.2	0.2034	2.86	4.97	yes	music wire	4E
C.061.055.0112.AF	6.1	0.55	11.2	0.1700	3.14	3.74	yes	music wire	4E
C.061.055.0112.I	6.1	0.55	11.2	0.1747	2.86	5.04	yes	stainless steel	4E
C.061.055.0112.N	6.1	0.55	11.2	0.2034	2.86	4.97	yes	Zn coating	4G
C.061.055.0112.NF	6.1	0.55	11.2	0.1700	3.14	3.74	yes	Zn coating	4G
C.061.055.0127.A	6.1	0.55	12.7	0.1490	3.41	4.19	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.055.0127.I	6.1	0.55	12.7	0.1296	3.36	4.40	yes	stainless steel	4E
C.061.055.0127.N	6.1	0.55	12.7	0.1490	3.41	4.19	yes	Zn coating	4G
C.061.055.0142.A	6.1	0.55	14.2	0.1549	3.30	6.01	yes	music wire	4E
C.061.055.0142.AF	6.1	0.55	14.2	0.1310	3.69	4.52	yes	music wire	4E
C.061.055.0142.I	6.1	0.55	14.2	0.1331	3.30	6.12	yes	stainless steel	4E
C.061.055.0142.N	6.1	0.55	14.2	0.1549	3.30	6.01	yes	Zn coating	4G
C.061.055.0142.NF	6.1	0.55	14.2	0.1310	3.69	4.52	yes	Zn coating	4G
C.061.055.0157.A	6.1	0.55	15.7	0.1384	3.52	6.54	yes	music wire	4E
C.061.055.0157.I	6.1	0.55	15.7	0.1189	3.52	6.65	yes	stainless steel	4E
C.061.055.0157.N	6.1	0.55	15.7	0.1384	3.52	6.54	yes	Zn coating	4G
C.061.055.0160.A	6.1	0.55	16.0	0.1190	3.91	5.34	yes	music wire	4E
C.061.055.0160.I	6.1	0.55	16.0	0.1035	3.85	5.61	yes	stainless steel	4E
C.061.055.0160.N	6.1	0.55	16.0	0.1190	3.91	5.34	yes	Zn coating	4G
C.061.055.0175.A	6.1	0.55	17.5	0.1235	3.80	7.23	yes	music wire	4E
C.061.055.0175.I	6.1	0.55	17.5	0.1074	3.80	7.49	yes	stainless steel	4E
C.061.055.0190.A	6.1	0.55	19.0	0.0980	4.46	6.06	yes	music wire	4E
C.061.055.0190.I	6.1	0.55	19.0	0.0900	4.24	7.05	yes	stainless steel	4E
C.061.055.0190.N	6.1	0.55	19.0	0.0980	4.46	6.06	yes	Zn coating	4G
C.061.055.0200.A	6.1	0.55	20.0	0.0690	5.72	6.82	yes	music wire	4C
C.061.055.0200.I	6.1	0.55	20.0	0.0593	5.72	6.82	yes	stainless steel	4C
C.061.055.0206.A	6.1	0.55	20.6	0.0910	4.68	6.66	yes	music wire	4E
C.061.055.0206.I	6.1	0.55	20.6	0.0834	4.46	7.70	yes	stainless steel	4E
C.061.055.0206.N	6.1	0.55	20.6	0.0910	4.68	6.66	yes	Zn coating	4G
C.061.055.0254.A	6.1	0.55	25.4	0.0730	5.50	8.03	yes	music wire	4E
C.061.055.0254.I	6.1	0.55	25.4	0.0642	5.39	8.64	yes	stainless steel	4F
C.061.055.0254.N	6.1	0.55	25.4	0.0730	5.50	8.03	yes	Zn coating	4G
C.061.055.0300.A	6.1	0.55	30.0	0.0451	8.03	9.71	yes	music wire	4C
C.061.055.0300.I	6.1	0.55	30.0	0.0387	8.03	9.71	yes	stainless steel	4C
C.061.055.0305.A	6.1	0.55	30.5	0.0600	6.38	9.36	yes	music wire	4E
C.061.055.0305.I	6.1	0.55	30.5	0.0522	6.33	9.88	yes	stainless steel	4F
C.061.055.0318.A	6.1	0.55	31.8	0.0608	6.33	10.93	yes	music wire	4E
C.061.055.0318.I	6.1	0.55	31.8	0.0529	6.27	11.45	yes	stainless steel	4F
C.061.055.0318.N	6.1	0.55	31.8	0.0608	6.33	10.93	yes	Zn coating	4G
C.061.055.0381.A	6.1	0.55	38.1	0.0492	7.48	12.35	yes	music wire	4E
C.061.055.0381.I	6.1	0.55	38.1	0.0423	7.48	12.67	yes	stainless steel	4F
C.061.055.0381.N	6.1	0.55	38.1	0.0492	7.48	12.35	yes	Zn coating	4G
C.061.055.0400.A	6.1	0.55	40.0	0.0337	10.29	12.54	yes	music wire	4C
C.061.055.0400.I	6.1	0.55	40.0	0.0289	10.29	12.54	yes	stainless steel	4C
C.061.055.0444.A	6.1	0.55	44.4	0.0428	8.42	14.74	yes	music wire	4E
C.061.055.0444.I	6.1	0.55	44.4	0.0372	8.31	15.48	yes	stainless steel	4F
C.061.055.0444.N	6.1	0.55	44.4	0.0428	8.42	14.74	yes	Zn coating	4G
C.061.055.0508.A	6.1	0.55	50.8	0.0378	9.30	17.23	yes	music wire	4E
C.061.055.0508.I	6.1	0.55	50.8	0.0325	9.30	17.65	yes	stainless steel	4F
C.061.055.0508.N	6.1	0.55	50.8	0.0378	9.30	17.23	yes	Zn coating	4G
C.061.055.0600.A	6.1	0.55	60.0	0.0222	14.91	18.33	yes	music wire	4C
C.061.055.0600.I	6.1	0.55	60.0	0.0190	14.91	18.33	yes	stainless steel	4C
C.061.055.0800.A	6.1	0.55	80.0	0.0166	19.47	24.04	yes	music wire	4C
C.061.055.0800.I	6.1	0.55	80.0	0.0142	19.47	24.04	yes	stainless steel	4D
C.061.055.1000.A	6.1	0.55	100.0	0.0132	24.04	29.77	yes	music wire	4C
C.061.055.1000.I	6.1	0.55	100.0	0.0114	24.04	29.77	yes	stainless steel	4D
C.061.055.1300.A	6.1	0.55	130.0	0.0102	30.91	38.37	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.055.1300.I	6.1	0.55	130.0	0.0087	30.91	38.37	yes	stainless steel	4D
C.061.055.1900.A	6.1	0.55	190.0	0.0069	44.66	55.60	yes	music wire	4D
C.061.055.1900.I	6.1	0.55	190.0	0.0060	44.66	55.60	yes	stainless steel	4E
C.061.060.0064.A	6.1	0.60	6.4	0.3218	3.00	3.34	yes	music wire	4C
C.061.060.0064.AP	6.1	0.60	6.4	0.4942	2.46	3.12	yes	music wire	4E
C.061.060.0064.I	6.1	0.60	6.4	0.2800	2.94	3.27	yes	stainless steel	4C
C.061.060.0097.A	6.1	0.60	9.7	0.2840	3.18	4.00	yes	music wire	4E
C.061.060.0097.I	6.1	0.60	9.7	0.2329	3.24	3.79	yes	stainless steel	4E
C.061.060.0097.N	6.1	0.60	9.7	0.2840	3.18	4.00	yes	Zn coating	4G
C.061.060.0100.A	6.1	0.60	10.0	0.1984	3.90	4.44	yes	music wire	4C
C.061.060.0100.I	6.1	0.60	10.0	0.1704	3.90	4.44	yes	stainless steel	4C
C.061.060.0112.A	6.1	0.60	11.2	0.2400	3.48	4.45	yes	music wire	4E
C.061.060.0112.I	6.1	0.60	11.2	0.2034	3.54	4.44	yes	stainless steel	4E
C.061.060.0112.N	6.1	0.60	11.2	0.2400	3.48	4.45	yes	Zn coating	4G
C.061.060.0127.A	6.1	0.60	12.7	0.2080	3.78	4.91	yes	music wire	4E
C.061.060.0127.I	6.1	0.60	12.7	0.1800	3.78	5.05	yes	stainless steel	4E
C.061.060.0127.N	6.1	0.60	12.7	0.2080	3.78	4.91	yes	Zn coating	4G
C.061.060.0142.A	6.1	0.60	14.2	0.1840	4.08	5.40	yes	music wire	4E
C.061.060.0142.I	6.1	0.60	14.2	0.1475	4.26	4.88	yes	stainless steel	4E
C.061.060.0142.N	6.1	0.60	14.2	0.1840	4.08	5.40	yes	Zn coating	4G
C.061.060.0157.A	6.1	0.60	15.7	0.1574	4.50	5.41	yes	music wire	4E
C.061.060.0157.I	6.1	0.60	15.7	0.1352	4.50	5.52	yes	stainless steel	4E
C.061.060.0157.N	6.1	0.60	15.7	0.1574	4.50	5.41	yes	Zn coating	4G
C.061.060.0175.A	6.1	0.60	17.5	0.1470	4.74	6.48	yes	music wire	4E
C.061.060.0175.I	6.1	0.60	17.5	0.1157	5.04	5.84	yes	stainless steel	4E
C.061.060.0175.N	6.1	0.60	17.5	0.1470	4.74	6.48	yes	Zn coating	4G
C.061.060.0190.A	6.1	0.60	19.0	0.1330	5.10	6.82	yes	music wire	4E
C.061.060.0190.I	6.1	0.60	19.0	0.1080	5.28	6.25	yes	stainless steel	4E
C.061.060.0190.N	6.1	0.60	19.0	0.1330	5.10	6.82	yes	Zn coating	4G
C.061.060.0200.A	6.1	0.60	20.0	0.1264	5.28	7.19	yes	music wire	4E
C.061.060.0200.I	6.1	0.60	20.0	0.1100	5.22	7.49	yes	stainless steel	4F
C.061.060.0206.A	6.1	0.60	20.6	0.1230	5.40	7.43	yes	music wire	4E
C.061.060.0206.I	6.1	0.60	20.6	0.1070	5.34	7.74	yes	stainless steel	4F
C.061.060.0206.N	6.1	0.60	20.6	0.1230	5.40	7.43	yes	Zn coating	4G
C.061.060.0220.A	6.1	0.60	22.0	0.0805	7.44	8.78	yes	music wire	4C
C.061.060.0220.AP	6.1	0.60	22.0	0.1296	5.16	9.51	yes	music wire	4E
C.061.060.0220.I	6.1	0.60	22.0	0.0700	7.32	8.64	yes	stainless steel	4C
C.061.060.0224.A	6.1	0.60	22.4	0.1120	5.76	7.94	yes	music wire	4E
C.061.060.0224.I	6.1	0.60	22.4	0.0900	6.06	7.11	yes	stainless steel	4F
C.061.060.0224.N	6.1	0.60	22.4	0.1120	5.76	7.94	yes	Zn coating	4G
C.061.060.0240.A	6.1	0.60	24.0	0.1000	6.24	7.81	yes	music wire	4E
C.061.060.0240.AP	6.1	0.60	24.0	0.1198	5.46	10.48	yes	music wire	4E
C.061.060.0240.I	6.1	0.60	24.0	0.0650	7.80	9.22	yes	stainless steel	4C
C.061.060.0250.A	6.1	0.60	25.0	0.0989	6.30	8.62	yes	music wire	4E
C.061.060.0250.I	6.1	0.60	25.0	0.0860	6.24	9.00	yes	stainless steel	4F
C.061.060.0254.A	6.1	0.60	25.4	0.0980	6.36	8.88	yes	music wire	4E
C.061.060.0254.I	6.1	0.60	25.4	0.0853	6.30	9.26	yes	stainless steel	4F
C.061.060.0254.N	6.1	0.60	25.4	0.0980	6.36	8.88	yes	Zn coating	4G
C.061.060.0290.A	6.1	0.60	29.0	0.0860	7.02	10.17	yes	music wire	4E
C.061.060.0290.I	6.1	0.60	29.0	0.0730	7.08	10.15	yes	stainless steel	4F
C.061.060.0300.A	6.1	0.60	30.0	0.0610	9.30	11.06	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.060.0300.I	6.1	0.60	30.0	0.0524	9.30	11.06	yes	stainless steel	4C
C.061.060.0305.A	6.1	0.60	30.5	0.0714	8.16	9.67	yes	music wire	4C
C.061.060.0305.I	6.1	0.60	30.5	0.0621	8.10	9.59	yes	stainless steel	4F
C.061.060.0320.A	6.1	0.60	32.0	0.0790	7.50	11.50	yes	music wire	4E
C.061.060.0320.I	6.1	0.60	32.0	0.0687	7.44	11.97	yes	stainless steel	4F
C.061.060.0320.N	6.1	0.60	32.0	0.0790	7.50	11.50	yes	Zn coating	4G
C.061.060.0350.A	6.1	0.60	35.0	0.0510	10.86	12.98	yes	music wire	4C
C.061.060.0350.AP	6.1	0.60	35.0	0.0807	7.38	14.93	yes	music wire	4E
C.061.060.0350.I	6.1	0.60	35.0	0.0430	11.04	13.20	yes	stainless steel	4C
C.061.060.0381.A	6.1	0.60	38.1	0.0606	9.36	11.40	yes	music wire	4E
C.061.060.0381.I	6.1	0.60	38.1	0.0521	9.36	11.68	yes	stainless steel	4F
C.061.060.0381.N	6.1	0.60	38.1	0.0606	9.36	11.40	yes	Zn coating	4G
C.061.060.0400.A	6.1	0.60	40.0	0.0453	12.00	14.37	yes	music wire	4C
C.061.060.0400.I	6.1	0.60	40.0	0.0389	12.00	14.37	yes	stainless steel	4C
C.061.060.0444.A	6.1	0.60	44.4	0.0522	10.62	13.38	yes	music wire	4E
C.061.060.0444.I	6.1	0.60	44.4	0.0454	10.50	14.10	yes	stainless steel	4F
C.061.060.0444.N	6.1	0.60	44.4	0.0522	10.62	13.38	yes	Zn coating	4G
C.061.060.0450.A	6.1	0.60	45.0	0.0402	13.32	15.99	yes	music wire	4C
C.061.060.0450.AP	6.1	0.60	45.0	0.0623	9.12	18.99	yes	music wire	4E
C.061.060.0450.I	6.1	0.60	45.0	0.0350	13.20	15.84	yes	stainless steel	4C
C.061.060.0457.A	6.1	0.60	45.7	0.0515	10.74	14.27	yes	music wire	4E
C.061.060.0457.I	6.1	0.60	45.7	0.0448	10.62	15.00	yes	stainless steel	4F
C.061.060.0500.A	6.1	0.60	50.0	0.0471	11.58	15.64	yes	music wire	4E
C.061.060.0500.I	6.1	0.60	50.0	0.0410	11.46	16.43	yes	stainless steel	4F
C.061.060.0508.A	6.1	0.60	50.8	0.0458	11.88	15.46	yes	music wire	4E
C.061.060.0508.I	6.1	0.60	50.8	0.0399	11.76	16.28	yes	stainless steel	4F
C.061.060.0508.N	6.1	0.60	50.8	0.0458	11.88	15.46	yes	Zn coating	4H
C.061.060.0600.A	6.1	0.60	60.0	0.0299	17.40	20.99	yes	music wire	4C
C.061.060.0600.I	6.1	0.60	60.0	0.0257	17.40	20.99	yes	stainless steel	4C
C.061.060.0800.A	6.1	0.60	80.0	0.0224	22.80	27.61	yes	music wire	4C
C.061.060.0800.I	6.1	0.60	80.0	0.0192	22.80	27.61	yes	stainless steel	4D
C.061.060.0900.A	6.1	0.60	90.0	0.0198	25.50	30.93	yes	music wire	4C
C.061.060.0900.I	6.1	0.60	90.0	0.0170	25.50	30.93	yes	stainless steel	4D
C.061.060.1000.A	6.1	0.60	100.0	0.0179	28.14	34.16	yes	music wire	4C
C.061.060.1000.I	6.1	0.60	100.0	0.0154	28.14	34.16	yes	stainless steel	4D
C.061.065.0079.A	6.1	0.65	7.9	0.5030	3.06	3.87	yes	music wire	4E
C.061.065.0079.I	6.1	0.65	7.9	0.3905	3.25	3.58	yes	stainless steel	4E
C.061.065.0079.N	6.1	0.65	7.9	0.5030	3.06	3.87	yes	Zn coating	4G
C.061.065.0097.A	6.1	0.65	9.7	0.4080	3.45	4.73	yes	music wire	4E
C.061.065.0097.I	6.1	0.65	9.7	0.3905	3.25	5.28	yes	stainless steel	4H
C.061.065.0097.N	6.1	0.65	9.7	0.4080	3.45	4.73	yes	Zn coating	4G
C.061.065.0112.A	6.1	0.65	11.2	0.3480	3.71	5.38	yes	music wire	4E
C.061.065.0112.I	6.1	0.65	11.2	0.2967	3.77	5.38	yes	stainless steel	4E
C.061.065.0112.N	6.1	0.65	11.2	0.3480	3.71	5.38	yes	Zn coating	4G
C.061.065.0127.A	6.1	0.65	12.7	0.3050	4.03	6.06	yes	music wire	4E
C.061.065.0127.I	6.1	0.65	12.7	0.2649	3.97	6.19	yes	stainless steel	4E
C.061.065.0127.N	6.1	0.65	12.7	0.3050	4.03	6.06	yes	Zn coating	4G
C.061.065.0142.A	6.1	0.65	14.2	0.2570	4.49	6.32	yes	music wire	4E
C.061.065.0142.I	6.1	0.65	14.2	0.2181	4.49	6.29	yes	stainless steel	4E
C.061.065.0142.N	6.1	0.65	14.2	0.2570	4.49	6.32	yes	Zn coating	4G
C.061.065.0157.A	6.1	0.65	15.7	0.2158	5.01	6.31	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.065.0157.I	6.1	0.65	15.7	0.1853	5.01	6.39	yes	stainless steel	4F
C.061.065.0157.N	6.1	0.65	15.7	0.2158	5.01	6.31	yes	Zn coating	4G
C.061.065.0175.A	6.1	0.65	17.5	0.1940	5.40	7.06	yes	music wire	4E
C.061.065.0175.I	6.1	0.65	17.5	0.1611	5.53	6.79	yes	stainless steel	4F
C.061.065.0175.N	6.1	0.65	17.5	0.1940	5.40	7.06	yes	Zn coating	4G
C.061.065.0206.A	6.1	0.65	20.6	0.1630	6.11	8.17	yes	music wire	4E
C.061.065.0206.I	6.1	0.65	20.6	0.1348	6.31	7.80	yes	stainless steel	4F
C.061.065.0206.N	6.1	0.65	20.6	0.1630	6.11	8.17	yes	Zn coating	4G
C.061.065.0224.A	6.1	0.65	22.4	0.1470	6.57	8.62	yes	music wire	4E
C.061.065.0224.I	6.1	0.65	22.4	0.1210	6.83	8.14	yes	stainless steel	4F
C.061.065.0224.N	6.1	0.65	22.4	0.1470	6.57	8.62	yes	Zn coating	4G
C.061.065.0254.A	6.1	0.65	25.4	0.1300	7.22	9.81	yes	music wire	4E
C.061.065.0254.I	6.1	0.65	25.4	0.1059	7.54	9.10	yes	stainless steel	4F
C.061.065.0254.N	6.1	0.65	25.4	0.1300	7.22	9.81	yes	Zn coating	4G
C.061.065.0305.A	6.1	0.65	30.5	0.0936	9.43	11.03	yes	music wire	4C
C.061.065.0305.I	6.1	0.65	30.5	0.0814	9.30	10.88	yes	stainless steel	4C
C.061.065.0318.A	6.1	0.65	31.8	0.0948	9.30	10.88	yes	music wire	4E
C.061.065.0318.I	6.1	0.65	31.8	0.0825	9.23	10.88	yes	stainless steel	4F
C.061.065.0318.N	6.1	0.65	31.8	0.0948	9.30	10.88	yes	Zn coating	4G
C.061.065.0380.A	6.1	0.65	38.0	0.0860	10.14	14.44	yes	music wire	4E
C.061.065.0380.I	6.1	0.65	38.0	0.0748	10.01	14.94	yes	stainless steel	4F
C.061.065.0380.N	6.1	0.65	38.0	0.0860	10.14	14.44	yes	Zn coating	4G
C.061.065.0400.A	6.1	0.65	40.0	0.0604	13.72	16.20	yes	music wire	4C
C.061.065.0400.I	6.1	0.65	40.0	0.0519	13.72	16.20	yes	stainless steel	4C
C.061.065.0444.A	6.1	0.65	44.4	0.0679	12.35	14.57	yes	music wire	4E
C.061.065.0444.I	6.1	0.65	44.4	0.0591	12.22	15.21	yes	stainless steel	4F
C.061.065.0444.N	6.1	0.65	44.4	0.0679	12.35	14.57	yes	Zn coating	4H
C.061.065.0457.A	6.1	0.65	45.7	0.0671	12.55	15.48	yes	music wire	4E
C.061.065.0457.I	6.1	0.65	45.7	0.0583	12.35	16.13	yes	stainless steel	4F
C.061.065.0500.A	6.1	0.65	50.0	0.0480	16.84	19.96	yes	music wire	4C
C.061.065.0500.I	6.1	0.65	50.0	0.0412	16.84	19.96	yes	stainless steel	4C
C.061.065.0600.A	6.1	0.65	60.0	0.0398	19.96	23.73	yes	music wire	4C
C.061.065.0600.I	6.1	0.65	60.0	0.0342	19.96	23.73	yes	stainless steel	4C
C.061.065.0800.A	6.1	0.65	80.0	0.0298	26.13	31.16	yes	music wire	4C
C.061.065.0800.I	6.1	0.65	80.0	0.0256	26.13	31.16	yes	stainless steel	4D
C.061.065.1000.A	6.1	0.65	100.0	0.0238	32.37	38.69	yes	music wire	4C
C.061.065.1000.I	6.1	0.65	100.0	0.0204	32.37	38.69	yes	stainless steel	4D
C.061.065.1200.A	6.1	0.65	120.0	0.0197	38.61	46.21	yes	music wire	4D
C.061.065.1200.I	6.1	0.65	120.0	0.0170	38.61	46.21	yes	stainless steel	4D
C.061.065.1700.A	6.1	0.65	170.0	0.0139	54.21	65.01	yes	music wire	4D
C.061.065.1700.I	6.1	0.65	170.0	0.0119	54.21	65.01	yes	stainless steel	4E
C.061.070.0079.A	6.1	0.70	7.9	0.6897	3.36	4.29	yes	music wire	4E
C.061.070.0079.I	6.1	0.70	7.9	0.6000	3.29	4.36	yes	stainless steel	4E
C.061.070.0112.A	6.1	0.70	11.2	0.4713	4.06	5.91	yes	music wire	4E
C.061.070.0112.I	6.1	0.70	11.2	0.4100	4.06	6.02	yes	stainless steel	4F
C.061.070.0127.A	6.1	0.70	12.7	0.4023	4.48	6.50	yes	music wire	4E
C.061.070.0127.I	6.1	0.70	12.7	0.3500	4.41	6.63	yes	stainless steel	4F
C.061.070.0160.A	6.1	0.70	16.0	0.3103	5.25	7.97	yes	music wire	4E
C.061.070.0160.I	6.1	0.70	16.0	0.2700	5.18	8.13	yes	stainless steel	4F
C.061.070.0200.A	6.1	0.70	20.0	0.1653	8.33	9.58	yes	music wire	4C
C.061.070.0200.I	6.1	0.70	20.0	0.1419	8.33	9.58	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.070.0240.A	6.1	0.70	24.0	0.1400	9.52	10.99	yes	music wire	4C
C.061.070.0240.AP	6.1	0.70	24.0	0.2012	7.14	11.61	yes	music wire	4E
C.061.070.0240.I	6.1	0.70	24.0	0.1200	9.52	10.99	yes	stainless steel	4C
C.061.070.0290.A	6.1	0.70	29.0	0.1092	11.69	13.57	yes	music wire	4C
C.061.070.0290.AP	6.1	0.70	29.0	0.1648	8.33	13.88	yes	music wire	4E
C.061.070.0290.I	6.1	0.70	29.0	0.0950	11.55	13.40	yes	stainless steel	4C
C.061.070.0350.A	6.1	0.70	35.0	0.0910	13.72	15.99	yes	music wire	4C
C.061.070.0350.AP	6.1	0.70	35.0	0.1347	9.80	16.50	yes	music wire	4E
C.061.070.0350.I	6.1	0.70	35.0	0.0770	13.86	16.15	yes	stainless steel	4C
C.061.070.0380.A	6.1	0.70	38.0	0.0839	14.70	17.15	yes	music wire	4C
C.061.070.0380.AP	6.1	0.70	38.0	0.1239	10.50	17.89	yes	music wire	4E
C.061.070.0380.I	6.1	0.70	38.0	0.0730	14.56	16.98	yes	stainless steel	4C
C.061.070.0600.A	6.1	0.70	60.0	0.0523	22.54	26.47	yes	music wire	4C
C.061.070.0600.I	6.1	0.70	60.0	0.0449	22.54	26.47	yes	stainless steel	4C
C.061.070.0800.A	6.1	0.70	80.0	0.0390	29.61	34.88	yes	music wire	4C
C.061.070.0800.I	6.1	0.70	80.0	0.0335	29.61	34.88	yes	stainless steel	4D
C.061.075.0097.A	6.1	0.75	9.7	0.6799	4.20	5.26	yes	music wire	4E
C.061.075.0097.AF	6.1	0.75	9.7	0.5600	4.73	5.23	yes	music wire	4C
C.061.075.0097.I	6.1	0.75	9.7	0.5840	4.20	5.28	yes	stainless steel	4F
C.061.075.0097.N	6.1	0.75	9.7	0.6799	4.20	5.26	yes	Zn coating	4G
C.061.075.0097.NF	6.1	0.75	9.7	0.5600	4.73	5.23	yes	Zn coating	4E
C.061.075.0100.A	6.1	0.75	10.0	0.4678	5.25	5.85	yes	music wire	4C
C.061.075.0100.I	6.1	0.75	10.0	0.4018	5.25	5.85	yes	stainless steel	4C
C.061.075.0112.A	6.1	0.75	11.2	0.5579	4.73	5.79	yes	music wire	4E
C.061.075.0112.AF	6.1	0.75	11.2	0.4730	5.25	5.85	yes	music wire	4C
C.061.075.0112.I	6.1	0.75	11.2	0.4791	4.73	5.82	yes	stainless steel	4F
C.061.075.0112.N	6.1	0.75	11.2	0.5579	4.73	5.79	yes	Zn coating	4G
C.061.075.0112.NF	6.1	0.75	11.2	0.4730	5.25	5.85	yes	Zn coating	4E
C.061.075.0127.A	6.1	0.75	12.7	0.4080	5.78	6.47	yes	music wire	4C
C.061.075.0127.I	6.1	0.75	12.7	0.4062	5.25	6.35	yes	stainless steel	4F
C.061.075.0127.N	6.1	0.75	12.7	0.4080	5.78	6.47	yes	Zn coating	4E
C.061.075.0143.A	6.1	0.75	14.3	0.3446	6.45	7.26	yes	music wire	4C
C.061.075.0143.I	6.1	0.75	14.3	0.3000	6.38	7.17	yes	stainless steel	4C
C.061.075.0160.A	6.1	0.75	16.0	0.3220	6.75	7.61	yes	music wire	4C
C.061.075.0160.I	6.1	0.75	16.0	0.2801	6.75	7.61	yes	stainless steel	4F
C.061.075.0160.N	6.1	0.75	16.0	0.3220	6.75	7.61	yes	Zn coating	4E
C.061.075.0175.A	6.1	0.75	17.5	0.2850	7.43	8.41	yes	music wire	4C
C.061.075.0175.I	6.1	0.75	17.5	0.2789	6.75	8.25	yes	stainless steel	4F
C.061.075.0175.N	6.1	0.75	17.5	0.2850	7.43	8.41	yes	Zn coating	4E
C.061.075.0190.A	6.1	0.75	19.0	0.2610	7.95	9.02	yes	music wire	4C
C.061.075.0190.I	6.1	0.75	19.0	0.2525	7.28	8.78	yes	stainless steel	4F
C.061.075.0190.N	6.1	0.75	19.0	0.2610	7.95	9.02	yes	Zn coating	4E
C.061.075.0200.A	6.1	0.75	20.0	0.2148	9.23	10.53	yes	music wire	4C
C.061.075.0200.I	6.1	0.75	20.0	0.1845	9.23	10.53	yes	stainless steel	4C
C.061.075.0206.A	6.1	0.75	20.6	0.2400	8.48	9.64	yes	music wire	4C
C.061.075.0206.I	6.1	0.75	20.6	0.2307	7.73	9.42	yes	stainless steel	4F
C.061.075.0206.N	6.1	0.75	20.6	0.2400	8.48	9.64	yes	Zn coating	4E
C.061.075.0224.A	6.1	0.75	22.4	0.2210	9.00	10.26	yes	music wire	4C
C.061.075.0224.I	6.1	0.75	22.4	0.2123	8.25	10.25	yes	stainless steel	4F
C.061.075.0224.N	6.1	0.75	22.4	0.2210	9.00	10.26	yes	Zn coating	4E
C.061.075.0239.A	6.1	0.75	23.9	0.2378	8.55	11.20	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.075.0239.I	6.1	0.75	23.9	0.2042	8.55	11.27	yes	stainless steel	4F
C.061.075.0239.N	6.1	0.75	23.9	0.2378	8.55	11.20	yes	Zn coating	4G
C.061.075.0240.A	6.1	0.75	24.0	0.2050	9.60	10.96	yes	music wire	4C
C.061.075.0240.I	6.1	0.75	24.0	0.1784	9.45	10.79	yes	stainless steel	4F
C.061.075.0240.N	6.1	0.75	24.0	0.2050	9.60	10.96	yes	Zn coating	4E
C.061.075.0254.A	6.1	0.75	25.4	0.1930	10.05	11.49	yes	music wire	4C
C.061.075.0254.I	6.1	0.75	25.4	0.1897	9.00	11.80	yes	stainless steel	4F
C.061.075.0254.N	6.1	0.75	25.4	0.1930	10.05	11.49	yes	Zn coating	4E
C.061.075.0284.A	6.1	0.75	28.4	0.1934	10.05	12.78	yes	music wire	4E
C.061.075.0284.I	6.1	0.75	28.4	0.1682	9.90	13.07	yes	stainless steel	4F
C.061.075.0284.N	6.1	0.75	28.4	0.1934	10.05	12.78	yes	Zn coating	4G
C.061.075.0300.A	6.1	0.75	30.0	0.1394	13.20	15.20	yes	music wire	4C
C.061.075.0300.I	6.1	0.75	30.0	0.1197	13.20	15.20	yes	stainless steel	4C
C.061.075.0305.A	6.1	0.75	30.5	0.1698	11.18	12.82	yes	music wire	4E
C.061.075.0305.I	6.1	0.75	30.5	0.1477	11.03	13.03	yes	stainless steel	4F
C.061.075.0318.A	6.1	0.75	31.8	0.1720	11.03	14.24	yes	music wire	4E
C.061.075.0318.I	6.1	0.75	31.8	0.1496	10.95	14.56	yes	stainless steel	4F
C.061.075.0318.N	6.1	0.75	31.8	0.1720	11.03	14.24	yes	Zn coating	4G
C.061.075.0351.A	6.1	0.75	35.1	0.1548	12.08	15.60	yes	music wire	4E
C.061.075.0351.I	6.1	0.75	35.1	0.1347	11.93	15.95	yes	stainless steel	4F
C.061.075.0351.N	6.1	0.75	35.1	0.1548	12.08	15.60	yes	Zn coating	4H
C.061.075.0356.A	6.1	0.75	35.6	0.1529	12.23	15.84	yes	music wire	4E
C.061.075.0356.I	6.1	0.75	35.6	0.1330	12.08	16.20	yes	stainless steel	4F
C.061.075.0381.A	6.1	0.75	38.1	0.1408	13.05	16.65	yes	music wire	4E
C.061.075.0381.I	6.1	0.75	38.1	0.1209	13.05	16.77	yes	stainless steel	4F
C.061.075.0381.N	6.1	0.75	38.1	0.1408	13.05	16.65	yes	Zn coating	4H
C.061.075.0400.A	6.1	0.75	40.0	0.1032	17.18	19.88	yes	music wire	4C
C.061.075.0400.I	6.1	0.75	40.0	0.0886	17.18	19.88	yes	stainless steel	4C
C.061.075.0444.A	6.1	0.75	44.4	0.1215	14.85	19.55	yes	music wire	4F
C.061.075.0444.I	6.1	0.75	44.4	0.1057	14.70	20.00	yes	stainless steel	4F
C.061.075.0444.N	6.1	0.75	44.4	0.1215	14.85	19.55	yes	Zn coating	4H
C.061.075.0450.A	6.1	0.75	45.0	0.1042	17.03	19.70	yes	music wire	4C
C.061.075.0450.I	6.1	0.75	45.0	0.0907	16.80	19.43	yes	stainless steel	4C
C.061.075.0457.A	6.1	0.75	45.7	0.1200	15.00	20.53	yes	music wire	4F
C.061.075.0457.I	6.1	0.75	45.7	0.1044	14.85	20.99	yes	stainless steel	4F
C.061.075.0500.A	6.1	0.75	50.0	0.0822	21.08	24.47	yes	music wire	4C
C.061.075.0500.I	6.1	0.75	50.0	0.0706	21.08	24.47	yes	stainless steel	4C
C.061.075.0508.A	6.1	0.75	50.8	0.1051	16.88	22.07	yes	music wire	4F
C.061.075.0508.I	6.1	0.75	50.8	0.0903	16.88	22.22	yes	stainless steel	4F
C.061.075.0508.N	6.1	0.75	50.8	0.1051	16.88	22.07	yes	Zn coating	4H
C.061.075.0600.A	6.1	0.75	60.0	0.0681	25.05	29.14	yes	music wire	4C
C.061.075.0600.I	6.1	0.75	60.0	0.0585	25.05	29.14	yes	stainless steel	4D
C.061.080.0079.A	6.1	0.80	7.9	1.1541	3.92	4.77	yes	music wire	4E
C.061.080.0079.I	6.1	0.80	7.9	1.0041	3.92	4.82	yes	stainless steel	4F
C.061.080.0097.A	6.1	0.80	9.7	0.9420	4.40	5.87	yes	music wire	4E
C.061.080.0097.I	6.1	0.80	9.7	0.8867	4.16	6.21	yes	stainless steel	4H
C.061.080.0097.N	6.1	0.80	9.7	0.9420	4.40	5.87	yes	Zn coating	4G
C.061.080.0112.A	6.1	0.80	11.2	0.7560	4.96	6.42	yes	music wire	4E
C.061.080.0112.I	6.1	0.80	11.2	0.6564	4.96	6.49	yes	stainless steel	4F
C.061.080.0112.N	6.1	0.80	11.2	0.7560	4.96	6.42	yes	Zn coating	4G
C.061.080.0127.A	6.1	0.80	12.7	0.6431	5.52	7.08	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.061.080.0127.I	6.1	0.80	12.7	0.5595	5.44	7.18	yes	stainless steel	4F
C.061.080.0142.A	6.1	0.80	14.2	0.5590	6.00	7.74	yes	music wire	4E
C.061.080.0142.I	6.1	0.80	14.2	0.4581	6.24	7.45	yes	stainless steel	4F
C.061.080.0142.N	6.1	0.80	14.2	0.5590	6.00	7.74	yes	Zn coating	4G
C.061.080.0157.A	6.1	0.80	15.7	0.4759	6.72	8.11	yes	music wire	4E
C.061.080.0157.I	6.1	0.80	15.7	0.4140	6.64	8.23	yes	stainless steel	4F
C.061.080.0157.N	6.1	0.80	15.7	0.4759	6.72	8.11	yes	Zn coating	4G
C.061.080.0160.A	6.1	0.80	16.0	0.4828	6.64	8.52	yes	music wire	4E
C.061.080.0160.I	6.1	0.80	16.0	0.4200	6.56	8.64	yes	stainless steel	4F
C.061.080.0190.A	6.1	0.80	19.0	0.3840	7.84	9.59	yes	music wire	4E
C.061.080.0190.I	6.1	0.80	19.0	0.3088	8.24	9.27	yes	stainless steel	4F
C.061.080.0190.N	6.1	0.80	19.0	0.3840	7.84	9.59	yes	Zn coating	4G
C.061.080.0200.A	6.1	0.80	20.0	0.2775	10.08	11.42	yes	music wire	4C
C.061.080.0200.I	6.1	0.80	20.0	0.2384	10.08	11.42	yes	stainless steel	4C
C.061.080.0224.A	6.1	0.80	22.4	0.3220	8.96	11.18	yes	music wire	4E
C.061.080.0224.I	6.1	0.80	22.4	0.2656	9.28	10.76	yes	stainless steel	4F
C.061.080.0224.N	6.1	0.80	22.4	0.3220	8.96	11.18	yes	Zn coating	4G
C.061.080.0239.A	6.1	0.80	23.9	0.2762	10.08	11.42	yes	music wire	4E
C.061.080.0239.I	6.1	0.80	23.9	0.2403	10.00	11.33	yes	stainless steel	4F
C.061.080.0290.A	6.1	0.80	29.0	0.2500	10.96	14.55	yes	music wire	4E
C.061.080.0290.I	6.1	0.80	29.0	0.2100	11.20	14.28	yes	stainless steel	4F
C.061.080.0305.A	6.1	0.80	30.5	0.2000	13.20	15.06	yes	music wire	4C
C.061.080.0305.I	6.1	0.80	30.5	0.1741	13.04	14.87	yes	stainless steel	4C
C.061.080.0320.A	6.1	0.80	32.0	0.2300	11.76	16.30	yes	music wire	4E
C.061.080.0320.I	6.1	0.80	32.0	0.2000	11.60	16.55	yes	stainless steel	4F
C.061.080.0350.A	6.1	0.80	35.0	0.1960	13.44	16.57	yes	music wire	4E
C.061.080.0350.I	6.1	0.80	35.0	0.1700	13.36	16.82	yes	stainless steel	4F
C.061.080.0350.N	6.1	0.80	35.0	0.1960	13.44	16.57	yes	Zn coating	4H
C.061.080.0381.A	6.1	0.80	38.1	0.1680	15.36	17.58	yes	music wire	4E
C.061.080.0381.I	6.1	0.80	38.1	0.1443	15.36	17.58	yes	stainless steel	4F
C.061.080.0381.N	6.1	0.80	38.1	0.1680	15.36	17.58	yes	Zn coating	4H
C.061.080.0400.A	6.1	0.80	40.0	0.1335	18.80	21.59	yes	music wire	4C
C.061.080.0400.I	6.1	0.80	40.0	0.1146	18.80	21.59	yes	stainless steel	4C
C.061.080.0444.A	6.1	0.80	44.4	0.1434	17.60	20.19	yes	music wire	4F
C.061.080.0444.I	6.1	0.80	44.4	0.1248	17.44	20.00	yes	stainless steel	4F
C.061.080.0444.N	6.1	0.80	44.4	0.1434	17.60	20.19	yes	Zn coating	4H
C.061.080.0457.A	6.1	0.80	45.7	0.1416	17.84	20.47	yes	music wire	4F
C.061.080.0457.I	6.1	0.80	45.7	0.1232	17.60	20.61	yes	stainless steel	4F
C.061.080.0510.A	6.1	0.80	51.0	0.1330	18.88	23.84	yes	music wire	4F
C.061.080.0510.I	6.1	0.80	51.0	0.1157	18.64	24.29	yes	stainless steel	4F
C.061.080.0510.N	6.1	0.80	51.0	0.1330	18.88	23.84	yes	Zn coating	4H
C.061.080.0600.A	6.1	0.80	60.0	0.0876	27.60	31.85	yes	music wire	4C
C.061.080.0600.I	6.1	0.80	60.0	0.0752	27.60	31.85	yes	stainless steel	4D
C.061.080.0700.A	6.1	0.80	70.0	0.0749	31.92	36.88	yes	music wire	4C
C.061.080.0700.I	6.1	0.80	70.0	0.0644	31.92	36.88	yes	stainless steel	4D
C.061.080.0800.A	6.1	0.80	80.0	0.0653	36.32	42.01	yes	music wire	4C
C.061.080.0800.I	6.1	0.80	80.0	0.0561	36.32	42.01	yes	stainless steel	4D
C.061.080.1000.A	6.1	0.80	100.0	0.0520	45.12	52.27	yes	music wire	4C
C.061.080.1000.I	6.1	0.80	100.0	0.0447	45.12	52.27	yes	stainless steel	4D
C.061.080.1600.A	6.1	0.80	160.0	0.0323	71.36	82.86	yes	music wire	4D
C.061.080.1600.I	6.1	0.80	160.0	0.0278	71.36	82.86	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.090.0097.A	6.1	0.90	9.7	1.3443	5.40	5.98	yes	music wire	4E
C.061.090.0097.I	6.1	0.90	9.7	1.1695	5.40	6.03	yes	stainless steel	4F
C.061.090.0112.A	6.1	0.90	11.2	0.9880	6.57	7.22	yes	music wire	4C
C.061.090.0112.I	6.1	0.90	11.2	0.9412	6.12	6.70	yes	stainless steel	4F
C.061.090.0112.N	6.1	0.90	11.2	0.9880	6.57	7.22	yes	Zn coating	4E
C.061.090.0175.A	6.1	0.90	17.5	0.5880	9.54	10.63	yes	music wire	4C
C.061.090.0175.I	6.1	0.90	17.5	0.5486	8.91	9.91	yes	stainless steel	4F
C.061.090.0175.N	6.1	0.90	17.5	0.5880	9.54	10.63	yes	Zn coating	4E
C.061.090.0190.A	6.1	0.90	19.0	0.5380	10.17	11.36	yes	music wire	4C
C.061.090.0190.I	6.1	0.90	19.0	0.5099	9.45	10.59	yes	stainless steel	4F
C.061.090.0190.N	6.1	0.90	19.0	0.5380	10.17	11.36	yes	Zn coating	4E
C.061.090.0239.A	6.1	0.90	23.9	0.4631	11.52	13.11	yes	music wire	4E
C.061.090.0239.I	6.1	0.90	23.9	0.3978	11.52	13.11	yes	stainless steel	4F
C.061.090.0239.N	6.1	0.90	23.9	0.4631	11.52	13.11	yes	Zn coating	4H
C.061.090.0290.A	6.1	0.90	29.0	0.3400	14.85	16.74	yes	music wire	4C
C.061.090.0290.I	6.1	0.90	29.0	0.2900	14.94	16.84	yes	stainless steel	4C
C.061.090.0305.A	6.1	0.90	30.5	0.3368	14.94	16.84	yes	music wire	4F
C.061.090.0305.I	6.1	0.90	30.5	0.2930	14.76	16.64	yes	stainless steel	4F
C.061.090.0381.A	6.1	0.90	38.1	0.2790	17.55	20.18	yes	music wire	4F
C.061.090.0381.I	6.1	0.90	38.1	0.2396	17.55	20.20	yes	stainless steel	4F
C.061.090.0381.N	6.1	0.90	38.1	0.2790	17.55	20.18	yes	Zn coating	4H
C.061.090.0400.A	6.1	0.90	40.0	0.2161	22.05	25.02	yes	music wire	4C
C.061.090.0400.I	6.1	0.90	40.0	0.1856	22.05	25.02	yes	stainless steel	4C
C.061.090.0457.A	6.1	0.90	45.7	0.2363	20.34	24.55	yes	music wire	4F
C.061.090.0457.I	6.1	0.90	45.7	0.2056	20.16	24.83	yes	stainless steel	4F
C.061.090.0510.A	6.1	0.90	51.0	0.1890	24.93	28.33	yes	music wire	4C
C.061.090.0510.I	6.1	0.90	51.0	0.1644	24.57	27.92	yes	stainless steel	4F
C.061.090.0510.N	6.1	0.90	51.0	0.1890	24.93	28.33	yes	Zn coating	4E
C.061.090.0559.A	6.1	0.90	55.9	0.1820	25.74	29.27	yes	music wire	4F
C.061.090.0559.I	6.1	0.90	55.9	0.1583	25.47	28.95	yes	stainless steel	4F
C.061.090.0572.A	6.1	0.90	57.2	0.1844	25.47	30.08	yes	music wire	4F
C.061.090.0572.I	6.1	0.90	57.2	0.1604	25.20	30.45	yes	stainless steel	4F
C.061.090.0572.N	6.1	0.90	57.2	0.1844	25.47	30.08	yes	Zn coating	4H
C.061.090.0600.A	6.1	0.90	60.0	0.1419	32.40	36.92	yes	music wire	4C
C.061.090.0600.I	6.1	0.90	60.0	0.1219	32.40	36.92	yes	stainless steel	4D
C.061.090.0800.A	6.1	0.90	80.0	0.1056	42.75	48.83	yes	music wire	4C
C.061.090.0800.I	6.1	0.90	80.0	0.0907	42.75	48.83	yes	stainless steel	4D
C.061.090.1000.A	6.1	0.90	100.0	0.0841	53.10	60.73	yes	music wire	4D
C.061.090.1000.I	6.1	0.90	100.0	0.0723	53.10	60.73	yes	stainless steel	4D
C.061.090.1600.A	6.1	0.90	160.0	0.0523	84.06	96.34	yes	music wire	4D
C.061.090.1600.I	6.1	0.90	160.0	0.0449	84.06	96.34	yes	stainless steel	4E
C.061.095.0079.A	6.1	0.95	7.9	2.2260	4.94	5.31	yes	music wire	4E
C.061.095.0079.I	6.1	0.95	7.9	1.9366	4.94	5.33	yes	stainless steel	4F
C.061.095.0079.N	6.1	0.95	7.9	2.2260	4.94	5.31	yes	Zn coating	4G
C.061.095.0097.A	6.1	0.95	9.7	1.7770	5.61	6.44	yes	music wire	4E
C.061.095.0097.I	6.1	0.95	9.7	1.5460	5.61	6.48	yes	stainless steel	4F
C.061.095.0097.N	6.1	0.95	9.7	1.7770	5.61	6.44	yes	Zn coating	4G
C.061.095.0100.A	6.1	0.95	10.0	1.2656	6.94	7.60	yes	music wire	4C
C.061.095.0100.I	6.1	0.95	10.0	1.0870	6.94	7.60	yes	stainless steel	4C
C.061.095.0112.A	6.1	0.95	11.2	1.4780	6.27	7.28	yes	music wire	4E
C.061.095.0112.I	6.1	0.95	11.2	1.2859	6.27	7.33	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.061.095.0112.N	6.1	0.95	11.2	1.4780	6.27	7.28	yes	Zn coating	4G
C.061.095.0127.A	6.1	0.95	12.7	1.2660	6.94	8.12	yes	music wire	4E
C.061.095.0127.I	6.1	0.95	12.7	1.1000	6.84	8.17	yes	stainless steel	4F
C.061.095.0127.N	6.1	0.95	12.7	1.2660	6.94	8.12	yes	Zn coating	4G
C.061.095.0142.A	6.1	0.95	14.2	1.1070	7.60	8.96	yes	music wire	4E
C.061.095.0142.I	6.1	0.95	14.2	0.9631	7.51	9.03	yes	stainless steel	4F
C.061.095.0142.N	6.1	0.95	14.2	1.1070	7.60	8.96	yes	Zn coating	4G
C.061.095.0160.A	6.1	0.95	16.0	0.9880	8.17	10.13	yes	music wire	4E
C.061.095.0160.I	6.1	0.95	16.0	0.8596	8.17	10.20	yes	stainless steel	4F
C.061.095.0160.N	6.1	0.95	16.0	0.9880	8.17	10.13	yes	Zn coating	4G
C.061.095.0175.A	6.1	0.95	17.5	0.8880	8.84	10.97	yes	music wire	4E
C.061.095.0175.I	6.1	0.95	17.5	0.7726	8.84	11.05	yes	stainless steel	4F
C.061.095.0175.N	6.1	0.95	17.5	0.8880	8.84	10.97	yes	Zn coating	4H
C.061.095.0190.A	6.1	0.95	19.0	0.8070	9.50	11.82	yes	music wire	4E
C.061.095.0190.I	6.1	0.95	19.0	0.7000	9.50	11.88	yes	stainless steel	4F
C.061.095.0190.N	6.1	0.95	19.0	0.8070	9.50	11.82	yes	Zn coating	4H
C.061.095.0200.A	6.1	0.95	20.0	0.5731	12.45	13.90	yes	music wire	4C
C.061.095.0200.I	6.1	0.95	20.0	0.4922	12.45	13.90	yes	stainless steel	4C
C.061.095.0206.A	6.1	0.95	20.6	0.7390	10.17	12.75	yes	music wire	4E
C.061.095.0206.I	6.1	0.95	20.6	0.6429	10.07	12.85	yes	stainless steel	4F
C.061.095.0206.N	6.1	0.95	20.6	0.7390	10.17	12.75	yes	Zn coating	4H
C.061.095.0224.A	6.1	0.95	22.4	0.6650	11.02	13.68	yes	music wire	4E
C.061.095.0224.I	6.1	0.95	22.4	0.5786	10.93	13.79	yes	stainless steel	4F
C.061.095.0224.N	6.1	0.95	22.4	0.6650	11.02	13.68	yes	Zn coating	4H
C.061.095.0240.A	6.1	0.95	24.0	0.6060	11.88	14.43	yes	music wire	4E
C.061.095.0240.I	6.1	0.95	24.0	0.5272	11.78	14.55	yes	stainless steel	4F
C.061.095.0240.N	6.1	0.95	24.0	0.6060	11.88	14.43	yes	Zn coating	4H
C.061.095.0254.A	6.1	0.95	25.4	0.5660	12.54	15.16	yes	music wire	4E
C.061.095.0254.I	6.1	0.95	25.4	0.4924	12.45	15.28	yes	stainless steel	4F
C.061.095.0254.N	6.1	0.95	25.4	0.5660	12.54	15.16	yes	Zn coating	4H
C.061.095.0285.A	6.1	0.95	28.5	0.5030	13.87	16.97	yes	music wire	4E
C.061.095.0285.I	6.1	0.95	28.5	0.4376	13.68	17.11	yes	stainless steel	4F
C.061.095.0285.N	6.1	0.95	28.5	0.5030	13.87	16.97	yes	Zn coating	4H
C.061.095.0300.A	6.1	0.95	30.0	0.3682	18.05	20.31	yes	music wire	4C
C.061.095.0300.I	6.1	0.95	30.0	0.3162	18.05	20.31	yes	stainless steel	4C
C.061.095.0320.A	6.1	0.95	32.0	0.4520	15.11	19.17	yes	music wire	4F
C.061.095.0320.I	6.1	0.95	32.0	0.3932	15.01	19.33	yes	stainless steel	4F
C.061.095.0320.N	6.1	0.95	32.0	0.4520	15.11	19.17	yes	Zn coating	4H
C.061.095.0350.A	6.1	0.95	35.0	0.4100	16.44	20.86	yes	music wire	4F
C.061.095.0350.I	6.1	0.95	35.0	0.3567	16.25	21.03	yes	stainless steel	4F
C.061.095.0350.N	6.1	0.95	35.0	0.4100	16.44	20.86	yes	Zn coating	4H
C.061.095.0380.A	6.1	0.95	38.0	0.3750	17.77	22.54	yes	music wire	4F
C.061.095.0380.I	6.1	0.95	38.0	0.3263	17.58	22.73	yes	stainless steel	4F
C.061.095.0380.N	6.1	0.95	38.0	0.3750	17.77	22.54	yes	Zn coating	4H
C.061.095.0400.A	6.1	0.95	40.0	0.2724	23.56	26.61	yes	music wire	4C
C.061.095.0400.I	6.1	0.95	40.0	0.2340	23.56	26.61	yes	stainless steel	4C
C.061.095.0445.A	6.1	0.95	44.5	0.3030	21.38	25.37	yes	music wire	4F
C.061.095.0445.I	6.1	0.95	44.5	0.2636	21.19	25.60	yes	stainless steel	4F
C.061.095.0445.N	6.1	0.95	44.5	0.3030	21.38	25.37	yes	Zn coating	4H
C.061.095.0500.A	6.1	0.95	50.0	0.2162	29.07	32.92	yes	music wire	4C
C.061.095.0500.I	6.1	0.95	50.0	0.1857	29.07	32.92	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.095.0510.A	6.1	0.95	51.0	0.2640	24.23	29.04	yes	music wire	4F
C.061.095.0510.I	6.1	0.95	51.0	0.2297	23.94	29.31	yes	stainless steel	4F
C.061.095.0510.N	6.1	0.95	51.0	0.2640	24.23	29.04	yes	Zn coating	4H
C.061.095.0570.A	6.1	0.95	57.0	0.2330	27.17	32.12	yes	music wire	4F
C.061.095.0570.I	6.1	0.95	57.0	0.2027	26.79	32.42	yes	stainless steel	4F
C.061.095.0570.N	6.1	0.95	57.0	0.2330	27.17	32.12	yes	Zn coating	4H
C.061.095.0600.A	6.1	0.95	60.0	0.1787	34.68	39.33	yes	music wire	4C
C.061.095.0600.I	6.1	0.95	60.0	0.1535	34.68	39.33	yes	stainless steel	4D
C.061.095.0635.A	6.1	0.95	63.5	0.2100	29.83	35.89	yes	music wire	4F
C.061.095.0635.I	6.1	0.95	63.5	0.1827	29.55	36.23	yes	stainless steel	4G
C.061.095.0635.N	6.1	0.95	63.5	0.2100	29.83	35.89	yes	Zn coating	4H
C.061.100.0097.A	6.1	1.00	9.7	1.5809	7.40	8.08	yes	music wire	4C
C.061.100.0097.AF	6.1	1.00	9.7	1.5810	7.40	8.08	yes	music wire	4C
C.061.100.0097.AP	6.1	1.00	9.7	2.1333	6.10	6.60	yes	music wire	4E
C.061.100.0097.I	6.1	1.00	9.7	1.3578	7.40	8.08	yes	stainless steel	4C
C.061.100.0097.IF	6.1	1.00	9.7	1.3580	7.40	8.08	yes	stainless steel	4C
C.061.100.0097.N	6.1	1.00	9.7	1.5809	7.40	8.08	yes	Zn coating	4E
C.061.100.0097.NF	6.1	1.00	9.7	1.5810	7.40	8.08	yes	Zn coating	4E
C.061.100.0111.A	6.1	1.00	11.1	1.7500	6.90	7.51	yes	music wire	4E
C.061.100.0111.I	6.1	1.00	11.1	1.5213	6.80	7.40	yes	stainless steel	4F
C.061.100.0112.A	6.1	1.00	11.2	1.3491	8.20	8.99	yes	music wire	4C
C.061.100.0112.AP	6.1	1.00	11.2	1.8286	6.70	7.55	yes	music wire	4E
C.061.100.0112.I	6.1	1.00	11.2	1.1737	8.10	8.88	yes	stainless steel	4C
C.061.100.0127.A	6.1	1.00	12.7	1.1573	9.10	10.02	yes	music wire	4C
C.061.100.0127.AF	6.1	1.00	12.7	1.1570	9.10	10.02	yes	music wire	4C
C.061.100.0127.AP	6.1	1.00	12.7	1.5673	7.40	8.44	yes	music wire	4E
C.061.100.0127.I	6.1	1.00	12.7	0.9940	9.10	10.02	yes	stainless steel	4C
C.061.100.0127.IF	6.1	1.00	12.7	0.9940	9.10	10.02	yes	stainless steel	4C
C.061.100.0127.N	6.1	1.00	12.7	1.1573	9.10	10.02	yes	Zn coating	4E
C.061.100.0127.NF	6.1	1.00	12.7	1.1570	9.10	10.02	yes	Zn coating	4E
C.061.100.0142.A	6.1	1.00	14.2	1.2500	8.60	9.45	yes	music wire	4E
C.061.100.0142.AF	6.1	1.00	14.2	1.0381	9.90	10.93	yes	music wire	4C
C.061.100.0142.AP	6.1	1.00	14.2	1.3714	8.10	9.34	yes	music wire	4E
C.061.100.0142.I	6.1	1.00	14.2	1.0764	8.60	9.45	yes	stainless steel	4F
C.061.100.0142.IF	6.1	1.00	14.2	0.8916	9.90	10.93	yes	stainless steel	4C
C.061.100.0142.N	6.1	1.00	14.2	1.2500	8.60	9.45	yes	Zn coating	4H
C.061.100.0142.NF	6.1	1.00	14.2	1.0381	9.90	10.93	yes	Zn coating	4E
C.061.100.0157.A	6.1	1.00	15.7	0.9412	10.70	11.84	yes	music wire	4C
C.061.100.0157.AF	6.1	1.00	15.7	0.9410	10.70	11.84	yes	music wire	4C
C.061.100.0157.AP	6.1	1.00	15.7	1.2190	8.80	10.23	yes	music wire	4E
C.061.100.0157.I	6.1	1.00	15.7	0.8084	10.70	11.84	yes	stainless steel	4C
C.061.100.0157.IF	6.1	1.00	15.7	0.8080	10.70	11.84	yes	stainless steel	4C
C.061.100.0157.N	6.1	1.00	15.7	0.9412	10.70	11.84	yes	Zn coating	4E
C.061.100.0157.NF	6.1	1.00	15.7	0.9410	10.70	11.84	yes	Zn coating	4E
C.061.100.0190.A	6.1	1.00	19.0	0.7931	12.20	13.55	yes	music wire	4C
C.061.100.0190.AP	6.1	1.00	19.0	0.9846	10.30	12.23	yes	music wire	4E
C.061.100.0190.I	6.1	1.00	19.0	0.6812	12.20	13.55	yes	stainless steel	4C
C.061.100.0190.N	6.1	1.00	19.0	0.7931	12.20	13.55	yes	Zn coating	4E
C.061.100.0200.A	6.1	1.00	20.0	0.7178	13.20	14.69	yes	music wire	4C
C.061.100.0200.I	6.1	1.00	20.0	0.6165	13.20	14.69	yes	stainless steel	4C
C.061.100.0220.A	6.1	1.00	22.0	0.8000	12.10	13.66	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.100.0220.I	6.1	1.00	22.0	0.6800	12.20	13.56	yes	stainless steel	4F
C.061.100.0224.A	6.1	1.00	22.4	0.6700	14.00	15.60	yes	music wire	4C
C.061.100.0224.AP	6.1	1.00	22.4	0.8258	11.80	14.32	yes	music wire	4F
C.061.100.0224.I	6.1	1.00	22.4	0.5755	14.00	15.60	yes	stainless steel	4C
C.061.100.0224.N	6.1	1.00	22.4	0.6700	14.00	15.60	yes	Zn coating	4E
C.061.100.0285.A	6.1	1.00	28.5	0.6040	15.20	17.46	yes	music wire	4F
C.061.100.0285.I	6.1	1.00	28.5	0.5255	15.10	17.58	yes	stainless steel	4F
C.061.100.0285.N	6.1	1.00	28.5	0.6040	15.20	17.46	yes	Zn coating	4H
C.061.100.0290.A	6.1	1.00	29.0	0.4943	18.00	20.15	yes	music wire	4C
C.061.100.0290.AP	6.1	1.00	29.0	0.6244	14.80	18.32	yes	music wire	4F
C.061.100.0290.I	6.1	1.00	29.0	0.4300	17.80	19.93	yes	stainless steel	4C
C.061.100.0305.A	6.1	1.00	30.5	0.4655	19.00	21.29	yes	music wire	4C
C.061.100.0305.AP	6.1	1.00	30.5	0.5908	15.50	19.21	yes	music wire	4F
C.061.100.0305.I	6.1	1.00	30.5	0.4050	18.80	21.07	yes	stainless steel	4C
C.061.100.0351.A	6.1	1.00	35.1	0.4251	20.60	23.12	yes	music wire	4C
C.061.100.0351.I	6.1	1.00	35.1	0.3698	20.30	22.77	yes	stainless steel	4D
C.061.100.0351.N	6.1	1.00	35.1	0.4251	20.60	23.12	yes	Zn coating	4E
C.061.100.0356.A	6.1	1.00	35.6	0.4197	20.80	23.34	yes	music wire	4C
C.061.100.0356.I	6.1	1.00	35.6	0.3651	20.60	23.12	yes	stainless steel	4D
C.061.100.0381.A	6.1	1.00	38.1	0.3920	22.10	24.82	yes	music wire	4C
C.061.100.0381.I	6.1	1.00	38.1	0.3367	22.10	24.82	yes	stainless steel	4D
C.061.100.0381.N	6.1	1.00	38.1	0.3920	22.10	24.82	yes	Zn coating	4E
C.061.100.0400.A	6.1	1.00	40.0	0.3413	25.00	28.13	yes	music wire	4C
C.061.100.0400.I	6.1	1.00	40.0	0.2932	25.00	28.13	yes	stainless steel	4D
C.061.100.0444.A	6.1	1.00	44.4	0.3355	25.40	28.58	yes	music wire	4C
C.061.100.0444.I	6.1	1.00	44.4	0.2919	25.10	28.24	yes	stainless steel	4D
C.061.100.0444.N	6.1	1.00	44.4	0.3355	25.40	28.58	yes	Zn coating	4E
C.061.100.0457.A	6.1	1.00	45.7	0.3312	25.70	28.93	yes	music wire	4C
C.061.100.0457.I	6.1	1.00	45.7	0.2882	25.40	28.58	yes	stainless steel	4F
C.061.100.0510.A	6.1	1.00	51.0	0.3270	26.00	30.61	yes	music wire	4F
C.061.100.0510.I	6.1	1.00	51.0	0.2845	25.70	30.83	yes	stainless steel	4G
C.061.100.0510.N	6.1	1.00	51.0	0.3270	26.00	30.61	yes	Zn coating	4H
C.061.100.0572.A	6.1	1.00	57.2	0.2626	31.70	35.76	yes	music wire	4F
C.061.100.0572.I	6.1	1.00	57.2	0.2256	31.70	35.76	yes	stainless steel	4G
C.061.100.0572.N	6.1	1.00	57.2	0.2626	31.70	35.76	yes	Zn coating	4H
C.061.100.0600.A	6.1	1.00	60.0	0.1400	57.40	57.40	yes	music wire	4C
C.061.100.0600.AP	6.1	1.00	60.0	0.2920	28.80	37.16	yes	music wire	4F
C.061.100.0600.I	6.1	1.00	60.0	0.1218	56.70	56.70	yes	stainless steel	4D
C.061.100.0800.A	6.1	1.00	80.0	0.1666	48.60	55.01	yes	music wire	4C
C.061.100.0800.I	6.1	1.00	80.0	0.1431	48.60	55.01	yes	stainless steel	4D
C.061.100.0830.A	6.1	1.00	83.0	0.3800	22.70	65.45	yes	music wire	4I
C.061.100.0830.I	6.1	1.00	83.0	0.3200	23.10	65.07	yes	stainless steel	4I
C.061.100.1000.A	6.1	1.00	100.0	0.1326	60.40	68.45	yes	music wire	4D
C.061.100.1000.I	6.1	1.00	100.0	0.1139	60.40	68.45	yes	stainless steel	4D
C.061.100.1200.A	6.1	1.00	120.0	0.1102	72.20	81.89	yes	music wire	4D
C.061.100.1200.I	6.1	1.00	120.0	0.0946	72.20	81.89	yes	stainless steel	4D
C.061.100.1400.A	6.1	1.00	140.0	0.0942	84.00	95.33	yes	music wire	4D
C.061.100.1400.I	6.1	1.00	140.0	0.0809	84.00	95.33	yes	stainless steel	4E
C.061.100.1600.A	6.1	1.00	160.0	0.0823	95.80	108.77	yes	music wire	4D
C.061.100.1600.I	6.1	1.00	160.0	0.0707	95.80	108.77	yes	stainless steel	4E
C.061.100.1800.A	6.1	1.00	180.0	0.0731	107.60	122.21	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.100.1800.I	6.1	1.00	180.0	0.0628	107.60	122.21	yes	stainless steel	4E
C.061.100.2000.A	6.1	1.00	200.0	0.0657	119.40	135.65	yes	music wire	4E
C.061.100.2000.I	6.1	1.00	200.0	0.0564	119.40	135.65	yes	stainless steel	4E
C.061.105.0097.A	6.1	1.05	9.7	2.6440	6.41	6.92	yes	music wire	4E
C.061.105.0097.I	6.1	1.05	9.7	2.3000	6.41	6.92	yes	stainless steel	4F
C.061.105.0097.N	6.1	1.05	9.7	2.6440	6.41	6.92	yes	Zn coating	4H
C.061.105.0112.A	6.1	1.05	11.2	2.1540	7.35	7.99	yes	music wire	4E
C.061.105.0112.I	6.1	1.05	11.2	1.8740	7.25	7.87	yes	stainless steel	4F
C.061.105.0112.N	6.1	1.05	11.2	2.1540	7.35	7.99	yes	Zn coating	4H
C.061.105.0127.A	6.1	1.05	12.7	1.8560	8.09	8.83	yes	music wire	4E
C.061.105.0127.I	6.1	1.05	12.7	1.6147	7.98	8.70	yes	stainless steel	4F
C.061.105.0127.N	6.1	1.05	12.7	1.8560	8.09	8.83	yes	Zn coating	4H
C.061.105.0142.A	6.1	1.05	14.2	1.6460	8.72	9.57	yes	music wire	4E
C.061.105.0142.I	6.1	1.05	14.2	1.4320	8.72	9.62	yes	stainless steel	4F
C.061.105.0142.N	6.1	1.05	14.2	1.6460	8.72	9.57	yes	Zn coating	4H
C.061.105.0160.A	6.1	1.05	16.0	1.4880	9.45	10.88	yes	music wire	4E
C.061.105.0160.I	6.1	1.05	16.0	1.2946	9.35	10.93	yes	stainless steel	4F
C.061.105.0160.N	6.1	1.05	16.0	1.4880	9.45	10.88	yes	Zn coating	4H
C.061.105.0175.A	6.1	1.05	17.5	1.3130	10.29	11.70	yes	music wire	4E
C.061.105.0175.I	6.1	1.05	17.5	1.1423	10.19	11.76	yes	stainless steel	4F
C.061.105.0175.N	6.1	1.05	17.5	1.3130	10.29	11.70	yes	Zn coating	4H
C.061.105.0190.A	6.1	1.05	19.0	1.1210	11.66	12.88	yes	music wire	4E
C.061.105.0190.I	6.1	1.05	19.0	0.9753	11.55	12.75	yes	stainless steel	4F
C.061.105.0190.N	6.1	1.05	19.0	1.1210	11.66	12.88	yes	Zn coating	4H
C.061.105.0200.A	6.1	1.05	20.0	0.8986	13.86	15.37	yes	music wire	4C
C.061.105.0200.I	6.1	1.05	20.0	0.7718	13.86	15.37	yes	stainless steel	4C
C.061.105.0206.A	6.1	1.05	20.6	1.0910	11.87	13.62	yes	music wire	4F
C.061.105.0206.I	6.1	1.05	20.6	0.9492	11.76	13.69	yes	stainless steel	4F
C.061.105.0206.N	6.1	1.05	20.6	1.0910	11.87	13.62	yes	Zn coating	4H
C.061.105.0224.A	6.1	1.05	22.4	0.9810	12.92	14.64	yes	music wire	4F
C.061.105.0224.I	6.1	1.05	22.4	0.8535	12.81	14.71	yes	stainless steel	4F
C.061.105.0224.N	6.1	1.05	22.4	0.9810	12.92	14.64	yes	Zn coating	4H
C.061.105.0240.A	6.1	1.05	24.0	0.8930	13.97	15.50	yes	music wire	4F
C.061.105.0240.I	6.1	1.05	24.0	0.7769	13.76	15.56	yes	stainless steel	4F
C.061.105.0240.N	6.1	1.05	24.0	0.8930	13.97	15.50	yes	Zn coating	4H
C.061.105.0254.A	6.1	1.05	25.4	0.8410	14.60	16.35	yes	music wire	4F
C.061.105.0254.I	6.1	1.05	25.4	0.7317	14.49	16.43	yes	stainless steel	4F
C.061.105.0254.N	6.1	1.05	25.4	0.8410	14.60	16.35	yes	Zn coating	4H
C.061.105.0285.A	6.1	1.05	28.5	0.7440	16.17	18.27	yes	music wire	4F
C.061.105.0285.I	6.1	1.05	28.5	0.6473	16.07	18.36	yes	stainless steel	4F
C.061.105.0285.N	6.1	1.05	28.5	0.7440	16.17	18.27	yes	Zn coating	4H
C.061.105.0320.A	6.1	1.05	32.0	0.6570	17.96	20.41	yes	music wire	4F
C.061.105.0320.I	6.1	1.05	32.0	0.5716	17.75	20.52	yes	stainless steel	4F
C.061.105.0320.N	6.1	1.05	32.0	0.6570	17.96	20.41	yes	Zn coating	4H
C.061.105.0350.A	6.1	1.05	35.0	0.5950	19.64	22.20	yes	music wire	4F
C.061.105.0350.I	6.1	1.05	35.0	0.5177	19.43	22.33	yes	stainless steel	4F
C.061.105.0350.N	6.1	1.05	35.0	0.5950	19.64	22.20	yes	Zn coating	4H
C.061.105.0380.A	6.1	1.05	38.0	0.5340	21.53	24.08	yes	music wire	4F
C.061.105.0380.I	6.1	1.05	38.0	0.4646	21.32	23.88	yes	stainless steel	4F
C.061.105.0380.N	6.1	1.05	38.0	0.5340	21.53	24.08	yes	Zn coating	4H
C.061.105.0400.A	6.1	1.05	40.0	0.4254	26.36	29.56	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.105.0400.I	6.1	1.05	40.0	0.3654	26.36	29.56	yes	stainless steel	4D
C.061.105.0445.A	6.1	1.05	44.5	0.4640	24.36	28.09	yes	music wire	4F
C.061.105.0445.I	6.1	1.05	44.5	0.4037	24.15	28.25	yes	stainless steel	4F
C.061.105.0445.N	6.1	1.05	44.5	0.4640	24.36	28.09	yes	Zn coating	4H
C.061.105.0510.A	6.1	1.05	51.0	0.4030	27.72	32.11	yes	music wire	4F
C.061.105.0510.I	6.1	1.05	51.0	0.3506	27.41	32.29	yes	stainless steel	4G
C.061.105.0510.N	6.1	1.05	51.0	0.4030	27.72	32.11	yes	Zn coating	4H
C.061.105.0570.A	6.1	1.05	57.0	0.3570	30.87	35.67	yes	music wire	4F
C.061.105.0570.I	6.1	1.05	57.0	0.3106	30.56	35.88	yes	stainless steel	4G
C.061.105.0570.N	6.1	1.05	57.0	0.3570	30.87	35.67	yes	Zn coating	4H
C.061.105.0600.A	6.1	1.05	60.0	0.2795	38.75	43.62	yes	music wire	4C
C.061.105.0600.I	6.1	1.05	60.0	0.2401	38.75	43.62	yes	stainless steel	4D
C.061.105.0635.A	6.1	1.05	63.5	0.3200	34.13	39.70	yes	music wire	4F
C.061.105.0635.I	6.1	1.05	63.5	0.2784	33.81	39.93	yes	stainless steel	4G
C.061.105.0635.N	6.1	1.05	63.5	0.3200	34.13	39.70	yes	Zn coating	4H
C.061.105.0800.A	6.1	1.05	80.0	0.2077	51.24	57.79	yes	music wire	4C
C.061.105.0800.I	6.1	1.05	80.0	0.1784	51.24	57.79	yes	stainless steel	4D
C.061.105.1000.A	6.1	1.05	100.0	0.1652	63.74	71.97	yes	music wire	4D
C.061.105.1000.I	6.1	1.05	100.0	0.1419	63.74	71.97	yes	stainless steel	4D
C.061.105.1200.A	6.1	1.05	120.0	0.1372	76.23	86.14	yes	music wire	4D
C.061.105.1200.I	6.1	1.05	120.0	0.1178	76.23	86.14	yes	stainless steel	4D
C.061.105.1400.A	6.1	1.05	140.0	0.1174	88.62	100.20	yes	music wire	4D
C.061.105.1400.I	6.1	1.05	140.0	0.1008	88.62	100.20	yes	stainless steel	4E
C.061.105.1600.A	6.1	1.05	160.0	0.1025	101.12	114.39	yes	music wire	4D
C.061.105.1600.I	6.1	1.05	160.0	0.0880	101.12	114.39	yes	stainless steel	4E
C.061.105.2000.A	6.1	1.05	200.0	0.0818	126.11	142.74	yes	music wire	4E
C.061.105.2000.I	6.1	1.05	200.0	0.0702	126.11	142.74	yes	stainless steel	4E
C.061.110.0112.A	6.1	1.10	11.2	2.3668	8.25	8.97	yes	music wire	4C
C.061.110.0112.I	6.1	1.10	11.2	2.0328	8.25	8.97	yes	stainless steel	4C
C.061.110.0112.N	6.1	1.10	11.2	2.3668	8.25	8.97	yes	Zn coating	4E
C.061.110.0142.A	6.1	1.10	14.2	2.1839	8.80	10.25	yes	music wire	4F
C.061.110.0142.I	6.1	1.10	14.2	1.9000	8.69	10.28	yes	stainless steel	4I
C.061.110.0175.A	6.1	1.10	17.5	1.4607	11.77	12.95	yes	music wire	4C
C.061.110.0175.I	6.1	1.10	17.5	1.2546	11.77	12.95	yes	stainless steel	4C
C.061.110.0175.N	6.1	1.10	17.5	1.4607	11.77	12.95	yes	Zn coating	4E
C.061.110.0190.A	6.1	1.10	19.0	1.3254	12.65	13.95	yes	music wire	4C
C.061.110.0190.I	6.1	1.10	19.0	1.1384	12.65	13.95	yes	stainless steel	4C
C.061.110.0190.N	6.1	1.10	19.0	1.3254	12.65	13.95	yes	Zn coating	4E
C.061.110.0191.A	6.1	1.10	19.1	1.6092	10.89	13.73	yes	music wire	4H
C.061.110.0191.I	6.1	1.10	19.1	1.4000	10.78	13.78	yes	stainless steel	4I
C.061.110.0200.A	6.1	1.10	20.0	1.1257	14.41	15.94	yes	music wire	4C
C.061.110.0200.I	6.1	1.10	20.0	0.9669	14.41	15.94	yes	stainless steel	4C
C.061.110.0220.A	6.1	1.10	22.0	0.9540	16.50	18.30	yes	music wire	4C
C.061.110.0220.AP	6.1	1.10	22.0	1.2572	13.20	15.13	yes	music wire	4F
C.061.110.0220.I	6.1	1.10	22.0	0.8300	16.28	18.05	yes	stainless steel	4C
C.061.110.0224.A	6.1	1.10	22.4	1.1410	14.30	15.81	yes	music wire	4F
C.061.110.0224.I	6.1	1.10	22.4	0.9796	14.30	15.81	yes	stainless steel	4F
C.061.110.0224.N	6.1	1.10	22.4	1.1410	14.30	15.81	yes	Zn coating	4H
C.061.110.0239.A	6.1	1.10	23.9	1.0066	15.84	17.55	yes	music wire	4C
C.061.110.0239.I	6.1	1.10	23.9	0.8645	15.84	17.55	yes	stainless steel	4C
C.061.110.0239.N	6.1	1.10	23.9	1.0066	15.84	17.55	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.110.0240.A	6.1	1.10	24.0	1.3000	12.87	17.36	yes	music wire	4H
C.061.110.0240.I	6.1	1.10	24.0	1.1000	12.98	17.23	yes	stainless steel	4I
C.061.110.0290.A	6.1	1.10	29.0	1.0000	15.84	20.37	yes	music wire	4I
C.061.110.0290.I	6.1	1.10	29.0	0.8800	15.51	20.53	yes	stainless steel	4I
C.061.110.0305.A	6.1	1.10	30.5	0.7828	19.47	21.66	yes	music wire	4C
C.061.110.0305.I	6.1	1.10	30.5	0.6810	19.25	21.41	yes	stainless steel	4F
C.061.110.0350.A	6.1	1.10	35.0	0.5690	25.85	28.88	yes	music wire	4C
C.061.110.0350.AP	6.1	1.10	35.0	0.7656	19.91	23.72	yes	music wire	4F
C.061.110.0350.I	6.1	1.10	35.0	0.4951	25.52	28.50	yes	stainless steel	4D
C.061.110.0351.A	6.1	1.10	35.1	0.6769	22.11	24.65	yes	music wire	4F
C.061.110.0351.I	6.1	1.10	35.1	0.5889	21.89	24.40	yes	stainless steel	4F
C.061.110.0351.N	6.1	1.10	35.1	0.6769	22.11	24.65	yes	Zn coating	4H
C.061.110.0356.A	6.1	1.10	35.6	0.6683	22.44	25.02	yes	music wire	4F
C.061.110.0356.I	6.1	1.10	35.6	0.5814	22.11	24.65	yes	stainless steel	4F
C.061.110.0380.A	6.1	1.10	38.0	0.5287	27.61	30.87	yes	music wire	4C
C.061.110.0380.AP	6.1	1.10	38.0	0.6984	21.56	25.64	yes	music wire	4F
C.061.110.0380.I	6.1	1.10	38.0	0.4600	27.28	30.49	yes	stainless steel	4D
C.061.110.0381.A	6.1	1.10	38.1	0.6565	22.77	25.39	yes	music wire	4F
C.061.110.0381.I	6.1	1.10	38.1	0.5638	22.77	25.39	yes	stainless steel	4F
C.061.110.0381.N	6.1	1.10	38.1	0.6565	22.77	25.39	yes	Zn coating	4H
C.061.110.0400.A	6.1	1.10	40.0	0.5280	27.61	30.87	yes	music wire	4C
C.061.110.0400.I	6.1	1.10	40.0	0.4535	27.61	30.87	yes	stainless steel	4D
C.061.110.0444.A	6.1	1.10	44.4	0.5656	25.96	29.13	yes	music wire	4F
C.061.110.0444.I	6.1	1.10	44.4	0.4921	25.63	29.26	yes	stainless steel	4G
C.061.110.0444.N	6.1	1.10	44.4	0.5656	25.96	29.13	yes	Zn coating	4H
C.061.110.0450.A	6.1	1.10	45.0	0.4483	32.01	35.84	yes	music wire	4C
C.061.110.0450.AP	6.1	1.10	45.0	0.5855	25.19	30.25	yes	music wire	4F
C.061.110.0450.I	6.1	1.10	45.0	0.3900	31.68	35.47	yes	stainless steel	4D
C.061.110.0457.A	6.1	1.10	45.7	0.5584	26.29	30.24	yes	music wire	4F
C.061.110.0457.I	6.1	1.10	45.7	0.4858	25.96	30.37	yes	stainless steel	4G
C.061.110.0570.A	6.1	1.10	57.0	0.3448	40.81	45.80	yes	music wire	4C
C.061.110.0570.AP	6.1	1.10	57.0	0.4594	31.35	38.20	yes	music wire	4F
C.061.110.0570.I	6.1	1.10	57.0	0.3000	40.37	45.30	yes	stainless steel	4D
C.061.110.0572.A	6.1	1.10	57.2	0.4363	32.89	37.41	yes	music wire	4F
C.061.110.0572.I	6.1	1.10	57.2	0.3747	32.89	37.32	yes	stainless steel	4G
C.061.110.0572.N	6.1	1.10	57.2	0.4363	32.89	37.41	yes	Zn coating	4I
C.061.110.0600.A	6.1	1.10	60.0	0.3459	40.70	45.67	yes	music wire	4C
C.061.110.0600.I	6.1	1.10	60.0	0.2971	40.70	45.67	yes	stainless steel	4D
C.061.110.0800.A	6.1	1.10	80.0	0.2572	53.79	60.48	yes	music wire	4D
C.061.110.0800.I	6.1	1.10	80.0	0.2209	53.79	60.48	yes	stainless steel	4D
C.061.110.1000.A	6.1	1.10	100.0	0.2047	66.88	75.28	yes	music wire	4D
C.061.110.1000.I	6.1	1.10	100.0	0.1758	66.88	75.28	yes	stainless steel	4D
C.061.110.1200.A	6.1	1.10	120.0	0.1700	79.97	90.09	yes	music wire	4D
C.061.110.1200.I	6.1	1.10	120.0	0.1460	79.97	90.09	yes	stainless steel	4E
C.061.110.1600.A	6.1	1.10	160.0	0.1269	106.15	119.69	yes	music wire	4D
C.061.110.1600.I	6.1	1.10	160.0	0.1090	106.15	119.69	yes	stainless steel	4E
C.061.110.2000.A	6.1	1.10	200.0	0.1013	132.33	149.30	yes	music wire	4E
C.061.110.2000.I	6.1	1.10	200.0	0.0870	132.33	149.30	yes	stainless steel	4E
C.061.111.0175.A	6.1	1.11	17.5	1.7241	10.77	12.37	yes	music wire	4F
C.061.111.0175.I	6.1	1.11	17.5	1.5000	10.66	12.41	yes	stainless steel	4F
C.061.111.0600.A	6.1	1.11	60.0	0.3608	41.07	46.06	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.111.0600.I	6.1	1.11	60.0	0.3099	41.07	46.06	yes	stainless steel	4D
C.061.112.0600.A	6.1	1.12	60.0	0.3773	41.33	46.33	yes	music wire	4C
C.061.112.0600.I	6.1	1.12	60.0	0.3241	41.33	46.33	yes	stainless steel	4D
C.061.115.0112.A	6.1	1.15	11.2	3.0630	8.40	9.11	yes	music wire	4C
C.061.115.0112.I	6.1	1.15	11.2	2.6648	8.28	8.97	yes	stainless steel	4C
C.061.115.0112.N	6.1	1.15	11.2	3.0630	8.40	9.11	yes	Zn coating	4E
C.061.115.0127.A	6.1	1.15	12.7	2.6140	9.32	10.14	yes	music wire	4C
C.061.115.0127.I	6.1	1.15	12.7	2.2742	9.20	10.01	yes	stainless steel	4C
C.061.115.0127.N	6.1	1.15	12.7	2.6140	9.32	10.14	yes	Zn coating	4E
C.061.115.0142.A	6.1	1.15	14.2	2.2800	10.24	11.18	yes	music wire	4C
C.061.115.0142.I	6.1	1.15	14.2	1.9836	10.24	11.18	yes	stainless steel	4C
C.061.115.0142.N	6.1	1.15	14.2	2.2800	10.24	11.18	yes	Zn coating	4E
C.061.115.0160.A	6.1	1.15	16.0	2.0220	11.27	12.34	yes	music wire	4C
C.061.115.0160.I	6.1	1.15	16.0	1.7591	11.16	12.22	yes	stainless steel	4F
C.061.115.0160.N	6.1	1.15	16.0	2.0220	11.27	12.34	yes	Zn coating	4E
C.061.115.0175.A	6.1	1.15	17.5	1.7860	12.31	13.52	yes	music wire	4C
C.061.115.0175.I	6.1	1.15	17.5	1.5538	12.19	13.38	yes	stainless steel	4C
C.061.115.0175.N	6.1	1.15	17.5	1.7860	12.31	13.52	yes	Zn coating	4E
C.061.115.0190.A	6.1	1.15	19.0	1.6230	13.34	14.68	yes	music wire	4C
C.061.115.0190.I	6.1	1.15	19.0	1.4120	13.11	14.42	yes	stainless steel	4C
C.061.115.0190.N	6.1	1.15	19.0	1.6230	13.34	14.68	yes	Zn coating	4E
C.061.115.0200.A	6.1	1.15	20.0	1.3859	15.07	16.63	yes	music wire	4C
C.061.115.0200.I	6.1	1.15	20.0	1.1904	15.07	16.63	yes	stainless steel	4C
C.061.115.0206.A	6.1	1.15	20.6	1.4880	14.26	15.71	yes	music wire	4C
C.061.115.0206.I	6.1	1.15	20.6	1.2946	14.03	15.46	yes	stainless steel	4F
C.061.115.0206.N	6.1	1.15	20.6	1.4880	14.26	15.71	yes	Zn coating	4E
C.061.115.0224.A	6.1	1.15	22.4	1.3570	15.30	16.89	yes	music wire	4C
C.061.115.0224.I	6.1	1.15	22.4	1.1806	15.18	16.75	yes	stainless steel	4F
C.061.115.0224.N	6.1	1.15	22.4	1.3570	15.30	16.89	yes	Zn coating	4E
C.061.115.0254.A	6.1	1.15	25.4	1.1780	17.25	19.09	yes	music wire	4C
C.061.115.0254.I	6.1	1.15	25.4	1.0249	17.02	18.83	yes	stainless steel	4F
C.061.115.0254.N	6.1	1.15	25.4	1.1780	17.25	19.09	yes	Zn coating	4E
C.061.115.0320.A	6.1	1.15	32.0	0.9250	21.16	23.50	yes	music wire	4F
C.061.115.0320.I	6.1	1.15	32.0	0.8048	20.93	23.24	yes	stainless steel	4F
C.061.115.0320.N	6.1	1.15	32.0	0.9250	21.16	23.50	yes	Zn coating	4H
C.061.115.0380.A	6.1	1.15	38.0	0.7600	25.07	27.91	yes	music wire	4F
C.061.115.0380.I	6.1	1.15	38.0	0.6612	24.84	27.65	yes	stainless steel	4F
C.061.115.0380.N	6.1	1.15	38.0	0.7600	25.07	27.91	yes	Zn coating	4H
C.061.115.0400.A	6.1	1.15	40.0	0.6529	28.75	32.06	yes	music wire	4C
C.061.115.0400.I	6.1	1.15	40.0	0.5608	28.75	32.06	yes	stainless steel	4D
C.061.115.0445.A	6.1	1.15	44.5	0.6460	28.98	32.32	yes	music wire	4F
C.061.115.0445.I	6.1	1.15	44.5	0.5620	28.75	32.06	yes	stainless steel	4G
C.061.115.0445.N	6.1	1.15	44.5	0.6460	28.98	32.32	yes	Zn coating	4H
C.061.115.0510.A	6.1	1.15	51.0	0.5600	33.01	36.86	yes	music wire	4F
C.061.115.0510.I	6.1	1.15	51.0	0.4872	32.66	36.47	yes	stainless steel	4G
C.061.115.0510.N	6.1	1.15	51.0	0.5600	33.01	36.86	yes	Zn coating	4H
C.061.115.0570.A	6.1	1.15	57.0	0.4960	36.92	41.27	yes	music wire	4F
C.061.115.0570.I	6.1	1.15	57.0	0.4315	36.46	40.75	yes	stainless steel	4G
C.061.115.0570.N	6.1	1.15	57.0	0.4960	36.92	41.27	yes	Zn coating	4I
C.061.115.0600.A	6.1	1.15	60.0	0.4271	42.44	47.50	yes	music wire	4C
C.061.115.0600.I	6.1	1.15	60.0	0.3668	42.44	47.50	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.061.115.0635.A	6.1	1.15	63.5	0.4450	40.83	45.68	yes	music wire	4F
C.061.115.0635.I	6.1	1.15	63.5	0.3872	40.37	45.16	yes	stainless steel	4G
C.061.115.0635.N	6.1	1.15	63.5	0.4450	40.83	45.68	yes	Zn coating	4I
C.061.115.0800.A	6.1	1.15	80.0	0.3173	56.12	62.92	yes	music wire	4D
C.061.115.0800.I	6.1	1.15	80.0	0.2725	56.12	62.92	yes	stainless steel	4D
C.061.115.1000.A	6.1	1.15	100.0	0.2524	69.81	78.36	yes	music wire	4D
C.061.115.1000.I	6.1	1.15	100.0	0.2168	69.81	78.36	yes	stainless steel	4D
C.061.115.1200.A	6.1	1.15	120.0	0.2096	83.49	93.79	yes	music wire	4D
C.061.115.1200.I	6.1	1.15	120.0	0.1800	83.49	93.79	yes	stainless steel	4E
C.061.115.2000.A	6.1	1.15	200.0	0.1248	138.23	155.53	yes	music wire	4E
C.061.115.2000.I	6.1	1.15	200.0	0.1072	138.23	155.53	yes	stainless steel	4E
C.062.050.0125.A	6.2	0.50	12.5	0.0800	3.40	4.03	yes	music wire	4B
C.062.050.0160.A	6.2	0.50	16.0	0.0635	3.95	4.75	yes	music wire	4B
C.062.050.0200.A	6.2	0.50	20.0	0.0500	4.70	5.72	yes	music wire	4B
C.062.050.0250.A	6.2	0.50	25.0	0.0400	5.55	6.82	yes	music wire	4B
C.062.050.0320.A	6.2	0.50	32.0	0.0320	6.60	8.18	yes	music wire	4B
C.062.050.0400.A	6.2	0.50	40.0	0.0250	8.15	10.19	yes	music wire	4B
C.062.050.0500.A	6.2	0.50	50.0	0.0200	9.85	12.39	yes	music wire	4B
C.062.050.0630.A	6.2	0.50	63.0	0.0160	12.00	15.17	yes	music wire	4B
C.062.050.0800.A	6.2	0.50	80.0	0.0125	15.00	19.06	yes	music wire	4C
C.062.050.0800.AP	6.2	0.50	80.0	0.0190	10.30	29.80	yes	music wire	4E
C.062.050.0800.I	6.2	0.50	80.0	0.0109	14.85	18.86	yes	stainless steel	4C
C.062.050.0800.N	6.2	0.50	80.0	0.0125	15.00	19.06	yes	Zn coating	4D
C.062.060.0235.A	6.2	0.60	23.5	0.0780	7.26	8.59	yes	music wire	4C
C.062.060.0235.AP	6.2	0.60	23.5	0.1189	5.28	10.09	yes	music wire	4E
C.062.060.0235.I	6.2	0.60	23.5	0.0679	7.20	8.51	yes	stainless steel	4C
C.062.060.0235.N	6.2	0.60	23.5	0.0780	7.26	8.59	yes	Zn coating	4E
C.062.090.0930.A	6.2	0.90	93.0	0.1264	34.20	54.04	yes	music wire	4I
C.062.090.0930.I	6.2	0.90	93.0	0.1100	33.84	54.57	yes	stainless steel	4I
C.062.100.0360.A	6.2	1.00	36.0	0.5270	16.20	23.53	yes	music wire	4H
C.062.100.0360.I	6.2	1.00	36.0	0.4585	16.10	23.66	yes	stainless steel	4I
C.062.100.0360.N	6.2	1.00	36.0	0.5270	16.20	23.53	yes	Zn coating	4I
C.063.050.0080.A	6.3	0.50	8.0	0.1260	2.55	2.94	yes	music wire	4B
C.063.050.0080.AP	6.3	0.50	8.0	0.2030	2.05	3.37	yes	music wire	4D
C.063.050.0080.I	6.3	0.50	8.0	0.1096	2.55	2.94	yes	stainless steel	4C
C.063.050.0080.N	6.3	0.50	8.0	0.1260	2.55	2.94	yes	Zn coating	4C
C.063.050.0100.A	6.3	0.50	10.0	0.0970	2.95	3.46	yes	music wire	4B
C.063.050.0100.I	6.3	0.50	10.0	0.0844	2.90	3.40	yes	stainless steel	4C
C.063.050.0100.N	6.3	0.50	10.0	0.0970	2.95	3.46	yes	Zn coating	4C
C.063.050.0125.A	6.3	0.50	12.5	0.0780	3.35	3.98	yes	music wire	4B
C.063.050.0125.AP	6.3	0.50	12.5	0.1249	2.55	4.98	yes	music wire	4D
C.063.050.0125.I	6.3	0.50	12.5	0.0679	3.30	3.92	yes	stainless steel	4C
C.063.050.0125.N	6.3	0.50	12.5	0.0780	3.35	3.98	yes	Zn coating	4C
C.063.050.0160.A	6.3	0.50	16.0	0.0600	3.95	4.76	yes	music wire	4B
C.063.050.0160.AP	6.3	0.50	16.0	0.0955	2.95	6.16	yes	music wire	4D
C.063.050.0160.I	6.3	0.50	16.0	0.0522	3.95	4.76	yes	stainless steel	4C
C.063.050.0160.N	6.3	0.50	16.0	0.0600	3.95	4.76	yes	Zn coating	4C
C.063.050.0200.A	6.3	0.50	20.0	0.0470	4.70	5.74	yes	music wire	4B
C.063.050.0200.I	6.3	0.50	20.0	0.0409	4.70	5.74	yes	stainless steel	4C
C.063.050.0200.N	6.3	0.50	20.0	0.0470	4.70	5.74	yes	Zn coating	4C
C.063.050.0250.A	6.3	0.50	25.0	0.0370	5.65	6.98	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.063.050.0250.I	6.3	0.50	25.0	0.0322	5.60	6.91	yes	stainless steel	4C
C.063.050.0250.N	6.3	0.50	25.0	0.0370	5.65	6.98	yes	Zn coating	4C
C.063.050.0320.A	6.3	0.50	32.0	0.0290	6.90	8.61	yes	music wire	4B
C.063.050.0320.I	6.3	0.50	32.0	0.0252	6.80	8.48	yes	stainless steel	4C
C.063.050.0320.N	6.3	0.50	32.0	0.0290	6.90	8.61	yes	Zn coating	4D
C.063.050.0400.A	6.3	0.50	40.0	0.0230	8.35	10.49	yes	music wire	4B
C.063.050.0400.I	6.3	0.50	40.0	0.0200	8.25	10.36	yes	stainless steel	4C
C.063.050.0400.N	6.3	0.50	40.0	0.0230	8.35	10.49	yes	Zn coating	4D
C.063.050.0500.A	6.3	0.50	50.0	0.0180	10.30	13.03	yes	music wire	4C
C.063.050.0500.I	6.3	0.50	50.0	0.0157	10.20	12.90	yes	stainless steel	4C
C.063.050.0500.N	6.3	0.50	50.0	0.0180	10.30	13.03	yes	Zn coating	4D
C.063.050.0630.A	6.3	0.50	63.0	0.0150	12.15	15.44	yes	music wire	4C
C.063.050.0630.I	6.3	0.50	63.0	0.0130	12.05	15.31	yes	stainless steel	4C
C.063.050.0630.N	6.3	0.50	63.0	0.0150	12.15	15.44	yes	Zn coating	4D
C.063.050.3600.A	6.3	0.50	360.0	0.0030	56.15	72.57	no	music wire	4E
C.063.050.3600.I	6.3	0.50	360.0	0.0026	55.65	71.92	no	stainless steel	4E
C.063.055.0080.A	6.3	0.55	8.0	0.1800	2.86	3.25	yes	music wire	4C
C.063.055.0080.AP	6.3	0.55	8.0	0.2713	2.37	3.47	yes	music wire	4E
C.063.055.0080.I	6.3	0.55	8.0	0.1566	2.86	3.25	yes	stainless steel	4C
C.063.055.0080.N	6.3	0.55	8.0	0.1800	2.86	3.25	yes	Zn coating	4E
C.063.055.0100.A	6.3	0.55	10.0	0.1400	3.30	3.81	yes	music wire	4C
C.063.055.0100.AP	6.3	0.55	10.0	0.2220	2.59	4.46	yes	music wire	4E
C.063.055.0100.I	6.3	0.55	10.0	0.1218	3.30	3.81	yes	stainless steel	4C
C.063.055.0100.N	6.3	0.55	10.0	0.1400	3.30	3.81	yes	Zn coating	4E
C.063.055.0125.A	6.3	0.55	12.5	0.1080	3.85	4.50	yes	music wire	4C
C.063.055.0125.AP	6.3	0.55	12.5	0.1684	2.97	5.20	yes	music wire	4E
C.063.055.0125.I	6.3	0.55	12.5	0.0940	3.85	4.50	yes	stainless steel	4C
C.063.055.0125.N	6.3	0.55	12.5	0.1080	3.85	4.50	yes	Zn coating	4E
C.063.055.0160.A	6.3	0.55	16.0	0.0840	4.57	5.41	yes	music wire	4C
C.063.055.0160.AP	6.3	0.55	16.0	0.1320	3.41	6.68	yes	music wire	4E
C.063.055.0160.I	6.3	0.55	16.0	0.0731	4.57	5.41	yes	stainless steel	4C
C.063.055.0160.N	6.3	0.55	16.0	0.0840	4.57	5.41	yes	Zn coating	4E
C.063.055.0200.A	6.3	0.55	20.0	0.0660	5.45	6.52	yes	music wire	4C
C.063.055.0200.AP	6.3	0.55	20.0	0.1039	3.96	8.17	yes	music wire	4E
C.063.055.0200.I	6.3	0.55	20.0	0.0574	5.39	6.45	yes	stainless steel	4C
C.063.055.0200.N	6.3	0.55	20.0	0.0660	5.45	6.52	yes	Zn coating	4E
C.063.055.0250.A	6.3	0.55	25.0	0.0520	6.55	7.91	yes	music wire	4C
C.063.055.0250.AP	6.3	0.55	25.0	0.0828	4.62	10.15	yes	music wire	4E
C.063.055.0250.I	6.3	0.55	25.0	0.0452	6.49	7.84	yes	stainless steel	4C
C.063.055.0250.N	6.3	0.55	25.0	0.0520	6.55	7.91	yes	Zn coating	4E
C.063.055.0320.A	6.3	0.55	32.0	0.0410	7.98	9.72	yes	music wire	4C
C.063.055.0320.AP	6.3	0.55	32.0	0.0643	5.56	12.87	yes	music wire	4E
C.063.055.0320.I	6.3	0.55	32.0	0.0357	7.87	9.58	yes	stainless steel	4C
C.063.055.0320.N	6.3	0.55	32.0	0.0410	7.98	9.72	yes	Zn coating	4E
C.063.055.0400.A	6.3	0.55	40.0	0.0320	9.79	12.01	yes	music wire	4C
C.063.055.0400.AP	6.3	0.55	40.0	0.0509	6.66	15.83	yes	music wire	4E
C.063.055.0400.I	6.3	0.55	40.0	0.0278	9.68	11.87	yes	stainless steel	4C
C.063.055.0400.N	6.3	0.55	40.0	0.0320	9.79	12.01	yes	Zn coating	4E
C.063.055.0500.A	6.3	0.55	50.0	0.0260	11.77	14.51	yes	music wire	4C
C.063.055.0500.AP	6.3	0.55	50.0	0.0404	8.09	19.54	yes	music wire	4E
C.063.055.0500.I	6.3	0.55	50.0	0.0226	11.61	14.31	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.063.055.0500.N	6.3	0.55	50.0	0.0260	11.77	14.51	yes	Zn coating	4E
C.063.055.0630.A	6.3	0.55	63.0	0.0200	14.85	18.41	yes	music wire	4C
C.063.055.0630.AP	6.3	0.55	63.0	0.0319	9.85	24.48	yes	music wire	4F
C.063.055.0630.I	6.3	0.55	63.0	0.0174	14.69	18.20	yes	stainless steel	4C
C.063.055.0630.N	6.3	0.55	63.0	0.0200	14.85	18.41	yes	Zn coating	4E
C.063.055.3600.A	6.3	0.55	360.0	0.0040	69.36	87.16	no	music wire	4E
C.063.055.3600.I	6.3	0.55	360.0	0.0035	68.09	85.55	no	stainless steel	4F
C.063.060.0080.A	6.3	0.60	8.0	0.2490	3.24	3.65	yes	music wire	4C
C.063.060.0080.AP	6.3	0.60	8.0	0.3738	2.64	3.80	yes	music wire	4E
C.063.060.0080.I	6.3	0.60	8.0	0.2166	3.18	3.58	yes	stainless steel	4C
C.063.060.0080.N	6.3	0.60	8.0	0.2490	3.24	3.65	yes	Zn coating	4E
C.063.060.0100.A	6.3	0.60	10.0	0.1890	3.78	4.32	yes	music wire	4C
C.063.060.0100.AP	6.3	0.60	10.0	0.2960	2.94	4.69	yes	music wire	4E
C.063.060.0100.I	6.3	0.60	10.0	0.1644	3.72	4.24	yes	stainless steel	4C
C.063.060.0100.N	6.3	0.60	10.0	0.1890	3.78	4.32	yes	Zn coating	4E
C.063.060.0125.A	6.3	0.60	12.5	0.1520	4.32	4.98	yes	music wire	4C
C.063.060.0125.AP	6.3	0.60	12.5	0.2291	3.36	5.65	yes	music wire	4E
C.063.060.0125.I	6.3	0.60	12.5	0.1322	4.26	4.91	yes	stainless steel	4C
C.063.060.0125.N	6.3	0.60	12.5	0.1520	4.32	4.98	yes	Zn coating	4E
C.063.060.0160.A	6.3	0.60	16.0	0.1140	5.28	6.17	yes	music wire	4C
C.063.060.0160.AP	6.3	0.60	16.0	0.1732	3.96	6.94	yes	music wire	4E
C.063.060.0160.I	6.3	0.60	16.0	0.0992	5.22	6.10	yes	stainless steel	4C
C.063.060.0160.N	6.3	0.60	16.0	0.1140	5.28	6.17	yes	Zn coating	4E
C.063.060.0200.A	6.3	0.60	20.0	0.0910	6.18	7.28	yes	music wire	4C
C.063.060.0200.AP	6.3	0.60	20.0	0.1366	4.62	8.50	yes	music wire	4E
C.063.060.0200.I	6.3	0.60	20.0	0.0792	6.12	7.21	yes	stainless steel	4C
C.063.060.0200.N	6.3	0.60	20.0	0.0910	6.18	7.28	yes	Zn coating	4E
C.063.060.0250.A	6.3	0.60	25.0	0.0720	7.44	8.84	yes	music wire	4C
C.063.060.0250.AP	6.3	0.60	25.0	0.1093	5.40	10.63	yes	music wire	4E
C.063.060.0250.I	6.3	0.60	25.0	0.0626	7.38	8.76	yes	stainless steel	4C
C.063.060.0250.N	6.3	0.60	25.0	0.0720	7.44	8.84	yes	Zn coating	4E
C.063.060.0320.A	6.3	0.60	32.0	0.0550	9.30	11.14	yes	music wire	4C
C.063.060.0320.AP	6.3	0.60	32.0	0.0846	6.54	13.43	yes	music wire	4E
C.063.060.0320.I	6.3	0.60	32.0	0.0478	9.18	10.99	yes	stainless steel	4C
C.063.060.0320.N	6.3	0.60	32.0	0.0550	9.30	11.14	yes	Zn coating	4E
C.063.060.0400.A	6.3	0.60	40.0	0.0440	11.22	13.51	yes	music wire	4C
C.063.060.0400.AP	6.3	0.60	40.0	0.0670	7.86	16.57	yes	music wire	4E
C.063.060.0400.I	6.3	0.60	40.0	0.0383	11.10	13.36	yes	stainless steel	4C
C.063.060.0400.N	6.3	0.60	40.0	0.0440	11.22	13.51	yes	Zn coating	4E
C.063.060.0500.A	6.3	0.60	50.0	0.0350	13.74	16.62	yes	music wire	4C
C.063.060.0500.AP	6.3	0.60	50.0	0.0534	9.48	20.60	yes	music wire	4E
C.063.060.0500.I	6.3	0.60	50.0	0.0304	13.56	16.40	yes	stainless steel	4C
C.063.060.0500.N	6.3	0.60	50.0	0.0350	13.74	16.62	yes	Zn coating	4E
C.063.060.0630.A	6.3	0.60	63.0	0.0280	16.80	20.40	yes	music wire	4C
C.063.060.0630.AP	6.3	0.60	63.0	0.0423	11.64	25.86	yes	music wire	4F
C.063.060.0630.I	6.3	0.60	63.0	0.0244	16.56	20.10	yes	stainless steel	4C
C.063.060.0630.N	6.3	0.60	63.0	0.0280	16.80	20.40	yes	Zn coating	4E
C.063.060.3600.A	6.3	0.60	360.0	0.0050	87.66	107.80	no	music wire	4E
C.063.060.3600.I	6.3	0.60	360.0	0.0044	85.62	105.28	no	stainless steel	4F
C.063.070.0080.A	6.3	0.70	8.0	0.4470	3.92	4.35	yes	music wire	4C
C.063.070.0080.AP	6.3	0.70	8.0	0.6314	3.29	4.17	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.063.070.0080.I	6.3	0.70	8.0	0.3889	3.92	4.35	yes	stainless steel	4C
C.063.070.0080.N	6.3	0.70	8.0	0.4470	3.92	4.35	yes	Zn coating	4E
C.063.070.0100.A	6.3	0.70	10.0	0.3460	4.55	5.10	yes	music wire	4C
C.063.070.0100.AP	6.3	0.70	10.0	0.4961	3.71	5.13	yes	music wire	4E
C.063.070.0100.I	6.3	0.70	10.0	0.3010	4.55	5.10	yes	stainless steel	4C
C.063.070.0100.N	6.3	0.70	10.0	0.3460	4.55	5.10	yes	Zn coating	4E
C.063.070.0125.A	6.3	0.70	12.5	0.2750	5.32	6.02	yes	music wire	4C
C.063.070.0125.AP	6.3	0.70	12.5	0.3858	4.27	6.23	yes	music wire	4E
C.063.070.0125.I	6.3	0.70	12.5	0.2392	5.25	5.94	yes	stainless steel	4C
C.063.070.0125.N	6.3	0.70	12.5	0.2750	5.32	6.02	yes	Zn coating	4E
C.063.070.0160.A	6.3	0.70	16.0	0.2060	6.51	7.44	yes	music wire	4C
C.063.070.0160.AP	6.3	0.70	16.0	0.2955	5.04	7.82	yes	music wire	4E
C.063.070.0160.I	6.3	0.70	16.0	0.1792	6.44	7.36	yes	stainless steel	4C
C.063.070.0160.N	6.3	0.70	16.0	0.2060	6.51	7.44	yes	Zn coating	4E
C.063.070.0200.A	6.3	0.70	20.0	0.1620	7.77	8.95	yes	music wire	4C
C.063.070.0200.AP	6.3	0.70	20.0	0.2315	5.95	9.56	yes	music wire	4E
C.063.070.0200.I	6.3	0.70	20.0	0.1409	7.70	8.87	yes	stainless steel	4C
C.063.070.0200.N	6.3	0.70	20.0	0.1620	7.77	8.95	yes	Zn coating	4E
C.063.070.0250.A	6.3	0.70	25.0	0.1290	9.31	10.79	yes	music wire	4C
C.063.070.0250.AP	6.3	0.70	25.0	0.1828	7.07	11.77	yes	music wire	4E
C.063.070.0250.I	6.3	0.70	25.0	0.1122	9.24	10.71	yes	stainless steel	4C
C.063.070.0250.N	6.3	0.70	25.0	0.1290	9.31	10.79	yes	Zn coating	4E
C.063.070.0320.A	6.3	0.70	32.0	0.0990	11.62	13.55	yes	music wire	4C
C.063.070.0320.AP	6.3	0.70	32.0	0.1417	8.61	14.94	yes	music wire	4E
C.063.070.0320.I	6.3	0.70	32.0	0.0861	11.48	13.39	yes	stainless steel	4C
C.063.070.0320.N	6.3	0.70	32.0	0.0990	11.62	13.55	yes	Zn coating	4E
C.063.070.0400.A	6.3	0.70	40.0	0.0790	14.07	16.48	yes	music wire	4C
C.063.070.0400.AP	6.3	0.70	40.0	0.1120	10.43	18.42	yes	music wire	4E
C.063.070.0400.I	6.3	0.70	40.0	0.0687	13.93	16.32	yes	stainless steel	4C
C.063.070.0400.N	6.3	0.70	40.0	0.0790	14.07	16.48	yes	Zn coating	4E
C.063.070.0500.A	6.3	0.70	50.0	0.0630	17.22	20.25	yes	music wire	4C
C.063.070.0500.AP	6.3	0.70	50.0	0.0890	12.67	22.85	yes	music wire	4F
C.063.070.0500.I	6.3	0.70	50.0	0.0548	17.01	20.00	yes	stainless steel	4C
C.063.070.0500.N	6.3	0.70	50.0	0.0630	17.22	20.25	yes	Zn coating	4E
C.063.070.0630.A	6.3	0.70	63.0	0.0500	21.28	25.11	yes	music wire	4C
C.063.070.0630.AP	6.3	0.70	63.0	0.0705	15.61	28.71	yes	music wire	4F
C.063.070.0630.I	6.3	0.70	63.0	0.0435	21.00	24.77	yes	stainless steel	4D
C.063.070.0630.N	6.3	0.70	63.0	0.0500	21.28	25.11	yes	Zn coating	4E
C.063.070.3600.A	6.3	0.70	360.0	0.0090	110.81	132.05	no	music wire	4E
C.063.070.3600.I	6.3	0.70	360.0	0.0078	109.83	130.88	no	stainless steel	4F
C.063.080.0080.A	6.3	0.80	8.0	0.8040	4.48	4.90	yes	music wire	4C
C.063.080.0080.AP	6.3	0.80	8.0	1.0431	3.92	4.64	yes	music wire	4E
C.063.080.0080.I	6.3	0.80	8.0	0.7000	4.48	4.90	yes	stainless steel	4C
C.063.080.0080.N	6.3	0.80	8.0	0.8040	4.48	4.90	yes	Zn coating	4E
C.063.080.0100.A	6.3	0.80	10.0	0.6030	5.36	5.93	yes	music wire	4C
C.063.080.0100.AP	6.3	0.80	10.0	0.8076	4.48	5.66	yes	music wire	4E
C.063.080.0100.I	6.3	0.80	10.0	0.5246	5.28	5.84	yes	stainless steel	4C
C.063.080.0100.N	6.3	0.80	10.0	0.6030	5.36	5.93	yes	Zn coating	4E
C.063.080.0125.A	6.3	0.80	12.5	0.4710	6.24	6.96	yes	music wire	4C
C.063.080.0125.AP	6.3	0.80	12.5	0.6259	5.20	6.90	yes	music wire	4E
C.063.080.0125.I	6.3	0.80	12.5	0.4098	6.24	6.96	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.063.080.0125.N	6.3	0.80	12.5	0.4710	6.24	6.96	yes	Zn coating	4E
C.063.080.0160.A	6.3	0.80	16.0	0.3570	7.60	8.56	yes	music wire	4C
C.063.080.0160.AP	6.3	0.80	16.0	0.4723	6.24	8.58	yes	music wire	4E
C.063.080.0160.I	6.3	0.80	16.0	0.3106	7.52	8.46	yes	stainless steel	4C
C.063.080.0160.N	6.3	0.80	16.0	0.3570	7.60	8.56	yes	Zn coating	4E
C.063.080.0200.A	6.3	0.80	20.0	0.2800	9.20	10.43	yes	music wire	4C
C.063.080.0200.AP	6.3	0.80	20.0	0.3736	7.36	10.62	yes	music wire	4E
C.063.080.0200.I	6.3	0.80	20.0	0.2436	9.04	10.24	yes	stainless steel	4C
C.063.080.0200.N	6.3	0.80	20.0	0.2800	9.20	10.43	yes	Zn coating	4E
C.063.080.0250.A	6.3	0.80	25.0	0.2190	11.20	12.77	yes	music wire	4C
C.063.080.0250.AP	6.3	0.80	25.0	0.2911	8.88	12.96	yes	music wire	4E
C.063.080.0250.I	6.3	0.80	25.0	0.1905	11.04	12.58	yes	stainless steel	4C
C.063.080.0250.N	6.3	0.80	25.0	0.2190	11.20	12.77	yes	Zn coating	4E
C.063.080.0320.A	6.3	0.80	32.0	0.1690	13.84	15.86	yes	music wire	4C
C.063.080.0320.AP	6.3	0.80	32.0	0.2255	10.88	16.46	yes	music wire	4E
C.063.080.0320.I	6.3	0.80	32.0	0.1470	13.76	15.77	yes	stainless steel	4C
C.063.080.0320.N	6.3	0.80	32.0	0.1690	13.84	15.86	yes	Zn coating	4E
C.063.080.0400.A	6.3	0.80	40.0	0.1340	16.96	19.52	yes	music wire	4C
C.063.080.0400.AP	6.3	0.80	40.0	0.1788	13.20	20.39	yes	music wire	4F
C.063.080.0400.I	6.3	0.80	40.0	0.1166	16.80	19.33	yes	stainless steel	4C
C.063.080.0400.N	6.3	0.80	40.0	0.1340	16.96	19.52	yes	Zn coating	4E
C.063.080.0500.A	6.3	0.80	50.0	0.1060	20.96	24.20	yes	music wire	4C
C.063.080.0500.AP	6.3	0.80	50.0	0.1422	16.08	25.35	yes	music wire	4F
C.063.080.0500.I	6.3	0.80	50.0	0.0922	20.72	23.92	yes	stainless steel	4C
C.063.080.0500.N	6.3	0.80	50.0	0.1060	20.96	24.20	yes	Zn coating	4E
C.063.080.0630.A	6.3	0.80	63.0	0.0840	25.92	30.01	yes	music wire	4C
C.063.080.0630.AP	6.3	0.80	63.0	0.1123	19.84	31.77	yes	music wire	4F
C.063.080.0630.I	6.3	0.80	63.0	0.0731	25.60	29.63	yes	stainless steel	4D
C.063.080.0630.N	6.3	0.80	63.0	0.0840	25.92	30.01	yes	Zn coating	4E
C.063.080.3600.A	6.3	0.80	360.0	0.0140	146.08	170.57	no	music wire	4E
C.063.080.3600.I	6.3	0.80	360.0	0.0122	144.08	168.22	no	stainless steel	4F
C.063.090.0080.A	6.3	0.90	8.0	1.2560	5.31	5.78	yes	music wire	4C
C.063.090.0080.AP	6.3	0.90	8.0	1.6311	4.59	5.02	yes	music wire	4E
C.063.090.0080.I	6.3	0.90	8.0	1.0927	5.22	5.68	yes	stainless steel	4C
C.063.090.0080.N	6.3	0.90	8.0	1.2560	5.31	5.78	yes	Zn coating	4E
C.063.090.0093.A	6.3	0.90	9.3	1.2128	5.40	5.89	yes	music wire	4C
C.063.090.0093.I	6.3	0.90	9.3	1.0551	5.40	5.89	yes	stainless steel	4C
C.063.090.0093.N	6.3	0.90	9.3	1.2128	5.40	5.89	yes	Zn coating	4E
C.063.090.0100.A	6.3	0.90	10.0	0.9610	6.21	6.82	yes	music wire	4C
C.063.090.0100.AP	6.3	0.90	10.0	1.2473	5.31	6.11	yes	music wire	4E
C.063.090.0100.I	6.3	0.90	10.0	0.8361	6.21	6.82	yes	stainless steel	4C
C.063.090.0100.N	6.3	0.90	10.0	0.9610	6.21	6.82	yes	Zn coating	4E
C.063.090.0125.A	6.3	0.90	12.5	0.7420	7.38	8.17	yes	music wire	4C
C.063.090.0125.AP	6.3	0.90	12.5	0.9638	6.21	7.46	yes	music wire	4E
C.063.090.0125.I	6.3	0.90	12.5	0.6455	7.29	8.07	yes	stainless steel	4C
C.063.090.0125.N	6.3	0.90	12.5	0.7420	7.38	8.17	yes	Zn coating	4E
C.063.090.0136.A	6.3	0.90	13.6	0.7718	7.20	7.96	yes	music wire	4E
C.063.090.0136.I	6.3	0.90	13.6	0.6629	7.20	7.96	yes	stainless steel	4F
C.063.090.0136.N	6.3	0.90	13.6	0.7718	7.20	7.96	yes	Zn coating	4G
C.063.090.0160.A	6.3	0.90	16.0	0.5630	9.00	10.04	yes	music wire	4C
C.063.090.0160.AP	6.3	0.90	16.0	0.7312	7.47	9.36	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.063.090.0160.I	6.3	0.90	16.0	0.4898	8.91	9.94	yes	stainless steel	4C
C.063.090.0160.N	6.3	0.90	16.0	0.5630	9.00	10.04	yes	Zn coating	4E
C.063.090.0200.A	6.3	0.90	20.0	0.4410	10.89	12.22	yes	music wire	4C
C.063.090.0200.AP	6.3	0.90	20.0	0.5731	8.91	11.53	yes	music wire	4E
C.063.090.0200.I	6.3	0.90	20.0	0.3837	10.80	12.12	yes	stainless steel	4C
C.063.090.0200.N	6.3	0.90	20.0	0.4410	10.89	12.22	yes	Zn coating	4E
C.063.090.0222.A	6.3	0.90	22.2	0.4468	10.80	12.12	yes	music wire	4E
C.063.090.0222.I	6.3	0.90	22.2	0.3838	10.80	12.12	yes	stainless steel	4F
C.063.090.0222.N	6.3	0.90	22.2	0.4468	10.80	12.12	yes	Zn coating	4H
C.063.090.0250.A	6.3	0.90	25.0	0.3480	13.23	14.92	yes	music wire	4C
C.063.090.0250.AP	6.3	0.90	25.0	0.4512	10.71	14.24	yes	music wire	4E
C.063.090.0250.I	6.3	0.90	25.0	0.3028	13.05	14.71	yes	stainless steel	4C
C.063.090.0250.N	6.3	0.90	25.0	0.3480	13.23	14.92	yes	Zn coating	4E
C.063.090.0320.A	6.3	0.90	32.0	0.2680	16.47	18.66	yes	music wire	4C
C.063.090.0320.AP	6.3	0.90	32.0	0.3476	13.23	18.03	yes	music wire	4F
C.063.090.0320.I	6.3	0.90	32.0	0.2332	16.29	18.45	yes	stainless steel	4C
C.063.090.0320.N	6.3	0.90	32.0	0.2680	16.47	18.66	yes	Zn coating	4E
C.063.090.0351.A	6.3	0.90	35.1	0.2739	16.20	18.35	yes	music wire	4F
C.063.090.0351.I	6.3	0.90	35.1	0.2353	16.20	18.35	yes	stainless steel	4F
C.063.090.0351.N	6.3	0.90	35.1	0.2739	16.20	18.35	yes	Zn coating	4H
C.063.090.0400.A	6.3	0.90	40.0	0.2110	20.34	23.13	yes	music wire	4C
C.063.090.0400.AP	6.3	0.90	40.0	0.2754	16.11	22.37	yes	music wire	4F
C.063.090.0400.I	6.3	0.90	40.0	0.1836	20.16	22.92	yes	stainless steel	4C
C.063.090.0400.N	6.3	0.90	40.0	0.2110	20.34	23.13	yes	Zn coating	4E
C.063.090.0500.A	6.3	0.90	50.0	0.1680	25.02	28.53	yes	music wire	4C
C.063.090.0500.AP	6.3	0.90	50.0	0.2197	19.62	27.91	yes	music wire	4F
C.063.090.0500.I	6.3	0.90	50.0	0.1462	24.66	28.11	yes	stainless steel	4D
C.063.090.0500.N	6.3	0.90	50.0	0.1680	25.02	28.53	yes	Zn coating	4E
C.063.090.0630.A	6.3	0.90	63.0	0.1320	31.23	35.69	yes	music wire	4C
C.063.090.0630.AP	6.3	0.90	63.0	0.1731	24.30	34.95	yes	music wire	4F
C.063.090.0630.I	6.3	0.90	63.0	0.1148	30.87	35.28	yes	stainless steel	4D
C.063.090.0630.N	6.3	0.90	63.0	0.1320	31.23	35.69	yes	Zn coating	4E
C.063.090.3600.A	6.3	0.90	360.0	0.0230	169.29	194.88	no	music wire	4F
C.063.090.3600.I	6.3	0.90	360.0	0.0200	167.22	192.49	no	stainless steel	4F
C.063.100.0080.A	6.3	1.00	8.0	2.1000	5.80	6.27	yes	music wire	4C
C.063.100.0080.I	6.3	1.00	8.0	1.8322	5.70	6.15	yes	stainless steel	4C
C.063.100.0080.N	6.3	1.00	8.0	2.1000	5.80	6.27	yes	Zn coating	4E
C.063.100.0085.A	6.3	1.00	8.5	1.9551	6.00	6.50	yes	music wire	4C
C.063.100.0085.I	6.3	1.00	8.5	1.7000	6.00	6.50	yes	stainless steel	4C
C.063.100.0085.N	6.3	1.00	8.5	1.9551	6.00	6.50	yes	Zn coating	4E
C.063.100.0100.A	6.3	1.00	10.0	1.5490	6.90	7.53	yes	music wire	4C
C.063.100.0100.AP	6.3	1.00	10.0	1.9551	6.00	6.69	yes	music wire	4E
C.063.100.0100.I	6.3	1.00	10.0	1.3476	6.90	7.53	yes	stainless steel	4C
C.063.100.0100.N	6.3	1.00	10.0	1.5490	6.90	7.53	yes	Zn coating	4E
C.063.100.0120.A	6.3	1.00	12.0	1.2442	8.00	8.78	yes	music wire	4C
C.063.100.0120.AP	6.3	1.00	12.0	1.5552	6.90	7.83	yes	music wire	4E
C.063.100.0120.I	6.3	1.00	12.0	1.0825	7.90	8.67	yes	stainless steel	4C
C.063.100.0120.N	6.3	1.00	12.0	1.2442	8.00	8.78	yes	Zn coating	4E
C.063.100.0125.A	6.3	1.00	12.5	1.2000	8.20	9.01	yes	music wire	4C
C.063.100.0125.AP	6.3	1.00	12.5	1.4876	7.10	8.14	yes	music wire	4E
C.063.100.0125.I	6.3	1.00	12.5	1.0414	8.10	8.90	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.063.100.0125.N	6.3	1.00	12.5	1.2000	8.20	9.01	yes	Zn coating	4E
C.063.100.0160.A	6.3	1.00	16.0	0.9080	10.00	11.07	yes	music wire	4C
C.063.100.0160.AP	6.3	1.00	16.0	1.1218	8.60	10.22	yes	music wire	4E
C.063.100.0160.I	6.3	1.00	16.0	0.7900	9.90	10.95	yes	stainless steel	4C
C.063.100.0160.N	6.3	1.00	16.0	0.9080	10.00	11.07	yes	Zn coating	4E
C.063.100.0180.A	6.3	1.00	18.0	0.8050	11.00	12.21	yes	music wire	4C
C.063.100.0180.I	6.3	1.00	18.0	0.6914	11.00	12.21	yes	stainless steel	4C
C.063.100.0180.N	6.3	1.00	18.0	0.8050	11.00	12.21	yes	Zn coating	4E
C.063.100.0200.A	6.3	1.00	20.0	0.7000	12.30	13.69	yes	music wire	4C
C.063.100.0200.AP	6.3	1.00	20.0	0.8773	10.30	12.61	yes	music wire	4F
C.063.100.0200.I	6.3	1.00	20.0	0.6107	12.10	13.46	yes	stainless steel	4C
C.063.100.0200.N	6.3	1.00	20.0	0.7000	12.30	13.69	yes	Zn coating	4E
C.063.100.0250.A	6.3	1.00	25.0	0.5540	14.90	16.66	yes	music wire	4C
C.063.100.0250.AP	6.3	1.00	25.0	0.6843	12.50	15.53	yes	music wire	4F
C.063.100.0250.I	6.3	1.00	25.0	0.4820	14.70	16.43	yes	stainless steel	4C
C.063.100.0250.N	6.3	1.00	25.0	0.5540	14.90	16.66	yes	Zn coating	4E
C.063.100.0280.A	6.3	1.00	28.0	0.5069	16.00	17.92	yes	music wire	4C
C.063.100.0280.I	6.3	1.00	28.0	0.4354	16.00	17.92	yes	stainless steel	4C
C.063.100.0280.N	6.3	1.00	28.0	0.5069	16.00	17.92	yes	Zn coating	4E
C.063.100.0320.A	6.3	1.00	32.0	0.4250	18.60	20.89	yes	music wire	4C
C.063.100.0320.AP	6.3	1.00	32.0	0.5264	15.50	19.69	yes	music wire	4F
C.063.100.0320.I	6.3	1.00	32.0	0.3697	18.40	20.66	yes	stainless steel	4C
C.063.100.0320.N	6.3	1.00	32.0	0.4250	18.60	20.89	yes	Zn coating	4E
C.063.100.0370.A	6.3	1.00	37.0	0.3910	20.00	22.49	yes	music wire	4F
C.063.100.0370.I	6.3	1.00	37.0	0.3358	20.00	22.49	yes	stainless steel	4F
C.063.100.0370.N	6.3	1.00	37.0	0.3910	20.00	22.49	yes	Zn coating	4H
C.063.100.0400.A	6.3	1.00	40.0	0.3350	22.90	25.80	yes	music wire	4C
C.063.100.0400.AP	6.3	1.00	40.0	0.4172	18.90	24.47	yes	music wire	4F
C.063.100.0400.I	6.3	1.00	40.0	0.2915	22.70	25.57	yes	stainless steel	4D
C.063.100.0400.N	6.3	1.00	40.0	0.3350	22.90	25.80	yes	Zn coating	4E
C.063.100.0410.A	6.3	1.00	41.0	0.3380	22.70	25.57	yes	music wire	4C
C.063.100.0410.I	6.3	1.00	41.0	0.2903	22.70	25.57	yes	stainless steel	4D
C.063.100.0410.N	6.3	1.00	41.0	0.3380	22.70	25.57	yes	Zn coating	4E
C.063.100.0500.A	6.3	1.00	50.0	0.2650	28.30	31.97	yes	music wire	4C
C.063.100.0500.AP	6.3	1.00	50.0	0.3306	23.20	30.39	yes	music wire	4F
C.063.100.0500.I	6.3	1.00	50.0	0.2306	28.00	31.62	yes	stainless steel	4D
C.063.100.0500.N	6.3	1.00	50.0	0.2650	28.30	31.97	yes	Zn coating	4E
C.063.100.0610.A	6.3	1.00	61.0	0.2401	31.00	35.05	yes	music wire	4F
C.063.100.0610.I	6.3	1.00	61.0	0.2062	31.00	35.05	yes	stainless steel	4G
C.063.100.0610.N	6.3	1.00	61.0	0.2401	31.00	35.05	yes	Zn coating	4H
C.063.100.0630.A	6.3	1.00	63.0	0.2090	35.20	39.85	yes	music wire	4C
C.063.100.0630.AP	6.3	1.00	63.0	0.2602	28.80	38.09	yes	music wire	4F
C.063.100.0630.I	6.3	1.00	63.0	0.1818	34.80	39.39	yes	stainless steel	4D
C.063.100.0630.N	6.3	1.00	63.0	0.2090	35.20	39.85	yes	Zn coating	4E
C.063.100.3600.A	6.3	1.00	360.0	0.0360	193.60	220.62	no	music wire	4F
C.063.100.3600.I	6.3	1.00	360.0	0.0313	191.30	217.99	no	stainless steel	4F
C.063.110.0080.A	6.3	1.10	8.0	3.2650	6.27	6.74	yes	music wire	4C
C.063.110.0080.AP	6.3	1.10	8.0	3.9325	5.72	6.12	yes	music wire	4E
C.063.110.0080.I	6.3	1.10	8.0	2.8406	6.27	6.74	yes	stainless steel	4C
C.063.110.0080.N	6.3	1.10	8.0	3.2650	6.27	6.74	yes	Zn coating	4E
C.063.110.0100.A	6.3	1.10	10.0	2.4740	7.48	8.11	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.063.110.0100.I	6.3	1.10	10.0	2.1524	7.37	7.99	yes	stainless steel	4C
C.063.110.0100.N	6.3	1.10	10.0	2.4740	7.48	8.11	yes	Zn coating	4E
C.063.110.0125.A	6.3	1.10	12.5	1.9000	8.91	9.73	yes	music wire	4C
C.063.110.0125.I	6.3	1.10	12.5	1.6513	8.80	9.61	yes	stainless steel	4C
C.063.110.0125.N	6.3	1.10	12.5	1.9000	8.91	9.73	yes	Zn coating	4E
C.063.110.0160.A	6.3	1.10	16.0	1.4080	11.00	12.10	yes	music wire	4C
C.063.110.0160.I	6.3	1.10	16.0	1.2250	10.89	11.98	yes	stainless steel	4C
C.063.110.0160.N	6.3	1.10	16.0	1.4080	11.00	12.10	yes	Zn coating	4E
C.063.110.0200.A	6.3	1.10	20.0	1.0880	13.42	14.84	yes	music wire	4C
C.063.110.0200.I	6.3	1.10	20.0	0.9466	13.31	14.72	yes	stainless steel	4C
C.063.110.0200.N	6.3	1.10	20.0	1.0880	13.42	14.84	yes	Zn coating	4E
C.063.110.0250.A	6.3	1.10	25.0	0.8590	16.28	18.09	yes	music wire	4C
C.063.110.0250.I	6.3	1.10	25.0	0.7473	16.17	17.96	yes	stainless steel	4D
C.063.110.0250.N	6.3	1.10	25.0	0.8590	16.28	18.09	yes	Zn coating	4E
C.063.110.0320.A	6.3	1.10	32.0	0.6530	20.57	22.95	yes	music wire	4C
C.063.110.0320.I	6.3	1.10	32.0	0.5681	20.35	22.70	yes	stainless steel	4D
C.063.110.0320.N	6.3	1.10	32.0	0.6530	20.57	22.95	yes	Zn coating	4E
C.063.110.0400.A	6.3	1.10	40.0	0.5170	25.30	28.31	yes	music wire	4C
C.063.110.0400.I	6.3	1.10	40.0	0.4498	25.08	28.06	yes	stainless steel	4D
C.063.110.0400.N	6.3	1.10	40.0	0.5170	25.30	28.31	yes	Zn coating	4E
C.063.110.0500.A	6.3	1.10	50.0	0.4080	31.35	35.17	yes	music wire	4C
C.063.110.0500.I	6.3	1.10	50.0	0.3550	31.02	34.79	yes	stainless steel	4D
C.063.110.0500.N	6.3	1.10	50.0	0.4080	31.35	35.17	yes	Zn coating	4E
C.063.110.0630.A	6.3	1.10	63.0	0.3210	39.05	43.90	yes	music wire	4C
C.063.110.0630.I	6.3	1.10	63.0	0.2793	38.61	43.40	yes	stainless steel	4D
C.063.110.0630.N	6.3	1.10	63.0	0.3210	39.05	43.90	yes	Zn coating	4E
C.063.110.3600.A	6.3	1.10	360.0	0.0550	216.04	244.37	no	music wire	4F
C.063.110.3600.I	6.3	1.10	360.0	0.0479	213.07	241.01	no	stainless steel	4F
C.064.030.0079.A	6.4	0.30	7.9	0.0069	2.64	3.79	no	music wire	4C
C.064.030.0079.I	6.4	0.30	7.9	0.0060	2.61	3.73	no	stainless steel	4C
C.064.030.0103.A	6.4	0.30	10.3	0.0060	2.88	4.20	no	music wire	4C
C.064.030.0103.I	6.4	0.30	10.3	0.0052	2.85	4.15	no	stainless steel	4C
C.064.030.0200.A	6.4	0.30	20.0	0.0023	5.79	9.20	no	music wire	4C
C.064.030.0200.I	6.4	0.30	20.0	0.0020	5.73	9.10	no	stainless steel	4C
C.064.030.0220.A	6.4	0.30	22.0	0.0080	2.40	3.37	no	music wire	4C
C.064.030.0220.I	6.4	0.30	22.0	0.0070	2.40	3.37	no	stainless steel	4C
C.064.030.0280.A	6.4	0.30	28.0	0.0030	4.68	7.29	no	music wire	4C
C.064.030.0280.I	6.4	0.30	28.0	0.0026	4.65	7.24	no	stainless steel	4C
C.064.030.0290.A	6.4	0.30	29.0	0.0011	10.53	17.36	no	music wire	4C
C.064.030.0290.I	6.4	0.30	29.0	0.0010	10.41	17.15	no	stainless steel	4C
C.064.030.0320.A	6.4	0.30	32.0	0.0030	4.68	7.29	no	music wire	4C
C.064.030.0320.I	6.4	0.30	32.0	0.0026	4.65	7.24	no	stainless steel	4C
C.064.030.0410.A	6.4	0.30	41.0	0.0030	4.68	7.29	no	music wire	4C
C.064.030.0410.I	6.4	0.30	41.0	0.0030	4.17	6.42	no	stainless steel	4C
C.064.040.0064.A	6.4	0.40	6.4	0.0390	2.24	2.78	yes	music wire	4B
C.064.040.0064.I	6.4	0.40	6.4	0.0339	2.24	2.78	yes	stainless steel	4B
C.064.040.0071.A	6.4	0.40	7.1	0.0195	3.48	4.56	yes	music wire	4B
C.064.040.0071.I	6.4	0.40	7.1	0.0170	3.44	4.51	yes	stainless steel	4B
C.064.040.0143.A	6.4	0.40	14.3	0.0184	3.64	4.79	yes	music wire	4B
C.064.040.0143.I	6.4	0.40	14.3	0.0160	3.60	4.74	yes	stainless steel	4C
C.064.040.0159.A	6.4	0.40	15.9	0.0195	3.48	4.56	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.064.040.0159.I	6.4	0.40	15.9	0.0170	3.44	4.51	yes	stainless steel	4C
C.064.040.0174.A	6.4	0.40	17.4	0.0103	5.68	7.73	yes	music wire	4B
C.064.040.0174.I	6.4	0.40	17.4	0.0090	5.60	7.61	yes	stainless steel	4C
C.064.040.0200.A	6.4	0.40	20.0	0.0130	4.72	6.35	yes	music wire	4B
C.064.040.0200.I	6.4	0.40	20.0	0.0113	4.68	6.29	yes	stainless steel	4C
C.064.040.0220.A	6.4	0.40	22.0	0.0161	4.00	5.31	yes	music wire	4B
C.064.040.0220.I	6.4	0.40	22.0	0.0140	3.96	5.25	yes	stainless steel	4C
C.064.040.0290.A	6.4	0.40	29.0	0.0046	11.52	16.12	yes	music wire	4B
C.064.040.0290.I	6.4	0.40	29.0	0.0040	11.36	15.89	yes	stainless steel	4C
C.064.050.0111.A	6.4	0.50	11.1	0.0667	3.60	4.33	yes	music wire	4B
C.064.050.0111.I	6.4	0.50	11.1	0.0580	3.55	4.26	yes	stainless steel	4C
C.064.050.0119.A	6.4	0.50	11.9	0.0391	5.20	6.42	yes	music wire	4B
C.064.050.0119.AP	6.4	0.50	11.9	0.1286	2.45	4.70	yes	music wire	4D
C.064.050.0119.I	6.4	0.50	11.9	0.0340	5.15	6.35	yes	stainless steel	4C
C.064.050.0135.A	6.4	0.50	13.5	0.0356	5.60	6.94	yes	music wire	4B
C.064.050.0135.I	6.4	0.50	13.5	0.0310	5.55	6.88	yes	stainless steel	4C
C.064.050.0174.A	6.4	0.50	17.4	0.0667	3.60	4.33	yes	music wire	4B
C.064.050.0174.I	6.4	0.50	17.4	0.0580	3.55	4.26	yes	stainless steel	4E
C.064.050.0250.A	6.4	0.50	25.0	0.0299	6.45	8.06	yes	music wire	4B
C.064.050.0250.I	6.4	0.50	25.0	0.0260	6.35	7.93	yes	stainless steel	4C
C.064.050.0260.A	6.4	0.50	26.0	0.0115	14.75	18.92	yes	music wire	4B
C.064.050.0260.I	6.4	0.50	26.0	0.0100	14.55	18.66	yes	stainless steel	4C
C.064.050.0270.A	6.4	0.50	27.0	0.0414	5.00	6.16	yes	music wire	4B
C.064.050.0270.I	6.4	0.50	27.0	0.0360	4.95	6.09	yes	stainless steel	4E
C.064.050.0300.A	6.4	0.50	30.0	0.0115	14.75	18.92	yes	music wire	4B
C.064.050.0300.I	6.4	0.50	30.0	0.0100	14.55	18.66	yes	stainless steel	4C
C.064.050.0350.A	6.4	0.50	35.0	0.0180	9.85	12.51	yes	music wire	4B
C.064.050.0350.I	6.4	0.50	35.0	0.0157	9.75	12.38	yes	stainless steel	4C
C.064.050.0450.A	6.4	0.50	45.0	0.0240	7.70	9.69	yes	music wire	4C
C.064.050.0450.I	6.4	0.50	45.0	0.0209	7.65	9.63	yes	stainless steel	4C
C.064.060.0270.A	6.4	0.60	27.0	0.0660	7.68	9.16	yes	music wire	4C
C.064.060.0270.AP	6.4	0.60	27.0	0.0991	5.58	11.40	yes	music wire	4E
C.064.060.0270.I	6.4	0.60	27.0	0.0450	9.24	11.10	yes	stainless steel	4C
C.064.060.1020.A	6.4	0.60	102.0	0.0149	28.68	35.21	yes	music wire	4C
C.064.060.1020.AP	6.4	0.60	102.0	0.0254	17.46	41.20	yes	music wire	4F
C.064.060.1020.I	6.4	0.60	102.0	0.0130	28.32	34.76	yes	stainless steel	4D
C.064.065.0330.A	6.4	0.65	33.0	0.0796	9.43	11.13	yes	music wire	4C
C.064.065.0330.I	6.4	0.65	33.0	0.0684	9.43	11.13	yes	stainless steel	4C
C.064.065.0330.N	6.4	0.65	33.0	0.0796	9.43	11.13	yes	Zn coating	4E
C.064.065.0410.A	6.4	0.65	41.0	0.0619	11.70	13.89	yes	music wire	4C
C.064.065.0410.I	6.4	0.65	41.0	0.0532	11.64	13.82	yes	stainless steel	4C
C.064.065.0410.N	6.4	0.65	41.0	0.0619	11.70	13.89	yes	Zn coating	4E
C.064.065.0510.A	6.4	0.65	51.0	0.0539	13.13	15.63	yes	music wire	4E
C.064.065.0510.I	6.4	0.65	51.0	0.0463	13.13	15.63	yes	stainless steel	4F
C.064.065.0510.N	6.4	0.65	51.0	0.0539	13.13	15.63	yes	Zn coating	4H
C.064.065.0630.A	6.4	0.65	63.0	0.0371	18.40	22.05	yes	music wire	4C
C.064.065.0630.AP	6.4	0.65	63.0	0.0539	13.20	27.06	yes	music wire	4F
C.064.065.0630.I	6.4	0.65	63.0	0.0319	18.40	22.05	yes	stainless steel	4C
C.064.065.0630.N	6.4	0.65	63.0	0.0371	18.40	22.05	yes	Zn coating	4E
C.064.070.0600.A	6.4	0.70	60.0	0.0750	14.07	28.24	yes	music wire	4H
C.064.070.0600.I	6.4	0.70	60.0	0.0653	13.93	28.86	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.064.070.0700.A	6.4	0.70	70.0	0.0710	14.77	36.45	yes	music wire	4I
C.064.070.0700.I	6.4	0.70	70.0	0.0618	14.63	37.11	yes	stainless steel	4I
C.064.070.0950.A	6.4	0.70	95.0	0.0184	52.01	62.03	yes	music wire	4C
C.064.070.0950.AP	6.4	0.70	95.0	0.0454	22.12	42.55	yes	music wire	4F
C.064.070.0950.I	6.4	0.70	95.0	0.0160	51.38	61.28	yes	stainless steel	4D
C.064.080.0064.A	6.4	0.80	6.4	1.3000	3.44	3.74	yes	music wire	4E
C.064.080.0064.I	6.4	0.80	6.4	1.1310	3.44	3.79	yes	stainless steel	4F
C.064.080.0125.A	6.4	0.80	12.5	0.4737	6.00	6.69	yes	music wire	4C
C.064.080.0160.A	6.4	0.80	16.0	0.3750	7.04	7.91	yes	music wire	4C
C.064.080.0200.A	6.4	0.80	20.0	0.3000	8.32	9.42	yes	music wire	4C
C.064.080.0250.A	6.4	0.80	25.0	0.1609	13.84	15.89	yes	music wire	4C
C.064.080.0250.AL	6.4	0.80	25.0	0.2400	9.92	11.29	yes	music wire	4C
C.064.080.0250.AP	6.4	0.80	25.0	0.2857	8.64	12.91	yes	music wire	4E
C.064.080.0250.I	6.4	0.80	25.0	0.1400	13.68	15.71	yes	stainless steel	4C
C.064.080.0280.A	6.4	0.80	28.0	0.1901	12.00	13.73	yes	music wire	4C
C.064.080.0280.AP	6.4	0.80	28.0	0.2523	9.52	14.31	yes	music wire	4E
C.064.080.0280.I	6.4	0.80	28.0	0.1633	12.00	13.73	yes	stainless steel	4C
C.064.080.0280.N	6.4	0.80	28.0	0.1901	12.00	13.73	yes	Zn coating	4E
C.064.080.0300.A	6.4	0.80	30.0	0.1700	13.20	15.14	yes	music wire	4C
C.064.080.0300.AP	6.4	0.80	30.0	0.2348	10.08	15.29	yes	music wire	4E
C.064.080.0300.I	6.4	0.80	30.0	0.1479	13.04	14.96	yes	stainless steel	4C
C.064.080.0320.A	6.4	0.80	32.0	0.1875	12.16	13.92	yes	music wire	4C
C.064.080.0360.A	6.4	0.80	36.0	0.1533	14.40	16.55	yes	music wire	4C
C.064.080.0360.I	6.4	0.80	36.0	0.1317	14.40	16.55	yes	stainless steel	4C
C.064.080.0360.N	6.4	0.80	36.0	0.1533	14.40	16.55	yes	Zn coating	4E
C.064.080.0400.A	6.4	0.80	40.0	0.1500	14.64	16.97	yes	music wire	4C
C.064.080.0410.A	6.4	0.80	41.0	0.0870	23.84	27.63	yes	music wire	4C
C.064.080.0410.AP	6.4	0.80	41.0	0.1694	13.20	20.61	yes	music wire	4F
C.064.080.0410.I	6.4	0.80	41.0	0.1100	16.88	19.46	yes	stainless steel	4C
C.064.080.0430.A	6.4	0.80	43.0	0.1284	16.80	19.37	yes	music wire	4C
C.064.080.0430.I	6.4	0.80	43.0	0.1103	16.80	19.37	yes	stainless steel	4C
C.064.080.0430.N	6.4	0.80	43.0	0.1284	16.80	19.37	yes	Zn coating	4E
C.064.080.0500.A	6.4	0.80	50.0	0.1200	17.84	21.21	yes	music wire	4C
C.064.080.0590.A	6.4	0.80	59.0	0.0932	22.40	25.94	yes	music wire	4C
C.064.080.0590.I	6.4	0.80	59.0	0.0800	22.40	25.94	yes	stainless steel	4D
C.064.080.0590.N	6.4	0.80	59.0	0.0932	22.40	25.94	yes	Zn coating	4E
C.064.080.0630.A	6.4	0.80	63.0	0.0947	22.08	26.53	yes	music wire	4C
C.064.080.0700.A	6.4	0.80	70.0	0.0460	43.36	50.54	yes	music wire	4C
C.064.080.0700.AP	6.4	0.80	70.0	0.0980	21.36	34.75	yes	music wire	4F
C.064.080.0700.I	6.4	0.80	70.0	0.0400	42.80	49.88	yes	stainless steel	4D
C.064.080.0800.A	6.4	0.80	80.0	0.0733	27.92	32.87	yes	music wire	4F
C.064.080.0800.I	6.4	0.80	80.0	0.0638	27.60	33.64	yes	stainless steel	4G
C.064.080.0800.N	6.4	0.80	80.0	0.0733	27.92	32.87	yes	Zn coating	4H
C.064.080.1000.A	6.4	0.80	100.0	0.0579	34.80	40.49	yes	music wire	4F
C.064.080.1000.I	6.4	0.80	100.0	0.0504	34.40	41.31	yes	stainless steel	4G
C.064.080.1000.N	6.4	0.80	100.0	0.0579	34.80	40.49	yes	Zn coating	4I
C.064.090.0167.A	6.4	0.90	16.7	0.7000	7.38	9.86	yes	music wire	4E
C.064.090.0167.I	6.4	0.90	16.7	0.6090	7.38	9.96	yes	stainless steel	4F
C.064.090.0270.A	6.4	0.90	27.0	0.2700	15.66	17.75	yes	music wire	4C
C.064.090.0270.AP	6.4	0.90	27.0	0.4054	11.16	15.20	yes	music wire	4E
C.064.090.0270.I	6.4	0.90	27.0	0.2349	15.48	17.54	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.064.090.0380.A	6.4	0.90	38.0	0.2100	19.44	22.12	yes	music wire	4C
C.064.090.0380.AP	6.4	0.90	38.0	0.2827	15.03	21.07	yes	music wire	4F
C.064.090.0380.I	6.4	0.90	38.0	0.1827	19.26	21.91	yes	stainless steel	4C
C.064.090.1650.A	6.4	0.90	165.0	0.0440	84.42	97.24	yes	music wire	4D
C.064.090.1650.AP	6.4	0.90	165.0	0.0631	59.58	89.17	yes	music wire	4G
C.064.090.1650.I	6.4	0.90	165.0	0.0383	83.34	95.99	yes	stainless steel	4E
C.064.100.0056.A	6.4	1.00	5.6	3.2184	4.50	4.79	yes	music wire	4C
C.064.100.0056.I	6.4	1.00	5.6	2.8000	4.50	4.79	yes	stainless steel	4C
C.064.100.0270.A	6.4	1.00	27.0	0.6092	13.10	16.51	yes	music wire	4F
C.064.100.0270.I	6.4	1.00	27.0	0.5300	13.00	16.62	yes	stainless steel	4F
C.064.100.0290.A	6.4	1.00	29.0	0.4200	17.90	20.11	yes	music wire	4C
C.064.100.0290.AP	6.4	1.00	29.0	0.5675	13.90	17.74	yes	music wire	4F
C.064.100.0290.I	6.4	1.00	29.0	0.3654	17.70	19.88	yes	stainless steel	4C
C.064.100.0540.A	6.4	1.00	54.0	0.2759	26.00	30.83	yes	music wire	4F
C.064.100.0540.I	6.4	1.00	54.0	0.2400	25.70	31.09	yes	stainless steel	4G
C.064.100.0850.A	6.4	1.00	85.0	0.1700	40.60	47.41	yes	music wire	4F
C.064.100.0850.I	6.4	1.00	85.0	0.1479	40.10	47.82	yes	stainless steel	4G
C.064.110.0048.A	6.4	1.10	4.8	6.5000	4.40	4.62	yes	music wire	4C
C.064.110.0048.I	6.4	1.10	4.8	5.6550	4.40	4.62	yes	stainless steel	4C
C.064.110.0350.A	6.4	1.10	35.0	0.8851	15.18	25.64	yes	music wire	4I
C.064.110.0350.I	6.4	1.10	35.0	0.7700	15.07	25.72	yes	stainless steel	4I
C.064.120.0143.A	6.4	1.20	14.3	2.6437	9.84	10.72	yes	music wire	4F
C.064.120.0143.I	6.4	1.20	14.3	2.3000	9.72	10.58	yes	stainless steel	4F
C.064.120.0240.A	6.4	1.20	24.0	1.4943	15.12	16.99	yes	music wire	4F
C.064.120.0240.I	6.4	1.20	24.0	1.3000	14.88	17.03	yes	stainless steel	4F
C.064.120.0300.A	6.4	1.20	30.0	1.3793	16.08	22.41	yes	music wire	4I
C.064.120.0300.I	6.4	1.20	30.0	1.2000	15.96	22.45	yes	stainless steel	4I
C.064.120.0370.A	6.4	1.20	37.0	0.8900	23.28	25.88	yes	music wire	4F
C.064.120.0370.I	6.4	1.20	37.0	0.7743	23.04	25.61	yes	stainless steel	4G
C.064.120.0380.A	6.4	1.20	38.0	0.8161	25.08	27.91	yes	music wire	4F
C.064.120.0380.I	6.4	1.20	38.0	0.7100	24.84	27.64	yes	stainless steel	4G
C.064.130.0240.A	6.4	1.30	24.0	2.0690	17.03	18.73	yes	music wire	4F
C.064.130.0240.I	6.4	1.30	24.0	1.8000	16.90	18.58	yes	stainless steel	4G
C.064.130.0250.A	6.4	1.30	25.0	1.8391	18.72	20.62	yes	music wire	4C
C.064.130.0250.I	6.4	1.30	25.0	1.6000	18.59	20.48	yes	stainless steel	4D
C.064.130.0290.A	6.4	1.30	29.0	1.8391	18.72	21.95	yes	music wire	4I
C.064.130.0290.I	6.4	1.30	29.0	1.6000	18.59	21.98	yes	stainless steel	4I
C.064.140.0127.A	6.4	1.40	12.7	7.1264	9.66	10.49	yes	music wire	4H
C.064.140.0127.I	6.4	1.40	12.7	6.2000	9.52	10.49	yes	stainless steel	4I
C.064.150.0127.A	6.4	1.50	12.7	8.6207	11.40	12.29	yes	music wire	4E
C.064.150.0127.I	6.4	1.50	12.7	7.5000	11.25	12.12	yes	stainless steel	4E
C.064.160.0200.A	6.4	1.60	20.0	7.5862	16.80	18.25	yes	music wire	4H
C.064.160.0200.I	6.4	1.60	20.0	6.6000	16.64	18.07	yes	stainless steel	4I
C.064.190.0200.A	6.4	1.90	20.0	18.9655	19.38	19.38	yes	music wire	4F
C.065.030.0071.A	6.5	0.30	7.1	0.0266	1.44	1.73	no	music wire	4C
C.065.030.0071.I	6.5	0.30	7.1	0.0229	1.44	1.73	no	stainless steel	4C
C.065.030.0097.A	6.5	0.30	9.7	0.0192	1.59	1.99	no	music wire	4C
C.065.030.0097.I	6.5	0.30	9.7	0.0165	1.59	1.99	no	stainless steel	4C
C.065.030.0110.A	6.5	0.30	11.0	0.0165	1.68	2.15	no	music wire	4C
C.065.030.0110.I	6.5	0.30	11.0	0.0142	1.68	2.15	no	stainless steel	4C
C.065.030.0112.A	6.5	0.30	11.2	0.0165	1.68	2.15	no	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.065.030.0112.I	6.5	0.30	11.2	0.0142	1.68	2.15	no	stainless steel	4C
C.065.030.0142.A	6.5	0.30	14.2	0.0128	1.86	2.46	no	music wire	4C
C.065.030.0142.I	6.5	0.30	14.2	0.0110	1.86	2.46	no	stainless steel	4C
C.065.030.0151.A	6.5	0.30	15.1	0.0124	1.89	2.51	no	music wire	4C
C.065.030.0151.I	6.5	0.30	15.1	0.0106	1.89	2.51	no	stainless steel	4C
C.065.030.0157.A	6.5	0.30	15.7	0.0115	1.95	2.62	no	music wire	4C
C.065.030.0157.I	6.5	0.30	15.7	0.0099	1.95	2.62	no	stainless steel	4C
C.065.030.0206.A	6.5	0.30	20.6	0.0089	2.22	3.09	no	music wire	4C
C.065.030.0206.I	6.5	0.30	20.6	0.0076	2.22	3.09	no	stainless steel	4C
C.065.030.0224.A	6.5	0.30	22.4	0.0082	2.31	3.24	no	music wire	4C
C.065.030.0224.I	6.5	0.30	22.4	0.0071	2.31	3.24	no	stainless steel	4C
C.065.030.0225.A	6.5	0.30	22.5	0.0081	2.34	3.30	no	music wire	4C
C.065.030.0225.I	6.5	0.30	22.5	0.0069	2.34	3.30	no	stainless steel	4C
C.065.030.0239.A	6.5	0.30	23.9	0.0077	2.40	3.40	no	music wire	4C
C.065.030.0239.I	6.5	0.30	23.9	0.0066	2.40	3.40	no	stainless steel	4C
C.065.030.0254.A	6.5	0.30	25.4	0.0072	2.49	3.56	no	music wire	4C
C.065.030.0254.I	6.5	0.30	25.4	0.0062	2.49	3.56	no	stainless steel	4C
C.065.030.0284.A	6.5	0.30	28.4	0.0064	2.67	3.87	no	music wire	4C
C.065.030.0284.I	6.5	0.30	28.4	0.0055	2.67	3.87	no	stainless steel	4C
C.065.030.0305.A	6.5	0.30	30.5	0.0060	2.79	4.08	no	music wire	4C
C.065.030.0305.I	6.5	0.30	30.5	0.0051	2.79	4.08	no	stainless steel	4C
C.065.030.0318.A	6.5	0.30	31.8	0.0057	2.88	4.24	no	music wire	4C
C.065.030.0318.I	6.5	0.30	31.8	0.0049	2.88	4.24	no	stainless steel	4C
C.065.030.0381.A	6.5	0.30	38.1	0.0047	3.24	4.86	no	music wire	4C
C.065.030.0381.I	6.5	0.30	38.1	0.0041	3.24	4.86	no	stainless steel	4C
C.065.040.0400.A	6.5	0.40	40.0	0.0080	6.76	9.35	yes	music wire	4B
C.065.040.0400.I	6.5	0.40	40.0	0.0070	6.68	9.23	yes	stainless steel	4C
C.065.040.0400.N	6.5	0.40	40.0	0.0080	6.76	9.35	yes	Zn coating	4D
C.065.050.0098.A	6.5	0.50	9.8	0.0842	3.00	3.55	yes	music wire	4B
C.065.050.0098.I	6.5	0.50	9.8	0.0723	3.00	3.55	yes	stainless steel	4C
C.065.050.0098.N	6.5	0.50	9.8	0.0842	3.00	3.55	yes	Zn coating	4C
C.065.050.0154.A	6.5	0.50	15.4	0.0536	4.00	4.87	yes	music wire	4B
C.065.050.0154.I	6.5	0.50	15.4	0.0466	3.95	4.80	yes	stainless steel	4C
C.065.050.0154.N	6.5	0.50	15.4	0.0536	4.00	4.87	yes	Zn coating	4C
C.065.050.0238.A	6.5	0.50	23.8	0.0347	5.50	6.84	yes	music wire	4B
C.065.050.0238.I	6.5	0.50	23.8	0.0298	5.50	6.84	yes	stainless steel	4C
C.065.050.0238.N	6.5	0.50	23.8	0.0347	5.50	6.84	yes	Zn coating	4C
C.065.050.0350.A	6.5	0.50	35.0	0.0236	7.50	9.47	yes	music wire	4B
C.065.050.0350.I	6.5	0.50	35.0	0.0203	7.50	9.47	yes	stainless steel	4C
C.065.050.0350.N	6.5	0.50	35.0	0.0236	7.50	9.47	yes	Zn coating	4D
C.065.050.0518.A	6.5	0.50	51.8	0.0159	10.50	13.42	yes	music wire	4C
C.065.050.0518.I	6.5	0.50	51.8	0.0137	10.50	13.42	yes	stainless steel	4C
C.065.050.0518.N	6.5	0.50	51.8	0.0159	10.50	13.42	yes	Zn coating	4D
C.065.070.0100.A	6.5	0.70	10.0	0.4100	3.92	4.36	yes	music wire	4E
C.065.070.0100.I	6.5	0.70	10.0	0.3567	3.85	4.39	yes	stainless steel	4F
C.065.070.0100.N	6.5	0.70	10.0	0.4100	3.92	4.36	yes	Zn coating	4G
C.065.090.0500.A	6.5	0.90	50.0	0.2330	16.92	29.75	yes	music wire	4I
C.065.090.0500.I	6.5	0.90	50.0	0.2027	16.74	30.03	yes	stainless steel	4I
C.065.090.0500.N	6.5	0.90	50.0	0.2330	16.92	29.75	yes	Zn coating	4I
C.065.100.0190.A	6.5	1.00	19.0	0.9250	9.10	12.19	yes	music wire	4H
C.065.100.0190.I	6.5	1.00	19.0	0.8048	9.00	12.26	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.065.100.0190.N	6.5	1.00	19.0	0.9250	9.10	12.19	yes	Zn coating	4I
C.065.100.0240.A	6.5	1.00	24.0	0.6445	12.00	14.22	yes	music wire	4F
C.065.100.0240.I	6.5	1.00	24.0	0.5536	12.00	14.20	yes	stainless steel	4F
C.065.100.0240.N	6.5	1.00	24.0	0.6445	12.00	14.22	yes	Zn coating	4H
C.065.100.0300.A	6.5	1.00	30.0	0.6330	12.20	20.04	yes	music wire	4H
C.065.100.0300.I	6.5	1.00	30.0	0.5507	12.00	20.15	yes	stainless steel	4I
C.065.100.0300.N	6.5	1.00	30.0	0.6330	12.20	20.04	yes	Zn coating	4I
C.065.100.0450.A	6.5	1.00	45.0	0.4150	17.30	29.81	yes	music wire	4I
C.065.100.0450.I	6.5	1.00	45.0	0.3611	17.10	29.98	yes	stainless steel	4I
C.065.100.0450.N	6.5	1.00	45.0	0.4150	17.30	29.81	yes	Zn coating	4I
C.065.110.0095.A	6.5	1.10	9.5	2.7064	6.60	7.12	yes	music wire	4C
C.065.110.0095.I	6.5	1.10	9.5	2.3546	6.60	7.12	yes	stainless steel	4C
C.065.110.0095.N	6.5	1.10	9.5	2.7064	6.60	7.12	yes	Zn coating	4E
C.065.110.0137.A	6.5	1.10	13.7	1.7222	8.80	9.62	yes	music wire	4F
C.065.110.0137.I	6.5	1.10	13.7	1.4792	8.80	9.62	yes	stainless steel	4F
C.065.110.0137.N	6.5	1.10	13.7	1.7222	8.80	9.62	yes	Zn coating	4H
C.065.110.0200.A	6.5	1.10	20.0	1.1144	12.10	13.37	yes	music wire	4F
C.065.110.0200.I	6.5	1.10	20.0	0.9695	11.99	13.25	yes	stainless steel	4F
C.065.110.0200.N	6.5	1.10	20.0	1.1144	12.10	13.37	yes	Zn coating	4H
C.065.110.0283.A	6.5	1.10	28.3	0.7578	16.50	18.37	yes	music wire	4F
C.065.110.0283.I	6.5	1.10	28.3	0.6509	16.50	18.37	yes	stainless steel	4F
C.065.110.0283.N	6.5	1.10	28.3	0.7578	16.50	18.37	yes	Zn coating	4H
C.065.110.0409.A	6.5	1.10	40.9	0.5120	23.10	25.87	yes	music wire	4F
C.065.110.0409.I	6.5	1.10	40.9	0.4454	22.88	25.62	yes	stainless steel	4G
C.065.110.0409.N	6.5	1.10	40.9	0.5120	23.10	25.87	yes	Zn coating	4H
C.066.055.0080.A	6.6	0.55	8.0	0.1620	2.81	3.21	yes	music wire	4C
C.066.055.0080.AP	6.6	0.55	8.0	0.2620	2.26	3.51	yes	music wire	4E
C.066.055.0080.I	6.6	0.55	8.0	0.1409	2.81	3.21	yes	stainless steel	4C
C.066.055.0080.N	6.6	0.55	8.0	0.1620	2.81	3.21	yes	Zn coating	4E
C.066.055.0100.A	6.6	0.55	10.0	0.1300	3.14	3.64	yes	music wire	4C
C.066.055.0100.AP	6.6	0.55	10.0	0.1996	2.53	4.11	yes	music wire	4E
C.066.055.0100.I	6.6	0.55	10.0	0.1131	3.14	3.64	yes	stainless steel	4C
C.066.055.0100.N	6.6	0.55	10.0	0.1300	3.14	3.64	yes	Zn coating	4E
C.066.055.0125.A	6.6	0.55	12.5	0.1010	3.69	4.34	yes	music wire	4C
C.066.055.0125.AP	6.6	0.55	12.5	0.1612	2.81	5.21	yes	music wire	4E
C.066.055.0125.I	6.6	0.55	12.5	0.0879	3.63	4.26	yes	stainless steel	4C
C.066.055.0125.N	6.6	0.55	12.5	0.1010	3.69	4.34	yes	Zn coating	4E
C.066.055.0160.A	6.6	0.55	16.0	0.0770	4.40	5.25	yes	music wire	4C
C.066.055.0160.AP	6.6	0.55	16.0	0.1233	3.25	6.47	yes	music wire	4E
C.066.055.0160.I	6.6	0.55	16.0	0.0670	4.35	5.19	yes	stainless steel	4C
C.066.055.0160.N	6.6	0.55	16.0	0.0770	4.40	5.25	yes	Zn coating	4E
C.066.055.0200.A	6.6	0.55	20.0	0.0610	5.17	6.24	yes	music wire	4C
C.066.055.0200.AP	6.6	0.55	20.0	0.0975	3.74	7.94	yes	music wire	4E
C.066.055.0200.I	6.6	0.55	20.0	0.0531	5.12	6.17	yes	stainless steel	4C
C.066.055.0200.N	6.6	0.55	20.0	0.0610	5.17	6.24	yes	Zn coating	4E
C.066.055.0250.A	6.6	0.55	25.0	0.0490	6.11	7.44	yes	music wire	4C
C.066.055.0250.AP	6.6	0.55	25.0	0.0776	4.35	9.86	yes	music wire	4E
C.066.055.0250.I	6.6	0.55	25.0	0.0426	6.05	7.37	yes	stainless steel	4C
C.066.055.0250.N	6.6	0.55	25.0	0.0490	6.11	7.44	yes	Zn coating	4E
C.066.055.0320.A	6.6	0.55	32.0	0.0380	7.48	9.20	yes	music wire	4C
C.066.055.0320.AP	6.6	0.55	32.0	0.0599	5.23	12.37	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.066.055.0320.I	6.6	0.55	32.0	0.0331	7.37	9.06	yes	stainless steel	4C
C.066.055.0320.N	6.6	0.55	32.0	0.0380	7.48	9.20	yes	Zn coating	4E
C.066.055.0400.A	6.6	0.55	40.0	0.0300	9.08	11.25	yes	music wire	4C
C.066.055.0400.AP	6.6	0.55	40.0	0.0476	6.22	15.32	yes	music wire	4E
C.066.055.0400.I	6.6	0.55	40.0	0.0261	9.02	11.17	yes	stainless steel	4C
C.066.055.0400.N	6.6	0.55	40.0	0.0300	9.08	11.25	yes	Zn coating	4E
C.066.055.0500.A	6.6	0.55	50.0	0.0240	11.00	13.71	yes	music wire	4C
C.066.055.0500.AP	6.6	0.55	50.0	0.0381	7.43	19.15	yes	music wire	4E
C.066.055.0500.I	6.6	0.55	50.0	0.0209	10.89	13.57	yes	stainless steel	4C
C.066.055.0500.N	6.6	0.55	50.0	0.0240	11.00	13.71	yes	Zn coating	4E
C.066.055.0630.A	6.6	0.55	63.0	0.0190	13.59	17.03	yes	music wire	4C
C.066.055.0630.AP	6.6	0.55	63.0	0.0302	9.08	24.02	yes	music wire	4F
C.066.055.0630.I	6.6	0.55	63.0	0.0165	13.42	16.81	yes	stainless steel	4C
C.066.055.0630.N	6.6	0.55	63.0	0.0190	13.59	17.03	yes	Zn coating	4E
C.066.055.0800.A	6.6	0.55	80.0	0.0150	16.83	21.18	yes	music wire	4C
C.066.055.0800.AP	6.6	0.55	80.0	0.0237	11.17	30.36	yes	music wire	4F
C.066.055.0800.I	6.6	0.55	80.0	0.0130	16.67	20.97	yes	stainless steel	4D
C.066.055.0800.N	6.6	0.55	80.0	0.0150	16.83	21.18	yes	Zn coating	4E
C.066.055.3600.A	6.6	0.55	360.0	0.0030	79.09	100.81	no	music wire	4E
C.066.055.3600.I	6.6	0.55	360.0	0.0026	78.43	99.97	no	stainless steel	4F
C.066.060.0080.A	6.6	0.60	8.0	0.2350	3.06	3.45	yes	music wire	4C
C.066.060.0080.AP	6.6	0.60	8.0	0.3582	2.52	3.81	yes	music wire	4E
C.066.060.0080.I	6.6	0.60	8.0	0.2044	3.06	3.45	yes	stainless steel	4C
C.066.060.0080.N	6.6	0.60	8.0	0.2350	3.06	3.45	yes	Zn coating	4E
C.066.060.0100.A	6.6	0.60	10.0	0.1810	3.54	4.05	yes	music wire	4C
C.066.060.0100.AP	6.6	0.60	10.0	0.2768	2.82	4.57	yes	music wire	4E
C.066.060.0100.I	6.6	0.60	10.0	0.1575	3.48	3.98	yes	stainless steel	4C
C.066.060.0100.N	6.6	0.60	10.0	0.1810	3.54	4.05	yes	Zn coating	4E
C.066.060.0125.A	6.6	0.60	12.5	0.1380	4.14	4.80	yes	music wire	4C
C.066.060.0125.AP	6.6	0.60	12.5	0.2100	3.24	5.35	yes	music wire	4E
C.066.060.0125.I	6.6	0.60	12.5	0.1201	4.14	4.80	yes	stainless steel	4C
C.066.060.0125.N	6.6	0.60	12.5	0.1380	4.14	4.80	yes	Zn coating	4E
C.066.060.0160.A	6.6	0.60	16.0	0.1070	4.92	5.78	yes	music wire	4C
C.066.060.0160.AP	6.6	0.60	16.0	0.1646	3.72	6.88	yes	music wire	4E
C.066.060.0160.I	6.6	0.60	16.0	0.0931	4.86	5.70	yes	stainless steel	4C
C.066.060.0160.N	6.6	0.60	16.0	0.1070	4.92	5.78	yes	Zn coating	4E
C.066.060.0200.A	6.6	0.60	20.0	0.0840	5.88	6.97	yes	music wire	4C
C.066.060.0200.AP	6.6	0.60	20.0	0.1296	4.32	8.41	yes	music wire	4E
C.066.060.0200.I	6.6	0.60	20.0	0.0731	5.82	6.90	yes	stainless steel	4C
C.066.060.0200.N	6.6	0.60	20.0	0.0840	5.88	6.97	yes	Zn coating	4E
C.066.060.0250.A	6.6	0.60	25.0	0.0670	6.96	8.32	yes	music wire	4C
C.066.060.0250.AP	6.6	0.60	25.0	0.1032	5.04	10.45	yes	music wire	4E
C.066.060.0250.I	6.6	0.60	25.0	0.0583	6.90	8.25	yes	stainless steel	4C
C.066.060.0250.N	6.6	0.60	25.0	0.0670	6.96	8.32	yes	Zn coating	4E
C.066.060.0320.A	6.6	0.60	32.0	0.0520	8.58	10.35	yes	music wire	4C
C.066.060.0320.AP	6.6	0.60	32.0	0.0791	6.12	13.01	yes	music wire	4E
C.066.060.0320.I	6.6	0.60	32.0	0.0452	8.46	10.20	yes	stainless steel	4C
C.066.060.0320.N	6.6	0.60	32.0	0.0520	8.58	10.35	yes	Zn coating	4E
C.066.060.0400.A	6.6	0.60	40.0	0.0410	10.44	12.68	yes	music wire	4C
C.066.060.0400.AP	6.6	0.60	40.0	0.0634	7.26	16.33	yes	music wire	4E
C.066.060.0400.I	6.6	0.60	40.0	0.0357	10.32	12.53	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.066.060.0400.N	6.6	0.60	40.0	0.0410	10.44	12.68	yes	Zn coating	4E
C.066.060.0500.A	6.6	0.60	50.0	0.0330	12.60	15.38	yes	music wire	4C
C.066.060.0500.AP	6.6	0.60	50.0	0.0503	8.76	20.16	yes	music wire	4E
C.066.060.0500.I	6.6	0.60	50.0	0.0287	12.48	15.23	yes	stainless steel	4C
C.066.060.0500.N	6.6	0.60	50.0	0.0330	12.60	15.38	yes	Zn coating	4E
C.066.060.0630.A	6.6	0.60	63.0	0.0260	15.60	19.13	yes	music wire	4C
C.066.060.0630.AP	6.6	0.60	63.0	0.0398	10.74	25.27	yes	music wire	4F
C.066.060.0630.I	6.6	0.60	63.0	0.0226	15.42	18.90	yes	stainless steel	4C
C.066.060.0630.N	6.6	0.60	63.0	0.0260	15.60	19.13	yes	Zn coating	4E
C.066.060.0800.A	6.6	0.60	80.0	0.0200	19.86	24.45	yes	music wire	4C
C.066.060.0800.AP	6.6	0.60	80.0	0.0312	13.26	31.91	yes	music wire	4F
C.066.060.0800.I	6.6	0.60	80.0	0.0174	19.62	24.15	yes	stainless steel	4D
C.066.060.0800.N	6.6	0.60	80.0	0.0200	19.86	24.45	yes	Zn coating	4E
C.066.060.3600.A	6.6	0.60	360.0	0.0040	93.78	116.70	no	music wire	4E
C.066.060.3600.I	6.6	0.60	360.0	0.0035	92.10	114.60	no	stainless steel	4F
C.066.070.0080.A	6.6	0.70	8.0	0.4170	3.78	4.20	yes	music wire	4C
C.066.070.0080.AP	6.6	0.70	8.0	0.5938	3.15	4.10	yes	music wire	4E
C.066.070.0080.I	6.6	0.70	8.0	0.3628	3.71	4.11	yes	stainless steel	4C
C.066.070.0080.N	6.6	0.70	8.0	0.4170	3.78	4.20	yes	Zn coating	4E
C.066.070.0100.A	6.6	0.70	10.0	0.3270	4.27	4.79	yes	music wire	4C
C.066.070.0100.AP	6.6	0.70	10.0	0.4568	3.57	4.93	yes	music wire	4E
C.066.070.0100.I	6.6	0.70	10.0	0.2845	4.27	4.79	yes	stainless steel	4C
C.066.070.0100.N	6.6	0.70	10.0	0.3270	4.27	4.79	yes	Zn coating	4E
C.066.070.0125.A	6.6	0.70	12.5	0.2480	5.11	5.80	yes	music wire	4C
C.066.070.0125.AP	6.6	0.70	12.5	0.3599	4.06	6.07	yes	music wire	4E
C.066.070.0125.I	6.6	0.70	12.5	0.2158	5.04	5.72	yes	stainless steel	4C
C.066.070.0125.N	6.6	0.70	12.5	0.2480	5.11	5.80	yes	Zn coating	4E
C.066.070.0160.A	6.6	0.70	16.0	0.1910	6.09	6.99	yes	music wire	4C
C.066.070.0160.AP	6.6	0.70	16.0	0.2762	4.76	7.62	yes	music wire	4E
C.066.070.0160.I	6.6	0.70	16.0	0.1662	6.09	6.99	yes	stainless steel	4C
C.066.070.0160.N	6.6	0.70	16.0	0.1910	6.09	6.99	yes	Zn coating	4E
C.066.070.0200.A	6.6	0.70	20.0	0.1500	7.28	8.42	yes	music wire	4C
C.066.070.0200.AP	6.6	0.70	20.0	0.2159	5.60	9.29	yes	music wire	4E
C.066.070.0200.I	6.6	0.70	20.0	0.1305	7.21	8.34	yes	stainless steel	4C
C.066.070.0200.N	6.6	0.70	20.0	0.1500	7.28	8.42	yes	Zn coating	4E
C.066.070.0250.A	6.6	0.70	25.0	0.1190	8.75	10.20	yes	music wire	4C
C.066.070.0250.AP	6.6	0.70	25.0	0.1697	6.65	11.36	yes	music wire	4E
C.066.070.0250.I	6.6	0.70	25.0	0.1035	8.68	10.11	yes	stainless steel	4C
C.066.070.0250.N	6.6	0.70	25.0	0.1190	8.75	10.20	yes	Zn coating	4E
C.066.070.0320.A	6.6	0.70	32.0	0.0920	10.78	12.65	yes	music wire	4C
C.066.070.0320.AP	6.6	0.70	32.0	0.1320	8.05	14.47	yes	music wire	4E
C.066.070.0320.I	6.6	0.70	32.0	0.0800	10.71	12.56	yes	stainless steel	4C
C.066.070.0320.N	6.6	0.70	32.0	0.0920	10.78	12.65	yes	Zn coating	4E
C.066.070.0400.A	6.6	0.70	40.0	0.0730	13.16	15.52	yes	music wire	4C
C.066.070.0400.AP	6.6	0.70	40.0	0.1051	9.66	17.99	yes	music wire	4E
C.066.070.0400.I	6.6	0.70	40.0	0.0635	13.02	15.35	yes	stainless steel	4C
C.066.070.0400.N	6.6	0.70	40.0	0.0730	13.16	15.52	yes	Zn coating	4E
C.066.070.0500.A	6.6	0.70	50.0	0.0580	16.10	19.06	yes	music wire	4C
C.066.070.0500.AP	6.6	0.70	50.0	0.0831	11.76	22.14	yes	music wire	4F
C.066.070.0500.I	6.6	0.70	50.0	0.0505	15.96	18.90	yes	stainless steel	4C
C.066.070.0500.N	6.6	0.70	50.0	0.0580	16.10	19.06	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.066.070.0630.A	6.6	0.70	63.0	0.0460	19.88	23.62	yes	music wire	4C
C.066.070.0630.AP	6.6	0.70	63.0	0.0660	14.42	27.93	yes	music wire	4F
C.066.070.0630.I	6.6	0.70	63.0	0.0400	19.67	23.37	yes	stainless steel	4D
C.066.070.0630.N	6.6	0.70	63.0	0.0460	19.88	23.62	yes	Zn coating	4E
C.066.070.0800.A	6.6	0.70	80.0	0.0360	24.92	29.71	yes	music wire	4C
C.066.070.0800.AP	6.6	0.70	80.0	0.0516	17.92	35.19	yes	music wire	4F
C.066.070.0800.I	6.6	0.70	80.0	0.0313	24.64	29.37	yes	stainless steel	4D
C.066.070.0800.N	6.6	0.70	80.0	0.0360	24.92	29.71	yes	Zn coating	4E
C.066.070.3600.A	6.6	0.70	360.0	0.0080	106.68	128.21	no	music wire	4F
C.066.070.3600.I	6.6	0.70	360.0	0.0070	104.72	125.84	no	stainless steel	4F
C.066.080.0080.A	6.6	0.80	8.0	0.7160	4.40	4.83	yes	music wire	4C
C.066.080.0080.AP	6.6	0.80	8.0	0.9703	3.76	4.54	yes	music wire	4E
C.066.080.0080.I	6.6	0.80	8.0	0.6229	4.32	4.73	yes	stainless steel	4C
C.066.080.0080.N	6.6	0.80	8.0	0.7160	4.40	4.83	yes	Zn coating	4E
C.066.080.0100.A	6.6	0.80	10.0	0.5490	5.12	5.68	yes	music wire	4C
C.066.080.0100.AP	6.6	0.80	10.0	0.7361	4.32	5.44	yes	music wire	4E
C.066.080.0100.I	6.6	0.80	10.0	0.4776	5.04	5.58	yes	stainless steel	4C
C.066.080.0100.N	6.6	0.80	10.0	0.5490	5.12	5.68	yes	Zn coating	4E
C.066.080.0125.A	6.6	0.80	12.5	0.4220	6.08	6.81	yes	music wire	4C
C.066.080.0125.AP	6.6	0.80	12.5	0.5770	4.96	6.68	yes	music wire	4E
C.066.080.0125.I	6.6	0.80	12.5	0.3671	6.00	6.72	yes	stainless steel	4C
C.066.080.0125.N	6.6	0.80	12.5	0.4220	6.08	6.81	yes	Zn coating	4E
C.066.080.0160.A	6.6	0.80	16.0	0.3230	7.28	8.22	yes	music wire	4C
C.066.080.0160.AP	6.6	0.80	16.0	0.4357	5.92	8.29	yes	music wire	4E
C.066.080.0160.I	6.6	0.80	16.0	0.2810	7.20	8.13	yes	stainless steel	4C
C.066.080.0160.N	6.6	0.80	16.0	0.3230	7.28	8.22	yes	Zn coating	4E
C.066.080.0200.A	6.6	0.80	20.0	0.2530	8.80	10.02	yes	music wire	4C
C.066.080.0200.AP	6.6	0.80	20.0	0.3443	6.96	10.25	yes	music wire	4E
C.066.080.0200.I	6.6	0.80	20.0	0.2201	8.64	9.83	yes	stainless steel	4C
C.066.080.0200.N	6.6	0.80	20.0	0.2530	8.80	10.02	yes	Zn coating	4E
C.066.080.0250.A	6.6	0.80	25.0	0.2010	10.48	12.00	yes	music wire	4C
C.066.080.0250.AP	6.6	0.80	25.0	0.2702	8.32	12.58	yes	music wire	4E
C.066.080.0250.I	6.6	0.80	25.0	0.1749	10.40	11.90	yes	stainless steel	4C
C.066.080.0250.N	6.6	0.80	25.0	0.2010	10.48	12.00	yes	Zn coating	4E
C.066.080.0320.A	6.6	0.80	32.0	0.1540	13.12	15.11	yes	music wire	4C
C.066.080.0320.AP	6.6	0.80	32.0	0.2093	10.16	15.96	yes	music wire	4E
C.066.080.0320.I	6.6	0.80	32.0	0.1340	12.96	14.92	yes	stainless steel	4C
C.066.080.0320.N	6.6	0.80	32.0	0.1540	13.12	15.11	yes	Zn coating	4E
C.066.080.0400.A	6.6	0.80	40.0	0.1220	16.00	18.50	yes	music wire	4C
C.066.080.0400.AP	6.6	0.80	40.0	0.1655	12.32	19.71	yes	music wire	4F
C.066.080.0400.I	6.6	0.80	40.0	0.1061	15.84	18.32	yes	stainless steel	4C
C.066.080.0400.N	6.6	0.80	40.0	0.1220	16.00	18.50	yes	Zn coating	4E
C.066.080.0500.A	6.6	0.80	50.0	0.0970	19.60	22.75	yes	music wire	4C
C.066.080.0500.AP	6.6	0.80	50.0	0.1318	14.96	24.52	yes	music wire	4F
C.066.080.0500.I	6.6	0.80	50.0	0.0844	19.44	22.56	yes	stainless steel	4C
C.066.080.0500.N	6.6	0.80	50.0	0.0970	19.60	22.75	yes	Zn coating	4E
C.066.080.0630.A	6.6	0.80	63.0	0.0770	24.24	28.22	yes	music wire	4C
C.066.080.0630.AP	6.6	0.80	63.0	0.1041	18.40	30.76	yes	music wire	4F
C.066.080.0630.I	6.6	0.80	63.0	0.0670	23.92	27.84	yes	stainless steel	4D
C.066.080.0630.N	6.6	0.80	63.0	0.0770	24.24	28.22	yes	Zn coating	4E
C.066.080.0800.A	6.6	0.80	80.0	0.0600	30.48	35.57	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.066.080.0800.AP	6.6	0.80	80.0	0.0815	22.96	38.80	yes	music wire	4F
C.066.080.0800.I	6.6	0.80	80.0	0.0522	30.16	35.20	yes	stainless steel	4D
C.066.080.0800.N	6.6	0.80	80.0	0.0600	30.48	35.57	yes	Zn coating	4E
C.066.080.3600.A	6.6	0.80	360.0	0.0130	134.40	157.94	no	music wire	4F
C.066.080.3600.I	6.6	0.80	360.0	0.0113	132.88	156.14	no	stainless steel	4F
C.066.090.0080.A	6.6	0.90	8.0	1.1570	5.04	5.49	yes	music wire	4C
C.066.090.0080.AP	6.6	0.90	8.0	1.5025	4.41	4.90	yes	music wire	4E
C.066.090.0080.I	6.6	0.90	8.0	1.0066	5.04	5.49	yes	stainless steel	4C
C.066.090.0080.N	6.6	0.90	8.0	1.1570	5.04	5.49	yes	Zn coating	4E
C.066.090.0100.A	6.6	0.90	10.0	0.8680	6.03	6.64	yes	music wire	4C
C.066.090.0100.AP	6.6	0.90	10.0	1.1632	5.04	6.00	yes	music wire	4E
C.066.090.0100.I	6.6	0.90	10.0	0.7552	5.94	6.53	yes	stainless steel	4C
C.066.090.0100.N	6.6	0.90	10.0	0.8680	6.03	6.64	yes	Zn coating	4E
C.066.090.0125.A	6.6	0.90	12.5	0.6770	7.02	7.78	yes	music wire	4C
C.066.090.0125.AP	6.6	0.90	12.5	0.9015	5.85	7.34	yes	music wire	4E
C.066.090.0125.I	6.6	0.90	12.5	0.5890	7.02	7.78	yes	stainless steel	4C
C.066.090.0125.N	6.6	0.90	12.5	0.6770	7.02	7.78	yes	Zn coating	4E
C.066.090.0160.A	6.6	0.90	16.0	0.5140	8.55	9.56	yes	music wire	4C
C.066.090.0160.AP	6.6	0.90	16.0	0.6804	7.02	9.16	yes	music wire	4E
C.066.090.0160.I	6.6	0.90	16.0	0.4472	8.46	9.45	yes	stainless steel	4C
C.066.090.0160.N	6.6	0.90	16.0	0.5140	8.55	9.56	yes	Zn coating	4E
C.066.090.0200.A	6.6	0.90	20.0	0.3970	10.44	11.75	yes	music wire	4C
C.066.090.0200.AP	6.6	0.90	20.0	0.5303	8.37	11.23	yes	music wire	4E
C.066.090.0200.I	6.6	0.90	20.0	0.3454	10.35	11.65	yes	stainless steel	4C
C.066.090.0200.N	6.6	0.90	20.0	0.3970	10.44	11.75	yes	Zn coating	4E
C.066.090.0250.A	6.6	0.90	25.0	0.3120	12.69	14.36	yes	music wire	4C
C.066.090.0250.AP	6.6	0.90	25.0	0.4145	10.08	13.77	yes	music wire	4E
C.066.090.0250.I	6.6	0.90	25.0	0.2714	12.51	14.15	yes	stainless steel	4C
C.066.090.0250.N	6.6	0.90	25.0	0.3120	12.69	14.36	yes	Zn coating	4E
C.066.090.0320.A	6.6	0.90	32.0	0.2420	15.66	17.81	yes	music wire	4C
C.066.090.0320.AP	6.6	0.90	32.0	0.3220	12.33	17.55	yes	music wire	4F
C.066.090.0320.I	6.6	0.90	32.0	0.2105	15.48	17.60	yes	stainless steel	4C
C.066.090.0320.N	6.6	0.90	32.0	0.2420	15.66	17.81	yes	Zn coating	4E
C.066.090.0400.A	6.6	0.90	40.0	0.1900	19.35	22.09	yes	music wire	4C
C.066.090.0400.AP	6.6	0.90	40.0	0.2539	15.03	21.68	yes	music wire	4F
C.066.090.0400.I	6.6	0.90	40.0	0.1653	19.17	21.88	yes	stainless steel	4C
C.066.090.0400.N	6.6	0.90	40.0	0.1900	19.35	22.09	yes	Zn coating	4E
C.066.090.0500.A	6.6	0.90	50.0	0.1510	23.76	27.21	yes	music wire	4C
C.066.090.0500.AP	6.6	0.90	50.0	0.2014	18.36	26.90	yes	music wire	4F
C.066.090.0500.I	6.6	0.90	50.0	0.1314	23.49	26.89	yes	stainless steel	4D
C.066.090.0500.N	6.6	0.90	50.0	0.1510	23.76	27.21	yes	Zn coating	4E
C.066.090.0630.A	6.6	0.90	63.0	0.1190	29.52	33.89	yes	music wire	4C
C.066.090.0630.AP	6.6	0.90	63.0	0.1589	22.68	33.71	yes	music wire	4F
C.066.090.0630.I	6.6	0.90	63.0	0.1035	29.25	33.57	yes	stainless steel	4D
C.066.090.0630.N	6.6	0.90	63.0	0.1190	29.52	33.89	yes	Zn coating	4E
C.066.090.0800.A	6.6	0.90	80.0	0.0930	37.17	42.76	yes	music wire	4C
C.066.090.0800.AP	6.6	0.90	80.0	0.1243	28.35	42.58	yes	music wire	4F
C.066.090.0800.I	6.6	0.90	80.0	0.0809	36.72	42.24	yes	stainless steel	4D
C.066.090.0800.N	6.6	0.90	80.0	0.0930	37.17	42.76	yes	Zn coating	4E
C.066.090.3600.A	6.6	0.90	360.0	0.0200	165.60	191.62	no	music wire	4F
C.066.090.3600.I	6.6	0.90	360.0	0.0174	163.53	189.22	no	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.066.100.0080.A	6.6	1.00	8.0	1.8600	5.60	6.06	yes	music wire	4C
C.066.100.0080.AP	6.6	1.00	8.0	2.3204	5.00	5.37	yes	music wire	4E
C.066.100.0080.I	6.6	1.00	8.0	1.6182	5.60	6.06	yes	stainless steel	4C
C.066.100.0080.N	6.6	1.00	8.0	1.8600	5.60	6.06	yes	Zn coating	4E
C.066.100.0100.A	6.6	1.00	10.0	1.3950	6.70	7.32	yes	music wire	4C
C.066.100.0100.AP	6.6	1.00	10.0	1.7579	5.80	6.46	yes	music wire	4E
C.066.100.0100.I	6.6	1.00	10.0	1.2137	6.60	7.20	yes	stainless steel	4C
C.066.100.0100.N	6.6	1.00	10.0	1.3950	6.70	7.32	yes	Zn coating	4E
C.066.100.0125.A	6.6	1.00	12.5	1.0630	8.00	8.81	yes	music wire	4C
C.066.100.0125.AP	6.6	1.00	12.5	1.3491	6.80	7.89	yes	music wire	4E
C.066.100.0125.I	6.6	1.00	12.5	0.9248	7.90	8.69	yes	stainless steel	4C
C.066.100.0125.N	6.6	1.00	12.5	1.0630	8.00	8.81	yes	Zn coating	4E
C.066.100.0160.A	6.6	1.00	16.0	0.8120	9.60	10.64	yes	music wire	4C
C.066.100.0160.AP	6.6	1.00	16.0	1.0177	8.20	9.89	yes	music wire	4E
C.066.100.0160.I	6.6	1.00	16.0	0.7064	9.60	10.64	yes	stainless steel	4C
C.066.100.0160.N	6.6	1.00	16.0	0.8120	9.60	10.64	yes	Zn coating	4E
C.066.100.0200.A	6.6	1.00	20.0	0.6290	11.70	13.05	yes	music wire	4C
C.066.100.0200.AP	6.6	1.00	20.0	0.7947	9.80	12.18	yes	music wire	4F
C.066.100.0200.I	6.6	1.00	20.0	0.5472	11.60	12.94	yes	stainless steel	4C
C.066.100.0200.N	6.6	1.00	20.0	0.6290	11.70	13.05	yes	Zn coating	4E
C.066.100.0250.A	6.6	1.00	25.0	0.4960	14.20	15.92	yes	music wire	4C
C.066.100.0250.AP	6.6	1.00	25.0	0.6238	11.80	15.03	yes	music wire	4F
C.066.100.0250.I	6.6	1.00	25.0	0.4315	14.00	15.69	yes	stainless steel	4C
C.066.100.0250.N	6.6	1.00	25.0	0.4960	14.20	15.92	yes	Zn coating	4E
C.066.100.0320.A	6.6	1.00	32.0	0.3780	17.80	20.05	yes	music wire	4C
C.066.100.0320.AP	6.6	1.00	32.0	0.4794	14.60	19.03	yes	music wire	4F
C.066.100.0320.I	6.6	1.00	32.0	0.3289	17.60	19.82	yes	stainless steel	4D
C.066.100.0320.N	6.6	1.00	32.0	0.3780	17.80	20.05	yes	Zn coating	4E
C.066.100.0400.A	6.6	1.00	40.0	0.3000	21.80	24.64	yes	music wire	4C
C.066.100.0400.AP	6.6	1.00	40.0	0.3792	17.80	23.60	yes	music wire	4F
C.066.100.0400.I	6.6	1.00	40.0	0.2610	21.60	24.41	yes	stainless steel	4D
C.066.100.0400.N	6.6	1.00	40.0	0.3000	21.80	24.64	yes	Zn coating	4E
C.066.100.0500.A	6.6	1.00	50.0	0.2370	27.00	30.60	yes	music wire	4C
C.066.100.0500.AP	6.6	1.00	50.0	0.3006	21.80	29.32	yes	music wire	4F
C.066.100.0500.I	6.6	1.00	50.0	0.2062	26.70	30.26	yes	stainless steel	4D
C.066.100.0500.N	6.6	1.00	50.0	0.2370	27.00	30.60	yes	Zn coating	4E
C.066.100.0630.A	6.6	1.00	63.0	0.1870	33.50	38.06	yes	music wire	4C
C.066.100.0630.AP	6.6	1.00	63.0	0.2368	27.00	36.74	yes	music wire	4F
C.066.100.0630.I	6.6	1.00	63.0	0.1627	33.10	37.60	yes	stainless steel	4D
C.066.100.0630.N	6.6	1.00	63.0	0.1870	33.50	38.06	yes	Zn coating	4E
C.066.100.0800.A	6.6	1.00	80.0	0.1460	42.20	48.04	yes	music wire	4D
C.066.100.0800.AP	6.6	1.00	80.0	0.1853	33.80	46.46	yes	music wire	4F
C.066.100.0800.I	6.6	1.00	80.0	0.1270	41.70	47.46	yes	stainless steel	4D
C.066.100.0800.N	6.6	1.00	80.0	0.1460	42.20	48.04	yes	Zn coating	4E
C.066.100.3600.A	6.6	1.00	360.0	0.0320	184.80	211.46	no	music wire	4F
C.066.100.3600.I	6.6	1.00	360.0	0.0278	182.70	209.05	no	stainless steel	4F
C.066.110.0080.A	6.6	1.10	8.0	3.0000	6.05	6.50	yes	music wire	4C
C.066.110.0080.I	6.6	1.10	8.0	2.6100	6.05	6.50	yes	stainless steel	4C
C.066.110.0080.N	6.6	1.10	8.0	3.0000	6.05	6.50	yes	Zn coating	4E
C.066.110.0100.A	6.6	1.10	10.0	2.2260	7.15	7.75	yes	music wire	4C
C.066.110.0100.I	6.6	1.10	10.0	1.9366	7.15	7.75	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.066.110.0100.N	6.6	1.10	10.0	2.2260	7.15	7.75	yes	Zn coating	4E
C.066.110.0125.A	6.6	1.10	12.5	1.6830	8.58	9.38	yes	music wire	4C
C.066.110.0125.I	6.6	1.10	12.5	1.4642	8.58	9.38	yes	stainless steel	4C
C.066.110.0125.N	6.6	1.10	12.5	1.6830	8.58	9.38	yes	Zn coating	4E
C.066.110.0160.A	6.6	1.10	16.0	1.2540	10.56	11.63	yes	music wire	4C
C.066.110.0160.I	6.6	1.10	16.0	1.0910	10.56	11.63	yes	stainless steel	4C
C.066.110.0160.N	6.6	1.10	16.0	1.2540	10.56	11.63	yes	Zn coating	4E
C.066.110.0200.A	6.6	1.10	20.0	0.9720	12.87	14.26	yes	music wire	4C
C.066.110.0200.I	6.6	1.10	20.0	0.8456	12.76	14.14	yes	stainless steel	4C
C.066.110.0200.N	6.6	1.10	20.0	0.9720	12.87	14.26	yes	Zn coating	4E
C.066.110.0250.A	6.6	1.10	25.0	0.7580	15.73	17.51	yes	music wire	4C
C.066.110.0250.I	6.6	1.10	25.0	0.6595	15.62	17.39	yes	stainless steel	4D
C.066.110.0250.N	6.6	1.10	25.0	0.7580	15.73	17.51	yes	Zn coating	4E
C.066.110.0320.A	6.6	1.10	32.0	0.5800	19.80	22.14	yes	music wire	4C
C.066.110.0320.I	6.6	1.10	32.0	0.5046	19.58	21.89	yes	stainless steel	4D
C.066.110.0320.N	6.6	1.10	32.0	0.5800	19.80	22.14	yes	Zn coating	4E
C.066.110.0400.A	6.6	1.10	40.0	0.4600	24.20	27.15	yes	music wire	4C
C.066.110.0400.I	6.6	1.10	40.0	0.4000	23.98	26.90	yes	stainless steel	4D
C.066.110.0400.N	6.6	1.10	40.0	0.4600	24.20	27.15	yes	Zn coating	4E
C.066.110.0500.A	6.6	1.10	50.0	0.3630	29.92	33.66	yes	music wire	4C
C.066.110.0500.I	6.6	1.10	50.0	0.3158	29.59	33.28	yes	stainless steel	4D
C.066.110.0500.N	6.6	1.10	50.0	0.3630	29.92	33.66	yes	Zn coating	4E
C.066.110.0630.A	6.6	1.10	63.0	0.2850	37.40	42.16	yes	music wire	4C
C.066.110.0630.I	6.6	1.10	63.0	0.2479	36.96	41.66	yes	stainless steel	4D
C.066.110.0630.N	6.6	1.10	63.0	0.2850	37.40	42.16	yes	Zn coating	4E
C.066.110.0800.A	6.6	1.10	80.0	0.2230	46.97	53.05	yes	music wire	4D
C.066.110.0800.I	6.6	1.10	80.0	0.1940	46.42	52.42	yes	stainless steel	4D
C.066.110.0800.N	6.6	1.10	80.0	0.2230	46.97	53.05	yes	Zn coating	4E
C.066.110.3600.A	6.6	1.10	360.0	0.0480	209.33	237.58	no	music wire	4F
C.066.110.3600.I	6.6	1.10	360.0	0.0418	206.47	234.33	no	stainless steel	4G
C.066.120.0220.A	6.6	1.20	22.0	1.4000	14.52	16.02	yes	music wire	4F
C.066.120.0220.I	6.6	1.20	22.0	1.2180	14.40	15.89	yes	stainless steel	4F
C.066.120.0360.A	6.6	1.20	36.0	0.9750	19.56	25.54	yes	music wire	4I
C.066.120.0360.I	6.6	1.20	36.0	0.8483	19.32	25.60	yes	stainless steel	4I
C.066.120.0360.N	6.6	1.20	36.0	0.9750	19.56	25.54	yes	Zn coating	4I
C.066.125.0080.A	6.6	1.25	8.0	5.6820	6.75	7.21	yes	music wire	4C
C.066.125.0080.I	6.6	1.25	8.0	4.9433	6.63	7.08	yes	stainless steel	4C
C.066.125.0080.N	6.6	1.25	8.0	5.6820	6.75	7.21	yes	Zn coating	4E
C.066.125.0100.A	6.6	1.25	10.0	4.1670	8.00	8.62	yes	music wire	4C
C.066.125.0100.I	6.6	1.25	10.0	3.6253	7.88	8.49	yes	stainless steel	4D
C.066.125.0100.N	6.6	1.25	10.0	4.1670	8.00	8.62	yes	Zn coating	4E
C.066.125.0125.A	6.6	1.25	12.5	3.1250	9.63	10.46	yes	music wire	4C
C.066.125.0125.I	6.6	1.25	12.5	2.7188	9.50	10.31	yes	stainless steel	4D
C.066.125.0125.N	6.6	1.25	12.5	3.1250	9.63	10.46	yes	Zn coating	4E
C.066.125.0160.A	6.6	1.25	16.0	2.3150	11.88	13.00	yes	music wire	4C
C.066.125.0160.I	6.6	1.25	16.0	2.0140	11.75	12.85	yes	stainless steel	4D
C.066.125.0160.N	6.6	1.25	16.0	2.3150	11.88	13.00	yes	Zn coating	4E
C.066.125.0200.A	6.6	1.25	20.0	1.7860	14.50	15.95	yes	music wire	4C
C.066.125.0200.I	6.6	1.25	20.0	1.5538	14.38	15.81	yes	stainless steel	4D
C.066.125.0200.N	6.6	1.25	20.0	1.7860	14.50	15.95	yes	Zn coating	4E
C.066.125.0250.A	6.6	1.25	25.0	1.3890	17.75	19.61	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.066.125.0250.I	6.6	1.25	25.0	1.2084	17.50	19.33	yes	stainless steel	4D
C.066.125.0250.N	6.6	1.25	25.0	1.3890	17.75	19.61	yes	Zn coating	4E
C.066.125.0320.A	6.6	1.25	32.0	1.0590	22.25	24.69	yes	music wire	4C
C.066.125.0320.I	6.6	1.25	32.0	0.9213	22.00	24.41	yes	stainless steel	4D
C.066.125.0320.N	6.6	1.25	32.0	1.0590	22.25	24.69	yes	Zn coating	4E
C.066.125.0400.A	6.6	1.25	40.0	0.8390	27.38	30.47	yes	music wire	4C
C.066.125.0400.I	6.6	1.25	40.0	0.7299	27.00	30.04	yes	stainless steel	4D
C.066.125.0400.N	6.6	1.25	40.0	0.8390	27.38	30.47	yes	Zn coating	4E
C.066.125.0500.A	6.6	1.25	50.0	0.6610	33.88	37.80	yes	music wire	4C
C.066.125.0500.I	6.6	1.25	50.0	0.5751	33.50	37.37	yes	stainless steel	4D
C.066.125.0500.N	6.6	1.25	50.0	0.6610	33.88	37.80	yes	Zn coating	4E
C.066.125.0630.A	6.6	1.25	63.0	0.5190	42.25	47.24	yes	music wire	4D
C.066.125.0630.I	6.6	1.25	63.0	0.4515	41.75	46.67	yes	stainless steel	4D
C.066.125.0630.N	6.6	1.25	63.0	0.5190	42.25	47.24	yes	Zn coating	4E
C.066.125.0800.A	6.6	1.25	80.0	0.4060	53.13	59.50	yes	music wire	4D
C.066.125.0800.I	6.6	1.25	80.0	0.3532	52.50	58.79	yes	stainless steel	4D
C.066.125.0800.N	6.6	1.25	80.0	0.4060	53.13	59.50	yes	Zn coating	4E
C.066.125.3600.A	6.6	1.25	360.0	0.0880	235.13	264.55	no	music wire	4F
C.066.125.3600.I	6.6	1.25	360.0	0.0766	232.00	261.02	no	stainless steel	4G
C.066.140.0080.A	6.6	1.40	8.0	8.0000	8.00	8.00	yes	music wire	4E
C.066.140.0080.AP	6.6	1.40	8.0	11.1744	7.00	7.42	yes	music wire	4E
C.066.140.0080.I	6.6	1.40	8.0	6.9600	8.00	8.00	yes	stainless steel	4E
C.066.140.0080.N	6.6	1.40	8.0	8.0000	8.00	8.00	yes	Zn coating	4G
C.066.140.0100.A	6.6	1.40	10.0	7.7440	8.54	9.15	yes	music wire	4D
C.066.140.0125.A	6.6	1.40	12.5	5.0000	11.34	12.29	yes	music wire	4E
C.066.140.0125.AL	6.6	1.40	12.5	5.5000	10.64	11.50	yes	music wire	4D
C.066.140.0125.AP	6.6	1.40	12.5	6.0731	9.94	10.72	yes	music wire	4H
C.066.140.0125.I	6.6	1.40	12.5	4.3500	11.20	12.13	yes	stainless steel	4E
C.066.140.0125.N	6.6	1.40	12.5	5.0000	11.34	12.29	yes	Zn coating	4G
C.066.140.0160.A	6.6	1.40	16.0	4.0000	13.30	14.48	yes	music wire	4E
C.066.140.0160.I	6.6	1.40	16.0	3.4800	13.16	14.33	yes	stainless steel	4E
C.066.140.0160.N	6.6	1.40	16.0	4.0000	13.30	14.48	yes	Zn coating	4G
C.066.140.0200.A	6.6	1.40	20.0	3.1250	15.96	17.46	yes	music wire	4E
C.066.140.0200.I	6.6	1.40	20.0	2.7188	15.82	17.31	yes	stainless steel	4E
C.066.140.0200.N	6.6	1.40	20.0	3.1250	15.96	17.46	yes	Zn coating	4G
C.066.140.0250.A	6.6	1.40	25.0	2.5000	19.04	20.92	yes	music wire	4E
C.066.140.0250.I	6.6	1.40	25.0	2.1750	18.90	20.76	yes	stainless steel	4E
C.066.140.0250.N	6.6	1.40	25.0	2.5000	19.04	20.92	yes	Zn coating	4G
C.066.140.0320.A	6.6	1.40	32.0	2.0000	22.96	25.31	yes	music wire	4H
C.066.140.0320.I	6.6	1.40	32.0	1.7400	22.68	24.99	yes	stainless steel	4I
C.066.140.0320.N	6.6	1.40	32.0	2.0000	22.96	25.31	yes	Zn coating	4I
C.066.140.0400.A	6.6	1.40	40.0	1.5873	28.00	30.96	yes	music wire	4H
C.066.140.0400.I	6.6	1.40	40.0	1.3810	27.72	30.64	yes	stainless steel	4I
C.066.140.0400.N	6.6	1.40	40.0	1.5873	28.00	30.96	yes	Zn coating	4I
C.066.140.0500.A	6.6	1.40	50.0	1.2500	34.72	38.49	yes	music wire	4I
C.066.140.0500.I	6.6	1.40	50.0	1.0875	34.30	38.02	yes	stainless steel	4I
C.066.140.0500.N	6.6	1.40	50.0	1.2500	34.72	38.49	yes	Zn coating	4I
C.066.140.0630.A	6.6	1.40	63.0	1.0000	42.42	47.62	yes	music wire	4I
C.066.140.0630.I	6.6	1.40	63.0	0.8700	42.00	47.65	yes	stainless steel	4I
C.066.140.0630.N	6.6	1.40	63.0	1.0000	42.42	47.62	yes	Zn coating	4I
C.066.140.0800.A	6.6	1.40	80.0	0.8000	52.22	60.78	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.066.140.0800.I	6.6	1.40	80.0	0.6960	51.52	60.81	yes	stainless steel	4J
C.066.140.0800.N	6.6	1.40	80.0	0.8000	52.22	60.78	yes	Zn coating	4K
C.067.070.0100.A	6.7	0.70	10.0	0.3056	4.34	4.88	yes	music wire	4C
C.067.070.0125.A	6.7	0.70	12.5	0.2444	4.97	5.65	yes	music wire	4C
C.067.070.0160.A	6.7	0.70	16.0	0.1964	5.81	6.66	yes	music wire	4C
C.067.070.0200.A	6.7	0.70	20.0	0.1571	6.79	7.85	yes	music wire	4C
C.067.070.0250.A	6.7	0.70	25.0	0.1222	8.26	9.63	yes	music wire	4C
C.067.070.0320.A	6.7	0.70	32.0	0.0982	9.80	11.49	yes	music wire	4C
C.067.070.0350.A	6.7	0.70	35.0	0.0944	10.15	11.92	yes	music wire	4E
C.067.070.0350.I	6.7	0.70	35.0	0.0811	10.15	11.92	yes	stainless steel	4F
C.067.070.0350.N	6.7	0.70	35.0	0.0944	10.15	11.92	yes	Zn coating	4H
C.067.070.0400.A	6.7	0.70	40.0	0.0786	11.83	13.95	yes	music wire	4C
C.067.070.0500.A	6.7	0.70	50.0	0.0611	14.70	17.42	yes	music wire	4C
C.067.070.0630.A	6.7	0.70	63.0	0.0489	17.99	21.40	yes	music wire	4C
C.067.070.0800.A	6.7	0.70	80.0	0.0393	21.91	26.15	yes	music wire	4C
C.067.070.1000.A	6.7	0.70	100.0	0.0311	27.23	32.59	yes	music wire	4C
C.067.070.1000.I	6.7	0.70	100.0	0.0271	26.88	32.16	yes	stainless steel	4G
C.067.070.1000.N	6.7	0.70	100.0	0.0311	27.23	32.59	yes	Zn coating	4E
C.067.070.1250.A	6.7	0.70	125.0	0.0250	33.46	40.13	yes	music wire	4G
C.067.070.1250.I	6.7	0.70	125.0	0.0218	33.04	39.62	yes	stainless steel	4G
C.067.070.1250.N	6.7	0.70	125.0	0.0250	33.46	40.13	yes	Zn coating	4I
C.067.070.1600.A	6.7	0.70	160.0	0.0200	41.37	49.70	yes	music wire	4G
C.067.070.1600.I	6.7	0.70	160.0	0.0174	40.88	49.11	yes	stainless steel	4G
C.067.070.1600.N	6.7	0.70	160.0	0.0200	41.37	49.70	yes	Zn coating	4I
C.067.100.0342.A	6.7	1.00	34.2	0.4401	15.00	20.26	yes	music wire	4F
C.067.100.0342.I	6.7	1.00	34.2	0.3780	15.00	20.24	yes	stainless steel	4F
C.067.100.0342.N	6.7	1.00	34.2	0.4401	15.00	20.26	yes	Zn coating	4H
C.067.100.0506.A	6.7	1.00	50.6	0.2974	21.00	29.98	yes	music wire	4I
C.067.100.0506.I	6.7	1.00	50.6	0.2587	20.80	30.20	yes	stainless steel	4I
C.067.100.0506.N	6.7	1.00	50.6	0.2974	21.00	29.98	yes	Zn coating	4I
C.067.100.0810.A	6.7	1.00	81.0	0.1865	32.00	48.12	yes	music wire	4I
C.067.100.0810.I	6.7	1.00	81.0	0.1602	32.00	48.06	yes	stainless steel	4I
C.067.100.0810.N	6.7	1.00	81.0	0.1865	32.00	48.12	yes	Zn coating	4J
C.068.020.0174.A	6.8	0.20	17.4	0.0011	1.68	3.38	no	music wire	4C
C.068.020.0174.I	6.8	0.20	17.4	0.0010	1.68	3.38	no	stainless steel	4C
C.068.030.0079.A	6.8	0.30	7.9	0.0030	4.05	6.46	no	music wire	4C
C.068.030.0079.I	6.8	0.30	7.9	0.0026	4.02	6.41	no	stainless steel	4C
C.068.030.0111.A	6.8	0.30	11.1	0.0046	3.00	4.57	no	music wire	4C
C.068.030.0111.I	6.8	0.30	11.1	0.0040	3.00	4.57	no	stainless steel	4C
C.068.030.0119.A	6.8	0.30	11.9	0.0090	2.04	2.84	no	music wire	4C
C.068.030.0119.I	6.8	0.30	11.9	0.0078	2.04	2.84	no	stainless steel	4C
C.068.040.0071.A	6.8	0.40	7.1	0.0276	2.44	3.14	yes	music wire	4B
C.068.040.0071.I	6.8	0.40	7.1	0.0240	2.44	3.14	yes	stainless steel	4B
C.068.040.0174.A	6.8	0.40	17.4	0.0040	10.96	15.78	yes	music wire	4B
C.068.040.0174.I	6.8	0.40	17.4	0.0035	10.84	15.60	yes	stainless steel	4C
C.068.040.0220.A	6.8	0.40	22.0	0.0057	7.92	11.27	yes	music wire	4B
C.068.040.0220.I	6.8	0.40	22.0	0.0050	7.84	11.15	yes	stainless steel	4C
C.068.040.0290.A	6.8	0.40	29.0	0.0057	7.92	11.27	yes	music wire	4B
C.068.040.0290.I	6.8	0.40	29.0	0.0050	7.84	11.15	yes	stainless steel	4C
C.068.040.0340.A	6.8	0.40	34.0	0.0060	7.64	10.85	yes	music wire	4B
C.068.040.0340.I	6.8	0.40	34.0	0.0052	7.56	10.73	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.068.040.0340.N	6.8	0.40	34.0	0.0060	7.64	10.85	yes	Zn coating	4C
C.068.050.0135.A	6.8	0.50	13.5	0.0728	3.00	3.59	yes	music wire	4B
C.068.050.0135.I	6.8	0.50	13.5	0.0625	3.00	3.59	yes	stainless steel	4C
C.068.050.0135.N	6.8	0.50	13.5	0.0728	3.00	3.59	yes	Zn coating	4C
C.068.050.0151.A	6.8	0.50	15.1	0.0140	10.35	13.43	yes	music wire	4B
C.068.050.0151.I	6.8	0.50	15.1	0.0122	10.25	13.29	yes	stainless steel	4C
C.068.050.0191.A	6.8	0.50	19.1	0.0264	6.05	7.67	yes	music wire	4B
C.068.050.0191.I	6.8	0.50	19.1	0.0230	6.00	7.61	yes	stainless steel	4C
C.068.050.0200.A	6.8	0.50	20.0	0.0463	4.00	4.93	yes	music wire	4B
C.068.050.0200.I	6.8	0.50	20.0	0.0398	4.00	4.93	yes	stainless steel	4C
C.068.050.0200.N	6.8	0.50	20.0	0.0463	4.00	4.93	yes	Zn coating	4C
C.068.050.0300.A	6.8	0.50	30.0	0.0300	5.50	6.94	yes	music wire	4B
C.068.050.0300.I	6.8	0.50	30.0	0.0258	5.50	6.94	yes	stainless steel	4C
C.068.050.0300.N	6.8	0.50	30.0	0.0300	5.50	6.94	yes	Zn coating	4D
C.068.050.0440.A	6.8	0.50	44.0	0.0204	7.50	9.61	yes	music wire	4C
C.068.050.0440.I	6.8	0.50	44.0	0.0175	7.50	9.61	yes	stainless steel	4C
C.068.050.0440.IF	6.8	0.50	44.0	0.0119	10.45	13.56	yes	stainless steel	4C
C.068.050.0440.N	6.8	0.50	44.0	0.0204	7.50	9.61	yes	Zn coating	4D
C.068.050.0650.A	6.8	0.50	65.0	0.0138	10.50	13.63	yes	music wire	4C
C.068.050.0650.I	6.8	0.50	65.0	0.0119	10.45	13.56	yes	stainless steel	4C
C.068.050.0650.IF	6.8	0.50	65.0	0.0097	12.50	16.30	yes	stainless steel	4C
C.068.050.0650.N	6.8	0.50	65.0	0.0138	10.50	13.63	yes	Zn coating	4D
C.068.060.0127.A	6.8	0.60	12.7	0.1839	3.30	4.76	yes	music wire	4E
C.068.060.0127.I	6.8	0.60	12.7	0.1600	3.30	4.95	yes	stainless steel	4E
C.068.060.0210.A	6.8	0.60	21.0	0.0448	8.94	10.88	yes	music wire	4C
C.068.060.0210.AP	6.8	0.60	21.0	0.1174	4.32	8.57	yes	music wire	4E
C.068.060.0210.I	6.8	0.60	21.0	0.0390	8.82	10.72	yes	stainless steel	4C
C.068.060.0290.A	6.8	0.60	29.0	0.0586	7.20	8.68	yes	music wire	4C
C.068.060.0290.AP	6.8	0.60	29.0	0.0849	5.40	11.81	yes	music wire	4E
C.068.060.0290.I	6.8	0.60	29.0	0.0510	7.08	8.53	yes	stainless steel	4C
C.068.060.0410.A	6.8	0.60	41.0	0.0253	14.64	18.06	yes	music wire	4C
C.068.060.0410.AP	6.8	0.60	41.0	0.0593	7.08	16.41	yes	music wire	4E
C.068.060.0410.I	6.8	0.60	41.0	0.0220	14.46	17.83	yes	stainless steel	4C
C.068.060.0540.A	6.8	0.60	54.0	0.0207	17.58	21.76	yes	music wire	4C
C.068.060.0540.AP	6.8	0.60	54.0	0.0449	8.88	21.48	yes	music wire	4F
C.068.060.0540.I	6.8	0.60	54.0	0.0180	17.34	21.46	yes	stainless steel	4C
C.068.070.0095.A	6.8	0.70	9.5	0.3908	3.71	4.13	yes	music wire	4E
C.068.070.0095.I	6.8	0.70	9.5	0.3400	3.64	4.04	yes	stainless steel	4F
C.068.070.0143.A	6.8	0.70	14.3	0.1700	6.16	7.10	yes	music wire	4C
C.068.070.0143.AP	6.8	0.70	14.3	0.2985	4.27	6.77	yes	music wire	4E
C.068.070.0143.I	6.8	0.70	14.3	0.1400	6.37	7.36	yes	stainless steel	4C
C.068.070.0174.A	6.8	0.70	17.4	0.2200	5.18	7.18	yes	music wire	4E
C.068.070.0174.I	6.8	0.70	17.4	0.1914	5.11	7.38	yes	stainless steel	4F
C.068.070.0270.A	6.8	0.70	27.0	0.1000	9.31	10.93	yes	music wire	4C
C.068.070.0270.AP	6.8	0.70	27.0	0.1514	6.72	12.14	yes	music wire	4E
C.068.070.0270.I	6.8	0.70	27.0	0.0870	9.17	10.76	yes	stainless steel	4C
C.068.080.0111.A	6.8	0.80	11.1	0.3908	5.92	6.64	yes	music wire	4C
C.068.080.0111.AP	6.8	0.80	11.1	0.6220	4.48	5.85	yes	music wire	4E
C.068.080.0111.I	6.8	0.80	11.1	0.3400	5.92	6.64	yes	stainless steel	4C
C.068.080.0127.A	6.8	0.80	12.7	0.3100	6.96	7.87	yes	music wire	4C
C.068.080.0127.AP	6.8	0.80	12.7	0.5356	4.88	6.60	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.068.080.0127.I	6.8	0.80	12.7	0.2697	6.96	7.87	yes	stainless steel	4C
C.068.080.0135.A	6.8	0.80	13.5	0.5172	4.96	7.19	yes	music wire	4E
C.068.080.0135.I	6.8	0.80	13.5	0.4500	4.96	7.29	yes	stainless steel	4F
C.068.080.0159.A	6.8	0.80	15.9	0.6092	4.56	10.54	yes	music wire	4H
C.068.080.0159.I	6.8	0.80	15.9	0.5300	4.48	10.63	yes	stainless steel	4H
C.068.080.0191.A	6.8	0.80	19.1	0.1954	9.92	11.38	yes	music wire	4C
C.068.080.0191.AP	6.8	0.80	19.1	0.3443	6.48	9.62	yes	music wire	4E
C.068.080.0191.I	6.8	0.80	19.1	0.1700	9.84	11.29	yes	stainless steel	4C
C.068.080.0220.A	6.8	0.80	22.0	0.1720	10.96	12.61	yes	music wire	4C
C.068.080.0220.AP	6.8	0.80	22.0	0.2967	7.20	10.99	yes	music wire	4E
C.068.080.0220.I	6.8	0.80	22.0	0.1496	10.88	12.52	yes	stainless steel	4C
C.068.080.0220.N	6.8	0.80	22.0	0.1720	10.96	12.61	yes	Zn coating	4E
C.068.080.0270.A	6.8	0.80	27.0	0.1379	13.20	15.27	yes	music wire	4C
C.068.080.0270.AP	6.8	0.80	27.0	0.2381	8.48	13.29	yes	music wire	4E
C.068.080.0270.I	6.8	0.80	27.0	0.1200	13.04	15.08	yes	stainless steel	4C
C.068.080.0350.A	6.8	0.80	35.0	0.0680	24.72	28.91	yes	music wire	4C
C.068.080.0350.AP	6.8	0.80	35.0	0.1819	10.48	17.05	yes	music wire	4E
C.068.080.0350.I	6.8	0.80	35.0	0.0592	24.40	28.53	yes	stainless steel	4C
C.068.090.0135.A	6.8	0.90	13.5	0.5200	7.92	8.85	yes	music wire	4C
C.068.090.0135.AP	6.8	0.90	13.5	0.7742	6.03	7.65	yes	music wire	4E
C.068.090.0135.I	6.8	0.90	13.5	0.4524	7.83	8.75	yes	stainless steel	4C
C.068.090.0220.A	6.8	0.90	22.0	0.3900	9.72	10.95	yes	music wire	4E
C.068.090.0220.I	6.8	0.90	22.0	0.3393	9.63	10.84	yes	stainless steel	4F
C.068.090.0520.A	6.8	0.90	52.0	0.1494	21.87	25.10	yes	music wire	4C
C.068.090.0520.I	6.8	0.90	52.0	0.1300	21.60	24.78	yes	stainless steel	4F
C.068.100.0080.A	6.8	1.00	8.0	1.6000	5.80	6.29	yes	music wire	4C
C.068.100.0100.A	6.8	1.00	10.0	1.2800	6.70	7.33	yes	music wire	4C
C.068.100.0111.A	6.8	1.00	11.1	1.6000	5.80	7.32	yes	music wire	4H
C.068.100.0111.AP	6.8	1.00	11.1	1.4504	6.10	6.93	yes	music wire	4E
C.068.100.0111.I	6.8	1.00	11.1	1.0000	7.00	7.68	yes	stainless steel	4C
C.068.100.0125.A	6.8	1.00	12.5	1.0000	7.90	8.71	yes	music wire	4C
C.068.100.0160.A	6.8	1.00	16.0	0.8000	9.20	10.20	yes	music wire	4C
C.068.100.0174.A	6.8	1.00	17.4	1.2644	6.60	12.61	yes	music wire	4H
C.068.100.0174.I	6.8	1.00	17.4	1.1000	6.60	12.67	yes	stainless steel	4I
C.068.100.0200.A	6.8	1.00	20.0	0.6400	10.90	12.16	yes	music wire	4C
C.068.100.0220.A	6.8	1.00	22.0	0.5747	11.60	12.97	yes	music wire	4C
C.068.100.0220.I	6.8	1.00	22.0	0.5000	11.50	12.85	yes	stainless steel	4F
C.068.100.0250.A	6.8	1.00	25.0	0.5079	13.10	14.69	yes	music wire	4C
C.068.100.0270.A	6.8	1.00	27.0	0.3448	17.60	19.87	yes	music wire	4C
C.068.100.0270.AP	6.8	1.00	27.0	0.5439	12.10	15.87	yes	music wire	4F
C.068.100.0270.I	6.8	1.00	27.0	0.3000	17.40	19.64	yes	stainless steel	4C
C.068.100.0320.A	6.8	1.00	32.0	0.4000	15.90	17.90	yes	music wire	4C
C.068.100.0400.A	6.8	1.00	40.0	0.3200	19.20	21.70	yes	music wire	4C
C.068.100.0500.A	6.8	1.00	50.0	0.2560	23.40	26.53	yes	music wire	4C
C.068.100.0630.A	6.8	1.00	63.0	0.2000	29.30	33.31	yes	music wire	4C
C.068.100.0800.A	6.8	1.00	80.0	0.1600	36.00	41.93	yes	music wire	4C
C.068.100.1000.A	6.8	1.00	100.0	0.1250	44.30	51.59	yes	music wire	4G
C.068.100.1000.I	6.8	1.00	100.0	0.1088	43.70	52.12	yes	stainless steel	4G
C.068.100.1000.N	6.8	1.00	100.0	0.1250	44.30	51.59	yes	Zn coating	4I
C.068.100.1030.A	6.8	1.00	103.0	0.1400	39.80	59.78	yes	music wire	4I
C.068.100.1030.I	6.8	1.00	103.0	0.1218	39.30	60.25	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.068.100.1250.A	6.8	1.00	125.0	0.1000	54.70	64.49	yes	music wire	4G
C.068.100.1250.I	6.8	1.00	125.0	0.0870	54.00	65.14	yes	stainless steel	4G
C.068.100.1250.N	6.8	1.00	125.0	0.1000	54.70	64.49	yes	Zn coating	4I
C.068.110.0056.A	6.8	1.10	5.6	4.8000	4.62	4.88	yes	music wire	4C
C.068.110.0056.I	6.8	1.10	5.6	4.1760	4.62	4.88	yes	stainless steel	4C
C.068.110.0174.A	6.8	1.10	17.4	1.4943	8.69	12.14	yes	music wire	4H
C.068.110.0174.I	6.8	1.10	17.4	1.3000	8.58	12.19	yes	stainless steel	4I
C.068.110.0220.A	6.8	1.10	22.0	1.0230	11.44	14.32	yes	music wire	4F
C.068.110.0220.I	6.8	1.10	22.0	0.8900	11.33	14.39	yes	stainless steel	4I
C.068.110.0540.A	6.8	1.10	54.0	0.5057	20.24	38.47	yes	music wire	4I
C.068.110.0540.I	6.8	1.10	54.0	0.4400	20.02	38.60	yes	stainless steel	4I
C.068.120.0300.A	6.8	1.20	30.0	0.9080	18.84	20.94	yes	music wire	4F
C.068.120.0300.I	6.8	1.20	30.0	0.7900	18.72	20.81	yes	stainless steel	4G
C.068.125.0090.A	6.8	1.25	9.0	4.1568	7.50	8.07	yes	music wire	4C
C.068.125.0090.AP	6.8	1.25	9.0	5.0284	6.75	7.22	yes	music wire	4F
C.068.125.0090.I	6.8	1.25	9.0	3.5703	7.50	8.07	yes	stainless steel	4D
C.068.125.0090.N	6.8	1.25	9.0	4.1568	7.50	8.07	yes	Zn coating	4E
C.068.125.0100.A	6.8	1.25	10.0	3.4222	8.63	9.34	yes	music wire	4C
C.068.125.0125.A	6.8	1.25	12.5	2.5455	10.50	11.45	yes	music wire	4C
C.068.125.0130.A	6.8	1.25	13.0	2.6452	10.00	10.89	yes	music wire	4C
C.068.125.0130.AP	6.8	1.25	13.0	3.1701	8.88	9.63	yes	music wire	4F
C.068.125.0130.I	6.8	1.25	13.0	2.3000	9.88	10.75	yes	stainless steel	4D
C.068.125.0130.N	6.8	1.25	13.0	2.6452	10.00	10.89	yes	Zn coating	4E
C.068.125.0160.A	6.8	1.25	16.0	2.0000	12.50	13.71	yes	music wire	4C
C.068.125.0190.A	6.8	1.25	19.0	1.7116	13.75	15.13	yes	music wire	4C
C.068.125.0190.AP	6.8	1.25	19.0	2.0253	12.13	13.52	yes	music wire	4F
C.068.125.0190.I	6.8	1.25	19.0	1.4701	13.75	15.13	yes	stainless steel	4D
C.068.125.0190.N	6.8	1.25	19.0	1.7116	13.75	15.13	yes	Zn coating	4E
C.068.125.0200.A	6.8	1.25	20.0	1.5556	15.13	16.68	yes	music wire	4C
C.068.125.0250.A	6.8	1.25	25.0	1.2444	18.13	20.07	yes	music wire	4C
C.068.125.0290.A	6.8	1.25	29.0	1.0777	20.00	22.19	yes	music wire	4C
C.068.125.0290.I	6.8	1.25	29.0	0.9256	20.00	22.19	yes	stainless steel	4D
C.068.125.0290.N	6.8	1.25	29.0	1.0777	20.00	22.19	yes	Zn coating	4E
C.068.125.0320.A	6.8	1.25	32.0	1.0000	21.75	24.15	yes	music wire	4C
C.068.125.0400.A	6.8	1.25	40.0	0.8000	26.50	29.52	yes	music wire	4C
C.068.125.0500.A	6.8	1.25	50.0	0.6222	33.13	37.00	yes	music wire	4C
C.068.125.0630.A	6.8	1.25	63.0	0.5000	40.50	45.32	yes	music wire	4C
C.068.125.0800.A	6.8	1.25	80.0	0.4000	49.88	55.91	yes	music wire	4C
C.068.125.1000.A	6.8	1.25	100.0	0.3111	61.63	69.21	yes	music wire	4G
C.068.125.1000.I	6.8	1.25	100.0	0.2707	60.88	68.36	yes	stainless steel	4G
C.068.125.1000.N	6.8	1.25	100.0	0.3111	61.63	69.21	yes	Zn coating	4I
C.068.130.0095.A	6.8	1.30	9.5	6.8966	6.50	7.71	yes	music wire	4I
C.068.130.0095.I	6.8	1.30	9.5	6.0000	6.50	7.72	yes	stainless steel	4I
C.068.130.0250.A	6.8	1.30	25.0	1.8000	15.86	18.15	yes	music wire	4F
C.068.130.0250.I	6.8	1.30	25.0	1.5660	15.73	18.18	yes	stainless steel	4G
C.068.130.0290.A	6.8	1.30	29.0	1.2644	21.19	23.47	yes	music wire	4C
C.068.130.0290.AP	6.8	1.30	29.0	1.4989	18.46	20.77	yes	music wire	4F
C.068.130.0290.I	6.8	1.30	29.0	1.1000	21.06	23.32	yes	stainless steel	4D
C.068.130.0580.A	6.8	1.30	58.0	0.4828	50.31	56.28	yes	music wire	4D
C.068.130.0580.AP	6.8	1.30	58.0	0.7187	34.84	40.84	yes	music wire	4G
C.068.130.0580.I	6.8	1.30	58.0	0.4200	49.79	55.69	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.068.150.0240.A	6.8	1.50	24.0	4.4000	15.60	19.91	yes	music wire	4I
C.068.150.0240.I	6.8	1.50	24.0	3.8280	15.45	19.91	yes	stainless steel	4I
C.069.065.0115.A	6.9	0.65	11.5	0.1834	4.29	4.93	yes	music wire	4C
C.069.065.0115.AP	6.9	0.65	11.5	0.2856	3.32	5.19	yes	music wire	4E
C.069.065.0115.I	6.9	0.65	11.5	0.1575	4.29	4.93	yes	stainless steel	4C
C.069.065.0115.N	6.9	0.65	11.5	0.1834	4.29	4.93	yes	Zn coating	4E
C.069.065.0170.A	6.9	0.65	17.0	0.1167	5.79	6.78	yes	music wire	4C
C.069.065.0170.AP	6.9	0.65	17.0	0.1904	4.16	7.53	yes	music wire	4E
C.069.065.0170.I	6.9	0.65	17.0	0.1000	5.79	6.78	yes	stainless steel	4C
C.069.065.0170.N	6.9	0.65	17.0	0.1167	5.79	6.78	yes	Zn coating	4E
C.069.065.0255.A	6.9	0.65	25.5	0.0755	8.06	9.60	yes	music wire	4C
C.069.065.0255.AP	6.9	0.65	25.5	0.1237	5.53	10.94	yes	music wire	4E
C.069.065.0255.I	6.9	0.65	25.5	0.0648	8.06	9.60	yes	stainless steel	4C
C.069.065.0255.N	6.9	0.65	25.5	0.0755	8.06	9.60	yes	Zn coating	4E
C.069.065.0365.A	6.9	0.65	36.5	0.0513	11.05	13.30	yes	music wire	4C
C.069.065.0365.AP	6.9	0.65	36.5	0.0844	7.35	15.14	yes	music wire	4E
C.069.065.0365.I	6.9	0.65	36.5	0.0441	11.05	13.30	yes	stainless steel	4C
C.069.065.0365.IF	6.9	0.65	36.5	0.0298	15.60	18.94	yes	stainless steel	4C
C.069.065.0365.N	6.9	0.65	36.5	0.0513	11.05	13.30	yes	Zn coating	4E
C.069.065.0540.A	6.9	0.65	54.0	0.0347	15.60	18.94	yes	music wire	4C
C.069.065.0540.AP	6.9	0.65	54.0	0.0567	10.14	22.20	yes	music wire	4F
C.069.065.0540.I	6.9	0.65	54.0	0.0298	15.60	18.94	yes	stainless steel	4C
C.069.065.0540.IF	6.9	0.65	54.0	0.0245	18.59	22.64	yes	stainless steel	4C
C.069.065.0540.N	6.9	0.65	54.0	0.0347	15.60	18.94	yes	Zn coating	4E
C.069.080.0380.A	6.9	0.80	38.0	0.1390	12.56	14.83	yes	music wire	4F
C.069.080.0380.I	6.9	0.80	38.0	0.1209	12.48	15.21	yes	stainless steel	4F
C.069.080.0380.N	6.9	0.80	38.0	0.1390	12.56	14.83	yes	Zn coating	4H
C.069.090.0195.A	6.9	0.90	19.5	0.3868	9.45	10.65	yes	music wire	4C
C.069.090.0195.AP	6.9	0.90	19.5	0.5068	7.74	10.69	yes	music wire	4E
C.069.090.0195.I	6.9	0.90	19.5	0.3365	9.36	10.55	yes	stainless steel	4C
C.069.090.0195.N	6.9	0.90	19.5	0.3868	9.45	10.65	yes	Zn coating	4E
C.070.040.0252.A	7.0	0.40	25.2	0.0202	2.80	3.72	yes	music wire	4D
C.070.040.0252.I	7.0	0.40	25.2	0.0173	2.80	3.72	yes	stainless steel	4E
C.070.040.0252.N	7.0	0.40	25.2	0.0202	2.80	3.72	yes	Zn coating	4F
C.070.040.0340.A	7.0	0.40	34.0	0.0080	5.52	7.82	yes	music wire	4B
C.070.040.0340.I	7.0	0.40	34.0	0.0070	5.48	7.76	yes	stainless steel	4C
C.070.040.0340.N	7.0	0.40	34.0	0.0080	5.52	7.82	yes	Zn coating	4C
C.070.040.0350.A	7.0	0.40	35.0	0.0080	5.52	7.82	yes	music wire	4B
C.070.040.0350.I	7.0	0.40	35.0	0.0070	5.48	7.76	yes	stainless steel	4C
C.070.040.0350.N	7.0	0.40	35.0	0.0080	5.52	7.82	yes	Zn coating	4D
C.070.040.0358.A	7.0	0.40	35.8	0.0140	3.60	4.92	yes	music wire	4E
C.070.040.0358.I	7.0	0.40	35.8	0.0120	3.60	4.92	yes	stainless steel	4E
C.070.040.0358.N	7.0	0.40	35.8	0.0140	3.60	4.92	yes	Zn coating	4F
C.070.040.0570.A	7.0	0.40	57.0	0.0086	5.20	7.34	yes	music wire	4C
C.070.040.0570.I	7.0	0.40	57.0	0.0074	5.20	7.34	yes	stainless steel	4E
C.070.040.0570.N	7.0	0.40	57.0	0.0086	5.20	7.34	yes	Zn coating	4D
C.070.055.0080.A	7.0	0.55	8.0	0.1490	2.64	3.03	yes	music wire	4C
C.070.055.0080.I	7.0	0.55	8.0	0.1296	2.64	3.03	yes	stainless steel	4C
C.070.055.0080.N	7.0	0.55	8.0	0.1490	2.64	3.03	yes	Zn coating	4E
C.070.055.0097.A	7.0	0.55	9.7	0.1241	2.92	3.39	yes	music wire	4C
C.070.055.0097.I	7.0	0.55	9.7	0.1066	2.92	3.39	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.055.0100.A	7.0	0.55	10.0	0.1160	3.03	3.54	yes	music wire	4C
C.070.055.0100.I	7.0	0.55	10.0	0.1009	3.03	3.54	yes	stainless steel	4C
C.070.055.0100.N	7.0	0.55	10.0	0.1160	3.03	3.54	yes	Zn coating	4E
C.070.055.0112.A	7.0	0.55	11.2	0.1053	3.19	3.75	yes	music wire	4C
C.070.055.0112.I	7.0	0.55	11.2	0.0904	3.19	3.75	yes	stainless steel	4C
C.070.055.0125.A	7.0	0.55	12.5	0.0920	3.47	4.11	yes	music wire	4C
C.070.055.0125.AP	7.0	0.55	12.5	0.1000	3.30	3.89	yes	music wire	4C
C.070.055.0125.I	7.0	0.55	12.5	0.0800	3.41	4.03	yes	stainless steel	4C
C.070.055.0125.N	7.0	0.55	12.5	0.0920	3.47	4.11	yes	Zn coating	4E
C.070.055.0142.A	7.0	0.55	14.2	0.0808	3.74	4.46	yes	music wire	4C
C.070.055.0142.I	7.0	0.55	14.2	0.0694	3.74	4.46	yes	stainless steel	4C
C.070.055.0160.A	7.0	0.55	16.0	0.0720	4.02	4.83	yes	music wire	4C
C.070.055.0160.AP	7.0	0.55	16.0	0.0794	3.80	4.54	yes	music wire	4C
C.070.055.0160.I	7.0	0.55	16.0	0.0626	4.02	4.83	yes	stainless steel	4C
C.070.055.0160.N	7.0	0.55	16.0	0.0720	4.02	4.83	yes	Zn coating	4E
C.070.055.0200.A	7.0	0.55	20.0	0.0570	4.73	5.76	yes	music wire	4C
C.070.055.0200.AP	7.0	0.55	20.0	0.0625	4.46	5.40	yes	music wire	4C
C.070.055.0200.I	7.0	0.55	20.0	0.0496	4.68	5.69	yes	stainless steel	4C
C.070.055.0200.N	7.0	0.55	20.0	0.0570	4.73	5.76	yes	Zn coating	4E
C.070.055.0250.A	7.0	0.55	25.0	0.0450	5.61	6.91	yes	music wire	4C
C.070.055.0250.AP	7.0	0.55	25.0	0.0500	5.17	6.33	yes	music wire	4C
C.070.055.0250.I	7.0	0.55	25.0	0.0392	5.56	6.84	yes	stainless steel	4C
C.070.055.0250.N	7.0	0.55	25.0	0.0450	5.61	6.91	yes	Zn coating	4E
C.070.055.0305.A	7.0	0.55	30.5	0.0366	6.60	8.20	yes	music wire	4C
C.070.055.0305.I	7.0	0.55	30.5	0.0314	6.60	8.20	yes	stainless steel	4C
C.070.055.0320.A	7.0	0.55	32.0	0.0350	6.82	8.49	yes	music wire	4C
C.070.055.0320.AP	7.0	0.55	32.0	0.0400	6.16	7.63	yes	music wire	4C
C.070.055.0320.I	7.0	0.55	32.0	0.0304	6.77	8.42	yes	stainless steel	4C
C.070.055.0320.N	7.0	0.55	32.0	0.0350	6.82	8.49	yes	Zn coating	4E
C.070.055.0381.A	7.0	0.55	38.1	0.0290	7.98	10.00	yes	music wire	4C
C.070.055.0381.I	7.0	0.55	38.1	0.0249	7.98	10.00	yes	stainless steel	4C
C.070.055.0400.A	7.0	0.55	40.0	0.0280	8.20	10.29	yes	music wire	4C
C.070.055.0400.AP	7.0	0.55	40.0	0.0313	7.48	9.35	yes	music wire	4C
C.070.055.0400.I	7.0	0.55	40.0	0.0244	8.09	10.15	yes	stainless steel	4C
C.070.055.0400.N	7.0	0.55	40.0	0.0280	8.20	10.29	yes	Zn coating	4E
C.070.055.0500.A	7.0	0.55	50.0	0.0220	10.07	12.73	yes	music wire	4C
C.070.055.0500.AP	7.0	0.55	50.0	0.0250	9.02	11.36	yes	music wire	4C
C.070.055.0500.I	7.0	0.55	50.0	0.0191	9.96	12.59	yes	stainless steel	4C
C.070.055.0500.N	7.0	0.55	50.0	0.0220	10.07	12.73	yes	Zn coating	4E
C.070.055.0630.A	7.0	0.55	63.0	0.0170	12.60	16.04	yes	music wire	4C
C.070.055.0630.AP	7.0	0.55	63.0	0.0200	10.95	13.88	yes	music wire	4C
C.070.055.0630.I	7.0	0.55	63.0	0.0148	12.49	15.89	yes	stainless steel	4C
C.070.055.0630.N	7.0	0.55	63.0	0.0170	12.60	16.04	yes	Zn coating	4E
C.070.055.0800.A	7.0	0.55	80.0	0.0140	15.02	19.20	yes	music wire	4C
C.070.055.0800.AP	7.0	0.55	80.0	0.0156	13.59	17.33	yes	music wire	4C
C.070.055.0800.I	7.0	0.55	80.0	0.0122	14.85	18.98	yes	stainless steel	4D
C.070.055.0800.N	7.0	0.55	80.0	0.0140	15.02	19.20	yes	Zn coating	4E
C.070.055.1000.A	7.0	0.55	100.0	0.0126	16.56	21.21	yes	music wire	4C
C.070.055.1000.I	7.0	0.55	100.0	0.0110	16.34	20.92	yes	stainless steel	4D
C.070.055.1000.N	7.0	0.55	100.0	0.0126	16.56	21.21	yes	Zn coating	4E
C.070.055.3600.A	7.0	0.55	360.0	0.0030	65.62	85.13	no	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.070.055.3600.I	7.0	0.55	360.0	0.0026	65.07	84.41	no	stainless steel	4F
C.070.060.0067.A	7.0	0.60	6.7	0.1439	3.60	4.17	yes	music wire	4C
C.070.060.0067.AP	7.0	0.60	6.7	0.3860	2.28	3.02	yes	music wire	4E
C.070.060.0067.I	7.0	0.60	6.7	0.1236	3.60	4.17	yes	stainless steel	4C
C.070.060.0067.N	7.0	0.60	6.7	0.1439	3.60	4.17	yes	Zn coating	4E
C.070.060.0080.A	7.0	0.60	8.0	0.2040	3.00	3.41	yes	music wire	4C
C.070.060.0080.AP	7.0	0.60	8.0	0.3136	2.46	3.47	yes	music wire	4E
C.070.060.0080.I	7.0	0.60	8.0	0.1775	2.94	3.33	yes	stainless steel	4C
C.070.060.0080.N	7.0	0.60	8.0	0.2040	3.00	3.41	yes	Zn coating	4E
C.070.060.0100.A	7.0	0.60	10.0	0.1610	3.36	3.86	yes	music wire	4C
C.070.060.0100.AP	7.0	0.60	10.0	0.2509	2.70	4.34	yes	music wire	4E
C.070.060.0100.I	7.0	0.60	10.0	0.1401	3.36	3.86	yes	stainless steel	4C
C.070.060.0100.N	7.0	0.60	10.0	0.1610	3.36	3.86	yes	Zn coating	4E
C.070.060.0105.A	7.0	0.60	10.5	0.0916	4.80	5.69	yes	music wire	4C
C.070.060.0105.AP	7.0	0.60	10.5	0.2390	2.76	4.56	yes	music wire	4E
C.070.060.0105.I	7.0	0.60	10.5	0.0787	4.80	5.69	yes	stainless steel	4C
C.070.060.0105.N	7.0	0.60	10.5	0.0916	4.80	5.69	yes	Zn coating	4E
C.070.060.0125.A	7.0	0.60	12.5	0.1250	3.90	4.55	yes	music wire	4C
C.070.060.0125.AP	7.0	0.60	12.5	0.2007	3.00	5.43	yes	music wire	4E
C.070.060.0125.I	7.0	0.60	12.5	0.1088	3.90	4.55	yes	stainless steel	4C
C.070.060.0125.N	7.0	0.60	12.5	0.1250	3.90	4.55	yes	Zn coating	4E
C.070.060.0160.A	7.0	0.60	16.0	0.0970	4.62	5.46	yes	music wire	4C
C.070.060.0160.AP	7.0	0.60	16.0	0.1521	3.48	6.67	yes	music wire	4E
C.070.060.0160.I	7.0	0.60	16.0	0.0844	4.56	5.39	yes	stainless steel	4C
C.070.060.0160.N	7.0	0.60	16.0	0.0970	4.62	5.46	yes	Zn coating	4E
C.070.060.0162.A	7.0	0.60	16.2	0.0593	6.60	7.98	yes	music wire	4C
C.070.060.0162.AP	7.0	0.60	16.2	0.1476	3.54	6.58	yes	music wire	4E
C.070.060.0162.I	7.0	0.60	16.2	0.0509	6.60	7.98	yes	stainless steel	4C
C.070.060.0162.N	7.0	0.60	16.2	0.0593	6.60	7.98	yes	Zn coating	4E
C.070.060.0200.A	7.0	0.60	20.0	0.0780	5.40	6.46	yes	music wire	4C
C.070.060.0200.AP	7.0	0.60	20.0	0.1195	4.02	8.12	yes	music wire	4E
C.070.060.0200.I	7.0	0.60	20.0	0.0679	5.34	6.38	yes	stainless steel	4C
C.070.060.0200.N	7.0	0.60	20.0	0.0780	5.40	6.46	yes	Zn coating	4E
C.070.060.0240.A	7.0	0.60	24.0	0.0403	9.00	11.03	yes	music wire	4C
C.070.060.0240.AP	7.0	0.60	24.0	0.0984	4.56	9.57	yes	music wire	4E
C.070.060.0240.I	7.0	0.60	24.0	0.0346	9.00	11.03	yes	stainless steel	4C
C.070.060.0240.N	7.0	0.60	24.0	0.0403	9.00	11.03	yes	Zn coating	4E
C.070.060.0250.A	7.0	0.60	25.0	0.0610	6.48	7.83	yes	music wire	4C
C.070.060.0250.AP	7.0	0.60	25.0	0.0947	4.68	10.01	yes	music wire	4E
C.070.060.0250.I	7.0	0.60	25.0	0.0531	6.36	7.68	yes	stainless steel	4C
C.070.060.0250.N	7.0	0.60	25.0	0.0610	6.48	7.83	yes	Zn coating	4E
C.070.060.0320.A	7.0	0.60	32.0	0.0470	7.92	9.66	yes	music wire	4C
C.070.060.0320.AP	7.0	0.60	32.0	0.0738	5.58	12.77	yes	music wire	4E
C.070.060.0320.I	7.0	0.60	32.0	0.0409	7.86	9.58	yes	stainless steel	4C
C.070.060.0320.N	7.0	0.60	32.0	0.0470	7.92	9.66	yes	Zn coating	4E
C.070.060.0355.A	7.0	0.60	35.5	0.0272	12.60	15.60	yes	music wire	4C
C.070.060.0355.AP	7.0	0.60	35.5	0.0660	6.06	14.00	yes	music wire	4E
C.070.060.0355.I	7.0	0.60	35.5	0.0234	12.60	15.60	yes	stainless steel	4C
C.070.060.0355.N	7.0	0.60	35.5	0.0272	12.60	15.60	yes	Zn coating	4E
C.070.060.0400.A	7.0	0.60	40.0	0.0370	9.66	11.87	yes	music wire	4C
C.070.060.0400.AP	7.0	0.60	40.0	0.0583	6.66	15.67	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.060.0400.I	7.0	0.60	40.0	0.0322	9.54	11.72	yes	stainless steel	4C
C.070.060.0400.N	7.0	0.60	40.0	0.0370	9.66	11.87	yes	Zn coating	4E
C.070.060.0500.A	7.0	0.60	50.0	0.0300	11.58	14.31	yes	music wire	4C
C.070.060.0500.AP	7.0	0.60	50.0	0.0465	7.98	19.45	yes	music wire	4E
C.070.060.0500.I	7.0	0.60	50.0	0.0261	11.46	14.16	yes	stainless steel	4C
C.070.060.0500.N	7.0	0.60	50.0	0.0300	11.58	14.31	yes	Zn coating	4E
C.070.060.0630.A	7.0	0.60	63.0	0.0230	14.64	18.20	yes	music wire	4C
C.070.060.0630.AP	7.0	0.60	63.0	0.0369	9.72	24.53	yes	music wire	4F
C.070.060.0630.I	7.0	0.60	63.0	0.0200	14.46	17.97	yes	stainless steel	4C
C.070.060.0630.N	7.0	0.60	63.0	0.0230	14.64	18.20	yes	Zn coating	4E
C.070.060.0800.A	7.0	0.60	80.0	0.0180	18.30	22.85	yes	music wire	4C
C.070.060.0800.AP	7.0	0.60	80.0	0.0290	11.94	31.07	yes	music wire	4F
C.070.060.0800.I	7.0	0.60	80.0	0.0157	18.06	22.54	yes	stainless steel	4D
C.070.060.0800.N	7.0	0.60	80.0	0.0180	18.30	22.85	yes	Zn coating	4E
C.070.060.3600.A	7.0	0.60	360.0	0.0040	77.64	98.09	no	music wire	4F
C.070.060.3600.I	7.0	0.60	360.0	0.0035	76.26	96.33	no	stainless steel	4F
C.070.070.0080.A	7.0	0.70	8.0	0.3760	3.57	3.97	yes	music wire	4C
C.070.070.0080.AP	7.0	0.70	8.0	0.5420	3.01	3.96	yes	music wire	4E
C.070.070.0080.I	7.0	0.70	8.0	0.3271	3.57	3.97	yes	stainless steel	4C
C.070.070.0080.N	7.0	0.70	8.0	0.3760	3.57	3.97	yes	Zn coating	4E
C.070.070.0100.A	7.0	0.70	10.0	0.2900	4.13	4.66	yes	music wire	4C
C.070.070.0100.AP	7.0	0.70	10.0	0.4241	3.36	4.84	yes	music wire	4E
C.070.070.0100.I	7.0	0.70	10.0	0.2523	4.06	4.57	yes	stainless steel	4C
C.070.070.0100.N	7.0	0.70	10.0	0.2900	4.13	4.66	yes	Zn coating	4E
C.070.070.0125.A	7.0	0.70	12.5	0.2280	4.76	5.43	yes	music wire	4C
C.070.070.0125.AP	7.0	0.70	12.5	0.3252	3.85	5.77	yes	music wire	4E
C.070.070.0125.I	7.0	0.70	12.5	0.1984	4.69	5.34	yes	stainless steel	4C
C.070.070.0125.N	7.0	0.70	12.5	0.2280	4.76	5.43	yes	Zn coating	4E
C.070.070.0150.A	7.0	0.70	15.0	0.2400	4.62	5.88	yes	music wire	4E
C.070.070.0150.I	7.0	0.70	15.0	0.2088	4.55	6.06	yes	stainless steel	4F
C.070.070.0150.N	7.0	0.70	15.0	0.2400	4.62	5.88	yes	Zn coating	4G
C.070.070.0160.A	7.0	0.70	16.0	0.1710	5.74	6.62	yes	music wire	4C
C.070.070.0160.AP	7.0	0.70	16.0	0.2501	4.48	7.25	yes	music wire	4E
C.070.070.0160.I	7.0	0.70	16.0	0.1488	5.67	6.54	yes	stainless steel	4C
C.070.070.0160.N	7.0	0.70	16.0	0.1710	5.74	6.62	yes	Zn coating	4E
C.070.070.0180.A	7.0	0.70	18.0	0.0960	8.89	10.47	yes	music wire	4C
C.070.070.0180.AP	7.0	0.70	18.0	0.2217	4.83	8.13	yes	music wire	4E
C.070.070.0180.I	7.0	0.70	18.0	0.0835	8.82	10.39	yes	stainless steel	4C
C.070.070.0180.N	7.0	0.70	18.0	0.0960	8.89	10.47	yes	Zn coating	4E
C.070.070.0200.A	7.0	0.70	20.0	0.1340	6.86	7.99	yes	music wire	4C
C.070.070.0200.AP	7.0	0.70	20.0	0.1991	5.18	9.01	yes	music wire	4E
C.070.070.0200.I	7.0	0.70	20.0	0.1166	6.79	7.91	yes	stainless steel	4C
C.070.070.0200.N	7.0	0.70	20.0	0.1340	6.86	7.99	yes	Zn coating	4E
C.070.070.0250.A	7.0	0.70	25.0	0.1080	8.12	9.53	yes	music wire	4C
C.070.070.0250.AP	7.0	0.70	25.0	0.1573	6.09	11.09	yes	music wire	4E
C.070.070.0250.I	7.0	0.70	25.0	0.0940	7.98	9.36	yes	stainless steel	4C
C.070.070.0250.N	7.0	0.70	25.0	0.1080	8.12	9.53	yes	Zn coating	4E
C.070.070.0320.A	7.0	0.70	32.0	0.0830	10.01	11.84	yes	music wire	4C
C.070.070.0320.AP	7.0	0.70	32.0	0.1219	7.35	14.06	yes	music wire	4E
C.070.070.0320.I	7.0	0.70	32.0	0.0722	9.87	11.67	yes	stainless steel	4C
C.070.070.0320.N	7.0	0.70	32.0	0.0830	10.01	11.84	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.070.0400.A	7.0	0.70	40.0	0.0650	12.25	14.58	yes	music wire	4C
C.070.070.0400.AP	7.0	0.70	40.0	0.0966	8.82	17.35	yes	music wire	4E
C.070.070.0400.I	7.0	0.70	40.0	0.0566	12.11	14.40	yes	stainless steel	4C
C.070.070.0400.N	7.0	0.70	40.0	0.0650	12.25	14.58	yes	Zn coating	4E
C.070.070.0500.A	7.0	0.70	50.0	0.0520	14.91	17.82	yes	music wire	4C
C.070.070.0500.AP	7.0	0.70	50.0	0.0768	10.64	21.51	yes	music wire	4F
C.070.070.0500.I	7.0	0.70	50.0	0.0452	14.77	17.65	yes	stainless steel	4C
C.070.070.0500.N	7.0	0.70	50.0	0.0520	14.91	17.82	yes	Zn coating	4E
C.070.070.0630.A	7.0	0.70	63.0	0.0410	18.48	22.19	yes	music wire	4C
C.070.070.0630.AP	7.0	0.70	63.0	0.0606	13.02	26.89	yes	music wire	4F
C.070.070.0630.I	7.0	0.70	63.0	0.0357	18.20	21.84	yes	stainless steel	4D
C.070.070.0630.N	7.0	0.70	63.0	0.0410	18.48	22.19	yes	Zn coating	4E
C.070.070.0800.A	7.0	0.70	80.0	0.0320	23.17	27.91	yes	music wire	4C
C.070.070.0800.AP	7.0	0.70	80.0	0.0476	16.17	34.02	yes	music wire	4F
C.070.070.0800.I	7.0	0.70	80.0	0.0278	22.89	27.57	yes	stainless steel	4D
C.070.070.0800.N	7.0	0.70	80.0	0.0320	23.17	27.91	yes	Zn coating	4E
C.070.070.3600.A	7.0	0.70	360.0	0.0070	100.24	121.90	no	music wire	4F
C.070.070.3600.I	7.0	0.70	360.0	0.0061	98.84	120.19	no	stainless steel	4F
C.070.075.0070.A	7.0	0.75	7.0	0.6287	3.45	3.77	yes	music wire	4C
C.070.075.0070.I	7.0	0.75	7.0	0.5400	3.45	3.77	yes	stainless steel	4C
C.070.075.0090.A	7.0	0.75	9.0	0.4553	4.05	4.49	yes	music wire	4C
C.070.075.0090.I	7.0	0.75	9.0	0.3910	4.05	4.49	yes	stainless steel	4C
C.070.075.0140.A	7.0	0.75	14.0	0.3772	4.50	6.96	yes	music wire	4E
C.070.075.0140.I	7.0	0.75	14.0	0.3240	4.50	7.00	yes	stainless steel	4F
C.070.075.0140.N	7.0	0.75	14.0	0.3772	4.50	6.96	yes	Zn coating	4G
C.070.075.0200.A	7.0	0.75	20.0	0.1850	7.20	8.29	yes	music wire	4C
C.070.075.0200.I	7.0	0.75	20.0	0.1610	7.13	8.20	yes	stainless steel	4C
C.070.075.0200.N	7.0	0.75	20.0	0.1850	7.20	8.29	yes	Zn coating	4E
C.070.075.0250.A	7.0	0.75	25.0	0.1620	7.95	9.19	yes	music wire	4E
C.070.075.0250.I	7.0	0.75	25.0	0.1409	7.88	9.11	yes	stainless steel	4F
C.070.075.0250.N	7.0	0.75	25.0	0.1620	7.95	9.19	yes	Zn coating	4G
C.070.075.0310.A	7.0	0.75	31.0	0.1553	8.25	13.91	yes	music wire	4E
C.070.075.0310.I	7.0	0.75	31.0	0.1334	8.25	14.00	yes	stainless steel	4F
C.070.075.0310.N	7.0	0.75	31.0	0.1553	8.25	13.91	yes	Zn coating	4H
C.070.080.0080.A	7.0	0.80	8.0	0.6420	4.16	4.57	yes	music wire	4C
C.070.080.0080.AP	7.0	0.80	8.0	0.8738	3.60	4.36	yes	music wire	4E
C.070.080.0080.I	7.0	0.80	8.0	0.5585	4.16	4.57	yes	stainless steel	4C
C.070.080.0080.N	7.0	0.80	8.0	0.6420	4.16	4.57	yes	Zn coating	4E
C.070.080.0090.A	7.0	0.80	9.0	0.5730	4.48	4.95	yes	music wire	4C
C.070.080.0090.AP	7.0	0.80	9.0	0.7598	3.84	4.82	yes	music wire	4E
C.070.080.0090.I	7.0	0.80	9.0	0.5000	4.40	4.86	yes	stainless steel	4C
C.070.080.0090.N	7.0	0.80	9.0	0.5730	4.48	4.95	yes	Zn coating	4E
C.070.080.0100.A	7.0	0.80	10.0	0.5000	4.80	5.33	yes	music wire	4C
C.070.080.0100.AP	7.0	0.80	10.0	0.6722	4.08	5.27	yes	music wire	4E
C.070.080.0100.I	7.0	0.80	10.0	0.4341	4.80	5.33	yes	stainless steel	4C
C.070.080.0100.N	7.0	0.80	10.0	0.5000	4.80	5.33	yes	Zn coating	4E
C.070.080.0125.A	7.0	0.80	12.5	0.3850	5.60	6.28	yes	music wire	4C
C.070.080.0125.AP	7.0	0.80	12.5	0.5296	4.64	6.50	yes	music wire	4E
C.070.080.0125.I	7.0	0.80	12.5	0.3350	5.60	6.28	yes	stainless steel	4C
C.070.080.0125.N	7.0	0.80	12.5	0.3850	5.60	6.28	yes	Zn coating	4E
C.070.080.0160.A	7.0	0.80	16.0	0.2870	6.88	7.81	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.070.080.0160.AP	7.0	0.80	16.0	0.3972	5.52	8.00	yes	music wire	4E
C.070.080.0160.I	7.0	0.80	16.0	0.2500	6.80	7.71	yes	stainless steel	4C
C.070.080.0160.N	7.0	0.80	16.0	0.2870	6.88	7.81	yes	Zn coating	4E
C.070.080.0200.A	7.0	0.80	20.0	0.2280	8.16	9.33	yes	music wire	4C
C.070.080.0200.AP	7.0	0.80	20.0	0.3121	6.48	9.82	yes	music wire	4E
C.070.080.0200.I	7.0	0.80	20.0	0.1984	8.08	9.24	yes	stainless steel	4C
C.070.080.0200.N	7.0	0.80	20.0	0.2280	8.16	9.33	yes	Zn coating	4E
C.070.080.0250.A	7.0	0.80	25.0	0.1800	9.76	11.24	yes	music wire	4C
C.070.080.0250.AP	7.0	0.80	25.0	0.2461	7.68	12.09	yes	music wire	4E
C.070.080.0250.I	7.0	0.80	25.0	0.1566	9.68	11.14	yes	stainless steel	4C
C.070.080.0250.N	7.0	0.80	25.0	0.1800	9.76	11.24	yes	Zn coating	4E
C.070.080.0300.A	7.0	0.80	30.0	0.1910	9.36	13.37	yes	music wire	4E
C.070.080.0300.I	7.0	0.80	30.0	0.1662	9.20	13.64	yes	stainless steel	4F
C.070.080.0300.N	7.0	0.80	30.0	0.1910	9.36	13.37	yes	Zn coating	4H
C.070.080.0320.A	7.0	0.80	32.0	0.1370	12.24	14.19	yes	music wire	4C
C.070.080.0320.AF	7.0	0.80	32.0	0.1150	14.16	16.47	yes	music wire	4C
C.070.080.0320.AP	7.0	0.80	32.0	0.1900	9.36	15.27	yes	music wire	4E
C.070.080.0320.I	7.0	0.80	32.0	0.1192	12.08	14.00	yes	stainless steel	4C
C.070.080.0320.N	7.0	0.80	32.0	0.1370	12.24	14.19	yes	Zn coating	4E
C.070.080.0320.NF	7.0	0.80	32.0	0.1150	14.16	16.47	yes	Zn coating	4E
C.070.080.0400.A	7.0	0.80	40.0	0.1100	14.72	17.14	yes	music wire	4C
C.070.080.0400.AP	7.0	0.80	40.0	0.1507	11.28	18.91	yes	music wire	4F
C.070.080.0400.I	7.0	0.80	40.0	0.0957	14.56	16.95	yes	stainless steel	4C
C.070.080.0400.N	7.0	0.80	40.0	0.1100	14.72	17.14	yes	Zn coating	4E
C.070.080.0500.A	7.0	0.80	50.0	0.0870	18.08	21.14	yes	music wire	4C
C.070.080.0500.AP	7.0	0.80	50.0	0.1205	13.60	23.64	yes	music wire	4F
C.070.080.0500.I	7.0	0.80	50.0	0.0757	17.92	20.95	yes	stainless steel	4D
C.070.080.0500.N	7.0	0.80	50.0	0.0870	18.08	21.14	yes	Zn coating	4E
C.070.080.0630.A	7.0	0.80	63.0	0.0680	22.56	26.47	yes	music wire	4C
C.070.080.0630.AP	7.0	0.80	63.0	0.0950	16.72	29.55	yes	music wire	4F
C.070.080.0630.I	7.0	0.80	63.0	0.0592	22.32	26.18	yes	stainless steel	4D
C.070.080.0630.N	7.0	0.80	63.0	0.0680	22.56	26.47	yes	Zn coating	4E
C.070.080.0800.A	7.0	0.80	80.0	0.0530	28.40	33.42	yes	music wire	4C
C.070.080.0800.AP	7.0	0.80	80.0	0.0744	20.80	37.28	yes	music wire	4F
C.070.080.0800.I	7.0	0.80	80.0	0.0461	28.08	33.04	yes	stainless steel	4D
C.070.080.0800.N	7.0	0.80	80.0	0.0530	28.40	33.42	yes	Zn coating	4E
C.070.080.1450.A	7.0	0.80	145.0	0.0320	45.76	54.08	yes	music wire	4D
C.070.080.1450.I	7.0	0.80	145.0	0.0278	45.20	53.41	yes	stainless steel	4G
C.070.080.1450.N	7.0	0.80	145.0	0.0320	45.76	54.08	yes	Zn coating	4F
C.070.080.3600.A	7.0	0.80	360.0	0.0120	119.52	141.71	no	music wire	4F
C.070.080.3600.I	7.0	0.80	360.0	0.0104	118.48	140.47	no	stainless steel	4F
C.070.090.0080.A	7.0	0.90	8.0	1.0300	4.86	5.30	yes	music wire	4C
C.070.090.0080.AP	7.0	0.90	8.0	1.4010	4.14	4.85	yes	music wire	4E
C.070.090.0080.I	7.0	0.90	8.0	0.8961	4.77	5.20	yes	stainless steel	4C
C.070.090.0080.N	7.0	0.90	8.0	1.0300	4.86	5.30	yes	Zn coating	4E
C.070.090.0100.A	7.0	0.90	10.0	0.7810	5.67	6.25	yes	music wire	4C
C.070.090.0100.AP	7.0	0.90	10.0	1.0507	4.77	5.81	yes	music wire	4E
C.070.090.0100.I	7.0	0.90	10.0	0.6795	5.58	6.14	yes	stainless steel	4C
C.070.090.0100.N	7.0	0.90	10.0	0.7810	5.67	6.25	yes	Zn coating	4E
C.070.090.0125.A	7.0	0.90	12.5	0.5960	6.66	7.40	yes	music wire	4C
C.070.090.0125.AP	7.0	0.90	12.5	0.7951	5.58	6.96	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.090.0125.I	7.0	0.90	12.5	0.5185	6.66	7.40	yes	stainless steel	4C
C.070.090.0125.N	7.0	0.90	12.5	0.5960	6.66	7.40	yes	Zn coating	4E
C.070.090.0160.A	7.0	0.90	16.0	0.4530	8.10	9.09	yes	music wire	4C
C.070.090.0160.AP	7.0	0.90	16.0	0.6129	6.57	8.81	yes	music wire	4E
C.070.090.0160.I	7.0	0.90	16.0	0.3941	8.01	8.98	yes	stainless steel	4C
C.070.090.0160.N	7.0	0.90	16.0	0.4530	8.10	9.09	yes	Zn coating	4E
C.070.090.0200.A	7.0	0.90	20.0	0.3540	9.72	10.98	yes	music wire	4C
C.070.090.0200.AP	7.0	0.90	20.0	0.4745	7.83	10.71	yes	music wire	4E
C.070.090.0200.I	7.0	0.90	20.0	0.3080	9.63	10.88	yes	stainless steel	4C
C.070.090.0200.N	7.0	0.90	20.0	0.3540	9.72	10.98	yes	Zn coating	4E
C.070.090.0250.A	7.0	0.90	25.0	0.2760	11.88	13.51	yes	music wire	4C
C.070.090.0250.AL	7.1	0.90	25.0	0.2933	11.07	12.57	yes	music wire	4C
C.070.090.0250.AP	7.0	0.90	25.0	0.3772	9.27	13.32	yes	music wire	4E
C.070.090.0250.I	7.0	0.90	25.0	0.2401	11.70	13.30	yes	stainless steel	4C
C.070.090.0250.N	7.0	0.90	25.0	0.2760	11.88	13.51	yes	Zn coating	4E
C.070.090.0320.A	7.0	0.90	32.0	0.2140	14.67	16.77	yes	music wire	4C
C.070.090.0320.AF	7.0	0.90	32.0	0.1810	16.92	19.40	yes	music wire	4C
C.070.090.0320.AL	7.1	0.90	32.0	0.2292	13.50	15.41	yes	music wire	4C
C.070.090.0320.AP	7.0	0.90	32.0	0.2884	11.43	16.72	yes	music wire	4F
C.070.090.0320.I	7.0	0.90	32.0	0.1862	14.49	16.56	yes	stainless steel	4C
C.070.090.0320.N	7.0	0.90	32.0	0.2140	14.67	16.77	yes	Zn coating	4E
C.070.090.0320.NF	7.0	0.90	32.0	0.1810	16.92	19.40	yes	Zn coating	4E
C.070.090.0400.A	7.0	0.90	40.0	0.1680	18.00	20.66	yes	music wire	4C
C.070.090.0400.AL	7.1	0.90	40.0	0.1833	16.38	18.78	yes	music wire	4C
C.070.090.0400.AP	7.0	0.90	40.0	0.2298	13.77	20.83	yes	music wire	4F
C.070.090.0400.I	7.0	0.90	40.0	0.1462	17.82	20.45	yes	stainless steel	4D
C.070.090.0400.N	7.0	0.90	40.0	0.1680	18.00	20.66	yes	Zn coating	4E
C.070.090.0500.A	7.0	0.90	50.0	0.1330	22.14	25.50	yes	music wire	4C
C.070.090.0500.AF	7.0	0.90	50.0	0.1810	16.92	25.65	yes	music wire	4F
C.070.090.0500.AL	7.1	0.90	50.0	0.1467	19.89	22.89	yes	music wire	4C
C.070.090.0500.AP	7.0	0.90	50.0	0.1816	16.83	25.73	yes	music wire	4F
C.070.090.0500.I	7.0	0.90	50.0	0.1157	21.96	25.29	yes	stainless steel	4D
C.070.090.0500.N	7.0	0.90	50.0	0.1810	16.92	25.65	yes	Zn coating	4H
C.070.090.0500.NF	7.0	0.90	50.0	0.1330	22.14	25.50	yes	Zn coating	4E
C.070.090.0630.A	7.0	0.90	63.0	0.1050	27.45	31.71	yes	music wire	4C
C.070.090.0630.AL	7.1	0.90	63.0	0.1158	24.57	28.37	yes	music wire	4C
C.070.090.0630.AP	7.0	0.90	63.0	0.1435	20.70	32.29	yes	music wire	4F
C.070.090.0630.I	7.0	0.90	63.0	0.0914	27.18	31.39	yes	stainless steel	4D
C.070.090.0630.N	7.0	0.90	63.0	0.1050	27.45	31.71	yes	Zn coating	4E
C.070.090.0800.A	7.0	0.90	80.0	0.0820	34.56	40.02	yes	music wire	4C
C.070.090.0800.AL	7.1	0.90	80.0	0.0917	30.42	35.21	yes	music wire	4C
C.070.090.0800.AP	7.0	0.90	80.0	0.1123	25.83	40.75	yes	music wire	4F
C.070.090.0800.I	7.0	0.90	80.0	0.0713	34.20	39.60	yes	stainless steel	4D
C.070.090.0800.N	7.0	0.90	80.0	0.0820	34.56	40.02	yes	Zn coating	4E
C.070.090.1000.A	7.1	0.90	100.0	0.0733	37.53	43.53	yes	music wire	4C
C.070.090.3600.A	7.0	0.90	360.0	0.0180	150.39	175.26	no	music wire	4F
C.070.090.3600.I	7.0	0.90	360.0	0.0157	148.14	172.63	no	stainless steel	4G
C.070.095.0070.A	7.0	0.95	7.0	1.6292	4.56	4.91	yes	music wire	4C
C.070.095.0070.I	7.0	0.95	7.0	1.3993	4.56	4.91	yes	stainless steel	4C
C.070.095.0090.A	7.0	0.95	9.0	1.1710	5.42	5.91	yes	music wire	4C
C.070.095.0090.I	7.0	0.95	9.0	1.0057	5.42	5.91	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.100.0070.A	7.0	1.00	7.0	1.9652	4.90	5.27	yes	music wire	4C
C.070.100.0070.I	7.0	1.00	7.0	1.6879	4.90	5.27	yes	stainless steel	4C
C.070.100.0080.A	7.0	1.00	8.0	1.6500	5.40	5.85	yes	music wire	4C
C.070.100.0080.AP	7.0	1.00	8.0	2.0506	4.80	5.15	yes	music wire	4E
C.070.100.0080.I	7.0	1.00	8.0	1.4355	5.30	5.73	yes	stainless steel	4C
C.070.100.0080.N	7.0	1.00	8.0	1.6500	5.40	5.85	yes	Zn coating	4E
C.070.100.0100.A	7.0	1.00	10.0	1.2100	6.40	7.00	yes	music wire	4C
C.070.100.0100.AP	7.0	1.00	10.0	1.5721	5.50	6.25	yes	music wire	4E
C.070.100.0100.I	7.0	1.00	10.0	1.0527	6.30	6.89	yes	stainless steel	4C
C.070.100.0100.N	7.0	1.00	10.0	1.2100	6.40	7.00	yes	Zn coating	4E
C.070.100.0103.A	7.0	1.00	10.3	1.3476	6.00	6.54	yes	music wire	4C
C.070.100.0103.I	7.0	1.00	10.3	1.1724	6.00	6.54	yes	stainless steel	4F
C.070.100.0103.N	7.0	1.00	10.3	1.3476	6.00	6.54	yes	Zn coating	4E
C.070.100.0110.A	7.0	1.00	11.0	1.1570	6.60	7.23	yes	music wire	4C
C.070.100.0110.I	7.0	1.00	11.0	1.0066	6.50	7.12	yes	stainless steel	4C
C.070.100.0110.N	7.0	1.00	11.0	1.1570	6.60	7.23	yes	Zn coating	4E
C.070.100.0125.A	7.0	1.00	12.5	0.9310	7.60	8.39	yes	music wire	4C
C.070.100.0125.AP	7.0	1.00	12.5	1.2093	6.40	7.63	yes	music wire	4E
C.070.100.0125.I	7.0	1.00	12.5	0.8100	7.50	8.27	yes	stainless steel	4C
C.070.100.0125.N	7.0	1.00	12.5	0.9310	7.60	8.39	yes	Zn coating	4E
C.070.100.0140.A	7.0	1.00	14.0	0.6738	9.50	10.58	yes	music wire	4C
C.070.100.0140.AP	7.0	1.00	14.0	1.0481	7.00	8.38	yes	music wire	4E
C.070.100.0140.I	7.0	1.00	14.0	0.5787	9.50	10.58	yes	stainless steel	4C
C.070.100.0140.N	7.0	1.00	14.0	0.6738	9.50	10.58	yes	Zn coating	4E
C.070.100.0151.A	7.0	1.00	15.1	0.8575	8.00	8.85	yes	music wire	4E
C.070.100.0151.I	7.0	1.00	15.1	0.7460	7.90	8.73	yes	stainless steel	4F
C.070.100.0151.N	7.0	1.00	15.1	0.8575	8.00	8.85	yes	Zn coating	4H
C.070.100.0160.A	7.0	1.00	16.0	0.7120	9.10	10.12	yes	music wire	4C
C.070.100.0160.AP	7.0	1.00	16.0	0.9070	7.70	9.50	yes	music wire	4E
C.070.100.0160.I	7.0	1.00	16.0	0.6194	9.00	10.00	yes	stainless steel	4C
C.070.100.0160.N	7.0	1.00	16.0	0.7120	9.10	10.12	yes	Zn coating	4E
C.070.100.0180.A	7.0	1.00	18.0	0.7861	8.50	10.50	yes	music wire	4F
C.070.100.0180.I	7.0	1.00	18.0	0.6752	8.50	10.49	yes	stainless steel	4F
C.070.100.0180.N	7.0	1.00	18.0	0.7861	8.50	10.50	yes	Zn coating	4H
C.070.100.0200.A	7.0	1.00	20.0	0.5500	11.10	12.42	yes	music wire	4C
C.070.100.0200.AP	7.0	1.00	20.0	0.7146	9.10	11.75	yes	music wire	4F
C.070.100.0200.I	7.0	1.00	20.0	0.4785	11.00	12.31	yes	stainless steel	4C
C.070.100.0200.N	7.0	1.00	20.0	0.5500	11.10	12.42	yes	Zn coating	4E
C.070.100.0245.A	7.0	1.00	24.5	0.4965	12.00	13.46	yes	music wire	4F
C.070.100.0245.I	7.0	1.00	24.5	0.4320	11.90	13.35	yes	stainless steel	4F
C.070.100.0245.N	7.0	1.00	24.5	0.4965	12.00	13.46	yes	Zn coating	4H
C.070.100.0250.A	7.0	1.00	25.0	0.4320	13.40	15.08	yes	music wire	4C
C.070.100.0250.AP	7.0	1.00	25.0	0.5549	11.00	14.38	yes	music wire	4F
C.070.100.0250.I	7.0	1.00	25.0	0.3758	13.30	14.96	yes	stainless steel	4C
C.070.100.0250.N	7.0	1.00	25.0	0.4320	13.40	15.08	yes	Zn coating	4E
C.070.100.0320.A	7.0	1.00	32.0	0.3300	16.80	19.00	yes	music wire	4C
C.070.100.0320.AP	7.0	1.00	32.0	0.4288	13.50	18.25	yes	music wire	4F
C.070.100.0320.I	7.0	1.00	32.0	0.2871	16.60	18.77	yes	stainless steel	4D
C.070.100.0320.N	7.0	1.00	32.0	0.3300	16.80	19.00	yes	Zn coating	4E
C.070.100.0388.A	7.0	1.00	38.8	0.3043	18.00	20.39	yes	music wire	4F
C.070.100.0388.I	7.0	1.00	38.8	0.2614	18.00	20.39	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.100.0388.N	7.0	1.00	38.8	0.3043	18.00	20.39	yes	Zn coating	4H
C.070.100.0400.A	7.0	1.00	40.0	0.2610	20.60	23.39	yes	music wire	4C
C.070.100.0400.AP	7.0	1.00	40.0	0.3393	16.40	22.63	yes	music wire	4F
C.070.100.0400.I	7.0	1.00	40.0	0.2271	20.30	23.04	yes	stainless steel	4D
C.070.100.0400.N	7.0	1.00	40.0	0.2610	20.60	23.39	yes	Zn coating	4E
C.070.100.0500.A	7.0	1.00	50.0	0.2070	25.30	28.81	yes	music wire	4C
C.070.100.0500.AP	7.0	1.00	50.0	0.2695	20.00	28.13	yes	music wire	4F
C.070.100.0500.I	7.0	1.00	50.0	0.1801	25.00	28.47	yes	stainless steel	4D
C.070.100.0500.N	7.0	1.00	50.0	0.2070	25.30	28.81	yes	Zn coating	4E
C.070.100.0630.A	7.0	1.00	63.0	0.1630	31.40	35.85	yes	music wire	4C
C.070.100.0630.AP	7.0	1.00	63.0	0.2115	24.80	35.13	yes	music wire	4F
C.070.100.0630.I	7.0	1.00	63.0	0.1418	31.10	35.50	yes	stainless steel	4D
C.070.100.0630.N	7.0	1.00	63.0	0.1630	31.40	35.85	yes	Zn coating	4E
C.070.100.0800.A	7.0	1.00	80.0	0.1280	39.30	44.97	yes	music wire	4D
C.070.100.0800.AP	7.0	1.00	80.0	0.1655	31.00	44.38	yes	music wire	4G
C.070.100.0800.I	7.0	1.00	80.0	0.1114	38.90	44.51	yes	stainless steel	4D
C.070.100.0800.N	7.0	1.00	80.0	0.1280	39.30	44.97	yes	Zn coating	4E
C.070.100.3600.A	7.0	1.00	360.0	0.0280	171.90	197.83	no	music wire	4F
C.070.100.3600.I	7.0	1.00	360.0	0.0244	169.50	195.06	no	stainless steel	4G
C.070.105.0070.A	7.0	1.05	7.0	2.4494	5.15	5.52	yes	music wire	4C
C.070.105.0070.I	7.0	1.05	7.0	2.1038	5.15	5.52	yes	stainless steel	4C
C.070.105.0080.A	7.0	1.05	8.0	2.0995	5.57	6.01	yes	music wire	4C
C.070.105.0080.I	7.0	1.05	8.0	1.8033	5.57	6.01	yes	stainless steel	4C
C.070.105.0700.A	7.0	1.05	70.0	0.1854	35.91	40.84	yes	music wire	4C
C.070.105.0700.I	7.0	1.05	70.0	0.1593	35.91	40.84	yes	stainless steel	4D
C.070.110.0070.A	7.0	1.10	7.0	3.0260	5.39	5.77	yes	music wire	4C
C.070.110.0070.I	7.0	1.10	7.0	2.5990	5.39	5.77	yes	stainless steel	4C
C.070.110.0080.A	7.0	1.10	8.0	2.5400	5.94	6.40	yes	music wire	4C
C.070.110.0080.AP	7.0	1.10	8.0	3.1605	5.28	5.64	yes	music wire	4F
C.070.110.0080.I	7.0	1.10	8.0	2.2098	5.83	6.27	yes	stainless steel	4C
C.070.110.0080.N	7.0	1.10	8.0	2.5400	5.94	6.40	yes	Zn coating	4E
C.070.110.0100.A	7.0	1.10	10.0	1.9270	6.93	7.53	yes	music wire	4C
C.070.110.0100.I	7.0	1.10	10.0	1.6765	6.82	7.40	yes	stainless steel	4C
C.070.110.0100.N	7.0	1.10	10.0	1.9270	6.93	7.53	yes	Zn coating	4E
C.070.110.0125.A	7.0	1.10	12.5	1.4330	8.36	9.16	yes	music wire	4C
C.070.110.0125.AP	7.0	1.10	12.5	1.7730	7.26	8.18	yes	music wire	4F
C.070.110.0125.I	7.0	1.10	12.5	1.2500	8.25	9.04	yes	stainless steel	4C
C.070.110.0125.N	7.0	1.10	12.5	1.4330	8.36	9.16	yes	Zn coating	4E
C.070.110.0160.A	7.0	1.10	16.0	1.0750	10.23	11.30	yes	music wire	4C
C.070.110.0160.AP	7.0	1.10	16.0	1.3217	8.80	10.21	yes	music wire	4F
C.070.110.0160.I	7.0	1.10	16.0	0.9352	10.12	11.18	yes	stainless steel	4C
C.070.110.0160.N	7.0	1.10	16.0	1.0750	10.23	11.30	yes	Zn coating	4E
C.070.110.0200.A	7.0	1.10	20.0	0.8340	12.32	13.69	yes	music wire	4C
C.070.110.0200.AP	7.0	1.10	20.0	1.0384	10.45	12.63	yes	music wire	4F
C.070.110.0200.I	7.0	1.10	20.0	0.7256	12.21	13.56	yes	stainless steel	4C
C.070.110.0200.N	7.0	1.10	20.0	0.8340	12.32	13.69	yes	Zn coating	4E
C.070.110.0250.A	7.0	1.10	25.0	0.6580	14.85	16.58	yes	music wire	4C
C.070.110.0250.I	7.0	1.10	25.0	0.5725	14.74	16.46	yes	stainless steel	4D
C.070.110.0250.N	7.0	1.10	25.0	0.6580	14.85	16.58	yes	Zn coating	4E
C.070.110.0320.A	7.0	1.10	32.0	0.5040	18.59	20.86	yes	music wire	4C
C.070.110.0320.I	7.0	1.10	32.0	0.4385	18.37	20.61	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.110.0320.N	7.0	1.10	32.0	0.5040	18.59	20.86	yes	Zn coating	4E
C.070.110.0400.A	7.0	1.10	40.0	0.3960	22.88	25.76	yes	music wire	4C
C.070.110.0400.AP	7.0	1.10	40.0	0.4912	19.03	24.42	yes	music wire	4F
C.070.110.0400.I	7.0	1.10	40.0	0.3445	22.66	25.51	yes	stainless steel	4D
C.070.110.0400.N	7.0	1.10	40.0	0.3960	22.88	25.76	yes	Zn coating	4E
C.070.110.0500.A	7.0	1.10	50.0	0.3140	28.16	31.80	yes	music wire	4C
C.070.110.0500.I	7.0	1.10	50.0	0.2732	27.83	31.42	yes	stainless steel	4D
C.070.110.0500.N	7.0	1.10	50.0	0.3140	28.16	31.80	yes	Zn coating	4E
C.070.110.0630.A	7.0	1.10	63.0	0.2470	35.09	39.72	yes	music wire	4C
C.070.110.0630.I	7.0	1.10	63.0	0.2149	34.65	39.22	yes	stainless steel	4D
C.070.110.0630.N	7.0	1.10	63.0	0.2470	35.09	39.72	yes	Zn coating	4E
C.070.110.0710.A	7.0	1.10	71.0	0.2221	38.72	43.87	yes	music wire	4D
C.070.110.0710.I	7.0	1.10	71.0	0.1908	38.72	43.87	yes	stainless steel	4D
C.070.110.0800.A	7.0	1.10	80.0	0.1930	44.11	50.03	yes	music wire	4D
C.070.110.0800.I	7.0	1.10	80.0	0.1679	43.67	49.53	yes	stainless steel	4D
C.070.110.0800.N	7.0	1.10	80.0	0.1930	44.11	50.03	yes	Zn coating	4E
C.070.110.3600.A	7.0	1.10	360.0	0.0420	194.04	221.27	no	music wire	4F
C.070.110.3600.I	7.0	1.10	360.0	0.0365	191.84	218.75	no	stainless steel	4G
C.070.115.0070.A	7.0	1.15	7.0	3.7083	5.64	6.02	yes	music wire	4C
C.070.115.0070.I	7.0	1.15	7.0	3.1851	5.64	6.02	yes	stainless steel	4C
C.070.115.0090.A	7.0	1.15	9.0	2.6970	6.67	7.20	yes	music wire	4C
C.070.115.0090.I	7.0	1.15	9.0	2.3164	6.67	7.20	yes	stainless steel	4C
C.070.120.0070.A	7.0	1.20	7.0	4.7074	5.76	6.13	yes	music wire	4C
C.070.120.0070.I	7.0	1.20	7.0	4.0432	5.76	6.13	yes	stainless steel	4C
C.070.120.0080.A	7.0	1.20	8.0	3.8668	6.36	6.81	yes	music wire	4C
C.070.120.0080.I	7.0	1.20	8.0	3.3212	6.36	6.81	yes	stainless steel	4C
C.070.120.0090.A	7.0	1.20	9.0	3.2809	6.96	7.49	yes	music wire	4C
C.070.120.0090.I	7.0	1.20	9.0	2.8180	6.96	7.49	yes	stainless steel	4C
C.070.120.0120.A	7.0	1.20	12.0	2.2556	8.76	9.54	yes	music wire	4C
C.070.120.0120.I	7.0	1.20	12.0	1.9373	8.76	9.54	yes	stainless steel	4C
C.070.120.0170.A	7.0	1.20	17.0	1.5038	11.64	12.81	yes	music wire	4C
C.070.120.0170.I	7.0	1.20	17.0	1.2916	11.64	12.81	yes	stainless steel	4D
C.070.120.0190.A	7.0	1.20	19.0	1.3204	12.84	14.17	yes	music wire	4C
C.070.120.0190.I	7.0	1.20	19.0	1.1341	12.84	14.17	yes	stainless steel	4D
C.070.120.0260.A	7.0	1.20	26.0	0.9334	16.92	18.80	yes	music wire	4C
C.070.120.0260.I	7.0	1.20	26.0	0.8017	16.92	18.80	yes	stainless steel	4D
C.070.120.0345.A	7.0	1.20	34.5	0.5900	25.08	28.06	yes	music wire	4C
C.070.120.0345.AP	7.0	1.20	34.5	0.8217	18.84	22.70	yes	music wire	4F
C.070.120.0345.I	7.0	1.20	34.5	0.5133	24.72	27.65	yes	stainless steel	4D
C.070.120.0345.N	7.0	1.20	34.5	0.5900	25.08	28.06	yes	Zn coating	4E
C.070.120.0410.A	7.0	1.20	41.0	0.5759	25.56	28.61	yes	music wire	4C
C.070.120.0410.I	7.0	1.20	41.0	0.4946	25.56	28.61	yes	stainless steel	4D
C.070.120.0590.A	7.0	1.20	59.0	0.3923	36.12	40.59	yes	music wire	4D
C.070.120.0590.I	7.0	1.20	59.0	0.3369	36.12	40.59	yes	stainless steel	4D
C.070.120.0660.A	7.0	1.20	66.0	0.3493	40.20	45.22	yes	music wire	4D
C.070.120.0660.I	7.0	1.20	66.0	0.3000	40.20	45.22	yes	stainless steel	4D
C.070.125.0070.A	7.0	1.25	7.0	5.6882	6.00	6.38	yes	music wire	4C
C.070.125.0070.I	7.0	1.25	7.0	4.8856	6.00	6.38	yes	stainless steel	4C
C.070.125.0080.A	7.0	1.25	8.0	4.7940	6.50	6.94	yes	music wire	4C
C.070.125.0080.I	7.0	1.25	8.0	4.1708	6.50	6.94	yes	stainless steel	4D
C.070.125.0080.N	7.0	1.25	8.0	4.7940	6.50	6.94	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.125.0100.A	7.0	1.25	10.0	3.4720	7.88	8.51	yes	music wire	4C
C.070.125.0100.I	7.0	1.25	10.0	3.0206	7.75	8.36	yes	stainless steel	4D
C.070.125.0100.N	7.0	1.25	10.0	3.4720	7.88	8.51	yes	Zn coating	4E
C.070.125.0125.A	7.0	1.25	12.5	2.6500	9.25	10.06	yes	music wire	4C
C.070.125.0125.I	7.0	1.25	12.5	2.3000	9.25	10.06	yes	stainless steel	4D
C.070.125.0125.N	7.0	1.25	12.5	2.6500	9.25	10.06	yes	Zn coating	4E
C.070.125.0160.A	7.0	1.25	16.0	1.9740	11.38	12.47	yes	music wire	4C
C.070.125.0160.I	7.0	1.25	16.0	1.7174	11.25	12.32	yes	stainless steel	4D
C.070.125.0160.N	7.0	1.25	16.0	1.9740	11.38	12.47	yes	Zn coating	4E
C.070.125.0200.A	7.0	1.25	20.0	1.5250	13.88	15.30	yes	music wire	4C
C.070.125.0200.I	7.0	1.25	20.0	1.3267	13.75	15.15	yes	stainless steel	4D
C.070.125.0200.N	7.0	1.25	20.0	1.5250	13.88	15.30	yes	Zn coating	4E
C.070.125.0250.A	7.0	1.25	25.0	1.1840	16.88	18.69	yes	music wire	4C
C.070.125.0250.I	7.0	1.25	25.0	1.0301	16.75	18.55	yes	stainless steel	4D
C.070.125.0250.N	7.0	1.25	25.0	1.1840	16.88	18.69	yes	Zn coating	4E
C.070.125.0300.A	7.0	1.25	30.0	1.1376	17.50	20.48	yes	music wire	4F
C.070.125.0300.I	7.0	1.25	30.0	0.9771	17.50	20.41	yes	stainless steel	4G
C.070.125.0300.N	7.0	1.25	30.0	1.1376	17.50	20.48	yes	Zn coating	4H
C.070.125.0320.A	7.0	1.25	32.0	0.9070	21.13	23.50	yes	music wire	4C
C.070.125.0320.I	7.0	1.25	32.0	0.7891	20.88	23.22	yes	stainless steel	4D
C.070.125.0320.N	7.0	1.25	32.0	0.9070	21.13	23.50	yes	Zn coating	4E
C.070.125.0400.A	7.0	1.25	40.0	0.7140	26.00	29.01	yes	music wire	4C
C.070.125.0400.I	7.0	1.25	40.0	0.6212	25.75	28.73	yes	stainless steel	4D
C.070.125.0400.N	7.0	1.25	40.0	0.7140	26.00	29.01	yes	Zn coating	4E
C.070.125.0500.A	7.0	1.25	50.0	0.5620	32.25	36.09	yes	music wire	4D
C.070.125.0500.I	7.0	1.25	50.0	0.4889	31.88	35.67	yes	stainless steel	4D
C.070.125.0500.N	7.0	1.25	50.0	0.5620	32.25	36.09	yes	Zn coating	4E
C.070.125.0630.A	7.0	1.25	63.0	0.4440	40.00	44.86	yes	music wire	4D
C.070.125.0630.I	7.0	1.25	63.0	0.3863	39.50	44.29	yes	stainless steel	4D
C.070.125.0630.N	7.0	1.25	63.0	0.4440	40.00	44.86	yes	Zn coating	4E
C.070.125.0800.A	7.0	1.25	80.0	0.3460	50.38	56.60	yes	music wire	4D
C.070.125.0800.I	7.0	1.25	80.0	0.3010	49.75	55.89	yes	stainless steel	4D
C.070.125.0800.N	7.0	1.25	80.0	0.3460	50.38	56.60	yes	Zn coating	4F
C.070.125.3600.A	7.0	1.25	360.0	0.0750	222.38	251.10	no	music wire	4F
C.070.125.3600.I	7.0	1.25	360.0	0.0653	219.50	247.84	no	stainless steel	4G
C.070.130.0070.A	7.0	1.30	7.0	6.8311	6.24	6.63	yes	music wire	4C
C.070.130.0070.I	7.0	1.30	7.0	5.8672	6.24	6.63	yes	stainless steel	4D
C.070.130.0080.A	7.0	1.30	8.0	5.6112	6.89	7.36	yes	music wire	4C
C.070.130.0080.I	7.0	1.30	8.0	4.8195	6.89	7.36	yes	stainless steel	4D
C.070.130.0110.A	7.0	1.30	11.0	3.7408	8.71	9.41	yes	music wire	4C
C.070.130.0110.I	7.0	1.30	11.0	3.2130	8.71	9.41	yes	stainless steel	4D
C.070.130.0120.A	7.0	1.30	12.0	3.3429	9.36	10.15	yes	music wire	4C
C.070.130.0120.I	7.0	1.30	12.0	2.8712	9.36	10.15	yes	stainless steel	4D
C.070.130.0130.A	7.0	1.30	13.0	3.0214	10.01	10.88	yes	music wire	4C
C.070.130.0130.I	7.0	1.30	13.0	2.5951	10.01	10.88	yes	stainless steel	4D
C.070.130.0160.A	7.0	1.30	16.0	2.3450	11.96	13.08	yes	music wire	4C
C.070.130.0160.I	7.0	1.30	16.0	2.0141	11.96	13.08	yes	stainless steel	4D
C.070.130.0200.A	7.0	1.30	20.0	1.8059	14.56	16.02	yes	music wire	4C
C.070.130.0200.I	7.0	1.30	20.0	1.5511	14.56	16.02	yes	stainless steel	4D
C.070.130.0330.A	7.0	1.30	33.0	1.0405	22.88	25.41	yes	music wire	4C
C.070.130.0330.I	7.0	1.30	33.0	0.8937	22.88	25.41	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.070.130.0380.A	7.0	1.30	38.0	0.8978	26.00	28.93	yes	music wire	4C
C.070.130.0380.I	7.0	1.30	38.0	0.7711	26.00	28.93	yes	stainless steel	4D
C.070.130.0420.A	7.0	1.30	42.0	0.8057	28.60	31.87	yes	music wire	4C
C.070.130.0420.I	7.0	1.30	42.0	0.6920	28.60	31.87	yes	stainless steel	4D
C.070.130.0480.A	7.0	1.30	48.0	0.7014	32.37	36.12	yes	music wire	4D
C.070.130.0480.I	7.0	1.30	48.0	0.6024	32.37	36.12	yes	stainless steel	4D
C.070.130.0520.A	7.0	1.30	52.0	0.6439	34.97	39.06	yes	music wire	4D
C.070.130.0520.I	7.0	1.30	52.0	0.5531	34.97	39.06	yes	stainless steel	4D
C.070.130.0660.A	7.0	1.30	66.0	0.5020	43.94	49.18	yes	music wire	4D
C.070.130.0660.I	7.0	1.30	66.0	0.4311	43.94	49.18	yes	stainless steel	4D
C.070.140.0070.A	7.0	1.40	7.0	10.1296	6.58	6.96	yes	music wire	4E
C.070.140.0070.I	7.0	1.40	7.0	8.7003	6.58	6.96	yes	stainless steel	4E
C.070.140.0090.A	7.0	1.40	9.0	6.9641	7.98	8.54	yes	music wire	4E
C.070.140.0090.I	7.0	1.40	9.0	5.9814	7.98	8.54	yes	stainless steel	4E
C.070.140.0106.A	7.0	1.40	10.6	6.3672	8.40	9.01	yes	music wire	4E
C.070.140.0106.I	7.0	1.40	10.6	5.4688	8.40	9.01	yes	stainless steel	4E
C.070.140.0106.N	7.0	1.40	10.6	6.3672	8.40	9.01	yes	Zn coating	4G
C.070.140.0150.A	7.0	1.40	15.0	4.0518	11.20	12.15	yes	music wire	4H
C.070.140.0150.I	7.0	1.40	15.0	3.4801	11.20	12.15	yes	stainless steel	4I
C.070.140.0150.N	7.0	1.40	15.0	4.0518	11.20	12.15	yes	Zn coating	4I
C.070.140.0180.A	7.0	1.40	18.0	2.9323	14.14	15.46	yes	music wire	4E
C.070.140.0180.I	7.0	1.40	18.0	2.5185	14.14	15.46	yes	stainless steel	4E
C.070.140.0238.A	7.0	1.40	23.8	2.3458	16.80	18.45	yes	music wire	4H
C.070.140.0238.I	7.0	1.40	23.8	2.0148	16.80	18.45	yes	stainless steel	4I
C.070.140.0238.N	7.0	1.40	23.8	2.3458	16.80	18.45	yes	Zn coating	4I
C.070.140.0290.A	7.0	1.40	29.0	1.7142	21.70	23.96	yes	music wire	4E
C.070.140.0290.I	7.0	1.40	29.0	1.4724	21.70	23.96	yes	stainless steel	4E
C.070.140.0371.A	7.0	1.40	37.1	1.4378	25.20	27.89	yes	music wire	4H
C.070.140.0371.I	7.0	1.40	37.1	1.2349	25.20	27.89	yes	stainless steel	4I
C.070.140.0371.N	7.0	1.40	37.1	1.4378	25.20	27.89	yes	Zn coating	4I
C.070.140.0450.A	7.0	1.40	45.0	1.0663	32.76	36.39	yes	music wire	4E
C.070.140.0450.I	7.0	1.40	45.0	0.9158	32.76	36.39	yes	stainless steel	4E
C.070.140.0580.A	7.0	1.40	58.0	0.8163	41.72	46.46	yes	music wire	4E
C.070.140.0580.I	7.0	1.40	58.0	0.7011	41.72	46.46	yes	stainless steel	4F
C.070.140.0680.A	7.0	1.40	68.0	0.6921	48.58	54.17	yes	music wire	4E
C.070.140.0680.I	7.0	1.40	68.0	0.5944	48.58	54.17	yes	stainless steel	4F
C.070.140.0730.A	7.0	1.40	73.0	0.6422	52.08	58.10	yes	music wire	4E
C.070.140.0730.I	7.0	1.40	73.0	0.5516	52.08	58.10	yes	stainless steel	4F
C.070.200.0300.A	7.0	2.00	30.0	14.2220	23.40	27.44	yes	music wire	4J
C.071.030.0079.A	7.1	0.30	7.9	0.0060	2.37	3.52	no	music wire	4C
C.071.030.0079.I	7.1	0.30	7.9	0.0052	2.34	3.46	no	stainless steel	4C
C.071.030.0127.A	7.1	0.30	12.7	0.0023	4.47	7.45	no	music wire	4C
C.071.030.0127.I	7.1	0.30	12.7	0.0020	4.44	7.39	no	stainless steel	4C
C.071.030.0174.A	7.1	0.30	17.4	0.0023	4.47	7.45	no	music wire	4C
C.071.030.0174.I	7.1	0.30	17.4	0.0020	4.44	7.39	no	stainless steel	4C
C.071.040.0103.A	7.1	0.40	10.3	0.0138	3.52	4.83	yes	music wire	4B
C.071.040.0103.I	7.1	0.40	10.3	0.0120	3.48	4.77	yes	stainless steel	4C
C.071.040.0111.A	7.1	0.40	11.1	0.0069	6.04	8.66	yes	music wire	4B
C.071.040.0111.I	7.1	0.40	11.1	0.0060	5.96	8.54	yes	stainless steel	4C
C.071.040.0191.A	7.1	0.40	19.1	0.0218	2.60	3.43	yes	music wire	4B
C.071.040.0191.I	7.1	0.40	19.1	0.0190	2.56	3.37	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.071.040.0200.A	7.1	0.40	20.0	0.0080	5.32	7.57	yes	music wire	4B
C.071.040.0200.I	7.1	0.40	20.0	0.0070	5.24	7.45	yes	stainless steel	4C
C.071.040.0250.A	7.1	0.40	25.0	0.0080	5.32	7.57	yes	music wire	4B
C.071.040.0250.I	7.1	0.40	25.0	0.0110	3.72	5.14	yes	stainless steel	4C
C.071.040.0300.A	7.1	0.40	30.0	0.0131	3.64	5.01	yes	music wire	4B
C.071.040.0300.I	7.1	0.40	30.0	0.0113	3.64	5.01	yes	stainless steel	4C
C.071.040.0400.A	7.1	0.40	40.0	0.0099	4.52	6.35	yes	music wire	4B
C.071.040.0400.I	7.1	0.40	40.0	0.0085	4.52	6.35	yes	stainless steel	4C
C.071.050.0100.A	7.1	0.50	10.0	0.0852	2.55	3.02	yes	music wire	4B
C.071.050.0100.I	7.1	0.50	10.0	0.0732	2.55	3.02	yes	stainless steel	4C
C.071.050.0111.A	7.1	0.50	11.1	0.0333	4.55	5.74	yes	music wire	4B
C.071.050.0111.I	7.1	0.50	11.1	0.0290	4.55	5.74	yes	stainless steel	4C
C.071.050.0127.A	7.1	0.50	12.7	0.0368	4.25	5.33	yes	music wire	4B
C.071.050.0127.I	7.1	0.50	12.7	0.0320	4.20	5.27	yes	stainless steel	4C
C.071.050.0135.A	7.1	0.50	13.5	0.0448	3.70	4.59	yes	music wire	4B
C.071.050.0135.I	7.1	0.50	13.5	0.0390	3.70	4.59	yes	stainless steel	4C
C.071.050.0200.A	7.1	0.50	20.0	0.0403	4.00	4.99	yes	music wire	4B
C.071.050.0200.I	7.1	0.50	20.0	0.0346	4.00	4.99	yes	stainless steel	4C
C.071.050.0220.A	7.1	0.50	22.0	0.0350	4.40	5.54	yes	music wire	4B
C.071.050.0220.I	7.1	0.50	22.0	0.0305	4.35	5.47	yes	stainless steel	4C
C.071.050.0240.A	7.1	0.50	24.0	0.0220	6.30	8.12	yes	music wire	4B
C.071.050.0240.I	7.1	0.50	24.0	0.0191	6.20	7.99	yes	stainless steel	4C
C.071.050.0290.A	7.1	0.50	29.0	0.0161	8.15	10.64	yes	music wire	4B
C.071.050.0290.I	7.1	0.50	29.0	0.0140	8.05	10.51	yes	stainless steel	4C
C.071.050.0320.A	7.1	0.50	32.0	0.0180	7.40	9.62	yes	music wire	4B
C.071.050.0320.I	7.1	0.50	32.0	0.0157	7.30	9.49	yes	stainless steel	4C
C.071.050.0400.A	7.1	0.50	40.0	0.0198	6.85	8.87	yes	music wire	4C
C.071.050.0400.I	7.1	0.50	40.0	0.0170	6.85	8.87	yes	stainless steel	4C
C.071.050.0450.A	7.1	0.50	45.0	0.0126	10.00	13.16	yes	music wire	4C
C.071.050.0450.I	7.1	0.50	45.0	0.0110	9.90	13.03	yes	stainless steel	4C
C.071.050.0640.A	7.1	0.50	64.0	0.0057	20.50	27.46	yes	music wire	4C
C.071.050.0640.I	7.1	0.50	64.0	0.0050	20.25	27.12	yes	stainless steel	4C
C.071.060.0119.A	7.1	0.60	11.9	0.0460	7.80	9.54	yes	music wire	4C
C.071.060.0119.AP	7.1	0.60	11.9	0.2083	2.88	5.18	yes	music wire	4E
C.071.060.0119.I	7.1	0.60	11.9	0.0400	7.68	9.39	yes	stainless steel	4C
C.071.060.0135.A	7.1	0.60	13.5	0.1149	4.02	4.72	yes	music wire	4C
C.071.060.0135.AP	7.1	0.60	13.5	0.1774	3.12	5.61	yes	music wire	4E
C.071.060.0135.I	7.1	0.60	13.5	0.1000	3.96	4.64	yes	stainless steel	4C
C.071.060.0174.A	7.1	0.60	17.4	0.0410	8.52	10.46	yes	music wire	4C
C.071.060.0174.AP	7.1	0.60	17.4	0.1369	3.60	7.17	yes	music wire	4E
C.071.060.0174.I	7.1	0.60	17.4	0.0357	8.46	10.38	yes	stainless steel	4C
C.071.060.0200.A	7.1	0.60	20.0	0.0740	5.40	6.48	yes	music wire	4C
C.071.060.0200.I	7.1	0.60	20.0	0.0635	5.40	6.48	yes	stainless steel	4C
C.071.060.0270.A	7.1	0.60	27.0	0.0253	12.90	16.05	yes	music wire	4C
C.071.060.0270.AP	7.1	0.60	27.0	0.0855	4.86	10.63	yes	music wire	4E
C.071.060.0270.I	7.1	0.60	27.0	0.0220	12.78	15.89	yes	stainless steel	4C
C.071.060.0410.A	7.1	0.60	41.0	0.0360	9.54	11.76	yes	music wire	4C
C.071.060.0410.AP	7.1	0.60	41.0	0.0564	6.60	16.15	yes	music wire	4E
C.071.060.0410.I	7.1	0.60	41.0	0.0150	18.00	22.55	yes	stainless steel	4C
C.071.060.0800.A	7.1	0.60	80.0	0.0178	17.70	22.17	yes	music wire	4C
C.071.060.0800.I	7.1	0.60	80.0	0.0153	17.70	22.17	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.071.070.0167.A	7.1	0.70	16.7	0.2069	4.90	6.27	yes	music wire	4E
C.071.070.0167.I	7.1	0.70	16.7	0.1800	4.90	6.47	yes	stainless steel	4F
C.071.070.0220.A	7.1	0.70	22.0	0.2299	4.62	12.61	yes	music wire	4H
C.071.070.0220.I	7.1	0.70	22.0	0.2000	4.55	12.79	yes	stainless steel	4H
C.071.070.0240.A	7.1	0.70	24.0	0.1149	7.42	8.70	yes	music wire	4C
C.071.070.0240.AP	7.1	0.70	24.0	0.1604	5.81	10.54	yes	music wire	4E
C.071.070.0240.I	7.1	0.70	24.0	0.1000	7.35	8.61	yes	stainless steel	4C
C.071.070.0280.A	7.1	0.70	28.0	0.0770	10.22	12.13	yes	music wire	4C
C.071.070.0280.AP	7.1	0.70	28.0	0.1368	6.51	12.22	yes	music wire	4E
C.071.070.0280.I	7.1	0.70	28.0	0.0670	10.15	12.04	yes	stainless steel	4C
C.071.070.0500.A	7.1	0.70	50.0	0.0489	15.12	18.13	yes	music wire	4C
C.071.070.0500.I	7.1	0.70	50.0	0.0420	15.12	18.13	yes	stainless steel	4C
C.071.070.0800.A	7.1	0.70	80.0	0.0302	23.38	28.26	yes	music wire	4C
C.071.070.0800.I	7.1	0.70	80.0	0.0259	23.38	28.26	yes	stainless steel	4D
C.071.080.0064.A	7.1	0.80	6.4	0.8600	3.52	3.81	yes	music wire	4C
C.071.080.0064.AP	7.1	0.80	6.4	1.1105	3.20	3.58	yes	music wire	4E
C.071.080.0064.I	7.1	0.80	6.4	0.5100	4.24	4.67	yes	stainless steel	4C
C.071.080.0105.A	7.1	0.80	10.5	0.4768	4.80	5.34	yes	music wire	4C
C.071.080.0105.I	7.1	0.80	10.5	0.4148	4.80	5.34	yes	stainless steel	4C
C.071.080.0105.N	7.1	0.80	10.5	0.4768	4.80	5.34	yes	Zn coating	4E
C.071.080.0135.A	7.1	0.80	13.5	0.2644	7.04	8.01	yes	music wire	4C
C.071.080.0135.AP	7.1	0.80	13.5	0.4759	4.80	6.91	yes	music wire	4E
C.071.080.0135.I	7.1	0.80	13.5	0.2300	6.96	7.92	yes	stainless steel	4C
C.071.080.0155.A	7.1	0.80	15.5	0.3034	6.40	7.25	yes	music wire	4C
C.071.080.0155.I	7.1	0.80	15.5	0.2640	6.32	7.15	yes	stainless steel	4C
C.071.080.0155.N	7.1	0.80	15.5	0.3034	6.40	7.25	yes	Zn coating	4E
C.071.080.0174.A	7.1	0.80	17.4	0.2989	6.48	7.34	yes	music wire	4E
C.071.080.0174.I	7.1	0.80	17.4	0.2600	6.40	7.25	yes	stainless steel	4F
C.071.080.0200.A	7.1	0.80	20.0	0.2086	8.40	9.64	yes	music wire	4C
C.071.080.0200.I	7.1	0.80	20.0	0.1792	8.40	9.64	yes	stainless steel	4C
C.071.080.0230.A	7.1	0.80	23.0	0.1963	8.80	10.11	yes	music wire	4C
C.071.080.0230.AP	7.1	0.80	23.0	0.2644	7.04	11.14	yes	music wire	4E
C.071.080.0230.I	7.1	0.80	23.0	0.1686	8.80	10.11	yes	stainless steel	4C
C.071.080.0230.N	7.1	0.80	23.0	0.1963	8.80	10.11	yes	Zn coating	4E
C.071.080.0260.A	7.1	0.80	26.0	0.1724	9.76	11.26	yes	music wire	4C
C.071.080.0260.I	7.1	0.80	26.0	0.1500	9.68	11.16	yes	stainless steel	4C
C.071.080.0290.A	7.1	0.80	29.0	0.1200	13.12	15.27	yes	music wire	4C
C.071.080.0290.AP	7.1	0.80	29.0	0.2082	8.40	13.94	yes	music wire	4E
C.071.080.0290.I	7.1	0.80	29.0	0.1044	12.96	15.08	yes	stainless steel	4C
C.071.080.0330.A	7.1	0.80	33.0	0.1335	12.00	13.93	yes	music wire	4C
C.071.080.0330.AP	7.1	0.80	33.0	0.1811	9.36	15.68	yes	music wire	4E
C.071.080.0330.I	7.1	0.80	33.0	0.1147	12.00	13.93	yes	stainless steel	4C
C.071.080.0330.IF	7.1	0.80	33.0	0.0775	16.80	19.66	yes	stainless steel	4C
C.071.080.0330.N	7.1	0.80	33.0	0.1335	12.00	13.93	yes	Zn coating	4E
C.071.080.0380.A	7.1	0.80	38.0	0.1069	14.48	16.89	yes	music wire	4C
C.071.080.0380.AP	7.1	0.80	38.0	0.1557	10.56	17.86	yes	music wire	4F
C.071.080.0380.I	7.1	0.80	38.0	0.0930	14.32	16.70	yes	stainless steel	4C
C.071.080.0480.A	7.1	0.80	48.0	0.0900	16.80	19.66	yes	music wire	4C
C.071.080.0480.AP	7.1	0.80	48.0	0.1225	12.88	22.40	yes	music wire	4F
C.071.080.0480.I	7.1	0.80	48.0	0.0775	16.80	19.66	yes	stainless steel	4D
C.071.080.0480.IF	7.1	0.80	48.0	0.0637	20.00	23.47	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.071.080.0480.N	7.1	0.80	48.0	0.0900	16.80	19.66	yes	Zn coating	4E
C.071.080.0600.A	7.1	0.80	60.0	0.0657	22.32	26.24	yes	music wire	4C
C.071.080.0600.I	7.1	0.80	60.0	0.0564	22.32	26.24	yes	stainless steel	4D
C.071.080.0650.A	7.1	0.80	65.0	0.0566	25.60	30.16	yes	music wire	4C
C.071.080.0650.AP	7.1	0.80	65.0	0.0900	16.80	30.18	yes	music wire	4F
C.071.080.0650.I	7.1	0.80	65.0	0.0486	25.60	30.16	yes	stainless steel	4D
C.071.080.0650.N	7.1	0.80	65.0	0.0566	25.60	30.16	yes	Zn coating	4E
C.071.080.0800.A	7.1	0.80	80.0	0.0489	29.28	34.55	yes	music wire	4C
C.071.080.0800.I	7.1	0.80	80.0	0.0420	29.28	34.55	yes	stainless steel	4D
C.071.080.1000.A	7.1	0.80	100.0	0.0390	36.24	42.85	yes	music wire	4D
C.071.080.1000.I	7.1	0.80	100.0	0.0335	36.24	42.85	yes	stainless steel	4D
C.071.080.1600.A	7.1	0.80	160.0	0.0242	57.12	67.76	yes	music wire	4D
C.071.080.1600.I	7.1	0.80	160.0	0.0208	57.12	67.76	yes	stainless steel	4E
C.071.090.0111.A	7.1	0.90	11.1	0.7241	5.76	6.36	yes	music wire	4C
C.071.090.0111.I	7.1	0.90	11.1	0.6300	5.67	6.26	yes	stainless steel	4C
C.071.090.0220.A	7.1	0.90	22.0	0.2700	11.61	13.21	yes	music wire	4C
C.071.090.0220.AP	7.1	0.90	22.0	0.4182	8.28	11.60	yes	music wire	4E
C.071.090.0220.I	7.1	0.90	22.0	0.2349	11.52	13.11	yes	stainless steel	4C
C.071.090.0280.A	7.1	0.90	28.0	0.2000	14.85	17.01	yes	music wire	4C
C.071.090.0280.AP	7.1	0.90	28.0	0.3258	9.99	14.65	yes	music wire	4F
C.071.090.0280.I	7.1	0.90	28.0	0.1740	14.67	16.80	yes	stainless steel	4C
C.071.090.0300.A	7.1	0.90	30.0	0.1724	16.92	19.43	yes	music wire	4C
C.071.090.0300.AP	7.1	0.90	30.0	0.3013	10.62	15.56	yes	music wire	4F
C.071.090.0300.I	7.1	0.90	30.0	0.1500	16.74	19.22	yes	stainless steel	4C
C.071.090.0410.A	7.1	0.90	41.0	0.1379	20.52	23.65	yes	music wire	4C
C.071.090.0410.AP	7.1	0.90	41.0	0.2189	13.77	21.13	yes	music wire	4F
C.071.090.0410.I	7.1	0.90	41.0	0.1200	20.34	23.44	yes	stainless steel	4D
C.071.090.0500.A	7.1	0.90	50.0	0.1241	22.59	26.07	yes	music wire	4C
C.071.090.0500.I	7.1	0.90	50.0	0.1066	22.59	26.07	yes	stainless steel	4D
C.071.090.0600.A	7.1	0.90	60.0	0.1027	26.82	31.03	yes	music wire	4C
C.071.090.0600.I	7.1	0.90	60.0	0.0882	26.82	31.03	yes	stainless steel	4D
C.071.090.1000.A	7.1	0.90	100.0	0.0737	36.54	42.41	yes	music wire	4G
C.071.090.1000.I	7.1	0.90	100.0	0.0641	36.09	41.88	yes	stainless steel	4G
C.071.090.1000.N	7.1	0.90	100.0	0.0737	36.54	42.41	yes	Zn coating	4I
C.071.100.0111.A	7.1	1.00	11.1	0.9425	7.30	8.05	yes	music wire	4C
C.071.100.0111.AP	7.1	1.00	11.1	1.3601	5.80	6.82	yes	music wire	4E
C.071.100.0111.I	7.1	1.00	11.1	0.8200	7.20	7.93	yes	stainless steel	4C
C.071.100.0139.A	7.1	1.00	13.9	0.9195	7.40	8.16	yes	music wire	4E
C.071.100.0139.I	7.1	1.00	13.9	0.8000	7.30	8.05	yes	stainless steel	4F
C.071.100.0410.A	7.1	1.00	41.0	0.3000	17.50	21.60	yes	music wire	4F
C.071.100.0410.I	7.1	1.00	41.0	0.2610	17.30	21.82	yes	stainless steel	4F
C.071.100.0600.A	7.1	1.00	60.0	0.1575	31.00	35.44	yes	music wire	4C
C.071.100.0600.I	7.1	1.00	60.0	0.1353	31.00	35.44	yes	stainless steel	4D
C.071.120.0111.A	7.1	1.20	11.1	2.7586	7.44	8.04	yes	music wire	4F
C.071.120.0111.I	7.1	1.20	11.1	2.4000	7.44	8.04	yes	stainless steel	4F
C.071.120.0800.A	7.1	1.20	80.0	0.2578	50.88	57.40	yes	music wire	4D
C.071.120.0800.I	7.1	1.20	80.0	0.2214	50.88	57.40	yes	stainless steel	4D
C.071.130.0143.A	7.1	1.30	14.3	3.2184	9.23	10.61	yes	music wire	4F
C.071.130.0143.I	7.1	1.30	14.3	2.8000	9.23	10.62	yes	stainless steel	4F
C.071.130.0174.A	7.1	1.30	17.4	1.8000	14.04	15.44	yes	music wire	4C
C.071.130.0174.AP	7.1	1.30	17.4	2.4119	11.31	12.47	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.071.130.0174.I	7.1	1.30	17.4	1.5660	13.91	15.29	yes	stainless steel	4D
C.071.130.0220.A	7.1	1.30	22.0	1.6092	15.34	16.91	yes	music wire	4C
C.071.130.0220.I	7.1	1.30	22.0	1.4000	15.08	16.62	yes	stainless steel	4D
C.071.130.0250.A	7.1	1.30	25.0	1.4000	17.16	18.97	yes	music wire	4C
C.071.130.0250.I	7.1	1.30	25.0	1.2180	16.90	18.67	yes	stainless steel	4D
C.071.130.0350.A	7.1	1.30	35.0	1.3000	18.20	25.86	yes	music wire	4I
C.071.130.0350.I	7.1	1.30	35.0	1.1310	17.94	25.89	yes	stainless steel	4I
C.071.130.0600.A	7.1	1.30	60.0	0.5038	41.73	46.73	yes	music wire	4D
C.071.130.0600.I	7.1	1.30	60.0	0.4327	41.73	46.73	yes	stainless steel	4D
C.071.130.0800.A	7.1	1.30	80.0	0.3728	55.25	62.00	yes	music wire	4D
C.071.130.0800.I	7.1	1.30	80.0	0.3202	55.25	62.00	yes	stainless steel	4D
C.071.140.0111.A	7.1	1.40	11.1	5.1724	9.24	9.96	yes	music wire	4E
C.071.140.0111.I	7.1	1.40	11.1	4.5000	9.10	9.80	yes	stainless steel	4E
C.071.140.0127.A	7.1	1.40	12.7	5.2874	9.10	9.96	yes	music wire	4H
C.071.140.0127.I	7.1	1.40	12.7	4.6000	8.96	9.96	yes	stainless steel	4I
C.071.140.0220.A	7.1	1.40	22.0	2.4862	15.40	16.89	yes	music wire	4H
C.071.140.0220.I	7.1	1.40	22.0	2.1354	15.40	16.89	yes	stainless steel	4I
C.071.140.0220.N	7.1	1.40	22.0	2.4862	15.40	16.89	yes	Zn coating	4I
C.071.140.0800.A	7.1	1.40	80.0	0.5337	58.94	65.86	yes	music wire	4E
C.071.140.0800.I	7.1	1.40	80.0	0.4584	58.94	65.86	yes	stainless steel	4F
C.071.150.0200.A	7.1	1.50	20.0	3.3756	16.80	18.38	yes	music wire	4E
C.071.150.0200.I	7.1	1.50	20.0	2.8993	16.80	18.38	yes	stainless steel	4E
C.071.150.0350.A	7.1	1.50	35.0	2.5287	21.15	28.12	yes	music wire	4I
C.071.150.0350.I	7.1	1.50	35.0	2.2000	21.00	28.12	yes	stainless steel	4J
C.073.090.0108.A	7.3	0.90	10.8	0.7285	5.40	5.95	yes	music wire	4C
C.073.090.0108.I	7.3	0.90	10.8	0.6338	5.40	5.95	yes	stainless steel	4C
C.073.090.0108.N	7.3	0.90	10.8	0.7285	5.40	5.95	yes	Zn coating	4E
C.073.090.0170.A	7.3	0.90	17.0	0.4636	7.20	8.07	yes	music wire	4E
C.073.090.0170.I	7.3	0.90	17.0	0.3982	7.20	8.07	yes	stainless steel	4F
C.073.090.0170.N	7.3	0.90	17.0	0.4636	7.20	8.07	yes	Zn coating	4H
C.073.090.0264.A	7.3	0.90	26.4	0.3000	9.90	12.27	yes	music wire	4F
C.073.090.0264.I	7.3	0.90	26.4	0.2577	9.90	12.29	yes	stainless steel	4F
C.073.090.0264.N	7.3	0.90	26.4	0.3000	9.90	12.27	yes	Zn coating	4H
C.073.090.0387.A	7.3	0.90	38.7	0.2040	13.50	17.92	yes	music wire	4F
C.073.090.0387.I	7.3	0.90	38.7	0.1752	13.50	17.94	yes	stainless steel	4F
C.073.090.0387.N	7.3	0.90	38.7	0.2040	13.50	17.92	yes	Zn coating	4H
C.073.090.0573.A	7.3	0.90	57.3	0.1378	18.90	26.54	yes	music wire	4F
C.073.090.0573.I	7.3	0.90	57.3	0.1184	18.90	26.58	yes	stainless steel	4G
C.073.090.0573.N	7.3	0.90	57.3	0.1378	18.90	26.54	yes	Zn coating	4H
C.073.100.0100.A	7.3	1.00	10.0	1.1641	6.00	6.56	yes	music wire	4C
C.073.100.0100.I	7.3	1.00	10.0	1.0128	6.00	6.56	yes	stainless steel	4C
C.073.100.0100.N	7.3	1.00	10.0	1.1641	6.00	6.56	yes	Zn coating	4E
C.073.100.0145.A	7.3	1.00	14.5	0.7408	8.00	8.88	yes	music wire	4C
C.073.100.0145.I	7.3	1.00	14.5	0.6445	7.90	8.76	yes	stainless steel	4C
C.073.100.0145.N	7.3	1.00	14.5	0.7408	8.00	8.88	yes	Zn coating	4E
C.073.100.0215.A	7.3	1.00	21.5	0.4793	11.00	12.36	yes	music wire	4C
C.073.100.0215.I	7.3	1.00	21.5	0.4117	11.00	12.36	yes	stainless steel	4C
C.073.100.0215.N	7.3	1.00	21.5	0.4793	11.00	12.36	yes	Zn coating	4E
C.073.100.0305.A	7.3	1.00	30.5	0.3259	15.00	16.99	yes	music wire	4C
C.073.100.0305.AP	7.3	1.00	30.5	0.4200	12.20	16.99	yes	music wire	4F
C.073.100.0305.I	7.3	1.00	30.5	0.2799	15.00	16.99	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.073.100.0305.IF	7.3	1.00	30.5	0.1891	21.00	23.95	yes	stainless steel	4D
C.073.100.0305.N	7.3	1.00	30.5	0.3259	15.00	16.99	yes	Zn coating	4E
C.073.100.0435.A	7.3	1.00	43.5	0.2202	21.00	23.95	yes	music wire	4C
C.073.100.0435.AP	7.3	1.00	43.5	0.2869	16.70	23.73	yes	music wire	4F
C.073.100.0435.I	7.3	1.00	43.5	0.1891	21.00	23.95	yes	stainless steel	4D
C.073.100.0435.IF	7.3	1.00	43.5	0.1555	25.00	28.59	yes	stainless steel	4D
C.073.100.0435.N	7.3	1.00	43.5	0.2202	21.00	23.95	yes	Zn coating	4E
C.073.110.0257.A	7.3	1.10	25.7	0.8780	10.56	17.30	yes	music wire	4I
C.073.110.0257.I	7.3	1.10	25.7	0.7639	10.45	17.37	yes	stainless steel	4I
C.073.110.0257.N	7.3	1.10	25.7	0.8780	10.56	17.30	yes	Zn coating	4I
C.073.130.0230.A	7.3	1.30	23.0	1.5000	14.95	16.49	yes	music wire	4F
C.073.130.0230.I	7.3	1.30	23.0	1.2855	14.95	16.49	yes	stainless steel	4G
C.073.130.0230.N	7.3	1.30	23.0	1.5000	14.95	16.49	yes	Zn coating	4H
C.074.160.0100.A	7.5	1.60	10.0	10.6480	8.96	9.56	yes	music wire	4D
C.074.160.0125.A	7.5	1.60	12.5	7.5625	11.04	11.89	yes	music wire	4D
C.074.160.0160.A	7.5	1.60	16.0	5.5000	13.76	14.93	yes	music wire	4D
C.074.160.0200.A	7.5	1.60	20.0	4.0000	17.28	18.87	yes	music wire	4D
C.074.160.0250.A	7.5	1.60	25.0	3.1250	21.12	23.18	yes	music wire	4D
C.074.160.0320.A	7.5	1.60	32.0	2.5000	25.28	27.83	yes	music wire	4D
C.074.160.0400.A	7.5	1.60	40.0	2.0000	30.72	33.93	yes	music wire	4D
C.074.160.0500.A	7.5	1.60	50.0	1.5873	37.60	41.63	yes	music wire	4D
C.074.160.0630.A	7.5	1.60	63.0	1.2500	46.72	51.85	yes	music wire	4D
C.074.160.0800.A	7.5	1.60	80.0	1.0000	57.28	63.68	yes	music wire	4E
C.074.160.1000.A	7.5	1.60	100.0	0.8000	70.72	78.73	yes	music wire	4E
C.075.030.0119.A	7.5	0.30	11.9	0.0050	2.37	3.64	no	music wire	4C
C.075.030.0119.I	7.5	0.30	11.9	0.0044	2.37	3.64	no	stainless steel	4C
C.075.030.0127.A	7.5	0.30	12.7	0.0030	3.27	5.41	no	music wire	4C
C.075.030.0127.I	7.5	0.30	12.7	0.0030	2.94	4.76	no	stainless steel	4C
C.075.030.0135.A	7.5	0.30	13.5	0.0040	2.70	4.29	no	music wire	4C
C.075.030.0135.I	7.5	0.30	13.5	0.0035	2.70	4.29	no	stainless steel	4C
C.075.030.0159.A	7.5	0.30	15.9	0.0060	2.16	3.23	no	music wire	4C
C.075.030.0159.I	7.5	0.30	15.9	0.0052	2.13	3.17	no	stainless steel	4C
C.075.030.0220.A	7.5	0.30	22.0	0.0060	2.16	3.23	no	music wire	4C
C.075.030.0220.I	7.5	0.30	22.0	0.0052	2.13	3.17	no	stainless steel	4C
C.075.040.0095.A	7.5	0.40	9.5	0.0090	4.24	6.10	yes	music wire	4B
C.075.040.0095.I	7.5	0.40	9.5	0.0078	4.20	6.03	yes	stainless steel	4C
C.075.040.0119.A	7.5	0.40	11.9	0.0170	2.72	3.70	yes	music wire	4B
C.075.040.0119.I	7.5	0.40	11.9	0.0148	2.68	3.64	yes	stainless steel	4C
C.075.040.0127.A	7.5	0.40	12.7	0.0092	4.16	5.97	yes	music wire	4B
C.075.040.0127.I	7.5	0.40	12.7	0.0080	4.12	5.91	yes	stainless steel	4C
C.075.040.0151.A	7.5	0.40	15.1	0.0100	3.92	5.59	yes	music wire	4B
C.075.040.0151.I	7.5	0.40	15.1	0.0087	3.88	5.53	yes	stainless steel	4C
C.075.040.0159.A	7.5	0.40	15.9	0.0241	2.20	2.89	yes	music wire	4B
C.075.040.0159.I	7.5	0.40	15.9	0.0210	2.20	2.89	yes	stainless steel	4C
C.075.040.0182.A	7.5	0.40	18.2	0.0138	3.12	4.33	yes	music wire	4B
C.075.040.0182.I	7.5	0.40	18.2	0.0120	3.08	4.27	yes	stainless steel	4C
C.075.040.0191.A	7.5	0.40	19.1	0.0069	5.24	7.67	yes	music wire	4B
C.075.040.0191.I	7.5	0.40	19.1	0.0060	5.16	7.54	yes	stainless steel	4C
C.075.040.0240.A	7.5	0.40	24.0	0.0092	4.16	5.97	yes	music wire	4B
C.075.040.0240.I	7.5	0.40	24.0	0.0080	4.12	5.91	yes	stainless steel	4C
C.075.040.0290.A	7.5	0.40	29.0	0.0023	13.68	20.94	yes	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.040.0290.I	7.5	0.40	29.0	0.0020	13.52	20.69	yes	stainless steel	4C
C.075.050.0064.A	7.5	0.50	6.4	0.1080	2.10	2.43	yes	music wire	4B
C.075.050.0064.I	7.5	0.50	6.4	0.0940	2.10	2.43	yes	stainless steel	4C
C.075.050.0071.A	7.5	0.50	7.1	0.0510	3.05	3.76	yes	music wire	4B
C.075.050.0071.I	7.5	0.50	7.1	0.0444	3.05	3.76	yes	stainless steel	4C
C.075.050.0095.A	7.5	0.50	9.5	0.0241	5.10	6.62	yes	music wire	4B
C.075.050.0095.I	7.5	0.50	9.5	0.0210	5.05	6.55	yes	stainless steel	4C
C.075.050.0103.A	7.5	0.50	10.3	0.0380	3.70	4.67	yes	music wire	4B
C.075.050.0103.I	7.5	0.50	10.3	0.0331	3.65	4.60	yes	stainless steel	4C
C.075.050.0127.A	7.5	0.50	12.7	0.0410	3.50	4.39	yes	music wire	4B
C.075.050.0127.I	7.5	0.50	12.7	0.0357	3.50	4.39	yes	stainless steel	4C
C.075.050.0190.A	7.5	0.50	19.0	0.0530	3.00	4.03	yes	music wire	4D
C.075.050.0190.I	7.5	0.50	19.0	0.0455	3.00	4.24	yes	stainless steel	4E
C.075.050.0190.N	7.5	0.50	19.0	0.0530	3.00	4.03	yes	Zn coating	4F
C.075.050.0191.A	7.5	0.50	19.1	0.0150	7.45	9.89	yes	music wire	4B
C.075.050.0191.I	7.5	0.50	19.1	0.0131	7.35	9.75	yes	stainless steel	4C
C.075.050.0200.A	7.5	0.50	20.0	0.0391	3.65	4.60	yes	music wire	4B
C.075.050.0200.I	7.5	0.50	20.0	0.0340	3.60	4.53	yes	stainless steel	4C
C.075.050.0220.A	7.5	0.50	22.0	0.0130	8.40	11.22	yes	music wire	4B
C.075.050.0220.I	7.5	0.50	22.0	0.0110	8.50	11.36	yes	stainless steel	4C
C.075.050.0300.A	7.5	0.50	30.0	0.0210	5.65	7.38	yes	music wire	4B
C.075.050.0300.I	7.5	0.50	30.0	0.0183	5.60	7.31	yes	stainless steel	4C
C.075.050.0300.N	7.5	0.50	30.0	0.0210	5.65	7.38	yes	Zn coating	4D
C.075.050.0310.A	7.5	0.50	31.0	0.0264	4.75	6.13	yes	music wire	4B
C.075.050.0310.I	7.5	0.50	31.0	0.0230	4.70	6.06	yes	stainless steel	4C
C.075.050.0380.A	7.5	0.50	38.0	0.0149	7.45	9.89	yes	music wire	4C
C.075.050.0380.I	7.5	0.50	38.0	0.0130	7.40	9.82	yes	stainless steel	4C
C.075.050.0450.A	7.5	0.50	45.0	0.0195	6.00	7.87	yes	music wire	4C
C.075.050.0450.I	7.5	0.50	45.0	0.0170	5.95	7.80	yes	stainless steel	4C
C.075.055.0080.A	7.5	0.55	8.0	0.1340	2.53	2.92	yes	music wire	4C
C.075.055.0080.I	7.5	0.55	8.0	0.1166	2.48	2.85	yes	stainless steel	4C
C.075.055.0080.N	7.5	0.55	8.0	0.1340	2.53	2.92	yes	Zn coating	4E
C.075.055.0100.A	7.5	0.55	10.0	0.1070	2.81	3.30	yes	music wire	4C
C.075.055.0100.I	7.5	0.55	10.0	0.0931	2.81	3.30	yes	stainless steel	4C
C.075.055.0100.N	7.5	0.55	10.0	0.1070	2.81	3.30	yes	Zn coating	4E
C.075.055.0125.A	7.5	0.55	12.5	0.0850	3.19	3.81	yes	music wire	4C
C.075.055.0125.I	7.5	0.55	12.5	0.0740	3.14	3.74	yes	stainless steel	4C
C.075.055.0125.N	7.5	0.55	12.5	0.0850	3.19	3.81	yes	Zn coating	4E
C.075.055.0160.A	7.5	0.55	16.0	0.0650	3.74	4.54	yes	music wire	4C
C.075.055.0160.I	7.5	0.55	16.0	0.0566	3.69	4.47	yes	stainless steel	4C
C.075.055.0160.N	7.5	0.55	16.0	0.0650	3.74	4.54	yes	Zn coating	4E
C.075.055.0200.A	7.5	0.55	20.0	0.0510	4.35	5.36	yes	music wire	4C
C.075.055.0200.I	7.5	0.55	20.0	0.0444	4.35	5.36	yes	stainless steel	4C
C.075.055.0200.N	7.5	0.55	20.0	0.0510	4.35	5.36	yes	Zn coating	4E
C.075.055.0210.A	7.5	0.55	21.0	0.0594	3.96	4.84	yes	music wire	4C
C.075.055.0210.I	7.5	0.55	21.0	0.0516	3.91	4.77	yes	stainless steel	4F
C.075.055.0230.A	7.5	0.55	23.0	0.0536	4.24	5.21	yes	music wire	4C
C.075.055.0230.I	7.5	0.55	23.0	0.0466	4.18	5.13	yes	stainless steel	4C
C.075.055.0250.A	7.5	0.55	25.0	0.0400	5.17	6.46	yes	music wire	4C
C.075.055.0250.I	7.5	0.55	25.0	0.0348	5.17	6.46	yes	stainless steel	4C
C.075.055.0250.N	7.5	0.55	25.0	0.0400	5.17	6.46	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.055.0280.A	7.5	0.55	28.0	0.0450	4.79	5.95	yes	music wire	4E
C.075.055.0280.I	7.5	0.55	28.0	0.0392	4.73	5.87	yes	stainless steel	4F
C.075.055.0300.A	7.5	0.55	30.0	0.0430	4.95	6.16	yes	music wire	4E
C.075.055.0300.I	7.5	0.55	30.0	0.0374	4.90	6.44	yes	stainless steel	4F
C.075.055.0320.A	7.5	0.55	32.0	0.0310	6.33	8.01	yes	music wire	4C
C.075.055.0320.I	7.5	0.55	32.0	0.0270	6.22	7.86	yes	stainless steel	4C
C.075.055.0320.N	7.5	0.55	32.0	0.0310	6.33	8.01	yes	Zn coating	4E
C.075.055.0400.A	7.5	0.55	40.0	0.0250	7.48	9.55	yes	music wire	4C
C.075.055.0400.I	7.5	0.55	40.0	0.0218	7.37	9.41	yes	stainless steel	4C
C.075.055.0400.N	7.5	0.55	40.0	0.0250	7.48	9.55	yes	Zn coating	4E
C.075.055.0450.A	7.5	0.55	45.0	0.0280	6.82	8.67	yes	music wire	4E
C.075.055.0450.I	7.5	0.55	45.0	0.0244	6.77	8.82	yes	stainless steel	4F
C.075.055.0500.A	7.5	0.55	50.0	0.0200	9.02	11.62	yes	music wire	4C
C.075.055.0500.I	7.5	0.55	50.0	0.0174	8.91	11.47	yes	stainless steel	4C
C.075.055.0500.N	7.5	0.55	50.0	0.0200	9.02	11.62	yes	Zn coating	4E
C.075.055.0550.A	7.5	0.55	55.0	0.0230	8.03	10.29	yes	music wire	4F
C.075.055.0550.I	7.5	0.55	55.0	0.0192	8.20	10.52	yes	stainless steel	4F
C.075.055.0600.A	7.5	0.55	60.0	0.0210	8.64	11.10	yes	music wire	4F
C.075.055.0600.I	7.5	0.55	60.0	0.0175	8.86	11.40	yes	stainless steel	4F
C.075.055.0630.A	7.5	0.55	63.0	0.0160	10.95	14.20	yes	music wire	4C
C.075.055.0630.I	7.5	0.55	63.0	0.0139	10.84	14.05	yes	stainless steel	4C
C.075.055.0630.N	7.5	0.55	63.0	0.0160	10.95	14.20	yes	Zn coating	4E
C.075.055.0650.A	7.5	0.55	65.0	0.0190	9.41	12.14	yes	music wire	4F
C.075.055.0650.I	7.5	0.55	65.0	0.0158	9.68	12.50	yes	stainless steel	4D
C.075.055.0800.A	7.5	0.55	80.0	0.0120	14.08	18.39	yes	music wire	4C
C.075.055.0800.I	7.5	0.55	80.0	0.0104	13.97	18.25	yes	stainless steel	4D
C.075.055.0800.N	7.5	0.55	80.0	0.0120	14.08	18.39	yes	Zn coating	4E
C.075.055.3600.A	7.5	0.55	360.0	0.0030	52.86	70.15	no	music wire	4F
C.075.055.3600.I	7.5	0.55	360.0	0.0026	52.36	69.48	no	stainless steel	4G
C.075.060.0064.A	7.5	0.60	6.4	0.1379	3.24	3.76	yes	music wire	4C
C.075.060.0064.AP	7.5	0.60	6.4	0.3640	2.16	2.75	yes	music wire	4E
C.075.060.0064.I	7.5	0.60	6.4	0.1200	3.24	3.76	yes	stainless steel	4C
C.075.060.0080.A	7.5	0.60	8.0	0.1930	2.76	3.14	yes	music wire	4C
C.075.060.0080.AP	7.5	0.60	8.0	0.2860	2.34	3.36	yes	music wire	4E
C.075.060.0080.I	7.5	0.60	8.0	0.1679	2.76	3.14	yes	stainless steel	4C
C.075.060.0080.N	7.5	0.60	8.0	0.1930	2.76	3.14	yes	Zn coating	4E
C.075.060.0100.A	7.5	0.60	10.0	0.1470	3.12	3.60	yes	music wire	4C
C.075.060.0100.AP	7.5	0.60	10.0	0.2355	2.52	4.36	yes	music wire	4E
C.075.060.0100.I	7.5	0.60	10.0	0.1279	3.12	3.60	yes	stainless steel	4C
C.075.060.0100.N	7.5	0.60	10.0	0.1470	3.12	3.60	yes	Zn coating	4E
C.075.060.0111.A	7.5	0.60	11.1	0.1954	2.76	4.30	yes	music wire	4E
C.075.060.0111.I	7.5	0.60	11.1	0.1700	2.70	4.46	yes	stainless steel	4E
C.075.060.0125.A	7.5	0.60	12.5	0.1150	3.60	4.23	yes	music wire	4C
C.075.060.0125.AP	7.5	0.60	12.5	0.1820	2.82	5.20	yes	music wire	4E
C.075.060.0125.I	7.5	0.60	12.5	0.1000	3.60	4.23	yes	stainless steel	4C
C.075.060.0125.N	7.5	0.60	12.5	0.1150	3.60	4.23	yes	Zn coating	4E
C.075.060.0135.A	7.5	0.60	13.5	0.0575	5.70	6.95	yes	music wire	4C
C.075.060.0135.AP	7.5	0.60	13.5	0.1668	2.94	5.54	yes	music wire	4E
C.075.060.0135.I	7.5	0.60	13.5	0.0500	5.64	6.88	yes	stainless steel	4C
C.075.060.0143.A	7.5	0.60	14.3	0.1379	3.24	4.67	yes	music wire	4E
C.075.060.0143.I	7.5	0.60	14.3	0.1200	3.24	4.89	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.060.0160.A	7.5	0.60	16.0	0.0880	4.26	5.08	yes	music wire	4C
C.075.060.0160.AP	7.5	0.60	16.0	0.1381	3.24	6.38	yes	music wire	4E
C.075.060.0160.I	7.5	0.60	16.0	0.0766	4.20	5.01	yes	stainless steel	4C
C.075.060.0160.N	7.5	0.60	16.0	0.0880	4.26	5.08	yes	Zn coating	4E
C.075.060.0174.A	7.5	0.60	17.4	0.0828	4.44	5.32	yes	music wire	4C
C.075.060.0174.AP	7.5	0.60	17.4	0.1251	3.42	6.79	yes	music wire	4E
C.075.060.0174.I	7.5	0.60	17.4	0.0720	4.38	5.24	yes	stainless steel	4C
C.075.060.0191.A	7.5	0.60	19.1	0.0440	6.96	8.59	yes	music wire	4C
C.075.060.0191.AP	7.5	0.60	19.1	0.1144	3.60	7.49	yes	music wire	4E
C.075.060.0191.I	7.5	0.60	19.1	0.0383	6.90	8.51	yes	stainless steel	4C
C.075.060.0200.A	7.5	0.60	20.0	0.0690	4.98	6.02	yes	music wire	4C
C.075.060.0200.I	7.5	0.60	20.0	0.0600	4.98	6.02	yes	stainless steel	4C
C.075.060.0200.N	7.5	0.60	20.0	0.0690	4.98	6.02	yes	Zn coating	4E
C.075.060.0220.A	7.5	0.60	22.0	0.0437	7.02	8.67	yes	music wire	4C
C.075.060.0220.AP	7.5	0.60	22.0	0.1001	3.90	8.73	yes	music wire	4E
C.075.060.0220.I	7.5	0.60	22.0	0.0380	6.96	8.59	yes	stainless steel	4C
C.075.060.0250.A	7.5	0.60	25.0	0.0550	5.88	7.19	yes	music wire	4C
C.075.060.0250.AF	7.5	0.60	25.0	0.0420	7.26	8.98	yes	music wire	4C
C.075.060.0250.AP	7.5	0.60	25.0	0.0870	4.26	9.74	yes	music wire	4E
C.075.060.0250.I	7.5	0.60	25.0	0.0478	5.82	7.11	yes	stainless steel	4C
C.075.060.0250.N	7.5	0.60	25.0	0.0550	5.88	7.19	yes	Zn coating	4E
C.075.060.0250.NF	7.5	0.60	25.0	0.0420	7.26	8.98	yes	Zn coating	4E
C.075.060.0270.A	7.5	0.60	27.0	0.0218	12.54	15.83	yes	music wire	4C
C.075.060.0270.AP	7.5	0.60	27.0	0.0801	4.50	10.42	yes	music wire	4E
C.075.060.0270.I	7.5	0.60	27.0	0.0190	12.42	15.68	yes	stainless steel	4C
C.075.060.0290.A	7.5	0.60	29.0	0.0356	8.28	10.30	yes	music wire	4C
C.075.060.0290.AP	7.5	0.60	29.0	0.0742	4.74	11.09	yes	music wire	4E
C.075.060.0290.I	7.5	0.60	29.0	0.0310	8.16	10.15	yes	stainless steel	4C
C.075.060.0320.A	7.5	0.60	32.0	0.0420	7.26	8.98	yes	music wire	4C
C.075.060.0320.I	7.5	0.60	32.0	0.0365	7.20	8.90	yes	stainless steel	4C
C.075.060.0320.N	7.5	0.60	32.0	0.0420	7.26	8.98	yes	Zn coating	4E
C.075.060.0400.A	7.5	0.60	40.0	0.0340	8.58	10.69	yes	music wire	4C
C.075.060.0400.AP	7.5	0.60	40.0	0.0534	6.00	15.13	yes	music wire	4E
C.075.060.0400.I	7.5	0.60	40.0	0.0296	8.52	10.61	yes	stainless steel	4C
C.075.060.0400.N	7.5	0.60	40.0	0.0340	8.58	10.69	yes	Zn coating	4E
C.075.060.0500.A	7.5	0.60	50.0	0.0270	10.44	13.11	yes	music wire	4C
C.075.060.0500.AP	7.5	0.60	50.0	0.0426	7.14	18.82	yes	music wire	4F
C.075.060.0500.I	7.5	0.60	50.0	0.0235	10.32	12.95	yes	stainless steel	4C
C.075.060.0500.N	7.5	0.60	50.0	0.0270	10.44	13.11	yes	Zn coating	4E
C.075.060.0630.A	7.5	0.60	63.0	0.0210	12.96	16.38	yes	music wire	4C
C.075.060.0630.I	7.5	0.60	63.0	0.0183	12.84	16.22	yes	stainless steel	4D
C.075.060.0630.N	7.5	0.60	63.0	0.0210	12.96	16.38	yes	Zn coating	4E
C.075.060.0800.A	7.5	0.60	80.0	0.0170	15.66	19.89	yes	music wire	4C
C.075.060.0800.I	7.5	0.60	80.0	0.0148	15.48	19.65	yes	stainless steel	4D
C.075.060.0800.N	7.5	0.60	80.0	0.0170	15.66	19.89	yes	Zn coating	4E
C.075.060.3600.A	7.5	0.60	360.0	0.0040	62.40	80.39	no	music wire	4F
C.075.060.3600.I	7.5	0.60	360.0	0.0035	61.26	78.91	no	stainless steel	4G
C.075.065.0280.A	7.5	0.65	28.0	0.0814	6.18	7.56	yes	music wire	4E
C.075.065.0280.I	7.5	0.65	28.0	0.0708	6.11	7.99	yes	stainless steel	4F
C.075.065.0300.A	7.5	0.65	30.0	0.0780	6.37	8.67	yes	music wire	4E
C.075.065.0300.I	7.5	0.65	30.0	0.0679	6.31	9.13	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.065.0550.A	7.5	0.65	55.0	0.0420	10.40	15.39	yes	music wire	4F
C.075.065.0550.I	7.5	0.65	55.0	0.0365	10.27	16.23	yes	stainless steel	4F
C.075.065.0600.A	7.5	0.65	60.0	0.0380	11.31	16.22	yes	music wire	4F
C.075.065.0600.I	7.5	0.65	60.0	0.0317	11.64	15.25	yes	stainless steel	4F
C.075.065.0650.A	7.5	0.65	65.0	0.0350	12.16	17.47	yes	music wire	4F
C.075.065.0650.I	7.5	0.65	65.0	0.0292	12.48	16.42	yes	stainless steel	4F
C.075.070.0080.A	7.5	0.70	8.0	0.3330	3.36	3.75	yes	music wire	4C
C.075.070.0080.AP	7.5	0.70	8.0	0.4849	2.87	3.77	yes	music wire	4E
C.075.070.0080.I	7.5	0.70	8.0	0.2897	3.36	3.75	yes	stainless steel	4C
C.075.070.0080.N	7.5	0.70	8.0	0.3330	3.36	3.75	yes	Zn coating	4E
C.075.070.0100.A	7.5	0.70	10.0	0.2600	3.85	4.36	yes	music wire	4C
C.075.070.0100.AP	7.5	0.70	10.0	0.3879	3.15	4.72	yes	music wire	4E
C.075.070.0100.I	7.5	0.70	10.0	0.2262	3.85	4.36	yes	stainless steel	4C
C.075.070.0100.N	7.5	0.70	10.0	0.2600	3.85	4.36	yes	Zn coating	4E
C.075.070.0125.A	7.5	0.70	12.5	0.2000	4.48	5.14	yes	music wire	4C
C.075.070.0125.AP	7.5	0.70	12.5	0.2984	3.57	5.63	yes	music wire	4E
C.075.070.0125.I	7.5	0.70	12.5	0.1740	4.41	5.05	yes	stainless steel	4C
C.075.070.0125.N	7.5	0.70	12.5	0.2000	4.48	5.14	yes	Zn coating	4E
C.075.070.0147.A	7.5	0.70	14.7	0.2223	4.20	5.48	yes	music wire	4E
C.075.070.0147.I	7.5	0.70	14.7	0.1909	4.20	5.55	yes	stainless steel	4F
C.075.070.0147.N	7.5	0.70	14.7	0.2223	4.20	5.48	yes	Zn coating	4G
C.075.070.0160.A	7.5	0.70	16.0	0.1540	5.32	6.18	yes	music wire	4C
C.075.070.0160.AP	7.5	0.70	16.0	0.2282	4.13	7.02	yes	music wire	4E
C.075.070.0160.I	7.5	0.70	16.0	0.1340	5.25	6.10	yes	stainless steel	4C
C.075.070.0160.N	7.5	0.70	16.0	0.1540	5.32	6.18	yes	Zn coating	4E
C.075.070.0200.A	7.5	0.70	20.0	0.1200	6.30	7.40	yes	music wire	4C
C.075.070.0200.AP	7.5	0.70	20.0	0.1804	4.76	8.64	yes	music wire	4E
C.075.070.0200.I	7.5	0.70	20.0	0.1044	6.23	7.31	yes	stainless steel	4C
C.075.070.0200.N	7.5	0.70	20.0	0.1200	6.30	7.40	yes	Zn coating	4E
C.075.070.0218.A	7.5	0.70	21.8	0.1414	5.60	7.31	yes	music wire	4E
C.075.070.0218.I	7.5	0.70	21.8	0.1214	5.60	7.41	yes	stainless steel	4F
C.075.070.0218.N	7.5	0.70	21.8	0.1414	5.60	7.31	yes	Zn coating	4G
C.075.070.0250.A	7.5	0.70	25.0	0.0950	7.49	8.88	yes	music wire	4C
C.075.070.0250.AP	7.5	0.70	25.0	0.1437	5.53	10.74	yes	music wire	4E
C.075.070.0250.I	7.5	0.70	25.0	0.0826	7.42	8.79	yes	stainless steel	4C
C.075.070.0250.N	7.5	0.70	25.0	0.0950	7.49	8.88	yes	Zn coating	4E
C.075.070.0286.A	7.5	0.70	28.6	0.0510	12.46	15.05	yes	music wire	4C
C.075.070.0286.AP	7.5	0.70	28.6	0.1231	6.16	11.96	yes	music wire	4E
C.075.070.0286.I	7.5	0.70	28.6	0.0444	12.32	14.87	yes	stainless steel	4C
C.075.070.0286.N	7.5	0.70	28.6	0.0510	12.46	15.05	yes	Zn coating	4E
C.075.070.0320.A	7.5	0.70	32.0	0.0740	9.10	10.88	yes	music wire	4C
C.075.070.0320.AP	7.5	0.70	32.0	0.1108	6.65	13.51	yes	music wire	4E
C.075.070.0320.I	7.5	0.70	32.0	0.0644	9.03	10.79	yes	stainless steel	4C
C.075.070.0320.N	7.5	0.70	32.0	0.0740	9.10	10.88	yes	Zn coating	4E
C.075.070.0330.A	7.5	0.70	33.0	0.0650	10.15	12.18	yes	music wire	4C
C.075.070.0330.AP	7.5	0.70	33.0	0.1063	6.86	13.72	yes	music wire	4E
C.075.070.0330.I	7.5	0.70	33.0	0.0950	6.65	14.61	yes	stainless steel	4I
C.075.070.0358.A	7.5	0.70	35.8	0.0819	8.40	10.79	yes	music wire	4E
C.075.070.0358.I	7.5	0.70	35.8	0.0703	8.40	10.94	yes	stainless steel	4F
C.075.070.0358.N	7.5	0.70	35.8	0.0819	8.40	10.79	yes	Zn coating	4H
C.075.070.0400.A	7.5	0.70	40.0	0.0590	10.99	13.22	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.070.0400.AP	7.5	0.70	40.0	0.0882	7.91	16.76	yes	music wire	4E
C.075.070.0400.I	7.5	0.70	40.0	0.0513	10.85	13.05	yes	stainless steel	4C
C.075.070.0400.N	7.5	0.70	40.0	0.0590	10.99	13.22	yes	Zn coating	4E
C.075.070.0500.A	7.5	0.70	50.0	0.0460	13.58	16.44	yes	music wire	4C
C.075.070.0500.AP	7.5	0.70	50.0	0.0699	9.52	20.69	yes	music wire	4F
C.075.070.0500.I	7.5	0.70	50.0	0.0400	13.44	16.26	yes	stainless steel	4C
C.075.070.0500.N	7.5	0.70	50.0	0.0460	13.58	16.44	yes	Zn coating	4E
C.075.070.0568.A	7.5	0.70	56.8	0.0502	12.60	15.99	yes	music wire	4F
C.075.070.0568.I	7.5	0.70	56.8	0.0431	12.60	16.26	yes	stainless steel	4F
C.075.070.0568.N	7.5	0.70	56.8	0.0502	12.60	15.99	yes	Zn coating	4H
C.075.070.0580.A	7.5	0.70	58.0	0.0287	20.72	25.30	yes	music wire	4C
C.075.070.0580.AP	7.5	0.70	58.0	0.0601	10.78	23.93	yes	music wire	4F
C.075.070.0580.I	7.5	0.70	58.0	0.0250	20.44	24.95	yes	stainless steel	4D
C.075.070.0630.A	7.5	0.70	63.0	0.0370	16.45	20.00	yes	music wire	4C
C.075.070.0630.AP	7.5	0.70	63.0	0.0550	11.62	25.76	yes	music wire	4F
C.075.070.0630.I	7.5	0.70	63.0	0.0322	16.24	19.74	yes	stainless steel	4D
C.075.070.0630.N	7.5	0.70	63.0	0.0370	16.45	20.00	yes	Zn coating	4E
C.075.070.0700.A	7.5	0.70	70.0	0.0450	13.86	24.47	yes	music wire	4F
C.075.070.0700.I	7.5	0.70	70.0	0.0392	13.72	25.37	yes	stainless steel	4G
C.075.070.0800.A	7.5	0.70	80.0	0.0290	20.51	25.04	yes	music wire	4C
C.075.070.0800.AP	7.5	0.70	80.0	0.0433	14.28	32.73	yes	music wire	4F
C.075.070.0800.I	7.5	0.70	80.0	0.0252	20.30	24.78	yes	stainless steel	4D
C.075.070.0800.N	7.5	0.70	80.0	0.0290	20.51	25.04	yes	Zn coating	4E
C.075.070.3600.A	7.5	0.70	360.0	0.0060	93.24	115.17	no	music wire	4F
C.075.070.3600.I	7.5	0.70	360.0	0.0052	92.40	114.13	no	stainless steel	4G
C.075.080.0056.A	7.5	0.80	5.6	1.6092	2.72	3.75	yes	music wire	4H
C.075.080.0056.I	7.5	0.80	5.6	1.4000	2.72	3.78	yes	stainless steel	4H
C.075.080.0080.A	7.5	0.80	8.0	0.5620	4.00	4.41	yes	music wire	4C
C.075.080.0080.AP	7.5	0.80	8.0	0.7694	3.44	4.13	yes	music wire	4E
C.075.080.0080.I	7.5	0.80	8.0	0.4889	3.92	4.31	yes	stainless steel	4C
C.075.080.0080.N	7.5	0.80	8.0	0.5620	4.00	4.41	yes	Zn coating	4E
C.075.080.0095.A	7.5	0.80	9.5	0.5650	4.00	4.41	yes	music wire	4E
C.075.080.0095.I	7.5	0.80	9.5	0.4706	4.00	4.41	yes	stainless steel	4F
C.075.080.0100.A	7.5	0.80	10.0	0.4270	4.56	5.09	yes	music wire	4C
C.075.080.0100.AF	7.5	0.80	10.0	0.2720	6.08	6.92	yes	music wire	4C
C.075.080.0100.AP	7.5	0.80	10.0	0.6021	3.84	5.06	yes	music wire	4E
C.075.080.0100.I	7.5	0.80	10.0	0.3715	4.56	5.09	yes	stainless steel	4C
C.075.080.0100.N	7.5	0.80	10.0	0.4270	4.56	5.09	yes	Zn coating	4E
C.075.080.0100.NF	7.5	0.80	10.0	0.2720	6.08	6.92	yes	Zn coating	4E
C.075.080.0111.A	7.5	0.80	11.1	0.4253	4.64	5.18	yes	music wire	4C
C.075.080.0111.I	7.5	0.80	11.1	0.3700	4.56	5.09	yes	stainless steel	4C
C.075.080.0125.A	7.5	0.80	12.5	0.3340	5.36	6.05	yes	music wire	4C
C.075.080.0125.AP	7.5	0.80	12.5	0.4775	4.32	6.27	yes	music wire	4E
C.075.080.0125.I	7.5	0.80	12.5	0.2906	5.28	5.95	yes	stainless steel	4C
C.075.080.0125.N	7.5	0.80	12.5	0.3340	5.36	6.05	yes	Zn coating	4E
C.075.080.0147.A	7.5	0.80	14.7	0.3103	5.60	6.34	yes	music wire	4C
C.075.080.0147.I	7.5	0.80	14.7	0.2700	5.52	6.24	yes	stainless steel	4C
C.075.080.0160.A	7.5	0.80	16.0	0.2540	6.40	7.30	yes	music wire	4C
C.075.080.0160.AP	7.5	0.80	16.0	0.3551	5.12	7.62	yes	music wire	4E
C.075.080.0160.I	7.5	0.80	16.0	0.2210	6.32	7.21	yes	stainless steel	4C
C.075.080.0160.N	7.5	0.80	16.0	0.2540	6.40	7.30	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.075.080.0200.A	7.5	0.80	20.0	0.2010	7.52	8.65	yes	music wire	4C
C.075.080.0200.AP	7.5	0.80	20.0	0.2826	5.92	9.47	yes	music wire	4E
C.075.080.0200.I	7.5	0.80	20.0	0.1749	7.44	8.56	yes	stainless steel	4C
C.075.080.0200.N	7.5	0.80	20.0	0.2010	7.52	8.65	yes	Zn coating	4E
C.075.080.0210.A	7.5	0.80	21.0	0.2202	7.04	8.07	yes	music wire	4E
C.075.080.0210.I	7.5	0.80	21.0	0.1916	6.96	7.98	yes	stainless steel	4F
C.075.080.0220.A	7.5	0.80	22.0	0.1839	8.00	9.23	yes	music wire	4C
C.075.080.0220.AP	7.5	0.80	22.0	0.2565	6.32	10.39	yes	music wire	4E
C.075.080.0220.I	7.5	0.80	22.0	0.1600	7.92	9.13	yes	stainless steel	4C
C.075.080.0250.A	7.5	0.80	25.0	0.1570	9.04	10.48	yes	music wire	4C
C.075.080.0250.AP	7.5	0.80	25.0	0.2234	6.96	11.67	yes	music wire	4E
C.075.080.0250.I	7.5	0.80	25.0	0.1366	8.96	10.39	yes	stainless steel	4C
C.075.080.0250.N	7.5	0.80	25.0	0.1570	9.04	10.48	yes	Zn coating	4E
C.075.080.0280.A	7.5	0.80	28.0	0.1720	8.48	10.69	yes	music wire	4E
C.075.080.0280.I	7.5	0.80	28.0	0.1433	8.64	10.22	yes	stainless steel	4F
C.075.080.0290.A	7.5	0.80	29.0	0.1724	8.40	11.73	yes	music wire	4E
C.075.080.0290.I	7.5	0.80	29.0	0.1500	8.32	12.02	yes	stainless steel	4F
C.075.080.0300.A	7.5	0.80	30.0	0.1700	8.56	12.49	yes	music wire	4E
C.075.080.0300.I	7.5	0.80	30.0	0.1479	8.48	12.78	yes	stainless steel	4F
C.075.080.0300.N	7.5	0.80	30.0	0.1700	8.56	12.49	yes	Zn coating	4H
C.075.080.0320.A	7.5	0.80	32.0	0.1210	11.20	13.09	yes	music wire	4C
C.075.080.0320.AP	7.5	0.80	32.0	0.1710	8.48	14.59	yes	music wire	4F
C.075.080.0320.I	7.5	0.80	32.0	0.1053	11.04	12.90	yes	stainless steel	4C
C.075.080.0320.N	7.5	0.80	32.0	0.1210	11.20	13.09	yes	Zn coating	4E
C.075.080.0350.A	7.5	0.80	35.0	0.1340	10.32	12.78	yes	music wire	4F
C.075.080.0350.I	7.5	0.80	35.0	0.1116	10.56	12.32	yes	stainless steel	4F
C.075.080.0400.A	7.5	0.80	40.0	0.0960	13.60	15.98	yes	music wire	4C
C.075.080.0400.AP	7.5	0.80	40.0	0.1358	10.16	18.07	yes	music wire	4F
C.075.080.0400.I	7.5	0.80	40.0	0.0835	13.44	15.79	yes	stainless steel	4C
C.075.080.0400.N	7.5	0.80	40.0	0.0960	13.60	15.98	yes	Zn coating	4E
C.075.080.0500.A	7.5	0.80	50.0	0.0760	16.64	19.64	yes	music wire	4C
C.075.080.0500.AP	7.5	0.80	50.0	0.1082	12.24	22.48	yes	music wire	4F
C.075.080.0500.I	7.5	0.80	50.0	0.0661	16.40	19.36	yes	stainless steel	4D
C.075.080.0500.N	7.5	0.80	50.0	0.0760	16.64	19.64	yes	Zn coating	4E
C.075.080.0550.A	7.5	0.80	55.0	0.0840	15.20	19.56	yes	music wire	4F
C.075.080.0550.I	7.5	0.80	55.0	0.0731	15.04	20.14	yes	stainless steel	4F
C.075.080.0600.A	7.5	0.80	60.0	0.0760	16.64	20.83	yes	music wire	4F
C.075.080.0600.I	7.5	0.80	60.0	0.0633	17.04	20.13	yes	stainless steel	4G
C.075.080.0630.A	7.5	0.80	63.0	0.0600	20.48	24.27	yes	music wire	4C
C.075.080.0630.AP	7.5	0.80	63.0	0.0855	14.96	28.17	yes	music wire	4F
C.075.080.0630.I	7.5	0.80	63.0	0.0522	20.24	23.98	yes	stainless steel	4D
C.075.080.0630.N	7.5	0.80	63.0	0.0600	20.48	24.27	yes	Zn coating	4E
C.075.080.0650.A	7.5	0.80	65.0	0.0700	17.84	22.47	yes	music wire	4F
C.075.080.0650.I	7.5	0.80	65.0	0.0583	18.32	21.67	yes	stainless steel	4G
C.075.080.0800.A	7.5	0.80	80.0	0.0470	25.60	30.44	yes	music wire	4C
C.075.080.0800.AP	7.5	0.80	80.0	0.0672	18.48	35.71	yes	music wire	4F
C.075.080.0800.I	7.5	0.80	80.0	0.0409	25.28	30.06	yes	stainless steel	4D
C.075.080.0800.N	7.5	0.80	80.0	0.0470	25.60	30.44	yes	Zn coating	4E
C.075.080.3600.A	7.5	0.80	360.0	0.0100	113.76	136.53	no	music wire	4F
C.075.080.3600.I	7.5	0.80	360.0	0.0087	112.40	134.89	no	stainless steel	4G
C.075.090.0064.A	7.5	0.90	6.4	1.6000	3.60	3.84	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.090.0064.I	7.5	0.90	6.4	1.8000	3.24	4.43	yes	stainless steel	4H
C.075.090.0080.A	7.5	0.90	8.0	0.8950	4.59	5.01	yes	music wire	4C
C.075.090.0080.AP	7.5	0.90	8.0	1.2225	3.96	4.62	yes	music wire	4E
C.075.090.0080.I	7.5	0.90	8.0	0.7787	4.59	5.01	yes	stainless steel	4C
C.075.090.0080.N	7.5	0.90	8.0	0.8950	4.59	5.01	yes	Zn coating	4E
C.075.090.0100.A	7.5	0.90	10.0	0.6630	5.40	5.97	yes	music wire	4C
C.075.090.0100.AP	7.5	0.90	10.0	0.9291	4.50	5.55	yes	music wire	4E
C.075.090.0100.I	7.5	0.90	10.0	0.5768	5.40	5.97	yes	stainless steel	4C
C.075.090.0100.N	7.5	0.90	10.0	0.6630	5.40	5.97	yes	Zn coating	4E
C.075.090.0125.A	7.5	0.90	12.5	0.5110	6.30	7.03	yes	music wire	4C
C.075.090.0125.AP	7.5	0.90	12.5	0.7259	5.13	6.81	yes	music wire	4E
C.075.090.0125.I	7.5	0.90	12.5	0.4446	6.30	7.03	yes	stainless steel	4C
C.075.090.0125.N	7.5	0.90	12.5	0.5110	6.30	7.03	yes	Zn coating	4E
C.075.090.0143.A	7.5	0.90	14.3	0.4713	6.66	7.46	yes	music wire	4C
C.075.090.0143.I	7.5	0.90	14.3	0.4100	6.66	7.46	yes	stainless steel	4C
C.075.090.0150.A	7.5	0.90	15.0	0.3510	8.19	9.26	yes	music wire	4C
C.075.090.0150.AP	7.5	0.90	15.0	0.5807	5.85	7.88	yes	music wire	4E
C.075.090.0150.I	7.5	0.90	15.0	0.3054	8.10	9.16	yes	stainless steel	4C
C.075.090.0150.N	7.5	0.90	15.0	0.3510	8.19	9.26	yes	Zn coating	4E
C.075.090.0160.A	7.5	0.90	16.0	0.3890	7.65	8.63	yes	music wire	4C
C.075.090.0160.AP	7.5	0.90	16.0	0.5402	6.12	8.35	yes	music wire	4E
C.075.090.0160.I	7.5	0.90	16.0	0.3384	7.56	8.52	yes	stainless steel	4C
C.075.090.0160.N	7.5	0.90	16.0	0.3890	7.65	8.63	yes	Zn coating	4E
C.075.090.0200.A	7.5	0.90	20.0	0.3080	9.00	10.22	yes	music wire	4C
C.075.090.0200.AP	7.5	0.90	20.0	0.4301	7.11	10.39	yes	music wire	4E
C.075.090.0200.I	7.5	0.90	20.0	0.2680	9.00	10.22	yes	stainless steel	4C
C.075.090.0200.N	7.5	0.90	20.0	0.3080	9.00	10.22	yes	Zn coating	4E
C.075.090.0250.A	7.5	0.90	25.0	0.2420	10.89	12.45	yes	music wire	4C
C.075.090.0250.AP	7.5	0.90	25.0	0.3366	8.46	12.72	yes	music wire	4F
C.075.090.0250.I	7.5	0.90	25.0	0.2105	10.80	12.34	yes	stainless steel	4C
C.075.090.0250.N	7.5	0.90	25.0	0.2420	10.89	12.45	yes	Zn coating	4E
C.075.090.0320.A	7.5	0.90	32.0	0.1840	13.59	15.64	yes	music wire	4C
C.075.090.0320.AP	7.5	0.90	32.0	0.2581	10.35	15.99	yes	music wire	4F
C.075.090.0320.I	7.5	0.90	32.0	0.1601	13.50	15.53	yes	stainless steel	4C
C.075.090.0320.N	7.5	0.90	32.0	0.1840	13.59	15.64	yes	Zn coating	4E
C.075.090.0400.A	7.5	0.90	40.0	0.1470	16.47	19.04	yes	music wire	4C
C.075.090.0400.AP	7.5	0.90	40.0	0.2056	12.42	19.89	yes	music wire	4F
C.075.090.0400.I	7.5	0.90	40.0	0.1279	16.29	18.83	yes	stainless steel	4D
C.075.090.0400.N	7.5	0.90	40.0	0.1470	16.47	19.04	yes	Zn coating	4E
C.075.090.0410.A	7.5	0.90	41.0	0.0908	25.29	29.45	yes	music wire	4C
C.075.090.0410.AP	7.5	0.90	41.0	0.2002	12.69	20.36	yes	music wire	4F
C.075.090.0410.I	7.5	0.90	41.0	0.0790	25.02	29.13	yes	stainless steel	4D
C.075.090.0500.A	7.5	0.90	50.0	0.1160	20.25	23.50	yes	music wire	4C
C.075.090.0500.AP	7.5	0.90	50.0	0.1624	15.12	24.56	yes	music wire	4F
C.075.090.0500.I	7.5	0.90	50.0	0.1009	20.07	23.29	yes	stainless steel	4D
C.075.090.0500.N	7.5	0.90	50.0	0.1160	20.25	23.50	yes	Zn coating	4E
C.075.090.0550.A	7.5	0.90	55.0	0.1550	15.75	28.34	yes	music wire	4I
C.075.090.0550.I	7.5	0.90	55.0	0.1349	15.57	28.70	yes	stainless steel	4I
C.075.090.0600.A	7.5	0.90	60.0	0.1420	17.01	30.89	yes	music wire	4I
C.075.090.0600.I	7.5	0.90	60.0	0.1183	17.46	30.01	yes	stainless steel	4I
C.075.090.0630.A	7.5	0.90	63.0	0.0920	25.02	29.13	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.090.0630.AP	7.5	0.90	63.0	0.1283	18.54	30.79	yes	music wire	4F
C.075.090.0630.I	7.5	0.90	63.0	0.0800	24.75	28.82	yes	stainless steel	4D
C.075.090.0630.N	7.5	0.90	63.0	0.0920	25.02	29.13	yes	Zn coating	4E
C.075.090.0650.A	7.5	0.90	65.0	0.1310	18.18	33.45	yes	music wire	4I
C.075.090.0650.I	7.5	0.90	65.0	0.1091	18.72	32.50	yes	stainless steel	4I
C.075.090.0670.A	7.5	0.90	67.0	0.1149	20.43	31.04	yes	music wire	4F
C.075.090.0670.I	7.5	0.90	67.0	0.1000	20.25	31.53	yes	stainless steel	4G
C.075.090.0800.A	7.5	0.90	80.0	0.0720	31.32	36.57	yes	music wire	4D
C.075.090.0800.AP	7.5	0.90	80.0	0.1006	23.04	38.90	yes	music wire	4F
C.075.090.0800.I	7.5	0.90	80.0	0.0626	30.96	36.15	yes	stainless steel	4D
C.075.090.0800.N	7.5	0.90	80.0	0.0720	31.32	36.57	yes	Zn coating	4E
C.075.090.3600.A	7.5	0.90	360.0	0.0160	133.92	157.55	no	music wire	4F
C.075.090.3600.I	7.5	0.90	360.0	0.0139	132.48	155.85	no	stainless steel	4G
C.075.100.0064.A	7.5	1.00	6.4	2.6437	3.90	4.31	yes	music wire	4E
C.075.100.0064.I	7.5	1.00	6.4	2.3000	3.90	4.33	yes	stainless steel	4F
C.075.100.0080.A	7.5	1.00	8.0	1.4270	5.10	5.52	yes	music wire	4C
C.075.100.0080.AP	7.5	1.00	8.0	1.8548	4.50	5.02	yes	music wire	4E
C.075.100.0080.I	7.5	1.00	8.0	1.2415	5.10	5.52	yes	stainless steel	4C
C.075.100.0080.N	7.5	1.00	8.0	1.4270	5.10	5.52	yes	Zn coating	4E
C.075.100.0087.A	7.5	1.00	8.7	1.7241	4.70	5.49	yes	music wire	4E
C.075.100.0087.I	7.5	1.00	8.7	1.5000	4.60	5.53	yes	stainless steel	4F
C.075.100.0100.A	7.5	1.00	10.0	1.0570	6.00	6.57	yes	music wire	4C
C.075.100.0100.AP	7.5	1.00	10.0	1.3739	5.20	5.97	yes	music wire	4E
C.075.100.0100.I	7.5	1.00	10.0	0.9196	6.00	6.57	yes	stainless steel	4C
C.075.100.0100.N	7.5	1.00	10.0	1.0570	6.00	6.57	yes	Zn coating	4E
C.075.100.0125.A	7.5	1.00	12.5	0.8160	7.00	7.74	yes	music wire	4C
C.075.100.0125.AP	7.5	1.00	12.5	1.0599	6.00	7.28	yes	music wire	4E
C.075.100.0125.I	7.5	1.00	12.5	0.7099	7.00	7.74	yes	stainless steel	4C
C.075.100.0125.N	7.5	1.00	12.5	0.8160	7.00	7.74	yes	Zn coating	4E
C.075.100.0143.A	7.5	1.00	14.3	1.2644	5.40	9.92	yes	music wire	4H
C.075.100.0143.I	7.5	1.00	14.3	1.1000	5.40	9.97	yes	stainless steel	4I
C.075.100.0160.A	7.5	1.00	16.0	0.6070	8.60	9.60	yes	music wire	4C
C.075.100.0160.AP	7.5	1.00	16.0	0.8064	7.10	9.14	yes	music wire	4F
C.075.100.0160.I	7.5	1.00	16.0	0.5281	8.50	9.48	yes	stainless steel	4C
C.075.100.0160.N	7.5	1.00	16.0	0.6070	8.60	9.60	yes	Zn coating	4E
C.075.100.0200.A	7.5	1.00	20.0	0.4760	10.30	11.57	yes	music wire	4C
C.075.100.0200.AP	7.5	1.00	20.0	0.6287	8.40	11.20	yes	music wire	4F
C.075.100.0200.I	7.5	1.00	20.0	0.4141	10.20	11.46	yes	stainless steel	4C
C.075.100.0200.N	7.5	1.00	20.0	0.4760	10.30	11.57	yes	Zn coating	4E
C.075.100.0250.A	7.5	1.00	25.0	0.3710	12.50	14.13	yes	music wire	4C
C.075.100.0250.AP	7.5	1.00	25.0	0.4946	10.00	13.81	yes	music wire	4F
C.075.100.0250.I	7.5	1.00	25.0	0.3228	12.40	14.02	yes	stainless steel	4C
C.075.100.0250.N	7.5	1.00	25.0	0.3710	12.50	14.13	yes	Zn coating	4E
C.075.100.0260.A	7.5	1.00	26.0	0.4023	11.70	13.20	yes	music wire	4F
C.075.100.0260.I	7.5	1.00	26.0	0.3500	11.60	13.09	yes	stainless steel	4F
C.075.100.0290.A	7.5	1.00	29.0	0.3218	14.00	15.88	yes	music wire	4C
C.075.100.0290.AP	7.5	1.00	29.0	0.4215	11.30	15.87	yes	music wire	4F
C.075.100.0290.I	7.5	1.00	29.0	0.2800	13.90	15.76	yes	stainless steel	4D
C.075.100.0320.A	7.5	1.00	32.0	0.2850	15.50	17.62	yes	music wire	4C
C.075.100.0320.AP	7.5	1.00	32.0	0.3785	12.30	17.38	yes	music wire	4F
C.075.100.0320.I	7.5	1.00	32.0	0.2479	15.40	17.51	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.100.0320.N	7.5	1.00	32.0	0.2850	15.50	17.62	yes	Zn coating	4E
C.075.100.0400.A	7.5	1.00	40.0	0.2250	19.00	21.70	yes	music wire	4C
C.075.100.0400.AP	7.5	1.00	40.0	0.2992	14.90	21.50	yes	music wire	4F
C.075.100.0400.I	7.5	1.00	40.0	0.1958	18.80	21.46	yes	stainless steel	4D
C.075.100.0400.N	7.5	1.00	40.0	0.2250	19.00	21.70	yes	Zn coating	4E
C.075.100.0500.A	7.5	1.00	50.0	0.1780	23.30	26.70	yes	music wire	4C
C.075.100.0500.AP	7.5	1.00	50.0	0.2378	18.10	26.73	yes	music wire	4F
C.075.100.0500.I	7.5	1.00	50.0	0.1549	23.10	26.47	yes	stainless steel	4D
C.075.100.0500.N	7.5	1.00	50.0	0.1780	23.30	26.70	yes	Zn coating	4E
C.075.100.0530.A	7.5	1.00	53.0	0.1800	23.10	26.47	yes	music wire	4C
C.075.100.0530.I	7.5	1.00	53.0	0.1566	22.80	26.12	yes	stainless steel	4D
C.075.100.0580.A	7.5	1.00	58.0	0.1320	30.60	35.19	yes	music wire	4C
C.075.100.0580.AP	7.5	1.00	58.0	0.2038	20.70	30.85	yes	music wire	4F
C.075.100.0580.I	7.5	1.00	58.0	0.1148	30.20	34.73	yes	stainless steel	4D
C.075.100.0580.N	7.5	1.00	58.0	0.1320	30.60	35.19	yes	Zn coating	4E
C.075.100.0630.A	7.5	1.00	63.0	0.1410	28.80	33.10	yes	music wire	4C
C.075.100.0630.AP	7.5	1.00	63.0	0.1874	22.30	33.47	yes	music wire	4F
C.075.100.0630.I	7.5	1.00	63.0	0.1227	28.50	32.75	yes	stainless steel	4D
C.075.100.0630.N	7.5	1.00	63.0	0.1410	28.80	33.10	yes	Zn coating	4E
C.075.100.0650.A	7.5	1.00	65.0	0.1700	24.30	32.45	yes	music wire	4F
C.075.100.0650.I	7.5	1.00	65.0	0.1479	24.00	32.80	yes	stainless steel	4G
C.075.100.0800.A	7.5	1.00	80.0	0.1100	36.20	41.71	yes	music wire	4D
C.075.100.0800.AP	7.5	1.00	80.0	0.1466	27.80	42.26	yes	music wire	4G
C.075.100.0800.I	7.5	1.00	80.0	0.0957	35.80	41.24	yes	stainless steel	4D
C.075.100.0800.N	7.5	1.00	80.0	0.1100	36.20	41.71	yes	Zn coating	4E
C.075.100.1300.A	7.5	1.00	130.0	0.0930	42.40	70.50	yes	music wire	4I
C.075.100.1300.I	7.5	1.00	130.0	0.0809	41.90	71.15	yes	stainless steel	4I
C.075.100.1300.N	7.5	1.00	130.0	0.0930	42.40	70.50	yes	Zn coating	4J
C.075.100.1900.A	7.5	1.00	190.0	0.0620	62.30	100.75	yes	music wire	4I
C.075.100.1900.I	7.5	1.00	190.0	0.0539	61.60	101.72	yes	stainless steel	4I
C.075.100.3600.A	7.5	1.00	360.0	0.0240	158.10	183.36	no	music wire	4F
C.075.100.3600.I	7.5	1.00	360.0	0.0209	155.90	180.80	no	stainless steel	4G
C.075.110.0080.A	7.5	1.10	8.0	2.1890	5.61	6.04	yes	music wire	4C
C.075.110.0080.I	7.5	1.10	8.0	1.9000	5.61	6.04	yes	stainless steel	4C
C.075.110.0080.N	7.5	1.10	8.0	2.1890	5.61	6.04	yes	Zn coating	4E
C.075.110.0100.A	7.5	1.10	10.0	1.6220	6.60	7.18	yes	music wire	4C
C.075.110.0100.AP	7.5	1.10	10.0	2.0339	5.83	6.46	yes	music wire	4F
C.075.110.0100.I	7.5	1.10	10.0	1.4111	6.60	7.18	yes	stainless steel	4C
C.075.110.0100.N	7.5	1.10	10.0	1.6220	6.60	7.18	yes	Zn coating	4E
C.075.110.0110.A	7.5	1.10	11.0	1.6257	6.60	7.18	yes	music wire	4C
C.075.110.0110.I	7.5	1.10	11.0	1.4000	6.60	7.18	yes	stainless steel	4C
C.075.110.0110.N	7.5	1.10	11.0	1.6257	6.60	7.18	yes	Zn coating	4E
C.075.110.0125.A	7.5	1.10	12.5	1.2160	7.92	8.70	yes	music wire	4C
C.075.110.0125.AP	7.5	1.10	12.5	1.5392	6.82	7.83	yes	music wire	4F
C.075.110.0125.I	7.5	1.10	12.5	1.0579	7.81	8.57	yes	stainless steel	4C
C.075.110.0125.N	7.5	1.10	12.5	1.2160	7.92	8.70	yes	Zn coating	4E
C.075.110.0160.A	7.5	1.10	16.0	0.9120	9.57	10.60	yes	music wire	4C
C.075.110.0160.AL	7.5	1.10	16.0	1.0000	9.02	9.97	yes	music wire	4C
C.075.110.0160.AP	7.5	1.10	16.0	1.1623	8.14	9.81	yes	music wire	4F
C.075.110.0160.I	7.5	1.10	16.0	0.7934	9.57	10.60	yes	stainless steel	4C
C.075.110.0160.N	7.5	1.10	16.0	1.0345	8.80	9.71	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.075.110.0200.A	7.5	1.10	20.0	0.7180	11.44	12.75	yes	music wire	4C
C.075.110.0200.AL	7.5	1.10	20.0	0.8000	10.56	11.74	yes	music wire	4C
C.075.110.0200.AP	7.5	1.10	20.0	0.9040	9.68	12.04	yes	music wire	4F
C.075.110.0200.I	7.5	1.10	20.0	0.6247	11.33	12.62	yes	stainless steel	4D
C.075.110.0200.N	7.5	1.10	20.0	0.7180	11.44	12.75	yes	Zn coating	4E
C.075.110.0250.A	7.5	1.10	25.0	0.5610	13.86	15.54	yes	music wire	4C
C.075.110.0250.AL	7.5	1.10	25.0	0.6349	12.65	14.14	yes	music wire	4C
C.075.110.0250.AP	7.5	1.10	25.0	0.7119	11.55	14.90	yes	music wire	4F
C.075.110.0250.I	7.5	1.10	25.0	0.4881	13.75	15.41	yes	stainless steel	4D
C.075.110.0250.N	7.5	1.10	25.0	0.5610	13.86	15.54	yes	Zn coating	4E
C.075.110.0260.A	7.5	1.10	26.0	0.6000	13.20	14.78	yes	music wire	4F
C.075.110.0260.I	7.5	1.10	26.0	0.5144	13.20	14.78	yes	stainless steel	4F
C.075.110.0260.N	7.5	1.10	26.0	0.6000	13.20	14.78	yes	Zn coating	4H
C.075.110.0320.A	7.5	1.10	32.0	0.4290	17.38	19.59	yes	music wire	4C
C.075.110.0320.AL	7.5	1.10	32.0	0.5000	15.29	17.61	yes	music wire	4C
C.075.110.0320.AP	7.5	1.10	32.0	0.5424	14.30	18.74	yes	music wire	4F
C.075.110.0320.I	7.5	1.10	32.0	0.3732	17.16	19.33	yes	stainless steel	4D
C.075.110.0320.N	7.5	1.10	32.0	0.4290	17.38	19.59	yes	Zn coating	4E
C.075.110.0330.A	7.5	1.10	33.0	0.5700	13.75	20.38	yes	music wire	4I
C.075.110.0330.I	7.5	1.10	33.0	0.4959	13.64	20.49	yes	stainless steel	4I
C.075.110.0380.A	7.5	1.10	38.0	0.4713	16.06	22.74	yes	music wire	4I
C.075.110.0380.I	7.5	1.10	38.0	0.4100	15.84	22.86	yes	stainless steel	4I
C.075.110.0400.A	7.5	1.10	40.0	0.3370	21.34	24.14	yes	music wire	4C
C.075.110.0400.AF	7.5	1.10	40.0	0.4000	18.37	22.02	yes	music wire	4F
C.075.110.0400.AL	7.5	1.10	40.0	0.4000	18.37	22.02	yes	music wire	4C
C.075.110.0400.AP	7.5	1.10	40.0	0.4282	17.38	23.20	yes	music wire	4F
C.075.110.0400.I	7.5	1.10	40.0	0.2932	21.12	23.89	yes	stainless steel	4D
C.075.110.0400.N	7.5	1.10	40.0	0.4000	18.37	22.02	yes	Zn coating	4H
C.075.110.0400.NF	7.5	1.10	40.0	0.3370	21.34	24.14	yes	Zn coating	4E
C.075.110.0410.A	7.5	1.10	41.0	0.3671	19.80	22.37	yes	music wire	4F
C.075.110.0410.I	7.5	1.10	41.0	0.3153	19.80	22.37	yes	stainless steel	4G
C.075.110.0410.N	7.5	1.10	41.0	0.3671	19.80	22.37	yes	Zn coating	4H
C.075.110.0500.A	7.5	1.10	50.0	0.2670	26.18	29.71	yes	music wire	4C
C.075.110.0500.AL	7.5	1.10	50.0	0.3200	22.33	27.52	yes	music wire	4C
C.075.110.0500.AP	7.5	1.10	50.0	0.3390	21.23	28.78	yes	music wire	4F
C.075.110.0500.I	7.5	1.10	50.0	0.2323	25.85	29.33	yes	stainless steel	4D
C.075.110.0500.N	7.5	1.10	50.0	0.2670	26.18	29.71	yes	Zn coating	4E
C.075.110.0630.A	7.5	1.10	63.0	0.2110	32.45	36.93	yes	music wire	4D
C.075.110.0630.AF	7.5	1.10	63.0	0.2500	27.83	34.23	yes	music wire	4F
C.075.110.0630.AL	7.5	1.10	63.0	0.2500	27.83	34.23	yes	music wire	4C
C.075.110.0630.AP	7.5	1.10	63.0	0.2674	26.18	36.10	yes	music wire	4F
C.075.110.0630.I	7.5	1.10	63.0	0.1836	32.01	36.42	yes	stainless steel	4D
C.075.110.0630.N	7.5	1.10	63.0	0.2500	27.83	34.23	yes	Zn coating	4I
C.075.110.0630.NF	7.5	1.10	63.0	0.2110	32.45	36.93	yes	Zn coating	4E
C.075.110.0800.A	7.5	1.10	80.0	0.1650	40.70	46.42	yes	music wire	4D
C.075.110.0800.AF	7.5	1.10	80.0	0.2000	33.99	44.03	yes	music wire	4G
C.075.110.0800.AP	7.5	1.10	80.0	0.2094	32.67	45.64	yes	music wire	4G
C.075.110.0800.I	7.5	1.10	80.0	0.1436	40.15	45.79	yes	stainless steel	4D
C.075.110.0800.N	7.5	1.10	80.0	0.2000	33.99	44.03	yes	Zn coating	4I
C.075.110.0800.NF	7.5	1.10	80.0	0.1650	40.70	46.42	yes	Zn coating	4E
C.075.110.1000.A	7.5	1.10	100.0	0.1563	42.79	53.98	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.110.1000.I	7.5	1.10	100.0	0.1360	42.24	54.36	yes	stainless steel	4G
C.075.110.1000.N	7.5	1.10	100.0	0.1563	42.79	53.98	yes	Zn coating	4I
C.075.110.1100.A	7.5	1.10	110.0	0.1260	52.47	59.97	yes	music wire	4G
C.075.110.1100.I	7.5	1.10	110.0	0.1096	51.81	59.21	yes	stainless steel	4G
C.075.110.1100.N	7.5	1.10	110.0	0.1260	52.47	59.97	yes	Zn coating	4I
C.075.110.1250.A	7.5	1.10	125.0	0.1250	52.80	67.45	yes	music wire	4G
C.075.110.1250.I	7.5	1.10	125.0	0.1088	52.14	67.93	yes	stainless steel	4G
C.075.110.1250.N	7.5	1.10	125.0	0.1250	52.80	67.45	yes	Zn coating	4I
C.075.110.3600.A	7.5	1.10	360.0	0.0360	177.76	203.98	no	music wire	4G
C.075.110.3600.I	7.5	1.10	360.0	0.0313	175.56	201.45	no	stainless steel	4G
C.075.120.0210.A	7.5	1.20	21.0	0.7241	17.04	19.02	yes	music wire	4C
C.075.120.0210.AP	7.5	1.20	21.0	1.2091	11.40	13.45	yes	music wire	4F
C.075.120.0210.I	7.5	1.20	21.0	0.6300	16.80	18.75	yes	stainless steel	4D
C.075.120.0380.A	7.5	1.20	38.0	0.5180	22.56	25.32	yes	music wire	4C
C.075.120.0380.AP	7.5	1.20	38.0	0.6412	18.84	23.77	yes	music wire	4F
C.075.120.0380.I	7.5	1.20	38.0	0.4507	22.32	25.05	yes	stainless steel	4D
C.075.120.0380.N	7.5	1.20	38.0	0.5180	22.56	25.32	yes	Zn coating	4E
C.075.120.0550.A	7.5	1.20	55.0	0.3000	36.84	41.62	yes	music wire	4D
C.075.120.0550.AP	7.5	1.20	55.0	0.4340	26.40	33.98	yes	music wire	4F
C.075.120.0550.I	7.5	1.20	55.0	0.2800	34.08	38.47	yes	stainless steel	4D
C.075.120.0700.A	7.5	1.20	70.0	0.2299	47.16	53.40	yes	music wire	4D
C.075.120.0700.AP	7.5	1.20	70.0	0.3386	33.00	43.05	yes	music wire	4G
C.075.120.0700.I	7.5	1.20	70.0	0.2000	46.56	52.72	yes	stainless steel	4D
C.075.120.0830.A	7.5	1.20	83.0	0.2184	49.44	56.00	yes	music wire	4D
C.075.120.0830.AP	7.5	1.20	83.0	0.2840	38.64	50.87	yes	music wire	4G
C.075.120.0830.I	7.5	1.20	83.0	0.1900	48.84	55.32	yes	stainless steel	4D
C.075.120.0860.A	7.5	1.20	86.0	0.3103	35.64	56.60	yes	music wire	4I
C.075.120.0860.I	7.5	1.20	86.0	0.2700	35.28	56.77	yes	stainless steel	4I
C.075.125.0080.A	7.5	1.25	8.0	3.9200	6.38	6.83	yes	music wire	4C
C.075.125.0080.AP	7.5	1.25	8.0	4.6413	5.88	6.26	yes	music wire	4C
C.075.125.0080.I	7.5	1.25	8.0	3.4104	6.38	6.83	yes	stainless steel	4D
C.075.125.0080.N	7.5	1.25	8.0	3.9200	6.38	6.83	yes	Zn coating	4E
C.075.125.0100.A	7.5	1.25	10.0	2.9040	7.50	8.10	yes	music wire	4C
C.075.125.0100.I	7.5	1.25	10.0	2.5265	7.50	8.10	yes	stainless steel	4D
C.075.125.0100.N	7.5	1.25	10.0	2.9040	7.50	8.10	yes	Zn coating	4E
C.075.125.0125.A	7.5	1.25	12.5	2.2400	8.75	9.52	yes	music wire	4C
C.075.125.0125.I	7.5	1.25	12.5	1.9488	8.75	9.52	yes	stainless steel	4D
C.075.125.0125.N	7.5	1.25	12.5	2.2400	8.75	9.52	yes	Zn coating	4E
C.075.125.0160.A	7.5	1.25	16.0	1.6330	10.88	11.95	yes	music wire	4C
C.075.125.0160.I	7.5	1.25	16.0	1.4207	10.88	11.95	yes	stainless steel	4D
C.075.125.0160.N	7.5	1.25	16.0	1.6330	10.88	11.95	yes	Zn coating	4E
C.075.125.0200.A	7.5	1.25	20.0	1.2650	13.25	14.64	yes	music wire	4C
C.075.125.0200.I	7.5	1.25	20.0	1.1000	13.13	14.51	yes	stainless steel	4D
C.075.125.0200.N	7.5	1.25	20.0	1.2650	13.25	14.64	yes	Zn coating	4E
C.075.125.0250.A	7.5	1.25	25.0	0.9920	16.00	17.77	yes	music wire	4C
C.075.125.0250.I	7.5	1.25	25.0	0.8630	15.75	17.49	yes	stainless steel	4D
C.075.125.0250.N	7.5	1.25	25.0	0.9920	16.00	17.77	yes	Zn coating	4E
C.075.125.0320.A	7.5	1.25	32.0	0.7610	19.88	22.18	yes	music wire	4C
C.075.125.0320.I	7.5	1.25	32.0	0.6621	19.63	21.90	yes	stainless steel	4D
C.075.125.0320.N	7.5	1.25	32.0	0.7610	19.88	22.18	yes	Zn coating	4E
C.075.125.0400.A	7.5	1.25	40.0	0.5980	24.38	27.30	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.125.0400.I	7.5	1.25	40.0	0.5203	24.13	27.02	yes	stainless steel	4D
C.075.125.0400.N	7.5	1.25	40.0	0.5980	24.38	27.30	yes	Zn coating	4E
C.075.125.0500.A	7.5	1.25	50.0	0.4720	30.13	33.84	yes	music wire	4D
C.075.125.0500.I	7.5	1.25	50.0	0.4106	29.75	33.41	yes	stainless steel	4D
C.075.125.0500.N	7.5	1.25	50.0	0.4720	30.13	33.84	yes	Zn coating	4E
C.075.125.0630.A	7.5	1.25	63.0	0.3700	37.50	42.23	yes	music wire	4D
C.075.125.0630.I	7.5	1.25	63.0	0.3219	37.13	41.81	yes	stainless steel	4D
C.075.125.0630.N	7.5	1.25	63.0	0.3700	37.50	42.23	yes	Zn coating	4E
C.075.125.0800.A	7.5	1.25	80.0	0.2890	47.25	53.32	yes	music wire	4D
C.075.125.0800.I	7.5	1.25	80.0	0.2514	46.63	52.61	yes	stainless steel	4D
C.075.125.0800.N	7.5	1.25	80.0	0.2890	47.25	53.32	yes	Zn coating	4F
C.075.125.3600.A	7.5	1.25	360.0	0.0630	206.50	234.29	no	music wire	4G
C.075.125.3600.I	7.5	1.25	360.0	0.0548	204.00	231.45	no	stainless steel	4G
C.075.130.0380.A	7.5	1.30	38.0	0.7500	24.44	27.28	yes	music wire	4C
C.075.130.0380.I	7.5	1.30	38.0	0.6516	24.18	26.99	yes	stainless steel	4D
C.075.130.0380.N	7.5	1.30	38.0	0.7500	24.44	27.28	yes	Zn coating	4E
C.075.140.0080.A	7.5	1.40	8.0	6.9840	7.00	7.45	yes	music wire	4E
C.075.140.0080.I	7.5	1.40	8.0	6.0761	6.86	7.29	yes	stainless steel	4E
C.075.140.0080.N	7.5	1.40	8.0	6.9840	7.00	7.45	yes	Zn coating	4G
C.075.140.0100.A	7.5	1.40	10.0	5.1030	8.26	8.87	yes	music wire	4E
C.075.140.0100.I	7.5	1.40	10.0	4.4396	8.12	8.71	yes	stainless steel	4E
C.075.140.0100.N	7.5	1.40	10.0	5.1030	8.26	8.87	yes	Zn coating	4G
C.075.140.0125.A	7.5	1.40	12.5	3.9030	9.66	10.45	yes	music wire	4E
C.075.140.0125.I	7.5	1.40	12.5	3.3956	9.66	10.45	yes	stainless steel	4E
C.075.140.0125.N	7.5	1.40	12.5	3.9030	9.66	10.45	yes	Zn coating	4G
C.075.140.0160.A	7.5	1.40	16.0	2.8230	12.04	13.14	yes	music wire	4E
C.075.140.0160.I	7.5	1.40	16.0	2.4560	11.90	12.98	yes	stainless steel	4E
C.075.140.0160.N	7.5	1.40	16.0	2.8230	12.04	13.14	yes	Zn coating	4G
C.075.140.0200.A	7.5	1.40	20.0	2.1750	14.56	15.98	yes	music wire	4E
C.075.140.0200.I	7.5	1.40	20.0	1.8922	14.42	15.82	yes	stainless steel	4E
C.075.140.0200.N	7.5	1.40	20.0	2.1750	14.56	15.98	yes	Zn coating	4G
C.075.140.0250.A	7.5	1.40	25.0	1.7000	17.64	19.46	yes	music wire	4E
C.075.140.0250.I	7.5	1.40	25.0	1.4799	17.50	19.30	yes	stainless steel	4E
C.075.140.0250.N	7.5	1.40	25.0	1.7000	17.64	19.46	yes	Zn coating	4G
C.075.140.0320.A	7.5	1.40	32.0	1.2880	22.26	24.67	yes	music wire	4E
C.075.140.0320.I	7.5	1.40	32.0	1.1206	21.98	24.35	yes	stainless steel	4E
C.075.140.0320.N	7.5	1.40	32.0	1.2880	22.26	24.67	yes	Zn coating	4G
C.075.140.0400.A	7.5	1.40	40.0	1.0130	27.30	30.36	yes	music wire	4E
C.075.140.0400.I	7.5	1.40	40.0	0.8813	27.02	30.04	yes	stainless steel	4E
C.075.140.0400.N	7.5	1.40	40.0	1.0130	27.30	30.36	yes	Zn coating	4G
C.075.140.0500.A	7.5	1.40	50.0	0.8000	33.74	37.63	yes	music wire	4E
C.075.140.0500.I	7.5	1.40	50.0	0.6951	33.32	37.15	yes	stainless steel	4F
C.075.140.0500.N	7.5	1.40	50.0	0.8000	33.74	37.63	yes	Zn coating	4G
C.075.140.0630.A	7.5	1.40	63.0	0.6290	41.86	46.79	yes	music wire	4E
C.075.140.0630.I	7.5	1.40	63.0	0.5472	41.44	46.31	yes	stainless steel	4F
C.075.140.0630.N	7.5	1.40	63.0	0.6290	41.86	46.79	yes	Zn coating	4G
C.075.140.0800.A	7.5	1.40	80.0	0.4900	52.78	59.11	yes	music wire	4E
C.075.140.0800.I	7.5	1.40	80.0	0.4263	52.08	58.32	yes	stainless steel	4F
C.075.140.0800.N	7.5	1.40	80.0	0.4900	52.78	59.11	yes	Zn coating	4H
C.075.140.3600.A	7.5	1.40	360.0	0.1060	232.68	261.94	no	music wire	4H
C.075.140.3600.I	7.5	1.40	360.0	0.0922	229.74	258.63	no	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.075.150.0079.A	7.5	1.50	7.9	16.3000	6.00	6.88	yes	music wire	4I
C.075.150.0079.I	7.5	1.50	7.9	14.1810	5.85	6.88	yes	stainless steel	4I
C.075.150.0155.A	7.5	1.50	15.5	4.2610	12.15	13.19	yes	music wire	4E
C.075.150.0155.I	7.5	1.50	15.5	3.7071	12.00	13.02	yes	stainless steel	4E
C.075.150.0155.N	7.5	1.50	15.5	4.2610	12.15	13.19	yes	Zn coating	4G
C.075.150.0270.A	7.5	1.50	27.0	2.0690	21.00	23.14	yes	music wire	4E
C.075.150.0270.AP	7.5	1.50	27.0	2.4476	18.45	20.27	yes	music wire	4H
C.075.150.0270.I	7.5	1.50	27.0	1.8000	20.85	22.97	yes	stainless steel	4E
C.075.150.0330.A	7.5	1.50	33.0	1.7000	24.75	27.35	yes	music wire	4E
C.075.150.0330.I	7.5	1.50	33.0	1.4790	24.60	27.19	yes	stainless steel	4E
C.075.150.0510.A	7.5	1.50	51.0	1.4200	28.95	39.28	yes	music wire	4J
C.075.150.0510.I	7.5	1.50	51.0	1.2354	28.65	39.28	yes	stainless steel	4J
C.075.150.0510.N	7.5	1.50	51.0	1.4200	28.95	39.28	yes	Zn coating	4K
C.075.160.0100.A	7.5	1.60	10.0	7.8125	10.00	10.00	yes	music wire	4E
C.075.160.0100.AP	7.5	1.60	10.0	11.2716	8.64	9.20	yes	music wire	4E
C.075.160.0125.A	7.5	1.60	12.5	6.2500	12.32	12.32	yes	music wire	4E
C.075.160.0125.AP	7.5	1.60	12.5	8.3814	10.24	10.99	yes	music wire	4E
C.075.160.0125.I	7.5	1.60	12.5	5.4375	12.16	12.16	yes	stainless steel	4E
C.075.160.0125.N	7.5	1.60	12.5	6.2500	12.32	12.32	yes	Zn coating	4G
C.075.160.0160.A	7.5	1.60	16.0	5.0000	14.40	15.65	yes	music wire	4E
C.075.160.0160.AP	7.5	1.60	16.0	6.0533	12.64	13.68	yes	music wire	4H
C.075.160.0160.I	7.5	1.60	16.0	4.3500	14.24	15.47	yes	stainless steel	4E
C.075.160.0160.N	7.5	1.60	16.0	5.0000	14.40	15.65	yes	Zn coating	4G
C.075.160.0200.A	7.5	1.60	20.0	3.9063	17.28	18.88	yes	music wire	4E
C.075.160.0200.AP	7.5	1.60	20.0	4.6697	15.20	16.55	yes	music wire	4H
C.075.160.0200.I	7.5	1.60	20.0	3.3985	17.12	18.70	yes	stainless steel	4E
C.075.160.0200.N	7.5	1.60	20.0	3.9063	17.28	18.88	yes	Zn coating	4G
C.075.160.0230.A	7.5	1.60	23.0	3.9000	17.28	18.88	yes	music wire	4I
C.075.160.0230.I	7.5	1.60	23.0	3.3930	17.12	18.70	yes	stainless steel	4I
C.075.160.0250.A	7.5	1.60	25.0	3.1250	20.64	22.64	yes	music wire	4E
C.075.160.0250.AP	7.5	1.60	25.0	3.6320	18.40	20.13	yes	music wire	4I
C.075.160.0250.I	7.5	1.60	25.0	2.7188	20.48	22.46	yes	stainless steel	4E
C.075.160.0250.N	7.5	1.60	25.0	3.1250	20.64	22.64	yes	Zn coating	4G
C.075.160.0300.A	7.5	1.60	30.0	2.5287	24.64	27.13	yes	music wire	4E
C.075.160.0300.AP	7.5	1.60	30.0	2.9448	21.60	23.72	yes	music wire	4I
C.075.160.0300.I	7.5	1.60	30.0	2.2000	24.32	26.77	yes	stainless steel	4F
C.075.160.0320.A	7.5	1.60	32.0	2.5000	24.80	27.30	yes	music wire	4E
C.075.160.0320.I	7.5	1.60	32.0	2.1750	24.48	26.95	yes	stainless steel	4F
C.075.160.0320.N	7.5	1.60	32.0	2.5000	24.80	27.30	yes	Zn coating	4G
C.075.160.0400.A	7.5	1.60	40.0	1.9841	30.24	33.40	yes	music wire	4E
C.075.160.0400.I	7.5	1.60	40.0	1.7262	29.92	33.04	yes	stainless steel	4I
C.075.160.0400.N	7.5	1.60	40.0	1.9841	30.24	33.40	yes	Zn coating	4G
C.075.160.0430.A	7.5	1.60	43.0	1.8000	32.96	36.45	yes	music wire	4E
C.075.160.0430.I	7.5	1.60	43.0	1.5660	32.48	35.91	yes	stainless steel	4F
C.075.160.0450.A	7.5	1.60	45.0	1.6800	35.04	38.78	yes	music wire	4E
C.075.160.0450.I	7.5	1.60	45.0	1.4616	34.56	38.24	yes	stainless steel	4F
C.075.160.0450.N	7.5	1.60	45.0	1.6800	35.04	38.78	yes	Zn coating	4G
C.075.160.0500.A	7.5	1.60	50.0	1.5625	37.28	41.29	yes	music wire	4I
C.075.160.0500.I	7.5	1.60	50.0	1.3594	36.80	40.75	yes	stainless steel	4I
C.075.160.0500.N	7.5	1.60	50.0	1.5625	37.28	41.29	yes	Zn coating	4I
C.075.160.0630.A	7.5	1.60	63.0	1.2500	45.60	50.61	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.075.160.0630.I	7.5	1.60	63.0	1.0875	45.12	50.07	yes	stainless steel	4I
C.075.160.0630.N	7.5	1.60	63.0	1.2500	45.60	50.61	yes	Zn coating	4I
C.075.160.0800.A	7.5	1.60	80.0	1.0000	56.00	62.26	yes	music wire	4I
C.075.160.0800.I	7.5	1.60	80.0	0.8700	55.36	61.54	yes	stainless steel	4I
C.075.160.0800.N	7.5	1.60	80.0	1.0000	56.00	62.26	yes	Zn coating	4J
C.075.160.1000.A	7.5	1.60	100.0	0.7813	70.56	78.57	yes	music wire	4I
C.075.160.1000.I	7.5	1.60	100.0	0.6797	69.76	77.68	yes	stainless steel	4I
C.075.160.1000.N	7.5	1.60	100.0	0.7813	70.56	78.57	yes	Zn coating	4J
C.075.170.0127.A	7.5	1.70	12.7	11.9540	10.37	11.09	yes	music wire	4H
C.075.170.0127.I	7.5	1.70	12.7	10.4000	10.37	11.09	yes	stainless steel	4I
C.075.180.0260.A	7.5	1.80	26.0	7.3563	18.72	22.36	yes	music wire	4J
C.075.180.0260.I	7.5	1.80	26.0	6.4000	18.36	22.34	yes	stainless steel	4J
C.075.200.0190.A	7.5	2.00	19.0	19.2340	15.20	17.19	yes	music wire	4J
C.076.050.0150.A	7.6	0.50	15.0	0.0508	3.00	3.70	yes	music wire	4B
C.076.050.0150.I	7.6	0.50	15.0	0.0436	3.00	3.70	yes	stainless steel	4C
C.076.050.0150.N	7.6	0.50	15.0	0.0508	3.00	3.70	yes	Zn coating	4C
C.076.050.0230.A	7.6	0.50	23.0	0.0323	4.00	5.11	yes	music wire	4B
C.076.050.0230.I	7.6	0.50	23.0	0.0277	4.00	5.11	yes	stainless steel	4C
C.076.050.0230.N	7.6	0.50	23.0	0.0323	4.00	5.11	yes	Zn coating	4C
C.076.050.0350.A	7.6	0.50	35.0	0.0209	5.50	7.21	yes	music wire	4B
C.076.050.0350.I	7.6	0.50	35.0	0.0180	5.50	7.21	yes	stainless steel	4C
C.076.050.0350.N	7.6	0.50	35.0	0.0209	5.50	7.21	yes	Zn coating	4D
C.076.050.0550.A	7.6	0.50	55.0	0.0132	8.00	10.72	yes	music wire	4C
C.076.050.0550.I	7.6	0.50	55.0	0.0113	8.00	10.72	yes	stainless steel	4C
C.076.050.0550.N	7.6	0.50	55.0	0.0132	8.00	10.72	yes	Zn coating	4D
C.076.050.0730.A	7.6	0.50	73.0	0.0069	14.15	19.34	yes	music wire	4C
C.076.050.0730.I	7.6	0.50	73.0	0.0060	14.00	19.13	yes	stainless steel	4C
C.076.055.0097.AF	7.6	0.55	9.7	0.1580	2.31	3.21	yes	music wire	4E
C.076.055.0097.NF	7.6	0.55	9.7	0.1580	2.31	3.21	yes	Zn coating	4G
C.076.055.0112.A	7.6	0.55	11.2	0.1330	2.48	3.49	yes	music wire	4E
C.076.055.0112.I	7.6	0.55	11.2	0.1240	2.37	4.18	yes	stainless steel	4E
C.076.055.0112.N	7.6	0.55	11.2	0.1330	2.48	3.49	yes	Zn coating	4G
C.076.055.0127.AF	7.6	0.55	12.7	0.1160	2.64	3.86	yes	music wire	4E
C.076.055.0127.I	7.6	0.55	12.7	0.1240	2.37	5.68	yes	stainless steel	4H
C.076.055.0127.NF	7.6	0.55	12.7	0.1160	2.64	3.86	yes	Zn coating	4G
C.076.055.0142.A	7.6	0.55	14.2	0.1030	2.81	4.24	yes	music wire	4E
C.076.055.0142.I	7.6	0.55	14.2	0.1010	2.64	5.58	yes	stainless steel	4E
C.076.055.0142.N	7.6	0.55	14.2	0.1030	2.81	4.24	yes	Zn coating	4G
C.076.055.0157.A	7.6	0.55	15.7	0.0991	2.86	5.35	yes	music wire	4E
C.076.055.0157.I	7.6	0.55	15.7	0.0852	2.86	5.48	yes	stainless steel	4E
C.076.055.0157.N	7.6	0.55	15.7	0.0991	2.86	5.35	yes	Zn coating	4G
C.076.055.0175.AF	7.6	0.55	17.5	0.0820	3.14	4.99	yes	music wire	4E
C.076.055.0175.NF	7.6	0.55	17.5	0.0820	3.14	4.99	yes	Zn coating	4G
C.076.055.0190.A	7.6	0.55	19.0	0.0857	3.08	7.03	yes	music wire	4E
C.076.055.0190.AF	7.6	0.55	19.0	0.0720	3.41	4.75	yes	music wire	4E
C.076.055.0190.I	7.6	0.55	19.0	0.0736	3.08	7.18	yes	stainless steel	4E
C.076.055.0190.N	7.6	0.55	19.0	0.0857	3.08	7.03	yes	Zn coating	4G
C.076.055.0190.NF	7.6	0.55	19.0	0.0720	3.41	4.75	yes	Zn coating	4G
C.076.055.0206.A	7.6	0.55	20.6	0.0670	3.58	5.29	yes	music wire	4E
C.076.055.0206.I	7.6	0.55	20.6	0.0648	3.30	7.18	yes	stainless steel	4F
C.076.055.0206.N	7.6	0.55	20.6	0.0670	3.58	5.29	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.055.0224.AF	7.6	0.55	22.4	0.0630	3.69	6.12	yes	music wire	4E
C.076.055.0224.NF	7.6	0.55	22.4	0.0630	3.69	6.12	yes	Zn coating	4G
C.076.055.0254.A	7.6	0.55	25.4	0.0560	4.02	7.08	yes	music wire	4E
C.076.055.0254.I	7.6	0.55	25.4	0.0524	3.80	8.78	yes	stainless steel	4F
C.076.055.0254.N	7.6	0.55	25.4	0.0560	4.02	7.08	yes	Zn coating	4G
C.076.055.0305.A	7.6	0.55	30.5	0.0467	4.51	8.53	yes	music wire	4E
C.076.055.0305.I	7.6	0.55	30.5	0.0406	4.46	9.08	yes	stainless steel	4F
C.076.055.0318.A	7.6	0.55	31.8	0.0473	4.46	10.11	yes	music wire	4E
C.076.055.0318.I	7.6	0.55	31.8	0.0411	4.46	10.65	yes	stainless steel	4F
C.076.055.0318.N	7.6	0.55	31.8	0.0473	4.46	10.11	yes	Zn coating	4G
C.076.055.0381.A	7.6	0.55	38.1	0.0386	5.17	11.56	yes	music wire	4E
C.076.055.0381.I	7.6	0.55	38.1	0.0332	5.17	11.88	yes	stainless steel	4F
C.076.055.0381.N	7.6	0.55	38.1	0.0386	5.17	11.56	yes	Zn coating	4G
C.076.055.0444.A	7.6	0.55	44.4	0.0327	5.83	13.00	yes	music wire	4E
C.076.055.0444.I	7.6	0.55	44.4	0.0284	5.78	13.78	yes	stainless steel	4F
C.076.055.0444.N	7.6	0.55	44.4	0.0327	5.83	13.00	yes	Zn coating	4H
C.076.055.0457.A	7.6	0.55	45.7	0.0322	5.94	13.89	yes	music wire	4E
C.076.055.0457.I	7.6	0.55	45.7	0.0281	5.83	14.68	yes	stainless steel	4F
C.076.055.0508.A	7.6	0.55	50.8	0.0283	6.55	14.53	yes	music wire	4E
C.076.055.0508.I	7.6	0.55	50.8	0.0243	6.55	14.98	yes	stainless steel	4F
C.076.055.0508.N	7.6	0.55	50.8	0.0283	6.55	14.53	yes	Zn coating	4H
C.076.055.0559.A	7.6	0.55	55.9	0.0256	7.10	15.88	yes	music wire	4F
C.076.055.0559.I	7.6	0.55	55.9	0.0223	6.99	16.89	yes	stainless steel	4F
C.076.055.0572.A	7.6	0.55	57.2	0.0260	6.99	17.69	yes	music wire	4F
C.076.055.0572.I	7.6	0.55	57.2	0.0226	6.93	18.68	yes	stainless steel	4F
C.076.055.0572.N	7.6	0.55	57.2	0.0260	6.99	17.69	yes	Zn coating	4H
C.076.055.0635.A	7.6	0.55	63.5	0.0230	7.76	18.91	yes	music wire	4F
C.076.055.0635.I	7.6	0.55	63.5	0.0206	7.48	21.29	yes	stainless steel	4F
C.076.055.0635.N	7.6	0.55	63.5	0.0230	7.76	18.91	yes	Zn coating	4H
C.076.056.0111.A	7.6	0.56	11.1	0.1136	2.80	3.27	yes	music wire	4C
C.076.056.0111.I	7.6	0.56	11.1	0.0988	2.80	3.27	yes	stainless steel	4C
C.076.056.0143.A	7.6	0.56	14.3	0.1005	3.02	3.57	yes	music wire	4E
C.076.056.0143.I	7.6	0.56	14.3	0.0874	2.97	3.82	yes	stainless steel	4E
C.076.056.0190.A	7.6	0.56	19.0	0.0667	3.81	4.62	yes	music wire	4C
C.076.056.0190.I	7.6	0.56	19.0	0.0580	3.81	4.62	yes	stainless steel	4C
C.076.056.0220.A	7.6	0.56	22.0	0.0520	4.48	5.52	yes	music wire	4C
C.076.056.0220.I	7.6	0.56	22.0	0.0452	4.48	5.52	yes	stainless steel	4C
C.076.056.0450.A	7.6	0.56	45.0	0.0272	7.28	9.26	yes	music wire	4C
C.076.056.0450.I	7.6	0.56	45.0	0.0237	7.22	9.18	yes	stainless steel	4C
C.076.056.0570.A	7.6	0.56	57.0	0.0216	8.85	11.36	yes	music wire	4C
C.076.056.0570.I	7.6	0.56	57.0	0.0188	8.74	11.21	yes	stainless steel	4C
C.076.060.0087.A	7.6	0.60	8.7	0.0943	3.96	4.71	yes	music wire	4C
C.076.060.0087.AP	7.6	0.60	8.7	0.2557	2.40	3.57	yes	music wire	4E
C.076.060.0087.I	7.6	0.60	8.7	0.0820	3.90	4.63	yes	stainless steel	4C
C.076.060.0220.A	7.6	0.60	22.0	0.0563	5.58	6.82	yes	music wire	4C
C.076.060.0220.I	7.6	0.60	22.0	0.0490	5.52	6.74	yes	stainless steel	4C
C.076.060.0240.A	7.6	0.60	24.0	0.0580	5.46	6.66	yes	music wire	4C
C.076.060.0240.I	7.6	0.60	24.0	0.0490	5.52	6.74	yes	stainless steel	4C
C.076.060.0290.A	7.6	0.60	29.0	0.0460	6.54	8.07	yes	music wire	4C
C.076.060.0290.I	7.6	0.60	29.0	0.0400	6.48	7.99	yes	stainless steel	4C
C.076.060.0350.A	7.6	0.60	35.0	0.0390	7.44	9.25	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.060.0350.I	7.6	0.60	35.0	0.0330	7.50	9.32	yes	stainless steel	4C
C.076.060.0570.A	7.6	0.60	57.0	0.0218	12.06	15.27	yes	music wire	4C
C.076.060.0570.I	7.6	0.60	57.0	0.0190	11.94	15.12	yes	stainless steel	4C
C.076.065.0112.A	7.6	0.65	11.2	0.2330	3.12	4.15	yes	music wire	4E
C.076.065.0112.I	7.6	0.65	11.2	0.2237	2.99	4.95	yes	stainless steel	4E
C.076.065.0112.N	7.6	0.65	11.2	0.2330	3.12	4.15	yes	Zn coating	4G
C.076.065.0127.A	7.6	0.65	12.7	0.1940	3.45	4.23	yes	music wire	4E
C.076.065.0127.I	7.6	0.65	12.7	0.1883	3.25	5.27	yes	stainless steel	4F
C.076.065.0127.N	7.6	0.65	12.7	0.1940	3.45	4.23	yes	Zn coating	4G
C.076.065.0142.A	7.6	0.65	14.2	0.1800	3.58	5.07	yes	music wire	4E
C.076.065.0142.I	7.6	0.65	14.2	0.1626	3.51	5.60	yes	stainless steel	4F
C.076.065.0142.N	7.6	0.65	14.2	0.1800	3.58	5.07	yes	Zn coating	4G
C.076.065.0157.A	7.6	0.65	15.7	0.1666	3.77	5.84	yes	music wire	4E
C.076.065.0157.I	7.6	0.65	15.7	0.1431	3.77	5.92	yes	stainless steel	4F
C.076.065.0157.N	7.6	0.65	15.7	0.1666	3.77	5.84	yes	Zn coating	4G
C.076.065.0175.A	7.6	0.65	17.5	0.1370	4.23	5.51	yes	music wire	4E
C.076.065.0175.I	7.6	0.65	17.5	0.1153	4.23	5.37	yes	stainless steel	4F
C.076.065.0175.N	7.6	0.65	17.5	0.1370	4.23	5.51	yes	Zn coating	4G
C.076.065.0190.A	7.6	0.65	19.0	0.1300	4.36	6.36	yes	music wire	4E
C.076.065.0190.I	7.6	0.65	19.0	0.1153	4.23	6.87	yes	stainless steel	4F
C.076.065.0190.N	7.6	0.65	19.0	0.1300	4.36	6.36	yes	Zn coating	4G
C.076.065.0206.A	7.6	0.65	20.6	0.1170	4.62	6.56	yes	music wire	4E
C.076.065.0206.I	7.6	0.65	20.6	0.1052	4.49	7.30	yes	stainless steel	4F
C.076.065.0206.N	7.6	0.65	20.6	0.1170	4.62	6.56	yes	Zn coating	4G
C.076.065.0224.A	7.6	0.65	22.4	0.1070	4.94	7.05	yes	music wire	4E
C.076.065.0224.I	7.6	0.65	22.4	0.0894	5.01	6.75	yes	stainless steel	4F
C.076.065.0224.N	7.6	0.65	22.4	0.1070	4.94	7.05	yes	Zn coating	4G
C.076.065.0239.A	7.6	0.65	23.9	0.0968	5.27	6.93	yes	music wire	4E
C.076.065.0239.I	7.6	0.65	23.9	0.0831	5.27	7.08	yes	stainless steel	4F
C.076.065.0239.N	7.6	0.65	23.9	0.0968	5.27	6.93	yes	Zn coating	4G
C.076.065.0254.A	7.6	0.65	25.4	0.0890	5.59	6.94	yes	music wire	4E
C.076.065.0254.I	7.6	0.65	25.4	0.0777	5.53	7.40	yes	stainless steel	4F
C.076.065.0254.N	7.6	0.65	25.4	0.0890	5.59	6.94	yes	Zn coating	4G
C.076.065.0305.A	7.6	0.65	30.5	0.0708	6.57	7.91	yes	music wire	4E
C.076.065.0305.I	7.6	0.65	30.5	0.0616	6.57	7.91	yes	stainless steel	4F
C.076.065.0318.A	7.6	0.65	31.8	0.0717	6.57	8.90	yes	music wire	4E
C.076.065.0318.I	7.6	0.65	31.8	0.0624	6.50	9.39	yes	stainless steel	4F
C.076.065.0318.N	7.6	0.65	31.8	0.0717	6.57	8.90	yes	Zn coating	4G
C.076.065.0381.A	7.6	0.65	38.1	0.0594	7.54	10.47	yes	music wire	4E
C.076.065.0381.I	7.6	0.65	38.1	0.0511	7.54	10.70	yes	stainless steel	4F
C.076.065.0381.N	7.6	0.65	38.1	0.0594	7.54	10.47	yes	Zn coating	4H
C.076.065.0444.A	7.6	0.65	44.4	0.0507	8.58	12.03	yes	music wire	4F
C.076.065.0444.I	7.6	0.65	44.4	0.0441	8.45	12.72	yes	stainless steel	4F
C.076.065.0444.N	7.6	0.65	44.4	0.0507	8.58	12.03	yes	Zn coating	4H
C.076.065.0457.A	7.6	0.65	45.7	0.0500	8.65	12.85	yes	music wire	4F
C.076.065.0457.I	7.6	0.65	45.7	0.0436	8.58	13.61	yes	stainless steel	4F
C.076.065.0508.A	7.6	0.65	50.8	0.0443	9.56	13.69	yes	music wire	4F
C.076.065.0508.I	7.6	0.65	50.8	0.0380	9.56	14.01	yes	stainless steel	4F
C.076.065.0508.N	7.6	0.65	50.8	0.0443	9.56	13.69	yes	Zn coating	4H
C.076.065.0559.A	7.6	0.65	55.9	0.0399	10.47	14.70	yes	music wire	4F
C.076.065.0559.I	7.6	0.65	55.9	0.0347	10.34	15.58	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.065.0572.A	7.6	0.65	57.2	0.0404	10.34	16.53	yes	music wire	4F
C.076.065.0572.I	7.6	0.65	57.2	0.0351	10.21	17.40	yes	stainless steel	4F
C.076.065.0572.N	7.6	0.65	57.2	0.0404	10.34	16.53	yes	Zn coating	4H
C.076.065.0635.A	7.6	0.65	63.5	0.0390	10.66	21.38	yes	music wire	4F
C.076.065.0635.I	7.6	0.65	63.5	0.0311	11.38	18.49	yes	stainless steel	4F
C.076.065.0635.N	7.6	0.65	63.5	0.0390	10.66	21.38	yes	Zn coating	4H
C.076.070.0290.A	7.6	0.70	29.0	0.0810	8.19	9.77	yes	music wire	4C
C.076.070.0290.AP	7.6	0.70	29.0	0.1198	6.09	12.11	yes	music wire	4E
C.076.070.0290.I	7.6	0.70	29.0	0.0680	8.33	9.95	yes	stainless steel	4C
C.076.070.0350.A	7.6	0.70	35.0	0.0670	9.52	11.43	yes	music wire	4C
C.076.070.0350.AP	7.6	0.70	35.0	0.0990	7.00	14.57	yes	music wire	4E
C.076.070.0350.I	7.6	0.70	35.0	0.0570	9.59	11.52	yes	stainless steel	4C
C.076.075.0112.A	7.6	0.75	11.2	0.3770	3.90	4.69	yes	music wire	4E
C.076.075.0112.I	7.6	0.75	11.2	0.3124	3.98	4.49	yes	stainless steel	4F
C.076.075.0112.N	7.6	0.75	11.2	0.3770	3.90	4.69	yes	Zn coating	4G
C.076.075.0127.A	7.6	0.75	12.7	0.3260	4.20	5.17	yes	music wire	4E
C.076.075.0127.I	7.6	0.75	12.7	0.2782	4.20	5.16	yes	stainless steel	4F
C.076.075.0127.N	7.6	0.75	12.7	0.3260	4.20	5.17	yes	Zn coating	4G
C.076.075.0142.A	7.6	0.75	14.2	0.2870	4.50	5.65	yes	music wire	4E
C.076.075.0142.I	7.6	0.75	14.2	0.2283	4.73	5.37	yes	stainless steel	4F
C.076.075.0142.N	7.6	0.75	14.2	0.2870	4.50	5.65	yes	Zn coating	4G
C.076.075.0157.A	7.6	0.75	15.7	0.2439	4.95	5.64	yes	music wire	4E
C.076.075.0157.I	7.6	0.75	15.7	0.2095	4.95	5.69	yes	stainless steel	4F
C.076.075.0157.N	7.6	0.75	15.7	0.2439	4.95	5.64	yes	Zn coating	4G
C.076.075.0175.A	7.6	0.75	17.5	0.2280	5.18	6.73	yes	music wire	4E
C.076.075.0175.I	7.6	0.75	17.5	0.1799	5.48	6.29	yes	stainless steel	4F
C.076.075.0175.N	7.6	0.75	17.5	0.2280	5.18	6.73	yes	Zn coating	4G
C.076.075.0190.A	7.6	0.75	19.0	0.2080	5.48	7.20	yes	music wire	4E
C.076.075.0190.I	7.6	0.75	19.0	0.1680	5.70	6.56	yes	stainless steel	4F
C.076.075.0190.N	7.6	0.75	19.0	0.2080	5.48	7.20	yes	Zn coating	4G
C.076.075.0206.A	7.6	0.75	20.6	0.1910	5.85	7.75	yes	music wire	4E
C.076.075.0206.I	7.6	0.75	20.6	0.1576	6.00	7.29	yes	stainless steel	4F
C.076.075.0206.N	7.6	0.75	20.6	0.1910	5.85	7.75	yes	Zn coating	4G
C.076.075.0239.A	7.6	0.75	23.9	0.1547	6.75	8.03	yes	music wire	4E
C.076.075.0239.I	7.6	0.75	23.9	0.1329	6.75	8.12	yes	stainless steel	4F
C.076.075.0239.N	7.6	0.75	23.9	0.1547	6.75	8.03	yes	Zn coating	4G
C.076.075.0254.A	7.6	0.75	25.4	0.1524	6.83	9.30	yes	music wire	4E
C.076.075.0254.I	7.6	0.75	25.4	0.1263	6.98	8.79	yes	stainless steel	4F
C.076.075.0254.N	7.6	0.75	25.4	0.1524	6.83	9.30	yes	Zn coating	4G
C.076.075.0305.A	7.6	0.75	30.5	0.1118	8.63	10.15	yes	music wire	4C
C.076.075.0305.I	7.6	0.75	30.5	0.0973	8.55	10.05	yes	stainless steel	4F
C.076.075.0318.A	7.6	0.75	31.8	0.1133	8.55	10.13	yes	music wire	4E
C.076.075.0318.I	7.6	0.75	31.8	0.0986	8.40	10.52	yes	stainless steel	4F
C.076.075.0318.N	7.6	0.75	31.8	0.1133	8.55	10.13	yes	Zn coating	4H
C.076.075.0381.A	7.6	0.75	38.1	0.0951	9.75	12.29	yes	music wire	4F
C.076.075.0381.I	7.6	0.75	38.1	0.0817	9.75	12.42	yes	stainless steel	4F
C.076.075.0381.N	7.6	0.75	38.1	0.0951	9.75	12.29	yes	Zn coating	4H
C.076.075.0444.A	7.6	0.75	44.4	0.0797	11.33	13.61	yes	music wire	4F
C.076.075.0444.I	7.6	0.75	44.4	0.0694	11.18	14.17	yes	stainless steel	4F
C.076.075.0444.N	7.6	0.75	44.4	0.0797	11.33	13.61	yes	Zn coating	4H
C.076.075.0457.A	7.6	0.75	45.7	0.0787	11.40	14.52	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.075.0457.I	7.6	0.75	45.7	0.0685	11.33	15.08	yes	stainless steel	4F
C.076.075.0508.A	7.6	0.75	50.8	0.0703	12.60	15.87	yes	music wire	4F
C.076.075.0508.I	7.6	0.75	50.8	0.0604	12.60	16.05	yes	stainless steel	4F
C.076.075.0508.N	7.6	0.75	50.8	0.0703	12.60	15.87	yes	Zn coating	4H
C.076.075.0559.A	7.6	0.75	55.9	0.0620	14.03	16.77	yes	music wire	4F
C.076.075.0559.I	7.6	0.75	55.9	0.0540	13.88	17.03	yes	stainless steel	4F
C.076.075.0572.A	7.6	0.75	57.2	0.0628	13.88	18.12	yes	music wire	4F
C.076.075.0572.I	7.6	0.75	57.2	0.0546	13.73	18.83	yes	stainless steel	4F
C.076.075.0572.N	7.6	0.75	57.2	0.0628	13.88	18.12	yes	Zn coating	4H
C.076.075.0635.A	7.6	0.75	63.5	0.0600	14.40	22.59	yes	music wire	4F
C.076.075.0635.I	7.6	0.75	63.5	0.0479	15.38	19.69	yes	stainless steel	4G
C.076.075.0635.N	7.6	0.75	63.5	0.0600	14.40	22.59	yes	Zn coating	4H
C.076.080.0100.A	7.6	0.80	10.0	0.3889	4.72	5.29	yes	music wire	4C
C.076.080.0112.A	7.6	0.80	11.2	0.4780	4.24	5.05	yes	music wire	4E
C.076.080.0112.I	7.6	0.80	11.2	0.4754	3.92	5.91	yes	stainless steel	4F
C.076.080.0112.N	7.6	0.80	11.2	0.4780	4.24	5.05	yes	Zn coating	4G
C.076.080.0125.A	7.6	0.80	12.5	0.3111	5.44	6.16	yes	music wire	4C
C.076.080.0127.A	7.6	0.80	12.7	0.4130	4.56	5.58	yes	music wire	4E
C.076.080.0127.I	7.6	0.80	12.7	0.3759	4.40	6.01	yes	stainless steel	4F
C.076.080.0127.N	7.6	0.80	12.7	0.4130	4.56	5.58	yes	Zn coating	4G
C.076.080.0142.A	7.6	0.80	14.2	0.3570	4.96	5.96	yes	music wire	4E
C.076.080.0142.I	7.6	0.80	14.2	0.3108	4.96	6.11	yes	stainless steel	4F
C.076.080.0142.N	7.6	0.80	14.2	0.3570	4.96	5.96	yes	Zn coating	4G
C.076.080.0157.A	7.6	0.80	15.7	0.3330	5.20	6.87	yes	music wire	4E
C.076.080.0157.I	7.6	0.80	15.7	0.2860	5.20	6.90	yes	stainless steel	4F
C.076.080.0157.N	7.6	0.80	15.7	0.3330	5.20	6.87	yes	Zn coating	4G
C.076.080.0160.A	7.6	0.80	16.0	0.2571	6.16	7.03	yes	music wire	4C
C.076.080.0160.AP	7.6	0.80	16.0	0.3486	5.04	7.57	yes	music wire	4E
C.076.080.0160.I	7.6	0.80	16.0	0.2237	6.08	6.93	yes	stainless steel	4C
C.076.080.0160.N	7.6	0.80	16.0	0.2571	6.16	7.03	yes	Zn coating	4E
C.076.080.0175.A	7.6	0.80	17.5	0.2850	5.76	7.18	yes	music wire	4E
C.076.080.0175.I	7.6	0.80	17.5	0.2467	5.68	7.30	yes	stainless steel	4F
C.076.080.0175.N	7.6	0.80	17.5	0.2850	5.76	7.18	yes	Zn coating	4G
C.076.080.0190.A	7.6	0.80	19.0	0.2610	6.08	7.74	yes	music wire	4E
C.076.080.0190.I	7.6	0.80	19.0	0.2169	6.24	7.40	yes	stainless steel	4F
C.076.080.0190.N	7.6	0.80	19.0	0.2610	6.08	7.74	yes	Zn coating	4G
C.076.080.0200.A	7.6	0.80	20.0	0.2000	7.28	8.38	yes	music wire	4C
C.076.080.0206.A	7.6	0.80	20.6	0.2382	6.48	8.25	yes	music wire	4E
C.076.080.0206.I	7.6	0.80	20.6	0.2072	6.40	8.46	yes	stainless steel	4F
C.076.080.0206.N	7.6	0.80	20.6	0.2382	6.48	8.25	yes	Zn coating	4G
C.076.080.0224.A	7.6	0.80	22.4	0.2210	6.80	9.10	yes	music wire	4E
C.076.080.0224.I	7.6	0.80	22.4	0.1923	6.72	9.32	yes	stainless steel	4F
C.076.080.0224.N	7.6	0.80	22.4	0.2210	6.80	9.10	yes	Zn coating	4H
C.076.080.0239.A	7.6	0.80	23.9	0.1940	7.44	8.74	yes	music wire	4E
C.076.080.0239.I	7.6	0.80	23.9	0.1666	7.44	8.80	yes	stainless steel	4F
C.076.080.0239.N	7.6	0.80	23.9	0.1940	7.44	8.74	yes	Zn coating	4H
C.076.080.0250.A	7.6	0.80	25.0	0.1556	8.80	10.22	yes	music wire	4C
C.076.080.0254.A	7.6	0.80	25.4	0.1860	7.68	9.59	yes	music wire	4E
C.076.080.0254.I	7.6	0.80	25.4	0.1618	7.60	9.85	yes	stainless steel	4F
C.076.080.0254.N	7.6	0.80	25.4	0.1860	7.68	9.59	yes	Zn coating	4H
C.076.080.0290.A	7.6	0.80	29.0	0.1700	8.24	11.71	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.080.0290.I	7.6	0.80	29.0	0.1479	8.16	11.99	yes	stainless steel	4F
C.076.080.0305.A	7.6	0.80	30.5	0.1396	9.60	11.18	yes	music wire	4C
C.076.080.0305.I	7.6	0.80	30.5	0.1215	9.52	11.09	yes	stainless steel	4F
C.076.080.0320.A	7.6	0.80	32.0	0.1250	10.48	12.25	yes	music wire	4C
C.076.080.0350.A	7.6	0.80	35.0	0.1100	11.68	13.70	yes	music wire	4C
C.076.080.0350.AP	7.6	0.80	35.0	0.1540	8.88	15.91	yes	music wire	4F
C.076.080.0350.I	7.6	0.80	35.0	0.0910	12.00	14.08	yes	stainless steel	4C
C.076.080.0381.A	7.6	0.80	38.1	0.1176	11.04	13.09	yes	music wire	4F
C.076.080.0381.I	7.6	0.80	38.1	0.1010	11.04	13.19	yes	stainless steel	4F
C.076.080.0381.N	7.6	0.80	38.1	0.1176	11.04	13.09	yes	Zn coating	4H
C.076.080.0400.A	7.6	0.80	40.0	0.1000	12.64	14.86	yes	music wire	4C
C.076.080.0444.A	7.6	0.80	44.4	0.1006	12.56	15.17	yes	music wire	4F
C.076.080.0444.I	7.6	0.80	44.4	0.0875	12.40	15.65	yes	stainless steel	4F
C.076.080.0444.N	7.6	0.80	44.4	0.1006	12.56	15.17	yes	Zn coating	4H
C.076.080.0457.A	7.6	0.80	45.7	0.0993	12.72	16.10	yes	music wire	4F
C.076.080.0457.I	7.6	0.80	45.7	0.0864	12.56	16.58	yes	stainless steel	4F
C.076.080.0500.A	7.6	0.80	50.0	0.0778	15.68	18.53	yes	music wire	4C
C.076.080.0510.A	7.6	0.80	51.0	0.0930	13.44	19.39	yes	music wire	4F
C.076.080.0510.I	7.6	0.80	51.0	0.0809	13.28	19.91	yes	stainless steel	4F
C.076.080.0510.N	7.6	0.80	51.0	0.0930	13.44	19.39	yes	Zn coating	4H
C.076.080.0559.A	7.6	0.80	55.9	0.0800	15.28	19.15	yes	music wire	4F
C.076.080.0559.I	7.6	0.80	55.9	0.0696	15.12	19.78	yes	stainless steel	4G
C.076.080.0572.A	7.6	0.80	57.2	0.0811	15.12	20.94	yes	music wire	4F
C.076.080.0572.I	7.6	0.80	57.2	0.0705	14.96	21.54	yes	stainless steel	4G
C.076.080.0572.N	7.6	0.80	57.2	0.0811	15.12	20.94	yes	Zn coating	4H
C.076.080.0630.A	7.6	0.80	63.0	0.0622	19.04	22.59	yes	music wire	4C
C.076.080.0635.A	7.6	0.80	63.5	0.0770	15.76	25.32	yes	music wire	4F
C.076.080.0635.I	7.6	0.80	63.5	0.0635	16.40	23.87	yes	stainless steel	4G
C.076.080.0635.N	7.6	0.80	63.5	0.0770	15.76	25.32	yes	Zn coating	4H
C.076.080.0800.A	7.6	0.80	80.0	0.0500	23.20	27.62	yes	music wire	4C
C.076.080.1000.A	7.6	0.80	100.0	0.0400	28.56	34.09	yes	music wire	4D
C.076.080.1000.I	7.6	0.80	100.0	0.0348	28.24	33.71	yes	stainless steel	4D
C.076.080.1000.N	7.6	0.80	100.0	0.0400	28.56	34.09	yes	Zn coating	4E
C.076.080.1250.A	7.6	0.80	125.0	0.0321	35.04	41.92	yes	music wire	4D
C.076.080.1250.I	7.6	0.80	125.0	0.0279	34.64	41.44	yes	stainless steel	4G
C.076.080.1250.N	7.6	0.80	125.0	0.0321	35.04	41.92	yes	Zn coating	4F
C.076.080.1600.A	7.6	0.80	160.0	0.0257	43.28	51.88	yes	music wire	4G
C.076.080.1600.I	7.6	0.80	160.0	0.0224	42.80	51.30	yes	stainless steel	4G
C.076.080.1600.N	7.6	0.80	160.0	0.0257	43.28	51.88	yes	Zn coating	4I
C.076.090.0097.A	7.6	0.90	9.7	0.8060	4.77	5.23	yes	music wire	4C
C.076.090.0097.I	7.6	0.90	9.7	0.8080	4.41	5.36	yes	stainless steel	4F
C.076.090.0097.N	7.6	0.90	9.7	0.8060	4.77	5.23	yes	Zn coating	4E
C.076.090.0112.A	7.6	0.90	11.2	0.7500	4.95	5.76	yes	music wire	4E
C.076.090.0112.I	7.6	0.90	11.2	0.6522	4.86	5.83	yes	stainless steel	4F
C.076.090.0127.A	7.6	0.90	12.7	0.6284	5.40	6.20	yes	music wire	4E
C.076.090.0127.I	7.6	0.90	12.7	0.5468	5.40	6.29	yes	stainless steel	4F
C.076.090.0142.A	7.6	0.90	14.2	0.5814	5.67	7.18	yes	music wire	4E
C.076.090.0142.I	7.6	0.90	14.2	0.5059	5.67	7.27	yes	stainless steel	4F
C.076.090.0157.A	7.6	0.90	15.7	0.5123	6.12	7.73	yes	music wire	4E
C.076.090.0157.I	7.6	0.90	15.7	0.4400	6.12	7.74	yes	stainless steel	4F
C.076.090.0157.N	7.6	0.90	15.7	0.5123	6.12	7.73	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.090.0175.A	7.6	0.90	17.5	0.4030	7.20	8.11	yes	music wire	4E
C.076.090.0175.I	7.6	0.90	17.5	0.3400	7.29	8.21	yes	stainless steel	4C
C.076.090.0175.N	7.6	0.90	17.5	0.4030	7.20	8.11	yes	Zn coating	4H
C.076.090.0190.A	7.6	0.90	19.0	0.3680	7.65	8.64	yes	music wire	4E
C.076.090.0190.I	7.6	0.90	19.0	0.3492	7.20	8.97	yes	stainless steel	4F
C.076.090.0190.N	7.6	0.90	19.0	0.3680	7.65	8.64	yes	Zn coating	4H
C.076.090.0206.A	7.6	0.90	20.6	0.3638	7.74	9.38	yes	music wire	4E
C.076.090.0206.I	7.6	0.90	20.6	0.3165	7.65	9.53	yes	stainless steel	4F
C.076.090.0224.A	7.6	0.90	22.4	0.3080	8.73	9.92	yes	music wire	4E
C.076.090.0224.I	7.6	0.90	22.4	0.2894	8.19	10.29	yes	stainless steel	4F
C.076.090.0224.N	7.6	0.90	22.4	0.3080	8.73	9.92	yes	Zn coating	4H
C.076.090.0239.A	7.6	0.90	23.9	0.3231	8.46	11.27	yes	music wire	4F
C.076.090.0239.I	7.6	0.90	23.9	0.2775	8.46	11.28	yes	stainless steel	4F
C.076.090.0239.N	7.6	0.90	23.9	0.3231	8.46	11.27	yes	Zn coating	4H
C.076.090.0240.A	7.6	0.90	24.0	0.2800	9.36	10.66	yes	music wire	4F
C.076.090.0240.I	7.6	0.90	24.0	0.2400	9.45	10.77	yes	stainless steel	4C
C.076.090.0254.A	7.6	0.90	25.4	0.2948	9.00	11.55	yes	music wire	4F
C.076.090.0254.I	7.6	0.90	25.4	0.2565	8.91	11.74	yes	stainless steel	4F
C.076.090.0279.A	7.6	0.90	27.9	0.2647	9.81	12.48	yes	music wire	4F
C.076.090.0279.I	7.6	0.90	27.9	0.2303	9.72	12.69	yes	stainless steel	4F
C.076.090.0284.A	7.6	0.90	28.4	0.2681	9.72	13.17	yes	music wire	4F
C.076.090.0284.I	7.6	0.90	28.4	0.2333	9.63	13.38	yes	stainless steel	4F
C.076.090.0284.N	7.6	0.90	28.4	0.2681	9.72	13.17	yes	Zn coating	4H
C.076.090.0290.A	7.6	0.90	29.0	0.2299	10.98	12.58	yes	music wire	4F
C.076.090.0290.I	7.6	0.90	29.0	0.2000	10.80	12.37	yes	stainless steel	4F
C.076.090.0305.A	7.6	0.90	30.5	0.2330	10.80	12.98	yes	music wire	4F
C.076.090.0305.I	7.6	0.90	30.5	0.2027	10.71	13.22	yes	stainless steel	4F
C.076.090.0318.A	7.6	0.90	31.8	0.2360	10.71	14.50	yes	music wire	4F
C.076.090.0318.I	7.6	0.90	31.8	0.2053	10.62	14.74	yes	stainless steel	4F
C.076.090.0318.N	7.6	0.90	31.8	0.2360	10.71	14.50	yes	Zn coating	4H
C.076.090.0351.A	7.6	0.90	35.1	0.2107	11.70	15.73	yes	music wire	4F
C.076.090.0351.I	7.6	0.90	35.1	0.1833	11.61	15.99	yes	stainless steel	4F
C.076.090.0351.N	7.6	0.90	35.1	0.2107	11.70	15.73	yes	Zn coating	4H
C.076.090.0356.A	7.6	0.90	35.6	0.2080	11.88	15.98	yes	music wire	4F
C.076.090.0356.I	7.6	0.90	35.6	0.1810	11.70	16.24	yes	stainless steel	4F
C.076.090.0380.A	7.6	0.90	38.0	0.1750	13.68	15.77	yes	music wire	4F
C.076.090.0380.I	7.6	0.90	38.0	0.1500	13.68	15.77	yes	stainless steel	4F
C.076.090.0380.N	7.6	0.90	38.0	0.1750	13.68	15.77	yes	Zn coating	4H
C.076.090.0444.A	7.6	0.90	44.4	0.1662	14.31	19.84	yes	music wire	4F
C.076.090.0444.I	7.6	0.90	44.4	0.1446	14.13	20.18	yes	stainless steel	4F
C.076.090.0444.N	7.6	0.90	44.4	0.1662	14.31	19.84	yes	Zn coating	4H
C.076.090.0457.A	7.6	0.90	45.7	0.1641	14.40	20.83	yes	music wire	4F
C.076.090.0457.I	7.6	0.90	45.7	0.1428	14.31	21.16	yes	stainless steel	4F
C.076.090.0508.A	7.6	0.90	50.8	0.1448	16.02	22.61	yes	music wire	4F
C.076.090.0508.I	7.6	0.90	50.8	0.1244	16.02	22.64	yes	stainless steel	4G
C.076.090.0508.N	7.6	0.90	50.8	0.1448	16.02	22.61	yes	Zn coating	4H
C.076.090.0559.A	7.6	0.90	55.9	0.1267	18.00	23.68	yes	music wire	4F
C.076.090.0559.I	7.6	0.90	55.9	0.1102	17.82	24.11	yes	stainless steel	4G
C.076.090.0570.A	7.6	0.90	57.0	0.1140	19.80	23.01	yes	music wire	4F
C.076.090.0570.I	7.6	0.90	57.0	0.0992	19.53	22.69	yes	stainless steel	4G
C.076.090.0570.N	7.6	0.90	57.0	0.1140	19.80	23.01	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.076.090.0635.A	7.6	0.90	63.5	0.1115	20.16	26.89	yes	music wire	4F
C.076.090.0635.I	7.6	0.90	63.5	0.0970	19.98	27.38	yes	stainless steel	4G
C.076.095.0097.A	7.6	0.95	9.7	1.1290	4.75	5.50	yes	music wire	4E
C.076.095.0097.I	7.6	0.95	9.7	0.9822	4.75	5.55	yes	stainless steel	4F
C.076.095.0097.N	7.6	0.95	9.7	1.1290	4.75	5.50	yes	Zn coating	4G
C.076.095.0112.A	7.6	0.95	11.2	0.9370	5.23	6.14	yes	music wire	4E
C.076.095.0112.I	7.6	0.95	11.2	0.8152	5.23	6.20	yes	stainless steel	4F
C.076.095.0112.N	7.6	0.95	11.2	0.9370	5.23	6.14	yes	Zn coating	4G
C.076.095.0127.A	7.6	0.95	12.7	0.8130	5.70	6.87	yes	music wire	4E
C.076.095.0127.I	7.6	0.95	12.7	0.7073	5.61	6.94	yes	stainless steel	4F
C.076.095.0127.N	7.6	0.95	12.7	0.8130	5.70	6.87	yes	Zn coating	4G
C.076.095.0142.A	7.6	0.95	14.2	0.6790	6.37	7.21	yes	music wire	4E
C.076.095.0142.I	7.6	0.95	14.2	0.5907	6.27	7.30	yes	stainless steel	4F
C.076.095.0142.N	7.6	0.95	14.2	0.6790	6.37	7.21	yes	Zn coating	4H
C.076.095.0160.A	7.6	0.95	16.0	0.6110	6.75	8.24	yes	music wire	4E
C.076.095.0160.I	7.6	0.95	16.0	0.5316	6.75	8.33	yes	stainless steel	4F
C.076.095.0160.N	7.6	0.95	16.0	0.6110	6.75	8.24	yes	Zn coating	4H
C.076.095.0175.A	7.6	0.95	17.5	0.5310	7.41	8.57	yes	music wire	4E
C.076.095.0175.I	7.6	0.95	17.5	0.4620	7.32	8.68	yes	stainless steel	4F
C.076.095.0175.N	7.6	0.95	17.5	0.5310	7.41	8.57	yes	Zn coating	4H
C.076.095.0190.A	7.6	0.95	19.0	0.4890	7.89	9.30	yes	music wire	4E
C.076.095.0190.I	7.6	0.95	19.0	0.4254	7.79	9.42	yes	stainless steel	4F
C.076.095.0190.N	7.6	0.95	19.0	0.4890	7.89	9.30	yes	Zn coating	4H
C.076.095.0206.A	7.6	0.95	20.6	0.4520	8.27	10.11	yes	music wire	4E
C.076.095.0206.I	7.6	0.95	20.6	0.3932	8.27	10.23	yes	stainless steel	4F
C.076.095.0206.N	7.6	0.95	20.6	0.4520	8.27	10.11	yes	Zn coating	4H
C.076.095.0224.A	7.6	0.95	22.4	0.4060	8.93	10.72	yes	music wire	4E
C.076.095.0224.I	7.6	0.95	22.4	0.3532	8.93	10.86	yes	stainless steel	4F
C.076.095.0224.N	7.6	0.95	22.4	0.4060	8.93	10.72	yes	Zn coating	4H
C.076.095.0240.A	7.6	0.95	24.0	0.3820	9.41	11.58	yes	music wire	4F
C.076.095.0240.I	7.6	0.95	24.0	0.3323	9.31	11.74	yes	stainless steel	4F
C.076.095.0240.N	7.6	0.95	24.0	0.3820	9.41	11.58	yes	Zn coating	4H
C.076.095.0254.A	7.6	0.95	25.4	0.3590	9.88	12.19	yes	music wire	4F
C.076.095.0254.I	7.6	0.95	25.4	0.3123	9.79	12.35	yes	stainless steel	4F
C.076.095.0254.N	7.6	0.95	25.4	0.3590	9.88	12.19	yes	Zn coating	4H
C.076.095.0285.A	7.6	0.95	28.5	0.3200	10.74	13.68	yes	music wire	4F
C.076.095.0285.I	7.6	0.95	28.5	0.2784	10.64	13.86	yes	stainless steel	4F
C.076.095.0285.N	7.6	0.95	28.5	0.3200	10.74	13.68	yes	Zn coating	4H
C.076.095.0320.A	7.6	0.95	32.0	0.2910	11.59	15.70	yes	music wire	4F
C.076.095.0320.I	7.6	0.95	32.0	0.2532	11.50	15.90	yes	stainless steel	4F
C.076.095.0320.N	7.6	0.95	32.0	0.2910	11.59	15.70	yes	Zn coating	4H
C.076.095.0350.A	7.6	0.95	35.0	0.2640	12.54	17.03	yes	music wire	4F
C.076.095.0350.I	7.6	0.95	35.0	0.2297	12.45	17.25	yes	stainless steel	4F
C.076.095.0350.N	7.6	0.95	35.0	0.2640	12.54	17.03	yes	Zn coating	4H
C.076.095.0380.A	7.6	0.95	38.0	0.2430	13.40	18.48	yes	music wire	4F
C.076.095.0380.I	7.6	0.95	38.0	0.2114	13.30	18.72	yes	stainless steel	4F
C.076.095.0380.N	7.6	0.95	38.0	0.2430	13.40	18.48	yes	Zn coating	4H
C.076.095.0445.A	7.6	0.95	44.5	0.1960	16.06	20.30	yes	music wire	4F
C.076.095.0445.I	7.6	0.95	44.5	0.1705	15.87	20.60	yes	stainless steel	4F
C.076.095.0445.N	7.6	0.95	44.5	0.1960	16.06	20.30	yes	Zn coating	4H
C.076.095.0510.A	7.6	0.95	51.0	0.1700	18.15	23.10	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.095.0510.I	7.6	0.95	51.0	0.1479	17.96	23.44	yes	stainless steel	4G
C.076.095.0510.N	7.6	0.95	51.0	0.1700	18.15	23.10	yes	Zn coating	4H
C.076.095.0570.A	7.6	0.95	57.0	0.1580	19.38	26.98	yes	music wire	4F
C.076.095.0570.I	7.6	0.95	57.0	0.1375	19.10	27.35	yes	stainless steel	4G
C.076.095.0570.N	7.6	0.95	57.0	0.1580	19.38	26.98	yes	Zn coating	4H
C.076.095.0635.A	7.6	0.95	63.5	0.1440	21.00	30.56	yes	music wire	4F
C.076.095.0635.I	7.6	0.95	63.5	0.1253	20.71	30.97	yes	stainless steel	4G
C.076.095.0635.N	7.6	0.95	63.5	0.1440	21.00	30.56	yes	Zn coating	4I
C.076.100.0097.A	7.6	1.00	9.7	0.9105	6.40	7.04	yes	music wire	4C
C.076.100.0097.AP	7.6	1.00	9.7	1.4174	5.00	5.84	yes	music wire	4E
C.076.100.0097.I	7.6	1.00	9.7	0.7922	6.30	6.93	yes	stainless steel	4C
C.076.100.0097.IF	7.6	1.00	9.7	0.7920	6.30	6.93	yes	stainless steel	4C
C.076.100.0111.A	7.6	1.00	11.1	1.1886	5.50	6.50	yes	music wire	4E
C.076.100.0111.I	7.6	1.00	11.1	1.0341	5.40	6.55	yes	stainless steel	4F
C.076.100.0112.A	7.6	1.00	11.2	0.8146	6.90	7.63	yes	music wire	4C
C.076.100.0112.AF	7.6	1.00	11.2	0.8150	6.80	7.51	yes	music wire	4C
C.076.100.0112.AP	7.6	1.00	11.2	1.1812	5.50	6.57	yes	music wire	4E
C.076.100.0112.I	7.6	1.00	11.2	0.8483	6.10	6.70	yes	stainless steel	4C
C.076.100.0112.IF	7.6	1.00	11.2	0.7000	6.80	7.51	yes	stainless steel	4C
C.076.100.0112.N	7.6	1.00	11.2	0.8146	6.90	7.63	yes	Zn coating	4E
C.076.100.0112.NF	7.6	1.00	11.2	0.8150	6.80	7.51	yes	Zn coating	4E
C.076.100.0127.A	7.6	1.00	12.7	0.6932	7.60	8.44	yes	music wire	4C
C.076.100.0127.AF	7.6	1.00	12.7	0.6930	7.60	8.44	yes	music wire	4C
C.076.100.0127.AP	7.6	1.00	12.7	1.0124	6.00	7.30	yes	music wire	4E
C.076.100.0127.I	7.6	1.00	12.7	0.5954	7.60	8.44	yes	stainless steel	4C
C.076.100.0127.IF	7.6	1.00	12.7	0.5950	7.60	8.44	yes	stainless steel	4C
C.076.100.0127.N	7.6	1.00	12.7	0.6932	7.60	8.44	yes	Zn coating	4E
C.076.100.0127.NF	7.6	1.00	12.7	0.6930	7.60	8.44	yes	Zn coating	4E
C.076.100.0142.A	7.6	1.00	14.2	0.6305	8.10	9.03	yes	music wire	4C
C.076.100.0142.AP	7.6	1.00	14.2	0.9086	6.40	8.18	yes	music wire	4E
C.076.100.0142.I	7.6	1.00	14.2	0.5416	8.10	9.03	yes	stainless steel	4C
C.076.100.0142.N	7.6	1.00	14.2	0.6305	8.10	9.03	yes	Zn coating	4E
C.076.100.0143.A	7.6	1.00	14.3	0.8207	6.80	7.64	yes	music wire	4E
C.076.100.0143.I	7.6	1.00	14.3	0.7140	6.80	7.71	yes	stainless steel	4F
C.076.100.0157.A	7.6	1.00	15.7	0.5783	8.60	9.61	yes	music wire	4C
C.076.100.0157.AF	7.6	1.00	15.7	0.5780	8.60	9.61	yes	music wire	4C
C.076.100.0157.AP	7.6	1.00	15.7	0.8053	6.90	8.91	yes	music wire	4F
C.076.100.0157.I	7.6	1.00	15.7	0.4967	8.60	9.61	yes	stainless steel	4C
C.076.100.0157.IF	7.6	1.00	15.7	0.4970	8.60	9.61	yes	stainless steel	4C
C.076.100.0157.N	7.6	1.00	15.7	0.5783	8.60	9.61	yes	Zn coating	4E
C.076.100.0157.NF	7.6	1.00	15.7	0.5780	8.60	9.61	yes	Zn coating	4E
C.076.100.0160.A	7.6	1.00	16.0	0.7340	7.30	8.55	yes	music wire	4F
C.076.100.0160.I	7.6	1.00	16.0	0.6386	7.30	8.63	yes	stainless steel	4F
C.076.100.0160.N	7.6	1.00	16.0	0.7340	7.30	8.55	yes	Zn coating	4H
C.076.100.0175.A	7.6	1.00	17.5	0.5143	9.40	10.54	yes	music wire	4C
C.076.100.0175.AP	7.6	1.00	17.5	0.7087	7.50	9.79	yes	music wire	4F
C.076.100.0175.I	7.6	1.00	17.5	0.4417	9.40	10.54	yes	stainless steel	4C
C.076.100.0175.N	7.6	1.00	17.5	0.5143	9.40	10.54	yes	Zn coating	4E
C.076.100.0190.A	7.6	1.00	19.0	0.4790	9.90	11.12	yes	music wire	4C
C.076.100.0190.AP	7.6	1.00	19.0	0.6443	8.00	10.52	yes	music wire	4F
C.076.100.0190.I	7.6	1.00	19.0	0.4114	9.90	11.12	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.100.0190.N	7.6	1.00	19.0	0.4790	9.90	11.12	yes	Zn coating	4E
C.076.100.0224.A	7.6	1.00	22.4	0.4088	11.20	12.64	yes	music wire	4C
C.076.100.0224.AP	7.6	1.00	22.4	0.5452	9.00	12.37	yes	music wire	4F
C.076.100.0224.I	7.6	1.00	22.4	0.3511	11.20	12.64	yes	stainless steel	4C
C.076.100.0224.N	7.6	1.00	22.4	0.4088	11.20	12.64	yes	Zn coating	4E
C.076.100.0239.A	7.6	1.00	23.9	0.3862	11.70	13.22	yes	music wire	4C
C.076.100.0239.AP	7.6	1.00	23.9	0.5062	9.50	13.10	yes	music wire	4F
C.076.100.0239.I	7.6	1.00	23.9	0.3317	11.70	13.22	yes	stainless steel	4C
C.076.100.0239.N	7.6	1.00	23.9	0.3862	11.70	13.22	yes	Zn coating	4E
C.076.100.0240.A	7.6	1.00	24.0	0.4610	10.20	12.14	yes	music wire	4F
C.076.100.0240.I	7.6	1.00	24.0	0.4000	10.10	12.24	yes	stainless steel	4F
C.076.100.0240.N	7.6	1.00	24.0	0.4610	10.20	12.14	yes	Zn coating	4H
C.076.100.0279.A	7.6	1.00	27.9	0.3194	13.60	15.44	yes	music wire	4C
C.076.100.0279.AP	7.6	1.00	27.9	0.4269	10.80	15.10	yes	music wire	4F
C.076.100.0279.I	7.6	1.00	27.9	0.2779	13.50	15.32	yes	stainless steel	4D
C.076.100.0284.A	7.6	1.00	28.4	0.3235	13.50	15.32	yes	music wire	4C
C.076.100.0284.I	7.6	1.00	28.4	0.2814	13.30	15.09	yes	stainless steel	4D
C.076.100.0284.N	7.6	1.00	28.4	0.3235	13.50	15.32	yes	Zn coating	4E
C.076.100.0285.A	7.6	1.00	28.5	0.3820	11.80	14.19	yes	music wire	4F
C.076.100.0285.I	7.6	1.00	28.5	0.3323	11.70	14.35	yes	stainless steel	4F
C.076.100.0285.N	7.6	1.00	28.5	0.3820	11.80	14.19	yes	Zn coating	4H
C.076.100.0290.A	7.6	1.00	29.0	0.3793	11.80	14.59	yes	music wire	4F
C.076.100.0290.I	7.6	1.00	29.0	0.3300	11.70	14.75	yes	stainless steel	4F
C.076.100.0350.A	7.6	1.00	35.0	0.3050	14.10	17.08	yes	music wire	4F
C.076.100.0350.I	7.6	1.00	35.0	0.2654	14.00	17.27	yes	stainless steel	4F
C.076.100.0350.N	7.6	1.00	35.0	0.3050	14.10	17.08	yes	Zn coating	4H
C.076.100.0356.A	7.6	1.00	35.6	0.2642	15.90	18.12	yes	music wire	4C
C.076.100.0356.I	7.6	1.00	35.6	0.2299	15.70	17.88	yes	stainless steel	4D
C.076.100.0381.A	7.6	1.00	38.1	0.2439	17.00	19.40	yes	music wire	4C
C.076.100.0381.I	7.6	1.00	38.1	0.2098	17.00	19.40	yes	stainless steel	4D
C.076.100.0381.N	7.6	1.00	38.1	0.2439	17.00	19.40	yes	Zn coating	4E
C.076.100.0445.A	7.6	1.00	44.5	0.2380	17.40	21.53	yes	music wire	4F
C.076.100.0445.I	7.6	1.00	44.5	0.2071	17.20	21.78	yes	stainless steel	4G
C.076.100.0445.N	7.6	1.00	44.5	0.2380	17.40	21.53	yes	Zn coating	4H
C.076.100.0457.A	7.6	1.00	45.7	0.2083	19.50	22.31	yes	music wire	4C
C.076.100.0457.I	7.6	1.00	45.7	0.1812	19.30	22.08	yes	stainless steel	4G
C.076.100.0559.A	7.6	1.00	55.9	0.1637	24.10	27.67	yes	music wire	4C
C.076.100.0559.I	7.6	1.00	55.9	0.1424	23.90	27.44	yes	stainless steel	4D
C.076.100.0572.A	7.6	1.00	57.2	0.1658	23.90	27.44	yes	music wire	4F
C.076.100.0572.I	7.6	1.00	57.2	0.1443	23.60	27.09	yes	stainless steel	4G
C.076.100.0572.N	7.6	1.00	57.2	0.1658	23.90	27.44	yes	Zn coating	4I
C.076.105.0097.A	7.6	1.05	9.7	1.9000	5.04	6.41	yes	music wire	4H
C.076.105.0097.I	7.6	1.05	9.7	1.6495	5.04	6.43	yes	stainless steel	4I
C.076.105.0097.N	7.6	1.05	9.7	1.9000	5.04	6.41	yes	Zn coating	4I
C.076.105.0112.A	7.6	1.05	11.2	1.5900	5.57	7.27	yes	music wire	4H
C.076.105.0112.I	7.6	1.05	11.2	1.3833	5.46	7.30	yes	stainless steel	4I
C.076.105.0112.N	7.6	1.05	11.2	1.5900	5.57	7.27	yes	Zn coating	4I
C.076.105.0127.A	7.6	1.05	12.7	1.2380	6.41	7.65	yes	music wire	4E
C.076.105.0127.I	7.6	1.05	12.7	1.0771	6.30	7.70	yes	stainless steel	4F
C.076.105.0127.N	7.6	1.05	12.7	1.2380	6.41	7.65	yes	Zn coating	4H
C.076.105.0142.A	7.6	1.05	14.2	1.0540	7.04	8.27	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.076.105.0142.I	7.6	1.05	14.2	0.9170	6.93	8.32	yes	stainless steel	4F
C.076.105.0142.N	7.6	1.05	14.2	1.0540	7.04	8.27	yes	Zn coating	4H
C.076.105.0160.A	7.6	1.05	16.0	0.9040	7.77	9.08	yes	music wire	4F
C.076.105.0160.I	7.6	1.05	16.0	0.7865	7.67	9.15	yes	stainless steel	4F
C.076.105.0160.N	7.6	1.05	16.0	0.9040	7.77	9.08	yes	Zn coating	4H
C.076.105.0175.A	7.6	1.05	17.5	0.7900	8.51	9.58	yes	music wire	4F
C.076.105.0175.I	7.6	1.05	17.5	0.6873	8.40	9.66	yes	stainless steel	4F
C.076.105.0175.N	7.6	1.05	17.5	0.7900	8.51	9.58	yes	Zn coating	4H
C.076.105.0190.A	7.6	1.05	19.0	0.7300	8.93	10.43	yes	music wire	4F
C.076.105.0190.I	7.6	1.05	19.0	0.6351	8.93	10.52	yes	stainless steel	4F
C.076.105.0190.N	7.6	1.05	19.0	0.7300	8.93	10.43	yes	Zn coating	4H
C.076.105.0206.A	7.6	1.05	20.6	0.6550	9.66	11.05	yes	music wire	4F
C.076.105.0206.I	7.6	1.05	20.6	0.5699	9.56	11.14	yes	stainless steel	4F
C.076.105.0206.N	7.6	1.05	20.6	0.6550	9.66	11.05	yes	Zn coating	4H
C.076.105.0224.A	7.6	1.05	22.4	0.5920	10.40	11.84	yes	music wire	4F
C.076.105.0224.I	7.6	1.05	22.4	0.5150	10.29	11.94	yes	stainless steel	4F
C.076.105.0224.N	7.6	1.05	22.4	0.5920	10.40	11.84	yes	Zn coating	4H
C.076.105.0240.A	7.6	1.05	24.0	0.5590	10.92	12.81	yes	music wire	4F
C.076.105.0240.I	7.6	1.05	24.0	0.4863	10.82	12.92	yes	stainless steel	4F
C.076.105.0240.N	7.6	1.05	24.0	0.5590	10.92	12.81	yes	Zn coating	4H
C.076.105.0254.A	7.6	1.05	25.4	0.5270	11.45	13.53	yes	music wire	4F
C.076.105.0254.I	7.6	1.05	25.4	0.4585	11.34	13.65	yes	stainless steel	4F
C.076.105.0254.N	7.6	1.05	25.4	0.5270	11.45	13.53	yes	Zn coating	4H
C.076.105.0285.A	7.6	1.05	28.5	0.4750	12.39	15.33	yes	music wire	4F
C.076.105.0285.I	7.6	1.05	28.5	0.4133	12.29	15.46	yes	stainless steel	4F
C.076.105.0285.N	7.6	1.05	28.5	0.4750	12.39	15.33	yes	Zn coating	4H
C.076.105.0320.A	7.6	1.05	32.0	0.4220	13.55	17.18	yes	music wire	4F
C.076.105.0320.I	7.6	1.05	32.0	0.3671	13.44	17.32	yes	stainless steel	4F
C.076.105.0320.N	7.6	1.05	32.0	0.4220	13.55	17.18	yes	Zn coating	4H
C.076.105.0350.A	7.6	1.05	35.0	0.3800	14.81	18.54	yes	music wire	4F
C.076.105.0350.I	7.6	1.05	35.0	0.3306	14.60	18.70	yes	stainless steel	4F
C.076.105.0350.N	7.6	1.05	35.0	0.3800	14.81	18.54	yes	Zn coating	4H
C.076.105.0380.A	7.6	1.05	38.0	0.3450	16.07	19.87	yes	music wire	4F
C.076.105.0380.I	7.6	1.05	38.0	0.3000	15.86	20.04	yes	stainless steel	4F
C.076.105.0380.N	7.6	1.05	38.0	0.3450	16.07	19.87	yes	Zn coating	4H
C.076.105.0445.A	7.6	1.05	44.5	0.2870	18.80	22.71	yes	music wire	4F
C.076.105.0445.I	7.6	1.05	44.5	0.2500	18.48	22.95	yes	stainless steel	4G
C.076.105.0445.N	7.6	1.05	44.5	0.2870	18.80	22.71	yes	Zn coating	4H
C.076.105.0510.A	7.6	1.05	51.0	0.2490	21.21	25.88	yes	music wire	4F
C.076.105.0510.I	7.6	1.05	51.0	0.2166	21.00	26.13	yes	stainless steel	4G
C.076.105.0510.N	7.6	1.05	51.0	0.2490	21.21	25.88	yes	Zn coating	4H
C.076.105.0570.A	7.6	1.05	57.0	0.2210	23.52	28.70	yes	music wire	4F
C.076.105.0570.I	7.6	1.05	57.0	0.1923	23.31	28.97	yes	stainless steel	4G
C.076.105.0570.N	7.6	1.05	57.0	0.2210	23.52	28.70	yes	Zn coating	4I
C.076.105.0635.A	7.6	1.05	63.5	0.2070	24.99	33.29	yes	music wire	4F
C.076.105.0635.I	7.6	1.05	63.5	0.1801	24.68	33.58	yes	stainless steel	4G
C.076.105.0635.N	7.6	1.05	63.5	0.2070	24.99	33.29	yes	Zn coating	4I
C.076.110.0097.A	7.6	1.10	9.7	1.6054	6.49	7.06	yes	music wire	4C
C.076.110.0097.AF	7.6	1.10	9.7	1.6050	6.49	7.06	yes	music wire	4C
C.076.110.0097.AP	7.6	1.10	9.7	2.0909	5.61	6.30	yes	music wire	4F
C.076.110.0097.I	7.6	1.10	9.7	1.3789	6.49	7.06	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.076.110.0097.IF	7.6	1.10	9.7	1.3790	6.49	7.06	yes	stainless steel	4C
C.076.110.0097.N	7.6	1.10	9.7	1.6054	6.49	7.06	yes	Zn coating	4E
C.076.110.0097.NF	7.6	1.10	9.7	1.6050	6.49	7.06	yes	Zn coating	4E
C.076.110.0142.A	7.6	1.10	14.2	1.0743	8.36	9.21	yes	music wire	4C
C.076.110.0142.I	7.6	1.10	14.2	0.9227	8.36	9.21	yes	stainless steel	4C
C.076.110.0142.N	7.6	1.10	14.2	1.0743	8.36	9.21	yes	Zn coating	4E
C.076.110.0160.A	7.6	1.10	16.0	1.1494	7.92	9.82	yes	music wire	4F
C.076.110.0160.I	7.6	1.10	16.0	1.0000	7.92	9.87	yes	stainless steel	4F
C.076.110.0175.A	7.6	1.10	17.5	0.8902	9.46	10.48	yes	music wire	4F
C.076.110.0175.I	7.6	1.10	17.5	0.7646	9.46	10.48	yes	stainless steel	4F
C.076.110.0175.N	7.6	1.10	17.5	0.8902	9.46	10.48	yes	Zn coating	4H
C.076.110.0190.A	7.6	1.10	19.0	0.8072	10.12	11.24	yes	music wire	4F
C.076.110.0190.I	7.6	1.10	19.0	0.6933	10.12	11.24	yes	stainless steel	4F
C.076.110.0190.N	7.6	1.10	19.0	0.8072	10.12	11.24	yes	Zn coating	4H
C.076.110.0191.A	7.6	1.10	19.1	0.9425	9.13	11.56	yes	music wire	4F
C.076.110.0191.I	7.6	1.10	19.1	0.8200	9.02	11.62	yes	stainless steel	4F
C.076.110.0220.A	7.6	1.10	22.0	0.5747	13.20	14.79	yes	music wire	4C
C.076.110.0220.AP	7.6	1.10	22.0	0.7994	10.23	13.11	yes	music wire	4F
C.076.110.0220.I	7.6	1.10	22.0	0.5000	12.98	14.54	yes	stainless steel	4D
C.076.110.0224.A	7.6	1.10	22.4	0.6804	11.55	12.89	yes	music wire	4F
C.076.110.0224.I	7.6	1.10	22.4	0.5844	11.55	12.89	yes	stainless steel	4F
C.076.110.0224.N	7.6	1.10	22.4	0.6804	11.55	12.89	yes	Zn coating	4H
C.076.110.0239.A	7.6	1.10	23.9	0.6159	12.43	13.90	yes	music wire	4C
C.076.110.0239.I	7.6	1.10	23.9	0.5290	12.43	13.90	yes	stainless steel	4D
C.076.110.0239.N	7.6	1.10	23.9	0.6159	12.43	13.90	yes	Zn coating	4E
C.076.110.0240.A	7.6	1.10	24.0	0.7241	11.00	14.18	yes	music wire	4F
C.076.110.0240.I	7.6	1.10	24.0	0.6300	10.89	14.27	yes	stainless steel	4F
C.076.110.0250.A	7.6	1.10	25.0	0.6897	11.44	14.69	yes	music wire	4F
C.076.110.0250.I	7.6	1.10	25.0	0.6000	11.33	14.78	yes	stainless steel	4F
C.076.110.0279.A	7.6	1.10	27.9	0.5323	13.97	15.68	yes	music wire	4F
C.076.110.0279.I	7.6	1.10	27.9	0.4631	13.86	15.55	yes	stainless steel	4F
C.076.110.0284.A	7.6	1.10	28.4	0.5392	13.86	15.55	yes	music wire	4F
C.076.110.0284.I	7.6	1.10	28.4	0.4691	13.64	15.33	yes	stainless steel	4F
C.076.110.0284.N	7.6	1.10	28.4	0.5392	13.86	15.55	yes	Zn coating	4H
C.076.110.0290.A	7.6	1.10	29.0	0.4713	15.40	17.33	yes	music wire	4C
C.076.110.0290.I	7.6	1.10	29.0	0.4100	15.29	17.20	yes	stainless steel	4D
C.076.110.0305.A	7.6	1.10	30.5	0.4733	15.40	17.33	yes	music wire	4F
C.076.110.0305.I	7.6	1.10	30.5	0.4118	15.18	17.07	yes	stainless steel	4F
C.076.110.0320.A	7.6	1.10	32.0	0.5517	13.53	19.12	yes	music wire	4I
C.076.110.0320.I	7.6	1.10	32.0	0.4800	13.42	19.23	yes	stainless steel	4I
C.076.110.0351.A	7.6	1.10	35.1	0.4317	16.61	18.72	yes	music wire	4F
C.076.110.0351.I	7.6	1.10	35.1	0.3755	16.39	18.77	yes	stainless steel	4G
C.076.110.0351.N	7.6	1.10	35.1	0.4317	16.61	18.72	yes	Zn coating	4H
C.076.110.0356.A	7.6	1.10	35.6	0.4261	16.72	18.92	yes	music wire	4F
C.076.110.0356.I	7.6	1.10	35.6	0.3708	16.61	19.06	yes	stainless steel	4G
C.076.110.0381.A	7.6	1.10	38.1	0.3985	17.71	20.27	yes	music wire	4F
C.076.110.0381.I	7.6	1.10	38.1	0.3423	17.71	20.19	yes	stainless steel	4G
C.076.110.0381.N	7.6	1.10	38.1	0.3985	17.71	20.27	yes	Zn coating	4H
C.076.110.0444.A	7.6	1.10	44.4	0.3281	21.01	23.79	yes	music wire	4F
C.076.110.0444.I	7.6	1.10	44.4	0.2854	20.68	23.41	yes	stainless steel	4G
C.076.110.0444.N	7.6	1.10	44.4	0.3281	21.01	23.79	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.110.0450.A	7.6	1.10	45.0	0.2759	24.42	27.72	yes	music wire	4C
C.076.110.0450.AP	7.6	1.10	45.0	0.3698	18.92	25.78	yes	music wire	4F
C.076.110.0450.I	7.6	1.10	45.0	0.2400	24.09	27.34	yes	stainless steel	4D
C.076.110.0457.A	7.6	1.10	45.7	0.3239	21.23	24.05	yes	music wire	4F
C.076.110.0457.I	7.6	1.10	45.7	0.2818	21.01	23.94	yes	stainless steel	4G
C.076.110.0500.A	7.6	1.10	50.0	0.3300	20.90	28.46	yes	music wire	4F
C.076.110.0500.I	7.6	1.10	50.0	0.2800	21.12	28.10	yes	stainless steel	4G
C.076.110.0559.A	7.6	1.10	55.9	0.2570	25.96	29.50	yes	music wire	4F
C.076.110.0559.I	7.6	1.10	55.9	0.2236	25.74	29.24	yes	stainless steel	4G
C.076.110.0570.A	7.6	1.10	57.0	0.2184	30.14	34.31	yes	music wire	4C
C.076.110.0570.AP	7.6	1.10	57.0	0.2892	23.43	32.42	yes	music wire	4F
C.076.110.0570.I	7.6	1.10	57.0	0.1900	29.81	33.93	yes	stainless steel	4D
C.076.110.0572.A	7.6	1.10	57.2	0.2567	26.07	29.62	yes	music wire	4F
C.076.110.0572.I	7.6	1.10	57.2	0.2205	26.07	29.62	yes	stainless steel	4G
C.076.110.0572.N	7.6	1.10	57.2	0.2567	26.07	29.62	yes	Zn coating	4I
C.076.110.0640.A	7.6	1.10	64.0	0.2644	25.30	37.12	yes	music wire	4I
C.076.110.0640.I	7.6	1.10	64.0	0.2300	25.08	37.34	yes	stainless steel	4I
C.076.115.0097.A	7.6	1.15	9.7	2.1630	6.44	6.96	yes	music wire	4C
C.076.115.0097.I	7.6	1.15	9.7	1.8818	6.33	6.84	yes	stainless steel	4C
C.076.115.0097.N	7.6	1.15	9.7	2.1630	6.44	6.96	yes	Zn coating	4E
C.076.115.0112.A	7.6	1.15	11.2	1.8580	7.02	7.63	yes	music wire	4C
C.076.115.0112.I	7.6	1.15	11.2	1.6165	6.90	7.49	yes	stainless steel	4C
C.076.115.0112.N	7.6	1.15	11.2	1.8580	7.02	7.63	yes	Zn coating	4E
C.076.115.0127.A	7.6	1.15	12.7	1.6210	7.59	8.28	yes	music wire	4F
C.076.115.0127.I	7.6	1.15	12.7	1.4103	7.48	8.16	yes	stainless steel	4F
C.076.115.0127.N	7.6	1.15	12.7	1.6210	7.59	8.28	yes	Zn coating	4H
C.076.115.0142.A	7.6	1.15	14.2	1.3710	8.40	9.21	yes	music wire	4C
C.076.115.0142.I	7.6	1.15	14.2	1.1928	8.40	9.21	yes	stainless steel	4F
C.076.115.0142.N	7.6	1.15	14.2	1.3710	8.40	9.21	yes	Zn coating	4E
C.076.115.0160.A	7.6	1.15	16.0	1.1840	9.32	10.27	yes	music wire	4C
C.076.115.0160.I	7.6	1.15	16.0	1.0301	9.20	10.13	yes	stainless steel	4F
C.076.115.0160.N	7.6	1.15	16.0	1.1840	9.32	10.27	yes	Zn coating	4E
C.076.115.0175.A	7.6	1.15	17.5	1.0860	9.89	10.92	yes	music wire	4F
C.076.115.0175.I	7.6	1.15	17.5	0.9448	9.78	10.80	yes	stainless steel	4F
C.076.115.0175.N	7.6	1.15	17.5	1.0860	9.89	10.92	yes	Zn coating	4H
C.076.115.0190.A	7.6	1.15	19.0	0.9630	10.81	11.98	yes	music wire	4C
C.076.115.0190.I	7.6	1.15	19.0	0.8378	10.70	11.85	yes	stainless steel	4F
C.076.115.0190.N	7.6	1.15	19.0	0.9630	10.81	11.98	yes	Zn coating	4E
C.076.115.0206.A	7.6	1.15	20.6	0.9000	11.39	12.64	yes	music wire	4F
C.076.115.0206.I	7.6	1.15	20.6	0.7813	11.27	12.51	yes	stainless steel	4F
C.076.115.0206.N	7.6	1.15	20.6	0.9000	11.39	12.64	yes	Zn coating	4H
C.076.115.0224.A	7.6	1.15	22.4	0.8130	12.31	13.70	yes	music wire	4F
C.076.115.0224.I	7.6	1.15	22.4	0.7073	12.19	13.56	yes	stainless steel	4F
C.076.115.0224.N	7.6	1.15	22.4	0.8130	12.31	13.70	yes	Zn coating	4H
C.076.115.0240.A	7.6	1.15	24.0	0.7420	13.11	14.62	yes	music wire	4F
C.076.115.0240.I	7.6	1.15	24.0	0.6455	13.00	14.49	yes	stainless steel	4F
C.076.115.0240.N	7.6	1.15	24.0	0.7420	13.11	14.62	yes	Zn coating	4H
C.076.115.0254.A	7.6	1.15	25.4	0.7040	13.69	15.28	yes	music wire	4F
C.076.115.0254.I	7.6	1.15	25.4	0.6125	13.57	15.14	yes	stainless steel	4F
C.076.115.0254.N	7.6	1.15	25.4	0.7040	13.69	15.28	yes	Zn coating	4H
C.076.115.0285.A	7.6	1.15	28.5	0.6340	14.95	16.73	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.076.115.0285.I	7.6	1.15	28.5	0.5516	14.72	16.46	yes	stainless steel	4F
C.076.115.0285.N	7.6	1.15	28.5	0.6340	14.95	16.73	yes	Zn coating	4H
C.076.115.0320.A	7.6	1.15	32.0	0.5660	16.33	18.31	yes	music wire	4F
C.076.115.0320.I	7.6	1.15	32.0	0.4924	16.22	18.18	yes	stainless steel	4G
C.076.115.0320.N	7.6	1.15	32.0	0.5660	16.33	18.31	yes	Zn coating	4H
C.076.115.0350.A	7.6	1.15	35.0	0.5100	17.83	20.03	yes	music wire	4F
C.076.115.0350.I	7.6	1.15	35.0	0.4437	17.71	19.89	yes	stainless steel	4G
C.076.115.0350.N	7.6	1.15	35.0	0.5100	17.83	20.03	yes	Zn coating	4H
C.076.115.0380.A	7.6	1.15	38.0	0.4640	19.32	21.74	yes	music wire	4F
C.076.115.0380.I	7.6	1.15	38.0	0.4037	19.09	21.48	yes	stainless steel	4G
C.076.115.0380.N	7.6	1.15	38.0	0.4640	19.32	21.74	yes	Zn coating	4H
C.076.115.0445.A	7.6	1.15	44.5	0.3770	23.12	26.10	yes	music wire	4F
C.076.115.0445.I	7.6	1.15	44.5	0.3280	22.89	25.84	yes	stainless steel	4G
C.076.115.0445.N	7.6	1.15	44.5	0.3770	23.12	26.10	yes	Zn coating	4H
C.076.115.0510.A	7.6	1.15	51.0	0.3270	26.22	29.66	yes	music wire	4F
C.076.115.0510.I	7.6	1.15	51.0	0.2845	25.88	29.27	yes	stainless steel	4G
C.076.115.0510.N	7.6	1.15	51.0	0.3270	26.22	29.66	yes	Zn coating	4I
C.076.115.0570.A	7.6	1.15	57.0	0.2910	29.10	32.96	yes	music wire	4F
C.076.115.0570.I	7.6	1.15	57.0	0.2532	28.75	32.56	yes	stainless steel	4G
C.076.115.0570.N	7.6	1.15	57.0	0.2910	29.10	32.96	yes	Zn coating	4I
C.076.115.0635.A	7.6	1.15	63.5	0.2730	30.82	34.93	yes	music wire	4F
C.076.115.0635.I	7.6	1.15	63.5	0.2375	30.48	34.54	yes	stainless steel	4G
C.076.115.0635.N	7.6	1.15	63.5	0.2730	30.82	34.93	yes	Zn coating	4I
C.076.120.0097.A	7.6	1.20	9.7	2.7840	6.48	6.98	yes	music wire	4C
C.076.120.0097.I	7.6	1.20	9.7	2.1000	6.96	7.53	yes	stainless steel	4C
C.076.120.0097.N	7.6	1.20	9.7	2.7840	6.48	6.98	yes	Zn coating	4E
C.076.120.0112.A	7.6	1.20	11.2	2.3000	7.20	7.80	yes	music wire	4F
C.076.120.0112.I	7.6	1.20	11.2	1.7627	7.68	8.35	yes	stainless steel	4C
C.076.120.0112.N	7.6	1.20	11.2	2.3000	7.20	7.80	yes	Zn coating	4H
C.076.120.0127.A	7.6	1.20	12.7	1.9610	7.92	8.62	yes	music wire	4F
C.076.120.0127.I	7.6	1.20	12.7	1.5173	8.52	9.31	yes	stainless steel	4D
C.076.120.0127.N	7.6	1.20	12.7	1.9610	7.92	8.62	yes	Zn coating	4H
C.076.120.0142.A	7.6	1.20	14.2	1.7090	8.64	9.44	yes	music wire	4F
C.076.120.0142.I	7.6	1.20	14.2	1.3319	9.24	10.13	yes	stainless steel	4D
C.076.120.0142.N	7.6	1.20	14.2	1.7090	8.64	9.44	yes	Zn coating	4H
C.076.120.0157.A	7.6	1.20	15.7	1.3642	10.08	11.09	yes	music wire	4C
C.076.120.0157.I	7.6	1.20	15.7	1.1869	9.96	10.95	yes	stainless steel	4D
C.076.120.0160.A	7.6	1.20	16.0	1.5150	9.36	10.27	yes	music wire	4F
C.076.120.0160.I	7.6	1.20	16.0	1.3181	9.36	10.27	yes	stainless steel	4F
C.076.120.0160.N	7.6	1.20	16.0	1.5150	9.36	10.27	yes	Zn coating	4H
C.076.120.0175.A	7.6	1.20	17.5	1.3360	10.20	11.23	yes	music wire	4F
C.076.120.0175.I	7.6	1.20	17.5	1.0364	11.04	12.19	yes	stainless steel	4D
C.076.120.0175.N	7.6	1.20	17.5	1.3360	10.20	11.23	yes	Zn coating	4H
C.076.120.0190.A	7.6	1.20	19.0	1.2130	10.92	12.05	yes	music wire	4F
C.076.120.0190.I	7.6	1.20	19.0	0.9746	11.52	12.74	yes	stainless steel	4D
C.076.120.0190.N	7.6	1.20	19.0	1.2130	10.92	12.05	yes	Zn coating	4H
C.076.120.0206.A	7.6	1.20	20.6	1.1120	11.64	12.87	yes	music wire	4F
C.076.120.0206.I	7.6	1.20	20.6	0.8946	12.24	13.56	yes	stainless steel	4D
C.076.120.0206.N	7.6	1.20	20.6	1.1120	11.64	12.87	yes	Zn coating	4H
C.076.120.0224.A	7.6	1.20	22.4	1.0140	12.48	13.83	yes	music wire	4F
C.076.120.0224.I	7.6	1.20	22.4	0.8268	13.08	14.52	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.120.0224.N	7.6	1.20	22.4	1.0140	12.48	13.83	yes	Zn coating	4H
C.076.120.0239.A	7.6	1.20	23.9	0.8947	13.80	15.34	yes	music wire	4F
C.076.120.0239.I	7.6	1.20	23.9	0.7685	13.80	15.34	yes	stainless steel	4D
C.076.120.0239.N	7.6	1.20	23.9	0.8947	13.80	15.34	yes	Zn coating	4H
C.076.120.0279.A	7.6	1.20	27.9	0.7435	15.96	17.81	yes	music wire	4C
C.076.120.0279.I	7.6	1.20	27.9	0.6469	15.84	17.67	yes	stainless steel	4G
C.076.120.0284.A	7.6	1.20	28.4	0.7531	15.84	17.67	yes	music wire	4F
C.076.120.0284.I	7.6	1.20	28.4	0.6552	15.72	17.53	yes	stainless steel	4G
C.076.120.0284.N	7.6	1.20	28.4	0.7531	15.84	17.67	yes	Zn coating	4H
C.076.120.0290.A	7.6	1.20	29.0	0.7586	15.72	17.53	yes	music wire	4F
C.076.120.0290.I	7.6	1.20	29.0	0.6600	15.60	17.40	yes	stainless steel	4G
C.076.120.0305.A	7.6	1.20	30.5	0.6646	17.52	19.59	yes	music wire	4C
C.076.120.0305.I	7.6	1.20	30.5	0.5782	17.40	19.45	yes	stainless steel	4D
C.076.120.0318.A	7.6	1.20	31.8	0.6732	17.40	19.45	yes	music wire	4F
C.076.120.0318.I	7.6	1.20	31.8	0.5857	17.16	19.18	yes	stainless steel	4G
C.076.120.0318.N	7.6	1.20	31.8	0.6732	17.40	19.45	yes	Zn coating	4H
C.076.120.0351.A	7.6	1.20	35.1	0.6087	18.84	21.10	yes	music wire	4F
C.076.120.0351.I	7.6	1.20	35.1	0.5295	18.72	20.96	yes	stainless steel	4G
C.076.120.0351.N	7.6	1.20	35.1	0.6087	18.84	21.10	yes	Zn coating	4H
C.076.120.0356.A	7.6	1.20	35.6	0.6000	19.08	21.37	yes	music wire	4F
C.076.120.0356.I	7.6	1.20	35.6	0.5228	18.84	21.10	yes	stainless steel	4G
C.076.120.0381.A	7.6	1.20	38.1	0.5564	20.40	22.88	yes	music wire	4F
C.076.120.0381.I	7.6	1.20	38.1	0.4841	20.16	22.61	yes	stainless steel	4G
C.076.120.0444.A	7.6	1.20	44.4	0.4847	22.92	25.79	yes	music wire	4F
C.076.120.0444.I	7.6	1.20	44.4	0.4217	22.68	25.90	yes	stainless steel	4G
C.076.120.0444.N	7.6	1.20	44.4	0.4847	22.92	25.79	yes	Zn coating	4I
C.076.120.0457.A	7.6	1.20	45.7	0.4785	23.16	26.85	yes	music wire	4F
C.076.120.0457.I	7.6	1.20	45.7	0.4163	22.92	26.96	yes	stainless steel	4G
C.076.120.0508.A	7.6	1.20	50.8	0.4251	25.80	29.59	yes	music wire	4F
C.076.120.0508.I	7.6	1.20	50.8	0.3652	25.80	29.44	yes	stainless steel	4G
C.076.120.0508.N	7.6	1.20	50.8	0.4251	25.80	29.59	yes	Zn coating	4I
C.076.120.0559.A	7.6	1.20	55.9	0.3701	29.16	32.89	yes	music wire	4G
C.076.120.0559.I	7.6	1.20	55.9	0.3220	28.80	32.48	yes	stainless steel	4G
C.076.120.0572.A	7.6	1.20	57.2	0.3749	28.80	33.14	yes	music wire	4G
C.076.120.0572.I	7.6	1.20	57.2	0.3262	28.44	33.29	yes	stainless steel	4G
C.076.120.0572.N	7.6	1.20	57.2	0.3749	28.80	33.14	yes	Zn coating	4I
C.076.120.0635.A	7.6	1.20	63.5	0.3310	32.16	36.32	yes	music wire	4G
C.076.120.0635.I	7.6	1.20	63.5	0.2905	31.56	36.66	yes	stainless steel	4G
C.076.120.0635.N	7.6	1.20	63.5	0.3310	32.16	36.32	yes	Zn coating	4I
C.076.120.0698.A	7.6	1.20	69.8	0.3081	34.44	40.53	yes	music wire	4G
C.076.120.0698.I	7.6	1.20	69.8	0.2647	34.44	40.33	yes	stainless steel	4G
C.076.120.0698.N	7.6	1.20	69.8	0.3081	34.44	40.53	yes	Zn coating	4I
C.076.120.0762.A	7.6	1.20	76.2	0.2830	37.20	44.33	yes	music wire	4G
C.076.120.0762.I	7.6	1.20	76.2	0.2430	37.20	44.11	yes	stainless steel	4G
C.076.120.0762.N	7.6	1.20	76.2	0.2830	37.20	44.33	yes	Zn coating	4I
C.076.125.0120.A	7.6	1.25	12.0	2.8420	7.38	8.45	yes	music wire	4F
C.076.125.0120.I	7.6	1.25	12.0	2.4410	7.38	8.43	yes	stainless steel	4F
C.076.125.0120.N	7.6	1.25	12.0	2.8420	7.38	8.45	yes	Zn coating	4H
C.076.125.0142.A	7.6	1.25	14.2	2.0260	9.13	9.96	yes	music wire	4F
C.076.125.0142.I	7.6	1.25	14.2	1.5697	9.75	10.67	yes	stainless steel	4D
C.076.125.0142.N	7.6	1.25	14.2	2.0260	9.13	9.96	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.125.0170.A	7.6	1.25	17.0	1.8085	9.88	11.43	yes	music wire	4F
C.076.125.0170.I	7.6	1.25	17.0	1.5533	9.88	11.38	yes	stainless steel	4F
C.076.125.0170.N	7.6	1.25	17.0	1.8085	9.88	11.43	yes	Zn coating	4H
C.076.125.0175.A	7.6	1.25	17.5	1.4233	11.63	12.81	yes	music wire	4C
C.076.125.0175.I	7.6	1.25	17.5	1.2383	11.50	12.66	yes	stainless steel	4D
C.076.125.0190.A	7.6	1.25	19.0	1.4360	11.63	12.81	yes	music wire	4F
C.076.125.0190.I	7.6	1.25	19.0	1.1356	12.25	13.52	yes	stainless steel	4D
C.076.125.0190.N	7.6	1.25	19.0	1.4360	11.63	12.81	yes	Zn coating	4H
C.076.125.0224.A	7.6	1.25	22.4	1.2000	13.25	14.65	yes	music wire	4F
C.076.125.0224.I	7.6	1.25	22.4	0.9739	13.88	15.37	yes	stainless steel	4D
C.076.125.0224.N	7.6	1.25	22.4	1.2000	13.25	14.65	yes	Zn coating	4H
C.076.125.0239.A	7.6	1.25	23.9	1.0586	14.63	16.23	yes	music wire	4C
C.076.125.0239.I	7.6	1.25	23.9	0.9092	14.63	16.23	yes	stainless steel	4D
C.076.125.0239.N	7.6	1.25	23.9	1.0586	14.63	16.23	yes	Zn coating	4E
C.076.125.0250.A	7.6	1.25	25.0	1.1702	13.50	16.39	yes	music wire	4F
C.076.125.0250.I	7.6	1.25	25.0	1.0180	13.38	16.43	yes	stainless steel	4G
C.076.125.0250.N	7.6	1.25	25.0	1.1702	13.50	16.39	yes	Zn coating	4H
C.076.125.0279.A	7.6	1.25	27.9	0.8714	17.00	18.92	yes	music wire	4C
C.076.125.0279.I	7.6	1.25	27.9	0.7581	16.88	18.79	yes	stainless steel	4D
C.076.125.0284.A	7.6	1.25	28.4	0.8827	16.88	18.79	yes	music wire	4F
C.076.125.0284.I	7.6	1.25	28.4	0.7679	16.75	18.64	yes	stainless steel	4G
C.076.125.0284.N	7.6	1.25	28.4	0.8827	16.88	18.79	yes	Zn coating	4H
C.076.125.0355.A	7.6	1.25	35.5	0.7957	18.38	22.83	yes	music wire	4F
C.076.125.0355.AP	7.6	1.25	35.5	0.7916	18.50	22.77	yes	music wire	4F
C.076.125.0355.I	7.6	1.25	35.5	0.6834	18.38	22.73	yes	stainless steel	4G
C.076.125.0355.IF	7.6	1.25	35.5	0.4618	25.75	28.89	yes	stainless steel	4D
C.076.125.0355.N	7.6	1.25	35.5	0.7957	18.38	22.83	yes	Zn coating	4I
C.076.125.0381.A	7.6	1.25	38.1	0.6625	21.50	24.05	yes	music wire	4F
C.076.125.0381.I	7.6	1.25	38.1	0.5690	21.50	24.05	yes	stainless steel	4G
C.076.125.0381.N	7.6	1.25	38.1	0.6625	21.50	24.05	yes	Zn coating	4I
C.076.125.0444.A	7.6	1.25	44.4	0.5680	24.50	27.46	yes	music wire	4F
C.076.125.0444.I	7.6	1.25	44.4	0.4942	24.25	27.18	yes	stainless steel	4G
C.076.125.0444.N	7.6	1.25	44.4	0.5680	24.50	27.46	yes	Zn coating	4I
C.076.125.0457.A	7.6	1.25	45.7	0.5608	24.75	27.75	yes	music wire	4F
C.076.125.0457.I	7.6	1.25	45.7	0.4879	24.50	27.82	yes	stainless steel	4G
C.076.125.0515.A	7.6	1.25	51.5	0.5377	25.75	32.76	yes	music wire	4F
C.076.125.0515.I	7.6	1.25	51.5	0.4618	25.75	32.61	yes	stainless steel	4G
C.076.125.0515.IF	7.6	1.25	51.5	0.3797	30.63	34.44	yes	stainless steel	4D
C.076.125.0515.N	7.6	1.25	51.5	0.5377	25.75	32.76	yes	Zn coating	4I
C.076.125.0572.A	7.6	1.25	57.2	0.4420	30.63	34.44	yes	music wire	4G
C.076.125.0572.I	7.6	1.25	57.2	0.3796	30.63	34.44	yes	stainless steel	4G
C.076.125.0572.N	7.6	1.25	57.2	0.4420	30.63	34.44	yes	Zn coating	4I
C.076.125.0698.A	7.6	1.25	69.8	0.3617	36.75	41.94	yes	music wire	4G
C.076.125.0698.I	7.6	1.25	69.8	0.3107	36.75	41.71	yes	stainless steel	4G
C.076.125.0698.N	7.6	1.25	69.8	0.3617	36.75	41.94	yes	Zn coating	4I
C.076.125.0762.A	7.6	1.25	76.2	0.3316	39.75	45.81	yes	music wire	4G
C.076.125.0762.I	7.6	1.25	76.2	0.2848	39.75	45.56	yes	stainless steel	4G
C.076.125.0762.N	7.6	1.25	76.2	0.3316	39.75	45.81	yes	Zn coating	4I
C.076.130.0097.A	7.6	1.30	9.7	3.9680	7.02	7.53	yes	music wire	4C
C.076.130.0097.I	7.6	1.30	9.7	3.0514	7.54	8.12	yes	stainless steel	4D
C.076.130.0097.N	7.6	1.30	9.7	3.9680	7.02	7.53	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.076.130.0112.A	7.6	1.30	11.2	3.2640	7.93	8.56	yes	music wire	4C
C.076.130.0112.AP	7.6	1.30	11.2	3.4319	7.67	8.27	yes	music wire	4F
C.076.130.0112.I	7.6	1.30	11.2	2.4636	8.58	9.30	yes	stainless steel	4D
C.076.130.0112.N	7.6	1.30	11.2	3.2640	7.93	8.56	yes	Zn coating	4E
C.076.130.0127.A	7.6	1.30	12.7	2.7720	8.71	9.45	yes	music wire	4C
C.076.130.0127.I	7.6	1.30	12.7	2.1526	9.23	10.04	yes	stainless steel	4D
C.076.130.0127.N	7.6	1.30	12.7	2.7720	8.71	9.45	yes	Zn coating	4E
C.076.130.0142.A	7.6	1.30	14.2	2.4080	9.49	10.33	yes	music wire	4F
C.076.130.0142.AP	7.6	1.30	14.2	2.5930	9.10	9.89	yes	music wire	4F
C.076.130.0142.I	7.6	1.30	14.2	1.8424	10.27	11.22	yes	stainless steel	4D
C.076.130.0142.N	7.6	1.30	14.2	2.4080	9.49	10.33	yes	Zn coating	4H
C.076.130.0157.A	7.6	1.30	15.7	1.9359	11.05	12.10	yes	music wire	4C
C.076.130.0157.I	7.6	1.30	15.7	1.6628	11.05	12.10	yes	stainless steel	4D
C.076.130.0157.N	7.6	1.30	15.7	1.9359	11.05	12.10	yes	Zn coating	4E
C.076.130.0175.A	7.6	1.30	17.5	1.8750	11.31	12.40	yes	music wire	4F
C.076.130.0175.I	7.6	1.30	17.5	1.4714	12.09	13.29	yes	stainless steel	4D
C.076.130.0175.N	7.6	1.30	17.5	1.8750	11.31	12.40	yes	Zn coating	4H
C.076.130.0190.A	7.6	1.30	19.0	1.7000	12.09	13.29	yes	music wire	4F
C.076.130.0190.I	7.6	1.30	19.0	1.3546	12.87	14.17	yes	stainless steel	4D
C.076.130.0190.N	7.6	1.30	19.0	1.7000	12.09	13.29	yes	Zn coating	4H
C.076.130.0206.A	7.6	1.30	20.6	1.5580	13.00	14.32	yes	music wire	4F
C.076.130.0206.I	7.6	1.30	20.6	1.2549	13.65	15.06	yes	stainless steel	4D
C.076.130.0206.N	7.6	1.30	20.6	1.5580	13.00	14.32	yes	Zn coating	4H
C.076.130.0220.A	7.6	1.30	22.0	1.4220	13.91	15.35	yes	music wire	4F
C.076.130.0220.I	7.6	1.30	22.0	1.2000	14.04	15.50	yes	stainless steel	4D
C.076.130.0239.A	7.6	1.30	23.9	1.2500	15.34	16.97	yes	music wire	4C
C.076.130.0239.I	7.6	1.30	23.9	1.0710	15.34	16.97	yes	stainless steel	4D
C.076.130.0239.N	7.6	1.30	23.9	1.2500	15.34	16.97	yes	Zn coating	4E
C.076.130.0254.A	7.6	1.30	25.4	1.2280	15.60	17.27	yes	music wire	4F
C.076.130.0254.I	7.6	1.30	25.4	1.0077	16.12	17.86	yes	stainless steel	4D
C.076.130.0254.N	7.6	1.30	25.4	1.2280	15.60	17.27	yes	Zn coating	4H
C.076.130.0279.A	7.6	1.30	27.9	1.0358	17.81	19.78	yes	music wire	4C
C.076.130.0279.I	7.6	1.30	27.9	0.9000	17.68	19.63	yes	stainless steel	4D
C.076.130.0284.A	7.6	1.30	28.4	1.0492	17.68	19.63	yes	music wire	4F
C.076.130.0284.I	7.6	1.30	28.4	0.9128	17.42	19.34	yes	stainless steel	4G
C.076.130.0284.N	7.6	1.30	28.4	1.0492	17.68	19.63	yes	Zn coating	4H
C.076.130.0290.A	7.6	1.30	29.0	1.0575	17.55	19.48	yes	music wire	4F
C.076.130.0290.I	7.6	1.30	29.0	0.9200	17.42	19.34	yes	stainless steel	4G
C.076.130.0305.A	7.6	1.30	30.5	0.9221	19.63	21.84	yes	music wire	4C
C.076.130.0305.I	7.6	1.30	30.5	0.8000	19.50	21.70	yes	stainless steel	4D
C.076.130.0318.A	7.6	1.30	31.8	0.9340	19.50	21.70	yes	music wire	4F
C.076.130.0318.I	7.6	1.30	31.8	0.8126	19.24	21.40	yes	stainless steel	4G
C.076.130.0318.N	7.6	1.30	31.8	0.9340	19.50	21.70	yes	Zn coating	4I
C.076.130.0320.A	7.6	1.30	32.0	0.9425	19.24	21.40	yes	music wire	4F
C.076.130.0320.I	7.6	1.30	32.0	0.8200	19.11	21.25	yes	stainless steel	4G
C.076.130.0351.A	7.6	1.30	35.1	0.8416	21.19	23.62	yes	music wire	4F
C.076.130.0351.I	7.6	1.30	35.1	0.7322	20.93	23.32	yes	stainless steel	4G
C.076.130.0351.N	7.6	1.30	35.1	0.8416	21.19	23.62	yes	Zn coating	4I
C.076.130.0356.A	7.6	1.30	35.6	0.8309	21.45	23.91	yes	music wire	4F
C.076.130.0356.I	7.6	1.30	35.6	0.7229	21.19	23.62	yes	stainless steel	4G
C.076.130.0381.A	7.6	1.30	38.1	0.7659	23.01	25.68	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.076.130.0381.I	7.6	1.30	38.1	0.6664	22.75	25.39	yes	stainless steel	4G
C.076.130.0444.A	7.6	1.30	44.4	0.6710	25.74	28.78	yes	music wire	4F
C.076.130.0444.I	7.6	1.30	44.4	0.5837	25.48	28.49	yes	stainless steel	4G
C.076.130.0444.N	7.6	1.30	44.4	0.6710	25.74	28.78	yes	Zn coating	4I
C.076.130.0457.A	7.6	1.30	45.7	0.6624	26.13	29.22	yes	music wire	4F
C.076.130.0457.I	7.6	1.30	45.7	0.5763	25.74	28.84	yes	stainless steel	4G
C.076.130.0508.A	7.6	1.30	50.8	0.5852	29.12	32.62	yes	music wire	4G
C.076.130.0508.I	7.6	1.30	50.8	0.5027	29.12	32.62	yes	stainless steel	4G
C.076.130.0508.N	7.6	1.30	50.8	0.5852	29.12	32.62	yes	Zn coating	4I
C.076.130.0572.A	7.6	1.30	57.2	0.5190	32.37	36.31	yes	music wire	4G
C.076.130.0572.I	7.6	1.30	57.2	0.4457	32.37	36.31	yes	stainless steel	4G
C.076.130.0572.N	7.6	1.30	57.2	0.5190	32.37	36.31	yes	Zn coating	4I
C.076.130.0635.A	7.6	1.30	63.5	0.4610	36.01	40.44	yes	music wire	4G
C.076.130.0635.I	7.6	1.30	63.5	0.4000	35.75	40.14	yes	stainless steel	4G
C.076.130.0635.N	7.6	1.30	63.5	0.4610	36.01	40.44	yes	Zn coating	4I
C.076.130.0698.A	7.6	1.30	69.8	0.4261	38.74	43.54	yes	music wire	4G
C.076.130.0698.I	7.6	1.30	69.8	0.3660	38.74	43.54	yes	stainless steel	4G
C.076.130.0698.N	7.6	1.30	69.8	0.4261	38.74	43.54	yes	Zn coating	4I
C.076.130.0762.A	7.6	1.30	76.2	0.3899	41.99	47.45	yes	music wire	4G
C.076.130.0762.I	7.6	1.30	76.2	0.3349	41.99	47.23	yes	stainless steel	4G
C.076.130.0762.N	7.6	1.30	76.2	0.3899	41.99	47.45	yes	Zn coating	4I
C.076.140.0100.A	7.6	1.40	10.0	4.2778	8.96	9.66	yes	music wire	4D
C.076.140.0125.A	7.6	1.40	12.5	3.1818	10.92	11.88	yes	music wire	4D
C.076.140.0160.A	7.6	1.40	16.0	2.5000	12.88	14.09	yes	music wire	4D
C.076.140.0200.A	7.6	1.40	20.0	1.9444	15.68	17.25	yes	music wire	4D
C.076.140.0250.A	7.6	1.40	25.0	1.5556	18.62	20.57	yes	music wire	4D
C.076.140.0320.A	7.6	1.40	32.0	1.2500	22.40	24.84	yes	music wire	4D
C.076.140.0400.A	7.6	1.40	40.0	1.0000	27.02	30.05	yes	music wire	4D
C.076.140.0500.A	7.6	1.40	50.0	0.7778	33.74	37.64	yes	music wire	4D
C.076.140.0550.A	7.6	1.40	55.0	0.6860	36.96	41.29	yes	music wire	4E
C.076.140.0550.I	7.6	1.40	55.0	0.5968	36.54	40.82	yes	stainless steel	4F
C.076.140.0550.N	7.6	1.40	55.0	0.6860	36.96	41.29	yes	Zn coating	4G
C.076.140.0630.A	7.6	1.40	63.0	0.6250	41.16	46.02	yes	music wire	4D
C.076.140.0800.A	7.6	1.40	80.0	0.5000	50.54	56.61	yes	music wire	4E
C.076.140.1000.A	7.6	1.40	100.0	0.4000	61.04	68.49	yes	music wire	4I
C.076.140.1000.I	7.6	1.40	100.0	0.3480	60.20	67.54	yes	stainless steel	4I
C.076.140.1000.N	7.6	1.40	100.0	0.4000	61.04	68.49	yes	Zn coating	4J
C.077.090.0100.A	7.7	0.90	10.0	0.6252	5.31	5.88	yes	music wire	4C
C.077.090.0100.I	7.7	0.90	10.0	0.5370	5.31	5.88	yes	stainless steel	4C
C.077.090.0190.A	7.7	0.90	19.0	0.3446	7.83	8.87	yes	music wire	4C
C.077.090.0190.I	7.7	0.90	19.0	0.3000	7.74	8.76	yes	stainless steel	4C
C.077.090.0290.A	7.7	0.90	29.0	0.2324	10.44	11.96	yes	music wire	4F
C.077.090.0290.I	7.7	0.90	29.0	0.2022	10.35	11.89	yes	stainless steel	4F
C.077.090.0350.A	7.7	0.90	35.0	0.1793	12.96	14.95	yes	music wire	4C
C.077.090.0350.I	7.7	0.90	35.0	0.1560	12.78	14.73	yes	stainless steel	4F
C.077.090.0450.A	7.7	0.90	45.0	0.1399	15.93	18.47	yes	music wire	4F
C.077.090.0450.I	7.7	0.90	45.0	0.1217	15.75	18.26	yes	stainless steel	4F
C.077.090.0600.A	7.7	0.90	60.0	0.0882	23.94	27.97	yes	music wire	4C
C.077.090.0600.I	7.7	0.90	60.0	0.0758	23.94	27.97	yes	stainless steel	4D
C.077.090.1050.A	7.7	0.90	105.0	0.0497	40.77	47.92	yes	music wire	4D
C.077.090.1050.I	7.7	0.90	105.0	0.0427	40.77	47.92	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.077.100.0200.A	7.7	1.00	20.0	0.4234	10.50	11.84	yes	music wire	4C
C.077.100.0200.I	7.7	1.00	20.0	0.3637	10.50	11.84	yes	stainless steel	4C
C.077.100.0400.A	7.7	1.00	40.0	0.1850	20.80	23.86	yes	music wire	4C
C.077.100.0400.I	7.7	1.00	40.0	0.1610	20.60	23.63	yes	stainless steel	4D
C.077.100.0400.N	7.7	1.00	40.0	0.1850	20.80	23.86	yes	Zn coating	4E
C.077.110.0200.A	7.7	1.10	20.0	0.6327	11.77	13.16	yes	music wire	4C
C.077.110.0200.I	7.7	1.10	20.0	0.5434	11.77	13.16	yes	stainless steel	4D
C.077.110.0350.A	7.7	1.10	35.0	0.3681	18.26	20.65	yes	music wire	4C
C.077.110.0350.AP	7.7	1.10	35.0	0.4721	14.85	20.12	yes	music wire	4F
C.077.110.0350.I	7.7	1.10	35.0	0.3202	18.04	20.39	yes	stainless steel	4D
C.077.110.0380.A	7.7	1.10	38.0	0.3352	19.80	22.43	yes	music wire	4C
C.077.110.0380.AP	7.7	1.10	38.0	0.4327	15.95	21.77	yes	music wire	4F
C.077.110.0380.I	7.7	1.10	38.0	0.2916	19.58	22.17	yes	stainless steel	4D
C.078.065.0100.A	7.8	0.65	10.0	0.1777	3.45	3.96	yes	music wire	4C
C.078.065.0100.I	7.8	0.65	10.0	0.1526	3.45	3.96	yes	stainless steel	4C
C.078.065.0125.A	7.8	0.65	12.5	0.1260	4.16	4.87	yes	music wire	4C
C.078.065.0160.A	7.8	0.65	16.0	0.1000	4.88	5.79	yes	music wire	4C
C.078.065.0200.A	7.8	0.65	20.0	0.0843	5.46	6.54	yes	music wire	4C
C.078.065.0200.AP	7.8	0.65	20.0	0.0788	5.72	6.87	yes	music wire	4C
C.078.065.0200.I	7.8	0.65	20.0	0.0724	5.46	6.54	yes	stainless steel	4C
C.078.065.0250.A	7.8	0.65	25.0	0.0640	6.70	8.13	yes	music wire	4C
C.078.065.0250.AP	7.8	0.65	25.0	0.1078	4.62	10.14	yes	music wire	4E
C.078.065.0250.I	7.8	0.65	25.0	0.0557	6.63	8.04	yes	stainless steel	4C
C.078.065.0250.N	7.8	0.65	25.0	0.0640	6.70	8.13	yes	Zn coating	4E
C.078.065.0300.A	7.8	0.65	30.0	0.0553	7.48	9.13	yes	music wire	4C
C.078.065.0300.I	7.8	0.65	30.0	0.0475	7.48	9.13	yes	stainless steel	4C
C.078.065.0320.A	7.8	0.65	32.0	0.0500	8.13	9.96	yes	music wire	4C
C.078.065.0320.AP	7.8	0.65	32.0	0.0827	5.53	12.62	yes	music wire	4E
C.078.065.0320.I	7.8	0.65	32.0	0.0435	8.00	9.79	yes	stainless steel	4C
C.078.065.0320.N	7.8	0.65	32.0	0.0500	8.13	9.96	yes	Zn coating	4E
C.078.065.0400.A	7.8	0.65	40.0	0.0400	9.69	11.96	yes	music wire	4C
C.078.065.0400.AP	7.8	0.65	40.0	0.0661	6.50	15.77	yes	music wire	4E
C.078.065.0400.I	7.8	0.65	40.0	0.0348	9.62	11.87	yes	stainless steel	4C
C.078.065.0400.N	7.8	0.65	40.0	0.0400	9.69	11.96	yes	Zn coating	4E
C.078.065.0500.A	7.8	0.65	50.0	0.0320	11.70	14.54	yes	music wire	4C
C.078.065.0500.AP	7.8	0.65	50.0	0.0522	7.80	19.31	yes	music wire	4F
C.078.065.0500.I	7.8	0.65	50.0	0.0278	11.57	14.37	yes	stainless steel	4C
C.078.065.0500.N	7.8	0.65	50.0	0.0320	11.70	14.54	yes	Zn coating	4E
C.078.065.0630.A	7.8	0.65	63.0	0.0250	14.56	18.20	yes	music wire	4C
C.078.065.0630.AP	7.8	0.65	63.0	0.0413	9.43	24.23	yes	music wire	4F
C.078.065.0630.I	7.8	0.65	63.0	0.0218	14.37	17.96	yes	stainless steel	4D
C.078.065.0630.N	7.8	0.65	63.0	0.0250	14.56	18.20	yes	Zn coating	4E
C.078.065.0800.A	7.8	0.65	80.0	0.0200	17.81	22.37	yes	music wire	4C
C.078.065.0800.AP	7.8	0.65	80.0	0.0324	11.57	30.57	yes	music wire	4F
C.078.065.0800.I	7.8	0.65	80.0	0.0174	17.62	22.12	yes	stainless steel	4D
C.078.065.0800.N	7.8	0.65	80.0	0.0200	17.81	22.37	yes	Zn coating	4E
C.078.065.1000.A	7.8	0.65	100.0	0.0160	21.84	27.53	yes	music wire	4D
C.078.065.1000.AP	7.8	0.65	100.0	0.0260	14.11	38.30	yes	music wire	4G
C.078.065.1000.I	7.8	0.65	100.0	0.0139	21.58	27.20	yes	stainless steel	4D
C.078.065.1000.N	7.8	0.65	100.0	0.0160	21.84	27.53	yes	Zn coating	4E
C.078.065.1700.A	7.8	0.65	170.0	0.0095	35.75	45.36	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.078.065.1700.I	7.8	0.65	170.0	0.0081	35.75	45.36	yes	stainless steel	4E
C.078.070.0100.A	7.8	0.70	10.0	0.2357	3.78	4.30	yes	music wire	4C
C.078.070.0100.I	7.8	0.70	10.0	0.2024	3.78	4.30	yes	stainless steel	4C
C.078.070.0170.A	7.8	0.70	17.0	0.1051	6.30	7.46	yes	music wire	4C
C.078.070.0170.AP	7.8	0.70	17.0	0.2065	4.06	7.45	yes	music wire	4E
C.078.070.0170.I	7.8	0.70	17.0	0.0903	6.30	7.46	yes	stainless steel	4C
C.078.070.0170.N	7.8	0.70	17.0	0.1051	6.30	7.46	yes	Zn coating	4E
C.078.070.0247.A	7.8	0.70	24.7	0.0719	8.40	10.09	yes	music wire	4C
C.078.070.0247.AP	7.8	0.70	24.7	0.1363	5.25	10.22	yes	music wire	4E
C.078.070.0247.I	7.8	0.70	24.7	0.0618	8.40	10.09	yes	stainless steel	4C
C.078.070.0247.N	7.8	0.70	24.7	0.0719	8.40	10.09	yes	Zn coating	4E
C.078.070.0325.A	7.8	0.70	32.5	0.0547	10.50	12.73	yes	music wire	4C
C.078.070.0325.AP	7.8	0.70	32.5	0.1033	6.37	13.39	yes	music wire	4E
C.078.070.0325.I	7.8	0.70	32.5	0.0470	10.50	12.73	yes	stainless steel	4C
C.078.070.0325.N	7.8	0.70	32.5	0.0547	10.50	12.73	yes	Zn coating	4E
C.078.070.0800.A	7.8	0.70	80.0	0.0261	20.09	24.75	yes	music wire	4C
C.078.070.0800.I	7.8	0.70	80.0	0.0224	20.09	24.75	yes	stainless steel	4D
C.078.090.0140.A	7.8	0.90	14.0	0.4440	6.39	7.17	yes	music wire	4C
C.078.090.0140.AP	7.8	0.90	14.0	0.5979	5.31	7.34	yes	music wire	4E
C.078.090.0140.I	7.8	0.90	14.0	0.3863	6.30	7.06	yes	stainless steel	4C
C.078.090.0140.N	7.8	0.90	14.0	0.4440	6.39	7.17	yes	Zn coating	4E
C.078.090.0600.A	7.8	0.90	60.0	0.0859	23.58	27.59	yes	music wire	4C
C.078.090.0600.I	7.8	0.90	60.0	0.0737	23.58	27.59	yes	stainless steel	4D
C.079.040.0100.A	7.9	0.40	10.0	0.0364	1.68	2.11	yes	music wire	4B
C.079.040.0100.I	7.9	0.40	10.0	0.0312	1.68	2.11	yes	stainless steel	4C
C.079.040.0127.A	7.9	0.40	12.7	0.0090	3.76	5.49	yes	music wire	4B
C.079.040.0127.I	7.9	0.40	12.7	0.0078	3.72	5.43	yes	stainless steel	4C
C.079.040.0143.A	7.9	0.40	14.3	0.0092	3.68	5.36	yes	music wire	4B
C.079.040.0143.I	7.9	0.40	14.3	0.0080	3.64	5.30	yes	stainless steel	4C
C.079.040.0191.A	7.9	0.40	19.1	0.0046	6.36	9.72	yes	music wire	4B
C.079.040.0191.I	7.9	0.40	19.1	0.0040	6.32	9.66	yes	stainless steel	4C
C.079.040.0240.A	7.9	0.40	24.0	0.0138	2.80	3.93	yes	music wire	4B
C.079.040.0240.I	7.9	0.40	24.0	0.0120	2.76	3.86	yes	stainless steel	4C
C.079.040.0250.A	7.9	0.40	25.0	0.0060	5.12	7.70	yes	music wire	4B
C.079.040.0250.I	7.9	0.40	25.0	0.0052	5.08	7.64	yes	stainless steel	4C
C.079.040.0270.A	7.9	0.40	27.0	0.0060	5.12	7.70	yes	music wire	4B
C.079.040.0270.I	7.9	0.40	27.0	0.0052	5.08	7.64	yes	stainless steel	4C
C.079.040.0400.A	7.9	0.40	40.0	0.0087	3.84	5.62	yes	music wire	4B
C.079.040.0400.I	7.9	0.40	40.0	0.0075	3.84	5.62	yes	stainless steel	4C
C.079.050.0095.A	7.9	0.50	9.5	0.0270	4.15	5.39	yes	music wire	4B
C.079.050.0095.I	7.9	0.50	9.5	0.0370	3.05	3.82	yes	stainless steel	4C
C.079.050.0100.A	7.9	0.50	10.0	0.0748	2.30	2.75	yes	music wire	4B
C.079.050.0100.I	7.9	0.50	10.0	0.0643	2.30	2.75	yes	stainless steel	4C
C.079.050.0119.A	7.9	0.50	11.9	0.0414	3.15	3.96	yes	music wire	4B
C.079.050.0119.I	7.9	0.50	11.9	0.0360	3.10	3.89	yes	stainless steel	4C
C.079.050.0127.A	7.9	0.50	12.7	0.0276	4.10	5.32	yes	music wire	4B
C.079.050.0127.I	7.9	0.50	12.7	0.0240	4.05	5.25	yes	stainless steel	4C
C.079.050.0143.A	7.9	0.50	14.3	0.0149	6.50	8.75	yes	music wire	4B
C.079.050.0143.I	7.9	0.50	14.3	0.0130	6.45	8.68	yes	stainless steel	4C
C.079.050.0191.A	7.9	0.50	19.1	0.0080	11.05	15.25	yes	music wire	4B
C.079.050.0191.I	7.9	0.50	19.1	0.0070	10.95	15.11	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.079.050.0198.A	7.9	0.50	19.8	0.0161	6.15	8.25	yes	music wire	4B
C.079.050.0198.I	7.9	0.50	19.8	0.0140	6.05	8.11	yes	stainless steel	4C
C.079.050.0220.A	7.9	0.50	22.0	0.0340	3.55	4.54	yes	music wire	4B
C.079.050.0220.I	7.9	0.50	22.0	0.0140	6.05	8.11	yes	stainless steel	4C
C.079.050.0230.A	7.9	0.50	23.0	0.0138	6.95	9.39	yes	music wire	4B
C.079.050.0230.I	7.9	0.50	23.0	0.0120	6.85	9.25	yes	stainless steel	4C
C.079.050.0250.A	7.9	0.50	25.0	0.0310	3.80	4.89	yes	music wire	4B
C.079.050.0250.I	7.9	0.50	25.0	0.0270	3.75	4.82	yes	stainless steel	4C
C.079.050.0270.A	7.9	0.50	27.0	0.0092	9.80	13.46	yes	music wire	4B
C.079.050.0270.I	7.9	0.50	27.0	0.0080	9.70	13.32	yes	stainless steel	4C
C.079.050.0290.A	7.9	0.50	29.0	0.0195	5.25	6.96	yes	music wire	4B
C.079.050.0290.I	7.9	0.50	29.0	0.0170	5.20	6.89	yes	stainless steel	4C
C.079.050.0300.A	7.9	0.50	30.0	0.0231	4.65	6.11	yes	music wire	4B
C.079.050.0300.I	7.9	0.50	30.0	0.0198	4.65	6.11	yes	stainless steel	4C
C.079.050.0320.A	7.9	0.50	32.0	0.0161	6.15	8.25	yes	music wire	4B
C.079.050.0320.I	7.9	0.50	32.0	0.0140	6.05	8.11	yes	stainless steel	4C
C.079.050.0350.A	7.9	0.50	35.0	0.0100	9.10	12.46	yes	music wire	4B
C.079.050.0350.I	7.9	0.50	35.0	0.0087	9.00	12.32	yes	stainless steel	4C
C.079.050.0400.A	7.9	0.50	40.0	0.0173	5.80	7.75	yes	music wire	4C
C.079.050.0400.I	7.9	0.50	40.0	0.0148	5.80	7.75	yes	stainless steel	4C
C.079.050.0500.A	7.9	0.50	50.0	0.0138	6.95	9.39	yes	music wire	4C
C.079.050.0500.I	7.9	0.50	50.0	0.0118	6.95	9.39	yes	stainless steel	4C
C.079.050.0600.A	7.9	0.50	60.0	0.0115	8.10	11.04	yes	music wire	4C
C.079.050.0600.I	7.9	0.50	60.0	0.0099	8.10	11.04	yes	stainless steel	4C
C.079.050.0730.A	7.9	0.50	73.0	0.0046	18.35	25.68	yes	music wire	4C
C.079.050.0730.I	7.9	0.50	73.0	0.0040	18.10	25.32	yes	stainless steel	4C
C.079.050.1020.A	7.9	0.50	102.0	0.0040	20.90	29.32	yes	music wire	4C
C.079.050.1020.I	7.9	0.50	102.0	0.0035	20.65	28.96	yes	stainless steel	4C
C.079.060.0095.A	7.9	0.60	9.5	0.0667	4.56	5.55	yes	music wire	4C
C.079.060.0095.I	7.9	0.60	9.5	0.0580	4.50	5.47	yes	stainless steel	4C
C.079.060.0200.A	7.9	0.60	20.0	0.0640	4.68	5.70	yes	music wire	4C
C.079.060.0200.I	7.9	0.60	20.0	0.0550	4.68	5.70	yes	stainless steel	4C
C.079.060.0360.A	7.9	0.60	36.0	0.0161	14.16	18.24	yes	music wire	4C
C.079.060.0360.I	7.9	0.60	36.0	0.0140	13.98	18.00	yes	stainless steel	4C
C.079.065.0130.A	7.9	0.65	13.0	0.1193	4.23	4.98	yes	music wire	4C
C.079.065.0130.AP	7.9	0.65	13.0	0.2068	3.12	5.35	yes	music wire	4E
C.079.065.0130.I	7.9	0.65	13.0	0.1025	4.23	4.98	yes	stainless steel	4C
C.079.065.0130.N	7.9	0.65	13.0	0.1193	4.23	4.98	yes	Zn coating	4E
C.079.065.0200.A	7.9	0.65	20.0	0.0759	5.72	6.89	yes	music wire	4C
C.079.065.0200.AP	7.9	0.65	20.0	0.1321	3.97	8.02	yes	music wire	4E
C.079.065.0200.I	7.9	0.65	20.0	0.0652	5.72	6.89	yes	stainless steel	4C
C.079.065.0200.N	7.9	0.65	20.0	0.0759	5.72	6.89	yes	Zn coating	4E
C.079.065.0310.A	7.9	0.65	31.0	0.0491	7.93	9.74	yes	music wire	4C
C.079.065.0310.AP	7.9	0.65	31.0	0.0835	5.33	12.04	yes	music wire	4E
C.079.065.0310.I	7.9	0.65	31.0	0.0422	7.93	9.74	yes	stainless steel	4C
C.079.065.0310.N	7.9	0.65	31.0	0.0491	7.93	9.74	yes	Zn coating	4E
C.079.065.0490.A	7.9	0.65	49.0	0.0334	10.92	13.58	yes	music wire	4C
C.079.065.0490.AP	7.9	0.65	49.0	0.0529	7.48	19.06	yes	music wire	4F
C.079.065.0490.I	7.9	0.65	49.0	0.0287	10.92	13.58	yes	stainless steel	4C
C.079.065.0490.N	7.9	0.65	49.0	0.0334	10.92	13.58	yes	Zn coating	4E
C.079.065.1000.A	7.9	0.65	100.0	0.0159	21.13	26.72	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.079.065.1000.I	7.9	0.65	100.0	0.0137	21.13	26.72	yes	stainless steel	4D
C.079.065.1700.A	7.9	0.65	170.0	0.0093	34.97	44.53	yes	music wire	4E
C.079.065.1700.I	7.9	0.65	170.0	0.0080	34.97	44.53	yes	stainless steel	4E
C.079.070.0056.A	7.9	0.70	5.6	0.3333	3.15	3.51	yes	music wire	4C
C.079.070.0056.I	7.9	0.70	5.6	0.2900	3.08	3.42	yes	stainless steel	4C
C.079.070.0064.A	7.9	0.70	6.4	0.2900	3.36	3.78	yes	music wire	4C
C.079.070.0064.AP	7.9	0.70	6.4	0.5941	2.52	3.12	yes	music wire	4E
C.079.070.0064.I	7.9	0.70	6.4	0.2523	3.29	3.69	yes	stainless steel	4C
C.079.070.0100.A	7.9	0.70	10.0	0.2340	3.71	4.22	yes	music wire	4C
C.079.070.0100.I	7.9	0.70	10.0	0.2010	3.71	4.22	yes	stainless steel	4C
C.079.070.0159.A	7.9	0.70	15.9	0.1954	4.13	5.92	yes	music wire	4E
C.079.070.0159.I	7.9	0.70	15.9	0.1700	4.06	6.12	yes	stainless steel	4F
C.079.070.0200.A	7.9	0.70	20.0	0.1074	6.02	7.12	yes	music wire	4C
C.079.070.0200.I	7.9	0.70	20.0	0.0923	6.02	7.12	yes	stainless steel	4C
C.079.070.0300.A	7.9	0.70	30.0	0.0697	8.33	10.03	yes	music wire	4C
C.079.070.0300.I	7.9	0.70	30.0	0.0599	8.33	10.03	yes	stainless steel	4C
C.079.070.0350.A	7.9	0.70	35.0	0.0460	11.69	14.26	yes	music wire	4C
C.079.070.0350.AP	7.9	0.70	35.0	0.0934	6.65	14.12	yes	music wire	4E
C.079.070.0350.I	7.9	0.70	35.0	0.0400	11.62	14.17	yes	stainless steel	4C
C.079.070.0360.A	7.9	0.70	36.0	0.0460	11.69	14.26	yes	music wire	4C
C.079.070.0360.AP	7.9	0.70	36.0	0.0908	6.79	14.53	yes	music wire	4E
C.079.070.0360.I	7.9	0.70	36.0	0.0400	11.62	14.17	yes	stainless steel	4C
C.079.070.0420.A	7.9	0.70	42.0	0.0333	15.54	19.11	yes	music wire	4C
C.079.070.0420.AP	7.9	0.70	42.0	0.0778	7.63	16.95	yes	music wire	4F
C.079.070.0420.I	7.9	0.70	42.0	0.0290	15.33	18.84	yes	stainless steel	4C
C.079.070.0700.A	7.9	0.70	70.0	0.0172	28.35	35.23	yes	music wire	4C
C.079.070.0700.AP	7.9	0.70	70.0	0.0463	11.62	27.95	yes	music wire	4F
C.079.070.0700.I	7.9	0.70	70.0	0.0150	28.00	34.79	yes	stainless steel	4D
C.079.080.0048.A	7.9	0.80	4.8	0.9080	3.04	3.27	yes	music wire	4C
C.079.080.0048.I	7.9	0.80	4.8	0.7900	3.04	3.27	yes	stainless steel	4C
C.079.080.0100.A	7.9	0.80	10.0	0.3761	4.48	5.02	yes	music wire	4C
C.079.080.0100.I	7.9	0.80	10.0	0.3230	4.48	5.02	yes	stainless steel	4C
C.079.080.0200.A	7.9	0.80	20.0	0.1715	7.44	8.63	yes	music wire	4C
C.079.080.0200.I	7.9	0.80	20.0	0.1473	7.44	8.63	yes	stainless steel	4C
C.079.080.0250.A	7.9	0.80	25.0	0.1200	9.76	11.45	yes	music wire	4C
C.079.080.0250.AP	7.9	0.80	25.0	0.2078	6.48	11.36	yes	music wire	4E
C.079.080.0250.I	7.9	0.80	25.0	0.1044	9.68	11.36	yes	stainless steel	4C
C.079.080.0260.A	7.9	0.80	26.0	0.0517	20.00	23.93	yes	music wire	4C
C.079.080.0260.AP	7.9	0.80	26.0	0.1972	6.72	11.63	yes	music wire	4E
C.079.080.0260.I	7.9	0.80	26.0	0.0450	19.84	23.73	yes	stainless steel	4C
C.079.080.0270.A	7.9	0.80	27.0	0.1609	7.76	9.39	yes	music wire	4E
C.079.080.0270.I	7.9	0.80	27.0	0.1400	7.76	9.68	yes	stainless steel	4F
C.079.080.0320.A	7.9	0.80	32.0	0.0931	12.00	14.18	yes	music wire	4C
C.079.080.0320.AP	7.9	0.80	32.0	0.1594	7.84	14.22	yes	music wire	4F
C.079.080.0320.I	7.9	0.80	32.0	0.0810	11.92	14.08	yes	stainless steel	4C
C.079.080.0500.A	7.9	0.80	50.0	0.0659	16.16	19.25	yes	music wire	4C
C.079.080.0500.I	7.9	0.80	50.0	0.0566	16.16	19.25	yes	stainless steel	4D
C.079.080.0760.A	7.9	0.80	76.0	0.0345	29.04	34.94	yes	music wire	4C
C.079.080.0760.AP	7.9	0.80	76.0	0.0657	16.16	32.90	yes	music wire	4F
C.079.080.0760.I	7.9	0.80	76.0	0.0300	28.72	34.55	yes	stainless steel	4D
C.079.080.1900.A	7.9	0.80	190.0	0.0280	35.28	88.79	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.079.080.1900.I	7.9	0.80	190.0	0.0244	34.88	90.45	yes	stainless steel	4I
C.079.090.0100.A	7.9	0.90	10.0	0.5905	5.22	5.79	yes	music wire	4C
C.079.090.0100.I	7.9	0.90	10.0	0.5072	5.22	5.79	yes	stainless steel	4C
C.079.090.0300.A	7.9	0.90	30.0	0.1724	12.42	14.36	yes	music wire	4C
C.079.090.0300.AP	7.9	0.90	30.0	0.2562	9.09	14.63	yes	music wire	4F
C.079.090.0300.I	7.9	0.90	30.0	0.1500	12.33	14.25	yes	stainless steel	4C
C.079.090.0410.A	7.9	0.90	41.0	0.1100	18.18	21.22	yes	music wire	4C
C.079.090.0410.AP	7.9	0.90	41.0	0.1837	11.79	19.57	yes	music wire	4F
C.079.090.0410.I	7.9	0.90	41.0	0.1100	15.93	18.54	yes	stainless steel	4D
C.079.090.1500.A	7.9	0.90	150.0	0.0290	62.73	74.27	yes	music wire	4E
C.079.090.1500.AP	7.9	0.90	150.0	0.0489	38.07	69.53	yes	music wire	4G
C.079.090.1500.I	7.9	0.90	150.0	0.0252	61.92	73.30	yes	stainless steel	4E
C.079.090.1500.N	7.9	0.90	150.0	0.0290	62.73	74.27	yes	Zn coating	4F
C.079.100.0200.A	7.9	1.00	20.0	0.4027	10.20	11.52	yes	music wire	4C
C.079.100.0200.I	7.9	1.00	20.0	0.3459	10.20	11.52	yes	stainless steel	4C
C.079.100.1900.A	7.9	1.00	190.0	0.0500	64.50	84.52	yes	music wire	4H
C.079.100.1900.I	7.9	1.00	190.0	0.0435	63.70	85.67	yes	stainless steel	4H
C.079.120.0200.A	7.9	1.20	20.0	0.8671	12.72	14.15	yes	music wire	4C
C.079.120.0200.I	7.9	1.20	20.0	0.7448	12.72	14.15	yes	stainless steel	4D
C.079.120.0330.A	7.9	1.20	33.0	0.4400	22.20	25.02	yes	music wire	4C
C.079.120.0330.AP	7.9	1.20	33.0	0.6702	15.60	20.00	yes	music wire	4F
C.079.120.0330.I	7.9	1.20	33.0	0.3828	21.96	24.74	yes	stainless steel	4D
C.079.120.0400.A	7.9	1.20	40.0	0.4084	23.64	26.67	yes	music wire	4C
C.079.120.0400.I	7.9	1.20	40.0	0.3507	23.64	26.67	yes	stainless steel	4D
C.079.120.0600.A	7.9	1.20	60.0	0.3333	28.32	33.87	yes	music wire	4G
C.079.120.0600.I	7.9	1.20	60.0	0.2900	27.96	34.02	yes	stainless steel	4G
C.079.120.0830.A	7.9	1.20	83.0	0.2300	39.60	45.12	yes	music wire	4G
C.079.120.0830.I	7.9	1.20	83.0	0.2000	39.24	45.33	yes	stainless steel	4G
C.079.120.2670.A	7.9	1.20	267.0	0.0930	93.60	173.33	yes	music wire	4J
C.079.120.2670.I	7.9	1.20	267.0	0.0809	92.52	173.89	yes	stainless steel	4J
C.079.130.0135.A	7.9	1.30	13.5	2.9885	7.67	9.87	yes	music wire	4I
C.079.130.0135.I	7.9	1.30	13.5	2.6000	7.54	9.89	yes	stainless steel	4I
C.079.130.0330.A	7.9	1.30	33.0	0.8046	19.63	21.90	yes	music wire	4C
C.079.130.0330.I	7.9	1.30	33.0	0.7000	19.37	21.61	yes	stainless steel	4G
C.079.130.0370.A	7.9	1.30	37.0	0.5747	26.13	29.30	yes	music wire	4C
C.079.130.0370.AP	7.9	1.30	37.0	0.8184	19.37	23.76	yes	music wire	4F
C.079.130.0370.I	7.9	1.30	37.0	0.5000	25.87	29.01	yes	stainless steel	4D
C.079.130.0410.A	7.9	1.30	41.0	0.6400	23.79	26.64	yes	music wire	4F
C.079.130.0410.I	7.9	1.30	41.0	0.5568	23.53	26.34	yes	stainless steel	4G
C.079.130.0600.A	7.9	1.30	60.0	0.3805	37.83	42.62	yes	music wire	4D
C.079.130.0600.I	7.9	1.30	60.0	0.3268	37.83	42.62	yes	stainless steel	4D
C.079.130.0800.A	7.9	1.30	80.0	0.2819	49.92	56.39	yes	music wire	4D
C.079.130.0800.I	7.9	1.30	80.0	0.2421	49.92	56.39	yes	stainless steel	4E
C.079.140.0143.A	7.9	1.40	14.3	4.2000	8.26	11.15	yes	music wire	4I
C.079.140.0143.I	7.9	1.40	14.3	3.6540	8.12	11.15	yes	stainless steel	4I
C.079.140.0240.A	7.9	1.40	24.0	1.7241	15.12	16.66	yes	music wire	4H
C.079.140.0240.I	7.9	1.40	24.0	1.5000	14.98	16.50	yes	stainless steel	4I
C.079.140.0400.A	7.9	1.40	40.0	0.8190	27.86	31.08	yes	music wire	4E
C.079.140.0400.I	7.9	1.40	40.0	0.7034	27.86	31.08	yes	stainless steel	4E
C.079.140.0700.A	7.9	1.40	70.0	0.6200	35.70	48.64	yes	music wire	4J
C.079.140.0700.I	7.9	1.40	70.0	0.5394	35.28	48.68	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.079.150.0127.A	7.9	1.50	12.7	5.1000	9.60	10.34	yes	music wire	4H
C.079.150.0127.I	7.9	1.50	12.7	4.4370	9.45	10.18	yes	stainless steel	4I
C.079.150.0143.A	7.9	1.50	14.3	5.1724	9.45	11.22	yes	music wire	4I
C.079.150.0143.I	7.9	1.50	14.3	4.5000	9.45	11.22	yes	stainless steel	4I
C.079.150.0600.A	7.9	1.50	60.0	0.7396	43.65	48.73	yes	music wire	4E
C.079.150.0600.I	7.9	1.50	60.0	0.6353	43.65	48.73	yes	stainless steel	4F
C.079.160.0087.A	7.9	1.60	8.7	11.1000	7.84	8.31	yes	music wire	4E
C.079.160.0087.I	7.9	1.60	8.7	9.6570	7.84	8.31	yes	stainless steel	4E
C.079.160.0159.A	7.9	1.60	15.9	5.6322	11.52	12.54	yes	music wire	4H
C.079.160.0159.I	7.9	1.60	15.9	4.9000	11.52	12.53	yes	stainless steel	4I
C.079.160.0220.A	7.9	1.60	22.0	3.2184	17.28	18.92	yes	music wire	4E
C.079.160.0220.I	7.9	1.60	22.0	2.8000	17.12	18.74	yes	stainless steel	4E
C.079.160.0260.A	7.9	1.60	26.0	4.3000	13.92	21.60	yes	music wire	4I
C.079.160.0260.I	7.9	1.60	26.0	3.7410	13.76	21.59	yes	stainless steel	4J
C.079.160.0290.A	7.9	1.60	29.0	2.0690	24.64	27.18	yes	music wire	4E
C.079.160.0290.AP	7.9	1.60	29.0	2.6583	20.00	21.97	yes	music wire	4I
C.079.160.0290.I	7.9	1.60	29.0	1.8000	24.32	26.82	yes	stainless steel	4F
C.079.160.0600.A	7.9	1.60	60.0	1.0191	45.92	51.09	yes	music wire	4E
C.079.160.0600.I	7.9	1.60	60.0	0.8753	45.92	51.09	yes	stainless steel	4F
C.079.160.0800.A	7.9	1.60	80.0	0.7521	60.80	67.80	yes	music wire	4F
C.079.160.0800.I	7.9	1.60	80.0	0.6460	60.80	67.80	yes	stainless steel	4F
C.079.170.0200.A	7.9	1.70	20.0	4.6976	17.17	18.72	yes	music wire	4E
C.079.170.0200.I	7.9	1.70	20.0	4.0347	17.17	18.72	yes	stainless steel	4E
C.079.170.0450.A	7.9	1.70	45.0	2.2000	31.79	35.09	yes	music wire	4I
C.079.170.0450.I	7.9	1.70	45.0	1.9140	31.45	34.87	yes	stainless steel	4I
C.080.045.0090.A	8.0	0.45	9.0	0.0693	1.76	2.09	yes	music wire	4B
C.080.045.0210.A	8.0	0.45	21.0	0.0277	2.70	3.52	yes	music wire	4B
C.080.045.0210.I	8.0	0.45	21.0	0.0238	2.70	3.52	yes	stainless steel	4C
C.080.045.0330.A	8.0	0.45	33.0	0.0176	3.60	4.89	yes	music wire	4B
C.080.050.0174.A	8.0	0.50	17.4	0.0397	3.15	3.98	yes	music wire	4B
C.080.050.0174.I	8.0	0.50	17.4	0.0341	3.15	3.98	yes	stainless steel	4C
C.080.050.0224.A	8.0	0.50	22.4	0.0308	3.70	4.77	yes	music wire	4B
C.080.050.0224.I	8.0	0.50	22.4	0.0265	3.70	4.77	yes	stainless steel	4C
C.080.055.0080.A	8.0	0.55	8.0	0.1240	2.37	2.74	yes	music wire	4C
C.080.055.0080.I	8.0	0.55	8.0	0.1079	2.37	2.74	yes	stainless steel	4C
C.080.055.0080.N	8.0	0.55	8.0	0.1240	2.37	2.74	yes	Zn coating	4E
C.080.055.0097.A	8.0	0.55	9.7	0.1025	2.59	3.04	yes	music wire	4C
C.080.055.0097.I	8.0	0.55	9.7	0.0880	2.59	3.04	yes	stainless steel	4C
C.080.055.0100.A	8.0	0.55	10.0	0.0960	2.64	3.11	yes	music wire	4C
C.080.055.0100.I	8.0	0.55	10.0	0.0835	2.64	3.11	yes	stainless steel	4C
C.080.055.0100.N	8.0	0.55	10.0	0.0960	2.64	3.11	yes	Zn coating	4E
C.080.055.0112.A	8.0	0.55	11.2	0.0867	2.81	3.35	yes	music wire	4C
C.080.055.0112.I	8.0	0.55	11.2	0.0745	2.81	3.35	yes	stainless steel	4C
C.080.055.0125.A	8.0	0.55	12.5	0.0750	3.03	3.65	yes	music wire	4C
C.080.055.0125.I	8.0	0.55	12.5	0.0652	3.03	3.65	yes	stainless steel	4C
C.080.055.0125.N	8.0	0.55	12.5	0.0750	3.03	3.65	yes	Zn coating	4E
C.080.055.0142.A	8.0	0.55	14.2	0.0683	3.19	3.87	yes	music wire	4C
C.080.055.0142.I	8.0	0.55	14.2	0.0587	3.19	3.87	yes	stainless steel	4C
C.080.055.0160.A	8.0	0.55	16.0	0.0600	3.47	4.25	yes	music wire	4C
C.080.055.0160.I	8.0	0.55	16.0	0.0522	3.41	4.17	yes	stainless steel	4C
C.080.055.0160.N	8.0	0.55	16.0	0.0600	3.47	4.25	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.080.055.0200.A	8.0	0.55	20.0	0.0470	4.02	5.01	yes	music wire	4C
C.080.055.0200.I	8.0	0.55	20.0	0.0409	3.96	4.93	yes	stainless steel	4C
C.080.055.0200.N	8.0	0.55	20.0	0.0470	4.02	5.01	yes	Zn coating	4E
C.080.055.0239.A	8.0	0.55	23.9	0.0389	4.57	5.77	yes	music wire	4C
C.080.055.0239.I	8.0	0.55	23.9	0.0334	4.57	5.77	yes	stainless steel	4C
C.080.055.0250.A	8.0	0.55	25.0	0.0370	4.73	5.99	yes	music wire	4C
C.080.055.0250.I	8.0	0.55	25.0	0.0322	4.68	5.92	yes	stainless steel	4C
C.080.055.0250.N	8.0	0.55	25.0	0.0370	4.73	5.99	yes	Zn coating	4E
C.080.055.0279.A	8.0	0.55	27.9	0.0332	5.12	6.52	yes	music wire	4C
C.080.055.0279.I	8.0	0.55	27.9	0.0285	5.12	6.52	yes	stainless steel	4C
C.080.055.0284.A	8.0	0.55	28.4	0.0327	5.17	6.59	yes	music wire	4C
C.080.055.0284.I	8.0	0.55	28.4	0.0281	5.17	6.59	yes	stainless steel	4C
C.080.055.0305.A	8.0	0.55	30.5	0.0305	5.45	6.98	yes	music wire	4C
C.080.055.0305.I	8.0	0.55	30.5	0.0262	5.45	6.98	yes	stainless steel	4C
C.080.055.0320.A	8.0	0.55	32.0	0.0280	5.83	7.50	yes	music wire	4C
C.080.055.0320.I	8.0	0.55	32.0	0.0244	5.72	7.35	yes	stainless steel	4C
C.080.055.0320.N	8.0	0.55	32.0	0.0280	5.83	7.50	yes	Zn coating	4E
C.080.055.0381.A	8.0	0.55	38.1	0.0242	6.49	8.41	yes	music wire	4C
C.080.055.0381.I	8.0	0.55	38.1	0.0208	6.49	8.41	yes	stainless steel	4C
C.080.055.0400.A	8.0	0.55	40.0	0.0230	6.77	8.79	yes	music wire	4C
C.080.055.0400.I	8.0	0.55	40.0	0.0200	6.71	8.71	yes	stainless steel	4C
C.080.055.0400.N	8.0	0.55	40.0	0.0230	6.77	8.79	yes	Zn coating	4E
C.080.055.0444.A	8.0	0.55	44.4	0.0207	7.37	9.62	yes	music wire	4C
C.080.055.0444.I	8.0	0.55	44.4	0.0178	7.37	9.62	yes	stainless steel	4C
C.080.055.0500.A	8.0	0.55	50.0	0.0180	8.25	10.83	yes	music wire	4C
C.080.055.0500.I	8.0	0.55	50.0	0.0157	8.14	10.68	yes	stainless steel	4C
C.080.055.0500.N	8.0	0.55	50.0	0.0180	8.25	10.83	yes	Zn coating	4E
C.080.055.0630.A	8.0	0.55	63.0	0.0140	10.23	13.55	yes	music wire	4C
C.080.055.0630.I	8.0	0.55	63.0	0.0122	10.12	13.40	yes	stainless steel	4D
C.080.055.0630.N	8.0	0.55	63.0	0.0140	10.23	13.55	yes	Zn coating	4E
C.080.055.0800.A	8.0	0.55	80.0	0.0110	12.65	16.88	yes	music wire	4C
C.080.055.0800.I	8.0	0.55	80.0	0.0096	12.49	16.66	yes	stainless steel	4D
C.080.055.0800.N	8.0	0.55	80.0	0.0110	12.65	16.88	yes	Zn coating	4E
C.080.055.3600.A	8.0	0.55	360.0	0.0020	63.91	87.17	no	music wire	4F
C.080.055.3600.I	8.0	0.55	360.0	0.0017	64.57	88.08	no	stainless steel	4G
C.080.060.0080.A	8.0	0.60	8.0	0.1670	2.70	3.09	yes	music wire	4C
C.080.060.0080.I	8.0	0.60	8.0	0.1453	2.64	3.01	yes	stainless steel	4C
C.080.060.0080.N	8.0	0.60	8.0	0.1670	2.70	3.09	yes	Zn coating	4E
C.080.060.0100.A	8.0	0.60	10.0	0.1320	3.00	3.49	yes	music wire	4C
C.080.060.0100.I	8.0	0.60	10.0	0.1148	2.94	3.41	yes	stainless steel	4C
C.080.060.0100.N	8.0	0.60	10.0	0.1320	3.00	3.49	yes	Zn coating	4E
C.080.060.0125.A	8.0	0.60	12.5	0.1040	3.36	3.97	yes	music wire	4C
C.080.060.0125.I	8.0	0.60	12.5	0.0905	3.36	3.97	yes	stainless steel	4C
C.080.060.0125.N	8.0	0.60	12.5	0.1040	3.36	3.97	yes	Zn coating	4E
C.080.060.0160.A	8.0	0.60	16.0	0.0810	3.90	4.69	yes	music wire	4C
C.080.060.0160.I	8.0	0.60	16.0	0.0705	3.90	4.69	yes	stainless steel	4C
C.080.060.0160.N	8.0	0.60	16.0	0.0810	3.90	4.69	yes	Zn coating	4E
C.080.060.0200.A	8.0	0.60	20.0	0.0630	4.62	5.64	yes	music wire	4C
C.080.060.0200.AF	8.0	0.60	20.0	0.0530	5.16	6.36	yes	music wire	4C
C.080.060.0200.I	8.0	0.60	20.0	0.0548	4.56	5.56	yes	stainless steel	4C
C.080.060.0200.N	8.0	0.60	20.0	0.0630	4.62	5.64	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.080.060.0200.NF	8.0	0.60	20.0	0.0530	5.16	6.36	yes	Zn coating	4E
C.080.060.0250.A	8.0	0.60	25.0	0.0500	5.40	6.68	yes	music wire	4C
C.080.060.0250.I	8.0	0.60	25.0	0.0435	5.34	6.60	yes	stainless steel	4C
C.080.060.0250.N	8.0	0.60	25.0	0.0500	5.40	6.68	yes	Zn coating	4E
C.080.060.0320.A	8.0	0.60	32.0	0.0390	6.54	8.19	yes	music wire	4C
C.080.060.0320.I	8.0	0.60	32.0	0.0339	6.48	8.11	yes	stainless steel	4C
C.080.060.0320.N	8.0	0.60	32.0	0.0390	6.54	8.19	yes	Zn coating	4E
C.080.060.0400.A	8.0	0.60	40.0	0.0310	7.80	9.87	yes	music wire	4C
C.080.060.0400.I	8.0	0.60	40.0	0.0270	7.74	9.79	yes	stainless steel	4C
C.080.060.0400.N	8.0	0.60	40.0	0.0310	7.80	9.87	yes	Zn coating	4E
C.080.060.0500.A	8.0	0.60	50.0	0.0240	9.66	12.34	yes	music wire	4C
C.080.060.0500.I	8.0	0.60	50.0	0.0209	9.54	12.18	yes	stainless steel	4C
C.080.060.0500.N	8.0	0.60	50.0	0.0240	9.66	12.34	yes	Zn coating	4E
C.080.060.0630.A	8.0	0.60	63.0	0.0190	11.76	15.13	yes	music wire	4C
C.080.060.0630.I	8.0	0.60	63.0	0.0165	11.70	15.05	yes	stainless steel	4D
C.080.060.0630.N	8.0	0.60	63.0	0.0190	11.76	15.13	yes	Zn coating	4E
C.080.060.0800.A	8.0	0.60	80.0	0.0150	14.52	18.79	yes	music wire	4C
C.080.060.0800.I	8.0	0.60	80.0	0.0130	14.40	18.63	yes	stainless steel	4D
C.080.060.0800.N	8.0	0.60	80.0	0.0150	14.52	18.79	yes	Zn coating	4E
C.080.060.3600.A	8.0	0.60	360.0	0.0030	67.26	88.64	no	music wire	4F
C.080.060.3600.I	8.0	0.60	360.0	0.0026	66.66	87.85	no	stainless steel	4G
C.080.065.0080.A	8.0	0.65	8.0	0.2544	2.80	3.14	yes	music wire	4C
C.080.065.0080.I	8.0	0.65	8.0	0.2185	2.80	3.14	yes	stainless steel	4C
C.080.065.0142.A	8.0	0.65	14.2	0.1174	4.16	4.90	yes	music wire	4C
C.080.065.0142.I	8.0	0.65	14.2	0.1009	4.16	4.90	yes	stainless steel	4C
C.080.065.0157.A	8.0	0.65	15.7	0.1065	4.42	5.24	yes	music wire	4C
C.080.065.0157.I	8.0	0.65	15.7	0.0915	4.42	5.24	yes	stainless steel	4C
C.080.065.0206.A	8.0	0.65	20.6	0.0790	5.40	6.50	yes	music wire	4C
C.080.065.0206.I	8.0	0.65	20.6	0.0678	5.40	6.50	yes	stainless steel	4C
C.080.065.0224.A	8.0	0.65	22.4	0.0727	5.72	6.91	yes	music wire	4C
C.080.065.0224.I	8.0	0.65	22.4	0.0624	5.72	6.91	yes	stainless steel	4C
C.080.065.0254.A	8.0	0.65	25.4	0.0636	6.31	7.68	yes	music wire	4C
C.080.065.0254.I	8.0	0.65	25.4	0.0546	6.31	7.68	yes	stainless steel	4C
C.080.065.0381.A	8.0	0.65	38.1	0.0416	8.78	10.87	yes	music wire	4C
C.080.065.0381.I	8.0	0.65	38.1	0.0358	8.78	10.87	yes	stainless steel	4C
C.080.065.0444.A	8.0	0.65	44.4	0.0358	9.95	12.38	yes	music wire	4C
C.080.065.0444.I	8.0	0.65	44.4	0.0307	9.95	12.38	yes	stainless steel	4C
C.080.070.0080.A	8.0	0.70	8.0	0.3020	3.22	3.61	yes	music wire	4C
C.080.070.0080.AP	8.0	0.70	8.0	0.4479	2.73	3.70	yes	music wire	4E
C.080.070.0080.I	8.0	0.70	8.0	0.2627	3.22	3.61	yes	stainless steel	4C
C.080.070.0080.N	8.0	0.70	8.0	0.3020	3.22	3.61	yes	Zn coating	4E
C.080.070.0100.A	8.0	0.70	10.0	0.2300	3.64	4.14	yes	music wire	4C
C.080.070.0100.AP	8.0	0.70	10.0	0.3484	3.01	4.47	yes	music wire	4E
C.080.070.0100.I	8.0	0.70	10.0	0.2000	3.64	4.14	yes	stainless steel	4C
C.080.070.0100.N	8.0	0.70	10.0	0.2300	3.64	4.14	yes	Zn coating	4E
C.080.070.0125.A	8.0	0.70	12.5	0.1790	4.20	4.84	yes	music wire	4C
C.080.070.0125.AP	8.0	0.70	12.5	0.2726	3.36	5.44	yes	music wire	4E
C.080.070.0125.I	8.0	0.70	12.5	0.1557	4.20	4.84	yes	stainless steel	4C
C.080.070.0125.N	8.0	0.70	12.5	0.1790	4.20	4.84	yes	Zn coating	4E
C.080.070.0160.A	8.0	0.70	16.0	0.1380	4.97	5.82	yes	music wire	4C
C.080.070.0160.AP	8.0	0.70	16.0	0.2090	3.85	6.79	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.080.070.0160.I	8.0	0.70	16.0	0.1201	4.90	5.73	yes	stainless steel	4C
C.080.070.0160.N	8.0	0.70	16.0	0.1380	4.97	5.82	yes	Zn coating	4E
C.080.070.0200.A	8.0	0.70	20.0	0.1100	5.74	6.79	yes	music wire	4C
C.080.070.0200.AP	8.0	0.70	20.0	0.1650	4.41	8.33	yes	music wire	4E
C.080.070.0200.I	8.0	0.70	20.0	0.0957	5.67	6.70	yes	stainless steel	4C
C.080.070.0200.N	8.0	0.70	20.0	0.1100	5.74	6.79	yes	Zn coating	4E
C.080.070.0250.A	8.0	0.70	25.0	0.0860	6.86	8.20	yes	music wire	4C
C.080.070.0250.AP	8.0	0.70	25.0	0.1306	5.11	10.26	yes	music wire	4E
C.080.070.0250.I	8.0	0.70	25.0	0.0748	6.79	8.12	yes	stainless steel	4C
C.080.070.0250.N	8.0	0.70	25.0	0.0860	6.86	8.20	yes	Zn coating	4E
C.080.070.0320.A	8.0	0.70	32.0	0.0660	8.40	10.15	yes	music wire	4C
C.080.070.0320.AP	8.0	0.70	32.0	0.1011	6.09	12.96	yes	music wire	4E
C.080.070.0320.I	8.0	0.70	32.0	0.0574	8.33	10.06	yes	stainless steel	4C
C.080.070.0320.N	8.0	0.70	32.0	0.0660	8.40	10.15	yes	Zn coating	4E
C.080.070.0330.A	8.0	0.70	33.0	0.0740	7.70	9.27	yes	music wire	4C
C.080.070.0330.I	8.0	0.70	33.0	0.0636	7.70	9.27	yes	stainless steel	4C
C.080.070.0330.N	8.0	0.70	33.0	0.0740	7.70	9.27	yes	Zn coating	4E
C.080.070.0400.A	8.0	0.70	40.0	0.0530	10.08	12.27	yes	music wire	4C
C.080.070.0400.AP	8.0	0.70	40.0	0.0804	7.21	16.04	yes	music wire	4F
C.080.070.0400.I	8.0	0.70	40.0	0.0461	9.94	12.10	yes	stainless steel	4C
C.080.070.0400.N	8.0	0.70	40.0	0.0530	10.08	12.27	yes	Zn coating	4E
C.080.070.0410.A	8.0	0.70	41.0	0.0547	9.80	11.92	yes	music wire	4C
C.080.070.0410.AP	8.0	0.70	41.0	0.0784	7.35	16.43	yes	music wire	4F
C.080.070.0410.I	8.0	0.70	41.0	0.0470	9.80	11.92	yes	stainless steel	4C
C.080.070.0410.N	8.0	0.70	41.0	0.0547	9.80	11.92	yes	Zn coating	4E
C.080.070.0480.A	8.0	0.70	48.0	0.0503	10.50	12.80	yes	music wire	4C
C.080.070.0480.I	8.0	0.70	48.0	0.0432	10.50	12.80	yes	stainless steel	4C
C.080.070.0480.N	8.0	0.70	48.0	0.0503	10.50	12.80	yes	Zn coating	4E
C.080.070.0500.A	8.0	0.70	50.0	0.0420	12.25	15.01	yes	music wire	4C
C.080.070.0500.AP	8.0	0.70	50.0	0.0640	8.61	19.90	yes	music wire	4F
C.080.070.0500.I	8.0	0.70	50.0	0.0365	12.11	14.84	yes	stainless steel	4D
C.080.070.0500.N	8.0	0.70	50.0	0.0420	12.25	15.01	yes	Zn coating	4E
C.080.070.0630.A	8.0	0.70	63.0	0.0330	15.12	18.64	yes	music wire	4C
C.080.070.0630.AP	8.0	0.70	63.0	0.0506	10.43	24.92	yes	music wire	4F
C.080.070.0630.I	8.0	0.70	63.0	0.0287	14.91	18.37	yes	stainless steel	4D
C.080.070.0630.N	8.0	0.70	63.0	0.0330	15.12	18.64	yes	Zn coating	4E
C.080.070.0800.A	8.0	0.70	80.0	0.0260	18.69	23.15	yes	music wire	4C
C.080.070.0800.AP	8.0	0.70	80.0	0.0397	12.81	31.47	yes	music wire	4F
C.080.070.0800.I	8.0	0.70	80.0	0.0226	18.48	22.88	yes	stainless steel	4D
C.080.070.0800.N	8.0	0.70	80.0	0.0260	18.69	23.15	yes	Zn coating	4E
C.080.070.3600.A	8.0	0.70	360.0	0.0060	75.81	95.11	no	music wire	4F
C.080.070.3600.I	8.0	0.70	360.0	0.0052	75.18	94.32	no	stainless steel	4G
C.080.075.0080.A	8.0	0.75	8.0	0.4229	3.38	3.74	yes	music wire	4C
C.080.075.0080.I	8.0	0.75	8.0	0.3633	3.38	3.74	yes	stainless steel	4C
C.080.075.0206.A	8.0	0.75	20.6	0.1301	6.75	7.92	yes	music wire	4C
C.080.075.0206.I	8.0	0.75	20.6	0.1118	6.75	7.92	yes	stainless steel	4C
C.080.075.0220.A	8.0	0.75	22.0	0.1538	6.00	6.99	yes	music wire	4E
C.080.075.0220.I	8.0	0.75	22.0	0.1321	6.00	6.99	yes	stainless steel	4F
C.080.075.0220.N	8.0	0.75	22.0	0.1538	6.00	6.99	yes	Zn coating	4G
C.080.075.0224.A	8.0	0.75	22.4	0.1191	7.20	8.48	yes	music wire	4C
C.080.075.0224.I	8.0	0.75	22.4	0.1023	7.20	8.48	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.080.075.0239.A	8.0	0.75	23.9	0.1113	7.58	8.95	yes	music wire	4C
C.080.075.0239.I	8.0	0.75	23.9	0.0956	7.58	8.95	yes	stainless steel	4C
C.080.075.0254.A	8.0	0.75	25.4	0.1044	7.95	9.41	yes	music wire	4C
C.080.075.0254.I	8.0	0.75	25.4	0.0897	7.95	9.41	yes	stainless steel	4C
C.080.075.0284.A	8.0	0.75	28.4	0.0919	8.78	10.44	yes	music wire	4C
C.080.075.0284.I	8.0	0.75	28.4	0.0790	8.78	10.44	yes	stainless steel	4C
C.080.075.0318.A	8.0	0.75	31.8	0.0821	9.60	11.46	yes	music wire	4C
C.080.075.0318.I	8.0	0.75	31.8	0.0705	9.60	11.46	yes	stainless steel	4C
C.080.075.0351.A	8.0	0.75	35.1	0.0742	10.43	12.48	yes	music wire	4C
C.080.075.0351.I	8.0	0.75	35.1	0.0637	10.43	12.48	yes	stainless steel	4C
C.080.075.0356.A	8.0	0.75	35.6	0.0729	10.58	12.67	yes	music wire	4C
C.080.075.0356.I	8.0	0.75	35.6	0.0626	10.58	12.67	yes	stainless steel	4C
C.080.075.0381.A	8.0	0.75	38.1	0.0682	11.18	13.41	yes	music wire	4C
C.080.075.0381.I	8.0	0.75	38.1	0.0586	11.18	13.41	yes	stainless steel	4C
C.080.075.0444.A	8.0	0.75	44.4	0.0579	12.83	15.46	yes	music wire	4C
C.080.075.0444.I	8.0	0.75	44.4	0.0498	12.83	15.46	yes	stainless steel	4C
C.080.075.0508.A	8.0	0.75	50.8	0.0507	14.40	17.41	yes	music wire	4C
C.080.075.0508.I	8.0	0.75	50.8	0.0435	14.40	17.41	yes	stainless steel	4D
C.080.075.0820.A	8.0	0.75	82.0	0.0357	19.65	23.92	yes	music wire	4C
C.080.075.0820.I	8.0	0.75	82.0	0.0307	19.65	23.92	yes	stainless steel	4D
C.080.080.0080.A	8.0	0.80	8.0	0.5060	3.76	4.15	yes	music wire	4C
C.080.080.0080.AP	8.0	0.80	8.0	0.6974	3.28	3.98	yes	music wire	4E
C.080.080.0080.I	8.0	0.80	8.0	0.4402	3.76	4.15	yes	stainless steel	4C
C.080.080.0080.N	8.0	0.80	8.0	0.5060	3.76	4.15	yes	Zn coating	4E
C.080.080.0100.A	8.0	0.80	10.0	0.3910	4.32	4.83	yes	music wire	4C
C.080.080.0100.AP	8.0	0.80	10.0	0.5580	3.60	4.98	yes	music wire	4E
C.080.080.0100.I	8.0	0.80	10.0	0.3402	4.24	4.74	yes	stainless steel	4C
C.080.080.0100.N	8.0	0.80	10.0	0.3910	4.32	4.83	yes	Zn coating	4E
C.080.080.0125.A	8.0	0.80	12.5	0.2970	5.04	5.71	yes	music wire	4C
C.080.080.0125.AP	8.0	0.80	12.5	0.4292	4.08	5.98	yes	music wire	4E
C.080.080.0125.I	8.0	0.80	12.5	0.2584	4.96	5.62	yes	stainless steel	4C
C.080.080.0125.N	8.0	0.80	12.5	0.2970	5.04	5.71	yes	Zn coating	4E
C.080.080.0128.A	8.0	0.80	12.8	0.3194	4.80	5.42	yes	music wire	4C
C.080.080.0128.I	8.0	0.80	12.8	0.2779	4.80	5.42	yes	stainless steel	4C
C.080.080.0128.N	8.0	0.80	12.8	0.3194	4.80	5.42	yes	Zn coating	4E
C.080.080.0135.A	8.0	0.80	13.5	0.2600	5.44	6.20	yes	music wire	4C
C.080.080.0135.I	8.0	0.80	13.5	0.2233	5.44	6.20	yes	stainless steel	4C
C.080.080.0151.A	8.0	0.80	15.1	0.2282	5.92	6.79	yes	music wire	4C
C.080.080.0151.I	8.0	0.80	15.1	0.1960	5.92	6.79	yes	stainless steel	4C
C.080.080.0160.A	8.0	0.80	16.0	0.2260	5.92	6.79	yes	music wire	4C
C.080.080.0160.AP	8.0	0.80	16.0	0.3282	4.72	7.47	yes	music wire	4E
C.080.080.0160.I	8.0	0.80	16.0	0.1966	5.92	6.79	yes	stainless steel	4C
C.080.080.0160.N	8.0	0.80	16.0	0.2260	5.92	6.79	yes	Zn coating	4E
C.080.080.0170.A	8.0	0.80	17.0	0.2190	6.08	6.98	yes	music wire	4C
C.080.080.0170.AP	8.0	0.80	17.0	0.3100	4.88	7.97	yes	music wire	4E
C.080.080.0170.I	8.0	0.80	17.0	0.1905	6.00	6.89	yes	stainless steel	4C
C.080.080.0170.N	8.0	0.80	17.0	0.2190	6.08	6.98	yes	Zn coating	4E
C.080.080.0182.A	8.0	0.80	18.2	0.1863	6.80	7.86	yes	music wire	4C
C.080.080.0182.I	8.0	0.80	18.2	0.1600	6.80	7.86	yes	stainless steel	4C
C.080.080.0192.A	8.0	0.80	19.2	0.2033	6.40	7.37	yes	music wire	4C
C.080.080.0192.I	8.0	0.80	19.2	0.1769	6.32	7.28	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.080.080.0192.N	8.0	0.80	19.2	0.2033	6.40	7.37	yes	Zn coating	4E
C.080.080.0200.A	8.0	0.80	20.0	0.1790	6.96	8.06	yes	music wire	4C
C.080.080.0200.AP	8.0	0.80	20.0	0.2595	5.44	9.21	yes	music wire	4E
C.080.080.0200.I	8.0	0.80	20.0	0.1557	6.96	8.06	yes	stainless steel	4C
C.080.080.0200.N	8.0	0.80	20.0	0.1790	6.96	8.06	yes	Zn coating	4E
C.080.080.0220.A	8.0	0.80	22.0	0.1863	6.80	7.86	yes	music wire	4E
C.080.080.0220.I	8.0	0.80	22.0	0.1600	6.80	7.86	yes	stainless steel	4F
C.080.080.0220.N	8.0	0.80	22.0	0.1863	6.80	7.86	yes	Zn coating	4H
C.080.080.0250.A	8.0	0.80	25.0	0.1410	8.32	9.72	yes	music wire	4C
C.080.080.0250.AF	8.0	0.80	25.0	0.0780	13.44	15.97	yes	music wire	4C
C.080.080.0250.AP	8.0	0.80	25.0	0.2029	6.40	11.20	yes	music wire	4E
C.080.080.0250.I	8.0	0.80	25.0	0.1227	8.24	9.62	yes	stainless steel	4C
C.080.080.0250.N	8.0	0.80	25.0	0.1410	8.32	9.72	yes	Zn coating	4E
C.080.080.0250.NF	8.0	0.80	25.0	0.0780	13.44	15.97	yes	Zn coating	4E
C.080.080.0288.A	8.0	0.80	28.8	0.1315	8.80	10.31	yes	music wire	4C
C.080.080.0288.I	8.0	0.80	28.8	0.1129	8.80	10.31	yes	stainless steel	4C
C.080.080.0288.N	8.0	0.80	28.8	0.1315	8.80	10.31	yes	Zn coating	4E
C.080.080.0320.A	8.0	0.80	32.0	0.1090	10.24	12.07	yes	music wire	4C
C.080.080.0320.AP	8.0	0.80	32.0	0.1572	7.68	14.18	yes	music wire	4F
C.080.080.0320.I	8.0	0.80	32.0	0.0948	10.08	11.87	yes	stainless steel	4C
C.080.080.0320.N	8.0	0.80	32.0	0.1090	10.24	12.07	yes	Zn coating	4E
C.080.080.0400.A	8.0	0.80	40.0	0.0860	12.40	14.70	yes	music wire	4C
C.080.080.0400.AP	8.0	0.80	40.0	0.1240	9.20	17.42	yes	music wire	4F
C.080.080.0400.I	8.0	0.80	40.0	0.0748	12.24	14.51	yes	stainless steel	4C
C.080.080.0400.N	8.0	0.80	40.0	0.0860	12.40	14.70	yes	Zn coating	4E
C.080.080.0416.A	8.0	0.80	41.6	0.0894	12.00	14.22	yes	music wire	4C
C.080.080.0416.I	8.0	0.80	41.6	0.0768	12.00	14.22	yes	stainless steel	4D
C.080.080.0416.N	8.0	0.80	41.6	0.0894	12.00	14.22	yes	Zn coating	4E
C.080.080.0500.A	8.0	0.80	50.0	0.0680	15.12	18.03	yes	music wire	4C
C.080.080.0500.AP	8.0	0.80	50.0	0.0988	11.04	21.64	yes	music wire	4F
C.080.080.0500.I	8.0	0.80	50.0	0.0592	14.96	17.83	yes	stainless steel	4D
C.080.080.0500.N	8.0	0.80	50.0	0.0680	15.12	18.03	yes	Zn coating	4E
C.080.080.0600.A	8.0	0.80	60.0	0.0400	24.32	29.26	yes	music wire	4C
C.080.080.0600.AP	8.0	0.80	60.0	0.0821	12.88	25.87	yes	music wire	4F
C.080.080.0600.I	8.0	0.80	60.0	0.0348	24.08	28.97	yes	stainless steel	4D
C.080.080.0600.N	8.0	0.80	60.0	0.0400	24.32	29.26	yes	Zn coating	4E
C.080.080.0608.A	8.0	0.80	60.8	0.0604	16.80	20.08	yes	music wire	4C
C.080.080.0608.I	8.0	0.80	60.8	0.0519	16.80	20.08	yes	stainless steel	4D
C.080.080.0608.N	8.0	0.80	60.8	0.0604	16.80	20.08	yes	Zn coating	4E
C.080.080.0630.A	8.0	0.80	63.0	0.0540	18.56	22.23	yes	music wire	4C
C.080.080.0630.AP	8.0	0.80	63.0	0.0780	13.44	27.12	yes	music wire	4F
C.080.080.0630.I	8.0	0.80	63.0	0.0470	18.32	21.93	yes	stainless steel	4D
C.080.080.0630.N	8.0	0.80	63.0	0.0540	18.56	22.23	yes	Zn coating	4E
C.080.080.0800.A	8.0	0.80	80.0	0.0420	23.28	27.99	yes	music wire	4D
C.080.080.0800.AP	8.0	0.80	80.0	0.0613	16.56	34.33	yes	music wire	4F
C.080.080.0800.I	8.0	0.80	80.0	0.0365	23.04	27.70	yes	stainless steel	4D
C.080.080.0800.N	8.0	0.80	80.0	0.0420	23.28	27.99	yes	Zn coating	4E
C.080.080.3600.A	8.0	0.80	360.0	0.0090	102.16	124.17	no	music wire	4G
C.080.080.3600.I	8.0	0.80	360.0	0.0078	101.28	123.09	no	stainless steel	4G
C.080.090.0080.A	8.0	0.90	8.0	0.8000	4.32	4.72	yes	music wire	4C
C.080.090.0080.AP	8.0	0.90	8.0	1.0975	3.78	4.46	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.080.090.0080.I	8.0	0.90	8.0	0.6943	4.32	4.72	yes	stainless steel	4C
C.080.090.0080.N	8.0	0.90	8.0	0.8000	4.32	4.72	yes	Zn coating	4E
C.080.090.0100.A	8.0	0.90	10.0	0.6000	5.04	5.58	yes	music wire	4C
C.080.090.0100.AP	8.0	0.90	10.0	0.8481	4.23	5.41	yes	music wire	4E
C.080.090.0100.I	8.0	0.90	10.0	0.5211	5.04	5.58	yes	stainless steel	4C
C.080.090.0100.N	8.0	0.90	10.0	0.6000	5.04	5.58	yes	Zn coating	4E
C.080.090.0125.A	8.0	0.90	12.5	0.4640	5.85	6.55	yes	music wire	4C
C.080.090.0125.AP	8.0	0.90	12.5	0.6434	4.86	6.45	yes	music wire	4E
C.080.090.0125.I	8.0	0.90	12.5	0.4037	5.85	6.55	yes	stainless steel	4C
C.080.090.0125.N	8.0	0.90	12.5	0.4640	5.85	6.55	yes	Zn coating	4E
C.080.090.0160.A	8.0	0.90	16.0	0.3420	7.20	8.16	yes	music wire	4C
C.080.090.0160.AP	8.0	0.90	16.0	0.4910	5.67	8.08	yes	music wire	4E
C.080.090.0160.I	8.0	0.90	16.0	0.2975	7.11	8.05	yes	stainless steel	4C
C.080.090.0160.N	8.0	0.90	16.0	0.3420	7.20	8.16	yes	Zn coating	4E
C.080.090.0174.A	8.0	0.90	17.4	0.3061	7.74	8.80	yes	music wire	4C
C.080.090.0174.I	8.0	0.90	17.4	0.2630	7.74	8.80	yes	stainless steel	4C
C.080.090.0182.A	8.0	0.90	18.2	0.2918	8.01	9.12	yes	music wire	4C
C.080.090.0182.I	8.0	0.90	18.2	0.2506	8.01	9.12	yes	stainless steel	4C
C.080.090.0200.A	8.0	0.90	20.0	0.2710	8.46	9.66	yes	music wire	4C
C.080.090.0200.AP	8.0	0.90	20.0	0.3887	6.57	9.99	yes	music wire	4E
C.080.090.0200.I	8.0	0.90	20.0	0.2358	8.37	9.55	yes	stainless steel	4C
C.080.090.0200.N	8.0	0.90	20.0	0.2710	8.46	9.66	yes	Zn coating	4E
C.080.090.0250.A	8.0	0.90	25.0	0.2110	10.26	11.81	yes	music wire	4C
C.080.090.0250.AP	8.0	0.90	25.0	0.3059	7.74	12.28	yes	music wire	4F
C.080.090.0250.I	8.0	0.90	25.0	0.1836	10.08	11.59	yes	stainless steel	4C
C.080.090.0250.N	8.0	0.90	25.0	0.2110	10.26	11.81	yes	Zn coating	4E
C.080.090.0260.A	8.0	0.90	26.0	0.1360	14.58	16.96	yes	music wire	4C
C.080.090.0260.AP	8.0	0.90	26.0	0.2915	8.01	12.66	yes	music wire	4F
C.080.090.0260.I	8.0	0.90	26.0	0.1183	14.49	16.86	yes	stainless steel	4C
C.080.090.0260.N	8.0	0.90	26.0	0.1360	14.58	16.96	yes	Zn coating	4E
C.080.090.0290.A	8.0	0.90	29.0	0.1966	10.80	12.45	yes	music wire	4C
C.080.090.0290.I	8.0	0.90	29.0	0.1689	10.80	12.45	yes	stainless steel	4C
C.080.090.0290.N	8.0	0.90	29.0	0.1966	10.80	12.45	yes	Zn coating	4E
C.080.090.0320.A	8.0	0.90	32.0	0.1630	12.60	14.60	yes	music wire	4C
C.080.090.0320.AP	8.0	0.90	32.0	0.2332	9.45	15.32	yes	music wire	4F
C.080.090.0320.I	8.0	0.90	32.0	0.1418	12.42	14.39	yes	stainless steel	4C
C.080.090.0320.N	8.0	0.90	32.0	0.1630	12.60	14.60	yes	Zn coating	4E
C.080.090.0360.A	8.0	0.90	36.0	0.1624	12.60	14.60	yes	music wire	4C
C.080.090.0360.I	8.0	0.90	36.0	0.1395	12.60	14.60	yes	stainless steel	4D
C.080.090.0360.N	8.0	0.90	36.0	0.1624	12.60	14.60	yes	Zn coating	4E
C.080.090.0381.A	8.0	0.90	38.1	0.1315	15.03	17.50	yes	music wire	4C
C.080.090.0381.I	8.0	0.90	38.1	0.1130	15.03	17.50	yes	stainless steel	4D
C.080.090.0400.A	8.0	0.90	40.0	0.1290	15.30	17.82	yes	music wire	4C
C.080.090.0400.AP	8.0	0.90	40.0	0.1847	11.34	18.94	yes	music wire	4F
C.080.090.0400.I	8.0	0.90	40.0	0.1122	15.12	17.61	yes	stainless steel	4D
C.080.090.0400.N	8.0	0.90	40.0	0.1290	15.30	17.82	yes	Zn coating	4E
C.080.090.0430.A	8.0	0.90	43.0	0.1288	15.30	17.82	yes	music wire	4C
C.080.090.0430.I	8.0	0.90	43.0	0.1106	15.30	17.82	yes	stainless steel	4D
C.080.090.0430.N	8.0	0.90	43.0	0.1288	15.30	17.82	yes	Zn coating	4E
C.080.090.0460.A	8.0	0.90	46.0	0.0940	20.16	23.62	yes	music wire	4C
C.080.090.0460.AP	8.0	0.90	46.0	0.1608	12.69	21.81	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.080.090.0460.I	8.0	0.90	46.0	0.0818	19.89	23.30	yes	stainless steel	4D
C.080.090.0460.N	8.0	0.90	46.0	0.0940	20.16	23.62	yes	Zn coating	4E
C.080.090.0500.A	8.0	0.90	50.0	0.1030	18.54	21.69	yes	music wire	4C
C.080.090.0500.AP	8.0	0.90	50.0	0.1469	13.68	23.52	yes	music wire	4F
C.080.090.0500.I	8.0	0.90	50.0	0.0896	18.36	21.47	yes	stainless steel	4D
C.080.090.0500.N	8.0	0.90	50.0	0.1030	18.54	21.69	yes	Zn coating	4E
C.080.090.0570.A	8.0	0.90	57.0	0.0958	19.80	23.19	yes	music wire	4C
C.080.090.0570.I	8.0	0.90	57.0	0.0823	19.80	23.19	yes	stainless steel	4D
C.080.090.0570.N	8.0	0.90	57.0	0.0958	19.80	23.19	yes	Zn coating	4E
C.080.090.0630.A	8.0	0.90	63.0	0.0810	23.04	27.06	yes	music wire	4C
C.080.090.0630.AP	8.0	0.90	63.0	0.1159	16.74	29.43	yes	music wire	4F
C.080.090.0630.I	8.0	0.90	63.0	0.0705	22.77	26.74	yes	stainless steel	4D
C.080.090.0630.N	8.0	0.90	63.0	0.0810	23.04	27.06	yes	Zn coating	4E
C.080.090.0800.A	8.0	0.90	80.0	0.0640	28.53	33.61	yes	music wire	4D
C.080.090.0800.AP	8.0	0.90	80.0	0.0910	20.70	37.26	yes	music wire	4G
C.080.090.0800.I	8.0	0.90	80.0	0.0557	28.17	33.18	yes	stainless steel	4D
C.080.090.0800.N	8.0	0.90	80.0	0.0640	28.53	33.61	yes	Zn coating	4E
C.080.090.3600.A	8.0	0.90	360.0	0.0140	123.21	146.42	no	music wire	4G
C.080.090.3600.I	8.0	0.90	360.0	0.0122	121.50	144.38	no	stainless steel	4G
C.080.095.0080.A	8.0	0.95	8.0	1.0296	4.56	4.96	yes	music wire	4C
C.080.095.0080.I	8.0	0.95	8.0	0.8843	4.56	4.96	yes	stainless steel	4C
C.080.095.0112.A	8.0	0.95	11.2	0.6232	5.99	6.65	yes	music wire	4C
C.080.095.0112.I	8.0	0.95	11.2	0.5352	5.99	6.65	yes	stainless steel	4C
C.080.095.0142.A	8.0	0.95	14.2	0.4736	7.13	8.00	yes	music wire	4C
C.080.095.0142.I	8.0	0.95	14.2	0.4068	7.13	8.00	yes	stainless steel	4C
C.080.095.0206.A	8.0	0.95	20.6	0.3116	9.60	10.92	yes	music wire	4C
C.080.095.0206.I	8.0	0.95	20.6	0.2676	9.60	10.92	yes	stainless steel	4C
C.080.095.0224.A	8.0	0.95	22.4	0.2853	10.26	11.70	yes	music wire	4C
C.080.095.0224.I	8.0	0.95	22.4	0.2451	10.26	11.70	yes	stainless steel	4C
C.080.095.0254.A	8.0	0.95	25.4	0.2493	11.40	13.05	yes	music wire	4C
C.080.095.0254.I	8.0	0.95	25.4	0.2141	11.40	13.05	yes	stainless steel	4C
C.080.095.0285.A	8.0	0.95	28.5	0.2193	12.64	14.51	yes	music wire	4C
C.080.095.0285.I	8.0	0.95	28.5	0.1883	12.64	14.51	yes	stainless steel	4C
C.080.095.0445.A	8.0	0.95	44.5	0.1369	18.81	21.81	yes	music wire	4C
C.080.095.0445.I	8.0	0.95	44.5	0.1176	18.81	21.81	yes	stainless steel	4D
C.080.095.0635.A	8.0	0.95	63.5	0.0951	26.03	30.35	yes	music wire	4C
C.080.095.0635.I	8.0	0.95	63.5	0.0817	26.03	30.35	yes	stainless steel	4D
C.080.095.0770.A	8.0	0.95	77.0	0.0874	28.12	32.82	yes	music wire	4D
C.080.095.0770.I	8.0	0.95	77.0	0.0751	28.12	32.82	yes	stainless steel	4D
C.080.100.0080.A	8.0	1.00	8.0	1.2000	5.00	5.43	yes	music wire	4C
C.080.100.0080.AP	8.0	1.00	8.0	1.6501	4.30	4.84	yes	music wire	4E
C.080.100.0080.I	8.0	1.00	8.0	1.0466	4.90	5.32	yes	stainless steel	4C
C.080.100.0080.N	8.0	1.00	8.0	1.2000	5.00	5.43	yes	Zn coating	4E
C.080.100.0100.A	8.0	1.00	10.0	0.9140	5.70	6.26	yes	music wire	4C
C.080.100.0100.AF	8.0	1.00	10.0	1.1660	5.00	5.53	yes	music wire	4E
C.080.100.0100.AP	8.0	1.00	10.0	1.2375	4.90	5.79	yes	music wire	4E
C.080.100.0100.I	8.0	1.00	10.0	0.7952	5.70	6.26	yes	stainless steel	4C
C.080.100.0100.N	8.0	1.00	10.0	1.1660	5.00	5.53	yes	Zn coating	4H
C.080.100.0100.NF	8.0	1.00	10.0	0.9140	5.70	6.26	yes	Zn coating	4E
C.080.100.0108.A	8.0	1.00	10.8	0.8486	6.00	6.61	yes	music wire	4C
C.080.100.0108.AP	8.0	1.00	10.8	1.1424	5.10	6.24	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.080.100.0108.I	8.0	1.00	10.8	0.7383	6.00	6.61	yes	stainless steel	4C
C.080.100.0108.N	8.0	1.00	10.8	0.8486	6.00	6.61	yes	Zn coating	4E
C.080.100.0120.A	8.0	1.00	12.0	0.9720	5.60	6.64	yes	music wire	4E
C.080.100.0120.I	8.0	1.00	12.0	0.8456	5.50	6.70	yes	stainless steel	4F
C.080.100.0120.N	8.0	1.00	12.0	0.9720	5.60	6.64	yes	Zn coating	4H
C.080.100.0125.A	8.0	1.00	12.5	0.7140	6.70	7.43	yes	music wire	4C
C.080.100.0125.AP	8.0	1.00	12.5	0.9581	5.60	7.06	yes	music wire	4E
C.080.100.0125.I	8.0	1.00	12.5	0.6212	6.60	7.31	yes	stainless steel	4C
C.080.100.0125.N	8.0	1.00	12.5	0.7140	6.70	7.43	yes	Zn coating	4E
C.080.100.0160.A	8.0	1.00	16.0	0.5320	8.10	9.07	yes	music wire	4C
C.080.100.0160.AL	8.0	1.00	16.0	0.5833	7.60	8.48	yes	music wire	4C
C.080.100.0160.AP	8.0	1.00	16.0	0.7244	6.60	8.80	yes	music wire	4F
C.080.100.0160.I	8.0	1.00	16.0	0.4628	8.00	8.95	yes	stainless steel	4C
C.080.100.0160.N	8.0	1.00	16.0	0.5320	8.10	9.07	yes	Zn coating	4E
C.080.100.0165.A	8.0	1.00	16.5	0.5400	8.00	8.95	yes	music wire	4C
C.080.100.0165.I	8.0	1.00	16.5	0.4698	7.90	8.84	yes	stainless steel	4C
C.080.100.0165.N	8.0	1.00	16.5	0.5400	8.00	8.95	yes	Zn coating	4E
C.080.100.0200.A	8.0	1.00	20.0	0.4160	9.60	10.83	yes	music wire	4C
C.080.100.0200.AF	8.0	1.00	20.0	0.4800	8.70	9.78	yes	music wire	4F
C.080.100.0200.AL	8.0	1.00	20.0	0.4667	8.90	10.01	yes	music wire	4C
C.080.100.0200.AP	8.0	1.00	20.0	0.5604	7.80	10.70	yes	music wire	4F
C.080.100.0200.I	8.0	1.00	20.0	0.3619	9.50	10.71	yes	stainless steel	4C
C.080.100.0200.N	8.0	1.00	20.0	0.4800	8.70	9.78	yes	Zn coating	4H
C.080.100.0200.NF	8.0	1.00	20.0	0.3640	10.70	12.12	yes	Zn coating	4E
C.080.100.0220.A	8.0	1.00	22.0	0.2920	12.70	14.47	yes	music wire	4C
C.080.100.0220.AP	8.0	1.00	22.0	0.5034	8.40	11.65	yes	music wire	4F
C.080.100.0220.I	8.0	1.00	22.0	0.2540	12.50	14.23	yes	stainless steel	4C
C.080.100.0220.N	8.0	1.00	22.0	0.2920	12.70	14.47	yes	Zn coating	4E
C.080.100.0250.A	8.0	1.00	25.0	0.3270	11.60	13.18	yes	music wire	4C
C.080.100.0250.AL	8.0	1.00	25.0	0.3733	10.50	11.89	yes	music wire	4C
C.080.100.0250.AP	8.0	1.00	25.0	0.4433	9.20	13.24	yes	music wire	4F
C.080.100.0250.I	8.0	1.00	25.0	0.2845	11.50	13.06	yes	stainless steel	4C
C.080.100.0250.N	8.0	1.00	25.0	0.2780	13.20	15.06	yes	Zn coating	4E
C.080.100.0263.A	8.0	1.00	26.3	0.3494	11.00	12.47	yes	music wire	4F
C.080.100.0263.I	8.0	1.00	26.3	0.3000	11.00	12.47	yes	stainless steel	4F
C.080.100.0263.N	8.0	1.00	26.3	0.3494	11.00	12.47	yes	Zn coating	4H
C.080.100.0320.A	8.0	1.00	32.0	0.2480	14.50	16.58	yes	music wire	4C
C.080.100.0320.AF	8.0	1.00	32.0	0.3000	12.40	14.62	yes	music wire	4F
C.080.100.0320.AL	8.0	1.00	32.0	0.2917	12.70	14.47	yes	music wire	4C
C.080.100.0320.AP	8.0	1.00	32.0	0.3375	11.30	16.56	yes	music wire	4F
C.080.100.0320.I	8.0	1.00	32.0	0.2158	14.30	16.35	yes	stainless steel	4D
C.080.100.0320.N	8.0	1.00	32.0	0.3000	12.40	14.62	yes	Zn coating	4H
C.080.100.0320.NF	8.0	1.00	32.0	0.2480	14.50	16.58	yes	Zn coating	4E
C.080.100.0345.A	8.0	1.00	34.5	0.2475	14.50	16.58	yes	music wire	4C
C.080.100.0345.I	8.0	1.00	34.5	0.2126	14.50	16.58	yes	stainless steel	4D
C.080.100.0345.N	8.0	1.00	34.5	0.2475	14.50	16.58	yes	Zn coating	4E
C.080.100.0400.A	8.0	1.00	40.0	0.1970	17.60	20.22	yes	music wire	4C
C.080.100.0400.AF	8.0	1.00	40.0	0.2920	12.70	22.15	yes	music wire	4I
C.080.100.0400.AL	8.0	1.00	40.0	0.2333	15.20	17.66	yes	music wire	4C
C.080.100.0400.AP	8.0	1.00	40.0	0.2676	13.60	20.52	yes	music wire	4F
C.080.100.0400.I	8.0	1.00	40.0	0.1714	17.40	19.99	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.080.100.0400.N	8.0	1.00	40.0	0.2920	12.70	22.15	yes	Zn coating	4I
C.080.100.0400.NF	8.0	1.00	40.0	0.1500	22.30	25.74	yes	Zn coating	4E
C.080.100.0450.A	8.0	1.00	45.0	0.2010	17.30	19.87	yes	music wire	4F
C.080.100.0450.I	8.0	1.00	45.0	0.1749	17.10	19.63	yes	stainless steel	4G
C.080.100.0450.N	8.0	1.00	45.0	0.2010	17.30	19.87	yes	Zn coating	4H
C.080.100.0470.A	8.0	1.00	47.0	0.1940	17.80	20.45	yes	music wire	4F
C.080.100.0470.I	8.0	1.00	47.0	0.1688	17.60	20.42	yes	stainless steel	4G
C.080.100.0470.N	8.0	1.00	47.0	0.1940	17.80	20.45	yes	Zn coating	4H
C.080.100.0500.A	8.0	1.00	50.0	0.1570	21.40	24.68	yes	music wire	4C
C.080.100.0500.AF	8.0	1.00	50.0	0.1895	18.20	22.49	yes	music wire	4F
C.080.100.0500.AL	8.0	1.00	50.0	0.1867	18.40	22.08	yes	music wire	4C
C.080.100.0500.AP	8.0	1.00	50.0	0.2122	16.50	25.43	yes	music wire	4F
C.080.100.0500.I	8.0	1.00	50.0	0.1366	21.20	24.44	yes	stainless steel	4D
C.080.100.0500.N	8.0	1.00	50.0	0.1895	18.20	22.49	yes	Zn coating	4H
C.080.100.0500.NF	8.0	1.00	50.0	0.1570	21.40	24.68	yes	Zn coating	4E
C.080.100.0511.A	8.0	1.00	51.1	0.1800	19.00	22.14	yes	music wire	4F
C.080.100.0511.I	8.0	1.00	51.1	0.1546	19.00	22.09	yes	stainless steel	4G
C.080.100.0511.N	8.0	1.00	51.1	0.1800	19.00	22.14	yes	Zn coating	4I
C.080.100.0630.A	8.0	1.00	63.0	0.1230	26.60	30.78	yes	music wire	4D
C.080.100.0630.AF	8.0	1.00	63.0	0.1500	22.30	28.25	yes	music wire	4F
C.080.100.0630.AL	8.0	1.00	63.0	0.1474	22.70	27.63	yes	music wire	4C
C.080.100.0630.AP	8.0	1.00	63.0	0.1678	20.20	31.94	yes	music wire	4F
C.080.100.0630.I	8.0	1.00	63.0	0.1070	26.30	30.43	yes	stainless steel	4D
C.080.100.0630.N	8.0	1.00	63.0	0.1500	22.30	28.25	yes	Zn coating	4I
C.080.100.0630.NF	8.0	1.00	63.0	0.1230	26.60	30.78	yes	Zn coating	4E
C.080.100.0697.A	8.0	1.00	69.7	0.1320	25.00	30.21	yes	music wire	4G
C.080.100.0697.I	8.0	1.00	69.7	0.1134	25.00	30.14	yes	stainless steel	4G
C.080.100.0697.N	8.0	1.00	69.7	0.1320	25.00	30.21	yes	Zn coating	4I
C.080.100.0700.A	8.0	1.00	70.0	0.0910	35.10	40.76	yes	music wire	4D
C.080.100.0700.AP	8.0	1.00	70.0	0.1508	22.20	35.43	yes	music wire	4G
C.080.100.0700.I	8.0	1.00	70.0	0.0792	34.70	40.29	yes	stainless steel	4D
C.080.100.0700.N	8.0	1.00	70.0	0.0910	35.10	40.76	yes	Zn coating	4E
C.080.100.0800.A	8.0	1.00	80.0	0.0960	33.40	38.76	yes	music wire	4D
C.080.100.0800.AF	8.0	1.00	80.0	0.1200	27.30	36.56	yes	music wire	4G
C.080.100.0800.AL	8.0	1.00	80.0	0.1167	28.00	35.32	yes	music wire	4C
C.080.100.0800.AP	8.0	1.00	80.0	0.1314	25.10	40.34	yes	music wire	4G
C.080.100.0800.I	8.0	1.00	80.0	0.0835	33.10	38.41	yes	stainless steel	4D
C.080.100.0800.N	8.0	1.00	80.0	0.1200	27.30	36.56	yes	Zn coating	4I
C.080.100.0800.NF	8.0	1.00	80.0	0.0930	34.40	39.93	yes	Zn coating	4E
C.080.100.1000.A	8.0	1.00	100.0	0.0947	33.90	44.96	yes	music wire	4G
C.080.100.1000.I	8.0	1.00	100.0	0.0824	33.50	45.56	yes	stainless steel	4G
C.080.100.1000.N	8.0	1.00	100.0	0.0947	33.90	44.96	yes	Zn coating	4I
C.080.100.1070.A	8.0	1.00	107.0	0.0861	37.00	46.46	yes	music wire	4G
C.080.100.1070.I	8.0	1.00	107.0	0.0740	37.00	46.38	yes	stainless steel	4G
C.080.100.1070.N	8.0	1.00	107.0	0.0861	37.00	46.46	yes	Zn coating	4I
C.080.100.1350.A	8.0	1.00	135.0	0.0683	46.00	58.68	yes	music wire	4G
C.080.100.1350.I	8.0	1.00	135.0	0.0587	46.00	58.58	yes	stainless steel	4G
C.080.100.1350.N	8.0	1.00	135.0	0.0683	46.00	58.68	yes	Zn coating	4I
C.080.100.3600.A	8.0	1.00	360.0	0.0210	144.90	169.43	no	music wire	4G
C.080.100.3600.I	8.0	1.00	360.0	0.0183	142.90	167.09	no	stainless steel	4G
C.080.105.0080.A	8.0	1.05	8.0	1.5369	5.15	5.57	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.080.105.0080.I	8.0	1.05	8.0	1.3201	5.15	5.57	yes	stainless steel	4C
C.080.105.0750.A	8.0	1.05	75.0	0.1313	32.13	37.02	yes	music wire	4D
C.080.105.0750.I	8.0	1.05	75.0	0.1127	32.13	37.02	yes	stainless steel	4D
C.080.110.0080.A	8.0	1.10	8.0	1.8390	5.50	5.94	yes	music wire	4C
C.080.110.0080.AP	8.0	1.10	8.0	2.3919	4.84	5.17	yes	music wire	4F
C.080.110.0080.I	8.0	1.10	8.0	1.6000	5.39	5.81	yes	stainless steel	4C
C.080.110.0080.N	8.0	1.10	8.0	1.8390	5.50	5.94	yes	Zn coating	4E
C.080.110.0100.A	8.0	1.10	10.0	1.4000	6.27	6.83	yes	music wire	4C
C.080.110.0100.AP	8.0	1.10	10.0	1.8178	5.50	6.27	yes	music wire	4F
C.080.110.0100.I	8.0	1.10	10.0	1.2163	6.27	6.83	yes	stainless steel	4C
C.080.110.0100.N	8.0	1.10	10.0	1.4000	6.27	6.83	yes	Zn coating	4E
C.080.110.0125.A	8.0	1.10	12.5	1.0590	7.48	8.23	yes	music wire	4C
C.080.110.0125.AP	8.0	1.10	12.5	1.3771	6.38	7.57	yes	music wire	4F
C.080.110.0125.I	8.0	1.10	12.5	0.9213	7.37	8.10	yes	stainless steel	4C
C.080.110.0125.N	8.0	1.10	12.5	1.0590	7.48	8.23	yes	Zn coating	4E
C.080.110.0160.A	8.0	1.10	16.0	0.7940	9.02	10.02	yes	music wire	4C
C.080.110.0160.AP	8.0	1.10	16.0	1.0329	7.59	9.43	yes	music wire	4F
C.080.110.0160.I	8.0	1.10	16.0	0.6908	8.91	9.89	yes	stainless steel	4C
C.080.110.0160.N	8.0	1.10	16.0	0.7940	9.02	10.02	yes	Zn coating	4E
C.080.110.0200.A	8.0	1.10	20.0	0.6240	10.78	12.06	yes	music wire	4C
C.080.110.0200.AP	8.0	1.10	20.0	0.7973	9.02	11.49	yes	music wire	4F
C.080.110.0200.I	8.0	1.10	20.0	0.5429	10.67	11.93	yes	stainless steel	4D
C.080.110.0200.N	8.0	1.10	20.0	0.6240	10.78	12.06	yes	Zn coating	4E
C.080.110.0250.A	8.0	1.10	25.0	0.4850	13.09	14.73	yes	music wire	4C
C.080.110.0250.AP	8.0	1.10	25.0	0.6312	10.67	14.25	yes	music wire	4F
C.080.110.0250.I	8.0	1.10	25.0	0.4220	12.87	14.48	yes	stainless steel	4D
C.080.110.0250.N	8.0	1.10	25.0	0.4850	13.09	14.73	yes	Zn coating	4E
C.080.110.0320.A	8.0	1.10	32.0	0.3720	16.17	18.30	yes	music wire	4C
C.080.110.0320.AP	8.0	1.10	32.0	0.4835	13.09	17.97	yes	music wire	4F
C.080.110.0320.I	8.0	1.10	32.0	0.3236	16.06	18.18	yes	stainless steel	4D
C.080.110.0320.N	8.0	1.10	32.0	0.3720	16.17	18.30	yes	Zn coating	4E
C.080.110.0400.A	8.0	1.10	40.0	0.2940	19.69	22.38	yes	music wire	4C
C.080.110.0400.AP	8.0	1.10	40.0	0.3819	15.84	22.24	yes	music wire	4F
C.080.110.0400.I	8.0	1.10	40.0	0.2558	19.47	22.13	yes	stainless steel	4D
C.080.110.0400.N	8.0	1.10	40.0	0.2940	19.69	22.38	yes	Zn coating	4E
C.080.110.0500.A	8.0	1.10	50.0	0.2310	24.42	27.87	yes	music wire	4C
C.080.110.0500.AP	8.0	1.10	50.0	0.3010	19.36	27.46	yes	music wire	4F
C.080.110.0500.I	8.0	1.10	50.0	0.2010	24.09	27.48	yes	stainless steel	4D
C.080.110.0500.N	8.0	1.10	50.0	0.2310	24.42	27.87	yes	Zn coating	4E
C.080.110.0630.A	8.0	1.10	63.0	0.1820	30.14	34.50	yes	music wire	4D
C.080.110.0630.AP	8.0	1.10	63.0	0.2379	23.76	34.49	yes	music wire	4G
C.080.110.0630.I	8.0	1.10	63.0	0.1583	29.81	34.11	yes	stainless steel	4D
C.080.110.0630.N	8.0	1.10	63.0	0.1820	30.14	34.50	yes	Zn coating	4E
C.080.110.0800.A	8.0	1.10	80.0	0.1430	37.73	43.29	yes	music wire	4D
C.080.110.0800.AP	8.0	1.10	80.0	0.1855	29.70	43.43	yes	music wire	4G
C.080.110.0800.I	8.0	1.10	80.0	0.1244	37.18	42.66	yes	stainless steel	4D
C.080.110.0800.N	8.0	1.10	80.0	0.1430	37.73	43.29	yes	Zn coating	4F
C.080.110.3600.A	8.0	1.10	360.0	0.0310	165.00	190.63	no	music wire	4G
C.080.110.3600.I	8.0	1.10	360.0	0.0270	162.69	187.95	no	stainless steel	4G
C.080.115.0080.A	8.0	1.15	8.0	2.3098	5.64	6.06	yes	music wire	4C
C.080.115.0080.I	8.0	1.15	8.0	1.9839	5.64	6.06	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.080.115.0750.A	8.0	1.15	75.0	0.1886	36.69	41.87	yes	music wire	4D
C.080.115.0750.I	8.0	1.15	75.0	0.1619	36.69	41.87	yes	stainless steel	4D
C.080.120.0080.A	8.0	1.20	8.0	2.7993	5.88	6.31	yes	music wire	4C
C.080.120.0080.I	8.0	1.20	8.0	2.4043	5.88	6.31	yes	stainless steel	4C
C.080.120.0103.A	8.0	1.20	10.3	1.8662	7.32	7.96	yes	music wire	4C
C.080.120.0103.I	8.0	1.20	10.3	1.6029	7.32	7.96	yes	stainless steel	4C
C.080.120.0119.A	8.0	1.20	11.9	1.5624	8.16	8.92	yes	music wire	4C
C.080.120.0119.I	8.0	1.20	11.9	1.3420	8.16	8.92	yes	stainless steel	4D
C.080.120.0150.A	8.0	1.20	15.0	1.3190	9.12	10.03	yes	music wire	4C
C.080.120.0150.AF	8.0	1.20	15.0	1.0150	10.92	12.09	yes	music wire	4C
C.080.120.0150.AP	8.0	1.20	15.0	1.5653	8.16	9.50	yes	music wire	4F
C.080.120.0150.I	8.0	1.20	15.0	1.1475	9.00	9.89	yes	stainless steel	4D
C.080.120.0150.N	8.0	1.20	15.0	1.3190	9.12	10.03	yes	Zn coating	4E
C.080.120.0150.NF	8.0	1.20	15.0	1.0150	10.92	12.09	yes	Zn coating	4E
C.080.120.0151.A	8.0	1.20	15.1	1.1583	9.96	10.99	yes	music wire	4C
C.080.120.0151.I	8.0	1.20	15.1	0.9949	9.96	10.99	yes	stainless steel	4D
C.080.120.0190.A	8.0	1.20	19.0	0.7760	13.44	14.99	yes	music wire	4C
C.080.120.0190.AP	8.0	1.20	19.0	1.2019	9.72	11.83	yes	music wire	4F
C.080.120.0190.I	8.0	1.20	19.0	0.6751	13.20	14.71	yes	stainless steel	4D
C.080.120.0190.N	8.0	1.20	19.0	0.7760	13.44	14.99	yes	Zn coating	4E
C.080.120.0191.A	8.0	1.20	19.1	0.8958	12.00	13.33	yes	music wire	4C
C.080.120.0191.I	8.0	1.20	19.1	0.7694	12.00	13.33	yes	stainless steel	4D
C.080.120.0200.A	8.0	1.20	20.0	0.8790	12.12	13.47	yes	music wire	4C
C.080.120.0200.AP	8.0	1.20	20.0	1.1218	10.20	12.32	yes	music wire	4F
C.080.120.0200.I	8.0	1.20	20.0	0.7647	12.00	13.33	yes	stainless steel	4D
C.080.120.0200.N	8.0	1.20	20.0	0.8790	12.12	13.47	yes	Zn coating	4E
C.080.120.0250.A	8.0	1.20	25.0	0.8398	12.60	14.74	yes	music wire	4F
C.080.120.0250.I	8.0	1.20	25.0	0.7213	12.60	14.67	yes	stainless steel	4G
C.080.120.0250.N	8.0	1.20	25.0	0.8398	12.60	14.74	yes	Zn coating	4H
C.080.120.0254.A	8.0	1.20	25.4	0.6460	15.48	17.33	yes	music wire	4C
C.080.120.0254.I	8.0	1.20	25.4	0.5548	15.48	17.33	yes	stainless steel	4D
C.080.120.0260.A	8.0	1.20	26.0	0.7330	14.04	15.68	yes	music wire	4F
C.080.120.0260.I	8.0	1.20	26.0	0.6377	13.80	15.40	yes	stainless steel	4G
C.080.120.0260.N	8.0	1.20	26.0	0.7330	14.04	15.68	yes	Zn coating	4H
C.080.120.0480.A	8.0	1.20	48.0	0.4880	19.56	30.35	yes	music wire	4I
C.080.120.0480.I	8.0	1.20	48.0	0.4246	19.32	30.46	yes	stainless steel	4I
C.080.120.0480.N	8.0	1.20	48.0	0.4880	19.56	30.35	yes	Zn coating	4I
C.080.120.0790.A	8.0	1.20	79.0	0.1953	44.28	50.40	yes	music wire	4D
C.080.120.0790.I	8.0	1.20	79.0	0.1677	44.28	50.40	yes	stainless steel	4D
C.080.120.0900.A	8.0	1.20	90.0	0.1705	50.28	57.29	yes	music wire	4D
C.080.120.0900.I	8.0	1.20	90.0	0.1465	50.28	57.29	yes	stainless steel	4E
C.080.120.1060.A	8.0	1.20	106.0	0.1442	58.92	67.21	yes	music wire	4D
C.080.120.1060.I	8.0	1.20	106.0	0.1238	58.92	67.21	yes	stainless steel	4E
C.080.125.0080.A	8.0	1.25	8.0	3.4580	6.00	6.41	yes	music wire	4C
C.080.125.0080.I	8.0	1.25	8.0	3.0085	6.00	6.41	yes	stainless steel	4D
C.080.125.0080.N	8.0	1.25	8.0	3.4580	6.00	6.41	yes	Zn coating	4E
C.080.125.0100.A	8.0	1.25	10.0	2.4890	7.13	7.71	yes	music wire	4C
C.080.125.0100.I	8.0	1.25	10.0	2.1654	7.13	7.71	yes	stainless steel	4D
C.080.125.0100.N	8.0	1.25	10.0	2.4890	7.13	7.71	yes	Zn coating	4E
C.080.125.0125.A	8.0	1.25	12.5	1.8860	8.50	9.27	yes	music wire	4C
C.080.125.0125.I	8.0	1.25	12.5	1.6408	8.38	9.13	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.080.125.0125.N	8.0	1.25	12.5	1.8860	8.50	9.27	yes	Zn coating	4E
C.080.125.0160.A	8.0	1.25	16.0	1.4140	10.25	11.27	yes	music wire	4C
C.080.125.0160.I	8.0	1.25	16.0	1.2302	10.13	11.14	yes	stainless steel	4D
C.080.125.0160.N	8.0	1.25	16.0	1.4140	10.25	11.27	yes	Zn coating	4E
C.080.125.0200.A	8.0	1.25	20.0	1.0920	12.38	13.71	yes	music wire	4C
C.080.125.0200.I	8.0	1.25	20.0	0.9500	12.25	13.56	yes	stainless steel	4D
C.080.125.0200.N	8.0	1.25	20.0	1.0920	12.38	13.71	yes	Zn coating	4E
C.080.125.0250.A	8.0	1.25	25.0	0.8530	15.00	16.71	yes	music wire	4C
C.080.125.0250.I	8.0	1.25	25.0	0.7421	14.88	16.57	yes	stainless steel	4D
C.080.125.0250.N	8.0	1.25	25.0	0.8530	15.00	16.71	yes	Zn coating	4E
C.080.125.0320.A	8.0	1.25	32.0	0.6480	18.75	21.00	yes	music wire	4C
C.080.125.0320.I	8.0	1.25	32.0	0.5638	18.50	20.71	yes	stainless steel	4D
C.080.125.0320.N	8.0	1.25	32.0	0.6480	18.75	21.00	yes	Zn coating	4E
C.080.125.0400.A	8.0	1.25	40.0	0.5100	23.00	25.86	yes	music wire	4C
C.080.125.0400.I	8.0	1.25	40.0	0.4437	22.75	25.57	yes	stainless steel	4D
C.080.125.0400.N	8.0	1.25	40.0	0.5100	23.00	25.86	yes	Zn coating	4E
C.080.125.0445.A	8.0	1.25	44.5	0.4234	27.00	30.43	yes	music wire	4D
C.080.125.0445.I	8.0	1.25	44.5	0.3637	27.00	30.43	yes	stainless steel	4D
C.080.125.0500.A	8.0	1.25	50.0	0.4020	28.25	31.86	yes	music wire	4D
C.080.125.0500.I	8.0	1.25	50.0	0.3497	28.00	31.58	yes	stainless steel	4D
C.080.125.0500.N	8.0	1.25	50.0	0.4020	28.25	31.86	yes	Zn coating	4E
C.080.125.0630.A	8.0	1.25	63.0	0.3160	35.13	39.73	yes	music wire	4D
C.080.125.0630.I	8.0	1.25	63.0	0.2749	34.75	39.30	yes	stainless steel	4D
C.080.125.0630.N	8.0	1.25	63.0	0.3160	35.13	39.73	yes	Zn coating	4E
C.080.125.0800.A	8.0	1.25	80.0	0.2470	44.00	49.88	yes	music wire	4D
C.080.125.0800.I	8.0	1.25	80.0	0.2149	43.50	49.30	yes	stainless steel	4E
C.080.125.0800.N	8.0	1.25	80.0	0.2470	44.00	49.88	yes	Zn coating	4F
C.080.125.2050.A	8.0	1.25	205.0	0.0880	118.00	134.51	yes	music wire	4E
C.080.125.2050.I	8.0	1.25	205.0	0.0756	118.00	134.51	yes	stainless steel	4E
C.080.125.2500.A	8.0	1.25	250.0	0.0720	143.50	163.68	yes	music wire	4E
C.080.125.2500.I	8.0	1.25	250.0	0.0619	143.50	163.68	yes	stainless steel	4F
C.080.125.3600.A	8.0	1.25	360.0	0.0530	195.13	222.55	no	music wire	4G
C.080.125.3600.I	8.0	1.25	360.0	0.0461	192.75	219.83	no	stainless steel	4G
C.080.130.0080.A	8.0	1.30	8.0	4.0309	6.37	6.81	yes	music wire	4C
C.080.130.0080.I	8.0	1.30	8.0	3.4621	6.37	6.81	yes	stainless steel	4D
C.080.130.0090.A	8.0	1.30	9.0	3.4551	6.89	7.40	yes	music wire	4C
C.080.130.0090.I	8.0	1.30	9.0	2.9676	6.89	7.40	yes	stainless steel	4D
C.080.130.0103.A	8.0	1.30	10.3	2.6873	7.93	8.58	yes	music wire	4C
C.080.130.0103.I	8.0	1.30	10.3	2.3081	7.93	8.58	yes	stainless steel	4D
C.080.130.0120.A	8.0	1.30	12.0	2.3596	8.58	9.33	yes	music wire	4C
C.080.130.0120.I	8.0	1.30	12.0	2.0266	8.58	9.33	yes	stainless steel	4D
C.080.130.0540.A	8.0	1.30	54.0	0.4417	31.72	35.70	yes	music wire	4D
C.080.130.0540.I	8.0	1.30	54.0	0.3794	31.72	35.70	yes	stainless steel	4D
C.080.130.1450.A	8.0	1.30	145.0	0.1790	73.45	85.14	yes	music wire	4G
C.080.130.1450.I	8.0	1.30	145.0	0.1557	72.67	85.36	yes	stainless steel	4H
C.080.130.1450.N	8.0	1.30	145.0	0.1790	73.45	85.14	yes	Zn coating	4I
C.080.140.0080.A	8.0	1.40	8.0	5.8200	6.72	7.15	yes	music wire	4E
C.080.140.0080.I	8.0	1.40	8.0	5.0634	6.72	7.15	yes	stainless steel	4E
C.080.140.0080.N	8.0	1.40	8.0	5.8200	6.72	7.15	yes	Zn coating	4G
C.080.140.0090.A	8.0	1.40	9.0	4.8617	7.42	7.94	yes	music wire	4E
C.080.140.0090.I	8.0	1.40	9.0	4.1757	7.42	7.94	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.080.140.0100.A	8.0	1.40	10.0	4.3650	7.84	8.42	yes	music wire	4E
C.080.140.0100.I	8.0	1.40	10.0	3.7976	7.84	8.42	yes	stainless steel	4E
C.080.140.0100.N	8.0	1.40	10.0	4.3650	7.84	8.42	yes	Zn coating	4G
C.080.140.0125.A	8.0	1.40	12.5	3.2740	9.38	10.16	yes	music wire	4E
C.080.140.0125.I	8.0	1.40	12.5	2.8484	9.24	10.01	yes	stainless steel	4E
C.080.140.0125.N	8.0	1.40	12.5	3.2740	9.38	10.16	yes	Zn coating	4G
C.080.140.0160.A	8.0	1.40	16.0	2.3810	11.48	12.54	yes	music wire	4E
C.080.140.0160.I	8.0	1.40	16.0	2.0715	11.34	12.39	yes	stainless steel	4E
C.080.140.0160.N	8.0	1.40	16.0	2.3810	11.48	12.54	yes	Zn coating	4G
C.080.140.0180.A	8.0	1.40	18.0	2.0318	12.88	14.13	yes	music wire	4E
C.080.140.0180.I	8.0	1.40	18.0	1.7451	12.88	14.13	yes	stainless steel	4E
C.080.140.0200.A	8.0	1.40	20.0	1.8380	13.86	15.24	yes	music wire	4E
C.080.140.0200.I	8.0	1.40	20.0	1.6000	13.72	15.08	yes	stainless steel	4E
C.080.140.0200.N	8.0	1.40	20.0	1.8380	13.86	15.24	yes	Zn coating	4G
C.080.140.0220.A	8.0	1.40	22.0	1.6206	15.26	16.83	yes	music wire	4E
C.080.140.0220.I	8.0	1.40	22.0	1.3919	15.26	16.83	yes	stainless steel	4E
C.080.140.0250.A	8.0	1.40	25.0	1.4350	16.80	18.57	yes	music wire	4E
C.080.140.0250.I	8.0	1.40	25.0	1.2500	16.66	18.41	yes	stainless steel	4E
C.080.140.0250.N	8.0	1.40	25.0	1.4350	16.80	18.57	yes	Zn coating	4G
C.080.140.0320.A	8.0	1.40	32.0	1.0910	21.00	23.33	yes	music wire	4E
C.080.140.0320.I	8.0	1.40	32.0	0.9492	20.72	23.02	yes	stainless steel	4E
C.080.140.0320.N	8.0	1.40	32.0	1.0910	21.00	23.33	yes	Zn coating	4G
C.080.140.0360.A	8.0	1.40	36.0	0.9453	23.66	26.35	yes	music wire	4E
C.080.140.0360.I	8.0	1.40	36.0	0.8119	23.66	26.35	yes	stainless steel	4E
C.080.140.0400.A	8.0	1.40	40.0	0.8520	25.90	28.89	yes	music wire	4E
C.080.140.0400.I	8.0	1.40	40.0	0.7412	25.62	28.57	yes	stainless steel	4E
C.080.140.0400.N	8.0	1.40	40.0	0.8520	25.90	28.89	yes	Zn coating	4G
C.080.140.0460.A	8.0	1.40	46.0	0.7280	29.68	33.17	yes	music wire	4E
C.080.140.0460.I	8.0	1.40	46.0	0.6252	29.68	33.17	yes	stainless steel	4F
C.080.140.0500.A	8.0	1.40	50.0	0.6760	31.64	35.39	yes	music wire	4E
C.080.140.0500.I	8.0	1.40	50.0	0.5881	31.36	35.07	yes	stainless steel	4F
C.080.140.0500.N	8.0	1.40	50.0	0.6760	31.64	35.39	yes	Zn coating	4G
C.080.140.0630.A	8.0	1.40	63.0	0.5290	39.48	44.28	yes	music wire	4E
C.080.140.0630.I	8.0	1.40	63.0	0.4602	39.06	43.80	yes	stainless steel	4F
C.080.140.0630.N	8.0	1.40	63.0	0.5290	39.48	44.28	yes	Zn coating	4G
C.080.140.0800.A	8.0	1.40	80.0	0.4120	49.70	55.86	yes	music wire	4E
C.080.140.0800.I	8.0	1.40	80.0	0.3584	49.14	55.23	yes	stainless steel	4F
C.080.140.0800.N	8.0	1.40	80.0	0.4120	49.70	55.86	yes	Zn coating	4H
C.080.140.3600.A	8.0	1.40	360.0	0.0890	219.10	247.66	no	music wire	4H
C.080.140.3600.I	8.0	1.40	360.0	0.0774	216.44	244.65	no	stainless steel	4I
C.080.150.0090.A	8.0	1.50	9.0	6.9555	7.80	8.32	yes	music wire	4E
C.080.150.0090.I	8.0	1.50	9.0	5.9741	7.80	8.32	yes	stainless steel	4E
C.080.150.0100.A	8.0	1.50	10.0	9.2170	6.75	8.29	yes	music wire	4I
C.080.150.0100.I	8.0	1.50	10.0	8.0188	6.75	8.29	yes	stainless steel	4I
C.080.150.0100.N	8.0	1.50	10.0	9.2170	6.75	8.29	yes	Zn coating	4J
C.080.150.0110.A	8.0	1.50	11.0	5.2166	9.15	9.84	yes	music wire	4E
C.080.150.0110.I	8.0	1.50	11.0	4.4805	9.15	9.84	yes	stainless steel	4E
C.080.150.0170.A	8.0	1.50	17.0	3.0290	13.05	14.24	yes	music wire	4E
C.080.150.0170.I	8.0	1.50	17.0	2.6016	13.05	14.24	yes	stainless steel	4E
C.080.150.0190.A	8.0	1.50	19.0	2.6451	14.40	15.77	yes	music wire	4E
C.080.150.0190.I	8.0	1.50	19.0	2.2718	14.40	15.77	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.080.150.0210.A	8.0	1.50	21.0	2.3772	15.60	17.12	yes	music wire	4E
C.080.150.0210.I	8.0	1.50	21.0	2.0418	15.60	17.12	yes	stainless steel	4E
C.080.150.0230.A	8.0	1.50	23.0	2.1341	16.95	18.64	yes	music wire	4E
C.080.150.0230.I	8.0	1.50	23.0	1.8329	16.95	18.64	yes	stainless steel	4E
C.080.150.0320.A	8.0	1.50	32.0	1.2710	25.95	28.80	yes	music wire	4E
C.080.150.0320.AP	8.0	1.50	32.0	1.7151	20.10	22.81	yes	music wire	4I
C.080.150.0320.I	8.0	1.50	32.0	1.1058	25.65	28.46	yes	stainless steel	4E
C.080.150.0320.N	8.0	1.50	32.0	1.2710	25.95	28.80	yes	Zn coating	4G
C.080.150.0420.A	8.0	1.50	42.0	1.1047	29.25	32.52	yes	music wire	4E
C.080.150.0420.I	8.0	1.50	42.0	0.9488	29.25	32.52	yes	stainless steel	4F
C.080.150.0660.A	8.0	1.50	66.0	0.6854	44.85	50.12	yes	music wire	4E
C.080.150.0660.I	8.0	1.50	66.0	0.5887	44.85	50.12	yes	stainless steel	4F
C.080.150.0730.A	8.0	1.50	73.0	0.6157	49.50	55.36	yes	music wire	4E
C.080.150.0730.I	8.0	1.50	73.0	0.5289	49.50	55.36	yes	stainless steel	4F
C.080.160.0120.A	8.0	1.60	12.0	7.2768	9.60	10.29	yes	music wire	4E
C.080.160.0120.AF	8.0	1.60	12.0	12.5000	7.20	10.50	yes	music wire	4I
C.080.160.0120.I	8.0	1.60	12.0	6.2500	9.60	10.29	yes	stainless steel	4E
C.080.160.0120.N	8.0	1.60	12.0	7.2768	9.60	10.29	yes	Zn coating	4G
C.080.160.0120.NF	8.0	1.60	12.0	12.5000	7.20	10.50	yes	Zn coating	4J
C.080.160.0140.A	8.0	1.60	14.0	5.3060	11.68	12.63	yes	music wire	4E
C.080.160.0140.I	8.0	1.60	14.0	4.5573	11.68	12.63	yes	stainless steel	4E
C.080.160.0170.A	8.0	1.60	17.0	5.5600	11.36	13.63	yes	music wire	4I
C.080.160.0170.AF	8.0	1.60	17.0	4.6307	12.80	13.89	yes	music wire	4H
C.080.160.0170.I	8.0	1.60	17.0	3.9773	12.80	13.89	yes	stainless steel	4I
C.080.160.0170.N	8.0	1.60	17.0	5.5600	11.36	13.63	yes	Zn coating	4J
C.080.160.0170.NF	8.0	1.60	17.0	4.6307	12.80	13.89	yes	Zn coating	4I
C.080.160.0271.A	8.0	1.60	27.1	2.6809	19.20	21.08	yes	music wire	4I
C.080.160.0271.I	8.0	1.60	27.1	2.3000	19.20	21.08	yes	stainless steel	4I
C.080.160.0271.N	8.0	1.60	27.1	2.6809	19.20	21.08	yes	Zn coating	4I
C.080.160.0370.A	8.0	1.60	37.0	1.7209	27.68	30.62	yes	music wire	4E
C.080.160.0370.I	8.0	1.60	37.0	1.4780	27.68	30.62	yes	stainless steel	4F
C.080.160.0422.A	8.0	1.60	42.2	1.6431	28.80	31.88	yes	music wire	4I
C.080.160.0422.I	8.0	1.60	42.2	1.4113	28.80	31.88	yes	stainless steel	4I
C.080.160.0422.N	8.0	1.60	42.2	1.6431	28.80	31.88	yes	Zn coating	4I
C.080.160.0540.A	8.0	1.60	54.0	1.1472	39.52	43.92	yes	music wire	4E
C.080.160.0540.I	8.0	1.60	54.0	0.9854	39.52	43.92	yes	stainless steel	4F
C.080.160.0700.A	8.0	1.60	70.0	0.8752	50.56	56.33	yes	music wire	4F
C.080.160.0700.I	8.0	1.60	70.0	0.7517	50.56	56.33	yes	stainless steel	4F
C.081.125.0100.A	8.1	1.25	10.0	2.2600	7.38	8.00	yes	music wire	4C
C.081.125.0100.AP	8.1	1.25	10.0	2.9831	6.38	6.85	yes	music wire	4F
C.081.125.0100.I	8.1	1.25	10.0	1.9662	7.38	8.00	yes	stainless steel	4D
C.081.125.0100.N	8.1	1.25	10.0	2.2600	7.38	8.00	yes	Zn coating	4E
C.081.125.0300.A	8.1	1.25	30.0	0.6878	17.25	19.30	yes	music wire	4C
C.081.125.0300.I	8.1	1.25	30.0	0.5907	17.25	19.30	yes	stainless steel	4D
C.081.125.0300.N	8.1	1.25	30.0	0.6878	17.25	19.30	yes	Zn coating	4E
C.081.125.0360.A	8.1	1.25	36.0	0.5859	19.63	22.02	yes	music wire	4F
C.081.125.0360.I	8.1	1.25	36.0	0.5032	19.63	22.02	yes	stainless steel	4D
C.081.125.0360.N	8.1	1.25	36.0	0.5859	19.63	22.02	yes	Zn coating	4I
C.081.125.0420.A	8.1	1.25	42.0	0.4794	23.25	26.17	yes	music wire	4C
C.081.125.0420.I	8.1	1.25	42.0	0.4118	23.25	26.17	yes	stainless steel	4D
C.081.125.0420.N	8.1	1.25	42.0	0.4794	23.25	26.17	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.081.125.0570.A	8.1	1.25	57.0	0.3516	30.63	34.62	yes	music wire	4D
C.081.125.0570.I	8.1	1.25	57.0	0.3020	30.63	34.62	yes	stainless steel	4D
C.081.125.0570.N	8.1	1.25	57.0	0.3516	30.63	34.62	yes	Zn coating	4E
C.083.040.0087.A	8.3	0.40	8.7	0.0184	2.16	2.95	yes	music wire	4B
C.083.040.0087.I	8.3	0.40	8.7	0.0160	2.12	2.89	yes	stainless steel	4C
C.083.040.0191.A	8.3	0.40	19.1	0.0100	3.12	4.57	yes	music wire	4B
C.083.040.0191.I	8.3	0.40	19.1	0.0087	3.08	4.50	yes	stainless steel	4C
C.083.040.0350.A	8.3	0.40	35.0	0.0070	4.04	6.12	yes	music wire	4B
C.083.040.0350.I	8.3	0.40	35.0	0.0061	4.00	6.06	yes	stainless steel	4C
C.083.050.0230.A	8.3	0.50	23.0	0.0140	6.05	8.28	yes	music wire	4B
C.083.050.0230.I	8.3	0.50	23.0	0.0122	6.00	8.21	yes	stainless steel	4C
C.083.050.0280.A	8.3	0.50	28.0	0.0110	7.35	10.19	yes	music wire	4B
C.083.050.0280.I	8.3	0.50	28.0	0.0096	7.25	10.04	yes	stainless steel	4C
C.083.050.0320.A	8.3	0.50	32.0	0.0138	6.10	8.36	yes	music wire	4B
C.083.050.0320.I	8.3	0.50	32.0	0.0120	6.05	8.28	yes	stainless steel	4C
C.083.050.0380.A	8.3	0.50	38.0	0.0172	5.15	6.96	yes	music wire	4C
C.083.050.0380.I	8.3	0.50	38.0	0.0150	5.10	6.89	yes	stainless steel	4C
C.083.060.0079.A	8.3	0.60	7.9	0.2400	2.22	2.88	yes	music wire	4E
C.083.060.0079.I	8.3	0.60	7.9	0.2088	2.22	3.00	yes	stainless steel	4E
C.083.060.0182.A	8.3	0.60	18.2	0.0897	3.42	4.77	yes	music wire	4E
C.083.060.0182.I	8.3	0.60	18.2	0.0780	3.42	5.08	yes	stainless steel	4F
C.083.060.0220.A	8.3	0.60	22.0	0.0500	4.98	6.19	yes	music wire	4C
C.083.060.0220.I	8.3	0.60	22.0	0.0320	6.18	7.80	yes	stainless steel	4C
C.083.060.0250.A	8.3	0.60	25.0	0.0250	8.46	10.88	yes	music wire	4C
C.083.060.0250.I	8.3	0.60	25.0	0.0190	9.36	12.09	yes	stainless steel	4C
C.083.060.0280.A	8.3	0.60	28.0	0.0390	5.94	7.48	yes	music wire	4C
C.083.060.0280.I	8.3	0.60	28.0	0.0339	5.88	7.40	yes	stainless steel	4C
C.083.060.0380.A	8.3	0.60	38.0	0.0368	6.24	7.88	yes	music wire	4C
C.083.060.0380.I	8.3	0.60	38.0	0.0320	6.18	7.80	yes	stainless steel	4C
C.083.060.0480.A	8.3	0.60	48.0	0.0172	11.58	15.08	yes	music wire	4C
C.083.060.0480.I	8.3	0.60	48.0	0.0150	11.46	14.92	yes	stainless steel	4C
C.083.070.0095.A	8.3	0.70	9.5	0.1609	4.20	4.88	yes	music wire	4C
C.083.070.0095.AP	8.3	0.70	9.5	0.3473	2.87	4.15	yes	music wire	4E
C.083.070.0095.I	8.3	0.70	9.5	0.1400	4.13	4.79	yes	stainless steel	4C
C.083.070.0174.A	8.3	0.70	17.4	0.1200	4.97	5.86	yes	music wire	4C
C.083.070.0174.AP	8.3	0.70	17.4	0.1852	3.85	7.36	yes	music wire	4E
C.083.070.0174.I	8.3	0.70	17.4	0.1200	4.55	5.33	yes	stainless steel	4C
C.083.070.0230.A	8.3	0.70	23.0	0.0862	6.30	7.56	yes	music wire	4C
C.083.070.0230.AP	8.3	0.70	23.0	0.1355	4.62	9.29	yes	music wire	4E
C.083.070.0230.I	8.3	0.70	23.0	0.0750	6.23	7.47	yes	stainless steel	4C
C.083.070.0270.A	8.3	0.70	27.0	0.0990	5.67	8.22	yes	music wire	4E
C.083.070.0270.I	8.3	0.70	27.0	0.0861	5.67	8.59	yes	stainless steel	4F
C.083.070.0270.N	8.3	0.70	27.0	0.0990	5.67	8.22	yes	Zn coating	4G
C.083.070.0640.A	8.3	0.70	64.0	0.0253	17.15	21.41	yes	music wire	4C
C.083.070.0640.AP	8.3	0.70	64.0	0.0475	9.94	24.86	yes	music wire	4F
C.083.070.0640.I	8.3	0.70	64.0	0.0220	17.01	21.23	yes	stainless steel	4D
C.083.070.0680.A	8.3	0.70	68.0	0.0190	22.26	27.94	yes	music wire	4C
C.083.070.0680.AP	8.3	0.70	68.0	0.0448	10.43	26.52	yes	music wire	4F
C.083.070.0680.I	8.3	0.70	68.0	0.0165	22.05	27.67	yes	stainless steel	4D
C.083.070.1050.A	8.3	0.70	105.0	0.0161	25.97	32.67	yes	music wire	4D
C.083.070.1050.AP	8.3	0.70	105.0	0.0288	15.33	40.44	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.083.070.1050.I	8.3	0.70	105.0	0.0140	25.69	32.32	yes	stainless steel	4D
C.083.070.1080.A	8.3	0.70	108.0	0.0126	32.62	41.17	yes	music wire	4D
C.083.070.1080.AP	8.3	0.70	108.0	0.0279	15.75	41.43	yes	music wire	4G
C.083.070.1080.I	8.3	0.70	108.0	0.0110	32.20	40.63	yes	stainless steel	4D
C.083.080.0130.A	8.3	0.80	13.0	0.2826	4.80	5.45	yes	music wire	4C
C.083.080.0130.AP	8.3	0.80	13.0	0.3949	4.00	6.15	yes	music wire	4E
C.083.080.0130.I	8.3	0.80	13.0	0.2459	4.80	5.45	yes	stainless steel	4C
C.083.080.0130.N	8.3	0.80	13.0	0.2826	4.80	5.45	yes	Zn coating	4E
C.083.080.0174.A	8.3	0.80	17.4	0.2874	4.72	7.99	yes	music wire	4E
C.083.080.0174.I	8.3	0.80	17.4	0.2500	4.72	8.15	yes	stainless steel	4F
C.083.080.0190.A	8.3	0.80	19.0	0.1798	6.40	7.42	yes	music wire	4C
C.083.080.0190.AP	8.3	0.80	19.0	0.2598	5.04	8.59	yes	music wire	4E
C.083.080.0190.I	8.3	0.80	19.0	0.1544	6.40	7.42	yes	stainless steel	4C
C.083.080.0190.N	8.3	0.80	19.0	0.1798	6.40	7.42	yes	Zn coating	4E
C.083.080.0220.A	8.3	0.80	22.0	0.1100	9.20	10.87	yes	music wire	4C
C.083.080.0220.AP	8.3	0.80	22.0	0.2194	5.60	9.68	yes	music wire	4E
C.083.080.0220.I	8.3	0.80	22.0	0.0957	9.12	10.77	yes	stainless steel	4C
C.083.080.0290.A	8.3	0.80	29.0	0.1164	8.80	10.38	yes	music wire	4C
C.083.080.0290.AP	8.3	0.80	29.0	0.1645	6.80	12.57	yes	music wire	4F
C.083.080.0290.I	8.3	0.80	29.0	0.0800	10.48	12.45	yes	stainless steel	4C
C.083.080.0290.N	8.3	0.80	29.0	0.1164	8.80	10.38	yes	Zn coating	4E
C.083.080.0300.A	8.3	0.80	30.0	0.1264	8.24	9.69	yes	music wire	4F
C.083.080.0300.I	8.3	0.80	30.0	0.1100	8.16	9.59	yes	stainless steel	4F
C.083.080.0380.A	8.3	0.80	38.0	0.0540	16.64	20.03	yes	music wire	4C
C.083.080.0380.AP	8.3	0.80	38.0	0.1250	8.32	16.37	yes	music wire	4F
C.083.080.0380.I	8.3	0.80	38.0	0.0470	16.48	19.84	yes	stainless steel	4C
C.083.080.0450.A	8.3	0.80	45.0	0.0733	12.80	15.30	yes	music wire	4C
C.083.080.0450.AP	8.3	0.80	45.0	0.1050	9.52	19.26	yes	music wire	4F
C.083.080.0450.I	8.3	0.80	45.0	0.0630	12.80	15.30	yes	stainless steel	4D
C.083.080.0450.N	8.3	0.80	45.0	0.0733	12.80	15.30	yes	Zn coating	4E
C.083.090.0111.A	8.3	0.90	11.1	0.5057	5.22	5.82	yes	music wire	4C
C.083.090.0111.AP	8.3	0.90	11.1	0.7165	4.32	5.86	yes	music wire	4E
C.083.090.0111.I	8.3	0.90	11.1	0.4400	5.13	5.71	yes	stainless steel	4C
C.083.090.1080.A	8.3	0.90	108.0	0.0391	40.23	47.88	yes	music wire	4D
C.083.090.1080.AP	8.3	0.90	108.0	0.0634	25.65	48.72	yes	music wire	4G
C.083.090.1080.I	8.3	0.90	108.0	0.0340	39.78	47.34	yes	stainless steel	4E
C.083.100.0111.A	8.3	1.00	11.1	0.8046	5.80	6.39	yes	music wire	4C
C.083.100.0111.I	8.3	1.00	11.1	0.7000	5.70	6.28	yes	stainless steel	4C
C.083.100.0174.A	8.3	1.00	17.4	0.8046	5.80	11.14	yes	music wire	4H
C.083.100.0174.I	8.3	1.00	17.4	0.7000	5.70	11.21	yes	stainless steel	4I
C.083.100.0250.A	8.3	1.00	25.0	0.3273	10.50	11.94	yes	music wire	4C
C.083.100.0250.I	8.3	1.00	25.0	0.2848	10.40	11.82	yes	stainless steel	4C
C.083.100.0250.N	8.3	1.00	25.0	0.3273	10.50	11.94	yes	Zn coating	4E
C.083.100.0300.A	8.3	1.00	30.0	0.2300	13.90	15.95	yes	music wire	4C
C.083.100.0300.AP	8.3	1.00	30.0	0.3401	10.20	15.19	yes	music wire	4F
C.083.100.0300.I	8.3	1.00	30.0	0.2000	13.70	15.72	yes	stainless steel	4D
C.083.100.0338.A	8.3	1.00	33.8	0.2095	15.00	17.25	yes	music wire	4C
C.083.100.0338.AP	8.3	1.00	33.8	0.3010	11.20	17.07	yes	music wire	4F
C.083.100.0338.I	8.3	1.00	33.8	0.1799	15.00	17.25	yes	stainless steel	4D
C.083.100.0338.N	8.3	1.00	33.8	0.2095	15.00	17.25	yes	Zn coating	4E
C.083.100.0380.A	8.3	1.00	38.0	0.1724	17.70	20.43	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.083.100.0380.AP	8.3	1.00	38.0	0.2672	12.30	19.15	yes	music wire	4F
C.083.100.0380.I	8.3	1.00	38.0	0.1500	17.50	20.20	yes	stainless steel	4D
C.083.100.0500.A	8.3	1.00	50.0	0.1416	21.00	24.33	yes	music wire	4C
C.083.100.0500.AP	8.3	1.00	50.0	0.1999	15.60	24.80	yes	music wire	4F
C.083.100.0500.I	8.3	1.00	50.0	0.1232	20.80	24.09	yes	stainless steel	4D
C.083.100.0500.N	8.3	1.00	50.0	0.1416	21.00	24.33	yes	Zn coating	4E
C.083.100.0640.A	8.3	1.00	64.0	0.1069	27.00	31.41	yes	music wire	4D
C.083.100.0640.AP	8.3	1.00	64.0	0.1550	19.40	31.50	yes	music wire	4F
C.083.100.0640.I	8.3	1.00	64.0	0.0918	27.00	31.41	yes	stainless steel	4D
C.083.100.0640.N	8.3	1.00	64.0	0.1069	27.00	31.41	yes	Zn coating	4E
C.083.110.0064.A	8.3	1.10	6.4	4.6000	3.74	4.97	yes	music wire	4H
C.083.110.0064.I	8.3	1.10	6.4	4.0020	3.74	4.99	yes	stainless steel	4I
C.083.110.0111.A	8.3	1.10	11.1	2.0000	4.95	7.82	yes	music wire	4H
C.083.110.0111.I	8.3	1.10	11.1	1.7400	4.95	7.85	yes	stainless steel	4I
C.083.110.0250.A	8.3	1.10	25.0	0.4206	13.20	14.92	yes	music wire	4C
C.083.110.0250.AP	8.3	1.10	25.0	0.5882	10.23	13.85	yes	music wire	4F
C.083.110.0250.I	8.3	1.10	25.0	0.3659	13.09	14.79	yes	stainless steel	4D
C.083.110.0250.N	8.3	1.10	25.0	0.4206	13.20	14.92	yes	Zn coating	4E
C.083.110.0290.A	8.3	1.10	29.0	0.3678	14.74	16.71	yes	music wire	4C
C.083.110.0290.AP	8.3	1.10	29.0	0.5000	11.55	15.89	yes	music wire	4F
C.083.110.0290.I	8.3	1.10	29.0	0.3200	14.52	16.45	yes	stainless steel	4D
C.083.110.0320.A	8.3	1.10	32.0	0.3197	16.50	18.76	yes	music wire	4C
C.083.110.0320.AP	8.3	1.10	32.0	0.4494	12.54	17.41	yes	music wire	4F
C.083.110.0320.I	8.3	1.10	32.0	0.2781	16.28	18.50	yes	stainless steel	4D
C.083.110.0320.N	8.3	1.10	32.0	0.3197	16.50	18.76	yes	Zn coating	4E
C.083.110.0380.A	8.3	1.10	38.0	0.2756	18.70	21.32	yes	music wire	4C
C.083.110.0380.AP	8.3	1.10	38.0	0.3773	14.41	20.62	yes	music wire	4F
C.083.110.0380.I	8.3	1.10	38.0	0.2367	18.70	21.32	yes	stainless steel	4D
C.083.110.0380.N	8.3	1.10	38.0	0.2756	18.70	21.32	yes	Zn coating	4E
C.083.110.0440.A	8.3	1.10	44.0	0.2284	22.00	25.16	yes	music wire	4C
C.083.110.0440.AP	8.3	1.10	44.0	0.3226	16.39	23.67	yes	music wire	4F
C.083.110.0440.I	8.3	1.10	44.0	0.1962	22.00	25.16	yes	stainless steel	4D
C.083.110.0440.N	8.3	1.10	44.0	0.2284	22.00	25.16	yes	Zn coating	4E
C.083.110.0510.A	8.3	1.10	51.0	0.2000	24.75	28.36	yes	music wire	4C
C.083.110.0510.AP	8.3	1.10	51.0	0.2758	18.70	27.23	yes	music wire	4F
C.083.110.0510.I	8.3	1.10	51.0	0.1716	24.75	28.36	yes	stainless steel	4D
C.083.110.0510.N	8.3	1.10	51.0	0.2000	24.75	28.36	yes	Zn coating	4E
C.083.110.0640.A	8.3	1.10	64.0	0.1631	29.70	34.13	yes	music wire	4D
C.083.110.0640.AP	8.3	1.10	64.0	0.2186	22.88	34.00	yes	music wire	4G
C.083.110.0640.I	8.3	1.10	64.0	0.1401	29.70	34.13	yes	stainless steel	4D
C.083.110.0640.N	8.3	1.10	64.0	0.1631	29.70	34.13	yes	Zn coating	4E
C.083.110.0760.A	8.3	1.10	76.0	0.1332	35.75	41.17	yes	music wire	4D
C.083.110.0760.AP	8.3	1.10	76.0	0.1835	26.73	40.26	yes	music wire	4G
C.083.110.0760.I	8.3	1.10	76.0	0.1144	35.75	41.17	yes	stainless steel	4D
C.083.110.0760.N	8.3	1.10	76.0	0.1332	35.75	41.17	yes	Zn coating	4F
C.083.120.0056.A	8.3	1.20	5.6	4.1379	4.68	4.94	yes	music wire	4C
C.083.120.0056.I	8.3	1.20	5.6	3.6000	4.68	4.94	yes	stainless steel	4C
C.083.120.0167.A	8.3	1.20	16.7	1.0230	9.96	11.02	yes	music wire	4C
C.083.120.0167.I	8.3	1.20	16.7	0.8900	9.84	10.88	yes	stainless steel	4D
C.083.120.0310.A	8.3	1.20	31.0	0.7000	13.08	19.10	yes	music wire	4I
C.083.120.0310.I	8.3	1.20	31.0	0.6090	12.96	19.17	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.083.120.0350.A	8.3	1.20	35.0	0.4138	20.16	22.78	yes	music wire	4C
C.083.120.0350.AP	8.3	1.20	35.0	0.5686	15.48	20.35	yes	music wire	4F
C.083.120.0350.I	8.3	1.20	35.0	0.3600	19.92	22.50	yes	stainless steel	4D
C.083.120.0760.A	8.3	1.20	76.0	0.2600	30.24	43.96	yes	music wire	4I
C.083.120.0760.I	8.3	1.20	76.0	0.2262	29.88	44.15	yes	stainless steel	4I
C.083.130.0143.A	8.3	1.30	14.3	2.0690	8.58	9.34	yes	music wire	4F
C.083.130.0143.I	8.3	1.30	14.3	1.8000	8.45	9.31	yes	stainless steel	4G
C.083.130.0183.A	8.3	1.30	18.3	1.3000	11.70	12.91	yes	music wire	4C
C.083.130.0183.I	8.3	1.30	18.3	1.1310	11.57	12.76	yes	stainless steel	4D
C.083.130.0290.A	8.3	1.30	29.0	0.7816	17.42	19.45	yes	music wire	4C
C.083.130.0290.I	8.3	1.30	29.0	0.6800	17.16	19.16	yes	stainless steel	4D
C.083.130.0370.A	8.3	1.30	37.0	0.6100	21.32	23.91	yes	music wire	4C
C.083.130.0370.I	8.3	1.30	37.0	0.5307	21.06	23.62	yes	stainless steel	4D
C.083.130.1520.A	8.3	1.30	152.0	0.1667	69.42	89.80	yes	music wire	4H
C.083.130.1520.I	8.3	1.30	152.0	0.1450	68.51	90.03	yes	stainless steel	4H
C.083.140.0280.A	8.3	1.40	28.0	1.1494	18.06	20.05	yes	music wire	4E
C.083.140.0280.I	8.3	1.40	28.0	1.0000	17.78	19.73	yes	stainless steel	4E
C.083.150.0097.A	8.3	1.50	9.7	8.6207	6.60	7.93	yes	music wire	4I
C.083.150.0097.I	8.3	1.50	9.7	7.5000	6.60	7.93	yes	stainless steel	4I
C.083.150.0320.A	8.3	1.50	32.0	2.8736	12.30	26.68	yes	music wire	4I
C.083.150.0320.I	8.3	1.50	32.0	2.5000	12.15	26.68	yes	stainless steel	4J
C.083.150.0380.A	8.3	1.50	38.0	1.1729	24.75	27.50	yes	music wire	4I
C.083.150.0380.I	8.3	1.50	38.0	1.0204	24.45	27.16	yes	stainless steel	4I
C.083.150.0700.A	8.3	1.50	70.0	0.7471	36.75	49.55	yes	music wire	4J
C.083.150.0700.I	8.3	1.50	70.0	0.6500	36.30	49.54	yes	stainless steel	4J
C.083.160.0079.A	8.3	1.60	7.9	9.8851	7.52	7.52	yes	music wire	4E
C.083.160.0079.AP	8.3	1.60	7.9	12.4006	6.88	7.24	yes	music wire	4E
C.083.160.0079.I	8.3	1.60	7.9	8.6000	7.52	7.52	yes	stainless steel	4E
C.083.160.0330.A	8.3	1.60	33.0	2.1839	20.32	24.69	yes	music wire	4I
C.083.160.0330.I	8.3	1.60	33.0	1.9000	20.00	24.67	yes	stainless steel	4J
C.083.170.0210.A	8.3	1.70	21.0	3.5632	18.36	20.09	yes	music wire	4E
C.083.170.0210.AP	8.3	1.70	21.0	4.5131	15.47	16.85	yes	music wire	4I
C.083.170.0210.I	8.3	1.70	21.0	3.1000	18.19	19.90	yes	stainless steel	4E
C.083.180.0320.A	8.3	1.80	32.0	4.4000	20.52	26.37	yes	music wire	4J
C.083.180.0320.I	8.3	1.80	32.0	3.8280	20.16	26.34	yes	stainless steel	4J
C.084.050.0100.A	8.4	0.50	10.0	0.0680	2.20	2.65	yes	music wire	4B
C.084.050.0100.I	8.4	0.50	10.0	0.0584	2.20	2.65	yes	stainless steel	4C
C.084.050.0699.A	8.4	0.50	69.9	0.0034	20.00	28.90	yes	music wire	4C
C.084.050.0699.I	8.4	0.50	69.9	0.0030	19.75	28.53	yes	stainless steel	4C
C.084.060.0100.A	8.4	0.60	10.0	0.1265	2.82	3.29	yes	music wire	4C
C.084.060.0100.I	8.4	0.60	10.0	0.1086	2.82	3.29	yes	stainless steel	4C
C.084.060.0476.A	8.4	0.60	47.6	0.0172	11.16	14.57	yes	music wire	4C
C.084.060.0476.I	8.4	0.60	47.6	0.0150	11.04	14.41	yes	stainless steel	4C
C.084.090.0220.A	8.4	0.90	22.0	0.2881	7.20	9.10	yes	music wire	4F
C.084.090.0220.I	8.4	0.90	22.0	0.2474	7.20	9.11	yes	stainless steel	4F
C.084.090.0220.N	8.4	0.90	22.0	0.2881	7.20	9.10	yes	Zn coating	4H
C.084.090.0600.A	8.4	0.90	60.0	0.0754	21.15	25.01	yes	music wire	4C
C.084.090.0600.I	8.4	0.90	60.0	0.0648	21.15	25.01	yes	stainless steel	4D
C.084.130.0200.A	8.4	1.30	20.0	1.0697	13.13	14.56	yes	music wire	4C
C.084.130.0200.I	8.4	1.30	20.0	0.9187	13.13	14.56	yes	stainless steel	4D
C.084.130.0450.A	8.4	1.30	45.0	0.5953	21.06	27.77	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.084.130.0450.I	8.4	1.30	45.0	0.5179	20.80	27.83	yes	stainless steel	4I
C.084.150.0200.A	8.4	1.50	20.0	2.0933	15.00	16.48	yes	music wire	4E
C.084.150.0200.I	8.4	1.50	20.0	1.7979	15.00	16.48	yes	stainless steel	4E
C.084.150.0450.A	8.4	1.50	45.0	1.0160	27.00	30.12	yes	music wire	4I
C.084.150.0450.I	8.4	1.50	45.0	0.8839	26.70	30.11	yes	stainless steel	4I
C.084.150.0600.A	8.4	1.50	60.0	0.6255	41.40	46.36	yes	music wire	4E
C.084.150.0600.I	8.4	1.50	60.0	0.5372	41.40	46.36	yes	stainless steel	4F
C.084.150.0760.A	8.4	1.50	76.0	0.5257	48.60	54.51	yes	music wire	4F
C.084.150.0760.I	8.4	1.50	76.0	0.4573	48.00	53.83	yes	stainless steel	4F
C.084.150.1520.A	8.4	1.50	152.0	0.2628	93.30	105.10	yes	music wire	4I
C.084.150.1520.I	8.4	1.50	152.0	0.2287	92.25	103.91	yes	stainless steel	4I
C.084.180.0100.A	8.4	1.80	10.0	16.1051	8.82	9.34	yes	music wire	4E
C.084.180.0125.A	8.4	1.80	12.5	8.0000	12.50	12.50	yes	music wire	4F
C.084.180.0125.AL	8.4	1.80	12.5	10.3984	11.16	11.96	yes	music wire	4E
C.084.180.0125.AP	8.4	1.80	12.5	11.0213	10.62	11.36	yes	music wire	4F
C.084.180.0125.I	8.4	1.80	12.5	6.9600	12.50	12.50	yes	stainless steel	4G
C.084.180.0125.N	8.4	1.80	12.5	8.0000	12.50	12.50	yes	Zn coating	4I
C.084.180.0160.A	8.4	1.80	16.0	6.4000	14.94	14.94	yes	music wire	4F
C.084.180.0160.AL	8.4	1.80	16.0	7.5625	13.50	14.58	yes	music wire	4E
C.084.180.0160.AP	8.4	1.80	16.0	7.9728	12.96	13.98	yes	music wire	4I
C.084.180.0160.I	8.4	1.80	16.0	5.5680	14.76	15.99	yes	stainless steel	4G
C.084.180.0160.N	8.4	1.80	16.0	6.4000	14.94	14.94	yes	Zn coating	4I
C.084.180.0200.A	8.4	1.80	20.0	5.0000	17.82	19.42	yes	music wire	4F
C.084.180.0200.AL	8.4	1.80	20.0	5.5000	16.92	18.41	yes	music wire	4E
C.084.180.0200.AP	8.4	1.80	20.0	6.0439	15.66	17.00	yes	music wire	4I
C.084.180.0200.I	8.4	1.80	20.0	4.3500	17.64	19.22	yes	stainless steel	4G
C.084.180.0200.N	8.4	1.80	20.0	5.0000	17.82	19.42	yes	Zn coating	4I
C.084.180.0250.A	8.4	1.80	25.0	4.0000	21.24	23.25	yes	music wire	4F
C.084.180.0250.AP	8.4	1.80	25.0	4.6840	18.72	20.43	yes	music wire	4I
C.084.180.0250.I	8.4	1.80	25.0	3.4800	21.06	23.05	yes	stainless steel	4G
C.084.180.0250.N	8.4	1.80	25.0	4.0000	21.24	23.25	yes	Zn coating	4I
C.084.180.0320.A	8.4	1.80	32.0	3.2000	25.38	27.89	yes	music wire	4G
C.084.180.0320.I	8.4	1.80	32.0	2.7840	25.20	27.69	yes	stainless steel	4G
C.084.180.0320.N	8.4	1.80	32.0	3.2000	25.38	27.89	yes	Zn coating	4I
C.084.180.0400.A	8.4	1.80	40.0	2.5397	30.78	33.94	yes	music wire	4G
C.084.180.0400.I	8.4	1.80	40.0	2.2095	30.60	33.74	yes	stainless steel	4G
C.084.180.0400.N	8.4	1.80	40.0	2.5397	30.78	33.94	yes	Zn coating	4I
C.084.180.0500.A	8.4	1.80	50.0	2.0000	37.98	42.00	yes	music wire	4G
C.084.180.0500.I	8.4	1.80	50.0	1.7400	37.62	41.60	yes	stainless steel	4I
C.084.180.0500.N	8.4	1.80	50.0	2.0000	37.98	42.00	yes	Zn coating	4I
C.084.180.0600.A	8.4	1.80	60.0	1.5371	48.06	53.29	yes	music wire	4G
C.084.180.0600.I	8.4	1.80	60.0	1.3202	48.06	53.29	yes	stainless steel	4G
C.084.180.0630.A	8.4	1.80	63.0	1.6000	46.26	51.28	yes	music wire	4I
C.084.180.0630.I	8.4	1.80	63.0	1.3920	45.90	50.87	yes	stainless steel	4I
C.084.180.0630.N	8.4	1.80	63.0	1.6000	46.26	51.28	yes	Zn coating	4J
C.084.180.0800.A	8.4	1.80	80.0	1.2800	56.88	63.17	yes	music wire	4I
C.084.180.0800.I	8.4	1.80	80.0	1.1136	56.16	62.37	yes	stainless steel	4I
C.084.180.0800.N	8.4	1.80	80.0	1.2800	56.88	63.17	yes	Zn coating	4J
C.084.180.1000.A	8.4	1.80	100.0	1.0000	71.46	79.51	yes	music wire	4I
C.084.180.1000.I	8.4	1.80	100.0	0.8700	70.56	78.50	yes	stainless steel	4I
C.084.180.1000.N	8.4	1.80	100.0	1.0000	71.46	79.51	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.084.180.1200.A	8.4	1.80	120.0	0.7440	94.50	105.32	yes	music wire	4G
C.084.180.1200.I	8.4	1.80	120.0	0.6390	94.50	105.32	yes	stainless steel	4G
C.084.180.1250.A	8.4	1.80	125.0	0.8000	88.20	98.26	yes	music wire	4I
C.084.180.1250.I	8.4	1.80	125.0	0.6960	87.12	97.05	yes	stainless steel	4I
C.084.180.1250.N	8.4	1.80	125.0	0.8000	88.20	98.26	yes	Zn coating	4J
C.084.180.1400.A	8.4	1.80	140.0	0.6348	109.98	122.66	yes	music wire	4G
C.084.180.1400.I	8.4	1.80	140.0	0.5452	109.98	122.66	yes	stainless steel	4H
C.084.180.1600.A	8.4	1.80	160.0	0.5544	125.28	139.79	yes	music wire	4G
C.084.180.1600.I	8.4	1.80	160.0	0.4761	125.28	139.79	yes	stainless steel	4H
C.084.180.1800.A	8.4	1.80	180.0	0.4914	140.76	157.13	yes	music wire	4H
C.084.180.1800.I	8.4	1.80	180.0	0.4221	140.76	157.13	yes	stainless steel	4H
C.084.180.2000.A	8.4	1.80	200.0	0.4413	156.24	174.47	yes	music wire	4H
C.084.180.2000.I	8.4	1.80	200.0	0.3790	156.24	174.47	yes	stainless steel	4I
C.085.050.0234.A	8.5	0.50	23.4	0.0355	3.00	3.85	yes	music wire	4E
C.085.050.0234.I	8.5	0.50	23.4	0.0305	3.00	3.91	yes	stainless steel	4E
C.085.050.0234.N	8.5	0.50	23.4	0.0355	3.00	3.85	yes	Zn coating	4F
C.085.050.0358.A	8.5	0.50	35.8	0.0226	4.00	5.33	yes	music wire	4E
C.085.050.0358.I	8.5	0.50	35.8	0.0194	4.00	5.33	yes	stainless steel	4E
C.085.050.0358.N	8.5	0.50	35.8	0.0226	4.00	5.33	yes	Zn coating	4G
C.085.050.0370.A	8.5	0.50	37.0	0.0160	5.15	7.04	yes	music wire	4C
C.085.050.0370.I	8.5	0.50	37.0	0.0139	5.10	6.96	yes	stainless steel	4C
C.085.050.0370.N	8.5	0.50	37.0	0.0160	5.15	7.04	yes	Zn coating	4D
C.085.050.0605.A	8.5	0.50	60.5	0.0131	6.00	8.30	yes	music wire	4E
C.085.050.0605.I	8.5	0.50	60.5	0.0113	6.00	8.30	yes	stainless steel	4E
C.085.050.0605.N	8.5	0.50	60.5	0.0131	6.00	8.30	yes	Zn coating	4G
C.085.050.0976.A	8.5	0.50	97.6	0.0080	9.00	12.75	yes	music wire	4E
C.085.050.0976.I	8.5	0.50	97.6	0.0069	9.00	12.75	yes	stainless steel	4F
C.085.050.0976.N	8.5	0.50	97.6	0.0080	9.00	12.75	yes	Zn coating	4G
C.085.060.0100.A	8.5	0.60	10.0	0.1210	2.82	3.30	yes	music wire	4C
C.085.060.0100.I	8.5	0.60	10.0	0.1053	2.82	3.30	yes	stainless steel	4C
C.085.060.0100.N	8.5	0.60	10.0	0.1210	2.82	3.30	yes	Zn coating	4E
C.085.060.0125.A	8.5	0.60	12.5	0.0940	3.18	3.78	yes	music wire	4C
C.085.060.0125.I	8.5	0.60	12.5	0.0818	3.18	3.78	yes	stainless steel	4C
C.085.060.0125.N	8.5	0.60	12.5	0.0940	3.18	3.78	yes	Zn coating	4E
C.085.060.0160.A	8.5	0.60	16.0	0.0740	3.66	4.44	yes	music wire	4C
C.085.060.0160.I	8.5	0.60	16.0	0.0644	3.66	4.44	yes	stainless steel	4C
C.085.060.0160.N	8.5	0.60	16.0	0.0740	3.66	4.44	yes	Zn coating	4E
C.085.060.0200.A	8.5	0.60	20.0	0.0570	4.32	5.34	yes	music wire	4C
C.085.060.0200.I	8.5	0.60	20.0	0.0496	4.26	5.25	yes	stainless steel	4C
C.085.060.0200.N	8.5	0.60	20.0	0.0570	4.32	5.34	yes	Zn coating	4E
C.085.060.0250.A	8.5	0.60	25.0	0.0460	4.98	6.23	yes	music wire	4C
C.085.060.0250.I	8.5	0.60	25.0	0.0400	4.98	6.23	yes	stainless steel	4C
C.085.060.0250.N	8.5	0.60	25.0	0.0460	4.98	6.23	yes	Zn coating	4E
C.085.060.0320.A	8.5	0.60	32.0	0.0360	5.94	7.54	yes	music wire	4C
C.085.060.0320.I	8.5	0.60	32.0	0.0313	5.88	7.46	yes	stainless steel	4C
C.085.060.0320.N	8.5	0.60	32.0	0.0360	5.94	7.54	yes	Zn coating	4E
C.085.060.0400.A	8.5	0.60	40.0	0.0280	7.26	9.33	yes	music wire	4C
C.085.060.0400.I	8.5	0.60	40.0	0.0244	7.14	9.17	yes	stainless steel	4C
C.085.060.0400.N	8.5	0.60	40.0	0.0280	7.26	9.33	yes	Zn coating	4E
C.085.060.0500.A	8.5	0.60	50.0	0.0220	8.82	11.46	yes	music wire	4C
C.085.060.0500.I	8.5	0.60	50.0	0.0191	8.70	11.29	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.085.060.0500.N	8.5	0.60	50.0	0.0220	8.82	11.46	yes	Zn coating	4E
C.085.060.0630.A	8.5	0.60	63.0	0.0180	10.44	13.66	yes	music wire	4C
C.085.060.0630.I	8.5	0.60	63.0	0.0157	10.26	13.41	yes	stainless steel	4D
C.085.060.0630.N	8.5	0.60	63.0	0.0180	10.44	13.66	yes	Zn coating	4E
C.085.060.0800.A	8.5	0.60	80.0	0.0140	12.96	17.09	yes	music wire	4C
C.085.060.0800.I	8.5	0.60	80.0	0.0122	12.84	16.92	yes	stainless steel	4D
C.085.060.0800.N	8.5	0.60	80.0	0.0140	12.96	17.09	yes	Zn coating	4E
C.085.060.3600.A	8.5	0.60	360.0	0.0030	55.68	74.97	no	music wire	4G
C.085.060.3600.I	8.5	0.60	360.0	0.0026	55.20	74.32	no	stainless steel	4G
C.085.070.0100.A	8.5	0.70	10.0	0.2090	3.50	4.00	yes	music wire	4C
C.085.070.0100.AP	8.5	0.70	10.0	0.3213	2.87	4.35	yes	music wire	4E
C.085.070.0100.I	8.5	0.70	10.0	0.1818	3.43	3.91	yes	stainless steel	4C
C.085.070.0100.N	8.5	0.70	10.0	0.2090	3.50	4.00	yes	Zn coating	4E
C.085.070.0125.A	8.5	0.70	12.5	0.1650	3.92	4.54	yes	music wire	4C
C.085.070.0125.AP	8.5	0.70	12.5	0.2570	3.15	5.43	yes	music wire	4E
C.085.070.0125.I	8.5	0.70	12.5	0.1436	3.92	4.54	yes	stainless steel	4C
C.085.070.0125.N	8.5	0.70	12.5	0.1650	3.92	4.54	yes	Zn coating	4E
C.085.070.0160.A	8.5	0.70	16.0	0.1280	4.55	5.35	yes	music wire	4C
C.085.070.0160.AP	8.5	0.70	16.0	0.1977	3.57	6.81	yes	music wire	4E
C.085.070.0160.I	8.5	0.70	16.0	0.1114	4.55	5.35	yes	stainless steel	4C
C.085.070.0160.N	8.5	0.70	16.0	0.1280	4.55	5.35	yes	Zn coating	4E
C.085.070.0200.A	8.5	0.70	20.0	0.0990	5.39	6.43	yes	music wire	4C
C.085.070.0200.AP	8.5	0.70	20.0	0.1512	4.13	7.98	yes	music wire	4E
C.085.070.0200.I	8.5	0.70	20.0	0.0861	5.32	6.34	yes	stainless steel	4C
C.085.070.0200.N	8.5	0.70	20.0	0.0990	5.39	6.43	yes	Zn coating	4E
C.085.070.0250.A	8.5	0.70	25.0	0.0780	6.37	7.69	yes	music wire	4C
C.085.070.0250.AP	8.5	0.70	25.0	0.1224	4.69	10.16	yes	music wire	4E
C.085.070.0250.I	8.5	0.70	25.0	0.0679	6.30	7.60	yes	stainless steel	4C
C.085.070.0250.N	8.5	0.70	25.0	0.0780	6.37	7.69	yes	Zn coating	4E
C.085.070.0320.A	8.5	0.70	32.0	0.0610	7.63	9.31	yes	music wire	4C
C.085.070.0320.AP	8.5	0.70	32.0	0.0935	5.60	12.56	yes	music wire	4E
C.085.070.0320.I	8.5	0.70	32.0	0.0531	7.56	9.22	yes	stainless steel	4C
C.085.070.0320.N	8.5	0.70	32.0	0.0610	7.63	9.31	yes	Zn coating	4E
C.085.070.0400.A	8.5	0.70	40.0	0.0480	9.24	11.38	yes	music wire	4C
C.085.070.0400.AP	8.5	0.70	40.0	0.0745	6.58	15.61	yes	music wire	4F
C.085.070.0400.I	8.5	0.70	40.0	0.0418	9.17	11.29	yes	stainless steel	4C
C.085.070.0400.N	8.5	0.70	40.0	0.0480	9.24	11.38	yes	Zn coating	4E
C.085.070.0500.A	8.5	0.70	50.0	0.0380	11.27	13.99	yes	music wire	4C
C.085.070.0500.AP	8.5	0.70	50.0	0.0591	7.84	19.25	yes	music wire	4F
C.085.070.0500.I	8.5	0.70	50.0	0.0331	11.13	13.82	yes	stainless steel	4D
C.085.070.0500.N	8.5	0.70	50.0	0.0380	11.27	13.99	yes	Zn coating	4E
C.085.070.0630.A	8.5	0.70	63.0	0.0300	13.79	17.24	yes	music wire	4C
C.085.070.0630.AP	8.5	0.70	63.0	0.0467	9.45	24.12	yes	music wire	4F
C.085.070.0630.I	8.5	0.70	63.0	0.0261	13.65	17.06	yes	stainless steel	4D
C.085.070.0630.N	8.5	0.70	63.0	0.0300	13.79	17.24	yes	Zn coating	4E
C.085.070.0800.A	8.5	0.70	80.0	0.0240	16.80	21.11	yes	music wire	4C
C.085.070.0800.AP	8.5	0.70	80.0	0.0367	11.55	30.52	yes	music wire	4F
C.085.070.0800.I	8.5	0.70	80.0	0.0209	16.59	20.84	yes	stainless steel	4D
C.085.070.0800.N	8.5	0.70	80.0	0.0240	16.80	21.11	yes	Zn coating	4E
C.085.070.3600.A	8.5	0.70	360.0	0.0050	74.62	95.28	no	music wire	4G
C.085.070.3600.I	8.5	0.70	360.0	0.0044	72.87	93.03	no	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.085.075.0320.A	8.5	0.75	32.0	0.0940	7.43	8.87	yes	music wire	4F
C.085.075.0320.I	8.5	0.75	32.0	0.0818	7.35	8.96	yes	stainless steel	4F
C.085.075.0320.N	8.5	0.75	32.0	0.0940	7.43	8.87	yes	Zn coating	4H
C.085.080.0100.A	8.5	0.80	10.0	0.3520	4.08	4.58	yes	music wire	4C
C.085.080.0100.AP	8.5	0.80	10.0	0.5069	3.44	4.79	yes	music wire	4E
C.085.080.0100.I	8.5	0.80	10.0	0.3062	4.08	4.58	yes	stainless steel	4C
C.085.080.0100.N	8.5	0.80	10.0	0.3520	4.08	4.58	yes	Zn coating	4E
C.085.080.0125.A	8.5	0.80	12.5	0.2710	4.72	5.37	yes	music wire	4C
C.085.080.0125.AP	8.5	0.80	12.5	0.3967	3.84	5.84	yes	music wire	4E
C.085.080.0125.I	8.5	0.80	12.5	0.2358	4.64	5.27	yes	stainless steel	4C
C.085.080.0125.N	8.5	0.80	12.5	0.2710	4.72	5.37	yes	Zn coating	4E
C.085.080.0160.A	8.5	0.80	16.0	0.2070	5.52	6.36	yes	music wire	4C
C.085.080.0160.AP	8.5	0.80	16.0	0.3041	4.40	7.31	yes	music wire	4E
C.085.080.0160.I	8.5	0.80	16.0	0.1801	5.52	6.36	yes	stainless steel	4C
C.085.080.0160.N	8.5	0.80	16.0	0.2070	5.52	6.36	yes	Zn coating	4E
C.085.080.0200.A	8.5	0.80	20.0	0.1600	6.56	7.65	yes	music wire	4C
C.085.080.0200.AP	8.5	0.80	20.0	0.2339	5.12	8.70	yes	music wire	4E
C.085.080.0200.I	8.5	0.80	20.0	0.1392	6.48	7.55	yes	stainless steel	4C
C.085.080.0200.N	8.5	0.80	20.0	0.1600	6.56	7.65	yes	Zn coating	4E
C.085.080.0250.A	8.5	0.80	25.0	0.1280	7.68	9.04	yes	music wire	4C
C.085.080.0250.AP	8.5	0.80	25.0	0.1862	5.92	10.81	yes	music wire	4E
C.085.080.0250.I	8.5	0.80	25.0	0.1114	7.60	8.94	yes	stainless steel	4C
C.085.080.0250.N	8.5	0.80	25.0	0.1280	7.68	9.04	yes	Zn coating	4E
C.085.080.0320.A	8.5	0.80	32.0	0.0980	9.44	11.22	yes	music wire	4C
C.085.080.0320.AP	8.5	0.80	32.0	0.1448	7.04	13.75	yes	music wire	4F
C.085.080.0320.I	8.5	0.80	32.0	0.0853	9.36	11.12	yes	stainless steel	4C
C.085.080.0320.N	8.5	0.80	32.0	0.0980	9.44	11.22	yes	Zn coating	4E
C.085.080.0380.A	8.5	0.80	38.0	0.0560	15.04	18.16	yes	music wire	4C
C.085.080.0380.AP	8.5	0.80	38.0	0.1200	8.08	15.98	yes	music wire	4F
C.085.080.0380.I	8.5	0.80	38.0	0.0487	14.88	17.96	yes	stainless steel	4C
C.085.080.0380.N	8.5	0.80	38.0	0.0560	15.04	18.16	yes	Zn coating	4E
C.085.080.0400.A	8.5	0.80	40.0	0.0780	11.36	13.60	yes	music wire	4C
C.085.080.0400.AP	8.5	0.80	40.0	0.1140	8.40	16.82	yes	music wire	4F
C.085.080.0400.I	8.5	0.80	40.0	0.0679	11.28	13.50	yes	stainless steel	4D
C.085.080.0400.N	8.5	0.80	40.0	0.0780	11.36	13.60	yes	Zn coating	4E
C.085.080.0500.A	8.5	0.80	50.0	0.0620	13.76	16.57	yes	music wire	4C
C.085.080.0500.AP	8.5	0.80	50.0	0.0912	10.00	21.03	yes	music wire	4F
C.085.080.0500.I	8.5	0.80	50.0	0.0539	13.68	16.47	yes	stainless steel	4D
C.085.080.0500.N	8.5	0.80	50.0	0.0620	13.76	16.57	yes	Zn coating	4E
C.085.080.0630.A	8.5	0.80	63.0	0.0490	16.96	20.53	yes	music wire	4C
C.085.080.0630.AP	8.5	0.80	63.0	0.0718	12.16	26.21	yes	music wire	4F
C.085.080.0630.I	8.5	0.80	63.0	0.0426	16.72	20.24	yes	stainless steel	4D
C.085.080.0630.N	8.5	0.80	63.0	0.0490	16.96	20.53	yes	Zn coating	4E
C.085.080.0800.A	8.5	0.80	80.0	0.0380	21.28	25.89	yes	music wire	4D
C.085.080.0800.AP	8.5	0.80	80.0	0.0563	14.96	33.07	yes	music wire	4G
C.085.080.0800.I	8.5	0.80	80.0	0.0331	20.96	25.49	yes	stainless steel	4D
C.085.080.0800.N	8.5	0.80	80.0	0.0380	21.28	25.89	yes	Zn coating	4E
C.085.080.3600.A	8.5	0.80	360.0	0.0080	94.24	116.09	no	music wire	4G
C.085.080.3600.I	8.5	0.80	360.0	0.0070	92.48	113.91	no	stainless steel	4G
C.085.090.0100.A	8.5	0.90	10.0	0.5330	4.86	5.40	yes	music wire	4C
C.085.090.0100.AP	8.5	0.90	10.0	0.7606	4.05	5.17	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.085.090.0100.I	8.5	0.90	10.0	0.4637	4.77	5.29	yes	stainless steel	4C
C.085.090.0100.N	8.5	0.90	10.0	0.5330	4.86	5.40	yes	Zn coating	4E
C.085.090.0125.A	8.5	0.90	12.5	0.4040	5.67	6.38	yes	music wire	4C
C.085.090.0125.AP	8.5	0.90	12.5	0.5851	4.59	6.22	yes	music wire	4E
C.085.090.0125.I	8.5	0.90	12.5	0.3515	5.58	6.27	yes	stainless steel	4C
C.085.090.0125.N	8.5	0.90	12.5	0.4040	5.67	6.38	yes	Zn coating	4E
C.085.090.0160.A	8.5	0.90	16.0	0.3080	6.66	7.57	yes	music wire	4C
C.085.090.0160.AP	8.5	0.90	16.0	0.4474	5.31	7.79	yes	music wire	4E
C.085.090.0160.I	8.5	0.90	16.0	0.2680	6.66	7.57	yes	stainless steel	4C
C.085.090.0160.N	8.5	0.90	16.0	0.3080	6.66	7.57	yes	Zn coating	4E
C.085.090.0200.A	8.5	0.90	20.0	0.2440	7.83	8.98	yes	music wire	4C
C.085.090.0200.AP	8.5	0.90	20.0	0.3538	6.12	9.62	yes	music wire	4E
C.085.090.0200.I	8.5	0.90	20.0	0.2123	7.83	8.98	yes	stainless steel	4C
C.085.090.0200.N	8.5	0.90	20.0	0.2440	7.83	8.98	yes	Zn coating	4E
C.085.090.0250.A	8.5	0.90	25.0	0.1890	9.54	11.05	yes	music wire	4C
C.085.090.0250.AP	8.5	0.90	25.0	0.2766	7.20	11.72	yes	music wire	4F
C.085.090.0250.I	8.5	0.90	25.0	0.1644	9.45	10.94	yes	stainless steel	4C
C.085.090.0250.N	8.5	0.90	25.0	0.1890	9.54	11.05	yes	Zn coating	4E
C.085.090.0320.A	8.5	0.90	32.0	0.1460	11.61	13.55	yes	music wire	4C
C.085.090.0320.AP	8.5	0.90	32.0	0.2143	8.64	14.85	yes	music wire	4F
C.085.090.0320.I	8.5	0.90	32.0	0.1270	11.52	13.44	yes	stainless steel	4D
C.085.090.0320.N	8.5	0.90	32.0	0.1460	11.61	13.55	yes	Zn coating	4E
C.085.090.0400.A	8.5	0.90	40.0	0.1160	14.04	16.48	yes	music wire	4C
C.085.090.0400.AP	8.5	0.90	40.0	0.1690	10.35	18.26	yes	music wire	4F
C.085.090.0400.I	8.5	0.90	40.0	0.1009	13.95	16.37	yes	stainless steel	4D
C.085.090.0400.N	8.5	0.90	40.0	0.1160	14.04	16.48	yes	Zn coating	4E
C.085.090.0500.A	8.5	0.90	50.0	0.0920	17.19	20.28	yes	music wire	4C
C.085.090.0500.AP	8.5	0.90	50.0	0.1346	12.42	22.71	yes	music wire	4F
C.085.090.0500.I	8.5	0.90	50.0	0.0800	16.92	19.96	yes	stainless steel	4D
C.085.090.0500.N	8.5	0.90	50.0	0.0920	17.19	20.28	yes	Zn coating	4E
C.085.090.0630.A	8.5	0.90	63.0	0.0730	21.06	24.95	yes	music wire	4C
C.085.090.0630.AP	8.5	0.90	63.0	0.1056	15.21	28.22	yes	music wire	4F
C.085.090.0630.I	8.5	0.90	63.0	0.0635	20.79	24.63	yes	stainless steel	4D
C.085.090.0630.N	8.5	0.90	63.0	0.0730	21.06	24.95	yes	Zn coating	4E
C.085.090.0800.A	8.5	0.90	80.0	0.0570	26.28	31.25	yes	music wire	4D
C.085.090.0800.AP	8.5	0.90	80.0	0.0831	18.72	35.81	yes	music wire	4G
C.085.090.0800.I	8.5	0.90	80.0	0.0496	26.01	30.93	yes	stainless steel	4D
C.085.090.0800.N	8.5	0.90	80.0	0.0570	26.28	31.25	yes	Zn coating	4E
C.085.090.3600.A	8.5	0.90	360.0	0.0120	117.36	141.00	no	music wire	4G
C.085.090.3600.I	8.5	0.90	360.0	0.0104	116.28	139.69	no	stainless steel	4G
C.085.100.0100.A	8.5	1.00	10.0	0.8080	5.50	6.05	yes	music wire	4C
C.085.100.0100.AP	8.5	1.00	10.0	1.0976	4.70	5.51	yes	music wire	4E
C.085.100.0100.I	8.5	1.00	10.0	0.7030	5.50	6.05	yes	stainless steel	4C
C.085.100.0100.N	8.5	1.00	10.0	0.8080	5.50	6.05	yes	Zn coating	4E
C.085.100.0125.A	8.5	1.00	12.5	0.6190	6.40	7.12	yes	music wire	4C
C.085.100.0125.AP	8.5	1.00	12.5	0.8624	5.30	6.79	yes	music wire	4E
C.085.100.0125.I	8.5	1.00	12.5	0.5385	6.40	7.12	yes	stainless steel	4C
C.085.100.0125.N	8.5	1.00	12.5	0.6190	6.40	7.12	yes	Zn coating	4E
C.085.100.0160.A	8.5	1.00	16.0	0.4770	7.60	8.54	yes	music wire	4C
C.085.100.0160.AP	8.5	1.00	16.0	0.6527	6.20	8.45	yes	music wire	4F
C.085.100.0160.I	8.5	1.00	16.0	0.4150	7.50	8.42	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.085.100.0160.N	8.5	1.00	16.0	0.4770	7.60	8.54	yes	Zn coating	4E
C.085.100.0200.A	8.5	1.00	20.0	0.3640	9.10	10.32	yes	music wire	4C
C.085.100.0200.AP	8.5	1.00	20.0	0.5138	7.20	10.41	yes	music wire	4F
C.085.100.0200.I	8.5	1.00	20.0	0.3167	9.00	10.20	yes	stainless steel	4C
C.085.100.0200.N	8.5	1.00	20.0	0.3640	9.10	10.32	yes	Zn coating	4E
C.085.100.0250.A	8.5	1.00	25.0	0.2900	10.80	12.33	yes	music wire	4C
C.085.100.0250.AP	8.5	1.00	25.0	0.4025	8.50	12.76	yes	music wire	4F
C.085.100.0250.I	8.5	1.00	25.0	0.2523	10.70	12.21	yes	stainless steel	4D
C.085.100.0250.N	8.5	1.00	25.0	0.2900	10.80	12.33	yes	Zn coating	4E
C.085.100.0280.A	8.5	1.00	28.0	0.2630	11.70	13.40	yes	music wire	4C
C.085.100.0280.AP	8.5	1.00	28.0	0.3551	9.30	14.13	yes	music wire	4F
C.085.100.0280.I	8.5	1.00	28.0	0.2288	11.60	13.28	yes	stainless steel	4D
C.085.100.0280.N	8.5	1.00	28.0	0.2630	11.70	13.40	yes	Zn coating	4E
C.085.100.0300.A	8.5	1.00	30.0	0.3650	9.10	16.50	yes	music wire	4I
C.085.100.0300.I	8.5	1.00	30.0	0.3176	9.00	16.65	yes	stainless steel	4I
C.085.100.0300.N	8.5	1.00	30.0	0.3650	9.10	16.50	yes	Zn coating	4I
C.085.100.0320.A	8.5	1.00	32.0	0.2210	13.40	15.41	yes	music wire	4C
C.085.100.0320.AP	8.5	1.00	32.0	0.3057	10.40	15.88	yes	music wire	4F
C.085.100.0320.I	8.5	1.00	32.0	0.1923	13.30	15.29	yes	stainless steel	4D
C.085.100.0320.N	8.5	1.00	32.0	0.2210	13.40	15.41	yes	Zn coating	4E
C.085.100.0350.A	8.5	1.00	35.0	0.2150	13.70	15.77	yes	music wire	4C
C.085.100.0350.I	8.5	1.00	35.0	0.1871	13.60	15.65	yes	stainless steel	4D
C.085.100.0350.N	8.5	1.00	35.0	0.2150	13.70	15.77	yes	Zn coating	4E
C.085.100.0400.A	8.5	1.00	40.0	0.1750	16.30	18.84	yes	music wire	4C
C.085.100.0400.AP	8.5	1.00	40.0	0.2439	12.40	19.81	yes	music wire	4F
C.085.100.0400.I	8.5	1.00	40.0	0.1522	16.10	18.61	yes	stainless steel	4D
C.085.100.0400.N	8.5	1.00	40.0	0.1750	16.30	18.84	yes	Zn coating	4E
C.085.100.0500.A	8.5	1.00	50.0	0.1390	19.90	23.11	yes	music wire	4C
C.085.100.0500.AP	8.5	1.00	50.0	0.1932	15.00	24.50	yes	music wire	4F
C.085.100.0500.I	8.5	1.00	50.0	0.1209	19.70	22.87	yes	stainless steel	4D
C.085.100.0500.N	8.5	1.00	50.0	0.1390	19.90	23.11	yes	Zn coating	4E
C.085.100.0630.A	8.5	1.00	63.0	0.1090	24.70	28.79	yes	music wire	4D
C.085.100.0630.AP	8.5	1.00	63.0	0.1519	18.40	30.57	yes	music wire	4F
C.085.100.0630.I	8.5	1.00	63.0	0.0948	24.40	28.44	yes	stainless steel	4D
C.085.100.0630.N	8.5	1.00	63.0	0.1090	24.70	28.79	yes	Zn coating	4E
C.085.100.0670.A	8.5	1.00	67.0	0.1390	19.90	31.56	yes	music wire	4G
C.085.100.0670.I	8.5	1.00	67.0	0.1209	19.70	31.95	yes	stainless steel	4G
C.085.100.0670.N	8.5	1.00	67.0	0.1390	19.90	31.56	yes	Zn coating	4I
C.085.100.0800.A	8.5	1.00	80.0	0.0860	30.60	35.78	yes	music wire	4D
C.085.100.0800.AP	8.5	1.00	80.0	0.1190	22.80	38.59	yes	music wire	4G
C.085.100.0800.I	8.5	1.00	80.0	0.0748	30.20	35.31	yes	stainless steel	4D
C.085.100.0800.N	8.5	1.00	80.0	0.0860	30.60	35.78	yes	Zn coating	4E
C.085.100.3600.A	8.5	1.00	360.0	0.0190	130.60	154.03	no	music wire	4G
C.085.100.3600.I	8.5	1.00	360.0	0.0165	129.20	152.38	no	stainless steel	4G
C.085.110.0100.A	8.5	1.10	10.0	1.2320	6.05	6.60	yes	music wire	4C
C.085.110.0100.AP	8.5	1.10	10.0	1.6018	5.28	6.00	yes	music wire	4F
C.085.110.0100.I	8.5	1.10	10.0	1.0718	5.94	6.48	yes	stainless steel	4C
C.085.110.0100.N	8.5	1.10	10.0	1.2320	6.05	6.60	yes	Zn coating	4E
C.085.110.0125.A	8.5	1.10	12.5	0.9440	7.04	7.76	yes	music wire	4C
C.085.110.0125.AP	8.5	1.10	12.5	1.2281	6.05	7.28	yes	music wire	4F
C.085.110.0125.I	8.5	1.10	12.5	0.8213	6.93	7.63	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.085.110.0125.N	8.5	1.10	12.5	0.9440	7.04	7.76	yes	Zn coating	4E
C.085.110.0160.A	8.5	1.10	16.0	0.7080	8.47	9.43	yes	music wire	4C
C.085.110.0160.AP	8.5	1.10	16.0	0.9210	7.15	9.04	yes	music wire	4F
C.085.110.0160.I	8.5	1.10	16.0	0.6160	8.36	9.30	yes	stainless steel	4C
C.085.110.0160.N	8.5	1.10	16.0	0.7080	8.47	9.43	yes	Zn coating	4E
C.085.110.0200.A	8.5	1.10	20.0	0.5450	10.23	11.49	yes	music wire	4C
C.085.110.0200.AP	8.5	1.10	20.0	0.7224	8.36	11.12	yes	music wire	4F
C.085.110.0200.I	8.5	1.10	20.0	0.4742	10.12	11.36	yes	stainless steel	4D
C.085.110.0200.N	8.5	1.10	20.0	0.5450	10.23	11.49	yes	Zn coating	4E
C.085.110.0250.A	8.5	1.10	25.0	0.4230	12.32	13.93	yes	music wire	4C
C.085.110.0250.AP	8.5	1.10	25.0	0.5668	9.90	13.68	yes	music wire	4F
C.085.110.0250.I	8.5	1.10	25.0	0.3680	12.21	13.80	yes	stainless steel	4D
C.085.110.0250.N	8.5	1.10	25.0	0.4230	12.32	13.93	yes	Zn coating	4E
C.085.110.0320.A	8.5	1.10	32.0	0.3260	15.18	17.27	yes	music wire	4C
C.085.110.0320.AP	8.5	1.10	32.0	0.4334	12.10	17.20	yes	music wire	4F
C.085.110.0320.I	8.5	1.10	32.0	0.2836	14.96	17.01	yes	stainless steel	4D
C.085.110.0320.N	8.5	1.10	32.0	0.3260	15.18	17.27	yes	Zn coating	4E
C.085.110.0400.A	8.5	1.10	40.0	0.2580	18.48	21.12	yes	music wire	4C
C.085.110.0400.AP	8.5	1.10	40.0	0.3411	14.63	21.20	yes	music wire	4F
C.085.110.0400.I	8.5	1.10	40.0	0.2245	18.26	20.86	yes	stainless steel	4D
C.085.110.0400.N	8.5	1.10	40.0	0.2580	18.48	21.12	yes	Zn coating	4E
C.085.110.0500.A	8.5	1.10	50.0	0.2040	22.55	25.87	yes	music wire	4C
C.085.110.0500.AP	8.5	1.10	50.0	0.2709	17.71	26.32	yes	music wire	4F
C.085.110.0500.I	8.5	1.10	50.0	0.1775	22.33	25.62	yes	stainless steel	4D
C.085.110.0500.N	8.5	1.10	50.0	0.2040	22.55	25.87	yes	Zn coating	4E
C.085.110.0630.A	8.5	1.10	63.0	0.1600	28.05	32.30	yes	music wire	4D
C.085.110.0630.AP	8.5	1.10	63.0	0.2130	21.78	32.88	yes	music wire	4G
C.085.110.0630.I	8.5	1.10	63.0	0.1392	27.72	31.91	yes	stainless steel	4D
C.085.110.0630.N	8.5	1.10	63.0	0.1600	28.05	32.30	yes	Zn coating	4E
C.085.110.0800.A	8.5	1.10	80.0	0.1250	35.09	40.52	yes	music wire	4D
C.085.110.0800.AP	8.5	1.10	80.0	0.1667	27.06	41.52	yes	music wire	4G
C.085.110.0800.I	8.5	1.10	80.0	0.1088	34.76	40.13	yes	stainless steel	4D
C.085.110.0800.N	8.5	1.10	80.0	0.1250	35.09	40.52	yes	Zn coating	4F
C.085.110.3600.A	8.5	1.10	360.0	0.0270	153.78	178.95	no	music wire	4G
C.085.110.3600.I	8.5	1.10	360.0	0.0235	151.80	176.64	no	stainless steel	4G
C.085.120.0124.A	8.5	1.20	12.4	1.5515	7.20	7.85	yes	music wire	4C
C.085.120.0124.I	8.5	1.20	12.4	1.3326	7.20	7.85	yes	stainless steel	4D
C.085.120.0124.N	8.5	1.20	12.4	1.5515	7.20	7.85	yes	Zn coating	4E
C.085.120.0170.A	8.5	1.20	17.0	0.8880	10.32	11.46	yes	music wire	4C
C.085.120.0170.AP	8.5	1.20	17.0	1.2090	8.40	10.26	yes	music wire	4F
C.085.120.0170.I	8.5	1.20	17.0	0.7726	10.20	11.32	yes	stainless steel	4D
C.085.120.0170.N	8.5	1.20	17.0	0.8880	10.32	11.46	yes	Zn coating	4E
C.085.120.0181.A	8.5	1.20	18.1	0.9873	9.60	10.63	yes	music wire	4F
C.085.120.0181.I	8.5	1.20	18.1	0.8480	9.60	10.63	yes	stainless steel	4F
C.085.120.0181.N	8.5	1.20	18.1	0.9873	9.60	10.63	yes	Zn coating	4H
C.085.120.0294.A	8.5	1.20	29.4	0.5761	14.28	16.03	yes	music wire	4F
C.085.120.0294.I	8.5	1.20	29.4	0.4948	14.28	16.03	yes	stainless steel	4G
C.085.120.0294.N	8.5	1.20	29.4	0.5761	14.28	16.03	yes	Zn coating	4H
C.085.120.0465.A	8.5	1.20	46.5	0.3503	21.60	24.49	yes	music wire	4F
C.085.120.0465.I	8.5	1.20	46.5	0.3009	21.60	24.49	yes	stainless steel	4G
C.085.120.0465.N	8.5	1.20	46.5	0.3503	21.60	24.49	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.085.125.0100.A	8.5	1.25	10.0	2.1840	6.88	7.44	yes	music wire	4C
C.085.125.0100.AP	8.5	1.25	10.0	2.0000	7.25	7.87	yes	music wire	4C
C.085.125.0100.I	8.5	1.25	10.0	1.9000	6.88	7.44	yes	stainless steel	4D
C.085.125.0100.N	8.5	1.25	10.0	2.1840	6.88	7.44	yes	Zn coating	4E
C.085.125.0125.A	8.5	1.25	12.5	1.6200	8.13	8.88	yes	music wire	4C
C.085.125.0125.AP	8.5	1.25	12.5	2.0443	7.13	8.04	yes	music wire	4F
C.085.125.0125.I	8.5	1.25	12.5	1.4094	8.13	8.88	yes	stainless steel	4D
C.085.125.0125.N	8.5	1.25	12.5	1.6200	8.13	8.88	yes	Zn coating	4E
C.085.125.0160.A	8.5	1.25	16.0	1.2250	9.75	10.75	yes	music wire	4C
C.085.125.0160.I	8.5	1.25	16.0	1.0658	9.75	10.75	yes	stainless steel	4D
C.085.125.0160.N	8.5	1.25	16.0	1.2250	9.75	10.75	yes	Zn coating	4E
C.085.125.0200.A	8.5	1.25	20.0	0.9480	11.75	13.05	yes	music wire	4C
C.085.125.0200.AP	8.5	1.25	20.0	1.0000	11.25	12.47	yes	music wire	4C
C.085.125.0200.I	8.5	1.25	20.0	0.8248	11.63	12.91	yes	stainless steel	4D
C.085.125.0200.N	8.5	1.25	20.0	0.9480	11.75	13.05	yes	Zn coating	4E
C.085.125.0250.A	8.5	1.25	25.0	0.7390	14.13	15.79	yes	music wire	4C
C.085.125.0250.AP	8.5	1.25	25.0	0.7937	13.38	14.92	yes	music wire	4C
C.085.125.0250.I	8.5	1.25	25.0	0.6429	14.00	15.64	yes	stainless steel	4D
C.085.125.0250.N	8.5	1.25	25.0	0.7390	14.13	15.79	yes	Zn coating	4E
C.085.125.0320.A	8.5	1.25	32.0	0.5640	17.63	19.81	yes	music wire	4C
C.085.125.0320.AP	8.5	1.25	32.0	0.6250	16.13	18.09	yes	music wire	4C
C.085.125.0320.I	8.5	1.25	32.0	0.4907	17.38	19.52	yes	stainless steel	4D
C.085.125.0320.N	8.5	1.25	32.0	0.5640	17.63	19.81	yes	Zn coating	4E
C.085.125.0400.A	8.5	1.25	40.0	0.4410	21.63	24.41	yes	music wire	4C
C.085.125.0400.AP	8.5	1.25	40.0	0.5000	19.50	21.96	yes	music wire	4C
C.085.125.0400.I	8.5	1.25	40.0	0.3837	21.38	24.13	yes	stainless steel	4D
C.085.125.0400.N	8.5	1.25	40.0	0.4410	21.63	24.41	yes	Zn coating	4E
C.085.125.0500.A	8.5	1.25	50.0	0.3490	26.50	30.02	yes	music wire	4D
C.085.125.0500.AP	8.5	1.25	50.0	0.4000	23.50	27.20	yes	music wire	4C
C.085.125.0500.I	8.5	1.25	50.0	0.3036	26.25	29.73	yes	stainless steel	4D
C.085.125.0500.N	8.5	1.25	50.0	0.3490	26.50	30.02	yes	Zn coating	4E
C.085.125.0575.A	8.5	1.25	57.5	0.3528	26.25	31.65	yes	music wire	4G
C.085.125.0575.I	8.5	1.25	57.5	0.3069	26.00	31.78	yes	stainless steel	4G
C.085.125.0575.N	8.5	1.25	57.5	0.3528	26.25	31.65	yes	Zn coating	4I
C.085.125.0630.A	8.5	1.25	63.0	0.2740	32.88	37.36	yes	music wire	4D
C.085.125.0630.AP	8.5	1.25	63.0	0.3125	29.25	33.82	yes	music wire	4C
C.085.125.0630.I	8.5	1.25	63.0	0.2384	32.50	36.92	yes	stainless steel	4D
C.085.125.0630.N	8.5	1.25	63.0	0.2740	32.88	37.36	yes	Zn coating	4F
C.085.125.0700.A	8.5	1.25	70.0	0.2790	32.38	37.32	yes	music wire	4G
C.085.125.0700.I	8.5	1.25	70.0	0.2427	32.00	37.48	yes	stainless steel	4G
C.085.125.0700.N	8.5	1.25	70.0	0.2790	32.38	37.32	yes	Zn coating	4I
C.085.125.0800.A	8.5	1.25	80.0	0.2150	41.13	46.85	yes	music wire	4D
C.085.125.0800.AP	8.5	1.25	80.0	0.2500	35.75	43.53	yes	music wire	4C
C.085.125.0800.I	8.5	1.25	80.0	0.1870	40.63	46.27	yes	stainless steel	4E
C.085.125.0800.N	8.5	1.25	80.0	0.2150	41.13	46.85	yes	Zn coating	4F
C.085.125.1000.A	8.5	1.25	100.0	0.1969	44.50	53.69	yes	music wire	4G
C.085.125.1000.I	8.5	1.25	100.0	0.1713	44.00	53.91	yes	stainless steel	4G
C.085.125.1000.N	8.5	1.25	100.0	0.1969	44.50	53.69	yes	Zn coating	4I
C.085.125.1250.A	8.5	1.25	125.0	0.1575	54.88	67.10	yes	music wire	4G
C.085.125.1250.I	8.5	1.25	125.0	0.1370	54.25	67.39	yes	stainless steel	4H
C.085.125.1250.N	8.5	1.25	125.0	0.1575	54.88	67.10	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.085.125.1600.A	8.5	1.25	160.0	0.1260	67.88	87.63	yes	music wire	4H
C.085.125.1600.I	8.5	1.25	160.0	0.1096	67.00	87.98	yes	stainless steel	4H
C.085.125.1600.N	8.5	1.25	160.0	0.1260	67.88	87.63	yes	Zn coating	4I
C.085.125.3600.A	8.5	1.25	360.0	0.0460	181.75	208.44	no	music wire	4G
C.085.125.3600.I	8.5	1.25	360.0	0.0400	179.50	205.85	no	stainless steel	4G
C.085.130.0355.A	8.5	1.30	35.5	0.5890	20.41	22.92	yes	music wire	4C
C.085.130.0355.AP	8.5	1.30	35.5	0.7375	17.03	21.73	yes	music wire	4F
C.085.130.0355.I	8.5	1.30	35.5	0.5124	20.28	22.77	yes	stainless steel	4D
C.085.130.0355.N	8.5	1.30	35.5	0.5890	20.41	22.92	yes	Zn coating	4E
C.085.130.0760.A	8.5	1.30	76.0	0.3148	35.49	43.75	yes	music wire	4G
C.085.130.0760.I	8.5	1.30	76.0	0.2739	34.97	43.87	yes	stainless steel	4G
C.085.140.0100.A	8.5	1.40	10.0	3.6590	7.70	8.28	yes	music wire	4E
C.085.140.0100.I	8.5	1.40	10.0	3.1833	7.70	8.28	yes	stainless steel	4E
C.085.140.0100.N	8.5	1.40	10.0	3.6590	7.70	8.28	yes	Zn coating	4G
C.085.140.0125.A	8.5	1.40	12.5	2.8050	8.96	9.72	yes	music wire	4E
C.085.140.0125.I	8.5	1.40	12.5	2.4404	8.82	9.56	yes	stainless steel	4E
C.085.140.0125.N	8.5	1.40	12.5	2.8050	8.96	9.72	yes	Zn coating	4G
C.085.140.0160.A	8.5	1.40	16.0	2.0520	10.92	11.95	yes	music wire	4E
C.085.140.0160.I	8.5	1.40	16.0	1.7852	10.92	11.95	yes	stainless steel	4E
C.085.140.0160.N	8.5	1.40	16.0	2.0520	10.92	11.95	yes	Zn coating	4G
C.085.140.0200.A	8.5	1.40	20.0	1.5880	13.16	14.50	yes	music wire	4E
C.085.140.0200.I	8.5	1.40	20.0	1.3816	13.02	14.34	yes	stainless steel	4E
C.085.140.0200.N	8.5	1.40	20.0	1.5880	13.16	14.50	yes	Zn coating	4G
C.085.140.0250.A	8.5	1.40	25.0	1.2200	16.10	17.85	yes	music wire	4E
C.085.140.0250.I	8.5	1.40	25.0	1.0614	15.82	17.53	yes	stainless steel	4E
C.085.140.0250.N	8.5	1.40	25.0	1.2200	16.10	17.85	yes	Zn coating	4G
C.085.140.0320.A	8.5	1.40	32.0	0.9350	19.88	22.15	yes	music wire	4E
C.085.140.0320.I	8.5	1.40	32.0	0.8134	19.60	21.83	yes	stainless steel	4E
C.085.140.0320.N	8.5	1.40	32.0	0.9350	19.88	22.15	yes	Zn coating	4G
C.085.140.0400.A	8.5	1.40	40.0	0.7320	24.36	27.25	yes	music wire	4E
C.085.140.0400.I	8.5	1.40	40.0	0.6368	24.08	26.93	yes	stainless steel	4E
C.085.140.0400.N	8.5	1.40	40.0	0.7320	24.36	27.25	yes	Zn coating	4G
C.085.140.0500.A	8.5	1.40	50.0	0.5760	30.10	33.79	yes	music wire	4E
C.085.140.0500.I	8.5	1.40	50.0	0.5000	29.82	33.47	yes	stainless steel	4F
C.085.140.0500.N	8.5	1.40	50.0	0.5760	30.10	33.79	yes	Zn coating	4G
C.085.140.0630.A	8.5	1.40	63.0	0.4520	37.38	42.08	yes	music wire	4E
C.085.140.0630.I	8.5	1.40	63.0	0.3932	36.96	41.60	yes	stainless steel	4F
C.085.140.0630.N	8.5	1.40	63.0	0.4520	37.38	42.08	yes	Zn coating	4G
C.085.140.0800.A	8.5	1.40	80.0	0.3540	46.76	52.75	yes	music wire	4F
C.085.140.0800.I	8.5	1.40	80.0	0.3080	46.20	52.12	yes	stainless steel	4F
C.085.140.0800.N	8.5	1.40	80.0	0.3540	46.76	52.75	yes	Zn coating	4H
C.085.140.3600.A	8.5	1.40	360.0	0.0760	206.36	234.28	no	music wire	4I
C.085.140.3600.I	8.5	1.40	360.0	0.0661	203.84	231.41	no	stainless steel	4I
C.085.150.0123.A	8.5	1.50	12.3	4.2961	9.00	9.70	yes	music wire	4E
C.085.150.0123.I	8.5	1.50	12.3	3.6899	9.00	9.70	yes	stainless steel	4E
C.085.150.0123.N	8.5	1.50	12.3	4.2961	9.00	9.70	yes	Zn coating	4G
C.085.150.0177.A	8.5	1.50	17.7	2.7339	12.00	13.09	yes	music wire	4H
C.085.150.0177.I	8.5	1.50	17.7	2.3481	12.00	13.09	yes	stainless steel	4I
C.085.150.0177.N	8.5	1.50	17.7	2.7339	12.00	13.09	yes	Zn coating	4I
C.085.150.0256.A	8.5	1.50	25.6	1.7690	16.50	18.19	yes	music wire	4H
C.085.150.0256.I	8.5	1.50	25.6	1.5194	16.50	18.19	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.085.150.0256.N	8.5	1.50	25.6	1.7690	16.50	18.19	yes	Zn coating	4I
C.085.150.0350.A	8.5	1.50	35.0	1.0540	25.20	28.05	yes	music wire	4E
C.085.150.0350.AP	8.5	1.50	35.0	1.3487	20.40	23.90	yes	music wire	4I
C.085.150.0350.I	8.5	1.50	35.0	0.9170	24.90	27.71	yes	stainless steel	4F
C.085.150.0350.N	8.5	1.50	35.0	1.0540	25.20	28.05	yes	Zn coating	4G
C.085.150.0363.A	8.5	1.50	36.3	1.2000	22.50	24.99	yes	music wire	4I
C.085.150.0363.I	8.5	1.50	36.3	1.0332	22.50	24.99	yes	stainless steel	4I
C.085.150.0363.N	8.5	1.50	36.3	1.2000	22.50	24.99	yes	Zn coating	4I
C.085.150.0522.A	8.5	1.50	52.2	0.8128	31.50	35.18	yes	music wire	4I
C.085.150.0522.I	8.5	1.50	52.2	0.7000	31.35	35.01	yes	stainless steel	4I
C.085.150.0522.N	8.5	1.50	52.2	0.8128	31.50	35.18	yes	Zn coating	4I
C.085.160.0100.A	8.5	1.60	10.0	5.0909	10.00	10.00	yes	music wire	4E
C.085.160.0100.AL	8.5	1.60	10.0	6.6550	8.96	9.59	yes	music wire	4D
C.085.160.0100.AP	8.5	1.60	10.0	8.1743	8.00	8.51	yes	music wire	4E
C.085.160.0100.I	8.5	1.60	10.0	4.4291	10.00	10.00	yes	stainless steel	4E
C.085.160.0100.N	8.5	1.60	10.0	5.0909	10.00	10.00	yes	Zn coating	4G
C.085.160.0125.A	8.5	1.60	12.5	4.0000	12.16	12.16	yes	music wire	4E
C.085.160.0125.AL	8.5	1.60	12.5	4.5000	11.20	12.12	yes	music wire	4D
C.085.160.0125.AP	8.5	1.60	12.5	6.0105	9.44	10.14	yes	music wire	4H
C.085.160.0125.I	8.5	1.60	12.5	3.4800	12.00	12.00	yes	stainless steel	4E
C.085.160.0125.N	8.5	1.60	12.5	4.0000	12.16	12.16	yes	Zn coating	4G
C.085.160.0160.A	8.5	1.60	16.0	3.1111	14.40	15.73	yes	music wire	4E
C.085.160.0160.AP	8.5	1.60	16.0	4.4426	11.36	12.30	yes	music wire	4H
C.085.160.0160.I	8.5	1.60	16.0	2.7067	14.24	15.55	yes	stainless steel	4E
C.085.160.0160.N	8.5	1.60	16.0	3.1111	14.40	15.73	yes	Zn coating	4G
C.085.160.0200.A	8.5	1.60	20.0	2.4889	17.12	18.80	yes	music wire	4E
C.085.160.0200.AP	8.5	1.60	20.0	3.3501	13.76	15.01	yes	music wire	4H
C.085.160.0200.I	8.5	1.60	20.0	2.1653	16.96	18.62	yes	stainless steel	4E
C.085.160.0200.N	8.5	1.60	20.0	2.4889	17.12	18.80	yes	Zn coating	4G
C.085.160.0250.A	8.5	1.60	25.0	2.0000	20.32	22.41	yes	music wire	4E
C.085.160.0250.AP	8.5	1.60	25.0	2.6200	16.48	18.21	yes	music wire	4I
C.085.160.0250.I	8.5	1.60	25.0	1.7400	20.00	22.05	yes	stainless steel	4F
C.085.160.0250.N	8.5	1.60	25.0	2.0000	20.32	22.41	yes	Zn coating	4G
C.085.160.0320.A	8.5	1.60	32.0	1.6000	24.32	26.92	yes	music wire	4E
C.085.160.0320.AP	8.5	1.60	32.0	1.9841	20.32	23.03	yes	music wire	4I
C.085.160.0320.I	8.5	1.60	32.0	1.3920	24.00	26.56	yes	stainless steel	4F
C.085.160.0320.N	8.5	1.60	32.0	1.6000	24.32	26.92	yes	Zn coating	4G
C.085.160.0400.A	8.5	1.60	40.0	1.2444	30.08	33.42	yes	music wire	4E
C.085.160.0400.AP	8.5	1.60	40.0	1.5482	24.96	28.50	yes	music wire	4I
C.085.160.0400.I	8.5	1.60	40.0	1.0826	29.76	33.05	yes	stainless steel	4F
C.085.160.0400.N	8.5	1.60	40.0	1.2444	30.08	33.42	yes	Zn coating	4G
C.085.160.0500.A	8.5	1.60	50.0	1.0000	36.48	40.63	yes	music wire	4E
C.085.160.0500.AP	8.5	1.60	50.0	1.2237	30.56	35.46	yes	music wire	4I
C.085.160.0500.I	8.5	1.60	50.0	0.8700	36.16	40.27	yes	stainless steel	4F
C.085.160.0500.N	8.5	1.60	50.0	1.0000	36.48	40.63	yes	Zn coating	4H
C.085.160.0630.A	8.5	1.60	63.0	0.8000	44.64	49.84	yes	music wire	4F
C.085.160.0630.AP	8.5	1.60	63.0	0.9594	37.92	44.45	yes	music wire	4I
C.085.160.0630.I	8.5	1.60	63.0	0.6960	44.16	49.30	yes	stainless steel	4F
C.085.160.0630.N	8.5	1.60	63.0	0.8000	44.64	49.84	yes	Zn coating	4H
C.085.160.0800.A	8.5	1.60	80.0	0.6222	56.32	63.01	yes	music wire	4F
C.085.160.0800.AP	8.5	1.60	80.0	0.7486	47.52	56.22	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.085.160.0800.I	8.5	1.60	80.0	0.5413	55.52	62.11	yes	stainless steel	4F
C.085.160.0800.N	8.5	1.60	80.0	0.6222	56.32	63.01	yes	Zn coating	4H
C.085.160.1000.A	8.5	1.60	100.0	0.4978	69.28	77.63	yes	music wire	4F
C.085.160.1000.AP	8.5	1.60	100.0	0.5941	58.72	70.04	yes	music wire	4I
C.085.160.1000.I	8.5	1.60	100.0	0.4331	68.48	76.73	yes	stainless steel	4G
C.085.160.1000.N	8.5	1.60	100.0	0.4978	69.28	77.63	yes	Zn coating	4H
C.085.160.1250.A	8.5	1.60	125.0	0.4000	85.28	95.68	yes	music wire	4F
C.085.160.1250.AP	8.5	1.60	125.0	0.4720	72.96	87.29	yes	music wire	4I
C.085.160.1250.I	8.5	1.60	125.0	0.3480	84.32	94.59	yes	stainless steel	4G
C.085.160.1250.N	8.5	1.60	125.0	0.4000	85.28	95.68	yes	Zn coating	4I
C.086.065.0160.A	8.6	0.65	16.0	0.0896	4.23	5.07	yes	music wire	4C
C.086.065.0160.I	8.6	0.65	16.0	0.0770	4.23	5.07	yes	stainless steel	4C
C.086.065.0160.N	8.6	0.65	16.0	0.0896	4.23	5.07	yes	Zn coating	4E
C.086.065.0245.A	8.6	0.65	24.5	0.0570	5.72	7.05	yes	music wire	4C
C.086.065.0245.I	8.6	0.65	24.5	0.0490	5.72	7.05	yes	stainless steel	4C
C.086.065.0245.N	8.6	0.65	24.5	0.0570	5.72	7.05	yes	Zn coating	4E
C.086.065.0370.A	8.6	0.65	37.0	0.0369	8.00	10.07	yes	music wire	4C
C.086.065.0370.I	8.6	0.65	37.0	0.0317	8.00	10.07	yes	stainless steel	4C
C.086.065.0370.IF	8.6	0.65	37.0	0.0216	10.99	14.03	yes	stainless steel	4C
C.086.065.0370.N	8.6	0.65	37.0	0.0369	8.00	10.07	yes	Zn coating	4E
C.086.065.0550.A	8.6	0.65	55.0	0.0251	10.99	14.03	yes	music wire	4C
C.086.065.0550.I	8.6	0.65	55.0	0.0216	10.99	14.03	yes	stainless steel	4D
C.086.065.0550.IF	8.6	0.65	55.0	0.0145	15.54	20.05	yes	stainless steel	4D
C.086.065.0550.N	8.6	0.65	55.0	0.0251	10.99	14.03	yes	Zn coating	4E
C.086.065.0805.A	8.6	0.65	80.5	0.0169	15.54	20.05	yes	music wire	4C
C.086.065.0805.I	8.6	0.65	80.5	0.0145	15.54	20.05	yes	stainless steel	4D
C.086.065.0805.IF	8.6	0.65	80.5	0.0119	18.59	24.09	yes	stainless steel	4D
C.086.065.0805.N	8.6	0.65	80.5	0.0169	15.54	20.05	yes	Zn coating	4E
C.086.070.0160.A	8.7	0.70	16.0	0.1270	4.41	5.19	yes	music wire	4C
C.086.070.0200.A	8.7	0.70	20.0	0.1000	5.18	6.19	yes	music wire	4C
C.086.070.0250.A	8.7	0.70	25.0	0.0800	6.02	7.27	yes	music wire	4C
C.086.070.0320.A	8.7	0.70	32.0	0.0640	7.07	8.63	yes	music wire	4C
C.086.070.0400.A	8.7	0.70	40.0	0.0500	8.54	10.53	yes	music wire	4C
C.086.070.0500.A	8.7	0.70	50.0	0.0400	10.29	12.80	yes	music wire	4C
C.086.070.0630.A	8.7	0.70	63.0	0.0320	12.39	15.51	yes	music wire	4C
C.086.070.0800.A	8.7	0.70	80.0	0.0250	15.40	19.41	yes	music wire	4C
C.086.070.1000.A	8.7	0.70	100.0	0.0200	18.76	23.75	yes	music wire	4C
C.086.070.1250.A	8.7	0.70	125.0	0.0160	23.03	29.28	yes	music wire	4C
C.086.080.0380.A	8.6	0.80	38.0	0.0920	9.68	11.54	yes	music wire	4C
C.086.080.0380.I	8.6	0.80	38.0	0.0800	9.52	11.34	yes	stainless steel	4F
C.086.090.0100.A	8.6	0.90	10.0	0.5000	4.86	5.41	yes	music wire	4C
C.086.090.0125.A	8.6	0.90	12.5	0.4000	5.58	6.28	yes	music wire	4C
C.086.090.0160.A	8.6	0.90	16.0	0.3214	6.39	7.26	yes	music wire	4C
C.086.090.0200.A	8.6	0.90	20.0	0.2571	7.38	8.46	yes	music wire	4C
C.086.090.0250.A	8.6	0.90	25.0	0.2000	8.82	10.20	yes	music wire	4C
C.086.090.0320.A	8.6	0.90	32.0	0.1607	10.44	12.16	yes	music wire	4C
C.086.090.0400.A	8.6	0.90	40.0	0.1286	12.51	14.66	yes	music wire	4C
C.086.090.0500.A	8.6	0.90	50.0	0.1000	15.39	18.15	yes	music wire	4C
C.086.090.0630.A	8.6	0.90	63.0	0.0800	18.72	22.18	yes	music wire	4C
C.086.090.0700.A	8.6	0.90	70.0	0.0740	20.07	23.81	yes	music wire	4F
C.086.090.0700.I	8.6	0.90	70.0	0.0644	19.80	23.48	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.086.090.0700.N	8.6	0.90	70.0	0.0740	20.07	23.81	yes	Zn coating	4I
C.086.090.0800.A	8.6	0.90	80.0	0.0643	22.77	27.07	yes	music wire	4C
C.086.090.1000.A	8.6	0.90	100.0	0.0489	29.16	34.81	yes	music wire	4D
C.086.090.1000.I	8.6	0.90	100.0	0.0425	28.89	34.48	yes	stainless steel	4E
C.086.090.1000.N	8.6	0.90	100.0	0.0489	29.16	34.81	yes	Zn coating	4F
C.086.090.1250.A	8.6	0.90	125.0	0.0393	35.82	42.86	yes	music wire	4D
C.086.090.1250.I	8.6	0.90	125.0	0.0342	35.37	42.32	yes	stainless steel	4E
C.086.090.1250.N	8.6	0.90	125.0	0.0393	35.82	42.86	yes	Zn coating	4F
C.086.090.1600.A	8.6	0.90	160.0	0.0314	44.19	52.99	yes	music wire	4G
C.086.090.1600.I	8.6	0.90	160.0	0.0273	43.65	52.34	yes	stainless steel	4H
C.086.090.1600.N	8.6	0.90	160.0	0.0314	44.19	52.99	yes	Zn coating	4I
C.086.090.2000.A	8.6	0.90	200.0	0.0244	56.25	67.58	yes	music wire	4E
C.086.090.2000.AP	8.6	0.90	200.0	0.0257	53.46	64.20	yes	music wire	4E
C.086.090.2000.I	8.6	0.90	200.0	0.0212	55.53	66.71	yes	stainless steel	4E
C.086.090.2000.N	8.6	0.90	200.0	0.0244	56.25	67.58	yes	Zn coating	4G
C.086.090.2500.A	8.6	0.90	250.0	0.0196	69.48	83.58	yes	music wire	4E
C.086.090.2500.I	8.6	0.90	250.0	0.0171	68.58	82.50	yes	stainless steel	4F
C.086.090.2500.N	8.6	0.90	250.0	0.0196	69.48	83.58	yes	Zn coating	4H
C.086.130.0380.A	8.6	1.30	38.0	0.6659	17.81	22.91	yes	music wire	4F
C.086.130.0380.I	8.6	1.30	38.0	0.5793	17.68	22.97	yes	stainless steel	4G
C.086.140.0250.A	8.6	1.40	25.0	1.1650	16.10	17.86	yes	music wire	4E
C.086.140.0250.I	8.6	1.40	25.0	1.0136	15.96	17.70	yes	stainless steel	4E
C.086.140.0250.N	8.6	1.40	25.0	1.1650	16.10	17.86	yes	Zn coating	4G
C.086.140.0320.A	8.6	1.40	32.0	0.9118	19.60	21.85	yes	music wire	4E
C.086.140.0320.I	8.6	1.40	32.0	0.7933	19.46	21.69	yes	stainless steel	4E
C.086.140.0320.N	8.6	1.40	32.0	0.9118	19.60	21.85	yes	Zn coating	4G
C.086.140.0380.A	8.6	1.40	38.0	0.8066	21.70	24.24	yes	music wire	4I
C.086.140.0380.I	8.6	1.40	38.0	0.6928	21.70	24.24	yes	stainless steel	4I
C.086.140.0380.N	8.6	1.40	38.0	0.8066	21.70	24.24	yes	Zn coating	4I
C.086.140.0440.A	8.6	1.40	44.0	0.6355	26.60	29.83	yes	music wire	4E
C.086.140.0440.I	8.6	1.40	44.0	0.5458	26.60	29.83	yes	stainless steel	4F
C.086.140.0440.N	8.6	1.40	44.0	0.6355	26.60	29.83	yes	Zn coating	4G
C.086.140.0500.A	8.6	1.40	50.0	0.6845	24.92	32.04	yes	music wire	4I
C.086.140.0500.I	8.6	1.40	50.0	0.5955	24.64	32.07	yes	stainless steel	4J
C.086.140.0510.A	8.6	1.40	51.0	0.5519	30.10	33.82	yes	music wire	4E
C.086.140.0510.I	8.6	1.40	51.0	0.4740	30.10	33.82	yes	stainless steel	4F
C.086.140.0510.N	8.6	1.40	51.0	0.5519	30.10	33.82	yes	Zn coating	4G
C.086.140.0640.A	8.6	1.40	64.0	0.4462	36.40	41.00	yes	music wire	4I
C.086.140.0640.I	8.6	1.40	64.0	0.3832	36.40	41.00	yes	stainless steel	4F
C.086.140.0640.N	8.6	1.40	64.0	0.4462	36.40	41.00	yes	Zn coating	4I
C.086.140.0760.A	8.6	1.40	76.0	0.3745	42.70	48.18	yes	music wire	4I
C.086.140.0760.I	8.6	1.40	76.0	0.3217	42.70	48.18	yes	stainless steel	4I
C.086.140.0760.N	8.6	1.40	76.0	0.3745	42.70	48.18	yes	Zn coating	4I
C.086.140.1520.A	8.6	1.40	152.0	0.2187	70.56	95.79	yes	music wire	4J
C.086.140.1520.I	8.6	1.40	152.0	0.1903	69.72	95.88	yes	stainless steel	4J
C.086.150.0320.A	8.6	1.50	32.0	1.2788	20.70	22.96	yes	music wire	4E
C.086.150.0320.I	8.6	1.50	32.0	1.1126	20.40	22.62	yes	stainless steel	4F
C.086.150.0500.A	8.6	1.50	50.0	0.9430	26.70	34.29	yes	music wire	4J
C.086.150.0500.I	8.6	1.50	50.0	0.8204	26.40	34.28	yes	stainless steel	4J
C.086.150.0500.N	8.6	1.50	50.0	0.9430	26.70	34.29	yes	Zn coating	4K
C.087.040.0079.A	8.7	0.40	7.9	0.0050	5.04	7.75	no	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.087.040.0079.AP	8.7	0.40	7.9	0.0412	1.84	2.17	no	music wire	4B
C.087.040.0135.A	8.7	0.40	13.5	0.0040	5.96	9.36	no	music wire	4B
C.087.040.0135.I	8.7	0.40	13.5	0.0035	5.92	9.29	no	stainless steel	4C
C.087.040.0143.A	8.7	0.40	14.3	0.0240	2.16	2.73	no	music wire	4B
C.087.040.0143.I	8.7	0.40	14.3	0.0180	2.28	2.94	no	stainless steel	4C
C.087.040.0220.A	8.7	0.40	22.0	0.0057	4.56	6.92	no	music wire	4B
C.087.040.0220.I	8.7	0.40	22.0	0.0050	4.52	6.85	no	stainless steel	4C
C.087.050.0087.A	8.7	0.50	8.7	0.0680	2.10	2.53	yes	music wire	4B
C.087.050.0087.I	8.7	0.50	8.7	0.0592	2.10	2.53	yes	stainless steel	4C
C.087.050.0127.A	8.7	0.50	12.7	0.0430	2.60	3.28	yes	music wire	4B
C.087.050.0127.I	8.7	0.50	12.7	0.0290	2.95	3.81	yes	stainless steel	4C
C.087.050.0159.A	8.7	0.50	15.9	0.0200	4.15	5.61	yes	music wire	4B
C.087.050.0159.I	8.7	0.50	15.9	0.0174	4.10	5.53	yes	stainless steel	4C
C.087.050.0191.A	8.7	0.50	19.1	0.0299	3.20	4.18	yes	music wire	4B
C.087.050.0191.I	8.7	0.50	19.1	0.0260	3.15	4.11	yes	stainless steel	4C
C.087.050.0198.A	8.7	0.50	19.8	0.0270	3.40	4.48	yes	music wire	4B
C.087.050.0198.I	8.7	0.50	19.8	0.0235	3.35	4.41	yes	stainless steel	4C
C.087.050.0220.A	8.7	0.50	22.0	0.0060	10.85	15.68	yes	music wire	4B
C.087.050.0220.I	8.7	0.50	22.0	0.0140	4.80	6.59	yes	stainless steel	4C
C.087.050.0410.A	8.7	0.50	41.0	0.0046	13.80	20.12	yes	music wire	4C
C.087.050.0410.I	8.7	0.50	41.0	0.0040	13.65	19.89	yes	stainless steel	4C
C.087.060.0040.A	8.7	0.60	4.0	0.1264	2.70	3.15	yes	music wire	4C
C.087.060.0040.I	8.7	0.60	4.0	0.1100	2.64	3.07	yes	stainless steel	4C
C.087.060.0079.A	8.7	0.60	7.9	0.1700	2.40	2.74	yes	music wire	4C
C.087.060.0079.I	8.7	0.60	7.9	0.1479	2.34	2.65	yes	stainless steel	4C
C.087.060.0143.A	8.7	0.60	14.3	0.0655	3.78	4.63	yes	music wire	4C
C.087.060.0143.I	8.7	0.60	14.3	0.0570	3.72	4.55	yes	stainless steel	4C
C.087.060.0159.A	8.7	0.60	15.9	0.0391	5.34	6.77	yes	music wire	4C
C.087.060.0159.I	8.7	0.60	15.9	0.0340	5.28	6.69	yes	stainless steel	4C
C.087.060.0182.A	8.7	0.60	18.2	0.0448	4.80	6.03	yes	music wire	4C
C.087.060.0182.I	8.7	0.60	18.2	0.0390	4.80	6.03	yes	stainless steel	4C
C.087.060.0191.A	8.7	0.60	19.1	0.0724	3.54	4.30	yes	music wire	4C
C.087.060.0191.I	8.7	0.60	19.1	0.0630	3.54	4.30	yes	stainless steel	4F
C.087.060.0220.A	8.7	0.60	22.0	0.0680	3.72	5.09	yes	music wire	4E
C.087.060.0220.I	8.7	0.60	22.0	0.0660	3.42	7.19	yes	stainless steel	4F
C.087.060.0260.A	8.7	0.60	26.0	0.0260	7.26	9.41	yes	music wire	4C
C.087.060.0260.I	8.7	0.60	26.0	0.0226	7.14	9.25	yes	stainless steel	4C
C.087.060.0350.A	8.7	0.60	35.0	0.0322	6.12	7.84	yes	music wire	4C
C.087.060.0350.I	8.7	0.60	35.0	0.0280	6.06	7.76	yes	stainless steel	4C
C.087.060.0380.A	8.7	0.60	38.0	0.0287	6.66	8.59	yes	music wire	4C
C.087.060.0380.I	8.7	0.60	38.0	0.0250	6.60	8.50	yes	stainless steel	4C
C.087.060.0540.A	8.7	0.60	54.0	0.0138	12.30	16.33	yes	music wire	4C
C.087.060.0540.I	8.7	0.60	54.0	0.0120	12.18	16.17	yes	stainless steel	4D
C.087.060.0640.A	8.7	0.60	64.0	0.0110	15.06	20.12	yes	music wire	4C
C.087.060.0640.I	8.7	0.60	64.0	0.0096	14.88	19.88	yes	stainless steel	4D
C.087.070.0135.A	8.7	0.70	13.5	0.1069	4.90	5.83	yes	music wire	4C
C.087.070.0135.AP	8.7	0.70	13.5	0.2269	3.22	5.67	yes	music wire	4E
C.087.070.0135.I	8.7	0.70	13.5	0.0930	4.83	5.74	yes	stainless steel	4C
C.087.070.0143.A	8.7	0.70	14.3	0.0760	6.16	7.46	yes	music wire	4C
C.087.070.0143.AP	8.7	0.70	14.3	0.2166	3.29	6.10	yes	music wire	4E
C.087.070.0143.I	8.7	0.70	14.3	0.0661	6.09	7.37	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.087.070.0174.A	8.7	0.70	17.4	0.0736	6.30	7.65	yes	music wire	4C
C.087.070.0174.AP	8.7	0.70	17.4	0.1701	3.71	6.96	yes	music wire	4E
C.087.070.0174.I	8.7	0.70	17.4	0.0640	6.23	7.56	yes	stainless steel	4C
C.087.070.0270.A	8.7	0.70	27.0	0.0448	9.24	11.46	yes	music wire	4C
C.087.070.0270.AP	8.7	0.70	27.0	0.1083	4.83	10.60	yes	music wire	4E
C.087.070.0270.I	8.7	0.70	27.0	0.0390	9.10	11.28	yes	stainless steel	4C
C.087.070.0570.A	8.7	0.70	57.0	0.0150	24.01	30.60	yes	music wire	4C
C.087.070.0570.AP	8.7	0.70	57.0	0.0501	8.40	21.58	yes	music wire	4F
C.087.070.0570.I	8.7	0.70	57.0	0.0131	23.73	30.23	yes	stainless steel	4D
C.087.070.0760.A	8.7	0.70	76.0	0.0149	24.15	30.78	yes	music wire	4C
C.087.070.0760.AP	8.7	0.70	76.0	0.0375	10.64	28.65	yes	music wire	4F
C.087.070.0760.I	8.7	0.70	76.0	0.0130	23.87	30.42	yes	stainless steel	4D
C.087.070.1000.A	8.7	0.70	100.0	0.0200	18.48	23.43	yes	music wire	4D
C.087.070.1000.I	8.7	0.70	100.0	0.0174	18.27	23.16	yes	stainless steel	4D
C.087.070.1000.N	8.7	0.70	100.0	0.0200	18.48	23.43	yes	Zn coating	4E
C.087.070.1250.A	8.7	0.70	125.0	0.0159	22.75	28.96	yes	music wire	4D
C.087.070.1250.AP	8.7	0.70	125.0	0.0228	16.45	47.08	yes	music wire	4G
C.087.070.1250.I	8.7	0.70	125.0	0.0138	22.54	28.69	yes	stainless steel	4E
C.087.070.1250.N	8.7	0.70	125.0	0.0159	22.75	28.96	yes	Zn coating	4F
C.087.080.0071.A	8.7	0.80	7.1	0.3300	4.08	4.59	yes	music wire	4C
C.087.080.0071.AP	8.7	0.80	7.1	0.7680	2.88	3.73	yes	music wire	4E
C.087.080.0071.I	8.7	0.80	7.1	0.2871	4.00	4.49	yes	stainless steel	4C
C.087.080.0079.A	8.7	0.80	7.9	0.1609	6.24	7.28	yes	music wire	4C
C.087.080.0079.AP	8.7	0.80	7.9	0.6498	3.04	3.92	yes	music wire	4E
C.087.080.0079.I	8.7	0.80	7.9	0.1400	6.16	7.18	yes	stainless steel	4C
C.087.080.0135.A	8.7	0.80	13.5	0.1379	6.88	8.08	yes	music wire	4C
C.087.080.0135.AP	8.7	0.80	13.5	0.3520	3.92	6.16	yes	music wire	4E
C.087.080.0135.I	8.7	0.80	13.5	0.1200	6.88	8.08	yes	stainless steel	4C
C.087.080.0270.A	8.7	0.80	27.0	0.0851	10.00	11.97	yes	music wire	4C
C.087.080.0270.AP	8.7	0.80	27.0	0.1656	6.08	11.40	yes	music wire	4E
C.087.080.0270.I	8.7	0.80	27.0	0.0740	9.84	11.77	yes	stainless steel	4C
C.087.090.0064.A	8.7	0.90	6.4	0.6437	4.23	4.65	yes	music wire	4C
C.087.090.0064.AP	8.7	0.90	6.4	1.2793	3.24	3.59	yes	music wire	4E
C.087.090.0064.I	8.7	0.90	6.4	0.5600	4.23	4.65	yes	stainless steel	4C
C.087.090.0290.A	8.7	0.90	29.0	0.1600	10.17	11.85	yes	music wire	4C
C.087.090.0290.AP	8.7	0.90	29.0	0.2307	7.74	13.42	yes	music wire	4F
C.087.090.0290.I	8.7	0.90	29.0	0.1392	10.08	11.75	yes	stainless steel	4C
C.087.090.0310.A	8.7	0.90	31.0	0.1379	11.43	13.38	yes	music wire	4C
C.087.090.0310.AP	8.7	0.90	31.0	0.2132	8.19	14.14	yes	music wire	4F
C.087.090.0310.I	8.7	0.90	31.0	0.1200	11.34	13.27	yes	stainless steel	4C
C.087.090.0320.A	8.7	0.90	32.0	0.1724	9.63	11.20	yes	music wire	4F
C.087.090.0320.I	8.7	0.90	32.0	0.1500	9.54	11.44	yes	stainless steel	4F
C.087.090.0410.A	8.7	0.90	41.0	0.1264	12.24	14.36	yes	music wire	4F
C.087.090.0410.I	8.7	0.90	41.0	0.1100	12.15	14.26	yes	stainless steel	4F
C.087.100.0115.A	8.7	1.00	11.5	0.8400	5.20	5.76	yes	music wire	4E
C.087.100.0115.I	8.7	1.00	11.5	0.7308	5.10	5.82	yes	stainless steel	4F
C.087.100.0120.A	8.7	1.00	12.0	0.6376	6.00	6.66	yes	music wire	4C
C.087.100.0120.AP	8.7	1.00	12.0	0.8583	5.10	6.38	yes	music wire	4E
C.087.100.0120.I	8.7	1.00	12.0	0.5547	6.00	6.66	yes	stainless steel	4C
C.087.100.0120.N	8.7	1.00	12.0	0.6376	6.00	6.66	yes	Zn coating	4E
C.087.100.0174.A	8.7	1.00	17.4	0.4713	7.20	8.09	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.087.100.0174.I	8.7	1.00	17.4	0.4100	7.20	8.09	yes	stainless steel	4F
C.087.100.0180.A	8.7	1.00	18.0	0.4057	8.00	9.04	yes	music wire	4C
C.087.100.0180.AP	8.7	1.00	18.0	0.5443	6.60	9.14	yes	music wire	4F
C.087.100.0180.I	8.7	1.00	18.0	0.3485	8.00	9.04	yes	stainless steel	4C
C.087.100.0180.N	8.7	1.00	18.0	0.4057	8.00	9.04	yes	Zn coating	4E
C.087.100.0270.A	8.7	1.00	27.0	0.2625	11.00	12.61	yes	music wire	4C
C.087.100.0270.AP	8.7	1.00	27.0	0.3542	8.80	13.39	yes	music wire	4F
C.087.100.0270.I	8.7	1.00	27.0	0.2255	11.00	12.61	yes	stainless steel	4D
C.087.100.0270.N	8.7	1.00	27.0	0.2625	11.00	12.61	yes	Zn coating	4E
C.087.100.0400.A	8.7	1.00	40.0	0.2190	12.70	17.99	yes	music wire	4F
C.087.100.0400.I	8.7	1.00	40.0	0.1905	12.60	18.23	yes	stainless steel	4G
C.087.100.0400.N	8.7	1.00	40.0	0.2190	12.70	17.99	yes	Zn coating	4H
C.087.100.0420.A	8.7	1.00	42.0	0.1653	16.00	18.55	yes	music wire	4C
C.087.100.0420.AP	8.7	1.00	42.0	0.2231	12.50	20.40	yes	music wire	4F
C.087.100.0420.I	8.7	1.00	42.0	0.1420	16.00	18.55	yes	stainless steel	4D
C.087.100.0420.N	8.7	1.00	42.0	0.1653	16.00	18.55	yes	Zn coating	4E
C.087.100.0500.A	8.7	1.00	50.0	0.1700	15.60	21.65	yes	music wire	4F
C.087.100.0500.I	8.7	1.00	50.0	0.1479	15.50	21.96	yes	stainless steel	4G
C.087.110.0135.A	8.7	1.10	13.5	0.7126	8.03	8.94	yes	music wire	4C
C.087.110.0135.AP	8.7	1.10	13.5	1.0971	6.16	7.78	yes	music wire	4F
C.087.110.0135.I	8.7	1.10	13.5	0.6200	7.92	8.81	yes	stainless steel	4C
C.087.110.0330.A	8.7	1.10	33.0	0.2800	16.06	18.34	yes	music wire	4C
C.087.110.0330.AP	8.7	1.10	33.0	0.4049	11.99	17.49	yes	music wire	4F
C.087.110.0330.I	8.7	1.10	33.0	0.2436	15.95	18.22	yes	stainless steel	4D
C.087.110.1050.A	8.7	1.10	105.0	0.1379	29.81	59.49	yes	music wire	4I
C.087.110.1050.I	8.7	1.10	105.0	0.1200	29.48	59.87	yes	stainless steel	4I
C.087.120.0540.A	8.7	1.20	54.0	0.2600	26.16	29.83	yes	music wire	4D
C.087.120.0540.I	8.7	1.20	54.0	0.2262	25.80	29.42	yes	stainless steel	4D
C.087.130.0071.A	8.7	1.30	7.1	4.2529	5.46	5.79	yes	music wire	4C
C.087.130.0071.I	8.7	1.30	7.1	3.7000	5.46	5.79	yes	stainless steel	4D
C.087.160.0191.A	8.7	1.60	19.1	2.8736	14.40	15.75	yes	music wire	4E
C.087.160.0191.I	8.7	1.60	19.1	2.5000	14.24	15.57	yes	stainless steel	4E
C.087.160.0450.A	8.7	1.60	45.0	1.4711	24.32	33.14	yes	music wire	4J
C.087.160.0450.I	8.7	1.60	45.0	1.2798	24.00	33.11	yes	stainless steel	4J
C.087.160.0500.A	8.7	1.60	50.0	1.2612	27.68	36.16	yes	music wire	4J
C.087.160.0500.I	8.7	1.60	50.0	1.1000	27.36	36.17	yes	stainless steel	4J
C.087.160.1520.A	8.7	1.60	152.0	0.3942	79.68	107.74	yes	music wire	4J
C.087.160.1520.I	8.7	1.60	152.0	0.3430	78.72	107.63	yes	stainless steel	4J
C.087.170.0380.A	8.7	1.70	38.0	1.7000	29.07	32.18	yes	music wire	4E
C.087.170.0380.AP	8.7	1.70	38.0	2.0464	24.82	27.98	yes	music wire	4I
C.087.170.0380.I	8.7	1.70	38.0	1.4790	28.73	31.80	yes	stainless steel	4F
C.087.180.0220.A	8.7	1.80	22.0	4.2000	18.54	20.25	yes	music wire	4F
C.087.180.0220.AP	8.7	1.80	22.0	4.9688	16.38	17.83	yes	music wire	4I
C.087.180.0220.I	8.7	1.80	22.0	5.4000	13.86	18.13	yes	stainless steel	4J
C.087.180.0240.A	8.7	1.80	24.0	4.0230	19.08	20.86	yes	music wire	4F
C.087.180.0240.I	8.7	1.80	24.0	3.5000	18.90	20.66	yes	stainless steel	4G
C.087.190.0220.A	8.7	1.90	22.0	5.5000	19.38	21.12	yes	music wire	4F
C.087.190.0220.AP	8.7	1.90	22.0	6.4505	17.10	18.57	yes	music wire	4I
C.087.190.0220.I	8.7	1.90	22.0	4.7850	19.19	20.91	yes	stainless steel	4G
C.087.190.0580.A	8.7	1.90	58.0	2.5287	36.48	47.13	yes	music wire	4J
C.087.190.0580.I	8.7	1.90	58.0	2.2000	36.10	47.04	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.087.200.0127.A	8.7	2.00	12.7	20.6000	10.20	11.18	yes	music wire	4J
C.087.200.0127.I	8.7	2.00	12.7	17.9220	10.20	11.16	yes	stainless steel	4J
C.087.200.0170.A	8.7	2.00	17.0	13.3000	13.20	14.64	yes	music wire	4J
C.087.200.0170.I	8.7	2.00	17.0	11.5710	13.00	14.62	yes	stainless steel	4J
C.087.200.0170.N	8.7	2.00	17.0	13.3000	13.20	14.64	yes	Zn coating	4L
C.088.050.0445.A	8.8	0.50	44.5	0.0092	7.30	10.41	yes	music wire	4C
C.088.050.0445.I	8.8	0.50	44.5	0.0080	7.25	10.33	yes	stainless steel	4C
C.088.080.0145.A	8.8	0.80	14.5	0.2329	4.80	5.50	yes	music wire	4C
C.088.080.0145.I	8.8	0.80	14.5	0.2000	4.80	5.50	yes	stainless steel	4C
C.088.080.0145.N	8.8	0.80	14.5	0.2329	4.80	5.50	yes	Zn coating	4E
C.088.080.0215.A	8.8	0.80	21.5	0.1482	6.40	7.50	yes	music wire	4C
C.088.080.0215.AP	8.8	0.80	21.5	0.2086	5.12	9.24	yes	music wire	4E
C.088.080.0215.I	8.8	0.80	21.5	0.1273	6.40	7.50	yes	stainless steel	4C
C.088.080.0215.N	8.8	0.80	21.5	0.1482	6.40	7.50	yes	Zn coating	4E
C.088.080.0320.A	8.8	0.80	32.0	0.0959	8.80	10.50	yes	music wire	4C
C.088.080.0320.AP	8.8	0.80	32.0	0.1379	6.72	13.46	yes	music wire	4F
C.088.080.0320.I	8.8	0.80	32.0	0.0834	8.72	10.40	yes	stainless steel	4C
C.088.080.0320.N	8.8	0.80	32.0	0.0959	8.80	10.50	yes	Zn coating	4E
C.088.080.0470.A	8.8	0.80	47.0	0.0652	12.00	14.50	yes	music wire	4C
C.088.080.0470.AP	8.8	0.80	47.0	0.0924	9.04	19.34	yes	music wire	4F
C.088.080.0470.I	8.8	0.80	47.0	0.0560	12.00	14.50	yes	stainless steel	4D
C.088.080.0470.IF	8.8	0.80	47.0	0.0379	16.80	20.50	yes	stainless steel	4D
C.088.080.0470.N	8.8	0.80	47.0	0.0652	12.00	14.50	yes	Zn coating	4E
C.088.080.0680.A	8.8	0.80	68.0	0.0441	16.80	20.50	yes	music wire	4C
C.088.080.0680.AP	8.8	0.80	68.0	0.0636	12.24	27.77	yes	music wire	4F
C.088.080.0680.I	8.8	0.80	68.0	0.0379	16.80	20.50	yes	stainless steel	4D
C.088.080.0680.IF	8.8	0.80	68.0	0.0311	20.00	24.50	yes	stainless steel	4D
C.088.080.0680.N	8.8	0.80	68.0	0.0441	16.80	20.50	yes	Zn coating	4E
C.089.050.0480.A	8.9	0.50	48.0	0.0090	7.20	10.31	yes	music wire	4C
C.089.050.0480.I	8.9	0.50	48.0	0.0078	7.15	10.24	yes	stainless steel	4C
C.089.110.0330.A	8.9	1.10	33.0	0.4828	9.90	20.27	yes	music wire	4I
C.089.110.0330.I	8.9	1.10	33.0	0.4200	9.79	20.37	yes	stainless steel	4I
C.090.040.0450.A	9.0	0.40	45.0	0.0020	9.60	16.11	no	music wire	4C
C.090.040.0450.I	9.0	0.40	45.0	0.0017	9.48	15.89	no	stainless steel	4C
C.090.040.0450.N	9.0	0.40	45.0	0.0020	9.60	16.11	no	Zn coating	4D
C.090.055.0100.A	9.0	0.55	10.0	0.0966	2.26	2.66	yes	music wire	4C
C.090.055.0100.I	9.0	0.55	10.0	0.0829	2.26	2.66	yes	stainless steel	4C
C.090.055.0130.A	9.0	0.55	13.0	0.0736	2.53	3.05	yes	music wire	4C
C.090.055.0130.I	9.0	0.55	13.0	0.0632	2.53	3.05	yes	stainless steel	4C
C.090.055.0170.A	9.0	0.55	17.0	0.0572	2.86	3.53	yes	music wire	4C
C.090.055.0170.I	9.0	0.55	17.0	0.0492	2.86	3.53	yes	stainless steel	4C
C.090.055.0239.A	9.0	0.55	23.9	0.0441	3.30	4.17	yes	music wire	4E
C.090.055.0239.I	9.0	0.55	23.9	0.0379	3.30	4.43	yes	stainless steel	4F
C.090.055.0239.N	9.0	0.55	23.9	0.0441	3.30	4.17	yes	Zn coating	4G
C.090.055.0365.A	9.0	0.55	36.5	0.0281	4.40	5.77	yes	music wire	4E
C.090.055.0365.I	9.0	0.55	36.5	0.0241	4.40	5.88	yes	stainless steel	4F
C.090.055.0365.N	9.0	0.55	36.5	0.0281	4.40	5.77	yes	Zn coating	4H
C.090.055.0616.A	9.0	0.55	61.6	0.0163	6.60	8.97	yes	music wire	4F
C.090.055.0616.I	9.0	0.55	61.6	0.0140	6.60	8.97	yes	stainless steel	4F
C.090.055.0616.N	9.0	0.55	61.6	0.0163	6.60	8.97	yes	Zn coating	4H
C.090.055.0992.A	9.0	0.55	99.2	0.0100	9.90	13.77	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.090.055.0992.I	9.0	0.55	99.2	0.0086	9.85	13.70	yes	stainless steel	4G
C.090.055.0992.N	9.0	0.55	99.2	0.0100	9.90	13.77	yes	Zn coating	4I
C.090.060.0100.A	9.0	0.60	10.0	0.1140	2.70	3.17	yes	music wire	4C
C.090.060.0100.I	9.0	0.60	10.0	0.0992	2.64	3.09	yes	stainless steel	4C
C.090.060.0100.N	9.0	0.60	10.0	0.1140	2.70	3.17	yes	Zn coating	4E
C.090.060.0112.A	9.0	0.60	11.2	0.1013	2.82	3.34	yes	music wire	4C
C.090.060.0112.I	9.0	0.60	11.2	0.0870	2.82	3.34	yes	stainless steel	4C
C.090.060.0125.A	9.0	0.60	12.5	0.0860	3.06	3.67	yes	music wire	4C
C.090.060.0125.I	9.0	0.60	12.5	0.0748	3.06	3.67	yes	stainless steel	4C
C.090.060.0125.N	9.0	0.60	12.5	0.0860	3.06	3.67	yes	Zn coating	4E
C.090.060.0142.A	9.0	0.60	14.2	0.0768	3.24	3.93	yes	music wire	4C
C.090.060.0142.I	9.0	0.60	14.2	0.0660	3.24	3.93	yes	stainless steel	4C
C.090.060.0160.A	9.0	0.60	16.0	0.0690	3.42	4.18	yes	music wire	4C
C.090.060.0160.I	9.0	0.60	16.0	0.0600	3.42	4.18	yes	stainless steel	4C
C.090.060.0160.N	9.0	0.60	16.0	0.0690	3.42	4.18	yes	Zn coating	4E
C.090.060.0200.A	9.0	0.60	20.0	0.0540	3.96	4.93	yes	music wire	4C
C.090.060.0200.I	9.0	0.60	20.0	0.0470	3.96	4.93	yes	stainless steel	4C
C.090.060.0200.N	9.0	0.60	20.0	0.0540	3.96	4.93	yes	Zn coating	4E
C.090.060.0224.A	9.0	0.60	22.4	0.0474	4.32	5.43	yes	music wire	4C
C.090.060.0224.I	9.0	0.60	22.4	0.0407	4.32	5.43	yes	stainless steel	4C
C.090.060.0250.A	9.0	0.60	25.0	0.0420	4.68	5.93	yes	music wire	4C
C.090.060.0250.I	9.0	0.60	25.0	0.0365	4.62	5.85	yes	stainless steel	4C
C.090.060.0250.N	9.0	0.60	25.0	0.0420	4.68	5.93	yes	Zn coating	4E
C.090.060.0320.A	9.0	0.60	32.0	0.0330	5.58	7.19	yes	music wire	4C
C.090.060.0320.I	9.0	0.60	32.0	0.0287	5.52	7.10	yes	stainless steel	4C
C.090.060.0320.N	9.0	0.60	32.0	0.0330	5.58	7.19	yes	Zn coating	4E
C.090.060.0381.A	9.0	0.60	38.1	0.0275	6.36	8.27	yes	music wire	4C
C.090.060.0381.I	9.0	0.60	38.1	0.0236	6.36	8.27	yes	stainless steel	4C
C.090.060.0400.A	9.0	0.60	40.0	0.0260	6.66	8.69	yes	music wire	4C
C.090.060.0400.I	9.0	0.60	40.0	0.0226	6.60	8.61	yes	stainless steel	4C
C.090.060.0400.N	9.0	0.60	40.0	0.0260	6.66	8.69	yes	Zn coating	4E
C.090.060.0500.A	9.0	0.60	50.0	0.0210	7.86	10.37	yes	music wire	4C
C.090.060.0500.I	9.0	0.60	50.0	0.0183	7.80	10.28	yes	stainless steel	4C
C.090.060.0500.N	9.0	0.60	50.0	0.0210	7.86	10.37	yes	Zn coating	4E
C.090.060.0630.A	9.0	0.60	63.0	0.0160	9.84	13.13	yes	music wire	4C
C.090.060.0630.I	9.0	0.60	63.0	0.0139	9.78	13.04	yes	stainless steel	4D
C.090.060.0630.N	9.0	0.60	63.0	0.0160	9.84	13.13	yes	Zn coating	4E
C.090.060.0800.A	9.0	0.60	80.0	0.0130	11.76	15.80	yes	music wire	4C
C.090.060.0800.I	9.0	0.60	80.0	0.0113	11.64	15.64	yes	stainless steel	4D
C.090.060.0800.N	9.0	0.60	80.0	0.0130	11.76	15.80	yes	Zn coating	4E
C.090.060.1000.A	9.0	0.60	100.0	0.0100	14.88	20.15	yes	music wire	4D
C.090.060.1000.I	9.0	0.60	100.0	0.0087	14.70	19.90	yes	stainless steel	4D
C.090.060.1000.N	9.0	0.60	100.0	0.0100	14.88	20.15	yes	Zn coating	4E
C.090.060.3600.A	9.0	0.60	360.0	0.0030	46.68	64.24	no	music wire	4G
C.090.060.3600.I	9.0	0.60	360.0	0.0026	46.26	63.66	no	stainless steel	4G
C.090.065.0097.A	9.0	0.65	9.7	0.1562	2.93	3.38	yes	music wire	4C
C.090.065.0097.I	9.0	0.65	9.7	0.1341	2.93	3.38	yes	stainless steel	4C
C.090.065.0110.A	9.0	0.65	11.0	0.1302	3.19	3.73	yes	music wire	4C
C.090.065.0110.I	9.0	0.65	11.0	0.1118	3.19	3.73	yes	stainless steel	4C
C.090.065.0112.A	9.0	0.65	11.2	0.1302	3.19	3.73	yes	music wire	4C
C.090.065.0112.I	9.0	0.65	11.2	0.1118	3.19	3.73	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.090.065.0190.A	9.0	0.65	19.0	0.0938	3.77	4.52	yes	music wire	4E
C.090.065.0190.I	9.0	0.65	19.0	0.0816	3.77	4.52	yes	stainless steel	4F
C.090.065.0210.A	9.0	0.65	21.0	0.0843	4.03	4.87	yes	music wire	4E
C.090.065.0210.I	9.0	0.65	21.0	0.0733	4.03	4.87	yes	stainless steel	4F
C.090.065.0225.A	9.0	0.65	22.5	0.0612	4.94	6.09	yes	music wire	4C
C.090.065.0225.I	9.0	0.65	22.5	0.0526	4.94	6.09	yes	stainless steel	4C
C.090.065.0550.A	9.0	0.65	55.0	0.0320	8.00	11.41	yes	music wire	4F
C.090.065.0550.I	9.0	0.65	55.0	0.0267	8.19	10.47	yes	stainless steel	4F
C.090.065.0600.A	9.0	0.65	60.0	0.0290	8.65	11.90	yes	music wire	4F
C.090.065.0600.I	9.0	0.65	60.0	0.0242	8.84	11.35	yes	stainless steel	4G
C.090.070.0100.A	9.0	0.70	10.0	0.1940	3.29	3.77	yes	music wire	4C
C.090.070.0100.I	9.0	0.70	10.0	0.1688	3.29	3.77	yes	stainless steel	4C
C.090.070.0100.N	9.0	0.70	10.0	0.1940	3.29	3.77	yes	Zn coating	4E
C.090.070.0125.A	9.0	0.70	12.5	0.1500	3.78	4.41	yes	music wire	4C
C.090.070.0125.I	9.0	0.70	12.5	0.1305	3.71	4.32	yes	stainless steel	4C
C.090.070.0125.N	9.0	0.70	12.5	0.1500	3.78	4.41	yes	Zn coating	4E
C.090.070.0160.A	9.0	0.70	16.0	0.1180	4.27	5.05	yes	music wire	4C
C.090.070.0160.AP	9.0	0.70	16.0	0.1778	3.43	6.33	yes	music wire	4E
C.090.070.0160.I	9.0	0.70	16.0	0.1027	4.27	5.05	yes	stainless steel	4C
C.090.070.0160.N	9.0	0.70	16.0	0.1180	4.27	5.05	yes	Zn coating	4E
C.090.070.0167.A	9.0	0.70	16.7	0.1069	4.55	5.42	yes	music wire	4C
C.090.070.0167.I	9.0	0.70	16.7	0.0919	4.55	5.42	yes	stainless steel	4C
C.090.070.0180.A	9.0	0.70	18.0	0.0760	5.67	6.89	yes	music wire	4C
C.090.070.0180.I	9.0	0.70	18.0	0.0661	5.67	6.89	yes	stainless steel	4C
C.090.070.0180.N	9.0	0.70	18.0	0.0760	5.67	6.89	yes	Zn coating	4E
C.090.070.0200.A	9.0	0.70	20.0	0.0910	5.04	6.06	yes	music wire	4C
C.090.070.0200.I	9.0	0.70	20.0	0.0792	4.97	5.97	yes	stainless steel	4C
C.090.070.0200.N	9.0	0.70	20.0	0.0910	5.04	6.06	yes	Zn coating	4E
C.090.070.0250.A	9.0	0.70	25.0	0.0720	5.88	7.16	yes	music wire	4C
C.090.070.0250.I	9.0	0.70	25.0	0.0626	5.88	7.16	yes	stainless steel	4C
C.090.070.0250.N	9.0	0.70	25.0	0.0720	5.88	7.16	yes	Zn coating	4E
C.090.070.0300.A	9.0	0.70	30.0	0.0600	6.72	8.27	yes	music wire	4C
C.090.070.0300.I	9.0	0.70	30.0	0.0522	6.65	8.17	yes	stainless steel	4C
C.090.070.0300.N	9.0	0.70	30.0	0.0600	6.72	8.27	yes	Zn coating	4E
C.090.070.0320.A	9.0	0.70	32.0	0.0560	7.07	8.72	yes	music wire	4C
C.090.070.0320.I	9.0	0.70	32.0	0.0487	7.00	8.63	yes	stainless steel	4C
C.090.070.0320.N	9.0	0.70	32.0	0.0560	7.07	8.72	yes	Zn coating	4E
C.090.070.0400.A	9.0	0.70	40.0	0.0440	8.54	10.65	yes	music wire	4C
C.090.070.0400.I	9.0	0.70	40.0	0.0383	8.47	10.56	yes	stainless steel	4C
C.090.070.0400.N	9.0	0.70	40.0	0.0440	8.54	10.65	yes	Zn coating	4E
C.090.070.0500.A	9.0	0.70	50.0	0.0350	10.29	12.95	yes	music wire	4C
C.090.070.0500.I	9.0	0.70	50.0	0.0304	10.22	12.85	yes	stainless steel	4D
C.090.070.0500.N	9.0	0.70	50.0	0.0350	10.29	12.95	yes	Zn coating	4E
C.090.070.0630.A	9.0	0.70	63.0	0.0280	12.46	15.79	yes	music wire	4C
C.090.070.0630.I	9.0	0.70	63.0	0.0244	12.32	15.61	yes	stainless steel	4D
C.090.070.0630.N	9.0	0.70	63.0	0.0280	12.46	15.79	yes	Zn coating	4E
C.090.070.0800.A	9.0	0.70	80.0	0.0220	15.33	19.55	yes	music wire	4D
C.090.070.0800.I	9.0	0.70	80.0	0.0191	15.19	19.37	yes	stainless steel	4D
C.090.070.0800.N	9.0	0.70	80.0	0.0220	15.33	19.55	yes	Zn coating	4E
C.090.070.1000.A	9.0	0.70	100.0	0.0170	19.39	24.87	yes	music wire	4D
C.090.070.1000.I	9.0	0.70	100.0	0.0148	19.11	24.51	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.090.070.1000.N	9.0	0.70	100.0	0.0170	19.39	24.87	yes	Zn coating	4F
C.090.070.3600.A	9.0	0.70	360.0	0.0050	62.37	81.00	no	music wire	4G
C.090.070.3600.I	9.0	0.70	360.0	0.0044	60.90	79.07	no	stainless steel	4G
C.090.075.0097.A	9.0	0.75	9.7	0.2496	3.60	4.09	yes	music wire	4C
C.090.075.0097.I	9.0	0.75	9.7	0.2144	3.60	4.09	yes	stainless steel	4C
C.090.075.0112.A	9.0	0.75	11.2	0.2126	3.90	4.47	yes	music wire	4C
C.090.075.0112.I	9.0	0.75	11.2	0.1826	3.90	4.47	yes	stainless steel	4C
C.090.075.0445.A	9.0	0.75	44.5	0.0486	10.73	13.22	yes	music wire	4C
C.090.075.0445.I	9.0	0.75	44.5	0.0418	10.73	13.22	yes	stainless steel	4D
C.090.075.0700.A	9.0	0.75	70.0	0.0354	14.03	17.45	yes	music wire	4C
C.090.075.0700.I	9.0	0.75	70.0	0.0304	14.03	17.45	yes	stainless steel	4D
C.090.075.0890.A	9.0	0.75	89.0	0.0277	17.40	21.77	yes	music wire	4D
C.090.075.0890.I	9.0	0.75	89.0	0.0238	17.40	21.77	yes	stainless steel	4D
C.090.080.0100.A	9.0	0.80	10.0	0.3240	3.84	4.31	yes	music wire	4C
C.090.080.0100.AP	9.0	0.80	10.0	0.4721	3.28	4.70	yes	music wire	4E
C.090.080.0100.I	9.0	0.80	10.0	0.2819	3.84	4.31	yes	stainless steel	4C
C.090.080.0100.N	9.0	0.80	10.0	0.3240	3.84	4.31	yes	Zn coating	4E
C.090.080.0125.A	9.0	0.80	12.5	0.2430	4.48	5.12	yes	music wire	4C
C.090.080.0125.AP	9.0	0.80	12.5	0.3597	3.68	5.54	yes	music wire	4E
C.090.080.0125.I	9.0	0.80	12.5	0.2114	4.48	5.12	yes	stainless steel	4C
C.090.080.0125.N	9.0	0.80	12.5	0.2430	4.48	5.12	yes	Zn coating	4E
C.090.080.0159.A	9.0	0.80	15.9	0.1802	5.36	6.23	yes	music wire	4C
C.090.080.0159.I	9.0	0.80	15.9	0.1548	5.36	6.23	yes	stainless steel	4C
C.090.080.0160.A	9.0	0.80	16.0	0.1880	5.20	6.02	yes	music wire	4C
C.090.080.0160.AP	9.0	0.80	16.0	0.2798	4.16	7.06	yes	music wire	4E
C.090.080.0160.I	9.0	0.80	16.0	0.1636	5.20	6.02	yes	stainless steel	4C
C.090.080.0160.N	9.0	0.80	16.0	0.1880	5.20	6.02	yes	Zn coating	4E
C.090.080.0167.A	9.0	0.80	16.7	0.1720	5.52	6.43	yes	music wire	4C
C.090.080.0167.I	9.0	0.80	16.7	0.1477	5.52	6.43	yes	stainless steel	4C
C.090.080.0200.A	9.0	0.80	20.0	0.1460	6.16	7.23	yes	music wire	4C
C.090.080.0200.AP	9.0	0.80	20.0	0.2222	4.72	8.74	yes	music wire	4E
C.090.080.0200.I	9.0	0.80	20.0	0.1270	6.08	7.13	yes	stainless steel	4C
C.090.080.0200.N	9.0	0.80	20.0	0.1460	6.16	7.23	yes	Zn coating	4E
C.090.080.0250.A	9.0	0.80	25.0	0.1160	7.20	8.54	yes	music wire	4C
C.090.080.0250.AP	9.0	0.80	25.0	0.1717	5.52	10.43	yes	music wire	4E
C.090.080.0250.I	9.0	0.80	25.0	0.1009	7.12	8.44	yes	stainless steel	4C
C.090.080.0250.N	9.0	0.80	25.0	0.1160	7.20	8.54	yes	Zn coating	4E
C.090.080.0300.A	9.0	0.80	30.0	0.1240	6.88	9.82	yes	music wire	4F
C.090.080.0300.I	9.0	0.80	30.0	0.1079	6.80	10.15	yes	stainless steel	4F
C.090.080.0300.N	9.0	0.80	30.0	0.1240	6.88	9.82	yes	Zn coating	4H
C.090.080.0320.A	9.0	0.80	32.0	0.0900	8.72	10.45	yes	music wire	4C
C.090.080.0320.AP	9.0	0.80	32.0	0.1325	6.56	13.12	yes	music wire	4F
C.090.080.0320.I	9.0	0.80	32.0	0.0783	8.64	10.35	yes	stainless steel	4C
C.090.080.0320.N	9.0	0.80	32.0	0.0900	8.72	10.45	yes	Zn coating	4E
C.090.080.0360.A	9.0	0.80	36.0	0.0870	8.96	10.75	yes	music wire	4C
C.090.080.0360.I	9.0	0.80	36.0	0.0757	8.88	10.65	yes	stainless steel	4C
C.090.080.0360.N	9.0	0.80	36.0	0.0870	8.96	10.75	yes	Zn coating	4E
C.090.080.0400.A	9.0	0.80	40.0	0.0710	10.56	12.77	yes	music wire	4C
C.090.080.0400.AP	9.0	0.80	40.0	0.1064	7.68	16.48	yes	music wire	4F
C.090.080.0400.I	9.0	0.80	40.0	0.0618	10.40	12.56	yes	stainless steel	4D
C.090.080.0400.N	9.0	0.80	40.0	0.0710	10.56	12.77	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.090.080.0500.A	9.0	0.80	50.0	0.0570	12.64	15.38	yes	music wire	4C
C.090.080.0500.AP	9.0	0.80	50.0	0.0839	9.20	20.19	yes	music wire	4F
C.090.080.0500.I	9.0	0.80	50.0	0.0496	12.48	15.18	yes	stainless steel	4D
C.090.080.0500.N	9.0	0.80	50.0	0.0570	12.64	15.38	yes	Zn coating	4E
C.090.080.0630.A	9.0	0.80	63.0	0.0440	15.76	19.30	yes	music wire	4C
C.090.080.0630.AP	9.0	0.80	63.0	0.0663	11.12	25.24	yes	music wire	4F
C.090.080.0630.I	9.0	0.80	63.0	0.0383	15.60	19.10	yes	stainless steel	4D
C.090.080.0630.N	9.0	0.80	63.0	0.0440	15.76	19.30	yes	Zn coating	4E
C.090.080.0800.A	9.0	0.80	80.0	0.0350	19.28	23.73	yes	music wire	4D
C.090.080.0800.AP	9.0	0.80	80.0	0.0521	13.60	31.97	yes	music wire	4G
C.090.080.0800.I	9.0	0.80	80.0	0.0304	19.12	23.53	yes	stainless steel	4D
C.090.080.0800.N	9.0	0.80	80.0	0.0350	19.28	23.73	yes	Zn coating	4E
C.090.080.1000.A	9.0	0.80	100.0	0.0280	23.60	29.16	yes	music wire	4D
C.090.080.1000.AP	9.0	0.80	100.0	0.0415	16.56	39.72	yes	music wire	4G
C.090.080.1000.I	9.0	0.80	100.0	0.0244	23.28	28.76	yes	stainless steel	4E
C.090.080.1000.N	9.0	0.80	100.0	0.0280	23.60	29.16	yes	Zn coating	4F
C.090.080.3600.A	9.0	0.80	360.0	0.0080	78.48	97.97	no	music wire	4G
C.090.080.3600.I	9.0	0.80	360.0	0.0070	77.12	96.26	no	stainless steel	4G
C.090.090.0100.A	9.0	0.90	10.0	0.4840	4.59	5.11	yes	music wire	4C
C.090.090.0100.AP	9.0	0.90	10.0	0.6981	3.87	5.02	yes	music wire	4E
C.090.090.0100.I	9.0	0.90	10.0	0.4211	4.59	5.11	yes	stainless steel	4C
C.090.090.0100.N	9.0	0.90	10.0	0.4840	4.59	5.11	yes	Zn coating	4E
C.090.090.0125.A	9.0	0.90	12.5	0.3720	5.31	5.99	yes	music wire	4C
C.090.090.0125.AP	9.0	0.90	12.5	0.5463	4.32	6.13	yes	music wire	4E
C.090.090.0125.I	9.0	0.90	12.5	0.3236	5.22	5.88	yes	stainless steel	4C
C.090.090.0125.N	9.0	0.90	12.5	0.3720	5.31	5.99	yes	Zn coating	4E
C.090.090.0135.A	9.0	0.90	13.5	0.3310	5.67	6.43	yes	music wire	4C
C.090.090.0135.I	9.0	0.90	13.5	0.2843	5.67	6.43	yes	stainless steel	4C
C.090.090.0143.A	9.0	0.90	14.3	0.3068	5.94	6.76	yes	music wire	4C
C.090.090.0143.I	9.0	0.90	14.3	0.2635	5.94	6.76	yes	stainless steel	4C
C.090.090.0160.A	9.0	0.90	16.0	0.2770	6.30	7.20	yes	music wire	4C
C.090.090.0160.AP	9.0	0.90	16.0	0.4189	4.95	7.69	yes	music wire	4E
C.090.090.0160.I	9.0	0.90	16.0	0.2410	6.30	7.20	yes	stainless steel	4C
C.090.090.0160.N	9.0	0.90	16.0	0.2770	6.30	7.20	yes	Zn coating	4E
C.090.090.0200.A	9.0	0.90	20.0	0.2200	7.38	8.52	yes	music wire	4C
C.090.090.0200.AP	9.0	0.90	20.0	0.3222	5.76	9.20	yes	music wire	4F
C.090.090.0200.I	9.0	0.90	20.0	0.1914	7.29	8.41	yes	stainless steel	4C
C.090.090.0200.N	9.0	0.90	20.0	0.2200	7.38	8.52	yes	Zn coating	4E
C.090.090.0250.A	9.0	0.90	25.0	0.1730	8.82	10.28	yes	music wire	4C
C.090.090.0250.AP	9.0	0.90	25.0	0.2564	6.66	11.43	yes	music wire	4F
C.090.090.0250.I	9.0	0.90	25.0	0.1505	8.73	10.17	yes	stainless steel	4C
C.090.090.0250.N	9.0	0.90	25.0	0.1730	8.82	10.28	yes	Zn coating	4E
C.090.090.0300.A	9.0	0.90	30.0	0.2150	7.47	13.82	yes	music wire	4F
C.090.090.0300.I	9.0	0.90	30.0	0.1871	7.47	14.03	yes	stainless steel	4I
C.090.090.0320.A	9.0	0.90	32.0	0.1330	10.80	12.69	yes	music wire	4C
C.090.090.0320.AP	9.0	0.90	32.0	0.1963	8.01	14.28	yes	music wire	4F
C.090.090.0320.I	9.0	0.90	32.0	0.1157	10.62	12.47	yes	stainless steel	4D
C.090.090.0320.N	9.0	0.90	32.0	0.1330	10.80	12.69	yes	Zn coating	4E
C.090.090.0400.A	9.0	0.90	40.0	0.1050	13.05	15.44	yes	music wire	4C
C.090.090.0400.AP	9.0	0.90	40.0	0.1551	9.54	17.57	yes	music wire	4F
C.090.090.0400.I	9.0	0.90	40.0	0.0914	12.87	15.22	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.090.090.0400.N	9.0	0.90	40.0	0.1050	13.05	15.44	yes	Zn coating	4E
C.090.090.0500.A	9.0	0.90	50.0	0.0830	15.93	18.96	yes	music wire	4C
C.090.090.0500.AP	9.0	0.90	50.0	0.1232	11.43	21.75	yes	music wire	4F
C.090.090.0500.I	9.0	0.90	50.0	0.0722	15.75	18.74	yes	stainless steel	4D
C.090.090.0500.N	9.0	0.90	50.0	0.0830	15.93	18.96	yes	Zn coating	4E
C.090.090.0550.A	9.0	0.90	55.0	0.1140	12.15	24.48	yes	music wire	4I
C.090.090.0550.I	9.0	0.90	55.0	0.0992	12.06	24.89	yes	stainless steel	4I
C.090.090.0630.A	9.0	0.90	63.0	0.0660	19.44	23.25	yes	music wire	4D
C.090.090.0630.AP	9.0	0.90	63.0	0.0974	13.86	27.28	yes	music wire	4F
C.090.090.0630.I	9.0	0.90	63.0	0.0574	19.17	22.92	yes	stainless steel	4D
C.090.090.0630.N	9.0	0.90	63.0	0.0660	19.44	23.25	yes	Zn coating	4E
C.090.090.0650.A	9.0	0.90	65.0	0.0960	14.04	28.75	yes	music wire	4I
C.090.090.0650.I	9.0	0.90	65.0	0.0800	14.40	27.67	yes	stainless steel	4G
C.090.090.0800.A	9.0	0.90	80.0	0.0510	24.48	29.40	yes	music wire	4D
C.090.090.0800.AP	9.0	0.90	80.0	0.0766	17.01	34.58	yes	music wire	4G
C.090.090.0800.I	9.0	0.90	80.0	0.0444	24.12	28.96	yes	stainless steel	4D
C.090.090.0800.N	9.0	0.90	80.0	0.0510	24.48	29.40	yes	Zn coating	4E
C.090.090.1000.A	9.0	0.90	100.0	0.0410	29.88	36.00	yes	music wire	4D
C.090.090.1000.AP	9.0	0.90	100.0	0.0610	20.79	42.95	yes	music wire	4G
C.090.090.1000.I	9.0	0.90	100.0	0.0357	29.52	35.56	yes	stainless steel	4E
C.090.090.1000.N	9.0	0.90	100.0	0.0410	29.88	36.00	yes	Zn coating	4F
C.090.090.3600.A	9.0	0.90	360.0	0.0110	106.02	128.81	no	music wire	4G
C.090.090.3600.I	9.0	0.90	360.0	0.0096	104.40	126.83	no	stainless steel	4G
C.090.095.0097.A	9.0	0.95	9.7	0.5891	4.94	5.47	yes	music wire	4C
C.090.095.0097.I	9.0	0.95	9.7	0.5060	4.94	5.47	yes	stainless steel	4C
C.090.095.0870.A	9.0	0.95	87.0	0.0631	26.32	31.29	yes	music wire	4D
C.090.095.0870.I	9.0	0.95	87.0	0.0542	26.32	31.29	yes	stainless steel	4D
C.090.100.0100.A	9.0	1.00	10.0	0.7290	5.20	5.73	yes	music wire	4C
C.090.100.0100.AP	9.0	1.00	10.0	1.0472	4.40	5.54	yes	music wire	4E
C.090.100.0100.I	9.0	1.00	10.0	0.6342	5.20	5.73	yes	stainless steel	4C
C.090.100.0100.N	9.0	1.00	10.0	0.7290	5.20	5.73	yes	Zn coating	4E
C.090.100.0103.A	9.0	1.00	10.3	0.6861	5.40	5.97	yes	music wire	4C
C.090.100.0103.I	9.0	1.00	10.3	0.5893	5.40	5.97	yes	stainless steel	4C
C.090.100.0125.A	9.0	1.00	12.5	0.5670	6.00	6.69	yes	music wire	4C
C.090.100.0125.AP	9.0	1.00	12.5	0.7959	5.00	6.63	yes	music wire	4E
C.090.100.0125.I	9.0	1.00	12.5	0.4933	6.00	6.69	yes	stainless steel	4C
C.090.100.0125.N	9.0	1.00	12.5	0.5670	6.00	6.69	yes	Zn coating	4E
C.090.100.0130.A	9.0	1.00	13.0	0.5685	6.00	6.69	yes	music wire	4C
C.090.100.0130.I	9.0	1.00	13.0	0.4946	6.00	6.69	yes	stainless steel	4C
C.090.100.0130.N	9.0	1.00	13.0	0.5685	6.00	6.69	yes	Zn coating	4E
C.090.100.0143.A	9.0	1.00	14.3	0.4627	6.80	7.64	yes	music wire	4C
C.090.100.0143.I	9.0	1.00	14.3	0.3974	6.80	7.64	yes	stainless steel	4C
C.090.100.0150.A	9.0	1.00	15.0	0.4880	6.60	7.40	yes	music wire	4C
C.090.100.0150.I	9.0	1.00	15.0	0.4246	6.50	7.28	yes	stainless steel	4C
C.090.100.0150.N	9.0	1.00	15.0	0.4880	6.60	7.40	yes	Zn coating	4E
C.090.100.0160.A	9.0	1.00	16.0	0.4250	7.20	8.12	yes	music wire	4C
C.090.100.0160.AP	9.0	1.00	16.0	0.6030	5.80	8.26	yes	music wire	4F
C.090.100.0160.I	9.0	1.00	16.0	0.3697	7.10	8.00	yes	stainless steel	4C
C.090.100.0160.N	9.0	1.00	16.0	0.4250	7.20	8.12	yes	Zn coating	4E
C.090.100.0190.A	9.0	1.00	19.0	0.3618	8.00	9.08	yes	music wire	4C
C.090.100.0190.AP	9.0	1.00	19.0	0.4974	6.50	9.62	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.090.100.0190.I	9.0	1.00	19.0	0.3107	8.00	9.08	yes	stainless steel	4C
C.090.100.0190.N	9.0	1.00	19.0	0.3618	8.00	9.08	yes	Zn coating	4E
C.090.100.0191.A	9.0	1.00	19.1	0.3316	8.50	9.68	yes	music wire	4C
C.090.100.0191.I	9.0	1.00	19.1	0.2848	8.50	9.68	yes	stainless steel	4C
C.090.100.0200.A	9.0	1.00	20.0	0.3330	8.50	9.68	yes	music wire	4C
C.090.100.0200.AP	9.0	1.00	20.0	0.4627	6.80	9.91	yes	music wire	4F
C.090.100.0200.I	9.0	1.00	20.0	0.2897	8.40	9.56	yes	stainless steel	4C
C.090.100.0200.N	9.0	1.00	20.0	0.3330	8.50	9.68	yes	Zn coating	4E
C.090.100.0250.A	9.0	1.00	25.0	0.2600	10.20	11.71	yes	music wire	4C
C.090.100.0250.AP	9.0	1.00	25.0	0.3685	7.90	12.33	yes	music wire	4F
C.090.100.0250.I	9.0	1.00	25.0	0.2262	10.10	11.59	yes	stainless steel	4D
C.090.100.0250.N	9.0	1.00	25.0	0.2600	10.20	11.71	yes	Zn coating	4E
C.090.100.0285.A	9.0	1.00	28.5	0.2341	11.00	12.67	yes	music wire	4C
C.090.100.0285.AP	9.0	1.00	28.5	0.3158	8.80	13.72	yes	music wire	4F
C.090.100.0285.I	9.0	1.00	28.5	0.2011	11.00	12.67	yes	stainless steel	4D
C.090.100.0285.N	9.0	1.00	28.5	0.2341	11.00	12.67	yes	Zn coating	4E
C.090.100.0320.A	9.0	1.00	32.0	0.1990	12.50	14.46	yes	music wire	4C
C.090.100.0320.AP	9.0	1.00	32.0	0.2802	9.60	15.34	yes	music wire	4F
C.090.100.0320.I	9.0	1.00	32.0	0.1731	12.40	14.34	yes	stainless steel	4D
C.090.100.0320.N	9.0	1.00	32.0	0.1990	12.50	14.46	yes	Zn coating	4E
C.090.100.0360.A	9.0	1.00	36.0	0.2094	12.00	13.86	yes	music wire	4F
C.090.100.0360.I	9.0	1.00	36.0	0.1799	12.00	13.86	yes	stainless steel	4G
C.090.100.0360.N	9.0	1.00	36.0	0.2094	12.00	13.86	yes	Zn coating	4H
C.090.100.0400.A	9.0	1.00	40.0	0.1580	15.10	17.57	yes	music wire	4C
C.090.100.0400.AP	9.0	1.00	40.0	0.2236	11.40	19.12	yes	music wire	4F
C.090.100.0400.I	9.0	1.00	40.0	0.1375	14.90	17.33	yes	stainless steel	4D
C.090.100.0400.N	9.0	1.00	40.0	0.1580	15.10	17.57	yes	Zn coating	4E
C.090.100.0405.A	9.0	1.00	40.5	0.1592	15.00	17.45	yes	music wire	4C
C.090.100.0405.AP	9.0	1.00	40.5	0.2187	11.60	19.15	yes	music wire	4F
C.090.100.0405.I	9.0	1.00	40.5	0.0924	21.00	24.63	yes	stainless steel	4D
C.090.100.0405.IF	9.0	1.00	40.5	0.0924	21.00	24.63	yes	stainless steel	4D
C.090.100.0405.N	9.0	1.00	40.5	0.1592	15.00	17.45	yes	Zn coating	4E
C.090.100.0500.A	9.0	1.00	50.0	0.1240	18.50	21.64	yes	music wire	4C
C.090.100.0500.AP	9.0	1.00	50.0	0.1761	13.80	23.49	yes	music wire	4F
C.090.100.0500.I	9.0	1.00	50.0	0.1079	18.30	21.40	yes	stainless steel	4D
C.090.100.0500.N	9.0	1.00	50.0	0.1240	18.50	21.64	yes	Zn coating	4E
C.090.100.0520.A	9.0	1.00	52.0	0.1474	16.00	20.33	yes	music wire	4F
C.090.100.0520.I	9.0	1.00	52.0	0.1266	16.00	20.27	yes	stainless steel	4G
C.090.100.0520.N	9.0	1.00	52.0	0.1474	16.00	20.33	yes	Zn coating	4I
C.090.100.0590.A	9.0	1.00	59.0	0.1076	21.00	24.63	yes	music wire	4D
C.090.100.0590.AP	9.0	1.00	59.0	0.1485	15.90	27.56	yes	music wire	4F
C.090.100.0590.I	9.0	1.00	59.0	0.0924	21.00	24.63	yes	stainless steel	4D
C.090.100.0590.IF	9.0	1.00	59.0	0.0759	25.00	29.41	yes	stainless steel	4D
C.090.100.0590.N	9.0	1.00	59.0	0.1076	21.00	24.63	yes	Zn coating	4E
C.090.100.0630.A	9.0	1.00	63.0	0.0980	22.80	26.78	yes	music wire	4D
C.090.100.0630.AP	9.0	1.00	63.0	0.1391	16.80	29.45	yes	music wire	4G
C.090.100.0630.I	9.0	1.00	63.0	0.0853	22.50	26.42	yes	stainless steel	4D
C.090.100.0630.N	9.0	1.00	63.0	0.0980	22.80	26.78	yes	Zn coating	4E
C.090.100.0800.A	9.0	1.00	80.0	0.0770	28.30	33.36	yes	music wire	4D
C.090.100.0800.AP	9.0	1.00	80.0	0.1087	20.80	37.06	yes	music wire	4G
C.090.100.0800.I	9.0	1.00	80.0	0.0670	28.00	33.00	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.090.100.0800.N	9.0	1.00	80.0	0.0770	28.30	33.36	yes	Zn coating	4F
C.090.100.0830.A	9.0	1.00	83.0	0.0706	30.70	36.23	yes	music wire	4D
C.090.100.0830.I	9.0	1.00	83.0	0.0606	30.70	36.23	yes	stainless steel	4D
C.090.100.1000.A	9.0	1.00	100.0	0.0610	35.10	41.49	yes	music wire	4D
C.090.100.1000.AP	9.0	1.00	100.0	0.0869	25.40	46.27	yes	music wire	4G
C.090.100.1000.I	9.0	1.00	100.0	0.0531	34.70	41.01	yes	stainless steel	4E
C.090.100.1000.N	9.0	1.00	100.0	0.0610	35.10	41.49	yes	Zn coating	4F
C.090.100.3600.A	9.0	1.00	360.0	0.0170	120.50	143.43	no	music wire	4G
C.090.100.3600.I	9.0	1.00	360.0	0.0148	119.00	141.64	no	stainless steel	4G
C.090.105.0090.A	9.0	1.05	9.0	1.0715	5.04	5.49	yes	music wire	4C
C.090.105.0090.I	9.0	1.05	9.0	0.9203	5.04	5.49	yes	stainless steel	4C
C.090.110.0090.A	9.0	1.10	9.0	1.3153	5.28	5.73	yes	music wire	4C
C.090.110.0090.I	9.0	1.10	9.0	1.1297	5.28	5.73	yes	stainless steel	4C
C.090.110.0100.A	9.0	1.10	10.0	1.1090	5.72	6.25	yes	music wire	4C
C.090.110.0100.AP	9.0	1.10	10.0	1.4419	5.06	5.78	yes	music wire	4F
C.090.110.0100.I	9.0	1.10	10.0	0.9648	5.72	6.25	yes	stainless steel	4C
C.090.110.0100.N	9.0	1.10	10.0	1.1090	5.72	6.25	yes	Zn coating	4E
C.090.110.0119.A	9.0	1.10	11.9	0.8403	6.71	7.41	yes	music wire	4C
C.090.110.0119.I	9.0	1.10	11.9	0.7218	6.71	7.41	yes	stainless steel	4C
C.090.110.0125.A	9.0	1.10	12.5	0.8310	6.71	7.41	yes	music wire	4C
C.090.110.0125.AP	9.0	1.10	12.5	1.1215	5.72	7.08	yes	music wire	4F
C.090.110.0125.I	9.0	1.10	12.5	0.7230	6.71	7.41	yes	stainless steel	4C
C.090.110.0125.N	9.0	1.10	12.5	0.8310	6.71	7.41	yes	Zn coating	4E
C.090.110.0140.A	9.0	1.10	14.0	0.8643	6.60	7.28	yes	music wire	4F
C.090.110.0140.I	9.0	1.10	14.0	0.7423	6.60	7.28	yes	stainless steel	4F
C.090.110.0140.N	9.0	1.10	14.0	0.8643	6.60	7.28	yes	Zn coating	4H
C.090.110.0142.A	9.0	1.10	14.2	0.6723	7.70	8.58	yes	music wire	4C
C.090.110.0142.I	9.0	1.10	14.2	0.5774	7.70	8.58	yes	stainless steel	4C
C.090.110.0155.A	9.0	1.10	15.5	0.7500	7.15	7.93	yes	music wire	4F
C.090.110.0155.I	9.0	1.10	15.5	0.6539	7.15	7.93	yes	stainless steel	4F
C.090.110.0160.A	9.0	1.10	16.0	0.6290	8.03	8.97	yes	music wire	4C
C.090.110.0160.AL	9.0	1.10	16.0	0.7500	7.15	7.93	yes	music wire	4C
C.090.110.0160.AP	9.0	1.10	16.0	0.8411	6.71	8.77	yes	music wire	4F
C.090.110.0160.I	9.0	1.10	16.0	0.5472	7.92	8.84	yes	stainless steel	4C
C.090.110.0160.N	9.0	1.10	16.0	0.6290	8.03	8.97	yes	Zn coating	4E
C.090.110.0174.A	9.0	1.10	17.4	0.5307	9.02	10.13	yes	music wire	4C
C.090.110.0174.I	9.0	1.10	17.4	0.4559	9.02	10.13	yes	stainless steel	4D
C.090.110.0185.A	9.0	1.10	18.5	0.5500	8.80	9.87	yes	music wire	4C
C.090.110.0185.I	9.0	1.10	18.5	0.4724	8.80	9.87	yes	stainless steel	4D
C.090.110.0185.N	9.0	1.10	18.5	0.5500	8.80	9.87	yes	Zn coating	4E
C.090.110.0191.A	9.0	1.10	19.1	0.4802	9.68	10.91	yes	music wire	4C
C.090.110.0191.I	9.0	1.10	19.1	0.4124	9.68	10.91	yes	stainless steel	4D
C.090.110.0200.A	9.0	1.10	20.0	0.4850	9.57	10.78	yes	music wire	4C
C.090.110.0200.AL	9.0	1.10	20.0	0.6000	8.25	9.86	yes	music wire	4C
C.090.110.0200.AP	9.0	1.10	20.0	0.6583	7.81	10.76	yes	music wire	4F
C.090.110.0200.I	9.0	1.10	20.0	0.4220	9.57	10.78	yes	stainless steel	4D
C.090.110.0200.N	9.0	1.10	20.0	0.4850	9.57	10.78	yes	Zn coating	4E
C.090.110.0210.A	9.0	1.10	21.0	0.5314	9.02	10.13	yes	music wire	4F
C.090.110.0210.I	9.0	1.10	21.0	0.4623	8.91	10.00	yes	stainless steel	4F
C.090.110.0220.A	9.0	1.10	22.0	0.3559	12.10	13.76	yes	music wire	4C
C.090.110.0220.AP	9.0	1.10	22.0	0.5937	8.36	11.76	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.090.110.0220.I	9.0	1.10	22.0	0.3057	12.10	13.76	yes	stainless steel	4D
C.090.110.0220.N	9.0	1.10	22.0	0.3559	12.10	13.76	yes	Zn coating	4E
C.090.110.0250.A	9.0	1.10	25.0	0.3820	11.44	12.98	yes	music wire	4C
C.090.110.0250.AF	9.0	1.10	25.0	0.4688	9.90	12.02	yes	music wire	4F
C.090.110.0250.AL	9.0	1.10	25.0	0.4800	9.68	12.33	yes	music wire	4C
C.090.110.0250.AP	9.0	1.10	25.0	0.5132	9.24	13.15	yes	music wire	4F
C.090.110.0250.I	9.0	1.10	25.0	0.3323	11.33	12.85	yes	stainless steel	4D
C.090.110.0250.N	9.0	1.10	25.0	0.4688	9.90	12.02	yes	Zn coating	4H
C.090.110.0250.NF	9.0	1.10	25.0	0.3820	11.44	12.98	yes	Zn coating	4E
C.090.110.0300.A	9.0	1.10	30.0	0.3750	11.66	13.78	yes	music wire	4F
C.090.110.0300.I	9.0	1.10	30.0	0.3263	11.55	13.91	yes	stainless steel	4G
C.090.110.0320.A	9.0	1.10	32.0	0.2910	14.19	16.22	yes	music wire	4C
C.090.110.0320.AF	9.0	1.10	32.0	0.3750	11.66	15.78	yes	music wire	4F
C.090.110.0320.AP	9.0	1.10	32.0	0.3932	11.22	16.53	yes	music wire	4F
C.090.110.0320.I	9.0	1.10	32.0	0.2532	14.08	16.09	yes	stainless steel	4D
C.090.110.0320.N	9.0	1.10	32.0	0.3750	11.66	15.78	yes	Zn coating	4H
C.090.110.0320.NF	9.0	1.10	32.0	0.2910	14.19	16.22	yes	Zn coating	4E
C.090.110.0400.A	9.0	1.10	40.0	0.2280	17.38	19.97	yes	music wire	4C
C.090.110.0400.AF	9.0	1.10	40.0	0.3000	13.86	19.72	yes	music wire	4F
C.090.110.0400.AP	9.0	1.10	40.0	0.3122	13.42	20.51	yes	music wire	4F
C.090.110.0400.I	9.0	1.10	40.0	0.1984	17.16	19.72	yes	stainless steel	4D
C.090.110.0400.N	9.0	1.10	40.0	0.3000	13.86	19.72	yes	Zn coating	4I
C.090.110.0400.NF	9.0	1.10	40.0	0.2280	17.38	19.97	yes	Zn coating	4E
C.090.110.0500.A	9.0	1.10	50.0	0.1820	21.01	24.25	yes	music wire	4D
C.090.110.0500.AP	9.0	1.10	50.0	0.2462	16.28	25.29	yes	music wire	4F
C.090.110.0500.I	9.0	1.10	50.0	0.2079	16.50	24.76	yes	stainless steel	4G
C.090.110.0500.IF	9.0	1.10	50.0	0.1583	20.79	23.99	yes	stainless steel	4D
C.090.110.0500.N	9.0	1.10	50.0	0.2420	16.50	24.86	yes	Zn coating	4I
C.090.110.0550.A	9.0	1.10	55.0	0.1980	19.58	24.28	yes	music wire	4G
C.090.110.0550.I	9.0	1.10	55.0	0.1723	19.36	24.54	yes	stainless steel	4G
C.090.110.0600.A	9.0	1.10	60.0	0.1810	21.12	26.39	yes	music wire	4G
C.090.110.0600.I	9.0	1.10	60.0	0.1508	21.67	25.19	yes	stainless steel	4G
C.090.110.0630.A	9.0	1.10	63.0	0.1430	26.07	30.21	yes	music wire	4D
C.090.110.0630.AF	9.0	1.10	63.0	0.1875	20.46	30.56	yes	music wire	4G
C.090.110.0630.AP	9.0	1.10	63.0	0.1941	19.91	31.66	yes	music wire	4G
C.090.110.0630.I	9.0	1.10	63.0	0.1244	25.74	29.82	yes	stainless steel	4D
C.090.110.0630.N	9.0	1.10	63.0	0.1875	20.46	30.56	yes	Zn coating	4I
C.090.110.0630.NF	9.0	1.10	63.0	0.1430	26.07	30.21	yes	Zn coating	4E
C.090.110.0650.A	9.0	1.10	65.0	0.1660	22.77	28.36	yes	music wire	4G
C.090.110.0650.I	9.0	1.10	65.0	0.1383	23.43	27.10	yes	stainless steel	4G
C.090.110.0740.A	9.0	1.10	74.0	0.1635	23.10	36.80	yes	music wire	4G
C.090.110.0740.I	9.0	1.10	74.0	0.1404	23.10	36.62	yes	stainless steel	4G
C.090.110.0740.N	9.0	1.10	74.0	0.1635	23.10	36.80	yes	Zn coating	4I
C.090.110.0800.A	9.0	1.10	80.0	0.1120	32.45	37.72	yes	music wire	4D
C.090.110.0800.AF	9.0	1.10	80.0	0.1500	24.97	39.45	yes	music wire	4G
C.090.110.0800.AP	9.0	1.10	80.0	0.1514	24.75	39.82	yes	music wire	4G
C.090.110.0800.I	9.0	1.10	80.0	0.0974	32.12	37.33	yes	stainless steel	4E
C.090.110.0800.N	9.0	1.10	80.0	0.1500	24.97	39.45	yes	Zn coating	4I
C.090.110.0800.NF	9.0	1.10	80.0	0.1120	32.45	37.72	yes	Zn coating	4F
C.090.110.1000.A	9.0	1.10	100.0	0.0890	40.15	46.78	yes	music wire	4D
C.090.110.1000.AF	9.0	1.10	100.0	0.1184	30.91	48.63	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.090.110.1000.AP	9.0	1.10	100.0	0.1206	30.36	49.58	yes	music wire	4G
C.090.110.1000.I	9.0	1.10	100.0	0.0774	39.71	46.27	yes	stainless steel	4E
C.090.110.1000.N	9.0	1.10	100.0	0.1184	30.91	48.63	yes	Zn coating	4I
C.090.110.1000.NF	9.0	1.10	100.0	0.0890	40.15	46.78	yes	Zn coating	4F
C.090.110.1250.A	9.0	1.10	125.0	0.0938	38.28	60.15	yes	music wire	4G
C.090.110.1250.I	9.0	1.10	125.0	0.0816	37.73	60.69	yes	stainless steel	4H
C.090.110.1250.N	9.0	1.10	125.0	0.0938	38.28	60.15	yes	Zn coating	4I
C.090.110.3600.A	9.0	1.10	360.0	0.0240	142.56	167.16	no	music wire	4G
C.090.110.3600.I	9.0	1.10	360.0	0.0209	140.58	164.83	no	stainless steel	4G
C.090.115.0090.A	9.0	1.15	9.0	1.5348	5.64	6.11	yes	music wire	4C
C.090.115.0090.I	9.0	1.15	9.0	1.3182	5.64	6.11	yes	stainless steel	4C
C.090.120.0090.A	9.0	1.20	9.0	1.8548	5.88	6.35	yes	music wire	4C
C.090.120.0090.I	9.0	1.20	9.0	1.5931	5.88	6.35	yes	stainless steel	4C
C.090.120.0111.A	9.0	1.20	11.1	1.3093	7.08	7.75	yes	music wire	4C
C.090.120.0111.I	9.0	1.20	11.1	1.1245	7.08	7.75	yes	stainless steel	4D
C.090.120.0174.A	9.0	1.20	17.4	0.7675	9.96	11.10	yes	music wire	4C
C.090.120.0174.I	9.0	1.20	17.4	0.6592	9.96	11.10	yes	stainless steel	4D
C.090.125.0090.A	9.0	1.25	9.0	2.2263	6.13	6.60	yes	music wire	4C
C.090.125.0090.I	9.0	1.25	9.0	1.9122	6.13	6.60	yes	stainless steel	4D
C.090.125.0100.A	9.0	1.25	10.0	1.8690	6.75	7.32	yes	music wire	4C
C.090.125.0100.AP	9.0	1.25	10.0	2.4343	5.88	6.44	yes	music wire	4F
C.090.125.0100.I	9.0	1.25	10.0	1.6260	6.63	7.18	yes	stainless steel	4D
C.090.125.0100.N	9.0	1.25	10.0	1.8690	6.75	7.32	yes	Zn coating	4E
C.090.125.0125.A	9.0	1.25	12.5	1.4180	7.88	8.63	yes	music wire	4C
C.090.125.0125.AP	9.0	1.25	12.5	1.8467	6.75	7.81	yes	music wire	4F
C.090.125.0125.I	9.0	1.25	12.5	1.2337	7.75	8.48	yes	stainless steel	4D
C.090.125.0125.N	9.0	1.25	12.5	1.4180	7.88	8.63	yes	Zn coating	4E
C.090.125.0160.A	9.0	1.25	16.0	1.0820	9.25	10.22	yes	music wire	4C
C.090.125.0160.I	9.0	1.25	16.0	0.9413	9.25	10.22	yes	stainless steel	4D
C.090.125.0160.N	9.0	1.25	16.0	1.0820	9.25	10.22	yes	Zn coating	4E
C.090.125.0200.A	9.0	1.25	20.0	0.8220	11.25	12.53	yes	music wire	4C
C.090.125.0200.AP	9.0	1.25	20.0	1.0501	9.50	11.76	yes	music wire	4F
C.090.125.0200.I	9.0	1.25	20.0	0.7151	11.13	12.39	yes	stainless steel	4D
C.090.125.0200.N	9.0	1.25	20.0	0.8220	11.25	12.53	yes	Zn coating	4E
C.090.125.0250.A	9.0	1.25	25.0	0.6420	13.50	15.14	yes	music wire	4C
C.090.125.0250.AP	9.0	1.25	25.0	0.8239	11.25	14.49	yes	music wire	4F
C.090.125.0250.I	9.0	1.25	25.0	0.5585	13.38	15.00	yes	stainless steel	4D
C.090.125.0250.N	9.0	1.25	25.0	0.6420	13.50	15.14	yes	Zn coating	4E
C.090.125.0320.A	9.0	1.25	32.0	0.4950	16.63	18.76	yes	music wire	4C
C.090.125.0320.I	9.0	1.25	32.0	0.4306	16.50	18.61	yes	stainless steel	4D
C.090.125.0320.N	9.0	1.25	32.0	0.4950	16.63	18.76	yes	Zn coating	4E
C.090.125.0400.A	9.0	1.25	40.0	0.3880	20.38	23.10	yes	music wire	4D
C.090.125.0400.AP	9.0	1.25	40.0	0.4959	16.63	22.54	yes	music wire	4F
C.090.125.0400.I	9.0	1.25	40.0	0.3376	20.13	22.81	yes	stainless steel	4D
C.090.125.0400.N	9.0	1.25	40.0	0.3880	20.38	23.10	yes	Zn coating	4E
C.090.125.0500.A	9.0	1.25	50.0	0.3070	24.88	28.31	yes	music wire	4D
C.090.125.0500.AP	9.0	1.25	50.0	0.3938	20.13	28.02	yes	music wire	4G
C.090.125.0500.I	9.0	1.25	50.0	0.2671	24.63	28.02	yes	stainless steel	4D
C.090.125.0500.N	9.0	1.25	50.0	0.3070	24.88	28.31	yes	Zn coating	4E
C.090.125.0630.A	9.0	1.25	63.0	0.2420	30.75	35.11	yes	music wire	4D
C.090.125.0630.I	9.0	1.25	63.0	0.2105	30.38	34.68	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.090.125.0630.N	9.0	1.25	63.0	0.2420	30.75	35.11	yes	Zn coating	4F
C.090.125.0800.A	9.0	1.25	80.0	0.1890	38.50	44.08	yes	music wire	4D
C.090.125.0800.I	9.0	1.25	80.0	0.1644	38.00	43.50	yes	stainless steel	4E
C.090.125.0800.N	9.0	1.25	80.0	0.1890	38.50	44.08	yes	Zn coating	4F
C.090.125.1000.A	9.0	1.25	100.0	0.1500	47.63	54.65	yes	music wire	4D
C.090.125.1000.I	9.0	1.25	100.0	0.1305	47.13	54.07	yes	stainless steel	4E
C.090.125.1000.N	9.0	1.25	100.0	0.1500	47.63	54.65	yes	Zn coating	4F
C.090.125.3600.A	9.0	1.25	360.0	0.0410	167.25	192.93	no	music wire	4G
C.090.125.3600.I	9.0	1.25	360.0	0.0357	165.13	190.47	no	stainless steel	4G
C.090.130.0191.A	9.0	1.30	19.1	0.9657	11.83	13.14	yes	music wire	4C
C.090.130.0191.I	9.0	1.30	19.1	0.8294	11.83	13.14	yes	stainless steel	4D
C.090.140.0090.A	9.0	1.40	9.0	3.7147	6.86	7.34	yes	music wire	4E
C.090.140.0090.I	9.0	1.40	9.0	3.1906	6.86	7.34	yes	stainless steel	4E
C.090.140.0100.A	9.0	1.40	10.0	3.2670	7.28	7.83	yes	music wire	4E
C.090.140.0100.I	9.0	1.40	10.0	2.8423	7.28	7.83	yes	stainless steel	4E
C.090.140.0100.N	9.0	1.40	10.0	3.2670	7.28	7.83	yes	Zn coating	4G
C.090.140.0103.A	9.0	1.40	10.3	2.8759	7.84	8.47	yes	music wire	4E
C.090.140.0103.I	9.0	1.40	10.3	2.4701	7.84	8.47	yes	stainless steel	4E
C.090.140.0125.A	9.0	1.40	12.5	2.4500	8.54	9.27	yes	music wire	4E
C.090.140.0125.I	9.0	1.40	12.5	2.1315	8.54	9.27	yes	stainless steel	4E
C.090.140.0125.N	9.0	1.40	12.5	2.4500	8.54	9.27	yes	Zn coating	4G
C.090.140.0157.A	9.0	1.40	15.7	1.6821	10.92	11.99	yes	music wire	4E
C.090.140.0157.I	9.0	1.40	15.7	1.4448	10.92	11.99	yes	stainless steel	4E
C.090.140.0160.A	9.0	1.40	16.0	1.7590	10.64	11.67	yes	music wire	4E
C.090.140.0160.I	9.0	1.40	16.0	1.5303	10.50	11.51	yes	stainless steel	4E
C.090.140.0160.N	9.0	1.40	16.0	1.7590	10.64	11.67	yes	Zn coating	4G
C.090.140.0174.A	9.0	1.40	17.4	1.4859	11.90	13.11	yes	music wire	4E
C.090.140.0174.I	9.0	1.40	17.4	1.2762	11.90	13.11	yes	stainless steel	4E
C.090.140.0200.A	9.0	1.40	20.0	1.3720	12.60	13.91	yes	music wire	4E
C.090.140.0200.I	9.0	1.40	20.0	1.1936	12.46	13.75	yes	stainless steel	4E
C.090.140.0200.N	9.0	1.40	20.0	1.3720	12.60	13.91	yes	Zn coating	4G
C.090.140.0250.A	9.0	1.40	25.0	1.0720	15.12	16.80	yes	music wire	4E
C.090.140.0250.I	9.0	1.40	25.0	0.9326	14.98	16.64	yes	stainless steel	4E
C.090.140.0250.N	9.0	1.40	25.0	1.0720	15.12	16.80	yes	Zn coating	4G
C.090.140.0318.A	9.0	1.40	31.8	0.7555	20.02	22.40	yes	music wire	4E
C.090.140.0318.I	9.0	1.40	31.8	0.6489	20.02	22.40	yes	stainless steel	4E
C.090.140.0320.A	9.0	1.40	32.0	0.8070	18.90	21.12	yes	music wire	4E
C.090.140.0320.I	9.0	1.40	32.0	0.7021	18.76	20.96	yes	stainless steel	4E
C.090.140.0320.N	9.0	1.40	32.0	0.8070	18.90	21.12	yes	Zn coating	4G
C.090.140.0400.A	9.0	1.40	40.0	0.6350	23.10	25.93	yes	music wire	4E
C.090.140.0400.I	9.0	1.40	40.0	0.5524	22.96	25.77	yes	stainless steel	4F
C.090.140.0400.N	9.0	1.40	40.0	0.6350	23.10	25.93	yes	Zn coating	4G
C.090.140.0500.A	9.0	1.40	50.0	0.5040	28.28	31.85	yes	music wire	4E
C.090.140.0500.I	9.0	1.40	50.0	0.4385	28.00	31.53	yes	stainless steel	4F
C.090.140.0500.N	9.0	1.40	50.0	0.5040	28.28	31.85	yes	Zn coating	4G
C.090.140.0508.A	9.0	1.40	50.8	0.4572	30.80	34.74	yes	music wire	4E
C.090.140.0508.I	9.0	1.40	50.8	0.3927	30.80	34.74	yes	stainless steel	4F
C.090.140.0630.A	9.0	1.40	63.0	0.3940	35.14	39.70	yes	music wire	4E
C.090.140.0630.I	9.0	1.40	63.0	0.3428	34.72	39.22	yes	stainless steel	4F
C.090.140.0630.N	9.0	1.40	63.0	0.3940	35.14	39.70	yes	Zn coating	4H
C.090.140.0635.A	9.0	1.40	63.5	0.3609	38.08	43.07	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.090.140.0635.I	9.0	1.40	63.5	0.3100	38.08	43.07	yes	stainless steel	4F
C.090.140.0711.A	9.0	1.40	71.1	0.3207	42.42	48.03	yes	music wire	4E
C.090.140.0711.I	9.0	1.40	71.1	0.2754	42.42	48.03	yes	stainless steel	4F
C.090.140.0790.A	9.0	1.40	79.0	0.2876	46.90	53.16	yes	music wire	4F
C.090.140.0790.I	9.0	1.40	79.0	0.2470	46.90	53.16	yes	stainless steel	4F
C.090.140.0800.A	9.0	1.40	80.0	0.3080	43.96	49.79	yes	music wire	4F
C.090.140.0800.I	9.0	1.40	80.0	0.2680	43.54	49.31	yes	stainless steel	4F
C.090.140.0800.N	9.0	1.40	80.0	0.3080	43.96	49.79	yes	Zn coating	4H
C.090.140.1000.A	9.0	1.40	100.0	0.2440	54.60	61.97	yes	music wire	4F
C.090.140.1000.I	9.0	1.40	100.0	0.2123	54.04	61.33	yes	stainless steel	4G
C.090.140.1000.N	9.0	1.40	100.0	0.2440	54.60	61.97	yes	Zn coating	4H
C.090.140.1450.A	9.0	1.40	145.0	0.1542	84.42	96.09	yes	music wire	4G
C.090.140.1450.I	9.0	1.40	145.0	0.1325	84.42	96.09	yes	stainless steel	4G
C.090.140.2500.A	9.0	1.40	250.0	0.0888	144.06	164.33	yes	music wire	4G
C.090.140.2500.I	9.0	1.40	250.0	0.0763	144.06	164.33	yes	stainless steel	4H
C.090.140.3600.A	9.0	1.40	360.0	0.0660	194.04	221.31	no	music wire	4I
C.090.140.3600.I	9.0	1.40	360.0	0.0574	191.66	218.59	no	stainless steel	4I
C.090.150.0088.A	9.0	1.50	8.8	4.8000	7.50	8.02	yes	music wire	4E
C.090.150.0088.AP	9.0	1.50	8.8	6.1406	6.75	7.16	yes	music wire	4E
C.090.150.0088.I	9.0	1.50	8.8	4.1760	7.50	8.02	yes	stainless steel	4E
C.090.150.0088.N	9.0	1.50	8.8	4.8000	7.50	8.02	yes	Zn coating	4G
C.090.150.0100.A	9.0	1.50	10.0	4.8000	7.50	8.02	yes	music wire	4E
C.090.150.0100.I	9.0	1.50	10.0	4.1760	7.50	8.02	yes	stainless steel	4E
C.090.150.0100.N	9.0	1.50	10.0	4.8000	7.50	8.02	yes	Zn coating	4G
C.090.150.0460.A	9.0	1.50	46.0	0.8280	25.95	29.00	yes	music wire	4I
C.090.150.0460.I	9.0	1.50	46.0	0.7204	25.65	28.79	yes	stainless steel	4I
C.090.150.0460.N	9.0	1.50	46.0	0.8280	25.95	29.00	yes	Zn coating	4I
C.090.150.0510.A	9.0	1.50	51.0	0.7500	28.20	32.01	yes	music wire	4I
C.090.150.0510.I	9.0	1.50	51.0	0.6525	27.90	32.01	yes	stainless steel	4I
C.090.150.0510.N	9.0	1.50	51.0	0.7500	28.20	32.01	yes	Zn coating	4I
C.090.160.0090.A	9.0	1.60	9.0	6.8650	7.84	8.35	yes	music wire	4E
C.090.160.0090.I	9.0	1.60	9.0	5.8963	7.84	8.35	yes	stainless steel	4E
C.090.160.0110.A	9.0	1.60	11.0	5.3148	8.96	9.62	yes	music wire	4E
C.090.160.0110.I	9.0	1.60	11.0	4.5649	8.96	9.62	yes	stainless steel	4E
C.090.160.0140.A	9.0	1.60	14.0	3.8316	10.88	11.79	yes	music wire	4E
C.090.160.0140.I	9.0	1.60	14.0	3.2910	10.88	11.79	yes	stainless steel	4E
C.090.160.0170.A	9.0	1.60	17.0	3.5900	11.36	12.33	yes	music wire	4H
C.090.160.0170.I	9.0	1.60	17.0	3.1233	11.20	12.27	yes	stainless steel	4I
C.090.160.0170.N	9.0	1.60	17.0	3.5900	11.36	12.33	yes	Zn coating	4I
C.090.160.0230.A	9.0	1.60	23.0	2.1123	16.48	18.13	yes	music wire	4E
C.090.160.0230.I	9.0	1.60	23.0	1.8143	16.48	18.13	yes	stainless steel	4F
C.090.160.0250.A	9.0	1.60	25.0	2.0595	16.80	18.49	yes	music wire	4E
C.090.160.0250.I	9.0	1.60	25.0	1.7689	16.80	18.49	yes	stainless steel	4F
C.090.160.0250.N	9.0	1.60	25.0	2.0595	16.80	18.49	yes	Zn coating	4G
C.090.160.0320.A	9.0	1.60	32.0	1.5691	20.80	23.02	yes	music wire	4I
C.090.160.0320.I	9.0	1.60	32.0	1.3477	20.80	23.02	yes	stainless steel	4I
C.090.160.0320.N	9.0	1.60	32.0	1.5691	20.80	23.02	yes	Zn coating	4I
C.090.160.0380.A	9.0	1.60	38.0	1.3181	24.00	26.64	yes	music wire	4I
C.090.160.0380.I	9.0	1.60	38.0	1.1321	24.00	26.64	yes	stainless steel	4I
C.090.160.0380.N	9.0	1.60	38.0	1.3181	24.00	26.64	yes	Zn coating	4I
C.090.160.0440.A	9.0	1.60	44.0	1.1000	28.00	31.17	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.090.160.0440.I	9.0	1.60	44.0	0.9434	28.00	31.17	yes	stainless steel	4I
C.090.160.0440.N	9.0	1.60	44.0	1.1000	28.00	31.17	yes	Zn coating	4I
C.090.160.0510.A	9.0	1.60	51.0	0.9692	31.20	34.79	yes	music wire	4I
C.090.160.0510.I	9.0	1.60	51.0	0.8324	31.20	34.79	yes	stainless steel	4I
C.090.160.0510.N	9.0	1.60	51.0	0.9692	31.20	34.79	yes	Zn coating	4I
C.090.160.0580.A	9.0	1.60	58.0	0.7735	38.08	42.58	yes	music wire	4F
C.090.160.0580.I	9.0	1.60	58.0	0.6644	38.08	42.58	yes	stainless steel	4F
C.090.160.0640.A	9.0	1.60	64.0	0.7846	37.60	42.40	yes	music wire	4I
C.090.160.0640.I	9.0	1.60	64.0	0.6739	37.60	42.07	yes	stainless steel	4I
C.090.160.0640.N	9.0	1.60	64.0	0.7846	37.60	42.40	yes	Zn coating	4J
C.090.160.0760.A	9.0	1.60	76.0	0.6102	47.20	52.91	yes	music wire	4I
C.090.160.0760.I	9.0	1.60	76.0	0.5241	47.20	52.91	yes	stainless steel	4I
C.090.160.0760.N	9.0	1.60	76.0	0.6102	47.20	52.91	yes	Zn coating	4J
C.090.160.0880.A	9.0	1.60	88.0	0.5008	56.64	63.59	yes	music wire	4F
C.090.160.0880.I	9.0	1.60	88.0	0.4301	56.64	63.59	yes	stainless steel	4G
C.090.170.0090.A	9.0	1.70	9.0	9.5097	8.16	8.66	yes	music wire	4E
C.090.170.0090.I	9.0	1.70	9.0	8.1678	8.16	8.66	yes	stainless steel	4E
C.090.170.0110.A	9.0	1.70	11.0	7.0556	9.52	10.19	yes	music wire	4E
C.090.170.0110.I	9.0	1.70	11.0	6.0600	9.52	10.19	yes	stainless steel	4E
C.090.170.0120.A	9.0	1.70	12.0	6.2492	10.20	10.96	yes	music wire	4E
C.090.170.0120.I	9.0	1.70	12.0	5.3674	10.20	10.96	yes	stainless steel	4E
C.090.170.0150.A	9.0	1.70	15.0	4.7549	12.07	13.07	yes	music wire	4E
C.090.170.0150.I	9.0	1.70	15.0	4.0839	12.07	13.07	yes	stainless steel	4E
C.090.170.0170.A	9.0	1.70	17.0	4.0504	13.43	14.60	yes	music wire	4E
C.090.170.0170.I	9.0	1.70	17.0	3.4789	13.43	14.60	yes	stainless steel	4E
C.090.170.0200.A	9.0	1.70	20.0	2.6800	18.19	19.97	yes	music wire	4E
C.090.170.0200.AP	9.0	1.70	20.0	3.8620	13.94	15.18	yes	music wire	4I
C.090.170.0200.I	9.0	1.70	20.0	2.3316	18.02	19.78	yes	stainless steel	4E
C.090.170.0200.N	9.0	1.70	20.0	2.6800	18.19	19.97	yes	Zn coating	4G
C.090.170.0250.A	9.0	1.70	25.0	2.5732	18.70	20.54	yes	music wire	4E
C.090.170.0250.I	9.0	1.70	25.0	2.2101	18.70	20.54	yes	stainless steel	4F
C.090.170.0280.A	9.0	1.70	28.0	2.2549	20.74	22.85	yes	music wire	4E
C.090.170.0280.I	9.0	1.70	28.0	1.9367	20.74	22.85	yes	stainless steel	4F
C.090.170.0340.A	9.0	1.70	34.0	1.8227	24.65	27.25	yes	music wire	4E
C.090.170.0340.I	9.0	1.70	34.0	1.5655	24.65	27.25	yes	stainless steel	4F
C.090.170.0480.A	9.0	1.70	48.0	1.2570	33.83	37.61	yes	music wire	4E
C.090.170.0480.I	9.0	1.70	48.0	1.0797	33.83	37.61	yes	stainless steel	4F
C.090.170.0640.A	9.0	1.70	64.0	1.0503	39.61	45.02	yes	music wire	4I
C.090.170.0640.I	9.0	1.70	64.0	0.9138	39.27	44.94	yes	stainless steel	4I
C.090.170.0780.A	9.0	1.70	78.0	0.7516	53.72	60.04	yes	music wire	4F
C.090.170.0780.I	9.0	1.70	78.0	0.6456	53.72	60.04	yes	stainless steel	4F
C.090.175.0090.A	9.0	1.75	9.0	10.9013	8.40	8.91	yes	music wire	4E
C.090.175.0090.I	9.0	1.75	9.0	9.3631	8.40	8.91	yes	stainless steel	4E
C.090.175.0110.A	9.0	1.75	11.0	8.3577	9.63	10.29	yes	music wire	4E
C.090.175.0110.I	9.0	1.75	11.0	7.1784	9.63	10.29	yes	stainless steel	4E
C.090.175.0150.A	9.0	1.75	15.0	5.4506	12.43	13.44	yes	music wire	4E
C.090.175.0150.I	9.0	1.75	15.0	4.6815	12.43	13.44	yes	stainless steel	4E
C.090.175.0200.A	9.0	1.75	20.0	3.8574	15.75	17.18	yes	music wire	4E
C.090.175.0200.I	9.0	1.75	20.0	3.3131	15.75	17.18	yes	stainless steel	4E
C.090.175.0260.A	9.0	1.75	26.0	2.8172	19.95	21.91	yes	music wire	4E
C.090.175.0260.I	9.0	1.75	26.0	2.4197	19.95	21.91	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.090.175.0410.A	9.0	1.75	41.0	1.7056	30.10	33.33	yes	music wire	4E
C.090.175.0410.I	9.0	1.75	41.0	1.4650	30.10	33.33	yes	stainless steel	4F
C.090.175.0530.A	9.0	1.75	53.0	1.2991	38.15	42.40	yes	music wire	4E
C.090.175.0530.I	9.0	1.75	53.0	1.1158	38.15	42.40	yes	stainless steel	4F
C.090.175.0690.A	9.0	1.75	69.0	0.9794	49.18	54.81	yes	music wire	4F
C.090.175.0690.I	9.0	1.75	69.0	0.8412	49.18	54.81	yes	stainless steel	4F
C.090.175.0940.A	9.0	1.75	94.0	0.7103	66.15	73.92	yes	music wire	4F
C.090.175.0940.I	9.0	1.75	94.0	0.6101	66.15	73.92	yes	stainless steel	4G
C.090.180.0090.A	9.0	1.80	9.0	13.0238	8.46	8.95	yes	music wire	4F
C.090.180.0090.I	9.0	1.80	9.0	11.1861	8.46	8.95	yes	stainless steel	4G
C.090.180.0110.A	9.0	1.80	11.0	9.5508	9.90	10.57	yes	music wire	4F
C.090.180.0110.I	9.0	1.80	11.0	8.2031	9.90	10.57	yes	stainless steel	4G
C.090.180.0134.A	9.0	1.80	13.4	8.1864	10.80	11.58	yes	music wire	4F
C.090.180.0134.I	9.0	1.80	13.4	7.0313	10.80	11.58	yes	stainless steel	4G
C.090.180.0134.N	9.0	1.80	13.4	8.1864	10.80	11.58	yes	Zn coating	4I
C.090.180.0190.A	9.0	1.80	19.0	5.2095	14.40	15.63	yes	music wire	4I
C.090.180.0190.I	9.0	1.80	19.0	4.4744	14.40	15.63	yes	stainless steel	4I
C.090.180.0190.N	9.0	1.80	19.0	5.2095	14.40	15.63	yes	Zn coating	4J
C.090.180.0260.A	9.0	1.80	26.0	3.8203	18.00	19.92	yes	music wire	4I
C.090.180.0260.I	9.0	1.80	26.0	3.2812	18.00	19.81	yes	stainless steel	4I
C.090.180.0260.N	9.0	1.80	26.0	3.8203	18.00	19.92	yes	Zn coating	4J
C.090.180.0280.A	9.0	1.80	28.0	2.9846	21.78	23.92	yes	music wire	4F
C.090.180.0280.I	9.0	1.80	28.0	2.5635	21.78	23.92	yes	stainless steel	4G
C.090.180.0303.A	9.0	1.80	30.3	3.0160	21.60	23.72	yes	music wire	4I
C.090.180.0303.I	9.0	1.80	30.3	2.5904	21.60	23.72	yes	stainless steel	4I
C.090.180.0303.N	9.0	1.80	30.3	3.0160	21.60	23.72	yes	Zn coating	4J
C.090.180.0450.A	9.0	1.80	45.0	2.0144	30.06	33.48	yes	music wire	4I
C.090.180.0450.I	9.0	1.80	45.0	1.7500	29.88	33.39	yes	stainless steel	4I
C.090.180.0471.A	9.0	1.80	47.1	1.8485	32.40	35.86	yes	music wire	4I
C.090.180.0471.I	9.0	1.80	47.1	1.5877	32.40	35.86	yes	stainless steel	4I
C.090.180.0471.N	9.0	1.80	47.1	1.8485	32.40	35.86	yes	Zn coating	4J
C.090.180.0890.A	9.0	1.80	89.0	0.8604	64.44	71.87	yes	music wire	4G
C.090.180.0890.I	9.0	1.80	89.0	0.7390	64.44	71.87	yes	stainless steel	4G
C.090.180.1520.A	9.0	1.80	152.0	0.5600	96.66	110.55	yes	music wire	4I
C.090.180.1520.I	9.0	1.80	152.0	0.4872	95.40	110.30	yes	stainless steel	4J
C.090.200.0150.A	9.0	2.00	15.0	13.3280	12.20	13.05	yes	music wire	4I
C.090.200.0150.I	9.0	2.00	15.0	11.5954	12.00	12.83	yes	stainless steel	4I
C.090.200.0150.N	9.0	2.00	15.0	13.3280	12.20	13.05	yes	Zn coating	4J
C.090.200.0350.A	9.0	2.00	35.0	5.4880	22.40	29.42	yes	music wire	4J
C.090.200.0350.I	9.0	2.00	35.0	4.7746	22.00	29.37	yes	stainless steel	4J
C.090.200.0350.N	9.0	2.00	35.0	5.4880	22.40	29.42	yes	Zn coating	4L
C.090.220.0750.A	9.0	2.20	75.0	3.1040	59.40	65.56	yes	music wire	4I
C.090.220.0750.I	9.0	2.20	75.0	2.7005	58.52	64.58	yes	stainless steel	4I
C.090.220.0750.N	9.0	2.20	75.0	3.1040	59.40	65.56	yes	Zn coating	4J
C.091.040.0100.A	9.1	0.40	10.0	0.0305	1.92	2.34	no	music wire	4B
C.091.040.0100.I	9.1	0.40	10.0	0.0262	1.92	2.34	no	stainless steel	4C
C.091.040.0143.A	9.1	0.40	14.3	0.0080	3.40	5.02	no	music wire	4B
C.091.040.0143.I	9.1	0.40	14.3	0.0070	3.36	4.95	no	stainless steel	4C
C.091.040.0200.A	9.1	0.40	20.0	0.0152	2.44	3.28	no	music wire	4B
C.091.040.0200.I	9.1	0.40	20.0	0.0131	2.44	3.28	no	stainless steel	4C
C.091.040.0240.A	9.1	0.40	24.0	0.0046	4.84	7.63	no	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.040.0240.I	9.1	0.40	24.0	0.0040	4.80	7.55	no	stainless steel	4C
C.091.040.0250.A	9.1	0.40	25.0	0.0034	6.00	9.72	no	music wire	4B
C.091.040.0250.I	9.1	0.40	25.0	0.0030	5.92	9.58	no	stainless steel	4C
C.091.040.0330.A	9.1	0.40	33.0	0.0034	6.00	9.72	no	music wire	4B
C.091.040.0330.I	9.1	0.40	33.0	0.0030	5.92	9.58	no	stainless steel	4C
C.091.050.0087.A	9.1	0.50	8.7	0.0264	3.15	4.18	yes	music wire	4B
C.091.050.0087.I	9.1	0.50	8.7	0.0230	3.10	4.11	yes	stainless steel	4C
C.091.050.0127.A	9.1	0.50	12.7	0.0195	3.80	5.19	yes	music wire	4B
C.091.050.0127.I	9.1	0.50	12.7	0.0170	3.80	5.19	yes	stainless steel	4C
C.091.050.0182.A	9.1	0.50	18.2	0.0230	3.45	4.65	yes	music wire	4B
C.091.050.0182.I	9.1	0.50	18.2	0.0200	3.40	4.57	yes	stainless steel	4C
C.091.050.0250.A	9.1	0.50	25.0	0.0170	4.20	5.80	yes	music wire	4B
C.091.050.0250.I	9.1	0.50	25.0	0.0148	4.15	5.73	yes	stainless steel	4C
C.091.050.0300.A	9.1	0.50	30.0	0.0196	3.80	5.19	yes	music wire	4B
C.091.050.0300.I	9.1	0.50	30.0	0.0169	3.80	5.19	yes	stainless steel	4C
C.091.050.0400.A	9.1	0.50	40.0	0.0145	4.70	6.58	yes	music wire	4C
C.091.050.0400.I	9.1	0.50	40.0	0.0125	4.70	6.58	yes	stainless steel	4C
C.091.060.0111.A	9.1	0.60	11.1	0.0830	3.06	3.69	yes	music wire	4C
C.091.060.0111.I	9.1	0.60	11.1	0.0722	3.06	3.69	yes	stainless steel	4C
C.091.060.0200.A	9.1	0.60	20.0	0.0524	3.96	4.95	yes	music wire	4C
C.091.060.0200.I	9.1	0.60	20.0	0.0450	3.96	4.95	yes	stainless steel	4C
C.091.060.0220.A	9.1	0.60	22.0	0.0655	3.48	5.20	yes	music wire	4E
C.091.060.0220.I	9.1	0.60	22.0	0.0570	3.42	5.59	yes	stainless steel	4F
C.091.060.0270.A	9.1	0.60	27.0	0.0529	3.96	6.18	yes	music wire	4E
C.091.060.0270.I	9.1	0.60	27.0	0.0460	3.90	6.66	yes	stainless steel	4F
C.091.060.0380.A	9.1	0.60	38.0	0.0220	7.38	9.74	yes	music wire	4C
C.091.060.0380.I	9.1	0.60	38.0	0.0191	7.26	9.57	yes	stainless steel	4C
C.091.060.0480.A	9.1	0.60	48.0	0.0115	12.72	17.22	yes	music wire	4C
C.091.060.0480.I	9.1	0.60	48.0	0.0100	12.60	17.05	yes	stainless steel	4C
C.091.060.0800.A	9.1	0.60	80.0	0.0127	11.64	15.71	yes	music wire	4C
C.091.060.0800.I	9.1	0.60	80.0	0.0109	11.64	15.71	yes	stainless steel	4D
C.091.065.0100.A	9.1	0.65	10.0	0.1435	2.99	3.47	yes	music wire	4C
C.091.065.0100.I	9.1	0.65	10.0	0.1233	2.99	3.47	yes	stainless steel	4C
C.091.065.0127.A	9.1	0.65	12.7	0.1610	2.86	4.13	yes	music wire	4E
C.091.065.0127.I	9.1	0.65	12.7	0.1533	2.73	5.03	yes	stainless steel	4F
C.091.065.0127.N	9.1	0.65	12.7	0.1610	2.86	4.13	yes	Zn coating	4G
C.091.065.0142.AF	9.1	0.65	14.2	0.1440	2.99	4.62	yes	music wire	4E
C.091.065.0142.NF	9.1	0.65	14.2	0.1440	2.99	4.62	yes	Zn coating	4G
C.091.065.0157.A	9.1	0.65	15.7	0.1449	2.99	6.18	yes	music wire	4E
C.091.065.0157.N	9.1	0.65	15.7	0.1449	2.99	6.18	yes	Zn coating	4G
C.091.065.0175.A	9.1	0.65	17.5	0.1170	3.32	5.70	yes	music wire	4E
C.091.065.0175.I	9.1	0.65	17.5	0.1048	3.25	6.29	yes	stainless steel	4F
C.091.065.0175.N	9.1	0.65	17.5	0.1170	3.32	5.70	yes	Zn coating	4G
C.091.065.0190.A	9.1	0.65	19.0	0.1070	3.45	6.10	yes	music wire	4E
C.091.065.0190.N	9.1	0.65	19.0	0.1070	3.45	6.10	yes	Zn coating	4G
C.091.065.0200.A	9.1	0.65	20.0	0.0685	4.49	5.50	yes	music wire	4C
C.091.065.0200.I	9.1	0.65	20.0	0.0588	4.49	5.50	yes	stainless steel	4C
C.091.065.0206.A	9.1	0.65	20.6	0.1000	3.58	6.80	yes	music wire	4E
C.091.065.0206.I	9.1	0.65	20.6	0.0905	3.51	7.61	yes	stainless steel	4F
C.091.065.0206.N	9.1	0.65	20.6	0.1000	3.58	6.80	yes	Zn coating	4G
C.091.065.0224.A	9.1	0.65	22.4	0.0860	3.90	6.35	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.091.065.0224.I	9.1	0.65	22.4	0.0796	3.77	7.64	yes	stainless steel	4F
C.091.065.0224.N	9.1	0.65	22.4	0.0860	3.90	6.35	yes	Zn coating	4G
C.091.065.0239.A	9.1	0.65	23.9	0.0827	3.97	7.22	yes	music wire	4E
C.091.065.0239.I	9.1	0.65	23.9	0.0711	3.97	7.36	yes	stainless steel	4F
C.091.065.0239.N	9.1	0.65	23.9	0.0827	3.97	7.22	yes	Zn coating	4G
C.091.065.0254.A	9.1	0.65	25.4	0.0720	4.36	6.23	yes	music wire	4E
C.091.065.0254.I	9.1	0.65	25.4	0.0642	4.23	7.09	yes	stainless steel	4F
C.091.065.0254.N	9.1	0.65	25.4	0.0720	4.36	6.23	yes	Zn coating	4G
C.091.065.0279.A	9.1	0.65	27.9	0.0673	4.55	7.38	yes	music wire	4E
C.091.065.0279.I	9.1	0.65	27.9	0.0585	4.49	7.82	yes	stainless steel	4F
C.091.065.0284.A	9.1	0.65	28.4	0.0681	4.49	8.14	yes	music wire	4E
C.091.065.0284.I	9.1	0.65	28.4	0.0593	4.49	8.57	yes	stainless steel	4F
C.091.065.0284.N	9.1	0.65	28.4	0.0681	4.49	8.14	yes	Zn coating	4G
C.091.065.0290.A	9.1	0.65	29.0	0.0582	5.01	6.20	yes	music wire	4E
C.091.065.0290.I	9.1	0.65	29.0	0.0506	4.94	6.11	yes	stainless steel	4F
C.091.065.0305.A	9.1	0.65	30.5	0.0571	5.07	6.35	yes	music wire	4E
C.091.065.0305.I	9.1	0.65	30.5	0.0497	5.01	6.87	yes	stainless steel	4F
C.091.065.0318.A	9.1	0.65	31.8	0.0579	5.01	7.96	yes	music wire	4E
C.091.065.0318.I	9.1	0.65	31.8	0.0504	4.94	8.47	yes	stainless steel	4F
C.091.065.0318.N	9.1	0.65	31.8	0.0579	5.01	7.96	yes	Zn coating	4H
C.091.065.0381.A	9.1	0.65	38.1	0.0473	5.79	8.89	yes	music wire	4F
C.091.065.0381.I	9.1	0.65	38.1	0.0406	5.79	9.15	yes	stainless steel	4F
C.091.065.0381.N	9.1	0.65	38.1	0.0473	5.79	8.89	yes	Zn coating	4H
C.091.065.0400.A	9.1	0.65	40.0	0.0331	7.54	9.63	yes	music wire	4C
C.091.065.0400.I	9.1	0.65	40.0	0.0284	7.54	9.63	yes	stainless steel	4C
C.091.065.0444.A	9.1	0.65	44.4	0.0400	6.50	9.90	yes	music wire	4F
C.091.065.0444.I	9.1	0.65	44.4	0.0347	6.50	10.57	yes	stainless steel	4F
C.091.065.0444.N	9.1	0.65	44.4	0.0400	6.50	9.90	yes	Zn coating	4H
C.091.065.0457.A	9.1	0.65	45.7	0.0394	6.57	10.67	yes	music wire	4F
C.091.065.0457.I	9.1	0.65	45.7	0.0343	6.57	11.42	yes	stainless steel	4F
C.091.065.0508.A	9.1	0.65	50.8	0.0346	7.28	10.86	yes	music wire	4F
C.091.065.0508.I	9.1	0.65	50.8	0.0297	7.28	11.21	yes	stainless steel	4F
C.091.065.0508.N	9.1	0.65	50.8	0.0346	7.28	10.86	yes	Zn coating	4H
C.091.065.0600.A	9.1	0.65	60.0	0.0220	10.53	13.68	yes	music wire	4C
C.091.065.0600.I	9.1	0.65	60.0	0.0189	10.53	13.68	yes	stainless steel	4D
C.091.065.0800.A	9.1	0.65	80.0	0.0164	13.59	17.82	yes	music wire	4D
C.091.065.0800.I	9.1	0.65	80.0	0.0141	13.59	17.82	yes	stainless steel	4D
C.091.065.1000.A	9.1	0.65	100.0	0.0131	16.58	21.86	yes	music wire	4D
C.091.065.1000.I	9.1	0.65	100.0	0.0113	16.58	21.86	yes	stainless steel	4D
C.091.065.1200.A	9.1	0.65	120.0	0.0109	19.63	25.99	yes	music wire	4D
C.091.065.1200.I	9.1	0.65	120.0	0.0093	19.63	25.99	yes	stainless steel	4E
C.091.065.1700.A	9.1	0.65	170.0	0.0077	27.17	36.20	yes	music wire	4E
C.091.065.1700.I	9.1	0.65	170.0	0.0066	27.17	36.20	yes	stainless steel	4E
C.091.070.0112.A	9.1	0.70	11.2	0.1800	3.36	3.87	yes	music wire	4C
C.091.070.0112.AP	9.1	0.70	11.2	0.2572	2.87	4.59	yes	music wire	4E
C.091.070.0112.I	9.1	0.70	11.2	0.1500	3.43	3.96	yes	stainless steel	4C
C.091.070.0175.A	9.1	0.70	17.5	0.1494	3.71	6.12	yes	music wire	4E
C.091.070.0175.I	9.1	0.70	17.5	0.1300	3.64	6.34	yes	stainless steel	4F
C.091.070.0200.A	9.1	0.70	20.0	0.0878	5.04	6.08	yes	music wire	4C
C.091.070.0200.I	9.1	0.70	20.0	0.0754	5.04	6.08	yes	stainless steel	4C
C.091.070.0220.A	9.1	0.70	22.0	0.1149	4.27	7.20	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.070.0220.I	9.1	0.70	22.0	0.1000	4.20	7.49	yes	stainless steel	4F
C.091.070.0240.A	9.1	0.70	24.0	0.0990	4.69	6.82	yes	music wire	4E
C.091.070.0240.I	9.1	0.70	24.0	0.0861	4.62	7.16	yes	stainless steel	4F
C.091.070.0250.A	9.1	0.70	25.0	0.0910	4.90	6.31	yes	music wire	4E
C.091.070.0250.I	9.1	0.70	25.0	0.0792	4.90	6.68	yes	stainless steel	4F
C.091.070.0290.A	9.1	0.70	29.0	0.0910	4.90	10.31	yes	music wire	4E
C.091.070.0290.I	9.1	0.70	29.0	0.0340	9.03	11.33	yes	stainless steel	4C
C.091.070.0350.A	9.1	0.70	35.0	0.0530	7.21	8.94	yes	music wire	4C
C.091.070.0350.I	9.1	0.70	35.0	0.0450	7.28	9.03	yes	stainless steel	4C
C.091.070.0380.A	9.1	0.70	38.0	0.0655	6.16	12.04	yes	music wire	4F
C.091.070.0380.I	9.1	0.70	38.0	0.0570	6.09	12.55	yes	stainless steel	4F
C.091.070.0450.A	9.1	0.70	45.0	0.0570	6.79	15.16	yes	music wire	4F
C.091.070.0450.I	9.1	0.70	45.0	0.0490	6.79	15.40	yes	stainless steel	4F
C.091.070.0500.A	9.1	0.70	50.0	0.0338	10.29	12.99	yes	music wire	4C
C.091.070.0500.I	9.1	0.70	50.0	0.0291	10.29	12.99	yes	stainless steel	4D
C.091.070.0570.A	9.1	0.70	57.0	0.0330	10.50	13.27	yes	music wire	4C
C.091.070.0570.I	9.1	0.70	57.0	0.0280	10.64	13.45	yes	stainless steel	4D
C.091.070.0800.A	9.1	0.70	80.0	0.0208	15.61	19.99	yes	music wire	4D
C.091.070.0800.I	9.1	0.70	80.0	0.0179	15.61	19.99	yes	stainless steel	4D
C.091.070.1000.A	9.1	0.70	100.0	0.0166	19.11	24.60	yes	music wire	4D
C.091.070.1000.I	9.1	0.70	100.0	0.0143	19.11	24.60	yes	stainless steel	4D
C.091.075.0100.A	9.1	0.75	10.0	0.2407	3.60	4.09	yes	music wire	4C
C.091.075.0100.I	9.1	0.75	10.0	0.2068	3.60	4.09	yes	stainless steel	4C
C.091.075.0127.A	9.1	0.75	12.7	0.2662	3.45	4.94	yes	music wire	4E
C.091.075.0127.AF	9.1	0.75	12.7	0.2260	3.68	4.19	yes	music wire	4C
C.091.075.0127.I	9.1	0.75	12.7	0.2286	3.45	4.98	yes	stainless steel	4F
C.091.075.0127.N	9.1	0.75	12.7	0.2662	3.45	4.94	yes	Zn coating	4G
C.091.075.0127.NF	9.1	0.75	12.7	0.2260	3.68	4.19	yes	Zn coating	4E
C.091.075.0142.A	9.1	0.75	14.2	0.2000	3.98	4.58	yes	music wire	4C
C.091.075.0142.I	9.1	0.75	14.2	0.1966	3.68	5.23	yes	stainless steel	4F
C.091.075.0142.N	9.1	0.75	14.2	0.2000	3.98	4.58	yes	Zn coating	4E
C.091.075.0157.A	9.1	0.75	15.7	0.2008	3.98	5.42	yes	music wire	4E
C.091.075.0157.I	9.1	0.75	15.7	0.1725	3.98	5.47	yes	stainless steel	4F
C.091.075.0157.N	9.1	0.75	15.7	0.2008	3.98	5.42	yes	Zn coating	4G
C.091.075.0175.A	9.1	0.75	17.5	0.1580	4.50	5.25	yes	music wire	4C
C.091.075.0175.I	9.1	0.75	17.5	0.1536	4.20	6.01	yes	stainless steel	4F
C.091.075.0175.N	9.1	0.75	17.5	0.1580	4.50	5.25	yes	Zn coating	4E
C.091.075.0190.A	9.1	0.75	19.0	0.1440	4.73	5.54	yes	music wire	4C
C.091.075.0190.I	9.1	0.75	19.0	0.1385	4.43	6.26	yes	stainless steel	4F
C.091.075.0190.N	9.1	0.75	19.0	0.1440	4.73	5.54	yes	Zn coating	4E
C.091.075.0200.A	9.1	0.75	20.0	0.1107	5.63	6.70	yes	music wire	4C
C.091.075.0200.I	9.1	0.75	20.0	0.0951	5.63	6.70	yes	stainless steel	4C
C.091.075.0206.A	9.1	0.75	20.6	0.1612	4.43	7.79	yes	music wire	4E
C.091.075.0206.AF	9.1	0.75	20.6	0.1330	5.03	5.93	yes	music wire	4E
C.091.075.0206.I	9.1	0.75	20.6	0.1385	4.43	7.86	yes	stainless steel	4F
C.091.075.0206.N	9.1	0.75	20.6	0.1612	4.43	7.79	yes	Zn coating	4G
C.091.075.0206.NF	9.1	0.75	20.6	0.1330	5.03	5.93	yes	Zn coating	4G
C.091.075.0224.A	9.1	0.75	22.4	0.1467	4.73	8.33	yes	music wire	4E
C.091.075.0224.AF	9.1	0.75	22.4	0.1210	5.33	6.32	yes	music wire	4E
C.091.075.0224.I	9.1	0.75	22.4	0.1260	4.73	8.40	yes	stainless steel	4F
C.091.075.0224.N	9.1	0.75	22.4	0.1467	4.73	8.33	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.075.0224.NF	9.1	0.75	22.4	0.1210	5.33	6.32	yes	Zn coating	4H
C.091.075.0239.A	9.1	0.75	23.9	0.1347	4.95	8.56	yes	music wire	4E
C.091.075.0239.I	9.1	0.75	23.9	0.1157	4.95	8.64	yes	stainless steel	4F
C.091.075.0239.N	9.1	0.75	23.9	0.1347	4.95	8.56	yes	Zn coating	4H
C.091.075.0240.A	9.1	0.75	24.0	0.1140	5.55	6.60	yes	music wire	4E
C.091.075.0240.I	9.1	0.75	24.0	0.0992	5.48	6.51	yes	stainless steel	4F
C.091.075.0240.N	9.1	0.75	24.0	0.1140	5.55	6.60	yes	Zn coating	4H
C.091.075.0254.A	9.1	0.75	25.4	0.1069	5.78	6.90	yes	music wire	4E
C.091.075.0254.I	9.1	0.75	25.4	0.1069	5.25	8.89	yes	stainless steel	4F
C.091.075.0254.N	9.1	0.75	25.4	0.1069	5.78	6.90	yes	Zn coating	4H
C.091.075.0279.A	9.1	0.75	27.9	0.1066	5.78	8.53	yes	music wire	4E
C.091.075.0279.I	9.1	0.75	27.9	0.0927	5.70	8.88	yes	stainless steel	4F
C.091.075.0284.A	9.1	0.75	28.4	0.1080	5.70	9.27	yes	music wire	4E
C.091.075.0284.I	9.1	0.75	28.4	0.0939	5.70	9.62	yes	stainless steel	4F
C.091.075.0284.N	9.1	0.75	28.4	0.1080	5.70	9.27	yes	Zn coating	4H
C.091.075.0300.A	9.1	0.75	30.0	0.0719	7.65	9.30	yes	music wire	4C
C.091.075.0300.I	9.1	0.75	30.0	0.0618	7.65	9.30	yes	stainless steel	4C
C.091.075.0305.A	9.1	0.75	30.5	0.0942	6.30	8.57	yes	music wire	4F
C.091.075.0305.I	9.1	0.75	30.5	0.0819	6.23	8.96	yes	stainless steel	4F
C.091.075.0318.A	9.1	0.75	31.8	0.0954	6.23	10.15	yes	music wire	4F
C.091.075.0318.I	9.1	0.75	31.8	0.0830	6.15	10.54	yes	stainless steel	4F
C.091.075.0318.N	9.1	0.75	31.8	0.0954	6.23	10.15	yes	Zn coating	4H
C.091.075.0351.A	9.1	0.75	35.1	0.0854	6.75	10.92	yes	music wire	4F
C.091.075.0351.I	9.1	0.75	35.1	0.0743	6.68	11.36	yes	stainless steel	4F
C.091.075.0351.N	9.1	0.75	35.1	0.0854	6.75	10.92	yes	Zn coating	4H
C.091.075.0356.A	9.1	0.75	35.6	0.0843	6.83	11.11	yes	music wire	4F
C.091.075.0356.I	9.1	0.75	35.6	0.0734	6.75	11.55	yes	stainless steel	4F
C.091.075.0380.A	9.1	0.75	38.0	0.0700	7.80	9.49	yes	music wire	4F
C.091.075.0380.I	9.1	0.75	38.0	0.0609	7.73	9.40	yes	stainless steel	4F
C.091.075.0380.N	9.1	0.75	38.0	0.0700	7.80	9.49	yes	Zn coating	4H
C.091.075.0381.A	9.1	0.75	38.1	0.0812	6.98	12.66	yes	music wire	4F
C.091.075.0381.I	9.1	0.75	38.1	0.0697	6.98	12.79	yes	stainless steel	4F
C.091.075.0381.N	9.1	0.75	38.1	0.0812	6.98	12.66	yes	Zn coating	4H
C.091.075.0400.A	9.1	0.75	40.0	0.0532	9.68	11.91	yes	music wire	4C
C.091.075.0400.I	9.1	0.75	40.0	0.0457	9.68	11.91	yes	stainless steel	4D
C.091.075.0444.A	9.1	0.75	44.4	0.0677	8.03	13.90	yes	music wire	4F
C.091.075.0444.I	9.1	0.75	44.4	0.0589	7.95	14.45	yes	stainless steel	4F
C.091.075.0444.N	9.1	0.75	44.4	0.0677	8.03	13.90	yes	Zn coating	4H
C.091.075.0457.A	9.1	0.75	45.7	0.0669	8.10	14.81	yes	music wire	4F
C.091.075.0457.I	9.1	0.75	45.7	0.0582	8.03	15.36	yes	stainless steel	4F
C.091.075.0500.A	9.1	0.75	50.0	0.0423	11.70	14.51	yes	music wire	4C
C.091.075.0500.I	9.1	0.75	50.0	0.0363	11.70	14.51	yes	stainless steel	4D
C.091.075.0508.A	9.1	0.75	50.8	0.0602	8.78	16.51	yes	music wire	4F
C.091.075.0508.I	9.1	0.75	50.8	0.0517	8.78	16.69	yes	stainless steel	4G
C.091.075.0508.N	9.1	0.75	50.8	0.0602	8.78	16.51	yes	Zn coating	4H
C.091.075.0510.A	9.1	0.75	51.0	0.0510	10.05	12.39	yes	music wire	4F
C.091.075.0510.I	9.1	0.75	51.0	0.0444	9.90	12.19	yes	stainless steel	4G
C.091.075.0510.N	9.1	0.75	51.0	0.0510	10.05	12.39	yes	Zn coating	4H
C.091.075.0600.A	9.1	0.75	60.0	0.0353	13.65	17.02	yes	music wire	4C
C.091.075.0600.I	9.1	0.75	60.0	0.0303	13.65	17.02	yes	stainless steel	4D
C.091.080.0064.A	9.1	0.80	6.4	0.7500	2.80	3.10	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.080.0064.I	9.1	0.80	6.4	0.6525	2.80	3.15	yes	stainless steel	4F
C.091.080.0097.A	9.1	0.80	9.7	0.4340	3.36	4.00	yes	music wire	4E
C.091.080.0097.I	9.1	0.80	9.7	0.3556	3.44	3.82	yes	stainless steel	4F
C.091.080.0097.N	9.1	0.80	9.7	0.4340	3.36	4.00	yes	Zn coating	4G
C.091.080.0100.A	9.1	0.80	10.0	0.3041	3.92	4.42	yes	music wire	4C
C.091.080.0100.I	9.1	0.80	10.0	0.2612	3.92	4.42	yes	stainless steel	4C
C.091.080.0103.A	9.1	0.80	10.3	0.1379	6.24	7.35	yes	music wire	4C
C.091.080.0103.AP	9.1	0.80	10.3	0.4553	3.28	4.86	yes	music wire	4E
C.091.080.0103.I	9.1	0.80	10.3	0.1200	6.16	7.25	yes	stainless steel	4C
C.091.080.0111.A	9.1	0.80	11.1	0.1092	7.36	8.76	yes	music wire	4C
C.091.080.0111.AP	9.1	0.80	11.1	0.4047	3.44	4.98	yes	music wire	4E
C.091.080.0111.I	9.1	0.80	11.1	0.0950	7.28	8.66	yes	stainless steel	4C
C.091.080.0112.A	9.1	0.80	11.2	0.3640	3.60	4.40	yes	music wire	4E
C.091.080.0112.I	9.1	0.80	11.2	0.3014	3.68	4.17	yes	stainless steel	4F
C.091.080.0112.N	9.1	0.80	11.2	0.3640	3.60	4.40	yes	Zn coating	4G
C.091.080.0127.A	9.1	0.80	12.7	0.3130	3.84	4.79	yes	music wire	4E
C.091.080.0127.I	9.1	0.80	12.7	0.3014	3.68	5.67	yes	stainless steel	4F
C.091.080.0127.N	9.1	0.80	12.7	0.3130	3.84	4.79	yes	Zn coating	4G
C.091.080.0142.A	9.1	0.80	14.2	0.2850	4.08	5.51	yes	music wire	4E
C.091.080.0142.I	9.1	0.80	14.2	0.2614	3.92	6.10	yes	stainless steel	4F
C.091.080.0142.N	9.1	0.80	14.2	0.2850	4.08	5.51	yes	Zn coating	4G
C.091.080.0157.A	9.1	0.80	15.7	0.3044	3.92	7.57	yes	music wire	4H
C.091.080.0157.I	9.1	0.80	15.7	0.2614	3.92	7.60	yes	stainless steel	4I
C.091.080.0157.N	9.1	0.80	15.7	0.3044	3.92	7.57	yes	Zn coating	4I
C.091.080.0160.A	9.1	0.80	16.0	0.2610	4.24	6.51	yes	music wire	4E
C.091.080.0160.I	9.1	0.80	16.0	0.2271	4.24	6.67	yes	stainless steel	4F
C.091.080.0160.N	9.1	0.80	16.0	0.2610	4.24	6.51	yes	Zn coating	4G
C.091.080.0175.A	9.1	0.80	17.5	0.2240	4.64	6.45	yes	music wire	4E
C.091.080.0175.I	9.1	0.80	17.5	0.2067	4.40	7.25	yes	stainless steel	4F
C.091.080.0175.N	9.1	0.80	17.5	0.2240	4.64	6.45	yes	Zn coating	4G
C.091.080.0190.A	9.1	0.80	19.0	0.2080	4.80	7.10	yes	music wire	4E
C.091.080.0190.I	9.1	0.80	19.0	0.1871	4.64	7.68	yes	stainless steel	4F
C.091.080.0190.N	9.1	0.80	19.0	0.2080	4.80	7.10	yes	Zn coating	4H
C.091.080.0200.A	9.1	0.80	20.0	0.1377	6.24	7.35	yes	music wire	4C
C.091.080.0200.I	9.1	0.80	20.0	0.1183	6.24	7.35	yes	stainless steel	4C
C.091.080.0206.A	9.1	0.80	20.6	0.1960	4.96	7.97	yes	music wire	4E
C.091.080.0206.I	9.1	0.80	20.6	0.1709	4.96	8.21	yes	stainless steel	4F
C.091.080.0206.N	9.1	0.80	20.6	0.1960	4.96	7.97	yes	Zn coating	4H
C.091.080.0220.A	9.1	0.80	22.0	0.1746	5.36	7.82	yes	music wire	4E
C.091.080.0220.I	9.1	0.80	22.0	0.1519	5.28	8.05	yes	stainless steel	4F
C.091.080.0224.A	9.1	0.80	22.4	0.1808	5.20	8.71	yes	music wire	4E
C.091.080.0224.I	9.1	0.80	22.4	0.1573	5.20	8.93	yes	stainless steel	4F
C.091.080.0239.A	9.1	0.80	23.9	0.1696	5.44	9.30	yes	music wire	4E
C.091.080.0239.I	9.1	0.80	23.9	0.1457	5.44	9.36	yes	stainless steel	4F
C.091.080.0239.N	9.1	0.80	23.9	0.1696	5.44	9.30	yes	Zn coating	4H
C.091.080.0240.A	9.1	0.80	24.0	0.1115	7.20	8.56	yes	music wire	4C
C.091.080.0240.AP	9.1	0.80	24.0	0.1777	5.28	10.07	yes	music wire	4E
C.091.080.0240.I	9.1	0.80	24.0	0.0970	7.20	8.56	yes	stainless steel	4C
C.091.080.0254.A	9.1	0.80	25.4	0.1490	5.92	8.78	yes	music wire	4E
C.091.080.0254.I	9.1	0.80	25.4	0.1270	5.92	8.71	yes	stainless steel	4F
C.091.080.0254.N	9.1	0.80	25.4	0.1490	5.92	8.78	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.080.0279.A	9.1	0.80	27.9	0.1293	6.48	8.75	yes	music wire	4F
C.091.080.0279.I	9.1	0.80	27.9	0.1125	6.48	9.07	yes	stainless steel	4F
C.091.080.0280.A	9.1	0.80	28.0	0.1609	5.60	12.62	yes	music wire	4H
C.091.080.0280.I	9.1	0.80	28.0	0.1400	5.60	12.87	yes	stainless steel	4I
C.091.080.0284.A	9.1	0.80	28.4	0.1310	6.48	9.50	yes	music wire	4F
C.091.080.0284.I	9.1	0.80	28.4	0.1139	6.40	9.81	yes	stainless steel	4F
C.091.080.0284.N	9.1	0.80	28.4	0.1310	6.48	9.50	yes	Zn coating	4H
C.091.080.0290.A	9.1	0.80	29.0	0.1264	6.64	9.42	yes	music wire	4F
C.091.080.0290.I	9.1	0.80	29.0	0.1100	6.56	9.74	yes	stainless steel	4F
C.091.080.0300.A	9.1	0.80	30.0	0.0901	8.48	10.17	yes	music wire	4C
C.091.080.0300.I	9.1	0.80	30.0	0.0774	8.48	10.17	yes	stainless steel	4C
C.091.080.0305.A	9.1	0.80	30.5	0.1104	7.28	8.66	yes	music wire	4F
C.091.080.0305.I	9.1	0.80	30.5	0.0961	7.20	8.56	yes	stainless steel	4F
C.091.080.0320.A	9.1	0.80	32.0	0.1160	7.04	10.66	yes	music wire	4F
C.091.080.0320.I	9.1	0.80	32.0	0.1009	6.96	11.01	yes	stainless steel	4F
C.091.080.0320.N	9.1	0.80	32.0	0.1160	7.04	10.66	yes	Zn coating	4H
C.091.080.0350.A	9.1	0.80	35.0	0.1050	7.60	11.42	yes	music wire	4F
C.091.080.0350.I	9.1	0.80	35.0	0.0914	7.52	11.81	yes	stainless steel	4F
C.091.080.0350.N	9.1	0.80	35.0	0.1050	7.60	11.42	yes	Zn coating	4H
C.091.080.0356.A	9.1	0.80	35.6	0.1006	7.84	11.00	yes	music wire	4F
C.091.080.0356.I	9.1	0.80	35.6	0.0875	7.76	11.40	yes	stainless steel	4F
C.091.080.0381.A	9.1	0.80	38.1	0.0936	8.24	11.66	yes	music wire	4F
C.091.080.0381.I	9.1	0.80	38.1	0.0804	8.24	11.76	yes	stainless steel	4F
C.091.080.0381.N	9.1	0.80	38.1	0.0936	8.24	11.66	yes	Zn coating	4H
C.091.080.0400.A	9.1	0.80	40.0	0.0663	10.80	13.10	yes	music wire	4C
C.091.080.0400.I	9.1	0.80	40.0	0.0570	10.80	13.10	yes	stainless steel	4D
C.091.080.0410.A	9.1	0.80	41.0	0.0713	10.16	12.29	yes	music wire	4C
C.091.080.0410.AP	9.1	0.80	41.0	0.1012	7.76	16.53	yes	music wire	4F
C.091.080.0410.I	9.1	0.80	41.0	0.0620	10.08	12.19	yes	stainless steel	4D
C.091.080.0430.A	9.1	0.80	43.0	0.0471	14.40	17.64	yes	music wire	4C
C.091.080.0430.AP	9.1	0.80	43.0	0.0971	8.00	17.51	yes	music wire	4F
C.091.080.0430.I	9.1	0.80	43.0	0.0410	14.24	17.44	yes	stainless steel	4D
C.091.080.0444.A	9.1	0.80	44.4	0.0778	9.52	12.57	yes	music wire	4F
C.091.080.0444.I	9.1	0.80	44.4	0.0677	9.44	13.10	yes	stainless steel	4F
C.091.080.0444.N	9.1	0.80	44.4	0.0778	9.52	12.57	yes	Zn coating	4H
C.091.080.0457.A	9.1	0.80	45.7	0.0768	9.60	13.46	yes	music wire	4F
C.091.080.0457.I	9.1	0.80	45.7	0.0668	9.52	13.99	yes	stainless steel	4F
C.091.080.0500.A	9.1	0.80	50.0	0.0529	13.04	15.93	yes	music wire	4C
C.091.080.0500.I	9.1	0.80	50.0	0.0454	13.04	15.93	yes	stainless steel	4D
C.091.080.0508.A	9.1	0.80	50.8	0.0685	10.56	14.66	yes	music wire	4F
C.091.080.0508.I	9.1	0.80	50.8	0.0588	10.56	14.80	yes	stainless steel	4G
C.091.080.0508.N	9.1	0.80	50.8	0.0685	10.56	14.66	yes	Zn coating	4H
C.091.080.0559.A	9.1	0.80	55.9	0.0621	11.44	16.02	yes	music wire	4F
C.091.080.0559.I	9.1	0.80	55.9	0.0540	11.28	16.68	yes	stainless steel	4G
C.091.080.0572.A	9.1	0.80	57.2	0.0629	11.28	17.83	yes	music wire	4F
C.091.080.0572.I	9.1	0.80	57.2	0.0547	11.20	18.48	yes	stainless steel	4G
C.091.080.0572.N	9.1	0.80	57.2	0.0629	11.28	17.83	yes	Zn coating	4H
C.091.080.0600.A	9.1	0.80	60.0	0.0437	15.36	18.85	yes	music wire	4C
C.091.080.0600.I	9.1	0.80	60.0	0.0375	15.36	18.85	yes	stainless steel	4D
C.091.080.0635.A	9.1	0.80	63.5	0.0600	11.76	22.24	yes	music wire	4F
C.091.080.0635.I	9.1	0.80	63.5	0.0487	12.32	19.98	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.091.080.0635.N	9.1	0.80	63.5	0.0600	11.76	22.24	yes	Zn coating	4I
C.091.080.0700.A	9.1	0.80	70.0	0.0410	16.24	19.96	yes	music wire	4D
C.091.080.0700.AP	9.1	0.80	70.0	0.0587	11.92	27.86	yes	music wire	4F
C.091.080.0700.I	9.1	0.80	70.0	0.0357	16.08	19.76	yes	stainless steel	4D
C.091.080.0700.N	9.1	0.80	70.0	0.0410	16.24	19.96	yes	Zn coating	4E
C.091.080.0800.A	9.1	0.80	80.0	0.0326	19.92	24.61	yes	music wire	4D
C.091.080.0800.I	9.1	0.80	80.0	0.0280	19.92	24.61	yes	stainless steel	4D
C.091.080.0900.A	9.1	0.80	90.0	0.0330	19.68	24.30	yes	music wire	4D
C.091.080.0900.I	9.1	0.80	90.0	0.0287	19.44	24.00	yes	stainless steel	4D
C.091.080.0900.N	9.1	0.80	90.0	0.0330	19.68	24.30	yes	Zn coating	4F
C.091.080.1000.A	9.1	0.80	100.0	0.0260	24.48	30.36	yes	music wire	4D
C.091.080.1000.I	9.1	0.80	100.0	0.0223	24.48	30.36	yes	stainless steel	4E
C.091.080.1200.A	9.1	0.80	120.0	0.0216	29.04	36.11	yes	music wire	4D
C.091.080.1200.I	9.1	0.80	120.0	0.0185	29.04	36.11	yes	stainless steel	4E
C.091.080.1300.A	9.1	0.80	130.0	0.0199	31.28	38.94	yes	music wire	4D
C.091.080.1300.I	9.1	0.80	130.0	0.0171	31.28	38.94	yes	stainless steel	4E
C.091.080.1400.A	9.1	0.80	140.0	0.0185	33.60	41.86	yes	music wire	4E
C.091.080.1400.I	9.1	0.80	140.0	0.0159	33.60	41.86	yes	stainless steel	4E
C.091.080.1500.A	9.1	0.80	150.0	0.0173	35.84	44.69	yes	music wire	4E
C.091.080.1500.I	9.1	0.80	150.0	0.0148	35.84	44.69	yes	stainless steel	4E
C.091.080.1600.A	9.1	0.80	160.0	0.0161	38.16	47.61	yes	music wire	4E
C.091.080.1600.I	9.1	0.80	160.0	0.0139	38.16	47.61	yes	stainless steel	4E
C.091.080.1800.A	9.1	0.80	180.0	0.0143	42.72	53.37	yes	music wire	4E
C.091.080.1800.I	9.1	0.80	180.0	0.0123	42.72	53.37	yes	stainless steel	4E
C.091.090.0112.A	9.1	0.90	11.2	0.4970	4.41	4.89	yes	music wire	4C
C.091.090.0112.I	9.1	0.90	11.2	0.5000	4.14	5.29	yes	stainless steel	4F
C.091.090.0112.N	9.1	0.90	11.2	0.4970	4.41	4.89	yes	Zn coating	4E
C.091.090.0127.A	9.1	0.90	12.7	0.4526	4.68	5.23	yes	music wire	4E
C.091.090.0127.I	9.1	0.90	12.7	0.3937	4.59	5.19	yes	stainless steel	4F
C.091.090.0142.A	9.1	0.90	14.2	0.3750	5.13	5.78	yes	music wire	4C
C.091.090.0142.I	9.1	0.90	14.2	0.3558	4.86	5.89	yes	stainless steel	4F
C.091.090.0142.N	9.1	0.90	14.2	0.3750	5.13	5.78	yes	Zn coating	4E
C.091.090.0157.A	9.1	0.90	15.7	0.3778	5.13	6.59	yes	music wire	4E
C.091.090.0157.I	9.1	0.90	15.7	0.3245	5.13	6.59	yes	stainless steel	4F
C.091.090.0157.N	9.1	0.90	15.7	0.3778	5.13	6.59	yes	Zn coating	4H
C.091.090.0175.A	9.1	0.90	17.5	0.2960	5.94	6.77	yes	music wire	4C
C.091.090.0175.I	9.1	0.90	17.5	0.2982	5.40	7.59	yes	stainless steel	4F
C.091.090.0175.N	9.1	0.90	17.5	0.2960	5.94	6.77	yes	Zn coating	4E
C.091.090.0190.A	9.1	0.90	19.0	0.2700	6.30	7.21	yes	music wire	4C
C.091.090.0190.I	9.1	0.90	19.0	0.2567	5.94	7.49	yes	stainless steel	4F
C.091.090.0190.N	9.1	0.90	19.0	0.2700	6.30	7.21	yes	Zn coating	4E
C.091.090.0200.A	9.1	0.90	20.0	0.2090	7.47	8.64	yes	music wire	4C
C.091.090.0200.I	9.1	0.90	20.0	0.1795	7.47	8.64	yes	stainless steel	4C
C.091.090.0206.A	9.1	0.90	20.6	0.2759	6.21	8.12	yes	music wire	4F
C.091.090.0206.I	9.1	0.90	20.6	0.2400	6.12	8.29	yes	stainless steel	4F
C.091.090.0224.A	9.1	0.90	22.4	0.2280	7.02	8.09	yes	music wire	4F
C.091.090.0224.I	9.1	0.90	22.4	0.2124	6.66	8.49	yes	stainless steel	4F
C.091.090.0224.N	9.1	0.90	22.4	0.2280	7.02	8.09	yes	Zn coating	4H
C.091.090.0239.A	9.1	0.90	23.9	0.2338	6.93	9.17	yes	music wire	4F
C.091.090.0239.I	9.1	0.90	23.9	0.2008	6.93	9.19	yes	stainless steel	4F
C.091.090.0239.N	9.1	0.90	23.9	0.2338	6.93	9.17	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.090.0254.A	9.1	0.90	25.4	0.2189	7.20	9.67	yes	music wire	4F
C.091.090.0254.I	9.1	0.90	25.4	0.1905	7.20	9.88	yes	stainless steel	4F
C.091.090.0279.A	9.1	0.90	27.9	0.1896	8.01	9.74	yes	music wire	4F
C.091.090.0279.I	9.1	0.90	27.9	0.1649	7.92	9.98	yes	stainless steel	4F
C.091.090.0284.A	9.1	0.90	28.4	0.1920	7.92	10.47	yes	music wire	4F
C.091.090.0284.I	9.1	0.90	28.4	0.1671	7.83	10.71	yes	stainless steel	4F
C.091.090.0284.N	9.1	0.90	28.4	0.1920	7.92	10.47	yes	Zn coating	4H
C.091.090.0290.A	9.1	0.90	29.0	0.1724	8.55	9.96	yes	music wire	4F
C.091.090.0290.I	9.1	0.90	29.0	0.1500	8.46	9.85	yes	stainless steel	4F
C.091.090.0305.A	9.1	0.90	30.5	0.1740	8.55	10.71	yes	music wire	4F
C.091.090.0305.I	9.1	0.90	30.5	0.1514	8.46	10.98	yes	stainless steel	4F
C.091.090.0318.A	9.1	0.90	31.8	0.1763	8.46	12.26	yes	music wire	4F
C.091.090.0318.I	9.1	0.90	31.8	0.1533	8.37	12.53	yes	stainless steel	4F
C.091.090.0318.N	9.1	0.90	31.8	0.1763	8.46	12.26	yes	Zn coating	4H
C.091.090.0351.A	9.1	0.90	35.1	0.1569	9.18	13.16	yes	music wire	4F
C.091.090.0351.I	9.1	0.90	35.1	0.1365	9.09	13.46	yes	stainless steel	4F
C.091.090.0351.N	9.1	0.90	35.1	0.1569	9.18	13.16	yes	Zn coating	4H
C.091.090.0356.A	9.1	0.90	35.6	0.1549	9.27	13.37	yes	music wire	4F
C.091.090.0356.I	9.1	0.90	35.6	0.1348	9.18	13.68	yes	stainless steel	4F
C.091.090.0381.A	9.1	0.90	38.1	0.1463	9.72	14.56	yes	music wire	4F
C.091.090.0381.I	9.1	0.90	38.1	0.1256	9.72	14.57	yes	stainless steel	4F
C.091.090.0381.N	9.1	0.90	38.1	0.1463	9.72	14.56	yes	Zn coating	4H
C.091.090.0400.A	9.1	0.90	40.0	0.1002	13.14	15.59	yes	music wire	4C
C.091.090.0400.I	9.1	0.90	40.0	0.0861	13.14	15.59	yes	stainless steel	4D
C.091.090.0444.A	9.1	0.90	44.4	0.1214	11.25	16.05	yes	music wire	4F
C.091.090.0444.I	9.1	0.90	44.4	0.1057	11.16	16.43	yes	stainless steel	4G
C.091.090.0444.N	9.1	0.90	44.4	0.1214	11.25	16.05	yes	Zn coating	4H
C.091.090.0457.A	9.1	0.90	45.7	0.1199	11.34	16.98	yes	music wire	4F
C.091.090.0457.I	9.1	0.90	45.7	0.1043	11.25	17.37	yes	stainless steel	4G
C.091.090.0508.A	9.1	0.90	50.8	0.1064	12.51	18.44	yes	music wire	4F
C.091.090.0508.I	9.1	0.90	50.8	0.0914	12.51	18.47	yes	stainless steel	4G
C.091.090.0508.N	9.1	0.90	50.8	0.1064	12.51	18.44	yes	Zn coating	4H
C.091.090.0559.A	9.1	0.90	55.9	0.0935	13.95	19.06	yes	music wire	4F
C.091.090.0559.I	9.1	0.90	55.9	0.0813	13.77	19.56	yes	stainless steel	4G
C.091.090.0570.A	9.1	0.90	57.0	0.0820	15.57	18.56	yes	music wire	4C
C.091.090.0570.I	9.1	0.90	57.0	0.0700	15.66	18.67	yes	stainless steel	4D
C.091.090.0572.A	9.1	0.90	57.2	0.0947	13.77	20.83	yes	music wire	4F
C.091.090.0572.I	9.1	0.90	57.2	0.0824	13.59	21.33	yes	stainless steel	4G
C.091.090.0572.N	9.1	0.90	57.2	0.0947	13.77	20.83	yes	Zn coating	4I
C.091.090.0600.A	9.1	0.90	60.0	0.0659	18.81	22.53	yes	music wire	4C
C.091.090.0600.I	9.1	0.90	60.0	0.0566	18.81	22.53	yes	stainless steel	4D
C.091.090.0635.A	9.1	0.90	63.5	0.0842	15.21	22.60	yes	music wire	4F
C.091.090.0635.I	9.1	0.90	63.5	0.0732	15.03	23.15	yes	stainless steel	4G
C.091.090.0800.A	9.1	0.90	80.0	0.0491	24.48	29.47	yes	music wire	4D
C.091.090.0800.I	9.1	0.90	80.0	0.0422	24.48	29.47	yes	stainless steel	4D
C.091.090.1000.A	9.1	0.90	100.0	0.0391	30.15	36.41	yes	music wire	4D
C.091.090.1000.I	9.1	0.90	100.0	0.0336	30.15	36.41	yes	stainless steel	4E
C.091.090.1200.A	9.1	0.90	120.0	0.0325	35.82	43.36	yes	music wire	4D
C.091.090.1200.I	9.1	0.90	120.0	0.0279	35.82	43.36	yes	stainless steel	4E
C.091.090.1600.A	9.1	0.90	160.0	0.0242	47.25	57.35	yes	music wire	4E
C.091.090.1600.I	9.1	0.90	160.0	0.0208	47.25	57.35	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.091.090.2000.A	9.1	0.90	200.0	0.0194	58.59	71.24	yes	music wire	4E
C.091.090.2000.I	9.1	0.90	200.0	0.0166	58.59	71.24	yes	stainless steel	4E
C.091.095.0112.A	9.1	0.95	11.2	0.6550	4.56	5.09	yes	music wire	4E
C.091.095.0112.I	9.1	0.95	11.2	0.5699	4.56	5.16	yes	stainless steel	4F
C.091.095.0112.N	9.1	0.95	11.2	0.6550	4.56	5.09	yes	Zn coating	4G
C.091.095.0127.A	9.1	0.95	12.7	0.5970	4.85	5.99	yes	music wire	4E
C.091.095.0127.I	9.1	0.95	12.7	0.5194	4.75	6.07	yes	stainless steel	4F
C.091.095.0127.N	9.1	0.95	12.7	0.5970	4.85	5.99	yes	Zn coating	4H
C.091.095.0142.A	9.1	0.95	14.2	0.5040	5.23	6.25	yes	music wire	4E
C.091.095.0142.I	9.1	0.95	14.2	0.4385	5.23	6.35	yes	stainless steel	4F
C.091.095.0142.N	9.1	0.95	14.2	0.5040	5.23	6.25	yes	Zn coating	4H
C.091.095.0160.A	9.1	0.95	16.0	0.4360	5.70	6.82	yes	music wire	4E
C.091.095.0160.I	9.1	0.95	16.0	0.3793	5.70	6.93	yes	stainless steel	4F
C.091.095.0160.N	9.1	0.95	16.0	0.4360	5.70	6.82	yes	Zn coating	4H
C.091.095.0175.A	9.1	0.95	17.5	0.3870	6.18	7.15	yes	music wire	4E
C.091.095.0175.I	9.1	0.95	17.5	0.3367	6.08	7.28	yes	stainless steel	4F
C.091.095.0175.N	9.1	0.95	17.5	0.3870	6.18	7.15	yes	Zn coating	4H
C.091.095.0190.A	9.1	0.95	19.0	0.3640	6.37	8.00	yes	music wire	4E
C.091.095.0190.I	9.1	0.95	19.0	0.3167	6.37	8.13	yes	stainless steel	4F
C.091.095.0190.N	9.1	0.95	19.0	0.3640	6.37	8.00	yes	Zn coating	4H
C.091.095.0200.A	9.1	0.95	20.0	0.2555	8.08	9.28	yes	music wire	4C
C.091.095.0200.I	9.1	0.95	20.0	0.2194	8.08	9.28	yes	stainless steel	4C
C.091.095.0206.A	9.1	0.95	20.6	0.3270	6.84	8.35	yes	music wire	4F
C.091.095.0206.I	9.1	0.95	20.6	0.2845	6.75	8.50	yes	stainless steel	4F
C.091.095.0206.N	9.1	0.95	20.6	0.3270	6.84	8.35	yes	Zn coating	4H
C.091.095.0224.A	9.1	0.95	22.4	0.2980	7.22	8.96	yes	music wire	4F
C.091.095.0224.I	9.1	0.95	22.4	0.2593	7.22	9.13	yes	stainless steel	4F
C.091.095.0224.N	9.1	0.95	22.4	0.2980	7.22	8.96	yes	Zn coating	4H
C.091.095.0240.A	9.1	0.95	24.0	0.2730	7.70	9.33	yes	music wire	4F
C.091.095.0240.I	9.1	0.95	24.0	0.2375	7.60	9.51	yes	stainless steel	4F
C.091.095.0240.N	9.1	0.95	24.0	0.2730	7.70	9.33	yes	Zn coating	4H
C.091.095.0254.A	9.1	0.95	25.4	0.2630	7.89	10.17	yes	music wire	4F
C.091.095.0254.I	9.1	0.95	25.4	0.2288	7.89	10.36	yes	stainless steel	4F
C.091.095.0254.N	9.1	0.95	25.4	0.2630	7.89	10.17	yes	Zn coating	4H
C.091.095.0285.A	9.1	0.95	28.5	0.2260	8.84	10.78	yes	music wire	4F
C.091.095.0285.I	9.1	0.95	28.5	0.1966	8.74	11.00	yes	stainless steel	4F
C.091.095.0285.N	9.1	0.95	28.5	0.2260	8.84	10.78	yes	Zn coating	4H
C.091.095.0320.A	9.1	0.95	32.0	0.2050	9.50	12.47	yes	music wire	4F
C.091.095.0320.I	9.1	0.95	32.0	0.1784	9.41	12.70	yes	stainless steel	4F
C.091.095.0320.N	9.1	0.95	32.0	0.2050	9.50	12.47	yes	Zn coating	4H
C.091.095.0350.A	9.1	0.95	35.0	0.1820	10.36	13.00	yes	music wire	4F
C.091.095.0350.I	9.1	0.95	35.0	0.1583	10.26	13.27	yes	stainless steel	4F
C.091.095.0350.N	9.1	0.95	35.0	0.1820	10.36	13.00	yes	Zn coating	4H
C.091.095.0380.A	9.1	0.95	38.0	0.1680	11.02	14.16	yes	music wire	4F
C.091.095.0380.I	9.1	0.95	38.0	0.1462	10.93	14.45	yes	stainless steel	4F
C.091.095.0380.N	9.1	0.95	38.0	0.1680	11.02	14.16	yes	Zn coating	4H
C.091.095.0400.A	9.1	0.95	40.0	0.1217	14.35	16.87	yes	music wire	4C
C.091.095.0400.I	9.1	0.95	40.0	0.1045	14.35	16.87	yes	stainless steel	4D
C.091.095.0445.A	9.1	0.95	44.5	0.1450	12.45	16.88	yes	music wire	4F
C.091.095.0445.I	9.1	0.95	44.5	0.1262	12.26	17.22	yes	stainless steel	4G
C.091.095.0445.N	9.1	0.95	44.5	0.1450	12.45	16.88	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.091.095.0510.A	9.1	0.95	51.0	0.1260	13.97	19.22	yes	music wire	4F
C.091.095.0510.I	9.1	0.95	51.0	0.1096	13.78	19.61	yes	stainless steel	4G
C.091.095.0510.N	9.1	0.95	51.0	0.1260	13.97	19.22	yes	Zn coating	4I
C.091.095.0570.A	9.1	0.95	57.0	0.1120	15.39	21.24	yes	music wire	4F
C.091.095.0570.I	9.1	0.95	57.0	0.0974	15.20	21.68	yes	stainless steel	4G
C.091.095.0570.N	9.1	0.95	57.0	0.1120	15.39	21.24	yes	Zn coating	4I
C.091.095.0600.A	9.1	0.95	60.0	0.0798	20.62	24.46	yes	music wire	4C
C.091.095.0600.I	9.1	0.95	60.0	0.0686	20.62	24.46	yes	stainless steel	4D
C.091.095.0635.A	9.1	0.95	63.5	0.1000	16.91	23.45	yes	music wire	4F
C.091.095.0635.I	9.1	0.95	63.5	0.0870	16.72	23.94	yes	stainless steel	4G
C.091.095.0635.N	9.1	0.95	63.5	0.1000	16.91	23.45	yes	Zn coating	4I
C.091.100.0064.A	9.1	1.00	6.4	1.9540	3.50	4.04	yes	music wire	4E
C.091.100.0064.I	9.1	1.00	6.4	1.7000	3.50	4.06	yes	stainless steel	4F
C.091.100.0112.A	9.1	1.00	11.2	0.5343	6.10	6.81	yes	music wire	4C
C.091.100.0112.AF	9.1	1.00	11.2	0.5340	6.10	6.81	yes	music wire	4C
C.091.100.0112.AP	9.1	1.00	11.2	0.8713	4.70	5.90	yes	music wire	4E
C.091.100.0112.I	9.1	1.00	11.2	0.5828	5.30	5.86	yes	stainless steel	4C
C.091.100.0112.IF	9.1	1.00	11.2	0.4589	6.10	6.81	yes	stainless steel	4C
C.091.100.0112.N	9.1	1.00	11.2	0.5343	6.10	6.81	yes	Zn coating	4E
C.091.100.0112.NF	9.1	1.00	11.2	0.5340	6.10	6.81	yes	Zn coating	4E
C.091.100.0127.A	9.1	1.00	12.7	0.5000	6.30	7.05	yes	music wire	4C
C.091.100.0127.AP	9.1	1.00	12.7	0.7668	5.00	6.67	yes	music wire	4E
C.091.100.0127.I	9.1	1.00	12.7	0.4285	6.30	7.05	yes	stainless steel	4C
C.091.100.0127.IF	9.1	1.00	12.7	0.4290	6.30	7.05	yes	stainless steel	4C
C.091.100.0127.N	9.1	1.00	12.7	0.5000	6.30	7.05	yes	Zn coating	4E
C.091.100.0142.A	9.1	1.00	14.2	0.4407	6.80	7.65	yes	music wire	4C
C.091.100.0142.AF	9.1	1.00	14.2	0.4410	6.80	7.65	yes	music wire	4C
C.091.100.0142.AP	9.1	1.00	14.2	0.6610	5.40	7.21	yes	music wire	4F
C.091.100.0142.I	9.1	1.00	14.2	0.4589	6.10	6.81	yes	stainless steel	4C
C.091.100.0142.IF	9.1	1.00	14.2	0.3785	6.80	7.65	yes	stainless steel	4C
C.091.100.0142.N	9.1	1.00	14.2	0.4407	6.80	7.65	yes	Zn coating	4E
C.091.100.0142.NF	9.1	1.00	14.2	0.4410	6.80	7.65	yes	Zn coating	4E
C.091.100.0157.A	9.1	1.00	15.7	0.3946	7.40	8.37	yes	music wire	4C
C.091.100.0157.AF	9.1	1.00	15.7	0.3950	7.40	8.37	yes	music wire	4C
C.091.100.0157.AP	9.1	1.00	15.7	0.5990	5.70	7.99	yes	music wire	4F
C.091.100.0157.I	9.1	1.00	15.7	0.3389	7.40	8.37	yes	stainless steel	4C
C.091.100.0157.IF	9.1	1.00	15.7	0.3390	7.40	8.37	yes	stainless steel	4C
C.091.100.0157.N	9.1	1.00	15.7	0.3946	7.40	8.37	yes	Zn coating	4E
C.091.100.0157.NF	9.1	1.00	15.7	0.3950	7.40	8.37	yes	Zn coating	4E
C.091.100.0160.A	9.1	1.00	16.0	0.5380	6.10	7.41	yes	music wire	4F
C.091.100.0160.I	9.1	1.00	16.0	0.4681	6.00	7.51	yes	stainless steel	4F
C.091.100.0160.N	9.1	1.00	16.0	0.5380	6.10	7.41	yes	Zn coating	4H
C.091.100.0200.A	9.1	1.00	20.0	0.3092	8.70	9.93	yes	music wire	4C
C.091.100.0200.I	9.1	1.00	20.0	0.2656	8.70	9.93	yes	stainless steel	4C
C.091.100.0206.A	9.1	1.00	20.6	0.3128	8.60	9.81	yes	music wire	4C
C.091.100.0206.AF	9.1	1.00	20.6	0.3130	8.60	9.81	yes	music wire	4C
C.091.100.0206.AP	9.1	1.00	20.6	0.4458	6.80	10.24	yes	music wire	4F
C.091.100.0206.I	9.1	1.00	20.6	0.2687	8.60	9.81	yes	stainless steel	4C
C.091.100.0206.IF	9.1	1.00	20.6	0.2690	8.60	9.81	yes	stainless steel	4C
C.091.100.0206.N	9.1	1.00	20.6	0.3128	8.60	9.81	yes	Zn coating	4E
C.091.100.0206.NF	9.1	1.00	20.6	0.3130	8.60	9.81	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.100.0224.A	9.1	1.00	22.4	0.2889	9.10	10.41	yes	music wire	4C
C.091.100.0224.AF	9.1	1.00	22.4	0.2890	9.10	10.41	yes	music wire	4C
C.091.100.0224.AP	9.1	1.00	22.4	0.4079	7.20	11.07	yes	music wire	4F
C.091.100.0224.I	9.1	1.00	22.4	0.2930	8.10	9.21	yes	stainless steel	4F
C.091.100.0224.IF	9.1	1.00	22.4	0.2481	9.10	10.41	yes	stainless steel	4C
C.091.100.0224.N	9.1	1.00	22.4	0.2889	9.10	10.41	yes	Zn coating	4E
C.091.100.0224.NF	9.1	1.00	22.4	0.2890	9.10	10.41	yes	Zn coating	4E
C.091.100.0239.A	9.1	1.00	23.9	0.2782	9.40	10.77	yes	music wire	4C
C.091.100.0239.AP	9.1	1.00	23.9	0.3759	7.60	11.61	yes	music wire	4F
C.091.100.0239.I	9.1	1.00	23.9	0.2390	9.40	10.77	yes	stainless steel	4D
C.091.100.0239.N	9.1	1.00	23.9	0.2782	9.40	10.77	yes	Zn coating	4E
C.091.100.0240.A	9.1	1.00	24.0	0.3360	8.20	10.25	yes	music wire	4F
C.091.100.0240.I	9.1	1.00	24.0	0.2923	8.10	10.40	yes	stainless steel	4F
C.091.100.0240.N	9.1	1.00	24.0	0.3360	8.20	10.25	yes	Zn coating	4H
C.091.100.0285.A	9.1	1.00	28.5	0.2780	9.40	11.88	yes	music wire	4F
C.091.100.0285.I	9.1	1.00	28.5	0.2419	9.30	12.06	yes	stainless steel	4F
C.091.100.0285.N	9.1	1.00	28.5	0.2780	9.40	11.88	yes	Zn coating	4H
C.091.100.0305.A	9.1	1.00	30.5	0.2062	11.80	13.65	yes	music wire	4C
C.091.100.0305.AP	9.1	1.00	30.5	0.2904	9.10	14.59	yes	music wire	4F
C.091.100.0305.I	9.1	1.00	30.5	0.1794	11.70	13.53	yes	stainless steel	4D
C.091.100.0320.A	9.1	1.00	32.0	0.2470	10.30	13.30	yes	music wire	4F
C.091.100.0320.I	9.1	1.00	32.0	0.2149	10.20	13.50	yes	stainless steel	4F
C.091.100.0320.N	9.1	1.00	32.0	0.2470	10.30	13.30	yes	Zn coating	4H
C.091.100.0330.A	9.1	1.00	33.0	0.1954	12.30	14.24	yes	music wire	4C
C.091.100.0330.AP	9.1	1.00	33.0	0.2662	9.70	15.65	yes	music wire	4F
C.091.100.0330.I	9.1	1.00	33.0	0.1700	12.20	14.12	yes	stainless steel	4D
C.091.100.0340.A	9.1	1.00	34.0	0.1839	12.90	14.96	yes	music wire	4C
C.091.100.0340.AP	9.1	1.00	34.0	0.2590	9.90	16.17	yes	music wire	4F
C.091.100.0340.I	9.1	1.00	34.0	0.1600	12.80	14.84	yes	stainless steel	4D
C.091.100.0350.A	9.1	1.00	35.0	0.2220	11.10	14.19	yes	music wire	4F
C.091.100.0350.I	9.1	1.00	35.0	0.1900	11.20	14.08	yes	stainless steel	4G
C.091.100.0350.N	9.1	1.00	35.0	0.2220	11.10	14.19	yes	Zn coating	4H
C.091.100.0381.A	9.1	1.00	38.1	0.1750	13.50	15.68	yes	music wire	4C
C.091.100.0381.I	9.1	1.00	38.1	0.1503	13.50	15.68	yes	stainless steel	4D
C.091.100.0381.N	9.1	1.00	38.1	0.1750	13.50	15.68	yes	Zn coating	4E
C.091.100.0400.A	9.1	1.00	40.0	0.1475	15.50	18.08	yes	music wire	4C
C.091.100.0400.I	9.1	1.00	40.0	0.1267	15.50	18.08	yes	stainless steel	4D
C.091.100.0444.A	9.1	1.00	44.4	0.1536	15.00	17.48	yes	music wire	4C
C.091.100.0444.I	9.1	1.00	44.4	0.1337	14.80	17.24	yes	stainless steel	4D
C.091.100.0444.N	9.1	1.00	44.4	0.1536	15.00	17.48	yes	Zn coating	4E
C.091.100.0457.A	9.1	1.00	45.7	0.1517	15.10	17.60	yes	music wire	4F
C.091.100.0457.I	9.1	1.00	45.7	0.1320	15.00	17.48	yes	stainless steel	4G
C.091.100.0460.A	9.1	1.00	46.0	0.2000	12.10	22.90	yes	music wire	4I
C.091.100.0460.I	9.1	1.00	46.0	0.1740	12.00	23.15	yes	stainless steel	4I
C.091.100.0510.A	9.1	1.00	51.0	0.1510	15.20	20.40	yes	music wire	4F
C.091.100.0510.I	9.1	1.00	51.0	0.1314	15.00	20.74	yes	stainless steel	4G
C.091.100.0510.N	9.1	1.00	51.0	0.1510	15.20	20.40	yes	Zn coating	4I
C.091.100.0559.A	9.1	1.00	55.9	0.1180	18.70	21.91	yes	music wire	4D
C.091.100.0559.I	9.1	1.00	55.9	0.1027	18.50	21.67	yes	stainless steel	4D
C.091.100.0572.A	9.1	1.00	57.2	0.1196	18.50	21.67	yes	music wire	4F
C.091.100.0572.I	9.1	1.00	57.2	0.1040	18.30	21.43	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.091.100.0572.N	9.1	1.00	57.2	0.1196	18.50	21.67	yes	Zn coating	4I
C.091.100.0600.A	9.1	1.00	60.0	0.0736	28.60	33.78	yes	music wire	4D
C.091.100.0600.AP	9.1	1.00	60.0	0.1441	15.80	27.95	yes	music wire	4G
C.091.100.0600.I	9.1	1.00	60.0	0.0640	28.20	33.30	yes	stainless steel	4D
C.091.100.0800.A	9.1	1.00	80.0	0.0718	29.20	34.50	yes	music wire	4D
C.091.100.0800.I	9.1	1.00	80.0	0.0617	29.20	34.50	yes	stainless steel	4D
C.091.100.0890.A	9.1	1.00	89.0	0.1011	21.50	43.33	yes	music wire	4I
C.091.100.0890.I	9.1	1.00	89.0	0.0880	21.20	43.82	yes	stainless steel	4I
C.091.100.1000.A	9.1	1.00	100.0	0.0572	36.00	42.65	yes	music wire	4D
C.091.100.1000.I	9.1	1.00	100.0	0.0491	36.00	42.65	yes	stainless steel	4E
C.091.100.1200.A	9.1	1.00	120.0	0.0476	42.80	50.80	yes	music wire	4E
C.091.100.1200.I	9.1	1.00	120.0	0.0409	42.80	50.80	yes	stainless steel	4E
C.091.100.1400.A	9.1	1.00	140.0	0.0406	49.70	59.07	yes	music wire	4E
C.091.100.1400.I	9.1	1.00	140.0	0.0349	49.70	59.07	yes	stainless steel	4E
C.091.100.1600.A	9.1	1.00	160.0	0.0355	56.50	67.21	yes	music wire	4E
C.091.100.1600.I	9.1	1.00	160.0	0.0305	56.50	67.21	yes	stainless steel	4E
C.091.100.1800.A	9.1	1.00	180.0	0.0315	63.30	75.36	yes	music wire	4E
C.091.100.1800.I	9.1	1.00	180.0	0.0271	63.30	75.36	yes	stainless steel	4E
C.091.100.2000.A	9.1	1.00	200.0	0.0283	70.20	83.63	yes	music wire	4E
C.091.100.2000.I	9.1	1.00	200.0	0.0243	70.20	83.63	yes	stainless steel	4E
C.091.105.0112.A	9.1	1.05	11.2	1.0170	5.04	6.00	yes	music wire	4E
C.091.105.0112.I	9.1	1.05	11.2	0.8848	5.04	6.05	yes	stainless steel	4F
C.091.105.0112.N	9.1	1.05	11.2	1.0170	5.04	6.00	yes	Zn coating	4H
C.091.105.0127.A	9.1	1.05	12.7	0.8460	5.57	6.45	yes	music wire	4E
C.091.105.0127.I	9.1	1.05	12.7	0.7360	5.57	6.51	yes	stainless steel	4F
C.091.105.0127.N	9.1	1.05	12.7	0.8460	5.57	6.45	yes	Zn coating	4H
C.091.105.0142.A	9.1	1.05	14.2	0.7230	6.09	6.88	yes	music wire	4F
C.091.105.0142.I	9.1	1.05	14.2	0.6290	5.99	6.95	yes	stainless steel	4F
C.091.105.0142.N	9.1	1.05	14.2	0.7230	6.09	6.88	yes	Zn coating	4H
C.091.105.0160.A	9.1	1.05	16.0	0.6760	6.30	8.17	yes	music wire	4F
C.091.105.0160.I	9.1	1.05	16.0	0.5881	6.30	8.25	yes	stainless steel	4F
C.091.105.0160.N	9.1	1.05	16.0	0.6760	6.30	8.17	yes	Zn coating	4H
C.091.105.0175.A	9.1	1.05	17.5	0.5950	6.83	8.61	yes	music wire	4F
C.091.105.0175.I	9.1	1.05	17.5	0.5177	6.72	8.69	yes	stainless steel	4F
C.091.105.0175.N	9.1	1.05	17.5	0.5950	6.83	8.61	yes	Zn coating	4H
C.091.105.0190.A	9.1	1.05	19.0	0.5410	7.25	9.22	yes	music wire	4F
C.091.105.0190.I	9.1	1.05	19.0	0.4707	7.14	9.31	yes	stainless steel	4F
C.091.105.0190.N	9.1	1.05	19.0	0.5410	7.25	9.22	yes	Zn coating	4H
C.091.105.0200.A	9.1	1.05	20.0	0.3709	9.35	10.61	yes	music wire	4C
C.091.105.0200.I	9.1	1.05	20.0	0.3186	9.35	10.61	yes	stainless steel	4C
C.091.105.0206.A	9.1	1.05	20.6	0.4820	7.77	9.62	yes	music wire	4F
C.091.105.0206.I	9.1	1.05	20.6	0.4193	7.77	9.73	yes	stainless steel	4F
C.091.105.0206.N	9.1	1.05	20.6	0.4820	7.77	9.62	yes	Zn coating	4H
C.091.105.0224.A	9.1	1.05	22.4	0.4420	8.30	10.43	yes	music wire	4F
C.091.105.0224.I	9.1	1.05	22.4	0.3845	8.19	10.54	yes	stainless steel	4F
C.091.105.0224.N	9.1	1.05	22.4	0.4420	8.30	10.43	yes	Zn coating	4H
C.091.105.0240.A	9.1	1.05	24.0	0.4040	8.82	10.90	yes	music wire	4F
C.091.105.0240.I	9.1	1.05	24.0	0.3515	8.72	11.03	yes	stainless steel	4F
C.091.105.0240.N	9.1	1.05	24.0	0.4040	8.82	10.90	yes	Zn coating	4H
C.091.105.0254.A	9.1	1.05	25.4	0.3770	9.24	11.36	yes	music wire	4F
C.091.105.0254.I	9.1	1.05	25.4	0.3280	9.14	11.50	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.105.0254.N	9.1	1.05	25.4	0.3770	9.24	11.36	yes	Zn coating	4H
C.091.105.0285.A	9.1	1.05	28.5	0.3270	10.29	12.32	yes	music wire	4F
C.091.105.0285.I	9.1	1.05	28.5	0.2845	10.19	12.47	yes	stainless steel	4F
C.091.105.0285.N	9.1	1.05	28.5	0.3270	10.29	12.32	yes	Zn coating	4H
C.091.105.0320.A	9.1	1.05	32.0	0.2980	11.03	14.24	yes	music wire	4F
C.091.105.0320.I	9.1	1.05	32.0	0.2593	10.92	14.41	yes	stainless steel	4F
C.091.105.0320.N	9.1	1.05	32.0	0.2980	11.03	14.24	yes	Zn coating	4H
C.091.105.0350.A	9.1	1.05	35.0	0.2730	11.76	15.62	yes	music wire	4F
C.091.105.0350.I	9.1	1.05	35.0	0.2375	11.66	15.80	yes	stainless steel	4G
C.091.105.0350.N	9.1	1.05	35.0	0.2730	11.76	15.62	yes	Zn coating	4H
C.091.105.0380.A	9.1	1.05	38.0	0.2540	12.39	17.17	yes	music wire	4F
C.091.105.0380.I	9.1	1.05	38.0	0.2210	12.29	17.37	yes	stainless steel	4G
C.091.105.0380.N	9.1	1.05	38.0	0.2540	12.39	17.17	yes	Zn coating	4H
C.091.105.0400.A	9.1	1.05	40.0	0.1771	16.70	19.35	yes	music wire	4C
C.091.105.0400.I	9.1	1.05	40.0	0.1522	16.70	19.35	yes	stainless steel	4D
C.091.105.0445.A	9.1	1.05	44.5	0.2070	14.70	18.94	yes	music wire	4F
C.091.105.0445.I	9.1	1.05	44.5	0.1801	14.49	19.18	yes	stainless steel	4G
C.091.105.0445.N	9.1	1.05	44.5	0.2070	14.70	18.94	yes	Zn coating	4I
C.091.105.0510.A	9.1	1.05	51.0	0.1800	16.49	21.60	yes	music wire	4F
C.091.105.0510.I	9.1	1.05	51.0	0.1566	16.28	21.89	yes	stainless steel	4G
C.091.105.0510.N	9.1	1.05	51.0	0.1800	16.49	21.60	yes	Zn coating	4I
C.091.105.0570.A	9.1	1.05	57.0	0.1590	18.27	23.72	yes	music wire	4F
C.091.105.0570.I	9.1	1.05	57.0	0.1383	18.06	24.04	yes	stainless steel	4G
C.091.105.0570.N	9.1	1.05	57.0	0.1590	18.27	23.72	yes	Zn coating	4I
C.091.105.0600.A	9.1	1.05	60.0	0.1158	24.15	28.20	yes	music wire	4D
C.091.105.0600.I	9.1	1.05	60.0	0.0995	24.15	28.20	yes	stainless steel	4D
C.091.105.0635.A	9.1	1.05	63.5	0.1420	20.16	26.24	yes	music wire	4G
C.091.105.0635.I	9.1	1.05	63.5	0.1235	19.95	26.59	yes	stainless steel	4G
C.091.105.0635.N	9.1	1.05	63.5	0.1420	20.16	26.24	yes	Zn coating	4I
C.091.105.0800.A	9.1	1.05	80.0	0.0863	31.50	36.93	yes	music wire	4D
C.091.105.0800.I	9.1	1.05	80.0	0.0741	31.50	36.93	yes	stainless steel	4D
C.091.105.1000.A	9.1	1.05	100.0	0.0686	38.96	45.80	yes	music wire	4D
C.091.105.1000.I	9.1	1.05	100.0	0.0589	38.96	45.80	yes	stainless steel	4E
C.091.105.1200.A	9.1	1.05	120.0	0.0569	46.41	54.65	yes	music wire	4E
C.091.105.1200.I	9.1	1.05	120.0	0.0489	46.41	54.65	yes	stainless steel	4E
C.091.105.1400.A	9.1	1.05	140.0	0.0487	53.76	63.38	yes	music wire	4E
C.091.105.1400.I	9.1	1.05	140.0	0.0419	53.76	63.38	yes	stainless steel	4E
C.091.105.1600.A	9.1	1.05	160.0	0.0425	61.22	72.24	yes	music wire	4E
C.091.105.1600.I	9.1	1.05	160.0	0.0365	61.22	72.24	yes	stainless steel	4E
C.091.105.2000.A	9.1	1.05	200.0	0.0340	76.02	89.83	yes	music wire	4E
C.091.105.2000.I	9.1	1.05	200.0	0.0292	76.02	89.83	yes	stainless steel	4E
C.091.110.0112.A	9.1	1.10	11.2	1.0553	5.83	6.38	yes	music wire	4C
C.091.110.0112.I	9.1	1.10	11.2	0.9064	5.83	6.38	yes	stainless steel	4C
C.091.110.0112.N	9.1	1.10	11.2	1.0553	5.83	6.38	yes	Zn coating	4E
C.091.110.0175.A	9.1	1.10	17.5	0.6271	7.81	8.72	yes	music wire	4F
C.091.110.0175.I	9.1	1.10	17.5	0.5386	7.81	8.72	yes	stainless steel	4F
C.091.110.0175.N	9.1	1.10	17.5	0.6271	7.81	8.72	yes	Zn coating	4H
C.091.110.0200.A	9.1	1.10	20.0	0.4482	9.90	11.18	yes	music wire	4C
C.091.110.0200.I	9.1	1.10	20.0	0.3849	9.90	11.18	yes	stainless steel	4D
C.091.110.0224.A	9.1	1.10	22.4	0.4767	9.46	10.66	yes	music wire	4F
C.091.110.0224.I	9.1	1.10	22.4	0.4094	9.46	10.66	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.110.0224.N	9.1	1.10	22.4	0.4767	9.46	10.66	yes	Zn coating	4H
C.091.110.0239.A	9.1	1.10	23.9	0.4461	9.90	11.18	yes	music wire	4F
C.091.110.0239.I	9.1	1.10	23.9	0.3832	9.90	11.18	yes	stainless steel	4F
C.091.110.0239.N	9.1	1.10	23.9	0.4461	9.90	11.18	yes	Zn coating	4H
C.091.110.0250.A	9.1	1.10	25.0	0.4828	9.35	12.53	yes	music wire	4F
C.091.110.0250.I	9.1	1.10	25.0	0.4200	9.35	12.63	yes	stainless steel	4F
C.091.110.0254.A	9.1	1.10	25.4	0.4069	10.67	12.09	yes	music wire	4C
C.091.110.0254.I	9.1	1.10	25.4	0.3540	10.56	11.96	yes	stainless steel	4F
C.091.110.0254.N	9.1	1.10	25.4	0.4069	10.67	12.09	yes	Zn coating	4E
C.091.110.0279.A	9.1	1.10	27.9	0.3597	11.66	13.26	yes	music wire	4C
C.091.110.0279.I	9.1	1.10	27.9	0.3129	11.55	13.13	yes	stainless steel	4D
C.091.110.0284.A	9.1	1.10	28.4	0.3643	11.55	13.13	yes	music wire	4F
C.091.110.0284.I	9.1	1.10	28.4	0.3170	11.44	13.00	yes	stainless steel	4G
C.091.110.0284.N	9.1	1.10	28.4	0.3643	11.55	13.13	yes	Zn coating	4H
C.091.110.0290.A	9.1	1.10	29.0	0.3793	11.22	13.13	yes	music wire	4F
C.091.110.0290.I	9.1	1.10	29.0	0.3300	11.11	13.26	yes	stainless steel	4G
C.091.110.0305.A	9.1	1.10	30.5	0.3180	12.87	14.68	yes	music wire	4C
C.091.110.0305.I	9.1	1.10	30.5	0.2767	12.65	14.43	yes	stainless steel	4D
C.091.110.0318.A	9.1	1.10	31.8	0.3221	12.65	14.43	yes	music wire	4F
C.091.110.0318.I	9.1	1.10	31.8	0.2802	12.54	14.30	yes	stainless steel	4G
C.091.110.0318.N	9.1	1.10	31.8	0.3221	12.65	14.43	yes	Zn coating	4H
C.091.110.0320.A	9.1	1.10	32.0	0.3793	11.22	16.13	yes	music wire	4F
C.091.110.0320.I	9.1	1.10	32.0	0.3300	11.11	16.26	yes	stainless steel	4G
C.091.110.0350.A	9.1	1.10	35.0	0.3448	11.99	17.54	yes	music wire	4F
C.091.110.0350.I	9.1	1.10	35.0	0.3000	11.88	17.69	yes	stainless steel	4G
C.091.110.0351.A	9.1	1.10	35.1	0.2948	13.64	15.59	yes	music wire	4F
C.091.110.0351.I	9.1	1.10	35.1	0.2565	13.53	15.46	yes	stainless steel	4G
C.091.110.0351.N	9.1	1.10	35.1	0.2948	13.64	15.59	yes	Zn coating	4H
C.091.110.0356.A	9.1	1.10	35.6	0.2910	13.75	15.72	yes	music wire	4F
C.091.110.0356.I	9.1	1.10	35.6	0.2532	13.64	15.59	yes	stainless steel	4G
C.091.110.0380.A	9.1	1.10	38.0	0.3103	13.09	18.60	yes	music wire	4F
C.091.110.0380.I	9.1	1.10	38.0	0.2700	12.98	18.76	yes	stainless steel	4G
C.091.110.0381.A	9.1	1.10	38.1	0.2666	14.74	16.89	yes	music wire	4F
C.091.110.0381.I	9.1	1.10	38.1	0.2290	14.74	16.89	yes	stainless steel	4G
C.091.110.0381.N	9.1	1.10	38.1	0.2666	14.74	16.89	yes	Zn coating	4I
C.091.110.0400.A	9.1	1.10	40.0	0.2111	17.93	20.65	yes	music wire	4C
C.091.110.0400.I	9.1	1.10	40.0	0.1813	17.93	20.65	yes	stainless steel	4D
C.091.110.0444.A	9.1	1.10	44.4	0.2311	16.61	19.10	yes	music wire	4F
C.091.110.0444.I	9.1	1.10	44.4	0.2011	16.39	18.84	yes	stainless steel	4G
C.091.110.0444.N	9.1	1.10	44.4	0.2311	16.61	19.10	yes	Zn coating	4I
C.091.110.0457.A	9.1	1.10	45.7	0.2282	16.83	19.36	yes	music wire	4F
C.091.110.0457.I	9.1	1.10	45.7	0.1985	16.61	19.54	yes	stainless steel	4G
C.091.110.0508.A	9.1	1.10	50.8	0.2011	18.70	21.56	yes	music wire	4F
C.091.110.0508.I	9.1	1.10	50.8	0.1727	18.70	21.56	yes	stainless steel	4G
C.091.110.0508.N	9.1	1.10	50.8	0.2011	18.70	21.56	yes	Zn coating	4I
C.091.110.0559.A	9.1	1.10	55.9	0.1779	20.79	24.03	yes	music wire	4G
C.091.110.0559.I	9.1	1.10	55.9	0.1548	20.57	23.77	yes	stainless steel	4G
C.091.110.0570.A	9.1	1.10	57.0	0.1494	24.20	28.05	yes	music wire	4D
C.091.110.0570.AP	9.1	1.10	57.0	0.2113	17.93	28.51	yes	music wire	4G
C.091.110.0570.I	9.1	1.10	57.0	0.1300	23.87	27.66	yes	stainless steel	4D
C.091.110.0572.A	9.1	1.10	57.2	0.1802	20.57	23.79	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.110.0572.I	9.1	1.10	57.2	0.1568	20.35	24.07	yes	stainless steel	4G
C.091.110.0572.N	9.1	1.10	57.2	0.1802	20.57	23.79	yes	Zn coating	4I
C.091.110.0600.A	9.1	1.10	60.0	0.1387	25.85	29.99	yes	music wire	4D
C.091.110.0600.I	9.1	1.10	60.0	0.1191	25.85	29.99	yes	stainless steel	4D
C.091.110.0635.A	9.1	1.10	63.5	0.1614	22.55	26.20	yes	music wire	4G
C.091.110.0635.I	9.1	1.10	63.5	0.1404	22.33	26.51	yes	stainless steel	4G
C.091.110.0635.N	9.1	1.10	63.5	0.1614	22.55	26.20	yes	Zn coating	4I
C.091.110.0640.A	9.1	1.10	64.0	0.1839	20.13	31.26	yes	music wire	4G
C.091.110.0640.I	9.1	1.10	64.0	0.1600	19.91	31.54	yes	stainless steel	4G
C.091.110.0698.A	9.1	1.10	69.8	0.1542	23.54	30.77	yes	music wire	4G
C.091.110.0698.I	9.1	1.10	69.8	0.1342	23.21	31.09	yes	stainless steel	4G
C.091.110.0698.N	9.1	1.10	69.8	0.1542	23.54	30.77	yes	Zn coating	4I
C.091.110.0711.A	9.1	1.10	71.1	0.1523	23.76	31.56	yes	music wire	4G
C.091.110.0711.I	9.1	1.10	71.1	0.1325	23.54	31.89	yes	stainless steel	4G
C.091.110.0800.A	9.1	1.10	80.0	0.1029	33.88	39.46	yes	music wire	4D
C.091.110.0800.I	9.1	1.10	80.0	0.0884	33.88	39.46	yes	stainless steel	4E
C.091.110.1000.A	9.1	1.10	100.0	0.0818	41.91	48.93	yes	music wire	4D
C.091.110.1000.I	9.1	1.10	100.0	0.0703	41.91	48.93	yes	stainless steel	4E
C.091.110.1200.A	9.1	1.10	120.0	0.0681	49.83	58.27	yes	music wire	4E
C.091.110.1200.I	9.1	1.10	120.0	0.0585	49.83	58.27	yes	stainless steel	4E
C.091.110.1400.A	9.1	1.10	140.0	0.0581	57.86	67.74	yes	music wire	4E
C.091.110.1400.I	9.1	1.10	140.0	0.0499	57.86	67.74	yes	stainless steel	4E
C.091.110.1600.A	9.1	1.10	160.0	0.0508	65.78	77.08	yes	music wire	4E
C.091.110.1600.I	9.1	1.10	160.0	0.0437	65.78	77.08	yes	stainless steel	4E
C.091.110.2000.A	9.1	1.10	200.0	0.0405	81.84	96.02	yes	music wire	4E
C.091.110.2000.I	9.1	1.10	200.0	0.0348	81.84	96.02	yes	stainless steel	4F
C.091.110.2200.A	9.1	1.10	220.0	0.0368	89.76	105.36	yes	music wire	4E
C.091.110.2200.I	9.1	1.10	220.0	0.0316	89.76	105.36	yes	stainless steel	4F
C.091.115.0112.A	9.1	1.15	11.2	1.3830	5.87	6.38	yes	music wire	4F
C.091.115.0112.I	9.1	1.15	11.2	1.2000	5.75	6.30	yes	stainless steel	4F
C.091.115.0112.N	9.1	1.15	11.2	1.3830	5.87	6.38	yes	Zn coating	4H
C.091.115.0127.A	9.1	1.15	12.7	1.1500	6.44	7.05	yes	music wire	4F
C.091.115.0127.I	9.1	1.15	12.7	1.0000	6.33	6.92	yes	stainless steel	4F
C.091.115.0127.N	9.1	1.15	12.7	1.1500	6.44	7.05	yes	Zn coating	4H
C.091.115.0142.A	9.1	1.15	14.2	0.9840	7.02	7.73	yes	music wire	4F
C.091.115.0142.I	9.1	1.15	14.2	0.8561	7.02	7.73	yes	stainless steel	4F
C.091.115.0142.N	9.1	1.15	14.2	0.9840	7.02	7.73	yes	Zn coating	4H
C.091.115.0160.A	9.1	1.15	16.0	0.8600	7.59	8.40	yes	music wire	4F
C.091.115.0160.I	9.1	1.15	16.0	0.7500	7.59	8.40	yes	stainless steel	4F
C.091.115.0160.N	9.1	1.15	16.0	0.8600	7.59	8.40	yes	Zn coating	4H
C.091.115.0175.A	9.1	1.15	17.5	0.7670	8.17	9.08	yes	music wire	4F
C.091.115.0175.I	9.1	1.15	17.5	0.6673	8.17	9.08	yes	stainless steel	4F
C.091.115.0175.N	9.1	1.15	17.5	0.7670	8.17	9.08	yes	Zn coating	4H
C.091.115.0190.A	9.1	1.15	19.0	0.6900	8.74	9.75	yes	music wire	4F
C.091.115.0190.I	9.1	1.15	19.0	0.6000	8.74	9.75	yes	stainless steel	4F
C.091.115.0190.N	9.1	1.15	19.0	0.6900	8.74	9.75	yes	Zn coating	4H
C.091.115.0200.A	9.1	1.15	20.0	0.5373	10.47	11.77	yes	music wire	4C
C.091.115.0200.I	9.1	1.15	20.0	0.4615	10.47	11.77	yes	stainless steel	4D
C.091.115.0206.A	9.1	1.15	20.6	0.6270	9.43	10.56	yes	music wire	4F
C.091.115.0206.I	9.1	1.15	20.6	0.5455	9.32	10.43	yes	stainless steel	4F
C.091.115.0206.N	9.1	1.15	20.6	0.6270	9.43	10.56	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.091.115.0224.A	9.1	1.15	22.4	0.5740	10.01	11.23	yes	music wire	4F
C.091.115.0224.I	9.1	1.15	22.4	0.5000	9.89	11.09	yes	stainless steel	4F
C.091.115.0224.N	9.1	1.15	22.4	0.5740	10.01	11.23	yes	Zn coating	4H
C.091.115.0240.A	9.1	1.15	24.0	0.5310	10.58	11.90	yes	music wire	4F
C.091.115.0240.I	9.1	1.15	24.0	0.4620	10.47	11.77	yes	stainless steel	4F
C.091.115.0240.N	9.1	1.15	24.0	0.5310	10.58	11.90	yes	Zn coating	4H
C.091.115.0254.A	9.1	1.15	25.4	0.4920	11.16	12.58	yes	music wire	4F
C.091.115.0254.I	9.1	1.15	25.4	0.4280	11.04	12.44	yes	stainless steel	4F
C.091.115.0254.N	9.1	1.15	25.4	0.4920	11.16	12.58	yes	Zn coating	4H
C.091.115.0285.A	9.1	1.15	28.5	0.4310	12.31	13.93	yes	music wire	4F
C.091.115.0285.I	9.1	1.15	28.5	0.3750	12.19	13.79	yes	stainless steel	4G
C.091.115.0285.N	9.1	1.15	28.5	0.4310	12.31	13.93	yes	Zn coating	4H
C.091.115.0320.A	9.1	1.15	32.0	0.3840	13.46	15.28	yes	music wire	4F
C.091.115.0320.I	9.1	1.15	32.0	0.3341	13.34	15.14	yes	stainless steel	4G
C.091.115.0320.N	9.1	1.15	32.0	0.3840	13.46	15.28	yes	Zn coating	4H
C.091.115.0350.A	9.1	1.15	35.0	0.3450	14.72	16.75	yes	music wire	4F
C.091.115.0350.I	9.1	1.15	35.0	0.3000	14.61	16.62	yes	stainless steel	4G
C.091.115.0350.N	9.1	1.15	35.0	0.3450	14.72	16.75	yes	Zn coating	4H
C.091.115.0380.A	9.1	1.15	38.0	0.3130	15.87	18.10	yes	music wire	4F
C.091.115.0380.I	9.1	1.15	38.0	0.2723	15.76	17.97	yes	stainless steel	4G
C.091.115.0380.N	9.1	1.15	38.0	0.3130	15.87	18.10	yes	Zn coating	4I
C.091.115.0400.A	9.1	1.15	40.0	0.2515	19.09	21.87	yes	music wire	4C
C.091.115.0400.I	9.1	1.15	40.0	0.2160	19.09	21.87	yes	stainless steel	4D
C.091.115.0445.A	9.1	1.15	44.5	0.2660	18.17	20.80	yes	music wire	4F
C.091.115.0445.I	9.1	1.15	44.5	0.2314	18.06	20.67	yes	stainless steel	4G
C.091.115.0445.N	9.1	1.15	44.5	0.2660	18.17	20.80	yes	Zn coating	4I
C.091.115.0510.A	9.1	1.15	51.0	0.2310	20.59	23.63	yes	music wire	4F
C.091.115.0510.I	9.1	1.15	51.0	0.2010	20.36	23.36	yes	stainless steel	4G
C.091.115.0510.N	9.1	1.15	51.0	0.2310	20.59	23.63	yes	Zn coating	4I
C.091.115.0570.A	9.1	1.15	57.0	0.2050	22.77	26.19	yes	music wire	4G
C.091.115.0570.I	9.1	1.15	57.0	0.1784	22.54	25.92	yes	stainless steel	4G
C.091.115.0570.N	9.1	1.15	57.0	0.2050	22.77	26.19	yes	Zn coating	4I
C.091.115.0600.A	9.1	1.15	60.0	0.1649	27.60	31.84	yes	music wire	4D
C.091.115.0600.I	9.1	1.15	60.0	0.1417	27.60	31.84	yes	stainless steel	4D
C.091.115.0635.A	9.1	1.15	63.5	0.1840	25.07	28.88	yes	music wire	4G
C.091.115.0635.I	9.1	1.15	63.5	0.1601	24.73	28.48	yes	stainless steel	4G
C.091.115.0635.N	9.1	1.15	63.5	0.1840	25.07	28.88	yes	Zn coating	4I
C.091.115.0700.A	9.1	1.15	70.0	0.1730	26.45	30.64	yes	music wire	4G
C.091.115.0700.I	9.1	1.15	70.0	0.1505	26.11	30.93	yes	stainless steel	4G
C.091.115.0700.N	9.1	1.15	70.0	0.1730	26.45	30.64	yes	Zn coating	4I
C.091.115.0800.A	9.1	1.15	80.0	0.1223	36.23	41.96	yes	music wire	4D
C.091.115.0800.I	9.1	1.15	80.0	0.1050	36.23	41.96	yes	stainless steel	4E
C.091.115.1000.A	9.1	1.15	100.0	0.0974	44.74	51.93	yes	music wire	4D
C.091.115.1000.I	9.1	1.15	100.0	0.0837	44.74	51.93	yes	stainless steel	4E
C.091.115.1200.A	9.1	1.15	120.0	0.0810	53.25	61.90	yes	music wire	4E
C.091.115.1200.I	9.1	1.15	120.0	0.0695	53.25	61.90	yes	stainless steel	4E
C.091.115.1600.A	9.1	1.15	160.0	0.0604	70.38	81.97	yes	music wire	4E
C.091.115.1600.I	9.1	1.15	160.0	0.0519	70.38	81.97	yes	stainless steel	4E
C.091.115.2000.A	9.1	1.15	200.0	0.0482	87.52	102.05	yes	music wire	4E
C.091.115.2000.I	9.1	1.15	200.0	0.0414	87.52	102.05	yes	stainless steel	4F
C.091.115.2200.A	9.1	1.15	220.0	0.0438	96.03	112.02	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.115.2200.I	9.1	1.15	220.0	0.0376	96.03	112.02	yes	stainless steel	4F
C.091.120.0112.A	9.1	1.20	11.2	1.6210	6.12	6.63	yes	music wire	4F
C.091.120.0112.AF	9.1	1.20	11.2	1.2230	7.20	7.89	yes	music wire	4C
C.091.120.0112.AP	9.1	1.20	11.2	1.7170	6.00	6.74	yes	music wire	4F
C.091.120.0112.I	9.1	1.20	11.2	1.0504	7.20	7.89	yes	stainless steel	4D
C.091.120.0112.N	9.1	1.20	11.2	1.6210	6.12	6.63	yes	Zn coating	4H
C.091.120.0112.NF	9.1	1.20	11.2	1.2230	7.20	7.89	yes	Zn coating	4E
C.091.120.0127.A	9.1	1.20	12.7	1.3820	6.72	7.33	yes	music wire	4F
C.091.120.0127.AF	9.1	1.20	12.7	1.0912	7.68	8.45	yes	music wire	4C
C.091.120.0127.AP	9.1	1.20	12.7	1.4802	6.48	7.53	yes	music wire	4F
C.091.120.0127.I	9.1	1.20	12.7	0.9372	7.68	8.45	yes	stainless steel	4D
C.091.120.0127.N	9.1	1.20	12.7	1.3820	6.72	7.33	yes	Zn coating	4H
C.091.120.0127.NF	9.1	1.20	12.7	1.0912	7.68	8.45	yes	Zn coating	4E
C.091.120.0142.A	9.1	1.20	14.2	1.2000	7.32	8.03	yes	music wire	4F
C.091.120.0142.AF	9.1	1.20	14.2	0.9850	8.16	9.01	yes	music wire	4C
C.091.120.0142.AP	9.1	1.20	14.2	1.3008	6.96	8.31	yes	music wire	4F
C.091.120.0142.I	9.1	1.20	14.2	0.8460	8.28	9.15	yes	stainless steel	4D
C.091.120.0142.N	9.1	1.20	14.2	1.2000	7.32	8.03	yes	Zn coating	4H
C.091.120.0142.NF	9.1	1.20	14.2	0.9850	8.16	9.01	yes	Zn coating	4E
C.091.120.0157.A	9.1	1.20	15.7	0.9000	8.76	9.71	yes	music wire	4C
C.091.120.0157.AP	9.1	1.20	15.7	1.1601	7.44	9.10	yes	music wire	4F
C.091.120.0157.I	9.1	1.20	15.7	0.7710	8.76	9.71	yes	stainless steel	4D
C.091.120.0157.N	9.1	1.20	15.7	0.9000	8.76	9.71	yes	Zn coating	4E
C.091.120.0160.A	9.1	1.20	16.0	1.0660	7.80	8.82	yes	music wire	4F
C.091.120.0160.I	9.1	1.20	16.0	0.9274	7.80	8.86	yes	stainless steel	4F
C.091.120.0160.N	9.1	1.20	16.0	1.0660	7.80	8.82	yes	Zn coating	4H
C.091.120.0175.A	9.1	1.20	17.5	0.9400	8.52	9.43	yes	music wire	4F
C.091.120.0175.I	9.1	1.20	17.5	0.7082	9.24	10.27	yes	stainless steel	4D
C.091.120.0175.N	9.1	1.20	17.5	0.9400	8.52	9.43	yes	Zn coating	4H
C.091.120.0190.A	9.1	1.20	19.0	0.8550	9.00	10.04	yes	music wire	4F
C.091.120.0190.I	9.1	1.20	19.0	0.6548	9.72	10.83	yes	stainless steel	4D
C.091.120.0190.N	9.1	1.20	19.0	0.8550	9.00	10.04	yes	Zn coating	4H
C.091.120.0200.A	9.1	1.20	20.0	0.6395	11.04	12.37	yes	music wire	4C
C.091.120.0200.I	9.1	1.20	20.0	0.5493	11.04	12.37	yes	stainless steel	4D
C.091.120.0206.A	9.1	1.20	20.6	0.7830	9.60	10.82	yes	music wire	4F
C.091.120.0206.I	9.1	1.20	20.6	0.6089	10.20	11.39	yes	stainless steel	4D
C.091.120.0206.N	9.1	1.20	20.6	0.7830	9.60	10.82	yes	Zn coating	4H
C.091.120.0224.A	9.1	1.20	22.4	0.7130	10.20	11.66	yes	music wire	4F
C.091.120.0224.I	9.1	1.20	22.4	0.5510	11.04	12.37	yes	stainless steel	4D
C.091.120.0224.N	9.1	1.20	22.4	0.7130	10.20	11.66	yes	Zn coating	4H
C.091.120.0239.A	9.1	1.20	23.9	0.6219	11.28	12.65	yes	music wire	4F
C.091.120.0239.I	9.1	1.20	23.9	0.5341	11.28	12.65	yes	stainless steel	4G
C.091.120.0239.N	9.1	1.20	23.9	0.6219	11.28	12.65	yes	Zn coating	4H
C.091.120.0254.A	9.1	1.20	25.4	0.6180	11.28	13.01	yes	music wire	4F
C.091.120.0254.I	9.1	1.20	25.4	0.4890	12.00	13.49	yes	stainless steel	4D
C.091.120.0254.N	9.1	1.20	25.4	0.6180	11.28	13.01	yes	Zn coating	4H
C.091.120.0279.A	9.1	1.20	27.9	0.5184	12.96	14.60	yes	music wire	4F
C.091.120.0279.I	9.1	1.20	27.9	0.4510	12.84	14.46	yes	stainless steel	4G
C.091.120.0284.A	9.1	1.20	28.4	0.5251	12.84	14.46	yes	music wire	4F
C.091.120.0284.I	9.1	1.20	28.4	0.4568	12.72	14.32	yes	stainless steel	4G
C.091.120.0284.N	9.1	1.20	28.4	0.5251	12.84	14.46	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.120.0290.A	9.1	1.20	29.0	0.5287	12.72	14.52	yes	music wire	4F
C.091.120.0290.I	9.1	1.20	29.0	0.4600	12.60	14.60	yes	stainless steel	4G
C.091.120.0305.A	9.1	1.20	30.5	0.4589	14.16	16.00	yes	music wire	4C
C.091.120.0305.I	9.1	1.20	30.5	0.4000	14.04	15.86	yes	stainless steel	4D
C.091.120.0318.A	9.1	1.20	31.8	0.4648	14.04	15.86	yes	music wire	4F
C.091.120.0318.I	9.1	1.20	31.8	0.4044	13.92	15.72	yes	stainless steel	4G
C.091.120.0318.N	9.1	1.20	31.8	0.4648	14.04	15.86	yes	Zn coating	4I
C.091.120.0351.A	9.1	1.20	35.1	0.4257	15.12	17.12	yes	music wire	4F
C.091.120.0351.I	9.1	1.20	35.1	0.3704	14.88	17.22	yes	stainless steel	4G
C.091.120.0351.N	9.1	1.20	35.1	0.4257	15.12	17.12	yes	Zn coating	4I
C.091.120.0356.A	9.1	1.20	35.6	0.4203	15.24	17.38	yes	music wire	4F
C.091.120.0356.I	9.1	1.20	35.6	0.3656	15.12	17.49	yes	stainless steel	4G
C.091.120.0381.A	9.1	1.20	38.1	0.3927	16.08	18.60	yes	music wire	4F
C.091.120.0381.I	9.1	1.20	38.1	0.3373	16.08	18.46	yes	stainless steel	4G
C.091.120.0381.N	9.1	1.20	38.1	0.3927	16.08	18.60	yes	Zn coating	4I
C.091.120.0400.A	9.1	1.20	40.0	0.2996	20.16	22.99	yes	music wire	4C
C.091.120.0400.I	9.1	1.20	40.0	0.2573	20.16	22.99	yes	stainless steel	4D
C.091.120.0430.A	9.1	1.20	43.0	0.2500	23.52	26.91	yes	music wire	4D
C.091.120.0430.AP	9.1	1.20	43.0	0.3867	16.32	23.20	yes	music wire	4F
C.091.120.0430.I	9.1	1.20	43.0	0.2100	24.00	27.47	yes	stainless steel	4D
C.091.120.0444.A	9.1	1.20	44.4	0.3343	18.36	21.49	yes	music wire	4F
C.091.120.0444.I	9.1	1.20	44.4	0.2908	18.24	21.63	yes	stainless steel	4G
C.091.120.0444.N	9.1	1.20	44.4	0.3343	18.36	21.49	yes	Zn coating	4I
C.091.120.0457.A	9.1	1.20	45.7	0.3300	18.60	22.50	yes	music wire	4F
C.091.120.0457.I	9.1	1.20	45.7	0.2871	18.36	22.64	yes	stainless steel	4G
C.091.120.0508.A	9.1	1.20	50.8	0.2953	20.40	24.87	yes	music wire	4G
C.091.120.0508.I	9.1	1.20	50.8	0.2536	20.40	24.69	yes	stainless steel	4G
C.091.120.0508.N	9.1	1.20	50.8	0.2953	20.40	24.87	yes	Zn coating	4I
C.091.120.0559.A	9.1	1.20	55.9	0.2611	22.68	26.57	yes	music wire	4G
C.091.120.0559.I	9.1	1.20	55.9	0.2271	22.44	26.74	yes	stainless steel	4G
C.091.120.0572.A	9.1	1.20	57.2	0.2644	22.44	28.24	yes	music wire	4G
C.091.120.0572.I	9.1	1.20	57.2	0.2301	22.20	28.41	yes	stainless steel	4G
C.091.120.0572.N	9.1	1.20	57.2	0.2644	22.44	28.24	yes	Zn coating	4I
C.091.120.0600.A	9.1	1.20	60.0	0.1956	29.28	33.62	yes	music wire	4D
C.091.120.0600.I	9.1	1.20	60.0	0.1680	29.28	33.62	yes	stainless steel	4D
C.091.120.0635.A	9.1	1.20	63.5	0.2330	25.08	30.63	yes	music wire	4G
C.091.120.0635.I	9.1	1.20	63.5	0.2032	24.72	30.91	yes	stainless steel	4G
C.091.120.0635.N	9.1	1.20	63.5	0.2330	25.08	30.63	yes	Zn coating	4I
C.091.120.0698.A	9.1	1.20	69.8	0.2164	26.76	34.41	yes	music wire	4G
C.091.120.0698.I	9.1	1.20	69.8	0.1883	26.40	34.62	yes	stainless steel	4G
C.091.120.0698.N	9.1	1.20	69.8	0.2164	26.76	34.41	yes	Zn coating	4I
C.091.120.0711.A	9.1	1.20	71.1	0.2136	27.12	35.25	yes	music wire	4G
C.091.120.0711.I	9.1	1.20	71.1	0.1858	26.76	35.47	yes	stainless steel	4G
C.091.120.0762.A	9.1	1.20	76.2	0.1974	29.04	37.40	yes	music wire	4G
C.091.120.0762.I	9.1	1.20	76.2	0.1695	29.04	37.14	yes	stainless steel	4G
C.091.120.0762.N	9.1	1.20	76.2	0.1974	29.04	37.40	yes	Zn coating	4I
C.091.120.0800.A	9.1	1.20	80.0	0.1452	38.40	44.24	yes	music wire	4D
C.091.120.0800.I	9.1	1.20	80.0	0.1247	38.40	44.24	yes	stainless steel	4E
C.091.120.0826.A	9.1	1.20	82.6	0.1831	31.08	40.78	yes	music wire	4G
C.091.120.0826.I	9.1	1.20	82.6	0.1573	31.08	40.49	yes	stainless steel	4G
C.091.120.0826.N	9.1	1.20	82.6	0.1831	31.08	40.78	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.120.0889.A	9.1	1.20	88.9	0.1708	33.12	44.05	yes	music wire	4G
C.091.120.0889.I	9.1	1.20	88.9	0.1467	33.12	43.74	yes	stainless steel	4G
C.091.120.0889.N	9.1	1.20	88.9	0.1708	33.12	44.05	yes	Zn coating	4I
C.091.120.1000.A	9.1	1.20	100.0	0.1155	47.52	54.87	yes	music wire	4D
C.091.120.1000.I	9.1	1.20	100.0	0.0992	47.52	54.87	yes	stainless steel	4E
C.091.120.1200.A	9.1	1.20	120.0	0.0959	56.64	65.49	yes	music wire	4E
C.091.120.1200.I	9.1	1.20	120.0	0.0823	56.64	65.49	yes	stainless steel	4E
C.091.120.1400.A	9.1	1.20	140.0	0.0819	65.76	76.12	yes	music wire	4E
C.091.120.1400.I	9.1	1.20	140.0	0.0704	65.76	76.12	yes	stainless steel	4E
C.091.120.1600.A	9.1	1.20	160.0	0.0715	74.88	86.74	yes	music wire	4E
C.091.120.1600.I	9.1	1.20	160.0	0.0614	74.88	86.74	yes	stainless steel	4E
C.091.120.2000.A	9.1	1.20	200.0	0.0571	93.12	107.99	yes	music wire	4E
C.091.120.2000.I	9.1	1.20	200.0	0.0490	93.12	107.99	yes	stainless steel	4F
C.091.120.2200.A	9.1	1.20	220.0	0.0518	102.24	118.62	yes	music wire	4E
C.091.120.2200.I	9.1	1.20	220.0	0.0445	102.24	118.62	yes	stainless steel	4F
C.091.125.0112.A	9.1	1.25	11.2	1.9000	6.50	7.04	yes	music wire	4F
C.091.125.0112.AF	9.1	1.25	11.2	1.4748	7.50	8.20	yes	music wire	4C
C.091.125.0112.AP	9.1	1.25	11.2	2.0614	6.25	7.04	yes	music wire	4F
C.091.125.0112.I	9.1	1.25	11.2	1.2667	7.50	8.20	yes	stainless steel	4D
C.091.125.0112.N	9.1	1.25	11.2	1.9000	6.50	7.04	yes	Zn coating	4H
C.091.125.0112.NF	9.1	1.25	11.2	1.4748	7.50	8.20	yes	Zn coating	4E
C.091.125.0127.A	9.1	1.25	12.7	1.3208	8.00	8.78	yes	music wire	4C
C.091.125.0127.AF	9.1	1.25	12.7	1.3210	8.00	8.78	yes	music wire	4C
C.091.125.0127.AP	9.1	1.25	12.7	1.7770	6.75	7.88	yes	music wire	4F
C.091.125.0127.I	9.1	1.25	12.7	1.1491	7.88	8.64	yes	stainless steel	4D
C.091.125.0127.N	9.1	1.25	12.7	1.3208	8.00	8.78	yes	Zn coating	4E
C.091.125.0127.NF	9.1	1.25	12.7	1.3210	8.00	8.78	yes	Zn coating	4E
C.091.125.0142.A	9.1	1.25	14.2	1.1420	8.75	9.65	yes	music wire	4C
C.091.125.0142.AF	9.1	1.25	14.2	1.1420	8.75	9.65	yes	music wire	4C
C.091.125.0142.AP	9.1	1.25	14.2	1.5157	7.38	8.55	yes	music wire	4F
C.091.125.0142.I	9.1	1.25	14.2	0.9808	8.75	9.65	yes	stainless steel	4D
C.091.125.0142.N	9.1	1.25	14.2	1.1420	8.75	9.65	yes	Zn coating	4E
C.091.125.0142.NF	9.1	1.25	14.2	1.1420	8.75	9.65	yes	Zn coating	4E
C.091.125.0175.A	9.1	1.25	17.5	1.1000	9.00	9.94	yes	music wire	4F
C.091.125.0175.I	9.1	1.25	17.5	0.9570	8.88	9.80	yes	stainless steel	4G
C.091.125.0175.N	9.1	1.25	17.5	1.1000	9.00	9.94	yes	Zn coating	4H
C.091.125.0190.A	9.1	1.25	19.0	1.0000	9.50	10.51	yes	music wire	4F
C.091.125.0190.I	9.1	1.25	19.0	0.7718	10.25	11.38	yes	stainless steel	4D
C.091.125.0190.N	9.1	1.25	19.0	1.0000	9.50	10.51	yes	Zn coating	4H
C.091.125.0200.A	9.1	1.25	20.0	0.7561	11.63	12.98	yes	music wire	4C
C.091.125.0200.I	9.1	1.25	20.0	0.6494	11.63	12.98	yes	stainless steel	4D
C.091.125.0224.A	9.1	1.25	22.4	0.7534	11.63	12.98	yes	music wire	4C
C.091.125.0224.I	9.1	1.25	22.4	0.6554	11.50	12.83	yes	stainless steel	4D
C.091.125.0239.A	9.1	1.25	23.9	0.7197	12.00	13.41	yes	music wire	4C
C.091.125.0239.I	9.1	1.25	23.9	0.6182	12.00	13.41	yes	stainless steel	4D
C.091.125.0239.N	9.1	1.25	23.9	0.7197	12.00	13.41	yes	Zn coating	4E
C.091.125.0279.A	9.1	1.25	27.9	0.5925	14.00	15.73	yes	music wire	4C
C.091.125.0279.I	9.1	1.25	27.9	0.5155	13.88	15.59	yes	stainless steel	4D
C.091.125.0284.A	9.1	1.25	28.4	0.6000	13.88	15.59	yes	music wire	4F
C.091.125.0284.I	9.1	1.25	28.4	0.5222	13.75	15.44	yes	stainless steel	4G
C.091.125.0284.N	9.1	1.25	28.4	0.6000	13.88	15.59	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.125.0305.A	9.1	1.25	30.5	0.5412	15.00	16.89	yes	music wire	4C
C.091.125.0305.I	9.1	1.25	30.5	0.4708	14.88	16.75	yes	stainless steel	4D
C.091.125.0351.A	9.1	1.25	35.1	0.4946	16.13	18.20	yes	music wire	4F
C.091.125.0351.I	9.1	1.25	35.1	0.4303	16.00	18.05	yes	stainless steel	4G
C.091.125.0351.N	9.1	1.25	35.1	0.4946	16.13	18.20	yes	Zn coating	4I
C.091.125.0356.A	9.1	1.25	35.6	0.4883	16.25	18.34	yes	music wire	4F
C.091.125.0356.I	9.1	1.25	35.6	0.4248	16.13	18.20	yes	stainless steel	4G
C.091.125.0381.A	9.1	1.25	38.1	0.4506	17.38	19.65	yes	music wire	4F
C.091.125.0381.I	9.1	1.25	38.1	0.3870	17.38	19.65	yes	stainless steel	4G
C.091.125.0381.N	9.1	1.25	38.1	0.4506	17.38	19.65	yes	Zn coating	4I
C.091.125.0400.A	9.1	1.25	40.0	0.3522	21.38	24.28	yes	music wire	4D
C.091.125.0400.I	9.1	1.25	40.0	0.3025	21.38	24.28	yes	stainless steel	4D
C.091.125.0444.A	9.1	1.25	44.4	0.3883	19.63	22.33	yes	music wire	4G
C.091.125.0444.I	9.1	1.25	44.4	0.3379	19.50	22.44	yes	stainless steel	4G
C.091.125.0444.N	9.1	1.25	44.4	0.3883	19.63	22.33	yes	Zn coating	4I
C.091.125.0457.A	9.1	1.25	45.7	0.3834	19.88	23.35	yes	music wire	4G
C.091.125.0457.I	9.1	1.25	45.7	0.3335	19.63	23.46	yes	stainless steel	4G
C.091.125.0510.A	9.1	1.25	51.0	0.3430	21.88	26.02	yes	music wire	4G
C.091.125.0510.I	9.1	1.25	51.0	0.2984	21.63	26.14	yes	stainless steel	4G
C.091.125.0510.N	9.1	1.25	51.0	0.3430	21.88	26.02	yes	Zn coating	4I
C.091.125.0559.A	9.1	1.25	55.9	0.3000	24.50	27.90	yes	music wire	4G
C.091.125.0559.I	9.1	1.25	55.9	0.2613	24.25	27.61	yes	stainless steel	4G
C.091.125.0570.A	9.1	1.25	57.0	0.3030	24.38	28.72	yes	music wire	4G
C.091.125.0570.I	9.1	1.25	57.0	0.2636	24.13	28.86	yes	stainless steel	4G
C.091.125.0570.N	9.1	1.25	57.0	0.3030	24.38	28.72	yes	Zn coating	4I
C.091.125.0600.A	9.1	1.25	60.0	0.2306	31.00	35.44	yes	music wire	4D
C.091.125.0600.I	9.1	1.25	60.0	0.1980	31.00	35.44	yes	stainless steel	4D
C.091.125.0700.A	9.1	1.25	70.0	0.2450	29.38	35.02	yes	music wire	4G
C.091.125.0700.I	9.1	1.25	70.0	0.2132	29.00	35.19	yes	stainless steel	4G
C.091.125.0700.N	9.1	1.25	70.0	0.2450	29.38	35.02	yes	Zn coating	4I
C.091.125.0762.A	9.1	1.25	76.2	0.2297	31.13	38.89	yes	music wire	4G
C.091.125.0762.I	9.1	1.25	76.2	0.1974	31.13	38.61	yes	stainless steel	4G
C.091.125.0762.N	9.1	1.25	76.2	0.2297	31.13	38.89	yes	Zn coating	4I
C.091.125.0800.A	9.1	1.25	80.0	0.1714	40.63	46.60	yes	music wire	4D
C.091.125.0800.I	9.1	1.25	80.0	0.1472	40.63	46.60	yes	stainless steel	4E
C.091.125.0826.A	9.1	1.25	82.6	0.2124	33.38	42.25	yes	music wire	4G
C.091.125.0826.I	9.1	1.25	82.6	0.1824	33.38	41.92	yes	stainless steel	4G
C.091.125.0826.N	9.1	1.25	82.6	0.2124	33.38	42.25	yes	Zn coating	4I
C.091.125.0889.A	9.1	1.25	88.9	0.1974	35.63	45.50	yes	music wire	4G
C.091.125.0889.I	9.1	1.25	88.9	0.1696	35.63	45.15	yes	stainless steel	4G
C.091.125.0889.N	9.1	1.25	88.9	0.1974	35.63	45.50	yes	Zn coating	4I
C.091.125.1000.A	9.1	1.25	100.0	0.1360	50.38	57.90	yes	music wire	4E
C.091.125.1000.I	9.1	1.25	100.0	0.1168	50.38	57.90	yes	stainless steel	4E
C.091.125.1200.A	9.1	1.25	120.0	0.1130	60.00	69.05	yes	music wire	4E
C.091.125.1200.I	9.1	1.25	120.0	0.0971	60.00	69.05	yes	stainless steel	4E
C.091.125.1400.A	9.1	1.25	140.0	0.0966	69.63	80.21	yes	music wire	4E
C.091.125.1400.I	9.1	1.25	140.0	0.0830	69.63	80.21	yes	stainless steel	4E
C.091.125.1600.A	9.1	1.25	160.0	0.0843	79.38	91.52	yes	music wire	4E
C.091.125.1600.I	9.1	1.25	160.0	0.0724	79.38	91.52	yes	stainless steel	4E
C.091.125.2000.A	9.1	1.25	200.0	0.0673	98.63	113.83	yes	music wire	4E
C.091.125.2000.I	9.1	1.25	200.0	0.0578	98.63	113.83	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.125.2200.A	9.1	1.25	220.0	0.0611	108.38	125.13	yes	music wire	4E
C.091.125.2200.I	9.1	1.25	220.0	0.0524	108.38	125.13	yes	stainless steel	4F
C.091.130.0112.A	9.1	1.30	11.2	2.2200	6.89	7.45	yes	music wire	4F
C.091.130.0112.AF	9.1	1.30	11.2	1.6724	8.06	8.80	yes	music wire	4C
C.091.130.0112.AP	9.1	1.30	11.2	2.3647	6.63	7.16	yes	music wire	4F
C.091.130.0112.I	9.1	1.30	11.2	1.4364	8.06	8.80	yes	stainless steel	4D
C.091.130.0112.N	9.1	1.30	11.2	2.2200	6.89	7.45	yes	Zn coating	4H
C.091.130.0112.NF	9.1	1.30	11.2	1.6724	8.06	8.80	yes	Zn coating	4E
C.091.130.0127.A	9.1	1.30	12.7	1.8860	7.54	8.20	yes	music wire	4F
C.091.130.0127.AF	9.1	1.30	12.7	1.5113	8.58	9.40	yes	music wire	4C
C.091.130.0127.AP	9.1	1.30	12.7	2.0494	7.15	8.04	yes	music wire	4F
C.091.130.0127.I	9.1	1.30	12.7	1.3000	8.58	9.40	yes	stainless steel	4D
C.091.130.0127.N	9.1	1.30	12.7	1.8860	7.54	8.20	yes	Zn coating	4H
C.091.130.0127.NF	9.1	1.30	12.7	1.5113	8.58	9.40	yes	Zn coating	4E
C.091.130.0142.A	9.1	1.30	14.2	1.6390	8.06	8.80	yes	music wire	4F
C.091.130.0142.AF	9.1	1.30	14.2	1.3786	8.97	9.85	yes	music wire	4C
C.091.130.0142.AP	9.1	1.30	14.2	1.8083	7.67	8.92	yes	music wire	4F
C.091.130.0142.I	9.1	1.30	14.2	1.1840	8.97	9.85	yes	stainless steel	4D
C.091.130.0142.N	9.1	1.30	14.2	1.6390	8.06	8.80	yes	Zn coating	4H
C.091.130.0142.NF	9.1	1.30	14.2	1.3786	8.97	9.85	yes	Zn coating	4E
C.091.130.0157.A	9.1	1.30	15.7	1.2180	9.75	10.75	yes	music wire	4C
C.091.130.0157.AP	9.1	1.30	15.7	1.5765	8.32	9.65	yes	music wire	4F
C.091.130.0157.I	9.1	1.30	15.7	1.0462	9.75	10.75	yes	stainless steel	4D
C.091.130.0157.N	9.1	1.30	15.7	1.2180	9.75	10.75	yes	Zn coating	4E
C.091.130.0160.A	9.1	1.30	16.0	1.4480	8.71	9.55	yes	music wire	4F
C.091.130.0160.I	9.1	1.30	16.0	1.2598	8.71	9.55	yes	stainless steel	4G
C.091.130.0160.N	9.1	1.30	16.0	1.4480	8.71	9.55	yes	Zn coating	4H
C.091.130.0175.A	9.1	1.30	17.5	1.2770	9.49	10.45	yes	music wire	4F
C.091.130.0175.I	9.1	1.30	17.5	0.9708	10.27	11.35	yes	stainless steel	4D
C.091.130.0175.N	9.1	1.30	17.5	1.2770	9.49	10.45	yes	Zn coating	4H
C.091.130.0190.A	9.1	1.30	19.0	1.1570	10.14	11.20	yes	music wire	4F
C.091.130.0190.I	9.1	1.30	19.0	0.8761	11.05	12.25	yes	stainless steel	4D
C.091.130.0190.N	9.1	1.30	19.0	1.1570	10.14	11.20	yes	Zn coating	4H
C.091.130.0200.A	9.1	1.30	20.0	0.8886	12.22	13.60	yes	music wire	4C
C.091.130.0200.I	9.1	1.30	20.0	0.7632	12.22	13.60	yes	stainless steel	4D
C.091.130.0206.A	9.1	1.30	20.6	1.0590	10.79	11.95	yes	music wire	4F
C.091.130.0206.I	9.1	1.30	20.6	0.8227	11.57	12.85	yes	stainless steel	4D
C.091.130.0206.N	9.1	1.30	20.6	1.0590	10.79	11.95	yes	Zn coating	4H
C.091.130.0224.A	9.1	1.30	22.4	0.9650	11.57	12.85	yes	music wire	4F
C.091.130.0224.I	9.1	1.30	22.4	0.7536	12.35	13.75	yes	stainless steel	4D
C.091.130.0224.N	9.1	1.30	22.4	0.9650	11.57	12.85	yes	Zn coating	4H
C.091.130.0239.A	9.1	1.30	23.9	0.8310	12.87	14.35	yes	music wire	4C
C.091.130.0239.I	9.1	1.30	23.9	0.7137	12.87	14.35	yes	stainless steel	4D
C.091.130.0239.N	9.1	1.30	23.9	0.8310	12.87	14.35	yes	Zn coating	4E
C.091.130.0254.A	9.1	1.30	25.4	0.8350	12.74	14.20	yes	music wire	4F
C.091.130.0254.I	9.1	1.30	25.4	0.6612	13.65	15.25	yes	stainless steel	4D
C.091.130.0254.N	9.1	1.30	25.4	0.8350	12.74	14.20	yes	Zn coating	4I
C.091.130.0279.A	9.1	1.30	27.9	0.6921	14.82	16.60	yes	music wire	4C
C.091.130.0279.I	9.1	1.30	27.9	0.6021	14.56	16.30	yes	stainless steel	4D
C.091.130.0284.A	9.1	1.30	28.4	0.7000	14.69	16.45	yes	music wire	4F
C.091.130.0284.I	9.1	1.30	28.4	0.6099	14.43	16.15	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.091.130.0284.N	9.1	1.30	28.4	0.7000	14.69	16.45	yes	Zn coating	4I
C.091.130.0290.A	9.1	1.30	29.0	0.7241	14.30	16.00	yes	music wire	4F
C.091.130.0290.I	9.1	1.30	29.0	0.6300	14.17	15.87	yes	stainless steel	4G
C.091.130.0305.A	9.1	1.30	30.5	0.6226	15.99	17.95	yes	music wire	4C
C.091.130.0305.I	9.1	1.30	30.5	0.5416	15.86	17.80	yes	stainless steel	4D
C.091.130.0318.A	9.1	1.30	31.8	0.6306	15.86	17.80	yes	music wire	4F
C.091.130.0318.I	9.1	1.30	31.8	0.5486	15.73	17.65	yes	stainless steel	4G
C.091.130.0318.N	9.1	1.30	31.8	0.6306	15.86	17.80	yes	Zn coating	4I
C.091.130.0351.A	9.1	1.30	35.1	0.5730	17.16	19.30	yes	music wire	4F
C.091.130.0351.I	9.1	1.30	35.1	0.5000	16.90	19.00	yes	stainless steel	4G
C.091.130.0351.N	9.1	1.30	35.1	0.5730	17.16	19.30	yes	Zn coating	4I
C.091.130.0356.A	9.1	1.30	35.6	0.5657	17.29	19.45	yes	music wire	4F
C.091.130.0356.I	9.1	1.30	35.6	0.4922	17.16	19.30	yes	stainless steel	4G
C.091.130.0381.A	9.1	1.30	38.1	0.5251	18.46	20.80	yes	music wire	4F
C.091.130.0381.I	9.1	1.30	38.1	0.4506	18.46	20.80	yes	stainless steel	4G
C.091.130.0381.N	9.1	1.30	38.1	0.5251	18.46	20.80	yes	Zn coating	4I
C.091.130.0400.A	9.1	1.30	40.0	0.4171	22.36	25.30	yes	music wire	4D
C.091.130.0400.I	9.1	1.30	40.0	0.3582	22.36	25.30	yes	stainless steel	4D
C.091.130.0444.A	9.1	1.30	44.4	0.4498	20.93	23.65	yes	music wire	4G
C.091.130.0444.I	9.1	1.30	44.4	0.3913	20.80	23.50	yes	stainless steel	4G
C.091.130.0444.N	9.1	1.30	44.4	0.4498	20.93	23.65	yes	Zn coating	4I
C.091.130.0457.A	9.1	1.30	45.7	0.4441	21.19	24.21	yes	music wire	4G
C.091.130.0457.I	9.1	1.30	45.7	0.3864	20.93	24.29	yes	stainless steel	4G
C.091.130.0508.A	9.1	1.30	50.8	0.3934	23.53	26.65	yes	music wire	4G
C.091.130.0508.I	9.1	1.30	50.8	0.3379	23.53	26.65	yes	stainless steel	4G
C.091.130.0508.N	9.1	1.30	50.8	0.3934	23.53	26.65	yes	Zn coating	4I
C.091.130.0559.A	9.1	1.30	55.9	0.3451	26.39	29.95	yes	music wire	4G
C.091.130.0559.I	9.1	1.30	55.9	0.3000	26.13	29.65	yes	stainless steel	4G
C.091.130.0572.A	9.1	1.30	57.2	0.3496	26.00	29.90	yes	music wire	4G
C.091.130.0572.I	9.1	1.30	57.2	0.3042	25.74	30.00	yes	stainless steel	4G
C.091.130.0572.N	9.1	1.30	57.2	0.3496	26.00	29.90	yes	Zn coating	4I
C.091.130.0600.A	9.1	1.30	60.0	0.2713	32.63	37.15	yes	music wire	4D
C.091.130.0600.I	9.1	1.30	60.0	0.2330	32.63	37.15	yes	stainless steel	4D
C.091.130.0635.A	9.1	1.30	63.5	0.3130	28.73	33.01	yes	music wire	4G
C.091.130.0635.I	9.1	1.30	63.5	0.2729	28.34	33.19	yes	stainless steel	4G
C.091.130.0635.N	9.1	1.30	63.5	0.3130	28.73	33.01	yes	Zn coating	4I
C.091.130.0698.A	9.1	1.30	69.8	0.2885	30.94	36.72	yes	music wire	4G
C.091.130.0698.I	9.1	1.30	69.8	0.2478	30.94	36.42	yes	stainless steel	4G
C.091.130.0698.N	9.1	1.30	69.8	0.2885	30.94	36.72	yes	Zn coating	4I
C.091.130.0762.A	9.1	1.30	76.2	0.2642	33.41	40.08	yes	music wire	4G
C.091.130.0762.I	9.1	1.30	76.2	0.2270	33.41	39.75	yes	stainless steel	4G
C.091.130.0762.N	9.1	1.30	76.2	0.2642	33.41	40.08	yes	Zn coating	4I
C.091.130.0800.A	9.1	1.30	80.0	0.2017	42.77	48.86	yes	music wire	4D
C.091.130.0800.I	9.1	1.30	80.0	0.1732	42.77	48.86	yes	stainless steel	4E
C.091.130.0826.A	9.1	1.30	82.6	0.2437	36.01	43.44	yes	music wire	4G
C.091.130.0826.I	9.1	1.30	82.6	0.2093	36.01	43.08	yes	stainless steel	4G
C.091.130.0826.N	9.1	1.30	82.6	0.2437	36.01	43.44	yes	Zn coating	4I
C.091.130.0889.A	9.1	1.30	88.9	0.2262	38.48	46.70	yes	music wire	4G
C.091.130.0889.I	9.1	1.30	88.9	0.1942	38.48	46.31	yes	stainless steel	4G
C.091.130.0889.N	9.1	1.30	88.9	0.2262	38.48	46.70	yes	Zn coating	4I
C.091.130.1000.A	9.1	1.30	100.0	0.1601	53.04	60.71	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.091.130.1000.I	9.1	1.30	100.0	0.1375	53.04	60.71	yes	stainless steel	4E
C.091.130.1200.A	9.1	1.30	120.0	0.1330	63.18	72.41	yes	music wire	4E
C.091.130.1200.I	9.1	1.30	120.0	0.1142	63.18	72.41	yes	stainless steel	4E
C.091.130.1400.A	9.1	1.30	140.0	0.1135	73.45	84.26	yes	music wire	4E
C.091.130.1400.I	9.1	1.30	140.0	0.0975	73.45	84.26	yes	stainless steel	4E
C.091.130.1600.A	9.1	1.30	160.0	0.0992	83.59	95.96	yes	music wire	4E
C.091.130.1600.I	9.1	1.30	160.0	0.0852	83.59	95.96	yes	stainless steel	4E
C.091.130.2000.A	9.1	1.30	200.0	0.0791	104.00	119.52	yes	music wire	4E
C.091.130.2000.I	9.1	1.30	200.0	0.0680	104.00	119.52	yes	stainless steel	4F
C.091.140.0111.A	9.1	1.40	11.1	2.9325	7.56	8.15	yes	music wire	4E
C.091.140.0111.I	9.1	1.40	11.1	2.5513	7.56	8.15	yes	stainless steel	4E
C.091.140.0112.A	9.1	1.40	11.2	3.0750	7.42	7.99	yes	music wire	4E
C.091.140.0112.AF	9.1	1.40	11.2	2.3653	8.54	9.27	yes	music wire	4E
C.091.140.0112.AP	9.1	1.40	11.2	3.3093	7.14	7.67	yes	music wire	4H
C.091.140.0112.I	9.1	1.40	11.2	2.0315	8.54	9.27	yes	stainless steel	4E
C.091.140.0112.N	9.1	1.40	11.2	3.0750	7.42	7.99	yes	Zn coating	4G
C.091.140.0112.NF	9.1	1.40	11.2	2.3653	8.54	9.27	yes	Zn coating	4G
C.091.140.0127.A	9.1	1.40	12.7	2.0565	9.38	10.23	yes	music wire	4E
C.091.140.0127.AF	9.1	1.40	12.7	2.0560	9.38	10.23	yes	music wire	4E
C.091.140.0127.AP	9.1	1.40	12.7	2.7755	7.84	8.49	yes	music wire	4H
C.091.140.0127.I	9.1	1.40	12.7	1.7891	9.24	10.07	yes	stainless steel	4E
C.091.140.0127.N	9.1	1.40	12.7	2.0565	9.38	10.23	yes	Zn coating	4G
C.091.140.0127.NF	9.1	1.40	12.7	2.0560	9.38	10.23	yes	Zn coating	4G
C.091.140.0142.A	9.1	1.40	14.2	2.2550	8.82	9.59	yes	music wire	4H
C.091.140.0142.AF	9.1	1.40	14.2	1.8918	9.80	10.72	yes	music wire	4E
C.091.140.0142.AP	9.1	1.40	14.2	2.4583	8.40	9.44	yes	music wire	4H
C.091.140.0142.I	9.1	1.40	14.2	1.6249	9.80	10.72	yes	stainless steel	4E
C.091.140.0142.N	9.1	1.40	14.2	2.2550	8.82	9.59	yes	Zn coating	4I
C.091.140.0142.NF	9.1	1.40	14.2	1.8918	9.80	10.72	yes	Zn coating	4G
C.091.140.0175.A	9.1	1.40	17.5	1.7500	10.36	11.36	yes	music wire	4H
C.091.140.0175.AP	9.1	1.40	17.5	1.9120	9.80	11.39	yes	music wire	4H
C.091.140.0175.I	9.1	1.40	17.5	1.3101	11.34	12.48	yes	stainless steel	4E
C.091.140.0175.N	9.1	1.40	17.5	1.7500	10.36	11.36	yes	Zn coating	4I
C.091.140.0190.A	9.1	1.40	19.0	1.5860	11.06	12.16	yes	music wire	4H
C.091.140.0190.AP	9.1	1.40	19.0	1.7208	10.50	12.21	yes	music wire	4H
C.091.140.0190.I	9.1	1.40	19.0	1.1944	12.18	13.44	yes	stainless steel	4E
C.091.140.0190.N	9.1	1.40	19.0	1.5860	11.06	12.16	yes	Zn coating	4I
C.091.140.0200.A	9.1	1.40	20.0	1.2424	13.16	14.56	yes	music wire	4E
C.091.140.0200.I	9.1	1.40	20.0	1.0671	13.16	14.56	yes	stainless steel	4E
C.091.140.0224.A	9.1	1.40	22.4	1.3190	12.60	13.92	yes	music wire	4H
C.091.140.0224.I	9.1	1.40	22.4	1.0412	13.44	14.89	yes	stainless steel	4E
C.091.140.0224.N	9.1	1.40	22.4	1.3190	12.60	13.92	yes	Zn coating	4I
C.091.140.0239.A	9.1	1.40	23.9	1.1256	14.14	15.69	yes	music wire	4E
C.091.140.0239.I	9.1	1.40	23.9	0.9668	14.14	15.69	yes	stainless steel	4E
C.091.140.0239.N	9.1	1.40	23.9	1.1256	14.14	15.69	yes	Zn coating	4G
C.091.140.0279.A	9.1	1.40	27.9	0.9334	16.38	18.25	yes	music wire	4E
C.091.140.0279.I	9.1	1.40	27.9	0.8120	16.24	18.09	yes	stainless steel	4E
C.091.140.0284.A	9.1	1.40	28.4	0.9455	16.24	18.09	yes	music wire	4E
C.091.140.0284.I	9.1	1.40	28.4	0.8225	16.10	17.93	yes	stainless steel	4I
C.091.140.0284.N	9.1	1.40	28.4	0.9455	16.24	18.09	yes	Zn coating	4G
C.091.140.0290.A	9.1	1.40	29.0	0.9770	15.82	17.61	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.140.0290.I	9.1	1.40	29.0	0.8500	15.68	17.45	yes	stainless steel	4I
C.091.140.0305.A	9.1	1.40	30.5	0.8333	17.92	20.02	yes	music wire	4E
C.091.140.0305.I	9.1	1.40	30.5	0.7250	17.78	19.86	yes	stainless steel	4E
C.091.140.0351.A	9.1	1.40	35.1	0.7749	19.04	21.30	yes	music wire	4I
C.091.140.0351.I	9.1	1.40	35.1	0.6742	18.76	20.98	yes	stainless steel	4I
C.091.140.0351.N	9.1	1.40	35.1	0.7749	19.04	21.30	yes	Zn coating	4I
C.091.140.0356.A	9.1	1.40	35.6	0.7650	19.18	21.46	yes	music wire	4I
C.091.140.0356.I	9.1	1.40	35.6	0.6656	19.04	21.30	yes	stainless steel	4I
C.091.140.0360.A	9.1	1.40	36.0	1.3000	12.74	27.01	yes	music wire	4I
C.091.140.0360.I	9.1	1.40	36.0	1.1310	12.60	27.02	yes	stainless steel	4J
C.091.140.0381.A	9.1	1.40	38.1	0.7055	20.58	23.06	yes	music wire	4I
C.091.140.0381.I	9.1	1.40	38.1	0.6059	20.58	23.06	yes	stainless steel	4I
C.091.140.0381.N	9.1	1.40	38.1	0.7055	20.58	23.06	yes	Zn coating	4I
C.091.140.0400.A	9.1	1.40	40.0	0.5715	24.50	27.55	yes	music wire	4E
C.091.140.0400.I	9.1	1.40	40.0	0.4909	24.50	27.55	yes	stainless steel	4F
C.091.140.0410.A	9.1	1.40	41.0	0.8900	16.94	27.87	yes	music wire	4I
C.091.140.0410.I	9.1	1.40	41.0	0.7743	16.80	27.89	yes	stainless steel	4J
C.091.140.0444.A	9.1	1.40	44.4	0.6060	23.24	26.11	yes	music wire	4I
C.091.140.0444.I	9.1	1.40	44.4	0.5272	23.10	25.95	yes	stainless steel	4I
C.091.140.0444.N	9.1	1.40	44.4	0.6060	23.24	26.11	yes	Zn coating	4I
C.091.140.0457.A	9.1	1.40	45.7	0.6000	23.52	26.43	yes	music wire	4I
C.091.140.0457.I	9.1	1.40	45.7	0.5205	23.24	26.19	yes	stainless steel	4I
C.091.140.0510.A	9.1	1.40	51.0	0.5380	25.76	29.27	yes	music wire	4I
C.091.140.0510.I	9.1	1.40	51.0	0.4681	25.48	29.31	yes	stainless steel	4I
C.091.140.0510.N	9.1	1.40	51.0	0.5380	25.76	29.27	yes	Zn coating	4I
C.091.140.0559.A	9.1	1.40	55.9	0.4666	29.26	33.00	yes	music wire	4I
C.091.140.0559.I	9.1	1.40	55.9	0.4059	28.84	32.52	yes	stainless steel	4I
C.091.140.0572.A	9.1	1.40	57.2	0.4726	28.84	32.52	yes	music wire	4I
C.091.140.0572.I	9.1	1.40	57.2	0.4112	28.56	32.51	yes	stainless steel	4I
C.091.140.0572.N	9.1	1.40	57.2	0.4726	28.84	32.52	yes	Zn coating	4I
C.091.140.0600.A	9.1	1.40	60.0	0.3727	35.70	40.38	yes	music wire	4E
C.091.140.0600.I	9.1	1.40	60.0	0.3201	35.70	40.38	yes	stainless steel	4F
C.091.140.0698.A	9.1	1.40	69.8	0.3874	34.44	39.62	yes	music wire	4I
C.091.140.0698.I	9.1	1.40	69.8	0.3327	34.44	39.28	yes	stainless steel	4I
C.091.140.0698.N	9.1	1.40	69.8	0.3874	34.44	39.62	yes	Zn coating	4I
C.091.140.0762.A	9.1	1.40	76.2	0.3553	37.24	43.30	yes	music wire	4I
C.091.140.0762.I	9.1	1.40	76.2	0.3052	37.24	42.93	yes	stainless steel	4I
C.091.140.0762.N	9.1	1.40	76.2	0.3553	37.24	43.30	yes	Zn coating	4J
C.091.140.0800.A	9.1	1.40	80.0	0.2765	46.90	53.21	yes	music wire	4F
C.091.140.0800.I	9.1	1.40	80.0	0.2375	46.90	53.21	yes	stainless steel	4F
C.091.140.0826.A	9.1	1.40	82.6	0.3282	40.04	46.98	yes	music wire	4I
C.091.140.0826.I	9.1	1.40	82.6	0.2819	40.04	46.58	yes	stainless steel	4I
C.091.140.0826.N	9.1	1.40	82.6	0.3282	40.04	46.98	yes	Zn coating	4J
C.091.140.0889.A	9.1	1.40	88.9	0.3049	42.84	50.56	yes	music wire	4I
C.091.140.0889.I	9.1	1.40	88.9	0.2619	42.84	50.13	yes	stainless steel	4I
C.091.140.0889.N	9.1	1.40	88.9	0.3049	42.84	50.56	yes	Zn coating	4J
C.091.140.1000.A	9.1	1.40	100.0	0.2198	58.10	66.04	yes	music wire	4F
C.091.140.1000.I	9.1	1.40	100.0	0.1888	58.10	66.04	yes	stainless steel	4G
C.091.140.1200.A	9.1	1.40	120.0	0.1824	69.30	78.87	yes	music wire	4F
C.091.140.1200.I	9.1	1.40	120.0	0.1567	69.30	78.87	yes	stainless steel	4G
C.091.140.1400.A	9.1	1.40	140.0	0.1556	80.64	91.85	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.140.1400.I	9.1	1.40	140.0	0.1336	80.64	91.85	yes	stainless steel	4G
C.091.140.1600.A	9.1	1.40	160.0	0.1359	91.84	104.68	yes	music wire	4G
C.091.140.1600.I	9.1	1.40	160.0	0.1167	91.84	104.68	yes	stainless steel	4G
C.091.140.1800.A	9.1	1.40	180.0	0.1206	103.04	117.51	yes	music wire	4G
C.091.140.1800.I	9.1	1.40	180.0	0.1036	103.04	117.51	yes	stainless steel	4G
C.091.140.2000.A	9.1	1.40	200.0	0.1084	114.24	130.34	yes	music wire	4G
C.091.140.2000.I	9.1	1.40	200.0	0.0931	114.24	130.34	yes	stainless steel	4G
C.091.140.2200.A	9.1	1.40	220.0	0.0984	125.44	143.17	yes	music wire	4G
C.091.140.2200.I	9.1	1.40	220.0	0.0845	125.44	143.17	yes	stainless steel	4G
C.091.150.0112.A	9.1	1.50	11.2	4.1670	7.95	8.53	yes	music wire	4E
C.091.150.0112.AF	9.1	1.50	11.2	3.4367	8.85	9.56	yes	music wire	4E
C.091.150.0112.AP	9.1	1.50	11.2	4.3714	7.80	8.36	yes	music wire	4H
C.091.150.0112.I	9.1	1.50	11.2	2.9517	8.85	9.56	yes	stainless steel	4E
C.091.150.0112.N	9.1	1.50	11.2	4.1670	7.95	8.53	yes	Zn coating	4G
C.091.150.0112.NF	9.1	1.50	11.2	3.4367	8.85	9.56	yes	Zn coating	4G
C.091.150.0127.A	9.1	1.50	12.7	3.5130	8.70	9.39	yes	music wire	4E
C.091.150.0127.AF	9.1	1.50	12.7	2.8684	9.90	10.75	yes	music wire	4E
C.091.150.0127.AP	9.1	1.50	12.7	3.6884	8.55	9.21	yes	music wire	4H
C.091.150.0127.I	9.1	1.50	12.7	2.4636	9.90	10.75	yes	stainless steel	4E
C.091.150.0127.N	9.1	1.50	12.7	3.5130	8.70	9.39	yes	Zn coating	4G
C.091.150.0127.NF	9.1	1.50	12.7	2.8684	9.90	10.75	yes	Zn coating	4G
C.091.150.0142.A	9.1	1.50	14.2	3.0360	9.60	10.41	yes	music wire	4H
C.091.150.0142.AF	9.1	1.50	14.2	2.5519	10.65	11.61	yes	music wire	4E
C.091.150.0142.AP	9.1	1.50	14.2	3.2786	9.15	9.90	yes	music wire	4H
C.091.150.0142.I	9.1	1.50	14.2	2.1918	10.65	11.61	yes	stainless steel	4E
C.091.150.0142.N	9.1	1.50	14.2	3.0360	9.60	10.41	yes	Zn coating	4I
C.091.150.0142.NF	9.1	1.50	14.2	2.5519	10.65	11.61	yes	Zn coating	4G
C.091.150.0157.A	9.1	1.50	15.7	2.3000	11.40	12.46	yes	music wire	4E
C.091.150.0157.AP	9.1	1.50	15.7	2.8787	9.90	10.80	yes	music wire	4H
C.091.150.0157.I	9.1	1.50	15.7	1.9740	11.40	12.46	yes	stainless steel	4E
C.091.150.0157.N	9.1	1.50	15.7	2.3000	11.40	12.46	yes	Zn coating	4G
C.091.150.0175.A	9.1	1.50	17.5	2.3460	11.25	12.29	yes	music wire	4H
C.091.150.0175.AP	9.1	1.50	17.5	2.5112	10.80	11.88	yes	music wire	4H
C.091.150.0175.I	9.1	1.50	17.5	1.7430	12.45	13.65	yes	stainless steel	4E
C.091.150.0175.N	9.1	1.50	17.5	2.3460	11.25	12.29	yes	Zn coating	4I
C.091.150.0190.A	9.1	1.50	19.0	2.1240	12.00	13.14	yes	music wire	4H
C.091.150.0190.AP	9.1	1.50	19.0	2.3143	11.40	12.91	yes	music wire	4H
C.091.150.0190.I	9.1	1.50	19.0	1.6000	13.20	14.51	yes	stainless steel	4E
C.091.150.0190.N	9.1	1.50	19.0	2.1240	12.00	13.14	yes	Zn coating	4I
C.091.150.0200.A	9.1	1.50	20.0	1.7027	14.10	15.53	yes	music wire	4E
C.091.150.0200.I	9.1	1.50	20.0	1.4625	14.10	15.53	yes	stainless steel	4E
C.091.150.0206.A	9.1	1.50	20.6	1.9400	12.90	14.17	yes	music wire	4H
C.091.150.0206.AP	9.1	1.50	20.6	2.1076	12.15	13.91	yes	music wire	4H
C.091.150.0206.I	9.1	1.50	20.6	1.4828	13.95	15.36	yes	stainless steel	4E
C.091.150.0206.N	9.1	1.50	20.6	1.9400	12.90	14.17	yes	Zn coating	4I
C.091.150.0224.A	9.1	1.50	22.4	1.7620	13.80	15.19	yes	music wire	4H
C.091.150.0224.I	9.1	1.50	22.4	1.3798	14.70	16.22	yes	stainless steel	4E
C.091.150.0224.N	9.1	1.50	22.4	1.7620	13.80	15.19	yes	Zn coating	4I
C.091.150.0239.A	9.1	1.50	23.9	1.5000	15.45	17.07	yes	music wire	4E
C.091.150.0239.I	9.1	1.50	23.9	1.2902	15.45	17.07	yes	stainless steel	4E
C.091.150.0239.N	9.1	1.50	23.9	1.5000	15.45	17.07	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.150.0254.A	9.1	1.50	25.4	1.5220	15.30	16.90	yes	music wire	4H
C.091.150.0254.I	9.1	1.50	25.4	1.2110	16.20	17.92	yes	stainless steel	4E
C.091.150.0254.N	9.1	1.50	25.4	1.5220	15.30	16.90	yes	Zn coating	4I
C.091.150.0279.A	9.1	1.50	27.9	1.2411	18.00	19.97	yes	music wire	4E
C.091.150.0279.I	9.1	1.50	27.9	1.0798	17.70	19.63	yes	stainless steel	4E
C.091.150.0284.A	9.1	1.50	28.4	1.2572	17.70	19.63	yes	music wire	4E
C.091.150.0284.I	9.1	1.50	28.4	1.0937	17.55	19.46	yes	stainless steel	4E
C.091.150.0284.N	9.1	1.50	28.4	1.2572	17.70	19.63	yes	Zn coating	4G
C.091.150.0290.A	9.1	1.50	29.0	1.2644	17.70	19.63	yes	music wire	4I
C.091.150.0290.I	9.1	1.50	29.0	1.1000	17.55	19.46	yes	stainless steel	4I
C.091.150.0305.A	9.1	1.50	30.5	1.1194	19.50	21.68	yes	music wire	4E
C.091.150.0305.I	9.1	1.50	30.5	0.9739	19.35	21.51	yes	stainless steel	4F
C.091.150.0318.A	9.1	1.50	31.8	1.1339	19.35	21.51	yes	music wire	4I
C.091.150.0318.I	9.1	1.50	31.8	0.9865	19.05	21.17	yes	stainless steel	4I
C.091.150.0318.N	9.1	1.50	31.8	1.1339	19.35	21.51	yes	Zn coating	4I
C.091.150.0350.A	9.1	1.50	35.0	1.3793	16.50	24.78	yes	music wire	4I
C.091.150.0350.I	9.1	1.50	35.0	1.2000	16.35	24.77	yes	stainless steel	4J
C.091.150.0351.A	9.1	1.50	35.1	1.0175	21.00	23.39	yes	music wire	4I
C.091.150.0351.I	9.1	1.50	35.1	0.8852	20.85	23.22	yes	stainless steel	4I
C.091.150.0351.N	9.1	1.50	35.1	1.0175	21.00	23.39	yes	Zn coating	4I
C.091.150.0356.A	9.1	1.50	35.6	1.0045	21.30	23.73	yes	music wire	4I
C.091.150.0356.I	9.1	1.50	35.6	0.8739	21.00	23.39	yes	stainless steel	4I
C.091.150.0381.A	9.1	1.50	38.1	0.9352	22.65	25.27	yes	music wire	4I
C.091.150.0381.I	9.1	1.50	38.1	0.8033	22.65	25.27	yes	stainless steel	4I
C.091.150.0381.N	9.1	1.50	38.1	0.9352	22.65	25.27	yes	Zn coating	4I
C.091.150.0400.A	9.1	1.50	40.0	0.7781	26.40	29.54	yes	music wire	4E
C.091.150.0400.I	9.1	1.50	40.0	0.6683	26.40	29.54	yes	stainless steel	4F
C.091.150.0444.A	9.1	1.50	44.4	0.8050	25.65	28.68	yes	music wire	4I
C.091.150.0444.I	9.1	1.50	44.4	0.7000	25.35	28.34	yes	stainless steel	4I
C.091.150.0444.N	9.1	1.50	44.4	0.8050	25.65	28.68	yes	Zn coating	4I
C.091.150.0457.A	9.1	1.50	45.7	0.7947	25.95	29.02	yes	music wire	4I
C.091.150.0457.I	9.1	1.50	45.7	0.6914	25.65	28.68	yes	stainless steel	4I
C.091.150.0508.A	9.1	1.50	50.8	0.6976	28.95	32.44	yes	music wire	4I
C.091.150.0508.I	9.1	1.50	50.8	0.6069	28.65	32.10	yes	stainless steel	4I
C.091.150.0572.A	9.1	1.50	57.2	0.6240	31.95	35.86	yes	music wire	4I
C.091.150.0572.I	9.1	1.50	57.2	0.5360	31.95	35.86	yes	stainless steel	4I
C.091.150.0572.N	9.1	1.50	57.2	0.6240	31.95	35.86	yes	Zn coating	4I
C.091.150.0600.A	9.1	1.50	60.0	0.5064	38.55	43.37	yes	music wire	4E
C.091.150.0600.I	9.1	1.50	60.0	0.4350	38.55	43.37	yes	stainless steel	4F
C.091.150.0635.A	9.1	1.50	63.5	0.5640	34.95	39.27	yes	music wire	4I
C.091.150.0635.I	9.1	1.50	63.5	0.4838	35.10	39.44	yes	stainless steel	4I
C.091.150.0635.N	9.1	1.50	63.5	0.5640	34.95	39.27	yes	Zn coating	4I
C.091.150.0698.A	9.1	1.50	69.8	0.5132	38.10	42.86	yes	music wire	4I
C.091.150.0698.I	9.1	1.50	69.8	0.4408	38.10	42.86	yes	stainless steel	4I
C.091.150.0698.N	9.1	1.50	69.8	0.5132	38.10	42.86	yes	Zn coating	4J
C.091.150.0730.A	9.1	1.50	73.0	0.4943	39.45	44.47	yes	music wire	4I
C.091.150.0730.I	9.1	1.50	73.0	0.4300	39.00	44.46	yes	stainless steel	4I
C.091.150.0762.A	9.1	1.50	76.2	0.4714	41.10	46.28	yes	music wire	4I
C.091.150.0762.I	9.1	1.50	76.2	0.4049	41.10	46.27	yes	stainless steel	4I
C.091.150.0762.N	9.1	1.50	76.2	0.4714	41.10	46.28	yes	Zn coating	4J
C.091.150.0800.A	9.1	1.50	80.0	0.3754	50.70	57.20	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.091.150.0800.I	9.1	1.50	80.0	0.3224	50.70	57.20	yes	stainless steel	4F
C.091.150.0826.A	9.1	1.50	82.6	0.4331	44.40	50.04	yes	music wire	4I
C.091.150.0826.I	9.1	1.50	82.6	0.3720	44.40	50.03	yes	stainless steel	4I
C.091.150.0826.N	9.1	1.50	82.6	0.4331	44.40	50.04	yes	Zn coating	4J
C.091.150.0889.A	9.1	1.50	88.9	0.4029	47.55	53.90	yes	music wire	4I
C.091.150.0889.I	9.1	1.50	88.9	0.3461	47.55	53.62	yes	stainless steel	4I
C.091.150.0889.N	9.1	1.50	88.9	0.4029	47.55	53.90	yes	Zn coating	4J
C.091.150.1000.A	9.1	1.50	100.0	0.2982	62.85	71.04	yes	music wire	4F
C.091.150.1000.I	9.1	1.50	100.0	0.2561	62.85	71.04	yes	stainless steel	4G
C.091.150.1200.A	9.1	1.50	120.0	0.2473	75.00	84.87	yes	music wire	4F
C.091.150.1200.I	9.1	1.50	120.0	0.2124	75.00	84.87	yes	stainless steel	4G
C.091.150.1600.A	9.1	1.50	160.0	0.1841	99.45	112.71	yes	music wire	4G
C.091.150.1600.I	9.1	1.50	160.0	0.1582	99.45	112.71	yes	stainless steel	4G
C.091.150.1800.A	9.1	1.50	180.0	0.1634	111.60	126.54	yes	music wire	4G
C.091.150.1800.I	9.1	1.50	180.0	0.1403	111.60	126.54	yes	stainless steel	4G
C.091.150.2000.A	9.1	1.50	200.0	0.1469	123.75	140.37	yes	music wire	4G
C.091.150.2000.I	9.1	1.50	200.0	0.1261	123.75	140.37	yes	stainless steel	4G
C.091.150.2200.A	9.1	1.50	220.0	0.1334	135.90	154.20	yes	music wire	4G
C.091.150.2200.I	9.1	1.50	220.0	0.1145	135.90	154.20	yes	stainless steel	4H
C.091.150.2400.A	9.1	1.50	240.0	0.1221	148.05	168.04	yes	music wire	4G
C.091.150.2400.I	9.1	1.50	240.0	0.1049	148.05	168.04	yes	stainless steel	4H
C.091.150.2600.A	9.1	1.50	260.0	0.1125	160.35	182.04	yes	music wire	4H
C.091.150.2600.I	9.1	1.50	260.0	0.0967	160.35	182.04	yes	stainless steel	4H
C.091.160.0119.A	9.1	1.60	11.9	5.1724	8.96	9.62	yes	music wire	4E
C.091.160.0119.I	9.1	1.60	11.9	4.5000	8.80	9.44	yes	stainless steel	4E
C.091.160.0350.A	9.1	1.60	35.0	1.3000	23.52	26.12	yes	music wire	4E
C.091.160.0350.I	9.1	1.60	35.0	1.1310	23.20	25.75	yes	stainless steel	4F
C.091.160.0800.A	9.1	1.60	80.0	0.5040	54.24	60.92	yes	music wire	4F
C.091.160.0800.I	9.1	1.60	80.0	0.4329	54.24	60.92	yes	stainless steel	4F
C.091.170.0210.A	9.1	1.70	21.0	3.4483	14.62	15.95	yes	music wire	4I
C.091.170.0210.I	9.1	1.70	21.0	3.0000	14.45	15.76	yes	stainless steel	4I
C.091.170.0220.A	9.1	1.70	22.0	2.9885	16.15	17.68	yes	music wire	4E
C.091.170.0220.I	9.1	1.70	22.0	2.6000	15.98	17.49	yes	stainless steel	4F
C.091.170.0600.A	9.1	1.70	60.0	0.9090	43.52	48.56	yes	music wire	4F
C.091.170.0600.I	9.1	1.70	60.0	0.7807	43.52	48.56	yes	stainless steel	4F
C.092.075.0290.A	9.2	0.75	29.0	0.0836	6.68	8.07	yes	music wire	4C
C.092.075.0290.I	9.2	0.75	29.0	0.0727	6.60	7.97	yes	stainless steel	4C
C.092.075.0350.A	9.2	0.75	35.0	0.0696	7.65	9.33	yes	music wire	4C
C.092.075.0350.AP	9.2	0.75	35.0	0.0969	6.00	13.91	yes	music wire	4F
C.092.075.0350.I	9.2	0.75	35.0	0.0580	7.80	9.52	yes	stainless steel	4C
C.092.075.0500.A	9.2	0.75	50.0	0.0451	10.80	13.39	yes	music wire	4C
C.092.075.0500.AP	9.2	0.75	50.0	0.0666	7.88	19.33	yes	music wire	4F
C.092.075.0500.I	9.2	0.75	50.0	0.0392	10.65	13.20	yes	stainless steel	4D
C.092.090.0290.A	9.2	0.90	29.0	0.1657	8.64	10.09	yes	music wire	4C
C.092.090.0290.I	9.2	0.90	29.0	0.1442	8.55	9.98	yes	stainless steel	4F
C.092.090.0380.A	9.2	0.90	38.0	0.1226	10.80	12.75	yes	music wire	4C
C.092.090.0380.I	9.2	0.90	38.0	0.1021	11.07	13.08	yes	stainless steel	4D
C.092.090.0450.A	9.2	0.90	45.0	0.1023	12.51	14.84	yes	music wire	4C
C.092.090.0450.I	9.2	0.90	45.0	0.0890	12.42	14.73	yes	stainless steel	4D
C.092.110.0143.A	9.2	1.10	14.3	0.7033	7.15	7.95	yes	music wire	4C
C.092.110.0143.I	9.2	1.10	14.3	0.6119	7.04	7.82	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.092.110.0290.A	9.2	1.10	29.0	0.3183	12.43	14.19	yes	music wire	4C
C.092.110.0290.AP	9.2	1.10	29.0	0.4193	10.12	14.79	yes	music wire	4F
C.092.110.0290.I	9.2	1.10	29.0	0.2769	12.32	14.06	yes	stainless steel	4D
C.092.130.0127.A	9.2	1.30	12.7	1.8076	7.54	8.21	yes	music wire	4C
C.092.130.0127.I	9.2	1.30	12.7	1.5726	7.41	8.06	yes	stainless steel	4G
C.092.150.0320.A	9.2	1.50	32.0	1.1000	19.20	21.36	yes	music wire	4I
C.092.150.0320.I	9.2	1.50	32.0	0.9574	18.90	21.01	yes	stainless steel	4I
C.092.180.0250.A	9.2	1.80	25.0	3.5189	18.00	19.69	yes	music wire	4I
C.092.180.0250.I	9.2	1.80	25.0	3.0224	18.00	19.69	yes	stainless steel	4I
C.092.180.0250.N	9.2	1.80	25.0	3.5189	18.00	19.69	yes	Zn coating	4J
C.092.180.0320.A	9.2	1.80	32.0	2.6391	22.50	24.76	yes	music wire	4I
C.092.180.0320.I	9.2	1.80	32.0	2.2667	22.50	24.76	yes	stainless steel	4I
C.092.180.0320.N	9.2	1.80	32.0	2.6391	22.50	24.76	yes	Zn coating	4J
C.092.180.0380.A	9.2	1.80	38.0	2.2000	26.10	28.81	yes	music wire	4I
C.092.180.0380.I	9.2	1.80	38.0	1.8890	26.10	28.81	yes	stainless steel	4I
C.092.180.0380.N	9.2	1.80	38.0	2.2000	26.10	28.81	yes	Zn coating	4J
C.092.180.0440.A	9.2	1.80	44.0	1.8201	30.60	33.87	yes	music wire	4I
C.092.180.0440.I	9.2	1.80	44.0	1.5633	30.60	33.87	yes	stainless steel	4I
C.092.180.0440.N	9.2	1.80	44.0	1.8201	30.60	33.87	yes	Zn coating	4J
C.092.180.0510.A	9.2	1.80	51.0	1.5081	36.00	39.95	yes	music wire	4G
C.092.180.0510.I	9.2	1.80	51.0	1.2953	36.00	39.95	yes	stainless steel	4G
C.092.180.0510.N	9.2	1.80	51.0	1.5081	36.00	39.95	yes	Zn coating	4I
C.092.180.0640.A	9.2	1.80	64.0	1.2567	42.30	47.04	yes	music wire	4I
C.092.180.0640.I	9.2	1.80	64.0	1.0794	42.30	47.04	yes	stainless steel	4I
C.092.180.0640.N	9.2	1.80	64.0	1.2567	42.30	47.04	yes	Zn coating	4J
C.092.180.0760.A	9.2	1.80	76.0	1.0557	49.50	55.14	yes	music wire	4I
C.092.180.0760.I	9.2	1.80	76.0	0.9067	49.50	55.14	yes	stainless steel	4I
C.092.180.0760.N	9.2	1.80	76.0	1.0557	49.50	55.14	yes	Zn coating	4J
C.093.080.0155.A	9.3	0.80	15.5	0.1699	5.20	6.06	yes	music wire	4C
C.093.080.0155.AP	9.3	0.80	15.5	0.2713	4.00	6.56	yes	music wire	4E
C.093.080.0155.I	9.3	0.80	15.5	0.1478	5.12	5.96	yes	stainless steel	4C
C.093.080.0155.N	9.3	0.80	15.5	0.1699	5.20	6.06	yes	Zn coating	4E
C.093.125.0120.A	9.3	1.25	12.0	1.3879	7.38	8.07	yes	music wire	4C
C.093.125.0120.AP	9.3	1.25	12.0	1.8380	6.38	7.43	yes	music wire	4F
C.093.125.0120.I	9.3	1.25	12.0	1.2075	7.38	8.07	yes	stainless steel	4D
C.093.125.0120.N	9.3	1.25	12.0	1.3879	7.38	8.07	yes	Zn coating	4E
C.093.125.0150.A	9.3	1.25	15.0	1.3879	7.38	8.95	yes	music wire	4F
C.093.125.0150.I	9.3	1.25	15.0	1.1921	7.38	8.90	yes	stainless steel	4F
C.093.125.0150.N	9.3	1.25	15.0	1.3879	7.38	8.95	yes	Zn coating	4H
C.093.125.0170.A	9.3	1.25	17.0	0.8832	9.88	10.97	yes	music wire	4C
C.093.125.0170.AP	9.3	1.25	17.0	1.1947	8.13	9.97	yes	music wire	4F
C.093.125.0170.I	9.3	1.25	17.0	0.7586	9.88	10.97	yes	stainless steel	4D
C.093.125.0170.N	9.3	1.25	17.0	0.8832	9.88	10.97	yes	Zn coating	4E
C.093.125.0220.A	9.3	1.25	22.0	0.8832	9.88	12.49	yes	music wire	4F
C.093.125.0220.I	9.3	1.25	22.0	0.7586	9.88	12.41	yes	stainless steel	4G
C.093.125.0220.N	9.3	1.25	22.0	0.8832	9.88	12.49	yes	Zn coating	4H
C.093.125.0250.A	9.3	1.25	25.0	0.5715	13.50	15.18	yes	music wire	4C
C.093.125.0250.AP	9.3	1.25	25.0	0.7834	10.75	14.28	yes	music wire	4F
C.093.125.0250.I	9.3	1.25	25.0	0.4972	13.38	15.04	yes	stainless steel	4D
C.093.125.0250.N	9.3	1.25	25.0	0.5715	13.50	15.18	yes	Zn coating	4E
C.093.125.0330.A	9.3	1.25	33.0	0.5715	13.50	18.30	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.093.125.0330.I	9.3	1.25	33.0	0.4909	13.50	18.19	yes	stainless steel	4G
C.093.125.0330.N	9.3	1.25	33.0	0.5715	13.50	18.30	yes	Zn coating	4I
C.093.125.0390.A	9.3	1.25	39.0	0.3598	19.75	22.45	yes	music wire	4D
C.093.125.0390.AP	9.3	1.25	39.0	0.4827	15.50	21.60	yes	music wire	4F
C.093.125.0390.I	9.3	1.25	39.0	0.3090	19.75	22.45	yes	stainless steel	4D
C.093.125.0390.N	9.3	1.25	39.0	0.3598	19.75	22.45	yes	Zn coating	4E
C.093.125.0475.A	9.3	1.25	47.5	0.3886	18.50	25.88	yes	music wire	4G
C.093.125.0475.AF	9.3	1.25	47.5	0.2620	25.88	29.57	yes	music wire	4D
C.093.125.0475.AP	9.3	1.25	47.5	0.3917	18.38	26.06	yes	music wire	4G
C.093.125.0475.I	9.3	1.25	47.5	0.3338	18.50	25.71	yes	stainless steel	4G
C.093.125.0475.IF	9.3	1.25	47.5	0.2250	25.88	29.57	yes	stainless steel	4D
C.093.125.0475.N	9.3	1.25	47.5	0.3886	18.50	25.88	yes	Zn coating	4I
C.093.125.0475.NF	9.3	1.25	47.5	0.2620	25.88	29.57	yes	Zn coating	4E
C.093.125.0580.A	9.3	1.25	58.0	0.2944	23.38	29.47	yes	music wire	4G
C.093.125.0580.I	9.3	1.25	58.0	0.2529	23.38	29.24	yes	stainless steel	4G
C.093.125.0580.N	9.3	1.25	58.0	0.2944	23.38	29.47	yes	Zn coating	4I
C.093.125.0690.A	9.3	1.25	69.0	0.2626	25.88	37.01	yes	music wire	4G
C.093.125.0690.AF	9.3	1.25	69.0	0.2159	30.75	35.23	yes	music wire	4D
C.093.125.0690.I	9.3	1.25	69.0	0.2255	25.88	36.75	yes	stainless steel	4G
C.093.125.0690.IF	9.3	1.25	69.0	0.1854	30.75	35.23	yes	stainless steel	4E
C.093.125.0690.N	9.3	1.25	69.0	0.2626	25.88	37.01	yes	Zn coating	4I
C.093.125.0690.NF	9.3	1.25	69.0	0.2159	30.75	35.23	yes	Zn coating	4F
C.093.200.0125.A	9.3	2.00	12.5	10.0000	12.50	12.50	yes	music wire	4G
C.093.200.0125.AL	9.3	2.00	12.5	13.3100	11.20	11.94	yes	music wire	4E
C.093.200.0125.AP	9.3	2.00	12.5	14.0954	11.00	11.72	yes	music wire	4G
C.093.200.0160.A	9.3	2.00	16.0	8.0000	15.40	15.40	yes	music wire	4G
C.093.200.0160.AL	9.3	2.00	16.0	9.6800	13.60	14.63	yes	music wire	4E
C.093.200.0160.AP	9.3	2.00	16.0	10.3137	13.20	14.18	yes	music wire	4G
C.093.200.0160.I	9.3	2.00	16.0	6.9600	15.40	15.40	yes	stainless steel	4G
C.093.200.0160.N	9.3	2.00	16.0	8.0000	15.40	15.40	yes	Zn coating	4I
C.093.200.0200.A	9.3	2.00	20.0	6.2500	18.40	18.40	yes	music wire	4G
C.093.200.0200.AL	9.3	2.00	20.0	7.0400	17.00	18.44	yes	music wire	4E
C.093.200.0200.AP	9.3	2.00	20.0	7.6884	15.80	17.10	yes	music wire	4I
C.093.200.0200.I	9.3	2.00	20.0	5.4375	18.20	19.78	yes	stainless steel	4G
C.093.200.0200.N	9.3	2.00	20.0	6.2500	18.40	18.40	yes	Zn coating	4I
C.093.200.0250.A	9.3	2.00	25.0	5.0000	21.80	23.82	yes	music wire	4G
C.093.200.0250.AP	9.3	2.00	25.0	5.9558	19.00	20.68	yes	music wire	4I
C.093.200.0250.I	9.3	2.00	25.0	4.3500	21.60	23.59	yes	stainless steel	4G
C.093.200.0250.N	9.3	2.00	25.0	5.0000	21.80	23.82	yes	Zn coating	4I
C.093.200.0320.A	9.3	2.00	32.0	4.0000	26.00	28.52	yes	music wire	4G
C.093.200.0320.I	9.3	2.00	32.0	3.4800	25.60	28.07	yes	stainless steel	4G
C.093.200.0320.N	9.3	2.00	32.0	4.0000	26.00	28.52	yes	Zn coating	4I
C.093.200.0400.A	9.3	2.00	40.0	3.1746	31.40	34.57	yes	music wire	4G
C.093.200.0400.I	9.3	2.00	40.0	2.7619	31.00	34.12	yes	stainless steel	4G
C.093.200.0400.N	9.3	2.00	40.0	3.1746	31.40	34.57	yes	Zn coating	4I
C.093.200.0500.A	9.3	2.00	50.0	2.5000	38.60	42.63	yes	music wire	4G
C.093.200.0500.I	9.3	2.00	50.0	2.1750	38.00	41.96	yes	stainless steel	4G
C.093.200.0500.N	9.3	2.00	50.0	2.5000	38.60	42.63	yes	Zn coating	4I
C.093.200.0630.A	9.3	2.00	63.0	2.0000	47.00	52.04	yes	music wire	4I
C.093.200.0630.I	9.3	2.00	63.0	1.7400	46.40	51.37	yes	stainless steel	4I
C.093.200.0630.N	9.3	2.00	63.0	2.0000	47.00	52.04	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.093.200.0800.A	9.3	2.00	80.0	1.6000	57.40	63.69	yes	music wire	4I
C.093.200.0800.I	9.3	2.00	80.0	1.3920	56.80	63.02	yes	stainless steel	4I
C.093.200.0800.N	9.3	2.00	80.0	1.6000	57.40	63.69	yes	Zn coating	4J
C.093.200.1000.A	9.3	2.00	100.0	1.2500	72.00	80.04	yes	music wire	4I
C.093.200.1000.I	9.3	2.00	100.0	1.0875	71.20	79.14	yes	stainless steel	4I
C.093.200.1000.N	9.3	2.00	100.0	1.2500	72.00	80.04	yes	Zn coating	4J
C.093.200.1250.A	9.3	2.00	125.0	1.0000	88.80	98.85	yes	music wire	4I
C.093.200.1250.I	9.3	2.00	125.0	0.8700	87.80	97.73	yes	stainless steel	4J
C.093.200.1250.N	9.3	2.00	125.0	1.0000	88.80	98.85	yes	Zn coating	4J
C.095.040.0143.A	9.5	0.40	14.3	0.0092	2.92	4.25	no	music wire	4B
C.095.040.0143.I	9.5	0.40	14.3	0.0080	2.88	4.18	no	stainless steel	4C
C.095.040.0159.A	9.5	0.40	15.9	0.0100	2.80	4.03	no	music wire	4B
C.095.040.0159.I	9.5	0.40	15.9	0.0087	2.76	3.95	no	stainless steel	4C
C.095.040.0191.A	9.5	0.40	19.1	0.0046	4.40	7.03	no	music wire	4B
C.095.040.0191.I	9.5	0.40	19.1	0.0040	4.36	6.95	no	stainless steel	4C
C.095.040.0198.A	9.5	0.40	19.8	0.0060	3.72	5.75	no	music wire	4B
C.095.040.0198.I	9.5	0.40	19.8	0.0052	3.68	5.68	no	stainless steel	4C
C.095.040.0350.A	9.5	0.40	35.0	0.0040	4.88	7.93	no	music wire	4B
C.095.040.0350.I	9.5	0.40	35.0	0.0035	4.80	7.78	no	stainless steel	4C
C.095.040.0380.A	9.5	0.40	38.0	0.0030	6.00	10.03	no	music wire	4C
C.095.040.0380.I	9.5	0.40	38.0	0.0026	5.96	9.96	no	stainless steel	4C
C.095.050.0127.A	9.5	0.50	12.7	0.0160	4.00	5.61	yes	music wire	4B
C.095.050.0127.I	9.5	0.50	12.7	0.0310	2.45	3.15	yes	stainless steel	4C
C.095.050.0159.A	9.5	0.50	15.9	0.0299	2.70	3.55	yes	music wire	4B
C.095.050.0159.I	9.5	0.50	15.9	0.0260	2.70	3.55	yes	stainless steel	4C
C.095.050.0179.A	9.5	0.50	17.9	0.0100	5.60	8.15	yes	music wire	4B
C.095.050.0179.I	9.5	0.50	17.9	0.0087	5.55	8.07	yes	stainless steel	4C
C.095.050.0191.A	9.5	0.50	19.1	0.0100	5.60	8.15	yes	music wire	4B
C.095.050.0191.I	9.5	0.50	19.1	0.0130	4.15	5.85	yes	stainless steel	4C
C.095.050.0220.A	9.5	0.50	22.0	0.0184	3.60	4.98	yes	music wire	4B
C.095.050.0220.I	9.5	0.50	22.0	0.0160	3.60	4.98	yes	stainless steel	4C
C.095.050.0240.A	9.5	0.50	24.0	0.0230	3.15	4.26	yes	music wire	4B
C.095.050.0240.I	9.5	0.50	24.0	0.0200	3.15	4.26	yes	stainless steel	4C
C.095.050.0250.A	9.5	0.50	25.0	0.0092	6.00	8.78	yes	music wire	4B
C.095.050.0250.I	9.5	0.50	25.0	0.0080	5.95	8.70	yes	stainless steel	4C
C.095.050.0500.A	9.5	0.50	50.0	0.0115	5.05	7.28	yes	music wire	4C
C.095.050.0500.I	9.5	0.50	50.0	0.0100	5.00	7.20	yes	stainless steel	4C
C.095.060.0127.A	9.5	0.60	12.7	0.0340	4.80	6.22	yes	music wire	4C
C.095.060.0127.I	9.5	0.60	12.7	0.0296	4.74	6.13	yes	stainless steel	4C
C.095.060.0159.A	9.5	0.60	15.9	0.0300	5.22	6.82	yes	music wire	4C
C.095.060.0159.I	9.5	0.60	15.9	0.0261	5.22	6.82	yes	stainless steel	4C
C.095.060.0191.A	9.5	0.60	19.1	0.0575	3.48	4.33	yes	music wire	4C
C.095.060.0191.I	9.5	0.60	19.1	0.0500	3.42	4.25	yes	stainless steel	4C
C.095.060.0198.A	9.5	0.60	19.8	0.0333	4.86	6.30	yes	music wire	4C
C.095.060.0198.I	9.5	0.60	19.8	0.0290	4.80	6.22	yes	stainless steel	4C
C.095.060.0220.A	9.5	0.60	22.0	0.0552	3.54	4.42	yes	music wire	4C
C.095.060.0220.I	9.5	0.60	22.0	0.0480	3.54	4.42	yes	stainless steel	4C
C.095.060.0250.A	9.5	0.60	25.0	0.0241	6.18	8.19	yes	music wire	4C
C.095.060.0250.I	9.5	0.60	25.0	0.0210	6.12	8.11	yes	stainless steel	4C
C.095.060.0290.A	9.5	0.60	29.0	0.0138	9.66	13.17	yes	music wire	4C
C.095.060.0290.I	9.5	0.60	29.0	0.0120	9.54	13.00	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.095.060.0320.A	9.5	0.60	32.0	0.0379	4.44	5.70	yes	music wire	4C
C.095.060.0320.I	9.5	0.60	32.0	0.0330	4.44	5.70	yes	stainless steel	4F
C.095.060.0350.A	9.5	0.60	35.0	0.0195	7.26	9.74	yes	music wire	4C
C.095.060.0350.I	9.5	0.60	35.0	0.0170	7.20	9.65	yes	stainless steel	4C
C.095.070.0125.A	9.5	0.70	12.5	0.1380	3.57	4.18	yes	music wire	4C
C.095.070.0125.I	9.5	0.70	12.5	0.1201	3.57	4.18	yes	stainless steel	4C
C.095.070.0125.N	9.5	0.70	12.5	0.1380	3.57	4.18	yes	Zn coating	4E
C.095.070.0135.A	9.5	0.70	13.5	0.1080	4.06	4.84	yes	music wire	4C
C.095.070.0135.I	9.5	0.70	13.5	0.0940	4.06	4.84	yes	stainless steel	4C
C.095.070.0151.A	9.5	0.70	15.1	0.0420	7.70	9.71	yes	music wire	4C
C.095.070.0151.I	9.5	0.70	15.1	0.0365	7.63	9.61	yes	stainless steel	4C
C.095.070.0160.A	9.5	0.70	16.0	0.1060	4.13	4.93	yes	music wire	4C
C.095.070.0160.I	9.5	0.70	16.0	0.0922	4.06	4.84	yes	stainless steel	4C
C.095.070.0160.N	9.5	0.70	16.0	0.1060	4.13	4.93	yes	Zn coating	4E
C.095.070.0190.A	9.5	0.70	19.0	0.0640	5.67	6.99	yes	music wire	4C
C.095.070.0190.I	9.5	0.70	19.0	0.0557	5.60	6.90	yes	stainless steel	4C
C.095.070.0190.N	9.5	0.70	19.0	0.0640	5.67	6.99	yes	Zn coating	4E
C.095.070.0200.A	9.5	0.70	20.0	0.0840	4.76	5.77	yes	music wire	4C
C.095.070.0200.I	9.5	0.70	20.0	0.0731	4.69	5.68	yes	stainless steel	4C
C.095.070.0200.N	9.5	0.70	20.0	0.0840	4.76	5.77	yes	Zn coating	4E
C.095.070.0220.A	9.5	0.70	22.0	0.0287	10.50	13.45	yes	music wire	4C
C.095.070.0220.I	9.5	0.70	22.0	0.0250	10.36	13.26	yes	stainless steel	4C
C.095.070.0250.A	9.5	0.70	25.0	0.0670	5.53	6.80	yes	music wire	4C
C.095.070.0250.I	9.5	0.70	25.0	0.0583	5.46	6.71	yes	stainless steel	4C
C.095.070.0250.N	9.5	0.70	25.0	0.0670	5.53	6.80	yes	Zn coating	4E
C.095.070.0280.A	9.5	0.70	28.0	0.0253	11.69	15.04	yes	music wire	4C
C.095.070.0280.I	9.5	0.70	28.0	0.0220	11.55	14.85	yes	stainless steel	4C
C.095.070.0300.A	9.5	0.70	30.0	0.0500	6.79	8.49	yes	music wire	4C
C.095.070.0300.I	9.5	0.70	30.0	0.0220	11.55	14.85	yes	stainless steel	4C
C.095.070.0300.N	9.5	0.70	30.0	0.0500	6.79	8.49	yes	Zn coating	4E
C.095.070.0320.A	9.5	0.70	32.0	0.0510	6.65	8.30	yes	music wire	4C
C.095.070.0320.I	9.5	0.70	32.0	0.0444	6.58	8.21	yes	stainless steel	4C
C.095.070.0320.N	9.5	0.70	32.0	0.0510	6.65	8.30	yes	Zn coating	4E
C.095.070.0400.A	9.5	0.70	40.0	0.0410	7.91	9.99	yes	music wire	4C
C.095.070.0400.I	9.5	0.70	40.0	0.0357	7.77	9.80	yes	stainless steel	4C
C.095.070.0400.N	9.5	0.70	40.0	0.0410	7.91	9.99	yes	Zn coating	4E
C.095.070.0500.A	9.5	0.70	50.0	0.0320	9.59	12.23	yes	music wire	4C
C.095.070.0500.I	9.5	0.70	50.0	0.0278	9.52	12.14	yes	stainless steel	4D
C.095.070.0500.N	9.5	0.70	50.0	0.0320	9.59	12.23	yes	Zn coating	4E
C.095.070.0570.A	9.5	0.70	57.0	0.0391	8.19	15.26	yes	music wire	4F
C.095.070.0570.I	9.5	0.70	57.0	0.0340	8.12	16.08	yes	stainless steel	4G
C.095.070.0630.A	9.5	0.70	63.0	0.0260	11.41	14.67	yes	music wire	4C
C.095.070.0630.I	9.5	0.70	63.0	0.0226	11.27	14.48	yes	stainless steel	4D
C.095.070.0630.N	9.5	0.70	63.0	0.0260	11.41	14.67	yes	Zn coating	4E
C.095.070.0800.A	9.5	0.70	80.0	0.0200	14.28	18.50	yes	music wire	4D
C.095.070.0800.I	9.5	0.70	80.0	0.0174	14.14	18.32	yes	stainless steel	4D
C.095.070.0800.N	9.5	0.70	80.0	0.0200	14.28	18.50	yes	Zn coating	4E
C.095.070.1000.A	9.5	0.70	100.0	0.0160	17.43	22.72	yes	music wire	4D
C.095.070.1000.I	9.5	0.70	100.0	0.0139	17.29	22.53	yes	stainless steel	4E
C.095.070.1000.N	9.5	0.70	100.0	0.0160	17.43	22.72	yes	Zn coating	4F
C.095.070.3600.A	9.5	0.70	360.0	0.0040	65.24	86.40	no	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.095.070.3600.I	9.5	0.70	360.0	0.0035	64.12	84.91	no	stainless steel	4G
C.095.080.0095.A	9.5	0.80	9.5	0.4943	3.04	4.69	yes	music wire	4E
C.095.080.0095.I	9.5	0.80	9.5	0.4300	3.04	4.77	yes	stainless steel	4F
C.095.080.0125.A	9.5	0.80	12.5	0.2220	4.32	4.96	yes	music wire	4C
C.095.080.0125.AP	9.5	0.80	12.5	0.3329	3.52	5.36	yes	music wire	4E
C.095.080.0125.I	9.5	0.80	12.5	0.1931	4.24	4.86	yes	stainless steel	4C
C.095.080.0125.N	9.5	0.80	12.5	0.2220	4.32	4.96	yes	Zn coating	4E
C.095.080.0135.A	9.5	0.80	13.5	0.1380	5.68	6.70	yes	music wire	4C
C.095.080.0135.AP	9.5	0.80	13.5	0.3163	3.60	5.99	yes	music wire	4E
C.095.080.0135.I	9.5	0.80	13.5	0.1201	5.60	6.60	yes	stainless steel	4C
C.095.080.0135.N	9.5	0.80	13.5	0.1380	5.68	6.70	yes	Zn coating	4E
C.095.080.0160.A	9.5	0.80	16.0	0.1740	4.88	5.68	yes	music wire	4C
C.095.080.0160.AP	9.5	0.80	16.0	0.2635	3.92	6.99	yes	music wire	4E
C.095.080.0160.I	9.5	0.80	16.0	0.1514	4.88	5.68	yes	stainless steel	4C
C.095.080.0160.N	9.5	0.80	16.0	0.1740	4.88	5.68	yes	Zn coating	4E
C.095.080.0174.A	9.5	0.80	17.4	0.0816	8.24	9.97	yes	music wire	4C
C.095.080.0174.AP	9.5	0.80	17.4	0.2343	4.16	7.26	yes	music wire	4E
C.095.080.0174.I	9.5	0.80	17.4	0.0710	8.16	9.87	yes	stainless steel	4C
C.095.080.0200.A	9.5	0.80	20.0	0.1350	5.76	6.80	yes	music wire	4C
C.095.080.0200.AP	9.5	0.80	20.0	0.2040	4.48	8.36	yes	music wire	4E
C.095.080.0200.I	9.5	0.80	20.0	0.1175	5.68	6.70	yes	stainless steel	4C
C.095.080.0200.N	9.5	0.80	20.0	0.1350	5.76	6.80	yes	Zn coating	4E
C.095.080.0220.A	9.5	0.80	22.0	0.0782	8.48	10.28	yes	music wire	4C
C.095.080.0220.AP	9.5	0.80	22.0	0.1860	4.72	9.23	yes	music wire	4E
C.095.080.0220.I	9.5	0.80	22.0	0.0680	8.40	10.18	yes	stainless steel	4C
C.095.080.0250.A	9.5	0.80	25.0	0.1060	6.80	8.13	yes	music wire	4C
C.095.080.0250.AP	9.5	0.80	25.0	0.1622	5.12	10.35	yes	music wire	4E
C.095.080.0250.I	9.5	0.80	25.0	0.0922	6.72	8.03	yes	stainless steel	4C
C.095.080.0250.N	9.5	0.80	25.0	0.1060	6.80	8.13	yes	Zn coating	4E
C.095.080.0300.A	9.5	0.80	30.0	0.0620	10.16	12.42	yes	music wire	4C
C.095.080.0300.AP	9.5	0.80	30.0	0.1318	5.84	11.97	yes	music wire	4F
C.095.080.0300.I	9.5	0.80	30.0	0.0539	10.08	12.32	yes	stainless steel	4C
C.095.080.0320.A	9.5	0.80	32.0	0.0830	8.08	9.77	yes	music wire	4C
C.095.080.0320.AP	9.5	0.80	32.0	0.1240	6.08	12.85	yes	music wire	4F
C.095.080.0320.I	9.5	0.80	32.0	0.0722	8.00	9.66	yes	stainless steel	4C
C.095.080.0320.N	9.5	0.80	32.0	0.0830	8.08	9.77	yes	Zn coating	4E
C.095.080.0360.A	9.5	0.80	36.0	0.0621	10.16	12.42	yes	music wire	4C
C.095.080.0360.AP	9.5	0.80	36.0	0.1110	6.56	14.59	yes	music wire	4F
C.095.080.0360.I	9.5	0.80	36.0	0.0540	10.08	12.32	yes	stainless steel	4D
C.095.080.0400.A	9.5	0.80	40.0	0.0650	9.76	11.91	yes	music wire	4C
C.095.080.0400.AP	9.5	0.80	40.0	0.0988	7.12	15.97	yes	music wire	4F
C.095.080.0400.I	9.5	0.80	40.0	0.0566	9.68	11.81	yes	stainless steel	4D
C.095.080.0400.N	9.5	0.80	40.0	0.0650	9.76	11.91	yes	Zn coating	4E
C.095.080.0500.A	9.5	0.80	50.0	0.0520	11.76	14.47	yes	music wire	4C
C.095.080.0500.AP	9.5	0.80	50.0	0.0781	8.48	19.58	yes	music wire	4F
C.095.080.0500.I	9.5	0.80	50.0	0.0452	11.60	14.26	yes	stainless steel	4D
C.095.080.0500.N	9.5	0.80	50.0	0.0520	11.76	14.47	yes	Zn coating	4E
C.095.080.0630.A	9.5	0.80	63.0	0.0410	14.40	17.84	yes	music wire	4C
C.095.080.0630.AP	9.5	0.80	63.0	0.0620	10.16	24.69	yes	music wire	4F
C.095.080.0630.I	9.5	0.80	63.0	0.0357	14.16	17.53	yes	stainless steel	4D
C.095.080.0630.N	9.5	0.80	63.0	0.0410	14.40	17.84	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.095.080.0800.A	9.5	0.80	80.0	0.0320	17.84	22.23	yes	music wire	4D
C.095.080.0800.AP	9.5	0.80	80.0	0.0487	12.40	31.18	yes	music wire	4G
C.095.080.0800.I	9.5	0.80	80.0	0.0278	17.68	22.03	yes	stainless steel	4D
C.095.080.0800.N	9.5	0.80	80.0	0.0320	17.84	22.23	yes	Zn coating	4E
C.095.080.0890.A	9.5	0.80	89.0	0.0287	19.68	24.58	yes	music wire	4D
C.095.080.0890.AP	9.5	0.80	89.0	0.0436	13.60	34.55	yes	music wire	4G
C.095.080.0890.I	9.5	0.80	89.0	0.0250	19.44	24.28	yes	stainless steel	4D
C.095.080.1000.A	9.5	0.80	100.0	0.0260	21.52	26.93	yes	music wire	4D
C.095.080.1000.AP	9.5	0.80	100.0	0.0388	15.04	38.79	yes	music wire	4G
C.095.080.1000.I	9.5	0.80	100.0	0.0226	21.28	26.63	yes	stainless steel	4E
C.095.080.1000.N	9.5	0.80	100.0	0.0260	21.52	26.93	yes	Zn coating	4F
C.095.080.3600.A	9.5	0.80	360.0	0.0070	75.20	95.28	no	music wire	4G
C.095.080.3600.I	9.5	0.80	360.0	0.0061	74.16	93.96	no	stainless steel	4G
C.095.090.0125.A	9.5	0.90	12.5	0.3370	5.04	5.70	yes	music wire	4C
C.095.090.0125.AP	9.5	0.90	12.5	0.4999	4.14	5.89	yes	music wire	4E
C.095.090.0125.I	9.5	0.90	12.5	0.2932	5.04	5.70	yes	stainless steel	4C
C.095.090.0125.N	9.5	0.90	12.5	0.3370	5.04	5.70	yes	Zn coating	4E
C.095.090.0160.A	9.5	0.90	16.0	0.2530	6.03	6.93	yes	music wire	4C
C.095.090.0160.AP	9.5	0.90	16.0	0.3888	4.68	7.50	yes	music wire	4E
C.095.090.0160.I	9.5	0.90	16.0	0.2201	5.94	6.81	yes	stainless steel	4C
C.095.090.0160.N	9.5	0.90	16.0	0.2530	6.03	6.93	yes	Zn coating	4E
C.095.090.0200.A	9.5	0.90	20.0	0.2020	6.93	8.04	yes	music wire	4C
C.095.090.0200.AP	9.5	0.90	20.0	0.3000	5.40	8.98	yes	music wire	4F
C.095.090.0200.I	9.5	0.90	20.0	0.1757	6.84	7.93	yes	stainless steel	4C
C.095.090.0200.N	9.5	0.90	20.0	0.2020	6.93	8.04	yes	Zn coating	4E
C.095.090.0230.A	9.5	0.90	23.0	0.1149	10.44	12.38	yes	music wire	4C
C.095.090.0230.AP	9.5	0.90	23.0	0.2561	5.94	10.09	yes	music wire	4F
C.095.090.0230.I	9.5	0.90	23.0	0.1000	10.35	12.27	yes	stainless steel	4C
C.095.090.0250.A	9.5	0.90	25.0	0.1590	8.19	9.60	yes	music wire	4C
C.095.090.0250.AP	9.5	0.90	25.0	0.2386	6.21	11.15	yes	music wire	4F
C.095.090.0250.I	9.5	0.90	25.0	0.1383	8.10	9.49	yes	stainless steel	4C
C.095.090.0250.N	9.5	0.90	25.0	0.1590	8.19	9.60	yes	Zn coating	4E
C.095.090.0270.A	9.5	0.90	27.0	0.1401	9.00	10.60	yes	music wire	4C
C.095.090.0270.AP	9.5	0.90	27.0	0.2187	6.57	11.89	yes	music wire	4F
C.095.090.0270.I	9.5	0.90	27.0	0.1219	8.91	10.49	yes	stainless steel	4C
C.095.090.0270.N	9.5	0.90	27.0	0.1401	9.00	10.60	yes	Zn coating	4E
C.095.090.0320.A	9.5	0.90	32.0	0.1210	10.08	11.94	yes	music wire	4C
C.095.090.0320.AP	9.5	0.90	32.0	0.1810	7.47	13.74	yes	music wire	4F
C.095.090.0320.I	9.5	0.90	32.0	0.1053	9.99	11.82	yes	stainless steel	4D
C.095.090.0320.N	9.5	0.90	32.0	0.1210	10.08	11.94	yes	Zn coating	4E
C.095.090.0330.A	9.5	0.90	33.0	0.0874	13.05	15.61	yes	music wire	4C
C.095.090.0330.AP	9.5	0.90	33.0	0.1779	7.56	14.43	yes	music wire	4F
C.095.090.0330.I	9.5	0.90	33.0	0.0760	12.96	15.50	yes	stainless steel	4D
C.095.090.0350.A	9.5	0.90	35.0	0.1236	9.90	11.71	yes	music wire	4C
C.095.090.0350.I	9.5	0.90	35.0	0.1062	9.90	11.71	yes	stainless steel	4D
C.095.090.0350.N	9.5	0.90	35.0	0.1236	9.90	11.71	yes	Zn coating	4E
C.095.090.0400.A	9.5	0.90	40.0	0.0960	12.06	14.38	yes	music wire	4C
C.095.090.0400.AP	9.5	0.90	40.0	0.1438	8.82	17.02	yes	music wire	4F
C.095.090.0400.I	9.5	0.90	40.0	0.0835	11.97	14.27	yes	stainless steel	4D
C.095.090.0400.N	9.5	0.90	40.0	0.0960	12.06	14.38	yes	Zn coating	4E
C.095.090.0430.A	9.5	0.90	43.0	0.1000	11.70	13.94	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.095.090.0430.I	9.5	0.90	43.0	0.0860	11.70	13.94	yes	stainless steel	4D
C.095.090.0430.N	9.5	0.90	43.0	0.1000	11.70	13.94	yes	Zn coating	4E
C.095.090.0500.A	9.5	0.90	50.0	0.0760	14.67	17.61	yes	music wire	4C
C.095.090.0500.AP	9.5	0.90	50.0	0.1154	10.44	21.35	yes	music wire	4F
C.095.090.0500.I	9.5	0.90	50.0	0.0661	14.58	17.50	yes	stainless steel	4D
C.095.090.0500.N	9.5	0.90	50.0	0.0760	14.67	17.61	yes	Zn coating	4E
C.095.090.0630.A	9.5	0.90	63.0	0.0600	18.00	21.73	yes	music wire	4D
C.095.090.0630.AP	9.5	0.90	63.0	0.0905	12.69	26.48	yes	music wire	4F
C.095.090.0630.I	9.5	0.90	63.0	0.0522	17.82	21.51	yes	stainless steel	4D
C.095.090.0630.N	9.5	0.90	63.0	0.0600	18.00	21.73	yes	Zn coating	4E
C.095.090.0650.A	9.5	0.90	65.0	0.0778	14.40	22.52	yes	music wire	4G
C.095.090.0650.I	9.5	0.90	65.0	0.0668	14.40	22.54	yes	stainless steel	4G
C.095.090.0650.N	9.5	0.90	65.0	0.0778	14.40	22.52	yes	Zn coating	4I
C.095.090.0800.A	9.5	0.90	80.0	0.0470	22.41	27.19	yes	music wire	4D
C.095.090.0800.AP	9.5	0.90	80.0	0.0709	15.57	33.41	yes	music wire	4G
C.095.090.0800.I	9.5	0.90	80.0	0.0409	22.14	26.85	yes	stainless steel	4D
C.095.090.0800.N	9.5	0.90	80.0	0.0470	22.41	27.19	yes	Zn coating	4F
C.095.090.1000.A	9.5	0.90	100.0	0.0370	27.81	33.87	yes	music wire	4D
C.095.090.1000.AP	9.5	0.90	100.0	0.0564	18.99	41.45	yes	music wire	4G
C.095.090.1000.I	9.5	0.90	100.0	0.0322	27.45	33.42	yes	stainless steel	4E
C.095.090.1000.N	9.5	0.90	100.0	0.0370	27.81	33.87	yes	Zn coating	4F
C.095.090.3600.A	9.5	0.90	360.0	0.0100	97.74	120.15	no	music wire	4G
C.095.090.3600.I	9.5	0.90	360.0	0.0087	96.48	118.60	no	stainless steel	4G
C.095.100.0095.A	9.5	1.00	9.5	0.6322	5.10	5.64	yes	music wire	4C
C.095.100.0095.AP	9.5	1.00	9.5	0.9758	4.20	4.95	yes	music wire	4E
C.095.100.0095.I	9.5	1.00	9.5	0.5500	5.10	5.64	yes	stainless steel	4C
C.095.100.0100.A	9.5	1.00	10.0	0.6222	5.20	5.76	yes	music wire	4C
C.095.100.0100.AP	9.5	1.00	10.0	0.9216	4.30	5.19	yes	music wire	4E
C.095.100.0100.I	9.5	1.00	10.0	0.5413	5.10	5.64	yes	stainless steel	4C
C.095.100.0100.N	9.5	1.00	10.0	0.6222	5.20	5.76	yes	Zn coating	4E
C.095.100.0125.A	9.5	1.00	12.5	0.5110	5.70	6.37	yes	music wire	4C
C.095.100.0125.AP	9.5	1.00	12.5	0.7212	4.80	6.35	yes	music wire	4F
C.095.100.0125.I	9.5	1.00	12.5	0.4446	5.70	6.37	yes	stainless steel	4C
C.095.100.0125.N	9.5	1.00	12.5	0.5110	5.70	6.37	yes	Zn coating	4E
C.095.100.0127.A	9.5	1.00	12.7	0.6322	5.10	5.68	yes	music wire	4F
C.095.100.0127.I	9.5	1.00	12.7	0.5500	5.10	5.76	yes	stainless steel	4F
C.095.100.0160.A	9.5	1.00	16.0	0.3870	6.80	7.70	yes	music wire	4C
C.095.100.0160.AP	9.5	1.00	16.0	0.5530	5.50	7.98	yes	music wire	4F
C.095.100.0160.I	9.5	1.00	16.0	0.3367	6.70	7.58	yes	stainless steel	4C
C.095.100.0160.N	9.5	1.00	16.0	0.3870	6.80	7.70	yes	Zn coating	4E
C.095.100.0200.A	9.5	1.00	20.0	0.2970	8.10	9.27	yes	music wire	4C
C.095.100.0200.AL	9.5	1.00	20.0	0.3143	7.80	8.90	yes	music wire	4C
C.095.100.0200.AP	9.5	1.00	20.0	0.4253	6.40	9.57	yes	music wire	4F
C.095.100.0200.I	9.5	1.00	20.0	0.2584	8.00	9.15	yes	stainless steel	4C
C.095.100.0200.N	9.5	1.00	20.0	0.2970	8.10	9.27	yes	Zn coating	4E
C.095.100.0230.A	9.5	1.00	23.0	0.3260	7.60	9.39	yes	music wire	4F
C.095.100.0230.I	9.5	1.00	23.0	0.2836	7.50	9.54	yes	stainless steel	4F
C.095.100.0230.N	9.5	1.00	23.0	0.3260	7.60	9.39	yes	Zn coating	4H
C.095.100.0250.A	9.5	1.00	25.0	0.2360	9.50	10.96	yes	music wire	4C
C.095.100.0250.AP	9.5	1.00	25.0	0.3385	7.40	11.90	yes	music wire	4F
C.095.100.0250.I	9.5	1.00	25.0	0.2053	9.40	10.84	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.095.100.0250.N	9.5	1.00	25.0	0.2360	9.50	10.96	yes	Zn coating	4E
C.095.100.0310.A	9.5	1.00	31.0	0.2100	10.40	12.05	yes	music wire	4C
C.095.100.0310.I	9.5	1.00	31.0	0.1827	10.30	11.93	yes	stainless steel	4D
C.095.100.0320.A	9.5	1.00	32.0	0.1800	11.70	13.62	yes	music wire	4C
C.095.100.0320.AL	9.5	1.00	32.0	0.1964	10.90	12.65	yes	music wire	4C
C.095.100.0320.AP	9.5	1.00	32.0	0.2592	8.90	14.89	yes	music wire	4F
C.095.100.0320.I	9.5	1.00	32.0	0.1566	11.60	13.50	yes	stainless steel	4D
C.095.100.0320.N	9.5	1.00	32.0	0.1800	11.70	13.62	yes	Zn coating	4E
C.095.100.0400.A	9.5	1.00	40.0	0.1420	14.20	16.64	yes	music wire	4C
C.095.100.0400.AL	9.5	1.00	40.0	0.1571	13.10	15.31	yes	music wire	4C
C.095.100.0400.AP	9.5	1.00	40.0	0.2048	10.60	18.34	yes	music wire	4F
C.095.100.0400.I	9.5	1.00	40.0	0.1235	14.00	16.40	yes	stainless steel	4D
C.095.100.0400.N	9.5	1.00	40.0	0.1420	14.20	16.64	yes	Zn coating	4E
C.095.100.0410.A	9.5	1.00	41.0	0.1630	12.70	14.83	yes	music wire	4F
C.095.100.0410.I	9.5	1.00	41.0	0.1418	12.50	14.58	yes	stainless steel	4G
C.095.100.0410.N	9.5	1.00	41.0	0.1630	12.70	14.83	yes	Zn coating	4H
C.095.100.0500.A	9.5	1.00	50.0	0.1130	17.20	20.26	yes	music wire	4C
C.095.100.0500.AL	9.5	1.00	50.0	0.1222	16.10	18.93	yes	music wire	4C
C.095.100.0500.AP	9.5	1.00	50.0	0.1626	12.70	22.72	yes	music wire	4F
C.095.100.0500.I	9.5	1.00	50.0	0.0983	17.00	20.02	yes	stainless steel	4D
C.095.100.0500.N	9.5	1.00	50.0	0.1130	17.20	20.26	yes	Zn coating	4E
C.095.100.0630.A	9.5	1.00	63.0	0.0890	21.10	24.98	yes	music wire	4D
C.095.100.0630.AL	9.5	1.00	63.0	0.0978	19.50	23.04	yes	music wire	4C
C.095.100.0630.AP	9.5	1.00	63.0	0.1286	15.40	28.51	yes	music wire	4G
C.095.100.0630.I	9.5	1.00	63.0	0.0774	20.90	24.73	yes	stainless steel	4D
C.095.100.0630.N	9.5	1.00	63.0	0.0890	21.10	24.98	yes	Zn coating	4E
C.095.100.0670.A	9.5	1.00	67.0	0.1000	19.10	22.64	yes	music wire	4G
C.095.100.0670.I	9.5	1.00	67.0	0.0870	18.90	23.12	yes	stainless steel	4G
C.095.100.0800.A	9.5	1.00	80.0	0.0700	26.20	31.14	yes	music wire	4D
C.095.100.0800.AL	9.5	1.00	80.0	0.0786	23.60	28.00	yes	music wire	4C
C.095.100.0800.AP	9.5	1.00	80.0	0.1005	19.00	35.88	yes	music wire	4G
C.095.100.0800.I	9.5	1.00	80.0	0.0609	25.90	30.78	yes	stainless steel	4E
C.095.100.0800.N	9.5	1.00	80.0	0.0700	26.20	31.14	yes	Zn coating	4F
C.095.100.1000.A	9.5	1.00	100.0	0.0560	32.10	38.27	yes	music wire	4D
C.095.100.1000.AL	9.5	1.00	100.0	0.0611	29.60	35.25	yes	music wire	4C
C.095.100.1000.AP	9.5	1.00	100.0	0.0801	23.20	44.65	yes	music wire	4G
C.095.100.1000.I	9.5	1.00	100.0	0.0487	31.80	37.91	yes	stainless steel	4E
C.095.100.1000.N	9.5	1.00	100.0	0.0560	32.10	38.27	yes	Zn coating	4F
C.095.100.1250.A	9.5	1.00	125.0	0.0500	35.70	42.62	yes	music wire	4G
C.095.100.1250.I	9.5	1.00	125.0	0.0435	35.30	42.13	yes	stainless steel	4H
C.095.100.1250.N	9.5	1.00	125.0	0.0500	35.70	42.62	yes	Zn coating	4I
C.095.100.1600.A	9.5	1.00	160.0	0.0400	44.00	52.65	yes	music wire	4H
C.095.100.1600.I	9.5	1.00	160.0	0.0348	43.40	51.92	yes	stainless steel	4H
C.095.100.1600.N	9.5	1.00	160.0	0.0400	44.00	52.65	yes	Zn coating	4I
C.095.100.1800.A	9.5	1.00	180.0	0.0330	52.80	63.28	yes	music wire	4E
C.095.100.1800.I	9.5	1.00	180.0	0.0287	52.10	62.44	yes	stainless steel	4E
C.095.100.1800.N	9.5	1.00	180.0	0.0330	52.80	63.28	yes	Zn coating	4G
C.095.100.2000.A	9.5	1.00	200.0	0.0311	55.80	66.91	yes	music wire	4I
C.095.100.2000.I	9.5	1.00	200.0	0.0271	55.20	66.18	yes	stainless steel	4I
C.095.100.2000.N	9.5	1.00	200.0	0.0311	55.80	66.91	yes	Zn coating	4I
C.095.100.2500.A	9.5	1.00	250.0	0.0250	68.90	82.74	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.095.100.2500.I	9.5	1.00	250.0	0.0218	68.00	81.65	yes	stainless steel	4I
C.095.100.2500.N	9.5	1.00	250.0	0.0250	68.90	82.74	yes	Zn coating	4J
C.095.100.2670.A	9.5	1.00	267.0	0.0190	89.80	107.99	yes	music wire	4F
C.095.100.2670.AP	9.5	1.00	267.0	0.0297	58.40	117.52	yes	music wire	4I
C.095.100.2670.I	9.5	1.00	267.0	0.0165	88.70	106.66	yes	stainless steel	4G
C.095.100.3600.A	9.5	1.00	360.0	0.0150	114.10	137.15	no	music wire	4G
C.095.100.3600.I	9.5	1.00	360.0	0.0131	112.30	134.97	no	stainless steel	4G
C.095.110.0095.A	9.5	1.10	9.5	1.1000	5.28	5.75	yes	music wire	4C
C.095.110.0095.I	9.5	1.10	9.5	0.9570	5.28	5.75	yes	stainless steel	4C
C.095.110.0100.A	9.5	1.10	10.0	0.8230	6.16	6.80	yes	music wire	4C
C.095.110.0100.AP	9.5	1.10	10.0	1.3257	4.84	5.64	yes	music wire	4F
C.095.110.0100.I	9.5	1.10	10.0	0.7160	6.05	6.67	yes	stainless steel	4C
C.095.110.0100.N	9.5	1.10	10.0	0.8230	6.16	6.80	yes	Zn coating	4E
C.095.110.0111.A	9.5	1.10	11.1	0.8506	6.05	6.67	yes	music wire	4C
C.095.110.0111.AP	9.5	1.10	11.1	1.1994	5.06	6.28	yes	music wire	4F
C.095.110.0111.I	9.5	1.10	11.1	0.7400	5.94	6.54	yes	stainless steel	4C
C.095.110.0125.A	9.5	1.10	12.5	0.7450	6.49	7.19	yes	music wire	4C
C.095.110.0125.AP	9.5	1.10	12.5	1.0075	5.50	6.76	yes	music wire	4F
C.095.110.0125.I	9.5	1.10	12.5	0.6482	6.38	7.06	yes	stainless steel	4C
C.095.110.0125.N	9.5	1.10	12.5	0.7450	6.49	7.19	yes	Zn coating	4E
C.095.110.0160.A	9.5	1.10	16.0	0.5530	7.81	8.76	yes	music wire	4C
C.095.110.0160.AP	9.5	1.10	16.0	0.7633	6.38	8.42	yes	music wire	4F
C.095.110.0160.I	9.5	1.10	16.0	0.4811	7.70	8.63	yes	stainless steel	4D
C.095.110.0160.N	9.5	1.10	16.0	0.5530	7.81	8.76	yes	Zn coating	4E
C.095.110.0200.A	9.5	1.10	20.0	0.4400	9.02	10.20	yes	music wire	4C
C.095.110.0200.AP	9.5	1.10	20.0	0.5997	7.37	10.36	yes	music wire	4F
C.095.110.0200.I	9.5	1.10	20.0	0.3828	8.91	10.06	yes	stainless steel	4D
C.095.110.0200.N	9.5	1.10	20.0	0.4400	9.02	10.20	yes	Zn coating	4E
C.095.110.0250.A	9.5	1.10	25.0	0.3400	10.89	12.42	yes	music wire	4C
C.095.110.0250.AP	9.5	1.10	25.0	0.4665	8.69	12.60	yes	music wire	4F
C.095.110.0250.I	9.5	1.10	25.0	0.2958	10.78	12.29	yes	stainless steel	4D
C.095.110.0250.N	9.5	1.10	25.0	0.3400	10.89	12.42	yes	Zn coating	4E
C.095.110.0320.A	9.5	1.10	32.0	0.2620	13.31	15.29	yes	music wire	4C
C.095.110.0320.AP	9.5	1.10	32.0	0.3598	10.45	15.93	yes	music wire	4F
C.095.110.0320.I	9.5	1.10	32.0	0.2279	13.20	15.16	yes	stainless steel	4D
C.095.110.0320.N	9.5	1.10	32.0	0.2620	13.31	15.29	yes	Zn coating	4E
C.095.110.0400.A	9.5	1.10	40.0	0.2060	16.17	18.69	yes	music wire	4C
C.095.110.0400.AP	9.5	1.10	40.0	0.2862	12.43	19.80	yes	music wire	4F
C.095.110.0400.I	9.5	1.10	40.0	0.1792	16.06	18.56	yes	stainless steel	4D
C.095.110.0400.N	9.5	1.10	40.0	0.2060	16.17	18.69	yes	Zn coating	4E
C.095.110.0500.A	9.5	1.10	50.0	0.1640	19.58	22.74	yes	music wire	4D
C.095.110.0500.AP	9.5	1.10	50.0	0.2249	15.07	24.29	yes	music wire	4F
C.095.110.0500.I	9.5	1.10	50.0	0.1427	19.36	22.47	yes	stainless steel	4D
C.095.110.0500.N	9.5	1.10	50.0	0.1640	19.58	22.74	yes	Zn coating	4E
C.095.110.0630.A	9.5	1.10	63.0	0.1280	24.42	28.48	yes	music wire	4D
C.095.110.0630.AP	9.5	1.10	63.0	0.1774	18.37	30.40	yes	music wire	4G
C.095.110.0630.I	9.5	1.10	63.0	0.1114	24.09	28.09	yes	stainless steel	4D
C.095.110.0630.N	9.5	1.10	63.0	0.1280	24.42	28.48	yes	Zn coating	4E
C.095.110.0700.A	9.5	1.10	70.0	0.1264	24.64	28.74	yes	music wire	4D
C.095.110.0700.I	9.5	1.10	70.0	0.1100	24.31	28.35	yes	stainless steel	4G
C.095.110.0800.A	9.5	1.10	80.0	0.1000	30.47	35.67	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.095.110.0800.AP	9.5	1.10	80.0	0.1392	22.66	38.45	yes	music wire	4G
C.095.110.0800.I	9.5	1.10	80.0	0.0870	30.03	35.14	yes	stainless steel	4E
C.095.110.0800.N	9.5	1.10	80.0	0.1000	30.47	35.67	yes	Zn coating	4F
C.095.110.1000.A	9.5	1.10	100.0	0.0800	37.40	43.90	yes	music wire	4D
C.095.110.1000.AP	9.5	1.10	100.0	0.1110	27.72	47.88	yes	music wire	4G
C.095.110.1000.I	9.5	1.10	100.0	0.0696	36.96	43.37	yes	stainless steel	4E
C.095.110.1000.N	9.5	1.10	100.0	0.0800	37.40	43.90	yes	Zn coating	4F
C.095.110.3600.A	9.5	1.10	360.0	0.0220	129.69	153.28	no	music wire	4G
C.095.110.3600.I	9.5	1.10	360.0	0.0191	128.37	151.71	no	stainless steel	4G
C.095.125.0125.A	9.5	1.25	12.5	1.2620	7.50	8.22	yes	music wire	4C
C.095.125.0125.AP	9.5	1.25	12.5	1.6443	6.50	7.49	yes	music wire	4F
C.095.125.0125.I	9.5	1.25	12.5	1.1000	7.50	8.22	yes	stainless steel	4D
C.095.125.0125.N	9.5	1.25	12.5	1.2620	7.50	8.22	yes	Zn coating	4E
C.095.125.0160.A	9.5	1.25	16.0	0.9470	9.00	9.97	yes	music wire	4C
C.095.125.0160.AP	9.5	1.25	16.0	1.2332	7.63	9.32	yes	music wire	4F
C.095.125.0160.I	9.5	1.25	16.0	0.8239	8.88	9.83	yes	stainless steel	4D
C.095.125.0160.N	9.5	1.25	16.0	0.9470	9.00	9.97	yes	Zn coating	4E
C.095.125.0200.A	9.5	1.25	20.0	0.7410	10.63	11.87	yes	music wire	4C
C.095.125.0200.AP	9.5	1.25	20.0	0.9651	8.88	11.47	yes	music wire	4F
C.095.125.0200.I	9.5	1.25	20.0	0.6447	10.50	11.72	yes	stainless steel	4D
C.095.125.0200.N	9.5	1.25	20.0	0.7410	10.63	11.87	yes	Zn coating	4E
C.095.125.0250.A	9.5	1.25	25.0	0.5780	12.75	14.34	yes	music wire	4C
C.095.125.0250.AP	9.5	1.25	25.0	0.7525	10.50	14.05	yes	music wire	4F
C.095.125.0250.I	9.5	1.25	25.0	0.5029	12.63	14.20	yes	stainless steel	4D
C.095.125.0250.N	9.5	1.25	25.0	0.5780	12.75	14.34	yes	Zn coating	4E
C.095.125.0320.A	9.5	1.25	32.0	0.4430	15.63	17.70	yes	music wire	4C
C.095.125.0320.I	9.5	1.25	32.0	0.3854	15.50	17.55	yes	stainless steel	4D
C.095.125.0320.N	9.5	1.25	32.0	0.4430	15.63	17.70	yes	Zn coating	4E
C.095.125.0340.A	9.5	1.25	34.0	0.5210	13.75	18.19	yes	music wire	4F
C.095.125.0340.I	9.5	1.25	34.0	0.4475	13.75	18.06	yes	stainless steel	4G
C.095.125.0340.N	9.5	1.25	34.0	0.5210	13.75	18.19	yes	Zn coating	4I
C.095.125.0400.A	9.5	1.25	40.0	0.3480	19.00	21.62	yes	music wire	4D
C.095.125.0400.AP	9.5	1.25	40.0	0.4530	15.38	21.82	yes	music wire	4F
C.095.125.0400.I	9.5	1.25	40.0	0.3028	18.88	21.48	yes	stainless steel	4D
C.095.125.0400.N	9.5	1.25	40.0	0.3480	19.00	21.62	yes	Zn coating	4E
C.095.125.0410.A	9.5	1.25	41.0	0.4218	16.25	21.47	yes	music wire	4F
C.095.125.0410.I	9.5	1.25	41.0	0.3623	16.25	21.32	yes	stainless steel	4G
C.095.125.0410.N	9.5	1.25	41.0	0.4218	16.25	21.47	yes	Zn coating	4I
C.095.125.0500.A	9.5	1.25	50.0	0.2750	23.25	26.58	yes	music wire	4D
C.095.125.0500.AP	9.5	1.25	50.0	0.3580	18.63	26.99	yes	music wire	4G
C.095.125.0500.I	9.5	1.25	50.0	0.2392	23.00	26.29	yes	stainless steel	4D
C.095.125.0500.N	9.5	1.25	50.0	0.2750	23.25	26.58	yes	Zn coating	4E
C.095.125.0630.A	9.5	1.25	63.0	0.2160	28.75	32.99	yes	music wire	4D
C.095.125.0630.AP	9.5	1.25	63.0	0.2810	22.88	33.69	yes	music wire	4G
C.095.125.0630.I	9.5	1.25	63.0	0.1879	28.38	32.55	yes	stainless steel	4D
C.095.125.0630.N	9.5	1.25	63.0	0.2160	28.75	32.99	yes	Zn coating	4F
C.095.125.0800.A	9.5	1.25	80.0	0.1680	36.13	41.59	yes	music wire	4D
C.095.125.0800.AP	9.5	1.25	80.0	0.2198	28.38	42.52	yes	music wire	4G
C.095.125.0800.I	9.5	1.25	80.0	0.1462	35.63	41.00	yes	stainless steel	4E
C.095.125.0800.N	9.5	1.25	80.0	0.1680	36.13	41.59	yes	Zn coating	4F
C.095.125.1000.A	9.5	1.25	100.0	0.1340	44.50	51.34	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.095.125.1000.AP	9.5	1.25	100.0	0.1748	34.75	52.88	yes	music wire	4G
C.095.125.1000.I	9.5	1.25	100.0	0.1166	43.88	50.62	yes	stainless steel	4E
C.095.125.1000.N	9.5	1.25	100.0	0.1340	44.50	51.34	yes	Zn coating	4F
C.095.125.3600.A	9.5	1.25	360.0	0.0360	158.13	183.55	no	music wire	4G
C.095.125.3600.I	9.5	1.25	360.0	0.0313	156.25	181.36	no	stainless steel	4H
C.095.130.0095.A	9.5	1.30	9.5	2.5287	5.98	6.42	yes	music wire	4C
C.095.130.0095.I	9.5	1.30	9.5	2.2000	5.98	6.42	yes	stainless steel	4D
C.095.140.0125.A	9.5	1.40	12.5	2.1000	8.40	9.14	yes	music wire	4E
C.095.140.0125.I	9.5	1.40	12.5	1.8261	8.40	9.14	yes	stainless steel	4E
C.095.140.0125.N	9.5	1.40	12.5	2.1000	8.40	9.14	yes	Zn coating	4G
C.095.140.0160.A	9.5	1.40	16.0	1.5740	10.08	11.07	yes	music wire	4E
C.095.140.0160.I	9.5	1.40	16.0	1.3694	9.94	10.91	yes	stainless steel	4E
C.095.140.0160.N	9.5	1.40	16.0	1.5740	10.08	11.07	yes	Zn coating	4G
C.095.140.0200.A	9.5	1.40	20.0	1.2060	12.04	13.32	yes	music wire	4E
C.095.140.0200.I	9.5	1.40	20.0	1.0492	11.90	13.16	yes	stainless steel	4E
C.095.140.0200.N	9.5	1.40	20.0	1.2060	12.04	13.32	yes	Zn coating	4G
C.095.140.0240.A	9.5	1.40	24.0	0.8182	16.10	17.99	yes	music wire	4E
C.095.140.0240.AP	9.5	1.40	24.0	1.2117	12.04	14.72	yes	music wire	4H
C.095.140.0240.I	9.5	1.40	24.0	0.7027	16.10	17.99	yes	stainless steel	4E
C.095.140.0240.N	9.5	1.40	24.0	0.8182	16.10	17.99	yes	Zn coating	4G
C.095.140.0250.A	9.5	1.40	25.0	0.9450	14.42	16.06	yes	music wire	4E
C.095.140.0250.I	9.5	1.40	25.0	0.8222	14.28	15.90	yes	stainless steel	4E
C.095.140.0250.N	9.5	1.40	25.0	0.9450	14.42	16.06	yes	Zn coating	4G
C.095.140.0320.A	9.5	1.40	32.0	0.7170	17.92	20.09	yes	music wire	4E
C.095.140.0320.I	9.5	1.40	32.0	0.6238	17.64	19.76	yes	stainless steel	4E
C.095.140.0320.N	9.5	1.40	32.0	0.7170	17.92	20.09	yes	Zn coating	4G
C.095.140.0400.A	9.5	1.40	40.0	0.5610	21.84	24.59	yes	music wire	4E
C.095.140.0400.I	9.5	1.40	40.0	0.4881	21.70	24.43	yes	stainless steel	4F
C.095.140.0400.N	9.5	1.40	40.0	0.5610	21.84	24.59	yes	Zn coating	4G
C.095.140.0500.A	9.5	1.40	50.0	0.4430	26.74	30.23	yes	music wire	4E
C.095.140.0500.I	9.5	1.40	50.0	0.3854	26.46	29.91	yes	stainless steel	4F
C.095.140.0500.N	9.5	1.40	50.0	0.4430	26.74	30.23	yes	Zn coating	4G
C.095.140.0630.A	9.5	1.40	63.0	0.3480	33.18	37.64	yes	music wire	4E
C.095.140.0630.I	9.5	1.40	63.0	0.3028	32.76	37.16	yes	stainless steel	4F
C.095.140.0630.N	9.5	1.40	63.0	0.3480	33.18	37.64	yes	Zn coating	4H
C.095.140.0800.A	9.5	1.40	80.0	0.2710	41.58	47.30	yes	music wire	4F
C.095.140.0800.I	9.5	1.40	80.0	0.2358	41.02	46.66	yes	stainless steel	4F
C.095.140.0800.N	9.5	1.40	80.0	0.2710	41.58	47.30	yes	Zn coating	4H
C.095.140.1000.A	9.5	1.40	100.0	0.2150	51.52	58.73	yes	music wire	4F
C.095.140.1000.I	9.5	1.40	100.0	0.1870	50.82	57.93	yes	stainless steel	4G
C.095.140.1000.N	9.5	1.40	100.0	0.2150	51.52	58.73	yes	Zn coating	4H
C.095.140.3600.A	9.5	1.40	360.0	0.0590	179.62	205.86	no	music wire	4I
C.095.140.3600.I	9.5	1.40	360.0	0.0513	177.52	203.45	no	stainless steel	4I
C.095.150.0260.A	9.5	1.50	26.0	1.2360	15.90	17.63	yes	music wire	4E
C.095.150.0260.I	9.5	1.50	26.0	1.0753	15.75	17.46	yes	stainless steel	4E
C.095.150.0260.N	9.5	1.50	26.0	1.2360	15.90	17.63	yes	Zn coating	4G
C.095.160.0125.A	9.5	1.60	12.5	3.8600	9.60	10.36	yes	music wire	4E
C.095.160.0125.AP	9.5	1.60	12.5	4.6953	8.64	9.27	yes	music wire	4H
C.095.160.0125.I	9.5	1.60	12.5	3.3582	9.60	10.36	yes	stainless steel	4E
C.095.160.0125.N	9.5	1.60	12.5	3.8600	9.60	10.36	yes	Zn coating	4G
C.095.160.0127.A	9.5	1.60	12.7	7.0115	7.04	10.39	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.095.160.0127.I	9.5	1.60	12.7	6.1000	7.04	10.39	yes	stainless steel	4J
C.095.160.0160.A	9.5	1.60	16.0	2.8170	11.68	12.73	yes	music wire	4E
C.095.160.0160.AP	9.5	1.60	16.0	3.4041	10.40	11.27	yes	music wire	4H
C.095.160.0160.I	9.5	1.60	16.0	2.4508	11.52	12.55	yes	stainless steel	4E
C.095.160.0160.N	9.5	1.60	16.0	2.8170	11.68	12.73	yes	Zn coating	4G
C.095.160.0200.A	9.5	1.60	20.0	2.1710	13.92	15.27	yes	music wire	4E
C.095.160.0200.I	9.5	1.60	20.0	1.8888	13.92	15.27	yes	stainless steel	4E
C.095.160.0200.N	9.5	1.60	20.0	2.1710	13.92	15.27	yes	Zn coating	4G
C.095.160.0250.A	9.5	1.60	25.0	1.6810	16.96	18.73	yes	music wire	4E
C.095.160.0250.I	9.5	1.60	25.0	1.4625	16.80	18.55	yes	stainless steel	4F
C.095.160.0250.N	9.5	1.60	25.0	1.6810	16.96	18.73	yes	Zn coating	4G
C.095.160.0280.A	9.5	1.60	28.0	1.7241	16.64	18.62	yes	music wire	4I
C.095.160.0280.I	9.5	1.60	28.0	1.5000	16.48	18.60	yes	stainless steel	4I
C.095.160.0290.A	9.5	1.60	29.0	1.4943	18.56	20.55	yes	music wire	4E
C.095.160.0290.I	9.5	1.60	29.0	1.3000	18.24	20.18	yes	stainless steel	4F
C.095.160.0320.A	9.5	1.60	32.0	1.2710	21.12	23.46	yes	music wire	4E
C.095.160.0320.I	9.5	1.60	32.0	1.1058	20.80	23.09	yes	stainless steel	4F
C.095.160.0320.N	9.5	1.60	32.0	1.2710	21.12	23.46	yes	Zn coating	4G
C.095.160.0400.A	9.5	1.60	40.0	0.9920	25.92	28.91	yes	music wire	4E
C.095.160.0400.I	9.5	1.60	40.0	0.8630	25.60	28.55	yes	stainless steel	4F
C.095.160.0400.N	9.5	1.60	40.0	0.9920	25.92	28.91	yes	Zn coating	4G
C.095.160.0500.A	9.5	1.60	50.0	0.7840	31.68	35.46	yes	music wire	4E
C.095.160.0500.I	9.5	1.60	50.0	0.6821	31.36	35.10	yes	stainless steel	4F
C.095.160.0500.N	9.5	1.60	50.0	0.7840	31.68	35.46	yes	Zn coating	4H
C.095.160.0630.A	9.5	1.60	63.0	0.6130	39.36	44.19	yes	music wire	4F
C.095.160.0630.I	9.5	1.60	63.0	0.5333	38.88	43.64	yes	stainless steel	4F
C.095.160.0630.N	9.5	1.60	63.0	0.6130	39.36	44.19	yes	Zn coating	4H
C.095.160.0640.A	9.5	1.60	64.0	0.4713	49.92	56.19	yes	music wire	4F
C.095.160.0640.AP	9.5	1.60	64.0	0.7281	33.76	41.79	yes	music wire	4I
C.095.160.0640.I	9.5	1.60	64.0	0.4100	49.44	55.65	yes	stainless steel	4F
C.095.160.0800.A	9.5	1.60	80.0	0.4780	49.28	55.46	yes	music wire	4F
C.095.160.0800.I	9.5	1.60	80.0	0.4159	48.80	54.92	yes	stainless steel	4G
C.095.160.0800.N	9.5	1.60	80.0	0.4780	49.28	55.46	yes	Zn coating	4H
C.095.160.1000.A	9.5	1.60	100.0	0.3790	61.12	68.92	yes	music wire	4F
C.095.160.1000.I	9.5	1.60	100.0	0.3297	60.48	68.19	yes	stainless steel	4G
C.095.160.1000.N	9.5	1.60	100.0	0.3790	61.12	68.92	yes	Zn coating	4I
C.095.160.3600.A	9.5	1.60	360.0	0.1030	216.00	244.73	no	music wire	4I
C.095.160.3600.I	9.5	1.60	360.0	0.0896	213.28	241.64	no	stainless steel	4I
C.095.170.0400.A	9.5	1.70	40.0	1.6000	23.29	28.10	yes	music wire	4J
C.095.170.0400.I	9.5	1.70	40.0	1.3920	23.12	28.05	yes	stainless steel	4J
C.095.170.0400.N	9.5	1.70	40.0	1.6000	23.29	28.10	yes	Zn coating	4K
C.095.170.0950.A	9.5	1.70	95.0	0.4100	78.54	88.31	yes	music wire	4F
C.095.170.0950.AP	9.5	1.70	95.0	0.6244	53.04	64.50	yes	music wire	4I
C.095.170.0950.I	9.5	1.70	95.0	0.3567	77.69	87.35	yes	stainless steel	4G
C.095.180.0159.A	9.5	1.80	15.9	4.9000	13.14	14.24	yes	music wire	4F
C.095.180.0159.AP	9.5	1.80	15.9	5.7556	11.88	12.82	yes	music wire	4I
C.095.180.0159.I	9.5	1.80	15.9	4.2630	12.96	14.04	yes	stainless steel	4G
C.095.180.0320.A	9.5	1.80	32.0	2.7559	19.80	23.95	yes	music wire	4J
C.095.180.0320.I	9.5	1.80	32.0	2.4000	19.62	23.91	yes	stainless steel	4J
C.095.180.0320.N	9.5	1.80	32.0	2.7559	19.80	23.95	yes	Zn coating	4L
C.095.180.0350.A	9.5	1.80	35.0	2.8736	19.26	27.28	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.095.180.0350.I	9.5	1.80	35.0	2.5000	18.90	27.23	yes	stainless steel	4J
C.095.180.0740.A	9.5	1.80	74.0	0.9700	47.88	53.41	yes	music wire	4I
C.095.180.0740.I	9.5	1.80	74.0	0.8439	47.34	52.80	yes	stainless steel	4I
C.095.200.0135.A	9.5	2.00	13.5	13.4000	10.80	11.50	yes	music wire	4I
C.095.200.0135.I	9.5	2.00	13.5	11.6580	10.60	11.29	yes	stainless steel	4I
C.095.200.0250.A	9.5	2.00	25.0	6.2000	17.40	20.27	yes	music wire	4J
C.095.200.0250.I	9.5	2.00	25.0	5.3940	17.40	20.23	yes	stainless steel	4J
C.095.200.0430.A	9.5	2.00	43.0	3.3333	28.20	34.20	yes	music wire	4J
C.095.200.0430.I	9.5	2.00	43.0	2.9000	27.80	34.12	yes	stainless steel	4J
C.095.210.0143.A	9.5	2.10	14.3	11.3000	14.28	14.28	yes	music wire	4G
C.095.210.0143.AP	9.5	2.10	14.3	14.5260	12.39	13.24	yes	music wire	4G
C.095.210.0143.I	9.5	2.10	14.3	9.8310	14.28	14.28	yes	stainless steel	4G
C.095.210.0380.A	9.5	2.10	38.0	5.7000	23.31	32.16	yes	music wire	4J
C.095.210.0380.I	9.5	2.10	38.0	4.9590	23.10	32.09	yes	stainless steel	4J
C.096.140.0100.A	9.6	1.40	10.0	2.5000	7.42	8.01	yes	music wire	4E
C.096.140.0100.AP	9.6	1.40	10.0	3.3925	6.44	6.89	yes	music wire	4H
C.096.140.0100.I	9.6	1.40	10.0	2.1750	7.42	8.01	yes	stainless steel	4E
C.096.140.0100.N	9.6	1.40	10.0	2.5000	7.42	8.01	yes	Zn coating	4G
C.096.140.0125.A	9.6	1.40	12.5	1.9688	8.54	9.30	yes	music wire	4D
C.096.140.0160.A	9.6	1.40	16.0	1.5750	9.80	10.75	yes	music wire	4D
C.096.140.0200.A	9.6	1.40	20.0	1.2600	11.34	12.53	yes	music wire	4D
C.096.140.0250.A	9.6	1.40	25.0	1.0000	13.44	14.95	yes	music wire	4D
C.096.140.0320.A	9.6	1.40	32.0	0.7875	16.10	18.01	yes	music wire	4D
C.096.140.0400.A	9.6	1.40	40.0	0.6300	19.32	22.32	yes	music wire	4D
C.096.140.0500.A	9.6	1.40	50.0	0.5040	23.24	27.90	yes	music wire	4D
C.096.140.0630.A	9.6	1.40	63.0	0.3938	28.70	34.71	yes	music wire	4E
C.096.140.0800.A	9.6	1.40	80.0	0.3200	34.58	45.19	yes	music wire	4I
C.096.140.0800.I	9.6	1.40	80.0	0.2784	34.16	45.25	yes	stainless steel	4I
C.096.140.0800.N	9.6	1.40	80.0	0.3200	34.58	45.19	yes	Zn coating	4J
C.096.140.1000.A	9.6	1.40	100.0	0.2520	42.98	55.80	yes	music wire	4E
C.096.140.1250.A	9.6	1.40	125.0	0.2000	53.20	69.30	yes	music wire	4I
C.096.140.1250.I	9.6	1.40	125.0	0.1740	52.50	69.40	yes	stainless steel	4I
C.096.140.1250.N	9.6	1.40	125.0	0.2000	53.20	69.30	yes	Zn coating	4J
C.096.140.1600.A	9.6	1.40	160.0	0.1600	65.66	90.38	yes	music wire	4I
C.096.140.1600.I	9.6	1.40	160.0	0.1392	64.82	90.49	yes	stainless steel	4I
C.096.140.1600.N	9.6	1.40	160.0	0.1600	65.66	90.38	yes	Zn coating	4J
C.096.140.2000.A	9.6	1.40	200.0	0.1270	81.76	112.29	yes	music wire	4I
C.096.140.2000.I	9.6	1.40	200.0	0.1105	80.78	112.43	yes	stainless steel	4I
C.096.140.2000.N	9.6	1.40	200.0	0.1270	81.76	112.29	yes	Zn coating	4J
C.096.160.0120.A	9.6	1.60	12.0	3.7257	9.60	10.37	yes	music wire	4E
C.096.160.0120.AP	9.6	1.60	12.0	4.6829	8.48	9.10	yes	music wire	4H
C.096.160.0120.I	9.6	1.60	12.0	3.2414	9.60	10.37	yes	stainless steel	4E
C.096.160.0120.N	9.6	1.60	12.0	3.7257	9.60	10.37	yes	Zn coating	4G
C.096.160.0145.A	9.6	1.60	14.5	3.7257	9.60	10.37	yes	music wire	4H
C.096.160.0145.I	9.6	1.60	14.5	3.2000	9.60	10.37	yes	stainless steel	4I
C.096.160.0145.N	9.6	1.60	14.5	3.7257	9.60	10.37	yes	Zn coating	4I
C.096.160.0180.A	9.6	1.60	18.0	2.3709	12.80	14.01	yes	music wire	4E
C.096.160.0180.AP	9.6	1.60	18.0	2.8504	11.36	12.38	yes	music wire	4I
C.096.160.0180.I	9.6	1.60	18.0	2.0364	12.80	14.01	yes	stainless steel	4E
C.096.160.0180.N	9.6	1.60	18.0	2.3709	12.80	14.01	yes	Zn coating	4G
C.096.160.0215.A	9.6	1.60	21.5	2.3709	12.80	14.74	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.096.160.0215.I	9.6	1.60	21.5	2.0364	12.80	14.64	yes	stainless steel	4I
C.096.160.0215.N	9.6	1.60	21.5	2.3709	12.80	14.74	yes	Zn coating	4I
C.096.160.0270.A	9.6	1.60	27.0	1.5341	17.60	19.47	yes	music wire	4E
C.096.160.0270.I	9.6	1.60	27.0	1.3176	17.60	19.47	yes	stainless steel	4F
C.096.160.0270.N	9.6	1.60	27.0	1.5341	17.60	19.47	yes	Zn coating	4G
C.096.160.0315.A	9.6	1.60	31.5	1.5341	17.60	21.06	yes	music wire	4I
C.096.160.0315.I	9.6	1.60	31.5	1.3176	17.60	20.90	yes	stainless steel	4I
C.096.160.0315.N	9.6	1.60	31.5	1.5341	17.60	21.06	yes	Zn coating	4I
C.096.160.0400.A	9.6	1.60	40.0	0.9659	25.60	28.57	yes	music wire	4E
C.096.160.0400.I	9.6	1.60	40.0	0.8403	25.28	28.21	yes	stainless steel	4F
C.096.160.0400.N	9.6	1.60	40.0	0.9659	25.60	28.57	yes	Zn coating	4G
C.096.160.0450.A	9.6	1.60	45.0	1.0432	24.00	29.64	yes	music wire	4I
C.096.160.0450.AP	9.6	1.60	45.0	1.0324	24.16	29.48	yes	music wire	4I
C.096.160.0450.I	9.6	1.60	45.0	0.8960	24.00	29.40	yes	stainless steel	4I
C.096.160.0450.IF	9.6	1.60	45.0	0.6054	33.60	37.67	yes	stainless steel	4F
C.096.160.0450.N	9.6	1.60	45.0	1.0432	24.00	29.64	yes	Zn coating	4I
C.096.160.0560.A	9.6	1.60	56.0	0.7049	33.60	37.67	yes	music wire	4F
C.096.160.0560.I	9.6	1.60	56.0	0.6054	33.60	37.67	yes	stainless steel	4F
C.096.160.0560.N	9.6	1.60	56.0	0.7049	33.60	37.67	yes	Zn coating	4H
C.096.160.0655.A	9.6	1.60	65.5	0.7049	33.60	42.77	yes	music wire	4J
C.096.160.0655.I	9.6	1.60	65.5	0.6054	33.60	42.42	yes	stainless steel	4I
C.096.160.0655.IF	9.6	1.60	65.5	0.4978	40.00	44.95	yes	stainless steel	4F
C.096.160.0655.N	9.6	1.60	65.5	0.7049	33.60	42.77	yes	Zn coating	4L
C.096.180.0100.A	9.6	1.80	10.0	6.3636	10.00	10.00	yes	music wire	4F
C.096.180.0100.AL	9.6	1.80	10.0	10.0210	8.46	8.97	yes	music wire	4E
C.096.180.0100.AP	9.6	1.80	10.0	10.8104	8.28	8.76	yes	music wire	4F
C.096.180.0125.A	9.6	1.80	12.5	5.0000	12.50	12.50	yes	music wire	4F
C.096.180.0125.AL	9.6	1.80	12.5	6.1600	11.16	12.01	yes	music wire	4E
C.096.180.0125.AP	9.6	1.80	12.5	7.8282	9.72	10.39	yes	music wire	4I
C.096.180.0125.I	9.6	1.80	12.5	4.3500	12.42	12.42	yes	stainless steel	4G
C.096.180.0125.N	9.6	1.80	12.5	5.0000	12.50	12.50	yes	Zn coating	4I
C.096.180.0160.A	9.6	1.80	16.0	3.8889	14.94	14.94	yes	music wire	4F
C.096.180.0160.AL	9.6	1.80	16.0	4.4000	13.68	14.86	yes	music wire	4E
C.096.180.0160.AP	9.6	1.80	16.0	5.6754	11.70	12.62	yes	music wire	4I
C.096.180.0160.I	9.6	1.80	16.0	3.3833	14.76	14.76	yes	stainless steel	4G
C.096.180.0160.N	9.6	1.80	16.0	3.8889	14.94	14.94	yes	Zn coating	4I
C.096.180.0200.A	9.6	1.80	20.0	3.1111	17.46	19.12	yes	music wire	4F
C.096.180.0200.AP	9.6	1.80	20.0	4.2833	14.04	15.26	yes	music wire	4I
C.096.180.0200.I	9.6	1.80	20.0	2.7067	17.46	19.12	yes	stainless steel	4G
C.096.180.0200.N	9.6	1.80	20.0	3.1111	17.46	19.12	yes	Zn coating	4I
C.096.180.0250.A	9.6	1.80	25.0	2.5000	20.70	22.78	yes	music wire	4F
C.096.180.0250.AP	9.6	1.80	25.0	3.2901	16.74	18.32	yes	music wire	4I
C.096.180.0250.I	9.6	1.80	25.0	2.1750	20.52	22.57	yes	stainless steel	4G
C.096.180.0250.N	9.6	1.80	25.0	2.5000	20.70	22.78	yes	Zn coating	4I
C.096.180.0320.A	9.6	1.80	32.0	2.0000	24.84	27.45	yes	music wire	4G
C.096.180.0320.AP	9.6	1.80	32.0	2.4947	20.70	23.18	yes	music wire	4I
C.096.180.0320.I	9.6	1.80	32.0	1.7400	24.48	27.04	yes	stainless steel	4G
C.096.180.0320.N	9.6	1.80	32.0	2.0000	24.84	27.45	yes	Zn coating	4I
C.096.180.0400.A	9.6	1.80	40.0	1.5556	30.60	33.95	yes	music wire	4G
C.096.180.0400.AP	9.6	1.80	40.0	1.9570	25.20	28.76	yes	music wire	4I
C.096.180.0400.I	9.6	1.80	40.0	1.3534	30.24	33.54	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.096.180.0400.N	9.6	1.80	40.0	1.5556	30.60	33.95	yes	Zn coating	4I
C.096.180.0500.A	9.6	1.80	50.0	1.2500	36.90	41.05	yes	music wire	4G
C.096.180.0500.AP	9.6	1.80	50.0	1.5339	30.96	35.66	yes	music wire	4I
C.096.180.0500.I	9.6	1.80	50.0	1.0875	36.54	40.65	yes	stainless steel	4G
C.096.180.0500.N	9.6	1.80	50.0	1.2500	36.90	41.05	yes	Zn coating	4I
C.096.180.0630.A	9.6	1.80	63.0	1.0000	45.00	50.19	yes	music wire	4G
C.096.180.0630.AP	9.6	1.80	63.0	1.2012	38.34	44.69	yes	music wire	4I
C.096.180.0630.I	9.6	1.80	63.0	0.8700	44.46	49.58	yes	stainless steel	4G
C.096.180.0630.N	9.6	1.80	63.0	1.0000	45.00	50.19	yes	Zn coating	4I
C.096.180.0800.A	9.6	1.80	80.0	0.7778	56.70	63.39	yes	music wire	4G
C.096.180.0800.AP	9.6	1.80	80.0	0.9342	47.88	56.46	yes	music wire	4I
C.096.180.0800.I	9.6	1.80	80.0	0.6767	55.98	62.58	yes	stainless steel	4G
C.096.180.0800.N	9.6	1.80	80.0	0.7778	56.70	63.39	yes	Zn coating	4I
C.096.180.1000.A	9.6	1.80	100.0	0.6222	69.66	78.01	yes	music wire	4G
C.096.180.1000.AP	9.6	1.80	100.0	0.7419	59.22	70.35	yes	music wire	4I
C.096.180.1000.I	9.6	1.80	100.0	0.5413	68.94	77.20	yes	stainless steel	4G
C.096.180.1000.N	9.6	1.80	100.0	0.6222	69.66	78.01	yes	Zn coating	4I
C.096.180.1250.A	9.6	1.80	125.0	0.5000	85.68	96.08	yes	music wire	4G
C.096.180.1250.I	9.6	1.80	125.0	0.4350	84.60	94.87	yes	stainless steel	4H
C.096.180.1250.N	9.6	1.80	125.0	0.5000	85.68	96.08	yes	Zn coating	4I
C.096.180.1600.A	9.6	1.80	160.0	0.3889	108.72	122.08	yes	music wire	4H
C.096.180.1600.I	9.6	1.80	160.0	0.3383	107.46	120.66	yes	stainless steel	4H
C.096.180.1600.N	9.6	1.80	160.0	0.3889	108.72	122.08	yes	Zn coating	4I
C.096.180.2000.A	9.6	1.80	200.0	0.3111	134.82	151.52	yes	music wire	4H
C.096.180.2000.I	9.6	1.80	200.0	0.2707	133.20	149.70	yes	stainless steel	4I
C.096.180.2000.N	9.6	1.80	200.0	0.3111	134.82	151.52	yes	Zn coating	4I
C.097.170.0190.A	9.7	1.70	19.0	2.7200	14.62	16.00	yes	music wire	4E
C.097.170.0190.AP	9.7	1.70	19.0	3.4134	12.58	13.69	yes	music wire	4I
C.097.170.0190.I	9.7	1.70	19.0	2.3664	14.45	15.81	yes	stainless steel	4E
C.097.170.0190.N	9.7	1.70	19.0	2.7200	14.62	16.00	yes	Zn coating	4G
C.097.170.0600.A	9.7	1.70	60.0	0.7623	41.31	46.25	yes	music wire	4F
C.097.170.0600.I	9.7	1.70	60.0	0.6548	41.31	46.25	yes	stainless steel	4F
C.097.180.0200.A	9.7	1.80	20.0	3.4430	15.84	17.30	yes	music wire	4F
C.097.180.0200.I	9.7	1.80	20.0	2.9572	15.84	17.30	yes	stainless steel	4G
C.097.180.0400.A	9.7	1.80	40.0	1.5493	29.70	32.95	yes	music wire	4G
C.097.180.0400.I	9.7	1.80	40.0	1.3307	29.70	32.95	yes	stainless steel	4G
C.097.180.0800.A	9.7	1.80	80.0	0.7403	57.24	64.04	yes	music wire	4G
C.097.180.0800.I	9.7	1.80	80.0	0.6358	57.24	64.04	yes	stainless steel	4G
C.097.180.1400.A	9.7	1.80	140.0	0.4300	95.22	106.91	yes	music wire	4G
C.097.180.1400.AP	9.7	1.80	140.0	0.5105	81.00	97.29	yes	music wire	4I
C.097.180.1400.I	9.7	1.80	140.0	0.3741	94.14	105.69	yes	stainless steel	4H
C.097.180.1400.N	9.7	1.80	140.0	0.4300	95.22	106.91	yes	Zn coating	4I
C.097.180.1920.A	9.7	1.80	192.0	0.3300	122.76	138.00	yes	music wire	4J
C.097.180.1920.I	9.7	1.80	192.0	0.2871	121.32	136.38	yes	stainless steel	4J
C.097.180.1920.N	9.7	1.80	192.0	0.3300	122.76	138.00	yes	Zn coating	4K
C.099.040.0159.A	9.9	0.40	15.9	0.0092	2.72	3.97	no	music wire	4B
C.099.040.0159.I	9.9	0.40	15.9	0.0080	2.72	3.97	no	stainless steel	4C
C.099.040.0290.A	9.9	0.40	29.0	0.0034	4.92	8.25	no	music wire	4B
C.099.040.0290.I	9.9	0.40	29.0	0.0030	4.88	8.17	no	stainless steel	4C
C.099.050.0200.A	9.9	0.50	20.0	0.0253	2.75	3.70	yes	music wire	4B
C.099.050.0200.I	9.9	0.50	20.0	0.0220	2.75	3.70	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.099.050.0240.A	9.9	0.50	24.0	0.0149	3.80	5.41	yes	music wire	4B
C.099.050.0240.I	9.9	0.50	24.0	0.0130	3.80	5.41	yes	stainless steel	4C
C.099.060.0119.A	9.9	0.60	11.9	0.0828	2.70	3.25	yes	music wire	4C
C.099.060.0119.I	9.9	0.60	11.9	0.0720	2.70	3.25	yes	stainless steel	4C
C.099.060.0220.A	9.9	0.60	22.0	0.0280	5.04	6.67	yes	music wire	4C
C.099.060.0220.I	9.9	0.60	22.0	0.0244	4.98	6.58	yes	stainless steel	4C
C.099.060.0310.A	9.9	0.60	31.0	0.0379	4.08	5.27	yes	music wire	4E
C.099.060.0310.I	9.9	0.60	31.0	0.0330	4.08	5.27	yes	stainless steel	4F
C.099.060.0320.A	9.9	0.60	32.0	0.0200	6.42	8.69	yes	music wire	4C
C.099.060.0320.I	9.9	0.60	32.0	0.0174	6.36	8.60	yes	stainless steel	4C
C.099.060.0450.A	9.9	0.60	45.0	0.0103	11.04	15.43	yes	music wire	4C
C.099.060.0450.I	9.9	0.60	45.0	0.0090	10.92	15.26	yes	stainless steel	4C
C.099.070.0230.A	9.9	0.70	23.0	0.0816	4.41	5.37	yes	music wire	4C
C.099.070.0230.I	9.9	0.70	23.0	0.0710	4.41	5.37	yes	stainless steel	4C
C.099.080.0111.A	9.9	0.80	11.1	0.1494	4.96	5.83	yes	music wire	4C
C.099.080.0111.AP	9.9	0.80	11.1	0.3685	3.20	4.90	yes	music wire	4E
C.099.080.0111.I	9.9	0.80	11.1	0.1300	4.96	5.83	yes	stainless steel	4C
C.099.080.0127.A	9.9	0.80	12.7	0.1100	6.00	7.18	yes	music wire	4C
C.099.080.0127.AP	9.9	0.80	12.7	0.3251	3.36	5.68	yes	music wire	4E
C.099.080.0127.I	9.9	0.80	12.7	0.0957	6.00	7.18	yes	stainless steel	4C
C.099.080.0160.A	9.9	0.80	16.0	0.1587	4.80	5.62	yes	music wire	4C
C.099.080.0200.A	9.9	0.80	20.0	0.1250	5.52	6.56	yes	music wire	4C
C.099.080.0220.A	9.9	0.80	22.0	0.1115	6.00	7.18	yes	music wire	4C
C.099.080.0220.AP	9.9	0.80	22.0	0.1727	4.56	8.78	yes	music wire	4E
C.099.080.0220.I	9.9	0.80	22.0	0.0970	5.92	7.07	yes	stainless steel	4C
C.099.080.0250.A	9.9	0.80	25.0	0.1000	6.40	7.69	yes	music wire	4C
C.099.080.0320.A	9.9	0.80	32.0	0.0800	7.52	9.14	yes	music wire	4C
C.099.080.0400.A	9.9	0.80	40.0	0.0625	9.12	11.21	yes	music wire	4C
C.099.080.0500.A	9.9	0.80	50.0	0.0500	10.88	13.49	yes	music wire	4C
C.099.080.0630.A	9.9	0.80	63.0	0.0400	13.04	16.29	yes	music wire	4C
C.099.080.0800.A	9.9	0.80	80.0	0.0313	16.16	20.32	yes	music wire	4C
C.099.080.1000.A	9.9	0.80	100.0	0.0250	19.68	24.88	yes	music wire	4C
C.099.080.1250.A	9.9	0.80	125.0	0.0198	24.40	30.99	yes	music wire	4E
C.099.080.1250.AP	9.9	0.80	125.0	0.0294	17.04	47.35	yes	music wire	4G
C.099.080.1250.I	9.9	0.80	125.0	0.0172	24.08	30.57	yes	stainless steel	4E
C.099.080.1250.N	9.9	0.80	125.0	0.0198	24.40	30.99	yes	Zn coating	4F
C.099.090.0095.A	9.9	0.90	9.5	0.4800	3.96	4.39	yes	music wire	4C
C.099.090.0095.I	9.9	0.90	9.5	0.4176	3.96	4.39	yes	stainless steel	4C
C.099.090.0103.A	9.9	0.90	10.3	0.3800	4.41	4.95	yes	music wire	4C
C.099.090.0103.AP	9.9	0.90	10.3	0.6107	3.60	5.10	yes	music wire	4E
C.099.090.0103.I	9.9	0.90	10.3	0.3306	4.41	4.95	yes	stainless steel	4C
C.099.090.0370.A	9.9	0.90	37.0	0.0931	11.07	13.28	yes	music wire	4C
C.099.090.0370.AP	9.9	0.90	37.0	0.1477	7.83	15.50	yes	music wire	4F
C.099.090.0370.I	9.9	0.90	37.0	0.0810	10.98	13.16	yes	stainless steel	4D
C.099.100.0064.A	9.9	1.00	6.4	1.4943	3.50	3.72	yes	music wire	4E
C.099.100.0064.I	9.9	1.00	6.4	1.3000	3.50	3.72	yes	stainless steel	4F
C.099.100.0174.A	9.9	1.00	17.4	0.3793	6.30	7.13	yes	music wire	4C
C.099.100.0174.I	9.9	1.00	17.4	0.3300	6.30	7.13	yes	stainless steel	4F
C.099.100.0220.A	9.9	1.00	22.0	0.2529	8.20	9.45	yes	music wire	4C
C.099.100.0220.AP	9.9	1.00	22.0	0.3613	6.50	10.19	yes	music wire	4F
C.099.100.0220.I	9.9	1.00	22.0	0.2200	8.10	9.33	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.099.100.0300.A	9.9	1.00	30.0	0.1954	9.90	11.52	yes	music wire	4C
C.099.100.0300.I	9.9	1.00	30.0	0.1700	9.80	11.40	yes	stainless steel	4D
C.099.100.0350.A	9.9	1.00	35.0	0.1839	10.40	12.13	yes	music wire	4F
C.099.100.0350.I	9.9	1.00	35.0	0.1600	10.30	12.06	yes	stainless steel	4G
C.099.100.0360.A	9.9	1.00	36.0	0.1724	10.90	12.74	yes	music wire	4F
C.099.100.0360.I	9.9	1.00	36.0	0.1500	10.80	12.62	yes	stainless steel	4G
C.099.100.0430.A	9.9	1.00	43.0	0.1264	13.90	16.39	yes	music wire	4C
C.099.100.0430.AP	9.9	1.00	43.0	0.1784	10.60	19.09	yes	music wire	4F
C.099.100.0430.I	9.9	1.00	43.0	0.1100	13.80	16.27	yes	stainless steel	4D
C.099.100.0890.A	9.9	1.00	89.0	0.0670	24.10	28.83	yes	music wire	4G
C.099.100.0890.I	9.9	1.00	89.0	0.0583	23.80	28.46	yes	stainless steel	4G
C.099.110.0127.A	9.9	1.10	12.7	0.6180	6.60	7.35	yes	music wire	4C
C.099.110.0127.AF	9.9	1.10	12.7	0.6180	6.60	7.35	yes	music wire	4C
C.099.110.0127.AP	9.9	1.10	12.7	0.9525	5.28	6.86	yes	music wire	4F
C.099.110.0127.I	9.9	1.10	12.7	0.5376	6.60	7.35	yes	stainless steel	4C
C.099.110.0127.N	9.9	1.10	12.7	0.6180	6.60	7.35	yes	Zn coating	4E
C.099.110.0127.NF	9.9	1.10	12.7	0.6180	6.60	7.35	yes	Zn coating	4E
C.099.110.0142.A	9.9	1.10	14.2	0.6930	6.27	6.96	yes	music wire	4C
C.099.110.0142.AF	9.9	1.10	14.2	0.5467	7.15	8.01	yes	music wire	4C
C.099.110.0142.AP	9.9	1.10	14.2	0.8114	5.72	7.34	yes	music wire	4F
C.099.110.0142.I	9.9	1.10	14.2	0.4695	7.15	8.01	yes	stainless steel	4C
C.099.110.0142.N	9.9	1.10	14.2	0.6930	6.27	6.96	yes	Zn coating	4E
C.099.110.0142.NF	9.9	1.10	14.2	0.5467	7.15	8.01	yes	Zn coating	4E
C.099.110.0175.A	9.9	1.10	17.5	0.5430	7.15	8.01	yes	music wire	4F
C.099.110.0175.AP	9.9	1.10	17.5	0.6443	6.49	8.87	yes	music wire	4F
C.099.110.0175.I	9.9	1.10	17.5	0.4000	7.92	8.93	yes	stainless steel	4D
C.099.110.0175.N	9.9	1.10	17.5	0.5430	7.15	8.01	yes	Zn coating	4H
C.099.110.0190.A	9.9	1.10	19.0	0.4940	7.59	8.54	yes	music wire	4F
C.099.110.0190.AP	9.9	1.10	19.0	0.5921	6.82	9.60	yes	music wire	4F
C.099.110.0190.I	9.9	1.10	19.0	0.3645	8.47	9.59	yes	stainless steel	4D
C.099.110.0190.N	9.9	1.10	19.0	0.4940	7.59	8.54	yes	Zn coating	4H
C.099.110.0224.A	9.9	1.10	22.4	0.4130	8.58	9.72	yes	music wire	4F
C.099.110.0224.I	9.9	1.10	22.4	0.3213	9.24	10.51	yes	stainless steel	4D
C.099.110.0224.N	9.9	1.10	22.4	0.4130	8.58	9.72	yes	Zn coating	4H
C.099.110.0239.A	9.9	1.10	23.9	0.3467	9.68	11.04	yes	music wire	4C
C.099.110.0239.I	9.9	1.10	23.9	0.2978	9.68	11.04	yes	stainless steel	4D
C.099.110.0239.N	9.9	1.10	23.9	0.3467	9.68	11.04	yes	Zn coating	4E
C.099.110.0279.A	9.9	1.10	27.9	0.2894	11.11	12.75	yes	music wire	4C
C.099.110.0279.AP	9.9	1.10	27.9	0.3912	8.91	13.68	yes	music wire	4F
C.099.110.0279.I	9.9	1.10	27.9	0.2518	11.00	12.62	yes	stainless steel	4D
C.099.110.0284.A	9.9	1.10	28.4	0.2931	11.00	12.62	yes	music wire	4C
C.099.110.0284.I	9.9	1.10	28.4	0.2550	10.89	12.49	yes	stainless steel	4D
C.099.110.0284.N	9.9	1.10	28.4	0.2931	11.00	12.62	yes	Zn coating	4E
C.099.110.0290.A	9.9	1.10	29.0	0.2874	11.11	12.75	yes	music wire	4C
C.099.110.0290.I	9.9	1.10	29.0	0.2500	11.00	12.62	yes	stainless steel	4D
C.099.110.0305.A	9.9	1.10	30.5	0.2648	11.88	13.67	yes	music wire	4C
C.099.110.0305.I	9.9	1.10	30.5	0.2304	11.77	13.54	yes	stainless steel	4D
C.099.110.0351.A	9.9	1.10	35.1	0.2410	12.76	14.72	yes	music wire	4C
C.099.110.0351.I	9.9	1.10	35.1	0.2096	12.65	14.59	yes	stainless steel	4D
C.099.110.0351.N	9.9	1.10	35.1	0.2410	12.76	14.72	yes	Zn coating	4E
C.099.110.0356.A	9.9	1.10	35.6	0.2379	12.87	14.85	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.099.110.0356.I	9.9	1.10	35.6	0.2070	12.76	14.72	yes	stainless steel	4D
C.099.110.0381.A	9.9	1.10	38.1	0.2239	13.53	15.64	yes	music wire	4C
C.099.110.0381.I	9.9	1.10	38.1	0.1923	13.53	15.64	yes	stainless steel	4D
C.099.110.0381.N	9.9	1.10	38.1	0.2239	13.53	15.64	yes	Zn coating	4E
C.099.110.0444.A	9.9	1.10	44.4	0.1921	15.29	17.75	yes	music wire	4F
C.099.110.0444.I	9.9	1.10	44.4	0.1671	15.07	17.48	yes	stainless steel	4G
C.099.110.0444.N	9.9	1.10	44.4	0.1921	15.29	17.75	yes	Zn coating	4I
C.099.110.0457.A	9.9	1.10	45.7	0.1897	15.40	17.88	yes	music wire	4F
C.099.110.0457.I	9.9	1.10	45.7	0.1650	15.29	17.75	yes	stainless steel	4G
C.099.110.0510.A	9.9	1.10	51.0	0.1720	16.72	19.46	yes	music wire	4G
C.099.110.0510.I	9.9	1.10	51.0	0.1496	16.61	19.33	yes	stainless steel	4G
C.099.110.0510.N	9.9	1.10	51.0	0.1720	16.72	19.46	yes	Zn coating	4I
C.099.120.0127.A	9.9	1.20	12.7	0.8635	7.44	8.23	yes	music wire	4C
C.099.120.0127.AP	9.9	1.20	12.7	1.2856	6.00	7.19	yes	music wire	4F
C.099.120.0127.I	9.9	1.20	12.7	0.7417	7.44	8.23	yes	stainless steel	4D
C.099.120.0127.N	9.9	1.20	12.7	0.8635	7.44	8.23	yes	Zn coating	4E
C.099.120.0142.A	9.9	1.20	14.2	0.7752	7.92	8.80	yes	music wire	4C
C.099.120.0142.AP	9.9	1.20	14.2	1.1478	6.36	8.03	yes	music wire	4F
C.099.120.0142.I	9.9	1.20	14.2	0.6658	7.92	8.80	yes	stainless steel	4D
C.099.120.0142.N	9.9	1.20	14.2	0.7752	7.92	8.80	yes	Zn coating	4E
C.099.120.0157.A	9.9	1.20	15.7	0.7033	8.52	9.51	yes	music wire	4C
C.099.120.0157.AP	9.9	1.20	15.7	1.0043	6.84	8.65	yes	music wire	4F
C.099.120.0157.I	9.9	1.20	15.7	0.6040	8.52	9.51	yes	stainless steel	4D
C.099.120.0157.N	9.9	1.20	15.7	0.7033	8.52	9.51	yes	Zn coating	4E
C.099.120.0175.A	9.9	1.20	17.5	0.6435	9.00	10.07	yes	music wire	4C
C.099.120.0175.AP	9.9	1.20	17.5	0.8928	7.32	9.57	yes	music wire	4F
C.099.120.0175.I	9.9	1.20	17.5	0.5527	9.00	10.07	yes	stainless steel	4D
C.099.120.0175.N	9.9	1.20	17.5	0.6435	9.00	10.07	yes	Zn coating	4E
C.099.120.0190.A	9.9	1.20	19.0	0.5932	9.48	10.64	yes	music wire	4C
C.099.120.0190.AP	9.9	1.20	19.0	0.8035	7.80	10.19	yes	music wire	4F
C.099.120.0190.I	9.9	1.20	19.0	0.5095	9.48	10.64	yes	stainless steel	4D
C.099.120.0190.N	9.9	1.20	19.0	0.5932	9.48	10.64	yes	Zn coating	4E
C.099.120.0206.A	9.9	1.20	20.6	0.5501	9.96	11.20	yes	music wire	4C
C.099.120.0206.AP	9.9	1.20	20.6	0.7474	8.16	11.13	yes	music wire	4F
C.099.120.0206.I	9.9	1.20	20.6	0.4725	9.96	11.20	yes	stainless steel	4D
C.099.120.0206.N	9.9	1.20	20.6	0.5501	9.96	11.20	yes	Zn coating	4E
C.099.120.0224.A	9.9	1.20	22.4	0.5129	10.56	11.91	yes	music wire	4C
C.099.120.0224.AP	9.9	1.20	22.4	0.6838	8.64	12.04	yes	music wire	4F
C.099.120.0224.I	9.9	1.20	22.4	0.4410	10.44	11.77	yes	stainless steel	4D
C.099.120.0224.N	9.9	1.20	22.4	0.5129	10.56	11.91	yes	Zn coating	4E
C.099.120.0239.A	9.9	1.20	23.9	0.4804	11.04	12.48	yes	music wire	4C
C.099.120.0239.AP	9.9	1.20	23.9	0.6302	9.12	12.66	yes	music wire	4F
C.099.120.0239.I	9.9	1.20	23.9	0.4126	11.04	12.48	yes	stainless steel	4D
C.099.120.0239.N	9.9	1.20	23.9	0.4804	11.04	12.48	yes	Zn coating	4E
C.099.120.0254.A	9.9	1.20	25.4	0.4517	11.52	13.04	yes	music wire	4C
C.099.120.0254.I	9.9	1.20	25.4	0.3880	11.52	13.04	yes	stainless steel	4D
C.099.120.0254.N	9.9	1.20	25.4	0.4517	11.52	13.04	yes	Zn coating	4E
C.099.120.0279.A	9.9	1.20	27.9	0.3985	12.72	14.46	yes	music wire	4C
C.099.120.0279.AP	9.9	1.20	27.9	0.5357	10.20	14.68	yes	music wire	4F
C.099.120.0279.I	9.9	1.20	27.9	0.3467	12.48	14.18	yes	stainless steel	4D
C.099.120.0284.A	9.9	1.20	28.4	0.4036	12.48	14.18	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.099.120.0284.I	9.9	1.20	28.4	0.3511	12.36	14.03	yes	stainless steel	4D
C.099.120.0284.N	9.9	1.20	28.4	0.4036	12.48	14.18	yes	Zn coating	4E
C.099.120.0290.A	9.9	1.20	29.0	0.4023	12.60	14.32	yes	music wire	4C
C.099.120.0290.I	9.9	1.20	29.0	0.3500	12.48	14.18	yes	stainless steel	4D
C.099.120.0305.A	9.9	1.20	30.5	0.3601	13.68	15.59	yes	music wire	4C
C.099.120.0305.AP	9.9	1.20	30.5	0.4870	10.92	15.96	yes	music wire	4F
C.099.120.0305.I	9.9	1.20	30.5	0.3133	13.56	15.45	yes	stainless steel	4D
C.099.120.0318.A	9.9	1.20	31.8	0.3648	13.56	15.45	yes	music wire	4C
C.099.120.0318.I	9.9	1.20	31.8	0.3173	13.44	15.31	yes	stainless steel	4D
C.099.120.0318.N	9.9	1.20	31.8	0.3648	13.56	15.45	yes	Zn coating	4E
C.099.120.0351.A	9.9	1.20	35.1	0.3327	14.52	16.58	yes	music wire	4C
C.099.120.0351.I	9.9	1.20	35.1	0.2895	14.40	16.44	yes	stainless steel	4D
C.099.120.0351.N	9.9	1.20	35.1	0.3327	14.52	16.58	yes	Zn coating	4E
C.099.120.0356.A	9.9	1.20	35.6	0.3285	14.76	16.86	yes	music wire	4C
C.099.120.0356.I	9.9	1.20	35.6	0.2858	14.52	16.58	yes	stainless steel	4D
C.099.120.0381.A	9.9	1.20	38.1	0.3059	15.60	17.85	yes	music wire	4C
C.099.120.0381.I	9.9	1.20	38.1	0.2627	15.60	17.85	yes	stainless steel	4D
C.099.120.0381.N	9.9	1.20	38.1	0.3059	15.60	17.85	yes	Zn coating	4E
C.099.120.0444.A	9.9	1.20	44.4	0.2634	17.64	20.26	yes	music wire	4D
C.099.120.0444.I	9.9	1.20	44.4	0.2291	17.40	19.98	yes	stainless steel	4G
C.099.120.0444.N	9.9	1.20	44.4	0.2634	17.64	20.26	yes	Zn coating	4E
C.099.120.0457.A	9.9	1.20	45.7	0.2600	17.76	20.40	yes	music wire	4G
C.099.120.0457.I	9.9	1.20	45.7	0.2262	17.64	20.26	yes	stainless steel	4G
C.099.120.0508.A	9.9	1.20	50.8	0.2312	19.68	22.66	yes	music wire	4G
C.099.120.0508.I	9.9	1.20	50.8	0.1986	19.68	22.66	yes	stainless steel	4G
C.099.120.0508.N	9.9	1.20	50.8	0.2312	19.68	22.66	yes	Zn coating	4I
C.099.130.0220.A	9.9	1.30	22.0	0.6782	11.96	13.40	yes	music wire	4C
C.099.130.0220.AP	9.9	1.30	22.0	0.9362	9.62	12.56	yes	music wire	4F
C.099.130.0220.I	9.9	1.30	22.0	0.5900	11.96	13.40	yes	stainless steel	4D
C.099.130.0480.A	9.9	1.30	48.0	0.2874	23.92	27.34	yes	music wire	4D
C.099.130.0480.AP	9.9	1.30	48.0	0.4024	18.07	26.04	yes	music wire	4G
C.099.130.0480.I	9.9	1.30	48.0	0.2500	23.66	27.04	yes	stainless steel	4D
C.099.130.0830.A	9.9	1.30	83.0	0.2069	31.98	40.30	yes	music wire	4G
C.099.130.0830.I	9.9	1.30	83.0	0.1800	31.59	40.46	yes	stainless steel	4G
C.099.150.0270.A	9.9	1.50	27.0	1.0920	15.75	17.51	yes	music wire	4E
C.099.150.0270.I	9.9	1.50	27.0	0.9500	15.60	17.34	yes	stainless steel	4E
C.099.160.0159.A	9.9	1.60	15.9	2.0690	12.96	14.22	yes	music wire	4E
C.099.160.0159.AP	9.9	1.60	15.9	3.0897	10.08	10.93	yes	music wire	4H
C.099.160.0159.I	9.9	1.60	15.9	1.8000	12.96	14.22	yes	stainless steel	4E
C.099.160.0300.A	9.9	1.60	30.0	1.8000	14.40	21.34	yes	music wire	4I
C.099.160.0300.I	9.9	1.60	30.0	1.5660	14.24	21.32	yes	stainless steel	4J
C.099.160.0320.A	9.9	1.60	32.0	0.8621	25.60	28.63	yes	music wire	4E
C.099.160.0320.AP	9.9	1.60	32.0	1.3977	17.44	20.84	yes	music wire	4I
C.099.160.0320.I	9.9	1.60	32.0	0.7500	25.44	28.45	yes	stainless steel	4F
C.099.220.0127.A	9.9	2.20	12.7	18.5057	11.66	12.39	yes	music wire	4G
C.099.220.0127.I	9.9	2.20	12.7	16.1000	11.66	12.39	yes	stainless steel	4G
C.099.230.0640.A	9.9	2.30	64.0	3.2000	52.44	57.87	yes	music wire	4G
C.099.230.0640.I	9.9	2.30	64.0	2.7840	51.75	57.10	yes	stainless steel	4G
C.100.055.0110.A	10.0	0.55	11.0	0.0789	2.15	2.57	yes	music wire	4C
C.100.060.0910.A	10.0	0.60	91.0	0.0118	9.60	13.39	yes	music wire	4D
C.100.060.0910.I	10.0	0.60	91.0	0.0101	9.60	13.39	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.100.070.0095.A	10.0	0.70	9.5	0.1789	2.94	3.37	yes	music wire	4C
C.100.070.0095.I	10.0	0.70	9.5	0.1536	2.94	3.37	yes	stainless steel	4C
C.100.070.0125.A	10.0	0.70	12.5	0.1300	3.36	3.95	yes	music wire	4C
C.100.070.0125.I	10.0	0.70	12.5	0.1131	3.36	3.95	yes	stainless steel	4C
C.100.070.0125.N	10.0	0.70	12.5	0.1300	3.36	3.95	yes	Zn coating	4E
C.100.070.0160.A	10.0	0.70	16.0	0.0980	3.92	4.71	yes	music wire	4C
C.100.070.0160.I	10.0	0.70	16.0	0.0853	3.92	4.71	yes	stainless steel	4C
C.100.070.0160.N	10.0	0.70	16.0	0.0980	3.92	4.71	yes	Zn coating	4E
C.100.070.0174.A	10.0	0.70	17.4	0.0894	4.13	5.00	yes	music wire	4C
C.100.070.0174.I	10.0	0.70	17.4	0.0768	4.13	5.00	yes	stainless steel	4C
C.100.070.0200.A	10.0	0.70	20.0	0.0780	4.48	5.48	yes	music wire	4C
C.100.070.0200.I	10.0	0.70	20.0	0.0679	4.41	5.38	yes	stainless steel	4C
C.100.070.0200.N	10.0	0.70	20.0	0.0780	4.48	5.48	yes	Zn coating	4E
C.100.070.0250.A	10.0	0.70	25.0	0.0620	5.18	6.43	yes	music wire	4C
C.100.070.0250.I	10.0	0.70	25.0	0.0539	5.11	6.34	yes	stainless steel	4C
C.100.070.0250.N	10.0	0.70	25.0	0.0620	5.18	6.43	yes	Zn coating	4E
C.100.070.0320.A	10.0	0.70	32.0	0.0480	6.16	7.77	yes	music wire	4C
C.100.070.0320.I	10.0	0.70	32.0	0.0418	6.09	7.67	yes	stainless steel	4C
C.100.070.0320.N	10.0	0.70	32.0	0.0480	6.16	7.77	yes	Zn coating	4E
C.100.070.0400.A	10.0	0.70	40.0	0.0380	7.35	9.39	yes	music wire	4C
C.100.070.0400.I	10.0	0.70	40.0	0.0331	7.28	9.30	yes	stainless steel	4D
C.100.070.0400.N	10.0	0.70	40.0	0.0380	7.35	9.39	yes	Zn coating	4E
C.100.070.0500.A	10.0	0.70	50.0	0.0300	8.82	11.40	yes	music wire	4C
C.100.070.0500.I	10.0	0.70	50.0	0.0261	8.75	11.30	yes	stainless steel	4D
C.100.070.0500.N	10.0	0.70	50.0	0.0300	8.82	11.40	yes	Zn coating	4E
C.100.070.0630.A	10.0	0.70	63.0	0.0240	10.64	13.88	yes	music wire	4C
C.100.070.0630.I	10.0	0.70	63.0	0.0209	10.50	13.69	yes	stainless steel	4D
C.100.070.0630.N	10.0	0.70	63.0	0.0240	10.64	13.88	yes	Zn coating	4E
C.100.070.0800.A	10.0	0.70	80.0	0.0190	12.95	17.04	yes	music wire	4D
C.100.070.0800.I	10.0	0.70	80.0	0.0165	12.81	16.84	yes	stainless steel	4D
C.100.070.0800.N	10.0	0.70	80.0	0.0190	12.95	17.04	yes	Zn coating	4E
C.100.070.1000.A	10.0	0.70	100.0	0.0150	15.96	21.14	yes	music wire	4D
C.100.070.1000.I	10.0	0.70	100.0	0.0130	15.82	20.95	yes	stainless steel	4E
C.100.070.1000.N	10.0	0.70	100.0	0.0150	15.96	21.14	yes	Zn coating	4F
C.100.070.3600.A	10.0	0.70	360.0	0.0040	55.65	75.06	no	music wire	4G
C.100.070.3600.I	10.0	0.70	360.0	0.0035	54.67	73.72	no	stainless steel	4G
C.100.075.0250.A	10.0	0.75	25.0	0.0679	6.38	7.86	yes	music wire	4C
C.100.075.0250.I	10.0	0.75	25.0	0.0583	6.38	7.86	yes	stainless steel	4C
C.100.075.0250.N	10.0	0.75	25.0	0.0679	6.38	7.86	yes	Zn coating	4E
C.100.075.0270.A	10.0	0.75	27.0	0.0905	5.25	6.36	yes	music wire	4F
C.100.075.0270.I	10.0	0.75	27.0	0.0777	5.25	6.36	yes	stainless steel	4F
C.100.075.0270.N	10.0	0.75	27.0	0.0905	5.25	6.36	yes	Zn coating	4H
C.100.075.0490.A	10.0	0.75	49.0	0.0479	8.25	10.34	yes	music wire	4F
C.100.075.0490.I	10.0	0.75	49.0	0.0411	8.25	10.34	yes	stainless steel	4G
C.100.075.0490.N	10.0	0.75	49.0	0.0479	8.25	10.34	yes	Zn coating	4H
C.100.075.0760.A	10.0	0.75	76.0	0.0283	12.68	16.22	yes	music wire	4D
C.100.075.0760.I	10.0	0.75	76.0	0.0243	12.68	16.22	yes	stainless steel	4D
C.100.075.1000.A	10.0	0.75	100.0	0.0214	16.13	20.81	yes	music wire	4D
C.100.075.1000.I	10.0	0.75	100.0	0.0184	16.13	20.81	yes	stainless steel	4E
C.100.080.0125.A	10.0	0.80	12.5	0.2060	4.08	4.70	yes	music wire	4C
C.100.080.0125.AP	10.0	0.80	12.5	0.3146	3.36	5.32	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.080.0125.I	10.0	0.80	12.5	0.1792	4.08	4.70	yes	stainless steel	4C
C.100.080.0125.N	10.0	0.80	12.5	0.2060	4.08	4.70	yes	Zn coating	4E
C.100.080.0160.A	10.0	0.80	16.0	0.1590	4.72	5.53	yes	music wire	4C
C.100.080.0160.AP	10.0	0.80	16.0	0.2431	3.76	6.70	yes	music wire	4E
C.100.080.0160.I	10.0	0.80	16.0	0.1383	4.64	5.43	yes	stainless steel	4C
C.100.080.0160.N	10.0	0.80	16.0	0.1590	4.72	5.53	yes	Zn coating	4E
C.100.080.0175.A	10.0	0.80	17.5	0.1531	4.80	5.64	yes	music wire	4C
C.100.080.0175.AP	10.0	0.80	17.5	0.2229	3.92	7.36	yes	music wire	4E
C.100.080.0175.I	10.0	0.80	17.5	0.1315	4.80	5.64	yes	stainless steel	4C
C.100.080.0175.N	10.0	0.80	17.5	0.1531	4.80	5.64	yes	Zn coating	4E
C.100.080.0200.A	10.0	0.80	20.0	0.1250	5.44	6.47	yes	music wire	4C
C.100.080.0200.AP	10.0	0.80	20.0	0.1910	4.24	8.17	yes	music wire	4E
C.100.080.0200.I	10.0	0.80	20.0	0.1088	5.36	6.36	yes	stainless steel	4C
C.100.080.0200.N	10.0	0.80	20.0	0.1250	5.44	6.47	yes	Zn coating	4E
C.100.080.0250.A	10.0	0.80	25.0	0.0980	6.40	7.71	yes	music wire	4C
C.100.080.0250.I	10.0	0.80	25.0	0.0853	6.32	7.61	yes	stainless steel	4C
C.100.080.0250.N	10.0	0.80	25.0	0.0980	6.40	7.71	yes	Zn coating	4E
C.100.080.0275.A	10.0	0.80	27.5	0.0962	6.48	7.82	yes	music wire	4C
C.100.080.0275.AP	10.0	0.80	27.5	0.1372	5.12	11.02	yes	music wire	4F
C.100.080.0275.I	10.0	0.80	27.5	0.0837	6.40	7.71	yes	stainless steel	4C
C.100.080.0320.A	10.0	0.80	32.0	0.0760	7.68	9.37	yes	music wire	4C
C.100.080.0320.AP	10.0	0.80	32.0	0.1163	5.68	12.56	yes	music wire	4F
C.100.080.0320.I	10.0	0.80	32.0	0.0661	7.60	9.27	yes	stainless steel	4C
C.100.080.0320.N	10.0	0.80	32.0	0.0760	7.68	9.37	yes	Zn coating	4E
C.100.080.0400.A	10.0	0.80	40.0	0.0610	9.04	11.14	yes	music wire	4C
C.100.080.0400.AP	10.0	0.80	40.0	0.0922	6.64	15.49	yes	music wire	4F
C.100.080.0400.I	10.0	0.80	40.0	0.0531	8.96	11.04	yes	stainless steel	4D
C.100.080.0400.N	10.0	0.80	40.0	0.0610	9.04	11.14	yes	Zn coating	4E
C.100.080.0425.A	10.0	0.80	42.5	0.0622	8.88	10.93	yes	music wire	4C
C.100.080.0425.I	10.0	0.80	42.5	0.0541	8.80	10.83	yes	stainless steel	4D
C.100.080.0500.A	10.0	0.80	50.0	0.0480	10.96	13.63	yes	music wire	4C
C.100.080.0500.AP	10.0	0.80	50.0	0.0733	7.84	19.15	yes	music wire	4F
C.100.080.0500.I	10.0	0.80	50.0	0.0418	10.80	13.43	yes	stainless steel	4D
C.100.080.0500.N	10.0	0.80	50.0	0.0480	10.96	13.63	yes	Zn coating	4E
C.100.080.0630.A	10.0	0.80	63.0	0.0380	13.28	16.65	yes	music wire	4D
C.100.080.0630.I	10.0	0.80	63.0	0.0331	13.12	16.44	yes	stainless steel	4D
C.100.080.0630.N	10.0	0.80	63.0	0.0380	13.28	16.65	yes	Zn coating	4E
C.100.080.0800.A	10.0	0.80	80.0	0.0300	16.32	20.59	yes	music wire	4D
C.100.080.0800.I	10.0	0.80	80.0	0.0261	16.08	20.28	yes	stainless steel	4D
C.100.080.0800.N	10.0	0.80	80.0	0.0300	16.32	20.59	yes	Zn coating	4E
C.100.080.0925.A	10.0	0.80	92.5	0.0286	16.96	21.42	yes	music wire	4D
C.100.080.0925.I	10.0	0.80	92.5	0.0249	16.80	21.22	yes	stainless steel	4E
C.100.080.1000.A	10.0	0.80	100.0	0.0240	19.84	25.16	yes	music wire	4D
C.100.080.1000.I	10.0	0.80	100.0	0.0209	19.60	24.85	yes	stainless steel	4E
C.100.080.1000.N	10.0	0.80	100.0	0.0240	19.84	25.16	yes	Zn coating	4F
C.100.080.3600.A	10.0	0.80	360.0	0.0070	64.08	82.36	no	music wire	4G
C.100.080.3600.I	10.0	0.80	360.0	0.0061	63.20	81.22	no	stainless steel	4G
C.100.090.0111.A	10.0	0.90	11.1	0.3548	4.50	5.07	yes	music wire	4C
C.100.090.0111.I	10.0	0.90	11.1	0.3047	4.50	5.07	yes	stainless steel	4C
C.100.090.0125.A	10.0	0.90	12.5	0.3100	4.86	5.52	yes	music wire	4C
C.100.090.0125.AP	10.0	0.90	12.5	0.4664	3.96	5.75	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.100.090.0125.I	10.0	0.90	12.5	0.2697	4.77	5.41	yes	stainless steel	4C
C.100.090.0125.N	10.0	0.90	12.5	0.3100	4.86	5.52	yes	Zn coating	4E
C.100.090.0143.A	10.0	0.90	14.3	0.2609	5.31	6.09	yes	music wire	4C
C.100.090.0143.I	10.0	0.90	14.3	0.2241	5.31	6.09	yes	stainless steel	4C
C.100.090.0160.A	10.0	0.90	16.0	0.2350	5.67	6.54	yes	music wire	4C
C.100.090.0160.AP	10.0	0.90	16.0	0.3545	4.50	7.12	yes	music wire	4E
C.100.090.0160.I	10.0	0.90	16.0	0.2044	5.58	6.42	yes	stainless steel	4C
C.100.090.0160.N	10.0	0.90	16.0	0.2350	5.67	6.54	yes	Zn coating	4E
C.100.090.0197.A	10.0	0.90	19.7	0.2534	5.40	7.28	yes	music wire	4F
C.100.090.0197.I	10.0	0.90	19.7	0.2176	5.40	7.29	yes	stainless steel	4F
C.100.090.0197.N	10.0	0.90	19.7	0.2534	5.40	7.28	yes	Zn coating	4H
C.100.090.0200.A	10.0	0.90	20.0	0.1840	6.57	7.66	yes	music wire	4C
C.100.090.0200.AP	10.0	0.90	20.0	0.2769	5.13	8.64	yes	music wire	4F
C.100.090.0200.I	10.0	0.90	20.0	0.1601	6.57	7.66	yes	stainless steel	4C
C.100.090.0200.N	10.0	0.90	20.0	0.1840	6.57	7.66	yes	Zn coating	4E
C.100.090.0250.A	10.0	0.90	25.0	0.1450	7.74	9.13	yes	music wire	4C
C.100.090.0250.AP	10.0	0.90	25.0	0.2215	5.85	10.80	yes	music wire	4F
C.100.090.0250.I	10.0	0.90	25.0	0.1261	7.65	9.02	yes	stainless steel	4C
C.100.090.0250.N	10.0	0.90	25.0	0.1450	7.74	9.13	yes	Zn coating	4E
C.100.090.0291.A	10.0	0.90	29.1	0.1613	7.20	9.59	yes	music wire	4F
C.100.090.0291.I	10.0	0.90	29.1	0.1385	7.20	9.60	yes	stainless steel	4F
C.100.090.0291.N	10.0	0.90	29.1	0.1613	7.20	9.59	yes	Zn coating	4H
C.100.090.0305.A	10.0	0.90	30.5	0.1152	9.18	10.94	yes	music wire	4C
C.100.090.0305.I	10.0	0.90	30.5	0.0989	9.18	10.94	yes	stainless steel	4D
C.100.090.0320.A	10.0	0.90	32.0	0.1120	9.36	11.16	yes	music wire	4C
C.100.090.0320.AP	10.0	0.90	32.0	0.1704	6.93	13.54	yes	music wire	4F
C.100.090.0320.I	10.0	0.90	32.0	0.0974	9.27	11.05	yes	stainless steel	4D
C.100.090.0320.N	10.0	0.90	32.0	0.1120	9.36	11.16	yes	Zn coating	4E
C.100.090.0400.A	10.0	0.90	40.0	0.0890	11.25	13.53	yes	music wire	4C
C.100.090.0400.AP	10.0	0.90	40.0	0.1343	8.19	16.57	yes	music wire	4F
C.100.090.0400.I	10.0	0.90	40.0	0.0774	11.07	13.30	yes	stainless steel	4D
C.100.090.0400.N	10.0	0.90	40.0	0.0890	11.25	13.53	yes	Zn coating	4E
C.100.090.0457.A	10.0	0.90	45.7	0.0752	12.87	15.56	yes	music wire	4C
C.100.090.0457.I	10.0	0.90	45.7	0.0646	12.87	15.56	yes	stainless steel	4D
C.100.090.0480.A	10.0	0.90	48.0	0.0934	10.80	14.31	yes	music wire	4F
C.100.090.0480.I	10.0	0.90	48.0	0.0800	10.80	14.25	yes	stainless steel	4G
C.100.090.0480.N	10.0	0.90	48.0	0.0934	10.80	14.31	yes	Zn coating	4I
C.100.090.0500.A	10.0	0.90	50.0	0.0700	13.68	16.58	yes	music wire	4C
C.100.090.0500.AP	10.0	0.90	50.0	0.1068	9.72	20.53	yes	music wire	4F
C.100.090.0500.I	10.0	0.90	50.0	0.0609	13.50	16.35	yes	stainless steel	4D
C.100.090.0500.N	10.0	0.90	50.0	0.0700	13.68	16.58	yes	Zn coating	4E
C.100.090.0630.A	10.0	0.90	63.0	0.0550	16.74	20.41	yes	music wire	4D
C.100.090.0630.AP	10.0	0.90	63.0	0.0844	11.70	25.72	yes	music wire	4G
C.100.090.0630.I	10.0	0.90	63.0	0.0478	16.56	20.19	yes	stainless steel	4D
C.100.090.0630.N	10.0	0.90	63.0	0.0550	16.74	20.41	yes	Zn coating	4E
C.100.090.0763.A	10.0	0.90	76.3	0.0572	16.20	21.29	yes	music wire	4G
C.100.090.0763.I	10.0	0.90	76.3	0.0491	16.20	21.30	yes	stainless steel	4G
C.100.090.0763.N	10.0	0.90	76.3	0.0572	16.20	21.29	yes	Zn coating	4I
C.100.090.0800.A	10.0	0.90	80.0	0.0430	20.79	25.49	yes	music wire	4D
C.100.090.0800.AP	10.0	0.90	80.0	0.0661	14.31	32.42	yes	music wire	4G
C.100.090.0800.I	10.0	0.90	80.0	0.0374	20.61	25.26	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.090.0800.N	10.0	0.90	80.0	0.0430	20.79	25.49	yes	Zn coating	4F
C.100.090.1000.A	10.0	0.90	100.0	0.0340	25.74	31.69	yes	music wire	4D
C.100.090.1000.AP	10.0	0.90	100.0	0.0527	17.37	40.35	yes	music wire	4G
C.100.090.1000.I	10.0	0.90	100.0	0.0296	25.38	31.24	yes	stainless steel	4E
C.100.090.1000.N	10.0	0.90	100.0	0.0340	25.74	31.69	yes	Zn coating	4F
C.100.090.3600.A	10.0	0.90	360.0	0.0090	91.89	114.37	no	music wire	4G
C.100.090.3600.I	10.0	0.90	360.0	0.0078	91.08	113.36	no	stainless steel	4H
C.100.095.0780.A	10.0	0.95	78.0	0.0599	20.14	24.33	yes	music wire	4D
C.100.095.0780.I	10.0	0.95	78.0	0.0514	20.14	24.33	yes	stainless steel	4D
C.100.095.0980.A	10.0	0.95	98.0	0.0474	24.80	30.09	yes	music wire	4D
C.100.095.0980.I	10.0	0.95	98.0	0.0407	24.80	30.09	yes	stainless steel	4E
C.100.100.0111.A	10.0	1.00	11.1	0.5176	5.20	5.80	yes	music wire	4C
C.100.100.0111.I	10.0	1.00	11.1	0.4445	5.20	5.80	yes	stainless steel	4C
C.100.100.0125.A	10.0	1.00	12.5	0.4680	5.50	6.16	yes	music wire	4C
C.100.100.0125.AP	10.0	1.00	12.5	0.6655	4.60	6.15	yes	music wire	4F
C.100.100.0125.I	10.0	1.00	12.5	0.4072	5.40	6.04	yes	stainless steel	4C
C.100.100.0125.N	10.0	1.00	12.5	0.4680	5.50	6.16	yes	Zn coating	4E
C.100.100.0130.A	10.0	1.00	13.0	0.3050	7.10	8.12	yes	music wire	4C
C.100.100.0130.AP	10.0	1.00	13.0	0.6352	4.70	6.35	yes	music wire	4F
C.100.100.0130.I	10.0	1.00	13.0	0.2654	7.00	8.00	yes	stainless steel	4C
C.100.100.0130.N	10.0	1.00	13.0	0.3050	7.10	8.12	yes	Zn coating	4E
C.100.100.0143.A	10.0	1.00	14.3	0.3882	6.10	6.90	yes	music wire	4C
C.100.100.0143.I	10.0	1.00	14.3	0.3334	6.10	6.90	yes	stainless steel	4C
C.100.100.0160.A	10.0	1.00	16.0	0.3470	6.50	7.39	yes	music wire	4C
C.100.100.0160.AP	10.0	1.00	16.0	0.5176	5.20	7.84	yes	music wire	4F
C.100.100.0160.I	10.0	1.00	16.0	0.3019	6.50	7.39	yes	stainless steel	4C
C.100.100.0160.N	10.0	1.00	16.0	0.3470	6.50	7.39	yes	Zn coating	4E
C.100.100.0200.A	10.0	1.00	20.0	0.2760	7.60	8.73	yes	music wire	4C
C.100.100.0200.AF	10.0	1.00	20.0	0.1960	9.60	11.17	yes	music wire	4C
C.100.100.0200.AP	10.0	1.00	20.0	0.3993	6.00	9.42	yes	music wire	4F
C.100.100.0200.I	10.0	1.00	20.0	0.2401	7.50	8.61	yes	stainless steel	4C
C.100.100.0200.N	10.0	1.00	20.0	0.2760	7.60	8.73	yes	Zn coating	4E
C.100.100.0200.NF	10.0	1.00	20.0	0.1960	9.60	11.17	yes	Zn coating	4E
C.100.100.0220.A	10.0	1.00	22.0	0.2490	8.10	9.34	yes	music wire	4C
C.100.100.0220.AF	10.0	1.00	22.0	0.1960	9.60	11.17	yes	music wire	4C
C.100.100.0220.AP	10.0	1.00	22.0	0.3583	6.40	10.21	yes	music wire	4F
C.100.100.0220.I	10.0	1.00	22.0	0.2166	8.00	9.22	yes	stainless steel	4D
C.100.100.0220.N	10.0	1.00	22.0	0.2490	8.10	9.34	yes	Zn coating	4E
C.100.100.0220.NF	10.0	1.00	22.0	0.1960	9.60	11.17	yes	Zn coating	4E
C.100.100.0230.A	10.0	1.00	23.0	0.2290	8.60	9.95	yes	music wire	4C
C.100.100.0230.AP	10.0	1.00	23.0	0.3408	6.60	10.60	yes	music wire	4F
C.100.100.0230.I	10.0	1.00	23.0	0.1992	8.50	9.83	yes	stainless steel	4D
C.100.100.0230.N	10.0	1.00	23.0	0.2290	8.60	9.95	yes	Zn coating	4E
C.100.100.0250.A	10.0	1.00	25.0	0.2150	9.00	10.44	yes	music wire	4C
C.100.100.0250.AP	10.0	1.00	25.0	0.3105	7.00	11.40	yes	music wire	4F
C.100.100.0250.I	10.0	1.00	25.0	0.1870	8.90	10.32	yes	stainless steel	4D
C.100.100.0250.N	10.0	1.00	25.0	0.2150	9.00	10.44	yes	Zn coating	4E
C.100.100.0260.N	10.0	1.00	26.0	0.4570	5.60	16.75	yes	Zn coating	4I
C.100.100.0320.A	10.0	1.00	32.0	0.1650	11.00	12.88	yes	music wire	4C
C.100.100.0320.AP	10.0	1.00	32.0	0.2409	8.30	14.46	yes	music wire	4F
C.100.100.0320.I	10.0	1.00	32.0	0.1436	10.90	12.76	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.100.0320.N	10.0	1.00	32.0	0.1650	11.00	12.88	yes	Zn coating	4E
C.100.100.0350.A	10.0	1.00	35.0	0.2290	8.60	16.55	yes	music wire	4I
C.100.100.0350.I	10.0	1.00	35.0	0.1992	8.50	16.75	yes	stainless steel	4I
C.100.100.0350.N	10.0	1.00	35.0	0.2290	8.60	16.55	yes	Zn coating	4I
C.100.100.0400.A	10.0	1.00	40.0	0.1300	13.20	15.57	yes	music wire	4C
C.100.100.0400.AF	10.0	1.00	40.0	0.1710	10.70	15.29	yes	music wire	4F
C.100.100.0400.AP	10.0	1.00	40.0	0.1914	9.80	17.93	yes	music wire	4F
C.100.100.0400.I	10.0	1.00	40.0	0.1131	13.10	15.45	yes	stainless steel	4D
C.100.100.0400.N	10.0	1.00	40.0	0.1710	10.70	15.29	yes	Zn coating	4H
C.100.100.0400.NF	10.0	1.00	40.0	0.1300	13.20	15.57	yes	Zn coating	4E
C.100.100.0440.A	10.0	1.00	44.0	0.1960	9.60	22.44	yes	music wire	4I
C.100.100.0440.I	10.0	1.00	44.0	0.1705	9.50	22.68	yes	stainless steel	4I
C.100.100.0440.N	10.0	1.00	44.0	0.1960	9.60	22.44	yes	Zn coating	4I
C.100.100.0500.A	10.0	1.00	50.0	0.1030	16.10	19.11	yes	music wire	4C
C.100.100.0500.AP	10.0	1.00	50.0	0.1519	11.70	22.19	yes	music wire	4F
C.100.100.0500.I	10.0	1.00	50.0	0.0896	15.90	18.87	yes	stainless steel	4D
C.100.100.0500.N	10.0	1.00	50.0	0.1030	16.10	19.11	yes	Zn coating	4E
C.100.100.0510.A	10.0	1.00	51.0	0.0950	17.20	20.46	yes	music wire	4D
C.100.100.0510.AP	10.0	1.00	51.0	0.1487	11.90	22.58	yes	music wire	4F
C.100.100.0510.I	10.0	1.00	51.0	0.0827	17.00	20.21	yes	stainless steel	4D
C.100.100.0510.N	10.0	1.00	51.0	0.0950	17.20	20.46	yes	Zn coating	4E
C.100.100.0630.A	10.0	1.00	63.0	0.0810	19.80	23.63	yes	music wire	4D
C.100.100.0630.AP	10.0	1.00	63.0	0.1194	14.20	27.63	yes	music wire	4G
C.100.100.0630.I	10.0	1.00	63.0	0.0705	19.50	23.27	yes	stainless steel	4D
C.100.100.0630.N	10.0	1.00	63.0	0.0810	19.80	23.63	yes	Zn coating	4E
C.100.100.0800.A	10.0	1.00	80.0	0.0640	24.30	29.13	yes	music wire	4D
C.100.100.0800.AP	10.0	1.00	80.0	0.0932	17.50	34.65	yes	music wire	4G
C.100.100.0800.I	10.0	1.00	80.0	0.0557	24.00	28.76	yes	stainless steel	4E
C.100.100.0800.N	10.0	1.00	80.0	0.0640	24.30	29.13	yes	Zn coating	4F
C.100.100.1000.A	10.0	1.00	100.0	0.0510	29.90	35.97	yes	music wire	4D
C.100.100.1000.AP	10.0	1.00	100.0	0.0743	21.30	43.16	yes	music wire	4G
C.100.100.1000.I	10.0	1.00	100.0	0.0444	29.50	35.48	yes	stainless steel	4E
C.100.100.1000.N	10.0	1.00	100.0	0.0510	29.90	35.97	yes	Zn coating	4F
C.100.100.3600.A	10.0	1.00	360.0	0.0140	103.30	125.41	no	music wire	4G
C.100.100.3600.I	10.0	1.00	360.0	0.0122	101.90	123.70	no	stainless steel	4H
C.100.105.0100.A	10.0	1.05	10.0	0.7851	4.94	5.42	yes	music wire	4C
C.100.105.0100.I	10.0	1.05	10.0	0.6743	4.94	5.42	yes	stainless steel	4C
C.100.110.0120.A	10.0	1.10	12.0	1.0380	4.95	6.69	yes	music wire	4F
C.100.110.0120.I	10.0	1.10	12.0	0.9031	4.95	6.74	yes	stainless steel	4F
C.100.110.0120.N	10.0	1.10	12.0	1.0380	4.95	6.69	yes	Zn coating	4H
C.100.110.0125.A	10.0	1.10	12.5	0.6780	6.16	6.84	yes	music wire	4C
C.100.110.0125.AP	10.0	1.10	12.5	0.9626	5.17	6.78	yes	music wire	4F
C.100.110.0125.I	10.0	1.10	12.5	0.5899	6.16	6.84	yes	stainless steel	4C
C.100.110.0125.N	10.0	1.10	12.5	0.6780	6.16	6.84	yes	Zn coating	4E
C.100.110.0160.A	10.0	1.10	16.0	0.5090	7.37	8.29	yes	music wire	4C
C.100.110.0160.AP	10.0	1.10	16.0	0.7059	6.05	8.19	yes	music wire	4F
C.100.110.0160.I	10.0	1.10	16.0	0.4428	7.26	8.15	yes	stainless steel	4D
C.100.110.0160.N	10.0	1.10	16.0	0.5090	7.37	8.29	yes	Zn coating	4E
C.100.110.0200.A	10.0	1.10	20.0	0.3970	8.58	9.74	yes	music wire	4C
C.100.110.0200.AP	10.0	1.10	20.0	0.5573	6.93	10.11	yes	music wire	4F
C.100.110.0200.I	10.0	1.10	20.0	0.3454	8.58	9.74	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.110.0200.N	10.0	1.10	20.0	0.3970	8.58	9.74	yes	Zn coating	4E
C.100.110.0250.A	10.0	1.10	25.0	0.3070	10.34	11.84	yes	music wire	4C
C.100.110.0250.AP	10.0	1.10	25.0	0.4322	8.14	12.25	yes	music wire	4F
C.100.110.0250.I	10.0	1.10	25.0	0.2671	10.23	11.71	yes	stainless steel	4D
C.100.110.0250.N	10.0	1.10	25.0	0.3070	10.34	11.84	yes	Zn coating	4E
C.100.110.0320.A	10.0	1.10	32.0	0.2360	12.65	14.61	yes	music wire	4C
C.100.110.0320.AP	10.0	1.10	32.0	0.3309	9.79	15.35	yes	music wire	4F
C.100.110.0320.I	10.0	1.10	32.0	0.2053	12.54	14.48	yes	stainless steel	4D
C.100.110.0320.N	10.0	1.10	32.0	0.2360	12.65	14.61	yes	Zn coating	4E
C.100.110.0400.A	10.0	1.10	40.0	0.1870	15.18	17.64	yes	music wire	4C
C.100.110.0400.AP	10.0	1.10	40.0	0.2647	11.55	19.18	yes	music wire	4F
C.100.110.0400.I	10.0	1.10	40.0	0.1627	15.07	17.51	yes	stainless steel	4D
C.100.110.0400.N	10.0	1.10	40.0	0.1870	15.18	17.64	yes	Zn coating	4E
C.100.110.0500.A	10.0	1.10	50.0	0.1480	18.48	21.60	yes	music wire	4D
C.100.110.0500.AP	10.0	1.10	50.0	0.2076	13.97	23.46	yes	music wire	4G
C.100.110.0500.I	10.0	1.10	50.0	0.1288	18.26	21.33	yes	stainless steel	4D
C.100.110.0500.N	10.0	1.10	50.0	0.1480	18.48	21.60	yes	Zn coating	4E
C.100.110.0630.A	10.0	1.10	63.0	0.1170	22.66	26.61	yes	music wire	4D
C.100.110.0630.AP	10.0	1.10	63.0	0.1642	16.94	29.43	yes	music wire	4G
C.100.110.0630.I	10.0	1.10	63.0	0.1018	22.44	26.34	yes	stainless steel	4D
C.100.110.0630.N	10.0	1.10	63.0	0.1170	22.66	26.61	yes	Zn coating	4F
C.100.110.0800.A	10.0	1.10	80.0	0.0910	28.38	33.46	yes	music wire	4D
C.100.110.0800.AP	10.0	1.10	80.0	0.1283	20.90	37.07	yes	music wire	4G
C.100.110.0800.I	10.0	1.10	80.0	0.0792	27.94	32.93	yes	stainless steel	4E
C.100.110.0800.N	10.0	1.10	80.0	0.0910	28.38	33.46	yes	Zn coating	4F
C.100.110.1000.A	10.0	1.10	100.0	0.0730	34.65	40.97	yes	music wire	4E
C.100.110.1000.AP	10.0	1.10	100.0	0.1023	25.52	46.14	yes	music wire	4G
C.100.110.1000.I	10.0	1.10	100.0	0.0635	34.21	40.45	yes	stainless steel	4E
C.100.110.1000.N	10.0	1.10	100.0	0.0730	34.65	40.97	yes	Zn coating	4F
C.100.110.3600.A	10.0	1.10	360.0	0.0200	120.23	143.30	no	music wire	4G
C.100.110.3600.I	10.0	1.10	360.0	0.0174	118.69	141.45	no	stainless steel	4H
C.100.115.0100.A	10.0	1.15	10.0	1.1176	5.52	6.02	yes	music wire	4C
C.100.115.0100.I	10.0	1.15	10.0	0.9599	5.52	6.02	yes	stainless steel	4C
C.100.120.0470.A	10.0	1.20	47.0	0.2650	17.04	20.53	yes	music wire	4G
C.100.120.0470.I	10.0	1.20	47.0	0.2306	16.80	20.68	yes	stainless steel	4G
C.100.120.0470.N	10.0	1.20	47.0	0.2650	17.04	20.53	yes	Zn coating	4I
C.100.120.0670.A	10.0	1.20	67.0	0.1690	24.96	28.93	yes	music wire	4G
C.100.120.0670.I	10.0	1.20	67.0	0.1470	24.72	28.64	yes	stainless steel	4G
C.100.120.0670.N	10.0	1.20	67.0	0.1690	24.96	28.93	yes	Zn coating	4I
C.100.120.0940.A	10.0	1.20	94.0	0.1140	35.64	41.54	yes	music wire	4E
C.100.120.0940.I	10.0	1.20	94.0	0.0979	35.64	41.54	yes	stainless steel	4E
C.100.125.0110.A	10.0	1.25	11.0	1.0410	7.63	8.41	yes	music wire	4C
C.100.125.0110.AP	10.0	1.25	11.0	1.7720	5.75	6.57	yes	music wire	4F
C.100.125.0110.I	10.0	1.25	11.0	0.9057	7.50	8.26	yes	stainless steel	4D
C.100.125.0110.N	10.0	1.25	11.0	1.0410	7.63	8.41	yes	Zn coating	4E
C.100.125.0125.A	10.0	1.25	12.5	1.1430	7.13	7.82	yes	music wire	4C
C.100.125.0125.AP	10.0	1.25	12.5	1.4885	6.25	7.22	yes	music wire	4F
C.100.125.0125.I	10.0	1.25	12.5	0.9944	7.13	7.82	yes	stainless steel	4D
C.100.125.0125.N	10.0	1.25	12.5	1.1430	7.13	7.82	yes	Zn coating	4E
C.100.125.0160.A	10.0	1.25	16.0	0.8660	8.50	9.43	yes	music wire	4C
C.100.125.0160.AL	10.0	1.25	16.0	0.9375	8.13	9.00	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.100.125.0160.AP	10.0	1.25	16.0	1.1276	7.25	9.03	yes	music wire	4F
C.100.125.0160.I	10.0	1.25	16.0	0.7534	8.38	9.29	yes	stainless steel	4D
C.100.125.0160.N	10.0	1.25	16.0	0.8660	8.50	9.43	yes	Zn coating	4E
C.100.125.0200.A	10.0	1.25	20.0	0.6640	10.13	11.34	yes	music wire	4C
C.100.125.0200.AL	10.0	1.25	20.0	0.7500	9.38	10.46	yes	music wire	4C
C.100.125.0200.AP	10.0	1.25	20.0	0.8860	8.38	11.13	yes	music wire	4F
C.100.125.0200.I	10.0	1.25	20.0	0.5777	10.00	11.19	yes	stainless steel	4D
C.100.125.0200.N	10.0	1.25	20.0	0.6640	10.13	11.34	yes	Zn coating	4E
C.100.125.0250.A	10.0	1.25	25.0	0.5190	12.13	13.69	yes	music wire	4C
C.100.125.0250.AL	10.0	1.25	25.0	0.6000	10.88	12.22	yes	music wire	4C
C.100.125.0250.AP	10.0	1.25	25.0	0.6891	9.88	13.60	yes	music wire	4F
C.100.125.0250.I	10.0	1.25	25.0	0.4515	12.00	13.54	yes	stainless steel	4D
C.100.125.0250.N	10.0	1.25	25.0	0.5190	12.13	13.69	yes	Zn coating	4E
C.100.125.0320.A	10.0	1.25	32.0	0.3970	14.88	16.92	yes	music wire	4C
C.100.125.0320.AL	10.0	1.25	32.0	0.4688	13.00	15.24	yes	music wire	4C
C.100.125.0320.AP	10.0	1.25	32.0	0.5241	12.00	17.01	yes	music wire	4F
C.100.125.0320.I	10.0	1.25	32.0	0.3454	14.63	16.63	yes	stainless steel	4D
C.100.125.0320.N	10.0	1.25	32.0	0.3970	14.88	16.92	yes	Zn coating	4E
C.100.125.0400.A	10.0	1.25	40.0	0.3110	18.00	20.58	yes	music wire	4D
C.100.125.0400.AL	10.0	1.25	40.0	0.3750	15.50	19.05	yes	music wire	4C
C.100.125.0400.AP	10.0	1.25	40.0	0.4135	14.38	21.00	yes	music wire	4G
C.100.125.0400.I	10.0	1.25	40.0	0.2706	17.88	20.44	yes	stainless steel	4D
C.100.125.0400.N	10.0	1.25	40.0	0.3110	18.00	20.58	yes	Zn coating	4E
C.100.125.0500.A	10.0	1.25	50.0	0.2460	22.00	25.27	yes	music wire	4D
C.100.125.0500.AL	10.0	1.25	50.0	0.3000	18.63	23.82	yes	music wire	4C
C.100.125.0500.AP	10.0	1.25	50.0	0.3264	17.38	25.94	yes	music wire	4G
C.100.125.0500.I	10.0	1.25	50.0	0.2140	21.75	24.98	yes	stainless steel	4D
C.100.125.0500.N	10.0	1.25	50.0	0.2460	22.00	25.27	yes	Zn coating	4E
C.100.125.0630.A	10.0	1.25	63.0	0.1940	27.00	31.14	yes	music wire	4D
C.100.125.0630.AL	10.0	1.25	63.0	0.2368	22.75	29.84	yes	music wire	4C
C.100.125.0630.AP	10.0	1.25	63.0	0.2566	21.25	32.39	yes	music wire	4G
C.100.125.0630.I	10.0	1.25	63.0	0.1688	26.75	30.85	yes	stainless steel	4E
C.100.125.0630.N	10.0	1.25	63.0	0.1940	27.00	31.14	yes	Zn coating	4F
C.100.125.0800.A	10.0	1.25	80.0	0.1510	33.88	39.22	yes	music wire	4D
C.100.125.0800.AL	10.0	1.25	80.0	0.1875	27.88	38.11	yes	music wire	4C
C.100.125.0800.AP	10.0	1.25	80.0	0.2011	26.25	40.95	yes	music wire	4G
C.100.125.0800.I	10.0	1.25	80.0	0.1314	33.50	38.77	yes	stainless steel	4E
C.100.125.0800.N	10.0	1.25	80.0	0.1510	33.88	39.22	yes	Zn coating	4F
C.100.125.1000.A	10.0	1.25	100.0	0.1210	41.50	48.16	yes	music wire	4E
C.100.125.1000.AL	10.0	1.25	100.0	0.1500	34.13	47.64	yes	music wire	4C
C.100.125.1000.AP	10.0	1.25	100.0	0.1597	32.13	50.82	yes	music wire	4G
C.100.125.1000.I	10.0	1.25	100.0	0.1053	41.00	47.57	yes	stainless steel	4E
C.100.125.1000.N	10.0	1.25	100.0	0.1210	41.50	48.16	yes	Zn coating	4F
C.100.125.1250.A	10.0	1.25	125.0	0.1167	42.88	57.69	yes	music wire	4G
C.100.125.1250.I	10.0	1.25	125.0	0.1015	42.38	58.02	yes	stainless steel	4H
C.100.125.1250.N	10.0	1.25	125.0	0.1167	42.88	57.69	yes	Zn coating	4I
C.100.125.3600.A	10.0	1.25	360.0	0.0330	145.00	169.40	no	music wire	4G
C.100.125.3600.I	10.0	1.25	360.0	0.0287	143.25	167.34	no	stainless steel	4H
C.100.130.0135.A	10.0	1.30	13.5	1.1628	8.19	9.02	yes	music wire	4C
C.100.130.0135.I	10.0	1.30	13.5	0.9987	8.19	9.02	yes	stainless steel	4D
C.100.140.0125.A	10.0	1.40	12.5	1.8940	7.98	8.68	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.100.140.0125.I	10.0	1.40	12.5	1.6478	7.98	8.68	yes	stainless steel	4E
C.100.140.0125.N	10.0	1.40	12.5	1.8940	7.98	8.68	yes	Zn coating	4G
C.100.140.0144.A	10.0	1.40	14.4	1.7580	8.40	9.17	yes	music wire	4E
C.100.140.0144.I	10.0	1.40	14.4	1.5099	8.40	9.17	yes	stainless steel	4E
C.100.140.0144.N	10.0	1.40	14.4	1.7580	8.40	9.17	yes	Zn coating	4G
C.100.140.0160.A	10.0	1.40	16.0	1.3930	9.66	10.62	yes	music wire	4E
C.100.140.0160.I	10.0	1.40	16.0	1.2119	9.66	10.62	yes	stainless steel	4E
C.100.140.0160.N	10.0	1.40	16.0	1.3930	9.66	10.62	yes	Zn coating	4G
C.100.140.0200.A	10.0	1.40	20.0	1.0760	11.48	12.73	yes	music wire	4E
C.100.140.0200.I	10.0	1.40	20.0	0.9361	11.34	12.57	yes	stainless steel	4E
C.100.140.0200.N	10.0	1.40	20.0	1.0760	11.48	12.73	yes	Zn coating	4G
C.100.140.0211.A	10.0	1.40	21.1	1.1187	11.20	12.41	yes	music wire	4H
C.100.140.0211.I	10.0	1.40	21.1	0.9608	11.20	12.41	yes	stainless steel	4I
C.100.140.0211.N	10.0	1.40	21.1	1.1187	11.20	12.41	yes	Zn coating	4I
C.100.140.0250.A	10.0	1.40	25.0	0.8310	13.86	15.48	yes	music wire	4E
C.100.140.0250.I	10.0	1.40	25.0	0.7230	13.72	15.32	yes	stainless steel	4E
C.100.140.0250.N	10.0	1.40	25.0	0.8310	13.86	15.48	yes	Zn coating	4G
C.100.140.0320.A	10.0	1.40	32.0	0.6400	16.94	19.04	yes	music wire	4E
C.100.140.0320.I	10.0	1.40	32.0	0.5568	16.80	18.88	yes	stainless steel	4E
C.100.140.0320.N	10.0	1.40	32.0	0.6400	16.94	19.04	yes	Zn coating	4G
C.100.140.0344.A	10.0	1.40	34.4	0.6477	16.80	18.88	yes	music wire	4I
C.100.140.0344.I	10.0	1.40	34.4	0.5563	16.80	18.88	yes	stainless steel	4I
C.100.140.0344.N	10.0	1.40	34.4	0.6477	16.80	18.88	yes	Zn coating	4I
C.100.140.0400.A	10.0	1.40	40.0	0.4980	20.86	23.58	yes	music wire	4E
C.100.140.0400.I	10.0	1.40	40.0	0.4333	20.58	23.25	yes	stainless steel	4F
C.100.140.0400.N	10.0	1.40	40.0	0.4980	20.86	23.58	yes	Zn coating	4G
C.100.140.0500.A	10.0	1.40	50.0	0.3950	25.34	28.76	yes	music wire	4E
C.100.140.0500.I	10.0	1.40	50.0	0.3436	25.06	28.44	yes	stainless steel	4F
C.100.140.0500.N	10.0	1.40	50.0	0.3950	25.34	28.76	yes	Zn coating	4G
C.100.140.0544.A	10.0	1.40	54.4	0.3970	25.20	28.60	yes	music wire	4I
C.100.140.0544.I	10.0	1.40	54.4	0.3410	25.20	28.60	yes	stainless steel	4I
C.100.140.0544.N	10.0	1.40	54.4	0.3970	25.20	28.60	yes	Zn coating	4I
C.100.140.0630.A	10.0	1.40	63.0	0.3090	31.36	35.72	yes	music wire	4E
C.100.140.0630.I	10.0	1.40	63.0	0.2688	31.08	35.40	yes	stainless steel	4F
C.100.140.0630.N	10.0	1.40	63.0	0.3090	31.36	35.72	yes	Zn coating	4H
C.100.140.0800.A	10.0	1.40	80.0	0.2420	39.06	44.63	yes	music wire	4F
C.100.140.0800.I	10.0	1.40	80.0	0.2105	38.64	44.14	yes	stainless steel	4F
C.100.140.0800.N	10.0	1.40	80.0	0.2420	39.06	44.63	yes	Zn coating	4H
C.100.140.1000.A	10.0	1.40	100.0	0.1920	48.30	55.32	yes	music wire	4F
C.100.140.1000.I	10.0	1.40	100.0	0.1670	47.74	54.67	yes	stainless steel	4G
C.100.140.1000.N	10.0	1.40	100.0	0.1920	48.30	55.32	yes	Zn coating	4H
C.100.140.3600.A	10.0	1.40	360.0	0.0520	170.52	196.46	no	music wire	4I
C.100.140.3600.I	10.0	1.40	360.0	0.0452	168.56	194.19	no	stainless steel	4I
C.100.150.0120.A	10.0	1.50	12.0	2.3550	9.15	9.95	yes	music wire	4E
C.100.150.0120.AP	10.0	1.50	12.0	3.2449	7.65	8.23	yes	music wire	4H
C.100.150.0120.I	10.0	1.50	12.0	2.0489	9.00	9.78	yes	stainless steel	4E
C.100.150.0120.N	10.0	1.50	12.0	2.3550	9.15	9.95	yes	Zn coating	4G
C.100.150.0140.A	10.0	1.50	14.0	2.4000	9.00	9.78	yes	music wire	4E
C.100.150.0140.I	10.0	1.50	14.0	2.0608	9.00	9.78	yes	stainless steel	4E
C.100.150.0140.N	10.0	1.50	14.0	2.4000	9.00	9.78	yes	Zn coating	4G
C.100.150.0180.A	10.0	1.50	18.0	2.0610	9.90	11.71	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.150.0180.I	10.0	1.50	18.0	1.7931	9.75	11.71	yes	stainless steel	4I
C.100.150.0180.N	10.0	1.50	18.0	2.0610	9.90	11.71	yes	Zn coating	4I
C.100.150.0190.A	10.0	1.50	19.0	1.8320	10.65	11.92	yes	music wire	4H
C.100.150.0190.I	10.0	1.50	19.0	1.5938	10.50	11.92	yes	stainless steel	4I
C.100.150.0190.N	10.0	1.50	19.0	1.8320	10.65	11.92	yes	Zn coating	4I
C.100.150.0204.A	10.0	1.50	20.4	1.5269	12.00	13.22	yes	music wire	4E
C.100.150.0204.I	10.0	1.50	20.4	1.3114	12.00	13.22	yes	stainless steel	4E
C.100.150.0204.N	10.0	1.50	20.4	1.5269	12.00	13.22	yes	Zn coating	4G
C.100.150.0230.A	10.0	1.50	23.0	1.6490	11.40	15.14	yes	music wire	4I
C.100.150.0230.I	10.0	1.50	23.0	1.4346	11.25	15.13	yes	stainless steel	4J
C.100.150.0230.N	10.0	1.50	23.0	1.6490	11.40	15.14	yes	Zn coating	4J
C.100.150.0245.A	10.0	1.50	24.5	1.2000	14.25	15.81	yes	music wire	4E
C.100.150.0245.I	10.0	1.50	24.5	1.0304	14.25	15.81	yes	stainless steel	4E
C.100.150.0245.N	10.0	1.50	24.5	1.2000	14.25	15.81	yes	Zn coating	4G
C.100.150.0270.A	10.0	1.50	27.0	1.3740	12.90	17.56	yes	music wire	4I
C.100.150.0270.I	10.0	1.50	27.0	1.1954	12.75	17.56	yes	stainless steel	4J
C.100.150.0270.N	10.0	1.50	27.0	1.3740	12.90	17.56	yes	Zn coating	4J
C.100.150.0299.A	10.0	1.50	29.9	0.9880	16.50	18.39	yes	music wire	4I
C.100.150.0299.I	10.0	1.50	29.9	0.8486	16.50	18.39	yes	stainless steel	4I
C.100.150.0299.N	10.0	1.50	29.9	0.9880	16.50	18.39	yes	Zn coating	4I
C.100.150.0340.A	10.0	1.50	34.0	0.7998	19.50	21.83	yes	music wire	4E
C.100.150.0340.I	10.0	1.50	34.0	0.6870	19.50	21.83	yes	stainless steel	4F
C.100.150.0400.A	10.0	1.50	40.0	0.8000	19.50	23.79	yes	music wire	4I
C.100.150.0400.I	10.0	1.50	40.0	0.6869	19.50	23.57	yes	stainless steel	4I
C.100.150.0400.N	10.0	1.50	40.0	0.8000	19.50	23.79	yes	Zn coating	4I
C.100.150.0425.A	10.0	1.50	42.5	0.6718	22.50	25.28	yes	music wire	4I
C.100.150.0425.I	10.0	1.50	42.5	0.5770	22.50	25.28	yes	stainless steel	4I
C.100.150.0425.N	10.0	1.50	42.5	0.6718	22.50	25.28	yes	Zn coating	4I
C.100.150.0480.A	10.0	1.50	48.0	0.6718	22.50	28.70	yes	music wire	4I
C.100.150.0480.I	10.0	1.50	48.0	0.5770	22.50	28.44	yes	stainless steel	4I
C.100.150.0480.N	10.0	1.50	48.0	0.6718	22.50	28.70	yes	Zn coating	4I
C.100.150.0540.A	10.0	1.50	54.0	0.4883	29.55	33.37	yes	music wire	4E
C.100.150.0540.I	10.0	1.50	54.0	0.4194	29.55	33.37	yes	stainless steel	4F
C.100.150.0615.A	10.0	1.50	61.5	0.4539	31.50	35.61	yes	music wire	4I
C.100.150.0615.I	10.0	1.50	61.5	0.3899	31.50	35.61	yes	stainless steel	4I
C.100.150.0615.N	10.0	1.50	61.5	0.4539	31.50	35.61	yes	Zn coating	4J
C.100.150.0676.A	10.0	1.50	67.6	0.4097	34.50	39.06	yes	music wire	4I
C.100.150.0676.I	10.0	1.50	67.6	0.3519	34.50	39.06	yes	stainless steel	4I
C.100.150.0676.N	10.0	1.50	67.6	0.4097	34.50	39.06	yes	Zn coating	4J
C.100.150.0750.A	10.0	1.50	75.0	0.4097	34.50	43.36	yes	music wire	4I
C.100.150.0750.I	10.0	1.50	75.0	0.3519	34.50	42.94	yes	stainless steel	4I
C.100.150.0750.N	10.0	1.50	75.0	0.4097	34.50	43.36	yes	Zn coating	4J
C.100.150.0860.A	10.0	1.50	86.0	0.3010	45.60	51.80	yes	music wire	4F
C.100.150.0860.I	10.0	1.50	86.0	0.2585	45.60	51.80	yes	stainless steel	4G
C.100.150.0960.A	10.0	1.50	96.0	0.2683	50.70	57.66	yes	music wire	4F
C.100.150.0960.I	10.0	1.50	96.0	0.2304	50.70	57.66	yes	stainless steel	4G
C.100.150.1100.A	10.0	1.50	110.0	0.3580	39.00	73.79	yes	music wire	4J
C.100.150.1100.I	10.0	1.50	110.0	0.3115	38.55	73.77	yes	stainless steel	4J
C.100.150.1100.N	10.0	1.50	110.0	0.3580	39.00	73.79	yes	Zn coating	4L
C.100.150.1650.A	10.0	1.50	165.0	0.1720	76.95	89.63	yes	music wire	4I
C.100.150.1650.I	10.0	1.50	165.0	0.1496	76.05	89.60	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.150.1650.N	10.0	1.50	165.0	0.1720	76.95	89.63	yes	Zn coating	4J
C.100.150.2600.A	10.0	1.50	260.0	0.1143	114.00	146.58	yes	music wire	4J
C.100.150.2600.I	10.0	1.50	260.0	0.0982	114.00	145.10	yes	stainless steel	4J
C.100.150.2600.N	10.0	1.50	260.0	0.1143	114.00	146.58	yes	Zn coating	4K
C.100.160.0100.A	10.0	1.60	10.0	4.6935	7.84	8.38	yes	music wire	4E
C.100.160.0100.I	10.0	1.60	10.0	4.0312	7.84	8.38	yes	stainless steel	4E
C.100.160.0110.A	10.0	1.60	11.0	4.0230	8.48	9.11	yes	music wire	4E
C.100.160.0110.I	10.0	1.60	11.0	3.4554	8.48	9.11	yes	stainless steel	4E
C.100.160.0125.A	10.0	1.60	12.5	3.4680	9.12	9.84	yes	music wire	4E
C.100.160.0125.I	10.0	1.60	12.5	3.0172	9.12	9.84	yes	stainless steel	4E
C.100.160.0125.N	10.0	1.60	12.5	3.4680	9.12	9.84	yes	Zn coating	4G
C.100.160.0160.A	10.0	1.60	16.0	2.4770	11.20	12.22	yes	music wire	4E
C.100.160.0160.AP	10.0	1.60	16.0	3.0613	9.92	10.95	yes	music wire	4H
C.100.160.0160.I	10.0	1.60	16.0	2.1550	11.20	12.22	yes	stainless steel	4E
C.100.160.0160.N	10.0	1.60	16.0	2.4770	11.20	12.22	yes	Zn coating	4G
C.100.160.0200.A	10.0	1.60	20.0	1.8850	13.60	14.96	yes	music wire	4E
C.100.160.0200.AP	10.0	1.60	20.0	2.3116	11.84	13.31	yes	music wire	4I
C.100.160.0200.I	10.0	1.60	20.0	1.6400	13.44	14.77	yes	stainless steel	4F
C.100.160.0200.N	10.0	1.60	20.0	1.8850	13.60	14.96	yes	Zn coating	4G
C.100.160.0250.A	10.0	1.60	25.0	1.4690	16.32	18.06	yes	music wire	4E
C.100.160.0250.I	10.0	1.60	25.0	1.2780	16.16	17.88	yes	stainless steel	4F
C.100.160.0250.N	10.0	1.60	25.0	1.4690	16.32	18.06	yes	Zn coating	4G
C.100.160.0254.A	10.0	1.60	25.4	1.3572	17.28	19.16	yes	music wire	4E
C.100.160.0254.I	10.0	1.60	25.4	1.1657	17.28	19.16	yes	stainless steel	4F
C.100.160.0320.A	10.0	1.60	32.0	1.1110	20.16	22.44	yes	music wire	4E
C.100.160.0320.AP	10.0	1.60	32.0	1.3647	17.28	20.67	yes	music wire	4I
C.100.160.0320.I	10.0	1.60	32.0	0.9666	20.00	22.26	yes	stainless steel	4F
C.100.160.0320.N	10.0	1.60	32.0	1.1110	20.16	22.44	yes	Zn coating	4G
C.100.160.0381.A	10.0	1.60	38.1	0.8665	24.80	27.74	yes	music wire	4E
C.100.160.0381.I	10.0	1.60	38.1	0.7442	24.80	27.74	yes	stainless steel	4F
C.100.160.0400.A	10.0	1.60	40.0	0.8760	24.64	27.56	yes	music wire	4E
C.100.160.0400.I	10.0	1.60	40.0	0.7621	24.32	27.19	yes	stainless steel	4F
C.100.160.0400.N	10.0	1.60	40.0	0.8760	24.64	27.56	yes	Zn coating	4G
C.100.160.0444.A	10.0	1.60	44.4	0.7362	28.48	31.94	yes	music wire	4E
C.100.160.0444.I	10.0	1.60	44.4	0.6324	28.48	31.94	yes	stainless steel	4F
C.100.160.0500.A	10.0	1.60	50.0	0.6880	30.24	33.95	yes	music wire	4E
C.100.160.0500.I	10.0	1.60	50.0	0.6000	29.76	33.40	yes	stainless steel	4F
C.100.160.0500.N	10.0	1.60	50.0	0.6880	30.24	33.95	yes	Zn coating	4H
C.100.160.0508.A	10.0	1.60	50.8	0.6364	32.32	36.32	yes	music wire	4E
C.100.160.0508.I	10.0	1.60	50.8	0.5466	32.32	36.32	yes	stainless steel	4F
C.100.160.0630.A	10.0	1.60	63.0	0.5380	37.44	42.17	yes	music wire	4F
C.100.160.0630.I	10.0	1.60	63.0	0.4681	37.12	41.80	yes	stainless steel	4F
C.100.160.0630.N	10.0	1.60	63.0	0.5380	37.44	42.17	yes	Zn coating	4H
C.100.160.0635.A	10.0	1.60	63.5	0.5029	39.84	44.91	yes	music wire	4F
C.100.160.0635.I	10.0	1.60	63.5	0.4319	39.84	44.91	yes	stainless steel	4F
C.100.160.0711.A	10.0	1.60	71.1	0.4470	44.32	50.02	yes	music wire	4F
C.100.160.0711.I	10.0	1.60	71.1	0.3839	44.32	50.02	yes	stainless steel	4F
C.100.160.0762.A	10.0	1.60	76.2	0.4157	47.36	53.49	yes	music wire	4F
C.100.160.0762.I	10.0	1.60	76.2	0.3570	47.36	53.49	yes	stainless steel	4G
C.100.160.0800.A	10.0	1.60	80.0	0.4210	46.88	52.94	yes	music wire	4F
C.100.160.0800.AF	10.0	1.60	80.0	0.5800	35.04	53.35	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.160.0800.I	10.0	1.60	80.0	0.3663	46.24	52.21	yes	stainless steel	4G
C.100.160.0800.N	10.0	1.60	80.0	0.5800	35.04	53.35	yes	Zn coating	4L
C.100.160.0800.NF	10.0	1.60	80.0	0.4210	46.88	52.94	yes	Zn coating	4H
C.100.160.0889.A	10.0	1.60	88.9	0.3542	54.88	62.07	yes	music wire	4F
C.100.160.0889.I	10.0	1.60	88.9	0.3042	54.88	62.07	yes	stainless steel	4G
C.100.160.1000.A	10.0	1.60	100.0	0.3330	58.08	65.72	yes	music wire	4F
C.100.160.1000.I	10.0	1.60	100.0	0.2897	57.44	64.99	yes	stainless steel	4G
C.100.160.1000.N	10.0	1.60	100.0	0.3330	58.08	65.72	yes	Zn coating	4I
C.100.160.1060.A	10.0	1.60	106.0	0.2957	64.96	73.58	yes	music wire	4F
C.100.160.1060.I	10.0	1.60	106.0	0.2539	64.96	73.58	yes	stainless steel	4G
C.100.160.1650.A	10.0	1.60	165.0	0.1881	99.84	113.39	yes	music wire	4G
C.100.160.1650.I	10.0	1.60	165.0	0.1615	99.84	113.39	yes	stainless steel	4G
C.100.160.2500.A	10.0	1.60	250.0	0.1232	150.24	170.91	yes	music wire	4H
C.100.160.2500.I	10.0	1.60	250.0	0.1059	150.24	170.91	yes	stainless steel	4I
C.100.160.3600.A	10.0	1.60	360.0	0.0900	205.92	234.23	no	music wire	4I
C.100.160.3600.I	10.0	1.60	360.0	0.0783	203.36	231.31	no	stainless steel	4I
C.100.170.0100.A	10.0	1.70	10.0	6.2004	8.33	8.88	yes	music wire	4E
C.100.170.0100.I	10.0	1.70	10.0	5.3255	8.33	8.88	yes	stainless steel	4E
C.100.170.0130.A	10.0	1.70	13.0	4.3767	10.03	10.81	yes	music wire	4E
C.100.170.0130.I	10.0	1.70	13.0	3.7592	10.03	10.81	yes	stainless steel	4E
C.100.170.0160.A	10.0	1.70	16.0	3.3069	11.90	12.94	yes	music wire	4E
C.100.170.0160.I	10.0	1.70	16.0	2.8403	11.90	12.94	yes	stainless steel	4E
C.100.170.0710.A	10.0	1.70	71.0	0.6305	44.37	49.82	yes	music wire	4F
C.100.170.0710.I	10.0	1.70	71.0	0.5416	44.37	49.82	yes	stainless steel	4F
C.100.170.0830.A	10.0	1.70	83.0	0.5353	51.51	57.93	yes	music wire	4F
C.100.170.0830.I	10.0	1.70	83.0	0.4598	51.51	57.93	yes	stainless steel	4G
C.100.175.0140.A	10.0	1.75	14.0	4.4779	11.03	11.92	yes	music wire	4E
C.100.175.0140.I	10.0	1.75	14.0	3.8460	11.03	11.92	yes	stainless steel	4E
C.100.175.0240.A	10.0	1.75	24.0	2.3310	17.15	18.85	yes	music wire	4E
C.100.175.0240.I	10.0	1.75	24.0	2.0021	17.15	18.85	yes	stainless steel	4F
C.100.175.0310.A	10.0	1.75	31.0	1.7000	21.88	24.21	yes	music wire	4E
C.100.175.0310.AP	10.0	1.75	31.0	2.0643	18.73	21.46	yes	music wire	4I
C.100.175.0310.I	10.0	1.75	31.0	1.4615	21.88	24.21	yes	stainless steel	4F
C.100.175.0310.N	10.0	1.75	31.0	1.7000	21.88	24.21	yes	Zn coating	4G
C.100.175.0470.A	10.0	1.75	47.0	1.1122	31.15	34.72	yes	music wire	4E
C.100.175.0470.I	10.0	1.75	47.0	0.9552	31.15	34.72	yes	stainless steel	4F
C.100.175.0600.A	10.0	1.75	60.0	0.8551	39.20	43.84	yes	music wire	4F
C.100.175.0600.I	10.0	1.75	60.0	0.7344	39.20	43.84	yes	stainless steel	4F
C.100.175.0820.A	10.0	1.75	82.0	0.6188	52.50	58.92	yes	music wire	4F
C.100.175.0820.I	10.0	1.75	82.0	0.5315	52.50	58.92	yes	stainless steel	4G
C.100.180.0140.A	10.0	1.80	14.0	5.1043	11.34	12.24	yes	music wire	4F
C.100.180.0140.I	10.0	1.80	14.0	4.3840	11.34	12.24	yes	stainless steel	4G
C.100.180.0160.A	10.0	1.80	16.0	4.7600	11.88	12.85	yes	music wire	4F
C.100.180.0160.I	10.0	1.80	16.0	4.1412	11.70	12.64	yes	stainless steel	4G
C.100.180.0160.N	10.0	1.80	16.0	4.7600	11.88	12.85	yes	Zn coating	4I
C.100.180.0180.A	10.0	1.80	18.0	3.7300	13.86	15.09	yes	music wire	4F
C.100.180.0180.I	10.0	1.80	18.0	3.2037	13.86	15.09	yes	stainless steel	4G
C.100.180.0254.A	10.0	1.80	25.4	2.3654	19.26	21.20	yes	music wire	4F
C.100.180.0254.I	10.0	1.80	25.4	2.0316	19.26	21.20	yes	stainless steel	4G
C.100.180.0508.A	10.0	1.80	50.8	1.0958	36.36	40.54	yes	music wire	4G
C.100.180.0508.I	10.0	1.80	50.8	0.9412	36.36	40.54	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.180.0559.A	10.0	1.80	55.9	0.9896	39.78	44.41	yes	music wire	4G
C.100.180.0559.I	10.0	1.80	55.9	0.8500	39.78	44.41	yes	stainless steel	4G
C.100.180.0690.A	10.0	1.80	69.0	0.8433	45.90	51.33	yes	music wire	4G
C.100.180.0690.I	10.0	1.80	69.0	0.7243	45.90	51.33	yes	stainless steel	4G
C.100.180.0910.A	10.0	1.80	91.0	0.6297	59.94	67.21	yes	music wire	4G
C.100.180.0910.I	10.0	1.80	91.0	0.5409	59.94	67.21	yes	stainless steel	4G
C.100.190.0100.A	10.0	1.90	10.0	10.8617	9.12	9.68	yes	music wire	4F
C.100.190.0100.I	10.0	1.90	10.0	9.3291	9.12	9.68	yes	stainless steel	4G
C.100.190.0120.A	10.0	1.90	12.0	8.3273	10.45	11.18	yes	music wire	4F
C.100.190.0120.I	10.0	1.90	12.0	7.1523	10.45	11.18	yes	stainless steel	4G
C.100.190.0140.A	10.0	1.90	14.0	6.7519	11.78	12.67	yes	music wire	4F
C.100.190.0140.I	10.0	1.90	14.0	5.7992	11.78	12.67	yes	stainless steel	4G
C.100.190.0170.A	10.0	1.90	17.0	5.2046	13.87	15.03	yes	music wire	4F
C.100.190.0170.I	10.0	1.90	17.0	4.4702	13.87	15.03	yes	stainless steel	4G
C.100.190.0270.A	10.0	1.90	27.0	3.0099	20.52	22.53	yes	music wire	4G
C.100.190.0270.I	10.0	1.90	27.0	2.5852	20.52	22.53	yes	stainless steel	4G
C.100.190.0370.A	10.0	1.90	37.0	2.1171	27.17	30.02	yes	music wire	4G
C.100.190.0370.I	10.0	1.90	37.0	1.8184	27.17	30.02	yes	stainless steel	4G
C.100.190.0480.A	10.0	1.90	48.0	1.5912	34.58	38.38	yes	music wire	4G
C.100.190.0480.I	10.0	1.90	48.0	1.3667	34.58	38.38	yes	stainless steel	4G
C.100.190.0550.A	10.0	1.90	55.0	1.3802	39.14	43.52	yes	music wire	4G
C.100.190.0550.I	10.0	1.90	55.0	1.1855	39.14	43.52	yes	stainless steel	4G
C.100.190.0640.A	10.0	1.90	64.0	1.1729	45.22	50.37	yes	music wire	4G
C.100.190.0640.I	10.0	1.90	64.0	1.0074	45.22	50.37	yes	stainless steel	4G
C.100.190.0730.A	10.0	1.90	73.0	1.0197	51.30	57.22	yes	music wire	4G
C.100.190.0730.I	10.0	1.90	73.0	0.8758	51.30	57.22	yes	stainless steel	4G
C.100.190.0820.A	10.0	1.90	82.0	0.9051	57.19	63.86	yes	music wire	4G
C.100.190.0820.I	10.0	1.90	82.0	0.7774	57.19	63.86	yes	stainless steel	4G
C.100.190.0940.A	10.0	1.90	94.0	0.7856	65.17	72.86	yes	music wire	4G
C.100.190.0940.I	10.0	1.90	94.0	0.6747	65.17	72.86	yes	stainless steel	4G
C.100.200.0148.A	10.0	2.00	14.8	9.0960	12.00	12.87	yes	music wire	4G
C.100.200.0148.I	10.0	2.00	14.8	7.8125	12.00	12.87	yes	stainless steel	4G
C.100.200.0148.N	10.0	2.00	14.8	9.0960	12.00	12.87	yes	Zn coating	4I
C.100.200.0210.A	10.0	2.00	21.0	5.7880	16.00	17.36	yes	music wire	4I
C.100.200.0210.I	10.0	2.00	21.0	4.9713	16.00	17.36	yes	stainless steel	4I
C.100.200.0210.N	10.0	2.00	21.0	5.7880	16.00	17.36	yes	Zn coating	4J
C.100.200.0334.A	10.0	2.00	33.4	3.3512	24.00	26.36	yes	music wire	4I
C.100.200.0334.I	10.0	2.00	33.4	2.8783	24.00	26.36	yes	stainless steel	4I
C.100.200.0334.N	10.0	2.00	33.4	3.3512	24.00	26.36	yes	Zn coating	4J
C.100.200.0350.A	10.0	2.00	35.0	4.1670	20.20	28.25	yes	music wire	4J
C.100.200.0350.I	10.0	2.00	35.0	3.6253	20.00	28.19	yes	stainless steel	4J
C.100.200.0350.N	10.0	2.00	35.0	4.1670	20.20	28.25	yes	Zn coating	4L
C.100.200.0420.A	10.0	2.00	42.0	2.7170	28.40	31.65	yes	music wire	4I
C.100.200.0420.I	10.0	2.00	42.0	2.3638	28.20	31.55	yes	stainless steel	4I
C.100.200.0420.N	10.0	2.00	42.0	2.7170	28.40	31.65	yes	Zn coating	4J
C.100.200.0520.A	10.0	2.00	52.0	2.0539	36.00	39.84	yes	music wire	4I
C.100.200.0520.I	10.0	2.00	52.0	1.7641	36.00	39.84	yes	stainless steel	4I
C.100.200.0520.N	10.0	2.00	52.0	2.0539	36.00	39.84	yes	Zn coating	4J
C.100.200.0600.A	10.0	2.00	60.0	2.1550	34.60	46.95	yes	music wire	4J
C.100.200.0600.I	10.0	2.00	60.0	1.8749	34.20	46.83	yes	stainless steel	4J
C.100.200.0600.N	10.0	2.00	60.0	2.1550	34.60	46.95	yes	Zn coating	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.100.200.0650.A	10.0	2.00	65.0	1.5630	45.80	50.86	yes	music wire	4I
C.100.200.0650.I	10.0	2.00	65.0	1.3598	45.20	50.18	yes	stainless steel	4I
C.100.200.0650.N	10.0	2.00	65.0	1.5630	45.80	50.86	yes	Zn coating	4J
C.103.040.0250.A	10.3	0.40	25.0	0.0057	3.28	5.20	no	music wire	4B
C.103.040.0250.I	10.3	0.40	25.0	0.0050	3.24	5.11	no	stainless steel	4C
C.103.050.0095.A	10.3	0.50	9.5	0.0184	3.10	4.35	yes	music wire	4B
C.103.050.0095.I	10.3	0.50	9.5	0.0160	3.05	4.27	yes	stainless steel	4C
C.103.050.0103.A	10.3	0.50	10.3	0.0150	3.50	5.02	yes	music wire	4B
C.103.050.0103.I	10.3	0.50	10.3	0.0260	2.35	3.09	yes	stainless steel	4C
C.103.050.0137.A	10.3	0.50	13.7	0.0425	2.05	2.59	yes	music wire	4B
C.103.050.0137.I	10.3	0.50	13.7	0.0370	2.05	2.59	yes	stainless steel	4C
C.103.050.0200.A	10.3	0.50	20.0	0.0057	7.15	11.14	yes	music wire	4B
C.103.050.0200.I	10.3	0.50	20.0	0.0050	7.05	10.97	yes	stainless steel	4C
C.103.050.0250.A	10.3	0.50	25.0	0.0138	3.70	5.36	yes	music wire	4B
C.103.050.0250.I	10.3	0.50	25.0	0.0120	3.65	5.27	yes	stainless steel	4C
C.103.050.0300.A	10.3	0.50	30.0	0.0057	7.15	11.14	yes	music wire	4C
C.103.050.0300.I	10.3	0.50	30.0	0.0050	7.05	10.97	yes	stainless steel	4C
C.103.050.0400.A	10.3	0.50	40.0	0.0125	3.95	5.78	yes	music wire	4C
C.103.050.0400.I	10.3	0.50	40.0	0.0108	3.95	5.78	yes	stainless steel	4C
C.103.050.0600.A	10.3	0.50	60.0	0.0084	5.30	8.04	yes	music wire	4C
C.103.050.0600.I	10.3	0.50	60.0	0.0072	5.30	8.04	yes	stainless steel	4C
C.103.060.0111.A	10.3	0.60	11.1	0.0448	3.42	4.36	yes	music wire	4C
C.103.060.0111.I	10.3	0.60	11.1	0.0390	3.42	4.36	yes	stainless steel	4C
C.103.060.0143.A	10.3	0.60	14.3	0.0310	4.32	5.71	yes	music wire	4C
C.103.060.0143.I	10.3	0.60	14.3	0.0270	4.26	5.62	yes	stainless steel	4C
C.103.060.0151.A	10.3	0.60	15.1	0.0250	4.98	6.69	yes	music wire	4C
C.103.060.0151.I	10.3	0.60	15.1	0.0218	4.92	6.60	yes	stainless steel	4C
C.103.060.0159.A	10.3	0.60	15.9	0.0600	2.94	3.65	yes	music wire	4C
C.103.060.0159.I	10.3	0.60	15.9	0.0522	2.94	3.65	yes	stainless steel	4C
C.103.060.0200.A	10.3	0.60	20.0	0.0452	3.42	4.36	yes	music wire	4C
C.103.060.0200.I	10.3	0.60	20.0	0.0388	3.42	4.36	yes	stainless steel	4C
C.103.060.0250.A	10.3	0.60	25.0	0.0299	4.38	5.80	yes	music wire	4C
C.103.060.0250.I	10.3	0.60	25.0	0.0260	4.38	5.80	yes	stainless steel	4C
C.103.060.0270.A	10.3	0.60	27.0	0.0218	5.46	7.41	yes	music wire	4C
C.103.060.0270.I	10.3	0.60	27.0	0.0190	5.40	7.32	yes	stainless steel	4C
C.103.060.0290.A	10.3	0.60	29.0	0.0110	9.42	13.32	yes	music wire	4C
C.103.060.0290.I	10.3	0.60	29.0	0.0096	9.30	13.14	yes	stainless steel	4C
C.103.060.0400.A	10.3	0.60	40.0	0.0223	5.40	7.32	yes	music wire	4C
C.103.060.0400.I	10.3	0.60	40.0	0.0191	5.40	7.32	yes	stainless steel	4C
C.103.060.0500.A	10.3	0.60	50.0	0.0176	6.42	8.84	yes	music wire	4C
C.103.060.0500.I	10.3	0.60	50.0	0.0152	6.42	8.84	yes	stainless steel	4D
C.103.070.0103.A	10.3	0.70	10.3	0.1100	3.50	4.17	yes	music wire	4C
C.103.070.0103.I	10.3	0.70	10.3	0.0957	3.50	4.17	yes	stainless steel	4C
C.103.070.0143.A	10.3	0.70	14.3	0.0529	5.39	6.78	yes	music wire	4C
C.103.070.0143.I	10.3	0.70	14.3	0.0460	5.39	6.78	yes	stainless steel	4C
C.103.070.0191.A	10.3	0.70	19.1	0.0310	7.98	10.36	yes	music wire	4C
C.103.070.0191.I	10.3	0.70	19.1	0.0270	7.91	10.26	yes	stainless steel	4C
C.103.070.0240.A	10.3	0.70	24.0	0.0345	7.35	9.49	yes	music wire	4C
C.103.070.0240.I	10.3	0.70	24.0	0.0300	7.28	9.39	yes	stainless steel	4C
C.103.070.0500.A	10.3	0.70	50.0	0.0285	8.54	11.13	yes	music wire	4C
C.103.070.0500.I	10.3	0.70	50.0	0.0245	8.54	11.13	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.103.070.0800.A	10.3	0.70	80.0	0.0177	12.67	16.84	yes	music wire	4D
C.103.070.0800.I	10.3	0.70	80.0	0.0152	12.67	16.84	yes	stainless steel	4D
C.103.080.0143.A	10.3	0.80	14.3	0.0770	7.04	8.61	yes	music wire	4C
C.103.080.0143.I	10.3	0.80	14.3	0.0670	6.96	8.51	yes	stainless steel	4C
C.103.080.0159.A	10.3	0.80	15.9	0.0563	8.88	11.02	yes	music wire	4C
C.103.080.0159.AP	10.3	0.80	15.9	0.2313	3.68	6.40	yes	music wire	4E
C.103.080.0159.I	10.3	0.80	15.9	0.0490	8.80	10.92	yes	stainless steel	4C
C.103.080.0191.A	10.3	0.80	19.1	0.0494	9.84	12.28	yes	music wire	4C
C.103.080.0191.I	10.3	0.80	19.1	0.0430	9.76	12.18	yes	stainless steel	4C
C.103.080.0300.A	10.3	0.80	30.0	0.0749	7.20	8.82	yes	music wire	4C
C.103.080.0300.I	10.3	0.80	30.0	0.0643	7.20	8.82	yes	stainless steel	4C
C.103.080.0480.A	10.3	0.80	48.0	0.0300	14.96	19.00	yes	music wire	4C
C.103.080.0480.I	10.3	0.80	48.0	0.0261	14.80	18.79	yes	stainless steel	4D
C.103.080.1000.A	10.3	0.80	100.0	0.0217	19.92	25.50	yes	music wire	4D
C.103.080.1000.I	10.3	0.80	100.0	0.0187	19.92	25.50	yes	stainless steel	4E
C.103.090.0174.A	10.3	0.90	17.4	0.1839	6.21	7.25	yes	music wire	4C
C.103.090.0174.AP	10.3	0.90	17.4	0.3092	4.59	7.51	yes	music wire	4F
C.103.090.0174.I	10.3	0.90	17.4	0.1600	6.12	7.14	yes	stainless steel	4C
C.103.090.0220.A	10.3	0.90	22.0	0.0894	10.35	12.49	yes	music wire	4C
C.103.090.0220.AP	10.3	0.90	22.0	0.2436	5.22	9.45	yes	music wire	4F
C.103.090.0220.I	10.3	0.90	22.0	0.0768	10.35	12.49	yes	stainless steel	4C
C.103.090.0220.N	10.3	0.90	22.0	0.0894	10.35	12.49	yes	Zn coating	4E
C.103.090.0280.A	10.3	0.90	28.0	0.0930	10.08	12.14	yes	music wire	4C
C.103.090.0280.AP	10.3	0.90	28.0	0.1870	6.12	11.64	yes	music wire	4F
C.103.090.0280.I	10.3	0.90	28.0	0.0809	9.90	11.92	yes	stainless steel	4D
C.103.090.0300.A	10.3	0.90	30.0	0.1100	8.82	10.55	yes	music wire	4C
C.103.090.0300.AP	10.3	0.90	30.0	0.1748	6.39	12.50	yes	music wire	4F
C.103.090.0300.I	10.3	0.90	30.0	0.0957	8.73	10.44	yes	stainless steel	4D
C.103.090.0400.A	10.3	0.90	40.0	0.0821	11.07	13.40	yes	music wire	4C
C.103.090.0400.I	10.3	0.90	40.0	0.0705	11.07	13.40	yes	stainless steel	4D
C.103.090.0600.A	10.3	0.90	60.0	0.0544	15.57	19.08	yes	music wire	4D
C.103.090.0600.I	10.3	0.90	60.0	0.0467	15.57	19.08	yes	stainless steel	4D
C.103.100.0220.A	10.3	1.00	22.0	0.3619	6.00	10.65	yes	music wire	4I
C.103.100.0220.I	10.3	1.00	22.0	0.3108	6.00	10.63	yes	stainless steel	4I
C.103.100.0220.N	10.3	1.00	22.0	0.3619	6.00	10.65	yes	Zn coating	4I
C.103.100.0250.A	10.3	1.00	25.0	0.2303	8.00	9.26	yes	music wire	4C
C.103.100.0250.I	10.3	1.00	25.0	0.2000	7.90	9.14	yes	stainless steel	4D
C.103.100.0250.N	10.3	1.00	25.0	0.2303	8.00	9.26	yes	Zn coating	4E
C.103.100.0330.A	10.3	1.00	33.0	0.1200	13.10	15.54	yes	music wire	4C
C.103.100.0330.AP	10.3	1.00	33.0	0.2222	8.20	14.51	yes	music wire	4F
C.103.100.0330.I	10.3	1.00	33.0	0.1044	12.90	15.29	yes	stainless steel	4D
C.103.100.0400.A	10.3	1.00	40.0	0.1333	12.00	14.18	yes	music wire	4C
C.103.100.0400.I	10.3	1.00	40.0	0.1160	11.90	14.06	yes	stainless steel	4D
C.103.100.0400.N	10.3	1.00	40.0	0.1333	12.00	14.18	yes	Zn coating	4E
C.103.100.0550.A	10.3	1.00	55.0	0.0938	16.00	19.10	yes	music wire	4D
C.103.100.0550.AP	10.3	1.00	55.0	0.1319	12.10	23.87	yes	music wire	4G
C.103.100.0550.I	10.3	1.00	55.0	0.0806	16.00	19.10	yes	stainless steel	4D
C.103.100.0550.N	10.3	1.00	55.0	0.0938	16.00	19.10	yes	Zn coating	4E
C.103.100.0800.A	10.3	1.00	80.0	0.0584	24.20	29.19	yes	music wire	4D
C.103.100.0800.I	10.3	1.00	80.0	0.0501	24.20	29.19	yes	stainless steel	4E
C.103.100.1000.A	10.3	1.00	100.0	0.0464	29.80	36.07	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.103.100.1000.I	10.3	1.00	100.0	0.0398	29.80	36.07	yes	stainless steel	4E
C.103.100.2000.A	10.3	1.00	200.0	0.0230	57.60	70.26	yes	music wire	4E
C.103.100.2000.I	10.3	1.00	200.0	0.0197	57.60	70.26	yes	stainless steel	4F
C.103.110.0260.A	10.3	1.10	26.0	0.2540	11.00	12.69	yes	music wire	4C
C.103.110.0260.AP	10.3	1.10	26.0	0.3994	8.03	12.58	yes	music wire	4F
C.103.110.0260.I	10.3	1.10	26.0	0.2182	11.00	12.69	yes	stainless steel	4D
C.103.110.0260.N	10.3	1.10	26.0	0.2540	11.00	12.69	yes	Zn coating	4E
C.103.110.0600.A	10.3	1.10	60.0	0.1101	21.89	25.81	yes	music wire	4D
C.103.110.0600.I	10.3	1.10	60.0	0.0946	21.89	25.81	yes	stainless steel	4D
C.103.130.0103.A	10.3	1.30	10.3	1.3000	7.28	7.97	yes	music wire	4C
C.103.130.0103.AP	10.3	1.30	10.3	2.1065	5.72	6.26	yes	music wire	4F
C.103.130.0103.I	10.3	1.30	10.3	1.1310	7.15	7.82	yes	stainless steel	4D
C.103.130.0350.A	10.3	1.30	35.0	0.4368	15.08	17.11	yes	music wire	4F
C.103.130.0350.I	10.3	1.30	35.0	0.3800	14.95	16.96	yes	stainless steel	4G
C.103.130.0480.A	10.3	1.30	48.0	0.4100	15.86	27.23	yes	music wire	4I
C.103.130.0480.I	10.3	1.30	48.0	0.3567	15.73	27.31	yes	stainless steel	4I
C.103.130.0800.A	10.3	1.30	80.0	0.1547	36.79	42.56	yes	music wire	4D
C.103.130.0800.I	10.3	1.30	80.0	0.1329	36.79	42.56	yes	stainless steel	4E
C.103.140.0270.A	10.3	1.40	27.0	0.5632	17.36	19.59	yes	music wire	4E
C.103.140.0270.AP	10.3	1.40	27.0	0.9134	12.04	15.56	yes	music wire	4H
C.103.140.0270.I	10.3	1.40	27.0	0.4900	17.08	19.26	yes	stainless steel	4E
C.103.140.0520.A	10.3	1.40	52.0	0.4368	21.28	28.08	yes	music wire	4I
C.103.140.0520.I	10.3	1.40	52.0	0.3800	21.00	28.12	yes	stainless steel	4I
C.103.140.0800.A	10.3	1.40	80.0	0.2087	40.74	46.72	yes	music wire	4F
C.103.140.0800.I	10.3	1.40	80.0	0.1793	40.74	46.72	yes	stainless steel	4F
C.103.160.0135.A	10.3	1.60	13.5	3.0000	9.44	10.23	yes	music wire	4E
C.103.160.0135.I	10.3	1.60	13.5	2.6100	9.28	10.04	yes	stainless steel	4E
C.103.160.0330.A	10.3	1.60	33.0	0.9080	21.92	24.51	yes	music wire	4E
C.103.160.0330.AP	10.3	1.60	33.0	1.2433	17.12	20.89	yes	music wire	4I
C.103.160.0330.I	10.3	1.60	33.0	0.7900	21.60	24.14	yes	stainless steel	4F
C.103.160.0410.A	10.3	1.60	41.0	0.7900	24.48	27.44	yes	music wire	4E
C.103.160.0410.AP	10.3	1.60	41.0	0.9803	20.48	25.64	yes	music wire	4I
C.103.160.0410.I	10.3	1.60	41.0	0.6873	24.32	27.25	yes	stainless steel	4F
C.103.160.0600.A	10.3	1.60	60.0	0.4970	36.64	41.35	yes	music wire	4F
C.103.160.0600.I	10.3	1.60	60.0	0.4269	36.64	41.35	yes	stainless steel	4F
C.103.160.0830.A	10.3	1.60	83.0	0.3800	46.72	52.89	yes	music wire	4F
C.103.160.0830.I	10.3	1.60	83.0	0.3306	46.08	52.15	yes	stainless steel	4G
C.103.160.1200.A	10.3	1.60	120.0	0.2420	71.04	80.72	yes	music wire	4G
C.103.160.1200.I	10.3	1.60	120.0	0.2078	71.04	80.72	yes	stainless steel	4G
C.103.180.0220.A	10.3	1.80	22.0	2.9885	14.94	16.33	yes	music wire	4I
C.103.180.0220.I	10.3	1.80	22.0	2.6000	14.94	16.33	yes	stainless steel	4I
C.103.180.0270.A	10.3	1.80	27.0	3.3333	13.86	20.79	yes	music wire	4J
C.103.180.0270.I	10.3	1.80	27.0	2.9000	13.86	20.75	yes	stainless steel	4J
C.103.180.0800.A	10.3	1.80	80.0	0.6264	54.54	61.22	yes	music wire	4G
C.103.180.0800.I	10.3	1.80	80.0	0.5380	54.54	61.22	yes	stainless steel	4G
C.103.190.0200.A	10.3	1.90	20.0	3.7966	15.96	17.41	yes	music wire	4F
C.103.190.0200.I	10.3	1.90	20.0	3.2609	15.96	17.41	yes	stainless steel	4G
C.103.190.2100.A	10.3	1.90	210.0	0.4023	110.58	150.49	yes	music wire	4L
C.103.190.2100.I	10.3	1.90	210.0	0.3500	109.25	150.04	yes	stainless steel	4L
C.103.190.2150.A	10.3	1.90	215.0	0.4000	111.15	155.15	yes	music wire	4L
C.103.190.2150.I	10.3	1.90	215.0	0.3480	109.82	154.69	yes	stainless steel	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.103.210.0127.A	10.3	2.10	12.7	13.6782	10.71	11.38	yes	music wire	4G
C.103.210.0127.I	10.3	2.10	12.7	11.9000	10.71	11.38	yes	stainless steel	4G
C.103.210.1000.A	10.3	2.10	100.0	1.0476	77.28	86.13	yes	music wire	4G
C.103.210.1000.I	10.3	2.10	100.0	0.8998	77.28	86.13	yes	stainless steel	4H
C.103.220.0290.A	10.3	2.20	29.0	5.7000	22.88	24.97	yes	music wire	4G
C.103.220.0290.I	10.3	2.20	29.0	4.9590	22.66	24.72	yes	stainless steel	4I
C.103.220.1000.A	10.3	2.20	100.0	1.3286	79.86	88.81	yes	music wire	4G
C.103.220.1000.I	10.3	2.20	100.0	1.1411	79.86	88.81	yes	stainless steel	4H
C.104.120.0100.A	10.4	1.20	10.0	1.7750	4.80	6.19	yes	music wire	4F
C.104.120.0100.I	10.4	1.20	10.0	1.5443	4.80	6.21	yes	stainless steel	4F
C.104.120.0100.N	10.4	1.20	10.0	1.7750	4.80	6.19	yes	Zn coating	4H
C.104.120.0450.A	10.4	1.20	45.0	0.2025	19.08	22.11	yes	music wire	4D
C.104.120.0450.I	10.4	1.20	45.0	0.1739	19.08	22.11	yes	stainless steel	4D
C.105.065.0281.A	10.5	0.65	28.1	0.0477	4.23	5.39	yes	music wire	4C
C.105.065.0281.I	10.5	0.65	28.1	0.0410	4.23	5.39	yes	stainless steel	4C
C.105.065.0281.N	10.5	0.65	28.1	0.0477	4.23	5.39	yes	Zn coating	4E
C.105.065.0429.A	10.5	0.65	42.9	0.0303	5.72	7.54	yes	music wire	4C
C.105.065.0429.I	10.5	0.65	42.9	0.0260	5.72	7.54	yes	stainless steel	4D
C.105.065.0429.N	10.5	0.65	42.9	0.0303	5.72	7.54	yes	Zn coating	4E
C.105.065.0724.A	10.5	0.65	72.4	0.0176	8.65	11.77	yes	music wire	4D
C.105.065.0724.I	10.5	0.65	72.4	0.0151	8.65	11.77	yes	stainless steel	4D
C.105.065.0724.N	10.5	0.65	72.4	0.0176	8.65	11.77	yes	Zn coating	4E
C.105.065.1170.A	10.5	0.65	117.0	0.0108	13.07	18.15	yes	music wire	4D
C.105.065.1170.I	10.5	0.65	117.0	0.0093	13.07	18.15	yes	stainless steel	4E
C.105.065.1170.N	10.5	0.65	117.0	0.0108	13.07	18.15	yes	Zn coating	4F
C.105.080.0125.A	10.5	0.80	12.5	0.1950	3.84	4.43	yes	music wire	4C
C.105.080.0125.I	10.5	0.80	12.5	0.1696	3.84	4.43	yes	stainless steel	4C
C.105.080.0125.N	10.5	0.80	12.5	0.1950	3.84	4.43	yes	Zn coating	4E
C.105.080.0160.A	10.5	0.80	16.0	0.1470	4.48	5.27	yes	music wire	4C
C.105.080.0160.I	10.5	0.80	16.0	0.1279	4.48	5.27	yes	stainless steel	4C
C.105.080.0160.N	10.5	0.80	16.0	0.1470	4.48	5.27	yes	Zn coating	4E
C.105.080.0200.A	10.5	0.80	20.0	0.1170	5.12	6.12	yes	music wire	4C
C.105.080.0200.I	10.5	0.80	20.0	0.1018	5.12	6.12	yes	stainless steel	4C
C.105.080.0200.N	10.5	0.80	20.0	0.1170	5.12	6.12	yes	Zn coating	4E
C.105.080.0250.A	10.5	0.80	25.0	0.0930	5.92	7.18	yes	music wire	4C
C.105.080.0250.I	10.5	0.80	25.0	0.0809	5.92	7.18	yes	stainless steel	4C
C.105.080.0250.N	10.5	0.80	25.0	0.0930	5.92	7.18	yes	Zn coating	4E
C.105.080.0320.A	10.5	0.80	32.0	0.0700	7.20	8.87	yes	music wire	4C
C.105.080.0320.I	10.5	0.80	32.0	0.0609	7.12	8.76	yes	stainless steel	4D
C.105.080.0320.N	10.5	0.80	32.0	0.0700	7.20	8.87	yes	Zn coating	4E
C.105.080.0400.A	10.5	0.80	40.0	0.0570	8.40	10.45	yes	music wire	4C
C.105.080.0400.I	10.5	0.80	40.0	0.0496	8.32	10.35	yes	stainless steel	4D
C.105.080.0400.N	10.5	0.80	40.0	0.0570	8.40	10.45	yes	Zn coating	4E
C.105.080.0500.A	10.5	0.80	50.0	0.0450	10.16	12.78	yes	music wire	4C
C.105.080.0500.I	10.5	0.80	50.0	0.0392	10.00	12.56	yes	stainless steel	4D
C.105.080.0500.N	10.5	0.80	50.0	0.0450	10.16	12.78	yes	Zn coating	4E
C.105.080.0630.A	10.5	0.80	63.0	0.0350	12.48	15.84	yes	music wire	4D
C.105.080.0630.I	10.5	0.80	63.0	0.0304	12.32	15.63	yes	stainless steel	4D
C.105.080.0630.N	10.5	0.80	63.0	0.0350	12.48	15.84	yes	Zn coating	4E
C.105.080.0800.A	10.5	0.80	80.0	0.0280	15.04	19.22	yes	music wire	4D
C.105.080.0800.I	10.5	0.80	80.0	0.0244	14.88	19.01	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.105.080.0800.N	10.5	0.80	80.0	0.0280	15.04	19.22	yes	Zn coating	4F
C.105.080.0900.A	10.5	0.80	90.0	0.0220	18.64	23.97	yes	music wire	4D
C.105.080.0900.I	10.5	0.80	90.0	0.0191	18.40	23.66	yes	stainless steel	4E
C.105.080.0900.N	10.5	0.80	90.0	0.0220	18.64	23.97	yes	Zn coating	4F
C.105.080.1000.A	10.5	0.80	100.0	0.0220	18.64	23.97	yes	music wire	4D
C.105.080.1000.I	10.5	0.80	100.0	0.0191	18.48	23.76	yes	stainless steel	4E
C.105.080.1000.N	10.5	0.80	100.0	0.0220	18.64	23.97	yes	Zn coating	4F
C.105.080.3600.A	10.5	0.80	360.0	0.0060	63.76	83.30	no	music wire	4G
C.105.080.3600.I	10.5	0.80	360.0	0.0052	63.20	82.56	no	stainless steel	4H
C.105.090.0125.A	10.5	0.90	12.5	0.2910	4.59	5.22	yes	music wire	4C
C.105.090.0125.AP	10.5	0.90	12.5	0.4440	3.78	5.74	yes	music wire	4E
C.105.090.0125.I	10.5	0.90	12.5	0.2532	4.59	5.22	yes	stainless steel	4C
C.105.090.0125.N	10.5	0.90	12.5	0.2910	4.59	5.22	yes	Zn coating	4E
C.105.090.0160.A	10.5	0.90	16.0	0.2150	5.40	6.25	yes	music wire	4C
C.105.090.0160.AP	10.5	0.90	16.0	0.3282	4.32	6.85	yes	music wire	4E
C.105.090.0160.I	10.5	0.90	16.0	0.1870	5.40	6.25	yes	stainless steel	4C
C.105.090.0160.N	10.5	0.90	16.0	0.2150	5.40	6.25	yes	Zn coating	4E
C.105.090.0200.A	10.5	0.90	20.0	0.1710	6.21	7.28	yes	music wire	4C
C.105.090.0200.AP	10.5	0.90	20.0	0.2603	4.86	8.46	yes	music wire	4F
C.105.090.0200.I	10.5	0.90	20.0	0.1488	6.21	7.28	yes	stainless steel	4C
C.105.090.0200.N	10.5	0.90	20.0	0.1710	6.21	7.28	yes	Zn coating	4E
C.105.090.0250.A	10.5	0.90	25.0	0.1350	7.29	8.65	yes	music wire	4C
C.105.090.0250.AP	10.5	0.90	25.0	0.2040	5.58	10.28	yes	music wire	4F
C.105.090.0250.I	10.5	0.90	25.0	0.1175	7.20	8.54	yes	stainless steel	4C
C.105.090.0250.N	10.5	0.90	25.0	0.1350	7.29	8.65	yes	Zn coating	4E
C.105.090.0320.A	10.5	0.90	32.0	0.1040	8.82	10.60	yes	music wire	4C
C.105.090.0320.AP	10.5	0.90	32.0	0.1606	6.48	13.30	yes	music wire	4F
C.105.090.0320.I	10.5	0.90	32.0	0.0905	8.73	10.48	yes	stainless steel	4D
C.105.090.0320.N	10.5	0.90	32.0	0.1040	8.82	10.60	yes	Zn coating	4E
C.105.090.0400.A	10.5	0.90	40.0	0.0820	10.53	12.77	yes	music wire	4C
C.105.090.0400.AP	10.5	0.90	40.0	0.1258	7.65	16.13	yes	music wire	4F
C.105.090.0400.I	10.5	0.90	40.0	0.0713	10.44	12.66	yes	stainless steel	4D
C.105.090.0400.N	10.5	0.90	40.0	0.0820	10.53	12.77	yes	Zn coating	4E
C.105.090.0500.A	10.5	0.90	50.0	0.0650	12.69	15.52	yes	music wire	4C
C.105.090.0500.AP	10.5	0.90	50.0	0.1006	9.00	20.17	yes	music wire	4F
C.105.090.0500.I	10.5	0.90	50.0	0.0566	12.60	15.40	yes	stainless steel	4D
C.105.090.0500.N	10.5	0.90	50.0	0.0650	12.69	15.52	yes	Zn coating	4E
C.105.090.0630.A	10.5	0.90	63.0	0.0510	15.57	19.18	yes	music wire	4D
C.105.090.0630.AP	10.5	0.90	63.0	0.0795	10.80	25.21	yes	music wire	4G
C.105.090.0630.I	10.5	0.90	63.0	0.0444	15.39	18.95	yes	stainless steel	4D
C.105.090.0630.N	10.5	0.90	63.0	0.0510	15.57	19.18	yes	Zn coating	4E
C.105.090.0800.A	10.5	0.90	80.0	0.0400	19.26	23.86	yes	music wire	4D
C.105.090.0800.AP	10.5	0.90	80.0	0.0619	13.23	31.47	yes	music wire	4G
C.105.090.0800.I	10.5	0.90	80.0	0.0348	18.99	23.52	yes	stainless steel	4E
C.105.090.0800.N	10.5	0.90	80.0	0.0400	19.26	23.86	yes	Zn coating	4F
C.105.090.1000.A	10.5	0.90	100.0	0.0320	23.49	29.24	yes	music wire	4D
C.105.090.1000.AP	10.5	0.90	100.0	0.0497	15.93	39.54	yes	music wire	4G
C.105.090.1000.I	10.5	0.90	100.0	0.0278	23.22	28.90	yes	stainless steel	4E
C.105.090.1000.N	10.5	0.90	100.0	0.0320	23.49	29.24	yes	Zn coating	4F
C.105.090.3600.A	10.5	0.90	360.0	0.0090	78.66	99.10	no	music wire	4G
C.105.090.3600.I	10.5	0.90	360.0	0.0078	78.03	98.30	no	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.105.100.0125.A	10.5	1.00	12.5	0.4350	5.20	5.84	yes	music wire	4C
C.105.100.0125.AP	10.5	1.00	12.5	0.6254	4.40	6.05	yes	music wire	4F
C.105.100.0125.I	10.5	1.00	12.5	0.3784	5.20	5.84	yes	stainless steel	4C
C.105.100.0125.N	10.5	1.00	12.5	0.4350	5.20	5.84	yes	Zn coating	4E
C.105.100.0160.A	10.5	1.00	16.0	0.3270	6.10	6.95	yes	music wire	4C
C.105.100.0160.AP	10.5	1.00	16.0	0.4753	5.00	7.51	yes	music wire	4F
C.105.100.0160.I	10.5	1.00	16.0	0.2845	6.10	6.95	yes	stainless steel	4C
C.105.100.0160.N	10.5	1.00	16.0	0.3270	6.10	6.95	yes	Zn coating	4E
C.105.100.0200.A	10.5	1.00	20.0	0.2540	7.20	8.31	yes	music wire	4C
C.105.100.0200.AP	10.5	1.00	20.0	0.3713	5.70	9.14	yes	music wire	4F
C.105.100.0200.I	10.5	1.00	20.0	0.2210	7.10	8.18	yes	stainless steel	4D
C.105.100.0200.N	10.5	1.00	20.0	0.2540	7.20	8.31	yes	Zn coating	4E
C.105.100.0250.A	10.5	1.00	25.0	0.1990	8.50	9.91	yes	music wire	4C
C.105.100.0250.AP	10.5	1.00	25.0	0.2898	6.60	11.08	yes	music wire	4F
C.105.100.0250.I	10.5	1.00	25.0	0.1731	8.40	9.79	yes	stainless steel	4D
C.105.100.0250.N	10.5	1.00	25.0	0.1990	8.50	9.91	yes	Zn coating	4E
C.105.100.0320.A	10.5	1.00	32.0	0.1520	10.30	12.14	yes	music wire	4C
C.105.100.0320.AP	10.5	1.00	32.0	0.2242	7.80	14.01	yes	music wire	4F
C.105.100.0320.I	10.5	1.00	32.0	0.1322	10.20	12.01	yes	stainless steel	4D
C.105.100.0320.N	10.5	1.00	32.0	0.1520	10.30	12.14	yes	Zn coating	4E
C.105.100.0400.A	10.5	1.00	40.0	0.1200	12.40	14.73	yes	music wire	4C
C.105.100.0400.AP	10.5	1.00	40.0	0.1773	9.20	17.26	yes	music wire	4F
C.105.100.0400.I	10.5	1.00	40.0	0.1044	12.30	14.61	yes	stainless steel	4D
C.105.100.0400.N	10.5	1.00	40.0	0.1200	12.40	14.73	yes	Zn coating	4E
C.105.100.0500.A	10.5	1.00	50.0	0.0950	15.00	17.94	yes	music wire	4D
C.105.100.0500.AP	10.5	1.00	50.0	0.1415	10.90	21.49	yes	music wire	4F
C.105.100.0500.I	10.5	1.00	50.0	0.0826	14.90	17.82	yes	stainless steel	4D
C.105.100.0500.N	10.5	1.00	50.0	0.0950	15.00	17.94	yes	Zn coating	4E
C.105.100.0630.A	10.5	1.00	63.0	0.0750	18.30	22.02	yes	music wire	4D
C.105.100.0630.AP	10.5	1.00	63.0	0.1110	13.20	26.68	yes	music wire	4G
C.105.100.0630.I	10.5	1.00	63.0	0.0652	18.20	21.90	yes	stainless steel	4D
C.105.100.0630.N	10.5	1.00	63.0	0.0750	18.30	22.02	yes	Zn coating	4E
C.105.100.0800.A	10.5	1.00	80.0	0.0590	22.60	27.33	yes	music wire	4D
C.105.100.0800.AP	10.5	1.00	80.0	0.0874	16.10	33.84	yes	music wire	4G
C.105.100.0800.I	10.5	1.00	80.0	0.0513	22.40	27.08	yes	stainless steel	4E
C.105.100.0800.N	10.5	1.00	80.0	0.0590	22.60	27.33	yes	Zn coating	4F
C.105.100.1000.A	10.5	1.00	100.0	0.0470	27.80	33.76	yes	music wire	4D
C.105.100.1000.AP	10.5	1.00	100.0	0.0695	19.60	41.96	yes	music wire	4G
C.105.100.1000.I	10.5	1.00	100.0	0.0409	27.50	33.38	yes	stainless steel	4E
C.105.100.1000.N	10.5	1.00	100.0	0.0470	27.80	33.76	yes	Zn coating	4F
C.105.100.3600.A	10.5	1.00	360.0	0.0130	94.90	116.41	no	music wire	4G
C.105.100.3600.I	10.5	1.00	360.0	0.0113	93.80	115.05	no	stainless steel	4H
C.105.110.0125.A	10.5	1.10	12.5	0.6280	5.94	6.61	yes	music wire	4C
C.105.110.0125.AP	10.5	1.10	12.5	0.8559	5.06	6.35	yes	music wire	4F
C.105.110.0125.I	10.5	1.10	12.5	0.5464	5.83	6.48	yes	stainless steel	4C
C.105.110.0125.N	10.5	1.10	12.5	0.6280	5.94	6.61	yes	Zn coating	4E
C.105.110.0160.A	10.5	1.10	16.0	0.4610	7.04	7.94	yes	music wire	4C
C.105.110.0160.AP	10.5	1.10	16.0	0.6657	5.72	8.10	yes	music wire	4F
C.105.110.0160.I	10.5	1.10	16.0	0.4000	7.04	7.94	yes	stainless steel	4D
C.105.110.0160.N	10.5	1.10	16.0	0.4610	7.04	7.94	yes	Zn coating	4E
C.105.110.0200.A	10.5	1.10	20.0	0.3640	8.14	9.27	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.105.110.0200.AP	10.5	1.10	20.0	0.5136	6.60	9.75	yes	music wire	4F
C.105.110.0200.I	10.5	1.10	20.0	0.3167	8.14	9.27	yes	stainless steel	4D
C.105.110.0200.N	10.5	1.10	20.0	0.3640	8.14	9.27	yes	Zn coating	4E
C.105.110.0250.A	10.5	1.10	25.0	0.2820	9.79	11.27	yes	music wire	4C
C.105.110.0250.AP	10.5	1.10	25.0	0.3994	7.70	11.83	yes	music wire	4F
C.105.110.0250.I	10.5	1.10	25.0	0.2453	9.68	11.13	yes	stainless steel	4D
C.105.110.0250.N	10.5	1.10	25.0	0.2820	9.79	11.27	yes	Zn coating	4E
C.105.110.0320.A	10.5	1.10	32.0	0.2160	11.88	13.79	yes	music wire	4C
C.105.110.0320.AP	10.5	1.10	32.0	0.3099	9.13	15.02	yes	music wire	4F
C.105.110.0320.I	10.5	1.10	32.0	0.1879	11.77	13.66	yes	stainless steel	4D
C.105.110.0320.N	10.5	1.10	32.0	0.2160	11.88	13.79	yes	Zn coating	4E
C.105.110.0400.A	10.5	1.10	40.0	0.1730	14.19	16.59	yes	music wire	4C
C.105.110.0400.AP	10.5	1.10	40.0	0.2462	10.78	18.63	yes	music wire	4F
C.105.110.0400.I	10.5	1.10	40.0	0.1505	13.97	16.32	yes	stainless steel	4D
C.105.110.0400.N	10.5	1.10	40.0	0.1730	14.19	16.59	yes	Zn coating	4E
C.105.110.0500.A	10.5	1.10	50.0	0.1350	17.38	20.45	yes	music wire	4D
C.105.110.0500.AP	10.5	1.10	50.0	0.1933	12.98	22.77	yes	music wire	4G
C.105.110.0500.I	10.5	1.10	50.0	0.1175	17.16	20.18	yes	stainless steel	4D
C.105.110.0500.N	10.5	1.10	50.0	0.1350	17.38	20.45	yes	Zn coating	4E
C.105.110.0630.A	10.5	1.10	63.0	0.1070	21.23	25.10	yes	music wire	4D
C.105.110.0630.AP	10.5	1.10	63.0	0.1523	15.73	28.46	yes	music wire	4G
C.105.110.0630.I	10.5	1.10	63.0	0.0931	21.01	24.84	yes	stainless steel	4D
C.105.110.0630.N	10.5	1.10	63.0	0.1070	21.23	25.10	yes	Zn coating	4F
C.105.110.0800.A	10.5	1.10	80.0	0.0840	26.29	31.22	yes	music wire	4D
C.105.110.0800.AP	10.5	1.10	80.0	0.1198	19.25	36.09	yes	music wire	4G
C.105.110.0800.I	10.5	1.10	80.0	0.0731	25.96	30.82	yes	stainless steel	4E
C.105.110.0800.N	10.5	1.10	80.0	0.0840	26.29	31.22	yes	Zn coating	4F
C.105.110.1000.A	10.5	1.10	100.0	0.0670	32.23	38.41	yes	music wire	4E
C.105.110.1000.AP	10.5	1.10	100.0	0.0951	23.54	44.67	yes	music wire	4G
C.105.110.1000.I	10.5	1.10	100.0	0.0583	31.90	38.01	yes	stainless steel	4E
C.105.110.1000.N	10.5	1.10	100.0	0.0670	32.23	38.41	yes	Zn coating	4F
C.105.110.3600.A	10.5	1.10	360.0	0.0180	113.63	136.63	no	music wire	4G
C.105.110.3600.I	10.5	1.10	360.0	0.0157	111.87	134.50	no	stainless steel	4H
C.105.125.0125.A	10.5	1.25	12.5	1.0510	6.88	7.56	yes	music wire	4C
C.105.125.0125.AP	10.5	1.25	12.5	1.3695	6.00	7.02	yes	music wire	4F
C.105.125.0125.I	10.5	1.25	12.5	0.9144	6.88	7.56	yes	stainless steel	4D
C.105.125.0125.N	10.5	1.25	12.5	1.0510	6.88	7.56	yes	Zn coating	4E
C.105.125.0160.A	10.5	1.25	16.0	0.7800	8.13	9.04	yes	music wire	4C
C.105.125.0160.AP	10.5	1.25	16.0	1.0499	6.88	8.85	yes	music wire	4F
C.105.125.0160.I	10.5	1.25	16.0	0.6786	8.13	9.04	yes	stainless steel	4D
C.105.125.0160.N	10.5	1.25	16.0	0.7800	8.13	9.04	yes	Zn coating	4E
C.105.125.0200.A	10.5	1.25	20.0	0.6050	9.63	10.81	yes	music wire	4C
C.105.125.0200.AP	10.5	1.25	20.0	0.8076	8.00	10.71	yes	music wire	4F
C.105.125.0200.I	10.5	1.25	20.0	0.5264	9.50	10.66	yes	stainless steel	4D
C.105.125.0200.N	10.5	1.25	20.0	0.6050	9.63	10.81	yes	Zn coating	4E
C.105.125.0250.A	10.5	1.25	25.0	0.4740	11.38	12.88	yes	music wire	4C
C.105.125.0250.AP	10.5	1.25	25.0	0.6300	9.38	13.09	yes	music wire	4F
C.105.125.0250.I	10.5	1.25	25.0	0.4124	11.25	12.73	yes	stainless steel	4D
C.105.125.0250.N	10.5	1.25	25.0	0.4740	11.38	12.88	yes	Zn coating	4E
C.105.125.0320.A	10.5	1.25	32.0	0.3610	14.00	15.98	yes	music wire	4C
C.105.125.0320.AP	10.5	1.25	32.0	0.4846	11.25	16.51	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.105.125.0320.I	10.5	1.25	32.0	0.3141	13.88	15.84	yes	stainless steel	4D
C.105.125.0320.N	10.5	1.25	32.0	0.3610	14.00	15.98	yes	Zn coating	4E
C.105.125.0400.A	10.5	1.25	40.0	0.2850	16.88	19.38	yes	music wire	4D
C.105.125.0400.AP	10.5	1.25	40.0	0.3795	13.50	20.22	yes	music wire	4G
C.105.125.0400.I	10.5	1.25	40.0	0.2479	16.75	19.23	yes	stainless steel	4D
C.105.125.0400.N	10.5	1.25	40.0	0.2850	16.88	19.38	yes	Zn coating	4E
C.105.125.0500.A	10.5	1.25	50.0	0.2240	20.63	23.82	yes	music wire	4D
C.105.125.0500.AP	10.5	1.25	50.0	0.3029	16.13	25.22	yes	music wire	4G
C.105.125.0500.I	10.5	1.25	50.0	0.1949	20.38	23.52	yes	stainless steel	4D
C.105.125.0500.N	10.5	1.25	50.0	0.2240	20.63	23.82	yes	Zn coating	4E
C.105.125.0630.A	10.5	1.25	63.0	0.1770	25.38	29.43	yes	music wire	4D
C.105.125.0630.AP	10.5	1.25	63.0	0.2368	19.75	31.31	yes	music wire	4G
C.105.125.0630.I	10.5	1.25	63.0	0.1540	25.00	28.98	yes	stainless steel	4E
C.105.125.0630.N	10.5	1.25	63.0	0.1770	25.38	29.43	yes	Zn coating	4F
C.105.125.0800.A	10.5	1.25	80.0	0.1370	31.75	36.96	yes	music wire	4D
C.105.125.0800.AP	10.5	1.25	80.0	0.1853	24.38	39.49	yes	music wire	4G
C.105.125.0800.I	10.5	1.25	80.0	0.1192	31.38	36.53	yes	stainless steel	4E
C.105.125.0800.N	10.5	1.25	80.0	0.1370	31.75	36.96	yes	Zn coating	4F
C.105.125.1000.A	10.5	1.25	100.0	0.1090	39.13	45.69	yes	music wire	4E
C.105.125.1000.AP	10.5	1.25	100.0	0.1479	29.75	49.25	yes	music wire	4G
C.105.125.1000.I	10.5	1.25	100.0	0.0948	38.75	45.24	yes	stainless steel	4E
C.105.125.1000.N	10.5	1.25	100.0	0.1090	39.13	45.69	yes	Zn coating	4G
C.105.125.3600.A	10.5	1.25	360.0	0.0300	135.38	159.24	no	music wire	4H
C.105.125.3600.I	10.5	1.25	360.0	0.0261	133.63	157.17	no	stainless steel	4H
C.105.140.0125.A	10.5	1.40	12.5	1.7380	7.70	8.39	yes	music wire	4E
C.105.140.0125.I	10.5	1.40	12.5	1.5121	7.56	8.22	yes	stainless steel	4E
C.105.140.0125.N	10.5	1.40	12.5	1.7380	7.70	8.39	yes	Zn coating	4G
C.105.140.0160.A	10.5	1.40	16.0	1.2500	9.38	10.34	yes	music wire	4E
C.105.140.0160.AP	10.5	1.40	16.0	1.5796	8.12	9.50	yes	music wire	4H
C.105.140.0160.I	10.5	1.40	16.0	1.0866	9.24	10.18	yes	stainless steel	4E
C.105.140.0160.N	10.5	1.40	16.0	1.2500	9.38	10.34	yes	Zn coating	4G
C.105.140.0200.A	10.5	1.40	20.0	0.9750	10.92	12.13	yes	music wire	4E
C.105.140.0200.I	10.5	1.40	20.0	0.8482	10.92	12.13	yes	stainless steel	4E
C.105.140.0200.N	10.5	1.40	20.0	0.9750	10.92	12.13	yes	Zn coating	4G
C.105.140.0250.A	10.5	1.40	25.0	0.7540	13.16	14.74	yes	music wire	4E
C.105.140.0250.I	10.5	1.40	25.0	0.6560	13.02	14.58	yes	stainless steel	4E
C.105.140.0250.N	10.5	1.40	25.0	0.7540	13.16	14.74	yes	Zn coating	4G
C.105.140.0320.A	10.5	1.40	32.0	0.5710	16.24	18.32	yes	music wire	4E
C.105.140.0320.I	10.5	1.40	32.0	0.4968	16.10	18.16	yes	stainless steel	4E
C.105.140.0320.N	10.5	1.40	32.0	0.5710	16.24	18.32	yes	Zn coating	4G
C.105.140.0400.A	10.5	1.40	40.0	0.4490	19.74	22.39	yes	music wire	4E
C.105.140.0400.I	10.5	1.40	40.0	0.3906	19.46	22.07	yes	stainless steel	4F
C.105.140.0400.N	10.5	1.40	40.0	0.4490	19.74	22.39	yes	Zn coating	4G
C.105.140.0500.A	10.5	1.40	50.0	0.3570	23.80	27.12	yes	music wire	4E
C.105.140.0500.I	10.5	1.40	50.0	0.3106	23.66	26.95	yes	stainless steel	4F
C.105.140.0500.N	10.5	1.40	50.0	0.3570	23.80	27.12	yes	Zn coating	4G
C.105.140.0630.A	10.5	1.40	63.0	0.2790	29.54	33.79	yes	music wire	4F
C.105.140.0630.I	10.5	1.40	63.0	0.2427	29.26	33.47	yes	stainless steel	4F
C.105.140.0630.N	10.5	1.40	63.0	0.2790	29.54	33.79	yes	Zn coating	4H
C.105.140.0800.A	10.5	1.40	80.0	0.2170	36.96	42.43	yes	music wire	4F
C.105.140.0800.I	10.5	1.40	80.0	0.1888	36.54	41.94	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.105.140.0800.N	10.5	1.40	80.0	0.2170	36.96	42.43	yes	Zn coating	4H
C.105.140.1000.A	10.5	1.40	100.0	0.1730	45.50	52.36	yes	music wire	4F
C.105.140.1000.I	10.5	1.40	100.0	0.1505	44.94	51.71	yes	stainless steel	4G
C.105.140.1000.N	10.5	1.40	100.0	0.1730	45.50	52.36	yes	Zn coating	4I
C.105.140.3600.A	10.5	1.40	360.0	0.0470	159.60	184.87	no	music wire	4I
C.105.140.3600.I	10.5	1.40	360.0	0.0409	157.64	182.59	no	stainless steel	4I
C.105.150.0225.A	10.5	1.50	22.5	1.3890	11.40	13.57	yes	music wire	4H
C.105.150.0225.I	10.5	1.50	22.5	1.2084	11.25	13.57	yes	stainless steel	4I
C.105.150.0225.N	10.5	1.50	22.5	1.3890	11.40	13.57	yes	Zn coating	4I
C.105.160.0125.A	10.5	1.60	12.5	3.0370	8.96	9.69	yes	music wire	4E
C.105.160.0125.AP	10.5	1.60	12.5	3.6627	8.16	8.77	yes	music wire	4H
C.105.160.0125.I	10.5	1.60	12.5	2.6422	8.96	9.69	yes	stainless steel	4E
C.105.160.0125.N	10.5	1.60	12.5	3.0370	8.96	9.69	yes	Zn coating	4G
C.105.160.0160.A	10.5	1.60	16.0	2.2090	10.88	11.89	yes	music wire	4E
C.105.160.0160.AP	10.5	1.60	16.0	2.7208	9.60	10.56	yes	music wire	4H
C.105.160.0160.I	10.5	1.60	16.0	1.9218	10.72	11.70	yes	stainless steel	4E
C.105.160.0160.N	10.5	1.60	16.0	2.2090	10.88	11.89	yes	Zn coating	4G
C.105.160.0200.A	10.5	1.60	20.0	1.7000	12.96	14.27	yes	music wire	4E
C.105.160.0200.I	10.5	1.60	20.0	1.4746	12.80	14.09	yes	stainless steel	4F
C.105.160.0200.N	10.5	1.60	20.0	1.7000	12.96	14.27	yes	Zn coating	4G
C.105.160.0250.A	10.5	1.60	25.0	1.3000	15.68	17.39	yes	music wire	4E
C.105.160.0250.AP	10.5	1.60	25.0	1.6140	13.44	15.83	yes	music wire	4I
C.105.160.0250.I	10.5	1.60	25.0	1.1319	15.52	17.21	yes	stainless steel	4F
C.105.160.0250.N	10.5	1.60	25.0	1.3000	15.68	17.39	yes	Zn coating	4G
C.105.160.0320.A	10.5	1.60	32.0	0.9850	19.36	21.61	yes	music wire	4E
C.105.160.0320.AP	10.5	1.60	32.0	1.2367	16.32	20.04	yes	music wire	4I
C.105.160.0320.I	10.5	1.60	32.0	0.8570	19.20	21.43	yes	stainless steel	4F
C.105.160.0320.N	10.5	1.60	32.0	0.9850	19.36	21.61	yes	Zn coating	4G
C.105.160.0400.A	10.5	1.60	40.0	0.7750	23.52	26.38	yes	music wire	4E
C.105.160.0400.AP	10.5	1.60	40.0	0.9717	19.52	24.77	yes	music wire	4I
C.105.160.0400.I	10.5	1.60	40.0	0.6742	23.36	26.19	yes	stainless steel	4F
C.105.160.0400.N	10.5	1.60	40.0	0.7750	23.52	26.38	yes	Zn coating	4G
C.105.160.0500.A	10.5	1.60	50.0	0.6120	28.80	32.43	yes	music wire	4F
C.105.160.0500.AP	10.5	1.60	50.0	0.7618	23.84	30.58	yes	music wire	4I
C.105.160.0500.I	10.5	1.60	50.0	0.5324	28.48	32.06	yes	stainless steel	4F
C.105.160.0500.N	10.5	1.60	50.0	0.6120	28.80	32.43	yes	Zn coating	4H
C.105.160.0630.A	10.5	1.60	63.0	0.4790	35.68	40.32	yes	music wire	4F
C.105.160.0630.AP	10.5	1.60	63.0	0.5989	29.28	38.30	yes	music wire	4I
C.105.160.0630.I	10.5	1.60	63.0	0.4167	35.20	39.77	yes	stainless steel	4F
C.105.160.0630.N	10.5	1.60	63.0	0.4790	35.68	40.32	yes	Zn coating	4H
C.105.160.0800.A	10.5	1.60	80.0	0.3740	44.48	50.41	yes	music wire	4F
C.105.160.0800.I	10.5	1.60	80.0	0.3254	44.00	49.86	yes	stainless steel	4G
C.105.160.0800.N	10.5	1.60	80.0	0.3740	44.48	50.41	yes	Zn coating	4H
C.105.160.1000.A	10.5	1.60	100.0	0.2960	55.20	62.70	yes	music wire	4F
C.105.160.1000.AP	10.5	1.60	100.0	0.3705	44.96	60.07	yes	music wire	4I
C.105.160.1000.I	10.5	1.60	100.0	0.2575	54.56	61.96	yes	stainless steel	4G
C.105.160.1000.N	10.5	1.60	100.0	0.2960	55.20	62.70	yes	Zn coating	4I
C.105.160.3600.A	10.5	1.60	360.0	0.0800	195.04	222.78	no	music wire	4I
C.105.160.3600.I	10.5	1.60	360.0	0.0696	192.64	220.02	no	stainless steel	4I
C.105.180.0125.A	10.5	1.80	12.5	5.4340	9.90	10.63	yes	music wire	4F
C.105.180.0125.I	10.5	1.80	12.5	4.7276	9.90	10.63	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.105.180.0125.N	10.5	1.80	12.5	5.4340	9.90	10.63	yes	Zn coating	4I
C.105.180.0150.A	10.5	1.80	15.0	5.3100	10.08	11.16	yes	music wire	4I
C.105.180.0150.I	10.5	1.80	15.0	4.6197	9.90	11.14	yes	stainless steel	4I
C.105.180.0150.N	10.5	1.80	15.0	5.3100	10.08	11.16	yes	Zn coating	4J
C.105.180.0160.A	10.5	1.80	16.0	3.9060	12.06	13.08	yes	music wire	4F
C.105.180.0160.I	10.5	1.80	16.0	3.3982	11.88	12.88	yes	stainless steel	4G
C.105.180.0160.N	10.5	1.80	16.0	3.9060	12.06	13.08	yes	Zn coating	4I
C.105.180.0200.A	10.5	1.80	20.0	2.9070	14.58	15.94	yes	music wire	4F
C.105.180.0200.I	10.5	1.80	20.0	2.5291	14.40	15.74	yes	stainless steel	4G
C.105.180.0200.N	10.5	1.80	20.0	2.9070	14.58	15.94	yes	Zn coating	4I
C.105.180.0250.A	10.5	1.80	25.0	2.2720	17.28	19.01	yes	music wire	4F
C.105.180.0250.I	10.5	1.80	25.0	1.9766	17.28	19.01	yes	stainless steel	4G
C.105.180.0250.N	10.5	1.80	25.0	2.2720	17.28	19.01	yes	Zn coating	4I
C.105.180.0320.A	10.5	1.80	32.0	1.7120	21.60	23.91	yes	music wire	4G
C.105.180.0320.I	10.5	1.80	32.0	1.4894	21.42	23.70	yes	stainless steel	4G
C.105.180.0320.N	10.5	1.80	32.0	1.7120	21.60	23.91	yes	Zn coating	4I
C.105.180.0400.A	10.5	1.80	40.0	1.3300	26.46	29.43	yes	music wire	4G
C.105.180.0400.I	10.5	1.80	40.0	1.1571	26.28	29.22	yes	stainless steel	4G
C.105.180.0400.N	10.5	1.80	40.0	1.3300	26.46	29.43	yes	Zn coating	4I
C.105.180.0500.A	10.5	1.80	50.0	1.0500	32.40	36.17	yes	music wire	4G
C.105.180.0500.I	10.5	1.80	50.0	0.9135	32.04	35.76	yes	stainless steel	4G
C.105.180.0500.N	10.5	1.80	50.0	1.0500	32.40	36.17	yes	Zn coating	4I
C.105.180.0630.A	10.5	1.80	63.0	0.8170	40.32	45.16	yes	music wire	4G
C.105.180.0630.I	10.5	1.80	63.0	0.7108	39.78	44.54	yes	stainless steel	4G
C.105.180.0630.N	10.5	1.80	63.0	0.8170	40.32	45.16	yes	Zn coating	4I
C.105.180.0800.A	10.5	1.80	80.0	0.6380	50.40	56.60	yes	music wire	4G
C.105.180.0800.I	10.5	1.80	80.0	0.5551	49.68	55.78	yes	stainless steel	4G
C.105.180.0800.N	10.5	1.80	80.0	0.6380	50.40	56.60	yes	Zn coating	4I
C.105.180.1000.A	10.5	1.80	100.0	0.5040	62.46	70.29	yes	music wire	4G
C.105.180.1000.I	10.5	1.80	100.0	0.4385	61.74	69.47	yes	stainless steel	4G
C.105.180.1000.N	10.5	1.80	100.0	0.5040	62.46	70.29	yes	Zn coating	4I
C.105.180.3600.A	10.5	1.80	360.0	0.1360	221.22	250.24	no	music wire	4I
C.105.180.3600.I	10.5	1.80	360.0	0.1183	218.52	247.18	no	stainless steel	4I
C.105.200.0260.A	10.5	2.00	26.0	4.0080	18.20	19.88	yes	music wire	4I
C.105.200.0260.I	10.5	2.00	26.0	3.4870	18.00	19.65	yes	stainless steel	4I
C.105.200.0260.N	10.5	2.00	26.0	4.0080	18.20	19.88	yes	Zn coating	4J
C.105.225.0125.A	10.5	2.25	12.5	20.1314	10.80	11.42	yes	music wire	4E
C.105.225.0160.A	10.5	2.25	16.0	10.0000	15.98	15.98	yes	music wire	4G
C.105.225.0160.AL	10.5	2.25	16.0	12.1000	14.18	15.21	yes	music wire	4E
C.105.225.0160.AP	10.5	2.25	16.0	13.0647	13.73	14.70	yes	music wire	4G
C.105.225.0160.I	10.5	2.25	16.0	8.7000	15.98	15.98	yes	stainless steel	4G
C.105.225.0160.N	10.5	2.25	16.0	10.0000	15.98	15.98	yes	Zn coating	4I
C.105.225.0200.A	10.5	2.25	20.0	7.8125	19.13	19.13	yes	music wire	4G
C.105.225.0200.AL	10.5	2.25	20.0	8.8000	17.55	18.98	yes	music wire	4E
C.105.225.0200.AP	10.5	2.25	20.0	10.0070	15.98	17.22	yes	music wire	4I
C.105.225.0200.I	10.5	2.25	20.0	6.7969	18.90	18.90	yes	stainless steel	4G
C.105.225.0200.N	10.5	2.25	20.0	7.8125	19.13	19.13	yes	Zn coating	4I
C.105.225.0250.A	10.5	2.25	25.0	6.2500	22.28	24.28	yes	music wire	4G
C.105.225.0250.AP	10.5	2.25	25.0	7.5860	19.35	21.00	yes	music wire	4I
C.105.225.0250.I	10.5	2.25	25.0	5.4375	22.05	24.02	yes	stainless steel	4G
C.105.225.0250.N	10.5	2.25	25.0	6.2500	22.28	24.28	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.105.225.0320.A	10.5	2.25	32.0	5.0000	26.55	29.06	yes	music wire	4G
C.105.225.0320.I	10.5	2.25	32.0	4.3500	26.33	28.82	yes	stainless steel	4G
C.105.225.0320.N	10.5	2.25	32.0	5.0000	26.55	29.06	yes	Zn coating	4I
C.105.225.0400.A	10.5	2.25	40.0	3.9683	31.95	35.11	yes	music wire	4G
C.105.225.0400.I	10.5	2.25	40.0	3.4524	31.73	34.87	yes	stainless steel	4G
C.105.225.0400.N	10.5	2.25	40.0	3.9683	31.95	35.11	yes	Zn coating	4I
C.105.225.0500.A	10.5	2.25	50.0	3.1250	39.15	43.18	yes	music wire	4G
C.105.225.0500.I	10.5	2.25	50.0	2.7188	38.70	42.67	yes	stainless steel	4G
C.105.225.0500.N	10.5	2.25	50.0	3.1250	39.15	43.18	yes	Zn coating	4I
C.105.225.0630.A	10.5	2.25	63.0	2.5000	47.48	52.51	yes	music wire	4I
C.105.225.0630.I	10.5	2.25	63.0	2.1750	47.03	52.00	yes	stainless steel	4I
C.105.225.0630.N	10.5	2.25	63.0	2.5000	47.48	52.51	yes	Zn coating	4J
C.105.225.0800.A	10.5	2.25	80.0	2.0000	57.83	64.10	yes	music wire	4I
C.105.225.0800.I	10.5	2.25	80.0	1.7400	57.38	63.60	yes	stainless steel	4I
C.105.225.0800.N	10.5	2.25	80.0	2.0000	57.83	64.10	yes	Zn coating	4J
C.105.225.1000.A	10.5	2.25	100.0	1.5625	72.68	80.74	yes	music wire	4I
C.105.225.1000.I	10.5	2.25	100.0	1.3594	71.78	79.73	yes	stainless steel	4J
C.105.225.1000.N	10.5	2.25	100.0	1.5625	72.68	80.74	yes	Zn coating	4J
C.105.225.1250.A	10.5	2.25	125.0	1.2500	89.33	99.39	yes	music wire	4J
C.105.225.1250.I	10.5	2.25	125.0	1.0875	88.20	98.12	yes	stainless steel	4J
C.105.225.1250.N	10.5	2.25	125.0	1.2500	89.33	99.39	yes	Zn coating	4K
C.106.060.0108.A	10.6	0.60	10.8	0.0377	3.60	4.69	yes	music wire	4C
C.106.060.0108.I	10.6	0.60	10.8	0.0324	3.60	4.69	yes	stainless steel	4C
C.106.060.0108.N	10.6	0.60	10.8	0.0377	3.60	4.69	yes	Zn coating	4E
C.106.060.0170.A	10.6	0.60	17.0	0.0240	4.80	6.50	yes	music wire	4C
C.106.060.0170.I	10.6	0.60	17.0	0.0206	4.80	6.50	yes	stainless steel	4C
C.106.060.0170.N	10.6	0.60	17.0	0.0240	4.80	6.50	yes	Zn coating	4E
C.106.060.0200.A	10.6	0.60	20.0	0.0440	3.30	4.23	yes	music wire	4C
C.106.060.0200.I	10.6	0.60	20.0	0.0378	3.30	4.23	yes	stainless steel	4C
C.106.060.0263.A	10.6	0.60	26.3	0.0155	6.60	9.23	yes	music wire	4C
C.106.060.0263.I	10.6	0.60	26.3	0.0133	6.60	9.23	yes	stainless steel	4C
C.106.060.0263.N	10.6	0.60	26.3	0.0155	6.60	9.23	yes	Zn coating	4E
C.106.060.0300.A	10.6	0.60	30.0	0.0287	4.26	5.69	yes	music wire	4C
C.106.060.0300.I	10.6	0.60	30.0	0.0247	4.26	5.69	yes	stainless steel	4C
C.106.060.0383.A	10.6	0.60	38.3	0.0106	9.00	12.88	yes	music wire	4C
C.106.060.0383.I	10.6	0.60	38.3	0.0091	9.00	12.88	yes	stainless steel	4C
C.106.060.0383.N	10.6	0.60	38.3	0.0106	9.00	12.88	yes	Zn coating	4E
C.106.060.0530.A	10.6	0.60	53.0	0.0085	10.80	15.61	yes	music wire	4C
C.106.060.0530.I	10.6	0.60	53.0	0.0073	10.80	15.61	yes	stainless steel	4D
C.106.060.0530.N	10.6	0.60	53.0	0.0085	10.80	15.61	yes	Zn coating	4E
C.106.060.0800.A	10.6	0.60	80.0	0.0106	9.00	12.88	yes	music wire	4D
C.106.060.0800.I	10.6	0.60	80.0	0.0091	9.00	12.88	yes	stainless steel	4D
C.106.180.0380.A	10.6	1.80	38.0	1.5397	22.86	25.35	yes	music wire	4I
C.106.180.0380.I	10.6	1.80	38.0	1.3395	22.68	25.15	yes	stainless steel	4I
C.106.180.0800.A	10.6	1.80	80.0	0.5812	53.10	59.70	yes	music wire	4G
C.106.180.0800.I	10.6	1.80	80.0	0.4992	53.10	59.70	yes	stainless steel	4G
C.107.050.0103.A	10.7	0.50	10.3	0.0220	3.10	4.08	no	music wire	4B
C.107.050.0103.I	10.7	0.50	10.3	0.0191	3.10	4.08	no	stainless steel	4C
C.107.050.0174.A	10.7	0.50	17.4	0.0060	6.75	10.37	no	music wire	4B
C.107.050.0174.I	10.7	0.50	17.4	0.0052	6.70	10.29	no	stainless steel	4C
C.107.050.0191.A	10.7	0.50	19.1	0.0161	3.60	4.94	no	music wire	4B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.107.050.0191.I	10.7	0.50	19.1	0.0140	3.60	4.94	no	stainless steel	4C
C.107.050.0240.A	10.7	0.50	24.0	0.0057	6.95	10.72	no	music wire	4B
C.107.050.0240.I	10.7	0.50	24.0	0.0050	6.90	10.63	no	stainless steel	4C
C.107.050.0320.A	10.7	0.50	32.0	0.0070	6.05	9.16	no	music wire	4C
C.107.050.0320.I	10.7	0.50	32.0	0.0050	6.90	10.63	no	stainless steel	4C
C.107.050.0380.A	10.7	0.50	38.0	0.0046	8.25	12.96	no	music wire	4C
C.107.050.0380.I	10.7	0.50	38.0	0.0040	8.20	12.87	no	stainless steel	4C
C.107.050.0500.A	10.7	0.50	50.0	0.0060	6.75	10.37	no	music wire	4C
C.107.050.0500.I	10.7	0.50	50.0	0.0052	6.70	10.29	no	stainless steel	4C
C.107.060.0127.A	10.7	0.60	12.7	0.0330	3.84	5.07	yes	music wire	4C
C.107.060.0127.I	10.7	0.60	12.7	0.0287	3.78	4.98	yes	stainless steel	4C
C.107.060.0143.A	10.7	0.60	14.3	0.0230	4.86	6.62	yes	music wire	4C
C.107.060.0143.I	10.7	0.60	14.3	0.0200	4.80	6.53	yes	stainless steel	4C
C.107.060.0300.A	10.7	0.60	30.0	0.0299	4.08	5.43	yes	music wire	4C
C.107.060.0300.I	10.7	0.60	30.0	0.0260	4.02	5.34	yes	stainless steel	4C
C.107.060.0360.A	10.7	0.60	36.0	0.0103	8.94	12.85	yes	music wire	4C
C.107.060.0360.I	10.7	0.60	36.0	0.0090	8.82	12.66	yes	stainless steel	4C
C.107.060.0640.A	10.7	0.60	64.0	0.0126	7.56	10.74	yes	music wire	4C
C.107.060.0640.I	10.7	0.60	64.0	0.0110	7.50	10.65	yes	stainless steel	4D
C.107.080.0143.A	10.7	0.80	14.3	0.2529	3.36	5.93	yes	music wire	4E
C.107.080.0143.I	10.7	0.80	14.3	0.2200	3.36	6.06	yes	stainless steel	4F
C.107.080.0174.A	10.7	0.80	17.4	0.1264	4.72	5.62	yes	music wire	4C
C.107.080.0174.I	10.7	0.80	17.4	0.1100	4.72	5.62	yes	stainless steel	4C
C.107.090.0127.A	10.7	0.90	12.7	0.3950	3.87	5.24	yes	music wire	4E
C.107.090.0127.I	10.7	0.90	12.7	0.3393	3.87	5.24	yes	stainless steel	4F
C.107.090.0127.N	10.7	0.90	12.7	0.3950	3.87	5.24	yes	Zn coating	4H
C.107.090.0157.A	10.7	0.90	15.7	0.3000	4.41	5.87	yes	music wire	4E
C.107.090.0157.I	10.7	0.90	15.7	0.2582	4.41	5.90	yes	stainless steel	4F
C.107.090.0157.N	10.7	0.90	15.7	0.3000	4.41	5.87	yes	Zn coating	4H
C.107.090.0190.A	10.7	0.90	19.0	0.1961	5.49	6.39	yes	music wire	4C
C.107.090.0190.AP	10.7	0.90	19.0	0.2729	4.59	8.20	yes	music wire	4F
C.107.090.0190.I	10.7	0.90	19.0	0.1634	5.58	6.51	yes	stainless steel	4C
C.107.090.0224.A	10.7	0.90	22.4	0.2034	5.40	7.91	yes	music wire	4F
C.107.090.0224.I	10.7	0.90	22.4	0.1747	5.40	7.92	yes	stainless steel	4F
C.107.090.0224.N	10.7	0.90	22.4	0.2034	5.40	7.91	yes	Zn coating	4H
C.107.090.0254.A	10.7	0.90	25.4	0.1751	5.94	8.56	yes	music wire	4F
C.107.090.0254.I	10.7	0.90	25.4	0.1504	5.94	8.58	yes	stainless steel	4F
C.107.090.0254.N	10.7	0.90	25.4	0.1751	5.94	8.56	yes	Zn coating	4H
C.107.090.0305.A	10.7	0.90	30.5	0.1352	7.02	8.70	yes	music wire	4F
C.107.090.0305.I	10.7	0.90	30.5	0.1177	6.93	8.99	yes	stainless steel	4F
C.107.090.0318.A	10.7	0.90	31.8	0.1370	6.93	10.28	yes	music wire	4F
C.107.090.0318.I	10.7	0.90	31.8	0.1192	6.84	10.57	yes	stainless steel	4F
C.107.090.0318.N	10.7	0.90	31.8	0.1370	6.93	10.28	yes	Zn coating	4H
C.107.090.0380.A	10.7	0.90	38.0	0.0932	9.09	10.99	yes	music wire	4C
C.107.090.0380.I	10.7	0.90	38.0	0.0830	8.82	10.65	yes	stainless steel	4D
C.107.090.0381.A	10.7	0.90	38.1	0.1125	7.92	11.89	yes	music wire	4F
C.107.090.0381.I	10.7	0.90	38.1	0.0966	7.92	11.91	yes	stainless steel	4G
C.107.090.0381.N	10.7	0.90	38.1	0.1125	7.92	11.89	yes	Zn coating	4H
C.107.090.0444.A	10.7	0.90	44.4	0.0954	8.91	13.50	yes	music wire	4F
C.107.090.0444.I	10.7	0.90	44.4	0.0830	8.82	13.92	yes	stainless steel	4G
C.107.090.0444.N	10.7	0.90	44.4	0.0954	8.91	13.50	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.107.090.0450.A	10.7	0.90	45.0	0.0804	10.17	12.37	yes	music wire	4C
C.107.090.0450.I	10.7	0.90	45.0	0.0670	10.44	12.72	yes	stainless steel	4D
C.107.090.0457.A	10.7	0.90	45.7	0.0942	9.00	14.40	yes	music wire	4F
C.107.090.0457.I	10.7	0.90	45.7	0.0820	8.91	14.83	yes	stainless steel	4G
C.107.090.0570.A	10.7	0.90	57.0	0.0670	11.79	14.44	yes	music wire	4G
C.107.090.0570.I	10.7	0.90	57.0	0.0570	11.88	14.56	yes	stainless steel	4G
C.107.090.4000.A	10.7	0.90	400.0	0.0069	94.95	120.71	yes	music wire	4H
C.107.090.4000.AP	10.7	0.90	400.0	0.0120	55.71	153.56	yes	music wire	4J
C.107.090.4000.I	10.7	0.90	400.0	0.0060	93.78	119.21	yes	stainless steel	4I
C.107.100.0071.A	10.7	1.00	7.1	1.3000	3.40	4.05	yes	music wire	4E
C.107.100.0071.I	10.7	1.00	7.1	1.1310	3.30	4.09	yes	stainless steel	4F
C.107.100.0079.A	10.7	1.00	7.9	1.1494	3.50	4.45	yes	music wire	4E
C.107.100.0079.I	10.7	1.00	7.9	1.0000	3.50	4.49	yes	stainless steel	4F
C.107.100.0103.A	10.7	1.00	10.3	0.3333	5.80	6.60	yes	music wire	4C
C.107.100.0103.AP	10.7	1.00	10.3	0.7442	4.00	4.98	yes	music wire	4E
C.107.100.0103.I	10.7	1.00	10.3	0.2900	5.80	6.60	yes	stainless steel	4C
C.107.100.0142.A	10.7	1.00	14.2	0.3950	5.30	5.98	yes	music wire	4C
C.107.100.0142.I	10.7	1.00	14.2	0.3393	5.30	5.98	yes	stainless steel	4C
C.107.100.0142.N	10.7	1.00	14.2	0.3950	5.30	5.98	yes	Zn coating	4E
C.107.100.0190.A	10.7	1.00	19.0	0.3111	6.10	6.97	yes	music wire	4F
C.107.100.0190.I	10.7	1.00	19.0	0.2672	6.10	6.97	yes	stainless steel	4F
C.107.100.0190.N	10.7	1.00	19.0	0.3111	6.10	6.97	yes	Zn coating	4H
C.107.100.0210.A	10.7	1.00	21.0	0.2184	7.60	8.83	yes	music wire	4C
C.107.100.0210.AP	10.7	1.00	21.0	0.3383	5.80	9.29	yes	music wire	4F
C.107.100.0210.I	10.7	1.00	21.0	0.1900	7.50	8.71	yes	stainless steel	4D
C.107.100.0224.A	10.7	1.00	22.4	0.2533	6.90	7.96	yes	music wire	4C
C.107.100.0224.I	10.7	1.00	22.4	0.2204	6.80	7.84	yes	stainless steel	4F
C.107.100.0240.A	10.7	1.00	24.0	0.1379	10.60	12.55	yes	music wire	4C
C.107.100.0240.AP	10.7	1.00	24.0	0.2937	6.30	10.52	yes	music wire	4F
C.107.100.0240.I	10.7	1.00	24.0	0.1200	10.50	12.43	yes	stainless steel	4D
C.107.100.0305.A	10.7	1.00	30.5	0.1727	9.00	10.57	yes	music wire	4C
C.107.100.0305.I	10.7	1.00	30.5	0.1502	8.90	10.44	yes	stainless steel	4D
C.107.100.0381.A	10.7	1.00	38.1	0.1509	9.90	11.85	yes	music wire	4F
C.107.100.0381.I	10.7	1.00	38.1	0.1296	9.90	11.80	yes	stainless steel	4G
C.107.100.0381.N	10.7	1.00	38.1	0.1509	9.90	11.85	yes	Zn coating	4I
C.107.100.0444.A	10.7	1.00	44.4	0.1288	11.20	13.64	yes	music wire	4F
C.107.100.0444.I	10.7	1.00	44.4	0.1120	11.10	13.98	yes	stainless steel	4G
C.107.100.0444.N	10.7	1.00	44.4	0.1288	11.20	13.64	yes	Zn coating	4I
C.107.100.0457.A	10.7	1.00	45.7	0.1271	11.30	14.54	yes	music wire	4F
C.107.100.0457.I	10.7	1.00	45.7	0.1106	11.20	14.88	yes	stainless steel	4G
C.107.100.0572.A	10.7	1.00	57.2	0.1069	12.90	20.13	yes	music wire	4G
C.107.100.0572.I	10.7	1.00	57.2	0.0930	12.80	20.54	yes	stainless steel	4G
C.107.100.0572.N	10.7	1.00	57.2	0.1069	12.90	20.13	yes	Zn coating	4I
C.107.100.0635.A	10.7	1.00	63.5	0.0974	14.00	22.83	yes	music wire	4G
C.107.100.0635.I	10.7	1.00	63.5	0.0836	14.00	22.75	yes	stainless steel	4G
C.107.100.0635.N	10.7	1.00	63.5	0.0974	14.00	22.83	yes	Zn coating	4I
C.107.100.2030.A	10.7	1.00	203.0	0.0299	39.90	70.46	yes	music wire	4I
C.107.100.2030.I	10.7	1.00	203.0	0.0260	39.40	71.91	yes	stainless steel	4I
C.107.110.0100.A	10.7	1.10	10.0	0.8000	5.06	5.55	yes	music wire	4C
C.107.110.0100.AP	10.7	1.10	10.0	1.1249	4.40	5.41	yes	music wire	4F
C.107.110.0100.I	10.7	1.10	10.0	0.6960	5.06	5.55	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.107.110.0100.N	10.7	1.10	10.0	0.8000	5.06	5.55	yes	Zn coating	4E
C.107.110.0111.A	10.7	1.10	11.1	1.2644	4.18	7.01	yes	music wire	4H
C.107.110.0111.I	10.7	1.10	11.1	1.1000	4.18	7.05	yes	stainless steel	4I
C.107.110.0125.A	10.7	1.10	12.5	0.6222	5.72	6.36	yes	music wire	4C
C.107.110.0142.A	10.7	1.10	14.2	0.6357	5.72	6.36	yes	music wire	4F
C.107.110.0142.I	10.7	1.10	14.2	0.5531	5.61	6.22	yes	stainless steel	4F
C.107.110.0143.A	10.7	1.10	14.3	0.4598	6.82	7.69	yes	music wire	4C
C.107.110.0143.AP	10.7	1.10	14.3	0.7337	5.28	7.26	yes	music wire	4F
C.107.110.0143.I	10.7	1.10	14.3	0.4000	6.71	7.56	yes	stainless steel	4D
C.107.110.0160.A	10.7	1.10	16.0	0.6000	5.83	7.39	yes	music wire	4F
C.107.110.0160.AP	10.7	1.10	16.0	0.5000	6.49	7.29	yes	music wire	4C
C.107.110.0160.I	10.7	1.10	16.0	0.5220	5.83	7.46	yes	stainless steel	4F
C.107.110.0190.A	10.7	1.10	19.0	0.4191	7.15	8.09	yes	music wire	4C
C.107.110.0190.I	10.7	1.10	19.0	0.3646	7.15	8.09	yes	stainless steel	4D
C.107.110.0190.N	10.7	1.10	19.0	0.4191	7.15	8.09	yes	Zn coating	4E
C.107.110.0200.A	10.7	1.10	20.0	0.4000	7.37	8.36	yes	music wire	4C
C.107.110.0224.A	10.7	1.10	22.4	0.3468	8.14	9.29	yes	music wire	4C
C.107.110.0224.I	10.7	1.10	22.4	0.3017	8.03	9.16	yes	stainless steel	4D
C.107.110.0224.N	10.7	1.10	22.4	0.3468	8.14	9.29	yes	Zn coating	4E
C.107.110.0250.A	10.7	1.10	25.0	0.3111	8.69	9.96	yes	music wire	4C
C.107.110.0320.A	10.7	1.10	32.0	0.2500	10.12	11.70	yes	music wire	4C
C.107.110.0380.A	10.7	1.10	38.0	0.1800	13.09	15.31	yes	music wire	4C
C.107.110.0380.AP	10.7	1.10	38.0	0.2519	10.12	17.48	yes	music wire	4F
C.107.110.0380.I	10.7	1.10	38.0	0.1600	12.65	14.77	yes	stainless steel	4D
C.107.110.0400.A	10.7	1.10	40.0	0.2000	11.99	14.16	yes	music wire	4C
C.107.110.0450.A	10.7	1.10	45.0	0.1600	14.30	16.77	yes	music wire	4D
C.107.110.0450.I	10.7	1.10	45.0	0.1400	14.08	16.51	yes	stainless steel	4D
C.107.110.0500.A	10.7	1.10	50.0	0.1556	14.63	17.18	yes	music wire	4C
C.107.110.0559.A	10.7	1.10	55.9	0.1319	16.83	19.85	yes	music wire	4D
C.107.110.0559.I	10.7	1.10	55.9	0.1147	16.61	19.58	yes	stainless steel	4G
C.107.110.0570.A	10.7	1.10	57.0	0.1127	19.25	22.79	yes	music wire	4D
C.107.110.0570.AP	10.7	1.10	57.0	0.1654	13.97	25.76	yes	music wire	4G
C.107.110.0570.I	10.7	1.10	57.0	0.0980	19.03	22.52	yes	stainless steel	4D
C.107.110.0572.A	10.7	1.10	57.2	0.1336	16.61	19.58	yes	music wire	4G
C.107.110.0572.I	10.7	1.10	57.2	0.1162	16.50	19.45	yes	stainless steel	4G
C.107.110.0572.N	10.7	1.10	57.2	0.1336	16.61	19.58	yes	Zn coating	4I
C.107.110.0630.A	10.7	1.10	63.0	0.1244	17.60	21.47	yes	music wire	4C
C.107.110.0760.A	10.7	1.10	76.0	0.0970	21.89	25.99	yes	music wire	4G
C.107.110.0760.I	10.7	1.10	76.0	0.0844	21.67	25.72	yes	stainless steel	4G
C.107.110.0760.N	10.7	1.10	76.0	0.0970	21.89	25.99	yes	Zn coating	4I
C.107.110.0800.A	10.7	1.10	80.0	0.1000	21.34	28.31	yes	music wire	4C
C.107.110.1000.A	10.7	1.10	100.0	0.0778	26.62	33.55	yes	music wire	4C
C.107.110.1250.A	10.7	1.10	125.0	0.0643	31.57	44.62	yes	music wire	4G
C.107.110.1250.I	10.7	1.10	125.0	0.0559	31.24	45.29	yes	stainless steel	4H
C.107.110.1250.N	10.7	1.10	125.0	0.0643	31.57	44.62	yes	Zn coating	4I
C.107.110.1600.A	10.7	1.10	160.0	0.0514	38.83	59.45	yes	music wire	4H
C.107.110.1600.I	10.7	1.10	160.0	0.0447	38.39	60.29	yes	stainless steel	4I
C.107.110.1600.N	10.7	1.10	160.0	0.0514	38.83	59.45	yes	Zn coating	4I
C.107.110.2000.A	10.7	1.10	200.0	0.0400	49.06	70.79	yes	music wire	4I
C.107.110.2000.I	10.7	1.10	200.0	0.0348	48.51	71.87	yes	stainless steel	4I
C.107.110.2000.N	10.7	1.10	200.0	0.0400	49.06	70.79	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.107.110.2200.A	10.7	1.10	220.0	0.0340	57.31	69.00	yes	music wire	4I
C.107.110.2200.I	10.7	1.10	220.0	0.0296	56.65	69.26	yes	stainless steel	4I
C.107.110.2200.N	10.7	1.10	220.0	0.0340	57.31	69.00	yes	Zn coating	4J
C.107.110.2500.A	10.7	1.10	250.0	0.0321	60.50	88.99	yes	music wire	4I
C.107.110.2500.I	10.7	1.10	250.0	0.0279	59.73	90.33	yes	stainless steel	4I
C.107.110.2500.N	10.7	1.10	250.0	0.0321	60.50	88.99	yes	Zn coating	4J
C.107.120.0079.A	10.7	1.20	7.9	2.3000	4.32	5.04	yes	music wire	4F
C.107.120.0079.I	10.7	1.20	7.9	2.0000	4.32	5.05	yes	stainless steel	4F
C.107.120.0103.A	10.7	1.20	10.3	1.7241	4.68	6.48	yes	music wire	4I
C.107.120.0103.I	10.7	1.20	10.3	1.5000	4.68	6.50	yes	stainless steel	4I
C.107.120.0111.A	10.7	1.20	11.1	1.0460	5.88	6.44	yes	music wire	4C
C.107.120.0111.I	10.7	1.20	11.1	0.9100	5.76	6.30	yes	stainless steel	4D
C.107.120.0127.A	10.7	1.20	12.7	0.7033	7.20	8.01	yes	music wire	4C
C.107.120.0127.AP	10.7	1.20	12.7	1.1220	5.64	6.83	yes	music wire	4F
C.107.120.0127.I	10.7	1.20	12.7	0.6041	7.20	8.01	yes	stainless steel	4D
C.107.120.0127.N	10.7	1.20	12.7	0.7033	7.20	8.01	yes	Zn coating	4E
C.107.120.0190.A	10.7	1.20	19.0	0.4943	9.00	10.16	yes	music wire	4C
C.107.120.0190.AP	10.7	1.20	19.0	0.7260	7.08	9.93	yes	music wire	4F
C.107.120.0190.I	10.7	1.20	19.0	0.4245	9.00	10.16	yes	stainless steel	4D
C.107.120.0190.N	10.7	1.20	19.0	0.4943	9.00	10.16	yes	Zn coating	4E
C.107.120.0254.A	10.7	1.20	25.4	0.3689	11.04	12.60	yes	music wire	4C
C.107.120.0254.AP	10.7	1.20	25.4	0.5252	8.64	12.86	yes	music wire	4F
C.107.120.0254.I	10.7	1.20	25.4	0.3169	11.04	12.60	yes	stainless steel	4D
C.107.120.0254.N	10.7	1.20	25.4	0.3689	11.04	12.60	yes	Zn coating	4E
C.107.120.0305.A	10.7	1.20	30.5	0.2981	12.96	14.89	yes	music wire	4C
C.107.120.0305.AP	10.7	1.20	30.5	0.4256	9.96	15.03	yes	music wire	4F
C.107.120.0305.I	10.7	1.20	30.5	0.2593	12.84	14.75	yes	stainless steel	4D
C.107.120.0318.A	10.7	1.20	31.8	0.3020	12.84	14.75	yes	music wire	4C
C.107.120.0318.AP	10.7	1.20	31.8	0.4114	10.20	15.80	yes	music wire	4F
C.107.120.0318.I	10.7	1.20	31.8	0.2627	12.72	14.61	yes	stainless steel	4D
C.107.120.0318.N	10.7	1.20	31.8	0.3020	12.84	14.75	yes	Zn coating	4E
C.107.120.0381.A	10.7	1.20	38.1	0.2556	14.52	16.75	yes	music wire	4D
C.107.120.0381.I	10.7	1.20	38.1	0.2195	14.52	16.75	yes	stainless steel	4D
C.107.120.0381.N	10.7	1.20	38.1	0.2556	14.52	16.75	yes	Zn coating	4E
C.107.120.0444.A	10.7	1.20	44.4	0.2215	16.32	18.90	yes	music wire	4D
C.107.120.0444.I	10.7	1.20	44.4	0.1927	16.20	18.76	yes	stainless steel	4D
C.107.120.0444.N	10.7	1.20	44.4	0.2215	16.32	18.90	yes	Zn coating	4E
C.107.120.0457.A	10.7	1.20	45.7	0.2187	16.56	19.19	yes	music wire	4D
C.107.120.0457.I	10.7	1.20	45.7	0.1903	16.32	18.90	yes	stainless steel	4D
C.107.120.0508.A	10.7	1.20	50.8	0.1922	18.36	21.34	yes	music wire	4D
C.107.120.0508.I	10.7	1.20	50.8	0.1651	18.36	21.34	yes	stainless steel	4D
C.107.120.0508.N	10.7	1.20	50.8	0.1922	18.36	21.34	yes	Zn coating	4E
C.107.120.0570.A	10.7	1.20	57.0	0.1954	18.12	23.30	yes	music wire	4G
C.107.120.0570.I	10.7	1.20	57.0	0.1700	17.88	23.51	yes	stainless steel	4G
C.107.120.1520.A	10.7	1.20	152.0	0.0470	65.88	78.08	yes	music wire	4E
C.107.120.1520.AP	10.7	1.20	152.0	0.0812	39.36	70.91	yes	music wire	4H
C.107.120.1520.I	10.7	1.20	152.0	0.0409	65.16	77.22	yes	stainless steel	4E
C.107.130.0079.A	10.7	1.30	7.9	3.1034	4.68	5.25	yes	music wire	4F
C.107.130.0079.I	10.7	1.30	7.9	2.7000	4.68	5.26	yes	stainless steel	4F
C.107.130.0127.A	10.7	1.30	12.7	1.0093	7.80	8.61	yes	music wire	4C
C.107.130.0127.AP	10.7	1.30	12.7	1.5273	6.24	7.32	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.107.130.0127.I	10.7	1.30	12.7	0.8669	7.80	8.61	yes	stainless steel	4D
C.107.130.0127.N	10.7	1.30	12.7	1.0093	7.80	8.61	yes	Zn coating	4E
C.107.130.0157.A	10.7	1.30	15.7	0.8238	8.84	9.84	yes	music wire	4C
C.107.130.0157.AP	10.7	1.30	15.7	1.2113	7.02	8.91	yes	music wire	4F
C.107.130.0157.I	10.7	1.30	15.7	0.7076	8.84	9.84	yes	stainless steel	4D
C.107.130.0157.N	10.7	1.30	15.7	0.8238	8.84	9.84	yes	Zn coating	4E
C.107.130.0190.A	10.7	1.30	19.0	0.6959	9.75	10.91	yes	music wire	4C
C.107.130.0190.AP	10.7	1.30	19.0	0.9494	8.06	10.34	yes	music wire	4F
C.107.130.0190.I	10.7	1.30	19.0	0.5977	9.75	10.91	yes	stainless steel	4D
C.107.130.0190.N	10.7	1.30	19.0	0.6959	9.75	10.91	yes	Zn coating	4E
C.107.130.0224.A	10.7	1.30	22.4	0.5828	11.05	12.44	yes	music wire	4C
C.107.130.0224.AP	10.7	1.30	22.4	0.7984	8.97	12.10	yes	music wire	4F
C.107.130.0224.I	10.7	1.30	22.4	0.5000	11.05	12.44	yes	stainless steel	4D
C.107.130.0224.N	10.7	1.30	22.4	0.5828	11.05	12.44	yes	Zn coating	4E
C.107.130.0254.A	10.7	1.30	25.4	0.5158	12.09	13.67	yes	music wire	4C
C.107.130.0254.AP	10.7	1.30	25.4	0.6888	9.88	13.47	yes	music wire	4F
C.107.130.0254.I	10.7	1.30	25.4	0.4430	12.09	13.67	yes	stainless steel	4D
C.107.130.0254.N	10.7	1.30	25.4	0.5158	12.09	13.67	yes	Zn coating	4E
C.107.130.0305.A	10.7	1.30	30.5	0.4139	14.30	16.27	yes	music wire	4D
C.107.130.0305.AP	10.7	1.30	30.5	0.5666	11.31	15.99	yes	music wire	4F
C.107.130.0305.I	10.7	1.30	30.5	0.3601	14.17	16.12	yes	stainless steel	4D
C.107.130.0318.A	10.7	1.30	31.8	0.4193	14.17	16.12	yes	music wire	4D
C.107.130.0318.I	10.7	1.30	31.8	0.3648	13.91	15.81	yes	stainless steel	4D
C.107.130.0318.N	10.7	1.30	31.8	0.4193	14.17	16.12	yes	Zn coating	4E
C.107.130.0381.A	10.7	1.30	38.1	0.3532	16.12	18.42	yes	music wire	4D
C.107.130.0381.I	10.7	1.30	38.1	0.3034	16.12	18.42	yes	stainless steel	4D
C.107.130.0381.N	10.7	1.30	38.1	0.3532	16.12	18.42	yes	Zn coating	4E
C.107.130.0457.A	10.7	1.30	45.7	0.3012	18.33	21.02	yes	music wire	4G
C.107.130.0457.I	10.7	1.30	45.7	0.2621	18.20	20.87	yes	stainless steel	4G
C.107.130.0508.A	10.7	1.30	50.8	0.2686	20.15	23.17	yes	music wire	4G
C.107.130.0508.I	10.7	1.30	50.8	0.2307	20.15	23.17	yes	stainless steel	4D
C.107.130.0508.N	10.7	1.30	50.8	0.2686	20.15	23.17	yes	Zn coating	4I
C.107.130.0559.A	10.7	1.30	55.9	0.2368	22.49	25.92	yes	music wire	4D
C.107.130.0559.I	10.7	1.30	55.9	0.2060	22.23	25.62	yes	stainless steel	4E
C.107.130.0635.A	10.7	1.30	63.5	0.2166	24.31	28.07	yes	music wire	4G
C.107.130.0635.I	10.7	1.30	63.5	0.1861	24.31	28.07	yes	stainless steel	4G
C.107.130.0635.N	10.7	1.30	63.5	0.2166	24.31	28.07	yes	Zn coating	4I
C.107.140.0095.A	10.7	1.40	9.5	2.7586	6.02	6.44	yes	music wire	4E
C.107.140.0095.I	10.7	1.40	9.5	2.4000	5.88	6.28	yes	stainless steel	4E
C.107.140.0190.A	10.7	1.40	19.0	1.0737	9.80	10.85	yes	music wire	4E
C.107.140.0190.I	10.7	1.40	19.0	0.9222	9.80	10.85	yes	stainless steel	4E
C.107.140.0190.N	10.7	1.40	19.0	1.0737	9.80	10.85	yes	Zn coating	4G
C.107.140.0224.A	10.7	1.40	22.4	0.8946	11.06	12.32	yes	music wire	4H
C.107.140.0224.I	10.7	1.40	22.4	0.7684	11.06	12.32	yes	stainless steel	4E
C.107.140.0224.N	10.7	1.40	22.4	0.8946	11.06	12.32	yes	Zn coating	4I
C.107.140.0305.A	10.7	1.40	30.5	0.6020	14.84	16.72	yes	music wire	4E
C.107.140.0305.I	10.7	1.40	30.5	0.5238	14.70	16.56	yes	stainless steel	4E
C.107.140.0360.A	10.7	1.40	36.0	0.5977	14.84	19.13	yes	music wire	4I
C.107.140.0360.I	10.7	1.40	36.0	0.5200	14.70	19.15	yes	stainless steel	4I
C.107.140.0381.A	10.7	1.40	38.1	0.4969	17.22	19.50	yes	music wire	4I
C.107.140.0381.I	10.7	1.40	38.1	0.4267	17.22	19.50	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.107.140.0381.N	10.7	1.40	38.1	0.4969	17.22	19.50	yes	Zn coating	4I
C.107.140.0450.A	10.7	1.40	45.0	0.4200	19.74	22.44	yes	music wire	4I
C.107.140.0450.I	10.7	1.40	45.0	0.3654	19.46	22.11	yes	stainless steel	4I
C.107.140.0457.A	10.7	1.40	45.7	0.4013	20.44	23.26	yes	music wire	4I
C.107.140.0457.I	10.7	1.40	45.7	0.3491	20.30	23.09	yes	stainless steel	4I
C.107.140.0559.A	10.7	1.40	55.9	0.3116	25.34	28.97	yes	music wire	4E
C.107.140.0559.I	10.7	1.40	55.9	0.2711	25.06	28.64	yes	stainless steel	4F
C.107.140.0572.A	10.7	1.40	57.2	0.3156	25.06	28.64	yes	music wire	4I
C.107.140.0572.I	10.7	1.40	57.2	0.2746	24.78	28.32	yes	stainless steel	4I
C.107.140.0572.N	10.7	1.40	57.2	0.3156	25.06	28.64	yes	Zn coating	4I
C.107.140.1050.A	10.7	1.40	105.0	0.2414	31.78	63.22	yes	music wire	4J
C.107.140.1050.I	10.7	1.40	105.0	0.2100	31.36	63.28	yes	stainless steel	4J
C.107.150.0103.A	10.7	1.50	10.3	2.8000	7.35	7.91	yes	music wire	4E
C.107.150.0103.AP	10.7	1.50	10.3	3.5019	6.60	7.05	yes	music wire	4H
C.107.150.0103.I	10.7	1.50	10.3	2.4360	7.20	7.74	yes	stainless steel	4E
C.107.150.0127.A	10.7	1.50	12.7	1.9374	8.85	9.65	yes	music wire	4E
C.107.150.0127.AP	10.7	1.50	12.7	2.6615	7.50	8.12	yes	music wire	4H
C.107.150.0127.I	10.7	1.50	12.7	1.6640	8.85	9.65	yes	stainless steel	4E
C.107.150.0127.N	10.7	1.50	12.7	1.9374	8.85	9.65	yes	Zn coating	4G
C.107.150.0157.A	10.7	1.50	15.7	1.4935	10.35	11.38	yes	music wire	4E
C.107.150.0157.AP	10.7	1.50	15.7	2.0793	8.55	9.84	yes	music wire	4H
C.107.150.0157.I	10.7	1.50	15.7	1.2828	10.35	11.38	yes	stainless steel	4E
C.107.150.0157.N	10.7	1.50	15.7	1.4935	10.35	11.38	yes	Zn coating	4G
C.107.150.0190.A	10.7	1.50	19.0	1.2151	12.00	13.29	yes	music wire	4E
C.107.150.0190.AP	10.7	1.50	19.0	1.6634	9.75	11.67	yes	music wire	4H
C.107.150.0190.I	10.7	1.50	19.0	1.0437	12.00	13.29	yes	stainless steel	4E
C.107.150.0190.N	10.7	1.50	19.0	1.2151	12.00	13.29	yes	Zn coating	4G
C.107.150.0224.A	10.7	1.50	22.4	1.0242	13.50	15.03	yes	music wire	4E
C.107.150.0224.AP	10.7	1.50	22.4	1.3579	11.10	13.42	yes	music wire	4H
C.107.150.0224.I	10.7	1.50	22.4	0.8797	13.50	15.03	yes	stainless steel	4E
C.107.150.0224.N	10.7	1.50	22.4	1.0242	13.50	15.03	yes	Zn coating	4G
C.107.150.0250.A	10.7	1.50	25.0	1.0115	13.50	15.03	yes	music wire	4E
C.107.150.0250.I	10.7	1.50	25.0	0.8800	13.50	15.03	yes	stainless steel	4E
C.107.150.0305.A	10.7	1.50	30.5	0.7260	17.40	19.54	yes	music wire	4E
C.107.150.0305.AP	10.7	1.50	30.5	0.9643	14.10	17.86	yes	music wire	4I
C.107.150.0305.I	10.7	1.50	30.5	0.6316	17.25	19.36	yes	stainless steel	4F
C.107.150.0318.A	10.7	1.50	31.8	0.7354	17.25	19.36	yes	music wire	4E
C.107.150.0318.I	10.7	1.50	31.8	0.6398	17.10	19.19	yes	stainless steel	4F
C.107.150.0318.N	10.7	1.50	31.8	0.7354	17.25	19.36	yes	Zn coating	4G
C.107.150.0444.A	10.7	1.50	44.4	0.5272	22.65	25.61	yes	music wire	4E
C.107.150.0444.I	10.7	1.50	44.4	0.4587	22.35	25.26	yes	stainless steel	4F
C.107.150.0444.N	10.7	1.50	44.4	0.5272	22.65	25.61	yes	Zn coating	4G
C.107.150.0457.A	10.7	1.50	45.7	0.5205	22.80	25.78	yes	music wire	4E
C.107.150.0457.I	10.7	1.50	45.7	0.4528	22.65	25.61	yes	stainless steel	4F
C.107.150.0508.A	10.7	1.50	50.8	0.4646	25.20	28.56	yes	music wire	4E
C.107.150.0508.I	10.7	1.50	50.8	0.4000	25.05	28.38	yes	stainless steel	4F
C.107.150.0508.N	10.7	1.50	50.8	0.4646	25.20	28.56	yes	Zn coating	4H
C.107.150.0559.A	10.7	1.50	55.9	0.4057	28.20	32.02	yes	music wire	4F
C.107.150.0559.I	10.7	1.50	55.9	0.3529	27.90	31.68	yes	stainless steel	4F
C.107.150.0572.A	10.7	1.50	57.2	0.4109	27.90	31.68	yes	music wire	4F
C.107.150.0572.I	10.7	1.50	57.2	0.3575	27.60	31.33	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.107.150.0572.N	10.7	1.50	57.2	0.4109	27.90	31.68	yes	Zn coating	4H
C.107.150.0635.A	10.7	1.50	63.5	0.3718	30.45	34.63	yes	music wire	4I
C.107.150.0635.I	10.7	1.50	63.5	0.3194	30.45	34.63	yes	stainless steel	4F
C.107.150.0635.N	10.7	1.50	63.5	0.3718	30.45	34.63	yes	Zn coating	4J
C.107.160.0095.A	10.7	1.60	9.5	5.4023	6.56	6.94	yes	music wire	4H
C.107.160.0095.I	10.7	1.60	9.5	4.7000	6.56	6.94	yes	stainless steel	4I
C.107.160.0125.A	10.7	1.60	12.5	2.5000	9.60	10.43	yes	music wire	4D
C.107.160.0160.A	10.7	1.60	16.0	2.0000	11.04	12.09	yes	music wire	4D
C.107.160.0190.A	10.7	1.60	19.0	1.5765	12.96	14.29	yes	music wire	4E
C.107.160.0190.AP	10.7	1.60	19.0	2.1211	10.72	12.14	yes	music wire	4I
C.107.160.0190.I	10.7	1.60	19.0	1.3540	12.96	14.29	yes	stainless steel	4F
C.107.160.0190.N	10.7	1.60	19.0	1.5765	12.96	14.29	yes	Zn coating	4G
C.107.160.0200.A	10.7	1.60	20.0	1.6000	12.80	14.11	yes	music wire	4D
C.107.160.0220.A	10.7	1.60	22.0	2.3000	10.24	15.68	yes	music wire	4I
C.107.160.0220.I	10.7	1.60	22.0	2.0000	10.08	15.66	yes	stainless steel	4J
C.107.160.0250.A	10.7	1.60	25.0	1.2698	15.20	16.86	yes	music wire	4D
C.107.160.0305.A	10.7	1.60	30.5	0.9434	19.04	21.27	yes	music wire	4E
C.107.160.0305.AP	10.7	1.60	30.5	1.2547	15.36	18.91	yes	music wire	4I
C.107.160.0305.I	10.7	1.60	30.5	0.8208	18.88	21.09	yes	stainless steel	4F
C.107.160.0320.A	10.7	1.60	32.0	1.0000	18.24	20.35	yes	music wire	4D
C.107.160.0400.A	10.7	1.60	40.0	0.8000	21.76	24.40	yes	music wire	4D
C.107.160.0500.A	10.7	1.60	50.0	0.6400	26.08	29.36	yes	music wire	4D
C.107.160.0630.A	10.7	1.60	63.0	0.5000	32.32	36.53	yes	music wire	4E
C.107.160.0800.A	10.7	1.60	80.0	0.4000	39.36	44.61	yes	music wire	4E
C.107.160.1000.A	10.7	1.60	100.0	0.3200	48.32	54.90	yes	music wire	4E
C.107.160.1250.A	10.7	1.60	125.0	0.2500	60.64	69.05	yes	music wire	4I
C.107.160.1250.I	10.7	1.60	125.0	0.2175	60.00	68.32	yes	stainless steel	4I
C.107.160.1250.N	10.7	1.60	125.0	0.2500	60.64	69.05	yes	Zn coating	4J
C.107.160.1600.A	10.7	1.60	160.0	0.2000	74.88	87.26	yes	music wire	4I
C.107.160.1600.I	10.7	1.60	160.0	0.1740	73.92	87.09	yes	stainless steel	4I
C.107.160.1600.N	10.7	1.60	160.0	0.2000	74.88	87.26	yes	Zn coating	4J
C.107.160.2000.A	10.7	1.60	200.0	0.1587	93.28	108.34	yes	music wire	4I
C.107.160.2000.I	10.7	1.60	200.0	0.1381	92.16	108.12	yes	stainless steel	4J
C.107.160.2000.N	10.7	1.60	200.0	0.1587	93.28	108.34	yes	Zn coating	4J
C.107.170.0190.A	10.7	1.70	19.0	2.0768	13.77	15.12	yes	music wire	4E
C.107.170.0190.AP	10.7	1.70	19.0	2.7318	11.56	12.72	yes	music wire	4I
C.107.170.0190.I	10.7	1.70	19.0	1.7838	13.77	15.12	yes	stainless steel	4F
C.107.170.0190.N	10.7	1.70	19.0	2.0768	13.77	15.12	yes	Zn coating	4G
C.107.170.0210.A	10.7	1.70	21.0	1.9540	14.45	15.90	yes	music wire	4E
C.107.170.0210.AP	10.7	1.70	21.0	2.4473	12.41	13.99	yes	music wire	4I
C.107.170.0210.I	10.7	1.70	21.0	1.7000	14.28	15.70	yes	stainless steel	4F
C.107.170.0254.A	10.7	1.70	25.4	1.5745	16.83	18.62	yes	music wire	4E
C.107.170.0254.AP	10.7	1.70	25.4	1.9578	14.45	16.64	yes	music wire	4I
C.107.170.0254.I	10.7	1.70	25.4	1.3523	16.83	18.62	yes	stainless steel	4F
C.107.170.0254.N	10.7	1.70	25.4	1.5745	16.83	18.62	yes	Zn coating	4G
C.107.170.0305.A	10.7	1.70	30.5	1.2317	20.40	22.69	yes	music wire	4E
C.107.170.0305.AP	10.7	1.70	30.5	1.6092	16.66	19.84	yes	music wire	4I
C.107.170.0305.I	10.7	1.70	30.5	1.0716	20.23	22.50	yes	stainless steel	4F
C.107.170.0318.A	10.7	1.70	31.8	1.2500	20.06	22.31	yes	music wire	4E
C.107.170.0318.I	10.7	1.70	31.8	1.0854	19.89	22.11	yes	stainless steel	4F
C.107.170.0318.N	10.7	1.70	31.8	1.2500	20.06	22.31	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.107.170.0381.A	10.7	1.70	38.1	1.0470	23.12	25.80	yes	music wire	4E
C.107.170.0381.I	10.7	1.70	38.1	0.9000	23.12	25.80	yes	stainless steel	4F
C.107.170.0381.N	10.7	1.70	38.1	1.0470	23.12	25.80	yes	Zn coating	4G
C.107.170.0444.A	10.7	1.70	44.4	0.9000	26.35	29.49	yes	music wire	4E
C.107.170.0444.I	10.7	1.70	44.4	0.7847	26.01	29.10	yes	stainless steel	4F
C.107.170.0444.N	10.7	1.70	44.4	0.9000	26.35	29.49	yes	Zn coating	4H
C.107.170.0457.A	10.7	1.70	45.7	0.8904	26.52	29.68	yes	music wire	4E
C.107.170.0457.I	10.7	1.70	45.7	0.7746	26.18	29.30	yes	stainless steel	4I
C.107.170.0508.A	10.7	1.70	50.8	0.7842	29.58	33.18	yes	music wire	4F
C.107.170.0508.I	10.7	1.70	50.8	0.6736	29.58	33.18	yes	stainless steel	4F
C.107.170.0508.N	10.7	1.70	50.8	0.7842	29.58	33.18	yes	Zn coating	4H
C.107.170.0572.A	10.7	1.70	57.2	0.7000	32.64	36.67	yes	music wire	4I
C.107.170.0572.I	10.7	1.70	57.2	0.6000	32.64	36.67	yes	stainless steel	4F
C.107.170.0572.N	10.7	1.70	57.2	0.7000	32.64	36.67	yes	Zn coating	4J
C.107.170.0635.A	10.7	1.70	63.5	0.6269	35.87	40.36	yes	music wire	4I
C.107.170.0635.I	10.7	1.70	63.5	0.5384	35.87	40.36	yes	stainless steel	4F
C.107.170.0635.N	10.7	1.70	63.5	0.6269	35.87	40.36	yes	Zn coating	4J
C.107.180.0111.A	10.7	1.80	11.1	7.9310	7.92	8.57	yes	music wire	4I
C.107.180.0111.I	10.7	1.80	11.1	6.9000	7.92	8.56	yes	stainless steel	4I
C.107.180.0305.A	10.7	1.80	30.5	1.5420	22.14	24.55	yes	music wire	4G
C.107.180.0305.AP	10.7	1.80	30.5	2.0376	17.82	20.67	yes	music wire	4I
C.107.180.0305.I	10.7	1.80	30.5	1.3416	21.96	24.35	yes	stainless steel	4G
C.107.180.0381.A	10.7	1.80	38.1	1.3000	25.56	28.44	yes	music wire	4G
C.107.180.0381.AP	10.7	1.80	38.1	1.5918	21.60	25.52	yes	music wire	4I
C.107.180.0381.I	10.7	1.80	38.1	1.1148	25.56	28.44	yes	stainless steel	4G
C.107.180.0381.N	10.7	1.80	38.1	1.3000	25.56	28.44	yes	Zn coating	4I
C.107.180.0444.A	10.7	1.80	44.4	1.1219	28.80	32.12	yes	music wire	4G
C.107.180.0444.I	10.7	1.80	44.4	0.9760	28.44	31.71	yes	stainless steel	4G
C.107.180.0444.N	10.7	1.80	44.4	1.1219	28.80	32.12	yes	Zn coating	4I
C.107.180.0457.A	10.7	1.80	45.7	1.1075	29.16	32.53	yes	music wire	4G
C.107.180.0457.I	10.7	1.80	45.7	0.9636	28.80	32.12	yes	stainless steel	4G
C.107.180.0572.A	10.7	1.80	57.2	0.8682	36.00	40.31	yes	music wire	4G
C.107.180.0572.I	10.7	1.80	57.2	0.7457	36.00	40.31	yes	stainless steel	4G
C.107.180.0572.N	10.7	1.80	57.2	0.8682	36.00	40.31	yes	Zn coating	4I
C.107.190.0230.A	10.7	1.90	23.0	2.7586	18.24	20.02	yes	music wire	4F
C.107.190.0230.AP	10.7	1.90	23.0	3.5715	15.20	16.58	yes	music wire	4I
C.107.190.0230.I	10.7	1.90	23.0	2.4000	18.05	19.81	yes	stainless steel	4G
C.107.190.0320.A	10.7	1.90	32.0	2.1839	21.66	23.90	yes	music wire	4G
C.107.190.0320.I	10.7	1.90	32.0	1.9000	21.47	23.68	yes	stainless steel	4G
C.107.190.0600.A	10.7	1.90	60.0	1.1000	38.38	42.83	yes	music wire	4I
C.107.190.0600.I	10.7	1.90	60.0	0.9570	38.00	42.39	yes	stainless steel	4I
C.107.200.0140.A	10.7	2.00	14.0	7.0723	12.00	12.90	yes	music wire	4G
C.107.200.0140.AP	10.7	2.00	14.0	8.3270	11.00	11.77	yes	music wire	4G
C.107.200.0140.I	10.7	2.00	14.0	6.0744	12.00	12.90	yes	stainless steel	4G
C.107.200.0140.N	10.7	2.00	14.0	7.0723	12.00	12.90	yes	Zn coating	4I
C.107.200.0191.A	10.7	2.00	19.1	5.2874	14.40	15.61	yes	music wire	4G
C.107.200.0191.I	10.7	2.00	19.1	4.6000	14.20	15.38	yes	stainless steel	4G
C.107.200.0200.A	10.7	2.00	20.0	4.5006	16.00	17.41	yes	music wire	4G
C.107.200.0200.AP	10.7	2.00	20.0	5.3151	14.40	15.61	yes	music wire	4I
C.107.200.0200.I	10.7	2.00	20.0	3.8655	16.00	17.41	yes	stainless steel	4G
C.107.200.0200.N	10.7	2.00	20.0	4.5006	16.00	17.41	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.107.200.0220.A	10.7	2.00	22.0	4.7126	15.60	16.96	yes	music wire	4I
C.107.200.0220.I	10.7	2.00	22.0	4.1000	15.40	16.74	yes	stainless steel	4I
C.107.200.0290.A	10.7	2.00	29.0	2.9121	22.00	24.18	yes	music wire	4G
C.107.200.0290.AP	10.7	2.00	29.0	3.4220	19.40	21.25	yes	music wire	4I
C.107.200.0290.I	10.7	2.00	29.0	2.5000	22.00	24.18	yes	stainless steel	4G
C.107.200.0290.N	10.7	2.00	29.0	2.9121	22.00	24.18	yes	Zn coating	4I
C.107.200.0360.A	10.7	2.00	36.0	2.3574	26.00	28.70	yes	music wire	4G
C.107.200.0360.I	10.7	2.00	36.0	2.0248	26.00	28.70	yes	stainless steel	4G
C.107.200.0360.N	10.7	2.00	36.0	2.3574	26.00	28.70	yes	Zn coating	4I
C.107.200.0450.A	10.7	2.00	45.0	1.8336	32.00	35.47	yes	music wire	4G
C.107.200.0450.I	10.7	2.00	45.0	1.5749	32.00	35.47	yes	stainless steel	4G
C.107.200.0450.N	10.7	2.00	45.0	1.8336	32.00	35.47	yes	Zn coating	4I
C.107.200.0480.A	10.7	2.00	48.0	1.9000	31.00	34.34	yes	music wire	4I
C.107.200.0480.I	10.7	2.00	48.0	1.6530	30.80	34.11	yes	stainless steel	4I
C.107.210.0410.A	10.7	2.10	41.0	2.9885	27.09	30.87	yes	music wire	4I
C.107.210.0410.I	10.7	2.10	41.0	2.6000	26.88	30.76	yes	stainless steel	4I
C.107.270.0151.A	10.7	2.70	15.1	48.5000	12.69	13.91	yes	music wire	4J
C.108.080.0200.A	10.8	0.80	20.0	0.1192	4.80	5.74	yes	music wire	4C
C.108.080.0200.I	10.8	0.80	20.0	0.1037	4.80	5.74	yes	stainless steel	4C
C.108.080.0200.N	10.8	0.80	20.0	0.1192	4.80	5.74	yes	Zn coating	4E
C.108.080.0300.A	10.8	0.80	30.0	0.0759	6.40	7.87	yes	music wire	4C
C.108.080.0300.I	10.8	0.80	30.0	0.0652	6.40	7.87	yes	stainless steel	4C
C.108.080.0300.N	10.8	0.80	30.0	0.0759	6.40	7.87	yes	Zn coating	4E
C.108.080.0456.A	10.8	0.80	45.6	0.0491	8.80	11.07	yes	music wire	4C
C.108.080.0456.I	10.8	0.80	45.6	0.0422	8.80	11.07	yes	stainless steel	4D
C.108.080.0456.N	10.8	0.80	45.6	0.0491	8.80	11.07	yes	Zn coating	4E
C.108.080.0660.A	10.8	0.80	66.0	0.0334	12.00	15.34	yes	music wire	4D
C.108.080.0660.I	10.8	0.80	66.0	0.0287	12.00	15.34	yes	stainless steel	4D
C.108.080.0660.IF	10.8	0.80	66.0	0.0194	16.80	21.75	yes	stainless steel	4D
C.108.080.0660.N	10.8	0.80	66.0	0.0334	12.00	15.34	yes	Zn coating	4E
C.108.080.0965.A	10.8	0.80	96.5	0.0226	16.80	21.75	yes	music wire	4D
C.108.080.0965.I	10.8	0.80	96.5	0.0194	16.80	21.75	yes	stainless steel	4E
C.108.080.0965.IF	10.8	0.80	96.5	0.0159	20.00	26.02	yes	stainless steel	4E
C.108.080.0965.N	10.8	0.80	96.5	0.0226	16.80	21.75	yes	Zn coating	4F
C.108.080.1750.A	10.8	0.80	175.0	0.0125	28.72	37.65	yes	music wire	4E
C.108.080.1750.I	10.8	0.80	175.0	0.0107	28.80	37.76	yes	stainless steel	4E
C.108.080.1750.N	10.8	0.80	175.0	0.0125	28.72	37.65	yes	Zn coating	4G
C.108.090.0170.A	10.8	0.90	17.0	0.2220	5.04	5.83	yes	music wire	4C
C.108.090.0170.I	10.8	0.90	17.0	0.1931	5.04	5.83	yes	stainless steel	4C
C.108.090.0210.A	10.8	0.90	21.0	0.1750	5.76	6.75	yes	music wire	4C
C.108.090.0210.AP	10.8	0.90	21.0	0.2373	4.86	8.69	yes	music wire	4F
C.108.090.0210.I	10.8	0.90	21.0	0.1458	5.94	6.98	yes	stainless steel	4C
C.108.090.0230.A	10.8	0.90	23.0	0.1590	6.12	7.21	yes	music wire	4C
C.108.090.0230.AP	10.8	0.90	23.0	0.2151	5.13	9.41	yes	music wire	4F
C.108.090.0230.I	10.8	0.90	23.0	0.1324	6.30	7.44	yes	stainless steel	4C
C.108.090.0280.A	10.8	0.90	28.0	0.1310	7.02	8.36	yes	music wire	4C
C.108.090.0280.I	10.8	0.90	28.0	0.1091	7.11	8.48	yes	stainless steel	4D
C.108.090.0300.A	10.8	0.90	30.0	0.1149	7.65	9.17	yes	music wire	4C
C.108.090.0300.AP	10.8	0.90	30.0	0.1639	6.03	12.17	yes	music wire	4F
C.108.090.0300.I	10.8	0.90	30.0	0.1000	7.56	9.05	yes	stainless steel	4D
C.108.090.0350.A	10.8	0.90	35.0	0.1020	8.37	10.09	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.108.090.0350.AP	10.8	0.90	35.0	0.1405	6.66	14.20	yes	music wire	4F
C.108.090.0350.I	10.8	0.90	35.0	0.0850	8.55	10.32	yes	stainless steel	4D
C.108.130.0140.A	10.8	1.30	14.0	1.0762	7.41	8.16	yes	music wire	4C
C.108.130.0140.I	10.8	1.30	14.0	0.9363	7.28	8.01	yes	stainless steel	4D
C.108.130.0170.A	10.8	1.30	17.0	0.8521	8.45	9.39	yes	music wire	4C
C.108.130.0170.I	10.8	1.30	17.0	0.7414	8.32	9.23	yes	stainless steel	4D
C.108.130.0210.A	10.8	1.30	21.0	0.6960	9.62	10.77	yes	music wire	4C
C.108.130.0210.I	10.8	1.30	21.0	0.5798	9.75	10.92	yes	stainless steel	4D
C.108.130.0280.A	10.8	1.30	28.0	0.4931	12.22	13.84	yes	music wire	4C
C.108.130.0280.I	10.8	1.30	28.0	0.4290	12.09	13.68	yes	stainless steel	4D
C.108.130.0350.A	10.8	1.30	35.0	0.3950	14.43	16.44	yes	music wire	4D
C.108.130.0350.I	10.8	1.30	35.0	0.3437	14.30	16.29	yes	stainless steel	4G
C.108.130.0550.A	10.8	1.30	55.0	0.2440	21.32	24.57	yes	music wire	4G
C.108.130.0550.I	10.8	1.30	55.0	0.2123	21.06	24.27	yes	stainless steel	4G
C.108.130.0580.A	10.8	1.30	58.0	0.2080	24.44	28.26	yes	music wire	4D
C.108.130.0580.AP	10.8	1.30	58.0	0.2836	18.85	29.27	yes	music wire	4G
C.108.130.0580.I	10.8	1.30	58.0	0.1810	24.18	27.95	yes	stainless steel	4E
C.108.130.0580.N	10.8	1.30	58.0	0.2080	24.44	28.26	yes	Zn coating	4F
C.108.130.0600.A	10.8	1.30	60.0	0.2230	23.01	26.57	yes	music wire	4G
C.108.130.0600.I	10.8	1.30	60.0	0.1858	23.66	27.34	yes	stainless steel	4E
C.108.200.0100.A	10.8	2.00	10.0	12.5262	8.80	9.29	yes	music wire	4E
C.108.200.0100.AP	10.8	2.00	10.0	13.4105	8.60	9.06	yes	music wire	4F
C.108.200.0125.A	10.8	2.00	12.5	7.7000	11.20	12.00	yes	music wire	4E
C.108.200.0160.A	10.8	2.00	16.0	5.5000	13.60	14.71	yes	music wire	4E
C.108.200.0200.A	10.8	2.00	20.0	3.8889	17.40	19.00	yes	music wire	4E
C.108.200.0250.A	10.8	2.00	25.0	3.1111	20.40	22.39	yes	music wire	4E
C.108.200.0320.A	10.8	2.00	32.0	2.5714	23.60	26.00	yes	music wire	4G
C.108.200.0320.I	10.8	2.00	32.0	2.2371	23.40	25.77	yes	stainless steel	4G
C.108.200.0320.N	10.8	2.00	32.0	2.5714	23.60	26.00	yes	Zn coating	4I
C.108.200.0400.A	10.8	2.00	40.0	2.0000	29.00	32.10	yes	music wire	4G
C.108.200.0400.I	10.8	2.00	40.0	1.7400	28.60	31.65	yes	stainless steel	4G
C.108.200.0400.N	10.8	2.00	40.0	2.0000	29.00	32.10	yes	Zn coating	4I
C.108.200.0500.A	10.8	2.00	50.0	1.6071	34.80	38.65	yes	music wire	4G
C.108.200.0500.I	10.8	2.00	50.0	1.4000	34.40	38.19	yes	stainless steel	4G
C.108.200.0500.N	10.8	2.00	50.0	1.6071	34.80	38.65	yes	Zn coating	4I
C.108.200.0630.A	10.8	2.00	63.0	1.2857	42.20	47.00	yes	music wire	4I
C.108.200.0630.I	10.8	2.00	63.0	1.1186	41.80	46.55	yes	stainless steel	4I
C.108.200.0630.N	10.8	2.00	63.0	1.2857	42.20	47.00	yes	Zn coating	4J
C.108.200.0800.A	10.8	2.00	80.0	1.0000	52.80	58.97	yes	music wire	4I
C.108.200.0800.I	10.8	2.00	80.0	0.8700	52.20	58.29	yes	stainless steel	4I
C.108.200.0800.N	10.8	2.00	80.0	1.0000	52.80	58.97	yes	Zn coating	4J
C.108.200.1000.A	10.8	2.00	100.0	0.8000	64.80	72.52	yes	music wire	4I
C.108.200.1000.I	10.8	2.00	100.0	0.6960	64.00	71.61	yes	stainless steel	4I
C.108.200.1000.N	10.8	2.00	100.0	0.8000	64.80	72.52	yes	Zn coating	4J
C.108.200.1250.A	10.8	2.00	125.0	0.6429	79.40	89.00	yes	music wire	4I
C.108.200.1250.I	10.8	2.00	125.0	0.5593	78.40	87.87	yes	stainless steel	4J
C.108.200.1250.N	10.8	2.00	125.0	0.6429	79.40	89.00	yes	Zn coating	4J
C.108.200.1600.A	10.8	2.00	160.0	0.5000	100.60	112.94	yes	music wire	4J
C.108.200.1600.I	10.8	2.00	160.0	0.4350	99.40	111.58	yes	stainless steel	4J
C.108.200.1600.N	10.8	2.00	160.0	0.5000	100.60	112.94	yes	Zn coating	4L
C.108.200.2000.A	10.8	2.00	200.0	0.4000	124.60	140.03	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.108.200.2000.I	10.8	2.00	200.0	0.3480	123.00	138.23	yes	stainless steel	4J
C.108.200.2000.N	10.8	2.00	200.0	0.4000	124.60	140.03	yes	Zn coating	4L
C.110.050.0097.A	11.0	0.50	9.7	0.0500	2.30	2.72	no	music wire	4B
C.110.050.0097.I	11.0	0.50	9.7	0.0429	2.30	2.72	no	stainless steel	4C
C.110.050.0110.A	11.0	0.50	11.0	0.0458	2.35	2.81	no	music wire	4B
C.110.050.0110.I	11.0	0.50	11.0	0.0394	2.35	2.81	no	stainless steel	4C
C.110.050.0111.A	11.0	0.50	11.1	0.0423	2.40	2.90	no	music wire	4B
C.110.050.0111.I	11.0	0.50	11.1	0.0363	2.40	2.90	no	stainless steel	4C
C.110.050.0112.A	11.0	0.50	11.2	0.0423	2.40	2.90	no	music wire	4B
C.110.050.0112.I	11.0	0.50	11.2	0.0363	2.40	2.90	no	stainless steel	4C
C.110.050.0142.A	11.0	0.50	14.2	0.0344	2.55	3.16	no	music wire	4B
C.110.050.0142.I	11.0	0.50	14.2	0.0295	2.55	3.16	no	stainless steel	4C
C.110.050.0151.A	11.0	0.50	15.1	0.0324	2.60	3.25	no	music wire	4B
C.110.050.0151.I	11.0	0.50	15.1	0.0278	2.60	3.25	no	stainless steel	4C
C.110.050.0206.A	11.0	0.50	20.6	0.0229	2.95	3.86	no	music wire	4B
C.110.050.0206.I	11.0	0.50	20.6	0.0197	2.95	3.86	no	stainless steel	4C
C.110.050.0254.A	11.0	0.50	25.4	0.0183	3.25	4.39	no	music wire	4C
C.110.050.0254.I	11.0	0.50	25.4	0.0157	3.25	4.39	no	stainless steel	4C
C.110.050.0305.A	11.0	0.50	30.5	0.0153	3.55	4.92	no	music wire	4C
C.110.050.0305.I	11.0	0.50	30.5	0.0131	3.55	4.92	no	stainless steel	4C
C.110.050.0318.A	11.0	0.50	31.8	0.0149	3.60	5.01	no	music wire	4C
C.110.050.0318.I	11.0	0.50	31.8	0.0128	3.60	5.01	no	stainless steel	4C
C.110.050.0351.A	11.0	0.50	35.1	0.0134	3.80	5.36	no	music wire	4C
C.110.050.0351.I	11.0	0.50	35.1	0.0115	3.80	5.36	no	stainless steel	4C
C.110.050.0381.A	11.0	0.50	38.1	0.0122	4.00	5.71	no	music wire	4C
C.110.050.0381.I	11.0	0.50	38.1	0.0105	4.00	5.71	no	stainless steel	4C
C.110.050.0444.A	11.0	0.50	44.4	0.0106	4.35	6.33	no	music wire	4C
C.110.050.0444.I	11.0	0.50	44.4	0.0091	4.35	6.33	no	stainless steel	4C
C.110.050.0457.A	11.0	0.50	45.7	0.0102	4.45	6.51	no	music wire	4C
C.110.050.0457.I	11.0	0.50	45.7	0.0087	4.45	6.51	no	stainless steel	4C
C.110.050.0508.A	11.0	0.50	50.8	0.0092	4.75	7.03	no	music wire	4C
C.110.050.0508.I	11.0	0.50	50.8	0.0079	4.75	7.03	no	stainless steel	4C
C.110.060.0097.A	11.0	0.60	9.7	0.0903	2.28	2.71	yes	music wire	4C
C.110.060.0097.I	11.0	0.60	9.7	0.0775	2.28	2.71	yes	stainless steel	4C
C.110.060.0110.A	11.0	0.60	11.0	0.0782	2.40	2.90	yes	music wire	4C
C.110.060.0110.I	11.0	0.60	11.0	0.0672	2.40	2.90	yes	stainless steel	4C
C.110.060.0112.A	11.0	0.60	11.2	0.0782	2.40	2.90	yes	music wire	4C
C.110.060.0112.I	11.0	0.60	11.2	0.0672	2.40	2.90	yes	stainless steel	4C
C.110.060.0142.A	11.0	0.60	14.2	0.0587	2.70	3.36	yes	music wire	4C
C.110.060.0142.I	11.0	0.60	14.2	0.0504	2.70	3.36	yes	stainless steel	4C
C.110.060.0157.A	11.0	0.60	15.7	0.0534	2.82	3.55	yes	music wire	4C
C.110.060.0157.I	11.0	0.60	15.7	0.0458	2.82	3.55	yes	stainless steel	4C
C.110.060.0174.A	11.0	0.60	17.4	0.0489	2.94	3.73	yes	music wire	4C
C.110.060.0174.I	11.0	0.60	17.4	0.0420	2.94	3.73	yes	stainless steel	4C
C.110.060.0182.A	11.0	0.60	18.2	0.0470	3.00	3.83	yes	music wire	4C
C.110.060.0182.I	11.0	0.60	18.2	0.0403	3.00	3.83	yes	stainless steel	4C
C.110.060.0206.A	11.0	0.60	20.6	0.0405	3.24	4.20	yes	music wire	4C
C.110.060.0206.I	11.0	0.60	20.6	0.0348	3.24	4.20	yes	stainless steel	4C
C.110.060.0224.A	11.0	0.60	22.4	0.0367	3.42	4.48	yes	music wire	4C
C.110.060.0224.I	11.0	0.60	22.4	0.0315	3.42	4.48	yes	stainless steel	4C
C.110.060.0239.A	11.0	0.60	23.9	0.0345	3.54	4.66	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.110.060.0239.I	11.0	0.60	23.9	0.0297	3.54	4.66	yes	stainless steel	4C
C.110.060.0254.A	11.0	0.60	25.4	0.0326	3.66	4.85	yes	music wire	4C
C.110.060.0254.I	11.0	0.60	25.4	0.0280	3.66	4.85	yes	stainless steel	4C
C.110.060.0279.A	11.0	0.60	27.9	0.0293	3.90	5.22	yes	music wire	4C
C.110.060.0279.I	11.0	0.60	27.9	0.0252	3.90	5.22	yes	stainless steel	4C
C.110.060.0284.A	11.0	0.60	28.4	0.0293	3.90	5.22	yes	music wire	4C
C.110.060.0284.I	11.0	0.60	28.4	0.0252	3.90	5.22	yes	stainless steel	4C
C.110.060.0305.A	11.0	0.60	30.5	0.0267	4.14	5.59	yes	music wire	4C
C.110.060.0305.I	11.0	0.60	30.5	0.0229	4.14	5.59	yes	stainless steel	4C
C.110.060.0318.A	11.0	0.60	31.8	0.0261	4.20	5.69	yes	music wire	4C
C.110.060.0318.I	11.0	0.60	31.8	0.0224	4.20	5.69	yes	stainless steel	4C
C.110.060.0381.A	11.0	0.60	38.1	0.0213	4.80	6.62	yes	music wire	4C
C.110.060.0381.I	11.0	0.60	38.1	0.0183	4.80	6.62	yes	stainless steel	4C
C.110.060.0444.A	11.0	0.60	44.4	0.0183	5.34	7.45	yes	music wire	4C
C.110.060.0444.I	11.0	0.60	44.4	0.0158	5.34	7.45	yes	stainless steel	4D
C.110.060.0457.A	11.0	0.60	45.7	0.0178	5.46	7.64	yes	music wire	4C
C.110.060.0457.I	11.0	0.60	45.7	0.0153	5.46	7.64	yes	stainless steel	4D
C.110.060.0508.A	11.0	0.60	50.8	0.0161	5.88	8.29	yes	music wire	4C
C.110.060.0508.I	11.0	0.60	50.8	0.0138	5.88	8.29	yes	stainless steel	4D
C.110.070.0120.A	11.0	0.70	12.0	0.1399	2.87	3.35	yes	music wire	4C
C.110.070.0120.I	11.0	0.70	12.0	0.1202	2.87	3.35	yes	stainless steel	4C
C.110.075.0140.A	11.0	0.75	14.0	0.1425	3.45	4.05	yes	music wire	4C
C.110.075.0140.I	11.0	0.75	14.0	0.1224	3.45	4.05	yes	stainless steel	4C
C.110.075.0670.A	11.0	0.75	67.0	0.0285	9.75	12.74	yes	music wire	4D
C.110.075.0670.I	11.0	0.75	67.0	0.0245	9.75	12.74	yes	stainless steel	4D
C.110.080.0112.A	11.0	0.80	11.2	0.1966	3.60	4.15	yes	music wire	4C
C.110.080.0112.I	11.0	0.80	11.2	0.1689	3.60	4.15	yes	stainless steel	4C
C.110.080.0125.A	11.0	0.80	12.5	0.1780	3.76	4.37	yes	music wire	4C
C.110.080.0125.I	11.0	0.80	12.5	0.1549	3.76	4.37	yes	stainless steel	4C
C.110.080.0125.N	11.0	0.80	12.5	0.1780	3.76	4.37	yes	Zn coating	4E
C.110.080.0142.A	11.0	0.80	14.2	0.1512	4.08	4.80	yes	music wire	4C
C.110.080.0142.I	11.0	0.80	14.2	0.1299	4.08	4.80	yes	stainless steel	4C
C.110.080.0160.A	11.0	0.80	16.0	0.1380	4.24	5.01	yes	music wire	4C
C.110.080.0160.I	11.0	0.80	16.0	0.1201	4.24	5.01	yes	stainless steel	4C
C.110.080.0160.N	11.0	0.80	16.0	0.1380	4.24	5.01	yes	Zn coating	4E
C.110.080.0200.A	11.0	0.80	20.0	0.1080	4.88	5.87	yes	music wire	4C
C.110.080.0200.I	11.0	0.80	20.0	0.0940	4.88	5.87	yes	stainless steel	4C
C.110.080.0200.N	11.0	0.80	20.0	0.1080	4.88	5.87	yes	Zn coating	4E
C.110.080.0250.A	11.0	0.80	25.0	0.0860	5.68	6.95	yes	music wire	4C
C.110.080.0250.I	11.0	0.80	25.0	0.0748	5.60	6.84	yes	stainless steel	4C
C.110.080.0250.N	11.0	0.80	25.0	0.0860	5.68	6.95	yes	Zn coating	4E
C.110.080.0320.A	11.0	0.80	32.0	0.0660	6.80	8.45	yes	music wire	4C
C.110.080.0320.I	11.0	0.80	32.0	0.0574	6.72	8.34	yes	stainless steel	4D
C.110.080.0320.N	11.0	0.80	32.0	0.0660	6.80	8.45	yes	Zn coating	4E
C.110.080.0381.A	11.0	0.80	38.1	0.0531	7.92	9.96	yes	music wire	4C
C.110.080.0381.I	11.0	0.80	38.1	0.0456	7.92	9.96	yes	stainless steel	4D
C.110.080.0400.A	11.0	0.80	40.0	0.0530	7.92	9.96	yes	music wire	4C
C.110.080.0400.I	11.0	0.80	40.0	0.0461	7.84	9.85	yes	stainless steel	4D
C.110.080.0400.N	11.0	0.80	40.0	0.0530	7.92	9.96	yes	Zn coating	4E
C.110.080.0444.A	11.0	0.80	44.4	0.0457	8.88	11.25	yes	music wire	4C
C.110.080.0444.I	11.0	0.80	44.4	0.0393	8.88	11.25	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.080.0500.A	11.0	0.80	50.0	0.0420	9.52	12.11	yes	music wire	4C
C.110.080.0500.I	11.0	0.80	50.0	0.0365	9.44	12.00	yes	stainless steel	4D
C.110.080.0500.N	11.0	0.80	50.0	0.0420	9.52	12.11	yes	Zn coating	4E
C.110.080.0630.A	11.0	0.80	63.0	0.0330	11.52	14.79	yes	music wire	4D
C.110.080.0630.I	11.0	0.80	63.0	0.0287	11.44	14.69	yes	stainless steel	4D
C.110.080.0630.N	11.0	0.80	63.0	0.0330	11.52	14.79	yes	Zn coating	4E
C.110.080.0800.A	11.0	0.80	80.0	0.0260	14.08	18.23	yes	music wire	4D
C.110.080.0800.I	11.0	0.80	80.0	0.0226	13.92	18.02	yes	stainless steel	4D
C.110.080.0800.N	11.0	0.80	80.0	0.0260	14.08	18.23	yes	Zn coating	4F
C.110.080.1000.A	11.0	0.80	100.0	0.0210	16.96	22.10	yes	music wire	4D
C.110.080.1000.I	11.0	0.80	100.0	0.0183	16.80	21.89	yes	stainless steel	4E
C.110.080.1000.N	11.0	0.80	100.0	0.0210	16.96	22.10	yes	Zn coating	4F
C.110.080.3600.A	11.0	0.80	360.0	0.0060	55.20	73.22	no	music wire	4G
C.110.080.3600.I	11.0	0.80	360.0	0.0052	54.72	72.57	no	stainless steel	4H
C.110.090.0125.A	11.0	0.90	12.5	0.2630	4.50	5.15	yes	music wire	4C
C.110.090.0125.AP	11.0	0.90	12.5	0.4051	3.69	5.41	yes	music wire	4E
C.110.090.0125.I	11.0	0.90	12.5	0.2288	4.41	5.03	yes	stainless steel	4C
C.110.090.0125.N	11.0	0.90	12.5	0.2630	4.50	5.15	yes	Zn coating	4E
C.110.090.0160.A	11.0	0.90	16.0	0.2000	5.13	5.96	yes	music wire	4C
C.110.090.0160.AP	11.0	0.90	16.0	0.3086	4.14	6.70	yes	music wire	4E
C.110.090.0160.I	11.0	0.90	16.0	0.1740	5.13	5.96	yes	stainless steel	4C
C.110.090.0160.N	11.0	0.90	16.0	0.2000	5.13	5.96	yes	Zn coating	4E
C.110.090.0200.A	11.0	0.90	20.0	0.1560	6.03	7.12	yes	music wire	4C
C.110.090.0200.AP	11.0	0.90	20.0	0.2493	4.59	8.48	yes	music wire	4F
C.110.090.0200.I	11.0	0.90	20.0	0.1357	5.94	7.01	yes	stainless steel	4C
C.110.090.0200.N	11.0	0.90	20.0	0.1560	6.03	7.12	yes	Zn coating	4E
C.110.090.0250.A	11.0	0.90	25.0	0.1250	6.93	8.28	yes	music wire	4C
C.110.090.0250.AP	11.0	0.90	25.0	0.1964	5.22	10.38	yes	music wire	4F
C.110.090.0250.I	11.0	0.90	25.0	0.1088	6.84	8.17	yes	stainless steel	4D
C.110.090.0250.N	11.0	0.90	25.0	0.1250	6.93	8.28	yes	Zn coating	4E
C.110.090.0320.A	11.0	0.90	32.0	0.0960	8.37	10.14	yes	music wire	4C
C.110.090.0320.AP	11.0	0.90	32.0	0.1507	6.12	12.95	yes	music wire	4F
C.110.090.0320.I	11.0	0.90	32.0	0.0835	8.28	10.02	yes	stainless steel	4D
C.110.090.0320.N	11.0	0.90	32.0	0.0960	8.37	10.14	yes	Zn coating	4E
C.110.090.0400.A	11.0	0.90	40.0	0.0760	9.90	12.11	yes	music wire	4C
C.110.090.0400.AP	11.0	0.90	40.0	0.1200	7.11	16.08	yes	music wire	4F
C.110.090.0400.I	11.0	0.90	40.0	0.0661	9.81	11.99	yes	stainless steel	4D
C.110.090.0400.N	11.0	0.90	40.0	0.0760	9.90	12.11	yes	Zn coating	4E
C.110.090.0500.A	11.0	0.90	50.0	0.0600	11.97	14.78	yes	music wire	4C
C.110.090.0500.AP	11.0	0.90	50.0	0.0939	8.46	19.44	yes	music wire	4F
C.110.090.0500.I	11.0	0.90	50.0	0.0522	11.88	14.66	yes	stainless steel	4D
C.110.090.0500.N	11.0	0.90	50.0	0.0600	11.97	14.78	yes	Zn coating	4E
C.110.090.0630.A	11.0	0.90	63.0	0.0480	14.40	17.91	yes	music wire	4D
C.110.090.0630.AP	11.0	0.90	63.0	0.0745	10.08	24.46	yes	music wire	4G
C.110.090.0630.I	11.0	0.90	63.0	0.0418	14.22	17.68	yes	stainless steel	4D
C.110.090.0630.N	11.0	0.90	63.0	0.0480	14.40	17.91	yes	Zn coating	4E
C.110.090.0800.A	11.0	0.90	80.0	0.0370	18.00	22.55	yes	music wire	4D
C.110.090.0800.AP	11.0	0.90	80.0	0.0584	12.24	30.83	yes	music wire	4G
C.110.090.0800.I	11.0	0.90	80.0	0.0322	17.82	22.32	yes	stainless steel	4E
C.110.090.0800.N	11.0	0.90	80.0	0.0370	18.00	22.55	yes	Zn coating	4F
C.110.090.1000.A	11.0	0.90	100.0	0.0300	21.69	27.31	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.090.1000.AP	11.0	0.90	100.0	0.0466	14.76	38.43	yes	music wire	4G
C.110.090.1000.I	11.0	0.90	100.0	0.0261	21.42	26.96	yes	stainless steel	4E
C.110.090.1000.N	11.0	0.90	100.0	0.0300	21.69	27.31	yes	Zn coating	4F
C.110.090.3600.A	11.0	0.90	360.0	0.0080	76.14	97.23	no	music wire	4H
C.110.090.3600.I	11.0	0.90	360.0	0.0070	74.79	95.49	no	stainless steel	4H
C.110.095.0120.A	11.0	0.95	12.0	0.3893	4.37	4.90	yes	music wire	4C
C.110.095.0120.I	11.0	0.95	12.0	0.3343	4.37	4.90	yes	stainless steel	4C
C.110.095.0150.A	11.0	0.95	15.0	0.2919	5.04	5.75	yes	music wire	4C
C.110.095.0150.I	11.0	0.95	15.0	0.2508	5.04	5.75	yes	stainless steel	4C
C.110.095.0250.A	11.0	0.95	25.0	0.1703	6.94	8.16	yes	music wire	4C
C.110.095.0250.I	11.0	0.95	25.0	0.1463	6.94	8.16	yes	stainless steel	4D
C.110.095.0310.A	11.0	0.95	31.0	0.1362	8.08	9.61	yes	music wire	4C
C.110.095.0310.I	11.0	0.95	31.0	0.1170	8.08	9.61	yes	stainless steel	4D
C.110.095.0360.A	11.0	0.95	36.0	0.1151	9.12	10.93	yes	music wire	4C
C.110.095.0360.I	11.0	0.95	36.0	0.0989	9.12	10.93	yes	stainless steel	4D
C.110.095.0470.A	11.0	0.95	47.0	0.0879	11.21	13.58	yes	music wire	4C
C.110.095.0470.I	11.0	0.95	47.0	0.0755	11.21	13.58	yes	stainless steel	4D
C.110.095.0550.A	11.0	0.95	55.0	0.0743	12.83	15.63	yes	music wire	4D
C.110.095.0550.I	11.0	0.95	55.0	0.0638	12.83	15.63	yes	stainless steel	4D
C.110.095.0720.A	11.0	0.95	72.0	0.0564	16.15	19.84	yes	music wire	4D
C.110.095.0720.I	11.0	0.95	72.0	0.0484	16.15	19.84	yes	stainless steel	4D
C.110.095.1100.A	11.0	0.95	110.0	0.0368	23.47	29.12	yes	music wire	4E
C.110.095.1100.I	11.0	0.95	110.0	0.0316	23.47	29.12	yes	stainless steel	4E
C.110.100.0125.A	11.0	1.00	12.5	0.3920	5.10	5.75	yes	music wire	4C
C.110.100.0125.AP	11.0	1.00	12.5	0.5993	4.20	6.06	yes	music wire	4F
C.110.100.0125.I	11.0	1.00	12.5	0.3410	5.10	5.75	yes	stainless steel	4C
C.110.100.0125.N	11.0	1.00	12.5	0.3920	5.10	5.75	yes	Zn coating	4E
C.110.100.0160.A	11.0	1.00	16.0	0.3020	5.90	6.75	yes	music wire	4C
C.110.100.0160.AP	11.0	1.00	16.0	0.4429	4.80	7.29	yes	music wire	4F
C.110.100.0160.I	11.0	1.00	16.0	0.2627	5.80	6.63	yes	stainless steel	4C
C.110.100.0160.N	11.0	1.00	16.0	0.3020	5.90	6.75	yes	Zn coating	4E
C.110.100.0175.A	11.0	1.00	17.5	0.2911	6.00	6.88	yes	music wire	4C
C.110.100.0175.AP	11.0	1.00	17.5	0.4075	5.00	8.03	yes	music wire	4F
C.110.100.0175.I	11.0	1.00	17.5	0.2500	6.00	6.88	yes	stainless steel	4C
C.110.100.0175.N	11.0	1.00	17.5	0.2911	6.00	6.88	yes	Zn coating	4E
C.110.100.0200.A	11.0	1.00	20.0	0.2310	6.90	8.00	yes	music wire	4C
C.110.100.0200.AP	11.0	1.00	20.0	0.3513	5.40	9.02	yes	music wire	4F
C.110.100.0200.I	11.0	1.00	20.0	0.2010	6.90	8.00	yes	stainless steel	4D
C.110.100.0200.N	11.0	1.00	20.0	0.2310	6.90	8.00	yes	Zn coating	4E
C.110.100.0214.A	11.0	1.00	21.4	0.2911	6.00	8.15	yes	music wire	4F
C.110.100.0214.I	11.0	1.00	21.4	0.2500	6.00	8.12	yes	stainless steel	4F
C.110.100.0214.N	11.0	1.00	21.4	0.2911	6.00	8.15	yes	Zn coating	4H
C.110.100.0220.A	11.0	1.00	22.0	0.1698	8.50	10.00	yes	music wire	4C
C.110.100.0220.AP	11.0	1.00	22.0	0.3184	5.70	9.88	yes	music wire	4F
C.110.100.0220.I	11.0	1.00	22.0	0.1458	8.50	10.00	yes	stainless steel	4D
C.110.100.0220.N	11.0	1.00	22.0	0.1698	8.50	10.00	yes	Zn coating	4E
C.110.100.0250.A	11.0	1.00	25.0	0.1820	8.10	9.50	yes	music wire	4C
C.110.100.0250.AP	11.0	1.00	25.0	0.2753	6.20	10.99	yes	music wire	4F
C.110.100.0250.I	11.0	1.00	25.0	0.1583	8.00	9.38	yes	stainless steel	4D
C.110.100.0250.N	11.0	1.00	25.0	0.1820	8.10	9.50	yes	Zn coating	4E
C.110.100.0260.A	11.0	1.00	26.0	0.1852	8.00	9.38	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.100.0260.AP	11.0	1.00	26.0	0.2612	6.40	11.23	yes	music wire	4F
C.110.100.0260.I	11.0	1.00	26.0	0.1591	8.00	9.38	yes	stainless steel	4D
C.110.100.0260.N	11.0	1.00	26.0	0.1852	8.00	9.38	yes	Zn coating	4E
C.110.100.0316.A	11.0	1.00	31.6	0.1852	8.00	10.77	yes	music wire	4F
C.110.100.0316.I	11.0	1.00	31.6	0.1591	8.00	10.74	yes	stainless steel	4G
C.110.100.0316.N	11.0	1.00	31.6	0.1852	8.00	10.77	yes	Zn coating	4H
C.110.100.0320.A	11.0	1.00	32.0	0.1400	9.80	11.63	yes	music wire	4C
C.110.100.0320.AP	11.0	1.00	32.0	0.2122	7.30	13.83	yes	music wire	4F
C.110.100.0320.I	11.0	1.00	32.0	0.1218	9.70	11.50	yes	stainless steel	4D
C.110.100.0320.N	11.0	1.00	32.0	0.1400	9.80	11.63	yes	Zn coating	4E
C.110.100.0360.A	11.0	1.00	36.0	0.1358	10.00	11.88	yes	music wire	4C
C.110.100.0360.I	11.0	1.00	36.0	0.1166	10.00	11.88	yes	stainless steel	4D
C.110.100.0360.N	11.0	1.00	36.0	0.1358	10.00	11.88	yes	Zn coating	4E
C.110.100.0390.A	11.0	1.00	39.0	0.1199	11.00	13.13	yes	music wire	4C
C.110.100.0390.AP	11.0	1.00	39.0	0.1727	8.40	16.66	yes	music wire	4F
C.110.100.0390.I	11.0	1.00	39.0	0.1029	11.00	13.13	yes	stainless steel	4D
C.110.100.0390.N	11.0	1.00	39.0	0.1199	11.00	13.13	yes	Zn coating	4E
C.110.100.0400.A	11.0	1.00	40.0	0.1100	11.80	14.13	yes	music wire	4C
C.110.100.0400.AP	11.0	1.00	40.0	0.1670	8.60	16.90	yes	music wire	4F
C.110.100.0400.I	11.0	1.00	40.0	0.0957	11.60	13.88	yes	stainless steel	4D
C.110.100.0400.N	11.0	1.00	40.0	0.1100	11.80	14.13	yes	Zn coating	4E
C.110.100.0500.A	11.0	1.00	50.0	0.0880	14.10	17.00	yes	music wire	4D
C.110.100.0500.AP	11.0	1.00	50.0	0.1323	10.20	20.85	yes	music wire	4G
C.110.100.0500.I	11.0	1.00	50.0	0.0766	13.90	16.75	yes	stainless steel	4D
C.110.100.0500.N	11.0	1.00	50.0	0.0880	14.10	17.00	yes	Zn coating	4E
C.110.100.0520.A	11.0	1.00	52.0	0.1072	12.00	16.02	yes	music wire	4G
C.110.100.0520.I	11.0	1.00	52.0	0.0921	12.00	15.96	yes	stainless steel	4G
C.110.100.0520.N	11.0	1.00	52.0	0.1072	12.00	16.02	yes	Zn coating	4I
C.110.100.0560.A	11.0	1.00	56.0	0.0815	15.00	18.13	yes	music wire	4D
C.110.100.0560.AP	11.0	1.00	56.0	0.1185	11.10	23.44	yes	music wire	4G
C.110.100.0560.I	11.0	1.00	56.0	0.0700	15.00	18.13	yes	stainless steel	4D
C.110.100.0560.IF	11.0	1.00	56.0	0.0473	21.00	25.63	yes	stainless steel	4D
C.110.100.0560.N	11.0	1.00	56.0	0.0815	15.00	18.13	yes	Zn coating	4E
C.110.100.0600.A	11.0	1.00	60.0	0.0800	15.20	18.38	yes	music wire	4D
C.110.100.0600.I	11.0	1.00	60.0	0.0696	15.10	18.25	yes	stainless steel	4D
C.110.100.0600.N	11.0	1.00	60.0	0.0800	15.20	18.38	yes	Zn coating	4E
C.110.100.0630.A	11.0	1.00	63.0	0.0690	17.30	21.00	yes	music wire	4D
C.110.100.0630.AP	11.0	1.00	63.0	0.1050	12.20	26.27	yes	music wire	4G
C.110.100.0630.I	11.0	1.00	63.0	0.0600	17.10	20.75	yes	stainless steel	4D
C.110.100.0630.N	11.0	1.00	63.0	0.0690	17.30	21.00	yes	Zn coating	4F
C.110.100.0670.A	11.0	1.00	67.0	0.0657	18.00	21.88	yes	music wire	4D
C.110.100.0670.AP	11.0	1.00	67.0	0.0980	12.90	27.62	yes	music wire	4G
C.110.100.0670.I	11.0	1.00	67.0	0.0564	18.00	21.88	yes	stainless steel	4D
C.110.100.0670.N	11.0	1.00	67.0	0.0657	18.00	21.88	yes	Zn coating	4F
C.110.100.0800.A	11.0	1.00	80.0	0.0540	21.40	26.13	yes	music wire	4D
C.110.100.0800.AP	11.0	1.00	80.0	0.0822	14.90	33.05	yes	music wire	4G
C.110.100.0800.I	11.0	1.00	80.0	0.0470	21.10	25.75	yes	stainless steel	4E
C.110.100.0800.N	11.0	1.00	80.0	0.0540	21.40	26.13	yes	Zn coating	4F
C.110.100.0815.A	11.0	1.00	81.5	0.0551	21.00	25.63	yes	music wire	4D
C.110.100.0815.AP	11.0	1.00	81.5	0.0802	15.20	33.41	yes	music wire	4G
C.110.100.0815.I	11.0	1.00	81.5	0.0473	21.00	25.63	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.110.100.0815.IF	11.0	1.00	81.5	0.0389	25.00	30.63	yes	stainless steel	4E
C.110.100.0815.N	11.0	1.00	81.5	0.0551	21.00	25.63	yes	Zn coating	4F
C.110.100.1000.A	11.0	1.00	100.0	0.0430	26.20	32.13	yes	music wire	4E
C.110.100.1000.AP	11.0	1.00	100.0	0.0653	18.10	40.93	yes	music wire	4G
C.110.100.1000.I	11.0	1.00	100.0	0.0374	25.90	31.75	yes	stainless steel	4E
C.110.100.1000.N	11.0	1.00	100.0	0.0430	26.20	32.13	yes	Zn coating	4F
C.110.100.1140.A	11.0	1.00	114.0	0.0497	23.00	36.39	yes	music wire	4G
C.110.100.1140.I	11.0	1.00	114.0	0.0427	23.00	36.26	yes	stainless steel	4H
C.110.100.1140.N	11.0	1.00	114.0	0.0497	23.00	36.39	yes	Zn coating	4I
C.110.100.3600.A	11.0	1.00	360.0	0.0120	88.40	109.63	no	music wire	4H
C.110.100.3600.I	11.0	1.00	360.0	0.0104	87.60	108.63	no	stainless steel	4H
C.110.105.0120.A	11.0	1.05	12.0	0.5465	5.04	5.61	yes	music wire	4C
C.110.105.0120.I	11.0	1.05	12.0	0.4694	5.04	5.61	yes	stainless steel	4C
C.110.105.0160.A	11.0	1.05	16.0	0.3928	5.99	6.78	yes	music wire	4C
C.110.105.0160.I	11.0	1.05	16.0	0.3374	5.99	6.78	yes	stainless steel	4C
C.110.105.0190.A	11.0	1.05	19.0	0.3223	6.72	7.68	yes	music wire	4C
C.110.105.0190.I	11.0	1.05	19.0	0.2768	6.72	7.68	yes	stainless steel	4C
C.110.105.0240.A	11.0	1.05	24.0	0.2514	7.88	9.11	yes	music wire	4C
C.110.105.0240.I	11.0	1.05	24.0	0.2159	7.88	9.11	yes	stainless steel	4D
C.110.105.0340.A	11.0	1.05	34.0	0.1722	10.29	12.09	yes	music wire	4C
C.110.105.0340.I	11.0	1.05	34.0	0.1479	10.29	12.09	yes	stainless steel	4D
C.110.105.0420.A	11.0	1.05	42.0	0.1381	12.18	14.42	yes	music wire	4C
C.110.105.0420.I	11.0	1.05	42.0	0.1186	12.18	14.42	yes	stainless steel	4D
C.110.105.0510.A	11.0	1.05	51.0	0.1132	14.28	17.02	yes	music wire	4D
C.110.105.0510.I	11.0	1.05	51.0	0.0973	14.28	17.02	yes	stainless steel	4D
C.110.105.0710.A	11.0	1.05	71.0	0.0806	19.01	22.85	yes	music wire	4D
C.110.105.0710.I	11.0	1.05	71.0	0.0692	19.01	22.85	yes	stainless steel	4E
C.110.105.0850.A	11.0	1.05	85.0	0.0669	22.37	27.00	yes	music wire	4D
C.110.105.0850.I	11.0	1.05	85.0	0.0574	22.37	27.00	yes	stainless steel	4E
C.110.105.1100.A	11.0	1.05	110.0	0.0515	28.25	34.26	yes	music wire	4E
C.110.105.1100.I	11.0	1.05	110.0	0.0442	28.25	34.26	yes	stainless steel	4E
C.110.110.0125.A	11.0	1.10	12.5	0.5630	5.72	6.38	yes	music wire	4C
C.110.110.0125.AP	11.0	1.10	12.5	0.8098	4.84	6.28	yes	music wire	4F
C.110.110.0125.I	11.0	1.10	12.5	0.4898	5.72	6.38	yes	stainless steel	4C
C.110.110.0125.N	11.0	1.10	12.5	0.5630	5.72	6.38	yes	Zn coating	4E
C.110.110.0160.A	11.0	1.10	16.0	0.4220	6.71	7.59	yes	music wire	4C
C.110.110.0160.AP	11.0	1.10	16.0	0.6154	5.50	7.82	yes	music wire	4F
C.110.110.0160.I	11.0	1.10	16.0	0.3671	6.71	7.59	yes	stainless steel	4D
C.110.110.0160.N	11.0	1.10	16.0	0.4220	6.71	7.59	yes	Zn coating	4E
C.110.110.0200.A	11.0	1.10	20.0	0.3380	7.70	8.80	yes	music wire	4C
C.110.110.0200.AP	11.0	1.10	20.0	0.4808	6.27	9.53	yes	music wire	4F
C.110.110.0200.I	11.0	1.10	20.0	0.2941	7.70	8.80	yes	stainless steel	4D
C.110.110.0200.N	11.0	1.10	20.0	0.3380	7.70	8.80	yes	Zn coating	4E
C.110.110.0250.A	11.0	1.10	25.0	0.2630	9.13	10.54	yes	music wire	4C
C.110.110.0250.AP	11.0	1.10	25.0	0.3753	7.26	11.58	yes	music wire	4F
C.110.110.0250.I	11.0	1.10	25.0	0.2288	9.13	10.54	yes	stainless steel	4D
C.110.110.0250.N	11.0	1.10	25.0	0.2630	9.13	10.54	yes	Zn coating	4E
C.110.110.0305.A	11.0	1.10	30.5	0.1996	11.22	13.10	yes	music wire	4C
C.110.110.0305.I	11.0	1.10	30.5	0.1715	11.22	13.10	yes	stainless steel	4D
C.110.110.0320.A	11.0	1.10	32.0	0.2010	11.11	12.96	yes	music wire	4C
C.110.110.0320.AP	11.0	1.10	32.0	0.2903	8.58	14.66	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.110.110.0320.I	11.0	1.10	32.0	0.1749	11.00	12.83	yes	stainless steel	4D
C.110.110.0320.N	11.0	1.10	32.0	0.2010	11.11	12.96	yes	Zn coating	4E
C.110.110.0381.A	11.0	1.10	38.1	0.1585	13.42	15.78	yes	music wire	4C
C.110.110.0381.I	11.0	1.10	38.1	0.1361	13.42	15.78	yes	stainless steel	4D
C.110.110.0400.A	11.0	1.10	40.0	0.1580	13.42	15.78	yes	music wire	4C
C.110.110.0400.AP	11.0	1.10	40.0	0.2296	10.12	18.08	yes	music wire	4F
C.110.110.0400.I	11.0	1.10	40.0	0.1375	13.31	15.65	yes	stainless steel	4D
C.110.110.0400.N	11.0	1.10	40.0	0.1580	13.42	15.78	yes	Zn coating	4E
C.110.110.0444.A	11.0	1.10	44.4	0.1348	15.29	18.07	yes	music wire	4D
C.110.110.0444.I	11.0	1.10	44.4	0.1158	15.29	18.07	yes	stainless steel	4D
C.110.110.0457.A	11.0	1.10	45.7	0.1314	15.62	18.47	yes	music wire	4D
C.110.110.0457.I	11.0	1.10	45.7	0.1128	15.62	18.47	yes	stainless steel	4D
C.110.110.0500.A	11.0	1.10	50.0	0.1260	16.17	19.14	yes	music wire	4D
C.110.110.0500.AP	11.0	1.10	50.0	0.1810	12.10	22.19	yes	music wire	4G
C.110.110.0500.I	11.0	1.10	50.0	0.1096	15.95	18.87	yes	stainless steel	4D
C.110.110.0500.N	11.0	1.10	50.0	0.1260	16.17	19.14	yes	Zn coating	4E
C.110.110.0630.A	11.0	1.10	63.0	0.0990	19.80	23.58	yes	music wire	4D
C.110.110.0630.AP	11.0	1.10	63.0	0.1425	14.63	27.66	yes	music wire	4G
C.110.110.0630.I	11.0	1.10	63.0	0.0861	19.58	23.31	yes	stainless steel	4D
C.110.110.0630.N	11.0	1.10	63.0	0.0990	19.80	23.58	yes	Zn coating	4F
C.110.110.0800.A	11.0	1.10	80.0	0.0770	24.75	29.62	yes	music wire	4D
C.110.110.0800.AP	11.0	1.10	80.0	0.1115	17.93	34.85	yes	music wire	4G
C.110.110.0800.I	11.0	1.10	80.0	0.0670	24.42	29.22	yes	stainless steel	4E
C.110.110.0800.N	11.0	1.10	80.0	0.0770	24.75	29.62	yes	Zn coating	4F
C.110.110.1000.A	11.0	1.10	100.0	0.0610	30.47	36.61	yes	music wire	4E
C.110.110.1000.AP	11.0	1.10	100.0	0.0889	21.78	43.39	yes	music wire	4G
C.110.110.1000.I	11.0	1.10	100.0	0.0531	30.14	36.21	yes	stainless steel	4E
C.110.110.1000.N	11.0	1.10	100.0	0.0610	30.47	36.61	yes	Zn coating	4G
C.110.110.3600.A	11.0	1.10	360.0	0.0170	103.29	125.32	no	music wire	4H
C.110.110.3600.I	11.0	1.10	360.0	0.0148	101.97	123.70	no	stainless steel	4H
C.110.115.0120.A	11.0	1.15	12.0	0.7458	5.75	6.35	yes	music wire	4C
C.110.115.0120.I	11.0	1.15	12.0	0.6405	5.75	6.35	yes	stainless steel	4C
C.110.115.0160.A	11.0	1.15	16.0	0.5484	6.79	7.61	yes	music wire	4C
C.110.115.0160.I	11.0	1.15	16.0	0.4710	6.79	7.61	yes	stainless steel	4D
C.110.115.0240.A	11.0	1.15	24.0	0.3453	9.09	10.39	yes	music wire	4C
C.110.115.0240.I	11.0	1.15	24.0	0.2965	9.09	10.39	yes	stainless steel	4D
C.110.115.0340.A	11.0	1.15	34.0	0.2390	11.85	13.73	yes	music wire	4C
C.110.115.0340.I	11.0	1.15	34.0	0.2053	11.85	13.73	yes	stainless steel	4D
C.110.115.0420.A	11.0	1.15	42.0	0.1902	14.15	16.52	yes	music wire	4D
C.110.115.0420.I	11.0	1.15	42.0	0.1634	14.15	16.52	yes	stainless steel	4D
C.110.115.0520.A	11.0	1.15	52.0	0.1528	16.91	19.86	yes	music wire	4D
C.110.115.0520.I	11.0	1.15	52.0	0.1313	16.91	19.86	yes	stainless steel	4D
C.110.115.0740.A	11.0	1.15	74.0	0.1059	23.12	27.37	yes	music wire	4D
C.110.115.0740.I	11.0	1.15	74.0	0.0910	23.12	27.37	yes	stainless steel	4E
C.110.115.0890.A	11.0	1.15	89.0	0.0875	27.37	32.52	yes	music wire	4D
C.110.115.0890.I	11.0	1.15	89.0	0.0752	27.37	32.52	yes	stainless steel	4E
C.110.120.0192.A	11.0	1.20	19.2	0.6413	7.20	9.20	yes	music wire	4F
C.110.120.0192.I	11.0	1.20	19.2	0.5508	7.20	9.13	yes	stainless steel	4G
C.110.120.0192.N	11.0	1.20	19.2	0.6413	7.20	9.20	yes	Zn coating	4H
C.110.120.0220.A	11.0	1.20	22.0	0.3390	10.92	12.50	yes	music wire	4C
C.110.120.0220.AP	11.0	1.20	22.0	0.5917	7.56	11.16	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.120.0220.I	11.0	1.20	22.0	0.2949	10.80	12.36	yes	stainless steel	4D
C.110.120.0220.N	11.0	1.20	22.0	0.3390	10.92	12.50	yes	Zn coating	4E
C.110.120.0302.A	11.0	1.20	30.2	0.4081	9.60	14.48	yes	music wire	4F
C.110.120.0302.I	11.0	1.20	30.2	0.3505	9.60	14.37	yes	stainless steel	4G
C.110.120.0302.N	11.0	1.20	30.2	0.4081	9.60	14.48	yes	Zn coating	4I
C.110.120.0467.A	11.0	1.20	46.7	0.2641	13.20	22.41	yes	music wire	4G
C.110.120.0467.I	11.0	1.20	46.7	0.2268	13.20	22.24	yes	stainless steel	4G
C.110.120.0467.N	11.0	1.20	46.7	0.2641	13.20	22.41	yes	Zn coating	4I
C.110.120.0687.A	11.0	1.20	68.7	0.1796	18.00	32.98	yes	music wire	4I
C.110.120.0687.I	11.0	1.20	68.7	0.1543	18.00	32.75	yes	stainless steel	4I
C.110.120.0687.N	11.0	1.20	68.7	0.1796	18.00	32.98	yes	Zn coating	4J
C.110.120.1010.A	11.0	1.20	101.0	0.1213	25.20	48.12	yes	music wire	4I
C.110.120.1010.I	11.0	1.20	101.0	0.1042	25.20	47.76	yes	stainless steel	4I
C.110.120.1010.N	11.0	1.20	101.0	0.1213	25.20	48.12	yes	Zn coating	4J
C.110.125.0125.A	11.0	1.25	12.5	0.9390	6.75	7.44	yes	music wire	4C
C.110.125.0125.AP	11.0	1.25	12.5	1.2808	5.75	6.89	yes	music wire	4F
C.110.125.0125.I	11.0	1.25	12.5	0.8169	6.63	7.30	yes	stainless steel	4D
C.110.125.0125.N	11.0	1.25	12.5	0.9390	6.75	7.44	yes	Zn coating	4E
C.110.125.0160.A	11.0	1.25	16.0	0.7120	7.88	8.79	yes	music wire	4C
C.110.125.0160.AP	11.0	1.25	16.0	0.9606	6.63	8.52	yes	music wire	4F
C.110.125.0160.I	11.0	1.25	16.0	0.6194	7.75	8.63	yes	stainless steel	4D
C.110.125.0160.N	11.0	1.25	16.0	0.7120	7.88	8.79	yes	Zn coating	4E
C.110.125.0200.A	11.0	1.25	20.0	0.5580	9.13	10.28	yes	music wire	4C
C.110.125.0200.AP	11.0	1.25	20.0	0.7471	7.63	10.38	yes	music wire	4F
C.110.125.0200.I	11.0	1.25	20.0	0.4855	9.00	10.12	yes	stainless steel	4D
C.110.125.0200.N	11.0	1.25	20.0	0.5580	9.13	10.28	yes	Zn coating	4E
C.110.125.0250.A	11.0	1.25	25.0	0.4300	10.88	12.36	yes	music wire	4C
C.110.125.0250.AP	11.0	1.25	25.0	0.5847	8.88	12.71	yes	music wire	4F
C.110.125.0250.I	11.0	1.25	25.0	0.3741	10.88	12.36	yes	stainless steel	4D
C.110.125.0250.N	11.0	1.25	25.0	0.4300	10.88	12.36	yes	Zn coating	4E
C.110.125.0320.A	11.0	1.25	32.0	0.3280	13.38	15.34	yes	music wire	4D
C.110.125.0320.AP	11.0	1.25	32.0	0.4483	10.63	15.97	yes	music wire	4F
C.110.125.0320.I	11.0	1.25	32.0	0.2854	13.25	15.19	yes	stainless steel	4D
C.110.125.0320.N	11.0	1.25	32.0	0.3280	13.38	15.34	yes	Zn coating	4E
C.110.125.0400.A	11.0	1.25	40.0	0.2580	16.13	18.62	yes	music wire	4D
C.110.125.0400.AF	11.0	1.25	40.0	0.3157	13.75	17.24	yes	music wire	4G
C.110.125.0400.AP	11.0	1.25	40.0	0.3539	12.63	19.70	yes	music wire	4G
C.110.125.0400.I	11.0	1.25	40.0	0.2245	16.00	18.46	yes	stainless steel	4D
C.110.125.0400.N	11.0	1.25	40.0	0.3157	13.75	17.24	yes	Zn coating	4I
C.110.125.0400.NF	11.0	1.25	40.0	0.2580	16.13	18.62	yes	Zn coating	4E
C.110.125.0460.A	11.0	1.25	46.0	0.2147	18.75	21.74	yes	music wire	4D
C.110.125.0460.AP	11.0	1.25	46.0	0.3056	14.13	22.49	yes	music wire	4G
C.110.125.0460.I	11.0	1.25	46.0	0.1844	18.75	21.74	yes	stainless steel	4D
C.110.125.0460.N	11.0	1.25	46.0	0.2147	18.75	21.74	yes	Zn coating	4E
C.110.125.0500.A	11.0	1.25	50.0	0.2040	19.63	22.79	yes	music wire	4D
C.110.125.0500.AP	11.0	1.25	50.0	0.2802	15.13	24.36	yes	music wire	4G
C.110.125.0500.I	11.0	1.25	50.0	0.1775	19.38	22.49	yes	stainless steel	4D
C.110.125.0500.N	11.0	1.25	50.0	0.2040	19.63	22.79	yes	Zn coating	4F
C.110.125.0572.A	11.0	1.25	57.2	0.1656	23.38	27.25	yes	music wire	4D
C.110.125.0572.I	11.0	1.25	57.2	0.1423	23.38	27.25	yes	stainless steel	4E
C.110.125.0630.A	11.0	1.25	63.0	0.1610	24.00	27.99	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.110.125.0630.AP	11.0	1.25	63.0	0.2205	18.38	30.41	yes	music wire	4G
C.110.125.0630.I	11.0	1.25	63.0	0.1401	23.75	27.69	yes	stainless steel	4E
C.110.125.0630.N	11.0	1.25	63.0	0.1610	24.00	27.99	yes	Zn coating	4F
C.110.125.0698.A	11.0	1.25	69.8	0.1348	28.00	32.76	yes	music wire	4D
C.110.125.0698.I	11.0	1.25	69.8	0.1158	28.00	32.76	yes	stainless steel	4E
C.110.125.0800.A	11.0	1.25	80.0	0.1260	29.75	34.84	yes	music wire	4D
C.110.125.0800.AP	11.0	1.25	80.0	0.1724	22.63	38.33	yes	music wire	4G
C.110.125.0800.I	11.0	1.25	80.0	0.1096	29.38	34.40	yes	stainless steel	4E
C.110.125.0800.N	11.0	1.25	80.0	0.1260	29.75	34.84	yes	Zn coating	4F
C.110.125.1000.A	11.0	1.25	100.0	0.1000	36.63	43.04	yes	music wire	4E
C.110.125.1000.AP	11.0	1.25	100.0	0.1372	27.63	47.64	yes	music wire	4G
C.110.125.1000.I	11.0	1.25	100.0	0.0870	36.25	42.59	yes	stainless steel	4E
C.110.125.1000.N	11.0	1.25	100.0	0.1000	36.63	43.04	yes	Zn coating	4G
C.110.125.3600.A	11.0	1.25	360.0	0.0270	128.63	152.39	no	music wire	4H
C.110.125.3600.I	11.0	1.25	360.0	0.0235	127.00	150.45	no	stainless steel	4I
C.110.130.0450.A	11.0	1.30	45.0	0.2610	19.11	22.02	yes	music wire	4D
C.110.130.0450.AP	11.0	1.30	45.0	0.3592	14.82	22.70	yes	music wire	4G
C.110.130.0450.I	11.0	1.30	45.0	0.2271	18.98	21.87	yes	stainless steel	4D
C.110.130.0450.N	11.0	1.30	45.0	0.2610	19.11	22.02	yes	Zn coating	4E
C.110.130.0940.A	11.0	1.30	94.0	0.1291	35.36	41.25	yes	music wire	4E
C.110.130.0940.I	11.0	1.30	94.0	0.1109	35.36	41.25	yes	stainless steel	4E
C.110.130.1100.A	11.0	1.30	110.0	0.1099	40.95	47.87	yes	music wire	4E
C.110.130.1100.I	11.0	1.30	110.0	0.0944	40.95	47.87	yes	stainless steel	4E
C.110.140.0125.A	11.0	1.40	12.5	1.5470	7.56	8.25	yes	music wire	4E
C.110.140.0125.AP	11.0	1.40	12.5	2.0181	6.58	7.63	yes	music wire	4H
C.110.140.0125.I	11.0	1.40	12.5	1.3459	7.42	8.09	yes	stainless steel	4E
C.110.140.0125.N	11.0	1.40	12.5	1.5470	7.56	8.25	yes	Zn coating	4G
C.110.140.0160.A	11.0	1.40	16.0	1.1350	8.96	9.89	yes	music wire	4E
C.110.140.0160.AP	11.0	1.40	16.0	1.4799	7.70	9.36	yes	music wire	4H
C.110.140.0160.I	11.0	1.40	16.0	0.9874	8.82	9.73	yes	stainless steel	4E
C.110.140.0160.N	11.0	1.40	16.0	1.1350	8.96	9.89	yes	Zn coating	4G
C.110.140.0200.A	11.0	1.40	20.0	0.8730	10.64	11.86	yes	music wire	4E
C.110.140.0200.AP	11.0	1.40	20.0	1.1384	8.96	11.36	yes	music wire	4H
C.110.140.0200.I	11.0	1.40	20.0	0.7595	10.50	11.69	yes	stainless steel	4E
C.110.140.0200.N	11.0	1.40	20.0	0.8730	10.64	11.86	yes	Zn coating	4G
C.110.140.0250.A	11.0	1.40	25.0	0.6810	12.60	14.15	yes	music wire	4E
C.110.140.0250.AP	11.0	1.40	25.0	0.8880	10.50	13.93	yes	music wire	4H
C.110.140.0250.I	11.0	1.40	25.0	0.5925	12.46	13.99	yes	stainless steel	4E
C.110.140.0250.N	11.0	1.40	25.0	0.6810	12.60	14.15	yes	Zn coating	4G
C.110.140.0280.A	11.0	1.40	28.0	0.5898	14.00	15.79	yes	music wire	4E
C.110.140.0280.AP	11.0	1.40	28.0	0.7789	11.48	15.38	yes	music wire	4H
C.110.140.0280.I	11.0	1.40	28.0	0.5066	14.00	15.79	yes	stainless steel	4E
C.110.140.0280.N	11.0	1.40	28.0	0.5898	14.00	15.79	yes	Zn coating	4G
C.110.140.0320.A	11.0	1.40	32.0	0.5240	15.26	17.27	yes	music wire	4E
C.110.140.0320.I	11.0	1.40	32.0	0.4559	15.12	17.10	yes	stainless steel	4F
C.110.140.0320.N	11.0	1.40	32.0	0.5240	15.26	17.27	yes	Zn coating	4G
C.110.140.0360.A	11.0	1.40	36.0	0.4656	16.80	19.07	yes	music wire	4E
C.110.140.0360.I	11.0	1.40	36.0	0.4000	16.80	19.07	yes	stainless steel	4F
C.110.140.0360.N	11.0	1.40	36.0	0.4656	16.80	19.07	yes	Zn coating	4G
C.110.140.0400.A	11.0	1.40	40.0	0.4100	18.62	21.20	yes	music wire	4E
C.110.140.0400.I	11.0	1.40	40.0	0.3567	18.48	21.03	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.140.0400.N	11.0	1.40	40.0	0.4100	18.62	21.20	yes	Zn coating	4G
C.110.140.0440.A	11.0	1.40	44.0	0.3847	19.60	22.35	yes	music wire	4E
C.110.140.0440.I	11.0	1.40	44.0	0.3304	19.60	22.35	yes	stainless steel	4F
C.110.140.0440.N	11.0	1.40	44.0	0.3847	19.60	22.35	yes	Zn coating	4G
C.110.140.0500.A	11.0	1.40	50.0	0.3240	22.68	25.95	yes	music wire	4E
C.110.140.0500.I	11.0	1.40	50.0	0.2819	22.40	25.62	yes	stainless steel	4F
C.110.140.0500.N	11.0	1.40	50.0	0.3240	22.68	25.95	yes	Zn coating	4G
C.110.140.0540.A	11.0	1.40	54.0	0.3051	23.80	27.26	yes	music wire	4E
C.110.140.0540.I	11.0	1.40	54.0	0.2620	23.80	27.26	yes	stainless steel	4F
C.110.140.0540.N	11.0	1.40	54.0	0.3051	23.80	27.26	yes	Zn coating	4H
C.110.140.0630.A	11.0	1.40	63.0	0.2540	27.86	32.01	yes	music wire	4F
C.110.140.0630.I	11.0	1.40	63.0	0.2210	27.58	31.69	yes	stainless steel	4F
C.110.140.0630.N	11.0	1.40	63.0	0.2540	27.86	32.01	yes	Zn coating	4H
C.110.140.0690.A	11.0	1.40	69.0	0.2391	29.40	33.82	yes	music wire	4F
C.110.140.0690.I	11.0	1.40	69.0	0.2054	29.40	33.82	yes	stainless steel	4F
C.110.140.0690.N	11.0	1.40	69.0	0.2391	29.40	33.82	yes	Zn coating	4H
C.110.140.0800.A	11.0	1.40	80.0	0.1980	34.72	40.04	yes	music wire	4F
C.110.140.0800.I	11.0	1.40	80.0	0.1723	34.44	39.72	yes	stainless steel	4F
C.110.140.0800.N	11.0	1.40	80.0	0.1980	34.72	40.04	yes	Zn coating	4H
C.110.140.1000.A	11.0	1.40	100.0	0.1570	42.98	49.71	yes	music wire	4F
C.110.140.1000.I	11.0	1.40	100.0	0.1366	42.42	49.06	yes	stainless steel	4G
C.110.140.1000.N	11.0	1.40	100.0	0.1570	42.98	49.71	yes	Zn coating	4I
C.110.140.3600.A	11.0	1.40	360.0	0.0430	148.96	173.53	no	music wire	4I
C.110.140.3600.I	11.0	1.40	360.0	0.0374	147.14	171.40	no	stainless steel	4I
C.110.150.0075.A	11.0	1.50	7.5	2.3620	7.50	7.50	yes	music wire	4E
C.110.150.0075.AP	11.0	1.50	7.5	5.4937	5.40	5.66	yes	music wire	4E
C.110.150.0075.I	11.0	1.50	7.5	2.0549	7.50	7.50	yes	stainless steel	4E
C.110.150.0075.N	11.0	1.50	7.5	2.3620	7.50	7.50	yes	Zn coating	4G
C.110.150.0320.A	11.0	1.50	32.0	0.5130	21.30	24.11	yes	music wire	4E
C.110.150.0320.AP	11.0	1.50	32.0	0.8758	14.10	18.43	yes	music wire	4I
C.110.150.0320.I	11.0	1.50	32.0	0.4463	21.15	23.94	yes	stainless steel	4F
C.110.150.0320.N	11.0	1.50	32.0	0.5130	21.30	24.11	yes	Zn coating	4G
C.110.150.0360.A	11.0	1.50	36.0	0.6138	18.45	20.80	yes	music wire	4E
C.110.150.0360.I	11.0	1.50	36.0	0.5272	18.45	20.80	yes	stainless steel	4F
C.110.150.0810.A	11.0	1.50	81.0	0.2673	37.50	42.91	yes	music wire	4F
C.110.150.0810.I	11.0	1.50	81.0	0.2296	37.50	42.91	yes	stainless steel	4G
C.110.150.0810.N	11.0	1.50	81.0	0.2673	37.50	42.91	yes	Zn coating	4H
C.110.150.0940.A	11.0	1.50	94.0	0.2236	44.10	50.56	yes	music wire	4F
C.110.150.0940.I	11.0	1.50	94.0	0.1921	44.10	50.56	yes	stainless steel	4G
C.110.160.0125.A	11.0	1.60	12.5	2.6900	8.80	9.53	yes	music wire	4E
C.110.160.0125.AP	11.0	1.60	12.5	3.3678	7.84	8.42	yes	music wire	4H
C.110.160.0125.I	11.0	1.60	12.5	2.3403	8.80	9.53	yes	stainless steel	4E
C.110.160.0125.N	11.0	1.60	12.5	2.6900	8.80	9.53	yes	Zn coating	4G
C.110.160.0157.A	11.0	1.60	15.7	2.3000	9.60	10.45	yes	music wire	4E
C.110.160.0157.I	11.0	1.60	15.7	2.0000	9.60	10.45	yes	stainless steel	4E
C.110.160.0157.N	11.0	1.60	15.7	2.3000	9.60	10.45	yes	Zn coating	4G
C.110.160.0160.A	11.0	1.60	16.0	2.0000	10.40	11.37	yes	music wire	4E
C.110.160.0160.I	11.0	1.60	16.0	1.7356	10.40	11.37	yes	stainless steel	4E
C.110.160.0160.N	11.0	1.60	16.0	2.0000	10.40	11.37	yes	Zn coating	4G
C.110.160.0191.A	11.0	1.60	19.1	1.5167	12.48	13.77	yes	music wire	4E
C.110.160.0191.I	11.0	1.60	19.1	1.3027	12.48	13.77	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.160.0200.A	11.0	1.60	20.0	1.5090	12.48	13.77	yes	music wire	4E
C.110.160.0200.AP	11.0	1.60	20.0	1.9244	10.72	12.63	yes	music wire	4I
C.110.160.0200.I	11.0	1.60	20.0	1.3128	12.48	13.77	yes	stainless steel	4F
C.110.160.0200.N	11.0	1.60	20.0	1.5090	12.48	13.77	yes	Zn coating	4G
C.110.160.0228.A	11.0	1.60	22.8	1.4615	12.80	14.14	yes	music wire	4I
C.110.160.0228.I	11.0	1.60	22.8	1.2553	12.80	14.14	yes	stainless steel	4I
C.110.160.0228.N	11.0	1.60	22.8	1.4615	12.80	14.14	yes	Zn coating	4I
C.110.160.0250.A	11.0	1.60	25.0	1.1670	15.04	16.72	yes	music wire	4E
C.110.160.0250.AP	11.0	1.60	25.0	1.4696	12.80	15.35	yes	music wire	4I
C.110.160.0250.I	11.0	1.60	25.0	1.0153	14.88	16.53	yes	stainless steel	4F
C.110.160.0250.N	11.0	1.60	25.0	1.1670	15.04	16.72	yes	Zn coating	4G
C.110.160.0320.A	11.0	1.60	32.0	0.8840	18.56	20.77	yes	music wire	4E
C.110.160.0320.AP	11.0	1.60	32.0	1.1226	15.52	19.36	yes	music wire	4I
C.110.160.0320.I	11.0	1.60	32.0	0.7691	18.40	20.59	yes	stainless steel	4F
C.110.160.0320.N	11.0	1.60	32.0	0.8840	18.56	20.77	yes	Zn coating	4G
C.110.160.0371.A	11.0	1.60	37.1	0.8461	19.20	21.51	yes	music wire	4I
C.110.160.0371.I	11.0	1.60	37.1	0.7267	19.20	21.51	yes	stainless steel	4I
C.110.160.0371.N	11.0	1.60	37.1	0.8461	19.20	21.51	yes	Zn coating	4I
C.110.160.0400.A	11.0	1.60	40.0	0.6950	22.56	25.38	yes	music wire	4E
C.110.160.0400.AP	11.0	1.60	40.0	0.8786	18.56	23.85	yes	music wire	4I
C.110.160.0400.I	11.0	1.60	40.0	0.6046	22.24	25.01	yes	stainless steel	4F
C.110.160.0400.N	11.0	1.60	40.0	0.6950	22.56	25.38	yes	Zn coating	4H
C.110.160.0500.A	11.0	1.60	50.0	0.5470	27.52	31.09	yes	music wire	4F
C.110.160.0500.AP	11.0	1.60	50.0	0.6968	22.40	29.64	yes	music wire	4I
C.110.160.0500.I	11.0	1.60	50.0	0.4759	27.20	30.72	yes	stainless steel	4F
C.110.160.0500.N	11.0	1.60	50.0	0.5470	27.52	31.09	yes	Zn coating	4H
C.110.160.0581.A	11.0	1.60	58.1	0.5186	28.80	32.56	yes	music wire	4I
C.110.160.0581.I	11.0	1.60	58.1	0.4454	28.80	32.56	yes	stainless steel	4I
C.110.160.0581.N	11.0	1.60	58.1	0.5186	28.80	32.56	yes	Zn coating	4J
C.110.160.0630.A	11.0	1.60	63.0	0.4300	33.92	38.46	yes	music wire	4F
C.110.160.0630.AP	11.0	1.60	63.0	0.5461	27.52	37.02	yes	music wire	4I
C.110.160.0630.I	11.0	1.60	63.0	0.3741	33.60	38.09	yes	stainless steel	4F
C.110.160.0630.N	11.0	1.60	63.0	0.4300	33.92	38.46	yes	Zn coating	4H
C.110.160.0800.A	11.0	1.60	80.0	0.3340	42.56	48.41	yes	music wire	4F
C.110.160.0800.AP	11.0	1.60	80.0	0.4254	34.24	46.65	yes	music wire	4I
C.110.160.0800.I	11.0	1.60	80.0	0.2906	42.08	47.86	yes	stainless steel	4G
C.110.160.0800.N	11.0	1.60	80.0	0.3340	42.56	48.41	yes	Zn coating	4H
C.110.160.1000.A	11.0	1.60	100.0	0.2650	52.48	59.84	yes	music wire	4G
C.110.160.1000.AP	11.0	1.60	100.0	0.3382	42.08	58.05	yes	music wire	4I
C.110.160.1000.I	11.0	1.60	100.0	0.2306	51.84	59.10	yes	stainless steel	4G
C.110.160.1000.N	11.0	1.60	100.0	0.2650	52.48	59.84	yes	Zn coating	4I
C.110.160.3600.A	11.0	1.60	360.0	0.0720	184.16	211.26	no	music wire	4I
C.110.160.3600.I	11.0	1.60	360.0	0.0626	182.08	208.86	no	stainless steel	4I
C.110.170.0110.A	11.0	1.70	11.0	4.2313	8.50	9.12	yes	music wire	4E
C.110.170.0110.I	11.0	1.70	11.0	3.6343	8.50	9.12	yes	stainless steel	4E
C.110.170.0140.A	11.0	1.70	14.0	3.1113	10.03	10.87	yes	music wire	4E
C.110.170.0140.I	11.0	1.70	14.0	2.6722	10.03	10.87	yes	stainless steel	4E
C.110.170.1100.A	11.0	1.70	110.0	0.3186	60.69	68.87	yes	music wire	4G
C.110.170.1100.I	11.0	1.70	110.0	0.2737	60.69	68.87	yes	stainless steel	4G
C.110.175.0120.A	11.0	1.75	12.0	4.3116	9.28	9.98	yes	music wire	4E
C.110.175.0120.I	11.0	1.75	12.0	3.7032	9.28	9.98	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.175.0170.A	11.0	1.75	17.0	2.8075	11.90	12.97	yes	music wire	4E
C.110.175.0170.I	11.0	1.75	17.0	2.4114	11.90	12.97	yes	stainless steel	4E
C.110.180.0125.A	11.0	1.80	12.5	4.8040	9.72	10.45	yes	music wire	4F
C.110.180.0125.I	11.0	1.80	12.5	4.1795	9.54	10.24	yes	stainless steel	4G
C.110.180.0125.N	11.0	1.80	12.5	4.8040	9.72	10.45	yes	Zn coating	4I
C.110.180.0160.A	11.0	1.80	16.0	3.4090	11.70	12.70	yes	music wire	4F
C.110.180.0160.I	11.0	1.80	16.0	2.9658	11.70	12.70	yes	stainless steel	4G
C.110.180.0160.N	11.0	1.80	16.0	3.4090	11.70	12.70	yes	Zn coating	4I
C.110.180.0200.A	11.0	1.80	20.0	2.5780	14.04	15.37	yes	music wire	4F
C.110.180.0200.I	11.0	1.80	20.0	2.2429	14.04	15.37	yes	stainless steel	4G
C.110.180.0200.N	11.0	1.80	20.0	2.5780	14.04	15.37	yes	Zn coating	4I
C.110.180.0240.A	11.0	1.80	24.0	2.1129	16.20	17.83	yes	music wire	4F
C.110.180.0240.I	11.0	1.80	24.0	1.8148	16.20	17.83	yes	stainless steel	4G
C.110.180.0240.N	11.0	1.80	24.0	2.1129	16.20	17.83	yes	Zn coating	4I
C.110.180.0250.A	11.0	1.80	25.0	1.9940	16.92	18.65	yes	music wire	4G
C.110.180.0250.I	11.0	1.80	25.0	1.7348	16.74	18.44	yes	stainless steel	4G
C.110.180.0250.N	11.0	1.80	25.0	1.9940	16.92	18.65	yes	Zn coating	4I
C.110.180.0320.A	11.0	1.80	32.0	1.5100	20.88	23.16	yes	music wire	4G
C.110.180.0320.I	11.0	1.80	32.0	1.3137	20.70	22.95	yes	stainless steel	4G
C.110.180.0320.N	11.0	1.80	32.0	1.5100	20.88	23.16	yes	Zn coating	4I
C.110.180.0400.A	11.0	1.80	40.0	1.1880	25.38	28.29	yes	music wire	4G
C.110.180.0400.I	11.0	1.80	40.0	1.0336	25.02	27.88	yes	stainless steel	4G
C.110.180.0400.N	11.0	1.80	40.0	1.1880	25.38	28.29	yes	Zn coating	4I
C.110.180.0420.A	11.0	1.80	42.0	1.1943	25.20	28.08	yes	music wire	4I
C.110.180.0420.I	11.0	1.80	42.0	1.0258	25.20	28.08	yes	stainless steel	4I
C.110.180.0420.N	11.0	1.80	42.0	1.1943	25.20	28.08	yes	Zn coating	4J
C.110.180.0500.A	11.0	1.80	50.0	0.9270	31.14	34.85	yes	music wire	4G
C.110.180.0500.I	11.0	1.80	50.0	0.8065	30.78	34.44	yes	stainless steel	4G
C.110.180.0500.N	11.0	1.80	50.0	0.9270	31.14	34.85	yes	Zn coating	4I
C.110.180.0550.A	11.0	1.80	55.0	0.8861	32.40	36.28	yes	music wire	4I
C.110.180.0550.I	11.0	1.80	55.0	0.7611	32.40	36.28	yes	stainless steel	4I
C.110.180.0550.N	11.0	1.80	55.0	0.8861	32.40	36.28	yes	Zn coating	4J
C.110.180.0630.A	11.0	1.80	63.0	0.7290	38.34	43.05	yes	music wire	4G
C.110.180.0630.I	11.0	1.80	63.0	0.6342	37.98	42.64	yes	stainless steel	4G
C.110.180.0630.N	11.0	1.80	63.0	0.7290	38.34	43.05	yes	Zn coating	4I
C.110.180.0670.A	11.0	1.80	67.0	0.7043	39.60	44.49	yes	music wire	4G
C.110.180.0670.I	11.0	1.80	67.0	0.6049	39.60	44.49	yes	stainless steel	4G
C.110.180.0670.N	11.0	1.80	67.0	0.7043	39.60	44.49	yes	Zn coating	4I
C.110.180.0800.A	11.0	1.80	80.0	0.5650	48.24	54.33	yes	music wire	4G
C.110.180.0800.I	11.0	1.80	80.0	0.4915	47.70	53.71	yes	stainless steel	4G
C.110.180.0800.N	11.0	1.80	80.0	0.5650	48.24	54.33	yes	Zn coating	4I
C.110.180.1000.A	11.0	1.80	100.0	0.4480	59.76	67.45	yes	music wire	4G
C.110.180.1000.I	11.0	1.80	100.0	0.3898	59.04	66.63	yes	stainless steel	4H
C.110.180.1000.N	11.0	1.80	100.0	0.4480	59.76	67.45	yes	Zn coating	4I
C.110.180.3600.A	11.0	1.80	360.0	0.1210	210.60	239.04	no	music wire	4I
C.110.180.3600.I	11.0	1.80	360.0	0.1053	207.90	235.96	no	stainless steel	4I
C.110.190.0120.A	11.0	1.90	12.0	6.5252	9.88	10.57	yes	music wire	4F
C.110.190.0120.I	11.0	1.90	12.0	5.6045	9.88	10.57	yes	stainless steel	4G
C.110.190.0310.A	11.0	1.90	31.0	2.6437	17.48	22.44	yes	music wire	4J
C.110.190.0310.I	11.0	1.90	31.0	2.3000	17.29	22.38	yes	stainless steel	4J
C.110.190.0420.A	11.0	1.90	42.0	1.4324	28.12	31.26	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.190.0420.I	11.0	1.90	42.0	1.2302	28.12	31.26	yes	stainless steel	4G
C.110.200.0110.A	11.0	2.00	11.0	9.3164	9.80	10.43	yes	music wire	4G
C.110.200.0110.I	11.0	2.00	11.0	8.0018	9.80	10.43	yes	stainless steel	4G
C.110.200.0120.A	11.0	2.00	12.0	8.2813	10.40	11.10	yes	music wire	4G
C.110.200.0120.I	11.0	2.00	12.0	7.1127	10.40	11.10	yes	stainless steel	4G
C.110.200.0170.A	11.0	2.00	17.0	5.1999	13.60	14.72	yes	music wire	4G
C.110.200.0170.I	11.0	2.00	17.0	4.4661	13.60	14.72	yes	stainless steel	4G
C.110.200.0200.A	11.0	2.00	20.0	4.4719	15.00	16.30	yes	music wire	4G
C.110.200.0200.I	11.0	2.00	20.0	3.8906	14.80	16.08	yes	stainless steel	4G
C.110.200.0200.N	11.0	2.00	20.0	4.4719	15.00	16.30	yes	Zn coating	4I
C.110.200.0250.A	11.0	2.00	25.0	4.8770	14.20	19.68	yes	music wire	4J
C.110.200.0250.I	11.0	2.00	25.0	4.2430	14.00	19.63	yes	stainless steel	4J
C.110.200.0250.N	11.0	2.00	25.0	4.8770	14.20	19.68	yes	Zn coating	4L
C.110.200.0300.A	11.0	2.00	30.0	2.4390	23.40	25.80	yes	music wire	4G
C.110.200.0300.AP	11.0	2.00	30.0	3.0911	19.40	21.60	yes	music wire	4I
C.110.200.0300.I	11.0	2.00	30.0	2.1219	23.20	25.57	yes	stainless steel	4G
C.110.200.0300.N	11.0	2.00	30.0	2.4390	23.40	25.80	yes	Zn coating	4I
C.110.200.0320.A	11.0	2.00	32.0	2.9813	20.00	23.29	yes	music wire	4I
C.110.200.0320.I	11.0	2.00	32.0	2.5606	20.00	23.10	yes	stainless steel	4I
C.110.200.0320.N	11.0	2.00	32.0	2.9813	20.00	23.29	yes	Zn coating	4J
C.110.200.0520.A	11.0	2.00	52.0	1.6880	31.40	36.62	yes	music wire	4I
C.110.200.0520.I	11.0	2.00	52.0	1.4686	31.20	36.48	yes	stainless steel	4I
C.110.200.0520.N	11.0	2.00	52.0	1.6880	31.40	36.62	yes	Zn coating	4J
C.110.200.0580.A	11.0	2.00	58.0	1.8290	29.40	43.81	yes	music wire	4J
C.110.200.0580.I	11.0	2.00	58.0	1.5912	29.20	43.67	yes	stainless steel	4J
C.110.200.0580.N	11.0	2.00	58.0	1.8290	29.40	43.81	yes	Zn coating	4L
C.110.200.0710.A	11.0	2.00	71.0	1.0352	48.20	53.83	yes	music wire	4G
C.110.200.0710.I	11.0	2.00	71.0	0.8891	48.20	53.83	yes	stainless steel	4G
C.110.200.0880.A	11.0	2.00	88.0	0.8251	59.20	66.27	yes	music wire	4G
C.110.200.0880.I	11.0	2.00	88.0	0.7086	59.20	66.27	yes	stainless steel	4H
C.110.200.1100.A	11.0	2.00	110.0	0.6557	73.20	82.09	yes	music wire	4G
C.110.200.1100.I	11.0	2.00	110.0	0.5632	73.20	82.09	yes	stainless steel	4H
C.110.210.0120.A	11.0	2.10	12.0	10.8094	10.71	11.40	yes	music wire	4G
C.110.210.0120.I	11.0	2.10	12.0	9.2841	10.71	11.40	yes	stainless steel	4G
C.110.210.0140.A	11.0	2.10	14.0	8.5165	12.18	13.06	yes	music wire	4G
C.110.210.0140.I	11.0	2.10	14.0	7.3148	12.18	13.06	yes	stainless steel	4G
C.110.210.0170.A	11.0	2.10	17.0	6.6915	14.07	15.19	yes	music wire	4G
C.110.210.0170.I	11.0	2.10	17.0	5.7473	14.07	15.19	yes	stainless steel	4G
C.110.210.0240.A	11.0	2.10	24.0	4.3238	18.90	20.63	yes	music wire	4G
C.110.210.0240.I	11.0	2.10	24.0	3.7137	18.90	20.63	yes	stainless steel	4G
C.110.210.0300.A	11.0	2.10	30.0	3.6780	21.21	23.24	yes	music wire	4I
C.110.210.0300.I	11.0	2.10	30.0	3.1999	21.00	23.00	yes	stainless steel	4I
C.110.210.0300.N	11.0	2.10	30.0	3.6780	21.21	23.24	yes	Zn coating	4J
C.110.210.0350.A	11.0	2.10	35.0	2.8104	26.25	28.92	yes	music wire	4G
C.110.210.0350.I	11.0	2.10	35.0	2.4139	26.25	28.92	yes	stainless steel	4G
C.110.210.0540.A	11.0	2.10	54.0	1.7456	39.06	43.35	yes	music wire	4G
C.110.210.0540.I	11.0	2.10	54.0	1.4993	39.06	43.35	yes	stainless steel	4G
C.110.210.1100.A	11.0	2.10	110.0	0.8242	76.86	85.95	yes	music wire	4G
C.110.210.1100.I	11.0	2.10	110.0	0.7079	76.86	85.95	yes	stainless steel	4H
C.110.220.0162.A	11.0	2.20	16.2	10.0056	13.20	14.15	yes	music wire	4G
C.110.220.0162.I	11.0	2.20	16.2	8.5938	13.20	14.15	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.110.220.0162.N	11.0	2.20	16.2	10.0056	13.20	14.15	yes	Zn coating	4I
C.110.220.0230.A	11.0	2.20	23.0	6.3672	17.60	19.10	yes	music wire	4I
C.110.220.0230.I	11.0	2.20	23.0	5.4688	17.60	19.10	yes	stainless steel	4I
C.110.220.0230.N	11.0	2.20	23.0	6.3672	17.60	19.10	yes	Zn coating	4J
C.110.220.0365.A	11.0	2.20	36.5	3.6863	26.40	28.99	yes	music wire	4I
C.110.220.0365.I	11.0	2.20	36.5	3.1661	26.40	28.99	yes	stainless steel	4I
C.110.220.0365.N	11.0	2.20	36.5	3.6863	26.40	28.99	yes	Zn coating	4J
C.110.220.0568.A	11.0	2.20	56.8	2.2593	39.60	43.83	yes	music wire	4I
C.110.220.0568.I	11.0	2.20	56.8	1.9405	39.60	43.83	yes	stainless steel	4I
C.110.220.0568.N	11.0	2.20	56.8	2.2593	39.60	43.83	yes	Zn coating	4J
C.110.220.0720.A	11.0	2.20	72.0	2.3710	38.06	57.89	yes	music wire	4J
C.110.220.0720.I	11.0	2.20	72.0	2.0628	37.62	57.72	yes	stainless steel	4K
C.110.220.0720.N	11.0	2.20	72.0	2.3710	38.06	57.89	yes	Zn coating	4M
C.111.050.0127.A	11.1	0.50	12.7	0.0184	3.20	4.32	no	music wire	4B
C.111.050.0127.I	11.1	0.50	12.7	0.0160	3.20	4.32	no	stainless steel	4C
C.111.050.0191.A	11.1	0.50	19.1	0.0138	3.70	5.21	no	music wire	4B
C.111.050.0191.I	11.1	0.50	19.1	0.0120	3.65	5.12	no	stainless steel	4C
C.111.050.0400.A	11.1	0.50	40.0	0.0116	4.05	5.83	no	music wire	4C
C.111.050.0400.I	11.1	0.50	40.0	0.0100	4.05	5.83	no	stainless steel	4C
C.111.060.0079.A	11.1	0.60	7.9	0.0195	4.98	6.93	yes	music wire	4C
C.111.060.0079.AP	11.1	0.60	7.9	0.1033	2.16	2.53	yes	music wire	4C
C.111.060.0079.I	11.1	0.60	7.9	0.0170	4.98	6.93	yes	stainless steel	4C
C.111.060.0100.A	11.1	0.60	10.0	0.0877	2.28	2.72	yes	music wire	4C
C.111.060.0100.I	11.1	0.60	10.0	0.0754	2.28	2.72	yes	stainless steel	4C
C.111.060.0135.A	11.1	0.60	13.5	0.0276	3.96	5.34	yes	music wire	4C
C.111.060.0135.I	11.1	0.60	13.5	0.0240	3.96	5.34	yes	stainless steel	4C
C.111.060.0200.A	11.1	0.60	20.0	0.0407	3.18	4.12	yes	music wire	4C
C.111.060.0200.I	11.1	0.60	20.0	0.0350	3.18	4.12	yes	stainless steel	4C
C.111.060.0240.A	11.1	0.60	24.0	0.0230	4.50	6.18	yes	music wire	4C
C.111.060.0240.I	11.1	0.60	24.0	0.0200	4.44	6.08	yes	stainless steel	4C
C.111.060.0280.A	11.1	0.60	28.0	0.0240	4.38	5.99	yes	music wire	4C
C.111.060.0280.I	11.1	0.60	28.0	0.0209	4.32	5.90	yes	stainless steel	4C
C.111.060.0410.A	11.1	0.60	41.0	0.0126	6.90	9.92	yes	music wire	4C
C.111.060.0410.I	11.1	0.60	41.0	0.0110	6.84	9.83	yes	stainless steel	4D
C.111.060.0430.A	11.1	0.60	43.0	0.0170	5.52	7.77	yes	music wire	4C
C.111.060.0430.I	11.1	0.60	43.0	0.0148	5.46	7.68	yes	stainless steel	4D
C.111.060.0460.A	11.1	0.60	46.0	0.0140	6.36	9.08	yes	music wire	4C
C.111.060.0460.I	11.1	0.60	46.0	0.0122	6.30	8.98	yes	stainless steel	4D
C.111.060.0600.A	11.1	0.60	60.0	0.0134	6.60	9.45	yes	music wire	4C
C.111.060.0600.I	11.1	0.60	60.0	0.0115	6.60	9.45	yes	stainless steel	4D
C.111.060.0800.A	11.1	0.60	80.0	0.0100	8.34	12.17	yes	music wire	4D
C.111.060.0800.I	11.1	0.60	80.0	0.0086	8.34	12.17	yes	stainless steel	4D
C.111.070.0095.A	11.1	0.70	9.5	0.0897	3.43	4.15	yes	music wire	4C
C.111.070.0095.AP	11.1	0.70	9.5	0.1971	2.52	2.85	yes	music wire	4C
C.111.070.0095.I	11.1	0.70	9.5	0.0780	3.43	4.15	yes	stainless steel	4C
C.111.070.0159.A	11.1	0.70	15.9	0.1126	3.08	3.65	yes	music wire	4E
C.111.070.0159.I	11.1	0.70	15.9	0.0980	3.08	3.70	yes	stainless steel	4F
C.111.070.0167.A	11.1	0.70	16.7	0.0414	5.46	7.06	yes	music wire	4C
C.111.070.0167.I	11.1	0.70	16.7	0.0360	5.39	6.96	yes	stainless steel	4C
C.111.070.0191.A	11.1	0.70	19.1	0.0333	6.30	8.26	yes	music wire	4C
C.111.070.0191.I	11.1	0.70	19.1	0.0290	6.23	8.16	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.111.070.0220.A	11.1	0.70	22.0	0.0390	5.67	7.36	yes	music wire	4C
C.111.070.0220.I	11.1	0.70	22.0	0.0339	5.60	7.26	yes	stainless steel	4C
C.111.070.0250.A	11.1	0.70	25.0	0.0448	5.18	6.66	yes	music wire	4C
C.111.070.0250.I	11.1	0.70	25.0	0.0390	5.11	6.56	yes	stainless steel	4C
C.111.070.0300.A	11.1	0.70	30.0	0.0444	5.18	6.66	yes	music wire	4C
C.111.070.0300.I	11.1	0.70	30.0	0.0381	5.18	6.66	yes	stainless steel	4C
C.111.070.0450.A	11.1	0.70	45.0	0.0290	7.00	9.26	yes	music wire	4C
C.111.070.0450.I	11.1	0.70	45.0	0.0249	7.00	9.26	yes	stainless steel	4D
C.111.070.0600.A	11.1	0.70	60.0	0.0215	8.82	11.87	yes	music wire	4C
C.111.070.0600.I	11.1	0.70	60.0	0.0185	8.82	11.87	yes	stainless steel	4D
C.111.070.0800.A	11.1	0.70	80.0	0.0161	11.20	15.27	yes	music wire	4D
C.111.070.0800.I	11.1	0.70	80.0	0.0138	11.20	15.27	yes	stainless steel	4D
C.111.080.0119.A	11.1	0.80	11.9	0.1264	4.40	5.24	yes	music wire	4C
C.111.080.0119.I	11.1	0.80	11.9	0.1100	4.40	5.24	yes	stainless steel	4C
C.111.080.0127.A	11.1	0.80	12.7	0.1494	4.08	4.81	yes	music wire	4C
C.111.080.0127.I	11.1	0.80	12.7	0.1300	4.00	4.70	yes	stainless steel	4C
C.111.080.0200.A	11.1	0.80	20.0	0.1032	4.96	5.99	yes	music wire	4C
C.111.080.0200.I	11.1	0.80	20.0	0.0886	4.96	5.99	yes	stainless steel	4C
C.111.080.0280.A	11.1	0.80	28.0	0.0621	6.96	8.69	yes	music wire	4C
C.111.080.0280.I	11.1	0.80	28.0	0.0540	6.88	8.58	yes	stainless steel	4C
C.111.080.0290.A	11.1	0.80	29.0	0.0598	7.12	8.91	yes	music wire	4C
C.111.080.0290.I	11.1	0.80	29.0	0.0520	7.04	8.80	yes	stainless steel	4C
C.111.080.0430.A	11.1	0.80	43.0	0.0494	8.16	10.31	yes	music wire	4C
C.111.080.0430.I	11.1	0.80	43.0	0.0430	8.08	10.20	yes	stainless steel	4D
C.111.080.0600.A	11.1	0.80	60.0	0.0329	11.28	14.52	yes	music wire	4D
C.111.080.0600.I	11.1	0.80	60.0	0.0283	11.28	14.52	yes	stainless steel	4D
C.111.080.1000.A	11.1	0.80	100.0	0.0197	17.52	22.93	yes	music wire	4D
C.111.080.1000.I	11.1	0.80	100.0	0.0169	17.52	22.93	yes	stainless steel	4E
C.111.090.0135.A	11.1	0.90	13.5	0.2500	4.50	5.16	yes	music wire	4C
C.111.090.0135.AP	11.1	0.90	13.5	0.3702	3.78	5.81	yes	music wire	4E
C.111.090.0135.I	11.1	0.90	13.5	0.2175	4.50	5.16	yes	stainless steel	4C
C.111.090.0240.A	11.1	0.90	24.0	0.1149	7.20	8.65	yes	music wire	4C
C.111.090.0240.AP	11.1	0.90	24.0	0.2030	5.04	9.98	yes	music wire	4F
C.111.090.0240.I	11.1	0.90	24.0	0.1000	7.11	8.53	yes	stainless steel	4C
C.111.090.0600.A	11.1	0.90	60.0	0.0485	13.95	17.37	yes	music wire	4D
C.111.090.0600.I	11.1	0.90	60.0	0.0416	13.95	17.37	yes	stainless steel	4D
C.111.100.0087.A	11.1	1.00	8.7	0.4500	4.70	5.26	yes	music wire	4C
C.111.100.0087.AP	11.1	1.00	8.7	0.8989	3.60	4.45	yes	music wire	4E
C.111.100.0087.I	11.1	1.00	8.7	0.3915	4.70	5.26	yes	stainless steel	4C
C.111.100.0103.A	11.1	1.00	10.3	0.6897	3.90	4.76	yes	music wire	4E
C.111.100.0103.I	11.1	1.00	10.3	0.6000	3.90	4.82	yes	stainless steel	4F
C.111.100.0200.A	11.1	1.00	20.0	0.2247	6.90	8.01	yes	music wire	4C
C.111.100.0200.I	11.1	1.00	20.0	0.1930	6.90	8.01	yes	stainless steel	4D
C.111.100.0260.A	11.1	1.00	26.0	0.1500	9.10	10.77	yes	music wire	4C
C.111.100.0260.AP	11.1	1.00	26.0	0.2602	6.30	11.30	yes	music wire	4F
C.111.100.0260.I	11.1	1.00	26.0	0.1305	9.00	10.64	yes	stainless steel	4D
C.111.100.0350.A	11.1	1.00	35.0	0.1600	8.70	11.10	yes	music wire	4F
C.111.100.0350.I	11.1	1.00	35.0	0.1392	8.60	11.36	yes	stainless steel	4G
C.111.100.0450.A	11.1	1.00	45.0	0.0590	19.30	23.55	yes	music wire	4C
C.111.100.0450.AP	11.1	1.00	45.0	0.1454	9.30	18.70	yes	music wire	4F
C.111.100.0450.I	11.1	1.00	45.0	0.0513	19.00	23.17	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.111.100.0600.A	11.1	1.00	60.0	0.0696	16.70	20.29	yes	music wire	4D
C.111.100.0600.I	11.1	1.00	60.0	0.0598	16.70	20.29	yes	stainless steel	4D
C.111.100.0800.A	11.1	1.00	80.0	0.0518	21.60	26.43	yes	music wire	4D
C.111.100.0800.I	11.1	1.00	80.0	0.0445	21.60	26.43	yes	stainless steel	4E
C.111.110.0270.A	11.1	1.10	27.0	0.2874	8.47	9.75	yes	music wire	4F
C.111.110.0270.I	11.1	1.10	27.0	0.2500	8.36	9.78	yes	stainless steel	4G
C.111.110.0350.A	11.1	1.10	35.0	0.1839	11.66	13.66	yes	music wire	4C
C.111.110.0350.AP	11.1	1.10	35.0	0.2619	9.02	15.94	yes	music wire	4F
C.111.110.0350.I	11.1	1.10	35.0	0.1600	11.55	13.52	yes	stainless steel	4D
C.111.110.0600.A	11.1	1.10	60.0	0.0975	19.58	23.35	yes	music wire	4D
C.111.110.0600.I	11.1	1.10	60.0	0.0837	19.58	23.35	yes	stainless steel	4D
C.111.120.0290.A	11.1	1.20	29.0	0.3793	9.84	12.23	yes	music wire	4F
C.111.120.0290.I	11.1	1.20	29.0	0.3300	9.84	12.33	yes	stainless steel	4G
C.111.120.0330.A	11.1	1.20	33.0	0.4100	9.36	17.49	yes	music wire	4I
C.111.120.0330.I	11.1	1.20	33.0	0.3567	9.24	17.58	yes	stainless steel	4I
C.111.120.0800.A	11.1	1.20	80.0	0.0990	29.40	34.74	yes	music wire	4D
C.111.120.0800.I	11.1	1.20	80.0	0.0850	29.40	34.74	yes	stainless steel	4E
C.111.130.0175.A	11.1	1.30	17.5	0.8400	8.06	8.95	yes	music wire	4F
C.111.130.0175.I	11.1	1.30	17.5	0.7308	7.93	8.80	yes	stainless steel	4G
C.111.130.0410.A	11.1	1.30	41.0	0.2100	22.36	25.90	yes	music wire	4D
C.111.130.0410.AP	11.1	1.30	41.0	0.3924	13.52	20.76	yes	music wire	4G
C.111.130.0410.I	11.1	1.30	41.0	0.1827	22.10	25.59	yes	stainless steel	4D
C.111.130.0600.A	11.1	1.30	60.0	0.1808	25.48	29.60	yes	music wire	4D
C.111.130.0600.I	11.1	1.30	60.0	0.1553	25.48	29.60	yes	stainless steel	4E
C.111.130.0800.A	11.1	1.30	80.0	0.1338	33.28	38.84	yes	music wire	4E
C.111.130.0800.I	11.1	1.30	80.0	0.1149	33.28	38.84	yes	stainless steel	4E
C.111.130.2000.A	11.1	1.30	200.0	0.0526	79.69	93.85	yes	music wire	4F
C.111.130.2000.I	11.1	1.30	200.0	0.0452	79.69	93.85	yes	stainless steel	4F
C.111.140.0111.A	11.1	1.40	11.1	2.0690	6.44	6.95	yes	music wire	4E
C.111.140.0111.I	11.1	1.40	11.1	1.8000	6.30	6.78	yes	stainless steel	4I
C.111.140.0143.A	11.1	1.40	14.3	1.3793	7.84	8.59	yes	music wire	4E
C.111.140.0143.I	11.1	1.40	14.3	1.2000	7.84	8.59	yes	stainless steel	4E
C.111.140.0800.A	11.1	1.40	80.0	0.1787	37.10	42.88	yes	music wire	4F
C.111.140.0800.I	11.1	1.40	80.0	0.1535	37.10	42.88	yes	stainless steel	4F
C.111.160.0200.A	11.1	1.60	20.0	1.3906	12.96	14.33	yes	music wire	4E
C.111.160.0200.I	11.1	1.60	20.0	1.1943	12.96	14.33	yes	stainless steel	4F
C.111.160.1590.A	11.1	1.60	159.0	0.2414	55.68	100.70	yes	music wire	4J
C.111.160.1590.I	11.1	1.60	159.0	0.2100	54.88	100.57	yes	stainless steel	4J
C.111.180.0230.A	11.1	1.80	23.0	2.1839	15.48	17.02	yes	music wire	4F
C.111.180.0230.I	11.1	1.80	23.0	1.9000	15.30	16.81	yes	stainless steel	4G
C.111.180.0270.A	11.1	1.80	27.0	2.1839	15.48	18.12	yes	music wire	4I
C.111.180.0270.I	11.1	1.80	27.0	1.9000	15.30	18.07	yes	stainless steel	4I
C.111.180.0360.A	11.1	1.80	36.0	1.4000	21.60	23.99	yes	music wire	4I
C.111.180.0360.I	11.1	1.80	36.0	1.2180	21.42	23.79	yes	stainless steel	4I
C.111.180.0600.A	11.1	1.80	60.0	0.6998	38.70	43.49	yes	music wire	4G
C.111.180.0600.I	11.1	1.80	60.0	0.6010	38.70	43.49	yes	stainless steel	4G
C.111.180.0850.A	11.1	1.80	85.0	0.4852	53.82	60.73	yes	music wire	4G
C.111.180.0850.I	11.1	1.80	85.0	0.4168	53.82	60.73	yes	stainless steel	4G
C.111.180.1200.A	11.1	1.80	120.0	0.3392	75.06	84.94	yes	music wire	4G
C.111.180.1200.I	11.1	1.80	120.0	0.2913	75.06	84.94	yes	stainless steel	4H
C.111.240.0300.A	11.1	2.40	30.0	5.8621	27.12	29.65	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.111.240.0300.AP	11.1	2.40	30.0	7.1218	23.28	25.35	yes	music wire	4I
C.111.240.0300.I	11.1	2.40	30.0	5.1000	26.64	29.11	yes	stainless steel	4G
C.111.240.1000.A	11.1	2.40	100.0	1.6451	80.88	89.84	yes	music wire	4H
C.111.240.1000.I	11.1	2.40	100.0	1.4130	80.88	89.84	yes	stainless steel	4H
C.112.160.0450.A	11.2	1.60	45.0	0.6562	22.40	25.23	yes	music wire	4I
C.112.160.0450.I	11.2	1.60	45.0	0.5636	22.40	25.23	yes	stainless steel	4I
C.112.160.0450.N	11.2	1.60	45.0	0.6562	22.40	25.23	yes	Zn coating	4I
C.113.090.0160.A	11.3	0.90	16.0	0.1984	4.95	5.76	yes	music wire	4C
C.113.090.0200.A	11.3	0.90	20.0	0.1563	5.67	6.70	yes	music wire	4C
C.113.090.0250.A	11.3	0.90	25.0	0.1250	6.57	7.87	yes	music wire	4C
C.113.090.0320.A	11.3	0.90	32.0	0.1000	7.56	9.15	yes	music wire	4C
C.113.090.0400.A	11.3	0.90	40.0	0.0781	9.09	11.14	yes	music wire	4C
C.113.090.0500.A	11.3	0.90	50.0	0.0625	10.80	13.37	yes	music wire	4C
C.113.090.0630.A	11.3	0.90	63.0	0.0500	12.96	16.18	yes	music wire	4C
C.113.090.0800.A	11.3	0.90	80.0	0.0391	15.93	20.04	yes	music wire	4C
C.113.090.1000.A	11.3	0.90	100.0	0.0313	19.35	24.49	yes	music wire	4D
C.113.090.1250.A	11.3	0.90	125.0	0.0254	23.31	29.63	yes	music wire	4E
C.113.090.1250.I	11.3	0.90	125.0	0.0221	23.04	29.28	yes	stainless steel	4E
C.113.090.1250.N	11.3	0.90	125.0	0.0254	23.31	29.63	yes	Zn coating	4G
C.113.090.1600.A	11.3	0.90	160.0	0.0200	28.98	37.01	yes	music wire	4E
C.113.090.1600.I	11.3	0.90	160.0	0.0174	28.62	36.54	yes	stainless steel	4E
C.113.090.1600.N	11.3	0.90	160.0	0.0200	28.98	37.01	yes	Zn coating	4G
C.113.100.0370.A	11.3	1.00	37.0	0.1140	10.70	12.82	yes	music wire	4C
C.113.100.0370.AP	11.3	1.00	37.0	0.1759	7.80	15.63	yes	music wire	4F
C.113.100.0370.I	11.3	1.00	37.0	0.0992	10.60	12.70	yes	stainless steel	4D
C.113.100.0370.N	11.3	1.00	37.0	0.1140	10.70	12.82	yes	Zn coating	4E
C.113.125.0200.A	11.3	1.25	20.0	0.7106	7.38	10.14	yes	music wire	4F
C.113.125.0200.I	11.3	1.25	20.0	0.6180	7.38	10.19	yes	stainless steel	4G
C.113.125.0200.N	11.3	1.25	20.0	0.7106	7.38	10.14	yes	Zn coating	4H
C.113.125.0295.A	11.3	1.25	29.5	0.4522	9.88	14.01	yes	music wire	4F
C.113.125.0295.I	11.3	1.25	29.5	0.3884	9.88	13.89	yes	stainless steel	4G
C.113.125.0295.N	11.3	1.25	29.5	0.4522	9.88	14.01	yes	Zn coating	4I
C.113.125.0445.A	11.3	1.25	44.5	0.2926	13.63	20.56	yes	music wire	4G
C.113.125.0445.I	11.3	1.25	44.5	0.2513	13.63	20.37	yes	stainless steel	4G
C.113.125.0445.N	11.3	1.25	44.5	0.2926	13.63	20.56	yes	Zn coating	4I
C.113.125.0640.A	11.3	1.25	64.0	0.1990	18.50	28.80	yes	music wire	4G
C.113.125.0640.AF	11.3	1.25	64.0	0.1344	25.88	30.36	yes	music wire	4D
C.113.125.0640.AP	11.3	1.25	64.0	0.2081	17.88	30.34	yes	music wire	4G
C.113.125.0640.I	11.3	1.25	64.0	0.1709	18.50	28.51	yes	stainless steel	4G
C.113.125.0640.IF	11.3	1.25	64.0	0.1154	25.88	30.36	yes	stainless steel	4E
C.113.125.0640.N	11.3	1.25	64.0	0.1990	18.50	28.80	yes	Zn coating	4I
C.113.125.0640.NF	11.3	1.25	64.0	0.1344	25.88	30.36	yes	Zn coating	4F
C.113.125.0935.A	11.3	1.25	93.5	0.1344	25.88	41.38	yes	music wire	4G
C.113.125.0935.AF	11.3	1.25	93.5	0.1105	30.88	36.35	yes	music wire	4E
C.113.125.0935.I	11.3	1.25	93.5	0.1154	25.88	40.94	yes	stainless steel	4H
C.113.125.0935.IF	11.3	1.25	93.5	0.0949	30.88	36.35	yes	stainless steel	4E
C.113.125.0935.N	11.3	1.25	93.5	0.1344	25.88	41.38	yes	Zn coating	4I
C.113.125.0935.NF	11.3	1.25	93.5	0.1105	30.88	36.35	yes	Zn coating	4G
C.113.140.0200.A	11.3	1.40	20.0	0.9333	9.52	10.57	yes	music wire	4D
C.113.140.0250.A	11.3	1.40	25.0	0.7467	11.06	12.38	yes	music wire	4D
C.113.140.0320.A	11.3	1.40	32.0	0.5833	13.16	15.56	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.113.140.0400.A	11.3	1.40	40.0	0.4667	15.54	19.45	yes	music wire	4D
C.113.140.0500.A	11.3	1.40	50.0	0.3733	18.62	24.32	yes	music wire	4E
C.113.140.0630.A	11.3	1.40	63.0	0.2947	22.68	30.47	yes	music wire	4E
C.113.140.0800.A	11.3	1.40	80.0	0.2333	27.72	38.91	yes	music wire	4E
C.113.140.1000.A	11.3	1.40	100.0	0.1867	33.74	48.63	yes	music wire	4E
C.113.140.1250.A	11.3	1.40	125.0	0.1458	42.28	59.24	yes	music wire	4I
C.113.140.1250.I	11.3	1.40	125.0	0.1268	41.72	59.34	yes	stainless steel	4I
C.113.140.1250.N	11.3	1.40	125.0	0.1458	42.28	59.24	yes	Zn coating	4J
C.113.140.1600.A	11.3	1.40	160.0	0.1167	51.94	77.84	yes	music wire	4I
C.113.140.1600.I	11.3	1.40	160.0	0.1015	51.24	77.97	yes	stainless steel	4I
C.113.140.1600.N	11.3	1.40	160.0	0.1167	51.94	77.84	yes	Zn coating	4J
C.114.120.0262.A	11.4	1.20	26.2	0.2060	14.64	17.07	yes	music wire	4C
C.114.120.0262.AP	11.4	1.20	26.2	0.4533	8.28	12.52	yes	music wire	4F
C.114.120.0262.I	11.4	1.20	26.2	0.1792	14.40	16.78	yes	stainless steel	4D
C.114.120.0262.N	11.4	1.20	26.2	0.2060	14.64	17.07	yes	Zn coating	4E
C.114.120.0800.A	11.4	1.20	80.0	0.0948	28.20	33.45	yes	music wire	4D
C.114.120.0800.I	11.4	1.20	80.0	0.0814	28.20	33.45	yes	stainless steel	4E
C.115.050.0145.A	11.5	0.50	14.5	0.0137	3.50	4.95	no	music wire	4B
C.115.050.0145.I	11.5	0.50	14.5	0.0118	3.50	4.95	no	stainless steel	4C
C.115.050.0145.N	11.5	0.50	14.5	0.0137	3.50	4.95	no	Zn coating	4C
C.115.050.0174.A	11.5	0.50	17.4	0.0069	5.20	8.05	no	music wire	4B
C.115.050.0174.I	11.5	0.50	17.4	0.0060	5.15	7.96	no	stainless steel	4C
C.115.050.0224.A	11.5	0.50	22.4	0.0087	4.50	6.77	no	music wire	4B
C.115.050.0224.I	11.5	0.50	22.4	0.0075	4.50	6.77	no	stainless steel	4C
C.115.050.0224.N	11.5	0.50	22.4	0.0087	4.50	6.77	no	Zn coating	4D
C.115.050.0290.A	11.5	0.50	29.0	0.0126	3.65	5.22	no	music wire	4C
C.115.050.0290.I	11.5	0.50	29.0	0.0110	3.60	5.13	no	stainless steel	4C
C.115.050.0338.A	11.5	0.50	33.8	0.0056	6.00	9.51	no	music wire	4C
C.115.050.0338.I	11.5	0.50	33.8	0.0048	6.05	9.60	no	stainless steel	4C
C.115.050.0338.N	11.5	0.50	33.8	0.0056	6.00	9.51	no	Zn coating	4D
C.115.050.0494.A	11.5	0.50	49.4	0.0038	8.05	13.25	no	music wire	4C
C.115.050.0494.I	11.5	0.50	49.4	0.0033	8.00	13.16	no	stainless steel	4C
C.115.050.0494.N	11.5	0.50	49.4	0.0038	8.05	13.25	no	Zn coating	4D
C.115.050.0743.A	11.5	0.50	74.3	0.0026	10.95	18.55	no	music wire	4C
C.115.050.0743.I	11.5	0.50	74.3	0.0022	11.10	18.82	no	stainless steel	4C
C.115.050.0743.N	11.5	0.50	74.3	0.0026	10.95	18.55	no	Zn coating	4E
C.115.060.0191.A	11.5	0.60	19.1	0.0092	8.16	12.12	yes	music wire	4C
C.115.060.0191.I	11.5	0.60	19.1	0.0080	8.04	11.93	yes	stainless steel	4C
C.115.060.0240.A	11.5	0.60	24.0	0.0300	3.54	4.75	yes	music wire	4C
C.115.060.0240.I	11.5	0.60	24.0	0.0261	3.54	4.75	yes	stainless steel	4C
C.115.060.0330.A	11.5	0.60	33.0	0.0172	5.04	7.15	yes	music wire	4C
C.115.060.0330.I	11.5	0.60	33.0	0.0150	4.98	7.05	yes	stainless steel	4C
C.115.060.0400.A	11.5	0.60	40.0	0.0103	7.44	10.97	yes	music wire	4C
C.115.060.0400.I	11.5	0.60	40.0	0.0090	7.32	10.78	yes	stainless steel	4D
C.115.070.0320.A	11.5	0.70	32.0	0.0360	5.53	7.26	yes	music wire	4C
C.115.070.0320.I	11.5	0.70	32.0	0.0240	6.58	8.79	yes	stainless steel	4C
C.115.070.0380.A	11.5	0.70	38.0	0.0356	5.53	7.26	yes	music wire	4C
C.115.070.0380.I	11.5	0.70	38.0	0.0310	5.53	7.26	yes	stainless steel	4D
C.115.080.0182.A	11.5	0.80	18.2	0.1000	4.72	5.72	yes	music wire	4C
C.115.080.0182.I	11.5	0.80	18.2	0.0870	4.72	5.72	yes	stainless steel	4C
C.115.080.0198.A	11.5	0.80	19.8	0.0655	6.16	7.69	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.115.080.0198.I	11.5	0.80	19.8	0.0570	6.08	7.58	yes	stainless steel	4C
C.115.080.0220.A	11.5	0.80	22.0	0.0220	14.40	18.97	yes	music wire	4C
C.115.080.0220.I	11.5	0.80	22.0	0.0390	8.00	10.21	yes	stainless steel	4C
C.115.090.0111.A	11.5	0.90	11.1	0.2069	4.68	5.43	yes	music wire	4C
C.115.090.0111.AP	11.5	0.90	11.1	0.4313	3.42	4.72	yes	music wire	4E
C.115.090.0111.I	11.5	0.90	11.1	0.1800	4.68	5.43	yes	stainless steel	4C
C.115.090.0135.A	11.5	0.90	13.5	0.2100	4.68	5.43	yes	music wire	4C
C.115.090.0135.AP	11.5	0.90	13.5	0.3504	3.69	5.65	yes	music wire	4E
C.115.090.0135.I	11.5	0.90	13.5	0.1827	4.59	5.31	yes	stainless steel	4C
C.115.090.0480.A	11.5	0.90	48.0	0.0437	13.77	17.32	yes	music wire	4C
C.115.090.0480.I	11.5	0.90	48.0	0.0380	13.68	17.20	yes	stainless steel	4D
C.115.100.0115.A	11.5	1.00	11.5	0.4200	4.60	5.16	yes	music wire	4C
C.115.100.0115.AP	11.5	1.00	11.5	0.6286	3.90	5.62	yes	music wire	4F
C.115.100.0115.I	11.5	1.00	11.5	0.3654	4.60	5.16	yes	stainless steel	4C
C.115.100.0240.A	11.5	1.00	24.0	0.1900	7.10	8.32	yes	music wire	4C
C.115.100.0240.AP	11.5	1.00	24.0	0.2667	5.80	10.14	yes	music wire	4F
C.115.100.0240.I	11.5	1.00	24.0	0.1653	7.10	8.32	yes	stainless steel	4D
C.115.110.0143.A	11.5	1.10	14.3	0.6100	5.17	6.39	yes	music wire	4F
C.115.110.0143.I	11.5	1.10	14.3	0.5307	5.06	6.46	yes	stainless steel	4F
C.115.110.0260.A	11.5	1.10	26.0	0.2414	8.80	10.22	yes	music wire	4C
C.115.110.0260.AP	11.5	1.10	26.0	0.3403	7.04	11.82	yes	music wire	4F
C.115.110.0260.I	11.5	1.10	26.0	0.2100	8.69	10.08	yes	stainless steel	4D
C.115.110.0300.A	11.5	1.10	30.0	0.2000	10.01	11.71	yes	music wire	4C
C.115.110.0300.AP	11.5	1.10	30.0	0.2885	7.81	13.27	yes	music wire	4F
C.115.110.0300.I	11.5	1.10	30.0	0.1740	9.90	11.57	yes	stainless steel	4D
C.115.110.0300.N	11.5	1.10	30.0	0.2000	10.01	11.71	yes	Zn coating	4E
C.115.110.0320.A	11.5	1.10	32.0	0.2529	8.47	12.92	yes	music wire	4F
C.115.110.0320.I	11.5	1.10	32.0	0.2200	8.47	13.08	yes	stainless steel	4G
C.115.110.0350.A	11.5	1.10	35.0	0.1379	13.31	15.78	yes	music wire	4C
C.115.110.0350.AP	11.5	1.10	35.0	0.2458	8.69	15.37	yes	music wire	4F
C.115.110.0350.I	11.5	1.10	35.0	0.1200	13.20	15.65	yes	stainless steel	4D
C.115.120.0280.A	11.5	1.20	28.0	0.2920	10.92	12.59	yes	music wire	4C
C.115.120.0280.AP	11.5	1.20	28.0	0.4210	8.52	13.39	yes	music wire	4F
C.115.120.0280.I	11.5	1.20	28.0	0.2540	10.80	12.44	yes	stainless steel	4D
C.115.120.0280.N	11.5	1.20	28.0	0.2920	10.92	12.59	yes	Zn coating	4E
C.115.120.0350.A	11.5	1.20	35.0	0.2644	11.76	13.60	yes	music wire	4D
C.115.120.0350.I	11.5	1.20	35.0	0.2300	11.64	13.46	yes	stainless steel	4G
C.115.120.0480.A	11.5	1.20	48.0	0.2100	14.04	18.71	yes	music wire	4G
C.115.120.0480.I	11.5	1.20	48.0	0.1827	13.92	18.89	yes	stainless steel	4G
C.115.120.0670.A	11.5	1.20	67.0	0.1023	25.68	30.45	yes	music wire	4D
C.115.120.0670.AP	11.5	1.20	67.0	0.1684	16.80	30.48	yes	music wire	4G
C.115.120.0670.I	11.5	1.20	67.0	0.0890	25.44	30.16	yes	stainless steel	4E
C.115.140.0143.A	11.5	1.40	14.3	1.0000	8.82	9.77	yes	music wire	4E
C.115.140.0143.AP	11.5	1.40	14.3	1.5885	6.86	8.36	yes	music wire	4H
C.115.140.0143.I	11.5	1.40	14.3	0.8700	8.82	9.77	yes	stainless steel	4E
C.115.140.0300.A	11.5	1.40	30.0	0.3400	19.18	21.97	yes	music wire	4E
C.115.140.0300.AP	11.5	1.40	30.0	0.6689	11.48	15.90	yes	music wire	4I
C.115.140.0300.I	11.5	1.40	30.0	0.2958	18.90	21.64	yes	stainless steel	4F
C.115.140.0350.A	11.5	1.40	35.0	0.4713	14.84	16.86	yes	music wire	4I
C.115.140.0350.I	11.5	1.40	35.0	0.4100	14.70	16.69	yes	stainless steel	4I
C.115.140.0410.A	11.5	1.40	41.0	0.3500	18.76	21.48	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.115.140.0410.AP	11.5	1.40	41.0	0.4826	14.56	21.45	yes	music wire	4I
C.115.140.0410.I	11.5	1.40	41.0	0.3045	18.48	21.15	yes	stainless steel	4F
C.115.150.0111.A	11.5	1.50	11.1	2.7586	6.60	7.08	yes	music wire	4H
C.115.150.0111.I	11.5	1.50	11.1	2.4000	6.45	6.96	yes	stainless steel	4I
C.115.150.0250.A	11.5	1.50	25.0	0.7934	13.50	15.13	yes	music wire	4E
C.115.150.0250.AP	11.5	1.50	25.0	1.0574	11.10	14.21	yes	music wire	4I
C.115.150.0250.I	11.5	1.50	25.0	0.6814	13.50	15.13	yes	stainless steel	4F
C.115.150.0250.N	11.5	1.50	25.0	0.7934	13.50	15.13	yes	Zn coating	4G
C.115.150.0300.A	11.5	1.50	30.0	0.5330	18.30	20.73	yes	music wire	4E
C.115.150.0300.AP	11.5	1.50	30.0	0.8635	12.75	16.79	yes	music wire	4I
C.115.150.0300.I	11.5	1.50	30.0	0.4637	18.15	20.55	yes	stainless steel	4F
C.115.150.0300.N	11.5	1.50	30.0	0.5330	18.30	20.73	yes	Zn coating	4G
C.115.150.0380.A	11.5	1.50	38.0	0.6068	16.50	19.20	yes	music wire	4I
C.115.150.0380.I	11.5	1.50	38.0	0.5212	16.50	18.95	yes	stainless steel	4I
C.115.150.0380.N	11.5	1.50	38.0	0.6068	16.50	19.20	yes	Zn coating	4I
C.115.150.0510.A	11.5	1.50	51.0	0.3820	24.00	27.38	yes	music wire	4E
C.115.150.0510.I	11.5	1.50	51.0	0.3281	24.00	27.38	yes	stainless steel	4F
C.115.150.0510.N	11.5	1.50	51.0	0.3820	24.00	27.38	yes	Zn coating	4H
C.115.160.0111.A	11.5	1.60	11.1	3.5632	7.04	7.52	yes	music wire	4H
C.115.160.0111.I	11.5	1.60	11.1	3.1000	7.04	7.52	yes	stainless steel	4I
C.115.160.0143.A	11.5	1.60	14.3	2.0690	9.28	10.11	yes	music wire	4E
C.115.160.0143.AP	11.5	1.60	14.3	2.6611	8.16	9.18	yes	music wire	4H
C.115.160.0143.I	11.5	1.60	14.3	1.8000	9.28	10.11	yes	stainless steel	4E
C.115.160.0250.A	11.5	1.60	25.0	1.1468	13.60	15.11	yes	music wire	4E
C.115.160.0250.I	11.5	1.60	25.0	1.0000	13.44	14.93	yes	stainless steel	4F
C.115.160.0250.N	11.5	1.60	25.0	1.1468	13.60	15.11	yes	Zn coating	4G
C.115.160.0320.A	11.5	1.60	32.0	0.9174	16.00	17.89	yes	music wire	4I
C.115.160.0320.I	11.5	1.60	32.0	0.8000	15.84	17.70	yes	stainless steel	4I
C.115.160.0320.N	11.5	1.60	32.0	0.9174	16.00	17.89	yes	Zn coating	4I
C.115.160.0380.A	11.5	1.60	38.0	0.7243	19.20	21.59	yes	music wire	4E
C.115.160.0380.I	11.5	1.60	38.0	0.6221	19.20	21.59	yes	stainless steel	4F
C.115.160.0380.N	11.5	1.60	38.0	0.7243	19.20	21.59	yes	Zn coating	4H
C.115.160.0440.A	11.5	1.60	44.0	0.5734	23.20	26.22	yes	music wire	4E
C.115.160.0440.AP	11.5	1.60	44.0	0.7283	19.04	25.29	yes	music wire	4I
C.115.160.0440.I	11.5	1.60	44.0	0.4925	23.20	26.22	yes	stainless steel	4F
C.115.160.0440.N	11.5	1.60	44.0	0.5734	23.20	26.22	yes	Zn coating	4H
C.115.160.0510.A	11.5	1.60	51.0	0.5293	24.80	28.07	yes	music wire	4I
C.115.160.0510.I	11.5	1.60	51.0	0.4546	24.80	28.07	yes	stainless steel	4I
C.115.160.0510.N	11.5	1.60	51.0	0.5293	24.80	28.07	yes	Zn coating	4J
C.115.160.0640.A	11.5	1.60	64.0	0.4170	30.40	34.56	yes	music wire	4I
C.115.160.0640.I	11.5	1.60	64.0	0.3582	30.40	34.56	yes	stainless steel	4I
C.115.160.0640.N	11.5	1.60	64.0	0.4170	30.40	34.56	yes	Zn coating	4J
C.115.160.0760.A	11.5	1.60	76.0	0.3277	37.60	42.89	yes	music wire	4F
C.115.160.0760.I	11.5	1.60	76.0	0.2815	37.60	42.89	yes	stainless steel	4G
C.115.160.0760.N	11.5	1.60	76.0	0.3277	37.60	42.89	yes	Zn coating	4H
C.115.200.0430.A	11.5	2.00	43.0	2.5287	20.00	33.12	yes	music wire	4J
C.115.200.0430.I	11.5	2.00	43.0	2.2000	19.80	33.03	yes	stainless steel	4J
C.115.200.0550.A	11.5	2.00	55.0	1.4360	31.40	37.60	yes	music wire	4I
C.115.200.0550.I	11.5	2.00	55.0	1.2500	31.20	37.45	yes	stainless steel	4I
C.115.200.0550.N	11.5	2.00	55.0	1.4360	31.40	37.60	yes	Zn coating	4J
C.115.230.0087.A	11.5	2.30	8.7	37.1264	8.05	8.34	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.115.230.0087.I	11.5	2.30	8.7	32.3000	8.05	8.34	yes	stainless steel	4G
C.116.065.0260.A	11.6	0.65	26.0	0.0347	4.23	5.60	yes	music wire	4C
C.116.065.0260.I	11.6	0.65	26.0	0.0298	4.23	5.60	yes	stainless steel	4C
C.116.065.0260.N	11.6	0.65	26.0	0.0347	4.23	5.60	yes	Zn coating	4E
C.116.065.0400.A	11.6	0.65	40.0	0.0221	5.72	7.87	yes	music wire	4C
C.116.065.0400.I	11.6	0.65	40.0	0.0190	5.72	7.87	yes	stainless steel	4D
C.116.065.0400.N	11.6	0.65	40.0	0.0221	5.72	7.87	yes	Zn coating	4E
C.116.065.0620.A	11.6	0.65	62.0	0.0143	7.93	11.24	yes	music wire	4D
C.116.065.0620.I	11.6	0.65	62.0	0.0123	7.93	11.24	yes	stainless steel	4D
C.116.065.0620.N	11.6	0.65	62.0	0.0143	7.93	11.24	yes	Zn coating	4E
C.116.065.0980.A	11.6	0.65	98.0	0.0097	10.92	15.81	yes	music wire	4D
C.116.065.0980.I	11.6	0.65	98.0	0.0083	10.92	15.81	yes	stainless steel	4E
C.116.065.0980.N	11.6	0.65	98.0	0.0097	10.92	15.81	yes	Zn coating	4F
C.116.160.0185.A	11.6	1.60	18.5	1.9076	9.60	11.41	yes	music wire	4I
C.116.160.0185.I	11.6	1.60	18.5	1.6384	9.60	11.31	yes	stainless steel	4I
C.116.160.0185.N	11.6	1.60	18.5	1.9076	9.60	11.41	yes	Zn coating	4I
C.116.160.0270.A	11.6	1.60	27.0	1.2139	12.80	15.86	yes	music wire	4I
C.116.160.0270.I	11.6	1.60	27.0	1.0426	12.80	15.69	yes	stainless steel	4I
C.116.160.0270.N	11.6	1.60	27.0	1.2139	12.80	15.86	yes	Zn coating	4I
C.116.160.0405.A	11.6	1.60	40.5	0.7855	17.60	23.29	yes	music wire	4I
C.116.160.0405.I	11.6	1.60	40.5	0.6834	17.44	23.25	yes	stainless steel	4I
C.116.160.0405.N	11.6	1.60	40.5	0.7855	17.60	23.29	yes	Zn coating	4I
C.116.160.0530.A	11.6	1.60	53.0	0.5341	24.00	27.69	yes	music wire	4I
C.116.160.0530.I	11.6	1.60	53.0	0.4587	24.00	27.30	yes	stainless steel	4I
C.116.160.0530.N	11.6	1.60	53.0	0.5341	24.00	27.69	yes	Zn coating	4J
C.116.160.0585.A	11.6	1.60	58.5	0.5341	24.00	33.19	yes	music wire	4I
C.116.160.0585.I	11.6	1.60	58.5	0.4646	23.68	33.13	yes	stainless steel	4I
C.116.160.0585.N	11.6	1.60	58.5	0.5341	24.00	33.19	yes	Zn coating	4J
C.116.160.0850.A	11.6	1.60	85.0	0.3609	33.60	47.55	yes	music wire	4I
C.116.160.0850.I	11.6	1.60	85.0	0.3100	33.60	46.97	yes	stainless steel	4I
C.116.160.0850.IF	11.6	1.60	85.0	0.2548	40.00	45.71	yes	stainless steel	4G
C.116.160.0850.N	11.6	1.60	85.0	0.3609	33.60	47.55	yes	Zn coating	4J
C.116.180.1650.A	11.6	1.80	165.0	0.2805	77.40	98.52	yes	music wire	4J
C.116.180.1650.I	11.6	1.80	165.0	0.2440	76.50	98.12	yes	stainless steel	4J
C.116.250.0600.A	11.6	2.50	60.0	4.3200	36.75	49.63	yes	music wire	4J
C.116.250.0600.I	11.6	2.50	60.0	3.7584	36.50	49.45	yes	stainless steel	4K
C.116.250.0600.N	11.6	2.50	60.0	4.3200	36.75	49.63	yes	Zn coating	4M
C.117.090.0125.A	11.7	0.90	12.5	0.2400	4.23	4.86	yes	music wire	4C
C.117.090.0125.I	11.7	0.90	12.5	0.2088	4.23	4.86	yes	stainless steel	4C
C.117.090.0125.N	11.7	0.90	12.5	0.2400	4.23	4.86	yes	Zn coating	4E
C.117.090.0160.A	11.7	0.90	16.0	0.1860	4.86	5.68	yes	music wire	4C
C.117.090.0160.I	11.7	0.90	16.0	0.1618	4.77	5.57	yes	stainless steel	4C
C.117.090.0160.N	11.7	0.90	16.0	0.1860	4.86	5.68	yes	Zn coating	4E
C.117.090.0200.A	11.7	0.90	20.0	0.1460	5.49	6.51	yes	music wire	4C
C.117.090.0200.I	11.7	0.90	20.0	0.1270	5.49	6.51	yes	stainless steel	4C
C.117.090.0200.N	11.7	0.90	20.0	0.1460	5.49	6.51	yes	Zn coating	4E
C.117.090.0250.A	11.7	0.90	25.0	0.1130	6.48	7.82	yes	music wire	4C
C.117.090.0250.I	11.7	0.90	25.0	0.0983	6.39	7.70	yes	stainless steel	4D
C.117.090.0250.N	11.7	0.90	25.0	0.1130	6.48	7.82	yes	Zn coating	4E
C.117.090.0320.A	11.7	0.90	32.0	0.0870	7.74	9.47	yes	music wire	4C
C.117.090.0320.I	11.7	0.90	32.0	0.0757	7.65	9.36	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.117.090.0320.N	11.7	0.90	32.0	0.0870	7.74	9.47	yes	Zn coating	4E
C.117.090.0400.A	11.7	0.90	40.0	0.0690	9.18	11.37	yes	music wire	4C
C.117.090.0400.I	11.7	0.90	40.0	0.0600	9.09	11.25	yes	stainless steel	4D
C.117.090.0400.N	11.7	0.90	40.0	0.0690	9.18	11.37	yes	Zn coating	4E
C.117.090.0500.A	11.7	0.90	50.0	0.0550	10.89	13.62	yes	music wire	4D
C.117.090.0500.I	11.7	0.90	50.0	0.0478	10.80	13.50	yes	stainless steel	4D
C.117.090.0500.N	11.7	0.90	50.0	0.0550	10.89	13.62	yes	Zn coating	4E
C.117.090.0630.A	11.7	0.90	63.0	0.0430	13.32	16.82	yes	music wire	4D
C.117.090.0630.I	11.7	0.90	63.0	0.0374	13.23	16.70	yes	stainless steel	4D
C.117.090.0630.N	11.7	0.90	63.0	0.0430	13.32	16.82	yes	Zn coating	4E
C.117.090.0800.A	11.7	0.90	80.0	0.0340	16.29	20.73	yes	music wire	4D
C.117.090.0800.I	11.7	0.90	80.0	0.0296	16.11	20.49	yes	stainless steel	4E
C.117.090.0800.N	11.7	0.90	80.0	0.0340	16.29	20.73	yes	Zn coating	4F
C.117.090.1000.A	11.7	0.90	100.0	0.0270	19.98	25.58	yes	music wire	4E
C.117.090.1000.I	11.7	0.90	100.0	0.0235	19.71	25.23	yes	stainless steel	4E
C.117.090.1000.N	11.7	0.90	100.0	0.0270	19.98	25.58	yes	Zn coating	4F
C.117.090.3600.A	11.7	0.90	360.0	0.0070	71.37	92.93	no	music wire	4H
C.117.090.3600.I	11.7	0.90	360.0	0.0061	70.38	91.62	no	stainless steel	4I
C.117.100.0125.A	11.7	1.00	12.5	0.3560	4.80	5.42	yes	music wire	4C
C.117.100.0125.AP	11.7	1.00	12.5	0.5544	4.00	5.94	yes	music wire	4F
C.117.100.0125.I	11.7	1.00	12.5	0.3097	4.80	5.42	yes	stainless steel	4C
C.117.100.0125.N	11.7	1.00	12.5	0.3560	4.80	5.42	yes	Zn coating	4E
C.117.100.0160.A	11.7	1.00	16.0	0.2670	5.60	6.44	yes	music wire	4C
C.117.100.0160.AP	11.7	1.00	16.0	0.4158	4.50	7.26	yes	music wire	4F
C.117.100.0160.I	11.7	1.00	16.0	0.2323	5.60	6.44	yes	stainless steel	4C
C.117.100.0160.N	11.7	1.00	16.0	0.2670	5.60	6.44	yes	Zn coating	4E
C.117.100.0190.A	11.7	1.00	19.0	0.2165	6.30	7.33	yes	music wire	4C
C.117.100.0190.AP	11.7	1.00	19.0	0.3326	5.00	8.07	yes	music wire	4F
C.117.100.0190.I	11.7	1.00	19.0	0.1859	6.30	7.33	yes	stainless steel	4D
C.117.100.0190.N	11.7	1.00	19.0	0.2165	6.30	7.33	yes	Zn coating	4E
C.117.100.0200.A	11.7	1.00	20.0	0.2130	6.40	7.46	yes	music wire	4C
C.117.100.0200.AP	11.7	1.00	20.0	0.3198	5.10	8.63	yes	music wire	4F
C.117.100.0200.I	11.7	1.00	20.0	0.1853	6.40	7.46	yes	stainless steel	4D
C.117.100.0200.N	11.7	1.00	20.0	0.2130	6.40	7.46	yes	Zn coating	4E
C.117.100.0250.A	11.7	1.00	25.0	0.1640	7.60	8.99	yes	music wire	4C
C.117.100.0250.AP	11.7	1.00	25.0	0.2520	5.80	10.57	yes	music wire	4F
C.117.100.0250.I	11.7	1.00	25.0	0.1427	7.50	8.86	yes	stainless steel	4D
C.117.100.0250.N	11.7	1.00	25.0	0.1640	7.60	8.99	yes	Zn coating	4E
C.117.100.0305.A	11.7	1.00	30.5	0.1398	8.40	10.00	yes	music wire	4C
C.117.100.0305.AP	11.7	1.00	30.5	0.2028	6.60	12.58	yes	music wire	4F
C.117.100.0305.I	11.7	1.00	30.5	0.1216	8.40	10.00	yes	stainless steel	4D
C.117.100.0320.A	11.7	1.00	32.0	0.1280	9.00	10.77	yes	music wire	4C
C.117.100.0320.AP	11.7	1.00	32.0	0.1934	6.80	13.20	yes	music wire	4F
C.117.100.0320.I	11.7	1.00	32.0	0.1114	8.90	10.64	yes	stainless steel	4D
C.117.100.0320.N	11.7	1.00	32.0	0.1280	9.00	10.77	yes	Zn coating	4E
C.117.100.0400.A	11.7	1.00	40.0	0.1000	10.80	13.06	yes	music wire	4C
C.117.100.0400.AP	11.7	1.00	40.0	0.1540	7.90	16.39	yes	music wire	4F
C.117.100.0400.I	11.7	1.00	40.0	0.0870	10.70	12.93	yes	stainless steel	4D
C.117.100.0400.N	11.7	1.00	40.0	0.1000	10.80	13.06	yes	Zn coating	4E
C.117.100.0444.A	11.7	1.00	44.4	0.1019	10.70	12.93	yes	music wire	4D
C.117.100.0444.I	11.7	1.00	44.4	0.0887	10.60	12.80	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.117.100.0444.N	11.7	1.00	44.4	0.1019	10.70	12.93	yes	Zn coating	4E
C.117.100.0457.A	11.7	1.00	45.7	0.1006	10.80	13.06	yes	music wire	4D
C.117.100.0457.I	11.7	1.00	45.7	0.0875	10.70	12.93	yes	stainless steel	4D
C.117.100.0500.A	11.7	1.00	50.0	0.0800	12.90	15.73	yes	music wire	4D
C.117.100.0500.AP	11.7	1.00	50.0	0.1223	9.30	20.27	yes	music wire	4G
C.117.100.0500.I	11.7	1.00	50.0	0.0696	12.80	15.60	yes	stainless steel	4D
C.117.100.0500.N	11.7	1.00	50.0	0.0800	12.90	15.73	yes	Zn coating	4E
C.117.100.0630.A	11.7	1.00	63.0	0.0630	15.70	19.29	yes	music wire	4D
C.117.100.0630.AP	11.7	1.00	63.0	0.0967	11.10	25.40	yes	music wire	4G
C.117.100.0630.I	11.7	1.00	63.0	0.0548	15.50	19.03	yes	stainless steel	4D
C.117.100.0630.N	11.7	1.00	63.0	0.0630	15.70	19.29	yes	Zn coating	4F
C.117.100.0800.A	11.7	1.00	80.0	0.0490	19.50	24.12	yes	music wire	4D
C.117.100.0800.AP	11.7	1.00	80.0	0.0756	13.50	31.91	yes	music wire	4G
C.117.100.0800.I	11.7	1.00	80.0	0.0426	19.30	23.87	yes	stainless steel	4E
C.117.100.0800.N	11.7	1.00	80.0	0.0490	19.50	24.12	yes	Zn coating	4F
C.117.100.1000.A	11.7	1.00	100.0	0.0390	23.80	29.59	yes	music wire	4E
C.117.100.1000.AP	11.7	1.00	100.0	0.0603	16.30	39.67	yes	music wire	4G
C.117.100.1000.I	11.7	1.00	100.0	0.0339	23.60	29.33	yes	stainless steel	4E
C.117.100.1000.N	11.7	1.00	100.0	0.0390	23.80	29.59	yes	Zn coating	4G
C.117.100.3600.A	11.7	1.00	360.0	0.0110	79.10	99.64	no	music wire	4H
C.117.100.3600.I	11.7	1.00	360.0	0.0096	77.90	98.12	no	stainless steel	4I
C.117.110.0125.A	11.7	1.10	12.5	0.5070	5.50	6.16	yes	music wire	4C
C.117.110.0125.AP	11.7	1.10	12.5	0.7373	4.62	6.06	yes	music wire	4F
C.117.110.0125.I	11.7	1.10	12.5	0.4411	5.39	6.02	yes	stainless steel	4C
C.117.110.0125.N	11.7	1.10	12.5	0.5070	5.50	6.16	yes	Zn coating	4E
C.117.110.0160.A	11.7	1.10	16.0	0.3860	6.27	7.11	yes	music wire	4C
C.117.110.0160.AP	11.7	1.10	16.0	0.5698	5.17	7.67	yes	music wire	4F
C.117.110.0160.I	11.7	1.10	16.0	0.3358	6.27	7.11	yes	stainless steel	4D
C.117.110.0160.N	11.7	1.10	16.0	0.3860	6.27	7.11	yes	Zn coating	4E
C.117.110.0200.A	11.7	1.10	20.0	0.3010	7.37	8.48	yes	music wire	4C
C.117.110.0200.AP	11.7	1.10	20.0	0.4477	5.83	9.40	yes	music wire	4F
C.117.110.0200.I	11.7	1.10	20.0	0.2619	7.26	8.34	yes	stainless steel	4D
C.117.110.0200.N	11.7	1.10	20.0	0.3010	7.37	8.48	yes	Zn coating	4E
C.117.110.0250.A	11.7	1.10	25.0	0.2350	8.58	9.98	yes	music wire	4C
C.117.110.0250.AP	11.7	1.10	25.0	0.3482	6.71	11.37	yes	music wire	4F
C.117.110.0250.I	11.7	1.10	25.0	0.2044	8.58	9.98	yes	stainless steel	4D
C.117.110.0250.N	11.7	1.10	25.0	0.2350	8.58	9.98	yes	Zn coating	4E
C.117.110.0320.A	11.7	1.10	32.0	0.1820	10.34	12.16	yes	music wire	4C
C.117.110.0320.AP	11.7	1.10	32.0	0.2667	7.92	14.20	yes	music wire	4F
C.117.110.0320.I	11.7	1.10	32.0	0.1583	10.23	12.02	yes	stainless steel	4D
C.117.110.0320.N	11.7	1.10	32.0	0.1820	10.34	12.16	yes	Zn coating	4E
C.117.110.0400.A	11.7	1.10	40.0	0.1420	12.43	14.75	yes	music wire	4D
C.117.110.0400.AP	11.7	1.10	40.0	0.2089	9.35	17.28	yes	music wire	4F
C.117.110.0400.I	11.7	1.10	40.0	0.1235	12.32	14.61	yes	stainless steel	4D
C.117.110.0400.N	11.7	1.10	40.0	0.1420	12.43	14.75	yes	Zn coating	4E
C.117.110.0500.A	11.7	1.10	50.0	0.1130	14.96	17.88	yes	music wire	4D
C.117.110.0500.AP	11.7	1.10	50.0	0.1671	11.00	21.60	yes	music wire	4G
C.117.110.0500.I	11.7	1.10	50.0	0.0983	14.74	17.61	yes	stainless steel	4D
C.117.110.0500.N	11.7	1.10	50.0	0.1130	14.96	17.88	yes	Zn coating	4E
C.117.110.0630.A	11.7	1.10	63.0	0.0890	18.26	21.97	yes	music wire	4D
C.117.110.0630.AP	11.7	1.10	63.0	0.1306	13.31	26.65	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.117.110.0630.I	11.7	1.10	63.0	0.0774	18.04	21.70	yes	stainless steel	4E
C.117.110.0630.N	11.7	1.10	63.0	0.0890	18.26	21.97	yes	Zn coating	4F
C.117.110.0800.A	11.7	1.10	80.0	0.0690	22.66	27.42	yes	music wire	4D
C.117.110.0800.AP	11.7	1.10	80.0	0.1027	16.17	33.80	yes	music wire	4G
C.117.110.0800.I	11.7	1.10	80.0	0.0600	22.44	27.15	yes	stainless steel	4E
C.117.110.0800.N	11.7	1.10	80.0	0.0690	22.66	27.42	yes	Zn coating	4F
C.117.110.1000.A	11.7	1.10	100.0	0.0550	27.83	33.83	yes	music wire	4E
C.117.110.1000.AP	11.7	1.10	100.0	0.0819	19.58	42.06	yes	music wire	4G
C.117.110.1000.I	11.7	1.10	100.0	0.0478	27.50	33.42	yes	stainless steel	4E
C.117.110.1000.N	11.7	1.10	100.0	0.0550	27.83	33.83	yes	Zn coating	4G
C.117.110.3600.A	11.7	1.10	360.0	0.0150	95.70	117.68	no	music wire	4H
C.117.110.3600.I	11.7	1.10	360.0	0.0131	94.16	115.77	no	stainless steel	4I
C.117.120.0127.A	11.7	1.20	12.7	0.6362	6.48	7.23	yes	music wire	4C
C.117.120.0127.AP	11.7	1.20	12.7	1.0157	5.16	6.74	yes	music wire	4F
C.117.120.0127.I	11.7	1.20	12.7	0.5464	6.48	7.23	yes	stainless steel	4D
C.117.120.0127.N	11.7	1.20	12.7	0.6362	6.48	7.23	yes	Zn coating	4E
C.117.120.0157.A	11.7	1.20	15.7	0.5209	7.20	8.10	yes	music wire	4C
C.117.120.0157.AP	11.7	1.20	15.7	0.7617	5.88	7.76	yes	music wire	4F
C.117.120.0157.I	11.7	1.20	15.7	0.4474	7.20	8.10	yes	stainless steel	4D
C.117.120.0157.N	11.7	1.20	15.7	0.5209	7.20	8.10	yes	Zn coating	4E
C.117.120.0190.A	11.7	1.20	19.0	0.4410	7.92	8.98	yes	music wire	4C
C.117.120.0190.AP	11.7	1.20	19.0	0.6304	6.48	9.40	yes	music wire	4F
C.117.120.0190.I	11.7	1.20	19.0	0.3787	7.92	8.98	yes	stainless steel	4D
C.117.120.0190.N	11.7	1.20	19.0	0.4410	7.92	8.98	yes	Zn coating	4E
C.117.120.0224.A	11.7	1.20	22.4	0.3774	8.76	10.00	yes	music wire	4C
C.117.120.0224.AP	11.7	1.20	22.4	0.5223	7.20	10.82	yes	music wire	4F
C.117.120.0224.I	11.7	1.20	22.4	0.3284	8.76	10.00	yes	stainless steel	4D
C.117.120.0254.A	11.7	1.20	25.4	0.3374	9.48	10.87	yes	music wire	4C
C.117.120.0254.I	11.7	1.20	25.4	0.2898	9.48	10.87	yes	stainless steel	4D
C.117.120.0254.N	11.7	1.20	25.4	0.3374	9.48	10.87	yes	Zn coating	4E
C.117.120.0305.A	11.7	1.20	30.5	0.2698	11.16	12.91	yes	music wire	4C
C.117.120.0305.AP	11.7	1.20	30.5	0.3731	8.88	14.28	yes	music wire	4F
C.117.120.0305.I	11.7	1.20	30.5	0.2347	11.04	12.77	yes	stainless steel	4D
C.117.120.0318.A	11.7	1.20	31.8	0.2733	11.04	12.77	yes	music wire	4C
C.117.120.0318.I	11.7	1.20	31.8	0.2377	10.92	12.62	yes	stainless steel	4D
C.117.120.0318.N	11.7	1.20	31.8	0.2733	11.04	12.77	yes	Zn coating	4E
C.117.120.0381.A	11.7	1.20	38.1	0.2296	12.48	14.52	yes	music wire	4D
C.117.120.0381.I	11.7	1.20	38.1	0.1972	12.48	14.52	yes	stainless steel	4D
C.117.120.0381.N	11.7	1.20	38.1	0.2296	12.48	14.52	yes	Zn coating	4E
C.117.120.0457.A	11.7	1.20	45.7	0.2000	13.92	16.27	yes	music wire	4G
C.117.120.0457.I	11.7	1.20	45.7	0.1740	13.80	16.12	yes	stainless steel	4G
C.117.125.0125.A	11.7	1.25	12.5	0.8390	6.38	7.05	yes	music wire	4C
C.117.125.0125.AP	11.7	1.25	12.5	1.1497	5.50	6.60	yes	music wire	4F
C.117.125.0125.I	11.7	1.25	12.5	0.7299	6.38	7.05	yes	stainless steel	4D
C.117.125.0125.N	11.7	1.25	12.5	0.8390	6.38	7.05	yes	Zn coating	4E
C.117.125.0160.A	11.7	1.25	16.0	0.6450	7.38	8.25	yes	music wire	4C
C.117.125.0160.AP	11.7	1.25	16.0	0.8738	6.25	8.24	yes	music wire	4F
C.117.125.0160.I	11.7	1.25	16.0	0.5612	7.25	8.09	yes	stainless steel	4D
C.117.125.0160.N	11.7	1.25	16.0	0.6450	7.38	8.25	yes	Zn coating	4E
C.117.125.0200.A	11.7	1.25	20.0	0.4930	8.63	9.76	yes	music wire	4C
C.117.125.0200.AP	11.7	1.25	20.0	0.6827	7.13	10.07	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.117.125.0200.I	11.7	1.25	20.0	0.4289	8.63	9.76	yes	stainless steel	4D
C.117.125.0200.N	11.7	1.25	20.0	0.4930	8.63	9.76	yes	Zn coating	4E
C.117.125.0250.A	11.7	1.25	25.0	0.3810	10.25	11.71	yes	music wire	4C
C.117.125.0250.AP	11.7	1.25	25.0	0.5328	8.25	12.28	yes	music wire	4F
C.117.125.0250.I	11.7	1.25	25.0	0.3315	10.13	11.56	yes	stainless steel	4D
C.117.125.0250.N	11.7	1.25	25.0	0.3810	10.25	11.71	yes	Zn coating	4E
C.117.125.0320.A	11.7	1.25	32.0	0.2940	12.38	14.27	yes	music wire	4D
C.117.125.0320.AP	11.7	1.25	32.0	0.4122	9.75	15.55	yes	music wire	4F
C.117.125.0320.I	11.7	1.25	32.0	0.2558	12.25	14.12	yes	stainless steel	4D
C.117.125.0320.N	11.7	1.25	32.0	0.2940	12.38	14.27	yes	Zn coating	4E
C.117.125.0400.A	11.7	1.25	40.0	0.2300	15.00	17.43	yes	music wire	4D
C.117.125.0400.AP	11.7	1.25	40.0	0.3213	11.63	18.90	yes	music wire	4G
C.117.125.0400.I	11.7	1.25	40.0	0.2000	14.88	17.29	yes	stainless steel	4D
C.117.125.0400.N	11.7	1.25	40.0	0.2300	15.00	17.43	yes	Zn coating	4E
C.117.125.0500.A	11.7	1.25	50.0	0.1820	18.13	21.20	yes	music wire	4D
C.117.125.0500.AP	11.7	1.25	50.0	0.2540	13.88	23.31	yes	music wire	4G
C.117.125.0500.I	11.7	1.25	50.0	0.1583	17.88	20.90	yes	stainless steel	4D
C.117.125.0500.N	11.7	1.25	50.0	0.1820	18.13	21.20	yes	Zn coating	4F
C.117.125.0630.A	11.7	1.25	63.0	0.1430	22.13	26.02	yes	music wire	4D
C.117.125.0630.AP	11.7	1.25	63.0	0.2004	16.75	29.18	yes	music wire	4G
C.117.125.0630.I	11.7	1.25	63.0	0.1244	21.88	25.72	yes	stainless steel	4E
C.117.125.0630.N	11.7	1.25	63.0	0.1430	22.13	26.02	yes	Zn coating	4F
C.117.125.0800.A	11.7	1.25	80.0	0.1130	27.25	32.19	yes	music wire	4E
C.117.125.0800.AP	11.7	1.25	80.0	0.1572	20.50	36.87	yes	music wire	4G
C.117.125.0800.I	11.7	1.25	80.0	0.0983	26.88	31.74	yes	stainless steel	4E
C.117.125.0800.N	11.7	1.25	80.0	0.1130	27.25	32.19	yes	Zn coating	4F
C.117.125.1000.A	11.7	1.25	100.0	0.0890	33.75	40.02	yes	music wire	4E
C.117.125.1000.AP	11.7	1.25	100.0	0.1248	25.00	45.70	yes	music wire	4G
C.117.125.1000.I	11.7	1.25	100.0	0.0774	33.38	39.58	yes	stainless steel	4E
C.117.125.1000.N	11.7	1.25	100.0	0.0890	33.75	40.02	yes	Zn coating	4G
C.117.125.3600.A	11.7	1.25	360.0	0.0240	117.88	141.13	no	music wire	4H
C.117.125.3600.I	11.7	1.25	360.0	0.0209	116.38	139.32	no	stainless steel	4I
C.117.140.0125.A	11.7	1.40	12.5	1.3780	7.14	7.80	yes	music wire	4E
C.117.140.0125.I	11.7	1.40	12.5	1.2000	7.14	7.80	yes	stainless steel	4E
C.117.140.0125.N	11.7	1.40	12.5	1.3780	7.14	7.80	yes	Zn coating	4G
C.117.140.0160.A	11.7	1.40	16.0	1.0210	8.40	9.29	yes	music wire	4E
C.117.140.0160.I	11.7	1.40	16.0	0.8883	8.40	9.29	yes	stainless steel	4E
C.117.140.0160.N	11.7	1.40	16.0	1.0210	8.40	9.29	yes	Zn coating	4G
C.117.140.0200.A	11.7	1.40	20.0	0.7660	10.08	11.27	yes	music wire	4E
C.117.140.0200.AP	11.7	1.40	20.0	1.0271	8.40	10.96	yes	music wire	4H
C.117.140.0200.I	11.7	1.40	20.0	0.6664	9.94	11.11	yes	stainless steel	4E
C.117.140.0200.N	11.7	1.40	20.0	0.7660	10.08	11.27	yes	Zn coating	4G
C.117.140.0250.A	11.7	1.40	25.0	0.6000	11.90	13.42	yes	music wire	4E
C.117.140.0250.AP	11.7	1.40	25.0	0.7988	9.80	13.38	yes	music wire	4H
C.117.140.0250.I	11.7	1.40	25.0	0.5211	11.76	13.26	yes	stainless steel	4E
C.117.140.0250.N	11.7	1.40	25.0	0.6000	11.90	13.42	yes	Zn coating	4G
C.117.140.0320.A	11.7	1.40	32.0	0.4590	14.42	16.40	yes	music wire	4E
C.117.140.0320.AP	11.7	1.40	32.0	0.6093	11.76	16.76	yes	music wire	4I
C.117.140.0320.I	11.7	1.40	32.0	0.4000	14.28	16.23	yes	stainless steel	4F
C.117.140.0320.N	11.7	1.40	32.0	0.4590	14.42	16.40	yes	Zn coating	4G
C.117.140.0400.A	11.7	1.40	40.0	0.3630	17.36	19.87	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.117.140.0400.I	11.7	1.40	40.0	0.3158	17.08	19.54	yes	stainless steel	4F
C.117.140.0400.N	11.7	1.40	40.0	0.3630	17.36	19.87	yes	Zn coating	4G
C.117.140.0500.A	11.7	1.40	50.0	0.2840	21.14	24.34	yes	music wire	4E
C.117.140.0500.AP	11.7	1.40	50.0	0.3784	16.80	25.47	yes	music wire	4I
C.117.140.0500.I	11.7	1.40	50.0	0.2471	20.86	24.01	yes	stainless steel	4F
C.117.140.0500.N	11.7	1.40	50.0	0.2840	21.14	24.34	yes	Zn coating	4H
C.117.140.0630.A	11.7	1.40	63.0	0.2240	25.90	29.96	yes	music wire	4F
C.117.140.0630.AP	11.7	1.40	63.0	0.2971	20.44	31.76	yes	music wire	4I
C.117.140.0630.I	11.7	1.40	63.0	0.1949	25.62	29.63	yes	stainless steel	4F
C.117.140.0630.N	11.7	1.40	63.0	0.2240	25.90	29.96	yes	Zn coating	4H
C.117.140.0800.A	11.7	1.40	80.0	0.1740	32.34	37.57	yes	music wire	4F
C.117.140.0800.AP	11.7	1.40	80.0	0.2319	25.06	39.98	yes	music wire	4I
C.117.140.0800.I	11.7	1.40	80.0	0.1514	31.92	37.07	yes	stainless steel	4G
C.117.140.0800.N	11.7	1.40	80.0	0.1740	32.34	37.57	yes	Zn coating	4H
C.117.140.1000.A	11.7	1.40	100.0	0.1390	39.62	46.16	yes	music wire	4F
C.117.140.1000.AP	11.7	1.40	100.0	0.1843	30.66	49.65	yes	music wire	4I
C.117.140.1000.I	11.7	1.40	100.0	0.1209	39.06	45.50	yes	stainless steel	4G
C.117.140.1000.N	11.7	1.40	100.0	0.1390	39.62	46.16	yes	Zn coating	4I
C.117.140.3600.A	11.7	1.40	360.0	0.0380	136.92	160.84	no	music wire	4I
C.117.140.3600.I	11.7	1.40	360.0	0.0331	134.96	158.53	no	stainless steel	4I
C.117.160.0125.A	11.7	1.60	12.5	2.3750	8.32	9.01	yes	music wire	4E
C.117.160.0125.AP	11.7	1.60	12.5	2.9618	7.52	8.08	yes	music wire	4H
C.117.160.0125.I	11.7	1.60	12.5	2.0662	8.32	9.01	yes	stainless steel	4E
C.117.160.0125.N	11.7	1.60	12.5	2.3750	8.32	9.01	yes	Zn coating	4G
C.117.160.0160.A	11.7	1.60	16.0	1.7200	10.08	11.05	yes	music wire	4E
C.117.160.0160.AP	11.7	1.60	16.0	2.2469	8.64	10.03	yes	music wire	4I
C.117.160.0160.I	11.7	1.60	16.0	1.5000	9.92	10.87	yes	stainless steel	4E
C.117.160.0160.N	11.7	1.60	16.0	1.7200	10.08	11.05	yes	Zn coating	4G
C.117.160.0200.A	11.7	1.60	20.0	1.3120	11.84	13.09	yes	music wire	4E
C.117.160.0200.AP	11.7	1.60	20.0	1.7147	10.08	12.18	yes	music wire	4I
C.117.160.0200.I	11.7	1.60	20.0	1.1414	11.84	13.09	yes	stainless steel	4F
C.117.160.0200.N	11.7	1.60	20.0	1.3120	11.84	13.09	yes	Zn coating	4G
C.117.160.0250.A	11.7	1.60	25.0	1.0180	14.24	15.88	yes	music wire	4E
C.117.160.0250.AP	11.7	1.60	25.0	1.3032	12.00	14.71	yes	music wire	4I
C.117.160.0250.I	11.7	1.60	25.0	0.8857	14.08	15.69	yes	stainless steel	4F
C.117.160.0250.N	11.7	1.60	25.0	1.0180	14.24	15.88	yes	Zn coating	4G
C.117.160.0320.A	11.7	1.60	32.0	0.7790	17.28	19.40	yes	music wire	4E
C.117.160.0320.AP	11.7	1.60	32.0	1.0024	14.40	18.62	yes	music wire	4I
C.117.160.0320.I	11.7	1.60	32.0	0.6777	17.12	19.22	yes	stainless steel	4F
C.117.160.0320.N	11.7	1.60	32.0	0.7790	17.28	19.40	yes	Zn coating	4G
C.117.160.0400.A	11.7	1.60	40.0	0.6080	21.12	23.86	yes	music wire	4E
C.117.160.0400.AP	11.7	1.60	40.0	0.7850	17.28	22.92	yes	music wire	4I
C.117.160.0400.I	11.7	1.60	40.0	0.5290	20.80	23.48	yes	stainless steel	4F
C.117.160.0400.N	11.7	1.60	40.0	0.6080	21.12	23.86	yes	Zn coating	4H
C.117.160.0500.A	11.7	1.60	50.0	0.4800	25.60	29.05	yes	music wire	4F
C.117.160.0500.AP	11.7	1.60	50.0	0.6206	20.64	28.39	yes	music wire	4I
C.117.160.0500.I	11.7	1.60	50.0	0.4176	25.28	28.68	yes	stainless steel	4F
C.117.160.0500.N	11.7	1.60	50.0	0.4800	25.60	29.05	yes	Zn coating	4H
C.117.160.0630.A	11.7	1.60	63.0	0.3750	31.68	36.10	yes	music wire	4F
C.117.160.0630.AP	11.7	1.60	63.0	0.4863	25.28	35.42	yes	music wire	4I
C.117.160.0630.I	11.7	1.60	63.0	0.3262	31.36	35.73	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.117.160.0630.N	11.7	1.60	63.0	0.3750	31.68	36.10	yes	Zn coating	4H
C.117.160.0800.A	11.7	1.60	80.0	0.2920	39.52	45.20	yes	music wire	4F
C.117.160.0800.AP	11.7	1.60	80.0	0.3788	31.36	44.60	yes	music wire	4I
C.117.160.0800.I	11.7	1.60	80.0	0.2540	39.04	44.64	yes	stainless steel	4G
C.117.160.0800.N	11.7	1.60	80.0	0.2920	39.52	45.20	yes	Zn coating	4I
C.117.160.1000.A	11.7	1.60	100.0	0.2320	48.64	55.77	yes	music wire	4G
C.117.160.1000.AP	11.7	1.60	100.0	0.3003	38.56	55.34	yes	music wire	4I
C.117.160.1000.I	11.7	1.60	100.0	0.2018	48.16	55.22	yes	stainless steel	4G
C.117.160.1000.N	11.7	1.60	100.0	0.2320	48.64	55.77	yes	Zn coating	4I
C.117.160.3600.A	11.7	1.60	360.0	0.0630	170.24	196.54	no	music wire	4I
C.117.160.3600.I	11.7	1.60	360.0	0.0548	168.16	194.13	no	stainless steel	4I
C.117.180.0125.A	11.7	1.80	12.5	4.0390	9.36	10.07	yes	music wire	4F
C.117.180.0125.AP	11.7	1.80	12.5	5.0468	8.46	9.04	yes	music wire	4I
C.117.180.0125.I	11.7	1.80	12.5	3.5139	9.36	10.07	yes	stainless steel	4G
C.117.180.0125.N	11.7	1.80	12.5	4.0390	9.36	10.07	yes	Zn coating	4I
C.117.180.0160.A	11.7	1.80	16.0	2.9250	11.34	12.33	yes	music wire	4F
C.117.180.0160.AP	11.7	1.80	16.0	3.5816	10.08	10.89	yes	music wire	4I
C.117.180.0160.I	11.7	1.80	16.0	2.5447	11.16	12.13	yes	stainless steel	4G
C.117.180.0160.N	11.7	1.80	16.0	2.9250	11.34	12.33	yes	Zn coating	4I
C.117.180.0200.A	11.7	1.80	20.0	2.2320	13.32	14.60	yes	music wire	4F
C.117.180.0200.I	11.7	1.80	20.0	1.9418	13.32	14.60	yes	stainless steel	4G
C.117.180.0200.N	11.7	1.80	20.0	2.2320	13.32	14.60	yes	Zn coating	4I
C.117.180.0250.A	11.7	1.80	25.0	1.7310	16.02	17.69	yes	music wire	4G
C.117.180.0250.I	11.7	1.80	25.0	1.5060	15.84	17.49	yes	stainless steel	4G
C.117.180.0250.N	11.7	1.80	25.0	1.7310	16.02	17.69	yes	Zn coating	4I
C.117.180.0320.A	11.7	1.80	32.0	1.3050	19.62	21.82	yes	music wire	4G
C.117.180.0320.I	11.7	1.80	32.0	1.1353	19.44	21.61	yes	stainless steel	4G
C.117.180.0320.N	11.7	1.80	32.0	1.3050	19.62	21.82	yes	Zn coating	4I
C.117.180.0400.A	11.7	1.80	40.0	1.0220	23.94	26.77	yes	music wire	4G
C.117.180.0400.I	11.7	1.80	40.0	0.8891	23.58	26.35	yes	stainless steel	4G
C.117.180.0400.N	11.7	1.80	40.0	1.0220	23.94	26.77	yes	Zn coating	4I
C.117.180.0500.A	11.7	1.80	50.0	0.8000	29.34	32.95	yes	music wire	4G
C.117.180.0500.I	11.7	1.80	50.0	0.6960	28.98	32.54	yes	stainless steel	4G
C.117.180.0500.N	11.7	1.80	50.0	0.8000	29.34	32.95	yes	Zn coating	4I
C.117.180.0630.A	11.7	1.80	63.0	0.6240	36.36	40.99	yes	music wire	4G
C.117.180.0630.I	11.7	1.80	63.0	0.5429	35.82	40.37	yes	stainless steel	4G
C.117.180.0630.N	11.7	1.80	63.0	0.6240	36.36	40.99	yes	Zn coating	4I
C.117.180.0800.A	11.7	1.80	80.0	0.4850	45.36	51.30	yes	music wire	4G
C.117.180.0800.I	11.7	1.80	80.0	0.4220	44.82	50.68	yes	stainless steel	4G
C.117.180.0800.N	11.7	1.80	80.0	0.4850	45.36	51.30	yes	Zn coating	4I
C.117.180.1000.A	11.7	1.80	100.0	0.3860	55.98	63.46	yes	music wire	4G
C.117.180.1000.I	11.7	1.80	100.0	0.3358	55.26	62.64	yes	stainless steel	4H
C.117.180.1000.N	11.7	1.80	100.0	0.3860	55.98	63.46	yes	Zn coating	4I
C.117.180.3600.A	11.7	1.80	360.0	0.1040	197.10	224.84	no	music wire	4I
C.117.180.3600.I	11.7	1.80	360.0	0.0905	194.58	221.95	no	stainless steel	4I
C.117.200.0125.A	11.7	2.00	12.5	6.5450	10.40	11.13	yes	music wire	4G
C.117.200.0125.AP	11.7	2.00	12.5	7.8365	9.60	10.22	yes	music wire	4G
C.117.200.0125.I	11.7	2.00	12.5	5.6941	10.40	11.13	yes	stainless steel	4G
C.117.200.0125.N	11.7	2.00	12.5	6.5450	10.40	11.13	yes	Zn coating	4I
C.117.200.0160.A	11.7	2.00	16.0	4.7390	12.60	13.63	yes	music wire	4G
C.117.200.0160.AP	11.7	2.00	16.0	5.6325	11.40	12.27	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.117.200.0160.I	11.7	2.00	16.0	4.1229	12.40	13.40	yes	stainless steel	4G
C.117.200.0160.N	11.7	2.00	16.0	4.7390	12.60	13.63	yes	Zn coating	4I
C.117.200.0200.A	11.7	2.00	20.0	3.6170	14.80	16.13	yes	music wire	4G
C.117.200.0200.I	11.7	2.00	20.0	3.1468	14.80	16.13	yes	stainless steel	4G
C.117.200.0200.N	11.7	2.00	20.0	3.6170	14.80	16.13	yes	Zn coating	4I
C.117.200.0250.A	11.7	2.00	25.0	2.7490	18.00	19.76	yes	music wire	4G
C.117.200.0250.AP	11.7	2.00	25.0	3.2771	15.80	17.49	yes	music wire	4I
C.117.200.0250.I	11.7	2.00	25.0	2.3916	17.80	19.53	yes	stainless steel	4G
C.117.200.0250.N	11.7	2.00	25.0	2.7490	18.00	19.76	yes	Zn coating	4I
C.117.200.0320.A	11.7	2.00	32.0	2.0510	22.40	24.75	yes	music wire	4G
C.117.200.0320.AP	11.7	2.00	32.0	2.4690	19.40	22.03	yes	music wire	4I
C.117.200.0320.I	11.7	2.00	32.0	1.7844	22.20	24.53	yes	stainless steel	4G
C.117.200.0320.N	11.7	2.00	32.0	2.0510	22.40	24.75	yes	Zn coating	4I
C.117.200.0400.A	11.7	2.00	40.0	1.6000	27.40	30.43	yes	music wire	4G
C.117.200.0400.AP	11.7	2.00	40.0	1.9381	23.40	27.30	yes	music wire	4I
C.117.200.0400.I	11.7	2.00	40.0	1.3903	27.00	29.98	yes	stainless steel	4G
C.117.200.0400.N	11.7	2.00	40.0	1.6000	27.40	30.43	yes	Zn coating	4I
C.117.200.0500.A	11.7	2.00	50.0	1.2610	33.40	37.24	yes	music wire	4G
C.117.200.0500.AP	11.7	2.00	50.0	1.5146	28.60	33.75	yes	music wire	4I
C.117.200.0500.I	11.7	2.00	50.0	1.1000	32.80	36.56	yes	stainless steel	4G
C.117.200.0500.N	11.7	2.00	50.0	1.2610	33.40	37.24	yes	Zn coating	4I
C.117.200.0630.A	11.7	2.00	63.0	0.9820	41.40	46.32	yes	music wire	4G
C.117.200.0630.AP	11.7	2.00	63.0	1.1858	35.20	42.24	yes	music wire	4I
C.117.200.0630.I	11.7	2.00	63.0	0.8543	41.00	45.87	yes	stainless steel	4G
C.117.200.0630.N	11.7	2.00	63.0	0.9820	41.40	46.32	yes	Zn coating	4I
C.117.200.0800.A	11.7	2.00	80.0	0.7640	51.80	58.13	yes	music wire	4G
C.117.200.0800.AP	11.7	2.00	80.0	0.9243	43.60	53.37	yes	music wire	4I
C.117.200.0800.I	11.7	2.00	80.0	0.6647	51.20	57.45	yes	stainless steel	4H
C.117.200.0800.N	11.7	2.00	80.0	0.7640	51.80	58.13	yes	Zn coating	4I
C.117.200.1000.A	11.7	2.00	100.0	0.6050	64.00	71.98	yes	music wire	4G
C.117.200.1000.AP	11.7	2.00	100.0	0.7327	53.80	66.41	yes	music wire	4I
C.117.200.1000.I	11.7	2.00	100.0	0.5264	63.20	71.07	yes	stainless steel	4H
C.117.200.1000.N	11.7	2.00	100.0	0.6050	64.00	71.98	yes	Zn coating	4I
C.117.200.1520.A	11.7	2.00	152.0	0.4727	80.60	99.93	yes	music wire	4J
C.117.200.1520.I	11.7	2.00	152.0	0.4112	79.60	99.44	yes	stainless steel	4J
C.117.200.3600.A	11.7	2.00	360.0	0.1620	227.40	257.22	no	music wire	4I
C.117.200.3600.I	11.7	2.00	360.0	0.1409	224.80	254.26	no	stainless steel	4I
C.118.120.0650.A	11.8	1.20	65.0	0.0990	24.48	29.14	yes	music wire	4D
C.118.120.0650.AP	11.8	1.20	65.0	0.1676	15.72	29.20	yes	music wire	4G
C.118.120.0650.I	11.8	1.20	65.0	0.0861	24.24	28.85	yes	stainless steel	4E
C.118.120.0650.N	11.8	1.20	65.0	0.0990	24.48	29.14	yes	Zn coating	4F
C.118.250.0125.A	11.8	2.50	12.5	27.6806	10.75	11.29	yes	music wire	4E
C.118.250.0160.A	11.8	2.50	16.0	16.6375	13.75	14.66	yes	music wire	4E
C.118.250.0160.S	11.8	2.50	16.0	12.8000	16.00	16.00	yes	Cr-Si steel	4I
C.118.250.0200.A	11.8	2.50	20.0	11.0000	17.50	18.86	yes	music wire	4E
C.118.250.0200.S	11.8	2.50	20.0	10.0000	18.50	19.98	yes	Cr-Si steel	4I
C.118.250.0250.A	11.8	2.50	25.0	7.8125	22.00	23.90	yes	music wire	4E
C.118.250.0250.S	11.8	2.50	25.0	8.0000	21.75	23.62	yes	Cr-Si steel	4I
C.118.250.0320.A	11.8	2.50	32.0	6.2500	26.00	28.39	yes	music wire	4E
C.118.250.0320.S	11.8	2.50	32.0	6.4000	25.50	27.82	yes	Cr-Si steel	4I
C.118.250.0400.A	11.8	2.50	40.0	5.0000	31.00	33.99	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.118.250.0400.S	11.8	2.50	40.0	5.0794	30.50	33.43	yes	Cr-Si steel	4L
C.118.250.0500.A	11.8	2.50	50.0	3.9683	37.50	41.27	yes	music wire	4E
C.118.250.0500.S	11.8	2.50	50.0	4.0000	37.25	40.99	yes	Cr-Si steel	4L
C.118.250.0550.A	11.8	2.50	55.0	3.5970	40.75	44.92	yes	music wire	4I
C.118.250.0550.I	11.8	2.50	55.0	3.1294	40.25	44.36	yes	stainless steel	4I
C.118.250.0550.N	11.8	2.50	55.0	3.5970	40.75	44.92	yes	Zn coating	4J
C.118.250.0630.A	11.8	2.50	63.0	3.1250	45.75	50.52	yes	music wire	4E
C.118.250.0630.S	11.8	2.50	63.0	3.2000	45.00	49.68	yes	Cr-Si steel	4L
C.118.250.0800.A	11.8	2.50	80.0	2.5000	55.75	62.32	yes	music wire	4E
C.118.250.0800.S	11.8	2.50	80.0	2.5600	54.50	62.73	yes	Cr-Si steel	4M
C.118.250.1000.A	11.8	2.50	100.0	2.0000	68.00	77.90	yes	music wire	4F
C.118.250.1000.S	11.8	2.50	100.0	2.0000	68.00	77.90	yes	Cr-Si steel	4N
C.118.250.1250.A	11.8	2.50	125.0	1.5625	85.50	96.71	yes	music wire	4F
C.118.250.1250.S	11.8	2.50	125.0	1.6000	83.50	97.37	yes	Cr-Si steel	4N
C.118.250.1650.A	11.8	2.50	165.0	0.9955	130.50	145.50	yes	music wire	4I
C.118.250.1650.I	11.8	2.50	165.0	0.8550	130.50	145.50	yes	stainless steel	4I
C.118.250.2450.A	11.8	2.50	245.0	0.6641	192.50	214.99	yes	music wire	4I
C.118.250.2450.I	11.8	2.50	245.0	0.5704	192.50	214.99	yes	stainless steel	4I
C.119.060.0100.A	11.9	0.60	10.0	0.0763	2.22	2.68	yes	music wire	4C
C.119.060.0100.I	11.9	0.60	10.0	0.0655	2.22	2.68	yes	stainless steel	4C
C.119.060.0159.A	11.9	0.60	15.9	0.0264	3.60	4.93	yes	music wire	4C
C.119.060.0159.I	11.9	0.60	15.9	0.0230	3.54	4.83	yes	stainless steel	4C
C.119.060.0200.A	11.9	0.60	20.0	0.0195	4.32	6.10	yes	music wire	4C
C.119.060.0200.I	11.9	0.60	20.0	0.0170	4.26	6.00	yes	stainless steel	4C
C.119.060.0300.A	11.9	0.60	30.0	0.0247	3.72	5.12	yes	music wire	4C
C.119.060.0300.I	11.9	0.60	30.0	0.0212	3.72	5.12	yes	stainless steel	4C
C.119.060.0380.A	11.9	0.60	38.0	0.0161	4.92	7.08	yes	music wire	4C
C.119.060.0380.I	11.9	0.60	38.0	0.0140	4.86	6.98	yes	stainless steel	4C
C.119.060.0500.A	11.9	0.60	50.0	0.0103	6.78	10.12	yes	music wire	4C
C.119.060.0500.I	11.9	0.60	50.0	0.0090	6.72	10.02	yes	stainless steel	4D
C.119.070.0100.A	11.9	0.70	10.0	0.1339	2.66	3.10	yes	music wire	4C
C.119.070.0100.I	11.9	0.70	10.0	0.1150	2.66	3.10	yes	stainless steel	4C
C.119.070.0159.A	11.9	0.70	15.9	0.0908	3.08	3.72	yes	music wire	4C
C.119.070.0159.I	11.9	0.70	15.9	0.0790	3.08	3.72	yes	stainless steel	4C
C.119.070.0174.A	11.9	0.70	17.4	0.0655	3.64	4.55	yes	music wire	4C
C.119.070.0174.I	11.9	0.70	17.4	0.0570	3.57	4.45	yes	stainless steel	4C
C.119.070.0350.A	11.9	0.70	35.0	0.0241	6.79	9.23	yes	music wire	4C
C.119.070.0350.I	11.9	0.70	35.0	0.0210	6.72	9.13	yes	stainless steel	4D
C.119.070.0370.A	11.9	0.70	37.0	0.0322	5.53	7.36	yes	music wire	4C
C.119.070.0370.I	11.9	0.70	37.0	0.0280	5.46	7.26	yes	stainless steel	4D
C.119.070.0800.A	11.9	0.70	80.0	0.0148	10.01	14.01	yes	music wire	4D
C.119.070.0800.I	11.9	0.70	80.0	0.0127	10.01	14.01	yes	stainless steel	4E
C.119.080.0100.A	11.9	0.80	10.0	0.2034	3.20	3.67	yes	music wire	4C
C.119.080.0100.I	11.9	0.80	10.0	0.1747	3.20	3.67	yes	stainless steel	4C
C.119.080.0135.A	11.9	0.80	13.5	0.0494	6.96	8.89	yes	music wire	4C
C.119.080.0135.I	11.9	0.80	13.5	0.0430	6.88	8.78	yes	stainless steel	4C
C.119.080.0210.A	11.9	0.80	21.0	0.0621	5.92	7.44	yes	music wire	4C
C.119.080.0210.I	11.9	0.80	21.0	0.0540	5.92	7.44	yes	stainless steel	4C
C.119.080.0230.A	11.9	0.80	23.0	0.0552	6.40	8.11	yes	music wire	4C
C.119.080.0230.I	11.9	0.80	23.0	0.0480	6.40	8.11	yes	stainless steel	4C
C.119.080.0250.A	11.9	0.80	25.0	0.0500	6.88	8.78	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.119.080.0250.I	11.9	0.80	25.0	0.0435	6.80	8.67	yes	stainless steel	4C
C.119.080.0270.A	11.9	0.80	27.0	0.0494	6.96	8.89	yes	music wire	4C
C.119.080.0270.I	11.9	0.80	27.0	0.0430	6.88	8.78	yes	stainless steel	4C
C.119.080.0300.A	11.9	0.80	30.0	0.0400	8.08	10.44	yes	music wire	4C
C.119.080.0300.I	11.9	0.80	30.0	0.0348	8.00	10.33	yes	stainless steel	4D
C.119.080.0350.A	11.9	0.80	35.0	0.0379	8.40	10.89	yes	music wire	4C
C.119.080.0350.I	11.9	0.80	35.0	0.0330	8.32	10.78	yes	stainless steel	4D
C.119.080.0600.A	11.9	0.80	60.0	0.0302	10.08	13.22	yes	music wire	4D
C.119.080.0600.I	11.9	0.80	60.0	0.0259	10.08	13.22	yes	stainless steel	4D
C.119.080.1000.A	11.9	0.80	100.0	0.0179	15.60	20.89	yes	music wire	4E
C.119.080.1000.I	11.9	0.80	100.0	0.0154	15.60	20.89	yes	stainless steel	4E
C.119.090.0210.A	11.9	0.90	21.0	0.0931	7.11	8.69	yes	music wire	4C
C.119.090.0210.I	11.9	0.90	21.0	0.0810	7.02	8.57	yes	stainless steel	4C
C.119.090.0260.A	11.9	0.90	26.0	0.0529	10.80	13.57	yes	music wire	4C
C.119.090.0260.I	11.9	0.90	26.0	0.0460	10.71	13.45	yes	stainless steel	4D
C.119.090.0290.A	11.9	0.90	29.0	0.1149	6.21	7.49	yes	music wire	4C
C.119.090.0290.I	11.9	0.90	29.0	0.1000	6.12	7.37	yes	stainless steel	4F
C.119.090.0380.A	11.9	0.90	38.0	0.0667	9.00	11.19	yes	music wire	4C
C.119.090.0380.I	11.9	0.90	38.0	0.0580	8.91	11.07	yes	stainless steel	4D
C.119.090.0600.A	11.9	0.90	60.0	0.0441	12.51	15.84	yes	music wire	4D
C.119.090.0600.I	11.9	0.90	60.0	0.0378	12.51	15.84	yes	stainless steel	4D
C.119.090.0670.A	11.9	0.90	67.0	0.0402	13.50	17.15	yes	music wire	4D
C.119.090.0670.I	11.9	0.90	67.0	0.0350	13.32	16.91	yes	stainless steel	4D
C.119.090.1000.A	11.9	0.90	100.0	0.0262	19.53	25.13	yes	music wire	4E
C.119.090.1000.I	11.9	0.90	100.0	0.0225	19.53	25.13	yes	stainless steel	4E
C.119.100.0111.A	11.9	1.00	11.1	0.3333	4.90	5.57	yes	music wire	4C
C.119.100.0111.AP	11.9	1.00	11.1	0.6051	3.80	5.19	yes	music wire	4F
C.119.100.0111.I	11.9	1.00	11.1	0.2900	4.80	5.44	yes	stainless steel	4C
C.119.100.0182.A	11.9	1.00	18.2	0.1264	8.70	10.42	yes	music wire	4C
C.119.100.0182.AP	11.9	1.00	18.2	0.3420	4.80	7.74	yes	music wire	4F
C.119.100.0182.I	11.9	1.00	18.2	0.1100	8.60	10.30	yes	stainless steel	4D
C.119.100.0350.A	11.9	1.00	35.0	0.1149	9.30	11.19	yes	music wire	4C
C.119.100.0350.AP	11.9	1.00	35.0	0.1748	7.00	14.54	yes	music wire	4F
C.119.100.0350.I	11.9	1.00	35.0	0.1000	9.30	11.19	yes	stainless steel	4D
C.119.100.0670.A	11.9	1.00	67.0	0.0483	18.80	23.33	yes	music wire	4D
C.119.100.0670.AP	11.9	1.00	67.0	0.0884	11.40	26.54	yes	music wire	4G
C.119.100.0670.I	11.9	1.00	67.0	0.0420	18.60	23.08	yes	stainless steel	4E
C.119.100.1000.A	11.9	1.00	100.0	0.0371	23.70	29.60	yes	music wire	4E
C.119.100.1000.I	11.9	1.00	100.0	0.0319	23.70	29.60	yes	stainless steel	4E
C.119.100.2000.A	11.9	1.00	200.0	0.0184	45.20	57.08	yes	music wire	4F
C.119.100.2000.I	11.9	1.00	200.0	0.0158	45.20	57.08	yes	stainless steel	4F
C.119.110.0064.A	11.9	1.10	6.4	1.3793	3.74	3.98	yes	music wire	4C
C.119.110.0064.I	11.9	1.10	6.4	1.2000	3.63	3.85	yes	stainless steel	4C
C.119.110.0600.A	11.9	1.10	60.0	0.0871	17.71	21.37	yes	music wire	4D
C.119.110.0600.I	11.9	1.10	60.0	0.0748	17.71	21.37	yes	stainless steel	4E
C.119.120.0200.A	11.9	1.20	20.0	0.3832	8.40	9.58	yes	music wire	4C
C.119.120.0200.I	11.9	1.20	20.0	0.3291	8.40	9.58	yes	stainless steel	4D
C.119.120.0330.A	11.9	1.20	33.0	0.1700	15.12	17.78	yes	music wire	4D
C.119.120.0330.AP	11.9	1.20	33.0	0.3387	9.12	15.42	yes	music wire	4F
C.119.120.0330.I	11.9	1.20	33.0	0.1479	15.00	17.63	yes	stainless steel	4D
C.119.120.0360.A	11.9	1.20	36.0	0.1609	15.84	18.66	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.119.120.0360.AP	11.9	1.20	36.0	0.3085	9.72	16.70	yes	music wire	4G
C.119.120.0360.I	11.9	1.20	36.0	0.1400	15.72	18.51	yes	stainless steel	4D
C.119.120.0420.A	11.9	1.20	42.0	0.2000	13.32	15.58	yes	music wire	4D
C.119.120.0420.I	11.9	1.20	42.0	0.1740	13.20	15.44	yes	stainless steel	4D
C.119.120.0600.A	11.9	1.20	60.0	0.1181	20.52	24.36	yes	music wire	4D
C.119.120.0600.I	11.9	1.20	60.0	0.1014	20.52	24.36	yes	stainless steel	4E
C.119.120.0780.A	11.9	1.20	78.0	0.0770	29.88	35.77	yes	music wire	4D
C.119.120.0780.AP	11.9	1.20	78.0	0.1371	18.12	34.57	yes	music wire	4G
C.119.120.0780.I	11.9	1.20	78.0	0.0670	29.52	35.33	yes	stainless steel	4E
C.119.130.0240.A	11.9	1.30	24.0	0.3900	11.44	13.08	yes	music wire	4C
C.119.130.0240.AP	11.9	1.30	24.0	0.6281	8.32	12.16	yes	music wire	4F
C.119.130.0240.I	11.9	1.30	24.0	0.3393	11.31	12.92	yes	stainless steel	4D
C.119.130.0800.A	11.9	1.30	80.0	0.1180	30.16	35.53	yes	music wire	4E
C.119.130.0800.I	11.9	1.30	80.0	0.1014	30.16	35.53	yes	stainless steel	4E
C.119.140.0238.A	11.9	1.40	23.8	0.6020	11.34	12.79	yes	music wire	4E
C.119.140.0238.AP	11.9	1.40	23.8	0.8276	9.24	12.76	yes	music wire	4H
C.119.140.0238.I	11.9	1.40	23.8	0.5237	11.20	12.62	yes	stainless steel	4E
C.119.140.0238.N	11.9	1.40	23.8	0.6020	11.34	12.79	yes	Zn coating	4G
C.119.140.0800.A	11.9	1.40	80.0	0.1558	33.88	39.48	yes	music wire	4F
C.119.140.0800.I	11.9	1.40	80.0	0.1338	33.88	39.48	yes	stainless steel	4G
C.119.160.0240.A	11.9	1.60	24.0	0.9310	14.56	16.27	yes	music wire	4E
C.119.160.0240.AP	11.9	1.60	24.0	1.3356	11.36	14.11	yes	music wire	4I
C.119.160.0240.I	11.9	1.60	24.0	0.8100	14.40	16.09	yes	stainless steel	4F
C.119.160.0800.A	11.9	1.60	80.0	0.2645	40.96	46.95	yes	music wire	4F
C.119.160.0800.I	11.9	1.60	80.0	0.2272	40.96	46.95	yes	stainless steel	4G
C.119.180.0290.A	11.9	1.80	29.0	1.6092	16.20	17.92	yes	music wire	4I
C.119.180.0290.I	11.9	1.80	29.0	1.4000	16.02	17.72	yes	stainless steel	4I
C.119.180.0350.A	11.9	1.80	35.0	1.2644	19.26	21.43	yes	music wire	4I
C.119.180.0350.I	11.9	1.80	35.0	1.1000	19.08	21.23	yes	stainless steel	4I
C.119.180.0800.A	11.9	1.80	80.0	0.4361	47.34	53.65	yes	music wire	4G
C.119.180.0800.I	11.9	1.80	80.0	0.3746	47.34	53.65	yes	stainless steel	4G
C.119.180.1900.A	11.9	1.80	190.0	0.1922	101.70	116.01	yes	music wire	4I
C.119.180.1900.I	11.9	1.80	190.0	0.1672	100.44	114.56	yes	stainless steel	4I
C.119.200.0200.A	11.9	2.00	20.0	3.2939	15.20	16.59	yes	music wire	4G
C.119.200.0200.I	11.9	2.00	20.0	2.8291	15.20	16.59	yes	stainless steel	4G
C.119.200.0890.A	11.9	2.00	89.0	0.6667	55.40	62.29	yes	music wire	4G
C.119.200.0890.I	11.9	2.00	89.0	0.5800	54.80	61.61	yes	stainless steel	4H
C.119.210.0200.A	11.9	2.10	20.0	4.1276	15.96	17.38	yes	music wire	4G
C.119.210.0200.I	11.9	2.10	20.0	3.5452	15.96	17.38	yes	stainless steel	4G
C.119.210.0610.A	11.9	2.10	61.0	1.2000	42.00	46.88	yes	music wire	4G
C.119.210.0610.AP	11.9	2.10	61.0	1.4564	35.70	42.01	yes	music wire	4I
C.119.210.0610.I	11.9	2.10	61.0	1.0440	41.58	46.40	yes	stainless steel	4G
C.119.230.0079.A	11.9	2.30	7.9	31.1494	7.90	7.90	yes	music wire	4G
C.119.230.0079.I	11.9	2.30	7.9	27.1000	7.90	7.90	yes	stainless steel	4G
C.119.230.0350.A	11.9	2.30	35.0	4.3678	22.77	26.93	yes	music wire	4J
C.119.230.0350.I	11.9	2.30	35.0	3.8000	22.54	26.82	yes	stainless steel	4J
C.119.230.1000.A	11.9	2.30	100.0	1.0741	74.75	83.45	yes	music wire	4H
C.119.230.1000.I	11.9	2.30	100.0	0.9225	74.75	83.45	yes	stainless steel	4H
C.119.250.0200.A	11.9	2.50	20.0	10.1940	18.00	19.42	yes	music wire	4G
C.119.250.0200.I	11.9	2.50	20.0	8.7556	18.00	19.42	yes	stainless steel	4G
C.119.250.0540.A	11.9	2.50	54.0	4.0230	36.00	43.09	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.119.250.0540.I	11.9	2.50	54.0	3.5000	35.75	42.90	yes	stainless steel	4K
C.119.270.0270.A	11.9	2.70	27.0	11.1494	23.49	25.46	yes	music wire	4G
C.119.270.0270.I	11.9	2.70	27.0	9.7000	23.49	25.46	yes	stainless steel	4G
C.119.270.1000.A	11.9	2.70	100.0	2.4396	83.70	92.74	yes	music wire	4H
C.119.270.1000.I	11.9	2.70	100.0	2.0953	83.70	92.74	yes	stainless steel	4I
C.120.065.0120.A	12.0	0.65	12.0	0.0957	2.47	2.94	yes	music wire	4C
C.120.065.0120.I	12.0	0.65	12.0	0.0822	2.47	2.94	yes	stainless steel	4C
C.120.065.0180.A	12.0	0.65	18.0	0.0622	2.93	3.65	yes	music wire	4C
C.120.065.0444.A	12.0	0.65	44.4	0.0211	5.46	7.60	yes	music wire	4C
C.120.065.0444.I	12.0	0.65	44.4	0.0181	5.46	7.60	yes	stainless steel	4D
C.120.065.0457.A	12.0	0.65	45.7	0.0207	5.53	7.70	yes	music wire	4C
C.120.065.0457.I	12.0	0.65	45.7	0.0178	5.53	7.70	yes	stainless steel	4D
C.120.070.0327.A	12.0	0.70	32.7	0.0484	4.20	5.86	yes	music wire	4F
C.120.070.0327.I	12.0	0.70	32.7	0.0416	4.20	6.06	yes	stainless steel	4F
C.120.070.0327.N	12.0	0.70	32.7	0.0484	4.20	5.86	yes	Zn coating	4H
C.120.070.0500.A	12.0	0.70	50.0	0.0308	5.60	7.82	yes	music wire	4F
C.120.070.0500.I	12.0	0.70	50.0	0.0265	5.60	8.18	yes	stainless steel	4G
C.120.070.0500.N	12.0	0.70	50.0	0.0308	5.60	7.82	yes	Zn coating	4I
C.120.070.0846.A	12.0	0.70	84.6	0.0178	8.40	11.66	yes	music wire	4G
C.120.070.0846.I	12.0	0.70	84.6	0.0153	8.40	12.17	yes	stainless steel	4G
C.120.070.0846.N	12.0	0.70	84.6	0.0178	8.40	11.66	yes	Zn coating	4I
C.120.070.1100.A	12.0	0.70	110.0	0.0126	11.20	15.84	yes	music wire	4E
C.120.070.1100.I	12.0	0.70	110.0	0.0108	11.20	15.84	yes	stainless steel	4E
C.120.070.1360.A	12.0	0.70	136.0	0.0109	12.67	18.03	yes	music wire	4H
C.120.070.1360.I	12.0	0.70	136.0	0.0094	12.60	18.11	yes	stainless steel	4H
C.120.070.1360.N	12.0	0.70	136.0	0.0109	12.67	18.03	yes	Zn coating	4I
C.120.075.0120.A	12.0	0.75	12.0	0.1509	3.00	3.49	yes	music wire	4C
C.120.075.0120.I	12.0	0.75	12.0	0.1296	3.00	3.49	yes	stainless steel	4C
C.120.075.0165.A	12.0	0.75	16.5	0.0440	5.70	7.37	yes	music wire	4C
C.120.075.0165.I	12.0	0.75	16.5	0.0383	5.70	7.37	yes	stainless steel	4C
C.120.075.0165.N	12.0	0.75	16.5	0.0440	5.70	7.37	yes	Zn coating	4E
C.120.075.0206.A	12.0	0.75	20.6	0.0730	4.20	5.22	yes	music wire	4C
C.120.075.0206.I	12.0	0.75	20.6	0.0627	4.20	5.22	yes	stainless steel	4C
C.120.075.0220.A	12.0	0.75	22.0	0.0906	3.75	4.57	yes	music wire	4E
C.120.075.0220.I	12.0	0.75	22.0	0.0778	3.75	4.66	yes	stainless steel	4F
C.120.075.0220.N	12.0	0.75	22.0	0.0906	3.75	4.57	yes	Zn coating	4H
C.120.075.0239.A	12.0	0.75	23.9	0.0629	4.58	5.76	yes	music wire	4C
C.120.075.0239.I	12.0	0.75	23.9	0.0540	4.58	5.76	yes	stainless steel	4C
C.120.075.0254.A	12.0	0.75	25.4	0.0596	4.73	5.98	yes	music wire	4C
C.120.075.0254.I	12.0	0.75	25.4	0.0512	4.73	5.98	yes	stainless steel	4C
C.120.075.0305.A	12.0	0.75	30.5	0.0492	5.33	6.84	yes	music wire	4C
C.120.075.0305.I	12.0	0.75	30.5	0.0423	5.33	6.84	yes	stainless steel	4D
C.120.075.0318.A	12.0	0.75	31.8	0.0472	5.48	7.05	yes	music wire	4C
C.120.075.0318.I	12.0	0.75	31.8	0.0405	5.48	7.05	yes	stainless steel	4D
C.120.075.0381.A	12.0	0.75	38.1	0.0390	6.23	8.13	yes	music wire	4C
C.120.075.0381.I	12.0	0.75	38.1	0.0335	6.23	8.13	yes	stainless steel	4D
C.120.075.0444.A	12.0	0.75	44.4	0.0333	6.98	9.21	yes	music wire	4C
C.120.075.0444.I	12.0	0.75	44.4	0.0286	6.98	9.21	yes	stainless steel	4D
C.120.075.0457.A	12.0	0.75	45.7	0.0323	7.13	9.43	yes	music wire	4C
C.120.075.0457.I	12.0	0.75	45.7	0.0278	7.13	9.43	yes	stainless steel	4D
C.120.075.0508.A	12.0	0.75	50.8	0.0287	7.80	10.39	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.075.0508.I	12.0	0.75	50.8	0.0246	7.80	10.39	yes	stainless steel	4D
C.120.075.0880.A	12.0	0.75	88.0	0.0193	10.65	14.49	yes	music wire	4D
C.120.075.0880.I	12.0	0.75	88.0	0.0166	10.65	14.49	yes	stainless steel	4E
C.120.080.0230.A	12.0	0.80	23.0	0.0849	4.80	5.90	yes	music wire	4C
C.120.080.0230.I	12.0	0.80	23.0	0.0729	4.80	5.90	yes	stainless steel	4C
C.120.080.0230.N	12.0	0.80	23.0	0.0849	4.80	5.90	yes	Zn coating	4E
C.120.080.0360.A	12.0	0.80	36.0	0.0540	6.40	8.13	yes	music wire	4C
C.120.080.0360.I	12.0	0.80	36.0	0.0464	6.40	8.13	yes	stainless steel	4D
C.120.080.0360.N	12.0	0.80	36.0	0.0540	6.40	8.13	yes	Zn coating	4E
C.120.080.0540.A	12.0	0.80	54.0	0.0349	8.80	11.48	yes	music wire	4D
C.120.080.0540.I	12.0	0.80	54.0	0.0300	8.80	11.48	yes	stainless steel	4D
C.120.080.0540.N	12.0	0.80	54.0	0.0349	8.80	11.48	yes	Zn coating	4E
C.120.080.0840.A	12.0	0.80	84.0	0.0220	12.80	17.06	yes	music wire	4D
C.120.080.0840.I	12.0	0.80	84.0	0.0189	12.80	17.06	yes	stainless steel	4E
C.120.080.0840.N	12.0	0.80	84.0	0.0220	12.80	17.06	yes	Zn coating	4F
C.120.090.0097.A	12.0	0.90	9.7	0.3055	3.69	4.16	yes	music wire	4C
C.120.090.0097.I	12.0	0.90	9.7	0.2624	3.69	4.16	yes	stainless steel	4C
C.120.090.0112.A	12.0	0.90	11.2	0.2572	3.96	4.52	yes	music wire	4C
C.120.090.0112.I	12.0	0.90	11.2	0.2209	3.96	4.52	yes	stainless steel	4C
C.120.090.0142.A	12.0	0.90	14.2	0.2036	4.41	5.12	yes	music wire	4C
C.120.090.0142.I	12.0	0.90	14.2	0.1749	4.41	5.12	yes	stainless steel	4C
C.120.090.0206.A	12.0	0.90	20.6	0.1321	5.58	6.67	yes	music wire	4C
C.120.090.0206.I	12.0	0.90	20.6	0.1135	5.58	6.67	yes	stainless steel	4C
C.120.090.0239.A	12.0	0.90	23.9	0.1137	6.12	7.39	yes	music wire	4C
C.120.090.0239.I	12.0	0.90	23.9	0.0976	6.12	7.39	yes	stainless steel	4D
C.120.090.0279.A	12.0	0.90	27.9	0.0958	6.84	8.35	yes	music wire	4C
C.120.090.0279.I	12.0	0.90	27.9	0.0823	6.84	8.35	yes	stainless steel	4D
C.120.090.0284.A	12.0	0.90	28.4	0.0958	6.84	8.35	yes	music wire	4C
C.120.090.0284.I	12.0	0.90	28.4	0.0823	6.84	8.35	yes	stainless steel	4D
C.120.090.0300.A	12.0	0.90	30.0	0.1360	5.49	10.59	yes	music wire	4F
C.120.090.0300.I	12.0	0.90	30.0	0.1183	5.40	10.86	yes	stainless steel	4F
C.120.090.0350.A	12.0	0.90	35.0	0.1160	6.03	12.25	yes	music wire	4F
C.120.090.0350.I	12.0	0.90	35.0	0.1009	6.03	12.56	yes	stainless steel	4G
C.120.090.0351.A	12.0	0.90	35.1	0.0764	8.01	9.90	yes	music wire	4C
C.120.090.0351.I	12.0	0.90	35.1	0.0656	8.01	9.90	yes	stainless steel	4D
C.120.090.0356.A	12.0	0.90	35.6	0.0752	8.10	10.02	yes	music wire	4C
C.120.090.0356.I	12.0	0.90	35.6	0.0646	8.10	10.02	yes	stainless steel	4D
C.120.090.0550.A	12.0	0.90	55.0	0.0720	8.37	18.34	yes	music wire	4G
C.120.090.0550.I	12.0	0.90	55.0	0.0626	8.28	18.84	yes	stainless steel	4G
C.120.090.0559.A	12.0	0.90	55.9	0.0470	11.61	14.68	yes	music wire	4D
C.120.090.0559.I	12.0	0.90	55.9	0.0404	11.61	14.68	yes	stainless steel	4D
C.120.090.0572.A	12.0	0.90	57.2	0.0457	11.88	15.04	yes	music wire	4D
C.120.090.0572.I	12.0	0.90	57.2	0.0392	11.88	15.04	yes	stainless steel	4D
C.120.090.0600.A	12.0	0.90	60.0	0.0660	8.91	20.01	yes	music wire	4G
C.120.090.0600.I	12.0	0.90	60.0	0.0550	9.09	18.80	yes	stainless steel	4G
C.120.090.0650.A	12.0	0.90	65.0	0.0610	9.45	21.73	yes	music wire	4G
C.120.090.0650.I	12.0	0.90	65.0	0.0508	9.72	20.43	yes	stainless steel	4G
C.120.090.0750.A	12.0	0.90	75.0	0.0520	10.71	24.25	yes	music wire	4G
C.120.090.0750.I	12.0	0.90	75.0	0.0452	10.62	24.93	yes	stainless steel	4G
C.120.090.2500.A	12.0	0.90	250.0	0.0103	45.09	59.15	yes	music wire	4G
C.120.090.2500.I	12.0	0.90	250.0	0.0088	45.09	59.15	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.095.0180.A	12.0	0.95	18.0	0.2121	5.13	5.96	yes	music wire	4C
C.120.095.0180.I	12.0	0.95	18.0	0.1821	5.13	5.96	yes	stainless steel	4C
C.120.095.0220.A	12.0	0.95	22.0	0.1708	5.80	6.84	yes	music wire	4C
C.120.095.0220.I	12.0	0.95	22.0	0.1467	5.80	6.84	yes	stainless steel	4C
C.120.095.0280.A	12.0	0.95	28.0	0.1337	6.75	8.07	yes	music wire	4C
C.120.095.0280.I	12.0	0.95	28.0	0.1148	6.75	8.07	yes	stainless steel	4D
C.120.095.0420.A	12.0	0.95	42.0	0.0879	9.03	11.04	yes	music wire	4C
C.120.095.0420.I	12.0	0.95	42.0	0.0755	9.03	11.04	yes	stainless steel	4D
C.120.095.0510.A	12.0	0.95	51.0	0.0715	10.55	13.03	yes	music wire	4D
C.120.095.0510.I	12.0	0.95	51.0	0.0614	10.55	13.03	yes	stainless steel	4D
C.120.095.0860.A	12.0	0.95	86.0	0.0418	16.34	20.57	yes	music wire	4D
C.120.095.0860.I	12.0	0.95	86.0	0.0359	16.34	20.57	yes	stainless steel	4E
C.120.100.0112.A	12.0	1.00	11.2	0.3827	4.50	5.06	yes	music wire	4C
C.120.100.0112.I	12.0	1.00	11.2	0.3287	4.50	5.06	yes	stainless steel	4C
C.120.100.0150.A	12.0	1.00	15.0	0.1670	7.10	8.39	yes	music wire	4C
C.120.100.0150.AP	12.0	1.00	15.0	0.4252	4.30	6.66	yes	music wire	4F
C.120.100.0150.I	12.0	1.00	15.0	0.1453	7.00	8.27	yes	stainless steel	4C
C.120.100.0150.N	12.0	1.00	15.0	0.1670	7.10	8.39	yes	Zn coating	4E
C.120.100.0151.A	12.0	1.00	15.1	0.2734	5.30	6.09	yes	music wire	4C
C.120.100.0151.I	12.0	1.00	15.1	0.2348	5.30	6.09	yes	stainless steel	4C
C.120.100.0157.A	12.0	1.00	15.7	0.2551	5.50	6.34	yes	music wire	4C
C.120.100.0157.I	12.0	1.00	15.7	0.2191	5.50	6.34	yes	stainless steel	4C
C.120.100.0174.A	12.0	1.00	17.4	0.2319	5.80	6.73	yes	music wire	4C
C.120.100.0174.I	12.0	1.00	17.4	0.1992	5.80	6.73	yes	stainless steel	4C
C.120.100.0180.A	12.0	1.00	18.0	0.1370	8.10	9.68	yes	music wire	4C
C.120.100.0180.AP	12.0	1.00	18.0	0.3479	4.70	7.80	yes	music wire	4F
C.120.100.0180.I	12.0	1.00	18.0	0.1192	8.00	9.55	yes	stainless steel	4D
C.120.100.0180.N	12.0	1.00	18.0	0.1370	8.10	9.68	yes	Zn coating	4E
C.120.100.0285.A	12.0	1.00	28.5	0.1343	8.20	9.80	yes	music wire	4C
C.120.100.0285.I	12.0	1.00	28.5	0.1153	8.20	9.80	yes	stainless steel	4D
C.120.100.0450.A	12.0	1.00	45.0	0.0790	12.20	14.93	yes	music wire	4D
C.120.100.0450.AP	12.0	1.00	45.0	0.1320	8.30	18.11	yes	music wire	4F
C.120.100.0450.I	12.0	1.00	45.0	0.0687	12.10	14.80	yes	stainless steel	4D
C.120.100.0450.N	12.0	1.00	45.0	0.0790	12.20	14.93	yes	Zn coating	4E
C.120.100.0520.A	12.0	1.00	52.0	0.0630	14.60	18.01	yes	music wire	4D
C.120.100.0520.AP	12.0	1.00	52.0	0.1142	9.20	20.94	yes	music wire	4G
C.120.100.0520.I	12.0	1.00	52.0	0.0548	14.50	17.88	yes	stainless steel	4D
C.120.100.0520.N	12.0	1.00	52.0	0.0630	14.60	18.01	yes	Zn coating	4E
C.120.100.0610.A	12.0	1.00	61.0	0.0607	15.10	18.65	yes	music wire	4D
C.120.100.0610.I	12.0	1.00	61.0	0.0522	15.10	18.65	yes	stainless steel	4D
C.120.105.0130.A	12.0	1.05	13.0	0.4287	4.94	5.55	yes	music wire	4C
C.120.105.0130.I	12.0	1.05	13.0	0.3682	4.94	5.55	yes	stainless steel	4C
C.120.105.0210.A	12.0	1.05	21.0	0.2549	6.51	7.53	yes	music wire	4C
C.120.105.0210.I	12.0	1.05	21.0	0.2189	6.51	7.53	yes	stainless steel	4D
C.120.105.0270.A	12.0	1.05	27.0	0.1925	7.77	9.12	yes	music wire	4C
C.120.105.0270.I	12.0	1.05	27.0	0.1653	7.77	9.12	yes	stainless steel	4D
C.120.105.0445.A	12.0	1.05	44.5	0.0993	12.60	15.22	yes	music wire	4D
C.120.105.0445.I	12.0	1.05	44.5	0.0853	12.60	15.22	yes	stainless steel	4D
C.120.105.0590.A	12.0	1.05	59.0	0.0857	14.18	17.22	yes	music wire	4D
C.120.105.0590.I	12.0	1.05	59.0	0.0736	14.18	17.22	yes	stainless steel	4D
C.120.105.0940.A	12.0	1.05	94.0	0.0530	21.32	26.24	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.105.0940.I	12.0	1.05	94.0	0.0455	21.32	26.24	yes	stainless steel	4E
C.120.110.0191.A	12.0	1.10	19.1	0.2879	7.15	8.24	yes	music wire	4C
C.120.110.0191.I	12.0	1.10	19.1	0.2473	7.15	8.24	yes	stainless steel	4D
C.120.110.0230.A	12.0	1.10	23.0	0.3291	6.60	8.92	yes	music wire	4F
C.120.110.0230.I	12.0	1.10	23.0	0.2827	6.60	8.86	yes	stainless steel	4G
C.120.110.0230.N	12.0	1.10	23.0	0.3291	6.60	8.92	yes	Zn coating	4H
C.120.110.0239.A	12.0	1.10	23.9	0.2258	8.36	9.75	yes	music wire	4C
C.120.110.0239.I	12.0	1.10	23.9	0.1940	8.36	9.75	yes	stainless steel	4D
C.120.110.0340.A	12.0	1.10	34.0	0.2094	8.80	11.87	yes	music wire	4F
C.120.110.0340.I	12.0	1.10	34.0	0.1799	8.80	11.78	yes	stainless steel	4G
C.120.110.0340.N	12.0	1.10	34.0	0.2094	8.80	11.87	yes	Zn coating	4I
C.120.110.0351.A	12.0	1.10	35.1	0.1496	11.22	13.31	yes	music wire	4C
C.120.110.0351.I	12.0	1.10	35.1	0.1285	11.22	13.31	yes	stainless steel	4D
C.120.110.0356.A	12.0	1.10	35.6	0.1477	11.33	13.45	yes	music wire	4C
C.120.110.0356.I	12.0	1.10	35.6	0.1268	11.33	13.45	yes	stainless steel	4D
C.120.110.0559.A	12.0	1.10	55.9	0.1212	13.20	17.67	yes	music wire	4G
C.120.110.0559.I	12.0	1.10	55.9	0.1041	13.20	17.50	yes	stainless steel	4G
C.120.110.0559.N	12.0	1.10	55.9	0.1212	13.20	17.67	yes	Zn coating	4I
C.120.110.0888.A	12.0	1.10	88.8	0.0743	19.80	26.44	yes	music wire	4G
C.120.110.0888.I	12.0	1.10	88.8	0.0638	19.80	26.15	yes	stainless steel	4G
C.120.110.0888.N	12.0	1.10	88.8	0.0743	19.80	26.44	yes	Zn coating	4I
C.120.115.0130.A	12.0	1.15	13.0	0.6065	5.52	6.14	yes	music wire	4C
C.120.115.0130.I	12.0	1.15	13.0	0.5209	5.52	6.14	yes	stainless steel	4D
C.120.115.0210.A	12.0	1.15	21.0	0.3487	7.48	8.55	yes	music wire	4C
C.120.115.0210.I	12.0	1.15	21.0	0.2995	7.48	8.55	yes	stainless steel	4D
C.120.115.0270.A	12.0	1.15	27.0	0.2632	8.97	10.39	yes	music wire	4C
C.120.115.0270.I	12.0	1.15	27.0	0.2261	8.97	10.39	yes	stainless steel	4D
C.120.115.0445.A	12.0	1.15	44.5	0.1368	14.61	17.35	yes	music wire	4D
C.120.115.0445.I	12.0	1.15	44.5	0.1175	14.61	17.35	yes	stainless steel	4D
C.120.115.0670.A	12.0	1.15	67.0	0.1018	18.63	22.31	yes	music wire	4D
C.120.115.0670.I	12.0	1.15	67.0	0.0875	18.63	22.31	yes	stainless steel	4E
C.120.115.1050.A	12.0	1.15	105.0	0.0646	27.72	33.52	yes	music wire	4E
C.120.115.1050.I	12.0	1.15	105.0	0.0555	27.72	33.52	yes	stainless steel	4E
C.120.120.0105.A	12.0	1.20	10.5	0.9410	5.16	5.64	yes	music wire	4C
C.120.120.0105.I	12.0	1.20	10.5	0.8187	5.16	5.64	yes	stainless steel	4D
C.120.120.0105.N	12.0	1.20	10.5	0.9410	5.16	5.64	yes	Zn coating	4E
C.120.120.0320.A	12.0	1.20	32.0	0.2190	12.24	14.29	yes	music wire	4D
C.120.120.0320.AP	12.0	1.20	32.0	0.3429	8.88	14.77	yes	music wire	4F
C.120.120.0320.I	12.0	1.20	32.0	0.1905	12.12	14.14	yes	stainless steel	4D
C.120.120.0320.N	12.0	1.20	32.0	0.2190	12.24	14.29	yes	Zn coating	4E
C.120.120.0450.A	12.0	1.20	45.0	0.2060	12.72	16.33	yes	music wire	4G
C.120.120.0450.AF	12.0	1.20	45.0	0.0910	25.08	29.97	yes	music wire	4D
C.120.120.0450.AP	12.0	1.20	45.0	0.2400	11.40	20.39	yes	music wire	4G
C.120.120.0450.I	12.0	1.20	45.0	0.1792	12.60	16.50	yes	stainless steel	4G
C.120.120.0450.N	12.0	1.20	45.0	0.2060	12.72	16.33	yes	Zn coating	4I
C.120.120.0450.NF	12.0	1.20	45.0	0.0910	25.08	29.97	yes	Zn coating	4E
C.120.120.1150.A	12.0	1.20	115.0	0.0679	32.64	39.21	yes	music wire	4E
C.120.120.1150.I	12.0	1.20	115.0	0.0583	32.64	39.21	yes	stainless steel	4E
C.120.125.0125.A	12.0	1.25	12.5	0.8000	6.25	6.91	yes	music wire	4C
C.120.125.0140.A	12.0	1.25	14.0	0.7415	6.50	7.21	yes	music wire	4C
C.120.125.0140.I	12.0	1.25	14.0	0.6369	6.50	7.21	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.125.0160.A	12.0	1.25	16.0	0.6429	7.00	7.82	yes	music wire	4C
C.120.125.0200.A	12.0	1.25	20.0	0.5143	8.00	9.03	yes	music wire	4C
C.120.125.0250.A	12.0	1.25	25.0	0.4000	9.38	10.70	yes	music wire	4C
C.120.125.0305.A	12.0	1.25	30.5	0.2781	12.13	14.03	yes	music wire	4D
C.120.125.0305.I	12.0	1.25	30.5	0.2388	12.13	14.03	yes	stainless steel	4D
C.120.125.0320.A	12.0	1.25	32.0	0.3214	10.88	12.51	yes	music wire	4C
C.120.125.0381.A	12.0	1.25	38.1	0.2176	14.63	17.06	yes	music wire	4D
C.120.125.0381.I	12.0	1.25	38.1	0.1869	14.63	17.06	yes	stainless steel	4D
C.120.125.0400.A	12.0	1.25	40.0	0.2571	12.88	14.94	yes	music wire	4C
C.120.125.0444.A	12.0	1.25	44.4	0.1854	16.63	19.48	yes	music wire	4D
C.120.125.0444.I	12.0	1.25	44.4	0.1592	16.63	19.48	yes	stainless steel	4D
C.120.125.0457.A	12.0	1.25	45.7	0.1804	17.00	19.93	yes	music wire	4D
C.120.125.0457.I	12.0	1.25	45.7	0.1549	17.00	19.93	yes	stainless steel	4D
C.120.125.0500.A	12.0	1.25	50.0	0.2000	15.63	18.27	yes	music wire	4C
C.120.125.0559.A	12.0	1.25	55.9	0.1461	20.25	23.86	yes	music wire	4D
C.120.125.0559.I	12.0	1.25	55.9	0.1255	20.25	23.86	yes	stainless steel	4E
C.120.125.0630.A	12.0	1.25	63.0	0.1600	18.75	22.05	yes	music wire	4C
C.120.125.0762.A	12.0	1.25	76.2	0.1059	26.75	31.73	yes	music wire	4E
C.120.125.0762.I	12.0	1.25	76.2	0.0910	26.75	31.73	yes	stainless steel	4E
C.120.125.0800.A	12.0	1.25	80.0	0.1286	22.63	28.53	yes	music wire	4C
C.120.125.1000.A	12.0	1.25	100.0	0.1000	28.13	33.82	yes	music wire	4D
C.120.125.1250.A	12.0	1.25	125.0	0.0804	34.25	42.69	yes	music wire	4H
C.120.125.1250.I	12.0	1.25	125.0	0.0700	33.88	43.15	yes	stainless steel	4I
C.120.125.1250.N	12.0	1.25	125.0	0.0804	34.25	42.69	yes	Zn coating	4I
C.120.125.1600.A	12.0	1.25	160.0	0.0643	42.00	57.07	yes	music wire	4I
C.120.125.1600.I	12.0	1.25	160.0	0.0559	41.50	57.57	yes	stainless steel	4I
C.120.125.1600.N	12.0	1.25	160.0	0.0643	42.00	57.07	yes	Zn coating	4I
C.120.125.2000.A	12.0	1.25	200.0	0.0500	53.13	67.64	yes	music wire	4I
C.120.125.2000.I	12.0	1.25	200.0	0.0435	52.50	68.28	yes	stainless steel	4I
C.120.125.2000.N	12.0	1.25	200.0	0.0500	53.13	67.64	yes	Zn coating	4J
C.120.125.2500.A	12.0	1.25	250.0	0.0402	65.38	85.37	yes	music wire	4I
C.120.125.2500.I	12.0	1.25	250.0	0.0350	64.63	86.17	yes	stainless steel	4I
C.120.125.2500.N	12.0	1.25	250.0	0.0402	65.38	85.37	yes	Zn coating	4J
C.120.140.0350.A	12.0	1.40	35.0	0.4000	14.98	17.12	yes	music wire	4E
C.120.140.0350.I	12.0	1.40	35.0	0.3490	14.84	16.95	yes	stainless steel	4F
C.120.140.0550.A	12.0	1.40	55.0	0.2580	21.28	24.59	yes	music wire	4F
C.120.140.0550.I	12.0	1.40	55.0	0.2245	21.14	24.42	yes	stainless steel	4F
C.120.140.0600.A	12.0	1.40	60.0	0.2360	22.96	26.58	yes	music wire	4F
C.120.140.0600.I	12.0	1.40	60.0	0.1966	23.66	27.41	yes	stainless steel	4F
C.120.140.0890.A	12.0	1.40	89.0	0.1535	33.46	39.03	yes	music wire	4F
C.120.140.0890.I	12.0	1.40	89.0	0.1319	33.46	39.03	yes	stainless steel	4G
C.120.140.1100.A	12.0	1.40	110.0	0.1235	40.74	47.67	yes	music wire	4G
C.120.140.1100.I	12.0	1.40	110.0	0.1061	40.74	47.67	yes	stainless steel	4G
C.120.150.0170.A	12.0	1.50	17.0	1.2041	9.30	10.26	yes	music wire	4E
C.120.150.0170.I	12.0	1.50	17.0	1.0342	9.30	10.26	yes	stainless steel	4E
C.120.150.0198.A	12.0	1.50	19.8	0.9092	11.10	12.38	yes	music wire	4E
C.120.150.0198.I	12.0	1.50	19.8	0.7809	11.10	12.38	yes	stainless steel	4E
C.120.150.0220.A	12.0	1.50	22.0	0.8750	11.40	12.73	yes	music wire	4E
C.120.150.0220.AP	12.0	1.50	22.0	1.1476	9.60	12.44	yes	music wire	4I
C.120.150.0220.I	12.0	1.50	22.0	0.7613	11.25	12.55	yes	stainless steel	4E
C.120.150.0220.N	12.0	1.50	22.0	0.8750	11.40	12.73	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.150.0250.A	12.0	1.50	25.0	0.9720	10.65	13.71	yes	music wire	4I
C.120.150.0250.I	12.0	1.50	25.0	0.8456	10.50	13.71	yes	stainless steel	4I
C.120.150.0250.N	12.0	1.50	25.0	0.9720	10.65	13.71	yes	Zn coating	4I
C.120.150.0345.A	12.0	1.50	34.5	0.4160	19.80	22.58	yes	music wire	4E
C.120.150.0345.AP	12.0	1.50	34.5	0.6886	13.50	18.57	yes	music wire	4I
C.120.150.0345.I	12.0	1.50	34.5	0.3619	19.65	22.41	yes	stainless steel	4F
C.120.150.0345.N	12.0	1.50	34.5	0.4160	19.80	22.58	yes	Zn coating	4G
C.120.150.0400.A	12.0	1.50	40.0	0.6250	14.40	22.45	yes	music wire	4J
C.120.150.0400.I	12.0	1.50	40.0	0.5438	14.25	22.44	yes	stainless steel	4J
C.120.150.0400.N	12.0	1.50	40.0	0.6250	14.40	22.45	yes	Zn coating	4K
C.120.150.0470.A	12.0	1.50	47.0	0.4860	17.55	24.43	yes	music wire	4I
C.120.150.0470.I	12.0	1.50	47.0	0.4228	17.40	24.42	yes	stainless steel	4I
C.120.150.0470.N	12.0	1.50	47.0	0.4860	17.55	24.43	yes	Zn coating	4I
C.120.150.0500.A	12.0	1.50	50.0	0.3640	22.05	25.23	yes	music wire	4F
C.120.150.0500.I	12.0	1.50	50.0	0.3167	21.90	25.05	yes	stainless steel	4F
C.120.150.0500.N	12.0	1.50	50.0	0.3640	22.05	25.23	yes	Zn coating	4H
C.120.150.0550.A	12.0	1.50	55.0	0.3564	22.50	25.75	yes	music wire	4I
C.120.150.0550.I	12.0	1.50	55.0	0.3061	22.50	25.75	yes	stainless steel	4I
C.120.150.0550.N	12.0	1.50	55.0	0.3564	22.50	25.75	yes	Zn coating	4J
C.120.150.0800.A	12.0	1.50	80.0	0.2820	27.45	41.10	yes	music wire	4I
C.120.150.0800.I	12.0	1.50	80.0	0.2453	27.15	41.09	yes	stainless steel	4I
C.120.150.0800.N	12.0	1.50	80.0	0.2820	27.45	41.10	yes	Zn coating	4J
C.120.150.1170.A	12.0	1.50	117.0	0.1510	48.00	55.68	yes	music wire	4G
C.120.150.1170.I	12.0	1.50	117.0	0.1314	47.40	54.97	yes	stainless steel	4G
C.120.150.1170.N	12.0	1.50	117.0	0.1510	48.00	55.68	yes	Zn coating	4I
C.120.160.0330.A	12.0	1.60	33.0	0.9000	14.56	18.44	yes	music wire	4I
C.120.160.0330.I	12.0	1.60	33.0	0.7830	14.40	18.41	yes	stainless steel	4I
C.120.160.0330.N	12.0	1.60	33.0	0.9000	14.56	18.44	yes	Zn coating	4I
C.120.160.1100.A	12.0	1.60	110.0	0.2061	50.08	57.61	yes	music wire	4G
C.120.160.1100.I	12.0	1.60	110.0	0.1770	50.08	57.61	yes	stainless steel	4G
C.120.170.0826.A	12.0	1.70	82.6	0.3231	45.22	51.57	yes	music wire	4F
C.120.170.0826.I	12.0	1.70	82.6	0.2775	45.22	51.57	yes	stainless steel	4G
C.120.170.0889.A	12.0	1.70	88.9	0.2995	48.45	55.30	yes	music wire	4F
C.120.170.0889.I	12.0	1.70	88.9	0.2572	48.45	55.30	yes	stainless steel	4G
C.120.175.0224.A	12.0	1.75	22.4	1.5297	14.53	16.07	yes	music wire	4E
C.120.175.0224.I	12.0	1.75	22.4	1.3139	14.53	16.07	yes	stainless steel	4F
C.120.175.0254.A	12.0	1.75	25.4	1.3048	16.28	18.08	yes	music wire	4E
C.120.175.0254.I	12.0	1.75	25.4	1.1207	16.28	18.08	yes	stainless steel	4F
C.120.175.0318.A	12.0	1.75	31.8	1.0198	19.60	21.91	yes	music wire	4E
C.120.175.0318.I	12.0	1.75	31.8	0.8759	19.60	21.91	yes	stainless steel	4F
C.120.175.0381.A	12.0	1.75	38.1	0.8370	22.93	25.74	yes	music wire	4E
C.120.175.0381.I	12.0	1.75	38.1	0.7189	22.93	25.74	yes	stainless steel	4F
C.120.175.0444.A	12.0	1.75	44.4	0.7042	26.43	29.77	yes	music wire	4F
C.120.175.0444.I	12.0	1.75	44.4	0.6048	26.43	29.77	yes	stainless steel	4F
C.120.175.0508.A	12.0	1.75	50.8	0.6119	29.75	33.59	yes	music wire	4F
C.120.175.0508.I	12.0	1.75	50.8	0.5256	29.75	33.59	yes	stainless steel	4F
C.120.175.0572.A	12.0	1.75	57.2	0.5377	33.25	37.62	yes	music wire	4F
C.120.175.0572.I	12.0	1.75	57.2	0.4619	33.25	37.62	yes	stainless steel	4F
C.120.175.0635.A	12.0	1.75	63.5	0.4822	36.58	41.46	yes	music wire	4F
C.120.175.0635.I	12.0	1.75	63.5	0.4142	36.58	41.46	yes	stainless steel	4G
C.120.175.0762.A	12.0	1.75	76.2	0.3979	43.40	49.31	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.175.0762.I	12.0	1.75	76.2	0.3417	43.40	49.31	yes	stainless steel	4G
C.120.175.0889.A	12.0	1.75	88.9	0.3386	50.23	57.17	yes	music wire	4F
C.120.175.0889.I	12.0	1.75	88.9	0.2909	50.23	57.17	yes	stainless steel	4G
C.120.175.1016.A	12.0	1.75	101.6	0.2948	57.05	65.03	yes	music wire	4G
C.120.175.1016.I	12.0	1.75	101.6	0.2532	57.05	65.03	yes	stainless steel	4G
C.120.180.0140.A	12.0	1.80	14.0	3.2508	10.08	10.91	yes	music wire	4F
C.120.180.0140.I	12.0	1.80	14.0	2.7921	10.08	10.91	yes	stainless steel	4G
C.120.180.0159.A	12.0	1.80	15.9	2.6520	11.34	12.35	yes	music wire	4F
C.120.180.0159.I	12.0	1.80	15.9	2.2778	11.34	12.35	yes	stainless steel	4G
C.120.180.0169.A	12.0	1.80	16.9	2.8793	10.80	11.73	yes	music wire	4F
C.120.180.0169.I	12.0	1.80	16.9	2.5000	10.80	11.73	yes	stainless steel	4G
C.120.180.0169.N	12.0	1.80	16.9	2.8793	10.80	11.73	yes	Zn coating	4I
C.120.180.0174.A	12.0	1.80	17.4	2.3436	12.24	13.39	yes	music wire	4F
C.120.180.0174.I	12.0	1.80	17.4	2.0129	12.24	13.39	yes	stainless steel	4G
C.120.180.0191.A	12.0	1.80	19.1	2.0995	13.14	14.42	yes	music wire	4F
C.120.180.0191.I	12.0	1.80	19.1	1.8033	13.14	14.42	yes	stainless steel	4G
C.120.180.0246.A	12.0	1.80	24.6	1.8323	14.40	15.87	yes	music wire	4I
C.120.180.0246.I	12.0	1.80	24.6	1.5941	14.22	15.66	yes	stainless steel	4I
C.120.180.0246.N	12.0	1.80	24.6	1.8323	14.40	15.87	yes	Zn coating	4J
C.120.180.0320.A	12.0	1.80	32.0	1.1856	19.80	22.07	yes	music wire	4G
C.120.180.0320.AP	12.0	1.80	32.0	1.5152	16.56	20.06	yes	music wire	4I
C.120.180.0320.I	12.0	1.80	32.0	1.0315	19.62	21.86	yes	stainless steel	4G
C.120.180.0320.N	12.0	1.80	32.0	1.1856	19.80	22.07	yes	Zn coating	4I
C.120.180.0398.A	12.0	1.80	39.8	1.0608	21.60	24.13	yes	music wire	4I
C.120.180.0398.I	12.0	1.80	39.8	0.9229	21.42	23.93	yes	stainless steel	4I
C.120.180.0398.N	12.0	1.80	39.8	1.0608	21.60	24.13	yes	Zn coating	4J
C.120.180.0578.A	12.0	1.80	57.8	0.6200	33.84	38.19	yes	music wire	4G
C.120.180.0578.AP	12.0	1.80	57.8	0.7994	27.18	35.17	yes	music wire	4I
C.120.180.0578.I	12.0	1.80	57.8	0.5394	33.30	37.57	yes	stainless steel	4G
C.120.180.0578.N	12.0	1.80	57.8	0.6200	33.84	38.19	yes	Zn coating	4I
C.120.180.0627.A	12.0	1.80	62.7	0.6502	32.40	36.53	yes	music wire	4I
C.120.180.0627.I	12.0	1.80	62.7	0.5657	32.04	36.12	yes	stainless steel	4I
C.120.180.0627.N	12.0	1.80	62.7	0.6502	32.40	36.53	yes	Zn coating	4J
C.120.180.1016.A	12.0	1.80	101.6	0.3326	59.04	67.12	yes	music wire	4G
C.120.180.1016.I	12.0	1.80	101.6	0.2857	59.04	67.12	yes	stainless steel	4H
C.120.180.1180.A	12.0	1.80	118.0	0.2855	68.04	77.45	yes	music wire	4H
C.120.180.1180.I	12.0	1.80	118.0	0.2452	68.04	77.45	yes	stainless steel	4H
C.120.180.3200.A	12.0	1.80	320.0	0.1033	180.18	206.21	yes	music wire	4I
C.120.180.3200.I	12.0	1.80	320.0	0.0887	180.18	206.21	yes	stainless steel	4I
C.120.190.1016.A	12.0	1.90	101.6	0.4225	62.70	70.95	yes	music wire	4G
C.120.190.1016.I	12.0	1.90	101.6	0.3629	62.70	70.95	yes	stainless steel	4H
C.120.190.1400.A	12.0	1.90	140.0	0.3678	71.25	83.03	yes	music wire	4J
C.120.190.1400.I	12.0	1.90	140.0	0.3200	70.49	82.59	yes	stainless steel	4J
C.120.200.0150.A	12.0	2.00	15.0	4.9394	11.60	12.51	yes	music wire	4G
C.120.200.0150.I	12.0	2.00	15.0	4.2424	11.60	12.51	yes	stainless steel	4G
C.120.200.0180.A	12.0	2.00	18.0	4.6571	12.00	12.96	yes	music wire	4I
C.120.200.0180.I	12.0	2.00	18.0	4.0000	12.00	12.96	yes	stainless steel	4I
C.120.200.0180.N	12.0	2.00	18.0	4.6571	12.00	12.96	yes	Zn coating	4J
C.120.200.0198.A	12.0	2.00	19.8	3.2600	15.00	16.38	yes	music wire	4G
C.120.200.0198.I	12.0	2.00	19.8	2.8000	15.00	16.38	yes	stainless steel	4G
C.120.200.0230.A	12.0	2.00	23.0	2.8596	16.40	17.97	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.200.0230.I	12.0	2.00	23.0	2.4561	16.40	17.97	yes	stainless steel	4G
C.120.200.0265.A	12.0	2.00	26.5	2.9633	16.00	18.38	yes	music wire	4I
C.120.200.0265.I	12.0	2.00	26.5	2.5452	16.00	18.19	yes	stainless steel	4I
C.120.200.0265.N	12.0	2.00	26.5	2.9633	16.00	18.38	yes	Zn coating	4J
C.120.200.0385.A	12.0	2.00	38.5	1.9176	22.00	25.95	yes	music wire	4I
C.120.200.0385.I	12.0	2.00	38.5	1.6471	22.00	25.66	yes	stainless steel	4I
C.120.200.0385.N	12.0	2.00	38.5	1.9176	22.00	25.95	yes	Zn coating	4J
C.120.200.0550.A	12.0	2.00	55.0	0.8811	42.00	47.09	yes	music wire	4G
C.120.200.0550.AF	12.0	2.00	55.0	0.8811	42.00	47.09	yes	music wire	4G
C.120.200.0550.AP	12.0	2.00	55.0	1.2953	30.20	36.41	yes	music wire	4I
C.120.200.0550.I	12.0	2.00	55.0	1.1200	30.00	36.12	yes	stainless steel	4I
C.120.200.0550.IF	12.0	2.00	55.0	0.7568	42.00	47.09	yes	stainless steel	4G
C.120.200.0550.N	12.0	2.00	55.0	0.8811	42.00	47.09	yes	Zn coating	4I
C.120.200.0700.A	12.0	2.00	70.0	1.2310	31.40	50.44	yes	music wire	4J
C.120.200.0700.I	12.0	2.00	70.0	1.0710	31.20	50.26	yes	stainless steel	4J
C.120.200.0700.N	12.0	2.00	70.0	1.2310	31.40	50.44	yes	Zn coating	4M
C.120.200.0790.A	12.0	2.00	79.0	0.6907	52.20	58.69	yes	music wire	4G
C.120.200.0790.I	12.0	2.00	79.0	0.5932	52.20	58.69	yes	stainless steel	4H
C.120.200.0795.A	12.0	2.00	79.5	0.8811	42.00	52.18	yes	music wire	4I
C.120.200.0795.AP	12.0	2.00	79.5	0.8797	42.00	52.13	yes	music wire	4I
C.120.200.0795.I	12.0	2.00	79.5	0.6222	50.00	56.19	yes	stainless steel	4H
C.120.200.0795.N	12.0	2.00	79.5	0.8811	42.00	52.18	yes	Zn coating	4J
C.120.200.0830.A	12.0	2.00	83.0	0.6573	54.60	61.42	yes	music wire	4G
C.120.200.0830.I	12.0	2.00	83.0	0.5645	54.60	61.42	yes	stainless steel	4H
C.120.200.0900.A	12.0	2.00	90.0	0.6037	59.00	66.42	yes	music wire	4G
C.120.200.0900.I	12.0	2.00	90.0	0.5185	59.00	66.42	yes	stainless steel	4H
C.120.200.1000.A	12.0	2.00	100.0	0.9140	40.60	73.66	yes	music wire	4K
C.120.200.1000.I	12.0	2.00	100.0	0.7952	40.20	73.41	yes	stainless steel	4K
C.120.200.1000.N	12.0	2.00	100.0	0.9140	40.60	73.66	yes	Zn coating	4M
C.120.200.1150.A	12.0	2.00	115.0	0.5000	70.20	79.17	yes	music wire	4H
C.120.200.1150.I	12.0	2.00	115.0	0.4294	70.20	79.17	yes	stainless steel	4H
C.120.200.1330.A	12.0	2.00	133.0	0.4025	86.00	97.14	yes	music wire	4H
C.120.200.1330.I	12.0	2.00	133.0	0.3457	86.00	97.14	yes	stainless steel	4I
C.120.200.2050.A	12.0	2.00	205.0	0.2583	131.20	148.55	yes	music wire	4I
C.120.200.2050.I	12.0	2.00	205.0	0.2219	131.20	148.55	yes	stainless steel	4I
C.120.200.2900.A	12.0	2.00	290.0	0.1817	184.40	209.07	yes	music wire	4I
C.120.200.2900.I	12.0	2.00	290.0	0.1561	184.40	209.07	yes	stainless steel	4I
C.120.200.3200.A	12.0	2.00	320.0	0.1645	203.20	230.45	yes	music wire	4I
C.120.200.3200.I	12.0	2.00	320.0	0.1413	203.20	230.45	yes	stainless steel	4I
C.120.220.0130.A	12.0	2.20	13.0	9.3911	11.44	12.21	yes	music wire	4G
C.120.220.0130.I	12.0	2.20	13.0	8.0660	11.44	12.21	yes	stainless steel	4G
C.120.220.0150.A	12.0	2.20	15.0	7.6836	12.76	13.70	yes	music wire	4G
C.120.220.0150.I	12.0	2.20	15.0	6.5994	12.76	13.70	yes	stainless steel	4G
C.120.220.0180.A	12.0	2.20	18.0	6.1844	14.52	15.69	yes	music wire	4G
C.120.220.0180.I	12.0	2.20	18.0	5.3117	14.52	15.69	yes	stainless steel	4G
C.120.220.0224.A	12.0	2.20	22.4	4.4484	18.04	19.67	yes	music wire	4G
C.120.220.0224.I	12.0	2.20	22.4	3.8207	18.04	19.67	yes	stainless steel	4G
C.120.220.0254.A	12.0	2.20	25.4	3.8418	20.02	21.90	yes	music wire	4G
C.120.220.0254.I	12.0	2.20	25.4	3.2997	20.02	21.90	yes	stainless steel	4G
C.120.220.0280.A	12.0	2.20	28.0	3.5713	21.12	23.15	yes	music wire	4G
C.120.220.0280.I	12.0	2.20	28.0	3.0673	21.12	23.15	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.220.0305.A	12.0	2.20	30.5	3.0922	23.54	25.88	yes	music wire	4G
C.120.220.0305.I	12.0	2.20	30.5	2.6559	23.54	25.88	yes	stainless steel	4G
C.120.220.0381.A	12.0	2.20	38.1	2.3921	28.82	31.85	yes	music wire	4G
C.120.220.0381.I	12.0	2.20	38.1	2.0545	28.82	31.85	yes	stainless steel	4G
C.120.220.0508.A	12.0	2.20	50.8	1.7367	37.62	41.79	yes	music wire	4G
C.120.220.0508.I	12.0	2.20	50.8	1.4917	37.62	41.79	yes	stainless steel	4G
C.120.220.0635.A	12.0	2.20	63.5	1.3632	46.42	51.73	yes	music wire	4G
C.120.220.0635.I	12.0	2.20	63.5	1.1709	46.42	51.73	yes	stainless steel	4H
C.120.220.0762.A	12.0	2.20	76.2	1.1219	55.22	61.67	yes	music wire	4G
C.120.220.0762.I	12.0	2.20	76.2	0.9636	55.22	61.67	yes	stainless steel	4H
C.120.220.0970.A	12.0	2.20	97.0	0.9220	66.00	73.85	yes	music wire	4H
C.120.220.0970.I	12.0	2.20	97.0	0.7919	66.00	73.85	yes	stainless steel	4H
C.120.220.1100.A	12.0	2.20	110.0	0.8075	74.58	83.54	yes	music wire	4H
C.120.220.1100.I	12.0	2.20	110.0	0.6936	74.58	83.54	yes	stainless steel	4I
C.120.225.0100.A	12.0	2.25	10.0	19.4872	8.78	9.18	yes	music wire	4E
C.120.225.0125.A	12.0	2.25	12.5	11.9790	11.03	11.72	yes	music wire	4E
C.120.225.0125.AP	12.0	2.25	12.5	12.9517	10.58	11.21	yes	music wire	4G
C.120.225.0160.A	12.0	2.25	16.0	6.2500	15.75	15.75	yes	music wire	4G
C.120.225.0160.AL	12.0	2.25	16.0	7.7786	13.73	14.77	yes	music wire	4E
C.120.225.0160.AP	12.0	2.25	16.0	9.1916	12.60	13.49	yes	music wire	4G
C.120.225.0160.I	12.0	2.25	16.0	5.4375	15.53	15.53	yes	stainless steel	4G
C.120.225.0160.N	12.0	2.25	16.0	6.2500	15.75	15.75	yes	Zn coating	4I
C.120.225.0200.A	12.0	2.25	20.0	5.0000	18.23	19.84	yes	music wire	4G
C.120.225.0200.AL	12.0	2.25	20.0	5.5000	17.10	18.57	yes	music wire	4E
C.120.225.0200.AP	12.0	2.25	20.0	6.9497	14.85	16.03	yes	music wire	4I
C.120.225.0200.I	12.0	2.25	20.0	4.3500	18.23	19.84	yes	stainless steel	4G
C.120.225.0200.N	12.0	2.25	20.0	5.0000	18.23	19.84	yes	Zn coating	4I
C.120.225.0250.A	12.0	2.25	25.0	4.0179	21.38	23.40	yes	music wire	4G
C.120.225.0250.AP	12.0	2.25	25.0	5.2766	17.55	19.08	yes	music wire	4I
C.120.225.0250.I	12.0	2.25	25.0	3.4956	21.15	23.14	yes	stainless steel	4G
C.120.225.0250.N	12.0	2.25	25.0	4.0179	21.38	23.40	yes	Zn coating	4I
C.120.225.0320.A	12.0	2.25	32.0	3.2143	25.43	27.97	yes	music wire	4G
C.120.225.0320.AP	12.0	2.25	32.0	3.9575	21.60	23.66	yes	music wire	4I
C.120.225.0320.I	12.0	2.25	32.0	2.7964	25.20	27.71	yes	stainless steel	4G
C.120.225.0320.N	12.0	2.25	32.0	3.2143	25.43	27.97	yes	Zn coating	4I
C.120.225.0400.A	12.0	2.25	40.0	2.5000	31.05	34.31	yes	music wire	4G
C.120.225.0400.AP	12.0	2.25	40.0	3.0639	26.33	29.22	yes	music wire	4I
C.120.225.0400.I	12.0	2.25	40.0	2.1750	30.60	33.80	yes	stainless steel	4G
C.120.225.0400.N	12.0	2.25	40.0	2.5000	31.05	34.31	yes	Zn coating	4I
C.120.225.0500.A	12.0	2.25	50.0	2.0089	37.13	41.17	yes	music wire	4G
C.120.225.0500.AP	12.0	2.25	50.0	2.3944	32.18	36.21	yes	music wire	4I
C.120.225.0500.I	12.0	2.25	50.0	1.7500	36.68	40.66	yes	stainless steel	4G
C.120.225.0500.N	12.0	2.25	50.0	2.0089	37.13	41.17	yes	Zn coating	4I
C.120.225.0560.A	12.0	2.25	56.0	1.9070	38.93	43.20	yes	music wire	4G
C.120.225.0560.I	12.0	2.25	56.0	1.6591	38.48	42.69	yes	stainless steel	4I
C.120.225.0560.N	12.0	2.25	56.0	1.9070	38.93	43.20	yes	Zn coating	4I
C.120.225.0600.A	12.0	2.25	60.0	1.9070	38.93	43.20	yes	music wire	4I
C.120.225.0600.I	12.0	2.25	60.0	1.6591	38.48	42.69	yes	stainless steel	4I
C.120.225.0600.N	12.0	2.25	60.0	1.9070	38.93	43.20	yes	Zn coating	4J
C.120.225.0630.A	12.0	2.25	63.0	1.6071	45.00	50.05	yes	music wire	4G
C.120.225.0630.I	12.0	2.25	63.0	1.4000	44.55	49.54	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.120.225.0630.N	12.0	2.25	63.0	1.6071	45.00	50.05	yes	Zn coating	4I
C.120.225.0660.A	12.0	2.25	66.0	1.5800	45.68	50.81	yes	music wire	4G
C.120.225.0660.I	12.0	2.25	66.0	1.3746	45.23	50.31	yes	stainless steel	4H
C.120.225.0660.N	12.0	2.25	66.0	1.5800	45.68	50.81	yes	Zn coating	4I
C.120.225.0800.A	12.0	2.25	80.0	1.2500	56.25	62.74	yes	music wire	4G
C.120.225.0800.I	12.0	2.25	80.0	1.0875	55.58	61.98	yes	stainless steel	4H
C.120.225.0800.N	12.0	2.25	80.0	1.2500	56.25	62.74	yes	Zn coating	4I
C.120.225.1000.A	12.0	2.25	100.0	1.0000	69.08	77.21	yes	music wire	4H
C.120.225.1000.I	12.0	2.25	100.0	0.8700	68.18	76.20	yes	stainless steel	4H
C.120.225.1000.N	12.0	2.25	100.0	1.0000	69.08	77.21	yes	Zn coating	4I
C.120.225.1150.A	12.0	2.25	115.0	0.9070	75.60	84.57	yes	music wire	4J
C.120.225.1150.I	12.0	2.25	115.0	0.7891	74.70	83.55	yes	stainless steel	4J
C.120.225.1150.N	12.0	2.25	115.0	0.9070	75.60	84.57	yes	Zn coating	4K
C.120.225.1250.A	12.0	2.25	125.0	0.8036	84.60	94.72	yes	music wire	4H
C.120.225.1250.I	12.0	2.25	125.0	0.7000	83.48	93.46	yes	stainless steel	4J
C.120.225.1250.N	12.0	2.25	125.0	0.8036	84.60	94.72	yes	Zn coating	4I
C.120.225.1600.A	12.0	2.25	160.0	0.6250	107.10	120.11	yes	music wire	4J
C.120.225.1600.I	12.0	2.25	160.0	0.5438	105.75	118.58	yes	stainless steel	4J
C.120.225.1600.N	12.0	2.25	160.0	0.6250	107.10	120.11	yes	Zn coating	4L
C.120.225.2000.A	12.0	2.25	200.0	0.5000	132.30	148.54	yes	music wire	4J
C.120.225.2000.I	12.0	2.25	200.0	0.4350	130.73	146.76	yes	stainless steel	4J
C.120.225.2000.N	12.0	2.25	200.0	0.5000	132.30	148.54	yes	Zn coating	4L
C.120.230.0130.A	12.0	2.30	13.0	12.0141	11.73	12.49	yes	music wire	4G
C.120.230.0130.I	12.0	2.30	13.0	10.3188	11.73	12.49	yes	stainless steel	4G
C.120.230.0160.A	12.0	2.30	16.0	8.9247	13.80	14.82	yes	music wire	4G
C.120.230.0160.I	12.0	2.30	16.0	7.6654	13.80	14.82	yes	stainless steel	4G
C.120.230.0270.A	12.0	2.30	27.0	4.5936	21.39	23.37	yes	music wire	4G
C.120.230.0270.I	12.0	2.30	27.0	3.9454	21.39	23.37	yes	stainless steel	4G
C.120.230.0480.A	12.0	2.30	48.0	2.4028	35.65	39.44	yes	music wire	4G
C.120.230.0480.I	12.0	2.30	48.0	2.0638	35.65	39.44	yes	stainless steel	4G
C.120.230.0620.A	12.0	2.30	62.0	1.8267	45.08	50.06	yes	music wire	4G
C.120.230.0620.I	12.0	2.30	62.0	1.5689	45.08	50.06	yes	stainless steel	4H
C.120.230.0800.A	12.0	2.30	80.0	1.3883	57.50	64.06	yes	music wire	4G
C.120.230.0800.I	12.0	2.30	80.0	1.1924	57.50	64.06	yes	stainless steel	4H
C.120.230.1150.A	12.0	2.30	115.0	0.9523	81.19	90.75	yes	music wire	4H
C.120.230.1150.I	12.0	2.30	115.0	0.8180	81.19	90.75	yes	stainless steel	4I
C.120.235.0130.A	12.0	2.35	13.0	13.2979	11.99	12.76	yes	music wire	4G
C.120.235.0130.I	12.0	2.35	13.0	11.4215	11.99	12.76	yes	stainless steel	4G
C.120.235.0170.A	12.0	2.35	17.0	9.0986	14.81	15.93	yes	music wire	4G
C.120.235.0170.I	12.0	2.35	17.0	7.8147	14.81	15.93	yes	stainless steel	4G
C.120.250.0400.A	12.0	2.50	40.0	5.6950	26.75	32.34	yes	music wire	4J
C.120.250.0400.I	12.0	2.50	40.0	4.9547	26.25	32.21	yes	stainless steel	4J
C.120.250.0400.N	12.0	2.50	40.0	5.6950	26.75	32.34	yes	Zn coating	4M
C.121.090.0190.A	12.1	0.90	19.0	0.1662	4.86	5.73	yes	music wire	4C
C.121.090.0190.I	12.1	0.90	19.0	0.1446	4.77	5.61	yes	stainless steel	4C
C.121.090.0400.A	12.1	0.90	40.0	0.0652	8.82	11.00	yes	music wire	4C
C.121.090.0400.I	12.1	0.90	40.0	0.0560	8.82	11.00	yes	stainless steel	4D
C.121.090.0570.A	12.1	0.90	57.0	0.0539	10.17	12.80	yes	music wire	4D
C.121.090.0570.I	12.1	0.90	57.0	0.0449	10.44	13.16	yes	stainless steel	4D
C.121.090.0700.A	12.1	0.90	70.0	0.0441	11.97	15.20	yes	music wire	4D
C.121.090.0700.I	12.1	0.90	70.0	0.0368	12.24	15.56	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.121.090.1000.A	12.1	0.90	100.0	0.0256	18.99	24.55	yes	music wire	4E
C.121.090.1000.I	12.1	0.90	100.0	0.0220	18.99	24.55	yes	stainless steel	4E
C.121.180.0125.A	12.1	1.80	12.5	3.1250	10.08	10.91	yes	music wire	4E
C.121.180.0160.A	12.1	1.80	16.0	2.5000	11.52	12.57	yes	music wire	4E
C.121.180.0200.A	12.1	1.80	20.0	1.9190	13.68	15.05	yes	music wire	4F
C.121.180.0200.I	12.1	1.80	20.0	1.6482	13.68	15.05	yes	stainless steel	4G
C.121.180.0250.A	12.1	1.80	25.0	1.5873	15.66	17.32	yes	music wire	4E
C.121.180.0320.A	12.1	1.80	32.0	1.2500	18.54	20.63	yes	music wire	4E
C.121.180.0400.A	12.1	1.80	40.0	0.8738	24.66	27.67	yes	music wire	4G
C.121.180.0400.AP	12.1	1.80	40.0	1.0000	22.14	24.77	yes	music wire	4E
C.121.180.0400.I	12.1	1.80	40.0	0.7505	24.66	27.67	yes	stainless steel	4G
C.121.180.0500.A	12.1	1.80	50.0	0.8000	26.46	29.73	yes	music wire	4E
C.121.180.0570.A	12.1	1.80	57.0	0.7404	28.26	32.75	yes	music wire	4I
C.121.180.0570.I	12.1	1.80	57.0	0.6442	27.90	32.61	yes	stainless steel	4I
C.121.180.0630.A	12.1	1.80	63.0	0.6250	32.76	36.97	yes	music wire	4E
C.121.180.0800.A	12.1	1.80	80.0	0.4182	46.62	52.90	yes	music wire	4G
C.121.180.0800.AP	12.1	1.80	80.0	0.5000	39.78	45.04	yes	music wire	4E
C.121.180.0800.I	12.1	1.80	80.0	0.3592	46.62	52.90	yes	stainless steel	4G
C.121.180.1000.A	12.1	1.80	100.0	0.4000	48.60	55.18	yes	music wire	4F
C.121.180.1250.A	12.1	1.80	125.0	0.3125	60.84	69.24	yes	music wire	4I
C.121.180.1250.I	12.1	1.80	125.0	0.2719	60.12	68.41	yes	stainless steel	4J
C.121.180.1250.N	12.1	1.80	125.0	0.3125	60.84	69.24	yes	Zn coating	4J
C.121.180.1600.A	12.1	1.80	160.0	0.2500	74.88	88.19	yes	music wire	4J
C.121.180.1600.I	12.1	1.80	160.0	0.2175	73.98	87.76	yes	stainless steel	4J
C.121.180.1600.N	12.1	1.80	160.0	0.2500	74.88	88.19	yes	Zn coating	4L
C.121.180.2000.A	12.1	1.80	200.0	0.1984	93.24	109.51	yes	music wire	4J
C.121.180.2000.I	12.1	1.80	200.0	0.1726	92.16	108.97	yes	stainless steel	4J
C.121.180.2000.N	12.1	1.80	200.0	0.1984	93.24	109.51	yes	Zn coating	4L
C.121.180.2500.A	12.1	1.80	250.0	0.1563	117.18	135.14	yes	music wire	4J
C.121.180.2500.I	12.1	1.80	250.0	0.1360	115.74	134.45	yes	stainless steel	4J
C.121.180.2500.N	12.1	1.80	250.0	0.1563	117.18	135.14	yes	Zn coating	4L
C.121.190.0200.A	12.1	1.90	20.0	2.4531	14.44	15.83	yes	music wire	4F
C.121.190.0200.I	12.1	1.90	20.0	2.1069	14.44	15.83	yes	stainless steel	4G
C.121.190.1150.A	12.1	1.90	115.0	0.4374	59.09	67.45	yes	music wire	4I
C.121.190.1150.I	12.1	1.90	115.0	0.3805	58.33	67.08	yes	stainless steel	4J
C.121.200.0200.A	12.1	2.00	20.0	3.1641	15.00	16.38	yes	music wire	4G
C.121.200.0200.I	12.1	2.00	20.0	2.7177	15.00	16.38	yes	stainless steel	4G
C.121.200.0450.A	12.1	2.00	45.0	1.5064	26.00	29.14	yes	music wire	4I
C.121.200.0450.I	12.1	2.00	45.0	1.3105	25.80	28.99	yes	stainless steel	4I
C.121.200.0570.A	12.1	2.00	57.0	1.1615	32.20	36.43	yes	music wire	4I
C.121.200.0570.I	12.1	2.00	57.0	1.0105	31.80	36.23	yes	stainless steel	4I
C.121.200.0700.A	12.1	2.00	70.0	0.9371	38.80	44.50	yes	music wire	4I
C.121.200.0700.I	12.1	2.00	70.0	0.8153	38.40	44.26	yes	stainless steel	4I
C.121.200.0760.A	12.1	2.00	76.0	0.8405	42.60	47.80	yes	music wire	4I
C.121.200.0760.I	12.1	2.00	76.0	0.7434	41.60	47.77	yes	stainless steel	4I
C.121.200.1000.A	12.1	2.00	100.0	0.5291	64.80	73.07	yes	music wire	4G
C.121.200.1000.I	12.1	2.00	100.0	0.4545	64.80	73.07	yes	stainless steel	4H
C.121.200.1520.A	12.1	2.00	152.0	0.3501	95.40	107.90	yes	music wire	4I
C.121.200.1520.AP	12.1	2.00	152.0	0.4411	76.80	97.82	yes	music wire	4J
C.121.200.1520.I	12.1	2.00	152.0	0.3046	94.20	106.53	yes	stainless steel	4I
C.121.220.0200.A	12.1	2.20	20.0	5.0195	16.28	17.69	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.121.220.0200.I	12.1	2.20	20.0	4.3112	16.28	17.69	yes	stainless steel	4G
C.121.220.0380.A	12.1	2.20	38.0	2.8725	24.42	27.25	yes	music wire	4I
C.121.220.0380.I	12.1	2.20	38.0	2.5000	23.98	27.12	yes	stainless steel	4I
C.121.220.0450.A	12.1	2.20	45.0	2.4164	27.94	32.22	yes	music wire	4I
C.121.220.0450.I	12.1	2.20	45.0	2.1000	27.72	32.05	yes	stainless steel	4I
C.121.220.0600.A	12.1	2.20	60.0	1.4135	43.78	48.77	yes	music wire	4G
C.121.220.0600.I	12.1	2.20	60.0	1.2141	43.78	48.77	yes	stainless steel	4G
C.121.220.0890.A	12.1	2.20	89.0	1.1209	53.68	61.46	yes	music wire	4I
C.121.220.0890.I	12.1	2.20	89.0	0.9752	53.24	61.11	yes	stainless steel	4J
C.121.220.1520.A	12.1	2.20	152.0	0.6482	88.88	104.37	yes	music wire	4J
C.121.220.1520.I	12.1	2.20	152.0	0.5640	88.00	103.77	yes	stainless steel	4J
C.122.090.0127.A	12.2	0.90	12.7	0.3057	3.60	4.20	yes	music wire	4E
C.122.090.0127.I	12.2	0.90	12.7	0.2625	3.60	4.21	yes	stainless steel	4F
C.122.090.0127.N	12.2	0.90	12.7	0.3057	3.60	4.20	yes	Zn coating	4H
C.122.090.0157.A	12.2	0.90	15.7	0.2577	3.87	5.62	yes	music wire	4F
C.122.090.0157.I	12.2	0.90	15.7	0.2213	3.87	5.63	yes	stainless steel	4F
C.122.090.0157.N	12.2	0.90	15.7	0.2577	3.87	5.62	yes	Zn coating	4H
C.122.090.0190.A	12.2	0.90	19.0	0.1961	4.41	5.76	yes	music wire	4F
C.122.090.0190.I	12.2	0.90	19.0	0.1684	4.41	5.77	yes	stainless steel	4F
C.122.090.0190.N	12.2	0.90	19.0	0.1961	4.41	5.76	yes	Zn coating	4H
C.122.090.0200.A	12.2	0.90	20.0	0.1362	5.31	6.34	yes	music wire	4C
C.122.090.0200.I	12.2	0.90	20.0	0.1170	5.31	6.34	yes	stainless steel	4C
C.122.090.0224.A	12.2	0.90	22.4	0.1583	4.86	5.99	yes	music wire	4F
C.122.090.0224.I	12.2	0.90	22.4	0.1360	4.86	6.00	yes	stainless steel	4F
C.122.090.0224.N	12.2	0.90	22.4	0.1583	4.86	5.99	yes	Zn coating	4H
C.122.090.0254.A	12.2	0.90	25.4	0.1444	5.13	7.41	yes	music wire	4F
C.122.090.0254.I	12.2	0.90	25.4	0.1240	5.13	7.42	yes	stainless steel	4F
C.122.090.0254.N	12.2	0.90	25.4	0.1444	5.13	7.41	yes	Zn coating	4H
C.122.090.0305.A	12.2	0.90	30.5	0.1054	6.21	7.54	yes	music wire	4C
C.122.090.0305.I	12.2	0.90	30.5	0.0917	6.12	7.42	yes	stainless steel	4G
C.122.090.0318.A	12.2	0.90	31.8	0.1068	6.12	7.48	yes	music wire	4F
C.122.090.0318.I	12.2	0.90	31.8	0.0929	6.12	7.81	yes	stainless steel	4G
C.122.090.0318.N	12.2	0.90	31.8	0.1068	6.12	7.48	yes	Zn coating	4H
C.122.090.0381.A	12.2	0.90	38.1	0.0894	6.93	9.03	yes	music wire	4F
C.122.090.0381.I	12.2	0.90	38.1	0.0767	6.93	9.05	yes	stainless steel	4G
C.122.090.0381.N	12.2	0.90	38.1	0.0894	6.93	9.03	yes	Zn coating	4I
C.122.090.0400.A	12.2	0.90	40.0	0.0652	8.64	10.79	yes	music wire	4C
C.122.090.0400.I	12.2	0.90	40.0	0.0560	8.64	10.79	yes	stainless steel	4D
C.122.090.0444.A	12.2	0.90	44.4	0.0768	7.65	10.59	yes	music wire	4F
C.122.090.0444.I	12.2	0.90	44.4	0.0668	7.65	11.04	yes	stainless steel	4G
C.122.090.0444.N	12.2	0.90	44.4	0.0768	7.65	10.59	yes	Zn coating	4I
C.122.090.0457.A	12.2	0.90	45.7	0.0758	7.74	11.45	yes	music wire	4F
C.122.090.0457.I	12.2	0.90	45.7	0.0660	7.65	11.91	yes	stainless steel	4G
C.122.090.0508.A	12.2	0.90	50.8	0.0674	8.46	12.24	yes	music wire	4G
C.122.090.0508.I	12.2	0.90	50.8	0.0579	8.46	12.27	yes	stainless steel	4G
C.122.090.0508.N	12.2	0.90	50.8	0.0674	8.46	12.24	yes	Zn coating	4I
C.122.090.0600.A	12.2	0.90	60.0	0.0425	12.06	15.36	yes	music wire	4D
C.122.090.0600.I	12.2	0.90	60.0	0.0365	12.06	15.36	yes	stainless steel	4D
C.122.090.0635.A	12.2	0.90	63.5	0.0541	9.99	15.45	yes	music wire	4G
C.122.090.0635.I	12.2	0.90	63.5	0.0464	9.99	15.48	yes	stainless steel	4G
C.122.090.0635.N	12.2	0.90	63.5	0.0541	9.99	15.45	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.090.0762.A	12.2	0.90	76.2	0.0439	11.70	17.06	yes	music wire	4G
C.122.090.0762.I	12.2	0.90	76.2	0.0377	11.70	17.11	yes	stainless steel	4G
C.122.090.0762.N	12.2	0.90	76.2	0.0439	11.70	17.06	yes	Zn coating	4I
C.122.090.1000.A	12.2	0.90	100.0	0.0253	18.72	24.26	yes	music wire	4E
C.122.090.1000.I	12.2	0.90	100.0	0.0217	18.72	24.26	yes	stainless steel	4E
C.122.090.1600.A	12.2	0.90	160.0	0.0158	28.71	37.61	yes	music wire	4E
C.122.090.1600.I	12.2	0.90	160.0	0.0135	28.71	37.61	yes	stainless steel	4F
C.122.090.2000.A	12.2	0.90	200.0	0.0126	35.46	46.63	yes	music wire	4F
C.122.090.2000.I	12.2	0.90	200.0	0.0108	35.46	46.63	yes	stainless steel	4F
C.122.100.0127.A	12.2	1.00	12.7	0.4660	4.10	5.21	yes	music wire	4F
C.122.100.0127.I	12.2	1.00	12.7	0.4000	4.10	5.19	yes	stainless steel	4F
C.122.100.0127.N	12.2	1.00	12.7	0.4660	4.10	5.21	yes	Zn coating	4H
C.122.100.0190.A	12.2	1.00	19.0	0.2819	5.10	6.61	yes	music wire	4F
C.122.100.0190.I	12.2	1.00	19.0	0.2422	5.10	6.59	yes	stainless steel	4F
C.122.100.0190.N	12.2	1.00	19.0	0.2819	5.10	6.61	yes	Zn coating	4H
C.122.100.0200.A	12.2	1.00	20.0	0.1908	6.30	7.39	yes	music wire	4C
C.122.100.0200.I	12.2	1.00	20.0	0.1639	6.30	7.39	yes	stainless steel	4D
C.122.100.0220.A	12.2	1.00	22.0	0.1839	6.40	7.52	yes	music wire	4C
C.122.100.0220.AP	12.2	1.00	22.0	0.2789	5.10	9.48	yes	music wire	4F
C.122.100.0220.I	12.2	1.00	22.0	0.1600	6.40	7.52	yes	stainless steel	4D
C.122.100.0224.A	12.2	1.00	22.4	0.2175	5.80	6.75	yes	music wire	4F
C.122.100.0224.I	12.2	1.00	22.4	0.1868	5.80	6.75	yes	stainless steel	4F
C.122.100.0224.N	12.2	1.00	22.4	0.2175	5.80	6.75	yes	Zn coating	4H
C.122.100.0254.A	12.2	1.00	25.4	0.2021	6.10	8.12	yes	music wire	4F
C.122.100.0254.I	12.2	1.00	25.4	0.1736	6.10	8.09	yes	stainless steel	4G
C.122.100.0254.N	12.2	1.00	25.4	0.2021	6.10	8.12	yes	Zn coating	4H
C.122.100.0318.A	12.2	1.00	31.8	0.1570	7.10	9.56	yes	music wire	4F
C.122.100.0318.I	12.2	1.00	31.8	0.1366	7.10	9.80	yes	stainless steel	4G
C.122.100.0318.N	12.2	1.00	31.8	0.1570	7.10	9.56	yes	Zn coating	4H
C.122.100.0380.A	12.2	1.00	38.0	0.1100	9.10	11.00	yes	music wire	4C
C.122.100.0380.I	12.2	1.00	38.0	0.0957	9.00	10.87	yes	stainless steel	4D
C.122.100.0381.A	12.2	1.00	38.1	0.1290	8.10	11.04	yes	music wire	4F
C.122.100.0381.I	12.2	1.00	38.1	0.1108	8.10	10.99	yes	stainless steel	4G
C.122.100.0381.N	12.2	1.00	38.1	0.1290	8.10	11.04	yes	Zn coating	4I
C.122.100.0410.A	12.2	1.00	41.0	0.0960	10.10	12.29	yes	music wire	4C
C.122.100.0410.AP	12.2	1.00	41.0	0.1422	7.60	16.44	yes	music wire	4F
C.122.100.0410.I	12.2	1.00	41.0	0.0820	10.10	12.29	yes	stainless steel	4D
C.122.100.0559.A	12.2	1.00	55.9	0.0877	10.80	16.10	yes	music wire	4G
C.122.100.0559.I	12.2	1.00	55.9	0.0763	10.70	16.53	yes	stainless steel	4G
C.122.100.0570.A	12.2	1.00	57.0	0.0730	12.40	15.25	yes	music wire	4D
C.122.100.0570.I	12.2	1.00	57.0	0.0620	12.50	15.38	yes	stainless steel	4D
C.122.100.0572.A	12.2	1.00	57.2	0.0889	10.70	17.90	yes	music wire	4G
C.122.100.0572.I	12.2	1.00	57.2	0.0773	10.60	18.33	yes	stainless steel	4G
C.122.100.0572.N	12.2	1.00	57.2	0.0889	10.70	17.90	yes	Zn coating	4I
C.122.100.0600.A	12.2	1.00	60.0	0.0604	14.50	17.96	yes	music wire	4D
C.122.100.0600.I	12.2	1.00	60.0	0.0519	14.50	17.96	yes	stainless steel	4D
C.122.100.0635.A	12.2	1.00	63.5	0.0813	11.40	20.53	yes	music wire	4G
C.122.100.0635.I	12.2	1.00	63.5	0.0700	11.40	20.57	yes	stainless steel	4G
C.122.100.0635.N	12.2	1.00	63.5	0.0813	11.40	20.53	yes	Zn coating	4I
C.122.100.0698.A	12.2	1.00	69.8	0.0749	12.20	23.17	yes	music wire	4G
C.122.100.0698.I	12.2	1.00	69.8	0.0651	12.10	23.68	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.100.0698.N	12.2	1.00	69.8	0.0749	12.20	23.17	yes	Zn coating	4I
C.122.100.0700.A	12.2	1.00	70.0	0.0600	14.60	18.09	yes	music wire	4D
C.122.100.0700.I	12.2	1.00	70.0	0.0510	14.70	18.22	yes	stainless steel	4E
C.122.100.0711.A	12.2	1.00	71.1	0.0739	12.30	23.86	yes	music wire	4G
C.122.100.0711.I	12.2	1.00	71.1	0.0643	12.20	24.38	yes	stainless steel	4G
C.122.100.0762.A	12.2	1.00	76.2	0.0694	12.90	25.90	yes	music wire	4G
C.122.100.0762.I	12.2	1.00	76.2	0.0596	12.90	25.80	yes	stainless steel	4G
C.122.100.0762.N	12.2	1.00	76.2	0.0694	12.90	25.90	yes	Zn coating	4I
C.122.100.0800.A	12.2	1.00	80.0	0.0450	18.60	23.24	yes	music wire	4D
C.122.100.0800.I	12.2	1.00	80.0	0.0387	18.60	23.24	yes	stainless steel	4E
C.122.100.1000.A	12.2	1.00	100.0	0.0359	22.70	28.52	yes	music wire	4E
C.122.100.1000.I	12.2	1.00	100.0	0.0308	22.70	28.52	yes	stainless steel	4E
C.122.100.1200.A	12.2	1.00	120.0	0.0297	26.90	33.93	yes	music wire	4E
C.122.100.1200.I	12.2	1.00	120.0	0.0255	26.90	33.93	yes	stainless steel	4E
C.122.100.1600.A	12.2	1.00	160.0	0.0222	35.10	44.49	yes	music wire	4E
C.122.100.1600.I	12.2	1.00	160.0	0.0191	35.10	44.49	yes	stainless steel	4F
C.122.100.2000.A	12.2	1.00	200.0	0.0177	43.40	55.19	yes	music wire	4F
C.122.100.2000.I	12.2	1.00	200.0	0.0152	43.40	55.19	yes	stainless steel	4G
C.122.110.0190.A	12.2	1.10	19.0	0.3423	6.27	7.16	yes	music wire	4C
C.122.110.0190.I	12.2	1.10	19.0	0.2940	6.27	7.16	yes	stainless steel	4D
C.122.110.0190.N	12.2	1.10	19.0	0.3423	6.27	7.16	yes	Zn coating	4E
C.122.110.0200.A	12.2	1.10	20.0	0.2660	7.26	8.40	yes	music wire	4C
C.122.110.0200.I	12.2	1.10	20.0	0.2285	7.26	8.40	yes	stainless steel	4D
C.122.110.0224.A	12.2	1.10	22.4	0.2858	6.93	7.99	yes	music wire	4C
C.122.110.0224.I	12.2	1.10	22.4	0.2455	6.93	7.99	yes	stainless steel	4D
C.122.110.0224.N	12.2	1.10	22.4	0.2858	6.93	7.99	yes	Zn coating	4E
C.122.110.0250.A	12.2	1.10	25.0	0.2874	6.93	9.13	yes	music wire	4F
C.122.110.0250.I	12.2	1.10	25.0	0.2500	6.82	9.26	yes	stainless steel	4G
C.122.110.0305.A	12.2	1.10	30.5	0.1959	8.91	10.47	yes	music wire	4C
C.122.110.0305.I	12.2	1.10	30.5	0.1705	8.80	10.33	yes	stainless steel	4D
C.122.110.0320.A	12.2	1.10	32.0	0.2184	8.25	11.12	yes	music wire	4F
C.122.110.0320.I	12.2	1.10	32.0	0.1900	8.14	11.29	yes	stainless steel	4G
C.122.110.0381.A	12.2	1.10	38.1	0.1667	9.90	11.71	yes	music wire	4F
C.122.110.0381.I	12.2	1.10	38.1	0.1431	9.90	11.71	yes	stainless steel	4G
C.122.110.0381.N	12.2	1.10	38.1	0.1667	9.90	11.71	yes	Zn coating	4I
C.122.110.0410.A	12.2	1.10	41.0	0.1300	11.99	14.33	yes	music wire	4D
C.122.110.0410.AP	12.2	1.10	41.0	0.1949	8.91	17.61	yes	music wire	4G
C.122.110.0410.I	12.2	1.10	41.0	0.1100	12.10	14.46	yes	stainless steel	4D
C.122.110.0444.A	12.2	1.10	44.4	0.1361	11.55	13.77	yes	music wire	4D
C.122.110.0444.I	12.2	1.10	44.4	0.1184	11.44	13.64	yes	stainless steel	4D
C.122.110.0444.N	12.2	1.10	44.4	0.1361	11.55	13.77	yes	Zn coating	4E
C.122.110.0450.A	12.2	1.10	45.0	0.1609	10.23	16.66	yes	music wire	4G
C.122.110.0450.I	12.2	1.10	45.0	0.1400	10.12	16.90	yes	stainless steel	4G
C.122.110.0457.A	12.2	1.10	45.7	0.1344	11.66	13.91	yes	music wire	4G
C.122.110.0457.I	12.2	1.10	45.7	0.1169	11.55	13.77	yes	stainless steel	4G
C.122.110.0500.A	12.2	1.10	50.0	0.1400	11.33	17.43	yes	music wire	4G
C.122.110.0500.I	12.2	1.10	50.0	0.1200	11.33	17.21	yes	stainless steel	4G
C.122.110.0572.A	12.2	1.10	57.2	0.1079	13.86	16.67	yes	music wire	4G
C.122.110.0572.I	12.2	1.10	57.2	0.0938	13.75	16.53	yes	stainless steel	4G
C.122.110.0572.N	12.2	1.10	57.2	0.1079	13.86	16.67	yes	Zn coating	4I
C.122.110.0600.A	12.2	1.10	60.0	0.0839	17.05	20.66	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.110.0600.I	12.2	1.10	60.0	0.0721	17.05	20.66	yes	stainless steel	4E
C.122.110.0640.A	12.2	1.10	64.0	0.1092	13.75	22.24	yes	music wire	4G
C.122.110.0640.I	12.2	1.10	64.0	0.0950	13.64	22.59	yes	stainless steel	4G
C.122.110.0698.A	12.2	1.10	69.8	0.0893	16.17	19.56	yes	music wire	4G
C.122.110.0698.I	12.2	1.10	69.8	0.0777	16.06	19.42	yes	stainless steel	4G
C.122.110.0698.N	12.2	1.10	69.8	0.0893	16.17	19.56	yes	Zn coating	4I
C.122.110.0711.A	12.2	1.10	71.1	0.0882	16.39	19.84	yes	music wire	4G
C.122.110.0711.I	12.2	1.10	71.1	0.0767	16.17	19.81	yes	stainless steel	4G
C.122.110.0760.A	12.2	1.10	76.0	0.1023	14.52	31.42	yes	music wire	4G
C.122.110.0760.I	12.2	1.10	76.0	0.0890	14.30	31.79	yes	stainless steel	4G
C.122.110.0762.A	12.2	1.10	76.2	0.0823	17.38	21.08	yes	music wire	4G
C.122.110.0762.I	12.2	1.10	76.2	0.0706	17.38	21.08	yes	stainless steel	4G
C.122.110.0762.N	12.2	1.10	76.2	0.0823	17.38	21.08	yes	Zn coating	4I
C.122.110.0800.A	12.2	1.10	80.0	0.0623	22.00	26.87	yes	music wire	4D
C.122.110.0800.I	12.2	1.10	80.0	0.0535	22.00	26.87	yes	stainless steel	4E
C.122.110.1000.A	12.2	1.10	100.0	0.0496	26.95	33.07	yes	music wire	4E
C.122.110.1000.I	12.2	1.10	100.0	0.0426	26.95	33.07	yes	stainless steel	4E
C.122.110.1200.A	12.2	1.10	120.0	0.0412	31.90	39.27	yes	music wire	4E
C.122.110.1200.I	12.2	1.10	120.0	0.0353	31.90	39.27	yes	stainless steel	4E
C.122.110.1600.A	12.2	1.10	160.0	0.0307	41.80	51.67	yes	music wire	4E
C.122.110.1600.I	12.2	1.10	160.0	0.0264	41.80	51.67	yes	stainless steel	4F
C.122.110.2000.A	12.2	1.10	200.0	0.0245	51.70	64.07	yes	music wire	4F
C.122.110.2000.I	12.2	1.10	200.0	0.0210	51.70	64.07	yes	stainless steel	4G
C.122.130.0127.A	12.2	1.30	12.7	0.7295	7.28	8.11	yes	music wire	4C
C.122.130.0127.AP	12.2	1.30	12.7	1.2517	5.59	6.89	yes	music wire	4F
C.122.130.0127.I	12.2	1.30	12.7	0.6265	7.28	8.11	yes	stainless steel	4D
C.122.130.0127.N	12.2	1.30	12.7	0.7295	7.28	8.11	yes	Zn coating	4E
C.122.130.0157.A	12.2	1.30	15.7	0.6129	8.06	9.05	yes	music wire	4C
C.122.130.0157.AP	12.2	1.30	15.7	0.9796	6.24	8.28	yes	music wire	4F
C.122.130.0157.I	12.2	1.30	15.7	0.5264	8.06	9.05	yes	stainless steel	4D
C.122.130.0157.N	12.2	1.30	15.7	0.6129	8.06	9.05	yes	Zn coating	4E
C.122.130.0190.A	12.2	1.30	19.0	0.5284	8.84	9.99	yes	music wire	4C
C.122.130.0190.AP	12.2	1.30	19.0	0.7769	7.02	9.65	yes	music wire	4F
C.122.130.0190.I	12.2	1.30	19.0	0.4538	8.84	9.99	yes	stainless steel	4D
C.122.130.0190.N	12.2	1.30	19.0	0.5284	8.84	9.99	yes	Zn coating	4E
C.122.130.0200.A	12.2	1.30	20.0	0.4993	9.10	10.30	yes	music wire	4C
C.122.130.0200.I	12.2	1.30	20.0	0.4288	9.10	10.30	yes	stainless steel	4D
C.122.130.0224.A	12.2	1.30	22.4	0.4644	9.49	10.77	yes	music wire	4C
C.122.130.0224.AP	12.2	1.30	22.4	0.6437	7.80	11.11	yes	music wire	4F
C.122.130.0224.I	12.2	1.30	22.4	0.4000	9.49	10.77	yes	stainless steel	4D
C.122.130.0224.N	12.2	1.30	22.4	0.4644	9.49	10.77	yes	Zn coating	4E
C.122.130.0254.A	12.2	1.30	25.4	0.4142	10.27	11.71	yes	music wire	4C
C.122.130.0254.AP	12.2	1.30	25.4	0.5632	8.45	12.50	yes	music wire	4F
C.122.130.0254.I	12.2	1.30	25.4	0.3557	10.27	11.71	yes	stainless steel	4D
C.122.130.0254.N	12.2	1.30	25.4	0.4142	10.27	11.71	yes	Zn coating	4E
C.122.130.0305.A	12.2	1.30	30.5	0.3266	12.22	14.06	yes	music wire	4D
C.122.130.0305.AP	12.2	1.30	30.5	0.4598	9.62	14.70	yes	music wire	4G
C.122.130.0305.I	12.2	1.30	30.5	0.2841	12.09	13.91	yes	stainless steel	4D
C.122.130.0318.A	12.2	1.30	31.8	0.3308	12.09	13.91	yes	music wire	4D
C.122.130.0318.I	12.2	1.30	31.8	0.2878	11.96	13.75	yes	stainless steel	4D
C.122.130.0318.N	12.2	1.30	31.8	0.3308	12.09	13.91	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.130.0381.A	12.2	1.30	38.1	0.2821	13.65	15.79	yes	music wire	4D
C.122.130.0381.I	12.2	1.30	38.1	0.2423	13.65	15.79	yes	stainless steel	4D
C.122.130.0381.N	12.2	1.30	38.1	0.2821	13.65	15.79	yes	Zn coating	4E
C.122.130.0410.A	12.2	1.30	41.0	0.2600	14.43	16.73	yes	music wire	4D
C.122.130.0410.I	12.2	1.30	41.0	0.2200	14.69	17.04	yes	stainless steel	4D
C.122.130.0444.A	12.2	1.30	44.4	0.2408	15.34	17.82	yes	music wire	4D
C.122.130.0444.I	12.2	1.30	44.4	0.2095	15.21	17.67	yes	stainless steel	4D
C.122.130.0444.N	12.2	1.30	44.4	0.2408	15.34	17.82	yes	Zn coating	4F
C.122.130.0457.A	12.2	1.30	45.7	0.2377	15.60	18.14	yes	music wire	4D
C.122.130.0457.I	12.2	1.30	45.7	0.2068	15.34	17.82	yes	stainless steel	4D
C.122.130.0508.A	12.2	1.30	50.8	0.2139	16.90	19.70	yes	music wire	4D
C.122.130.0508.I	12.2	1.30	50.8	0.1837	16.90	19.70	yes	stainless steel	4E
C.122.130.0508.N	12.2	1.30	50.8	0.2139	16.90	19.70	yes	Zn coating	4F
C.122.130.0559.A	12.2	1.30	55.9	0.1868	18.85	22.06	yes	music wire	4D
C.122.130.0559.I	12.2	1.30	55.9	0.1625	18.72	21.90	yes	stainless steel	4E
C.122.130.0600.A	12.2	1.30	60.0	0.1518	22.49	26.44	yes	music wire	4D
C.122.130.0600.I	12.2	1.30	60.0	0.1304	22.49	26.44	yes	stainless steel	4E
C.122.130.0635.A	12.2	1.30	63.5	0.1722	20.15	23.62	yes	music wire	4G
C.122.130.0635.I	12.2	1.30	63.5	0.1479	20.15	23.62	yes	stainless steel	4G
C.122.130.0635.N	12.2	1.30	63.5	0.1722	20.15	23.62	yes	Zn coating	4I
C.122.130.0698.A	12.2	1.30	69.8	0.1580	21.71	25.50	yes	music wire	4G
C.122.130.0698.I	12.2	1.30	69.8	0.1375	21.45	25.19	yes	stainless steel	4G
C.122.130.0698.N	12.2	1.30	69.8	0.1580	21.71	25.50	yes	Zn coating	4I
C.122.130.0711.A	12.2	1.30	71.1	0.1560	21.97	25.82	yes	music wire	4G
C.122.130.0711.I	12.2	1.30	71.1	0.1357	21.71	25.50	yes	stainless steel	4G
C.122.130.0762.A	12.2	1.30	76.2	0.1442	23.53	27.70	yes	music wire	4G
C.122.130.0762.I	12.2	1.30	76.2	0.1238	23.53	27.70	yes	stainless steel	4G
C.122.130.0762.N	12.2	1.30	76.2	0.1442	23.53	27.70	yes	Zn coating	4I
C.122.130.0800.A	12.2	1.30	80.0	0.1129	29.12	34.44	yes	music wire	4E
C.122.130.0800.I	12.2	1.30	80.0	0.0970	29.12	34.44	yes	stainless steel	4E
C.122.130.1000.A	12.2	1.30	100.0	0.0895	35.88	42.58	yes	music wire	4E
C.122.130.1000.I	12.2	1.30	100.0	0.0769	35.88	42.58	yes	stainless steel	4E
C.122.130.1200.A	12.2	1.30	120.0	0.0744	42.51	50.58	yes	music wire	4E
C.122.130.1200.I	12.2	1.30	120.0	0.0639	42.51	50.58	yes	stainless steel	4E
C.122.130.1600.A	12.2	1.30	160.0	0.0555	55.90	66.72	yes	music wire	4E
C.122.130.1600.I	12.2	1.30	160.0	0.0476	55.90	66.72	yes	stainless steel	4F
C.122.130.2000.A	12.2	1.30	200.0	0.0443	69.16	82.70	yes	music wire	4F
C.122.130.2000.I	12.2	1.30	200.0	0.0381	69.16	82.70	yes	stainless steel	4G
C.122.140.0190.A	12.2	1.40	19.0	0.8059	8.96	9.99	yes	music wire	4E
C.122.140.0190.I	12.2	1.40	19.0	0.7000	8.82	9.83	yes	stainless steel	4E
C.122.140.0224.A	12.2	1.40	22.4	0.6592	10.08	11.33	yes	music wire	4E
C.122.140.0224.I	12.2	1.40	22.4	0.5662	10.08	11.33	yes	stainless steel	4E
C.122.140.0224.N	12.2	1.40	22.4	0.6592	10.08	11.33	yes	Zn coating	4G
C.122.140.0305.A	12.2	1.40	30.5	0.4699	12.74	14.49	yes	music wire	4E
C.122.140.0305.I	12.2	1.40	30.5	0.4088	12.60	14.32	yes	stainless steel	4F
C.122.140.0381.A	12.2	1.40	38.1	0.3807	14.98	17.15	yes	music wire	4E
C.122.140.0381.I	12.2	1.40	38.1	0.3270	14.98	17.15	yes	stainless steel	4F
C.122.140.0381.N	12.2	1.40	38.1	0.3807	14.98	17.15	yes	Zn coating	4G
C.122.140.0410.A	12.2	1.40	41.0	0.3448	16.10	18.48	yes	music wire	4E
C.122.140.0410.I	12.2	1.40	41.0	0.3000	15.96	18.32	yes	stainless steel	4F
C.122.140.0444.A	12.2	1.40	44.4	0.3173	17.22	19.82	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.122.140.0444.I	12.2	1.40	44.4	0.2760	17.08	19.65	yes	stainless steel	4F
C.122.140.0444.N	12.2	1.40	44.4	0.3173	17.22	19.82	yes	Zn coating	4G
C.122.140.0457.A	12.2	1.40	45.7	0.3132	17.36	19.98	yes	music wire	4E
C.122.140.0457.I	12.2	1.40	45.7	0.2725	17.22	19.82	yes	stainless steel	4F
C.122.140.0559.A	12.2	1.40	55.9	0.2451	21.28	24.65	yes	music wire	4F
C.122.140.0559.I	12.2	1.40	55.9	0.2132	21.00	24.31	yes	stainless steel	4F
C.122.140.0572.A	12.2	1.40	57.2	0.2483	21.00	24.31	yes	music wire	4I
C.122.140.0572.I	12.2	1.40	57.2	0.2160	20.86	24.15	yes	stainless steel	4I
C.122.140.0572.N	12.2	1.40	57.2	0.2483	21.00	24.31	yes	Zn coating	4J
C.122.140.0698.A	12.2	1.40	69.8	0.2141	23.80	28.11	yes	music wire	4I
C.122.140.0698.I	12.2	1.40	69.8	0.1863	23.52	28.18	yes	stainless steel	4I
C.122.140.0698.N	12.2	1.40	69.8	0.2141	23.80	28.11	yes	Zn coating	4J
C.122.140.0711.A	12.2	1.40	71.1	0.2114	24.08	28.88	yes	music wire	4I
C.122.140.0711.I	12.2	1.40	71.1	0.1839	23.80	28.94	yes	stainless steel	4I
C.122.140.0762.A	12.2	1.40	76.2	0.1969	25.62	30.87	yes	music wire	4I
C.122.140.0762.I	12.2	1.40	76.2	0.1691	25.62	30.35	yes	stainless steel	4I
C.122.140.0762.N	12.2	1.40	76.2	0.1969	25.62	30.87	yes	Zn coating	4J
C.122.140.0800.A	12.2	1.40	80.0	0.1486	32.76	38.30	yes	music wire	4F
C.122.140.0800.I	12.2	1.40	80.0	0.1277	32.76	38.30	yes	stainless steel	4G
C.122.140.1000.A	12.2	1.40	100.0	0.1181	40.32	47.29	yes	music wire	4G
C.122.140.1000.I	12.2	1.40	100.0	0.1015	40.32	47.29	yes	stainless steel	4G
C.122.140.1200.A	12.2	1.40	120.0	0.0980	47.88	56.28	yes	music wire	4G
C.122.140.1200.I	12.2	1.40	120.0	0.0842	47.88	56.28	yes	stainless steel	4G
C.122.140.1600.A	12.2	1.40	160.0	0.0731	63.00	74.26	yes	music wire	4G
C.122.140.1600.I	12.2	1.40	160.0	0.0628	63.00	74.26	yes	stainless steel	4G
C.122.140.2000.A	12.2	1.40	200.0	0.0583	78.12	92.24	yes	music wire	4H
C.122.140.2000.I	12.2	1.40	200.0	0.0501	78.12	92.24	yes	stainless steel	4H
C.122.150.0127.A	12.2	1.50	12.7	1.3669	8.40	9.22	yes	music wire	4E
C.122.150.0127.AP	12.2	1.50	12.7	2.1147	6.75	7.59	yes	music wire	4H
C.122.150.0127.I	12.2	1.50	12.7	1.1740	8.40	9.22	yes	stainless steel	4E
C.122.150.0127.N	12.2	1.50	12.7	1.3669	8.40	9.22	yes	Zn coating	4G
C.122.150.0157.A	12.2	1.50	15.7	1.0722	9.60	10.63	yes	music wire	4E
C.122.150.0157.AP	12.2	1.50	15.7	1.6267	7.65	9.06	yes	music wire	4H
C.122.150.0157.I	12.2	1.50	15.7	0.9209	9.60	10.63	yes	stainless steel	4E
C.122.150.0157.N	12.2	1.50	15.7	1.0722	9.60	10.63	yes	Zn coating	4G
C.122.150.0159.A	12.2	1.50	15.9	1.2554	8.85	9.75	yes	music wire	4E
C.122.150.0159.I	12.2	1.50	15.9	1.0922	8.70	9.57	yes	stainless steel	4E
C.122.150.0190.A	12.2	1.50	19.0	0.9144	10.65	11.87	yes	music wire	4E
C.122.150.0190.AP	12.2	1.50	19.0	1.3217	8.55	10.83	yes	music wire	4H
C.122.150.0190.I	12.2	1.50	19.0	0.7854	10.65	11.87	yes	stainless steel	4E
C.122.150.0190.N	12.2	1.50	19.0	0.9144	10.65	11.87	yes	Zn coating	4G
C.122.150.0220.A	12.2	1.50	22.0	0.8736	10.95	12.22	yes	music wire	4E
C.122.150.0220.I	12.2	1.50	22.0	0.7600	10.95	12.22	yes	stainless steel	4E
C.122.150.0305.A	12.2	1.50	30.5	0.5554	15.15	17.16	yes	music wire	4E
C.122.150.0305.AP	12.2	1.50	30.5	0.7690	12.00	16.45	yes	music wire	4I
C.122.150.0305.I	12.2	1.50	30.5	0.4832	15.00	16.98	yes	stainless steel	4F
C.122.150.0318.A	12.2	1.50	31.8	0.5626	15.00	16.98	yes	music wire	4E
C.122.150.0318.I	12.2	1.50	31.8	0.4895	14.85	16.81	yes	stainless steel	4F
C.122.150.0318.N	12.2	1.50	31.8	0.5626	15.00	16.98	yes	Zn coating	4G
C.122.150.0320.A	12.2	1.50	32.0	0.5690	14.85	16.81	yes	music wire	4E
C.122.150.0320.I	12.2	1.50	32.0	0.4951	14.70	16.63	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.150.0410.A	12.2	1.50	41.0	0.4462	17.85	20.34	yes	music wire	4E
C.122.150.0410.I	12.2	1.50	41.0	0.3800	18.00	20.51	yes	stainless steel	4F
C.122.150.0444.A	12.2	1.50	44.4	0.4063	19.35	22.10	yes	music wire	4E
C.122.150.0444.I	12.2	1.50	44.4	0.3535	19.05	21.75	yes	stainless steel	4F
C.122.150.0444.N	12.2	1.50	44.4	0.4063	19.35	22.10	yes	Zn coating	4H
C.122.150.0457.A	12.2	1.50	45.7	0.4000	19.50	22.28	yes	music wire	4E
C.122.150.0457.I	12.2	1.50	45.7	0.3490	19.35	22.10	yes	stainless steel	4F
C.122.150.0500.A	12.2	1.50	50.0	0.3563	21.45	24.57	yes	music wire	4F
C.122.150.0500.I	12.2	1.50	50.0	0.3100	21.30	24.39	yes	stainless steel	4F
C.122.150.0570.A	12.2	1.50	57.0	0.3218	23.40	26.86	yes	music wire	4I
C.122.150.0570.I	12.2	1.50	57.0	0.2800	23.10	26.51	yes	stainless steel	4I
C.122.150.0572.A	12.2	1.50	57.2	0.3221	23.40	26.86	yes	music wire	4I
C.122.150.0572.I	12.2	1.50	57.2	0.2802	23.10	26.51	yes	stainless steel	4I
C.122.150.0572.N	12.2	1.50	57.2	0.3221	23.40	26.86	yes	Zn coating	4J
C.122.150.0600.A	12.2	1.50	60.0	0.2615	27.90	32.16	yes	music wire	4F
C.122.150.0600.I	12.2	1.50	60.0	0.2246	27.90	32.16	yes	stainless steel	4F
C.122.150.0635.A	12.2	1.50	63.5	0.2885	25.65	29.51	yes	music wire	4I
C.122.150.0635.I	12.2	1.50	63.5	0.2478	25.65	29.51	yes	stainless steel	4F
C.122.150.0635.N	12.2	1.50	63.5	0.2885	25.65	29.51	yes	Zn coating	4J
C.122.150.0698.A	12.2	1.50	69.8	0.2640	27.60	31.81	yes	music wire	4I
C.122.150.0698.I	12.2	1.50	69.8	0.2296	27.30	31.45	yes	stainless steel	4I
C.122.150.0698.N	12.2	1.50	69.8	0.2640	27.60	31.81	yes	Zn coating	4J
C.122.150.0711.A	12.2	1.50	71.1	0.2606	28.05	32.33	yes	music wire	4I
C.122.150.0711.I	12.2	1.50	71.1	0.2267	27.60	31.81	yes	stainless steel	4I
C.122.150.0762.A	12.2	1.50	76.2	0.2409	30.00	34.63	yes	music wire	4I
C.122.150.0762.I	12.2	1.50	76.2	0.2069	30.00	34.63	yes	stainless steel	4I
C.122.150.0762.N	12.2	1.50	76.2	0.2409	30.00	34.63	yes	Zn coating	4J
C.122.150.0800.A	12.2	1.50	80.0	0.1940	36.30	42.04	yes	music wire	4F
C.122.150.0800.I	12.2	1.50	80.0	0.1666	36.30	42.04	yes	stainless steel	4G
C.122.150.1000.A	12.2	1.50	100.0	0.1542	44.70	51.92	yes	music wire	4G
C.122.150.1000.I	12.2	1.50	100.0	0.1325	44.70	51.92	yes	stainless steel	4G
C.122.150.1200.A	12.2	1.50	120.0	0.1280	53.10	61.80	yes	music wire	4G
C.122.150.1200.I	12.2	1.50	120.0	0.1099	53.10	61.80	yes	stainless steel	4G
C.122.150.1600.A	12.2	1.50	160.0	0.0955	69.90	81.56	yes	music wire	4G
C.122.150.1600.I	12.2	1.50	160.0	0.0820	69.90	81.56	yes	stainless steel	4H
C.122.150.2200.A	12.2	1.50	220.0	0.0690	95.25	111.38	yes	music wire	4H
C.122.150.2200.I	12.2	1.50	220.0	0.0593	95.25	111.38	yes	stainless steel	4I
C.122.150.2600.A	12.2	1.50	260.0	0.0583	112.05	131.15	yes	music wire	4I
C.122.150.2600.I	12.2	1.50	260.0	0.0501	112.05	131.15	yes	stainless steel	4I
C.122.160.0190.A	12.2	1.60	19.0	1.3375	10.72	11.83	yes	music wire	4E
C.122.160.0190.I	12.2	1.60	19.0	1.1488	10.72	11.83	yes	stainless steel	4F
C.122.160.0190.N	12.2	1.60	19.0	1.3375	10.72	11.83	yes	Zn coating	4G
C.122.160.0224.A	12.2	1.60	22.4	1.1245	12.00	13.33	yes	music wire	4E
C.122.160.0224.I	12.2	1.60	22.4	0.9658	12.00	13.33	yes	stainless steel	4F
C.122.160.0224.N	12.2	1.60	22.4	1.1245	12.00	13.33	yes	Zn coating	4G
C.122.160.0305.A	12.2	1.60	30.5	0.7678	15.68	17.62	yes	music wire	4E
C.122.160.0305.I	12.2	1.60	30.5	0.6680	15.52	17.43	yes	stainless steel	4F
C.122.160.0350.A	12.2	1.60	35.0	0.7500	16.00	17.99	yes	music wire	4I
C.122.160.0350.I	12.2	1.60	35.0	0.6400	16.00	17.99	yes	stainless steel	4I
C.122.160.0450.A	12.2	1.60	45.0	0.5500	20.32	23.03	yes	music wire	4I
C.122.160.0450.I	12.2	1.60	45.0	0.4785	20.16	22.84	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.160.0457.A	12.2	1.60	45.7	0.5172	21.28	24.15	yes	music wire	4F
C.122.160.0457.I	12.2	1.60	45.7	0.4500	21.12	23.96	yes	stainless steel	4F
C.122.160.0559.A	12.2	1.60	55.9	0.4035	26.24	29.93	yes	music wire	4F
C.122.160.0559.I	12.2	1.60	55.9	0.3510	25.92	29.56	yes	stainless steel	4F
C.122.160.0572.A	12.2	1.60	57.2	0.4087	25.92	29.56	yes	music wire	4F
C.122.160.0572.I	12.2	1.60	57.2	0.3556	25.60	29.18	yes	stainless steel	4F
C.122.160.0572.N	12.2	1.60	57.2	0.4087	25.92	29.56	yes	Zn coating	4H
C.122.160.0698.A	12.2	1.60	69.8	0.3350	30.72	35.15	yes	music wire	4I
C.122.160.0698.I	12.2	1.60	69.8	0.2878	30.72	35.15	yes	stainless steel	4G
C.122.160.0698.N	12.2	1.60	69.8	0.3350	30.72	35.15	yes	Zn coating	4J
C.122.160.0800.A	12.2	1.60	80.0	0.2514	39.68	45.60	yes	music wire	4F
C.122.160.0800.I	12.2	1.60	80.0	0.2159	39.68	45.60	yes	stainless steel	4G
C.122.160.1000.A	12.2	1.60	100.0	0.1995	48.96	56.42	yes	music wire	4G
C.122.160.1000.I	12.2	1.60	100.0	0.1713	48.96	56.42	yes	stainless steel	4G
C.122.160.1200.A	12.2	1.60	120.0	0.1654	58.24	67.23	yes	music wire	4G
C.122.160.1200.I	12.2	1.60	120.0	0.1420	58.24	67.23	yes	stainless steel	4G
C.122.160.1600.A	12.2	1.60	160.0	0.1232	76.80	88.87	yes	music wire	4G
C.122.160.1600.I	12.2	1.60	160.0	0.1058	76.80	88.87	yes	stainless steel	4H
C.122.170.0127.A	12.2	1.70	12.7	2.3864	9.52	10.35	yes	music wire	4E
C.122.170.0127.AP	12.2	1.70	12.7	3.5226	7.82	8.38	yes	music wire	4H
C.122.170.0127.I	12.2	1.70	12.7	2.0497	9.52	10.35	yes	stainless steel	4E
C.122.170.0127.N	12.2	1.70	12.7	2.3864	9.52	10.35	yes	Zn coating	4G
C.122.170.0157.A	12.2	1.70	15.7	1.8484	11.05	12.12	yes	music wire	4E
C.122.170.0157.AP	12.2	1.70	15.7	2.6420	9.01	9.93	yes	music wire	4I
C.122.170.0157.I	12.2	1.70	15.7	1.5876	11.05	12.12	yes	stainless steel	4E
C.122.170.0157.N	12.2	1.70	15.7	1.8484	11.05	12.12	yes	Zn coating	4G
C.122.170.0190.A	12.2	1.70	19.0	1.5084	12.58	13.89	yes	music wire	4E
C.122.170.0190.AP	12.2	1.70	19.0	2.1136	10.20	11.79	yes	music wire	4I
C.122.170.0190.I	12.2	1.70	19.0	1.2955	12.58	13.89	yes	stainless steel	4F
C.122.170.0190.N	12.2	1.70	19.0	1.5084	12.58	13.89	yes	Zn coating	4G
C.122.170.0200.A	12.2	1.70	20.0	1.4700	12.75	14.09	yes	music wire	4E
C.122.170.0200.I	12.2	1.70	20.0	1.2626	12.75	14.09	yes	stainless steel	4F
C.122.170.0224.A	12.2	1.70	22.4	1.3079	13.77	15.27	yes	music wire	4E
C.122.170.0224.AP	12.2	1.70	22.4	1.7613	11.39	13.75	yes	music wire	4I
C.122.170.0224.I	12.2	1.70	22.4	1.1233	13.77	15.27	yes	stainless steel	4F
C.122.170.0224.N	12.2	1.70	22.4	1.3079	13.77	15.27	yes	Zn coating	4G
C.122.170.0254.A	12.2	1.70	25.4	1.1544	15.13	16.84	yes	music wire	4E
C.122.170.0254.AP	12.2	1.70	25.4	1.5097	12.58	15.30	yes	music wire	4I
C.122.170.0254.I	12.2	1.70	25.4	0.9915	15.13	16.84	yes	stainless steel	4F
C.122.170.0254.N	12.2	1.70	25.4	1.1544	15.13	16.84	yes	Zn coating	4G
C.122.170.0305.A	12.2	1.70	30.5	0.9058	18.02	20.18	yes	music wire	4E
C.122.170.0305.AP	12.2	1.70	30.5	1.2329	14.45	18.14	yes	music wire	4I
C.122.170.0305.I	12.2	1.70	30.5	0.7881	17.85	19.99	yes	stainless steel	4F
C.122.170.0318.A	12.2	1.70	31.8	0.9176	17.85	19.99	yes	music wire	4E
C.122.170.0318.AP	12.2	1.70	31.8	1.1742	14.96	18.82	yes	music wire	4I
C.122.170.0318.I	12.2	1.70	31.8	0.8000	17.68	19.79	yes	stainless steel	4F
C.122.170.0318.N	12.2	1.70	31.8	0.9176	17.85	19.99	yes	Zn coating	4G
C.122.170.0381.A	12.2	1.70	38.1	0.7733	20.40	22.94	yes	music wire	4E
C.122.170.0381.I	12.2	1.70	38.1	0.6642	20.40	22.94	yes	stainless steel	4F
C.122.170.0381.N	12.2	1.70	38.1	0.7733	20.40	22.94	yes	Zn coating	4H
C.122.170.0400.A	12.2	1.70	40.0	0.6743	22.78	25.69	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.170.0400.I	12.2	1.70	40.0	0.5792	22.78	25.69	yes	stainless steel	4F
C.122.170.0444.A	12.2	1.70	44.4	0.6683	22.95	25.89	yes	music wire	4F
C.122.170.0444.I	12.2	1.70	44.4	0.5814	22.78	25.69	yes	stainless steel	4F
C.122.170.0444.N	12.2	1.70	44.4	0.6683	22.95	25.89	yes	Zn coating	4H
C.122.170.0457.A	12.2	1.70	45.7	0.6597	23.12	26.09	yes	music wire	4F
C.122.170.0457.I	12.2	1.70	45.7	0.5740	22.95	25.89	yes	stainless steel	4F
C.122.170.0508.A	12.2	1.70	50.8	0.5814	25.67	29.04	yes	music wire	4F
C.122.170.0508.I	12.2	1.70	50.8	0.5000	25.67	29.04	yes	stainless steel	4F
C.122.170.0508.N	12.2	1.70	50.8	0.5814	25.67	29.04	yes	Zn coating	4H
C.122.170.0559.A	12.2	1.70	55.9	0.5133	28.56	32.38	yes	music wire	4F
C.122.170.0559.I	12.2	1.70	55.9	0.4466	28.22	31.99	yes	stainless steel	4F
C.122.170.0572.A	12.2	1.70	57.2	0.5199	28.22	31.99	yes	music wire	4F
C.122.170.0572.I	12.2	1.70	57.2	0.4523	28.05	31.79	yes	stainless steel	4F
C.122.170.0572.N	12.2	1.70	57.2	0.5199	28.22	31.99	yes	Zn coating	4H
C.122.170.0600.A	12.2	1.70	60.0	0.4349	32.98	37.50	yes	music wire	4F
C.122.170.0600.I	12.2	1.70	60.0	0.3736	32.98	37.50	yes	stainless steel	4F
C.122.170.0635.A	12.2	1.70	63.5	0.4658	31.11	35.33	yes	music wire	4F
C.122.170.0635.I	12.2	1.70	63.5	0.4000	31.11	35.33	yes	stainless steel	4G
C.122.170.0635.N	12.2	1.70	63.5	0.4658	31.11	35.33	yes	Zn coating	4H
C.122.170.0698.A	12.2	1.70	69.8	0.4250	33.66	38.28	yes	music wire	4I
C.122.170.0698.I	12.2	1.70	69.8	0.3655	33.66	38.28	yes	stainless steel	4G
C.122.170.0698.N	12.2	1.70	69.8	0.4250	33.66	38.28	yes	Zn coating	4J
C.122.170.0762.A	12.2	1.70	76.2	0.3885	36.38	41.43	yes	music wire	4I
C.122.170.0762.I	12.2	1.70	76.2	0.3337	36.38	41.43	yes	stainless steel	4G
C.122.170.0762.N	12.2	1.70	76.2	0.3885	36.38	41.43	yes	Zn coating	4J
C.122.170.0800.A	12.2	1.70	80.0	0.3224	43.01	49.10	yes	music wire	4F
C.122.170.0800.I	12.2	1.70	80.0	0.2769	43.01	49.10	yes	stainless steel	4G
C.122.170.1000.A	12.2	1.70	100.0	0.2561	53.04	60.71	yes	music wire	4G
C.122.170.1000.I	12.2	1.70	100.0	0.2200	53.04	60.71	yes	stainless steel	4G
C.122.170.2400.A	12.2	1.70	240.0	0.1046	123.76	142.55	yes	music wire	4I
C.122.170.2400.I	12.2	1.70	240.0	0.0898	123.76	142.55	yes	stainless steel	4I
C.122.180.0127.A	12.2	1.80	12.7	3.0474	10.08	10.92	yes	music wire	4F
C.122.180.0127.AP	12.2	1.80	12.7	4.3533	8.46	9.05	yes	music wire	4I
C.122.180.0127.I	12.2	1.80	12.7	2.6512	10.08	10.92	yes	stainless steel	4G
C.122.180.0190.A	12.2	1.80	19.0	1.9918	13.14	14.44	yes	music wire	4F
C.122.180.0190.AP	12.2	1.80	19.0	2.6604	10.98	12.30	yes	music wire	4I
C.122.180.0190.I	12.2	1.80	19.0	1.7107	13.14	14.44	yes	stainless steel	4G
C.122.180.0190.N	12.2	1.80	19.0	1.9918	13.14	14.44	yes	Zn coating	4I
C.122.180.0224.A	12.2	1.80	22.4	1.6503	14.94	16.51	yes	music wire	4G
C.122.180.0224.AP	12.2	1.80	22.4	2.1767	12.42	14.21	yes	music wire	4I
C.122.180.0224.I	12.2	1.80	22.4	1.4174	14.94	16.51	yes	stainless steel	4G
C.122.180.0224.N	12.2	1.80	22.4	1.6503	14.94	16.51	yes	Zn coating	4I
C.122.180.0305.A	12.2	1.80	30.5	1.1705	19.08	21.27	yes	music wire	4G
C.122.180.0305.AP	12.2	1.80	30.5	1.5447	15.66	18.96	yes	music wire	4I
C.122.180.0305.I	12.2	1.80	30.5	1.0183	18.90	21.06	yes	stainless steel	4G
C.122.180.0381.A	12.2	1.80	38.1	0.9789	21.96	24.58	yes	music wire	4G
C.122.180.0381.I	12.2	1.80	38.1	0.8408	21.96	24.58	yes	stainless steel	4G
C.122.180.0381.N	12.2	1.80	38.1	0.9789	21.96	24.58	yes	Zn coating	4I
C.122.180.0444.A	12.2	1.80	44.4	0.8440	24.84	27.89	yes	music wire	4G
C.122.180.0444.I	12.2	1.80	44.4	0.7343	24.48	27.48	yes	stainless steel	4G
C.122.180.0444.N	12.2	1.80	44.4	0.8440	24.84	27.89	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.180.0457.A	12.2	1.80	45.7	0.8332	25.02	28.10	yes	music wire	4G
C.122.180.0457.I	12.2	1.80	45.7	0.7249	24.84	27.89	yes	stainless steel	4G
C.122.180.0572.A	12.2	1.80	57.2	0.6532	30.78	34.72	yes	music wire	4G
C.122.180.0572.I	12.2	1.80	57.2	0.5683	30.42	34.31	yes	stainless steel	4G
C.122.180.0698.A	12.2	1.80	69.8	0.5398	36.18	40.93	yes	music wire	4I
C.122.180.0698.I	12.2	1.80	69.8	0.4636	36.18	40.93	yes	stainless steel	4I
C.122.180.0698.N	12.2	1.80	69.8	0.5398	36.18	40.93	yes	Zn coating	4J
C.122.180.0762.A	12.2	1.80	76.2	0.4960	39.06	44.25	yes	music wire	4I
C.122.180.0762.I	12.2	1.80	76.2	0.4260	39.06	44.25	yes	stainless steel	4I
C.122.180.0762.N	12.2	1.80	76.2	0.4960	39.06	44.25	yes	Zn coating	4J
C.122.180.0826.A	12.2	1.80	82.6	0.4530	42.30	47.97	yes	music wire	4I
C.122.180.0826.I	12.2	1.80	82.6	0.3941	41.76	47.35	yes	stainless steel	4I
C.122.180.0830.A	12.2	1.80	83.0	0.5100	37.98	48.06	yes	music wire	4I
C.122.180.0830.I	12.2	1.80	83.0	0.4437	37.62	47.85	yes	stainless steel	4I
C.122.180.0889.A	12.2	1.80	88.9	0.4242	44.82	50.87	yes	music wire	4I
C.122.180.0889.I	12.2	1.80	88.9	0.3644	44.82	50.87	yes	stainless steel	4I
C.122.180.0889.N	12.2	1.80	88.9	0.4242	44.82	50.87	yes	Zn coating	4J
C.122.180.1000.A	12.2	1.80	100.0	0.3256	57.06	64.95	yes	music wire	4G
C.122.180.1000.I	12.2	1.80	100.0	0.2797	57.06	64.95	yes	stainless steel	4H
C.122.180.1200.A	12.2	1.80	120.0	0.2701	67.86	77.37	yes	music wire	4H
C.122.180.1200.I	12.2	1.80	120.0	0.2320	67.86	77.37	yes	stainless steel	4H
C.122.180.1600.A	12.2	1.80	160.0	0.2010	89.64	102.42	yes	music wire	4I
C.122.180.1600.I	12.2	1.80	160.0	0.1726	89.64	102.42	yes	stainless steel	4I
C.122.180.2000.A	12.2	1.80	200.0	0.1601	111.42	127.47	yes	music wire	4I
C.122.180.2000.I	12.2	1.80	200.0	0.1375	111.42	127.47	yes	stainless steel	4I
C.122.180.3200.A	12.2	1.80	320.0	0.0993	176.76	202.61	yes	music wire	4I
C.122.180.3200.I	12.2	1.80	320.0	0.0853	176.76	202.61	yes	stainless steel	4I
C.122.190.0127.A	12.2	1.90	12.7	4.5353	9.88	10.62	yes	music wire	4F
C.122.190.0127.AP	12.2	1.90	12.7	5.5684	8.93	9.53	yes	music wire	4I
C.122.190.0127.I	12.2	1.90	12.7	3.8954	9.88	10.62	yes	stainless steel	4G
C.122.190.0127.N	12.2	1.90	12.7	4.5353	9.88	10.62	yes	Zn coating	4I
C.122.190.0157.A	12.2	1.90	15.7	3.3612	11.59	12.58	yes	music wire	4F
C.122.190.0157.AP	12.2	1.90	15.7	4.2243	10.26	11.05	yes	music wire	4I
C.122.190.0157.I	12.2	1.90	15.7	2.8869	11.59	12.58	yes	stainless steel	4G
C.122.190.0157.N	12.2	1.90	15.7	3.3612	11.59	12.58	yes	Zn coating	4I
C.122.190.0190.A	12.2	1.90	19.0	2.7508	13.11	14.31	yes	music wire	4F
C.122.190.0190.AP	12.2	1.90	19.0	3.3109	11.78	12.79	yes	music wire	4I
C.122.190.0190.I	12.2	1.90	19.0	2.3627	13.11	14.31	yes	stainless steel	4G
C.122.190.0190.N	12.2	1.90	19.0	2.7508	13.11	14.31	yes	Zn coating	4I
C.122.190.0200.A	12.2	1.90	20.0	2.4300	14.25	15.62	yes	music wire	4F
C.122.190.0200.I	12.2	1.90	20.0	2.0871	14.25	15.62	yes	stainless steel	4G
C.122.190.0224.A	12.2	1.90	22.4	2.2699	15.01	16.49	yes	music wire	4G
C.122.190.0224.I	12.2	1.90	22.4	1.9496	15.01	16.49	yes	stainless steel	4G
C.122.190.0224.N	12.2	1.90	22.4	2.2699	15.01	16.49	yes	Zn coating	4I
C.122.190.0254.A	12.2	1.90	25.4	1.9741	16.53	18.23	yes	music wire	4G
C.122.190.0254.I	12.2	1.90	25.4	1.7000	16.34	18.01	yes	stainless steel	4G
C.122.190.0254.N	12.2	1.90	25.4	1.9741	16.53	18.23	yes	Zn coating	4I
C.122.190.0305.A	12.2	1.90	30.5	1.5459	19.76	21.92	yes	music wire	4G
C.122.190.0305.AP	12.2	1.90	30.5	1.9141	16.72	19.71	yes	music wire	4I
C.122.190.0305.I	12.2	1.90	30.5	1.3450	19.57	21.71	yes	stainless steel	4G
C.122.190.0318.A	12.2	1.90	31.8	1.5659	19.57	21.71	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.190.0318.I	12.2	1.90	31.8	1.3623	19.38	21.49	yes	stainless steel	4G
C.122.190.0318.N	12.2	1.90	31.8	1.5659	19.57	21.71	yes	Zn coating	4I
C.122.190.0381.A	12.2	1.90	38.1	1.3000	22.42	24.97	yes	music wire	4G
C.122.190.0381.I	12.2	1.90	38.1	1.1145	22.61	25.18	yes	stainless steel	4G
C.122.190.0381.N	12.2	1.90	38.1	1.3000	22.42	24.97	yes	Zn coating	4I
C.122.190.0400.A	12.2	1.90	40.0	1.0946	25.84	28.88	yes	music wire	4G
C.122.190.0400.I	12.2	1.90	40.0	0.9401	25.84	28.88	yes	stainless steel	4G
C.122.190.0444.A	12.2	1.90	44.4	1.1078	25.65	28.66	yes	music wire	4I
C.122.190.0444.I	12.2	1.90	44.4	0.9638	25.27	28.23	yes	stainless steel	4I
C.122.190.0444.N	12.2	1.90	44.4	1.1078	25.65	28.66	yes	Zn coating	4J
C.122.190.0457.A	12.2	1.90	45.7	1.0931	25.84	28.88	yes	music wire	4I
C.122.190.0457.I	12.2	1.90	45.7	0.9510	25.65	28.66	yes	stainless steel	4I
C.122.190.0508.A	12.2	1.90	50.8	0.9665	28.69	32.14	yes	music wire	4I
C.122.190.0508.I	12.2	1.90	50.8	0.8301	28.69	32.14	yes	stainless steel	4I
C.122.190.0508.N	12.2	1.90	50.8	0.9665	28.69	32.14	yes	Zn coating	4J
C.122.190.0572.A	12.2	1.90	57.2	0.8571	31.73	35.62	yes	music wire	4I
C.122.190.0572.I	12.2	1.90	57.2	0.7362	31.73	35.62	yes	stainless steel	4I
C.122.190.0572.N	12.2	1.90	57.2	0.8571	31.73	35.62	yes	Zn coating	4J
C.122.190.0600.A	12.2	1.90	60.0	0.7064	37.43	42.14	yes	music wire	4G
C.122.190.0600.I	12.2	1.90	60.0	0.6067	37.43	42.14	yes	stainless steel	4G
C.122.190.0635.A	12.2	1.90	63.5	0.7765	34.39	38.66	yes	music wire	4I
C.122.190.0635.I	12.2	1.90	63.5	0.6670	34.39	38.66	yes	stainless steel	4I
C.122.190.0635.N	12.2	1.90	63.5	0.7765	34.39	38.66	yes	Zn coating	4J
C.122.190.0698.A	12.2	1.90	69.8	0.7043	37.62	42.36	yes	music wire	4I
C.122.190.0698.I	12.2	1.90	69.8	0.6049	37.62	42.36	yes	stainless steel	4I
C.122.190.0698.N	12.2	1.90	69.8	0.7043	37.62	42.36	yes	Zn coating	4J
C.122.190.0762.A	12.2	1.90	76.2	0.6444	40.66	45.83	yes	music wire	4I
C.122.190.0762.I	12.2	1.90	76.2	0.5535	40.66	45.83	yes	stainless steel	4I
C.122.190.0762.N	12.2	1.90	76.2	0.6444	40.66	45.83	yes	Zn coating	4J
C.122.190.0800.A	12.2	1.90	80.0	0.5192	49.21	55.62	yes	music wire	4G
C.122.190.0800.I	12.2	1.90	80.0	0.4460	49.21	55.62	yes	stainless steel	4G
C.122.190.0826.A	12.2	1.90	82.6	0.5939	43.70	49.31	yes	music wire	4I
C.122.190.0826.I	12.2	1.90	82.6	0.5101	43.70	49.31	yes	stainless steel	4I
C.122.190.0826.N	12.2	1.90	82.6	0.5939	43.70	49.31	yes	Zn coating	4J
C.122.190.0889.A	12.2	1.90	88.9	0.5540	46.36	52.36	yes	music wire	4I
C.122.190.0889.I	12.2	1.90	88.9	0.4759	46.36	52.36	yes	stainless steel	4I
C.122.190.0889.N	12.2	1.90	88.9	0.5540	46.36	52.36	yes	Zn coating	4J
C.122.190.1000.A	12.2	1.90	100.0	0.4119	60.80	68.88	yes	music wire	4G
C.122.190.1000.I	12.2	1.90	100.0	0.3537	60.80	68.88	yes	stainless steel	4H
C.122.190.1200.A	12.2	1.90	120.0	0.3413	72.39	82.14	yes	music wire	4H
C.122.190.1200.I	12.2	1.90	120.0	0.2931	72.39	82.14	yes	stainless steel	4H
C.122.190.1400.A	12.2	1.90	140.0	0.2914	83.98	95.40	yes	music wire	4H
C.122.190.1400.I	12.2	1.90	140.0	0.2503	83.98	95.40	yes	stainless steel	4I
C.122.190.2200.A	12.2	1.90	220.0	0.1835	130.53	148.65	yes	music wire	4I
C.122.190.2200.I	12.2	1.90	220.0	0.1576	130.53	148.65	yes	stainless steel	4I
C.122.210.0127.A	12.2	2.10	12.7	7.4070	10.71	11.45	yes	music wire	4G
C.122.210.0127.AP	12.2	2.10	12.7	8.8294	9.87	10.49	yes	music wire	4G
C.122.210.0127.I	12.2	2.10	12.7	6.3619	10.71	11.45	yes	stainless steel	4G
C.122.210.0127.N	12.2	2.10	12.7	7.4070	10.71	11.45	yes	Zn coating	4I
C.122.210.0157.A	12.2	2.10	15.7	5.3959	12.81	13.83	yes	music wire	4G
C.122.210.0157.AP	12.2	2.10	15.7	6.6982	11.34	12.16	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.210.0157.I	12.2	2.10	15.7	4.6345	12.81	13.83	yes	stainless steel	4G
C.122.210.0157.N	12.2	2.10	15.7	5.3959	12.81	13.83	yes	Zn coating	4I
C.122.210.0190.A	12.2	2.10	19.0	4.3601	14.49	15.73	yes	music wire	4G
C.122.210.0190.AP	12.2	2.10	19.0	5.1118	13.23	14.30	yes	music wire	4I
C.122.210.0190.I	12.2	2.10	19.0	3.7449	14.49	15.73	yes	stainless steel	4G
C.122.210.0190.N	12.2	2.10	19.0	4.3601	14.49	15.73	yes	Zn coating	4I
C.122.210.0224.A	12.2	2.10	22.4	3.6579	16.38	17.88	yes	music wire	4G
C.122.210.0224.I	12.2	2.10	22.4	3.1418	16.38	17.88	yes	stainless steel	4G
C.122.210.0224.N	12.2	2.10	22.4	3.6579	16.38	17.88	yes	Zn coating	4I
C.122.210.0254.A	12.2	2.10	25.4	3.1510	18.06	19.79	yes	music wire	4G
C.122.210.0254.I	12.2	2.10	25.4	2.7060	18.06	19.79	yes	stainless steel	4G
C.122.210.0254.N	12.2	2.10	25.4	3.1510	18.06	19.79	yes	Zn coating	4I
C.122.210.0305.A	12.2	2.10	30.5	2.4348	21.84	24.07	yes	music wire	4G
C.122.210.0305.AP	12.2	2.10	30.5	2.9431	18.90	21.31	yes	music wire	4I
C.122.210.0305.I	12.2	2.10	30.5	2.1183	21.63	23.84	yes	stainless steel	4G
C.122.210.0318.A	12.2	2.10	31.8	2.4663	21.63	23.84	yes	music wire	4G
C.122.210.0318.I	12.2	2.10	31.8	2.1457	21.42	23.60	yes	stainless steel	4G
C.122.210.0318.N	12.2	2.10	31.8	2.4663	21.63	23.84	yes	Zn coating	4I
C.122.210.0320.A	12.2	2.10	32.0	2.4138	22.05	24.31	yes	music wire	4G
C.122.210.0320.I	12.2	2.10	32.0	2.1000	21.84	24.07	yes	stainless steel	4G
C.122.210.0381.A	12.2	2.10	38.1	2.0524	24.99	27.65	yes	music wire	4G
C.122.210.0381.I	12.2	2.10	38.1	1.7628	24.99	27.65	yes	stainless steel	4G
C.122.210.0381.N	12.2	2.10	38.1	2.0524	24.99	27.65	yes	Zn coating	4I
C.122.210.0400.A	12.2	2.10	40.0	1.7324	28.56	31.70	yes	music wire	4G
C.122.210.0400.I	12.2	2.10	40.0	1.4880	28.56	31.70	yes	stainless steel	4G
C.122.210.0444.A	12.2	2.10	44.4	1.7575	28.14	31.22	yes	music wire	4I
C.122.210.0444.I	12.2	2.10	44.4	1.5290	27.93	30.98	yes	stainless steel	4I
C.122.210.0444.N	12.2	2.10	44.4	1.7575	28.14	31.22	yes	Zn coating	4J
C.122.210.0457.A	12.2	2.10	45.7	1.7350	28.56	31.70	yes	music wire	4I
C.122.210.0457.I	12.2	2.10	45.7	1.5095	28.14	31.22	yes	stainless steel	4I
C.122.210.0508.A	12.2	2.10	50.8	1.5367	31.50	35.04	yes	music wire	4I
C.122.210.0508.I	12.2	2.10	50.8	1.3198	31.50	35.04	yes	stainless steel	4I
C.122.210.0508.N	12.2	2.10	50.8	1.5367	31.50	35.04	yes	Zn coating	4J
C.122.210.0572.A	12.2	2.10	57.2	1.3651	34.86	38.85	yes	music wire	4I
C.122.210.0572.I	12.2	2.10	57.2	1.1730	34.86	38.85	yes	stainless steel	4I
C.122.210.0572.N	12.2	2.10	57.2	1.3651	34.86	38.85	yes	Zn coating	4J
C.122.210.0600.A	12.2	2.10	60.0	1.1116	41.58	46.47	yes	music wire	4G
C.122.210.0600.I	12.2	2.10	60.0	0.9547	41.58	46.47	yes	stainless steel	4G
C.122.210.0635.A	12.2	2.10	63.5	1.2186	38.43	42.90	yes	music wire	4I
C.122.210.0635.I	12.2	2.10	63.5	1.0467	38.43	42.90	yes	stainless steel	4I
C.122.210.0635.N	12.2	2.10	63.5	1.2186	38.43	42.90	yes	Zn coating	4J
C.122.210.0698.A	12.2	2.10	69.8	1.1160	41.37	46.24	yes	music wire	4I
C.122.210.0698.I	12.2	2.10	69.8	0.9585	41.37	46.24	yes	stainless steel	4I
C.122.210.0698.N	12.2	2.10	69.8	1.1160	41.37	46.24	yes	Zn coating	4J
C.122.210.0762.A	12.2	2.10	76.2	1.0161	44.94	50.29	yes	music wire	4I
C.122.210.0762.I	12.2	2.10	76.2	0.8728	44.94	50.29	yes	stainless steel	4I
C.122.210.0762.N	12.2	2.10	76.2	1.0161	44.94	50.29	yes	Zn coating	4J
C.122.210.0800.A	12.2	2.10	80.0	0.8183	54.60	61.25	yes	music wire	4G
C.122.210.0800.I	12.2	2.10	80.0	0.7028	54.60	61.25	yes	stainless steel	4H
C.122.210.0826.A	12.2	2.10	82.6	0.9382	48.30	54.10	yes	music wire	4I
C.122.210.0826.I	12.2	2.10	82.6	0.8058	48.30	54.10	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.122.210.0826.N	12.2	2.10	82.6	0.9382	48.30	54.10	yes	Zn coating	4J
C.122.210.0889.A	12.2	2.10	88.9	0.8713	51.66	57.91	yes	music wire	4I
C.122.210.0889.I	12.2	2.10	88.9	0.7500	51.45	57.67	yes	stainless steel	4I
C.122.210.0889.N	12.2	2.10	88.9	0.8713	51.66	57.91	yes	Zn coating	4J
C.122.210.1000.A	12.2	2.10	100.0	0.6475	67.62	76.02	yes	music wire	4G
C.122.210.1000.I	12.2	2.10	100.0	0.5561	67.62	76.02	yes	stainless steel	4H
C.122.210.1200.A	12.2	2.10	120.0	0.5357	80.64	90.79	yes	music wire	4H
C.122.210.1200.I	12.2	2.10	120.0	0.4601	80.64	90.79	yes	stainless steel	4I
C.122.210.1600.A	12.2	2.10	160.0	0.3990	106.47	120.10	yes	music wire	4I
C.122.210.1600.I	12.2	2.10	160.0	0.3427	106.47	120.10	yes	stainless steel	4I
C.122.210.2000.A	12.2	2.10	200.0	0.3173	132.51	149.65	yes	music wire	4I
C.122.210.2000.I	12.2	2.10	200.0	0.2726	132.51	149.65	yes	stainless steel	4I
C.122.210.3200.A	12.2	2.10	320.0	0.1968	210.42	238.06	yes	music wire	4I
C.122.210.3200.I	12.2	2.10	320.0	0.1691	210.42	238.06	yes	stainless steel	4I
C.122.235.0450.A	12.2	2.35	45.0	2.9774	31.49	34.73	yes	music wire	4I
C.122.235.0450.I	12.2	2.35	45.0	2.5903	31.26	34.47	yes	stainless steel	4I
C.122.235.0500.A	12.2	2.35	50.0	2.4518	37.13	41.08	yes	music wire	4G
C.122.235.0500.I	12.2	2.35	50.0	2.1330	36.66	40.55	yes	stainless steel	4G
C.122.235.1000.A	12.2	2.35	100.0	1.1096	74.73	83.43	yes	music wire	4H
C.122.235.1000.I	12.2	2.35	100.0	0.9530	74.73	83.43	yes	stainless steel	4H
C.122.235.1520.A	12.2	2.35	152.0	0.7885	102.70	114.93	yes	music wire	4J
C.122.235.1520.I	12.2	2.35	152.0	0.6860	101.52	113.61	yes	stainless steel	4J
C.123.050.0127.A	12.3	0.50	12.7	0.0207	2.70	3.59	no	music wire	4B
C.123.050.0127.I	12.3	0.50	12.7	0.0180	2.65	3.49	no	stainless steel	4C
C.123.050.0220.A	12.3	0.50	22.0	0.0050	5.65	9.30	no	music wire	4B
C.123.050.0220.I	12.3	0.50	22.0	0.0044	5.60	9.20	no	stainless steel	4C
C.123.060.0191.A	12.3	0.60	19.1	0.0287	3.24	4.41	yes	music wire	4C
C.123.060.0191.I	12.3	0.60	19.1	0.0250	3.18	4.31	yes	stainless steel	4C
C.123.060.0220.A	12.3	0.60	22.0	0.0057	10.08	15.83	yes	music wire	4C
C.123.060.0220.I	12.3	0.60	22.0	0.0050	10.02	15.73	yes	stainless steel	4C
C.123.060.0290.A	12.3	0.60	29.0	0.0207	3.90	5.51	yes	music wire	4C
C.123.060.0290.I	12.3	0.60	29.0	0.0180	3.84	5.41	yes	stainless steel	4C
C.123.070.0191.A	12.3	0.70	19.1	0.0402	4.48	5.88	yes	music wire	4C
C.123.070.0191.I	12.3	0.70	19.1	0.0350	4.41	5.77	yes	stainless steel	4C
C.123.070.0200.A	12.3	0.70	20.0	0.0560	3.71	4.71	yes	music wire	4C
C.123.070.0200.I	12.3	0.70	20.0	0.0487	3.71	4.71	yes	stainless steel	4C
C.123.070.0300.A	12.3	0.70	30.0	0.0345	4.90	6.51	yes	music wire	4C
C.123.070.0300.I	12.3	0.70	30.0	0.0300	4.90	6.51	yes	stainless steel	4C
C.123.070.0390.A	12.3	0.70	39.0	0.0090	13.93	20.17	yes	music wire	4C
C.123.070.0390.I	12.3	0.70	39.0	0.0078	13.79	19.95	yes	stainless steel	4D
C.123.080.0151.A	12.3	0.80	15.1	0.0570	5.84	7.41	yes	music wire	4C
C.123.080.0151.I	12.3	0.80	15.1	0.0496	5.84	7.41	yes	stainless steel	4C
C.123.080.0159.A	12.3	0.80	15.9	0.0782	4.80	5.95	yes	music wire	4C
C.123.080.0159.I	12.3	0.80	15.9	0.0680	4.80	5.95	yes	stainless steel	4C
C.123.080.0230.A	12.3	0.80	23.0	0.0720	5.04	6.29	yes	music wire	4C
C.123.080.0230.I	12.3	0.80	23.0	0.0626	5.04	6.29	yes	stainless steel	4C
C.123.080.0310.A	12.3	0.80	31.0	0.0586	5.76	7.30	yes	music wire	4C
C.123.080.0310.I	12.3	0.80	31.0	0.0510	5.68	7.19	yes	stainless steel	4D
C.123.080.0350.A	12.3	0.80	35.0	0.0500	6.40	8.20	yes	music wire	4C
C.123.080.0350.I	12.3	0.80	35.0	0.0435	6.32	8.09	yes	stainless steel	4D
C.123.080.0480.A	12.3	0.80	48.0	0.0241	11.12	14.86	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.123.080.0480.I	12.3	0.80	48.0	0.0210	10.96	14.63	yes	stainless steel	4D
C.123.080.3050.A	12.3	0.80	305.0	0.0023	97.44	136.57	yes	music wire	4G
C.123.080.3050.I	12.3	0.80	305.0	0.0020	96.24	134.87	yes	stainless steel	4H
C.123.090.0095.A	12.3	0.90	9.5	0.2069	4.23	4.90	yes	music wire	4C
C.123.090.0095.AP	12.3	0.90	9.5	0.4098	3.24	3.58	yes	music wire	4C
C.123.090.0095.I	12.3	0.90	9.5	0.1800	4.23	4.90	yes	stainless steel	4C
C.123.090.0123.A	12.3	0.90	12.3	0.1839	4.50	5.27	yes	music wire	4C
C.123.090.0123.I	12.3	0.90	12.3	0.1600	4.41	5.15	yes	stainless steel	4C
C.123.090.0143.A	12.3	0.90	14.3	0.0966	6.48	7.92	yes	music wire	4C
C.123.090.0143.I	12.3	0.90	14.3	0.0840	6.39	7.80	yes	stainless steel	4C
C.123.090.0182.A	12.3	0.90	18.2	0.1046	6.12	7.44	yes	music wire	4C
C.123.090.0182.I	12.3	0.90	18.2	0.0910	6.12	7.44	yes	stainless steel	4C
C.123.090.0210.A	12.3	0.90	21.0	0.1264	5.49	6.59	yes	music wire	4C
C.123.090.0210.I	12.3	0.90	21.0	0.1100	5.40	6.47	yes	stainless steel	4C
C.123.090.0350.A	12.3	0.90	35.0	0.0820	7.20	8.89	yes	music wire	4C
C.123.090.0350.I	12.3	0.90	35.0	0.0704	7.20	8.89	yes	stainless steel	4D
C.123.090.0350.N	12.3	0.90	35.0	0.0820	7.20	8.89	yes	Zn coating	4E
C.123.090.0380.A	12.3	0.90	38.0	0.0264	17.64	22.88	yes	music wire	4C
C.123.090.0380.I	12.3	0.90	38.0	0.0230	17.37	22.52	yes	stainless steel	4D
C.123.100.0087.A	12.3	1.00	8.7	0.7471	3.40	4.06	yes	music wire	4E
C.123.100.0087.I	12.3	1.00	8.7	0.6500	3.40	4.11	yes	stainless steel	4F
C.123.100.0143.A	12.3	1.00	14.3	0.3218	4.70	5.34	yes	music wire	4C
C.123.100.0143.I	12.3	1.00	14.3	0.2800	4.70	5.34	yes	stainless steel	4C
C.123.110.0143.A	12.3	1.10	14.3	0.4138	5.61	6.34	yes	music wire	4C
C.123.110.0143.AP	12.3	1.10	14.3	0.5904	4.73	6.64	yes	music wire	4F
C.123.110.0143.I	12.3	1.10	14.3	0.3600	5.50	6.20	yes	stainless steel	4D
C.123.110.0240.A	12.3	1.10	24.0	0.3103	6.49	9.42	yes	music wire	4F
C.123.110.0240.I	12.3	1.10	24.0	0.2700	6.49	9.54	yes	stainless steel	4G
C.123.110.0280.A	12.3	1.10	28.0	0.1800	9.24	10.90	yes	music wire	4C
C.123.110.0280.AP	12.3	1.10	28.0	0.2872	6.82	12.25	yes	music wire	4F
C.123.110.0280.I	12.3	1.10	28.0	0.1566	9.13	10.76	yes	stainless steel	4D
C.123.120.0280.A	12.3	1.20	28.0	0.3218	8.76	10.08	yes	music wire	4F
C.123.120.0280.I	12.3	1.20	28.0	0.2800	8.64	10.18	yes	stainless steel	4G
C.123.130.0064.A	12.3	1.30	6.4	1.9540	4.68	4.98	yes	music wire	4C
C.123.130.0064.I	12.3	1.30	6.4	1.7000	4.68	4.98	yes	stainless steel	4D
C.123.130.0103.A	12.3	1.30	10.3	1.9540	4.68	6.61	yes	music wire	4I
C.123.130.0103.I	12.3	1.30	10.3	1.7000	4.68	6.62	yes	stainless steel	4I
C.123.140.0064.A	12.3	1.40	6.4	2.6437	5.04	5.33	yes	music wire	4E
C.123.140.0064.I	12.3	1.40	6.4	2.3000	5.04	5.33	yes	stainless steel	4E
C.123.140.0103.A	12.3	1.40	10.3	1.8000	5.88	6.33	yes	music wire	4E
C.123.140.0103.I	12.3	1.40	10.3	1.5660	5.88	6.33	yes	stainless steel	4E
C.123.150.0103.A	12.3	1.50	10.3	2.9000	5.85	6.60	yes	music wire	4H
C.123.150.0103.I	12.3	1.50	10.3	2.5230	5.85	6.60	yes	stainless steel	4I
C.123.150.0370.A	12.3	1.50	37.0	0.5862	14.25	18.71	yes	music wire	4I
C.123.150.0370.I	12.3	1.50	37.0	0.5100	14.10	18.71	yes	stainless steel	4I
C.123.160.0087.A	12.3	1.60	8.7	3.3333	6.56	6.99	yes	music wire	4E
C.123.160.0087.I	12.3	1.60	8.7	2.9000	6.56	6.99	yes	stainless steel	4E
C.123.170.0240.A	12.3	1.70	24.0	1.2000	14.45	16.06	yes	music wire	4E
C.123.170.0240.AP	12.3	1.70	24.0	1.5978	11.90	14.53	yes	music wire	4I
C.123.170.0240.I	12.3	1.70	24.0	1.0440	14.28	15.87	yes	stainless steel	4F
C.123.180.0410.A	12.3	1.80	41.0	1.0230	20.70	23.71	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.123.180.0410.I	12.3	1.80	41.0	0.8900	20.52	23.61	yes	stainless steel	4I
C.123.180.0430.A	12.3	1.80	43.0	0.9425	22.14	24.80	yes	music wire	4I
C.123.180.0430.I	12.3	1.80	43.0	0.8200	21.96	24.60	yes	stainless steel	4I
C.123.190.0350.A	12.3	1.90	35.0	1.2000	23.37	26.07	yes	music wire	4G
C.123.190.0350.AP	12.3	1.90	35.0	1.6302	18.43	22.43	yes	music wire	4I
C.123.190.0350.I	12.3	1.90	35.0	1.0440	23.18	25.85	yes	stainless steel	4G
C.123.200.0250.A	12.3	2.00	25.0	2.7121	16.00	17.54	yes	music wire	4I
C.123.200.0250.I	12.3	2.00	25.0	2.3595	15.80	17.31	yes	stainless steel	4I
C.123.200.0250.N	12.3	2.00	25.0	2.7121	16.00	17.54	yes	Zn coating	4J
C.123.200.0320.A	12.3	2.00	32.0	1.9889	20.00	22.10	yes	music wire	4I
C.123.200.0320.I	12.3	2.00	32.0	1.7303	19.80	21.87	yes	stainless steel	4I
C.123.200.0320.N	12.3	2.00	32.0	1.9889	20.00	22.10	yes	Zn coating	4J
C.123.200.0380.A	12.3	2.00	38.0	1.5702	24.00	26.66	yes	music wire	4G
C.123.200.0380.I	12.3	2.00	38.0	1.3486	24.00	26.66	yes	stainless steel	4G
C.123.200.0380.N	12.3	2.00	38.0	1.5702	24.00	26.66	yes	Zn coating	4I
C.123.200.0440.A	12.3	2.00	44.0	1.3561	27.00	30.08	yes	music wire	4G
C.123.200.0440.I	12.3	2.00	44.0	1.1647	27.00	30.08	yes	stainless steel	4G
C.123.200.0440.N	12.3	2.00	44.0	1.3561	27.00	30.08	yes	Zn coating	4I
C.123.200.0510.A	12.3	2.00	51.0	1.1049	32.00	35.77	yes	music wire	4G
C.123.200.0510.I	12.3	2.00	51.0	0.9490	32.00	35.77	yes	stainless steel	4G
C.123.200.0510.N	12.3	2.00	51.0	1.1049	32.00	35.77	yes	Zn coating	4I
C.123.200.0640.A	12.3	2.00	64.0	0.8287	41.00	46.03	yes	music wire	4G
C.123.200.0640.AP	12.3	2.00	64.0	1.0454	33.60	41.47	yes	music wire	4I
C.123.200.0640.I	12.3	2.00	64.0	0.7118	41.00	46.03	yes	stainless steel	4G
C.123.200.0640.N	12.3	2.00	64.0	0.8287	41.00	46.03	yes	Zn coating	4I
C.123.200.0760.A	12.3	2.00	76.0	0.7103	47.00	52.87	yes	music wire	4G
C.123.200.0760.AP	12.3	2.00	76.0	0.8702	39.20	48.93	yes	music wire	4I
C.123.200.0760.I	12.3	2.00	76.0	0.6101	47.00	52.87	yes	stainless steel	4H
C.123.200.0760.N	12.3	2.00	76.0	0.7103	47.00	52.87	yes	Zn coating	4I
C.123.220.0250.A	12.3	2.20	25.0	3.8605	18.70	20.44	yes	music wire	4G
C.123.220.0250.I	12.3	2.20	25.0	3.3158	18.70	20.44	yes	stainless steel	4G
C.123.220.0250.N	12.3	2.20	25.0	3.8605	18.70	20.44	yes	Zn coating	4I
C.123.220.0320.A	12.3	2.20	32.0	3.3090	20.90	22.93	yes	music wire	4I
C.123.220.0320.I	12.3	2.20	32.0	2.8421	20.90	22.93	yes	stainless steel	4I
C.123.220.0320.N	12.3	2.20	32.0	3.3090	20.90	22.93	yes	Zn coating	4J
C.123.220.0380.A	12.3	2.20	38.0	2.4382	26.40	29.15	yes	music wire	4G
C.123.220.0380.I	12.3	2.20	38.0	2.1000	26.40	29.15	yes	stainless steel	4G
C.123.220.0380.N	12.3	2.20	38.0	2.4382	26.40	29.15	yes	Zn coating	4I
C.123.220.0440.A	12.3	2.20	44.0	2.1000	29.70	32.89	yes	music wire	4G
C.123.220.0440.I	12.3	2.20	44.0	1.8086	29.70	32.89	yes	stainless steel	4G
C.123.220.0440.N	12.3	2.20	44.0	2.1000	29.70	32.89	yes	Zn coating	4I
C.123.220.0510.A	12.3	2.20	51.0	1.7818	34.10	37.86	yes	music wire	4G
C.123.220.0510.I	12.3	2.20	51.0	1.5304	34.10	37.86	yes	stainless steel	4G
C.123.220.0510.N	12.3	2.20	51.0	1.7818	34.10	37.86	yes	Zn coating	4I
C.123.220.0640.A	12.3	2.20	64.0	1.4000	41.80	46.58	yes	music wire	4I
C.123.220.0640.I	12.3	2.20	64.0	1.2057	41.80	46.58	yes	stainless steel	4H
C.123.220.0640.N	12.3	2.20	64.0	1.4000	41.80	46.58	yes	Zn coating	4J
C.123.220.0760.A	12.3	2.20	76.0	1.1299	50.60	56.54	yes	music wire	4G
C.123.220.0760.I	12.3	2.20	76.0	0.9705	50.60	56.54	yes	stainless steel	4H
C.123.220.0760.N	12.3	2.20	76.0	1.1299	50.60	56.54	yes	Zn coating	4I
C.123.230.0182.A	12.3	2.30	18.2	7.7011	14.26	15.35	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.123.230.0182.I	12.3	2.30	18.2	6.7000	14.26	15.35	yes	stainless steel	4G
C.123.230.0220.A	12.3	2.30	22.0	5.4023	17.94	19.50	yes	music wire	4G
C.123.230.0220.AP	12.3	2.30	22.0	6.4111	15.87	17.17	yes	music wire	4I
C.123.230.0220.I	12.3	2.30	22.0	4.7000	17.71	19.25	yes	stainless steel	4G
C.123.250.0270.A	12.3	2.50	27.0	8.3010	19.00	21.85	yes	music wire	4J
C.123.250.0270.I	12.3	2.50	27.0	7.2219	18.75	21.76	yes	stainless steel	4J
C.123.250.0270.N	12.3	2.50	27.0	8.3010	19.00	21.85	yes	Zn coating	4L
C.123.260.0250.A	12.3	2.60	25.0	8.8506	21.58	23.40	yes	music wire	4G
C.123.260.0250.I	12.3	2.60	25.0	7.7000	21.32	23.11	yes	stainless steel	4G
C.123.280.0430.A	12.3	2.80	43.0	6.4000	38.92	42.66	yes	music wire	4I
C.123.280.0430.AP	12.3	2.80	43.0	7.5760	33.88	37.03	yes	music wire	4J
C.123.280.0430.I	12.3	2.80	43.0	5.5680	38.64	42.35	yes	stainless steel	4I
C.124.100.0160.A	12.4	1.00	16.0	0.2540	5.20	6.00	yes	music wire	4C
C.124.100.0200.A	12.4	1.00	20.0	0.2000	5.90	6.90	yes	music wire	4C
C.124.100.0250.A	12.4	1.00	25.0	0.1600	6.80	8.07	yes	music wire	4C
C.124.100.0320.A	12.4	1.00	32.0	0.1280	7.90	9.49	yes	music wire	4C
C.124.100.0400.A	12.4	1.00	40.0	0.1000	9.40	11.44	yes	music wire	4C
C.124.100.0500.A	12.4	1.00	50.0	0.0800	11.10	13.64	yes	music wire	4C
C.124.100.0630.A	12.4	1.00	63.0	0.0640	13.20	16.36	yes	music wire	4C
C.124.100.0800.A	12.4	1.00	80.0	0.0500	16.30	20.37	yes	music wire	4C
C.124.100.1000.A	12.4	1.00	100.0	0.0400	19.70	24.77	yes	music wire	4D
C.124.100.1250.A	12.4	1.00	125.0	0.0317	24.20	30.60	yes	music wire	4E
C.124.100.1250.I	12.4	1.00	125.0	0.0276	23.90	30.21	yes	stainless steel	4E
C.124.100.1250.N	12.4	1.00	125.0	0.0317	24.20	30.60	yes	Zn coating	4G
C.124.100.1600.A	12.4	1.00	160.0	0.0250	30.00	38.11	yes	music wire	4E
C.124.100.1600.I	12.4	1.00	160.0	0.0218	29.70	37.72	yes	stainless steel	4F
C.124.100.1600.N	12.4	1.00	160.0	0.0250	30.00	38.11	yes	Zn coating	4G
C.124.100.2000.A	12.4	1.00	200.0	0.0200	36.90	47.05	yes	music wire	4E
C.124.235.0250.A	12.4	2.35	25.0	5.5652	18.80	20.45	yes	music wire	4G
C.124.235.0250.I	12.4	2.35	25.0	4.7799	18.80	20.45	yes	stainless steel	4G
C.124.235.0250.N	12.4	2.35	25.0	5.5652	18.80	20.45	yes	Zn coating	4I
C.124.235.0320.A	12.4	2.35	32.0	4.3726	22.33	24.43	yes	music wire	4I
C.124.235.0320.I	12.4	2.35	32.0	3.7556	22.33	24.43	yes	stainless steel	4I
C.124.235.0320.N	12.4	2.35	32.0	4.3726	22.33	24.43	yes	Zn coating	4J
C.124.235.0380.A	12.4	2.35	38.0	3.6010	25.85	28.40	yes	music wire	4I
C.124.235.0380.I	12.4	2.35	38.0	3.0929	25.85	28.40	yes	stainless steel	4I
C.124.235.0380.N	12.4	2.35	38.0	3.6010	25.85	28.40	yes	Zn coating	4J
C.124.235.0440.A	12.4	2.35	44.0	3.0608	29.38	32.37	yes	music wire	4I
C.124.235.0440.I	12.4	2.35	44.0	2.6289	29.38	32.37	yes	stainless steel	4I
C.124.235.0440.N	12.4	2.35	44.0	3.0608	29.38	32.37	yes	Zn coating	4J
C.124.235.0510.A	12.4	2.35	51.0	2.6616	32.90	37.45	yes	music wire	4I
C.124.235.0510.I	12.4	2.35	51.0	2.2860	32.90	37.08	yes	stainless steel	4I
C.124.235.0510.N	12.4	2.35	51.0	2.6616	32.90	37.45	yes	Zn coating	4J
C.124.235.0640.A	12.4	2.35	64.0	2.3545	36.43	48.69	yes	music wire	4J
C.124.235.0640.I	12.4	2.35	64.0	2.0223	36.43	48.26	yes	stainless steel	4K
C.124.235.0640.N	12.4	2.35	64.0	2.3545	36.43	48.69	yes	Zn coating	4M
C.124.235.0760.A	12.4	2.35	76.0	1.8000	45.83	55.97	yes	music wire	4K
C.124.235.0760.I	12.4	2.35	76.0	1.5464	45.83	55.42	yes	stainless steel	4K
C.124.235.0760.N	12.4	2.35	76.0	1.8000	45.83	55.97	yes	Zn coating	4M
C.125.090.0125.A	12.5	0.90	12.5	0.2200	3.96	4.56	yes	music wire	4C
C.125.090.0125.I	12.5	0.90	12.5	0.1914	3.96	4.56	yes	stainless steel	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.125.090.0125.N	12.5	0.90	12.5	0.2200	3.96	4.56	yes	Zn coating	4E
C.125.090.0160.A	12.5	0.90	16.0	0.1650	4.59	5.41	yes	music wire	4C
C.125.090.0160.I	12.5	0.90	16.0	0.1436	4.59	5.41	yes	stainless steel	4C
C.125.090.0160.N	12.5	0.90	16.0	0.1650	4.59	5.41	yes	Zn coating	4E
C.125.090.0200.A	12.5	0.90	20.0	0.1320	5.13	6.14	yes	music wire	4C
C.125.090.0200.I	12.5	0.90	20.0	0.1148	5.13	6.14	yes	stainless steel	4C
C.125.090.0200.N	12.5	0.90	20.0	0.1320	5.13	6.14	yes	Zn coating	4E
C.125.090.0250.A	12.5	0.90	25.0	0.1030	6.03	7.35	yes	music wire	4C
C.125.090.0250.I	12.5	0.90	25.0	0.0896	5.94	7.23	yes	stainless steel	4D
C.125.090.0250.N	12.5	0.90	25.0	0.1030	6.03	7.35	yes	Zn coating	4E
C.125.090.0320.A	12.5	0.90	32.0	0.0780	7.20	8.93	yes	music wire	4C
C.125.090.0320.I	12.5	0.90	32.0	0.0679	7.11	8.81	yes	stainless steel	4D
C.125.090.0320.N	12.5	0.90	32.0	0.0780	7.20	8.93	yes	Zn coating	4E
C.125.090.0400.A	12.5	0.90	40.0	0.0630	8.37	10.51	yes	music wire	4C
C.125.090.0400.I	12.5	0.90	40.0	0.0548	8.28	10.39	yes	stainless steel	4D
C.125.090.0400.N	12.5	0.90	40.0	0.0630	8.37	10.51	yes	Zn coating	4E
C.125.090.0500.A	12.5	0.90	50.0	0.0500	9.99	12.69	yes	music wire	4D
C.125.090.0500.I	12.5	0.90	50.0	0.0435	9.90	12.57	yes	stainless steel	4D
C.125.090.0500.N	12.5	0.90	50.0	0.0500	9.99	12.69	yes	Zn coating	4E
C.125.090.0630.A	12.5	0.90	63.0	0.0390	12.15	15.61	yes	music wire	4D
C.125.090.0630.I	12.5	0.90	63.0	0.0339	11.97	15.36	yes	stainless steel	4D
C.125.090.0630.N	12.5	0.90	63.0	0.0390	12.15	15.61	yes	Zn coating	4F
C.125.090.0800.A	12.5	0.90	80.0	0.0310	14.67	19.01	yes	music wire	4D
C.125.090.0800.I	12.5	0.90	80.0	0.0270	14.49	18.76	yes	stainless steel	4E
C.125.090.0800.N	12.5	0.90	80.0	0.0310	14.67	19.01	yes	Zn coating	4F
C.125.090.1000.A	12.5	0.90	100.0	0.0250	17.64	23.01	yes	music wire	4E
C.125.090.1000.I	12.5	0.90	100.0	0.0218	17.46	22.77	yes	stainless steel	4E
C.125.090.1000.N	12.5	0.90	100.0	0.0250	17.64	23.01	yes	Zn coating	4G
C.125.090.3600.A	12.5	0.90	360.0	0.0070	58.23	77.46	no	music wire	4I
C.125.090.3600.I	12.5	0.90	360.0	0.0061	57.42	76.37	no	stainless steel	4I
C.125.100.0125.A	12.5	1.00	12.5	0.3220	4.60	5.23	yes	music wire	4C
C.125.100.0125.AP	12.5	1.00	12.5	0.4785	3.90	5.37	yes	music wire	4F
C.125.100.0125.I	12.5	1.00	12.5	0.2801	4.60	5.23	yes	stainless steel	4C
C.125.100.0125.N	12.5	1.00	12.5	0.3220	4.60	5.23	yes	Zn coating	4E
C.125.100.0160.A	12.5	1.00	16.0	0.2450	5.20	6.01	yes	music wire	4C
C.125.100.0160.AP	12.5	1.00	16.0	0.3721	4.30	6.83	yes	music wire	4F
C.125.100.0160.I	12.5	1.00	16.0	0.2132	5.20	6.01	yes	stainless steel	4C
C.125.100.0160.N	12.5	1.00	16.0	0.2450	5.20	6.01	yes	Zn coating	4E
C.125.100.0200.A	12.5	1.00	20.0	0.1910	6.00	7.04	yes	music wire	4C
C.125.100.0200.AP	12.5	1.00	20.0	0.2912	4.80	8.29	yes	music wire	4F
C.125.100.0200.I	12.5	1.00	20.0	0.1662	6.00	7.04	yes	stainless steel	4D
C.125.100.0200.N	12.5	1.00	20.0	0.1910	6.00	7.04	yes	Zn coating	4E
C.125.100.0210.A	12.5	1.00	21.0	0.1914	6.00	7.04	yes	music wire	4C
C.125.100.0210.AP	12.5	1.00	21.0	0.2791	4.90	8.78	yes	music wire	4F
C.125.100.0210.I	12.5	1.00	21.0	0.1644	6.00	7.04	yes	stainless steel	4D
C.125.100.0210.N	12.5	1.00	21.0	0.1914	6.00	7.04	yes	Zn coating	4E
C.125.100.0250.A	12.5	1.00	25.0	0.1520	6.90	8.21	yes	music wire	4C
C.125.100.0250.AP	12.5	1.00	25.0	0.2310	5.40	10.23	yes	music wire	4F
C.125.100.0250.I	12.5	1.00	25.0	0.1322	6.90	8.21	yes	stainless steel	4D
C.125.100.0250.N	12.5	1.00	25.0	0.1520	6.90	8.21	yes	Zn coating	4E
C.125.100.0320.A	12.5	1.00	32.0	0.1150	8.30	10.03	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.125.100.0320.AP	12.5	1.00	32.0	0.1763	6.30	12.65	yes	music wire	4F
C.125.100.0320.I	12.5	1.00	32.0	0.1000	8.30	10.03	yes	stainless steel	4D
C.125.100.0320.N	12.5	1.00	32.0	0.1150	8.30	10.03	yes	Zn coating	4E
C.125.100.0400.A	12.5	1.00	40.0	0.0900	9.90	12.11	yes	music wire	4C
C.125.100.0400.I	12.5	1.00	40.0	0.0783	9.80	11.98	yes	stainless steel	4D
C.125.100.0400.N	12.5	1.00	40.0	0.0900	9.90	12.11	yes	Zn coating	4E
C.125.100.0480.A	12.5	1.00	48.0	0.0788	11.00	13.54	yes	music wire	4D
C.125.100.0480.I	12.5	1.00	48.0	0.0677	11.00	13.54	yes	stainless steel	4D
C.125.100.0480.N	12.5	1.00	48.0	0.0788	11.00	13.54	yes	Zn coating	4E
C.125.100.0500.A	12.5	1.00	50.0	0.0730	11.70	14.45	yes	music wire	4D
C.125.100.0500.AP	12.5	1.00	50.0	0.1116	8.50	19.45	yes	music wire	4G
C.125.100.0500.I	12.5	1.00	50.0	0.0635	11.60	14.32	yes	stainless steel	4D
C.125.100.0500.N	12.5	1.00	50.0	0.0730	11.70	14.45	yes	Zn coating	4E
C.125.100.0630.A	12.5	1.00	63.0	0.0570	14.30	17.82	yes	music wire	4D
C.125.100.0630.AP	12.5	1.00	63.0	0.0881	10.10	24.30	yes	music wire	4G
C.125.100.0630.I	12.5	1.00	63.0	0.0496	14.10	17.56	yes	stainless steel	4E
C.125.100.0630.N	12.5	1.00	63.0	0.0570	14.30	17.82	yes	Zn coating	4F
C.125.100.0770.A	12.5	1.00	77.0	0.0496	16.00	20.03	yes	music wire	4D
C.125.100.0770.AP	12.5	1.00	77.0	0.0720	11.80	29.64	yes	music wire	4G
C.125.100.0770.I	12.5	1.00	77.0	0.0426	16.00	20.03	yes	stainless steel	4E
C.125.100.0770.N	12.5	1.00	77.0	0.0496	16.00	20.03	yes	Zn coating	4F
C.125.100.0800.A	12.5	1.00	80.0	0.0440	17.70	22.24	yes	music wire	4D
C.125.100.0800.AP	12.5	1.00	80.0	0.0691	12.20	30.61	yes	music wire	4G
C.125.100.0800.I	12.5	1.00	80.0	0.0383	17.50	21.98	yes	stainless steel	4E
C.125.100.0800.N	12.5	1.00	80.0	0.0440	17.70	22.24	yes	Zn coating	4F
C.125.100.1000.A	12.5	1.00	100.0	0.0360	21.10	26.65	yes	music wire	4E
C.125.100.1000.I	12.5	1.00	100.0	0.0313	20.90	26.39	yes	stainless steel	4E
C.125.100.1000.N	12.5	1.00	100.0	0.0360	21.10	26.65	yes	Zn coating	4G
C.125.100.3600.A	12.5	1.00	360.0	0.0100	70.50	90.49	no	music wire	4I
C.125.100.3600.I	12.5	1.00	360.0	0.0087	69.60	89.32	no	stainless steel	4I
C.125.110.0125.A	12.5	1.10	12.5	0.4560	5.17	5.80	yes	music wire	4C
C.125.110.0125.AP	12.5	1.10	12.5	0.6718	4.40	5.87	yes	music wire	4F
C.125.110.0125.I	12.5	1.10	12.5	0.3967	5.17	5.80	yes	stainless steel	4D
C.125.110.0125.N	12.5	1.10	12.5	0.4560	5.17	5.80	yes	Zn coating	4E
C.125.110.0160.A	12.5	1.10	16.0	0.3520	5.94	6.77	yes	music wire	4C
C.125.110.0160.AP	12.5	1.10	16.0	0.5038	4.95	7.16	yes	music wire	4F
C.125.110.0160.I	12.5	1.10	16.0	0.3062	5.83	6.63	yes	stainless steel	4D
C.125.110.0160.N	12.5	1.10	16.0	0.3520	5.94	6.77	yes	Zn coating	4E
C.125.110.0200.A	12.5	1.10	20.0	0.2670	6.93	8.02	yes	music wire	4C
C.125.110.0200.AP	12.5	1.10	20.0	0.4031	5.50	8.95	yes	music wire	4F
C.125.110.0200.I	12.5	1.10	20.0	0.2323	6.82	7.88	yes	stainless steel	4D
C.125.110.0200.N	12.5	1.10	20.0	0.2670	6.93	8.02	yes	Zn coating	4E
C.125.110.0250.A	12.5	1.10	25.0	0.2090	8.03	9.41	yes	music wire	4C
C.125.110.0250.AP	12.5	1.10	25.0	0.3149	6.27	10.85	yes	music wire	4F
C.125.110.0250.I	12.5	1.10	25.0	0.1818	8.03	9.41	yes	stainless steel	4D
C.125.110.0250.N	12.5	1.10	25.0	0.2090	8.03	9.41	yes	Zn coating	4E
C.125.110.0320.A	12.5	1.10	32.0	0.1610	9.68	11.49	yes	music wire	4C
C.125.110.0320.AP	12.5	1.10	32.0	0.2399	7.37	13.43	yes	music wire	4F
C.125.110.0320.I	12.5	1.10	32.0	0.1401	9.57	11.35	yes	stainless steel	4D
C.125.110.0320.N	12.5	1.10	32.0	0.1610	9.68	11.49	yes	Zn coating	4E
C.125.110.0400.A	12.5	1.10	40.0	0.1290	11.33	13.57	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.125.110.0400.AP	12.5	1.10	40.0	0.1901	8.58	16.57	yes	music wire	4G
C.125.110.0400.I	12.5	1.10	40.0	0.1122	11.22	13.43	yes	stainless steel	4D
C.125.110.0400.N	12.5	1.10	40.0	0.1290	11.33	13.57	yes	Zn coating	4E
C.125.110.0500.A	12.5	1.10	50.0	0.1020	13.64	16.48	yes	music wire	4D
C.125.110.0500.AP	12.5	1.10	50.0	0.1527	10.01	20.82	yes	music wire	4G
C.125.110.0500.I	12.5	1.10	50.0	0.0887	13.42	16.21	yes	stainless steel	4D
C.125.110.0500.N	12.5	1.10	50.0	0.1020	13.64	16.48	yes	Zn coating	4E
C.125.110.0630.A	12.5	1.10	63.0	0.0800	16.61	20.23	yes	music wire	4D
C.125.110.0630.AP	12.5	1.10	63.0	0.1200	11.99	25.86	yes	music wire	4G
C.125.110.0630.I	12.5	1.10	63.0	0.0696	16.39	19.95	yes	stainless steel	4E
C.125.110.0630.N	12.5	1.10	63.0	0.0800	16.61	20.23	yes	Zn coating	4F
C.125.110.0800.A	12.5	1.10	80.0	0.0620	20.57	25.22	yes	music wire	4E
C.125.110.0800.AP	12.5	1.10	80.0	0.0942	14.52	32.69	yes	music wire	4G
C.125.110.0800.I	12.5	1.10	80.0	0.0539	20.35	24.95	yes	stainless steel	4E
C.125.110.0800.N	12.5	1.10	80.0	0.0620	20.57	25.22	yes	Zn coating	4F
C.125.110.1000.A	12.5	1.10	100.0	0.0500	24.86	30.63	yes	music wire	4E
C.125.110.1000.AP	12.5	1.10	100.0	0.0746	17.60	40.31	yes	music wire	4G
C.125.110.1000.I	12.5	1.10	100.0	0.0435	24.64	30.36	yes	stainless steel	4E
C.125.110.1000.N	12.5	1.10	100.0	0.0500	24.86	30.63	yes	Zn coating	4G
C.125.110.3600.A	12.5	1.10	360.0	0.0140	82.94	103.59	no	music wire	4I
C.125.110.3600.I	12.5	1.10	360.0	0.0122	81.84	102.20	no	stainless steel	4I
C.125.125.0125.A	12.5	1.25	12.5	0.7470	6.00	6.64	yes	music wire	4C
C.125.125.0125.AP	12.5	1.25	12.5	1.0943	5.13	6.68	yes	music wire	4F
C.125.125.0125.I	12.5	1.25	12.5	0.6499	6.00	6.64	yes	stainless steel	4D
C.125.125.0125.N	12.5	1.25	12.5	0.7470	6.00	6.64	yes	Zn coating	4E
C.125.125.0160.A	12.5	1.25	16.0	0.5600	7.00	7.86	yes	music wire	4C
C.125.125.0160.AP	12.5	1.25	16.0	0.7958	5.88	8.00	yes	music wire	4F
C.125.125.0160.I	12.5	1.25	16.0	0.4872	7.00	7.86	yes	stainless steel	4D
C.125.125.0160.N	12.5	1.25	16.0	0.5600	7.00	7.86	yes	Zn coating	4E
C.125.125.0200.A	12.5	1.25	20.0	0.4340	8.13	9.24	yes	music wire	4C
C.125.125.0200.AP	12.5	1.25	20.0	0.6253	6.63	9.82	yes	music wire	4F
C.125.125.0200.I	12.5	1.25	20.0	0.3776	8.13	9.24	yes	stainless steel	4D
C.125.125.0200.N	12.5	1.25	20.0	0.4340	8.13	9.24	yes	Zn coating	4E
C.125.125.0250.A	12.5	1.25	25.0	0.3450	9.50	10.91	yes	music wire	4C
C.125.125.0250.AP	12.5	1.25	25.0	0.4863	7.63	11.91	yes	music wire	4F
C.125.125.0250.I	12.5	1.25	25.0	0.3000	9.38	10.76	yes	stainless steel	4D
C.125.125.0250.N	12.5	1.25	25.0	0.3450	9.50	10.91	yes	Zn coating	4E
C.125.125.0320.A	12.5	1.25	32.0	0.2640	11.38	13.21	yes	music wire	4D
C.125.125.0320.AP	12.5	1.25	32.0	0.3725	9.00	14.91	yes	music wire	4G
C.125.125.0320.I	12.5	1.25	32.0	0.2297	11.25	13.05	yes	stainless steel	4D
C.125.125.0320.N	12.5	1.25	32.0	0.2640	11.38	13.21	yes	Zn coating	4E
C.125.125.0400.A	12.5	1.25	40.0	0.2070	13.63	15.96	yes	music wire	4D
C.125.125.0400.AP	12.5	1.25	40.0	0.2918	10.63	18.18	yes	music wire	4G
C.125.125.0400.I	12.5	1.25	40.0	0.1801	13.50	15.80	yes	stainless steel	4D
C.125.125.0400.N	12.5	1.25	40.0	0.2070	13.63	15.96	yes	Zn coating	4E
C.125.125.0500.A	12.5	1.25	50.0	0.1620	16.63	19.62	yes	music wire	4D
C.125.125.0500.AP	12.5	1.25	50.0	0.2304	12.63	22.36	yes	music wire	4G
C.125.125.0500.I	12.5	1.25	50.0	0.1409	16.38	19.31	yes	stainless steel	4E
C.125.125.0500.N	12.5	1.25	50.0	0.1620	16.63	19.62	yes	Zn coating	4F
C.125.125.0630.A	12.5	1.25	63.0	0.1280	20.13	23.90	yes	music wire	4D
C.125.125.0630.AP	12.5	1.25	63.0	0.1824	15.13	28.09	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.125.125.0630.I	12.5	1.25	63.0	0.1114	20.00	23.74	yes	stainless steel	4E
C.125.125.0630.N	12.5	1.25	63.0	0.1280	20.13	23.90	yes	Zn coating	4F
C.125.125.0800.A	12.5	1.25	80.0	0.1000	25.00	29.85	yes	music wire	4E
C.125.125.0800.AP	12.5	1.25	80.0	0.1423	18.50	35.27	yes	music wire	4G
C.125.125.0800.I	12.5	1.25	80.0	0.0870	24.63	29.39	yes	stainless steel	4E
C.125.125.0800.N	12.5	1.25	80.0	0.1000	25.00	29.85	yes	Zn coating	4F
C.125.125.1000.A	12.5	1.25	100.0	0.0800	30.38	36.42	yes	music wire	4E
C.125.125.1000.AP	12.5	1.25	100.0	0.1137	22.38	44.00	yes	music wire	4G
C.125.125.1000.I	12.5	1.25	100.0	0.0696	30.13	36.11	yes	stainless steel	4E
C.125.125.1000.N	12.5	1.25	100.0	0.0800	30.38	36.42	yes	Zn coating	4G
C.125.125.3600.A	12.5	1.25	360.0	0.0220	103.63	125.61	no	music wire	4I
C.125.125.3600.I	12.5	1.25	360.0	0.0191	102.63	124.39	no	stainless steel	4I
C.125.140.0125.A	12.5	1.40	12.5	1.2230	6.72	7.35	yes	music wire	4E
C.125.140.0125.I	12.5	1.40	12.5	1.0640	6.72	7.35	yes	stainless steel	4E
C.125.140.0125.N	12.5	1.40	12.5	1.2230	6.72	7.35	yes	Zn coating	4G
C.125.140.0160.A	12.5	1.40	16.0	0.8810	7.98	8.85	yes	music wire	4E
C.125.140.0160.AP	12.5	1.40	16.0	1.1967	6.86	8.71	yes	music wire	4H
C.125.140.0160.I	12.5	1.40	16.0	0.7665	7.98	8.85	yes	stainless steel	4E
C.125.140.0160.N	12.5	1.40	16.0	0.8810	7.98	8.85	yes	Zn coating	4G
C.125.140.0190.A	12.5	1.40	19.0	0.8030	8.54	9.52	yes	music wire	4E
C.125.140.0190.I	12.5	1.40	19.0	0.7000	8.40	9.35	yes	stainless steel	4E
C.125.140.0190.N	12.5	1.40	19.0	0.8030	8.54	9.52	yes	Zn coating	4G
C.125.140.0200.A	12.5	1.40	20.0	0.6880	9.38	10.52	yes	music wire	4E
C.125.140.0200.AP	12.5	1.40	20.0	0.9265	7.84	10.58	yes	music wire	4H
C.125.140.0200.I	12.5	1.40	20.0	0.6000	9.24	10.36	yes	stainless steel	4E
C.125.140.0200.N	12.5	1.40	20.0	0.6880	9.38	10.52	yes	Zn coating	4G
C.125.140.0250.A	12.5	1.40	25.0	0.5370	10.92	12.36	yes	music wire	4E
C.125.140.0250.AP	12.5	1.40	25.0	0.7180	9.10	12.85	yes	music wire	4H
C.125.140.0250.I	12.5	1.40	25.0	0.4672	10.92	12.36	yes	stainless steel	4E
C.125.140.0250.N	12.5	1.40	25.0	0.5370	10.92	12.36	yes	Zn coating	4G
C.125.140.0320.A	12.5	1.40	32.0	0.4080	13.30	15.20	yes	music wire	4E
C.125.140.0320.AP	12.5	1.40	32.0	0.5523	10.78	16.21	yes	music wire	4I
C.125.140.0320.I	12.5	1.40	32.0	0.3550	13.16	15.04	yes	stainless steel	4F
C.125.140.0320.N	12.5	1.40	32.0	0.4080	13.30	15.20	yes	Zn coating	4G
C.125.140.0400.A	12.5	1.40	40.0	0.3190	16.10	18.55	yes	music wire	4E
C.125.140.0400.AP	12.5	1.40	40.0	0.4287	12.88	19.65	yes	music wire	4I
C.125.140.0400.I	12.5	1.40	40.0	0.2775	15.96	18.38	yes	stainless steel	4F
C.125.140.0400.N	12.5	1.40	40.0	0.3190	16.10	18.55	yes	Zn coating	4G
C.125.140.0500.A	12.5	1.40	50.0	0.2500	19.46	22.56	yes	music wire	4E
C.125.140.0500.AP	12.5	1.40	50.0	0.3419	15.26	24.49	yes	music wire	4I
C.125.140.0500.I	12.5	1.40	50.0	0.2175	19.32	22.39	yes	stainless steel	4F
C.125.140.0500.N	12.5	1.40	50.0	0.2500	19.46	22.56	yes	Zn coating	4H
C.125.140.0630.A	12.5	1.40	63.0	0.1970	23.80	27.74	yes	music wire	4F
C.125.140.0630.AP	12.5	1.40	63.0	0.2684	18.48	30.50	yes	music wire	4I
C.125.140.0630.I	12.5	1.40	63.0	0.1714	23.52	27.41	yes	stainless steel	4F
C.125.140.0630.N	12.5	1.40	63.0	0.1970	23.80	27.74	yes	Zn coating	4H
C.125.140.0800.A	12.5	1.40	80.0	0.1540	29.54	34.60	yes	music wire	4F
C.125.140.0800.AP	12.5	1.40	80.0	0.2096	22.54	38.39	yes	music wire	4I
C.125.140.0800.I	12.5	1.40	80.0	0.1340	29.12	34.10	yes	stainless steel	4G
C.125.140.0800.N	12.5	1.40	80.0	0.1540	29.54	34.60	yes	Zn coating	4H
C.125.140.1000.A	12.5	1.40	100.0	0.1220	36.40	42.79	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.125.140.1000.AP	12.5	1.40	100.0	0.1660	27.58	47.45	yes	music wire	4I
C.125.140.1000.I	12.5	1.40	100.0	0.1061	35.98	42.29	yes	stainless steel	4G
C.125.140.1000.N	12.5	1.40	100.0	0.1220	36.40	42.79	yes	Zn coating	4I
C.125.140.3600.A	12.5	1.40	360.0	0.0330	126.28	149.86	no	music wire	4I
C.125.140.3600.I	12.5	1.40	360.0	0.0287	124.74	148.02	no	stainless steel	4I
C.125.150.0178.A	12.5	1.50	17.8	1.1071	9.00	9.95	yes	music wire	4E
C.125.150.0178.I	12.5	1.50	17.8	0.9509	9.00	9.95	yes	stainless steel	4E
C.125.150.0178.N	12.5	1.50	17.8	1.1071	9.00	9.95	yes	Zn coating	4G
C.125.150.0262.A	12.5	1.50	26.2	0.7045	12.00	13.49	yes	music wire	4E
C.125.150.0262.I	12.5	1.50	26.2	0.6051	12.00	13.49	yes	stainless steel	4F
C.125.150.0262.N	12.5	1.50	26.2	0.7045	12.00	13.49	yes	Zn coating	4G
C.125.150.0388.A	12.5	1.50	38.8	0.4559	16.50	18.80	yes	music wire	4E
C.125.150.0388.I	12.5	1.50	38.8	0.3916	16.50	18.80	yes	stainless steel	4F
C.125.150.0388.N	12.5	1.50	38.8	0.4559	16.50	18.80	yes	Zn coating	4G
C.125.150.0400.A	12.5	1.50	40.0	0.5070	15.15	19.17	yes	music wire	4I
C.125.150.0400.I	12.5	1.50	40.0	0.4411	15.00	19.16	yes	stainless steel	4I
C.125.150.0400.N	12.5	1.50	40.0	0.5070	15.15	19.17	yes	Zn coating	4I
C.125.150.0558.A	12.5	1.50	55.8	0.3100	22.50	25.89	yes	music wire	4F
C.125.150.0558.I	12.5	1.50	55.8	0.2697	22.20	25.53	yes	stainless steel	4F
C.125.150.0558.N	12.5	1.50	55.8	0.3100	22.50	25.89	yes	Zn coating	4H
C.125.150.0809.A	12.5	1.50	80.9	0.2095	31.50	36.51	yes	music wire	4F
C.125.150.0809.I	12.5	1.50	80.9	0.1799	31.50	36.51	yes	stainless steel	4G
C.125.150.0809.N	12.5	1.50	80.9	0.2095	31.50	36.51	yes	Zn coating	4I
C.125.160.0125.A	12.5	1.60	12.5	2.0880	8.00	8.68	yes	music wire	4E
C.125.160.0125.AP	12.5	1.60	12.5	2.7284	7.04	7.88	yes	music wire	4H
C.125.160.0125.I	12.5	1.60	12.5	1.8166	7.84	8.49	yes	stainless steel	4E
C.125.160.0125.N	12.5	1.60	12.5	2.0880	8.00	8.68	yes	Zn coating	4G
C.125.160.0160.A	12.5	1.60	16.0	1.4690	9.60	10.55	yes	music wire	4E
C.125.160.0160.AP	12.5	1.60	16.0	1.9938	8.16	9.67	yes	music wire	4I
C.125.160.0160.I	12.5	1.60	16.0	1.2780	9.60	10.55	yes	stainless steel	4F
C.125.160.0160.N	12.5	1.60	16.0	1.4690	9.60	10.55	yes	Zn coating	4G
C.125.160.0200.A	12.5	1.60	20.0	1.1340	11.20	12.42	yes	music wire	4E
C.125.160.0200.AP	12.5	1.60	20.0	1.5247	9.44	11.72	yes	music wire	4I
C.125.160.0200.I	12.5	1.60	20.0	0.9866	11.20	12.42	yes	stainless steel	4F
C.125.160.0200.N	12.5	1.60	20.0	1.1340	11.20	12.42	yes	Zn coating	4G
C.125.160.0250.A	12.5	1.60	25.0	0.8820	13.28	14.85	yes	music wire	4E
C.125.160.0250.AP	12.5	1.60	25.0	1.1782	11.04	14.29	yes	music wire	4I
C.125.160.0250.I	12.5	1.60	25.0	0.7673	13.28	14.85	yes	stainless steel	4F
C.125.160.0250.N	12.5	1.60	25.0	0.8820	13.28	14.85	yes	Zn coating	4G
C.125.160.0320.A	12.5	1.60	32.0	0.6720	16.32	18.41	yes	music wire	4E
C.125.160.0320.AP	12.5	1.60	32.0	0.8938	13.28	17.88	yes	music wire	4I
C.125.160.0320.I	12.5	1.60	32.0	0.5846	16.16	18.22	yes	stainless steel	4F
C.125.160.0320.N	12.5	1.60	32.0	0.6720	16.32	18.41	yes	Zn coating	4G
C.125.160.0400.A	12.5	1.60	40.0	0.5290	19.52	22.15	yes	music wire	4E
C.125.160.0400.AP	12.5	1.60	40.0	0.7005	15.84	21.99	yes	music wire	4I
C.125.160.0400.I	12.5	1.60	40.0	0.4602	19.36	21.97	yes	stainless steel	4F
C.125.160.0400.N	12.5	1.60	40.0	0.5290	19.52	22.15	yes	Zn coating	4H
C.125.160.0500.A	12.5	1.60	50.0	0.4130	24.00	27.39	yes	music wire	4F
C.125.160.0500.AP	12.5	1.60	50.0	0.5515	18.88	27.12	yes	music wire	4I
C.125.160.0500.I	12.5	1.60	50.0	0.3593	23.68	27.02	yes	stainless steel	4F
C.125.160.0500.N	12.5	1.60	50.0	0.4130	24.00	27.39	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.125.160.0630.A	12.5	1.60	63.0	0.3250	29.44	33.76	yes	music wire	4F
C.125.160.0630.AP	12.5	1.60	63.0	0.4320	23.04	33.79	yes	music wire	4I
C.125.160.0630.I	12.5	1.60	63.0	0.2828	29.12	33.38	yes	stainless steel	4G
C.125.160.0630.N	12.5	1.60	63.0	0.3250	29.44	33.76	yes	Zn coating	4H
C.125.160.0800.A	12.5	1.60	80.0	0.2530	36.64	42.18	yes	music wire	4F
C.125.160.0800.AP	12.5	1.60	80.0	0.3366	28.48	42.52	yes	music wire	4I
C.125.160.0800.I	12.5	1.60	80.0	0.2201	36.16	41.61	yes	stainless steel	4G
C.125.160.0800.N	12.5	1.60	80.0	0.2530	36.64	42.18	yes	Zn coating	4I
C.125.160.1000.A	12.5	1.60	100.0	0.2010	44.96	51.91	yes	music wire	4G
C.125.160.1000.AP	12.5	1.60	100.0	0.2672	34.88	52.78	yes	music wire	4I
C.125.160.1000.I	12.5	1.60	100.0	0.1749	44.48	51.35	yes	stainless steel	4G
C.125.160.1000.N	12.5	1.60	100.0	0.2010	44.96	51.91	yes	Zn coating	4I
C.125.160.1150.A	12.5	1.60	115.0	0.2200	41.44	57.65	yes	music wire	4I
C.125.160.1150.I	12.5	1.60	115.0	0.1914	40.96	57.51	yes	stainless steel	4I
C.125.160.1150.N	12.5	1.60	115.0	0.2200	41.44	57.65	yes	Zn coating	4J
C.125.160.3600.A	12.5	1.60	360.0	0.0540	158.40	184.32	no	music wire	4I
C.125.160.3600.I	12.5	1.60	360.0	0.0470	156.32	181.88	no	stainless steel	4I
C.125.180.0125.A	12.5	1.80	12.5	3.5360	9.00	9.69	yes	music wire	4F
C.125.180.0125.I	12.5	1.80	12.5	3.0763	8.82	9.48	yes	stainless steel	4G
C.125.180.0125.N	12.5	1.80	12.5	3.5360	9.00	9.69	yes	Zn coating	4I
C.125.180.0160.A	12.5	1.80	16.0	2.4880	10.80	11.76	yes	music wire	4F
C.125.180.0160.AP	12.5	1.80	16.0	3.1408	9.54	10.45	yes	music wire	4I
C.125.180.0160.I	12.5	1.80	16.0	2.1646	10.80	11.76	yes	stainless steel	4G
C.125.180.0160.N	12.5	1.80	16.0	2.4880	10.80	11.76	yes	Zn coating	4I
C.125.180.0200.A	12.5	1.80	20.0	1.9190	12.60	13.84	yes	music wire	4F
C.125.180.0200.I	12.5	1.80	20.0	1.6695	12.60	13.84	yes	stainless steel	4G
C.125.180.0200.N	12.5	1.80	20.0	1.9190	12.60	13.84	yes	Zn coating	4I
C.125.180.0250.A	12.5	1.80	25.0	1.4600	15.30	16.95	yes	music wire	4G
C.125.180.0250.AP	12.5	1.80	25.0	1.8321	13.14	15.49	yes	music wire	4I
C.125.180.0250.I	12.5	1.80	25.0	1.2702	15.12	16.74	yes	stainless steel	4G
C.125.180.0250.N	12.5	1.80	25.0	1.4600	15.30	16.95	yes	Zn coating	4I
C.125.180.0320.A	12.5	1.80	32.0	1.1200	18.54	20.69	yes	music wire	4G
C.125.180.0320.I	12.5	1.80	32.0	0.9744	18.36	20.48	yes	stainless steel	4G
C.125.180.0320.N	12.5	1.80	32.0	1.1200	18.54	20.69	yes	Zn coating	4I
C.125.180.0400.A	12.5	1.80	40.0	0.8720	22.50	25.25	yes	music wire	4G
C.125.180.0400.I	12.5	1.80	40.0	0.7586	22.32	25.05	yes	stainless steel	4G
C.125.180.0400.N	12.5	1.80	40.0	0.8720	22.50	25.25	yes	Zn coating	4I
C.125.180.0500.A	12.5	1.80	50.0	0.6860	27.36	30.86	yes	music wire	4G
C.125.180.0500.I	12.5	1.80	50.0	0.5968	27.18	30.65	yes	stainless steel	4G
C.125.180.0500.N	12.5	1.80	50.0	0.6860	27.36	30.86	yes	Zn coating	4I
C.125.180.0630.A	12.5	1.80	63.0	0.5330	34.02	38.54	yes	music wire	4G
C.125.180.0630.I	12.5	1.80	63.0	0.4637	33.66	38.12	yes	stainless steel	4G
C.125.180.0630.N	12.5	1.80	63.0	0.5330	34.02	38.54	yes	Zn coating	4I
C.125.180.0800.A	12.5	1.80	80.0	0.4170	42.12	47.88	yes	music wire	4G
C.125.180.0800.I	12.5	1.80	80.0	0.3628	41.76	47.46	yes	stainless steel	4G
C.125.180.0800.N	12.5	1.80	80.0	0.4170	42.12	47.88	yes	Zn coating	4I
C.125.180.1000.A	12.5	1.80	100.0	0.3290	52.20	59.50	yes	music wire	4G
C.125.180.1000.I	12.5	1.80	100.0	0.2862	51.66	58.88	yes	stainless steel	4H
C.125.180.1000.N	12.5	1.80	100.0	0.3290	52.20	59.50	yes	Zn coating	4I
C.125.180.3600.A	12.5	1.80	360.0	0.0890	182.88	209.90	no	music wire	4I
C.125.180.3600.I	12.5	1.80	360.0	0.0774	180.72	207.41	no	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.125.190.0200.A	12.5	1.90	20.0	3.4483	10.83	14.14	yes	music wire	4J
C.125.190.0200.I	12.5	1.90	20.0	3.0000	10.83	14.10	yes	stainless steel	4J
C.125.200.0125.A	12.5	2.00	12.5	5.7030	10.00	10.71	yes	music wire	4G
C.125.200.0125.I	12.5	2.00	12.5	4.9616	9.80	10.48	yes	stainless steel	4G
C.125.200.0125.N	12.5	2.00	12.5	5.7030	10.00	10.71	yes	Zn coating	4I
C.125.200.0160.A	12.5	2.00	16.0	4.0130	12.00	12.99	yes	music wire	4G
C.125.200.0160.AP	12.5	2.00	16.0	4.9000	10.80	11.62	yes	music wire	4I
C.125.200.0160.I	12.5	2.00	16.0	3.4913	12.00	12.99	yes	stainless steel	4G
C.125.200.0160.N	12.5	2.00	16.0	4.0130	12.00	12.99	yes	Zn coating	4I
C.125.200.0200.A	12.5	2.00	20.0	3.0100	14.40	15.73	yes	music wire	4G
C.125.200.0200.AP	12.5	2.00	20.0	3.7395	12.60	13.79	yes	music wire	4I
C.125.200.0200.I	12.5	2.00	20.0	2.6187	14.20	15.50	yes	stainless steel	4G
C.125.200.0200.N	12.5	2.00	20.0	3.0100	14.40	15.73	yes	Zn coating	4I
C.125.200.0250.A	12.5	2.00	25.0	2.3000	17.20	18.92	yes	music wire	4G
C.125.200.0250.AP	12.5	2.00	25.0	2.8420	15.00	16.83	yes	music wire	4I
C.125.200.0250.I	12.5	2.00	25.0	2.0062	17.00	18.70	yes	stainless steel	4G
C.125.200.0250.N	12.5	2.00	25.0	2.3000	17.20	18.92	yes	Zn coating	4I
C.125.200.0320.A	12.5	2.00	32.0	1.7500	21.00	23.26	yes	music wire	4G
C.125.200.0320.AP	12.5	2.00	32.0	2.1530	18.00	21.22	yes	music wire	4I
C.125.200.0320.I	12.5	2.00	32.0	1.5208	21.00	23.26	yes	stainless steel	4G
C.125.200.0320.N	12.5	2.00	32.0	1.7500	21.00	23.26	yes	Zn coating	4I
C.125.200.0400.A	12.5	2.00	40.0	1.3540	25.80	28.74	yes	music wire	4G
C.125.200.0400.AP	12.5	2.00	40.0	1.6718	21.80	26.11	yes	music wire	4I
C.125.200.0400.I	12.5	2.00	40.0	1.1780	25.60	28.51	yes	stainless steel	4G
C.125.200.0400.N	12.5	2.00	40.0	1.3540	25.80	28.74	yes	Zn coating	4I
C.125.200.0500.A	12.5	2.00	50.0	1.0620	31.60	35.36	yes	music wire	4G
C.125.200.0500.AP	12.5	2.00	50.0	1.3158	26.40	32.35	yes	music wire	4I
C.125.200.0500.I	12.5	2.00	50.0	0.9239	31.20	34.90	yes	stainless steel	4G
C.125.200.0500.N	12.5	2.00	50.0	1.0620	31.60	35.36	yes	Zn coating	4I
C.125.200.0630.A	12.5	2.00	63.0	0.8270	39.00	43.81	yes	music wire	4G
C.125.200.0630.AP	12.5	2.00	63.0	1.0223	32.60	40.29	yes	music wire	4I
C.125.200.0630.I	12.5	2.00	63.0	0.7195	38.60	43.35	yes	stainless steel	4G
C.125.200.0630.N	12.5	2.00	63.0	0.8270	39.00	43.81	yes	Zn coating	4I
C.125.200.0800.A	12.5	2.00	80.0	0.6450	48.60	54.76	yes	music wire	4G
C.125.200.0800.AP	12.5	2.00	80.0	0.7983	40.20	50.91	yes	music wire	4I
C.125.200.0800.I	12.5	2.00	80.0	0.5612	48.00	54.08	yes	stainless steel	4H
C.125.200.0800.N	12.5	2.00	80.0	0.6450	48.60	54.76	yes	Zn coating	4I
C.125.200.1000.A	12.5	2.00	100.0	0.5110	60.20	68.00	yes	music wire	4H
C.125.200.1000.AP	12.5	2.00	100.0	0.6316	49.60	63.23	yes	music wire	4I
C.125.200.1000.I	12.5	2.00	100.0	0.4446	59.40	67.09	yes	stainless steel	4H
C.125.200.1000.N	12.5	2.00	100.0	0.5110	60.20	68.00	yes	Zn coating	4I
C.125.200.3600.A	12.5	2.00	360.0	0.1370	212.60	241.66	no	music wire	4I
C.125.200.3600.I	12.5	2.00	360.0	0.1192	210.00	238.69	no	stainless steel	4J
C.125.220.0420.A	12.5	2.20	42.0	2.6800	23.32	30.80	yes	music wire	4J
C.125.220.0420.I	12.5	2.20	42.0	2.3316	23.10	30.66	yes	stainless steel	4J
C.125.220.0420.N	12.5	2.20	42.0	2.6800	23.32	30.80	yes	Zn coating	4L
C.125.240.0600.A	12.5	2.40	60.0	2.4770	37.68	44.71	yes	music wire	4J
C.125.240.0600.I	12.5	2.40	60.0	2.1550	37.44	44.47	yes	stainless steel	4K
C.125.240.0600.N	12.5	2.40	60.0	2.4770	37.68	44.71	yes	Zn coating	4M
C.125.250.0200.A	12.5	2.50	20.0	8.6810	17.75	19.18	yes	music wire	4G
C.125.250.0200.AP	12.5	2.50	20.0	10.3447	15.75	16.93	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.125.250.0200.I	12.5	2.50	20.0	7.5525	17.50	18.90	yes	stainless steel	4G
C.125.250.0200.N	12.5	2.50	20.0	8.6810	17.75	19.18	yes	Zn coating	4I
C.127.050.0095.A	12.7	0.50	9.5	0.0080	3.95	6.13	no	music wire	4B
C.127.050.0095.AP	12.7	0.50	9.5	0.0317	2.30	2.85	no	music wire	4B
C.127.050.0095.I	12.7	0.50	9.5	0.0070	3.90	6.04	no	stainless steel	4C
C.127.050.0127.A	12.7	0.50	12.7	0.0126	3.15	4.54	no	music wire	4B
C.127.050.0127.I	12.7	0.50	12.7	0.0110	3.10	4.44	no	stainless steel	4C
C.127.050.0220.A	12.7	0.50	22.0	0.0034	6.85	11.91	no	music wire	4C
C.127.050.0220.I	12.7	0.50	22.0	0.0030	6.75	11.72	no	stainless steel	4C
C.127.050.0230.A	12.7	0.50	23.0	0.0057	4.80	7.83	no	music wire	4C
C.127.050.0230.I	12.7	0.50	23.0	0.0050	4.75	7.73	no	stainless steel	4C
C.127.050.0570.A	12.7	0.50	57.0	0.0046	5.55	9.32	no	music wire	4C
C.127.050.0570.I	12.7	0.50	57.0	0.0040	5.50	9.22	no	stainless steel	4C
C.127.060.0360.A	12.7	0.60	36.0	0.0150	5.10	7.23	no	music wire	4C
C.127.060.0360.I	12.7	0.60	36.0	0.0131	5.04	7.13	no	stainless steel	4D
C.127.060.0400.A	12.7	0.60	40.0	0.0080	7.68	11.64	no	music wire	4C
C.127.060.0400.I	12.7	0.60	40.0	0.0070	7.56	11.44	no	stainless steel	4D
C.127.070.0095.A	12.7	0.70	9.5	0.0356	4.55	6.06	yes	music wire	4C
C.127.070.0095.AP	12.7	0.70	9.5	0.1283	2.52	2.94	yes	music wire	4C
C.127.070.0095.I	12.7	0.70	9.5	0.0310	4.48	5.96	yes	stainless steel	4C
C.127.070.0127.A	12.7	0.70	12.7	0.0690	3.22	4.01	yes	music wire	4C
C.127.070.0127.I	12.7	0.70	12.7	0.0600	3.15	3.91	yes	stainless steel	4C
C.127.070.0350.A	12.7	0.70	35.0	0.0160	7.91	11.24	yes	music wire	4C
C.127.070.0350.I	12.7	0.70	35.0	0.0139	7.84	11.13	yes	stainless steel	4D
C.127.080.0270.A	12.7	0.80	27.0	0.0520	5.84	7.50	yes	music wire	4C
C.127.080.0270.I	12.7	0.80	27.0	0.0452	5.76	7.38	yes	stainless steel	4D
C.127.080.0310.A	12.7	0.80	31.0	0.0250	9.92	13.34	yes	music wire	4C
C.127.080.0310.I	12.7	0.80	31.0	0.0218	9.84	13.23	yes	stainless steel	4D
C.127.080.0350.A	12.7	0.80	35.0	0.0195	12.16	16.55	yes	music wire	4C
C.127.080.0350.I	12.7	0.80	35.0	0.0170	12.00	16.32	yes	stainless steel	4D
C.127.080.0410.A	12.7	0.80	41.0	0.0471	6.24	8.07	yes	music wire	4C
C.127.080.0410.I	12.7	0.80	41.0	0.0410	6.16	7.96	yes	stainless steel	4D
C.127.090.0103.A	12.7	0.90	10.3	0.1609	4.50	5.31	yes	music wire	4C
C.127.090.0103.AP	12.7	0.90	10.3	0.3695	3.24	3.59	yes	music wire	4E
C.127.090.0103.I	12.7	0.90	10.3	0.1400	4.50	5.31	yes	stainless steel	4C
C.127.090.0200.A	12.7	0.90	20.0	0.1103	5.58	6.77	yes	music wire	4C
C.127.090.0200.I	12.7	0.90	20.0	0.0960	5.49	6.65	yes	stainless steel	4C
C.127.090.0210.A	12.7	0.90	21.0	0.0759	7.11	8.85	yes	music wire	4C
C.127.090.0210.I	12.7	0.90	21.0	0.0660	7.02	8.73	yes	stainless steel	4C
C.127.090.0230.A	12.7	0.90	23.0	0.1080	5.67	6.89	yes	music wire	4C
C.127.090.0230.I	12.7	0.90	23.0	0.0940	5.58	6.77	yes	stainless steel	4D
C.127.090.0300.A	12.7	0.90	30.0	0.0839	6.57	8.12	yes	music wire	4C
C.127.090.0300.I	12.7	0.90	30.0	0.0730	6.57	8.12	yes	stainless steel	4D
C.127.090.0350.A	12.7	0.90	35.0	0.0954	6.12	8.82	yes	music wire	4F
C.127.090.0350.I	12.7	0.90	35.0	0.0830	6.03	9.17	yes	stainless steel	4G
C.127.090.0670.A	12.7	0.90	67.0	0.0299	14.49	18.87	yes	music wire	4D
C.127.090.0670.I	12.7	0.90	67.0	0.0260	14.31	18.63	yes	stainless steel	4E
C.127.100.0143.A	12.7	1.00	14.3	0.1609	6.50	7.72	yes	music wire	4C
C.127.100.0143.I	12.7	1.00	14.3	0.1400	6.40	7.59	yes	stainless steel	4C
C.127.100.0290.A	12.7	1.00	29.0	0.1379	7.10	8.50	yes	music wire	4C
C.127.100.0290.I	12.7	1.00	29.0	0.1200	7.10	8.50	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.127.100.0300.A	12.7	1.00	30.0	0.1494	6.80	8.11	yes	music wire	4F
C.127.100.0300.I	12.7	1.00	30.0	0.1300	6.70	7.98	yes	stainless steel	4G
C.127.100.0980.A	12.7	1.00	98.0	0.0402	18.30	23.12	yes	music wire	4E
C.127.100.0980.I	12.7	1.00	98.0	0.0350	18.10	22.86	yes	stainless steel	4E
C.127.110.0174.A	12.7	1.10	17.4	0.2759	6.60	7.63	yes	music wire	4C
C.127.110.0174.AP	12.7	1.10	17.4	0.4555	5.06	7.77	yes	music wire	4F
C.127.110.0174.I	12.7	1.10	17.4	0.2400	6.49	7.49	yes	stainless steel	4D
C.127.110.0200.A	12.7	1.10	20.0	0.3333	5.94	6.84	yes	music wire	4F
C.127.110.0200.I	12.7	1.10	20.0	0.2900	5.83	6.95	yes	stainless steel	4G
C.127.110.0240.A	12.7	1.10	24.0	0.2414	7.15	8.32	yes	music wire	4C
C.127.110.0240.I	12.7	1.10	24.0	0.2100	7.04	8.18	yes	stainless steel	4D
C.127.110.0250.A	12.7	1.10	25.0	0.2700	6.60	8.75	yes	music wire	4F
C.127.110.0250.I	12.7	1.10	25.0	0.2349	6.60	8.89	yes	stainless steel	4G
C.127.110.0280.A	12.7	1.10	28.0	0.1000	13.31	16.13	yes	music wire	4C
C.127.110.0280.AP	12.7	1.10	28.0	0.2733	6.60	11.94	yes	music wire	4F
C.127.110.0280.I	12.7	1.10	28.0	0.0870	13.09	15.85	yes	stainless steel	4D
C.127.110.0290.A	12.7	1.10	29.0	0.1800	8.58	10.14	yes	music wire	4C
C.127.110.0290.AP	12.7	1.10	29.0	0.2657	6.71	12.48	yes	music wire	4F
C.127.110.0350.A	12.7	1.10	35.0	0.1494	9.79	11.67	yes	music wire	4D
C.127.110.0350.AP	12.7	1.10	35.0	0.2174	7.59	14.82	yes	music wire	4F
C.127.110.0350.I	12.7	1.10	35.0	0.1300	9.68	11.53	yes	stainless steel	4D
C.127.110.0430.A	12.7	1.10	43.0	0.1100	12.32	14.87	yes	music wire	4D
C.127.110.0430.AP	12.7	1.10	43.0	0.1739	8.80	17.77	yes	music wire	4G
C.127.110.0430.I	12.7	1.10	43.0	0.0957	12.21	14.73	yes	stainless steel	4D
C.127.120.0280.A	12.7	1.20	28.0	0.2759	9.00	10.43	yes	music wire	4C
C.127.120.0280.I	12.7	1.20	28.0	0.2400	9.00	10.43	yes	stainless steel	4D
C.127.120.0300.A	12.7	1.20	30.0	0.2200	10.56	12.36	yes	music wire	4D
C.127.120.0300.AP	12.7	1.20	30.0	0.3394	7.92	13.51	yes	music wire	4F
C.127.120.0300.I	12.7	1.20	30.0	0.1914	10.44	12.21	yes	stainless steel	4D
C.127.120.0360.A	12.7	1.20	36.0	0.2414	9.96	12.82	yes	music wire	4G
C.127.120.0360.I	12.7	1.20	36.0	0.2100	9.84	12.96	yes	stainless steel	4G
C.127.120.0540.A	12.7	1.20	54.0	0.0609	30.36	36.87	yes	music wire	4D
C.127.120.0540.AP	12.7	1.20	54.0	0.1831	12.12	23.44	yes	music wire	4G
C.127.120.0540.I	12.7	1.20	54.0	0.0530	30.00	36.42	yes	stainless steel	4E
C.127.130.0135.A	12.7	1.30	13.5	0.6300	7.28	8.15	yes	music wire	4C
C.127.130.0135.AP	12.7	1.30	13.5	1.0941	5.59	7.11	yes	music wire	4F
C.127.130.0135.I	12.7	1.30	13.5	0.5481	7.28	8.15	yes	stainless steel	4D
C.127.130.0480.A	12.7	1.30	48.0	0.2069	15.60	18.26	yes	music wire	4D
C.127.130.0480.I	12.7	1.30	48.0	0.1800	15.47	18.10	yes	stainless steel	4E
C.127.140.0143.A	12.7	1.40	14.3	0.9655	7.42	8.20	yes	music wire	4E
C.127.140.0143.AP	12.7	1.40	14.3	1.2963	6.44	7.67	yes	music wire	4H
C.127.140.0143.I	12.7	1.40	14.3	0.8400	7.42	8.20	yes	stainless steel	4E
C.127.140.0240.A	12.7	1.40	24.0	0.4023	12.88	14.73	yes	music wire	4E
C.127.140.0240.AP	12.7	1.40	24.0	0.7358	8.68	12.32	yes	music wire	4H
C.127.140.0240.I	12.7	1.40	24.0	0.3500	12.88	14.73	yes	stainless steel	4E
C.127.140.0540.A	12.7	1.40	54.0	0.2069	21.84	25.47	yes	music wire	4F
C.127.140.0540.AP	12.7	1.40	54.0	0.3059	15.96	25.90	yes	music wire	4I
C.127.140.0540.I	12.7	1.40	54.0	0.1800	21.56	25.13	yes	stainless steel	4F
C.127.140.1650.A	12.7	1.40	165.0	0.0632	63.56	75.44	yes	music wire	4G
C.127.140.1650.AP	12.7	1.40	165.0	0.0976	42.42	76.92	yes	music wire	4I
C.127.140.1650.I	12.7	1.40	165.0	0.0550	62.86	74.60	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.127.150.0143.A	12.7	1.50	14.3	0.9600	9.45	10.50	yes	music wire	4E
C.127.150.0143.AP	12.7	1.50	14.3	1.6763	7.05	8.09	yes	music wire	4H
C.127.150.0143.I	12.7	1.50	14.3	0.8352	9.45	10.50	yes	stainless steel	4E
C.127.150.0290.A	12.7	1.50	29.0	0.6092	12.75	14.40	yes	music wire	4E
C.127.150.0290.I	12.7	1.50	29.0	0.5300	12.60	14.23	yes	stainless steel	4F
C.127.160.0174.A	12.7	1.60	17.4	2.3000	7.36	11.99	yes	music wire	4I
C.127.160.0174.I	12.7	1.60	17.4	2.0000	7.36	11.98	yes	stainless steel	4J
C.127.160.0350.A	12.7	1.60	35.0	0.5743	17.60	19.94	yes	music wire	4E
C.127.160.0350.AP	12.7	1.60	35.0	0.7792	14.08	19.04	yes	music wire	4I
C.127.160.0350.I	12.7	1.60	35.0	0.4933	17.60	19.94	yes	stainless steel	4F
C.127.160.0350.N	12.7	1.60	35.0	0.5743	17.60	19.94	yes	Zn coating	4H
C.127.160.0380.A	12.7	1.60	38.0	0.5747	17.60	19.94	yes	music wire	4E
C.127.160.0380.I	12.7	1.60	38.0	0.5000	17.44	19.75	yes	stainless steel	4F
C.127.160.0410.A	12.7	1.60	41.0	0.5139	19.20	21.82	yes	music wire	4F
C.127.160.0410.I	12.7	1.60	41.0	0.4414	19.20	21.82	yes	stainless steel	4F
C.127.160.0410.N	12.7	1.60	41.0	0.5139	19.20	21.82	yes	Zn coating	4H
C.127.160.0540.A	12.7	1.60	54.0	0.3905	24.00	27.44	yes	music wire	4F
C.127.160.0540.I	12.7	1.60	54.0	0.3354	24.00	27.44	yes	stainless steel	4F
C.127.160.0540.N	12.7	1.60	54.0	0.3905	24.00	27.44	yes	Zn coating	4H
C.127.160.0670.A	12.7	1.60	67.0	0.3150	28.80	33.07	yes	music wire	4F
C.127.160.0670.I	12.7	1.60	67.0	0.2706	28.80	33.07	yes	stainless steel	4G
C.127.160.0670.N	12.7	1.60	67.0	0.3150	28.80	33.07	yes	Zn coating	4H
C.127.160.0790.A	12.7	1.60	79.0	0.2639	33.60	38.70	yes	music wire	4F
C.127.160.0790.I	12.7	1.60	79.0	0.2267	33.60	38.70	yes	stainless steel	4G
C.127.160.0790.N	12.7	1.60	79.0	0.2639	33.60	38.70	yes	Zn coating	4I
C.127.160.0940.A	12.7	1.60	94.0	0.2069	41.76	48.26	yes	music wire	4G
C.127.160.0940.AP	12.7	1.60	94.0	0.2773	32.16	49.17	yes	music wire	4I
C.127.160.0940.I	12.7	1.60	94.0	0.1800	41.28	47.70	yes	stainless steel	4G
C.127.200.0290.A	12.7	2.00	29.0	2.8000	14.60	20.82	yes	music wire	4J
C.127.200.0290.I	12.7	2.00	29.0	2.4360	14.40	20.75	yes	stainless steel	4J
C.127.200.0330.A	12.7	2.00	33.0	1.4943	22.80	25.34	yes	music wire	4G
C.127.200.0330.AP	12.7	2.00	33.0	2.0042	18.20	21.58	yes	music wire	4I
C.127.200.0330.I	12.7	2.00	33.0	1.3000	22.60	25.12	yes	stainless steel	4G
C.127.240.0135.A	12.7	2.40	13.5	15.4023	10.80	11.41	yes	music wire	4I
C.127.240.0135.I	12.7	2.40	13.5	13.4000	10.80	11.41	yes	stainless steel	4I
C.127.250.0220.A	12.7	2.50	22.0	9.8851	15.75	17.79	yes	music wire	4J
C.127.250.0220.I	12.7	2.50	22.0	8.6000	15.50	17.72	yes	stainless steel	4J
C.127.250.0240.A	12.7	2.50	24.0	7.4713	18.75	20.31	yes	music wire	4G
C.127.250.0240.I	12.7	2.50	24.0	6.5000	18.75	20.31	yes	stainless steel	4G
C.127.260.0182.A	12.7	2.60	18.2	15.7000	14.04	15.26	yes	music wire	4J
C.127.260.0182.I	12.7	2.60	18.2	13.6590	13.78	15.21	yes	stainless steel	4J
C.127.280.0182.A	12.7	2.80	18.2	21.6000	15.40	16.40	yes	music wire	4J
C.127.280.0182.I	12.7	2.80	18.2	18.7920	15.12	16.08	yes	stainless steel	4J
C.128.160.0200.A	12.8	1.60	20.0	1.0331	11.36	12.64	yes	music wire	4E
C.128.160.0200.AP	12.8	1.60	20.0	1.1667	10.56	11.70	yes	music wire	4D
C.128.160.0200.I	12.8	1.60	20.0	0.8873	11.36	12.64	yes	stainless steel	4F
C.128.160.0250.A	12.8	1.60	25.0	0.9333	12.16	13.58	yes	music wire	4D
C.128.160.0320.A	12.8	1.60	32.0	0.7292	14.40	16.20	yes	music wire	4D
C.128.160.0400.A	12.8	1.60	40.0	0.4752	20.00	22.78	yes	music wire	4E
C.128.160.0400.AP	12.8	1.60	40.0	0.5833	16.96	19.21	yes	music wire	4D
C.128.160.0400.I	12.8	1.60	40.0	0.4082	20.00	22.78	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.128.160.0450.A	12.8	1.60	45.0	0.4169	22.24	25.40	yes	music wire	4F
C.128.160.0450.I	12.8	1.60	45.0	0.3580	22.24	25.40	yes	stainless steel	4F
C.128.160.0500.A	12.8	1.60	50.0	0.4667	20.32	23.55	yes	music wire	4E
C.128.160.0600.A	12.8	1.60	60.0	0.3066	28.80	33.10	yes	music wire	4F
C.128.160.0600.I	12.8	1.60	60.0	0.2633	28.80	33.10	yes	stainless steel	4G
C.128.160.0630.A	12.8	1.60	63.0	0.3684	24.64	29.50	yes	music wire	4E
C.128.160.0800.A	12.8	1.60	80.0	0.3000	29.28	38.86	yes	music wire	4I
C.128.160.0800.I	12.8	1.60	80.0	0.2610	28.96	38.76	yes	stainless steel	4I
C.128.160.0800.N	12.8	1.60	80.0	0.3000	29.28	38.86	yes	Zn coating	4J
C.128.160.1000.A	12.8	1.60	100.0	0.2368	36.16	47.88	yes	music wire	4I
C.128.160.1000.I	12.8	1.60	100.0	0.2060	35.68	47.75	yes	stainless steel	4I
C.128.160.1000.N	12.8	1.60	100.0	0.2368	36.16	47.88	yes	Zn coating	4J
C.128.160.1250.A	12.8	1.60	125.0	0.1875	44.48	59.17	yes	music wire	4I
C.128.160.1250.I	12.8	1.60	125.0	0.1631	44.00	59.02	yes	stainless steel	4I
C.128.160.1250.N	12.8	1.60	125.0	0.1875	44.48	59.17	yes	Zn coating	4J
C.128.160.1600.A	12.8	1.60	160.0	0.1500	54.72	77.71	yes	music wire	4I
C.128.160.1600.I	12.8	1.60	160.0	0.1305	54.08	77.52	yes	stainless steel	4I
C.128.160.1600.N	12.8	1.60	160.0	0.1500	54.72	77.71	yes	Zn coating	4J
C.128.160.2400.A	12.8	1.60	240.0	0.0739	106.88	124.73	yes	music wire	4I
C.128.160.2400.I	12.8	1.60	240.0	0.0635	106.88	124.73	yes	stainless steel	4I
C.129.120.0100.A	12.9	1.20	10.0	1.2950	4.20	5.74	yes	music wire	4F
C.129.120.0100.I	12.9	1.20	10.0	1.1267	4.20	5.77	yes	stainless steel	4F
C.129.120.0100.N	12.9	1.20	10.0	1.2950	4.20	5.74	yes	Zn coating	4H
C.129.120.0450.A	12.9	1.20	45.0	0.1403	14.28	17.02	yes	music wire	4D
C.129.120.0450.I	12.9	1.20	45.0	0.1205	14.28	17.02	yes	stainless steel	4D
C.130.075.0140.A	13.0	0.75	14.0	0.1169	3.00	3.56	yes	music wire	4C
C.130.075.0140.I	13.0	0.75	14.0	0.1004	3.00	3.56	yes	stainless steel	4C
C.130.075.0600.A	13.0	0.75	60.0	0.0262	6.90	9.41	yes	music wire	4D
C.130.075.0600.I	13.0	0.75	60.0	0.0225	6.90	9.41	yes	stainless steel	4D
C.130.075.1200.A	13.0	0.75	120.0	0.0129	12.08	17.18	yes	music wire	4E
C.130.075.1200.I	13.0	0.75	120.0	0.0111	12.08	17.18	yes	stainless steel	4E
C.130.080.0700.A	13.0	0.80	70.0	0.0270	8.80	11.85	yes	music wire	4D
C.130.080.0700.I	13.0	0.80	70.0	0.0232	8.80	11.85	yes	stainless steel	4E
C.130.080.1200.A	13.0	0.80	120.0	0.0157	13.68	18.92	yes	music wire	4E
C.130.080.1200.I	13.0	0.80	120.0	0.0135	13.68	18.92	yes	stainless steel	4E
C.130.090.1150.A	13.0	0.90	115.0	0.0236	16.65	21.99	yes	music wire	4E
C.130.090.1150.I	13.0	0.90	115.0	0.0203	16.65	21.99	yes	stainless steel	4E
C.130.095.0140.A	13.0	0.95	14.0	0.2496	4.18	4.80	yes	music wire	4C
C.130.095.0140.I	13.0	0.95	14.0	0.2144	4.18	4.80	yes	stainless steel	4C
C.130.095.0330.A	13.0	0.95	33.0	0.1009	6.84	8.36	yes	music wire	4C
C.130.095.0330.I	13.0	0.95	33.0	0.0867	6.84	8.36	yes	stainless steel	4D
C.130.095.0590.A	13.0	0.95	59.0	0.0551	10.55	13.34	yes	music wire	4D
C.130.095.0590.I	13.0	0.95	59.0	0.0474	10.55	13.34	yes	stainless steel	4D
C.130.095.0960.A	13.0	0.95	96.0	0.0336	15.77	20.34	yes	music wire	4E
C.130.095.0960.I	13.0	0.95	96.0	0.0289	15.77	20.34	yes	stainless steel	4E
C.130.095.1300.A	13.0	0.95	130.0	0.0247	20.62	26.85	yes	music wire	4E
C.130.095.1300.I	13.0	0.95	130.0	0.0212	20.62	26.85	yes	stainless steel	4E
C.130.100.0500.A	13.0	1.00	50.0	0.0550	13.20	16.58	yes	music wire	4D
C.130.100.0500.I	13.0	1.00	50.0	0.0479	13.10	16.45	yes	stainless steel	4D
C.130.100.0500.N	13.0	1.00	50.0	0.0550	13.20	16.58	yes	Zn coating	4E
C.130.100.0540.A	13.0	1.00	54.0	0.0720	10.70	13.29	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.130.100.0540.I	13.0	1.00	54.0	0.0626	10.60	13.16	yes	stainless steel	4D
C.130.100.0540.N	13.0	1.00	54.0	0.0720	10.70	13.29	yes	Zn coating	4F
C.130.100.1010.A	13.0	1.00	101.0	0.0300	22.20	28.43	yes	music wire	4E
C.130.100.1010.I	13.0	1.00	101.0	0.0261	21.90	28.03	yes	stainless steel	4E
C.130.100.1010.N	13.0	1.00	101.0	0.0300	22.20	28.43	yes	Zn coating	4G
C.130.105.0170.A	13.0	1.05	17.0	0.2903	5.25	6.02	yes	music wire	4C
C.130.105.0170.I	13.0	1.05	17.0	0.2493	5.25	6.02	yes	stainless steel	4D
C.130.105.0320.A	13.0	1.05	32.0	0.1451	7.88	9.43	yes	music wire	4C
C.130.105.0320.I	13.0	1.05	32.0	0.1246	7.88	9.43	yes	stainless steel	4D
C.130.105.0380.A	13.0	1.05	38.0	0.1209	8.93	10.78	yes	music wire	4C
C.130.105.0380.I	13.0	1.05	38.0	0.1039	8.93	10.78	yes	stainless steel	4D
C.130.105.0780.A	13.0	1.05	78.0	0.0571	15.96	19.88	yes	music wire	4D
C.130.105.0780.I	13.0	1.05	78.0	0.0491	15.96	19.88	yes	stainless steel	4E
C.130.105.1300.A	13.0	1.05	130.0	0.0341	24.99	31.57	yes	music wire	4E
C.130.105.1300.I	13.0	1.05	130.0	0.0293	24.99	31.57	yes	stainless steel	4E
C.130.115.0170.A	13.0	1.15	17.0	0.3966	5.98	6.79	yes	music wire	4C
C.130.115.0170.I	13.0	1.15	17.0	0.3406	5.98	6.79	yes	stainless steel	4D
C.130.115.0320.A	13.0	1.15	32.0	0.1947	9.20	10.84	yes	music wire	4C
C.130.115.0320.I	13.0	1.15	32.0	0.1672	9.20	10.84	yes	stainless steel	4D
C.130.115.0570.A	13.0	1.15	57.0	0.1071	14.38	17.36	yes	music wire	4D
C.130.115.0570.I	13.0	1.15	57.0	0.0920	14.38	17.36	yes	stainless steel	4E
C.130.115.0820.A	13.0	1.15	82.0	0.0738	19.55	23.87	yes	music wire	4E
C.130.115.0820.I	13.0	1.15	82.0	0.0634	19.55	23.87	yes	stainless steel	4E
C.130.115.1300.A	13.0	1.15	130.0	0.0460	29.67	36.62	yes	music wire	4E
C.130.115.1300.I	13.0	1.15	130.0	0.0395	29.67	36.62	yes	stainless steel	4E
C.130.120.0150.A	13.0	1.20	15.0	0.5143	6.00	6.74	yes	music wire	4C
C.130.120.0150.I	13.0	1.20	15.0	0.4417	6.00	6.74	yes	stainless steel	4D
C.130.120.0228.A	13.0	1.20	22.8	0.3673	7.20	8.23	yes	music wire	4F
C.130.120.0228.I	13.0	1.20	22.8	0.3155	7.20	8.23	yes	stainless steel	4G
C.130.120.0228.N	13.0	1.20	22.8	0.3673	7.20	8.23	yes	Zn coating	4I
C.130.120.0330.A	13.0	1.20	33.0	0.2290	9.72	11.37	yes	music wire	4D
C.130.120.0330.I	13.0	1.20	33.0	0.1992	9.60	11.22	yes	stainless steel	4D
C.130.120.0330.N	13.0	1.20	33.0	0.2290	9.72	11.37	yes	Zn coating	4E
C.130.120.0344.A	13.0	1.20	34.4	0.2338	9.60	11.22	yes	music wire	4G
C.130.120.0344.I	13.0	1.20	34.4	0.2008	9.60	11.22	yes	stainless steel	4G
C.130.120.0344.N	13.0	1.20	34.4	0.2338	9.60	11.22	yes	Zn coating	4I
C.130.120.0400.A	13.0	1.20	40.0	0.1050	17.64	21.23	yes	music wire	4D
C.130.120.0400.AP	13.0	1.20	40.0	0.2430	9.36	17.48	yes	music wire	4G
C.130.120.0400.I	13.0	1.20	40.0	0.0914	17.52	21.08	yes	stainless steel	4D
C.130.120.0400.N	13.0	1.20	40.0	0.1050	17.64	21.23	yes	Zn coating	4E
C.130.120.0410.A	13.0	1.20	41.0	0.1714	12.00	14.21	yes	music wire	4D
C.130.120.0410.I	13.0	1.20	41.0	0.1472	12.00	14.21	yes	stainless steel	4D
C.130.120.0410.N	13.0	1.20	41.0	0.1714	12.00	14.21	yes	Zn coating	4E
C.130.120.0444.A	13.0	1.20	44.4	0.1398	14.04	16.75	yes	music wire	4D
C.130.120.0444.I	13.0	1.20	44.4	0.1200	14.04	16.75	yes	stainless steel	4D
C.130.120.0508.A	13.0	1.20	50.8	0.1225	15.60	18.69	yes	music wire	4D
C.130.120.0508.I	13.0	1.20	50.8	0.1052	15.60	18.69	yes	stainless steel	4E
C.130.120.0577.A	13.0	1.20	57.7	0.1353	14.40	17.25	yes	music wire	4G
C.130.120.0577.I	13.0	1.20	57.7	0.1162	14.40	17.19	yes	stainless steel	4G
C.130.120.0577.N	13.0	1.20	57.7	0.1353	14.40	17.25	yes	Zn coating	4I
C.130.120.0600.A	13.0	1.20	60.0	0.1150	16.44	19.73	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.130.120.0600.I	13.0	1.20	60.0	0.1000	16.20	19.43	yes	stainless steel	4E
C.130.120.0600.N	13.0	1.20	60.0	0.1150	16.44	19.73	yes	Zn coating	4F
C.130.120.0690.A	13.0	1.20	69.0	0.0952	19.20	23.17	yes	music wire	4D
C.130.120.0690.AP	13.0	1.20	69.0	0.1370	14.28	29.06	yes	music wire	4G
C.130.120.0690.I	13.0	1.20	69.0	0.0818	19.20	23.17	yes	stainless steel	4E
C.130.120.0690.N	13.0	1.20	69.0	0.0952	19.20	23.17	yes	Zn coating	4F
C.130.120.0820.A	13.0	1.20	82.0	0.0779	22.80	27.65	yes	music wire	4E
C.130.120.0820.AP	13.0	1.20	82.0	0.1150	16.44	34.42	yes	music wire	4G
C.130.120.0820.I	13.0	1.20	82.0	0.0669	22.80	27.65	yes	stainless steel	4E
C.130.120.0820.N	13.0	1.20	82.0	0.0779	22.80	27.65	yes	Zn coating	4G
C.130.120.0927.A	13.0	1.20	92.7	0.0829	21.60	26.69	yes	music wire	4G
C.130.120.0927.I	13.0	1.20	92.7	0.0712	21.60	26.23	yes	stainless steel	4H
C.130.120.0927.N	13.0	1.20	92.7	0.0829	21.60	26.69	yes	Zn coating	4I
C.130.125.0180.A	13.0	1.25	18.0	0.4381	7.50	8.52	yes	music wire	4C
C.130.125.0180.AP	13.0	1.25	18.0	0.6681	6.00	8.82	yes	music wire	4F
C.130.125.0180.I	13.0	1.25	18.0	0.3763	7.50	8.52	yes	stainless steel	4D
C.130.125.0180.N	13.0	1.25	18.0	0.4381	7.50	8.52	yes	Zn coating	4E
C.130.125.0270.A	13.0	1.25	27.0	0.2788	10.00	11.60	yes	music wire	4D
C.130.125.0270.AP	13.0	1.25	27.0	0.4153	7.75	12.23	yes	music wire	4F
C.130.125.0270.I	13.0	1.25	27.0	0.2395	10.00	11.60	yes	stainless steel	4D
C.130.125.0270.N	13.0	1.25	27.0	0.2788	10.00	11.60	yes	Zn coating	4E
C.130.125.0400.A	13.0	1.25	40.0	0.1804	13.75	16.22	yes	music wire	4D
C.130.125.0400.AP	13.0	1.25	40.0	0.2744	10.13	17.65	yes	music wire	4G
C.130.125.0400.I	13.0	1.25	40.0	0.1549	13.75	16.22	yes	stainless steel	4D
C.130.125.0400.N	13.0	1.25	40.0	0.1804	13.75	16.22	yes	Zn coating	4E
C.130.125.0630.A	13.0	1.25	63.0	0.1136	20.00	23.92	yes	music wire	4D
C.130.125.0630.AP	13.0	1.25	63.0	0.1727	14.25	27.48	yes	music wire	4G
C.130.125.0630.I	13.0	1.25	63.0	0.0988	19.75	23.62	yes	stainless steel	4E
C.130.125.0630.N	13.0	1.25	63.0	0.1136	20.00	23.92	yes	Zn coating	4F
C.130.130.0160.A	13.0	1.30	16.0	0.8920	5.85	8.33	yes	music wire	4F
C.130.130.0160.I	13.0	1.30	16.0	0.7760	5.85	8.36	yes	stainless steel	4G
C.130.130.0160.N	13.0	1.30	16.0	0.8920	5.85	8.33	yes	Zn coating	4H
C.130.130.0280.A	13.0	1.30	28.0	0.3494	10.01	11.51	yes	music wire	4D
C.130.130.0280.I	13.0	1.30	28.0	0.3001	10.01	11.51	yes	stainless steel	4D
C.130.130.0580.A	13.0	1.30	58.0	0.1780	16.51	19.57	yes	music wire	4G
C.130.130.0580.I	13.0	1.30	58.0	0.1549	16.38	19.71	yes	stainless steel	4G
C.130.130.0580.N	13.0	1.30	58.0	0.1780	16.51	19.57	yes	Zn coating	4I
C.130.130.1300.A	13.0	1.30	130.0	0.0699	37.05	44.54	yes	music wire	4E
C.130.130.1300.I	13.0	1.30	130.0	0.0600	37.05	44.54	yes	stainless steel	4F
C.130.150.0400.A	13.0	1.50	40.0	0.3500	18.30	21.04	yes	music wire	4E
C.130.150.0400.AP	13.0	1.50	40.0	0.5162	13.65	20.28	yes	music wire	4I
C.130.150.0400.I	13.0	1.50	40.0	0.3045	18.15	20.86	yes	stainless steel	4F
C.130.150.0400.N	13.0	1.50	40.0	0.3500	18.30	21.04	yes	Zn coating	4H
C.130.150.0890.A	13.0	1.50	89.0	0.1721	33.30	38.86	yes	music wire	4G
C.130.150.0890.I	13.0	1.50	89.0	0.1478	33.30	38.86	yes	stainless steel	4G
C.130.160.0140.A	13.0	1.60	14.0	1.6690	8.32	9.08	yes	music wire	4E
C.130.160.0140.I	13.0	1.60	14.0	1.4335	8.32	9.08	yes	stainless steel	4E
C.130.170.1200.A	13.0	1.70	120.0	0.2040	53.38	61.55	yes	music wire	4G
C.130.170.1200.I	13.0	1.70	120.0	0.1753	53.38	61.55	yes	stainless steel	4G
C.130.175.0140.A	13.0	1.75	14.0	2.4854	9.10	9.87	yes	music wire	4E
C.130.175.0140.I	13.0	1.75	14.0	2.1347	9.10	9.87	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.130.175.0180.A	13.0	1.75	18.0	1.8137	10.85	11.90	yes	music wire	4E
C.130.175.0180.I	13.0	1.75	18.0	1.5578	10.85	11.90	yes	stainless steel	4F
C.130.180.0280.A	13.0	1.80	28.0	1.0149	18.00	20.13	yes	music wire	4G
C.130.180.0280.AP	13.0	1.80	28.0	1.5036	13.68	16.81	yes	music wire	4I
C.130.180.0280.I	13.0	1.80	28.0	0.8717	18.00	20.13	yes	stainless steel	4G
C.130.180.0280.N	13.0	1.80	28.0	1.0149	18.00	20.13	yes	Zn coating	4I
C.130.180.0360.A	13.0	1.80	36.0	0.9062	19.62	22.01	yes	music wire	4G
C.130.180.0360.I	13.0	1.80	36.0	0.7783	19.62	22.01	yes	stainless steel	4G
C.130.180.0600.A	13.0	1.80	60.0	0.3460	44.10	50.36	yes	music wire	4G
C.130.180.0600.AP	13.0	1.80	60.0	0.6554	25.38	34.34	yes	music wire	4I
C.130.180.0600.I	13.0	1.80	60.0	0.2972	44.10	50.36	yes	stainless steel	4G
C.130.180.0600.N	13.0	1.80	60.0	0.3460	44.10	50.36	yes	Zn coating	4I
C.130.180.0750.A	13.0	1.80	75.0	0.4150	37.44	42.65	yes	music wire	4G
C.130.180.0750.I	13.0	1.80	75.0	0.3611	37.08	42.23	yes	stainless steel	4G
C.130.180.0750.N	13.0	1.80	75.0	0.4150	37.44	42.65	yes	Zn coating	4I
C.130.180.0830.A	13.0	1.80	83.0	0.4150	37.44	42.65	yes	music wire	4I
C.130.180.0830.I	13.0	1.80	83.0	0.3611	37.08	42.23	yes	stainless steel	4I
C.130.180.0830.N	13.0	1.80	83.0	0.4150	37.44	42.65	yes	Zn coating	4J
C.130.200.0220.A	13.0	2.00	22.0	2.4993	14.80	16.22	yes	music wire	4G
C.130.200.0220.I	13.0	2.00	22.0	2.1466	14.80	16.22	yes	stainless steel	4G
C.130.200.0350.A	13.0	2.00	35.0	1.7170	19.20	21.94	yes	music wire	4I
C.130.200.0350.I	13.0	2.00	35.0	1.4938	19.00	21.82	yes	stainless steel	4I
C.130.200.0350.N	13.0	2.00	35.0	1.7170	19.20	21.94	yes	Zn coating	4J
C.130.200.0500.A	13.0	2.00	50.0	1.1663	26.00	30.78	yes	music wire	4I
C.130.200.0500.I	13.0	2.00	50.0	1.0147	25.80	30.60	yes	stainless steel	4I
C.130.200.0500.N	13.0	2.00	50.0	1.1663	26.00	30.78	yes	Zn coating	4J
C.130.200.0660.A	13.0	2.00	66.0	0.7500	37.60	42.34	yes	music wire	4G
C.130.200.0660.I	13.0	2.00	66.0	0.6534	37.20	41.88	yes	stainless steel	4G
C.130.200.0660.N	13.0	2.00	66.0	0.7500	37.60	42.34	yes	Zn coating	4I
C.130.200.0680.A	13.0	2.00	68.0	0.8446	34.00	41.45	yes	music wire	4I
C.130.200.0680.I	13.0	2.00	68.0	0.7254	34.00	40.86	yes	stainless steel	4I
C.130.200.0680.N	13.0	2.00	68.0	0.8446	34.00	41.45	yes	Zn coating	4J
C.130.200.0890.A	13.0	2.00	89.0	0.6280	44.00	53.30	yes	music wire	4I
C.130.200.0890.I	13.0	2.00	89.0	0.5394	44.00	52.50	yes	stainless steel	4J
C.130.200.0890.N	13.0	2.00	89.0	0.6280	44.00	53.30	yes	Zn coating	4J
C.130.200.1070.A	13.0	2.00	107.0	0.5211	52.00	63.97	yes	music wire	4J
C.130.200.1070.I	13.0	2.00	107.0	0.4476	52.00	63.01	yes	stainless steel	4J
C.130.200.1070.N	13.0	2.00	107.0	0.5211	52.00	63.97	yes	Zn coating	4K
C.130.220.0560.A	13.0	2.20	56.0	1.3341	36.74	40.99	yes	music wire	4G
C.130.220.0560.I	13.0	2.20	56.0	1.1459	36.74	40.99	yes	stainless steel	4G
C.130.220.0640.A	13.0	2.20	64.0	1.7710	29.04	47.62	yes	music wire	4J
C.130.220.0640.I	13.0	2.20	64.0	1.5408	28.82	47.41	yes	stainless steel	4K
C.130.220.0640.N	13.0	2.20	64.0	1.7710	29.04	47.62	yes	Zn coating	4M
C.130.225.0220.A	13.0	2.25	22.0	4.2892	16.65	18.13	yes	music wire	4G
C.130.225.0220.I	13.0	2.25	22.0	3.6840	16.65	18.13	yes	stainless steel	4G
C.130.225.0880.A	13.0	2.25	88.0	0.9178	57.15	64.07	yes	music wire	4H
C.130.225.0880.I	13.0	2.25	88.0	0.7883	57.15	64.07	yes	stainless steel	4H
C.130.230.0250.A	13.0	2.30	25.0	4.0827	18.86	20.60	yes	music wire	4G
C.130.230.0250.I	13.0	2.30	25.0	3.5067	18.86	20.60	yes	stainless steel	4G
C.130.230.0320.A	13.0	2.30	32.0	3.0621	23.23	25.55	yes	music wire	4G
C.130.230.0320.I	13.0	2.30	32.0	2.6300	23.23	25.55	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.130.230.0390.A	13.0	2.30	39.0	2.4496	27.60	30.49	yes	music wire	4G
C.130.230.0390.I	13.0	2.30	39.0	2.1040	27.60	30.49	yes	stainless steel	4G
C.130.230.0730.A	13.0	2.30	73.0	1.2313	49.22	54.98	yes	music wire	4G
C.130.230.0730.I	13.0	2.30	73.0	1.0576	49.22	54.98	yes	stainless steel	4H
C.130.230.0880.A	13.0	2.30	88.0	1.0118	58.65	65.66	yes	music wire	4H
C.130.230.0880.I	13.0	2.30	88.0	0.8690	58.65	65.66	yes	stainless steel	4H
C.130.230.1250.A	13.0	2.30	125.0	0.7031	81.88	91.96	yes	music wire	4H
C.130.230.1250.I	13.0	2.30	125.0	0.6039	81.88	91.96	yes	stainless steel	4I
C.130.235.0140.A	13.0	2.35	14.0	9.5263	12.22	13.05	yes	music wire	4G
C.130.235.0140.I	13.0	2.35	14.0	8.1821	12.22	13.05	yes	stainless steel	4G
C.130.235.0200.A	13.0	2.35	20.0	5.9817	15.98	17.30	yes	music wire	4G
C.130.235.0200.I	13.0	2.35	20.0	5.1376	15.98	17.30	yes	stainless steel	4G
C.130.235.0280.A	13.0	2.35	28.0	3.9571	21.15	23.15	yes	music wire	4G
C.130.235.0280.I	13.0	2.35	28.0	3.3987	21.15	23.15	yes	stainless steel	4G
C.130.235.0870.A	13.0	2.35	87.0	1.1331	59.22	66.20	yes	music wire	4H
C.130.235.0870.I	13.0	2.35	87.0	0.9732	59.22	66.20	yes	stainless steel	4H
C.130.235.1100.A	13.0	2.35	110.0	0.8869	74.03	82.94	yes	music wire	4H
C.130.235.1100.I	13.0	2.35	110.0	0.7618	74.03	82.94	yes	stainless steel	4I
C.130.240.0160.A	13.0	2.40	16.0	8.8684	13.68	14.67	yes	music wire	4G
C.130.240.0160.I	13.0	2.40	16.0	7.6170	13.68	14.67	yes	stainless steel	4G
C.130.240.0180.A	13.0	2.40	18.0	7.6700	14.88	16.03	yes	music wire	4G
C.130.240.0180.I	13.0	2.40	18.0	6.5877	14.88	16.03	yes	stainless steel	4G
C.130.240.0230.A	13.0	2.40	23.0	5.5645	18.24	19.82	yes	music wire	4G
C.130.240.0230.I	13.0	2.40	23.0	4.7793	18.24	19.82	yes	stainless steel	4G
C.130.240.0270.A	13.0	2.40	27.0	4.5772	20.88	22.80	yes	music wire	4G
C.130.240.0270.I	13.0	2.40	27.0	3.9314	20.88	22.80	yes	stainless steel	4G
C.130.240.0310.A	13.0	2.40	31.0	3.8875	23.52	25.78	yes	music wire	4G
C.130.240.0310.I	13.0	2.40	31.0	3.3390	23.52	25.78	yes	stainless steel	4G
C.130.240.0350.A	13.0	2.40	35.0	3.3784	26.16	28.77	yes	music wire	4G
C.130.240.0350.I	13.0	2.40	35.0	2.9017	26.16	28.77	yes	stainless steel	4G
C.130.240.0420.A	13.0	2.40	42.0	2.7552	30.72	33.92	yes	music wire	4G
C.130.240.0420.I	13.0	2.40	42.0	2.3665	30.72	33.92	yes	stainless steel	4G
C.130.240.0480.A	13.0	2.40	48.0	2.3649	34.80	38.52	yes	music wire	4G
C.130.240.0480.I	13.0	2.40	48.0	2.0312	34.80	38.52	yes	stainless steel	4G
C.130.240.0720.A	13.0	2.40	72.0	1.5257	50.64	56.41	yes	music wire	4G
C.130.240.0720.I	13.0	2.40	72.0	1.3105	50.64	56.41	yes	stainless steel	4H
C.130.240.0820.A	13.0	2.40	82.0	1.3323	57.12	63.73	yes	music wire	4G
C.130.240.0820.I	13.0	2.40	82.0	1.1443	57.12	63.73	yes	stainless steel	4H
C.130.240.0940.A	13.0	2.40	94.0	1.1536	65.04	72.67	yes	music wire	4H
C.130.240.0940.I	13.0	2.40	94.0	0.9908	65.04	72.67	yes	stainless steel	4H
C.130.240.1050.A	13.0	2.40	105.0	1.0282	72.24	80.80	yes	music wire	4H
C.130.240.1050.I	13.0	2.40	105.0	0.8831	72.24	80.80	yes	stainless steel	4I
C.130.240.1200.A	13.0	2.40	120.0	0.8924	82.32	92.19	yes	music wire	4H
C.130.240.1200.I	13.0	2.40	120.0	0.7665	82.32	92.19	yes	stainless steel	4I
C.130.250.0150.A	13.0	2.50	15.0	11.8539	13.50	14.42	yes	music wire	4G
C.130.250.0150.I	13.0	2.50	15.0	10.1813	13.50	14.42	yes	stainless steel	4G
C.130.250.0188.A	13.0	2.50	18.8	9.8218	15.00	16.11	yes	music wire	4G
C.130.250.0188.I	13.0	2.50	18.8	8.4359	15.00	16.11	yes	stainless steel	4G
C.130.250.0188.N	13.0	2.50	18.8	9.8218	15.00	16.11	yes	Zn coating	4I
C.130.250.0267.A	13.0	2.50	26.7	6.2502	20.00	21.74	yes	music wire	4I
C.130.250.0267.I	13.0	2.50	26.7	5.3683	20.00	21.74	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.130.250.0267.N	13.0	2.50	26.7	6.2502	20.00	21.74	yes	Zn coating	4J
C.130.250.0300.A	13.0	2.50	30.0	4.9109	23.75	25.96	yes	music wire	4G
C.130.250.0300.I	13.0	2.50	30.0	4.2180	23.75	25.96	yes	stainless steel	4G
C.130.250.0350.A	13.0	2.50	35.0	4.0924	27.25	29.91	yes	music wire	4G
C.130.250.0350.I	13.0	2.50	35.0	3.5150	27.25	29.91	yes	stainless steel	4G
C.130.250.0425.A	13.0	2.50	42.5	3.6186	30.00	33.00	yes	music wire	4I
C.130.250.0425.I	13.0	2.50	42.5	3.1080	30.00	33.00	yes	stainless steel	4I
C.130.250.0425.N	13.0	2.50	42.5	3.6186	30.00	33.00	yes	Zn coating	4J
C.130.250.0600.A	13.0	2.50	60.0	3.7490	29.25	49.11	yes	music wire	4K
C.130.250.0600.I	13.0	2.50	60.0	3.2616	29.00	48.92	yes	stainless steel	4K
C.130.250.0600.N	13.0	2.50	60.0	3.7490	29.25	49.11	yes	Zn coating	4M
C.130.250.0662.A	13.0	2.50	66.2	2.2178	45.00	49.90	yes	music wire	4I
C.130.250.0662.I	13.0	2.50	66.2	1.9000	45.00	49.90	yes	stainless steel	4J
C.130.250.0662.N	13.0	2.50	66.2	2.2178	45.00	49.90	yes	Zn coating	4J
C.130.250.0730.A	13.0	2.50	73.0	1.8285	53.25	59.19	yes	music wire	4H
C.130.250.0730.I	13.0	2.50	73.0	1.5705	53.25	59.19	yes	stainless steel	4H
C.130.250.0900.A	13.0	2.50	90.0	1.5690	61.00	67.92	yes	music wire	4J
C.130.250.0900.I	13.0	2.50	90.0	1.3650	60.25	67.08	yes	stainless steel	4J
C.130.250.0900.N	13.0	2.50	90.0	1.5690	61.00	67.92	yes	Zn coating	4K
C.130.250.1100.A	13.0	2.50	110.0	1.1854	78.75	87.92	yes	music wire	4I
C.130.250.1100.I	13.0	2.50	110.0	1.0181	78.75	87.92	yes	stainless steel	4I
C.130.300.0270.A	13.0	3.00	27.0	16.2000	22.80	24.59	yes	music wire	4J
C.130.300.0270.I	13.0	3.00	27.0	14.0940	22.50	24.25	yes	stainless steel	4J
C.130.300.0270.N	13.0	3.00	27.0	16.2000	22.80	24.59	yes	Zn coating	4L
C.131.070.0100.A	13.1	0.70	10.0	0.1166	2.52	2.96	yes	music wire	4C
C.131.070.0100.I	13.1	0.70	10.0	0.1002	2.52	2.96	yes	stainless steel	4C
C.131.070.0320.A	13.1	0.70	32.0	0.0080	12.88	19.23	yes	music wire	4C
C.131.070.0320.I	13.1	0.70	32.0	0.0070	12.74	19.01	yes	stainless steel	4D
C.131.070.0460.A	13.1	0.70	46.0	0.0218	5.88	8.24	yes	music wire	4C
C.131.070.0460.I	13.1	0.70	46.0	0.0190	5.81	8.13	yes	stainless steel	4D
C.131.080.0250.A	13.1	0.80	25.0	0.0600	4.96	6.31	yes	music wire	4C
C.131.080.0250.I	13.1	0.80	25.0	0.0522	4.96	6.31	yes	stainless steel	4C
C.131.080.0290.A	13.1	0.80	29.0	0.0287	8.24	11.08	yes	music wire	4C
C.131.080.0290.I	13.1	0.80	29.0	0.0250	8.16	10.96	yes	stainless steel	4D
C.131.080.1000.A	13.1	0.80	100.0	0.0159	13.28	18.41	yes	music wire	4E
C.131.080.1000.I	13.1	0.80	100.0	0.0137	13.28	18.41	yes	stainless steel	4E
C.131.090.0159.A	13.1	0.90	15.9	0.0483	9.09	11.66	yes	music wire	4C
C.131.090.0159.I	13.1	0.90	15.9	0.0420	9.00	11.54	yes	stainless steel	4C
C.131.090.0600.A	13.1	0.90	60.0	0.0387	10.80	14.01	yes	music wire	4D
C.131.090.0600.I	13.1	0.90	60.0	0.0333	10.80	14.01	yes	stainless steel	4D
C.131.100.0200.A	13.1	1.00	20.0	0.1743	5.80	6.85	yes	music wire	4C
C.131.100.0200.I	13.1	1.00	20.0	0.1497	5.80	6.85	yes	stainless steel	4D
C.131.100.0830.A	13.1	1.00	83.0	0.0670	11.10	34.35	yes	music wire	4I
C.131.100.0830.I	13.1	1.00	83.0	0.0583	11.00	34.88	yes	stainless steel	4I
C.131.110.0270.A	13.1	1.10	27.0	0.1300	10.01	12.03	yes	music wire	4C
C.131.110.0270.AP	13.1	1.10	27.0	0.2700	6.27	11.23	yes	music wire	4F
C.131.110.0270.I	13.1	1.10	27.0	0.1131	10.01	12.03	yes	stainless steel	4D
C.131.110.0600.A	13.1	1.10	60.0	0.0751	15.40	18.92	yes	music wire	4D
C.131.110.0600.I	13.1	1.10	60.0	0.0645	15.40	18.92	yes	stainless steel	4E
C.131.140.0300.A	13.1	1.40	30.0	0.2759	15.96	18.51	yes	music wire	4E
C.131.140.0300.AP	13.1	1.40	30.0	0.5450	9.80	14.69	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.131.140.0300.I	13.1	1.40	30.0	0.2400	15.68	18.17	yes	stainless steel	4F
C.131.140.0800.A	13.1	1.40	80.0	0.1307	29.68	35.04	yes	music wire	4F
C.131.140.0800.I	13.1	1.40	80.0	0.1122	29.68	35.04	yes	stainless steel	4G
C.131.150.0200.A	13.1	1.50	20.0	0.7684	10.20	11.42	yes	music wire	4E
C.131.150.0200.I	13.1	1.50	20.0	0.6600	10.20	11.42	yes	stainless steel	4E
C.131.150.0330.A	13.1	1.50	33.0	0.5517	12.75	14.68	yes	music wire	4I
C.131.150.0330.I	13.1	1.50	33.0	0.4800	12.60	14.68	yes	stainless steel	4I
C.131.150.0420.A	13.1	1.50	42.0	0.3000	20.25	23.38	yes	music wire	4E
C.131.150.0420.AP	13.1	1.50	42.0	0.4881	13.95	21.30	yes	music wire	4I
C.131.150.0420.I	13.1	1.50	42.0	0.2610	20.10	23.20	yes	stainless steel	4F
C.131.160.0200.A	13.1	1.60	20.0	0.9755	11.20	12.48	yes	music wire	4E
C.131.160.0200.I	13.1	1.60	20.0	0.8379	11.20	12.48	yes	stainless steel	4F
C.131.160.0910.A	13.1	1.60	91.0	0.2100	37.44	43.38	yes	music wire	4G
C.131.160.0910.I	13.1	1.60	91.0	0.1827	36.96	42.81	yes	stainless steel	4G
C.131.160.2220.A	13.1	1.60	222.0	0.0931	79.52	92.92	yes	music wire	4J
C.131.160.2220.I	13.1	1.60	222.0	0.0810	78.40	91.95	yes	stainless steel	4J
C.131.190.0200.A	13.1	1.90	20.0	2.0543	13.49	14.82	yes	music wire	4F
C.131.190.0200.I	13.1	1.90	20.0	1.7645	13.49	14.82	yes	stainless steel	4G
C.131.190.0680.A	13.1	1.90	68.0	0.4943	41.04	46.56	yes	music wire	4G
C.131.190.0680.AP	13.1	1.90	68.0	0.7006	30.40	40.36	yes	music wire	4I
C.131.190.0680.I	13.1	1.90	68.0	0.4300	40.66	46.12	yes	stainless steel	4G
C.131.200.0143.A	13.1	2.00	14.3	5.6000	9.20	10.32	yes	music wire	4I
C.131.200.0143.I	13.1	2.00	14.3	4.8720	9.20	10.29	yes	stainless steel	4I
C.131.200.1000.A	13.1	2.00	100.0	0.4350	59.80	67.81	yes	music wire	4H
C.131.200.1000.I	13.1	2.00	100.0	0.3736	59.80	67.81	yes	stainless steel	4H
C.131.240.0200.A	13.1	2.40	20.0	6.2706	16.56	17.93	yes	music wire	4G
C.131.240.0200.I	13.1	2.40	20.0	5.3858	16.56	17.93	yes	stainless steel	4G
C.131.240.0550.A	13.1	2.40	55.0	2.0690	37.92	42.06	yes	music wire	4G
C.131.240.0550.I	13.1	2.40	55.0	1.8000	37.68	41.79	yes	stainless steel	4G
C.131.280.0125.A	13.1	2.80	12.5	38.9743	11.20	11.71	yes	music wire	4F
C.131.280.0160.A	13.1	2.80	16.0	23.4256	13.72	14.53	yes	music wire	4F
C.131.280.0200.A	13.1	2.80	20.0	15.4880	17.36	18.61	yes	music wire	4F
C.131.280.0200.S	13.1	2.80	20.0	12.5000	19.88	19.88	yes	Cr-Si steel	4J
C.131.280.0250.A	13.1	2.80	25.0	11.0000	21.56	23.31	yes	music wire	4F
C.131.280.0250.S	13.1	2.80	25.0	10.0000	22.96	24.88	yes	Cr-Si steel	4J
C.131.280.0320.A	13.1	2.80	32.0	8.0000	27.16	29.59	yes	music wire	4F
C.131.280.0320.S	13.1	2.80	32.0	8.0000	27.16	29.59	yes	Cr-Si steel	4J
C.131.280.0400.A	13.1	2.80	40.0	6.4000	32.20	35.23	yes	music wire	4F
C.131.280.0400.S	13.1	2.80	40.0	6.3492	32.20	35.23	yes	Cr-Si steel	4J
C.131.280.0500.A	13.1	2.80	50.0	5.0794	38.64	42.45	yes	music wire	4G
C.131.280.0500.S	13.1	2.80	50.0	5.0000	39.20	43.07	yes	Cr-Si steel	4J
C.131.280.0630.A	13.1	2.80	63.0	4.0000	47.04	51.86	yes	music wire	4G
C.131.280.0630.S	13.1	2.80	63.0	4.0000	47.04	51.86	yes	Cr-Si steel	4M
C.131.280.0800.A	13.1	2.80	80.0	3.2000	57.12	63.15	yes	music wire	4G
C.131.280.0800.S	13.1	2.80	80.0	3.2000	57.12	63.15	yes	Cr-Si steel	4M
C.131.280.1000.A	13.1	2.80	100.0	2.5600	69.72	78.65	yes	music wire	4G
C.131.280.1000.S	13.1	2.80	100.0	2.5000	71.12	78.83	yes	Cr-Si steel	4M
C.131.280.1250.A	13.1	2.80	125.0	2.0000	87.36	97.67	yes	music wire	4G
C.131.280.1250.S	13.1	2.80	125.0	2.0000	87.36	97.67	yes	Cr-Si steel	4M
C.131.280.1600.A	13.1	2.80	160.0	1.3234	128.24	142.82	yes	music wire	4I
C.131.280.1600.I	13.1	2.80	160.0	1.1367	128.24	142.82	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.131.280.2550.A	13.1	2.80	255.0	0.8198	202.72	226.26	yes	music wire	4J
C.131.280.2550.I	13.1	2.80	255.0	0.7041	202.72	226.26	yes	stainless steel	4J
C.131.280.3200.A	13.1	2.80	320.0	0.6504	253.68	283.36	yes	music wire	4J
C.131.280.3200.I	13.1	2.80	320.0	0.5587	253.68	283.36	yes	stainless steel	4J
C.132.100.0160.A	13.2	1.00	16.0	0.2270	5.00	5.81	yes	music wire	4C
C.132.100.0160.I	13.2	1.00	16.0	0.1975	4.90	5.68	yes	stainless steel	4D
C.132.100.0160.N	13.2	1.00	16.0	0.2270	5.00	5.81	yes	Zn coating	4E
C.132.100.0200.A	13.2	1.00	20.0	0.1730	5.70	6.73	yes	music wire	4C
C.132.100.0200.I	13.2	1.00	20.0	0.1505	5.70	6.73	yes	stainless steel	4D
C.132.100.0200.N	13.2	1.00	20.0	0.1730	5.70	6.73	yes	Zn coating	4E
C.132.100.0250.A	13.2	1.00	25.0	0.1390	6.50	7.79	yes	music wire	4C
C.132.100.0250.I	13.2	1.00	25.0	0.1209	6.50	7.79	yes	stainless steel	4D
C.132.100.0250.N	13.2	1.00	25.0	0.1390	6.50	7.79	yes	Zn coating	4E
C.132.100.0320.A	13.2	1.00	32.0	0.1050	7.80	9.51	yes	music wire	4C
C.132.100.0320.I	13.2	1.00	32.0	0.0914	7.80	9.51	yes	stainless steel	4D
C.132.100.0320.N	13.2	1.00	32.0	0.1050	7.80	9.51	yes	Zn coating	4E
C.132.100.0400.A	13.2	1.00	40.0	0.0850	9.10	11.23	yes	music wire	4D
C.132.100.0400.I	13.2	1.00	40.0	0.0740	9.00	11.10	yes	stainless steel	4D
C.132.100.0400.N	13.2	1.00	40.0	0.0850	9.10	11.23	yes	Zn coating	4E
C.132.100.0500.A	13.2	1.00	50.0	0.0660	11.00	13.75	yes	music wire	4D
C.132.100.0500.I	13.2	1.00	50.0	0.0574	10.90	13.62	yes	stainless steel	4D
C.132.100.0500.N	13.2	1.00	50.0	0.0660	11.00	13.75	yes	Zn coating	4E
C.132.100.0630.A	13.2	1.00	63.0	0.0530	13.10	16.53	yes	music wire	4D
C.132.100.0630.I	13.2	1.00	63.0	0.0461	13.00	16.39	yes	stainless steel	4E
C.132.100.0630.N	13.2	1.00	63.0	0.0530	13.10	16.53	yes	Zn coating	4F
C.132.100.0800.A	13.2	1.00	80.0	0.0410	16.20	20.63	yes	music wire	4D
C.132.100.0800.I	13.2	1.00	80.0	0.0357	16.00	20.36	yes	stainless steel	4E
C.132.100.0800.N	13.2	1.00	80.0	0.0410	16.20	20.63	yes	Zn coating	4F
C.132.100.1000.A	13.2	1.00	100.0	0.0330	19.50	25.00	yes	music wire	4E
C.132.100.1000.I	13.2	1.00	100.0	0.0287	19.30	24.73	yes	stainless steel	4E
C.132.100.1000.N	13.2	1.00	100.0	0.0330	19.50	25.00	yes	Zn coating	4G
C.132.100.1250.A	13.2	1.00	125.0	0.0260	24.10	31.08	yes	music wire	4E
C.132.100.1250.I	13.2	1.00	125.0	0.0226	23.80	30.69	yes	stainless steel	4E
C.132.100.1250.N	13.2	1.00	125.0	0.0260	24.10	31.08	yes	Zn coating	4G
C.132.100.3600.A	13.2	1.00	360.0	0.0090	65.80	85.94	no	music wire	4I
C.132.100.3600.I	13.2	1.00	360.0	0.0078	65.00	84.88	no	stainless steel	4I
C.132.110.0160.A	13.2	1.10	16.0	0.3240	5.61	6.42	yes	music wire	4C
C.132.110.0160.AP	13.2	1.10	16.0	0.4682	4.73	6.97	yes	music wire	4F
C.132.110.0160.I	13.2	1.10	16.0	0.2819	5.61	6.42	yes	stainless steel	4D
C.132.110.0160.N	13.2	1.10	16.0	0.3240	5.61	6.42	yes	Zn coating	4E
C.132.110.0200.A	13.2	1.10	20.0	0.2490	6.49	7.54	yes	music wire	4C
C.132.110.0200.AP	13.2	1.10	20.0	0.3664	5.28	8.46	yes	music wire	4F
C.132.110.0200.I	13.2	1.10	20.0	0.2166	6.38	7.40	yes	stainless steel	4D
C.132.110.0200.N	13.2	1.10	20.0	0.2490	6.49	7.54	yes	Zn coating	4E
C.132.110.0250.A	13.2	1.10	25.0	0.1960	7.48	8.81	yes	music wire	4C
C.132.110.0250.AP	13.2	1.10	25.0	0.2906	5.94	10.45	yes	music wire	4F
C.132.110.0250.I	13.2	1.10	25.0	0.1705	7.37	8.67	yes	stainless steel	4D
C.132.110.0250.N	13.2	1.10	25.0	0.1960	7.48	8.81	yes	Zn coating	4E
C.132.110.0320.A	13.2	1.10	32.0	0.1470	9.02	10.79	yes	music wire	4C
C.132.110.0320.AP	13.2	1.10	32.0	0.2278	6.82	13.44	yes	music wire	4F
C.132.110.0320.I	13.2	1.10	32.0	0.1470	8.14	9.66	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.132.110.0320.N	13.2	1.10	32.0	0.1470	9.02	10.79	yes	Zn coating	4E
C.132.110.0400.A	13.2	1.10	40.0	0.1180	10.56	12.76	yes	music wire	4D
C.132.110.0400.AP	13.2	1.10	40.0	0.1793	7.92	16.42	yes	music wire	4G
C.132.110.0400.I	13.2	1.10	40.0	0.1027	10.45	12.62	yes	stainless steel	4D
C.132.110.0400.N	13.2	1.10	40.0	0.1180	10.56	12.76	yes	Zn coating	4E
C.132.110.0500.A	13.2	1.10	50.0	0.0940	12.65	15.44	yes	music wire	4D
C.132.110.0500.AP	13.2	1.10	50.0	0.1428	9.24	20.40	yes	music wire	4G
C.132.110.0500.I	13.2	1.10	50.0	0.0818	12.43	15.15	yes	stainless steel	4D
C.132.110.0500.N	13.2	1.10	50.0	0.0940	12.65	15.44	yes	Zn coating	4F
C.132.110.0630.A	13.2	1.10	63.0	0.0740	15.29	18.82	yes	music wire	4D
C.132.110.0630.AP	13.2	1.10	63.0	0.1124	11.00	25.38	yes	music wire	4G
C.132.110.0630.I	13.2	1.10	63.0	0.0644	15.07	18.54	yes	stainless steel	4E
C.132.110.0630.N	13.2	1.10	63.0	0.0740	15.29	18.82	yes	Zn coating	4F
C.132.110.0800.A	13.2	1.10	80.0	0.0570	19.03	23.61	yes	music wire	4E
C.132.110.0800.AP	13.2	1.10	80.0	0.0878	13.31	31.84	yes	music wire	4G
C.132.110.0800.I	13.2	1.10	80.0	0.0496	18.81	23.33	yes	stainless steel	4E
C.132.110.0800.N	13.2	1.10	80.0	0.0570	19.03	23.61	yes	Zn coating	4F
C.132.110.1000.A	13.2	1.10	100.0	0.0460	22.88	28.55	yes	music wire	4E
C.132.110.1000.AP	13.2	1.10	100.0	0.0696	16.06	39.30	yes	music wire	4G
C.132.110.1000.I	13.2	1.10	100.0	0.0400	22.66	28.26	yes	stainless steel	4E
C.132.110.1000.N	13.2	1.10	100.0	0.0460	22.88	28.55	yes	Zn coating	4G
C.132.110.1250.A	13.2	1.10	125.0	0.0360	28.49	35.74	yes	music wire	4E
C.132.110.1250.AP	13.2	1.10	125.0	0.0554	19.47	48.75	yes	music wire	4H
C.132.110.1250.I	13.2	1.10	125.0	0.0313	28.16	35.31	yes	stainless steel	4E
C.132.110.1250.N	13.2	1.10	125.0	0.0360	28.49	35.74	yes	Zn coating	4G
C.132.110.3600.A	13.2	1.10	360.0	0.0120	81.07	102.81	no	music wire	4I
C.132.110.3600.I	13.2	1.10	360.0	0.0104	80.08	101.54	no	stainless steel	4I
C.132.125.0160.A	13.2	1.25	16.0	0.5100	6.75	7.61	yes	music wire	4C
C.132.125.0160.AP	13.2	1.25	16.0	0.7304	5.63	7.73	yes	music wire	4F
C.132.125.0160.I	13.2	1.25	16.0	0.4437	6.63	7.46	yes	stainless steel	4D
C.132.125.0160.N	13.2	1.25	16.0	0.5100	6.75	7.61	yes	Zn coating	4E
C.132.125.0200.A	13.2	1.25	20.0	0.4000	7.63	8.70	yes	music wire	4C
C.132.125.0200.AP	13.2	1.25	20.0	0.5619	6.38	9.24	yes	music wire	4F
C.132.125.0200.I	13.2	1.25	20.0	0.3489	7.63	8.70	yes	stainless steel	4D
C.132.125.0200.N	13.2	1.25	20.0	0.4000	7.63	8.70	yes	Zn coating	4E
C.132.125.0250.A	13.2	1.25	25.0	0.3120	9.00	10.39	yes	music wire	4C
C.132.125.0250.AP	13.2	1.25	25.0	0.4427	7.25	11.35	yes	music wire	4F
C.132.125.0250.I	13.2	1.25	25.0	0.2714	8.88	10.24	yes	stainless steel	4D
C.132.125.0250.N	13.2	1.25	25.0	0.3120	9.00	10.39	yes	Zn coating	4E
C.132.125.0320.A	13.2	1.25	32.0	0.2390	10.75	12.56	yes	music wire	4D
C.132.125.0320.AP	13.2	1.25	32.0	0.3397	8.50	14.21	yes	music wire	4G
C.132.125.0320.I	13.2	1.25	32.0	0.2079	10.63	12.41	yes	stainless steel	4D
C.132.125.0320.N	13.2	1.25	32.0	0.2390	10.75	12.56	yes	Zn coating	4E
C.132.125.0400.A	13.2	1.25	40.0	0.1870	12.88	15.19	yes	music wire	4D
C.132.125.0400.AP	13.2	1.25	40.0	0.2705	9.88	17.66	yes	music wire	4G
C.132.125.0400.I	13.2	1.25	40.0	0.1627	12.75	15.03	yes	stainless steel	4D
C.132.125.0400.N	13.2	1.25	40.0	0.1870	12.88	15.19	yes	Zn coating	4E
C.132.125.0500.A	13.2	1.25	50.0	0.1480	15.38	18.28	yes	music wire	4D
C.132.125.0500.AP	13.2	1.25	50.0	0.2148	11.63	21.87	yes	music wire	4G
C.132.125.0500.I	13.2	1.25	50.0	0.1288	15.25	18.12	yes	stainless steel	4E
C.132.125.0500.N	13.2	1.25	50.0	0.1480	15.38	18.28	yes	Zn coating	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.132.125.0630.A	13.2	1.25	63.0	0.1170	18.75	22.45	yes	music wire	4D
C.132.125.0630.AP	13.2	1.25	63.0	0.1679	14.00	27.00	yes	music wire	4G
C.132.125.0630.I	13.2	1.25	63.0	0.1018	18.50	22.15	yes	stainless steel	4E
C.132.125.0630.N	13.2	1.25	63.0	0.1170	18.75	22.45	yes	Zn coating	4F
C.132.125.0800.A	13.2	1.25	80.0	0.0910	23.13	27.87	yes	music wire	4E
C.132.125.0800.AP	13.2	1.25	80.0	0.1316	17.00	34.08	yes	music wire	4G
C.132.125.0800.I	13.2	1.25	80.0	0.0792	22.88	27.56	yes	stainless steel	4E
C.132.125.0800.N	13.2	1.25	80.0	0.0910	23.13	27.87	yes	Zn coating	4G
C.132.125.1000.A	13.2	1.25	100.0	0.0720	28.38	34.37	yes	music wire	4E
C.132.125.1000.AP	13.2	1.25	100.0	0.1051	20.50	42.49	yes	music wire	4H
C.132.125.1000.I	13.2	1.25	100.0	0.0626	28.13	34.06	yes	stainless steel	4E
C.132.125.1000.N	13.2	1.25	100.0	0.0720	28.38	34.37	yes	Zn coating	4G
C.132.125.1250.A	13.2	1.25	125.0	0.0580	34.50	41.94	yes	music wire	4E
C.132.125.1250.AP	13.2	1.25	125.0	0.0835	25.00	52.60	yes	music wire	4H
C.132.125.1250.I	13.2	1.25	125.0	0.0505	34.13	41.48	yes	stainless steel	4E
C.132.125.1250.N	13.2	1.25	125.0	0.0580	34.50	41.94	yes	Zn coating	4G
C.132.125.3600.A	13.2	1.25	360.0	0.0200	95.50	117.10	no	music wire	4I
C.132.125.3600.I	13.2	1.25	360.0	0.0174	94.25	115.56	no	stainless steel	4I
C.132.140.0160.A	13.2	1.40	16.0	0.7970	7.70	8.57	yes	music wire	4E
C.132.140.0160.AP	13.2	1.40	16.0	1.0867	6.58	8.37	yes	music wire	4H
C.132.140.0160.I	13.2	1.40	16.0	0.6934	7.70	8.57	yes	stainless steel	4E
C.132.140.0160.N	13.2	1.40	16.0	0.7970	7.70	8.57	yes	Zn coating	4G
C.132.140.0200.A	13.2	1.40	20.0	0.6110	8.96	10.09	yes	music wire	4E
C.132.140.0200.AP	13.2	1.40	20.0	0.8538	7.42	10.30	yes	music wire	4H
C.132.140.0200.I	13.2	1.40	20.0	0.5316	8.82	9.92	yes	stainless steel	4E
C.132.140.0200.N	13.2	1.40	20.0	0.6110	8.96	10.09	yes	Zn coating	4G
C.132.140.0250.A	13.2	1.40	25.0	0.4820	10.36	11.78	yes	music wire	4E
C.132.140.0250.AP	13.2	1.40	25.0	0.6641	8.54	12.52	yes	music wire	4I
C.132.140.0250.I	13.2	1.40	25.0	0.4193	10.36	11.78	yes	stainless steel	4E
C.132.140.0250.N	13.2	1.40	25.0	0.4820	10.36	11.78	yes	Zn coating	4G
C.132.140.0320.A	13.2	1.40	32.0	0.3670	12.60	14.48	yes	music wire	4E
C.132.140.0320.AP	13.2	1.40	32.0	0.5087	10.08	15.71	yes	music wire	4I
C.132.140.0320.I	13.2	1.40	32.0	0.3193	12.46	14.31	yes	stainless steel	4F
C.132.140.0320.N	13.2	1.40	32.0	0.3670	12.60	14.48	yes	Zn coating	4G
C.132.140.0400.A	13.2	1.40	40.0	0.2860	15.12	17.52	yes	music wire	4E
C.132.140.0400.AP	13.2	1.40	40.0	0.3985	11.90	19.20	yes	music wire	4I
C.132.140.0400.I	13.2	1.40	40.0	0.2488	14.98	17.35	yes	stainless steel	4F
C.132.140.0400.N	13.2	1.40	40.0	0.2860	15.12	17.52	yes	Zn coating	4G
C.132.140.0500.A	13.2	1.40	50.0	0.2260	18.20	21.24	yes	music wire	4F
C.132.140.0500.AP	13.2	1.40	50.0	0.3146	14.14	23.66	yes	music wire	4I
C.132.140.0500.I	13.2	1.40	50.0	0.1966	18.06	21.07	yes	stainless steel	4F
C.132.140.0500.N	13.2	1.40	50.0	0.2260	18.20	21.24	yes	Zn coating	4H
C.132.140.0630.A	13.2	1.40	63.0	0.1780	22.26	26.14	yes	music wire	4F
C.132.140.0630.AP	13.2	1.40	63.0	0.2465	17.08	29.38	yes	music wire	4I
C.132.140.0630.I	13.2	1.40	63.0	0.1549	21.98	25.80	yes	stainless steel	4F
C.132.140.0630.N	13.2	1.40	63.0	0.1780	22.26	26.14	yes	Zn coating	4H
C.132.140.0800.A	13.2	1.40	80.0	0.1400	27.30	32.22	yes	music wire	4F
C.132.140.0800.AP	13.2	1.40	80.0	0.1928	20.86	37.02	yes	music wire	4I
C.132.140.0800.I	13.2	1.40	80.0	0.1218	27.02	31.88	yes	stainless steel	4G
C.132.140.0800.N	13.2	1.40	80.0	0.1400	27.30	32.22	yes	Zn coating	4I
C.132.140.1000.A	13.2	1.40	100.0	0.1110	33.60	39.82	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.132.140.1000.AP	13.2	1.40	100.0	0.1533	25.20	45.93	yes	music wire	4I
C.132.140.1000.I	13.2	1.40	100.0	0.0966	33.18	39.31	yes	stainless steel	4G
C.132.140.1000.N	13.2	1.40	100.0	0.1110	33.60	39.82	yes	Zn coating	4I
C.132.140.1250.A	13.2	1.40	125.0	0.0880	41.44	49.28	yes	music wire	4G
C.132.140.1250.AP	13.2	1.40	125.0	0.1220	30.80	57.07	yes	music wire	4I
C.132.140.1250.I	13.2	1.40	125.0	0.0766	40.88	48.60	yes	stainless steel	4G
C.132.140.1250.N	13.2	1.40	125.0	0.0880	41.44	49.28	yes	Zn coating	4I
C.132.140.3600.A	13.2	1.40	360.0	0.0300	116.06	139.02	no	music wire	4I
C.132.140.3600.I	13.2	1.40	360.0	0.0261	114.66	137.33	no	stainless steel	4I
C.132.160.0160.A	13.2	1.60	16.0	1.3170	9.12	10.04	yes	music wire	4E
C.132.160.0160.AP	13.2	1.60	16.0	1.7921	7.84	9.31	yes	music wire	4I
C.132.160.0160.I	13.2	1.60	16.0	1.1458	9.12	10.04	yes	stainless steel	4F
C.132.160.0160.N	13.2	1.60	16.0	1.3170	9.12	10.04	yes	Zn coating	4G
C.132.160.0200.A	13.2	1.60	20.0	1.0290	10.72	11.92	yes	music wire	4E
C.132.160.0200.AP	13.2	1.60	20.0	1.3874	8.96	11.35	yes	music wire	4I
C.132.160.0200.I	13.2	1.60	20.0	0.8952	10.56	11.73	yes	stainless steel	4F
C.132.160.0200.N	13.2	1.60	20.0	1.0290	10.72	11.92	yes	Zn coating	4G
C.132.160.0250.A	13.2	1.60	25.0	0.7840	12.80	14.37	yes	music wire	4E
C.132.160.0250.AP	13.2	1.60	25.0	1.0752	10.40	13.84	yes	music wire	4I
C.132.160.0250.I	13.2	1.60	25.0	0.6821	12.64	14.19	yes	stainless steel	4F
C.132.160.0250.N	13.2	1.60	25.0	0.7840	12.80	14.37	yes	Zn coating	4G
C.132.160.0320.A	13.2	1.60	32.0	0.5980	15.52	17.58	yes	music wire	4E
C.132.160.0320.AP	13.2	1.60	32.0	0.8115	12.48	17.22	yes	music wire	4I
C.132.160.0320.I	13.2	1.60	32.0	0.5203	15.36	17.39	yes	stainless steel	4F
C.132.160.0320.N	13.2	1.60	32.0	0.5980	15.52	17.58	yes	Zn coating	4H
C.132.160.0400.A	13.2	1.60	40.0	0.4700	18.56	21.16	yes	music wire	4F
C.132.160.0400.AP	13.2	1.60	40.0	0.6325	14.88	21.04	yes	music wire	4I
C.132.160.0400.I	13.2	1.60	40.0	0.4089	18.40	20.98	yes	stainless steel	4F
C.132.160.0400.N	13.2	1.60	40.0	0.4700	18.56	21.16	yes	Zn coating	4H
C.132.160.0500.A	13.2	1.60	50.0	0.3700	22.56	25.88	yes	music wire	4F
C.132.160.0500.AP	13.2	1.60	50.0	0.5001	17.76	26.02	yes	music wire	4I
C.132.160.0500.I	13.2	1.60	50.0	0.3219	22.24	25.50	yes	stainless steel	4F
C.132.160.0500.N	13.2	1.60	50.0	0.3700	22.56	25.88	yes	Zn coating	4H
C.132.160.0630.A	13.2	1.60	63.0	0.2910	27.52	31.73	yes	music wire	4F
C.132.160.0630.AP	13.2	1.60	63.0	0.3946	21.28	32.60	yes	music wire	4I
C.132.160.0630.I	13.2	1.60	63.0	0.2532	27.20	31.35	yes	stainless steel	4G
C.132.160.0630.N	13.2	1.60	63.0	0.2910	27.52	31.73	yes	Zn coating	4H
C.132.160.0800.A	13.2	1.60	80.0	0.2270	34.08	39.46	yes	music wire	4F
C.132.160.0800.AP	13.2	1.60	80.0	0.3072	26.24	40.96	yes	music wire	4I
C.132.160.0800.I	13.2	1.60	80.0	0.1975	33.76	39.08	yes	stainless steel	4G
C.132.160.0800.N	13.2	1.60	80.0	0.2270	34.08	39.46	yes	Zn coating	4I
C.132.160.1000.A	13.2	1.60	100.0	0.1800	42.08	48.89	yes	music wire	4G
C.132.160.1000.AP	13.2	1.60	100.0	0.2430	32.16	50.64	yes	music wire	4I
C.132.160.1000.I	13.2	1.60	100.0	0.1566	41.60	48.32	yes	stainless steel	4G
C.132.160.1000.N	13.2	1.60	100.0	0.1800	42.08	48.89	yes	Zn coating	4I
C.132.160.1250.A	13.2	1.60	125.0	0.1430	51.84	60.40	yes	music wire	4G
C.132.160.1250.AP	13.2	1.60	125.0	0.1937	39.36	63.09	yes	music wire	4I
C.132.160.1250.I	13.2	1.60	125.0	0.1244	51.20	59.64	yes	stainless steel	4G
C.132.160.1250.N	13.2	1.60	125.0	0.1430	51.84	60.40	yes	Zn coating	4I
C.132.160.3600.A	13.2	1.60	360.0	0.0490	145.28	170.26	no	music wire	4I
C.132.160.3600.I	13.2	1.60	360.0	0.0426	143.52	168.19	no	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.132.180.0160.A	13.2	1.80	16.0	2.2220	10.26	11.18	yes	music wire	4F
C.132.180.0160.AP	13.2	1.80	16.0	2.7968	9.18	10.07	yes	music wire	4I
C.132.180.0160.I	13.2	1.80	16.0	1.9331	10.26	11.18	yes	stainless steel	4G
C.132.180.0160.N	13.2	1.80	16.0	2.2220	10.26	11.18	yes	Zn coating	4I
C.132.180.0200.A	13.2	1.80	20.0	1.6830	12.24	13.48	yes	music wire	4F
C.132.180.0200.AP	13.2	1.80	20.0	2.1387	10.62	12.25	yes	music wire	4I
C.132.180.0200.I	13.2	1.80	20.0	1.4642	12.06	13.27	yes	stainless steel	4G
C.132.180.0200.N	13.2	1.80	20.0	1.6830	12.24	13.48	yes	Zn coating	4I
C.132.180.0250.A	13.2	1.80	25.0	1.2920	14.58	16.19	yes	music wire	4G
C.132.180.0250.AP	13.2	1.80	25.0	1.6526	12.42	14.96	yes	music wire	4I
C.132.180.0250.I	13.2	1.80	25.0	1.1240	14.40	15.99	yes	stainless steel	4G
C.132.180.0250.N	13.2	1.80	25.0	1.2920	14.58	16.19	yes	Zn coating	4I
C.132.180.0320.A	13.2	1.80	32.0	0.9920	17.64	19.74	yes	music wire	4G
C.132.180.0320.I	13.2	1.80	32.0	0.8630	17.46	19.54	yes	stainless steel	4G
C.132.180.0320.N	13.2	1.80	32.0	0.9920	17.64	19.74	yes	Zn coating	4I
C.132.180.0400.A	13.2	1.80	40.0	0.7720	21.42	24.13	yes	music wire	4G
C.132.180.0400.I	13.2	1.80	40.0	0.6716	21.06	23.71	yes	stainless steel	4G
C.132.180.0400.N	13.2	1.80	40.0	0.7720	21.42	24.13	yes	Zn coating	4I
C.132.180.0500.A	13.2	1.80	50.0	0.6040	26.10	29.56	yes	music wire	4G
C.132.180.0500.AP	13.2	1.80	50.0	0.7736	21.24	28.56	yes	music wire	4I
C.132.180.0500.I	13.2	1.80	50.0	0.5255	25.74	29.14	yes	stainless steel	4G
C.132.180.0500.N	13.2	1.80	50.0	0.6040	26.10	29.56	yes	Zn coating	4I
C.132.180.0630.A	13.2	1.80	63.0	0.4750	31.86	36.24	yes	music wire	4G
C.132.180.0630.I	13.2	1.80	63.0	0.4133	31.50	35.82	yes	stainless steel	4G
C.132.180.0630.N	13.2	1.80	63.0	0.4750	31.86	36.24	yes	Zn coating	4I
C.132.180.0800.A	13.2	1.80	80.0	0.3680	39.78	45.43	yes	music wire	4G
C.132.180.0800.AP	13.2	1.80	80.0	0.4722	32.04	44.88	yes	music wire	4I
C.132.180.0800.I	13.2	1.80	80.0	0.3202	39.42	45.01	yes	stainless steel	4G
C.132.180.0800.N	13.2	1.80	80.0	0.3680	39.78	45.43	yes	Zn coating	4I
C.132.180.1000.A	13.2	1.80	100.0	0.2920	48.96	56.08	yes	music wire	4G
C.132.180.1000.AP	13.2	1.80	100.0	0.3748	39.24	55.75	yes	music wire	4I
C.132.180.1000.I	13.2	1.80	100.0	0.2540	48.42	55.45	yes	stainless steel	4H
C.132.180.1000.N	13.2	1.80	100.0	0.2920	48.96	56.08	yes	Zn coating	4I
C.132.180.1250.A	13.2	1.80	125.0	0.2320	60.48	69.45	yes	music wire	4H
C.132.180.1250.AP	13.2	1.80	125.0	0.2980	48.06	69.35	yes	music wire	4J
C.132.180.1250.I	13.2	1.80	125.0	0.2018	59.76	68.61	yes	stainless steel	4I
C.132.180.1250.N	13.2	1.80	125.0	0.2320	60.48	69.45	yes	Zn coating	4I
C.132.180.3600.A	13.2	1.80	360.0	0.0790	170.82	197.17	no	music wire	4J
C.132.180.3600.I	13.2	1.80	360.0	0.0687	168.66	194.66	no	stainless steel	4J
C.132.200.0160.A	13.2	2.00	16.0	3.5710	11.40	12.34	yes	music wire	4G
C.132.200.0160.I	13.2	2.00	16.0	3.1068	11.40	12.34	yes	stainless steel	4G
C.132.200.0160.N	13.2	2.00	16.0	3.5710	11.40	12.34	yes	Zn coating	4I
C.132.200.0200.A	13.2	2.00	20.0	2.6260	13.80	15.09	yes	music wire	4G
C.132.200.0200.AP	13.2	2.00	20.0	3.3454	12.00	13.39	yes	music wire	4I
C.132.200.0200.I	13.2	2.00	20.0	2.2846	13.80	15.09	yes	stainless steel	4G
C.132.200.0200.N	13.2	2.00	20.0	2.6260	13.80	15.09	yes	Zn coating	4I
C.132.200.0250.A	13.2	2.00	25.0	2.0290	16.40	18.08	yes	music wire	4G
C.132.200.0250.AP	13.2	2.00	25.0	2.5454	14.20	16.31	yes	music wire	4I
C.132.200.0250.I	13.2	2.00	25.0	1.7652	16.20	17.85	yes	stainless steel	4G
C.132.200.0250.N	13.2	2.00	25.0	2.0290	16.40	18.08	yes	Zn coating	4I
C.132.200.0320.A	13.2	2.00	32.0	1.5130	20.40	22.66	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.132.200.0320.AP	13.2	2.00	32.0	1.9195	17.00	20.48	yes	music wire	4I
C.132.200.0320.I	13.2	2.00	32.0	1.7391	16.40	20.83	yes	stainless steel	4I
C.132.200.0320.N	13.2	2.00	32.0	1.5130	20.40	22.66	yes	Zn coating	4I
C.132.200.0400.A	13.2	2.00	40.0	1.1900	24.40	27.25	yes	music wire	4G
C.132.200.0400.AP	13.2	2.00	40.0	1.5011	20.40	25.27	yes	music wire	4I
C.132.200.0400.I	13.2	2.00	40.0	1.0353	24.20	27.02	yes	stainless steel	4G
C.132.200.0400.N	13.2	2.00	40.0	1.1900	24.40	27.25	yes	Zn coating	4I
C.132.200.0500.A	13.2	2.00	50.0	0.9300	30.00	33.68	yes	music wire	4G
C.132.200.0500.AP	13.2	2.00	50.0	1.1709	24.80	31.11	yes	music wire	4I
C.132.200.0500.I	13.2	2.00	50.0	0.8091	29.60	33.22	yes	stainless steel	4G
C.132.200.0500.N	13.2	2.00	50.0	0.9300	30.00	33.68	yes	Zn coating	4I
C.132.200.0630.A	13.2	2.00	63.0	0.7260	37.00	41.71	yes	music wire	4G
C.132.200.0630.AP	13.2	2.00	63.0	0.9147	30.40	38.82	yes	music wire	4I
C.132.200.0630.I	13.2	2.00	63.0	0.6316	36.60	41.25	yes	stainless steel	4G
C.132.200.0630.N	13.2	2.00	63.0	0.7260	37.00	41.71	yes	Zn coating	4I
C.132.200.0800.A	13.2	2.00	80.0	0.5620	46.20	52.26	yes	music wire	4G
C.132.200.0800.AP	13.2	2.00	80.0	0.7096	37.60	48.83	yes	music wire	4I
C.132.200.0800.I	13.2	2.00	80.0	0.4889	45.80	51.80	yes	stainless steel	4H
C.132.200.0800.N	13.2	2.00	80.0	0.5620	46.20	52.26	yes	Zn coating	4I
C.132.200.1000.A	13.2	2.00	100.0	0.4460	57.00	64.65	yes	music wire	4H
C.132.200.1000.AP	13.2	2.00	100.0	0.5629	46.20	60.71	yes	music wire	4I
C.132.200.1000.I	13.2	2.00	100.0	0.3880	56.40	63.96	yes	stainless steel	4H
C.132.200.1000.N	13.2	2.00	100.0	0.4460	57.00	64.65	yes	Zn coating	4I
C.132.200.1250.A	13.2	2.00	125.0	0.3540	70.60	80.25	yes	music wire	4H
C.132.200.1250.AP	13.2	2.00	125.0	0.4486	56.80	75.70	yes	music wire	4J
C.132.200.1250.I	13.2	2.00	125.0	0.3080	69.80	79.33	yes	stainless steel	4I
C.132.200.1250.N	13.2	2.00	125.0	0.3540	70.60	80.25	yes	Zn coating	4I
C.132.200.3600.A	13.2	2.00	360.0	0.1200	200.40	228.84	no	music wire	4J
C.132.200.3600.I	13.2	2.00	360.0	0.1044	197.80	225.86	no	stainless steel	4J
C.132.220.0160.A	13.2	2.20	16.0	5.5190	12.54	13.51	yes	music wire	4G
C.132.220.0160.AP	13.2	2.20	16.0	6.7141	11.44	12.26	yes	music wire	4I
C.132.220.0160.I	13.2	2.20	16.0	4.8015	12.54	13.51	yes	stainless steel	4G
C.132.220.0160.N	13.2	2.20	16.0	5.5190	12.54	13.51	yes	Zn coating	4I
C.132.220.0200.A	13.2	2.20	20.0	4.1810	14.96	16.26	yes	music wire	4G
C.132.220.0200.I	13.2	2.20	20.0	3.6375	14.74	16.01	yes	stainless steel	4G
C.132.220.0200.N	13.2	2.20	20.0	4.1810	14.96	16.26	yes	Zn coating	4I
C.132.220.0250.A	13.2	2.20	25.0	3.1360	18.04	19.76	yes	music wire	4G
C.132.220.0250.AP	13.2	2.20	25.0	3.7767	15.84	17.42	yes	music wire	4I
C.132.220.0250.I	13.2	2.20	25.0	2.7283	17.82	19.51	yes	stainless steel	4G
C.132.220.0250.N	13.2	2.20	25.0	3.1360	18.04	19.76	yes	Zn coating	4I
C.132.220.0320.A	13.2	2.20	32.0	2.3790	22.00	24.27	yes	music wire	4G
C.132.220.0320.I	13.2	2.20	32.0	2.0697	21.78	24.02	yes	stainless steel	4G
C.132.220.0320.N	13.2	2.20	32.0	2.3790	22.00	24.27	yes	Zn coating	4I
C.132.220.0400.A	13.2	2.20	40.0	1.8400	26.84	29.77	yes	music wire	4G
C.132.220.0400.I	13.2	2.20	40.0	1.6000	26.62	29.52	yes	stainless steel	4G
C.132.220.0400.N	13.2	2.20	40.0	1.8400	26.84	29.77	yes	Zn coating	4I
C.132.220.0500.A	13.2	2.20	50.0	1.4370	33.00	36.78	yes	music wire	4G
C.132.220.0500.I	13.2	2.20	50.0	1.2500	32.56	36.28	yes	stainless steel	4G
C.132.220.0500.N	13.2	2.20	50.0	1.4370	33.00	36.78	yes	Zn coating	4I
C.132.220.0630.A	13.2	2.20	63.0	1.1220	40.70	45.54	yes	music wire	4G
C.132.220.0630.I	13.2	2.20	63.0	0.9761	40.26	45.04	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.132.220.0630.N	13.2	2.20	63.0	1.1220	40.70	45.54	yes	Zn coating	4I
C.132.220.0800.A	13.2	2.20	80.0	0.8680	51.04	57.30	yes	music wire	4G
C.132.220.0800.I	13.2	2.20	80.0	0.7552	50.38	56.55	yes	stainless steel	4H
C.132.220.0800.N	13.2	2.20	80.0	0.8680	51.04	57.30	yes	Zn coating	4I
C.132.220.1000.A	13.2	2.20	100.0	0.6860	62.92	70.82	yes	music wire	4H
C.132.220.1000.AP	13.2	2.20	100.0	0.8316	53.02	65.57	yes	music wire	4J
C.132.220.1000.I	13.2	2.20	100.0	0.5968	62.26	70.06	yes	stainless steel	4I
C.132.220.1000.N	13.2	2.20	100.0	0.6860	62.92	70.82	yes	Zn coating	4I
C.132.220.1250.A	13.2	2.20	125.0	0.5450	77.88	87.83	yes	music wire	4I
C.132.220.1250.I	13.2	2.20	125.0	0.4742	77.00	86.83	yes	stainless steel	4I
C.132.220.1250.N	13.2	2.20	125.0	0.5450	77.88	87.83	yes	Zn coating	4I
C.132.220.3600.A	13.2	2.20	360.0	0.1840	221.98	251.44	no	music wire	4J
C.132.220.3600.I	13.2	2.20	360.0	0.1600	219.56	248.69	no	stainless steel	4J
C.134.140.0160.A	13.4	1.40	16.0	0.8036	7.42	8.24	yes	music wire	4D
C.134.140.0200.A	13.4	1.40	20.0	0.6429	8.40	9.43	yes	music wire	4D
C.134.140.0230.A	13.4	1.40	23.0	0.4530	10.50	11.97	yes	music wire	4E
C.134.140.0230.AP	13.4	1.40	23.0	0.7104	7.98	11.50	yes	music wire	4H
C.134.140.0230.I	13.4	1.40	23.0	0.3891	10.50	11.97	yes	stainless steel	4E
C.134.140.0230.N	13.4	1.40	23.0	0.4530	10.50	11.97	yes	Zn coating	4G
C.134.140.0250.A	13.4	1.40	25.0	0.5000	9.80	11.12	yes	music wire	4D
C.134.140.0320.A	13.4	1.40	32.0	0.4018	11.34	12.99	yes	music wire	4D
C.134.140.0400.A	13.4	1.40	40.0	0.2603	15.68	18.24	yes	music wire	4E
C.134.140.0400.AP	13.4	1.40	40.0	0.3214	13.30	15.36	yes	music wire	4D
C.134.140.0400.I	13.4	1.40	40.0	0.2236	15.68	18.24	yes	stainless steel	4F
C.134.140.0500.A	13.4	1.40	50.0	0.2500	16.24	18.92	yes	music wire	4E
C.134.140.0600.A	13.4	1.40	60.0	0.1690	22.26	26.20	yes	music wire	4F
C.134.140.0600.I	13.4	1.40	60.0	0.1452	22.26	26.20	yes	stainless steel	4F
C.134.140.0630.A	13.4	1.40	63.0	0.2000	19.32	22.65	yes	music wire	4E
C.134.140.0800.A	13.4	1.40	80.0	0.1258	28.70	34.00	yes	music wire	4F
C.134.140.0800.AP	13.4	1.40	80.0	0.1607	23.24	29.17	yes	music wire	4E
C.134.140.0800.I	13.4	1.40	80.0	0.1081	28.70	34.00	yes	stainless steel	4G
C.134.140.1000.A	13.4	1.40	100.0	0.0998	35.28	41.96	yes	music wire	4G
C.134.140.1000.AP	13.4	1.40	100.0	0.1250	28.84	34.65	yes	music wire	4E
C.134.140.1000.I	13.4	1.40	100.0	0.0857	35.28	41.96	yes	stainless steel	4G
C.134.140.1250.A	13.4	1.40	125.0	0.1000	35.14	43.31	yes	music wire	4E
C.134.140.1450.A	13.4	1.40	145.0	0.0890	39.06	53.21	yes	music wire	4I
C.134.140.1450.I	13.4	1.40	145.0	0.0774	38.64	53.36	yes	stainless steel	4I
C.134.140.1450.N	13.4	1.40	145.0	0.0890	39.06	53.21	yes	Zn coating	4J
C.134.140.1600.A	13.4	1.40	160.0	0.0800	43.12	57.89	yes	music wire	4I
C.134.140.1600.I	13.4	1.40	160.0	0.0696	42.56	58.05	yes	stainless steel	4I
C.134.140.1600.N	13.4	1.40	160.0	0.0800	43.12	57.89	yes	Zn coating	4J
C.134.140.2000.A	13.4	1.40	200.0	0.0622	54.46	68.66	yes	music wire	4J
C.134.140.2000.I	13.4	1.40	200.0	0.0541	53.76	68.88	yes	stainless steel	4J
C.134.140.2000.N	13.4	1.40	200.0	0.0622	54.46	68.66	yes	Zn coating	4K
C.134.140.2500.A	13.4	1.40	250.0	0.0500	66.92	86.62	yes	music wire	4J
C.134.140.2500.I	13.4	1.40	250.0	0.0435	66.08	86.88	yes	stainless steel	4J
C.134.140.2500.N	13.4	1.40	250.0	0.0500	66.92	86.62	yes	Zn coating	4L
C.135.060.0159.A	13.5	0.60	15.9	0.0149	4.56	6.51	no	music wire	4C
C.135.060.0159.I	13.5	0.60	15.9	0.0130	4.56	6.51	no	stainless steel	4C
C.135.060.0410.A	13.5	0.60	41.0	0.0103	5.64	8.45	no	music wire	4C
C.135.060.0410.I	13.5	0.60	41.0	0.0090	5.64	8.45	no	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.135.070.0270.A	13.5	0.70	27.0	0.0240	5.18	7.24	yes	music wire	4C
C.135.070.0270.I	13.5	0.70	27.0	0.0209	5.11	7.13	yes	stainless steel	4C
C.135.070.0350.A	13.5	0.70	35.0	0.0276	4.69	6.46	yes	music wire	4C
C.135.070.0350.I	13.5	0.70	35.0	0.0240	4.69	6.46	yes	stainless steel	4D
C.135.070.0380.A	13.5	0.70	38.0	0.0230	5.32	7.47	yes	music wire	4C
C.135.070.0380.I	13.5	0.70	38.0	0.0200	5.25	7.36	yes	stainless steel	4D
C.135.080.0200.A	13.5	0.80	20.0	0.0710	4.32	5.43	yes	music wire	4C
C.135.080.0200.I	13.5	0.80	20.0	0.0618	4.24	5.31	yes	stainless steel	4C
C.135.080.0220.A	13.5	0.80	22.0	0.0713	4.32	5.43	yes	music wire	4C
C.135.080.0220.I	13.5	0.80	22.0	0.0620	4.24	5.31	yes	stainless steel	4C
C.135.080.0250.A	13.5	0.80	25.0	0.0280	7.84	10.63	yes	music wire	4C
C.135.080.0250.I	13.5	0.80	25.0	0.0300	6.64	8.86	yes	stainless steel	4D
C.135.080.0260.A	13.5	0.80	26.0	0.0310	7.28	9.80	yes	music wire	4C
C.135.080.0260.I	13.5	0.80	26.0	0.0270	7.20	9.69	yes	stainless steel	4D
C.135.080.0270.A	13.5	0.80	27.0	0.0540	5.04	6.49	yes	music wire	4C
C.135.080.0270.I	13.5	0.80	27.0	0.0470	4.96	6.37	yes	stainless steel	4D
C.135.080.0320.A	13.5	0.80	32.0	0.0138	13.84	19.50	yes	music wire	4C
C.135.080.0320.I	13.5	0.80	32.0	0.0120	13.68	19.26	yes	stainless steel	4D
C.135.080.0350.A	13.5	0.80	35.0	0.0333	6.88	9.21	yes	music wire	4C
C.135.080.0350.I	13.5	0.80	35.0	0.0290	6.80	9.09	yes	stainless steel	4D
C.135.080.0450.A	13.5	0.80	45.0	0.0230	9.12	12.52	yes	music wire	4C
C.135.080.0450.I	13.5	0.80	45.0	0.0200	8.96	12.29	yes	stainless steel	4D
C.135.080.0540.A	13.5	0.80	54.0	0.0207	9.84	13.59	yes	music wire	4D
C.135.080.0540.I	13.5	0.80	54.0	0.0180	9.76	13.47	yes	stainless steel	4D
C.135.090.0159.A	13.5	0.90	15.9	0.1149	4.86	5.89	yes	music wire	4C
C.135.090.0159.I	13.5	0.90	15.9	0.1000	4.86	5.89	yes	stainless steel	4C
C.135.090.0380.A	13.5	0.90	38.0	0.0345	10.98	14.42	yes	music wire	4C
C.135.090.0380.I	13.5	0.90	38.0	0.0300	10.89	14.29	yes	stainless steel	4D
C.135.100.0240.A	13.5	1.00	24.0	0.1490	6.00	7.17	yes	music wire	4C
C.135.100.0240.I	13.5	1.00	24.0	0.1280	6.00	7.17	yes	stainless steel	4D
C.135.100.0240.N	13.5	1.00	24.0	0.1490	6.00	7.17	yes	Zn coating	4E
C.135.100.0330.A	13.5	1.00	33.0	0.1200	6.80	8.24	yes	music wire	4C
C.135.100.0330.I	13.5	1.00	33.0	0.1044	6.80	8.24	yes	stainless steel	4G
C.135.100.0365.A	13.5	1.00	36.5	0.0948	8.00	9.84	yes	music wire	4C
C.135.100.0365.I	13.5	1.00	36.5	0.0814	8.00	9.84	yes	stainless steel	4D
C.135.100.0365.N	13.5	1.00	36.5	0.0948	8.00	9.84	yes	Zn coating	4E
C.135.100.0390.A	13.5	1.00	39.0	0.0713	9.80	12.24	yes	music wire	4D
C.135.100.0390.I	13.5	1.00	39.0	0.0620	9.70	12.11	yes	stainless steel	4D
C.135.100.0500.A	13.5	1.00	50.0	0.0506	12.80	16.24	yes	music wire	4D
C.135.100.0500.I	13.5	1.00	50.0	0.0440	12.70	16.11	yes	stainless steel	4D
C.135.100.0555.A	13.5	1.00	55.5	0.0614	11.00	13.84	yes	music wire	4D
C.135.100.0555.I	13.5	1.00	55.5	0.0527	11.00	13.84	yes	stainless steel	4D
C.135.100.0555.N	13.5	1.00	55.5	0.0614	11.00	13.84	yes	Zn coating	4F
C.135.100.0805.A	13.5	1.00	80.5	0.0417	15.00	19.18	yes	music wire	4E
C.135.100.0805.I	13.5	1.00	80.5	0.0358	15.00	19.18	yes	stainless steel	4E
C.135.100.0805.IF	13.5	1.00	80.5	0.0242	21.00	27.19	yes	stainless steel	4E
C.135.100.0805.N	13.5	1.00	80.5	0.0417	15.00	19.18	yes	Zn coating	4F
C.135.100.1150.A	13.5	1.00	115.0	0.0282	21.00	27.19	yes	music wire	4E
C.135.100.1150.I	13.5	1.00	115.0	0.0242	21.00	27.19	yes	stainless steel	4E
C.135.100.1150.IF	13.5	1.00	115.0	0.0199	25.00	32.52	yes	stainless steel	4E
C.135.100.1150.N	13.5	1.00	115.0	0.0282	21.00	27.19	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.135.110.0127.A	13.5	1.10	12.7	0.5977	4.18	5.78	yes	music wire	4F
C.135.110.0127.I	13.5	1.10	12.7	0.5200	4.18	5.84	yes	stainless steel	4F
C.135.110.0250.A	13.5	1.10	25.0	0.2069	6.93	8.14	yes	music wire	4C
C.135.110.0250.I	13.5	1.10	25.0	0.1800	6.82	8.00	yes	stainless steel	4D
C.135.110.0260.A	13.5	1.10	26.0	0.1600	8.14	9.71	yes	music wire	4C
C.135.110.0260.AP	13.5	1.10	26.0	0.2700	5.94	10.68	yes	music wire	4F
C.135.110.0260.I	13.5	1.10	26.0	0.1392	8.03	9.56	yes	stainless steel	4D
C.135.110.0350.A	13.5	1.10	35.0	0.1280	9.46	11.41	yes	music wire	4D
C.135.110.0350.AP	13.5	1.10	35.0	0.2008	7.04	14.39	yes	music wire	4F
C.135.110.0350.I	13.5	1.10	35.0	0.1066	9.68	11.69	yes	stainless steel	4D
C.135.110.0380.A	13.5	1.10	38.0	0.1600	8.14	12.14	yes	music wire	4G
C.135.110.0380.I	13.5	1.10	38.0	0.1392	8.03	12.36	yes	stainless steel	4G
C.135.110.0400.A	13.5	1.10	40.0	0.1063	10.89	13.26	yes	music wire	4D
C.135.110.0400.AP	13.5	1.10	40.0	0.1740	7.70	16.22	yes	music wire	4G
C.135.110.0400.I	13.5	1.10	40.0	0.0925	10.78	13.11	yes	stainless steel	4D
C.135.110.0600.A	13.5	1.10	60.0	0.0730	14.52	17.94	yes	music wire	4D
C.135.110.0600.AP	13.5	1.10	60.0	0.1135	10.34	23.54	yes	music wire	4G
C.135.110.0600.I	13.5	1.10	60.0	0.0608	14.85	18.37	yes	stainless steel	4E
C.135.110.0650.A	13.5	1.10	65.0	0.0670	15.62	19.36	yes	music wire	4D
C.135.110.0650.AP	13.5	1.10	65.0	0.1044	11.00	25.37	yes	music wire	4G
C.135.110.0650.I	13.5	1.10	65.0	0.0583	15.40	19.08	yes	stainless steel	4E
C.135.120.0071.A	13.5	1.20	7.1	1.1000	4.20	4.51	yes	music wire	4C
C.135.120.0071.I	13.5	1.20	7.1	0.9570	4.20	4.51	yes	stainless steel	4D
C.135.120.0780.A	13.5	1.20	78.0	0.0660	23.64	28.96	yes	music wire	4E
C.135.120.0780.AP	13.5	1.20	78.0	0.1149	14.88	32.06	yes	music wire	4G
C.135.120.0780.I	13.5	1.20	78.0	0.0574	23.40	28.65	yes	stainless steel	4E
C.135.120.0780.N	13.5	1.20	78.0	0.0660	23.64	28.96	yes	Zn coating	4G
C.135.140.0310.A	13.5	1.40	31.0	0.2759	14.70	17.07	yes	music wire	4E
C.135.140.0310.AP	13.5	1.40	31.0	0.5039	9.66	14.90	yes	music wire	4I
C.135.140.0310.I	13.5	1.40	31.0	0.2400	14.56	16.91	yes	stainless steel	4F
C.135.160.0159.A	13.5	1.60	15.9	1.4943	8.32	9.11	yes	music wire	4E
C.135.160.0159.I	13.5	1.60	15.9	1.3000	8.16	8.92	yes	stainless steel	4F
C.135.160.0191.A	13.5	1.60	19.1	1.0575	9.92	11.00	yes	music wire	4E
C.135.160.0191.AP	13.5	1.60	19.1	1.3737	8.64	10.55	yes	music wire	4I
C.135.160.0191.I	13.5	1.60	19.1	0.9200	9.92	11.00	yes	stainless steel	4F
C.135.160.0200.A	13.5	1.60	20.0	1.4943	8.32	12.14	yes	music wire	4I
C.135.160.0200.I	13.5	1.60	20.0	1.3000	8.16	12.12	yes	stainless steel	4J
C.135.160.0210.A	13.5	1.60	21.0	0.8966	11.04	12.33	yes	music wire	4E
C.135.160.0210.AP	13.5	1.60	21.0	1.2449	9.12	11.57	yes	music wire	4I
C.135.160.0210.I	13.5	1.60	21.0	0.7800	11.04	12.33	yes	stainless steel	4F
C.135.160.0240.A	13.5	1.60	24.0	0.3600	21.60	21.60	yes	music wire	4E
C.135.160.0240.AP	13.5	1.60	24.0	1.0767	9.92	13.09	yes	music wire	4I
C.135.160.0240.I	13.5	1.60	24.0	0.3132	21.44	21.44	yes	stainless steel	4F
C.135.160.0290.A	13.5	1.60	29.0	0.8100	11.84	14.50	yes	music wire	4I
C.135.160.0290.I	13.5	1.60	29.0	0.7047	11.68	14.47	yes	stainless steel	4I
C.135.160.0570.A	13.5	1.60	57.0	0.1954	36.48	42.42	yes	music wire	4F
C.135.160.0570.AP	13.5	1.60	57.0	0.4193	19.04	28.99	yes	music wire	4I
C.135.160.0570.I	13.5	1.60	57.0	0.1700	36.00	41.86	yes	stainless steel	4G
C.135.160.0730.A	13.5	1.60	73.0	0.1379	49.92	58.32	yes	music wire	4F
C.135.160.0730.AP	13.5	1.60	73.0	0.3239	23.52	36.74	yes	music wire	4I
C.135.160.0730.I	13.5	1.60	73.0	0.1200	49.44	57.75	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.135.160.0760.A	13.5	1.60	76.0	0.2800	26.56	34.05	yes	music wire	4I
C.135.160.0760.I	13.5	1.60	76.0	0.2436	26.40	33.95	yes	stainless steel	4I
C.135.160.0760.N	13.5	1.60	76.0	0.2800	26.56	34.05	yes	Zn coating	4J
C.135.180.0198.A	13.5	1.80	19.8	1.9540	10.62	11.62	yes	music wire	4I
C.135.180.0198.I	13.5	1.80	19.8	1.7000	10.62	11.62	yes	stainless steel	4I
C.135.180.0260.A	13.5	1.80	26.0	0.9360	17.28	19.37	yes	music wire	4G
C.135.180.0260.AP	13.5	1.80	26.0	1.5287	12.42	15.37	yes	music wire	4I
C.135.180.0260.I	13.5	1.80	26.0	0.8143	17.10	19.16	yes	stainless steel	4G
C.135.180.0260.N	13.5	1.80	26.0	0.9360	17.28	19.37	yes	Zn coating	4I
C.135.200.0125.A	13.5	2.00	12.5	4.0000	10.40	11.21	yes	music wire	4G
C.135.200.0125.AP	13.5	2.00	12.5	5.6927	8.80	9.37	yes	music wire	4G
C.135.200.0125.I	13.5	2.00	12.5	3.4800	10.20	10.98	yes	stainless steel	4G
C.135.200.0125.N	13.5	2.00	12.5	4.0000	10.40	11.21	yes	Zn coating	4I
C.135.200.0143.A	13.5	2.00	14.3	3.7931	10.60	11.44	yes	music wire	4G
C.135.200.0143.AP	13.5	2.00	14.3	4.9164	9.40	10.06	yes	music wire	4I
C.135.200.0143.I	13.5	2.00	14.3	3.3000	10.60	11.44	yes	stainless steel	4G
C.135.200.0160.A	13.5	2.00	16.0	3.1250	11.80	12.82	yes	music wire	4E
C.135.200.0200.A	13.5	2.00	20.0	2.5000	13.60	14.89	yes	music wire	4E
C.135.200.0250.A	13.5	2.00	25.0	1.9841	15.80	17.42	yes	music wire	4E
C.135.200.0320.A	13.5	2.00	32.0	1.5625	18.80	20.86	yes	music wire	4E
C.135.200.0400.A	13.5	2.00	40.0	1.2500	22.20	24.77	yes	music wire	4E
C.135.200.0450.A	13.5	2.00	45.0	1.1690	23.40	26.46	yes	music wire	4I
C.135.200.0450.I	13.5	2.00	45.0	1.0170	23.20	26.29	yes	stainless steel	4I
C.135.200.0450.N	13.5	2.00	45.0	1.1690	23.40	26.46	yes	Zn coating	4J
C.135.200.0500.A	13.5	2.00	50.0	1.0000	26.40	29.60	yes	music wire	4E
C.135.200.0630.A	13.5	2.00	63.0	0.7813	32.40	36.50	yes	music wire	4E
C.135.200.0800.A	13.5	2.00	80.0	0.6250	39.20	45.33	yes	music wire	4E
C.135.200.1000.A	13.5	2.00	100.0	0.5000	47.80	56.66	yes	music wire	4F
C.135.200.1250.A	13.5	2.00	125.0	0.3906	59.80	69.52	yes	music wire	4G
C.135.200.1600.A	13.5	2.00	160.0	0.3200	72.00	92.28	yes	music wire	4J
C.135.200.1600.I	13.5	2.00	160.0	0.2784	71.20	91.64	yes	stainless steel	4J
C.135.200.1600.N	13.5	2.00	160.0	0.3200	72.00	92.28	yes	Zn coating	4L
C.135.200.2000.A	13.5	2.00	200.0	0.2540	89.40	114.68	yes	music wire	4J
C.135.200.2000.I	13.5	2.00	200.0	0.2210	88.40	113.88	yes	stainless steel	4J
C.135.200.2000.N	13.5	2.00	200.0	0.2540	89.40	114.68	yes	Zn coating	4L
C.135.200.2500.A	13.5	2.00	250.0	0.2000	112.20	141.64	yes	music wire	4J
C.135.200.2500.I	13.5	2.00	250.0	0.1740	110.80	140.62	yes	stainless steel	4K
C.135.200.2500.N	13.5	2.00	250.0	0.2000	112.20	141.64	yes	Zn coating	4M
C.135.250.0160.A	13.5	2.50	16.0	9.7232	14.00	15.00	yes	music wire	4E
C.135.250.0160.S	13.5	2.50	16.0	7.7778	15.75	15.75	yes	Cr-Si steel	4I
C.135.250.0200.A	13.5	2.50	20.0	6.8750	17.00	18.39	yes	music wire	4E
C.135.250.0200.S	13.5	2.50	20.0	6.2222	18.25	19.80	yes	Cr-Si steel	4I
C.135.250.0250.A	13.5	2.50	25.0	5.0000	21.25	23.19	yes	music wire	4E
C.135.250.0250.S	13.5	2.50	25.0	5.0000	21.25	23.19	yes	Cr-Si steel	4I
C.135.250.0320.A	13.5	2.50	32.0	4.0179	24.75	27.14	yes	music wire	4E
C.135.250.0320.S	13.5	2.50	32.0	4.0000	25.00	27.42	yes	Cr-Si steel	4I
C.135.250.0385.A	13.5	2.50	38.5	4.8910	21.50	30.41	yes	music wire	4J
C.135.250.0385.I	13.5	2.50	38.5	4.2552	21.25	30.28	yes	stainless steel	4K
C.135.250.0385.N	13.5	2.50	38.5	4.8910	21.50	30.41	yes	Zn coating	4M
C.135.250.0390.A	13.5	2.50	39.0	3.2610	29.25	32.22	yes	music wire	4G
C.135.250.0390.I	13.5	2.50	39.0	2.8371	29.00	31.94	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.135.250.0390.N	13.5	2.50	39.0	3.2610	29.25	32.22	yes	Zn coating	4I
C.135.250.0400.A	13.5	2.50	40.0	3.2143	29.50	32.50	yes	music wire	4E
C.135.250.0400.S	13.5	2.50	40.0	3.1111	30.25	33.35	yes	Cr-Si steel	4I
C.135.250.0500.A	13.5	2.50	50.0	2.5000	36.25	40.12	yes	music wire	4E
C.135.250.0500.S	13.5	2.50	50.0	2.5000	36.25	40.12	yes	Cr-Si steel	4I
C.135.250.0630.A	13.5	2.50	63.0	2.0089	43.50	48.31	yes	music wire	4E
C.135.250.0630.S	13.5	2.50	63.0	2.0000	43.50	48.31	yes	Cr-Si steel	4I
C.135.250.0800.A	13.5	2.50	80.0	1.6071	52.75	58.75	yes	music wire	4E
C.135.250.0800.S	13.5	2.50	80.0	1.5556	54.25	60.44	yes	Cr-Si steel	4L
C.135.250.0950.A	13.5	2.50	95.0	1.0480	77.50	86.69	yes	music wire	4H
C.135.250.0950.AP	13.5	2.50	95.0	1.4503	57.75	67.73	yes	music wire	4J
C.135.250.0950.I	13.5	2.50	95.0	0.9118	76.75	85.85	yes	stainless steel	4I
C.135.250.0950.N	13.5	2.50	95.0	1.0480	77.50	86.69	yes	Zn coating	4I
C.135.250.1000.A	13.5	2.50	100.0	1.2500	66.00	73.71	yes	music wire	4F
C.135.250.1000.S	13.5	2.50	100.0	1.2444	66.25	73.99	yes	Cr-Si steel	4L
C.135.250.1220.A	13.5	2.50	122.0	1.4943	56.25	95.53	yes	music wire	4L
C.135.250.1220.I	13.5	2.50	122.0	1.3000	55.75	95.08	yes	stainless steel	4L
C.135.250.1250.A	13.5	2.50	125.0	1.0000	81.00	90.65	yes	music wire	4G
C.135.250.1250.S	13.5	2.50	125.0	1.0000	81.00	90.65	yes	Cr-Si steel	4L
C.135.250.1600.A	13.5	2.50	160.0	0.8036	99.25	111.25	yes	music wire	4G
C.135.250.1600.S	13.5	2.50	160.0	0.7778	102.25	114.64	yes	Cr-Si steel	4M
C.135.250.2000.A	13.5	2.50	200.0	0.6250	125.75	141.17	yes	music wire	4G
C.135.250.2000.S	13.5	2.50	200.0	0.6222	126.50	142.02	yes	Cr-Si steel	4M
C.135.250.3500.A	13.5	2.50	350.0	0.3280	234.25	263.67	yes	music wire	4J
C.135.250.3500.I	13.5	2.50	350.0	0.2854	231.25	260.28	yes	stainless steel	4J
C.135.250.3500.N	13.5	2.50	350.0	0.3280	234.25	263.67	yes	Zn coating	4L
C.135.250.4400.A	13.5	2.50	440.0	0.2640	289.50	326.05	yes	music wire	4M
C.135.250.4400.I	13.5	2.50	440.0	0.2297	285.75	321.82	yes	stainless steel	4M
C.135.250.4400.N	13.5	2.50	440.0	0.2640	289.50	326.05	yes	Zn coating	4N
C.135.270.0260.A	13.5	2.70	26.0	7.6000	22.14	24.05	yes	music wire	4G
C.135.270.0260.AP	13.5	2.70	26.0	8.7302	19.98	21.62	yes	music wire	4I
C.135.270.0260.I	13.5	2.70	26.0	6.6120	21.87	23.74	yes	stainless steel	4G
C.135.270.0310.A	13.5	2.70	31.0	6.3218	25.11	27.39	yes	music wire	4G
C.135.270.0310.I	13.5	2.70	31.0	5.5000	24.84	27.08	yes	stainless steel	4G
C.137.085.0200.A	13.7	0.85	20.0	0.0964	4.34	5.32	yes	music wire	4C
C.137.085.0200.I	13.7	0.85	20.0	0.0828	4.34	5.32	yes	stainless steel	4C
C.137.100.0127.A	13.7	1.00	12.7	0.3700	3.80	4.26	yes	music wire	4F
C.137.100.0127.I	13.7	1.00	12.7	0.3100	3.90	4.38	yes	stainless steel	4F
C.137.100.0160.A	13.7	1.00	16.0	0.2759	4.30	4.92	yes	music wire	4F
C.137.100.0160.I	13.7	1.00	16.0	0.2400	4.30	4.92	yes	stainless steel	4F
C.137.100.0190.A	13.7	1.00	19.0	0.2324	4.60	5.57	yes	music wire	4F
C.137.100.0190.I	13.7	1.00	19.0	0.2022	4.60	5.72	yes	stainless steel	4F
C.137.100.0220.A	13.7	1.00	22.0	0.2000	5.00	6.39	yes	music wire	4F
C.137.100.0220.I	13.7	1.00	22.0	0.1700	5.00	6.20	yes	stainless steel	4G
C.137.100.0320.A	13.7	1.00	32.0	0.1264	6.40	7.73	yes	music wire	4F
C.137.100.0320.I	13.7	1.00	32.0	0.1100	6.40	7.73	yes	stainless steel	4G
C.137.100.0380.A	13.7	1.00	38.0	0.1100	7.00	9.63	yes	music wire	4F
C.137.100.0380.I	13.7	1.00	38.0	0.0930	7.10	9.12	yes	stainless steel	4G
C.137.100.0400.A	13.7	1.00	40.0	0.0777	8.90	11.09	yes	music wire	4D
C.137.100.0400.I	13.7	1.00	40.0	0.0667	8.90	11.09	yes	stainless steel	4D
C.137.100.0450.A	13.7	1.00	45.0	0.0930	7.80	11.44	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.137.100.0450.I	13.7	1.00	45.0	0.0790	7.90	11.00	yes	stainless steel	4G
C.137.100.0500.A	13.7	1.00	50.0	0.0793	8.80	10.95	yes	music wire	4G
C.137.100.0500.I	13.7	1.00	50.0	0.0690	8.70	11.07	yes	stainless steel	4G
C.137.100.0570.A	13.7	1.00	57.0	0.0720	9.40	13.65	yes	music wire	4G
C.137.100.0570.I	13.7	1.00	57.0	0.0610	9.50	12.97	yes	stainless steel	4G
C.137.100.0640.A	13.7	1.00	64.0	0.0632	10.40	14.63	yes	music wire	4G
C.137.100.0640.I	13.7	1.00	64.0	0.0550	10.30	15.16	yes	stainless steel	4G
C.137.100.0700.A	13.7	1.00	70.0	0.0580	11.10	16.19	yes	music wire	4G
C.137.100.0700.I	13.7	1.00	70.0	0.0490	11.20	15.19	yes	stainless steel	4G
C.137.100.0760.A	13.7	1.00	76.0	0.0530	11.90	17.11	yes	music wire	4G
C.137.100.0760.I	13.7	1.00	76.0	0.0450	12.00	16.31	yes	stainless steel	4G
C.137.100.1000.A	13.7	1.00	100.0	0.0305	18.80	24.37	yes	music wire	4E
C.137.100.1000.I	13.7	1.00	100.0	0.0262	18.80	24.37	yes	stainless steel	4E
C.137.100.1600.A	13.7	1.00	160.0	0.0189	28.80	37.79	yes	music wire	4F
C.137.100.1600.I	13.7	1.00	160.0	0.0162	28.80	37.79	yes	stainless steel	4F
C.137.100.2000.A	13.7	1.00	200.0	0.0151	35.40	46.65	yes	music wire	4G
C.137.100.2000.I	13.7	1.00	200.0	0.0130	35.40	46.65	yes	stainless steel	4G
C.137.120.0127.A	13.7	1.20	12.7	0.5400	5.40	6.03	yes	music wire	4C
C.137.120.0127.I	13.7	1.20	12.7	0.4698	5.40	6.03	yes	stainless steel	4D
C.137.120.0220.A	13.7	1.20	22.0	0.2900	7.44	8.61	yes	music wire	4C
C.137.120.0220.AP	13.7	1.20	22.0	0.4334	6.00	9.99	yes	music wire	4F
C.137.120.0220.I	13.7	1.20	22.0	0.2400	7.68	8.91	yes	stainless steel	4D
C.137.120.0380.A	13.7	1.20	38.0	0.1609	11.04	13.15	yes	music wire	4D
C.137.120.0380.AP	13.7	1.20	38.0	0.2356	8.52	15.91	yes	music wire	4G
C.137.120.0380.I	13.7	1.20	38.0	0.1400	10.92	13.00	yes	stainless steel	4D
C.137.120.0450.A	13.7	1.20	45.0	0.1400	12.24	14.67	yes	music wire	4D
C.137.120.0450.AP	13.7	1.20	45.0	0.2007	9.48	19.07	yes	music wire	4G
C.137.120.0450.I	13.7	1.20	45.0	0.1200	12.24	14.67	yes	stainless steel	4D
C.137.120.0500.A	13.7	1.20	50.0	0.1149	14.28	17.24	yes	music wire	4D
C.137.120.0500.AP	13.7	1.20	50.0	0.1776	10.32	20.70	yes	music wire	4G
C.137.120.0500.I	13.7	1.20	50.0	0.1000	14.16	17.09	yes	stainless steel	4E
C.137.120.0570.A	13.7	1.20	57.0	0.1000	15.96	19.37	yes	music wire	4D
C.137.120.0570.AP	13.7	1.20	57.0	0.1548	11.40	23.38	yes	music wire	4G
C.137.120.0570.I	13.7	1.20	57.0	0.0880	15.72	19.06	yes	stainless steel	4E
C.137.120.0640.A	13.7	1.20	64.0	0.0908	17.28	21.03	yes	music wire	4D
C.137.120.0640.AP	13.7	1.20	64.0	0.1389	12.36	26.54	yes	music wire	4G
C.137.120.0640.I	13.7	1.20	64.0	0.0790	17.16	20.88	yes	stainless steel	4E
C.137.120.0760.A	13.7	1.20	76.0	0.0770	19.80	24.21	yes	music wire	4E
C.137.120.0760.AP	13.7	1.20	76.0	0.1153	14.28	30.86	yes	music wire	4G
C.137.120.0760.I	13.7	1.20	76.0	0.0660	19.92	24.37	yes	stainless steel	4E
C.137.120.1000.A	13.7	1.20	100.0	0.0558	26.28	32.40	yes	music wire	4E
C.137.120.1000.I	13.7	1.20	100.0	0.0479	26.28	32.40	yes	stainless steel	4E
C.137.120.1200.A	13.7	1.20	120.0	0.0464	30.96	38.31	yes	music wire	4E
C.137.120.1200.I	13.7	1.20	120.0	0.0399	30.96	38.31	yes	stainless steel	4E
C.137.120.2000.A	13.7	1.20	200.0	0.0277	49.92	62.25	yes	music wire	4G
C.137.120.2000.I	13.7	1.20	200.0	0.0238	49.92	62.25	yes	stainless steel	4G
C.137.140.0127.A	13.7	1.40	12.7	1.0000	6.44	7.07	yes	music wire	4E
C.137.140.0127.AP	13.7	1.40	12.7	1.4072	5.60	7.02	yes	music wire	4H
C.137.140.0127.I	13.7	1.40	12.7	0.8500	6.44	7.07	yes	stainless steel	4E
C.137.140.0160.A	13.7	1.40	16.0	0.7471	7.42	8.27	yes	music wire	4E
C.137.140.0160.AP	13.7	1.40	16.0	1.0554	6.30	8.42	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.137.140.0160.I	13.7	1.40	16.0	0.6500	7.42	8.27	yes	stainless steel	4E
C.137.140.0220.A	13.7	1.40	22.0	0.5100	9.24	10.48	yes	music wire	4E
C.137.140.0220.AP	13.7	1.40	22.0	0.7279	7.56	11.01	yes	music wire	4H
C.137.140.0220.I	13.7	1.40	22.0	0.4400	9.24	10.48	yes	stainless steel	4E
C.137.140.0320.A	13.7	1.40	32.0	0.3333	12.32	14.22	yes	music wire	4E
C.137.140.0320.AP	13.7	1.40	32.0	0.4797	9.66	15.33	yes	music wire	4I
C.137.140.0320.I	13.7	1.40	32.0	0.2900	12.18	14.05	yes	stainless steel	4F
C.137.140.0380.A	13.7	1.40	38.0	0.2800	14.00	16.27	yes	music wire	4E
C.137.140.0380.AP	13.7	1.40	38.0	0.3983	10.92	17.92	yes	music wire	4I
C.137.140.0380.I	13.7	1.40	38.0	0.2400	14.00	16.27	yes	stainless steel	4F
C.137.140.0450.A	13.7	1.40	45.0	0.2400	15.82	18.48	yes	music wire	4E
C.137.140.0450.AP	13.7	1.40	45.0	0.3298	12.46	20.75	yes	music wire	4I
C.137.140.0450.I	13.7	1.40	45.0	0.2000	16.10	18.82	yes	stainless steel	4F
C.137.140.0700.A	13.7	1.40	70.0	0.1500	23.10	27.33	yes	music wire	4F
C.137.140.0700.AP	13.7	1.40	70.0	0.2090	17.64	31.73	yes	music wire	4I
C.137.140.0700.I	13.7	1.40	70.0	0.1300	22.96	27.16	yes	stainless steel	4G
C.137.140.0760.A	13.7	1.40	76.0	0.1400	24.50	29.03	yes	music wire	4F
C.137.140.0760.AP	13.7	1.40	76.0	0.1919	18.90	34.31	yes	music wire	4I
C.137.140.0760.I	13.7	1.40	76.0	0.1200	24.64	29.20	yes	stainless steel	4G
C.137.140.1000.A	13.7	1.40	100.0	0.0960	34.16	40.78	yes	music wire	4G
C.137.140.1000.I	13.7	1.40	100.0	0.0825	34.16	40.78	yes	stainless steel	4G
C.137.140.1200.A	13.7	1.40	120.0	0.0797	40.46	48.44	yes	music wire	4G
C.137.140.1200.I	13.7	1.40	120.0	0.0684	40.46	48.44	yes	stainless steel	4G
C.137.140.1600.A	13.7	1.40	160.0	0.0594	53.06	63.75	yes	music wire	4G
C.137.140.1600.I	13.7	1.40	160.0	0.0510	53.06	63.75	yes	stainless steel	4H
C.137.150.0127.A	13.7	1.50	12.7	1.3000	7.05	7.71	yes	music wire	4E
C.137.150.0127.AP	13.7	1.50	12.7	1.7833	6.15	7.27	yes	music wire	4H
C.137.150.0127.I	13.7	1.50	12.7	1.1000	7.05	7.71	yes	stainless steel	4E
C.137.150.0160.A	13.7	1.50	16.0	0.9770	8.10	8.97	yes	music wire	4E
C.137.150.0160.AP	13.7	1.50	16.0	1.2970	7.05	8.53	yes	music wire	4H
C.137.150.0160.I	13.7	1.50	16.0	0.8500	8.10	8.97	yes	stainless steel	4E
C.137.150.0220.A	13.7	1.50	22.0	0.6700	10.05	11.31	yes	music wire	4E
C.137.150.0220.AP	13.7	1.50	22.0	0.9204	8.40	11.47	yes	music wire	4I
C.137.150.0220.I	13.7	1.50	22.0	0.5700	10.20	11.48	yes	stainless steel	4F
C.137.150.0250.A	13.7	1.50	25.0	0.5800	11.10	12.56	yes	music wire	4E
C.137.150.0250.AP	13.7	1.50	25.0	0.7926	9.15	12.78	yes	music wire	4I
C.137.150.0250.I	13.7	1.50	25.0	0.5046	10.95	12.38	yes	stainless steel	4F
C.137.150.0400.A	13.7	1.50	40.0	0.3228	16.95	19.58	yes	music wire	4E
C.137.150.0400.I	13.7	1.50	40.0	0.2772	16.95	19.58	yes	stainless steel	4F
C.137.150.0570.A	13.7	1.50	57.0	0.2400	21.45	24.98	yes	music wire	4F
C.137.150.0570.AP	13.7	1.50	57.0	0.3280	16.80	27.46	yes	music wire	4I
C.137.150.0570.I	13.7	1.50	57.0	0.2000	22.05	25.70	yes	stainless steel	4F
C.137.150.0640.A	13.7	1.50	64.0	0.2100	24.00	28.03	yes	music wire	4F
C.137.150.0640.AP	13.7	1.50	64.0	0.2912	18.45	30.72	yes	music wire	4I
C.137.150.0640.I	13.7	1.50	64.0	0.1800	24.15	28.21	yes	stainless steel	4G
C.137.150.0700.A	13.7	1.50	70.0	0.1900	26.10	30.55	yes	music wire	4F
C.137.150.0700.AP	13.7	1.50	70.0	0.2642	19.95	33.33	yes	music wire	4I
C.137.150.0700.I	13.7	1.50	70.0	0.1600	26.55	31.09	yes	stainless steel	4G
C.137.150.0760.A	13.7	1.50	76.0	0.1800	27.45	32.17	yes	music wire	4F
C.137.150.0760.AP	13.7	1.50	76.0	0.2439	21.15	36.27	yes	music wire	4I
C.137.150.0760.I	13.7	1.50	76.0	0.1500	28.20	33.07	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.137.150.1600.A	13.7	1.50	160.0	0.0766	59.40	70.49	yes	music wire	4G
C.137.150.1600.I	13.7	1.50	160.0	0.0658	59.40	70.49	yes	stainless steel	4H
C.137.150.2600.A	13.7	1.50	260.0	0.0468	94.80	112.94	yes	music wire	4I
C.137.150.2600.I	13.7	1.50	260.0	0.0402	94.80	112.94	yes	stainless steel	4I
C.137.160.0127.A	13.7	1.60	12.7	1.8000	7.36	7.98	yes	music wire	4E
C.137.160.0127.I	13.7	1.60	12.7	1.6000	7.20	7.79	yes	stainless steel	4E
C.137.160.0190.A	13.7	1.60	19.0	1.1082	9.44	10.45	yes	music wire	4E
C.137.160.0190.I	13.7	1.60	19.0	0.9641	9.44	10.45	yes	stainless steel	4F
C.137.160.0220.A	13.7	1.60	22.0	0.9200	10.56	11.78	yes	music wire	4E
C.137.160.0220.I	13.7	1.60	22.0	0.7800	10.56	11.78	yes	stainless steel	4F
C.137.160.0380.A	13.7	1.60	38.0	0.5000	16.00	18.23	yes	music wire	4F
C.137.160.0380.I	13.7	1.60	38.0	0.4300	16.00	18.23	yes	stainless steel	4F
C.137.160.0450.A	13.7	1.60	45.0	0.4300	18.08	20.70	yes	music wire	4I
C.137.160.0450.I	13.7	1.60	45.0	0.3600	18.40	21.08	yes	stainless steel	4F
C.137.160.0570.A	13.7	1.60	57.0	0.3300	22.24	25.63	yes	music wire	4F
C.137.160.0570.I	13.7	1.60	57.0	0.2800	22.56	26.01	yes	stainless steel	4G
C.137.160.0700.A	13.7	1.60	70.0	0.2600	27.20	31.51	yes	music wire	4F
C.137.160.0700.I	13.7	1.60	70.0	0.2200	27.52	31.89	yes	stainless steel	4G
C.137.160.0760.A	13.7	1.60	76.0	0.2400	29.12	33.79	yes	music wire	4F
C.137.160.0760.I	13.7	1.60	76.0	0.2000	29.92	34.74	yes	stainless steel	4G
C.137.160.1000.A	13.7	1.60	100.0	0.1583	42.08	49.15	yes	music wire	4G
C.137.160.1000.I	13.7	1.60	100.0	0.1360	42.08	49.15	yes	stainless steel	4G
C.137.160.1200.A	13.7	1.60	120.0	0.1313	49.92	58.45	yes	music wire	4G
C.137.160.1200.I	13.7	1.60	120.0	0.1128	49.92	58.45	yes	stainless steel	4G
C.137.160.2400.A	13.7	1.60	240.0	0.0648	97.12	114.42	yes	music wire	4I
C.137.160.2400.I	13.7	1.60	240.0	0.0556	97.12	114.42	yes	stainless steel	4I
C.137.170.0127.A	13.7	1.70	12.7	2.4000	7.82	8.44	yes	music wire	4E
C.137.170.0127.I	13.7	1.70	12.7	2.0000	7.82	8.44	yes	stainless steel	4E
C.137.170.0190.A	13.7	1.70	19.0	1.4220	10.20	11.24	yes	music wire	4E
C.137.170.0190.I	13.7	1.70	19.0	1.1845	10.37	11.44	yes	stainless steel	4F
C.137.170.0220.A	13.7	1.70	22.0	1.2000	11.22	12.44	yes	music wire	4E
C.137.170.0220.I	13.7	1.70	22.0	1.0000	11.39	12.64	yes	stainless steel	4F
C.137.170.0250.A	13.7	1.70	25.0	0.9885	12.75	14.24	yes	music wire	4E
C.137.170.0250.I	13.7	1.70	25.0	0.8600	12.58	14.04	yes	stainless steel	4F
C.137.170.0320.A	13.7	1.70	32.0	0.7324	15.64	17.63	yes	music wire	4E
C.137.170.0320.I	13.7	1.70	32.0	0.6372	15.47	17.43	yes	stainless steel	4F
C.137.170.0380.A	13.7	1.70	38.0	0.6400	17.34	19.63	yes	music wire	4F
C.137.170.0380.I	13.7	1.70	38.0	0.5400	17.51	19.83	yes	stainless steel	4F
C.137.170.0400.A	13.7	1.70	40.0	0.5295	20.06	22.82	yes	music wire	4F
C.137.170.0400.I	13.7	1.70	40.0	0.4548	20.06	22.82	yes	stainless steel	4F
C.137.170.0450.A	13.7	1.70	45.0	0.5400	19.72	22.42	yes	music wire	4F
C.137.170.0450.I	13.7	1.70	45.0	0.4600	19.89	22.62	yes	stainless steel	4F
C.137.170.0500.A	13.7	1.70	50.0	0.4598	22.44	25.62	yes	music wire	4F
C.137.170.0500.I	13.7	1.70	50.0	0.4000	22.27	25.42	yes	stainless steel	4F
C.137.170.0570.A	13.7	1.70	57.0	0.4100	24.65	28.21	yes	music wire	4F
C.137.170.0570.I	13.7	1.70	57.0	0.3500	24.82	28.41	yes	stainless steel	4G
C.137.170.0600.A	13.7	1.70	60.0	0.3419	28.73	33.01	yes	music wire	4F
C.137.170.0600.I	13.7	1.70	60.0	0.2937	28.73	33.01	yes	stainless steel	4G
C.137.170.0640.A	13.7	1.70	64.0	0.3563	27.71	31.81	yes	music wire	4F
C.137.170.0640.I	13.7	1.70	64.0	0.3100	27.37	31.41	yes	stainless steel	4G
C.137.170.0700.A	13.7	1.70	70.0	0.3300	29.58	34.01	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.137.170.0700.I	13.7	1.70	70.0	0.2800	29.92	34.41	yes	stainless steel	4G
C.137.170.0760.A	13.7	1.70	76.0	0.2989	32.30	37.20	yes	music wire	4F
C.137.170.0760.I	13.7	1.70	76.0	0.2600	31.96	36.80	yes	stainless steel	4G
C.137.170.1000.A	13.7	1.70	100.0	0.2002	46.07	53.38	yes	music wire	4G
C.137.170.1000.I	13.7	1.70	100.0	0.1719	46.07	53.38	yes	stainless steel	4G
C.137.170.2400.A	13.7	1.70	240.0	0.0818	106.59	124.47	yes	music wire	4I
C.137.170.2400.I	13.7	1.70	240.0	0.0703	106.59	124.47	yes	stainless steel	4I
C.138.110.0200.A	13.8	1.10	20.0	0.2207	6.38	7.47	yes	music wire	4C
C.138.110.0200.I	13.8	1.10	20.0	0.1895	6.38	7.47	yes	stainless steel	4D
C.138.110.0250.A	13.8	1.10	25.0	0.2000	6.71	7.90	yes	music wire	4C
C.138.110.0320.A	13.8	1.10	32.0	0.1600	7.81	9.33	yes	music wire	4C
C.138.110.0400.A	13.8	1.10	40.0	0.1250	9.13	11.04	yes	music wire	4C
C.138.110.0500.A	13.8	1.10	50.0	0.1000	10.78	13.19	yes	music wire	4C
C.138.110.0630.A	13.8	1.10	63.0	0.0800	12.76	15.76	yes	music wire	4C
C.138.110.0800.A	13.8	1.10	80.0	0.0625	15.62	19.48	yes	music wire	4C
C.138.110.1000.A	13.8	1.10	100.0	0.0500	18.81	23.63	yes	music wire	4D
C.138.110.1250.A	13.8	1.10	125.0	0.0400	22.77	28.77	yes	music wire	4E
C.138.110.1600.A	13.8	1.10	160.0	0.0313	28.38	36.07	yes	music wire	4I
C.138.110.1600.I	13.8	1.10	160.0	0.0272	28.05	35.64	yes	stainless steel	4I
C.138.110.1600.N	13.8	1.10	160.0	0.0313	28.38	36.07	yes	Zn coating	4J
C.138.110.2000.A	13.8	1.10	200.0	0.0250	34.76	44.36	yes	music wire	4I
C.138.110.2000.I	13.8	1.10	200.0	0.0218	34.43	43.93	yes	stainless steel	4I
C.138.110.2000.N	13.8	1.10	200.0	0.0250	34.76	44.36	yes	Zn coating	4J
C.138.120.0190.A	13.8	1.20	19.0	0.3413	6.72	7.71	yes	music wire	4C
C.138.120.0190.AP	13.8	1.20	19.0	0.5038	5.52	8.74	yes	music wire	4F
C.138.120.0190.I	13.8	1.20	19.0	0.2843	6.84	7.86	yes	stainless steel	4D
C.138.120.0500.A	13.8	1.20	50.0	0.1177	13.80	16.67	yes	music wire	4D
C.138.120.0500.AP	13.8	1.20	50.0	0.1763	10.20	20.69	yes	music wire	4G
C.138.120.0500.I	13.8	1.20	50.0	0.1024	13.68	16.51	yes	stainless steel	4E
C.138.120.0700.A	13.8	1.20	70.0	0.0808	18.72	22.89	yes	music wire	4E
C.138.120.0700.AP	13.8	1.20	70.0	0.1245	13.20	28.48	yes	music wire	4G
C.138.120.0700.I	13.8	1.20	70.0	0.0703	18.48	22.59	yes	stainless steel	4E
C.138.120.2000.A	13.8	1.20	200.0	0.0274	49.32	61.61	yes	music wire	4G
C.138.120.2000.I	13.8	1.20	200.0	0.0235	49.32	61.61	yes	stainless steel	4G
C.138.125.0200.A	13.8	1.25	20.0	0.3495	7.63	8.76	yes	music wire	4C
C.138.125.0200.I	13.8	1.25	20.0	0.3002	7.63	8.76	yes	stainless steel	4D
C.138.125.0270.A	13.8	1.25	27.0	0.3638	7.50	11.08	yes	music wire	4F
C.138.125.0270.I	13.8	1.25	27.0	0.3125	7.50	10.95	yes	stainless steel	4G
C.138.125.0270.N	13.8	1.25	27.0	0.3638	7.50	11.08	yes	Zn coating	4I
C.138.125.0415.A	13.8	1.25	41.5	0.2315	9.88	16.48	yes	music wire	4G
C.138.125.0415.I	13.8	1.25	41.5	0.1988	9.88	16.27	yes	stainless steel	4G
C.138.125.0415.N	13.8	1.25	41.5	0.2315	9.88	16.48	yes	Zn coating	4I
C.138.125.0625.A	13.8	1.25	62.5	0.1498	13.63	23.83	yes	music wire	4G
C.138.125.0625.I	13.8	1.25	62.5	0.1287	13.63	23.54	yes	stainless steel	4G
C.138.125.0625.N	13.8	1.25	62.5	0.1498	13.63	23.83	yes	Zn coating	4I
C.138.125.0800.A	13.8	1.25	80.0	0.0801	22.75	27.68	yes	music wire	4E
C.138.125.0800.I	13.8	1.25	80.0	0.0688	22.75	27.68	yes	stainless steel	4E
C.138.125.0905.A	13.8	1.25	90.5	0.1019	18.50	33.66	yes	music wire	4G
C.138.125.0905.AP	13.8	1.25	90.5	0.1097	17.50	37.68	yes	music wire	4G
C.138.125.0905.I	13.8	1.25	90.5	0.0875	18.63	33.19	yes	stainless steel	4H
C.138.125.0905.IF	13.8	1.25	90.5	0.0591	26.00	31.75	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.138.125.0905.N	13.8	1.25	90.5	0.1019	18.50	33.66	yes	Zn coating	4I
C.138.125.1300.A	13.8	1.25	130.0	0.0688	26.00	45.81	yes	music wire	4I
C.138.125.1300.I	13.8	1.25	130.0	0.0591	26.00	45.15	yes	stainless steel	4I
C.138.125.1300.IF	13.8	1.25	130.0	0.0486	30.88	37.85	yes	stainless steel	4F
C.138.125.1300.N	13.8	1.25	130.0	0.0688	26.00	45.81	yes	Zn coating	4I
C.138.125.2000.A	13.8	1.25	200.0	0.0315	53.13	65.69	yes	music wire	4G
C.138.125.2000.I	13.8	1.25	200.0	0.0270	53.13	65.69	yes	stainless steel	4G
C.138.140.0190.A	13.8	1.40	19.0	0.6129	8.12	9.13	yes	music wire	4E
C.138.140.0190.AP	13.8	1.40	19.0	0.8241	7.00	9.36	yes	music wire	4H
C.138.140.0190.I	13.8	1.40	19.0	0.5106	8.40	9.47	yes	stainless steel	4E
C.138.140.0800.A	13.8	1.40	80.0	0.1193	27.58	32.82	yes	music wire	4F
C.138.140.0800.I	13.8	1.40	80.0	0.1025	27.58	32.82	yes	stainless steel	4G
C.138.150.0190.A	13.8	1.50	19.0	0.8042	8.85	9.87	yes	music wire	4E
C.138.150.0190.AP	13.8	1.50	19.0	1.0709	7.65	10.01	yes	music wire	4I
C.138.150.0190.I	13.8	1.50	19.0	0.7000	8.85	9.87	yes	stainless steel	4E
C.138.150.0230.A	13.8	1.50	23.0	0.4264	13.50	15.46	yes	music wire	4E
C.138.150.0230.AP	13.8	1.50	23.0	0.8701	8.55	11.94	yes	music wire	4I
C.138.150.0230.I	13.8	1.50	23.0	0.3662	13.50	15.46	yes	stainless steel	4F
C.138.150.0230.N	13.8	1.50	23.0	0.4264	13.50	15.46	yes	Zn coating	4G
C.138.150.0800.A	13.8	1.50	80.0	0.1540	30.75	36.17	yes	music wire	4F
C.138.150.0800.I	13.8	1.50	80.0	0.1322	30.75	36.17	yes	stainless steel	4G
C.138.160.0200.A	13.8	1.60	20.0	0.8968	10.56	11.79	yes	music wire	4E
C.138.160.0200.I	13.8	1.60	20.0	0.7702	10.56	11.79	yes	stainless steel	4F
C.138.160.0381.A	13.8	1.60	38.1	0.5000	15.84	18.06	yes	music wire	4F
C.138.160.0381.I	13.8	1.60	38.1	0.4350	15.68	17.87	yes	stainless steel	4F
C.139.050.0143.I	13.9	0.50	14.3	0.0060	3.65	5.89	no	stainless steel	4C
C.139.060.0111.A	13.9	0.60	11.1	0.0200	3.78	5.19	no	music wire	4C
C.139.060.0111.AP	13.9	0.60	11.1	0.0508	2.76	3.31	no	music wire	4C
C.139.060.0111.I	13.9	0.60	11.1	0.0174	3.78	5.19	no	stainless steel	4C
C.139.070.0100.A	13.9	0.70	10.0	0.0967	2.52	3.01	yes	music wire	4C
C.139.070.0100.I	13.9	0.70	10.0	0.0830	2.52	3.01	yes	stainless steel	4C
C.139.070.0300.A	13.9	0.70	30.0	0.0264	4.55	6.32	yes	music wire	4C
C.139.070.0300.I	13.9	0.70	30.0	0.0230	4.55	6.32	yes	stainless steel	4D
C.139.070.0320.A	13.9	0.70	32.0	0.0103	8.96	13.53	yes	music wire	4C
C.139.070.0320.I	13.9	0.70	32.0	0.0090	8.82	13.30	yes	stainless steel	4D
C.139.070.0380.A	13.9	0.70	38.0	0.0287	4.34	5.98	yes	music wire	4C
C.139.070.0380.I	13.9	0.70	38.0	0.0250	4.34	5.98	yes	stainless steel	4D
C.139.080.0071.A	13.9	0.80	7.1	0.0862	3.76	4.64	yes	music wire	4C
C.139.080.0071.AP	13.9	0.80	7.1	0.1684	2.88	3.32	yes	music wire	4C
C.139.080.0071.I	13.9	0.80	7.1	0.0750	3.68	4.52	yes	stainless steel	4C
C.139.080.0167.A	13.9	0.80	16.7	0.0490	5.04	6.57	yes	music wire	4C
C.139.080.0167.I	13.9	0.80	16.7	0.0426	4.96	6.45	yes	stainless steel	4C
C.139.080.0210.A	13.9	0.80	21.0	0.0340	6.40	8.61	yes	music wire	4C
C.139.080.0210.I	13.9	0.80	21.0	0.0296	6.32	8.49	yes	stainless steel	4C
C.139.080.0240.A	13.9	0.80	24.0	0.0425	5.52	7.29	yes	music wire	4C
C.139.080.0240.I	13.9	0.80	24.0	0.0370	5.44	7.17	yes	stainless steel	4D
C.139.080.0300.A	13.9	0.80	30.0	0.0110	15.52	22.31	yes	music wire	4C
C.139.080.0300.I	13.9	0.80	30.0	0.0096	15.36	22.07	yes	stainless steel	4D
C.139.080.0350.A	13.9	0.80	35.0	0.0220	8.72	12.09	yes	music wire	4C
C.139.080.0350.I	13.9	0.80	35.0	0.0191	8.64	11.97	yes	stainless steel	4D
C.139.080.0380.A	13.9	0.80	38.0	0.0160	11.28	15.94	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.139.080.0380.I	13.9	0.80	38.0	0.0139	11.20	15.82	yes	stainless steel	4D
C.139.080.0950.A	13.9	0.80	95.0	0.0156	11.52	16.30	yes	music wire	4E
C.139.080.0950.I	13.9	0.80	95.0	0.0134	11.52	16.30	yes	stainless steel	4E
C.139.090.0143.A	13.9	0.90	14.3	0.1724	3.87	4.54	yes	music wire	4C
C.139.090.0143.I	13.9	0.90	14.3	0.1500	3.78	4.41	yes	stainless steel	4C
C.139.090.0182.A	13.9	0.90	18.2	0.1400	4.23	5.05	yes	music wire	4C
C.139.090.0182.I	13.9	0.90	18.2	0.1218	4.14	4.92	yes	stainless steel	4C
C.139.090.0350.A	13.9	0.90	35.0	0.0360	9.90	13.06	yes	music wire	4C
C.139.090.0350.I	13.9	0.90	35.0	0.0690	5.67	7.08	yes	stainless steel	4G
C.139.090.0600.A	13.9	0.90	60.0	0.0358	9.90	13.06	yes	music wire	4D
C.139.090.0600.I	13.9	0.90	60.0	0.0307	9.90	13.06	yes	stainless steel	4E
C.139.100.0100.A	13.9	1.00	10.0	0.3651	3.80	4.25	yes	music wire	4C
C.139.100.0100.I	13.9	1.00	10.0	0.3135	3.80	4.25	yes	stainless steel	4C
C.139.100.0174.A	13.9	1.00	17.4	0.1494	5.70	6.82	yes	music wire	4C
C.139.100.0174.I	13.9	1.00	17.4	0.1300	5.60	6.68	yes	stainless steel	4D
C.139.100.0182.A	13.9	1.00	18.2	0.2299	4.60	5.33	yes	music wire	4F
C.139.100.0182.I	13.9	1.00	18.2	0.2000	4.50	5.20	yes	stainless steel	4F
C.139.100.0210.A	13.9	1.00	21.0	0.2069	4.80	6.12	yes	music wire	4F
C.139.100.0210.I	13.9	1.00	21.0	0.1800	4.80	6.29	yes	stainless steel	4F
C.139.100.0300.A	13.9	1.00	30.0	0.0966	7.40	9.11	yes	music wire	4C
C.139.100.0300.I	13.9	1.00	30.0	0.0840	7.40	9.11	yes	stainless steel	4D
C.139.100.0360.A	13.9	1.00	36.0	0.0586	10.60	13.43	yes	music wire	4C
C.139.100.0360.I	13.9	1.00	36.0	0.0510	10.50	13.30	yes	stainless steel	4D
C.139.100.0380.A	13.9	1.00	38.0	0.0885	7.90	9.79	yes	music wire	4D
C.139.100.0380.I	13.9	1.00	38.0	0.0770	7.80	9.65	yes	stainless steel	4D
C.139.100.0450.A	13.9	1.00	45.0	0.0322	17.20	22.34	yes	music wire	4D
C.139.100.0450.I	13.9	1.00	45.0	0.0280	17.10	22.20	yes	stainless steel	4D
C.139.100.0500.A	13.9	1.00	50.0	0.0290	18.90	24.63	yes	music wire	4D
C.139.100.0500.I	13.9	1.00	50.0	0.0252	18.70	24.36	yes	stainless steel	4D
C.139.100.1050.A	13.9	1.00	105.0	0.0284	19.20	25.04	yes	music wire	4E
C.139.100.1050.I	13.9	1.00	105.0	0.0244	19.20	25.04	yes	stainless steel	4E
C.139.110.0119.A	13.9	1.10	11.9	0.4828	4.40	4.90	yes	music wire	4C
C.139.110.0119.I	13.9	1.10	11.9	0.4200	4.40	4.90	yes	stainless steel	4D
C.139.110.0200.A	13.9	1.10	20.0	0.2223	6.27	7.34	yes	music wire	4C
C.139.110.0200.I	13.9	1.10	20.0	0.1909	6.27	7.34	yes	stainless steel	4D
C.139.110.0330.A	13.9	1.10	33.0	0.1609	7.59	9.06	yes	music wire	4F
C.139.110.0330.I	13.9	1.10	33.0	0.1400	7.59	9.06	yes	stainless steel	4G
C.139.110.0430.A	13.9	1.10	43.0	0.0931	11.11	13.64	yes	music wire	4D
C.139.110.0430.I	13.9	1.10	43.0	0.0810	11.00	13.50	yes	stainless steel	4D
C.139.120.0079.A	13.9	1.20	7.9	0.4598	5.64	6.35	yes	music wire	4C
C.139.120.0079.AP	13.9	1.20	7.9	0.9393	4.32	4.67	yes	music wire	4C
C.139.120.0079.I	13.9	1.20	7.9	0.4000	5.64	6.35	yes	stainless steel	4D
C.139.120.0111.A	13.9	1.20	11.1	1.1034	4.08	6.45	yes	music wire	4I
C.139.120.0111.I	13.9	1.20	11.1	0.9600	4.08	6.48	yes	stainless steel	4I
C.139.120.0174.A	13.9	1.20	17.4	0.2500	7.92	9.24	yes	music wire	4C
C.139.120.0174.AP	13.9	1.20	17.4	0.5438	5.28	7.96	yes	music wire	4F
C.139.120.0174.I	13.9	1.20	17.4	0.2175	7.92	9.24	yes	stainless steel	4D
C.139.120.0800.A	13.9	1.20	80.0	0.0688	21.00	25.82	yes	music wire	4E
C.139.120.0800.I	13.9	1.20	80.0	0.0591	21.00	25.82	yes	stainless steel	4E
C.139.130.0103.A	13.9	1.30	10.3	0.8736	5.46	5.99	yes	music wire	4C
C.139.130.0103.I	13.9	1.30	10.3	0.7600	5.33	5.83	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.139.140.0087.A	13.9	1.40	8.7	0.9885	6.30	6.91	yes	music wire	4E
C.139.140.0087.I	13.9	1.40	8.7	0.8600	6.30	6.91	yes	stainless steel	4E
C.139.140.0174.A	13.9	1.40	17.4	0.7816	7.14	7.94	yes	music wire	4H
C.139.140.0174.I	13.9	1.40	17.4	0.6800	7.00	7.77	yes	stainless steel	4I
C.139.140.0350.A	13.9	1.40	35.0	0.2874	13.30	15.45	yes	music wire	4E
C.139.140.0350.AP	13.9	1.40	35.0	0.4279	10.08	16.56	yes	music wire	4I
C.139.140.0350.I	13.9	1.40	35.0	0.2500	13.16	15.28	yes	stainless steel	4F
C.139.140.0800.A	13.9	1.40	80.0	0.1179	27.30	32.53	yes	music wire	4F
C.139.140.0800.I	13.9	1.40	80.0	0.1012	27.30	32.53	yes	stainless steel	4G
C.139.150.0420.A	13.9	1.50	42.0	0.4598	12.60	21.21	yes	music wire	4J
C.139.150.0420.I	13.9	1.50	42.0	0.4000	12.45	21.21	yes	stainless steel	4J
C.139.160.0191.A	13.9	1.60	19.1	0.7241	12.00	13.51	yes	music wire	4E
C.139.160.0191.AP	13.9	1.60	19.1	1.3362	8.32	10.55	yes	music wire	4I
C.139.160.0191.I	13.9	1.60	19.1	0.6300	11.84	13.32	yes	stainless steel	4F
C.139.160.0200.A	13.9	1.60	20.0	1.2644	8.48	10.96	yes	music wire	4I
C.139.160.0200.I	13.9	1.60	20.0	1.1000	8.48	10.94	yes	stainless steel	4I
C.139.160.0290.A	13.9	1.60	29.0	0.6600	12.64	14.27	yes	music wire	4E
C.139.160.0290.I	13.9	1.60	29.0	0.5742	12.64	14.27	yes	stainless steel	4F
C.139.160.0300.A	13.9	1.60	30.0	0.5747	13.92	15.79	yes	music wire	4E
C.139.160.0300.AP	13.9	1.60	30.0	0.8017	11.20	15.75	yes	music wire	4I
C.139.160.0300.I	13.9	1.60	30.0	0.5000	13.92	15.79	yes	stainless steel	4F
C.139.160.1050.A	13.9	1.60	105.0	0.1464	43.20	50.59	yes	music wire	4G
C.139.160.1050.I	13.9	1.60	105.0	0.1258	43.20	50.59	yes	stainless steel	4G
C.139.170.0103.A	13.9	1.70	10.3	2.4138	7.48	8.05	yes	music wire	4E
C.139.170.0103.I	13.9	1.70	10.3	2.1000	7.48	8.05	yes	stainless steel	4E
C.139.180.0220.A	13.9	1.80	22.0	1.8391	10.44	13.40	yes	music wire	4I
C.139.180.0220.I	13.9	1.80	22.0	1.6000	10.26	13.35	yes	stainless steel	4I
C.139.180.0540.A	13.9	1.80	54.0	0.8046	18.00	34.35	yes	music wire	4J
C.139.180.0540.I	13.9	1.80	54.0	0.7000	17.82	34.23	yes	stainless steel	4J
C.139.200.0430.A	13.9	2.00	43.0	0.8736	27.20	30.60	yes	music wire	4G
C.139.200.0430.AP	13.9	2.00	43.0	1.2515	20.40	26.14	yes	music wire	4I
C.139.200.0430.I	13.9	2.00	43.0	0.7600	26.80	30.14	yes	stainless steel	4G
C.139.220.0135.A	13.9	2.20	13.5	6.7000	10.34	11.03	yes	music wire	4G
C.139.220.0135.I	13.9	2.20	13.5	5.8290	10.34	11.03	yes	stainless steel	4G
C.139.230.0290.A	13.9	2.30	29.0	2.5287	22.31	24.60	yes	music wire	4G
C.139.230.0290.AP	13.9	2.30	29.0	3.4228	17.94	19.99	yes	music wire	4I
C.139.230.0290.I	13.9	2.30	29.0	2.2000	22.08	24.34	yes	stainless steel	4G
C.139.230.0560.A	13.9	2.30	56.0	1.3000	37.95	42.40	yes	music wire	4G
C.139.230.0560.AP	13.9	2.30	56.0	1.6503	31.28	37.31	yes	music wire	4I
C.139.230.0560.I	13.9	2.30	56.0	1.1310	37.72	42.14	yes	stainless steel	4H
C.139.250.0135.A	13.9	2.50	13.5	18.9000	9.75	11.46	yes	music wire	4J
C.139.250.0135.I	13.9	2.50	13.5	16.4430	9.75	11.42	yes	stainless steel	4J
C.140.070.0112.A	14.0	0.70	11.2	0.0945	2.52	3.01	yes	music wire	4C
C.140.070.0112.I	14.0	0.70	11.2	0.0812	2.52	3.01	yes	stainless steel	4C
C.140.070.0135.A	14.0	0.70	13.5	0.0743	2.73	3.36	yes	music wire	4C
C.140.070.0135.I	14.0	0.70	13.5	0.0638	2.73	3.36	yes	stainless steel	4C
C.140.070.0143.A	14.0	0.70	14.3	0.0743	2.73	3.36	yes	music wire	4C
C.140.070.0143.I	14.0	0.70	14.3	0.0638	2.73	3.36	yes	stainless steel	4C
C.140.070.0174.A	14.0	0.70	17.4	0.0578	3.01	3.82	yes	music wire	4C
C.140.070.0174.I	14.0	0.70	17.4	0.0496	3.01	3.82	yes	stainless steel	4C
C.140.080.0095.A	14.0	0.80	9.5	0.1649	2.88	3.33	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.080.0095.I	14.0	0.80	9.5	0.1417	2.88	3.33	yes	stainless steel	4C
C.140.080.0097.A	14.0	0.80	9.7	0.1649	2.88	3.33	yes	music wire	4C
C.140.080.0097.I	14.0	0.80	9.7	0.1417	2.88	3.33	yes	stainless steel	4C
C.140.080.0111.A	14.0	0.80	11.1	0.1512	2.96	3.45	yes	music wire	4C
C.140.080.0111.I	14.0	0.80	11.1	0.1299	2.96	3.45	yes	stainless steel	4C
C.140.080.0112.A	14.0	0.80	11.2	0.1396	3.04	3.57	yes	music wire	4C
C.140.080.0112.I	14.0	0.80	11.2	0.1199	3.04	3.57	yes	stainless steel	4C
C.140.080.0135.A	14.0	0.80	13.5	0.1210	3.20	3.81	yes	music wire	4C
C.140.080.0135.I	14.0	0.80	13.5	0.1039	3.20	3.81	yes	stainless steel	4C
C.140.080.0142.A	14.0	0.80	14.2	0.1134	3.28	3.93	yes	music wire	4C
C.140.080.0142.I	14.0	0.80	14.2	0.0974	3.28	3.93	yes	stainless steel	4C
C.140.080.0157.A	14.0	0.80	15.7	0.1008	3.44	4.17	yes	music wire	4C
C.140.080.0157.I	14.0	0.80	15.7	0.0866	3.44	4.17	yes	stainless steel	4C
C.140.080.0191.A	14.0	0.80	19.1	0.0825	3.76	4.65	yes	music wire	4C
C.140.080.0191.I	14.0	0.80	19.1	0.0708	3.76	4.65	yes	stainless steel	4C
C.140.080.0206.A	14.0	0.80	20.6	0.0756	3.92	4.90	yes	music wire	4C
C.140.080.0206.I	14.0	0.80	20.6	0.0649	3.92	4.90	yes	stainless steel	4C
C.140.080.0224.A	14.0	0.80	22.4	0.0672	4.16	5.26	yes	music wire	4C
C.140.080.0224.I	14.0	0.80	22.4	0.0577	4.16	5.26	yes	stainless steel	4C
C.140.080.0239.A	14.0	0.80	23.9	0.0648	4.24	5.38	yes	music wire	4C
C.140.080.0239.I	14.0	0.80	23.9	0.0557	4.24	5.38	yes	stainless steel	4D
C.140.080.0254.A	14.0	0.80	25.4	0.0605	4.40	5.62	yes	music wire	4C
C.140.080.0254.I	14.0	0.80	25.4	0.0519	4.40	5.62	yes	stainless steel	4D
C.140.080.0284.A	14.0	0.80	28.4	0.0534	4.72	6.10	yes	music wire	4C
C.140.080.0284.I	14.0	0.80	28.4	0.0458	4.72	6.10	yes	stainless steel	4D
C.140.080.0285.A	14.0	0.80	28.5	0.0534	4.72	6.10	yes	music wire	4C
C.140.080.0285.I	14.0	0.80	28.5	0.0458	4.72	6.10	yes	stainless steel	4D
C.140.080.0305.A	14.0	0.80	30.5	0.0490	4.96	6.46	yes	music wire	4C
C.140.080.0305.I	14.0	0.80	30.5	0.0421	4.96	6.46	yes	stainless steel	4D
C.140.080.0330.A	14.0	0.80	33.0	0.0300	6.80	9.24	yes	music wire	4C
C.140.080.0330.I	14.0	0.80	33.0	0.0261	6.80	9.24	yes	stainless steel	4D
C.140.080.0330.N	14.0	0.80	33.0	0.0300	6.80	9.24	yes	Zn coating	4E
C.140.080.0351.A	14.0	0.80	35.1	0.0422	5.44	7.19	yes	music wire	4C
C.140.080.0351.I	14.0	0.80	35.1	0.0362	5.44	7.19	yes	stainless steel	4D
C.140.080.0356.A	14.0	0.80	35.6	0.0422	5.44	7.19	yes	music wire	4C
C.140.080.0356.I	14.0	0.80	35.6	0.0362	5.44	7.19	yes	stainless steel	4D
C.140.080.0381.A	14.0	0.80	38.1	0.0394	5.68	7.55	yes	music wire	4C
C.140.080.0381.I	14.0	0.80	38.1	0.0339	5.68	7.55	yes	stainless steel	4D
C.140.080.0383.A	14.0	0.80	38.3	0.0518	4.80	6.84	yes	music wire	4F
C.140.080.0383.I	14.0	0.80	38.3	0.0445	4.80	6.97	yes	stainless steel	4G
C.140.080.0383.N	14.0	0.80	38.3	0.0518	4.80	6.84	yes	Zn coating	4I
C.140.080.0444.A	14.0	0.80	44.4	0.0336	6.32	8.52	yes	music wire	4C
C.140.080.0444.I	14.0	0.80	44.4	0.0289	6.32	8.52	yes	stainless steel	4D
C.140.080.0457.A	14.0	0.80	45.7	0.0324	6.48	8.76	yes	music wire	4D
C.140.080.0457.I	14.0	0.80	45.7	0.0278	6.48	8.76	yes	stainless steel	4D
C.140.080.0508.A	14.0	0.80	50.8	0.0293	6.96	9.48	yes	music wire	4D
C.140.080.0508.I	14.0	0.80	50.8	0.0251	6.96	9.48	yes	stainless steel	4D
C.140.080.0559.A	14.0	0.80	55.9	0.0263	7.52	10.33	yes	music wire	4D
C.140.080.0559.I	14.0	0.80	55.9	0.0226	7.52	10.33	yes	stainless steel	4D
C.140.080.0572.A	14.0	0.80	57.2	0.0259	7.60	10.45	yes	music wire	4D
C.140.080.0572.I	14.0	0.80	57.2	0.0223	7.60	10.45	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.080.0585.A	14.0	0.80	58.5	0.0330	6.40	9.12	yes	music wire	4G
C.140.080.0585.I	14.0	0.80	58.5	0.0283	6.40	9.23	yes	stainless steel	4G
C.140.080.0585.N	14.0	0.80	58.5	0.0330	6.40	9.12	yes	Zn coating	4I
C.140.080.0635.A	14.0	0.80	63.5	0.0233	8.24	11.41	yes	music wire	4D
C.140.080.0635.I	14.0	0.80	63.5	0.0200	8.24	11.41	yes	stainless steel	4E
C.140.080.0900.A	14.0	0.80	90.0	0.0140	12.40	17.69	yes	music wire	4E
C.140.080.0900.I	14.0	0.80	90.0	0.0122	12.24	17.45	yes	stainless steel	4E
C.140.080.0900.N	14.0	0.80	90.0	0.0140	12.40	17.69	yes	Zn coating	4F
C.140.080.0991.A	14.0	0.80	99.1	0.0191	9.60	13.78	yes	music wire	4G
C.140.080.0991.I	14.0	0.80	99.1	0.0164	9.60	14.08	yes	stainless steel	4H
C.140.080.0991.N	14.0	0.80	99.1	0.0191	9.60	13.78	yes	Zn coating	4I
C.140.080.1450.A	14.0	0.80	145.0	0.0101	16.40	23.72	yes	music wire	4E
C.140.080.1450.I	14.0	0.80	145.0	0.0087	16.40	23.72	yes	stainless steel	4F
C.140.080.1608.A	14.0	0.80	160.8	0.0117	14.40	21.52	yes	music wire	4I
C.140.080.1608.I	14.0	0.80	160.8	0.0100	14.48	21.37	yes	stainless steel	4I
C.140.080.1608.N	14.0	0.80	160.8	0.0117	14.40	21.52	yes	Zn coating	4I
C.140.090.0155.A	14.0	0.90	15.5	0.1170	4.50	5.44	yes	music wire	4C
C.140.090.0155.I	14.0	0.90	15.5	0.1018	4.50	5.44	yes	stainless steel	4C
C.140.090.0155.N	14.0	0.90	15.5	0.1170	4.50	5.44	yes	Zn coating	4E
C.140.090.0870.A	14.0	0.90	87.0	0.0286	11.61	15.52	yes	music wire	4E
C.140.090.0870.I	14.0	0.90	87.0	0.0246	11.61	15.52	yes	stainless steel	4E
C.140.090.1300.A	14.0	0.90	130.0	0.0191	16.29	22.16	yes	music wire	4E
C.140.090.1300.I	14.0	0.90	130.0	0.0164	16.29	22.16	yes	stainless steel	4E
C.140.095.0200.A	14.0	0.95	20.0	0.1556	4.66	5.53	yes	music wire	4C
C.140.095.0200.I	14.0	0.95	20.0	0.1336	4.66	5.53	yes	stainless steel	4D
C.140.095.0250.A	14.0	0.95	25.0	0.1245	5.23	6.32	yes	music wire	4C
C.140.095.0250.I	14.0	0.95	25.0	0.1069	5.23	6.32	yes	stainless steel	4D
C.140.095.0470.A	14.0	0.95	47.0	0.0633	7.98	10.13	yes	music wire	4D
C.140.095.0470.I	14.0	0.95	47.0	0.0544	7.98	10.13	yes	stainless steel	4D
C.140.095.0690.A	14.0	0.95	69.0	0.0429	10.64	13.81	yes	music wire	4D
C.140.095.0690.I	14.0	0.95	69.0	0.0369	10.64	13.81	yes	stainless steel	4E
C.140.095.0830.A	14.0	0.95	83.0	0.0356	12.35	16.17	yes	music wire	4E
C.140.095.0830.I	14.0	0.95	83.0	0.0305	12.35	16.17	yes	stainless steel	4E
C.140.095.1150.A	14.0	0.95	115.0	0.0254	16.34	21.69	yes	music wire	4E
C.140.095.1150.I	14.0	0.95	115.0	0.0218	16.34	21.69	yes	stainless steel	4E
C.140.100.0097.A	14.0	1.00	9.7	0.3567	3.80	4.26	yes	music wire	4C
C.140.100.0097.I	14.0	1.00	9.7	0.3064	3.80	4.26	yes	stainless steel	4C
C.140.100.0110.A	14.0	1.00	11.0	0.3091	4.00	4.53	yes	music wire	4C
C.140.100.0110.I	14.0	1.00	11.0	0.2655	4.00	4.53	yes	stainless steel	4C
C.140.100.0111.A	14.0	1.00	11.1	0.3091	4.00	4.53	yes	music wire	4C
C.140.100.0111.I	14.0	1.00	11.1	0.2655	4.00	4.53	yes	stainless steel	4C
C.140.100.0112.A	14.0	1.00	11.2	0.3091	4.00	4.53	yes	music wire	4C
C.140.100.0112.I	14.0	1.00	11.2	0.2655	4.00	4.53	yes	stainless steel	4C
C.140.100.0135.A	14.0	1.00	13.5	0.2441	4.40	5.07	yes	music wire	4C
C.140.100.0135.I	14.0	1.00	13.5	0.2096	4.40	5.07	yes	stainless steel	4C
C.140.100.0142.A	14.0	1.00	14.2	0.2319	4.50	5.21	yes	music wire	4C
C.140.100.0142.I	14.0	1.00	14.2	0.1991	4.50	5.21	yes	stainless steel	4C
C.140.100.0157.A	14.0	1.00	15.7	0.2108	4.70	5.48	yes	music wire	4C
C.140.100.0157.I	14.0	1.00	15.7	0.1810	4.70	5.48	yes	stainless steel	4D
C.140.100.0160.A	14.0	1.00	16.0	0.2100	4.70	5.48	yes	music wire	4C
C.140.100.0160.AF	14.0	1.00	16.0	0.1300	6.10	7.37	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.140.100.0160.I	14.0	1.00	16.0	0.1827	4.70	5.48	yes	stainless steel	4D
C.140.100.0160.N	14.0	1.00	16.0	0.2100	4.70	5.48	yes	Zn coating	4E
C.140.100.0160.NF	14.0	1.00	16.0	0.1300	6.10	7.37	yes	Zn coating	4E
C.140.100.0200.A	14.0	1.00	20.0	0.1620	5.40	6.43	yes	music wire	4C
C.140.100.0200.I	14.0	1.00	20.0	0.1409	5.30	6.29	yes	stainless steel	4D
C.140.100.0200.N	14.0	1.00	20.0	0.1620	5.40	6.43	yes	Zn coating	4E
C.140.100.0224.A	14.0	1.00	22.4	0.1405	5.80	6.97	yes	music wire	4C
C.140.100.0224.I	14.0	1.00	22.4	0.1207	5.80	6.97	yes	stainless steel	4D
C.140.100.0239.A	14.0	1.00	23.9	0.1325	6.00	7.24	yes	music wire	4C
C.140.100.0239.I	14.0	1.00	23.9	0.1138	6.00	7.24	yes	stainless steel	4D
C.140.100.0250.A	14.0	1.00	25.0	0.1270	6.20	7.51	yes	music wire	4C
C.140.100.0250.I	14.0	1.00	25.0	0.1105	6.10	7.37	yes	stainless steel	4D
C.140.100.0250.N	14.0	1.00	25.0	0.1270	6.20	7.51	yes	Zn coating	4E
C.140.100.0284.A	14.0	1.00	28.4	0.1078	6.80	8.32	yes	music wire	4C
C.140.100.0284.I	14.0	1.00	28.4	0.0926	6.80	8.32	yes	stainless steel	4D
C.140.100.0285.A	14.0	1.00	28.5	0.1078	6.80	8.32	yes	music wire	4C
C.140.100.0285.I	14.0	1.00	28.5	0.0926	6.80	8.32	yes	stainless steel	4D
C.140.100.0300.A	14.0	1.00	30.0	0.1325	6.00	7.24	yes	music wire	4F
C.140.100.0300.I	14.0	1.00	30.0	0.1138	6.00	7.24	yes	stainless steel	4G
C.140.100.0300.N	14.0	1.00	30.0	0.1325	6.00	7.24	yes	Zn coating	4I
C.140.100.0305.A	14.0	1.00	30.5	0.1008	7.10	8.73	yes	music wire	4C
C.140.100.0305.I	14.0	1.00	30.5	0.0866	7.10	8.73	yes	stainless steel	4D
C.140.100.0320.A	14.0	1.00	32.0	0.0960	7.30	9.00	yes	music wire	4C
C.140.100.0320.I	14.0	1.00	32.0	0.0835	7.30	9.00	yes	stainless steel	4D
C.140.100.0320.N	14.0	1.00	32.0	0.0960	7.30	9.00	yes	Zn coating	4E
C.140.100.0345.A	14.0	1.00	34.5	0.0892	7.70	9.54	yes	music wire	4C
C.140.100.0345.I	14.0	1.00	34.5	0.0766	7.70	9.54	yes	stainless steel	4D
C.140.100.0350.A	14.0	1.00	35.0	0.0650	9.60	12.11	yes	music wire	4C
C.140.100.0350.I	14.0	1.00	35.0	0.0566	9.50	11.97	yes	stainless steel	4D
C.140.100.0350.N	14.0	1.00	35.0	0.0650	9.60	12.11	yes	Zn coating	4E
C.140.100.0351.A	14.0	1.00	35.1	0.0875	7.80	9.67	yes	music wire	4C
C.140.100.0351.I	14.0	1.00	35.1	0.0751	7.80	9.67	yes	stainless steel	4D
C.140.100.0356.A	14.0	1.00	35.6	0.0859	7.90	9.81	yes	music wire	4C
C.140.100.0356.I	14.0	1.00	35.6	0.0738	7.90	9.81	yes	stainless steel	4D
C.140.100.0381.A	14.0	1.00	38.1	0.0799	8.30	10.35	yes	music wire	4D
C.140.100.0381.I	14.0	1.00	38.1	0.0687	8.30	10.35	yes	stainless steel	4D
C.140.100.0400.A	14.0	1.00	40.0	0.0780	8.40	10.49	yes	music wire	4D
C.140.100.0400.I	14.0	1.00	40.0	0.0679	8.40	10.49	yes	stainless steel	4D
C.140.100.0400.N	14.0	1.00	40.0	0.0780	8.40	10.49	yes	Zn coating	4E
C.140.100.0444.A	14.0	1.00	44.4	0.0682	9.30	11.70	yes	music wire	4D
C.140.100.0444.I	14.0	1.00	44.4	0.0586	9.30	11.70	yes	stainless steel	4D
C.140.100.0445.A	14.0	1.00	44.5	0.0682	9.30	11.70	yes	music wire	4D
C.140.100.0445.I	14.0	1.00	44.5	0.0586	9.30	11.70	yes	stainless steel	4D
C.140.100.0500.A	14.0	1.00	50.0	0.0620	10.00	12.65	yes	music wire	4D
C.140.100.0500.I	14.0	1.00	50.0	0.0539	9.90	12.52	yes	stainless steel	4D
C.140.100.0500.N	14.0	1.00	50.0	0.0620	10.00	12.65	yes	Zn coating	4F
C.140.100.0540.A	14.0	1.00	54.0	0.0713	9.00	11.30	yes	music wire	4G
C.140.100.0540.I	14.0	1.00	54.0	0.0612	9.00	11.30	yes	stainless steel	4G
C.140.100.0540.N	14.0	1.00	54.0	0.0713	9.00	11.30	yes	Zn coating	4I
C.140.100.0572.A	14.0	1.00	57.2	0.0527	11.30	14.41	yes	music wire	4D
C.140.100.0572.I	14.0	1.00	57.2	0.0453	11.30	14.41	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.140.100.0630.A	14.0	1.00	63.0	0.0480	12.20	15.63	yes	music wire	4D
C.140.100.0630.I	14.0	1.00	63.0	0.0418	12.00	15.36	yes	stainless steel	4E
C.140.100.0630.N	14.0	1.00	63.0	0.0480	12.20	15.63	yes	Zn coating	4F
C.140.100.0800.A	14.0	1.00	80.0	0.0380	14.70	19.01	yes	music wire	4E
C.140.100.0800.I	14.0	1.00	80.0	0.0331	14.50	18.74	yes	stainless steel	4E
C.140.100.0800.N	14.0	1.00	80.0	0.0380	14.70	19.01	yes	Zn coating	4F
C.140.100.1000.A	14.0	1.00	100.0	0.0300	18.00	23.48	yes	music wire	4E
C.140.100.1000.I	14.0	1.00	100.0	0.0261	17.80	23.21	yes	stainless steel	4E
C.140.100.1000.N	14.0	1.00	100.0	0.0300	18.00	23.48	yes	Zn coating	4G
C.140.100.1250.A	14.0	1.00	125.0	0.0240	21.80	28.62	yes	music wire	4E
C.140.100.1250.I	14.0	1.00	125.0	0.0209	21.60	28.35	yes	stainless steel	4E
C.140.100.1250.N	14.0	1.00	125.0	0.0240	21.80	28.62	yes	Zn coating	4G
C.140.100.3600.A	14.0	1.00	360.0	0.0080	61.50	82.00	no	music wire	4I
C.140.100.3600.I	14.0	1.00	360.0	0.0070	60.70	80.92	no	stainless steel	4I
C.140.105.0097.A	14.0	1.05	9.7	0.4386	3.99	4.44	yes	music wire	4C
C.140.105.0097.I	14.0	1.05	9.7	0.3767	3.99	4.44	yes	stainless steel	4C
C.140.105.0240.A	14.0	1.05	24.0	0.1782	5.99	7.09	yes	music wire	4C
C.140.105.0240.I	14.0	1.05	24.0	0.1530	5.99	7.09	yes	stainless steel	4D
C.140.105.0350.A	14.0	1.05	35.0	0.1188	7.67	9.32	yes	music wire	4C
C.140.105.0350.I	14.0	1.05	35.0	0.1020	7.67	9.32	yes	stainless steel	4D
C.140.105.0410.A	14.0	1.05	41.0	0.1000	8.61	10.57	yes	music wire	4D
C.140.105.0410.I	14.0	1.05	41.0	0.0859	8.61	10.57	yes	stainless steel	4D
C.140.105.0520.A	14.0	1.05	52.0	0.0792	10.19	12.67	yes	music wire	4D
C.140.105.0520.I	14.0	1.05	52.0	0.0680	10.19	12.67	yes	stainless steel	4D
C.140.105.0650.A	14.0	1.05	65.0	0.0627	12.18	15.32	yes	music wire	4D
C.140.105.0650.I	14.0	1.05	65.0	0.0538	12.18	15.32	yes	stainless steel	4E
C.140.105.1000.A	14.0	1.05	100.0	0.0404	17.43	22.29	yes	music wire	4E
C.140.105.1000.I	14.0	1.05	100.0	0.0347	17.43	22.29	yes	stainless steel	4E
C.140.110.0160.A	14.0	1.10	16.0	0.2970	5.28	6.05	yes	music wire	4C
C.140.110.0160.AP	14.0	1.10	16.0	0.4347	4.51	6.81	yes	music wire	4F
C.140.110.0160.I	14.0	1.10	16.0	0.2584	5.28	6.05	yes	stainless steel	4D
C.140.110.0160.N	14.0	1.10	16.0	0.2970	5.28	6.05	yes	Zn coating	4E
C.140.110.0200.A	14.0	1.10	20.0	0.2230	6.16	7.20	yes	music wire	4C
C.140.110.0200.I	14.0	1.10	20.0	0.1940	6.16	7.20	yes	stainless steel	4D
C.140.110.0200.N	14.0	1.10	20.0	0.2230	6.16	7.20	yes	Zn coating	4E
C.140.110.0250.A	14.0	1.10	25.0	0.1780	7.04	8.35	yes	music wire	4C
C.140.110.0250.AP	14.0	1.10	25.0	0.2675	5.61	10.07	yes	music wire	4F
C.140.110.0250.I	14.0	1.10	25.0	0.1549	7.04	8.35	yes	stainless steel	4D
C.140.110.0250.N	14.0	1.10	25.0	0.1780	7.04	8.35	yes	Zn coating	4E
C.140.110.0270.A	14.0	1.10	27.0	0.1985	6.60	7.78	yes	music wire	4F
C.140.110.0270.I	14.0	1.10	27.0	0.1705	6.60	7.78	yes	stainless steel	4G
C.140.110.0270.N	14.0	1.10	27.0	0.1985	6.60	7.78	yes	Zn coating	4I
C.140.110.0320.A	14.0	1.10	32.0	0.1370	8.36	10.08	yes	music wire	4D
C.140.110.0320.I	14.0	1.10	32.0	0.1192	8.25	9.93	yes	stainless steel	4D
C.140.110.0320.N	14.0	1.10	32.0	0.1370	8.36	10.08	yes	Zn coating	4E
C.140.110.0400.A	14.0	1.10	40.0	0.1070	9.90	12.09	yes	music wire	4D
C.140.110.0400.I	14.0	1.10	40.0	0.0931	9.79	11.95	yes	stainless steel	4D
C.140.110.0400.N	14.0	1.10	40.0	0.1070	9.90	12.09	yes	Zn coating	4E
C.140.110.0423.A	14.0	1.10	42.3	0.1263	8.80	10.68	yes	music wire	4G
C.140.110.0423.I	14.0	1.10	42.3	0.1085	8.80	10.65	yes	stainless steel	4G
C.140.110.0423.N	14.0	1.10	42.3	0.1263	8.80	10.68	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.140.110.0500.A	14.0	1.10	50.0	0.0850	11.77	14.53	yes	music wire	4D
C.140.110.0500.I	14.0	1.10	50.0	0.0740	11.66	14.39	yes	stainless steel	4E
C.140.110.0500.N	14.0	1.10	50.0	0.0850	11.77	14.53	yes	Zn coating	4F
C.140.110.0630.A	14.0	1.10	63.0	0.0670	14.19	17.69	yes	music wire	4D
C.140.110.0630.I	14.0	1.10	63.0	0.0583	13.97	17.41	yes	stainless steel	4E
C.140.110.0630.N	14.0	1.10	63.0	0.0670	14.19	17.69	yes	Zn coating	4F
C.140.110.0654.A	14.0	1.10	65.4	0.0817	12.10	16.51	yes	music wire	4G
C.140.110.0654.I	14.0	1.10	65.4	0.0700	12.10	16.17	yes	stainless steel	4G
C.140.110.0654.N	14.0	1.10	65.4	0.0817	12.10	16.51	yes	Zn coating	4I
C.140.110.0800.A	14.0	1.10	80.0	0.0520	17.49	22.00	yes	music wire	4E
C.140.110.0800.I	14.0	1.10	80.0	0.0452	17.27	21.72	yes	stainless steel	4E
C.140.110.0800.N	14.0	1.10	80.0	0.0520	17.49	22.00	yes	Zn coating	4G
C.140.110.0962.A	14.0	1.10	96.2	0.0556	16.50	24.36	yes	music wire	4H
C.140.110.0962.I	14.0	1.10	96.2	0.0478	16.50	24.11	yes	stainless steel	4H
C.140.110.0962.N	14.0	1.10	96.2	0.0556	16.50	24.36	yes	Zn coating	4I
C.140.110.1000.A	14.0	1.10	100.0	0.0420	20.90	26.46	yes	music wire	4E
C.140.110.1000.I	14.0	1.10	100.0	0.0365	20.68	26.17	yes	stainless steel	4E
C.140.110.1000.N	14.0	1.10	100.0	0.0420	20.90	26.46	yes	Zn coating	4G
C.140.110.1250.A	14.0	1.10	125.0	0.0330	25.96	33.07	yes	music wire	4E
C.140.110.1250.I	14.0	1.10	125.0	0.0287	25.63	32.64	yes	stainless steel	4E
C.140.110.1250.N	14.0	1.10	125.0	0.0330	25.96	33.07	yes	Zn coating	4G
C.140.110.1420.A	14.0	1.10	142.0	0.0376	23.10	35.77	yes	music wire	4I
C.140.110.1420.I	14.0	1.10	142.0	0.0323	23.10	35.32	yes	stainless steel	4I
C.140.110.1420.N	14.0	1.10	142.0	0.0376	23.10	35.77	yes	Zn coating	4I
C.140.110.3600.A	14.0	1.10	360.0	0.0110	73.37	94.66	no	music wire	4I
C.140.110.3600.I	14.0	1.10	360.0	0.0096	72.49	93.51	no	stainless steel	4I
C.140.115.0240.A	14.0	1.15	24.0	0.2399	6.90	8.06	yes	music wire	4C
C.140.115.0240.I	14.0	1.15	24.0	0.2061	6.90	8.06	yes	stainless steel	4D
C.140.115.0350.A	14.0	1.15	35.0	0.1615	8.86	10.58	yes	music wire	4D
C.140.115.0350.I	14.0	1.15	35.0	0.1387	8.86	10.58	yes	stainless steel	4D
C.140.115.0410.A	14.0	1.15	41.0	0.1354	10.01	12.06	yes	music wire	4D
C.140.115.0410.I	14.0	1.15	41.0	0.1163	10.01	12.06	yes	stainless steel	4D
C.140.115.0480.A	14.0	1.15	48.0	0.1150	11.27	13.68	yes	music wire	4D
C.140.115.0480.I	14.0	1.15	48.0	0.0988	11.27	13.68	yes	stainless steel	4D
C.140.115.0960.A	14.0	1.15	96.0	0.0564	20.01	24.93	yes	music wire	4E
C.140.115.0960.I	14.0	1.15	96.0	0.0484	20.01	24.93	yes	stainless steel	4E
C.140.120.0790.A	14.0	1.20	79.0	0.0510	26.76	33.19	yes	music wire	4E
C.140.120.0790.AP	14.0	1.20	79.0	0.1085	14.16	32.03	yes	music wire	4G
C.140.120.0790.I	14.0	1.20	79.0	0.0444	26.40	32.73	yes	stainless steel	4E
C.140.120.0790.N	14.0	1.20	79.0	0.0510	26.76	33.19	yes	Zn coating	4G
C.140.125.0140.A	14.0	1.25	14.0	0.6000	5.63	6.27	yes	music wire	4C
C.140.125.0140.I	14.0	1.25	14.0	0.5153	5.63	6.27	yes	stainless steel	4D
C.140.125.0160.A	14.0	1.25	16.0	0.4620	6.38	7.21	yes	music wire	4C
C.140.125.0160.AP	14.0	1.25	16.0	0.6682	5.38	7.45	yes	music wire	4F
C.140.125.0160.I	14.0	1.25	16.0	0.4019	6.38	7.21	yes	stainless steel	4D
C.140.125.0160.N	14.0	1.25	16.0	0.4620	6.38	7.21	yes	Zn coating	4E
C.140.125.0200.A	14.0	1.25	20.0	0.3550	7.38	8.47	yes	music wire	4C
C.140.125.0200.AP	14.0	1.25	20.0	0.5229	6.00	9.08	yes	music wire	4F
C.140.125.0200.I	14.0	1.25	20.0	0.3089	7.25	8.31	yes	stainless steel	4D
C.140.125.0200.N	14.0	1.25	20.0	0.3550	7.38	8.47	yes	Zn coating	4E
C.140.125.0250.A	14.0	1.25	25.0	0.2800	8.50	9.88	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.125.0250.AP	14.0	1.25	25.0	0.4147	6.75	11.23	yes	music wire	4F
C.140.125.0250.I	14.0	1.25	25.0	0.2436	8.38	9.72	yes	stainless steel	4D
C.140.125.0250.N	14.0	1.25	25.0	0.2800	8.50	9.88	yes	Zn coating	4E
C.140.125.0320.A	14.0	1.25	32.0	0.2150	10.13	11.92	yes	music wire	4D
C.140.125.0320.AP	14.0	1.25	32.0	0.3165	7.88	13.95	yes	music wire	4G
C.140.125.0320.I	14.0	1.25	32.0	0.1871	10.00	11.76	yes	stainless steel	4D
C.140.125.0320.N	14.0	1.25	32.0	0.2150	10.13	11.92	yes	Zn coating	4E
C.140.125.0400.A	14.0	1.25	40.0	0.1710	11.88	14.12	yes	music wire	4D
C.140.125.0400.AP	14.0	1.25	40.0	0.2506	9.13	17.20	yes	music wire	4G
C.140.125.0400.I	14.0	1.25	40.0	0.1710	10.63	12.55	yes	stainless steel	4G
C.140.125.0400.N	14.0	1.25	40.0	0.1710	11.88	14.12	yes	Zn coating	4F
C.140.125.0500.A	14.0	1.25	50.0	0.1360	14.13	16.95	yes	music wire	4D
C.140.125.0500.AP	14.0	1.25	50.0	0.1972	10.75	21.03	yes	music wire	4G
C.140.125.0500.I	14.0	1.25	50.0	0.1183	14.00	16.78	yes	stainless steel	4E
C.140.125.0500.N	14.0	1.25	50.0	0.1360	14.13	16.95	yes	Zn coating	4F
C.140.125.0630.A	14.0	1.25	63.0	0.1060	17.25	20.87	yes	music wire	4D
C.140.125.0630.AP	14.0	1.25	63.0	0.1562	12.75	26.43	yes	music wire	4G
C.140.125.0630.I	14.0	1.25	63.0	0.0922	17.13	20.71	yes	stainless steel	4E
C.140.125.0630.N	14.0	1.25	63.0	0.1060	17.25	20.87	yes	Zn coating	4F
C.140.125.0800.A	14.0	1.25	80.0	0.0830	21.25	25.89	yes	music wire	4E
C.140.125.0800.AP	14.0	1.25	80.0	0.1215	15.50	32.98	yes	music wire	4G
C.140.125.0800.I	14.0	1.25	80.0	0.0722	21.00	25.58	yes	stainless steel	4E
C.140.125.0800.N	14.0	1.25	80.0	0.0830	21.25	25.89	yes	Zn coating	4G
C.140.125.1000.A	14.0	1.25	100.0	0.0660	25.88	31.71	yes	music wire	4E
C.140.125.1000.AP	14.0	1.25	100.0	0.0970	18.63	41.10	yes	music wire	4H
C.140.125.1000.I	14.0	1.25	100.0	0.0574	25.50	31.23	yes	stainless steel	4E
C.140.125.1000.N	14.0	1.25	100.0	0.0660	25.88	31.71	yes	Zn coating	4G
C.140.125.1250.A	14.0	1.25	125.0	0.0520	32.00	39.39	yes	music wire	4E
C.140.125.1250.AP	14.0	1.25	125.0	0.0771	22.63	50.90	yes	music wire	4I
C.140.125.1250.I	14.0	1.25	125.0	0.0452	31.63	38.93	yes	stainless steel	4F
C.140.125.1250.N	14.0	1.25	125.0	0.0520	32.00	39.39	yes	Zn coating	4G
C.140.125.3600.A	14.0	1.25	360.0	0.0180	87.75	109.10	no	music wire	4I
C.140.125.3600.I	14.0	1.25	360.0	0.0157	86.63	107.69	no	stainless steel	4I
C.140.130.0150.A	14.0	1.30	15.0	0.6176	6.24	6.97	yes	music wire	4C
C.140.130.0150.I	14.0	1.30	15.0	0.5304	6.24	6.97	yes	stainless steel	4D
C.140.130.0180.A	14.0	1.30	18.0	0.5073	6.89	7.78	yes	music wire	4C
C.140.130.0180.I	14.0	1.30	18.0	0.4357	6.89	7.78	yes	stainless steel	4D
C.140.130.0230.A	14.0	1.30	23.0	0.3839	8.06	9.23	yes	music wire	4D
C.140.130.0230.I	14.0	1.30	23.0	0.3297	8.06	9.23	yes	stainless steel	4D
C.140.130.0690.A	14.0	1.30	69.0	0.1194	18.72	22.48	yes	music wire	4E
C.140.130.0690.I	14.0	1.30	69.0	0.1025	18.72	22.48	yes	stainless steel	4E
C.140.130.0910.A	14.0	1.30	91.0	0.0899	23.79	28.78	yes	music wire	4E
C.140.130.0910.I	14.0	1.30	91.0	0.0772	23.79	28.78	yes	stainless steel	4E
C.140.130.1150.A	14.0	1.30	115.0	0.0707	29.38	35.73	yes	music wire	4E
C.140.130.1150.I	14.0	1.30	115.0	0.0607	29.38	35.73	yes	stainless steel	4E
C.140.130.1400.A	14.0	1.30	140.0	0.0577	35.23	43.01	yes	music wire	4E
C.140.130.1400.I	14.0	1.30	140.0	0.0496	35.23	43.01	yes	stainless steel	4F
C.140.140.0160.A	14.0	1.40	16.0	0.7170	7.28	8.12	yes	music wire	4E
C.140.140.0160.AP	14.0	1.40	16.0	0.9818	6.30	8.02	yes	music wire	4H
C.140.140.0160.I	14.0	1.40	16.0	0.6238	7.28	8.12	yes	stainless steel	4E
C.140.140.0160.N	14.0	1.40	16.0	0.7170	7.28	8.12	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.140.0200.A	14.0	1.40	20.0	0.5580	8.40	9.49	yes	music wire	4E
C.140.140.0200.AP	14.0	1.40	20.0	0.7855	7.00	10.02	yes	music wire	4H
C.140.140.0200.I	14.0	1.40	20.0	0.4855	8.40	9.49	yes	stainless steel	4E
C.140.140.0200.N	14.0	1.40	20.0	0.5580	8.40	9.49	yes	Zn coating	4G
C.140.140.0250.A	14.0	1.40	25.0	0.4300	9.80	11.20	yes	music wire	4E
C.140.140.0250.AP	14.0	1.40	25.0	0.6136	7.98	12.23	yes	music wire	4I
C.140.140.0250.I	14.0	1.40	25.0	0.3741	9.80	11.20	yes	stainless steel	4F
C.140.140.0250.N	14.0	1.40	25.0	0.4300	9.80	11.20	yes	Zn coating	4G
C.140.140.0280.A	14.0	1.40	28.0	0.3993	10.36	11.88	yes	music wire	4E
C.140.140.0280.I	14.0	1.40	28.0	0.3429	10.36	11.88	yes	stainless steel	4F
C.140.140.0320.A	14.0	1.40	32.0	0.3270	11.90	13.76	yes	music wire	4E
C.140.140.0320.AP	14.0	1.40	32.0	0.4675	9.38	15.24	yes	music wire	4I
C.140.140.0320.I	14.0	1.40	32.0	0.2845	11.76	13.59	yes	stainless steel	4F
C.140.140.0320.N	14.0	1.40	32.0	0.3270	11.90	13.76	yes	Zn coating	4G
C.140.140.0400.A	14.0	1.40	40.0	0.2600	14.00	16.33	yes	music wire	4E
C.140.140.0400.AP	14.0	1.40	40.0	0.3636	11.06	18.45	yes	music wire	4I
C.140.140.0400.I	14.0	1.40	40.0	0.2262	13.86	16.15	yes	stainless steel	4F
C.140.140.0400.N	14.0	1.40	40.0	0.2600	14.00	16.33	yes	Zn coating	4G
C.140.140.0500.A	14.0	1.40	50.0	0.2060	16.80	19.75	yes	music wire	4F
C.140.140.0500.AP	14.0	1.40	50.0	0.2888	13.02	22.86	yes	music wire	4I
C.140.140.0500.I	14.0	1.40	50.0	0.1792	16.66	19.57	yes	stainless steel	4F
C.140.140.0500.N	14.0	1.40	50.0	0.2060	16.80	19.75	yes	Zn coating	4H
C.140.140.0630.A	14.0	1.40	63.0	0.1620	20.44	24.19	yes	music wire	4F
C.140.140.0630.AP	14.0	1.40	63.0	0.2257	15.68	28.28	yes	music wire	4I
C.140.140.0630.I	14.0	1.40	63.0	0.1409	20.16	23.85	yes	stainless steel	4F
C.140.140.0630.N	14.0	1.40	63.0	0.1620	20.44	24.19	yes	Zn coating	4H
C.140.140.0800.A	14.0	1.40	80.0	0.1250	25.48	30.35	yes	music wire	4F
C.140.140.0800.AP	14.0	1.40	80.0	0.1769	19.04	35.70	yes	music wire	4I
C.140.140.0800.I	14.0	1.40	80.0	0.1088	25.20	30.01	yes	stainless steel	4G
C.140.140.0800.N	14.0	1.40	80.0	0.1250	25.48	30.35	yes	Zn coating	4I
C.140.140.0890.A	14.0	1.40	89.0	0.1186	26.60	31.72	yes	music wire	4G
C.140.140.0890.I	14.0	1.40	89.0	0.1018	26.60	31.72	yes	stainless steel	4G
C.140.140.1000.A	14.0	1.40	100.0	0.1000	30.94	37.02	yes	music wire	4G
C.140.140.1000.AP	14.0	1.40	100.0	0.1403	22.96	44.13	yes	music wire	4I
C.140.140.1000.I	14.0	1.40	100.0	0.0870	30.52	36.50	yes	stainless steel	4G
C.140.140.1000.N	14.0	1.40	100.0	0.1000	30.94	37.02	yes	Zn coating	4I
C.140.140.1250.A	14.0	1.40	125.0	0.0800	37.80	45.40	yes	music wire	4G
C.140.140.1250.AP	14.0	1.40	125.0	0.1116	28.00	54.76	yes	music wire	4I
C.140.140.1250.I	14.0	1.40	125.0	0.0696	37.24	44.71	yes	stainless steel	4G
C.140.140.1250.N	14.0	1.40	125.0	0.0800	37.80	45.40	yes	Zn coating	4I
C.140.140.3600.A	14.0	1.40	360.0	0.0270	106.40	128.88	no	music wire	4I
C.140.140.3600.I	14.0	1.40	360.0	0.0235	105.00	127.17	no	stainless steel	4I
C.140.150.0200.A	14.0	1.50	20.0	0.6480	9.90	11.16	yes	music wire	4E
C.140.150.0200.AP	14.0	1.50	20.0	0.9825	7.80	10.34	yes	music wire	4I
C.140.150.0200.I	14.0	1.50	20.0	0.5638	9.75	10.98	yes	stainless steel	4F
C.140.150.0200.N	14.0	1.50	20.0	0.6480	9.90	11.16	yes	Zn coating	4G
C.140.150.0205.A	14.0	1.50	20.5	0.7545	9.00	10.07	yes	music wire	4E
C.140.150.0205.I	14.0	1.50	20.5	0.6480	9.00	10.07	yes	stainless steel	4F
C.140.150.0205.N	14.0	1.50	20.5	0.7545	9.00	10.07	yes	Zn coating	4G
C.140.150.0219.A	14.0	1.50	21.9	0.4320	12.90	14.77	yes	music wire	4E
C.140.150.0219.AP	14.0	1.50	21.9	0.8843	8.25	11.16	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.150.0219.I	14.0	1.50	21.9	0.3758	12.75	14.59	yes	stainless steel	4F
C.140.150.0219.N	14.0	1.50	21.9	0.4320	12.90	14.77	yes	Zn coating	4G
C.140.150.0250.A	14.0	1.50	25.0	0.8640	8.40	14.01	yes	music wire	4I
C.140.150.0250.I	14.0	1.50	25.0	0.7500	8.25	13.98	yes	stainless steel	4J
C.140.150.0250.N	14.0	1.50	25.0	0.8640	8.40	14.01	yes	Zn coating	4J
C.140.150.0280.A	14.0	1.50	28.0	0.4401	12.75	14.59	yes	music wire	4E
C.140.150.0280.AP	14.0	1.50	28.0	0.6802	9.60	14.04	yes	music wire	4I
C.140.150.0280.I	14.0	1.50	28.0	0.3780	12.75	14.59	yes	stainless steel	4F
C.140.150.0280.N	14.0	1.50	28.0	0.4401	12.75	14.59	yes	Zn coating	4G
C.140.150.0304.A	14.0	1.50	30.4	0.4801	12.00	13.68	yes	music wire	4E
C.140.150.0304.I	14.0	1.50	30.4	0.4124	12.00	13.68	yes	stainless steel	4F
C.140.150.0304.N	14.0	1.50	30.4	0.4801	12.00	13.68	yes	Zn coating	4G
C.140.150.0310.A	14.0	1.50	31.0	0.5868	10.50	14.82	yes	music wire	4I
C.140.150.0310.I	14.0	1.50	31.0	0.5040	10.50	14.61	yes	stainless steel	4I
C.140.150.0310.N	14.0	1.50	31.0	0.5868	10.50	14.82	yes	Zn coating	4I
C.140.150.0350.A	14.0	1.50	35.0	0.5281	11.25	17.03	yes	music wire	4I
C.140.150.0350.I	14.0	1.50	35.0	0.4536	11.25	16.79	yes	stainless steel	4I
C.140.150.0350.N	14.0	1.50	35.0	0.5281	11.25	17.03	yes	Zn coating	4I
C.140.150.0406.A	14.0	1.50	40.6	0.3521	15.00	17.30	yes	music wire	4E
C.140.150.0406.I	14.0	1.50	40.6	0.3024	15.00	17.30	yes	stainless steel	4F
C.140.150.0406.N	14.0	1.50	40.6	0.3521	15.00	17.30	yes	Zn coating	4H
C.140.150.0456.A	14.0	1.50	45.6	0.3107	16.50	19.10	yes	music wire	4F
C.140.150.0456.I	14.0	1.50	45.6	0.2669	16.50	19.10	yes	stainless steel	4F
C.140.150.0456.N	14.0	1.50	45.6	0.3107	16.50	19.10	yes	Zn coating	4H
C.140.150.0620.A	14.0	1.50	62.0	0.2780	18.00	27.85	yes	music wire	4I
C.140.150.0620.I	14.0	1.50	62.0	0.2388	18.00	27.40	yes	stainless steel	4I
C.140.150.0620.N	14.0	1.50	62.0	0.2780	18.00	27.85	yes	Zn coating	4J
C.140.150.0657.A	14.0	1.50	65.7	0.2112	22.50	26.33	yes	music wire	4F
C.140.150.0657.I	14.0	1.50	65.7	0.1814	22.50	26.33	yes	stainless steel	4G
C.140.150.0657.N	14.0	1.50	65.7	0.2112	22.50	26.33	yes	Zn coating	4H
C.140.150.0958.A	14.0	1.50	95.8	0.1427	31.50	37.17	yes	music wire	4G
C.140.150.0958.I	14.0	1.50	95.8	0.1226	31.50	37.17	yes	stainless steel	4G
C.140.150.0958.N	14.0	1.50	95.8	0.1427	31.50	37.17	yes	Zn coating	4I
C.140.150.1100.A	14.0	1.50	110.0	0.1217	36.30	42.95	yes	music wire	4G
C.140.150.1100.I	14.0	1.50	110.0	0.1045	36.30	42.95	yes	stainless steel	4G
C.140.150.1350.A	14.0	1.50	135.0	0.0989	43.80	51.98	yes	music wire	4G
C.140.150.1350.I	14.0	1.50	135.0	0.0849	43.80	51.98	yes	stainless steel	4G
C.140.160.0160.A	14.0	1.60	16.0	1.1720	8.80	9.71	yes	music wire	4E
C.140.160.0160.AP	14.0	1.60	16.0	1.6005	7.52	8.91	yes	music wire	4I
C.140.160.0160.I	14.0	1.60	16.0	1.0196	8.64	9.52	yes	stainless steel	4F
C.140.160.0160.N	14.0	1.60	16.0	1.1720	8.80	9.71	yes	Zn coating	4G
C.140.160.0200.A	14.0	1.60	20.0	0.9000	10.24	11.43	yes	music wire	4E
C.140.160.0200.AP	14.0	1.60	20.0	1.2575	8.48	10.97	yes	music wire	4I
C.140.160.0200.I	14.0	1.60	20.0	0.7813	10.08	11.24	yes	stainless steel	4F
C.140.160.0200.N	14.0	1.60	20.0	0.9000	10.24	11.43	yes	Zn coating	4G
C.140.160.0250.A	14.0	1.60	25.0	0.7090	11.84	13.33	yes	music wire	4E
C.140.160.0250.AP	14.0	1.60	25.0	0.9781	9.76	13.39	yes	music wire	4I
C.140.160.0250.I	14.0	1.60	25.0	0.6168	11.84	13.33	yes	stainless steel	4F
C.140.160.0250.N	14.0	1.60	25.0	0.7090	11.84	13.33	yes	Zn coating	4G
C.140.160.0320.A	14.0	1.60	32.0	0.5390	14.40	16.38	yes	music wire	4E
C.140.160.0320.AP	14.0	1.60	32.0	0.7336	11.68	16.53	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.140.160.0320.I	14.0	1.60	32.0	0.4689	14.24	16.19	yes	stainless steel	4F
C.140.160.0320.N	14.0	1.60	32.0	0.5390	14.40	16.38	yes	Zn coating	4H
C.140.160.0400.A	14.0	1.60	40.0	0.4210	17.28	19.80	yes	music wire	4F
C.140.160.0400.AP	14.0	1.60	40.0	0.5772	13.76	20.33	yes	music wire	4I
C.140.160.0400.I	14.0	1.60	40.0	0.3663	17.12	19.61	yes	stainless steel	4F
C.140.160.0400.N	14.0	1.60	40.0	0.4210	17.28	19.80	yes	Zn coating	4H
C.140.160.0500.A	14.0	1.60	50.0	0.3290	20.96	24.18	yes	music wire	4F
C.140.160.0500.AP	14.0	1.60	50.0	0.4573	16.32	25.18	yes	music wire	4I
C.140.160.0500.I	14.0	1.60	50.0	0.2862	20.80	23.99	yes	stainless steel	4F
C.140.160.0500.N	14.0	1.60	50.0	0.3290	20.96	24.18	yes	Zn coating	4H
C.140.160.0630.A	14.0	1.60	63.0	0.2590	25.60	29.71	yes	music wire	4F
C.140.160.0630.AP	14.0	1.60	63.0	0.3557	19.68	31.08	yes	music wire	4I
C.140.160.0630.I	14.0	1.60	63.0	0.2253	25.28	29.33	yes	stainless steel	4G
C.140.160.0630.N	14.0	1.60	63.0	0.2590	25.60	29.71	yes	Zn coating	4H
C.140.160.0800.A	14.0	1.60	80.0	0.2010	31.84	37.13	yes	music wire	4G
C.140.160.0800.AP	14.0	1.60	80.0	0.2794	24.00	39.38	yes	music wire	4I
C.140.160.0800.I	14.0	1.60	80.0	0.1749	31.52	36.75	yes	stainless steel	4G
C.140.160.0800.N	14.0	1.60	80.0	0.2010	31.84	37.13	yes	Zn coating	4I
C.140.160.1000.A	14.0	1.60	100.0	0.1600	39.04	45.70	yes	music wire	4G
C.140.160.1000.AP	14.0	1.60	100.0	0.2215	29.28	48.74	yes	music wire	4I
C.140.160.1000.I	14.0	1.60	100.0	0.1392	38.56	45.13	yes	stainless steel	4G
C.140.160.1000.N	14.0	1.60	100.0	0.1600	39.04	45.70	yes	Zn coating	4I
C.140.160.1250.A	14.0	1.60	125.0	0.1280	47.84	56.17	yes	music wire	4G
C.140.160.1250.AP	14.0	1.60	125.0	0.1761	35.84	60.52	yes	music wire	4I
C.140.160.1250.I	14.0	1.60	125.0	0.1114	47.20	55.41	yes	stainless steel	4G
C.140.160.1250.N	14.0	1.60	125.0	0.1280	47.84	56.17	yes	Zn coating	4I
C.140.160.3600.A	14.0	1.60	360.0	0.0430	135.84	160.60	no	music wire	4I
C.140.160.3600.I	14.0	1.60	360.0	0.0374	134.24	158.69	no	stainless steel	4I
C.140.170.1350.A	14.0	1.70	135.0	0.1566	53.89	62.75	yes	music wire	4G
C.140.170.1350.I	14.0	1.70	135.0	0.1345	53.89	62.75	yes	stainless steel	4H
C.140.175.0240.A	14.0	1.75	24.0	1.1059	12.60	14.03	yes	music wire	4E
C.140.175.0240.I	14.0	1.75	24.0	0.9498	12.60	14.03	yes	stainless steel	4F
C.140.175.0310.A	14.0	1.75	31.0	0.8250	15.40	17.31	yes	music wire	4E
C.140.175.0310.I	14.0	1.75	31.0	0.7086	15.40	17.31	yes	stainless steel	4F
C.140.175.0420.A	14.0	1.75	42.0	0.5906	19.78	22.45	yes	music wire	4F
C.140.175.0420.I	14.0	1.75	42.0	0.5073	19.78	22.45	yes	stainless steel	4F
C.140.175.1250.A	14.0	1.75	125.0	0.1890	52.50	60.85	yes	music wire	4G
C.140.175.1250.I	14.0	1.75	125.0	0.1623	52.50	60.85	yes	stainless steel	4G
C.140.180.0140.A	14.0	1.80	14.0	2.3558	9.00	9.76	yes	music wire	4F
C.140.180.0140.I	14.0	1.80	14.0	2.0234	9.00	9.76	yes	stainless steel	4G
C.140.180.0160.A	14.0	1.80	16.0	1.9710	9.90	10.81	yes	music wire	4F
C.140.180.0160.AP	14.0	1.80	16.0	2.5795	8.64	9.91	yes	music wire	4I
C.140.180.0160.I	14.0	1.80	16.0	1.7148	9.72	10.60	yes	stainless steel	4G
C.140.180.0160.N	14.0	1.80	16.0	1.9710	9.90	10.81	yes	Zn coating	4I
C.140.180.0180.A	14.0	1.80	18.0	1.7322	10.62	11.65	yes	music wire	4F
C.140.180.0180.I	14.0	1.80	18.0	1.4878	10.62	11.65	yes	stainless steel	4G
C.140.180.0200.A	14.0	1.80	20.0	1.5110	11.52	12.71	yes	music wire	4G
C.140.180.0200.I	14.0	1.80	20.0	1.3146	11.34	12.50	yes	stainless steel	4G
C.140.180.0200.N	14.0	1.80	20.0	1.5110	11.52	12.71	yes	Zn coating	4I
C.140.180.0250.A	14.0	1.80	25.0	1.1620	13.68	15.23	yes	music wire	4G
C.140.180.0250.I	14.0	1.80	25.0	1.0109	13.50	15.02	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.180.0250.N	14.0	1.80	25.0	1.1620	13.68	15.23	yes	Zn coating	4I
C.140.180.0320.A	14.0	1.80	32.0	0.8720	16.74	18.81	yes	music wire	4G
C.140.180.0320.AP	14.0	1.80	32.0	1.1409	13.86	18.23	yes	music wire	4I
C.140.180.0320.I	14.0	1.80	32.0	0.7586	16.56	18.60	yes	stainless steel	4G
C.140.180.0320.N	14.0	1.80	32.0	0.8720	16.74	18.81	yes	Zn coating	4I
C.140.180.0400.A	14.0	1.80	40.0	0.6760	20.16	22.81	yes	music wire	4G
C.140.180.0400.AP	14.0	1.80	40.0	0.8855	16.56	22.26	yes	music wire	4I
C.140.180.0400.I	14.0	1.80	40.0	0.5881	19.98	22.59	yes	stainless steel	4G
C.140.180.0400.N	14.0	1.80	40.0	0.6760	20.16	22.81	yes	Zn coating	4I
C.140.180.0500.A	14.0	1.80	50.0	0.5330	24.30	27.64	yes	music wire	4G
C.140.180.0500.AP	14.0	1.80	50.0	0.6980	19.62	27.49	yes	music wire	4I
C.140.180.0500.I	14.0	1.80	50.0	0.4637	24.12	27.43	yes	stainless steel	4G
C.140.180.0500.N	14.0	1.80	50.0	0.5330	24.30	27.64	yes	Zn coating	4I
C.140.180.0630.A	14.0	1.80	63.0	0.4160	30.06	34.38	yes	music wire	4G
C.140.180.0630.AP	14.0	1.80	63.0	0.5443	23.94	34.14	yes	music wire	4I
C.140.180.0630.I	14.0	1.80	63.0	0.3619	29.70	33.96	yes	stainless steel	4G
C.140.180.0630.N	14.0	1.80	63.0	0.4160	30.06	34.38	yes	Zn coating	4I
C.140.180.0800.A	14.0	1.80	80.0	0.3260	37.08	42.58	yes	music wire	4G
C.140.180.0800.AP	14.0	1.80	80.0	0.4238	29.52	42.93	yes	music wire	4I
C.140.180.0800.I	14.0	1.80	80.0	0.2836	36.54	41.95	yes	stainless steel	4H
C.140.180.0800.N	14.0	1.80	80.0	0.3260	37.08	42.58	yes	Zn coating	4I
C.140.180.1000.A	14.0	1.80	100.0	0.2580	45.54	52.47	yes	music wire	4H
C.140.180.1000.AP	14.0	1.80	100.0	0.3371	36.00	53.40	yes	music wire	4I
C.140.180.1000.I	14.0	1.80	100.0	0.2245	45.00	51.84	yes	stainless steel	4H
C.140.180.1000.N	14.0	1.80	100.0	0.2580	45.54	52.47	yes	Zn coating	4I
C.140.180.1250.A	14.0	1.80	125.0	0.2050	56.16	64.89	yes	music wire	4H
C.140.180.1250.AP	14.0	1.80	125.0	0.2685	43.92	66.48	yes	music wire	4J
C.140.180.1250.I	14.0	1.80	125.0	0.1784	55.62	64.25	yes	stainless steel	4I
C.140.180.1250.N	14.0	1.80	125.0	0.2050	56.16	64.89	yes	Zn coating	4I
C.140.180.3600.A	14.0	1.80	360.0	0.0700	157.68	183.25	no	music wire	4J
C.140.180.3600.I	14.0	1.80	360.0	0.0609	155.88	181.15	no	stainless steel	4J
C.140.190.0140.A	14.0	1.90	14.0	2.9977	9.50	10.26	yes	music wire	4F
C.140.190.0140.I	14.0	1.90	14.0	2.5747	9.50	10.26	yes	stainless steel	4G
C.140.190.0240.A	14.0	1.90	24.0	1.5294	14.06	15.56	yes	music wire	4G
C.140.190.0240.I	14.0	1.90	24.0	1.3136	14.06	15.56	yes	stainless steel	4G
C.140.190.0330.A	14.0	1.90	33.0	1.0706	18.05	20.19	yes	music wire	4G
C.140.190.0330.I	14.0	1.90	33.0	0.9195	18.05	20.19	yes	stainless steel	4G
C.140.190.0420.A	14.0	1.90	42.0	0.8235	22.04	24.82	yes	music wire	4G
C.140.190.0420.I	14.0	1.90	42.0	0.7073	22.04	24.82	yes	stainless steel	4G
C.140.190.0750.A	14.0	1.90	75.0	0.4434	36.86	42.02	yes	music wire	4G
C.140.190.0750.I	14.0	1.90	75.0	0.3809	36.86	42.02	yes	stainless steel	4G
C.140.190.0930.A	14.0	1.90	93.0	0.3535	45.03	51.51	yes	music wire	4G
C.140.190.0930.I	14.0	1.90	93.0	0.3036	45.03	51.51	yes	stainless steel	4H
C.140.190.1250.A	14.0	1.90	125.0	0.2611	59.28	68.05	yes	music wire	4H
C.140.190.1250.I	14.0	1.90	125.0	0.2243	59.28	68.05	yes	stainless steel	4I
C.140.200.0109.A	14.0	2.00	10.9	3.0860	10.90	10.90	yes	music wire	4G
C.140.200.0109.AP	14.0	2.00	10.9	6.7998	7.80	8.23	yes	music wire	4I
C.140.200.0109.I	14.0	2.00	10.9	2.6848	10.90	10.90	yes	stainless steel	4G
C.140.200.0109.N	14.0	2.00	10.9	3.0860	10.90	10.90	yes	Zn coating	4I
C.140.200.0160.A	14.0	2.00	16.0	3.0250	11.20	12.15	yes	music wire	4G
C.140.200.0160.AP	14.0	2.00	16.0	3.9665	9.80	10.71	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.200.0160.I	14.0	2.00	16.0	2.6318	11.20	12.15	yes	stainless steel	4G
C.140.200.0160.N	14.0	2.00	16.0	3.0250	11.20	12.15	yes	Zn coating	4I
C.140.200.0180.A	14.0	2.00	18.0	2.6951	12.00	13.08	yes	music wire	4G
C.140.200.0180.I	14.0	2.00	18.0	2.3148	12.00	13.08	yes	stainless steel	4G
C.140.200.0196.A	14.0	2.00	19.6	2.6951	12.00	13.08	yes	music wire	4G
C.140.200.0196.I	14.0	2.00	19.6	2.3148	12.00	13.08	yes	stainless steel	4G
C.140.200.0196.N	14.0	2.00	19.6	2.6951	12.00	13.08	yes	Zn coating	4I
C.140.200.0200.A	14.0	2.00	20.0	2.2690	13.40	14.69	yes	music wire	4G
C.140.200.0200.AP	14.0	2.00	20.0	2.9749	11.40	12.95	yes	music wire	4I
C.140.200.0200.I	14.0	2.00	20.0	1.9740	13.20	14.46	yes	stainless steel	4G
C.140.200.0200.N	14.0	2.00	20.0	2.2690	13.40	14.69	yes	Zn coating	4I
C.140.200.0250.A	14.0	2.00	25.0	1.7710	15.60	17.23	yes	music wire	4G
C.140.200.0250.AP	14.0	2.00	25.0	2.2666	13.40	15.75	yes	music wire	4I
C.140.200.0250.I	14.0	2.00	25.0	1.5408	15.60	17.23	yes	stainless steel	4G
C.140.200.0250.N	14.0	2.00	25.0	1.7710	15.60	17.23	yes	Zn coating	4I
C.140.200.0285.A	14.0	2.00	28.5	1.7151	16.00	17.69	yes	music wire	4I
C.140.200.0285.I	14.0	2.00	28.5	1.4731	16.00	17.69	yes	stainless steel	4G
C.140.200.0285.N	14.0	2.00	28.5	1.7151	16.00	17.69	yes	Zn coating	4J
C.140.200.0320.A	14.0	2.00	32.0	1.3200	19.20	21.39	yes	music wire	4G
C.140.200.0320.AP	14.0	2.00	32.0	1.6999	16.00	19.67	yes	music wire	4I
C.140.200.0320.I	14.0	2.00	32.0	1.1484	19.20	21.39	yes	stainless steel	4G
C.140.200.0320.N	14.0	2.00	32.0	1.3200	19.20	21.39	yes	Zn coating	4I
C.140.200.0390.A	14.0	2.00	39.0	1.1097	22.00	24.62	yes	music wire	4G
C.140.200.0390.I	14.0	2.00	39.0	0.9531	22.00	24.62	yes	stainless steel	4G
C.140.200.0390.N	14.0	2.00	39.0	1.1097	22.00	24.62	yes	Zn coating	4I
C.140.200.0400.A	14.0	2.00	40.0	1.0370	23.20	26.00	yes	music wire	4G
C.140.200.0400.AP	14.0	2.00	40.0	1.3222	19.20	24.14	yes	music wire	4I
C.140.200.0400.I	14.0	2.00	40.0	0.9000	23.00	25.77	yes	stainless steel	4G
C.140.200.0400.N	14.0	2.00	40.0	1.0370	23.20	26.00	yes	Zn coating	4I
C.140.200.0464.A	14.0	2.00	46.4	0.9929	24.00	26.93	yes	music wire	4I
C.140.200.0464.I	14.0	2.00	46.4	0.8528	24.00	26.93	yes	stainless steel	4I
C.140.200.0464.N	14.0	2.00	46.4	0.9929	24.00	26.93	yes	Zn coating	4J
C.140.200.0500.A	14.0	2.00	50.0	0.8070	28.40	32.00	yes	music wire	4G
C.140.200.0500.AP	14.0	2.00	50.0	1.0461	23.00	29.96	yes	music wire	4I
C.140.200.0500.I	14.0	2.00	50.0	0.7716	26.00	29.23	yes	stainless steel	4I
C.140.200.0500.N	14.0	2.00	50.0	0.8070	28.40	32.00	yes	Zn coating	4I
C.140.200.0550.A	14.0	2.00	55.0	0.7607	29.80	33.62	yes	music wire	4G
C.140.200.0550.I	14.0	2.00	55.0	0.6534	29.80	33.62	yes	stainless steel	4G
C.140.200.0600.A	14.0	2.00	60.0	0.7000	32.00	36.16	yes	music wire	4G
C.140.200.0600.I	14.0	2.00	60.0	0.6000	32.00	36.16	yes	stainless steel	4G
C.140.200.0600.N	14.0	2.00	60.0	0.7000	32.00	36.16	yes	Zn coating	4I
C.140.200.0630.A	14.0	2.00	63.0	0.6310	34.80	39.39	yes	music wire	4G
C.140.200.0630.AP	14.0	2.00	63.0	0.8136	28.20	37.23	yes	music wire	4I
C.140.200.0630.I	14.0	2.00	63.0	0.5490	34.60	39.16	yes	stainless steel	4G
C.140.200.0630.N	14.0	2.00	63.0	0.6310	34.80	39.39	yes	Zn coating	4I
C.140.200.0731.A	14.0	2.00	73.1	0.6086	36.00	40.77	yes	music wire	4I
C.140.200.0731.I	14.0	2.00	73.1	0.5227	36.00	40.77	yes	stainless steel	4I
C.140.200.0731.N	14.0	2.00	73.1	0.6086	36.00	40.77	yes	Zn coating	4J
C.140.200.0800.A	14.0	2.00	80.0	0.4900	43.60	49.54	yes	music wire	4G
C.140.200.0800.AP	14.0	2.00	80.0	0.6346	34.80	46.96	yes	music wire	4I
C.140.200.0800.I	14.0	2.00	80.0	0.4263	43.00	48.85	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.200.0800.N	14.0	2.00	80.0	0.4900	43.60	49.54	yes	Zn coating	4I
C.140.200.1000.A	14.0	2.00	100.0	0.3880	53.60	61.08	yes	music wire	4H
C.140.200.1000.AP	14.0	2.00	100.0	0.5010	42.60	58.15	yes	music wire	4J
C.140.200.1000.I	14.0	2.00	100.0	0.3376	53.00	60.39	yes	stainless steel	4H
C.140.200.1000.N	14.0	2.00	100.0	0.3880	53.60	61.08	yes	Zn coating	4I
C.140.200.1050.A	14.0	2.00	105.0	0.3560	58.00	66.16	yes	music wire	4H
C.140.200.1050.AP	14.0	2.00	105.0	0.4760	44.60	60.95	yes	music wire	4J
C.140.200.1050.I	14.0	2.00	105.0	0.3097	57.40	65.47	yes	stainless steel	4I
C.140.200.1050.N	14.0	2.00	105.0	0.3560	58.00	66.16	yes	Zn coating	4I
C.140.200.1250.A	14.0	2.00	125.0	0.3090	66.00	75.39	yes	music wire	4H
C.140.200.1250.AP	14.0	2.00	125.0	0.3983	52.40	72.36	yes	music wire	4J
C.140.200.1250.I	14.0	2.00	125.0	0.2688	65.20	74.47	yes	stainless steel	4I
C.140.200.1250.N	14.0	2.00	125.0	0.3090	66.00	75.39	yes	Zn coating	4I
C.140.200.3600.A	14.0	2.00	360.0	0.1040	188.40	216.34	no	music wire	4J
C.140.200.3600.I	14.0	2.00	360.0	0.0900	187.00	214.72	no	stainless steel	4J
C.140.210.0140.A	14.0	2.10	14.0	4.7029	10.50	11.28	yes	music wire	4G
C.140.210.0140.I	14.0	2.10	14.0	4.0393	10.50	11.28	yes	stainless steel	4G
C.140.210.0170.A	14.0	2.10	17.0	3.5628	12.18	13.21	yes	music wire	4G
C.140.210.0170.I	14.0	2.10	17.0	3.0601	12.18	13.21	yes	stainless steel	4G
C.140.210.0210.A	14.0	2.10	21.0	2.7993	14.07	15.38	yes	music wire	4G
C.140.210.0210.I	14.0	2.10	21.0	2.4043	14.07	15.38	yes	stainless steel	4G
C.140.210.0240.A	14.0	2.10	24.0	2.3514	15.75	17.31	yes	music wire	4G
C.140.210.0240.I	14.0	2.10	24.0	2.0196	15.75	17.31	yes	stainless steel	4G
C.140.210.0280.A	14.0	2.10	28.0	1.9595	17.85	19.72	yes	music wire	4G
C.140.210.0280.I	14.0	2.10	28.0	1.6830	17.85	19.72	yes	stainless steel	4G
C.140.210.0420.A	14.0	2.10	42.0	1.2508	24.99	27.91	yes	music wire	4G
C.140.210.0420.I	14.0	2.10	42.0	1.0743	24.99	27.91	yes	stainless steel	4G
C.140.210.0490.A	14.0	2.10	49.0	1.0592	28.56	32.01	yes	music wire	4G
C.140.210.0490.I	14.0	2.10	49.0	0.9097	28.56	32.01	yes	stainless steel	4G
C.140.210.1150.A	14.0	2.10	115.0	0.4291	62.79	71.32	yes	music wire	4H
C.140.210.1150.I	14.0	2.10	115.0	0.3685	62.79	71.32	yes	stainless steel	4I
C.140.220.0120.A	14.0	2.20	12.0	9.5050	8.80	9.27	yes	music wire	4I
C.140.220.0120.I	14.0	2.20	12.0	8.2694	8.80	9.27	yes	stainless steel	4I
C.140.220.0120.N	14.0	2.20	12.0	9.5050	8.80	9.27	yes	Zn coating	4J
C.140.220.0160.A	14.0	2.20	16.0	4.8600	12.10	13.04	yes	music wire	4G
C.140.220.0160.I	14.0	2.20	16.0	4.2282	12.10	13.04	yes	stainless steel	4G
C.140.220.0160.N	14.0	2.20	16.0	4.8600	12.10	13.04	yes	Zn coating	4I
C.140.220.0200.A	14.0	2.20	20.0	3.6060	14.30	15.56	yes	music wire	4G
C.140.220.0200.I	14.0	2.20	20.0	3.1372	14.30	15.56	yes	stainless steel	4G
C.140.220.0200.N	14.0	2.20	20.0	3.6060	14.30	15.56	yes	Zn coating	4I
C.140.220.0220.A	14.0	2.20	22.0	3.2277	15.40	16.82	yes	music wire	4G
C.140.220.0220.I	14.0	2.20	22.0	2.7723	15.40	16.82	yes	stainless steel	4G
C.140.220.0250.A	14.0	2.20	25.0	2.7260	17.16	18.83	yes	music wire	4G
C.140.220.0250.AP	14.0	2.20	25.0	3.3376	15.18	16.86	yes	music wire	4I
C.140.220.0250.I	14.0	2.20	25.0	2.3716	17.16	18.83	yes	stainless steel	4G
C.140.220.0250.N	14.0	2.20	25.0	2.7260	17.16	18.83	yes	Zn coating	4I
C.140.220.0280.A	14.0	2.20	28.0	2.4208	18.70	20.59	yes	music wire	4G
C.140.220.0280.I	14.0	2.20	28.0	2.0792	18.70	20.59	yes	stainless steel	4G
C.140.220.0320.A	14.0	2.20	32.0	2.0320	21.12	23.36	yes	music wire	4G
C.140.220.0320.AP	14.0	2.20	32.0	2.4890	18.26	21.08	yes	music wire	4I
C.140.220.0320.I	14.0	2.20	32.0	1.7678	21.12	23.36	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.220.0320.N	14.0	2.20	32.0	2.0320	21.12	23.36	yes	Zn coating	4I
C.140.220.0360.A	14.0	2.20	36.0	1.8156	23.10	25.62	yes	music wire	4G
C.140.220.0360.I	14.0	2.20	36.0	1.5594	23.10	25.62	yes	stainless steel	4G
C.140.220.0400.A	14.0	2.20	40.0	1.5740	25.74	28.64	yes	music wire	4G
C.140.220.0400.AP	14.0	2.20	40.0	1.9580	21.78	26.12	yes	music wire	4I
C.140.220.0400.I	14.0	2.20	40.0	1.3694	25.52	28.39	yes	stainless steel	4G
C.140.220.0400.N	14.0	2.20	40.0	1.5740	25.74	28.64	yes	Zn coating	4I
C.140.220.0500.A	14.0	2.20	50.0	1.2420	31.24	34.92	yes	music wire	4G
C.140.220.0500.AP	14.0	2.20	50.0	1.5297	26.40	32.23	yes	music wire	4I
C.140.220.0500.I	14.0	2.20	50.0	1.0805	30.80	34.42	yes	stainless steel	4G
C.140.220.0500.N	14.0	2.20	50.0	1.2420	31.24	34.92	yes	Zn coating	4I
C.140.220.0630.A	14.0	2.20	63.0	0.9640	38.72	43.48	yes	music wire	4G
C.140.220.0630.AP	14.0	2.20	63.0	1.1939	32.34	40.24	yes	music wire	4I
C.140.220.0630.I	14.0	2.20	63.0	0.8387	38.28	42.97	yes	stainless steel	4H
C.140.220.0630.N	14.0	2.20	63.0	0.9640	38.72	43.48	yes	Zn coating	4I
C.140.220.0710.A	14.0	2.20	71.0	0.8646	42.46	47.75	yes	music wire	4G
C.140.220.0710.I	14.0	2.20	71.0	0.7426	42.46	47.75	yes	stainless steel	4H
C.140.220.0800.A	14.0	2.20	80.0	0.7500	48.18	54.29	yes	music wire	4H
C.140.220.0800.AP	14.0	2.20	80.0	0.9236	40.04	50.58	yes	music wire	4I
C.140.220.0800.I	14.0	2.20	80.0	0.6525	47.52	53.54	yes	stainless steel	4H
C.140.220.0800.N	14.0	2.20	80.0	0.7500	48.18	54.29	yes	Zn coating	4I
C.140.220.0900.A	14.0	2.20	90.0	0.6756	52.80	59.57	yes	music wire	4H
C.140.220.0900.I	14.0	2.20	90.0	0.5802	52.80	59.57	yes	stainless steel	4H
C.140.220.1000.A	14.0	2.20	100.0	0.5910	59.62	67.37	yes	music wire	4H
C.140.220.1000.AP	14.0	2.20	100.0	0.7306	49.28	62.80	yes	music wire	4J
C.140.220.1000.I	14.0	2.20	100.0	0.5142	58.96	66.61	yes	stainless steel	4I
C.140.220.1000.N	14.0	2.20	100.0	0.5910	59.62	67.37	yes	Zn coating	4I
C.140.220.1100.A	14.0	2.20	110.0	0.5481	63.80	72.15	yes	music wire	4H
C.140.220.1100.I	14.0	2.20	110.0	0.4708	63.80	72.15	yes	stainless steel	4I
C.140.220.1250.A	14.0	2.20	125.0	0.4700	73.48	83.21	yes	music wire	4I
C.140.220.1250.AP	14.0	2.20	125.0	0.5804	60.50	78.18	yes	music wire	4J
C.140.220.1250.I	14.0	2.20	125.0	0.4089	72.60	82.21	yes	stainless steel	4I
C.140.220.1250.N	14.0	2.20	125.0	0.4700	73.48	83.21	yes	Zn coating	4I
C.140.220.3600.A	14.0	2.20	360.0	0.1590	208.78	237.57	no	music wire	4J
C.140.220.3600.I	14.0	2.20	360.0	0.1380	206.58	235.05	no	stainless steel	4J
C.140.225.0140.A	14.0	2.25	14.0	6.4379	11.25	12.04	yes	music wire	4G
C.140.225.0140.I	14.0	2.25	14.0	5.5295	11.25	12.04	yes	stainless steel	4G
C.140.225.0180.A	14.0	2.25	18.0	4.5985	13.50	14.61	yes	music wire	4G
C.140.225.0180.I	14.0	2.25	18.0	3.9496	13.50	14.61	yes	stainless steel	4G
C.140.225.0280.A	14.0	2.25	28.0	2.6825	19.13	21.03	yes	music wire	4G
C.140.225.0280.I	14.0	2.25	28.0	2.3040	19.13	21.03	yes	stainless steel	4G
C.140.225.0450.A	14.0	2.25	45.0	1.5626	28.80	32.07	yes	music wire	4G
C.140.225.0450.I	14.0	2.25	45.0	1.3421	28.80	32.07	yes	stainless steel	4G
C.140.225.0610.A	14.0	2.25	61.0	1.1255	37.80	42.33	yes	music wire	4G
C.140.225.0610.I	14.0	2.25	61.0	0.9667	37.80	42.33	yes	stainless steel	4H
C.140.225.0800.A	14.0	2.25	80.0	0.8427	48.60	54.66	yes	music wire	4H
C.140.225.0800.I	14.0	2.25	80.0	0.7238	48.60	54.66	yes	stainless steel	4H
C.140.225.1150.A	14.0	2.25	115.0	0.5769	68.40	77.25	yes	music wire	4H
C.140.225.1150.I	14.0	2.25	115.0	0.4955	68.40	77.25	yes	stainless steel	4I
C.140.225.1400.A	14.0	2.25	140.0	0.4706	82.58	93.42	yes	music wire	4I
C.140.225.1400.I	14.0	2.25	140.0	0.4042	82.58	93.42	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.230.0150.A	14.0	2.30	15.0	6.5926	11.96	12.82	yes	music wire	4G
C.140.230.0150.I	14.0	2.30	15.0	5.6624	11.96	12.82	yes	stainless steel	4G
C.140.230.0170.A	14.0	2.30	17.0	5.5625	13.11	14.13	yes	music wire	4G
C.140.230.0170.I	14.0	2.30	17.0	4.7776	13.11	14.13	yes	stainless steel	4G
C.140.230.0220.A	14.0	2.30	22.0	3.9556	16.10	17.54	yes	music wire	4G
C.140.230.0220.I	14.0	2.30	22.0	3.3974	16.10	17.54	yes	stainless steel	4G
C.140.230.0470.A	14.0	2.30	47.0	1.6482	30.59	34.04	yes	music wire	4G
C.140.230.0470.I	14.0	2.30	47.0	1.4156	30.59	34.04	yes	stainless steel	4G
C.140.230.0640.A	14.0	2.30	64.0	1.1788	40.48	45.30	yes	music wire	4G
C.140.230.0640.I	14.0	2.30	64.0	1.0125	40.48	45.30	yes	stainless steel	4H
C.140.230.1150.A	14.0	2.30	115.0	0.6357	70.15	79.09	yes	music wire	4H
C.140.230.1150.I	14.0	2.30	115.0	0.5460	70.15	79.09	yes	stainless steel	4I
C.140.230.1350.A	14.0	2.30	135.0	0.5378	81.88	92.45	yes	music wire	4I
C.140.230.1350.I	14.0	2.30	135.0	0.4619	81.88	92.45	yes	stainless steel	4I
C.140.235.0170.A	14.0	2.35	17.0	6.1406	13.40	14.43	yes	music wire	4G
C.140.235.0170.I	14.0	2.35	17.0	5.2741	13.40	14.43	yes	stainless steel	4G
C.140.235.0350.A	14.0	2.35	35.0	2.5192	24.21	26.72	yes	music wire	4G
C.140.235.0350.I	14.0	2.35	35.0	2.1638	24.21	26.72	yes	stainless steel	4G
C.140.235.0410.A	14.0	2.35	41.0	2.1129	27.73	30.72	yes	music wire	4G
C.140.235.0410.I	14.0	2.35	41.0	1.8148	27.73	30.72	yes	stainless steel	4G
C.140.235.1250.A	14.0	2.35	125.0	0.6401	78.02	87.89	yes	music wire	4I
C.140.235.1250.I	14.0	2.35	125.0	0.5497	78.02	87.89	yes	stainless steel	4I
C.140.235.1450.A	14.0	2.35	145.0	0.5504	89.77	101.25	yes	music wire	4I
C.140.235.1450.I	14.0	2.35	145.0	0.4728	89.77	101.25	yes	stainless steel	4I
C.140.240.0150.A	14.0	2.40	15.0	8.0200	12.48	13.36	yes	music wire	4G
C.140.240.0150.I	14.0	2.40	15.0	6.8884	12.48	13.36	yes	stainless steel	4G
C.140.240.0690.A	14.0	2.40	69.0	1.3124	45.60	50.95	yes	music wire	4G
C.140.240.0690.I	14.0	2.40	69.0	1.1272	45.60	50.95	yes	stainless steel	4H
C.140.240.1350.A	14.0	2.40	135.0	0.6503	85.92	96.71	yes	music wire	4I
C.140.240.1350.I	14.0	2.40	135.0	0.5585	85.92	96.71	yes	stainless steel	4I
C.140.250.0180.A	14.0	2.50	18.0	7.6958	14.75	15.87	yes	music wire	4G
C.140.250.0180.I	14.0	2.50	18.0	6.6099	14.75	15.87	yes	stainless steel	4G
C.140.250.0230.A	14.0	2.50	23.0	5.5672	18.00	19.55	yes	music wire	4G
C.140.250.0230.I	14.0	2.50	23.0	4.7816	18.00	19.55	yes	stainless steel	4G
C.140.250.0290.A	14.0	2.50	29.0	4.1533	22.00	24.07	yes	music wire	4G
C.140.250.0290.I	14.0	2.50	29.0	3.5673	22.00	24.07	yes	stainless steel	4G
C.140.250.0450.A	14.0	2.50	45.0	2.5159	32.25	35.68	yes	music wire	4G
C.140.250.0450.I	14.0	2.50	45.0	2.1609	32.25	35.68	yes	stainless steel	4H
C.140.250.0696.A	14.0	2.50	69.6	1.3170	56.00	62.55	yes	music wire	4H
C.140.250.0696.AP	14.0	2.50	69.6	1.8422	41.75	48.79	yes	music wire	4J
C.140.250.0696.I	14.0	2.50	69.6	1.1458	55.25	61.71	yes	stainless steel	4H
C.140.250.0696.N	14.0	2.50	69.6	1.3170	56.00	62.55	yes	Zn coating	4I
C.140.250.0750.A	14.0	2.50	75.0	1.3170	56.00	62.55	yes	music wire	4H
C.140.250.0750.AP	14.0	2.50	75.0	1.7004	44.75	52.45	yes	music wire	4J
C.140.250.0750.I	14.0	2.50	75.0	1.1458	55.25	61.71	yes	stainless steel	4H
C.140.250.0750.N	14.0	2.50	75.0	1.3170	56.00	62.55	yes	Zn coating	4I
C.140.250.0860.A	14.0	2.50	86.0	1.2580	58.25	65.10	yes	music wire	4H
C.140.250.0860.I	14.0	2.50	86.0	1.0805	58.25	65.10	yes	stainless steel	4I
C.140.250.1200.A	14.0	2.50	120.0	0.8710	81.25	91.13	yes	music wire	4I
C.140.250.1200.AP	14.0	2.50	120.0	1.0403	69.25	83.14	yes	music wire	4J
C.140.250.1200.I	14.0	2.50	120.0	0.7578	80.50	90.28	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.250.1200.N	14.0	2.50	120.0	0.8710	81.25	91.13	yes	Zn coating	4I
C.140.250.1350.A	14.0	2.50	135.0	0.7834	89.75	100.75	yes	music wire	4I
C.140.250.1350.I	14.0	2.50	135.0	0.6729	89.75	100.75	yes	stainless steel	4I
C.140.260.0140.A	14.0	2.60	14.0	13.0929	12.74	13.54	yes	music wire	4G
C.140.260.0140.I	14.0	2.60	14.0	11.2454	12.74	13.54	yes	stainless steel	4G
C.140.260.0330.A	14.0	2.60	33.0	4.3643	25.22	27.63	yes	music wire	4G
C.140.260.0330.I	14.0	2.60	33.0	3.7485	25.22	27.63	yes	stainless steel	4G
C.140.260.0390.A	14.0	2.60	39.0	3.5708	29.38	32.33	yes	music wire	4G
C.140.260.0390.I	14.0	2.60	39.0	3.0669	29.38	32.33	yes	stainless steel	4H
C.140.260.0560.A	14.0	2.60	56.0	2.3987	40.56	44.95	yes	music wire	4G
C.140.260.0560.I	14.0	2.60	56.0	2.0602	40.56	44.95	yes	stainless steel	4H
C.140.260.0780.A	14.0	2.60	78.0	1.6714	55.38	61.68	yes	music wire	4H
C.140.260.0780.I	14.0	2.60	78.0	1.4356	55.38	61.68	yes	stainless steel	4I
C.140.260.1350.A	14.0	2.60	135.0	0.9408	93.34	104.53	yes	music wire	4I
C.140.260.1350.I	14.0	2.60	135.0	0.8081	93.34	104.53	yes	stainless steel	4I
C.140.270.0150.A	14.0	2.70	15.0	14.4316	13.77	14.66	yes	music wire	4G
C.140.270.0150.I	14.0	2.70	15.0	12.3952	13.77	14.66	yes	stainless steel	4G
C.140.270.0180.A	14.0	2.70	18.0	11.3703	15.66	16.79	yes	music wire	4G
C.140.270.0180.I	14.0	2.70	18.0	9.7659	15.66	16.79	yes	stainless steel	4G
C.140.270.0410.A	14.0	2.70	41.0	4.0785	31.59	34.73	yes	music wire	4G
C.140.270.0410.I	14.0	2.70	41.0	3.5030	31.59	34.73	yes	stainless steel	4H
C.140.270.0530.A	14.0	2.70	53.0	3.0506	39.96	44.15	yes	music wire	4G
C.140.270.0530.I	14.0	2.70	53.0	2.6201	39.96	44.15	yes	stainless steel	4H
C.140.270.0640.A	14.0	2.70	64.0	2.4849	47.52	52.67	yes	music wire	4H
C.140.270.0640.I	14.0	2.70	64.0	2.1343	47.52	52.67	yes	stainless steel	4H
C.140.270.0820.A	14.0	2.70	82.0	1.9047	59.94	66.66	yes	music wire	4H
C.140.270.0820.I	14.0	2.70	82.0	1.6359	59.94	66.66	yes	stainless steel	4I
C.140.270.1000.A	14.0	2.70	100.0	1.8420	61.83	74.45	yes	music wire	4L
C.140.270.1000.I	14.0	2.70	100.0	1.6000	61.02	73.91	yes	stainless steel	4L
C.140.270.1000.N	14.0	2.70	100.0	1.8420	61.83	74.45	yes	Zn coating	4M
C.140.270.1200.A	14.0	2.70	120.0	1.2719	86.40	96.46	yes	music wire	4I
C.140.270.1200.I	14.0	2.70	120.0	1.0925	86.40	96.46	yes	stainless steel	4I
C.140.280.0205.A	14.0	2.80	20.5	12.7344	16.80	18.02	yes	music wire	4I
C.140.280.0205.I	14.0	2.80	20.5	10.9375	16.80	18.02	yes	stainless steel	4I
C.140.280.0205.N	14.0	2.80	20.5	12.7344	16.80	18.02	yes	Zn coating	4J
C.140.280.0290.A	14.0	2.80	29.0	8.1037	22.40	24.31	yes	music wire	4J
C.140.280.0290.I	14.0	2.80	29.0	6.9602	22.40	24.31	yes	stainless steel	4I
C.140.280.0290.N	14.0	2.80	29.0	8.1037	22.40	24.31	yes	Zn coating	4L
C.140.280.0459.A	14.0	2.80	45.9	4.6916	33.60	36.90	yes	music wire	4J
C.140.280.0459.I	14.0	2.80	45.9	4.0296	33.60	36.90	yes	stainless steel	4J
C.140.280.0459.N	14.0	2.80	45.9	4.6916	33.60	36.90	yes	Zn coating	4L
C.140.280.0714.A	14.0	2.80	71.4	2.8755	50.40	55.78	yes	music wire	4J
C.140.280.0714.I	14.0	2.80	71.4	2.4698	50.40	55.78	yes	stainless steel	4J
C.140.280.0714.N	14.0	2.80	71.4	2.8755	50.40	55.78	yes	Zn coating	4L
C.140.300.0320.A	14.0	3.00	32.0	10.1430	25.80	28.00	yes	music wire	4J
C.140.300.0320.I	14.0	3.00	32.0	8.8244	25.50	27.66	yes	stainless steel	4J
C.140.300.0320.N	14.0	3.00	32.0	10.1430	25.80	28.00	yes	Zn coating	4L
C.140.300.0480.A	14.0	3.00	48.0	7.6070	32.10	39.84	yes	music wire	4L
C.140.300.0480.I	14.0	3.00	48.0	6.6181	31.50	39.65	yes	stainless steel	4M
C.140.300.0480.N	14.0	3.00	48.0	7.6070	32.10	39.84	yes	Zn coating	4N
C.140.300.0510.A	14.0	3.00	51.0	7.1600	33.60	42.34	yes	music wire	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.140.300.0510.I	14.0	3.00	51.0	6.2292	33.00	42.13	yes	stainless steel	4M
C.140.300.0510.N	14.0	3.00	51.0	7.1600	33.60	42.34	yes	Zn coating	4N
C.140.320.0870.A	14.0	3.20	87.0	4.3000	71.04	78.42	yes	music wire	4J
C.140.320.0870.I	14.0	3.20	87.0	3.7410	70.40	77.71	yes	stainless steel	4J
C.140.350.0560.A	14.0	3.50	56.0	12.9630	44.45	48.91	yes	music wire	4N
C.140.350.0560.I	14.0	3.50	56.0	11.2778	44.10	48.69	yes	stainless steel	4N
C.140.350.0560.N	14.0	3.50	56.0	12.9630	44.45	48.91	yes	Zn coating	4P
C.141.160.0170.A	14.1	1.60	17.0	0.9767	9.60	10.67	yes	music wire	4E
C.141.160.0170.AP	14.1	1.60	17.0	1.4944	7.68	9.45	yes	music wire	4I
C.141.160.0170.I	14.1	1.60	17.0	0.8389	9.60	10.67	yes	stainless steel	4F
C.141.160.0170.N	14.1	1.60	17.0	0.9767	9.60	10.67	yes	Zn coating	4G
C.141.160.0240.A	14.1	1.60	24.0	0.9767	9.60	12.46	yes	music wire	4I
C.141.160.0240.I	14.1	1.60	24.0	0.8389	9.60	12.28	yes	stainless steel	4I
C.141.160.0240.N	14.1	1.60	24.0	0.9767	9.60	12.46	yes	Zn coating	4I
C.141.160.0260.A	14.1	1.60	26.0	0.6215	12.80	14.49	yes	music wire	4E
C.141.160.0260.AP	14.1	1.60	26.0	0.9045	10.08	13.53	yes	music wire	4I
C.141.160.0260.I	14.1	1.60	26.0	0.5338	12.80	14.49	yes	stainless steel	4F
C.141.160.0260.N	14.1	1.60	26.0	0.6215	12.80	14.49	yes	Zn coating	4G
C.141.160.0360.A	14.1	1.60	36.0	0.6215	12.80	17.86	yes	music wire	4I
C.141.160.0360.I	14.1	1.60	36.0	0.5338	12.80	17.58	yes	stainless steel	4I
C.141.160.0360.N	14.1	1.60	36.0	0.6215	12.80	17.86	yes	Zn coating	4I
C.141.160.0380.A	14.1	1.60	38.0	0.4022	17.60	20.21	yes	music wire	4F
C.141.160.0380.AP	14.1	1.60	38.0	0.6030	13.12	19.30	yes	music wire	4I
C.141.160.0380.I	14.1	1.60	38.0	0.3454	17.60	20.21	yes	stainless steel	4F
C.141.160.0380.N	14.1	1.60	38.0	0.4022	17.60	20.21	yes	Zn coating	4H
C.141.160.0535.A	14.1	1.60	53.5	0.4022	17.60	25.46	yes	music wire	4I
C.141.160.0535.I	14.1	1.60	53.5	0.3454	17.60	25.03	yes	stainless steel	4I
C.141.160.0535.N	14.1	1.60	53.5	0.4022	17.60	25.46	yes	Zn coating	4J
C.141.160.0590.A	14.1	1.60	59.0	0.2532	25.60	29.74	yes	music wire	4F
C.141.160.0590.AP	14.1	1.60	59.0	0.3777	18.56	29.15	yes	music wire	4I
C.141.160.0590.I	14.1	1.60	59.0	0.2175	25.60	29.74	yes	stainless steel	4G
C.141.160.0590.N	14.1	1.60	59.0	0.2532	25.60	29.74	yes	Zn coating	4H
C.141.160.0780.A	14.1	1.60	78.0	0.2735	24.00	36.77	yes	music wire	4I
C.141.160.0780.AP	14.1	1.60	78.0	0.2817	23.36	37.98	yes	music wire	4I
C.141.160.0780.I	14.1	1.60	78.0	0.2349	24.00	36.14	yes	stainless steel	4I
C.141.160.0780.IF	14.1	1.60	78.0	0.1587	33.60	39.27	yes	stainless steel	4G
C.141.160.0780.N	14.1	1.60	78.0	0.2735	24.00	36.77	yes	Zn coating	4J
C.141.160.1150.A	14.1	1.60	115.0	0.1848	33.60	53.98	yes	music wire	4I
C.141.160.1150.I	14.1	1.60	115.0	0.1587	33.60	53.04	yes	stainless steel	4I
C.141.160.1150.IF	14.1	1.60	115.0	0.1305	40.00	46.90	yes	stainless steel	4G
C.141.160.1150.N	14.1	1.60	115.0	0.1848	33.60	53.98	yes	Zn coating	4J
C.142.180.0200.A	14.2	1.80	20.0	1.3681	11.88	13.14	yes	music wire	4G
C.142.180.0200.I	14.2	1.80	20.0	1.1750	11.88	13.14	yes	stainless steel	4G
C.142.180.0250.A	14.2	1.80	25.0	1.2000	12.96	14.41	yes	music wire	4E
C.142.180.0320.A	14.2	1.80	32.0	0.9375	15.30	17.15	yes	music wire	4E
C.142.180.0400.A	14.2	1.80	40.0	0.7500	18.00	20.31	yes	music wire	4E
C.142.180.0500.A	14.2	1.80	50.0	0.6000	21.24	24.16	yes	music wire	4E
C.142.180.0630.A	14.2	1.80	63.0	0.4737	25.74	30.27	yes	music wire	4E
C.142.180.0800.A	14.2	1.80	80.0	0.3750	31.50	38.65	yes	music wire	4F
C.142.180.1000.A	14.2	1.80	100.0	0.3000	38.16	48.32	yes	music wire	4F
C.142.180.1250.A	14.2	1.80	125.0	0.2368	47.16	59.54	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.142.180.1600.A	14.2	1.80	160.0	0.1867	58.50	76.96	yes	music wire	4J
C.142.180.1600.I	14.2	1.80	160.0	0.1624	57.96	76.46	yes	stainless steel	4J
C.142.180.1600.N	14.2	1.80	160.0	0.1867	58.50	76.96	yes	Zn coating	4L
C.142.180.2000.A	14.2	1.80	200.0	0.1474	73.08	94.81	yes	music wire	4J
C.142.180.2000.I	14.2	1.80	200.0	0.1282	72.18	94.18	yes	stainless steel	4J
C.142.180.2000.N	14.2	1.80	200.0	0.1474	73.08	94.81	yes	Zn coating	4L
C.142.220.0450.A	14.2	2.20	45.0	1.6809	23.54	29.04	yes	music wire	4I
C.142.220.0450.I	14.2	2.20	45.0	1.4624	23.32	28.84	yes	stainless steel	4I
C.143.050.0100.I	14.3	0.50	10.0	0.0189	2.30	2.98	no	stainless steel	4C
C.143.060.0127.A	14.3	0.60	12.7	0.0138	4.32	6.28	no	music wire	4C
C.143.060.0127.AP	14.3	0.60	12.7	0.0465	2.76	3.34	no	music wire	4C
C.143.060.0127.I	14.3	0.60	12.7	0.0120	4.32	6.28	no	stainless steel	4C
C.143.060.0159.A	14.3	0.60	15.9	0.0322	3.06	3.91	no	music wire	4C
C.143.060.0159.I	14.3	0.60	15.9	0.0280	3.06	3.91	no	stainless steel	4C
C.143.060.0200.A	14.3	0.60	20.0	0.0302	3.12	4.02	no	music wire	4C
C.143.060.0200.I	14.3	0.60	20.0	0.0259	3.12	4.02	no	stainless steel	4C
C.143.060.0290.A	14.3	0.60	29.0	0.0090	5.52	8.54	no	music wire	4C
C.143.060.0290.I	14.3	0.60	29.0	0.0078	5.46	8.42	no	stainless steel	4C
C.143.060.0350.A	14.3	0.60	35.0	0.0100	5.16	7.86	no	music wire	4C
C.143.060.0350.I	14.3	0.60	35.0	0.0087	5.16	7.86	no	stainless steel	4D
C.143.060.0500.A	14.3	0.60	50.0	0.0119	4.68	6.96	no	music wire	4C
C.143.060.0500.I	14.3	0.60	50.0	0.0103	4.68	6.96	no	stainless steel	4D
C.143.060.0800.A	14.3	0.60	80.0	0.0074	6.24	9.89	no	music wire	4D
C.143.060.0800.I	14.3	0.60	80.0	0.0064	6.24	9.89	no	stainless steel	4E
C.143.070.0100.A	14.3	0.70	10.0	0.0884	2.52	3.03	yes	music wire	4C
C.143.070.0100.I	14.3	0.70	10.0	0.0759	2.52	3.03	yes	stainless steel	4C
C.143.070.0191.A	14.3	0.70	19.1	0.0170	5.74	8.40	yes	music wire	4C
C.143.070.0191.I	14.3	0.70	19.1	0.0320	3.57	4.78	yes	stainless steel	4C
C.143.070.0300.A	14.3	0.70	30.0	0.0324	3.85	5.25	yes	music wire	4C
C.143.070.0300.I	14.3	0.70	30.0	0.0278	3.85	5.25	yes	stainless steel	4D
C.143.070.0380.A	14.3	0.70	38.0	0.0080	10.29	15.98	yes	music wire	4C
C.143.070.0380.I	14.3	0.70	38.0	0.0070	10.15	15.75	yes	stainless steel	4D
C.143.070.0381.A	14.3	0.70	38.1	0.0080	10.29	15.98	yes	music wire	4C
C.143.070.0381.I	14.3	0.70	38.1	0.0070	10.15	15.75	yes	stainless steel	4D
C.143.070.0800.A	14.3	0.70	80.0	0.0119	7.49	11.31	yes	music wire	4D
C.143.070.0800.I	14.3	0.70	80.0	0.0102	7.49	11.31	yes	stainless steel	4E
C.143.080.0127.A	14.3	0.80	12.7	0.0609	4.24	5.42	yes	music wire	4C
C.143.080.0127.I	14.3	0.80	12.7	0.0530	4.16	5.30	yes	stainless steel	4C
C.143.080.0159.A	14.3	0.80	15.9	0.0552	4.48	5.79	yes	music wire	4C
C.143.080.0159.I	14.3	0.80	15.9	0.0480	4.40	5.67	yes	stainless steel	4C
C.143.080.0200.A	14.3	0.80	20.0	0.0737	3.84	4.81	yes	music wire	4C
C.143.080.0200.I	14.3	0.80	20.0	0.0633	3.84	4.81	yes	stainless steel	4C
C.143.080.0230.A	14.3	0.80	23.0	0.0161	10.40	14.83	yes	music wire	4C
C.143.080.0230.I	14.3	0.80	23.0	0.0140	10.32	14.71	yes	stainless steel	4C
C.143.080.0400.A	14.3	0.80	40.0	0.0340	6.00	8.11	yes	music wire	4C
C.143.080.0400.I	14.3	0.80	40.0	0.0296	5.92	7.99	yes	stainless steel	4D
C.143.080.0600.A	14.3	0.80	60.0	0.0239	7.68	10.67	yes	music wire	4D
C.143.080.0600.I	14.3	0.80	60.0	0.0205	7.68	10.67	yes	stainless steel	4D
C.143.080.0950.A	14.3	0.80	95.0	0.0150	11.04	15.81	yes	music wire	4E
C.143.080.0950.I	14.3	0.80	95.0	0.0129	11.04	15.81	yes	stainless steel	4E
C.143.090.0250.A	14.3	0.90	25.0	0.0609	6.39	8.18	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.143.090.0250.I	14.3	0.90	25.0	0.0530	6.30	8.05	yes	stainless steel	4D
C.143.090.0600.A	14.3	0.90	60.0	0.0347	9.45	12.56	yes	music wire	4D
C.143.090.0600.I	14.3	0.90	60.0	0.0298	9.45	12.56	yes	stainless steel	4E
C.143.100.0100.A	14.3	1.00	10.0	0.3331	3.80	4.27	yes	music wire	4C
C.143.100.0100.I	14.3	1.00	10.0	0.2861	3.80	4.27	yes	stainless steel	4C
C.143.100.0240.A	14.3	1.00	24.0	0.0655	9.10	11.51	yes	music wire	4C
C.143.100.0240.I	14.3	1.00	24.0	0.0570	9.00	11.37	yes	stainless steel	4D
C.143.100.0380.A	14.3	1.00	38.0	0.0437	12.40	16.02	yes	music wire	4D
C.143.100.0380.I	14.3	1.00	38.0	0.0380	12.30	15.88	yes	stainless steel	4D
C.143.100.0600.A	14.3	1.00	60.0	0.0264	18.90	24.89	yes	music wire	4D
C.143.100.0600.I	14.3	1.00	60.0	0.0230	18.70	24.62	yes	stainless steel	4E
C.143.100.1000.A	14.3	1.00	100.0	0.0287	17.60	23.12	yes	music wire	4E
C.143.100.1000.I	14.3	1.00	100.0	0.0246	17.60	23.12	yes	stainless steel	4E
C.143.100.2000.A	14.3	1.00	200.0	0.0142	32.90	44.01	yes	music wire	4G
C.143.100.2000.I	14.3	1.00	200.0	0.0122	32.90	44.01	yes	stainless steel	4G
C.143.110.0200.A	14.3	1.10	20.0	0.2092	6.16	7.24	yes	music wire	4C
C.143.110.0200.I	14.3	1.10	20.0	0.1797	6.16	7.24	yes	stainless steel	4D
C.143.110.0320.A	14.3	1.10	32.0	0.1609	7.15	8.54	yes	music wire	4F
C.143.110.0320.I	14.3	1.10	32.0	0.1400	7.15	8.54	yes	stainless steel	4G
C.143.110.0450.A	14.3	1.10	45.0	0.0690	13.09	16.36	yes	music wire	4D
C.143.110.0450.I	14.3	1.10	45.0	0.0600	12.98	16.21	yes	stainless steel	4D
C.143.120.0103.A	14.3	1.20	10.3	0.7356	4.56	4.99	yes	music wire	4C
C.143.120.0103.I	14.3	1.20	10.3	0.6400	4.56	4.99	yes	stainless steel	4D
C.143.120.0800.A	14.3	1.20	80.0	0.0657	20.16	24.94	yes	music wire	4E
C.143.120.0800.I	14.3	1.20	80.0	0.0564	20.16	24.94	yes	stainless steel	4E
C.143.130.0200.A	14.3	1.30	20.0	0.4253	7.28	8.29	yes	music wire	4C
C.143.130.0200.AP	14.3	1.30	20.0	0.5774	6.24	9.18	yes	music wire	4F
C.143.130.0200.I	14.3	1.30	20.0	0.3700	7.28	8.29	yes	stainless steel	4D
C.143.130.0290.A	14.3	1.30	29.0	0.2000	11.83	13.98	yes	music wire	4D
C.143.130.0290.AP	14.3	1.30	29.0	0.3906	7.67	13.01	yes	music wire	4G
C.143.130.0290.I	14.3	1.30	29.0	0.1740	11.70	13.81	yes	stainless steel	4D
C.143.130.0350.A	14.3	1.30	35.0	0.1609	13.91	16.57	yes	music wire	4D
C.143.130.0350.AP	14.3	1.30	35.0	0.3162	8.71	15.25	yes	music wire	4G
C.143.130.0350.I	14.3	1.30	35.0	0.1400	13.78	16.41	yes	stainless steel	4D
C.143.130.0410.A	14.3	1.30	41.0	0.1057	19.50	23.56	yes	music wire	4D
C.143.130.0410.AP	14.3	1.30	41.0	0.2710	9.62	17.95	yes	music wire	4G
C.143.130.0410.I	14.3	1.30	41.0	0.0920	19.37	23.40	yes	stainless steel	4E
C.143.130.0480.A	14.3	1.30	48.0	0.1494	14.82	17.71	yes	music wire	4D
C.143.130.0480.AP	14.3	1.30	48.0	0.2290	10.79	20.72	yes	music wire	4G
C.143.130.0480.I	14.3	1.30	48.0	0.1300	14.69	17.55	yes	stainless steel	4E
C.143.130.0560.A	14.3	1.30	56.0	0.1300	16.51	19.82	yes	music wire	4D
C.143.130.0560.AP	14.3	1.30	56.0	0.1953	12.09	24.02	yes	music wire	4G
C.143.130.0560.I	14.3	1.30	56.0	0.1131	16.38	19.66	yes	stainless steel	4E
C.143.130.0600.A	14.3	1.30	60.0	0.1172	17.94	21.61	yes	music wire	4D
C.143.130.0600.I	14.3	1.30	60.0	0.1007	17.94	21.61	yes	stainless steel	4E
C.143.130.0800.A	14.3	1.30	80.0	0.0866	23.14	28.11	yes	music wire	4E
C.143.130.0800.I	14.3	1.30	80.0	0.0743	23.14	28.11	yes	stainless steel	4E
C.143.130.1050.A	14.3	1.30	105.0	0.0656	29.51	36.08	yes	music wire	4E
C.143.130.1050.I	14.3	1.30	105.0	0.0563	29.51	36.08	yes	stainless steel	4E
C.143.130.2000.A	14.3	1.30	200.0	0.0340	53.82	66.46	yes	music wire	4G
C.143.130.2000.I	14.3	1.30	200.0	0.0292	53.82	66.46	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.143.140.0079.A	14.3	1.40	7.9	1.4943	5.18	5.56	yes	music wire	4E
C.143.140.0079.I	14.3	1.40	7.9	1.3000	5.18	5.56	yes	stainless steel	4E
C.143.140.0800.A	14.3	1.40	80.0	0.1125	26.18	31.34	yes	music wire	4F
C.143.140.0800.I	14.3	1.40	80.0	0.0967	26.18	31.34	yes	stainless steel	4G
C.143.150.0135.A	14.3	1.50	13.5	0.8046	8.40	9.37	yes	music wire	4E
C.143.150.0135.AP	14.3	1.50	13.5	1.5441	6.15	7.47	yes	music wire	4H
C.143.150.0135.I	14.3	1.50	13.5	0.7000	8.25	9.19	yes	stainless steel	4E
C.143.150.0240.A	14.3	1.50	24.0	0.6400	9.45	10.64	yes	music wire	4E
C.143.150.0240.I	14.3	1.50	24.0	0.5568	9.45	10.64	yes	stainless steel	4I
C.143.150.0800.A	14.3	1.50	80.0	0.1447	29.25	34.59	yes	music wire	4F
C.143.150.0800.I	14.3	1.50	80.0	0.1242	29.25	34.59	yes	stainless steel	4G
C.143.160.0174.A	14.3	1.60	17.4	1.2644	8.16	8.97	yes	music wire	4I
C.143.160.0174.I	14.3	1.60	17.4	1.1000	8.00	8.78	yes	stainless steel	4I
C.143.160.0260.A	14.3	1.60	26.0	0.5287	13.92	15.85	yes	music wire	4E
C.143.160.0260.AP	14.3	1.60	26.0	0.8858	9.92	13.44	yes	music wire	4I
C.143.160.0260.I	14.3	1.60	26.0	0.4600	13.76	15.66	yes	stainless steel	4F
C.143.160.0800.A	14.3	1.60	80.0	0.1841	32.32	37.83	yes	music wire	4G
C.143.160.0800.I	14.3	1.60	80.0	0.1582	32.32	37.83	yes	stainless steel	4G
C.143.180.0200.A	14.3	1.80	20.0	1.3355	11.88	13.15	yes	music wire	4G
C.143.180.0200.I	14.3	1.80	20.0	1.1471	11.88	13.15	yes	stainless steel	4G
C.143.180.0350.A	14.3	1.80	35.0	0.7586	17.46	19.69	yes	music wire	4G
C.143.180.0350.AP	14.3	1.80	35.0	0.9850	14.58	19.36	yes	music wire	4I
C.143.180.0350.I	14.3	1.80	35.0	0.6600	17.28	19.48	yes	stainless steel	4G
C.143.180.0430.A	14.3	1.80	43.0	0.5300	23.04	26.24	yes	music wire	4G
C.143.180.0430.AP	14.3	1.80	43.0	0.7880	16.92	23.45	yes	music wire	4I
C.143.180.0430.I	14.3	1.80	43.0	0.4611	22.86	26.02	yes	stainless steel	4G
C.143.180.0480.A	14.3	1.80	48.0	0.8500	16.02	29.88	yes	music wire	4J
C.143.180.0480.I	14.3	1.80	48.0	0.7395	16.02	29.77	yes	stainless steel	4J
C.143.180.0850.A	14.3	1.80	85.0	0.2724	40.68	46.92	yes	music wire	4G
C.143.180.0850.I	14.3	1.80	85.0	0.2340	40.68	46.92	yes	stainless steel	4H
C.143.180.1400.A	14.3	1.80	140.0	0.1400	74.88	87.01	yes	music wire	4I
C.143.180.1400.AP	14.3	1.80	140.0	0.2298	47.34	72.98	yes	music wire	4J
C.143.180.1400.I	14.3	1.80	140.0	0.1218	73.98	85.95	yes	stainless steel	4I
C.143.180.3200.A	14.3	1.80	320.0	0.0703	144.72	168.89	yes	music wire	4I
C.143.180.3200.I	14.3	1.80	320.0	0.0604	144.72	168.89	yes	stainless steel	4J
C.143.190.0200.A	14.3	1.90	20.0	1.6984	12.54	13.82	yes	music wire	4G
C.143.190.0200.I	14.3	1.90	20.0	1.4587	12.54	13.82	yes	stainless steel	4G
C.143.190.0500.A	14.3	1.90	50.0	0.6667	24.51	27.75	yes	music wire	4G
C.143.190.0500.I	14.3	1.90	50.0	0.5800	24.32	27.53	yes	stainless steel	4G
C.143.200.0103.A	14.3	2.00	10.3	4.6000	8.80	9.40	yes	music wire	4G
C.143.200.0103.I	14.3	2.00	10.3	4.0020	8.80	9.40	yes	stainless steel	4G
C.143.200.0230.A	14.3	2.00	23.0	1.9110	14.20	15.64	yes	music wire	4G
C.143.200.0230.I	14.3	2.00	23.0	1.6626	14.00	15.41	yes	stainless steel	4G
C.143.200.0230.N	14.3	2.00	23.0	1.9110	14.20	15.64	yes	Zn coating	4I
C.143.200.0290.A	14.3	2.00	29.0	2.3000	12.60	20.06	yes	music wire	4J
C.143.200.0290.I	14.3	2.00	29.0	2.0000	12.60	19.97	yes	stainless steel	4J
C.143.200.0600.A	14.3	2.00	60.0	0.6083	33.80	38.31	yes	music wire	4G
C.143.200.0600.I	14.3	2.00	60.0	0.5225	33.80	38.31	yes	stainless steel	4G
C.143.200.1000.A	14.3	2.00	100.0	0.3546	54.40	62.14	yes	music wire	4H
C.143.200.1000.I	14.3	2.00	100.0	0.3046	54.40	62.14	yes	stainless steel	4H
C.143.200.2000.A	14.3	2.00	200.0	0.1738	105.80	121.60	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.143.200.2000.I	14.3	2.00	200.0	0.1493	105.80	121.60	yes	stainless steel	4I
C.143.210.0350.A	14.3	2.10	35.0	1.4000	21.63	24.10	yes	music wire	4G
C.143.210.0350.AP	14.3	2.10	35.0	1.8068	17.85	22.00	yes	music wire	4I
C.143.210.0350.I	14.3	2.10	35.0	1.2180	21.42	23.86	yes	stainless steel	4G
C.143.210.0360.A	14.3	2.10	36.0	1.3793	21.84	24.34	yes	music wire	4G
C.143.210.0360.AP	14.3	2.10	36.0	1.7494	18.27	22.57	yes	music wire	4I
C.143.210.0360.I	14.3	2.10	36.0	1.2000	21.63	24.10	yes	stainless steel	4G
C.143.210.1000.A	14.3	2.10	100.0	0.4364	57.75	65.66	yes	music wire	4H
C.143.210.1000.I	14.3	2.10	100.0	0.3749	57.75	65.66	yes	stainless steel	4H
C.143.230.0350.A	14.3	2.30	35.0	2.1839	23.23	25.69	yes	music wire	4G
C.143.230.0350.I	14.3	2.30	35.0	1.9000	23.00	25.43	yes	stainless steel	4G
C.143.230.1000.A	14.3	2.30	100.0	0.6521	63.94	72.14	yes	music wire	4H
C.143.230.1000.I	14.3	2.30	100.0	0.5601	63.94	72.14	yes	stainless steel	4I
C.143.240.0167.A	14.3	2.40	16.7	6.2069	13.68	14.73	yes	music wire	4G
C.143.240.0167.AP	14.3	2.40	16.7	7.8137	12.24	13.09	yes	music wire	4I
C.143.240.0167.I	14.3	2.40	16.7	5.4000	13.68	14.73	yes	stainless steel	4G
C.143.240.0600.A	14.3	2.40	60.0	1.3644	41.28	46.11	yes	music wire	4G
C.143.240.0600.I	14.3	2.40	60.0	1.1719	41.28	46.11	yes	stainless steel	4H
C.143.240.1130.A	14.3	2.40	113.0	0.9540	56.40	77.64	yes	music wire	4L
C.143.240.1130.I	14.3	2.40	113.0	0.8300	55.92	77.09	yes	stainless steel	4L
C.143.250.0200.A	14.3	2.50	20.0	6.0551	16.25	17.58	yes	music wire	4G
C.143.250.0200.I	14.3	2.50	20.0	5.2007	16.25	17.58	yes	stainless steel	4G
C.143.250.0550.A	14.3	2.50	55.0	2.0000	36.50	40.54	yes	music wire	4G
C.143.250.0550.I	14.3	2.50	55.0	1.7400	36.25	40.25	yes	stainless steel	4H
C.143.270.0220.A	14.3	2.70	22.0	8.0460	18.36	19.84	yes	music wire	4G
C.143.270.0220.AP	14.3	2.70	22.0	9.2706	16.74	18.02	yes	music wire	4I
C.143.270.0220.I	14.3	2.70	22.0	7.0000	18.36	19.84	yes	stainless steel	4G
C.143.270.1000.A	14.3	2.70	100.0	1.3819	74.52	83.17	yes	music wire	4I
C.143.270.1000.I	14.3	2.70	100.0	1.1869	74.52	83.17	yes	stainless steel	4I
C.143.280.0200.A	14.3	2.80	20.0	10.8348	17.64	18.97	yes	music wire	4I
C.143.280.0200.I	14.3	2.80	20.0	9.3060	17.64	18.97	yes	stainless steel	4I
C.143.280.0690.A	14.3	2.80	69.0	3.1000	44.24	52.58	yes	music wire	4M
C.143.280.0690.I	14.3	2.80	69.0	2.6970	43.68	52.23	yes	stainless steel	4M
C.145.150.0323.A	14.5	1.50	32.3	0.4268	12.00	13.75	yes	music wire	4E
C.145.150.0323.I	14.5	1.50	32.3	0.3666	12.00	13.75	yes	stainless steel	4F
C.145.150.0323.N	14.5	1.50	32.3	0.4268	12.00	13.75	yes	Zn coating	4G
C.145.150.0500.A	14.5	1.50	50.0	0.2762	16.50	19.21	yes	music wire	4I
C.145.150.0500.I	14.5	1.50	50.0	0.2372	16.50	19.21	yes	stainless steel	4F
C.145.150.0500.N	14.5	1.50	50.0	0.2762	16.50	19.21	yes	Zn coating	4J
C.145.150.0735.A	14.5	1.50	73.5	0.1878	22.50	26.49	yes	music wire	4I
C.145.150.0735.I	14.5	1.50	73.5	0.1613	22.50	26.49	yes	stainless steel	4I
C.145.150.0735.N	14.5	1.50	73.5	0.1878	22.50	26.49	yes	Zn coating	4J
C.145.150.0970.A	14.5	1.50	97.0	0.1423	28.50	33.76	yes	music wire	4I
C.145.150.0970.I	14.5	1.50	97.0	0.1222	28.50	33.76	yes	stainless steel	4I
C.145.150.0970.N	14.5	1.50	97.0	0.1423	28.50	33.76	yes	Zn coating	4J
C.145.170.0260.A	14.5	1.70	26.0	0.8000	12.92	14.52	yes	music wire	4E
C.145.170.0260.AP	14.5	1.70	26.0	1.0746	10.71	13.91	yes	music wire	4I
C.145.170.0260.I	14.5	1.70	26.0	0.6960	12.75	14.32	yes	stainless steel	4F
C.145.170.0260.N	14.5	1.70	26.0	0.8000	12.92	14.52	yes	Zn coating	4G
C.145.200.0225.A	14.5	2.00	22.5	2.3845	12.00	13.98	yes	music wire	4I
C.145.200.0225.I	14.5	2.00	22.5	2.0480	12.00	13.79	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.145.200.0225.N	14.5	2.00	22.5	2.3845	12.00	13.98	yes	Zn coating	4J
C.145.200.0260.A	14.5	2.00	26.0	1.3650	17.20	19.13	yes	music wire	4G
C.145.200.0260.AP	14.5	2.00	26.0	2.0053	13.40	15.87	yes	music wire	4I
C.145.200.0260.I	14.5	2.00	26.0	1.1876	17.00	18.90	yes	stainless steel	4G
C.145.200.0260.N	14.5	2.00	26.0	1.3650	17.20	19.13	yes	Zn coating	4I
C.145.200.0330.A	14.5	2.00	33.0	1.5174	16.00	19.62	yes	music wire	4I
C.145.200.0330.I	14.5	2.00	33.0	1.3000	16.00	19.28	yes	stainless steel	4I
C.145.200.0330.N	14.5	2.00	33.0	1.5174	16.00	19.62	yes	Zn coating	4J
C.145.200.0390.A	14.5	2.00	39.0	1.2839	18.00	23.18	yes	music wire	4I
C.145.200.0390.I	14.5	2.00	39.0	1.1170	17.80	23.03	yes	stainless steel	4I
C.145.200.0390.N	14.5	2.00	39.0	1.2839	18.00	23.18	yes	Zn coating	4J
C.145.200.0495.A	14.5	2.00	49.5	0.9818	22.00	28.82	yes	music wire	4I
C.145.200.0495.I	14.5	2.00	49.5	0.8542	21.80	28.62	yes	stainless steel	4I
C.145.200.0495.N	14.5	2.00	49.5	0.9818	22.00	28.82	yes	Zn coating	4J
C.145.200.0710.A	14.5	2.00	71.0	0.6676	30.00	40.58	yes	music wire	4I
C.145.200.0710.AP	14.5	2.00	71.0	0.6684	30.00	40.62	yes	music wire	4I
C.145.200.0710.I	14.5	2.00	71.0	0.5734	30.00	39.90	yes	stainless steel	4I
C.145.200.0710.IF	14.5	2.00	71.0	0.3874	42.00	47.87	yes	stainless steel	4H
C.145.200.0710.N	14.5	2.00	71.0	0.6676	30.00	40.58	yes	Zn coating	4J
C.145.200.1050.A	14.5	2.00	105.0	0.4511	42.00	59.98	yes	music wire	4J
C.145.200.1050.I	14.5	2.00	105.0	0.3874	42.00	58.97	yes	stainless steel	4J
C.145.200.1050.IF	14.5	2.00	105.0	0.3186	50.00	57.14	yes	stainless steel	4I
C.145.200.1050.N	14.5	2.00	105.0	0.4511	42.00	59.98	yes	Zn coating	4K
C.145.250.0380.A	14.5	2.50	38.0	3.3275	23.50	26.82	yes	music wire	4I
C.145.250.0380.I	14.5	2.50	38.0	2.8949	23.25	26.63	yes	stainless steel	4I
C.145.250.0500.A	14.5	2.50	50.0	2.3800	30.50	34.37	yes	music wire	4I
C.145.250.0500.I	14.5	2.50	50.0	2.0706	30.25	34.11	yes	stainless steel	4J
C.145.250.0500.N	14.5	2.50	50.0	2.3800	30.50	34.37	yes	Zn coating	4J
C.146.260.0640.A	14.6	2.60	64.0	2.0144	41.34	45.94	yes	music wire	4I
C.146.260.0640.I	14.6	2.60	64.0	1.7500	40.82	45.35	yes	stainless steel	4J
C.147.070.0100.A	14.7	0.70	10.0	0.0810	3.22	3.76	no	music wire	4C
C.147.070.0100.I	14.7	0.70	10.0	0.0696	3.22	3.76	no	stainless steel	4C
C.147.070.0250.A	14.7	0.70	25.0	0.0230	5.18	7.09	no	music wire	4C
C.147.070.0250.I	14.7	0.70	25.0	0.0200	5.11	6.97	no	stainless steel	4C
C.147.070.0350.A	14.7	0.70	35.0	0.0195	5.67	7.92	no	music wire	4C
C.147.070.0350.I	14.7	0.70	35.0	0.0170	5.60	7.80	no	stainless steel	4D
C.147.080.0200.A	14.7	0.80	20.0	0.0740	3.68	4.61	yes	music wire	4C
C.147.080.0200.I	14.7	0.80	20.0	0.0635	3.68	4.61	yes	stainless steel	4C
C.147.080.0320.A	14.7	0.80	32.0	0.0460	4.72	6.22	yes	music wire	4C
C.147.080.0320.I	14.7	0.80	32.0	0.0400	4.64	6.10	yes	stainless steel	4D
C.147.080.0800.A	14.7	0.80	80.0	0.0126	11.84	17.28	yes	music wire	4D
C.147.080.0800.I	14.7	0.80	80.0	0.0110	11.68	17.03	yes	stainless steel	4E
C.147.090.0250.A	14.7	0.90	25.0	0.0529	6.57	8.53	yes	music wire	4C
C.147.090.0250.I	14.7	0.90	25.0	0.0460	6.48	8.39	yes	stainless steel	4D
C.147.090.0600.A	14.7	0.90	60.0	0.0335	9.09	12.19	yes	music wire	4D
C.147.090.0600.I	14.7	0.90	60.0	0.0287	9.09	12.19	yes	stainless steel	4E
C.147.100.0127.A	14.7	1.00	12.7	0.1954	4.50	5.26	yes	music wire	4C
C.147.100.0127.I	14.7	1.00	12.7	0.1700	4.50	5.26	yes	stainless steel	4C
C.147.100.0290.A	14.7	1.00	29.0	0.0667	8.40	10.65	yes	music wire	4C
C.147.100.0290.I	14.7	1.00	29.0	0.0580	8.40	10.65	yes	stainless steel	4D
C.147.100.0600.A	14.7	1.00	60.0	0.0466	11.00	14.24	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.147.100.0600.I	14.7	1.00	60.0	0.0400	11.00	14.24	yes	stainless steel	4E
C.147.110.0200.A	14.7	1.10	20.0	0.2045	5.94	6.99	yes	music wire	4C
C.147.110.0200.I	14.7	1.10	20.0	0.1756	5.94	6.99	yes	stainless steel	4D
C.147.110.0400.A	14.7	1.10	40.0	0.1264	7.92	9.87	yes	music wire	4G
C.147.110.0400.I	14.7	1.10	40.0	0.1100	7.81	10.12	yes	stainless steel	4G
C.147.130.0320.A	14.7	1.30	32.0	0.1379	14.69	17.66	yes	music wire	4D
C.147.130.0320.AP	14.7	1.30	32.0	0.3368	7.93	13.94	yes	music wire	4G
C.147.130.0320.I	14.7	1.30	32.0	0.1200	14.56	17.49	yes	stainless steel	4D
C.147.130.0800.A	14.7	1.30	80.0	0.0828	22.23	27.15	yes	music wire	4E
C.147.130.0800.I	14.7	1.30	80.0	0.0711	22.23	27.15	yes	stainless steel	4E
C.147.160.0200.A	14.7	1.60	20.0	0.7815	10.08	11.30	yes	music wire	4E
C.147.160.0200.I	14.7	1.60	20.0	0.6713	10.08	11.30	yes	stainless steel	4F
C.147.160.1200.A	14.7	1.60	120.0	0.0897	56.96	67.58	yes	music wire	4G
C.147.160.1200.AP	14.7	1.60	120.0	0.1697	32.00	56.10	yes	music wire	4I
C.147.160.1200.I	14.7	1.60	120.0	0.0780	56.32	66.81	yes	stainless steel	4G
C.147.160.1360.A	14.7	1.60	136.0	0.1200	43.52	51.45	yes	music wire	4I
C.147.160.1360.I	14.7	1.60	136.0	0.1044	43.04	50.87	yes	stainless steel	4I
C.147.160.1940.A	14.7	1.60	194.0	0.0851	59.84	71.04	yes	music wire	4J
C.147.160.1940.I	14.7	1.60	194.0	0.0740	59.20	70.27	yes	stainless steel	4J
C.147.180.0200.A	14.7	1.80	20.0	1.2774	11.52	12.76	yes	music wire	4G
C.147.180.0200.I	14.7	1.80	20.0	1.0971	11.52	12.76	yes	stainless steel	4G
C.147.180.0670.A	14.7	1.80	67.0	0.4483	24.48	33.51	yes	music wire	4I
C.147.180.0670.I	14.7	1.80	67.0	0.3900	24.30	33.31	yes	stainless steel	4I
C.147.190.0290.A	14.7	1.90	29.0	1.2644	14.25	15.85	yes	music wire	4I
C.147.190.0290.I	14.7	1.90	29.0	1.1000	14.06	15.62	yes	stainless steel	4I
C.147.190.0520.A	14.7	1.90	52.0	0.5900	25.08	28.50	yes	music wire	4G
C.147.190.0520.I	14.7	1.90	52.0	0.5133	24.89	28.28	yes	stainless steel	4G
C.147.190.2200.A	14.7	1.90	220.0	0.1204	104.69	121.49	yes	music wire	4I
C.147.190.2200.I	14.7	1.90	220.0	0.1034	104.69	121.49	yes	stainless steel	4I
C.147.200.0200.A	14.7	2.00	20.0	2.0690	12.60	13.82	yes	music wire	4G
C.147.200.0200.AP	14.7	2.00	20.0	2.6769	11.00	12.51	yes	music wire	4I
C.147.200.0200.I	14.7	2.00	20.0	1.8000	12.60	13.82	yes	stainless steel	4G
C.147.200.1000.A	14.7	2.00	100.0	0.3329	52.80	60.47	yes	music wire	4H
C.147.200.1000.I	14.7	2.00	100.0	0.2860	52.80	60.47	yes	stainless steel	4I
C.147.225.0350.A	14.7	2.25	35.0	1.8259	22.28	24.71	yes	music wire	4G
C.147.225.0350.AP	14.7	2.25	35.0	2.2435	19.13	22.68	yes	music wire	4I
C.147.225.0350.I	14.7	2.25	35.0	1.5683	22.28	24.71	yes	stainless steel	4G
C.147.225.0350.N	14.7	2.25	35.0	1.8259	22.28	24.71	yes	Zn coating	4I
C.147.225.1000.A	14.7	2.25	100.0	0.5522	60.75	68.79	yes	music wire	4H
C.147.225.1000.I	14.7	2.25	100.0	0.4743	60.75	68.79	yes	stainless steel	4I
C.147.230.0430.A	14.7	2.30	43.0	1.6092	27.14	30.21	yes	music wire	4G
C.147.230.0430.I	14.7	2.30	43.0	1.4000	26.91	29.95	yes	stainless steel	4G
C.147.230.1000.A	14.7	2.30	100.0	0.6078	62.33	70.45	yes	music wire	4H
C.147.230.1000.I	14.7	2.30	100.0	0.5221	62.33	70.45	yes	stainless steel	4I
C.147.230.1520.A	14.7	2.30	152.0	0.4904	75.90	92.15	yes	music wire	4J
C.147.230.1520.I	14.7	2.30	152.0	0.4266	74.98	91.31	yes	stainless steel	4J
C.147.240.0174.A	14.7	2.40	17.4	5.6000	13.68	14.75	yes	music wire	4G
C.147.240.0174.AP	14.7	2.40	17.4	6.8139	12.48	13.38	yes	music wire	4I
C.147.240.0174.I	14.7	2.40	17.4	4.8720	13.68	14.75	yes	stainless steel	4G
C.147.240.1000.A	14.7	2.40	100.0	0.7354	65.28	73.54	yes	music wire	4H
C.147.240.1000.I	14.7	2.40	100.0	0.6316	65.28	73.54	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.147.250.0200.A	14.7	2.50	20.0	5.6193	16.00	17.32	yes	music wire	4G
C.147.250.0200.I	14.7	2.50	20.0	4.8264	16.00	17.32	yes	stainless steel	4G
C.147.250.1520.A	14.7	2.50	152.0	0.6826	86.50	98.15	yes	music wire	4J
C.147.250.1520.I	14.7	2.50	152.0	0.5938	85.50	97.24	yes	stainless steel	4J
C.147.260.0500.A	14.7	2.60	50.0	3.2240	27.82	37.34	yes	music wire	4K
C.147.260.0500.I	14.7	2.60	50.0	2.8049	27.30	37.10	yes	stainless steel	4K
C.147.260.0500.N	14.7	2.60	50.0	3.2240	27.82	37.34	yes	Zn coating	4M
C.147.260.1000.A	14.7	2.60	100.0	1.0682	70.46	78.93	yes	music wire	4I
C.147.260.1000.I	14.7	2.60	100.0	0.9175	70.46	78.93	yes	stainless steel	4I
C.147.270.0200.A	14.7	2.70	20.0	8.2451	17.01	18.34	yes	music wire	4G
C.147.270.0200.I	14.7	2.70	20.0	7.0817	17.01	18.34	yes	stainless steel	4G
C.147.270.1520.A	14.7	2.70	152.0	0.8758	103.41	115.94	yes	music wire	4I
C.147.270.1520.I	14.7	2.70	152.0	0.7619	102.06	114.42	yes	stainless steel	4I
C.148.180.0420.A	14.8	1.80	42.0	0.5970	19.26	21.89	yes	music wire	4G
C.148.180.0420.I	14.8	1.80	42.0	0.5194	18.90	21.47	yes	stainless steel	4G
C.148.180.0420.N	14.8	1.80	42.0	0.5970	19.26	21.89	yes	Zn coating	4I
C.148.200.0250.A	14.8	2.00	25.0	1.7272	14.00	15.45	yes	music wire	4G
C.148.200.0250.I	14.8	2.00	25.0	1.4835	14.00	15.45	yes	stainless steel	4G
C.148.200.0250.N	14.8	2.00	25.0	1.7272	14.00	15.45	yes	Zn coating	4I
C.148.200.0320.A	14.8	2.00	32.0	1.4132	16.00	17.90	yes	music wire	4I
C.148.200.0320.I	14.8	2.00	32.0	1.2138	16.00	17.78	yes	stainless steel	4I
C.148.200.0320.N	14.8	2.00	32.0	1.4132	16.00	17.90	yes	Zn coating	4J
C.148.200.0380.A	14.8	2.00	38.0	1.0363	20.00	22.42	yes	music wire	4G
C.148.200.0380.I	14.8	2.00	38.0	0.8901	20.00	22.42	yes	stainless steel	4G
C.148.200.0380.N	14.8	2.00	38.0	1.0363	20.00	22.42	yes	Zn coating	4I
C.148.200.0440.A	14.8	2.00	44.0	0.8636	23.00	25.91	yes	music wire	4G
C.148.200.0440.I	14.8	2.00	44.0	0.7417	23.00	25.91	yes	stainless steel	4G
C.148.200.0440.N	14.8	2.00	44.0	0.8636	23.00	25.91	yes	Zn coating	4I
C.148.200.0510.A	14.8	2.00	51.0	0.7066	27.00	30.55	yes	music wire	4G
C.148.200.0510.AP	14.8	2.00	51.0	0.9228	21.80	29.40	yes	music wire	4I
C.148.200.0510.I	14.8	2.00	51.0	0.6069	27.00	30.55	yes	stainless steel	4G
C.148.200.0510.N	14.8	2.00	51.0	0.7066	27.00	30.55	yes	Zn coating	4I
C.148.200.0640.A	14.8	2.00	64.0	0.5979	31.00	35.20	yes	music wire	4G
C.148.200.0640.I	14.8	2.00	64.0	0.5135	31.00	35.20	yes	stainless steel	4H
C.148.200.0640.N	14.8	2.00	64.0	0.5979	31.00	35.20	yes	Zn coating	4I
C.148.200.0760.A	14.8	2.00	76.0	0.4711	38.00	43.33	yes	music wire	4G
C.148.200.0760.AP	14.8	2.00	76.0	0.6034	30.80	42.97	yes	music wire	4I
C.148.200.0760.I	14.8	2.00	76.0	0.4046	38.00	43.33	yes	stainless steel	4H
C.148.200.0760.N	14.8	2.00	76.0	0.4711	38.00	43.33	yes	Zn coating	4I
C.148.200.0890.A	14.8	2.00	89.0	0.3886	45.00	51.46	yes	music wire	4H
C.148.200.0890.AP	14.8	2.00	89.0	0.5093	35.60	49.87	yes	music wire	4I
C.148.200.0890.I	14.8	2.00	89.0	0.3338	45.00	51.46	yes	stainless steel	4H
C.148.200.0890.N	14.8	2.00	89.0	0.3886	45.00	51.46	yes	Zn coating	4I
C.148.200.1020.A	14.8	2.00	102.0	0.3307	52.00	59.59	yes	music wire	4H
C.148.200.1020.AP	14.8	2.00	102.0	0.4432	40.00	57.03	yes	music wire	4J
C.148.200.1020.I	14.8	2.00	102.0	0.2840	52.00	59.59	yes	stainless steel	4I
C.148.200.1020.N	14.8	2.00	102.0	0.3307	52.00	59.59	yes	Zn coating	4I
C.148.260.0450.A	14.8	2.60	45.0	2.9421	29.12	32.13	yes	music wire	4I
C.148.260.0450.I	14.8	2.60	45.0	2.5596	28.86	31.83	yes	stainless steel	4I
C.148.270.1020.A	14.8	2.70	102.0	1.3308	68.85	76.93	yes	music wire	4I
C.148.270.1020.I	14.8	2.70	102.0	1.1578	68.04	76.02	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.149.120.0900.A	14.9	1.20	90.0	0.0520	21.96	27.56	yes	music wire	4E
C.149.120.0900.AP	14.9	1.20	90.0	0.0876	14.28	35.18	yes	music wire	4H
C.149.120.0900.I	14.9	1.20	90.0	0.0452	21.72	27.25	yes	stainless steel	4E
C.149.120.0900.N	14.9	1.20	90.0	0.0520	21.96	27.56	yes	Zn coating	4G
C.149.270.0760.A	14.9	2.70	76.0	1.7500	52.65	58.65	yes	music wire	4H
C.149.270.0760.I	14.9	2.70	76.0	1.5238	52.11	58.04	yes	stainless steel	4I
C.149.270.0890.A	14.9	2.70	89.0	1.4887	60.75	67.80	yes	music wire	4H
C.149.270.0890.I	14.9	2.70	89.0	1.2952	60.21	67.19	yes	stainless steel	4I
C.149.320.0160.A	14.9	3.20	16.0	35.4312	14.08	14.81	yes	music wire	4H
C.149.320.0200.A	14.9	3.20	20.0	21.2960	17.92	19.11	yes	music wire	4H
C.149.320.0250.A	14.9	3.20	25.0	15.1250	22.08	23.77	yes	music wire	4H
C.149.320.0250.S	14.9	3.20	25.0	12.5000	24.96	24.96	yes	Cr-Si steel	4L
C.149.320.0320.A	14.9	3.20	32.0	11.0000	27.52	29.86	yes	music wire	4H
C.149.320.0320.S	14.9	3.20	32.0	10.0000	29.44	29.44	yes	Cr-Si steel	4L
C.149.320.0400.A	14.9	3.20	40.0	8.0000	34.56	37.75	yes	music wire	4I
C.149.320.0400.S	14.9	3.20	40.0	7.9365	34.88	38.11	yes	Cr-Si steel	4L
C.149.320.0500.A	14.9	3.20	50.0	6.3492	41.60	45.63	yes	music wire	4I
C.149.320.0500.S	14.9	3.20	50.0	6.2500	42.24	46.35	yes	Cr-Si steel	4L
C.149.320.0630.A	14.9	3.20	63.0	5.0000	50.56	55.67	yes	music wire	4I
C.149.320.0630.S	14.9	3.20	63.0	5.0000	50.56	55.67	yes	Cr-Si steel	4L
C.149.320.0800.A	14.9	3.20	80.0	4.0000	61.44	67.86	yes	music wire	4I
C.149.320.0800.S	14.9	3.20	80.0	4.0000	61.44	67.86	yes	Cr-Si steel	4O
C.149.320.1000.A	14.9	3.20	100.0	3.2000	74.56	82.55	yes	music wire	4I
C.149.320.1000.S	14.9	3.20	100.0	3.1250	76.16	84.34	yes	Cr-Si steel	4O
C.149.320.1250.A	14.9	3.20	125.0	2.5000	93.44	103.70	yes	music wire	4I
C.149.320.1250.S	14.9	3.20	125.0	2.5000	93.44	103.70	yes	Cr-Si steel	4O
C.149.320.1600.A	14.9	3.20	160.0	2.0000	114.56	127.35	yes	music wire	4I
C.149.320.1600.S	14.9	3.20	160.0	2.0000	114.56	127.35	yes	Cr-Si steel	4O
C.149.320.2000.A	14.9	3.20	200.0	1.6000	141.44	157.46	yes	music wire	4I
C.149.320.2000.S	14.9	3.20	200.0	1.5625	144.64	161.04	yes	Cr-Si steel	4P
C.150.080.0250.A	15.0	0.80	25.0	0.0290	6.00	8.29	yes	music wire	4C
C.150.080.0250.I	15.0	0.80	25.0	0.0252	6.00	8.29	yes	stainless steel	4D
C.150.080.0250.N	15.0	0.80	25.0	0.0290	6.00	8.29	yes	Zn coating	4E
C.150.080.0670.A	15.0	0.80	67.0	0.0150	9.76	14.20	yes	music wire	4D
C.150.080.0670.I	15.0	0.80	67.0	0.0131	9.68	14.08	yes	stainless steel	4E
C.150.080.0670.N	15.0	0.80	67.0	0.0150	9.76	14.20	yes	Zn coating	4F
C.150.090.0290.A	15.0	0.90	29.0	0.0822	4.86	6.08	yes	music wire	4C
C.150.090.0290.I	15.0	0.90	29.0	0.0706	4.86	6.08	yes	stainless steel	4D
C.150.090.0392.A	15.0	0.90	39.2	0.0681	5.40	8.01	yes	music wire	4F
C.150.090.0392.I	15.0	0.90	39.2	0.0585	5.40	8.04	yes	stainless steel	4G
C.150.090.0392.N	15.0	0.90	39.2	0.0681	5.40	8.01	yes	Zn coating	4I
C.150.090.0450.A	15.0	0.90	45.0	0.0518	6.39	8.33	yes	music wire	4D
C.150.090.0450.I	15.0	0.90	45.0	0.0445	6.39	8.33	yes	stainless steel	4D
C.150.090.0597.A	15.0	0.90	59.7	0.0434	7.20	10.76	yes	music wire	4G
C.150.090.0597.I	15.0	0.90	59.7	0.0373	7.20	10.83	yes	stainless steel	4G
C.150.090.0597.N	15.0	0.90	59.7	0.0434	7.20	10.76	yes	Zn coating	4I
C.150.090.0730.A	15.0	0.90	73.0	0.0314	9.09	12.29	yes	music wire	4D
C.150.090.0730.I	15.0	0.90	73.0	0.0269	9.09	12.29	yes	stainless steel	4E
C.150.090.1010.A	15.0	0.90	101.0	0.0251	10.80	16.38	yes	music wire	4H
C.150.090.1010.I	15.0	0.90	101.0	0.0216	10.80	16.61	yes	stainless steel	4H
C.150.090.1010.N	15.0	0.90	101.0	0.0251	10.80	16.38	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.090.1630.A	15.0	0.90	163.0	0.0154	16.20	25.08	yes	music wire	4I
C.150.090.1630.I	15.0	0.90	163.0	0.0132	16.20	24.91	yes	stainless steel	4I
C.150.090.1630.N	15.0	0.90	163.0	0.0154	16.20	25.08	yes	Zn coating	4J
C.150.095.0170.A	15.0	0.95	17.0	0.1662	4.09	4.82	yes	music wire	4C
C.150.095.0170.I	15.0	0.95	17.0	0.1428	4.09	4.82	yes	stainless steel	4C
C.150.095.0380.A	15.0	0.95	38.0	0.0730	6.27	7.94	yes	music wire	4D
C.150.095.0380.I	15.0	0.95	38.0	0.0627	6.27	7.94	yes	stainless steel	4D
C.150.095.0610.A	15.0	0.95	61.0	0.0447	8.74	11.46	yes	music wire	4D
C.150.095.0610.I	15.0	0.95	61.0	0.0384	8.74	11.46	yes	stainless steel	4E
C.150.095.1450.A	15.0	0.95	145.0	0.0185	17.77	24.36	yes	music wire	4E
C.150.095.1450.I	15.0	0.95	145.0	0.0159	17.77	24.36	yes	stainless steel	4F
C.150.100.0160.A	15.0	1.00	16.0	0.2430	4.00	4.59	yes	music wire	4F
C.150.100.0160.I	15.0	1.00	16.0	0.2114	4.00	4.59	yes	stainless steel	4F
C.150.100.0160.N	15.0	1.00	16.0	0.2430	4.00	4.59	yes	Zn coating	4H
C.150.100.0500.A	15.0	1.00	50.0	0.0330	13.80	18.25	yes	music wire	4D
C.150.100.0500.I	15.0	1.00	50.0	0.0287	13.60	17.97	yes	stainless steel	4D
C.150.100.0500.N	15.0	1.00	50.0	0.0330	13.80	18.25	yes	Zn coating	4F
C.150.100.1450.A	15.0	1.00	145.0	0.0217	19.60	26.34	yes	music wire	4E
C.150.100.1450.I	15.0	1.00	145.0	0.0186	19.60	26.34	yes	stainless steel	4F
C.150.105.0160.A	15.0	1.05	16.0	0.2534	4.52	5.21	yes	music wire	4C
C.150.105.0160.I	15.0	1.05	16.0	0.2177	4.52	5.21	yes	stainless steel	4D
C.150.105.0190.A	15.0	1.05	19.0	0.2073	4.94	5.78	yes	music wire	4C
C.150.105.0190.I	15.0	1.05	19.0	0.1781	4.94	5.78	yes	stainless steel	4D
C.150.105.0710.A	15.0	1.05	71.0	0.0524	11.76	15.09	yes	music wire	4E
C.150.105.0710.I	15.0	1.05	71.0	0.0450	11.76	15.09	yes	stainless steel	4E
C.150.105.0880.A	15.0	1.05	88.0	0.0418	14.07	18.24	yes	music wire	4E
C.150.105.0880.I	15.0	1.05	88.0	0.0359	14.07	18.24	yes	stainless steel	4E
C.150.105.1100.A	15.0	1.05	110.0	0.0335	16.91	22.12	yes	music wire	4E
C.150.105.1100.I	15.0	1.05	110.0	0.0288	16.91	22.12	yes	stainless steel	4E
C.150.105.1400.A	15.0	1.05	140.0	0.0262	20.90	27.56	yes	music wire	4E
C.150.105.1400.I	15.0	1.05	140.0	0.0225	20.90	27.56	yes	stainless steel	4F
C.150.110.0160.A	15.0	1.10	16.0	0.2670	5.06	5.84	yes	music wire	4C
C.150.110.0160.I	15.0	1.10	16.0	0.3069	4.51	5.50	yes	stainless steel	4G
C.150.110.0160.N	15.0	1.10	16.0	0.2670	5.06	5.84	yes	Zn coating	4E
C.150.110.0200.A	15.0	1.10	20.0	0.2040	5.72	6.73	yes	music wire	4C
C.150.110.0200.I	15.0	1.10	20.0	0.1775	5.72	6.73	yes	stainless steel	4D
C.150.110.0200.N	15.0	1.10	20.0	0.2040	5.72	6.73	yes	Zn coating	4E
C.150.110.0250.A	15.0	1.10	25.0	0.1580	6.60	7.91	yes	music wire	4C
C.150.110.0250.I	15.0	1.10	25.0	0.1375	6.60	7.91	yes	stainless steel	4D
C.150.110.0250.N	15.0	1.10	25.0	0.1580	6.60	7.91	yes	Zn coating	4E
C.150.110.0320.A	15.0	1.10	32.0	0.1220	7.81	9.53	yes	music wire	4D
C.150.110.0320.I	15.0	1.10	32.0	0.1061	7.70	9.38	yes	stainless steel	4D
C.150.110.0320.N	15.0	1.10	32.0	0.1220	7.81	9.53	yes	Zn coating	4E
C.150.110.0400.A	15.0	1.10	40.0	0.0970	9.02	11.15	yes	music wire	4D
C.150.110.0400.I	15.0	1.10	40.0	0.1115	7.48	11.09	yes	stainless steel	4G
C.150.110.0400.N	15.0	1.10	40.0	0.0970	9.02	11.15	yes	Zn coating	4E
C.150.110.0500.A	15.0	1.10	50.0	0.0780	10.56	13.21	yes	music wire	4D
C.150.110.0500.I	15.0	1.10	50.0	0.0679	10.45	13.06	yes	stainless steel	4E
C.150.110.0500.N	15.0	1.10	50.0	0.0780	10.56	13.21	yes	Zn coating	4F
C.150.110.0630.A	15.0	1.10	63.0	0.0610	12.76	16.16	yes	music wire	4D
C.150.110.0630.I	15.0	1.10	63.0	0.0531	12.65	16.01	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.150.110.0630.N	15.0	1.10	63.0	0.0610	12.76	16.16	yes	Zn coating	4F
C.150.110.0800.A	15.0	1.10	80.0	0.0470	15.73	20.14	yes	music wire	4E
C.150.110.0800.I	15.0	1.10	80.0	0.0409	15.62	19.99	yes	stainless steel	4E
C.150.110.0800.N	15.0	1.10	80.0	0.0470	15.73	20.14	yes	Zn coating	4G
C.150.110.1000.A	15.0	1.10	100.0	0.0380	18.81	24.26	yes	music wire	4E
C.150.110.1000.I	15.0	1.10	100.0	0.0331	18.59	23.97	yes	stainless steel	4E
C.150.110.1000.N	15.0	1.10	100.0	0.0380	18.81	24.26	yes	Zn coating	4G
C.150.110.1250.A	15.0	1.10	125.0	0.0300	23.10	30.01	yes	music wire	4E
C.150.110.1250.I	15.0	1.10	125.0	0.0261	22.88	29.71	yes	stainless steel	4F
C.150.110.1250.N	15.0	1.10	125.0	0.0300	23.10	30.01	yes	Zn coating	4G
C.150.110.3600.A	15.0	1.10	360.0	0.0100	64.90	85.63	no	music wire	4I
C.150.110.3600.I	15.0	1.10	360.0	0.0087	64.13	84.60	no	stainless steel	4I
C.150.115.0160.A	15.0	1.15	16.0	0.3353	5.18	5.91	yes	music wire	4C
C.150.115.0160.I	15.0	1.15	16.0	0.2880	5.18	5.91	yes	stainless steel	4D
C.150.115.0190.A	15.0	1.15	19.0	0.2794	5.64	6.52	yes	music wire	4C
C.150.115.0190.I	15.0	1.15	19.0	0.2400	5.64	6.52	yes	stainless steel	4D
C.150.115.0520.A	15.0	1.15	52.0	0.0958	10.93	13.49	yes	music wire	4D
C.150.115.0520.I	15.0	1.15	52.0	0.0823	10.93	13.49	yes	stainless steel	4E
C.150.115.0720.A	15.0	1.15	72.0	0.0691	14.03	17.57	yes	music wire	4E
C.150.115.0720.I	15.0	1.15	72.0	0.0594	14.03	17.57	yes	stainless steel	4E
C.150.115.1500.A	15.0	1.15	150.0	0.0326	26.57	34.09	yes	music wire	4F
C.150.115.1500.I	15.0	1.15	150.0	0.0280	26.57	34.09	yes	stainless steel	4F
C.150.120.0160.A	15.0	1.20	16.0	0.2430	6.96	8.14	yes	music wire	4C
C.150.120.0160.AP	15.0	1.20	16.0	0.5369	4.80	7.12	yes	music wire	4F
C.150.120.0160.I	15.0	1.20	16.0	0.2114	6.96	8.14	yes	stainless steel	4D
C.150.120.0160.N	15.0	1.20	16.0	0.2430	6.96	8.14	yes	Zn coating	4E
C.150.120.0250.A	15.0	1.20	25.0	0.1910	8.04	9.54	yes	music wire	4C
C.150.120.0250.I	15.0	1.20	25.0	0.1662	8.04	9.54	yes	stainless steel	4D
C.150.120.0300.A	15.0	1.20	30.0	0.1560	9.24	11.10	yes	music wire	4D
C.150.120.0300.AP	15.0	1.20	30.0	0.2684	6.60	12.23	yes	music wire	4G
C.150.120.0300.I	15.0	1.20	30.0	0.1299	9.36	11.26	yes	stainless steel	4D
C.150.120.0318.A	15.0	1.20	31.8	0.1608	9.00	10.79	yes	music wire	4D
C.150.120.0318.I	15.0	1.20	31.8	0.1381	9.00	10.79	yes	stainless steel	4D
C.150.120.0381.A	15.0	1.20	38.1	0.1340	10.20	12.35	yes	music wire	4D
C.150.120.0381.I	15.0	1.20	38.1	0.1151	10.20	12.35	yes	stainless steel	4D
C.150.120.0400.A	15.0	1.20	40.0	0.1150	11.40	13.91	yes	music wire	4D
C.150.120.0400.AP	15.0	1.20	40.0	0.2013	7.80	16.31	yes	music wire	4G
C.150.120.0400.I	15.0	1.20	40.0	0.1000	11.28	13.75	yes	stainless steel	4D
C.150.120.0550.A	15.0	1.20	55.0	0.0820	14.76	18.27	yes	music wire	4D
C.150.120.0550.AP	15.0	1.20	55.0	0.1438	9.72	21.84	yes	music wire	4G
C.150.120.0550.I	15.0	1.20	55.0	0.0713	14.64	18.11	yes	stainless steel	4E
C.150.120.0600.A	15.0	1.20	60.0	0.0750	15.84	19.67	yes	music wire	4D
C.150.120.0600.I	15.0	1.20	60.0	0.0653	15.72	19.52	yes	stainless steel	4E
C.150.120.0650.A	15.0	1.20	65.0	0.0661	17.64	22.01	yes	music wire	4E
C.150.120.0650.AP	15.0	1.20	65.0	0.1202	11.04	25.32	yes	music wire	4G
C.150.120.0650.I	15.0	1.20	65.0	0.0575	17.40	21.70	yes	stainless steel	4E
C.150.120.0800.A	15.0	1.20	80.0	0.0560	20.28	25.44	yes	music wire	4E
C.150.120.0800.I	15.0	1.20	80.0	0.0466	20.76	26.06	yes	stainless steel	4E
C.150.120.1100.A	15.0	1.20	110.0	0.0512	21.84	27.46	yes	music wire	4E
C.150.120.1100.I	15.0	1.20	110.0	0.0440	21.84	27.46	yes	stainless steel	4E
C.150.120.1400.A	15.0	1.20	140.0	0.0402	27.00	34.16	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.120.1400.I	15.0	1.20	140.0	0.0345	27.00	34.16	yes	stainless steel	4F
C.150.125.0160.A	15.0	1.25	16.0	0.4090	6.00	6.81	yes	music wire	4C
C.150.125.0160.AP	15.0	1.25	16.0	0.5993	5.13	7.08	yes	music wire	4F
C.150.125.0160.I	15.0	1.25	16.0	0.3558	6.00	6.81	yes	stainless steel	4D
C.150.125.0160.N	15.0	1.25	16.0	0.4090	6.00	6.81	yes	Zn coating	4E
C.150.125.0200.A	15.0	1.25	20.0	0.3200	6.88	7.94	yes	music wire	4C
C.150.125.0200.AP	15.0	1.25	20.0	0.4795	5.63	8.85	yes	music wire	4F
C.150.125.0200.I	15.0	1.25	20.0	0.2784	6.88	7.94	yes	stainless steel	4D
C.150.125.0200.N	15.0	1.25	20.0	0.3200	6.88	7.94	yes	Zn coating	4E
C.150.125.0250.A	15.0	1.25	25.0	0.2540	7.88	9.22	yes	music wire	4D
C.150.125.0250.AP	15.0	1.25	25.0	0.3836	6.25	11.06	yes	music wire	4F
C.150.125.0250.I	15.0	1.25	25.0	0.2210	7.75	9.05	yes	stainless steel	4D
C.150.125.0250.N	15.0	1.25	25.0	0.2540	7.88	9.22	yes	Zn coating	4E
C.150.125.0320.A	15.0	1.25	32.0	0.1940	9.25	10.97	yes	music wire	4D
C.150.125.0320.AP	15.0	1.25	32.0	0.2906	7.25	13.60	yes	music wire	4G
C.150.125.0320.I	15.0	1.25	32.0	0.1688	9.25	10.97	yes	stainless steel	4D
C.150.125.0320.N	15.0	1.25	32.0	0.1940	9.25	10.97	yes	Zn coating	4E
C.150.125.0400.A	15.0	1.25	40.0	0.1530	11.00	13.22	yes	music wire	4D
C.150.125.0400.AP	15.0	1.25	40.0	0.2283	8.38	16.59	yes	music wire	4G
C.150.125.0400.I	15.0	1.25	40.0	0.1331	10.88	13.06	yes	stainless steel	4D
C.150.125.0400.N	15.0	1.25	40.0	0.1530	11.00	13.22	yes	Zn coating	4F
C.150.125.0500.A	15.0	1.25	50.0	0.1210	13.00	15.78	yes	music wire	4D
C.150.125.0500.AP	15.0	1.25	50.0	0.1809	9.75	20.45	yes	music wire	4G
C.150.125.0500.I	15.0	1.25	50.0	0.1053	12.88	15.62	yes	stainless steel	4E
C.150.125.0500.N	15.0	1.25	50.0	0.1210	13.00	15.78	yes	Zn coating	4F
C.150.125.0630.A	15.0	1.25	63.0	0.0960	15.63	19.15	yes	music wire	4E
C.150.125.0630.AP	15.0	1.25	63.0	0.1431	11.50	25.65	yes	music wire	4G
C.150.125.0630.I	15.0	1.25	63.0	0.1103	12.38	21.05	yes	stainless steel	4G
C.150.125.0630.N	15.0	1.25	63.0	0.0960	15.63	19.15	yes	Zn coating	4F
C.150.125.0800.A	15.0	1.25	80.0	0.0740	19.25	23.79	yes	music wire	4E
C.150.125.0800.AP	15.0	1.25	80.0	0.1115	13.88	32.06	yes	music wire	4G
C.150.125.0800.I	15.0	1.25	80.0	0.0644	19.13	23.63	yes	stainless steel	4E
C.150.125.0800.N	15.0	1.25	80.0	0.0740	19.25	23.79	yes	Zn coating	4G
C.150.125.1000.A	15.0	1.25	100.0	0.0590	23.38	29.08	yes	music wire	4E
C.150.125.1000.AP	15.0	1.25	100.0	0.0888	16.63	39.79	yes	music wire	4H
C.150.125.1000.I	15.0	1.25	100.0	0.0513	23.13	28.76	yes	stainless steel	4E
C.150.125.1000.N	15.0	1.25	100.0	0.0590	23.38	29.08	yes	Zn coating	4G
C.150.125.1250.A	15.0	1.25	125.0	0.0470	28.63	35.81	yes	music wire	4E
C.150.125.1250.AP	15.0	1.25	125.0	0.0705	20.13	49.18	yes	music wire	4I
C.150.125.1250.I	15.0	1.25	125.0	0.0409	28.25	35.32	yes	stainless steel	4F
C.150.125.1250.N	15.0	1.25	125.0	0.0470	28.63	35.81	yes	Zn coating	4G
C.150.125.1450.A	15.0	1.25	145.0	0.0443	30.13	37.73	yes	music wire	4F
C.150.125.1450.I	15.0	1.25	145.0	0.0380	30.13	37.73	yes	stainless steel	4F
C.150.125.3600.A	15.0	1.25	360.0	0.0160	79.13	100.17	no	music wire	4I
C.150.125.3600.I	15.0	1.25	360.0	0.0139	78.13	98.89	no	stainless steel	4I
C.150.130.0097.A	15.0	1.30	9.7	0.8704	4.94	5.39	yes	music wire	4C
C.150.130.0097.I	15.0	1.30	9.7	0.7476	4.94	5.39	yes	stainless steel	4D
C.150.130.0157.A	15.0	1.30	15.7	0.4715	6.37	7.20	yes	music wire	4C
C.150.130.0157.I	15.0	1.30	15.7	0.4050	6.37	7.20	yes	stainless steel	4D
C.150.130.0254.A	15.0	1.30	25.4	0.2694	8.71	10.17	yes	music wire	4D
C.150.130.0254.I	15.0	1.30	25.4	0.2314	8.71	10.17	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.150.130.0318.A	15.0	1.30	31.8	0.2135	10.14	11.98	yes	music wire	4D
C.150.130.0318.I	15.0	1.30	31.8	0.1834	10.14	11.98	yes	stainless steel	4D
C.150.130.0508.A	15.0	1.30	50.8	0.1286	14.69	17.74	yes	music wire	4D
C.150.130.0508.I	15.0	1.30	50.8	0.1104	14.69	17.74	yes	stainless steel	4E
C.150.130.0635.A	15.0	1.30	63.5	0.1019	17.68	21.53	yes	music wire	4E
C.150.130.0635.I	15.0	1.30	63.5	0.0876	17.68	21.53	yes	stainless steel	4E
C.150.130.1200.A	15.0	1.30	120.0	0.0560	29.51	36.51	yes	music wire	4E
C.150.130.1200.AP	15.0	1.30	120.0	0.0834	20.93	48.49	yes	music wire	4I
C.150.130.1200.I	15.0	1.30	120.0	0.0487	29.12	36.02	yes	stainless steel	4F
C.150.130.1200.N	15.0	1.30	120.0	0.0560	29.51	36.51	yes	Zn coating	4G
C.150.140.0160.A	15.0	1.40	16.0	0.6300	7.00	7.85	yes	music wire	4E
C.150.140.0160.AP	15.0	1.40	16.0	0.9186	5.88	8.01	yes	music wire	4H
C.150.140.0160.I	15.0	1.40	16.0	0.5481	6.86	7.67	yes	stainless steel	4E
C.150.140.0160.N	15.0	1.40	16.0	0.6300	7.00	7.85	yes	Zn coating	4G
C.150.140.0200.A	15.0	1.40	20.0	0.5000	7.84	8.89	yes	music wire	4E
C.150.140.0200.AP	15.0	1.40	20.0	0.7098	6.58	9.66	yes	music wire	4H
C.150.140.0200.I	15.0	1.40	20.0	0.4341	7.84	8.89	yes	stainless steel	4E
C.150.140.0200.N	15.0	1.40	20.0	0.5000	7.84	8.89	yes	Zn coating	4G
C.150.140.0250.A	15.0	1.40	25.0	0.3860	9.10	10.45	yes	music wire	4E
C.150.140.0250.AP	15.0	1.40	25.0	0.5385	7.56	11.37	yes	music wire	4I
C.150.140.0250.I	15.0	1.40	25.0	0.3358	9.10	10.45	yes	stainless steel	4F
C.150.140.0250.N	15.0	1.40	25.0	0.3860	9.10	10.45	yes	Zn coating	4G
C.150.140.0258.A	15.0	1.40	25.8	0.4445	8.40	9.58	yes	music wire	4I
C.150.140.0258.I	15.0	1.40	25.8	0.3818	8.40	9.58	yes	stainless steel	4I
C.150.140.0258.N	15.0	1.40	25.8	0.4445	8.40	9.58	yes	Zn coating	4I
C.150.140.0320.A	15.0	1.40	32.0	0.2920	10.92	12.71	yes	music wire	4E
C.150.140.0320.AP	15.0	1.40	32.0	0.4220	8.68	14.62	yes	music wire	4I
C.150.140.0320.I	15.0	1.40	32.0	0.2540	10.92	12.71	yes	stainless steel	4F
C.150.140.0320.N	15.0	1.40	32.0	0.2920	10.92	12.71	yes	Zn coating	4G
C.150.140.0381.A	15.0	1.40	38.1	0.2255	13.16	15.49	yes	music wire	4E
C.150.140.0381.I	15.0	1.40	38.1	0.1937	13.16	15.49	yes	stainless steel	4F
C.150.140.0390.A	15.0	1.40	39.0	0.2829	11.20	13.07	yes	music wire	4I
C.150.140.0390.I	15.0	1.40	39.0	0.2430	11.20	13.06	yes	stainless steel	4I
C.150.140.0390.N	15.0	1.40	39.0	0.2829	11.20	13.07	yes	Zn coating	4I
C.150.140.0400.A	15.0	1.40	40.0	0.2300	13.02	15.32	yes	music wire	4E
C.150.140.0400.AP	15.0	1.40	40.0	0.3322	10.08	17.92	yes	music wire	4I
C.150.140.0400.I	15.0	1.40	40.0	0.2000	12.88	15.15	yes	stainless steel	4F
C.150.140.0400.N	15.0	1.40	40.0	0.2300	13.02	15.32	yes	Zn coating	4H
C.150.140.0500.A	15.0	1.40	50.0	0.1840	15.40	18.27	yes	music wire	4F
C.150.140.0500.AP	15.0	1.40	50.0	0.2603	11.90	21.81	yes	music wire	4I
C.150.140.0500.I	15.0	1.40	50.0	0.1601	15.12	17.93	yes	stainless steel	4F
C.150.140.0500.N	15.0	1.40	50.0	0.1840	15.40	18.27	yes	Zn coating	4H
C.150.140.0630.A	15.0	1.40	63.0	0.1440	18.62	22.27	yes	music wire	4F
C.150.140.0630.AP	15.0	1.40	63.0	0.2055	14.14	27.29	yes	music wire	4I
C.150.140.0630.I	15.0	1.40	63.0	0.1253	18.48	22.10	yes	stainless steel	4G
C.150.140.0630.N	15.0	1.40	63.0	0.1440	18.62	22.27	yes	Zn coating	4H
C.150.140.0653.A	15.0	1.40	65.3	0.1638	16.80	20.51	yes	music wire	4I
C.150.140.0653.I	15.0	1.40	65.3	0.1407	16.80	20.01	yes	stainless steel	4I
C.150.140.0653.N	15.0	1.40	65.3	0.1638	16.80	20.51	yes	Zn coating	4J
C.150.140.0790.A	15.0	1.40	79.0	0.1245	21.00	25.23	yes	music wire	4F
C.150.140.0790.I	15.0	1.40	79.0	0.1069	21.00	25.23	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.150.140.0790.N	15.0	1.40	79.0	0.1245	21.00	25.23	yes	Zn coating	4I
C.150.140.0800.A	15.0	1.40	80.0	0.1120	22.96	27.66	yes	music wire	4F
C.150.140.0800.AP	15.0	1.40	80.0	0.1610	17.08	34.42	yes	music wire	4I
C.150.140.0800.I	15.0	1.40	80.0	0.0974	22.68	27.31	yes	stainless steel	4G
C.150.140.0800.N	15.0	1.40	80.0	0.1120	22.96	27.66	yes	Zn coating	4I
C.150.140.0930.A	15.0	1.40	93.0	0.1073	23.80	28.70	yes	music wire	4I
C.150.140.0930.I	15.0	1.40	93.0	0.0922	23.80	28.70	yes	stainless steel	4I
C.150.140.0930.N	15.0	1.40	93.0	0.1073	23.80	28.70	yes	Zn coating	4J
C.150.140.1000.A	15.0	1.40	100.0	0.0890	28.00	33.92	yes	music wire	4G
C.150.140.1000.AP	15.0	1.40	100.0	0.1270	20.72	42.21	yes	music wire	4I
C.150.140.1000.I	15.0	1.40	100.0	0.0774	27.72	33.57	yes	stainless steel	4G
C.150.140.1000.N	15.0	1.40	100.0	0.0890	28.00	33.92	yes	Zn coating	4I
C.150.140.1050.A	15.0	1.40	105.0	0.1004	25.20	31.92	yes	music wire	4I
C.150.140.1050.I	15.0	1.40	105.0	0.0862	25.20	31.07	yes	stainless steel	4I
C.150.140.1050.N	15.0	1.40	105.0	0.1004	25.20	31.92	yes	Zn coating	4J
C.150.140.1200.A	15.0	1.40	120.0	0.0760	32.20	39.13	yes	music wire	4G
C.150.140.1200.AP	15.0	1.40	120.0	0.1055	24.08	50.46	yes	music wire	4I
C.150.140.1200.I	15.0	1.40	120.0	0.0661	31.78	38.61	yes	stainless steel	4G
C.150.140.1200.N	15.0	1.40	120.0	0.0760	32.20	39.13	yes	Zn coating	4I
C.150.140.1250.A	15.0	1.40	125.0	0.0710	34.16	41.57	yes	music wire	4G
C.150.140.1250.AP	15.0	1.40	125.0	0.1014	24.92	52.64	yes	music wire	4I
C.150.140.1250.I	15.0	1.40	125.0	0.0618	33.74	41.04	yes	stainless steel	4G
C.150.140.1250.N	15.0	1.40	125.0	0.0710	34.16	41.57	yes	Zn coating	4I
C.150.140.1400.A	15.0	1.40	140.0	0.0671	35.98	43.83	yes	music wire	4G
C.150.140.1400.I	15.0	1.40	140.0	0.0576	35.98	43.83	yes	stainless steel	4H
C.150.140.3600.A	15.0	1.40	360.0	0.0240	95.62	117.53	no	music wire	4I
C.150.140.3600.I	15.0	1.40	360.0	0.0209	94.50	116.14	no	stainless steel	4J
C.150.150.0127.A	15.0	1.50	12.7	1.0290	6.75	7.41	yes	music wire	4E
C.150.150.0127.I	15.0	1.50	12.7	0.8952	6.75	7.41	yes	stainless steel	4E
C.150.150.0127.N	15.0	1.50	12.7	1.0290	6.75	7.41	yes	Zn coating	4G
C.150.150.0350.A	15.0	1.50	35.0	0.2170	18.30	21.52	yes	music wire	4E
C.150.150.0350.AP	15.0	1.50	35.0	0.4786	10.35	16.42	yes	music wire	4I
C.150.150.0350.I	15.0	1.50	35.0	0.1888	18.00	21.16	yes	stainless steel	4F
C.150.150.0350.N	15.0	1.50	35.0	0.2170	18.30	21.52	yes	Zn coating	4H
C.150.150.0500.A	15.0	1.50	50.0	0.1580	23.70	28.12	yes	music wire	4F
C.150.150.0500.AP	15.0	1.50	50.0	0.3290	13.35	22.98	yes	music wire	4I
C.150.150.0500.I	15.0	1.50	50.0	0.1375	23.40	27.75	yes	stainless steel	4F
C.150.150.0500.N	15.0	1.50	50.0	0.1580	23.70	28.12	yes	Zn coating	4H
C.150.150.0540.A	15.0	1.50	54.0	0.1233	29.25	34.90	yes	music wire	4F
C.150.150.0540.AP	15.0	1.50	54.0	0.3008	14.25	24.45	yes	music wire	4I
C.150.150.0540.I	15.0	1.50	54.0	0.1059	29.25	34.90	yes	stainless steel	4F
C.150.150.0540.N	15.0	1.50	54.0	0.1233	29.25	34.90	yes	Zn coating	4H
C.150.150.0550.A	15.0	1.50	55.0	0.1906	20.25	23.90	yes	music wire	4F
C.150.150.0550.AP	15.0	1.50	55.0	0.2966	14.40	25.02	yes	music wire	4I
C.150.150.0550.I	15.0	1.50	55.0	0.1637	20.25	23.90	yes	stainless steel	4G
C.150.150.0550.N	15.0	1.50	55.0	0.1906	20.25	23.90	yes	Zn coating	4H
C.150.150.0630.A	15.0	1.50	63.0	0.1370	26.70	31.78	yes	music wire	4F
C.150.150.0630.AP	15.0	1.50	63.0	0.2568	16.05	28.38	yes	music wire	4I
C.150.150.0630.I	15.0	1.50	63.0	0.1192	26.40	31.42	yes	stainless steel	4G
C.150.150.0630.N	15.0	1.50	63.0	0.1370	26.70	31.78	yes	Zn coating	4H
C.150.150.0700.A	15.0	1.50	70.0	0.1497	24.75	29.40	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.150.0700.AP	15.0	1.50	70.0	0.2314	17.40	31.58	yes	music wire	4I
C.150.150.0700.I	15.0	1.50	70.0	0.1286	24.75	29.40	yes	stainless steel	4G
C.150.150.0700.N	15.0	1.50	70.0	0.1497	24.75	29.40	yes	Zn coating	4I
C.150.150.1250.A	15.0	1.50	125.0	0.0953	36.75	44.06	yes	music wire	4G
C.150.150.1250.I	15.0	1.50	125.0	0.0818	36.75	44.06	yes	stainless steel	4G
C.150.160.0160.A	15.0	1.60	16.0	1.0680	8.16	9.01	yes	music wire	4E
C.150.160.0160.AL	15.0	1.60	16.0	1.0000	8.48	9.40	yes	music wire	4D
C.150.160.0160.AP	15.0	1.60	16.0	1.4685	7.04	8.76	yes	music wire	4I
C.150.160.0160.I	15.0	1.60	16.0	0.9292	8.16	9.01	yes	stainless steel	4F
C.150.160.0160.N	15.0	1.60	16.0	1.0680	8.16	9.01	yes	Zn coating	4G
C.150.160.0200.A	15.0	1.60	20.0	0.7910	9.60	10.75	yes	music wire	4E
C.150.160.0200.AP	15.0	1.60	20.0	1.1161	8.00	10.47	yes	music wire	4I
C.150.160.0200.I	15.0	1.60	20.0	0.6882	9.60	10.75	yes	stainless steel	4F
C.150.160.0200.N	15.0	1.60	20.0	0.7910	9.60	10.75	yes	Zn coating	4G
C.150.160.0250.A	15.0	1.60	25.0	0.6100	11.20	12.68	yes	music wire	4E
C.150.160.0250.AP	15.0	1.60	25.0	0.8719	9.12	12.80	yes	music wire	4I
C.150.160.0250.I	15.0	1.60	25.0	0.5307	11.20	12.68	yes	stainless steel	4F
C.150.160.0250.N	15.0	1.60	25.0	0.6100	11.20	12.68	yes	Zn coating	4G
C.150.160.0300.A	15.0	1.60	30.0	0.5490	12.16	13.83	yes	music wire	4E
C.150.160.0300.I	15.0	1.60	30.0	0.4776	12.00	13.64	yes	stainless steel	4F
C.150.160.0320.A	15.0	1.60	32.0	0.4750	13.28	15.18	yes	music wire	4E
C.150.160.0320.AL	15.0	1.60	32.0	0.5000	12.80	14.61	yes	music wire	4D
C.150.160.0320.AP	15.0	1.60	32.0	0.6643	10.72	15.99	yes	music wire	4I
C.150.160.0320.I	15.0	1.60	32.0	0.4133	13.28	15.18	yes	stainless steel	4F
C.150.160.0320.N	15.0	1.60	32.0	0.4750	13.28	15.18	yes	Zn coating	4H
C.150.160.0350.A	15.0	1.60	35.0	0.4620	13.60	15.57	yes	music wire	4F
C.150.160.0350.I	15.0	1.60	35.0	0.4019	13.44	15.38	yes	stainless steel	4F
C.150.160.0400.A	15.0	1.60	40.0	0.3680	16.00	18.46	yes	music wire	4F
C.150.160.0400.AL	15.0	1.60	40.0	0.4000	15.04	17.31	yes	music wire	4E
C.150.160.0400.AP	15.0	1.60	40.0	0.5167	12.64	19.41	yes	music wire	4I
C.150.160.0400.I	15.0	1.60	40.0	0.3202	15.84	18.27	yes	stainless steel	4F
C.150.160.0400.N	15.0	1.60	40.0	0.3680	16.00	18.46	yes	Zn coating	4H
C.150.160.0500.A	15.0	1.60	50.0	0.2890	19.36	22.51	yes	music wire	4F
C.150.160.0500.AL	15.0	1.60	50.0	0.3111	18.24	21.16	yes	music wire	4E
C.150.160.0500.AP	15.0	1.60	50.0	0.4103	14.88	24.08	yes	music wire	4I
C.150.160.0500.I	15.0	1.60	50.0	0.2514	19.20	22.32	yes	stainless steel	4F
C.150.160.0500.N	15.0	1.60	50.0	0.2890	19.36	22.51	yes	Zn coating	4H
C.150.160.0550.A	15.0	1.60	55.0	0.2840	19.68	22.90	yes	music wire	4F
C.150.160.0550.I	15.0	1.60	55.0	0.2471	19.36	22.51	yes	stainless steel	4G
C.150.160.0630.A	15.0	1.60	63.0	0.2270	23.52	27.53	yes	music wire	4F
C.150.160.0630.AL	15.0	1.60	63.0	0.2489	21.76	25.40	yes	music wire	4E
C.150.160.0630.AP	15.0	1.60	63.0	0.3207	17.92	29.83	yes	music wire	4I
C.150.160.0630.I	15.0	1.60	63.0	0.1975	23.36	27.33	yes	stainless steel	4G
C.150.160.0630.N	15.0	1.60	63.0	0.2270	23.52	27.53	yes	Zn coating	4I
C.150.160.0650.A	15.0	1.60	65.0	0.2380	22.72	26.56	yes	music wire	4F
C.150.160.0650.AP	15.0	1.60	65.0	0.3100	18.40	30.69	yes	music wire	4I
C.150.160.0650.I	15.0	1.60	65.0	0.1983	23.20	27.14	yes	stainless steel	4G
C.150.160.0800.A	15.0	1.60	80.0	0.1780	28.96	34.08	yes	music wire	4G
C.150.160.0800.AL	15.0	1.60	80.0	0.2000	26.24	30.80	yes	music wire	4E
C.150.160.0800.AP	15.0	1.60	80.0	0.2514	21.60	37.69	yes	music wire	4I
C.150.160.0800.I	15.0	1.60	80.0	0.1549	28.64	33.70	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.160.0800.N	15.0	1.60	80.0	0.1780	28.96	34.08	yes	Zn coating	4I
C.150.160.1000.A	15.0	1.60	100.0	0.1400	35.68	42.18	yes	music wire	4G
C.150.160.1000.AL	15.0	1.60	100.0	0.1556	32.48	38.32	yes	music wire	4E
C.150.160.1000.AP	15.0	1.60	100.0	0.1993	26.24	46.63	yes	music wire	4I
C.150.160.1000.I	15.0	1.60	100.0	0.1218	35.36	41.80	yes	stainless steel	4G
C.150.160.1000.N	15.0	1.60	100.0	0.1400	35.68	42.18	yes	Zn coating	4I
C.150.160.1250.A	15.0	1.60	125.0	0.1120	43.68	51.82	yes	music wire	4G
C.150.160.1250.AL	15.0	1.60	125.0	0.1244	39.68	47.00	yes	music wire	4F
C.150.160.1250.AP	15.0	1.60	125.0	0.1585	32.00	57.91	yes	music wire	4I
C.150.160.1250.I	15.0	1.60	125.0	0.0974	43.20	51.24	yes	stainless steel	4H
C.150.160.1250.N	15.0	1.60	125.0	0.1120	43.68	51.82	yes	Zn coating	4I
C.150.160.1600.A	15.0	1.60	160.0	0.1000	48.32	57.41	yes	music wire	4J
C.150.160.1600.I	15.0	1.60	160.0	0.0870	47.84	56.84	yes	stainless steel	4J
C.150.160.1600.N	15.0	1.60	160.0	0.1000	48.32	57.41	yes	Zn coating	4K
C.150.160.2000.A	15.0	1.60	200.0	0.0778	61.12	72.84	yes	music wire	4J
C.150.160.2000.I	15.0	1.60	200.0	0.0677	60.32	71.88	yes	stainless steel	4J
C.150.160.2000.N	15.0	1.60	200.0	0.0778	61.12	72.84	yes	Zn coating	4L
C.150.160.2500.A	15.0	1.60	250.0	0.0625	75.04	89.62	yes	music wire	4J
C.150.160.2500.I	15.0	1.60	250.0	0.0544	74.08	88.46	yes	stainless steel	4J
C.150.160.2500.N	15.0	1.60	250.0	0.0625	75.04	89.62	yes	Zn coating	4L
C.150.160.3600.A	15.0	1.60	360.0	0.0380	122.40	146.37	no	music wire	4I
C.150.160.3600.I	15.0	1.60	360.0	0.0331	120.96	144.63	no	stainless steel	4J
C.150.170.0900.A	15.0	1.70	90.0	0.2091	33.66	39.30	yes	music wire	4G
C.150.170.0900.I	15.0	1.70	90.0	0.1796	33.66	39.30	yes	stainless steel	4G
C.150.170.1150.A	15.0	1.70	115.0	0.1629	41.99	49.23	yes	music wire	4G
C.150.170.1150.I	15.0	1.70	115.0	0.1399	41.99	49.23	yes	stainless steel	4G
C.150.170.1500.A	15.0	1.70	150.0	0.1239	53.89	63.41	yes	music wire	4H
C.150.170.1500.I	15.0	1.70	150.0	0.1064	53.89	63.41	yes	stainless steel	4H
C.150.175.0150.A	15.0	1.75	15.0	1.7114	8.58	9.36	yes	music wire	4E
C.150.175.0150.I	15.0	1.75	15.0	1.4699	8.58	9.36	yes	stainless steel	4F
C.150.175.0200.A	15.0	1.75	20.0	1.2081	10.33	11.44	yes	music wire	4E
C.150.175.0200.I	15.0	1.75	20.0	1.0376	10.33	11.44	yes	stainless steel	4F
C.150.175.0360.A	15.0	1.75	36.0	0.6131	16.10	18.28	yes	music wire	4F
C.150.175.0360.I	15.0	1.75	36.0	0.5265	16.10	18.28	yes	stainless steel	4F
C.150.175.0550.A	15.0	1.75	55.0	0.3912	22.75	26.17	yes	music wire	4F
C.150.175.0550.I	15.0	1.75	55.0	0.3360	22.75	26.17	yes	stainless steel	4G
C.150.175.0800.A	15.0	1.75	80.0	0.2633	31.68	36.76	yes	music wire	4G
C.150.175.0800.I	15.0	1.75	80.0	0.2261	31.68	36.76	yes	stainless steel	4G
C.150.180.0160.A	15.0	1.80	16.0	1.7000	9.36	10.24	yes	music wire	4F
C.150.180.0160.AP	15.0	1.80	16.0	2.2305	8.28	9.39	yes	music wire	4I
C.150.180.0160.I	15.0	1.80	16.0	1.4825	9.36	10.24	yes	stainless steel	4G
C.150.180.0160.N	15.0	1.80	16.0	1.7000	9.36	10.24	yes	Zn coating	4I
C.150.180.0180.A	15.0	1.80	18.0	1.4999	10.08	11.09	yes	music wire	4G
C.150.180.0180.I	15.0	1.80	18.0	1.2883	10.08	11.09	yes	stainless steel	4G
C.150.180.0200.A	15.0	1.80	20.0	1.2780	10.98	12.15	yes	music wire	4G
C.150.180.0200.AP	15.0	1.80	20.0	1.7348	9.36	11.51	yes	music wire	4I
C.150.180.0200.I	15.0	1.80	20.0	1.1119	10.98	12.15	yes	stainless steel	4G
C.150.180.0200.N	15.0	1.80	20.0	1.2780	10.98	12.15	yes	Zn coating	4I
C.150.180.0250.A	15.0	1.80	25.0	0.9940	12.96	14.49	yes	music wire	4G
C.150.180.0250.AP	15.0	1.80	25.0	1.3383	10.80	13.99	yes	music wire	4I
C.150.180.0250.I	15.0	1.80	25.0	0.8648	12.78	14.28	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.180.0250.N	15.0	1.80	25.0	0.9940	12.96	14.49	yes	Zn coating	4I
C.150.180.0320.A	15.0	1.80	32.0	0.7610	15.48	17.46	yes	music wire	4G
C.150.180.0320.AP	15.0	1.80	32.0	0.9966	12.96	17.22	yes	music wire	4I
C.150.180.0320.I	15.0	1.80	32.0	0.6621	15.30	17.25	yes	stainless steel	4G
C.150.180.0320.N	15.0	1.80	32.0	0.7610	15.48	17.46	yes	Zn coating	4I
C.150.180.0400.A	15.0	1.80	40.0	0.5870	18.72	21.29	yes	music wire	4G
C.150.180.0400.AP	15.0	1.80	40.0	0.7939	15.12	21.44	yes	music wire	4I
C.150.180.0400.I	15.0	1.80	40.0	0.5107	18.54	21.08	yes	stainless steel	4G
C.150.180.0400.N	15.0	1.80	40.0	0.5870	18.72	21.29	yes	Zn coating	4I
C.150.180.0500.A	15.0	1.80	50.0	0.4650	22.50	25.75	yes	music wire	4G
C.150.180.0500.AP	15.0	1.80	50.0	0.6163	18.00	26.10	yes	music wire	4I
C.150.180.0500.I	15.0	1.80	50.0	0.4046	22.32	25.54	yes	stainless steel	4G
C.150.180.0500.N	15.0	1.80	50.0	0.4650	22.50	25.75	yes	Zn coating	4I
C.150.180.0630.A	15.0	1.80	63.0	0.3610	27.72	31.92	yes	music wire	4G
C.150.180.0630.AP	15.0	1.80	63.0	0.4829	21.78	32.49	yes	music wire	4I
C.150.180.0630.I	15.0	1.80	63.0	0.3141	27.36	31.49	yes	stainless steel	4G
C.150.180.0630.N	15.0	1.80	63.0	0.3610	27.72	31.92	yes	Zn coating	4I
C.150.180.0800.A	15.0	1.80	80.0	0.2820	34.20	39.57	yes	music wire	4G
C.150.180.0800.AP	15.0	1.80	80.0	0.3777	26.64	41.00	yes	music wire	4I
C.150.180.0800.I	15.0	1.80	80.0	0.2453	33.84	39.14	yes	stainless steel	4H
C.150.180.0800.N	15.0	1.80	80.0	0.2820	34.20	39.57	yes	Zn coating	4I
C.150.180.1000.A	15.0	1.80	100.0	0.2240	41.94	48.70	yes	music wire	4H
C.150.180.1000.AP	15.0	1.80	100.0	0.3003	32.40	50.93	yes	music wire	4I
C.150.180.1000.I	15.0	1.80	100.0	0.1949	41.40	48.07	yes	stainless steel	4H
C.150.180.1000.N	15.0	1.80	100.0	0.2240	41.94	48.70	yes	Zn coating	4I
C.150.180.1100.A	15.0	1.80	110.0	0.2104	44.28	51.47	yes	music wire	4H
C.150.180.1100.I	15.0	1.80	110.0	0.1807	44.28	51.47	yes	stainless steel	4I
C.150.180.1250.A	15.0	1.80	125.0	0.1780	51.48	59.97	yes	music wire	4H
C.150.180.1250.AP	15.0	1.80	125.0	0.2390	39.60	63.35	yes	music wire	4J
C.150.180.1250.I	15.0	1.80	125.0	0.1549	50.94	59.33	yes	stainless steel	4I
C.150.180.1250.N	15.0	1.80	125.0	0.1780	51.48	59.97	yes	Zn coating	4I
C.150.180.1300.A	15.0	1.80	130.0	0.1661	54.90	64.01	yes	music wire	4I
C.150.180.1300.AP	15.0	1.80	130.0	0.2285	41.22	65.52	yes	music wire	4J
C.150.180.1300.I	15.0	1.80	130.0	0.1427	54.90	64.01	yes	stainless steel	4I
C.150.180.1300.N	15.0	1.80	130.0	0.1661	54.90	64.01	yes	Zn coating	4I
C.150.180.3600.A	15.0	1.80	360.0	0.0600	145.80	171.00	no	music wire	4J
C.150.180.3600.I	15.0	1.80	360.0	0.0522	144.00	168.88	no	stainless steel	4J
C.150.190.0160.A	15.0	1.90	16.0	2.1873	9.88	10.76	yes	music wire	4F
C.150.190.0160.I	15.0	1.90	16.0	1.8786	9.88	10.76	yes	stainless steel	4G
C.150.190.0360.A	15.0	1.90	36.0	0.8437	18.05	20.33	yes	music wire	4G
C.150.190.0360.I	15.0	1.90	36.0	0.7246	18.05	20.33	yes	stainless steel	4G
C.150.190.0620.A	15.0	1.90	62.0	0.4725	28.50	32.57	yes	music wire	4G
C.150.190.0620.I	15.0	1.90	62.0	0.4058	28.50	32.57	yes	stainless steel	4G
C.150.190.0840.A	15.0	1.90	84.0	0.3434	37.43	43.03	yes	music wire	4G
C.150.190.0840.I	15.0	1.90	84.0	0.2949	37.43	43.03	yes	stainless steel	4H
C.150.190.1050.A	15.0	1.90	105.0	0.2722	45.98	53.04	yes	music wire	4H
C.150.190.1050.I	15.0	1.90	105.0	0.2337	45.98	53.04	yes	stainless steel	4H
C.150.200.0160.A	15.0	2.00	16.0	2.5950	10.80	11.75	yes	music wire	4G
C.150.200.0160.AP	15.0	2.00	16.0	3.4034	9.40	10.22	yes	music wire	4I
C.150.200.0160.I	15.0	2.00	16.0	2.2577	10.60	11.51	yes	stainless steel	4G
C.150.200.0160.N	15.0	2.00	16.0	2.5950	10.80	11.75	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.200.0180.A	15.0	2.00	18.0	1.3240	16.20	16.20	yes	music wire	4G
C.150.200.0180.AP	15.0	2.00	18.0	2.9950	10.00	11.43	yes	music wire	4I
C.150.200.0180.I	15.0	2.00	18.0	1.1519	16.00	17.80	yes	stainless steel	4G
C.150.200.0180.N	15.0	2.00	18.0	1.3240	16.20	16.20	yes	Zn coating	4I
C.150.200.0200.A	15.0	2.00	20.0	1.9690	12.60	13.84	yes	music wire	4G
C.150.200.0200.AP	15.0	2.00	20.0	2.5819	10.80	12.38	yes	music wire	4I
C.150.200.0200.I	15.0	2.00	20.0	1.7130	12.40	13.61	yes	stainless steel	4G
C.150.200.0200.N	15.0	2.00	20.0	1.9690	12.60	13.84	yes	Zn coating	4I
C.150.200.0250.A	15.0	2.00	25.0	1.5000	14.80	16.40	yes	music wire	4G
C.150.200.0250.AP	15.0	2.00	25.0	1.9704	12.60	15.01	yes	music wire	4I
C.150.200.0250.I	15.0	2.00	25.0	1.3076	14.80	16.40	yes	stainless steel	4G
C.150.200.0250.N	15.0	2.00	25.0	1.5000	14.80	16.40	yes	Zn coating	4I
C.150.200.0280.A	15.0	2.00	28.0	1.6180	14.20	15.83	yes	music wire	4I
C.150.200.0280.I	15.0	2.00	28.0	1.4077	14.00	15.72	yes	stainless steel	4I
C.150.200.0280.N	15.0	2.00	28.0	1.6180	14.20	15.83	yes	Zn coating	4J
C.150.200.0320.A	15.0	2.00	32.0	1.1420	18.00	20.12	yes	music wire	4G
C.150.200.0320.AP	15.0	2.00	32.0	1.4975	15.00	18.85	yes	music wire	4I
C.150.200.0320.I	15.0	2.00	32.0	0.9935	17.80	19.89	yes	stainless steel	4G
C.150.200.0320.N	15.0	2.00	32.0	1.1420	18.00	20.12	yes	Zn coating	4I
C.150.200.0400.A	15.0	2.00	40.0	0.8780	22.00	24.78	yes	music wire	4G
C.150.200.0400.AP	15.0	2.00	40.0	1.1699	17.60	23.17	yes	music wire	4I
C.150.200.0400.I	15.0	2.00	40.0	0.8496	20.00	22.45	yes	stainless steel	4G
C.150.200.0400.N	15.0	2.00	40.0	0.8780	22.00	24.78	yes	Zn coating	4I
C.150.200.0500.A	15.0	2.00	50.0	0.6960	26.40	29.90	yes	music wire	4G
C.150.200.0500.AP	15.0	2.00	50.0	0.9131	21.20	28.44	yes	music wire	4I
C.150.200.0500.I	15.0	2.00	50.0	0.6055	26.00	29.43	yes	stainless steel	4G
C.150.200.0500.N	15.0	2.00	50.0	0.6960	26.40	29.90	yes	Zn coating	4I
C.150.200.0520.A	15.0	2.00	52.0	0.8728	22.00	29.45	yes	music wire	4I
C.150.200.0520.I	15.0	2.00	52.0	0.7500	22.00	28.95	yes	stainless steel	4I
C.150.200.0520.N	15.0	2.00	52.0	0.8728	22.00	29.45	yes	Zn coating	4J
C.150.200.0556.A	15.0	2.00	55.6	0.7066	26.00	29.43	yes	music wire	4I
C.150.200.0556.I	15.0	2.00	55.6	0.6069	26.00	29.43	yes	stainless steel	4I
C.150.200.0556.N	15.0	2.00	55.6	0.7066	26.00	29.43	yes	Zn coating	4J
C.150.200.0630.A	15.0	2.00	63.0	0.5390	32.60	37.11	yes	music wire	4G
C.150.200.0630.AP	15.0	2.00	63.0	0.7131	25.80	35.40	yes	music wire	4I
C.150.200.0630.I	15.0	2.00	63.0	0.4689	32.20	36.64	yes	stainless steel	4H
C.150.200.0630.N	15.0	2.00	63.0	0.5390	32.60	37.11	yes	Zn coating	4I
C.150.200.0650.A	15.0	2.00	65.0	0.4700	36.60	41.76	yes	music wire	4G
C.150.200.0650.AP	15.0	2.00	65.0	0.6933	26.40	36.61	yes	music wire	4I
C.150.200.0650.I	15.0	2.00	65.0	0.4089	36.20	41.30	yes	stainless steel	4H
C.150.200.0650.N	15.0	2.00	65.0	0.4700	36.60	41.76	yes	Zn coating	4I
C.150.200.0662.A	15.0	2.00	66.2	0.5935	30.00	34.08	yes	music wire	4I
C.150.200.0662.I	15.0	2.00	66.2	0.5098	30.00	34.08	yes	stainless steel	4I
C.150.200.0662.N	15.0	2.00	66.2	0.5935	30.00	34.08	yes	Zn coating	4J
C.150.200.0750.A	15.0	2.00	75.0	0.5935	30.00	41.83	yes	music wire	4I
C.150.200.0750.I	15.0	2.00	75.0	0.5098	30.00	41.09	yes	stainless steel	4J
C.150.200.0750.N	15.0	2.00	75.0	0.5935	30.00	41.83	yes	Zn coating	4J
C.150.200.0800.A	15.0	2.00	80.0	0.4200	40.40	46.18	yes	music wire	4G
C.150.200.0800.AP	15.0	2.00	80.0	0.5546	31.80	44.51	yes	music wire	4I
C.150.200.0800.I	15.0	2.00	80.0	0.3654	39.80	45.49	yes	stainless steel	4H
C.150.200.0800.N	15.0	2.00	80.0	0.4200	40.40	46.18	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.200.0874.A	15.0	2.00	87.4	0.4496	38.00	43.62	yes	music wire	4I
C.150.200.0874.I	15.0	2.00	87.4	0.3862	38.00	43.39	yes	stainless steel	4J
C.150.200.0874.N	15.0	2.00	87.4	0.4496	38.00	43.62	yes	Zn coating	4J
C.150.200.0920.A	15.0	2.00	92.0	0.4787	36.00	50.88	yes	music wire	4J
C.150.200.0920.I	15.0	2.00	92.0	0.4112	36.00	49.96	yes	stainless steel	4J
C.150.200.0920.N	15.0	2.00	92.0	0.4787	36.00	50.88	yes	Zn coating	4K
C.150.200.0950.A	15.0	2.00	95.0	0.3240	50.80	58.28	yes	music wire	4H
C.150.200.0950.AP	15.0	2.00	95.0	0.4651	37.00	52.67	yes	music wire	4J
C.150.200.0950.I	15.0	2.00	95.0	0.2819	50.20	57.58	yes	stainless steel	4H
C.150.200.0950.N	15.0	2.00	95.0	0.3240	50.80	58.28	yes	Zn coating	4I
C.150.200.0980.A	15.0	2.00	98.0	0.4000	42.00	48.79	yes	music wire	4J
C.150.200.0980.I	15.0	2.00	98.0	0.3444	42.00	48.04	yes	stainless steel	4J
C.150.200.0980.N	15.0	2.00	98.0	0.4000	42.00	48.79	yes	Zn coating	4K
C.150.200.1000.A	15.0	2.00	100.0	0.3320	49.60	56.89	yes	music wire	4H
C.150.200.1000.AP	15.0	2.00	100.0	0.4404	38.60	55.31	yes	music wire	4J
C.150.200.1000.I	15.0	2.00	100.0	0.2888	49.20	56.42	yes	stainless steel	4I
C.150.200.1000.N	15.0	2.00	100.0	0.3320	49.60	56.89	yes	Zn coating	4I
C.150.200.1200.A	15.0	2.00	120.0	0.3297	50.00	60.29	yes	music wire	4J
C.150.200.1200.I	15.0	2.00	120.0	0.2832	50.00	58.96	yes	stainless steel	4J
C.150.200.1200.N	15.0	2.00	120.0	0.3297	50.00	60.29	yes	Zn coating	4L
C.150.200.1250.A	15.0	2.00	125.0	0.2640	61.20	70.38	yes	music wire	4I
C.150.200.1250.AP	15.0	2.00	125.0	0.3499	47.40	68.74	yes	music wire	4J
C.150.200.1250.I	15.0	2.00	125.0	0.2297	60.40	69.45	yes	stainless steel	4I
C.150.200.1250.N	15.0	2.00	125.0	0.2640	61.20	70.38	yes	Zn coating	4I
C.150.200.1450.A	15.0	2.00	145.0	0.1660	94.40	109.01	yes	music wire	4I
C.150.200.1450.AP	15.0	2.00	145.0	0.3007	54.40	79.54	yes	music wire	4J
C.150.200.1450.I	15.0	2.00	145.0	0.1444	93.20	107.61	yes	stainless steel	4I
C.150.200.1450.N	15.0	2.00	145.0	0.1660	94.40	109.01	yes	Zn coating	4I
C.150.200.1600.A	15.0	2.00	160.0	0.2650	61.00	85.72	yes	music wire	4J
C.150.200.1600.AF	15.0	2.00	160.0	0.1690	92.80	107.14	yes	music wire	4I
C.150.200.1600.AP	15.0	2.00	160.0	0.2723	59.40	87.70	yes	music wire	4J
C.150.200.1600.I	15.0	2.00	160.0	0.2306	60.20	85.02	yes	stainless steel	4J
C.150.200.1600.N	15.0	2.00	160.0	0.2650	61.00	85.72	yes	Zn coating	4L
C.150.200.1600.NF	15.0	2.00	160.0	0.1690	92.80	107.14	yes	Zn coating	4J
C.150.200.3050.A	15.0	2.00	305.0	0.1083	142.00	164.38	yes	music wire	4I
C.150.200.3050.AP	15.0	2.00	305.0	0.1410	110.20	165.40	yes	music wire	4L
C.150.200.3050.I	15.0	2.00	305.0	0.0930	142.00	164.38	yes	stainless steel	4J
C.150.200.3050.N	15.0	2.00	305.0	0.1083	142.00	164.38	yes	Zn coating	4J
C.150.200.3600.A	15.0	2.00	360.0	0.0890	173.80	201.05	no	music wire	4J
C.150.200.3600.I	15.0	2.00	360.0	0.0774	171.60	198.49	no	stainless steel	4J
C.150.210.1350.A	15.0	2.10	135.0	0.3118	67.41	77.14	yes	music wire	4I
C.150.210.1350.I	15.0	2.10	135.0	0.2678	67.41	77.14	yes	stainless steel	4I
C.150.220.0160.A	15.0	2.20	16.0	3.9810	11.88	12.84	yes	music wire	4G
C.150.220.0160.AP	15.0	2.20	16.0	5.0023	10.56	11.32	yes	music wire	4I
C.150.220.0160.I	15.0	2.20	16.0	3.4635	11.66	12.59	yes	stainless steel	4G
C.150.220.0160.N	15.0	2.20	16.0	3.9810	11.88	12.84	yes	Zn coating	4I
C.150.220.0180.A	15.0	2.20	18.0	3.5561	12.54	13.60	yes	music wire	4G
C.150.220.0180.I	15.0	2.20	18.0	3.0544	12.54	13.60	yes	stainless steel	4G
C.150.220.0200.A	15.0	2.20	20.0	3.0200	13.86	15.12	yes	music wire	4G
C.150.220.0200.AL	15.0	2.20	20.0	3.2000	13.42	14.61	yes	music wire	4E
C.150.220.0200.AP	15.0	2.20	20.0	3.8351	12.10	13.34	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.220.0200.I	15.0	2.20	20.0	2.6274	13.64	14.87	yes	stainless steel	4G
C.150.220.0208.A	15.0	2.20	20.8	3.2513	13.20	14.36	yes	music wire	4G
C.150.220.0208.I	15.0	2.20	20.8	2.7925	13.20	14.36	yes	stainless steel	4G
C.150.220.0208.N	15.0	2.20	20.8	3.2513	13.20	14.36	yes	Zn coating	4I
C.150.220.0250.A	15.0	2.20	25.0	2.3000	16.28	17.91	yes	music wire	4G
C.150.220.0250.AL	15.0	2.20	25.0	2.5397	15.40	16.89	yes	music wire	4E
C.150.220.0250.AP	15.0	2.20	25.0	2.8763	14.30	16.12	yes	music wire	4I
C.150.220.0250.I	15.0	2.20	25.0	2.0000	16.28	17.91	yes	stainless steel	4G
C.150.220.0250.N	15.0	2.20	25.0	2.3000	16.28	17.91	yes	Zn coating	4I
C.150.220.0302.A	15.0	2.20	30.2	2.0690	17.60	19.42	yes	music wire	4I
C.150.220.0302.I	15.0	2.20	30.2	1.7771	17.60	19.42	yes	stainless steel	4G
C.150.220.0302.N	15.0	2.20	30.2	2.0690	17.60	19.42	yes	Zn coating	4J
C.150.220.0320.A	15.0	2.20	32.0	1.7170	20.02	22.21	yes	music wire	4G
C.150.220.0320.AL	15.0	2.20	32.0	2.0000	18.04	19.93	yes	music wire	4E
C.150.220.0320.AP	15.0	2.20	32.0	2.1708	16.94	20.23	yes	music wire	4I
C.150.220.0320.I	15.0	2.20	32.0	1.4938	19.80	21.96	yes	stainless steel	4G
C.150.220.0320.N	15.0	2.20	32.0	1.7170	20.02	22.21	yes	Zn coating	4I
C.150.220.0400.A	15.0	2.20	40.0	1.3470	23.98	26.77	yes	music wire	4G
C.150.220.0400.AF	15.0	2.20	40.0	1.6000	21.12	24.04	yes	music wire	4I
C.150.220.0400.AL	15.0	2.20	40.0	1.6000	21.12	24.04	yes	music wire	4E
C.150.220.0400.AP	15.0	2.20	40.0	1.6920	20.24	24.90	yes	music wire	4I
C.150.220.0400.I	15.0	2.20	40.0	1.1719	23.76	26.51	yes	stainless steel	4G
C.150.220.0400.N	15.0	2.20	40.0	1.6000	21.12	24.04	yes	Zn coating	4J
C.150.220.0400.NF	15.0	2.20	40.0	1.3470	23.98	26.77	yes	Zn coating	4I
C.150.220.0420.A	15.0	2.20	42.0	1.3388	24.20	27.02	yes	music wire	4G
C.150.220.0420.I	15.0	2.20	42.0	1.1499	24.20	27.02	yes	stainless steel	4G
C.150.220.0420.N	15.0	2.20	42.0	1.3388	24.20	27.02	yes	Zn coating	4I
C.150.220.0489.A	15.0	2.20	48.9	1.2000	26.40	29.55	yes	music wire	4I
C.150.220.0489.I	15.0	2.20	48.9	1.0289	26.40	29.55	yes	stainless steel	4I
C.150.220.0489.N	15.0	2.20	48.9	1.2000	26.40	29.55	yes	Zn coating	4J
C.150.220.0500.A	15.0	2.20	50.0	1.0430	29.48	33.10	yes	music wire	4G
C.150.220.0500.AF	15.0	2.20	50.0	1.2500	25.52	29.57	yes	music wire	4I
C.150.220.0500.AP	15.0	2.20	50.0	1.3224	24.42	30.69	yes	music wire	4I
C.150.220.0500.I	15.0	2.20	50.0	1.0875	25.30	29.31	yes	stainless steel	4I
C.150.220.0500.N	15.0	2.20	50.0	1.2500	25.52	29.57	yes	Zn coating	4J
C.150.220.0500.NF	15.0	2.20	50.0	1.0430	29.48	33.10	yes	Zn coating	4I
C.150.220.0530.A	15.0	2.20	53.0	1.0838	28.60	32.08	yes	music wire	4I
C.150.220.0530.I	15.0	2.20	53.0	0.9309	28.60	32.08	yes	stainless steel	4I
C.150.220.0530.N	15.0	2.20	53.0	1.0838	28.60	32.08	yes	Zn coating	4J
C.150.220.0630.A	15.0	2.20	63.0	0.8180	36.08	40.69	yes	music wire	4G
C.150.220.0630.AF	15.0	2.20	63.0	1.0000	30.58	37.46	yes	music wire	4I
C.150.220.0630.AP	15.0	2.20	63.0	1.0365	29.70	38.36	yes	music wire	4I
C.150.220.0630.I	15.0	2.20	63.0	0.8700	30.14	37.14	yes	stainless steel	4J
C.150.220.0630.N	15.0	2.20	63.0	1.0000	30.58	37.46	yes	Zn coating	4J
C.150.220.0630.NF	15.0	2.20	63.0	0.8180	36.08	40.69	yes	Zn coating	4I
C.150.220.0680.A	15.0	2.20	68.0	0.8429	35.20	39.68	yes	music wire	4I
C.150.220.0680.I	15.0	2.20	68.0	0.7240	35.20	39.68	yes	stainless steel	4J
C.150.220.0680.N	15.0	2.20	68.0	0.8429	35.20	39.68	yes	Zn coating	4J
C.150.220.0762.A	15.0	2.20	76.2	0.6322	45.10	51.07	yes	music wire	4H
C.150.220.0762.I	15.0	2.20	76.2	0.5430	45.10	51.07	yes	stainless steel	4H
C.150.220.0770.A	15.0	2.20	77.0	0.7342	39.60	44.74	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.220.0770.AF	15.0	2.20	77.0	0.6151	46.20	52.34	yes	music wire	4H
C.150.220.0770.AP	15.0	2.20	77.0	0.8337	35.42	46.36	yes	music wire	4I
C.150.220.0770.I	15.0	2.20	77.0	0.6306	39.60	44.74	yes	stainless steel	4J
C.150.220.0770.IF	15.0	2.20	77.0	0.5283	46.20	52.34	yes	stainless steel	4H
C.150.220.0770.N	15.0	2.20	77.0	0.7342	39.60	44.74	yes	Zn coating	4J
C.150.220.0770.NF	15.0	2.20	77.0	0.6151	46.20	52.34	yes	Zn coating	4I
C.150.220.0800.A	15.0	2.20	80.0	0.6350	44.88	50.82	yes	music wire	4H
C.150.220.0800.AF	15.0	2.20	80.0	0.8000	36.74	48.07	yes	music wire	4I
C.150.220.0800.AP	15.0	2.20	80.0	0.8046	36.52	48.25	yes	music wire	4I
C.150.220.0800.I	15.0	2.20	80.0	0.5525	44.44	50.31	yes	stainless steel	4H
C.150.220.0800.N	15.0	2.20	80.0	0.8000	36.74	48.07	yes	Zn coating	4J
C.150.220.0800.NF	15.0	2.20	80.0	0.6350	44.88	50.82	yes	Zn coating	4I
C.150.220.1000.A	15.0	2.20	100.0	0.5000	55.66	63.22	yes	music wire	4H
C.150.220.1000.AF	15.0	2.20	100.0	0.6250	45.54	59.13	yes	music wire	4J
C.150.220.1000.AP	15.0	2.20	100.0	0.6357	44.88	59.82	yes	music wire	4J
C.150.220.1000.I	15.0	2.20	100.0	0.5438	45.10	58.62	yes	stainless steel	4J
C.150.220.1000.N	15.0	2.20	100.0	0.6250	45.54	59.13	yes	Zn coating	4K
C.150.220.1000.NF	15.0	2.20	100.0	0.5000	55.66	63.22	yes	Zn coating	4I
C.150.220.1143.A	15.0	2.20	114.3	0.4138	66.00	75.12	yes	music wire	4I
C.150.220.1143.I	15.0	2.20	114.3	0.3554	66.00	75.12	yes	stainless steel	4I
C.150.220.1250.A	15.0	2.20	125.0	0.3980	68.42	77.91	yes	music wire	4I
C.150.220.1250.AF	15.0	2.20	125.0	0.5000	55.66	73.92	yes	music wire	4J
C.150.220.1250.AP	15.0	2.20	125.0	0.5046	55.22	74.39	yes	music wire	4J
C.150.220.1250.I	15.0	2.20	125.0	0.3463	67.54	76.89	yes	stainless steel	4I
C.150.220.1250.N	15.0	2.20	125.0	0.5000	55.66	73.92	yes	Zn coating	4L
C.150.220.1250.NF	15.0	2.20	125.0	0.3980	68.42	77.91	yes	Zn coating	4I
C.150.220.1400.A	15.0	2.20	140.0	0.3647	74.14	84.49	yes	music wire	4I
C.150.220.1400.I	15.0	2.20	140.0	0.3133	74.14	84.49	yes	stainless steel	4I
C.150.220.1600.A	15.0	2.20	160.0	0.4000	67.98	96.15	yes	music wire	4L
C.150.220.1600.I	15.0	2.20	160.0	0.3480	67.32	95.34	yes	stainless steel	4L
C.150.220.1600.N	15.0	2.20	160.0	0.4000	67.98	96.15	yes	Zn coating	4N
C.150.220.2000.A	15.0	2.20	200.0	0.3175	84.26	119.56	yes	music wire	4M
C.150.220.2000.I	15.0	2.20	200.0	0.2762	83.38	118.54	yes	stainless steel	4M
C.150.220.2000.N	15.0	2.20	200.0	0.3175	84.26	119.56	yes	Zn coating	4N
C.150.220.2500.A	15.0	2.20	250.0	0.2500	105.60	147.84	yes	music wire	4M
C.150.220.2500.I	15.0	2.20	250.0	0.2175	104.28	146.55	yes	stainless steel	4M
C.150.220.2500.N	15.0	2.20	250.0	0.2500	105.60	147.84	yes	Zn coating	4O
C.150.220.2900.A	15.0	2.20	290.0	0.1596	162.36	186.01	yes	music wire	4I
C.150.220.2900.I	15.0	2.20	290.0	0.1371	162.36	186.01	yes	stainless steel	4J
C.150.220.3600.A	15.0	2.20	360.0	0.1340	194.48	222.64	no	music wire	4J
C.150.220.3600.I	15.0	2.20	360.0	0.1166	192.06	219.86	no	stainless steel	4J
C.150.225.0240.A	15.0	2.25	24.0	2.7385	15.98	17.51	yes	music wire	4G
C.150.225.0240.I	15.0	2.25	24.0	2.3521	15.98	17.51	yes	stainless steel	4G
C.150.225.0540.A	15.0	2.25	54.0	1.0859	31.73	35.60	yes	music wire	4G
C.150.225.0540.I	15.0	2.25	54.0	0.9327	31.73	35.60	yes	stainless steel	4H
C.150.225.0700.A	15.0	2.25	70.0	0.9160	36.68	41.28	yes	music wire	4I
C.150.225.0700.I	15.0	2.25	70.0	0.7969	36.23	40.76	yes	stainless steel	4J
C.150.225.0700.N	15.0	2.25	70.0	0.9160	36.68	41.28	yes	Zn coating	4J
C.150.225.1700.A	15.0	2.25	170.0	0.3640	83.48	95.41	yes	music wire	4J
C.150.225.1700.I	15.0	2.25	170.0	0.3167	82.58	94.41	yes	stainless steel	4J
C.150.225.1700.N	15.0	2.25	170.0	0.3640	83.48	95.41	yes	Zn coating	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.225.1900.A	15.0	2.25	190.0	0.3210	93.83	106.90	yes	music wire	4J
C.150.225.1900.I	15.0	2.25	190.0	0.2793	92.70	105.60	yes	stainless steel	4J
C.150.225.1900.N	15.0	2.25	190.0	0.3210	93.83	106.90	yes	Zn coating	4L
C.150.225.2200.A	15.0	2.25	220.0	0.2840	105.53	124.40	yes	music wire	4J
C.150.225.2200.I	15.0	2.25	220.0	0.2471	104.18	123.12	yes	stainless steel	4K
C.150.225.2200.N	15.0	2.25	220.0	0.2840	105.53	124.40	yes	Zn coating	4M
C.150.225.3200.A	15.0	2.25	320.0	0.1593	183.60	209.97	yes	music wire	4J
C.150.225.3200.I	15.0	2.25	320.0	0.1368	183.60	209.97	yes	stainless steel	4J
C.150.225.3600.A	15.0	2.25	360.0	0.1730	171.68	203.06	no	music wire	4L
C.150.225.3600.I	15.0	2.25	360.0	0.1505	169.65	200.96	no	stainless steel	4M
C.150.225.3600.N	15.0	2.25	360.0	0.1730	171.68	203.06	no	Zn coating	4N
C.150.225.4000.A	15.0	2.25	400.0	0.1270	228.83	261.90	yes	music wire	4J
C.150.225.4000.I	15.0	2.25	400.0	0.1091	228.83	261.90	yes	stainless steel	4J
C.150.230.0240.A	15.0	2.30	24.0	3.0256	16.33	17.87	yes	music wire	4G
C.150.230.0240.I	15.0	2.30	24.0	2.5987	16.33	17.87	yes	stainless steel	4G
C.150.230.1780.A	15.0	2.30	178.0	0.3185	106.26	120.91	yes	music wire	4I
C.150.230.1780.I	15.0	2.30	178.0	0.2735	106.26	120.91	yes	stainless steel	4I
C.150.230.4060.A	15.0	2.30	406.0	0.1377	238.28	272.17	yes	music wire	4J
C.150.230.4060.I	15.0	2.30	406.0	0.1182	238.28	272.17	yes	stainless steel	4J
C.150.240.0224.A	15.0	2.40	22.4	3.7548	16.80	18.33	yes	music wire	4G
C.150.240.0224.I	15.0	2.40	22.4	3.2250	16.80	18.33	yes	stainless steel	4G
C.150.240.0254.A	15.0	2.40	25.4	3.1881	18.72	20.52	yes	music wire	4G
C.150.240.0254.I	15.0	2.40	25.4	2.7382	18.72	20.52	yes	stainless steel	4G
C.150.240.0305.A	15.0	2.40	30.5	2.5601	21.84	24.08	yes	music wire	4G
C.150.240.0305.I	15.0	2.40	30.5	2.1989	21.84	24.08	yes	stainless steel	4G
C.150.240.0318.A	15.0	2.40	31.8	2.4488	22.56	24.90	yes	music wire	4G
C.150.240.0318.I	15.0	2.40	31.8	2.1033	22.56	24.90	yes	stainless steel	4G
C.150.240.0381.A	15.0	2.40	38.1	1.9878	26.40	29.28	yes	music wire	4G
C.150.240.0381.I	15.0	2.40	38.1	1.7074	26.40	29.28	yes	stainless steel	4G
C.150.240.0508.A	15.0	2.40	50.8	1.4442	34.08	38.05	yes	music wire	4G
C.150.240.0508.I	15.0	2.40	50.8	1.2404	34.08	38.05	yes	stainless steel	4H
C.150.240.0635.A	15.0	2.40	63.5	1.1340	41.76	46.81	yes	music wire	4G
C.150.240.0635.I	15.0	2.40	63.5	0.9740	41.76	46.81	yes	stainless steel	4H
C.150.240.0762.A	15.0	2.40	76.2	0.9335	49.44	55.58	yes	music wire	4H
C.150.240.0762.I	15.0	2.40	76.2	0.8018	49.44	55.58	yes	stainless steel	4H
C.150.240.0889.A	15.0	2.40	88.9	0.7896	57.36	64.62	yes	music wire	4H
C.150.240.0889.I	15.0	2.40	88.9	0.6782	57.36	64.62	yes	stainless steel	4I
C.150.240.1016.A	15.0	2.40	101.6	0.6869	65.04	73.38	yes	music wire	4H
C.150.240.1016.I	15.0	2.40	101.6	0.5899	65.04	73.38	yes	stainless steel	4I
C.150.240.1143.A	15.0	2.40	114.3	0.6078	72.72	82.15	yes	music wire	4I
C.150.240.1143.I	15.0	2.40	114.3	0.5220	72.72	82.15	yes	stainless steel	4I
C.150.250.0160.A	15.0	2.50	16.0	7.4670	13.00	13.93	yes	music wire	4G
C.150.250.0160.AP	15.0	2.50	16.0	8.9810	12.00	12.79	yes	music wire	4I
C.150.250.0160.I	15.0	2.50	16.0	6.4963	13.00	13.93	yes	stainless steel	4G
C.150.250.0160.N	15.0	2.50	16.0	7.4670	13.00	13.93	yes	Zn coating	4I
C.150.250.0190.A	15.0	2.50	19.0	5.8214	15.00	16.20	yes	music wire	4G
C.150.250.0190.AP	15.0	2.50	19.0	7.1228	13.50	14.50	yes	music wire	4I
C.150.250.0190.I	15.0	2.50	19.0	5.0000	15.00	16.20	yes	stainless steel	4G
C.150.250.0190.N	15.0	2.50	19.0	5.8214	15.00	16.20	yes	Zn coating	4I
C.150.250.0200.A	15.0	2.50	20.0	5.6000	15.25	16.49	yes	music wire	4G
C.150.250.0200.I	15.0	2.50	20.0	4.8720	15.25	16.49	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.250.0200.N	15.0	2.50	20.0	5.6000	15.25	16.49	yes	Zn coating	4I
C.150.250.0220.A	15.0	2.50	22.0	5.8214	15.00	16.20	yes	music wire	4I
C.150.250.0220.I	15.0	2.50	22.0	5.0000	15.00	16.20	yes	stainless steel	4I
C.150.250.0220.N	15.0	2.50	22.0	5.8214	15.00	16.20	yes	Zn coating	4J
C.150.250.0250.A	15.0	2.50	25.0	4.2380	18.25	19.90	yes	music wire	4G
C.150.250.0250.I	15.0	2.50	25.0	3.6871	18.00	19.62	yes	stainless steel	4G
C.150.250.0250.N	15.0	2.50	25.0	4.2380	18.25	19.90	yes	Zn coating	4I
C.150.250.0270.A	15.0	2.50	27.0	3.7045	20.00	21.89	yes	music wire	4G
C.150.250.0270.AP	15.0	2.50	27.0	4.5903	17.25	19.13	yes	music wire	4I
C.150.250.0270.I	15.0	2.50	27.0	3.1818	20.00	21.89	yes	stainless steel	4G
C.150.250.0270.N	15.0	2.50	27.0	3.7045	20.00	21.89	yes	Zn coating	4I
C.150.250.0320.A	15.0	2.50	32.0	3.1360	22.50	24.73	yes	music wire	4G
C.150.250.0320.I	15.0	2.50	32.0	3.1818	20.00	21.96	yes	stainless steel	4I
C.150.250.0320.N	15.0	2.50	32.0	3.7045	20.00	22.25	yes	Zn coating	4J
C.150.250.0330.A	15.0	2.50	33.0	3.0770	22.75	25.02	yes	music wire	4G
C.150.250.0330.I	15.0	2.50	33.0	2.6770	22.50	24.73	yes	stainless steel	4G
C.150.250.0330.N	15.0	2.50	33.0	3.0770	22.75	25.02	yes	Zn coating	4I
C.150.250.0400.A	15.0	2.50	40.0	2.4120	27.25	30.14	yes	music wire	4G
C.150.250.0400.AP	15.0	2.50	40.0	2.8689	24.00	27.41	yes	music wire	4I
C.150.250.0400.I	15.0	2.50	40.0	2.0589	27.50	30.42	yes	stainless steel	4H
C.150.250.0400.N	15.0	2.50	40.0	2.4120	27.25	30.14	yes	Zn coating	4I
C.150.250.0440.A	15.0	2.50	44.0	2.5000	26.75	29.57	yes	music wire	4I
C.150.250.0440.I	15.0	2.50	44.0	2.1750	26.25	29.31	yes	stainless steel	4I
C.150.250.0440.N	15.0	2.50	44.0	2.5000	26.75	29.57	yes	Zn coating	4J
C.150.250.0475.A	15.0	2.50	47.5	2.4000	27.50	32.46	yes	music wire	4I
C.150.250.0475.I	15.0	2.50	47.5	2.0589	27.50	31.98	yes	stainless steel	4J
C.150.250.0475.N	15.0	2.50	47.5	2.4000	27.50	32.46	yes	Zn coating	4J
C.150.250.0500.A	15.0	2.50	50.0	1.8890	33.25	36.96	yes	music wire	4G
C.150.250.0500.I	15.0	2.50	50.0	1.6434	32.75	36.39	yes	stainless steel	4H
C.150.250.0500.N	15.0	2.50	50.0	1.8890	33.25	36.96	yes	Zn coating	4I
C.150.250.0550.A	15.0	2.50	55.0	1.5093	40.00	44.64	yes	music wire	4G
C.150.250.0550.AP	15.0	2.50	55.0	2.0251	31.50	37.17	yes	music wire	4I
C.150.250.0550.I	15.0	2.50	55.0	1.3000	40.00	44.64	yes	stainless steel	4H
C.150.250.0550.N	15.0	2.50	55.0	1.5093	40.00	44.64	yes	Zn coating	4I
C.150.250.0559.A	15.0	2.50	55.9	1.5673	38.75	43.22	yes	music wire	4H
C.150.250.0559.I	15.0	2.50	55.9	1.3462	38.75	43.22	yes	stainless steel	4H
C.150.250.0600.A	15.0	2.50	60.0	2.1000	30.50	42.81	yes	music wire	4K
C.150.250.0600.I	15.0	2.50	60.0	1.8314	30.25	42.55	yes	stainless steel	4L
C.150.250.0600.N	15.0	2.50	60.0	2.1000	30.50	42.81	yes	Zn coating	4M
C.150.250.0630.A	15.0	2.50	63.0	1.4650	41.00	45.78	yes	music wire	4H
C.150.250.0630.I	15.0	2.50	63.0	1.2746	40.50	45.21	yes	stainless steel	4H
C.150.250.0630.N	15.0	2.50	63.0	1.4650	41.00	45.78	yes	Zn coating	4I
C.150.250.0675.A	15.0	2.50	67.5	1.6300	37.50	45.35	yes	music wire	4J
C.150.250.0675.AF	15.0	2.50	67.5	1.1000	52.50	58.86	yes	music wire	4H
C.150.250.0675.AP	15.0	2.50	67.5	1.6265	37.50	45.30	yes	music wire	4J
C.150.250.0675.I	15.0	2.50	67.5	1.4000	37.50	44.68	yes	stainless steel	4J
C.150.250.0675.IF	15.0	2.50	67.5	0.9460	52.50	58.86	yes	stainless steel	4H
C.150.250.0675.N	15.0	2.50	67.5	1.6300	37.50	45.35	yes	Zn coating	4K
C.150.250.0675.NF	15.0	2.50	67.5	1.1000	52.50	58.86	yes	Zn coating	4I
C.150.250.0760.A	15.0	2.50	76.0	1.0810	53.25	59.71	yes	music wire	4H
C.150.250.0760.AP	15.0	2.50	76.0	1.4246	42.00	50.65	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.250.0760.I	15.0	2.50	76.0	0.9405	52.75	59.14	yes	stainless steel	4I
C.150.250.0760.N	15.0	2.50	76.0	1.0810	53.25	59.71	yes	Zn coating	4I
C.150.250.0800.A	15.0	2.50	80.0	1.1280	51.50	57.72	yes	music wire	4H
C.150.250.0800.I	15.0	2.50	80.0	0.9814	50.75	56.87	yes	stainless steel	4I
C.150.250.0800.N	15.0	2.50	80.0	1.1280	51.50	57.72	yes	Zn coating	4I
C.150.250.0980.A	15.0	2.50	98.0	1.1000	52.50	65.17	yes	music wire	4J
C.150.250.0980.AP	15.0	2.50	98.0	1.0929	52.75	64.96	yes	music wire	4J
C.150.250.0980.I	15.0	2.50	98.0	0.9460	52.50	64.23	yes	stainless steel	4J
C.150.250.0980.IF	15.0	2.50	98.0	0.7778	62.50	70.23	yes	stainless steel	4I
C.150.250.0980.N	15.0	2.50	98.0	1.1000	52.50	65.17	yes	Zn coating	4L
C.150.250.1000.A	15.0	2.50	100.0	0.8910	63.50	71.37	yes	music wire	4I
C.150.250.1000.I	15.0	2.50	100.0	0.7752	62.75	70.52	yes	stainless steel	4I
C.150.250.1000.N	15.0	2.50	100.0	0.8910	63.50	71.37	yes	Zn coating	4I
C.150.250.1143.A	15.0	2.50	114.3	0.7303	76.00	85.59	yes	music wire	4I
C.150.250.1143.I	15.0	2.50	114.3	0.6272	76.00	85.59	yes	stainless steel	4I
C.150.250.1250.A	15.0	2.50	125.0	0.7060	78.50	88.43	yes	music wire	4I
C.150.250.1250.I	15.0	2.50	125.0	0.6142	77.50	87.30	yes	stainless steel	4I
C.150.250.1250.N	15.0	2.50	125.0	0.7060	78.50	88.43	yes	Zn coating	4J
C.150.250.1400.A	15.0	2.50	140.0	0.7140	77.50	89.43	yes	music wire	4J
C.150.250.1400.I	15.0	2.50	140.0	0.6212	76.75	88.57	yes	stainless steel	4J
C.150.250.1400.N	15.0	2.50	140.0	0.7140	77.50	89.43	yes	Zn coating	4L
C.150.250.1425.A	15.0	2.50	142.5	0.7140	77.50	91.93	yes	music wire	4J
C.150.250.1425.I	15.0	2.50	142.5	0.6212	76.75	91.07	yes	stainless steel	4J
C.150.250.1425.N	15.0	2.50	142.5	0.7140	77.50	91.93	yes	Zn coating	4L
C.150.250.2500.A	15.0	2.50	250.0	0.3265	162.25	183.70	yes	music wire	4I
C.150.250.2500.I	15.0	2.50	250.0	0.2804	162.25	183.70	yes	stainless steel	4I
C.150.250.3600.A	15.0	2.50	360.0	0.2380	222.75	252.18	no	music wire	4J
C.150.250.3600.I	15.0	2.50	360.0	0.2071	220.00	249.05	no	stainless steel	4J
C.150.250.4000.A	15.0	2.50	400.0	0.2027	257.50	292.05	yes	music wire	4J
C.150.250.4000.I	15.0	2.50	400.0	0.1741	257.50	292.05	yes	stainless steel	4J
C.150.260.0220.A	15.0	2.60	22.0	5.9554	17.16	18.59	yes	music wire	4G
C.150.260.0220.I	15.0	2.60	22.0	5.1151	17.16	18.59	yes	stainless steel	4G
C.150.260.0280.A	15.0	2.60	28.0	4.3602	21.06	23.01	yes	music wire	4G
C.150.260.0280.I	15.0	2.60	28.0	3.7450	21.06	23.01	yes	stainless steel	4G
C.150.270.0160.A	15.0	2.70	16.0	10.7757	14.04	15.00	yes	music wire	4G
C.150.270.0160.I	15.0	2.70	16.0	9.2552	14.04	15.00	yes	stainless steel	4G
C.150.270.0320.A	15.0	2.70	32.0	4.4760	24.30	26.60	yes	music wire	4G
C.150.270.0320.I	15.0	2.70	32.0	3.8445	24.30	26.60	yes	stainless steel	4G
C.150.270.0490.A	15.0	2.70	49.0	2.7447	35.37	39.12	yes	music wire	4G
C.150.270.0490.I	15.0	2.70	49.0	2.3574	35.37	39.12	yes	stainless steel	4H
C.150.280.0180.A	15.0	2.80	18.0	11.1239	15.68	16.80	yes	music wire	4I
C.150.280.0180.I	15.0	2.80	18.0	9.5543	15.68	16.80	yes	stainless steel	4I
C.150.280.0230.A	15.0	2.80	23.0	8.0196	19.04	20.59	yes	music wire	4I
C.150.280.0230.I	15.0	2.80	23.0	6.8880	19.04	20.59	yes	stainless steel	4I
C.150.280.0250.A	15.0	2.80	25.0	7.6632	19.60	21.22	yes	music wire	4I
C.150.280.0250.I	15.0	2.80	25.0	6.5819	19.60	21.22	yes	stainless steel	4I
C.150.280.0250.N	15.0	2.80	25.0	7.6632	19.60	21.22	yes	Zn coating	4J
C.150.280.0320.A	15.0	2.80	32.0	5.7474	23.80	25.96	yes	music wire	4I
C.150.280.0320.I	15.0	2.80	32.0	4.9364	23.80	25.96	yes	stainless steel	4I
C.150.280.0320.N	15.0	2.80	32.0	5.7474	23.80	25.96	yes	Zn coating	4J
C.150.280.0350.A	15.0	2.80	35.0	4.7895	27.16	29.75	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.280.0350.I	15.0	2.80	35.0	4.1137	27.16	29.75	yes	stainless steel	4I
C.150.280.0380.A	15.0	2.80	38.0	4.9263	26.60	29.12	yes	music wire	4J
C.150.280.0380.I	15.0	2.80	38.0	4.2312	26.60	29.12	yes	stainless steel	4J
C.150.280.0380.N	15.0	2.80	38.0	4.9263	26.60	29.12	yes	Zn coating	4L
C.150.280.0440.A	15.0	2.80	44.0	4.0570	30.80	33.86	yes	music wire	4J
C.150.280.0440.I	15.0	2.80	44.0	3.4845	30.80	33.86	yes	stainless steel	4J
C.150.280.0440.N	15.0	2.80	44.0	4.0570	30.80	33.86	yes	Zn coating	4L
C.150.280.0510.A	15.0	2.80	51.0	3.6299	33.60	37.53	yes	music wire	4J
C.150.280.0510.I	15.0	2.80	51.0	3.1177	33.60	37.07	yes	stainless steel	4J
C.150.280.0510.N	15.0	2.80	51.0	3.6299	33.60	37.53	yes	Zn coating	4L
C.150.280.0560.A	15.0	2.80	56.0	2.8266	41.16	45.55	yes	music wire	4I
C.150.280.0560.I	15.0	2.80	56.0	2.4277	41.16	45.55	yes	stainless steel	4I
C.150.280.0640.A	15.0	2.80	64.0	2.7587	42.00	46.50	yes	music wire	4J
C.150.280.0640.I	15.0	2.80	64.0	2.3694	42.00	46.50	yes	stainless steel	4J
C.150.280.0640.N	15.0	2.80	64.0	2.7587	42.00	46.50	yes	Zn coating	4L
C.150.280.0760.A	15.0	2.80	76.0	2.3000	49.00	54.74	yes	music wire	4J
C.150.280.0760.I	15.0	2.80	76.0	1.9745	49.00	54.40	yes	stainless steel	4J
C.150.280.0760.N	15.0	2.80	76.0	2.3000	49.00	54.74	yes	Zn coating	4M
C.150.280.0890.A	15.0	2.80	89.0	1.9705	56.00	64.19	yes	music wire	4J
C.150.280.0890.I	15.0	2.80	89.0	1.6925	56.00	63.33	yes	stainless steel	4K
C.150.280.0890.N	15.0	2.80	89.0	1.9705	56.00	64.19	yes	Zn coating	4M
C.150.280.1020.A	15.0	2.80	102.0	1.7242	63.00	73.64	yes	music wire	4K
C.150.280.1020.I	15.0	2.80	102.0	1.4809	63.00	72.67	yes	stainless steel	4K
C.150.280.1020.N	15.0	2.80	102.0	1.7242	63.00	73.64	yes	Zn coating	4M
C.150.280.1150.A	15.0	2.80	115.0	1.3062	80.92	90.42	yes	music wire	4I
C.150.280.1150.I	15.0	2.80	115.0	1.1219	80.92	90.42	yes	stainless steel	4I
C.150.280.1450.A	15.0	2.80	145.0	1.0263	101.08	113.17	yes	music wire	4I
C.150.280.1450.I	15.0	2.80	145.0	0.8815	101.08	113.17	yes	stainless steel	4I
C.150.280.3500.A	15.0	2.80	350.0	0.4420	225.40	253.46	yes	music wire	4M
C.150.280.3500.I	15.0	2.80	350.0	0.3845	222.60	250.30	yes	stainless steel	4M
C.150.280.3500.N	15.0	2.80	350.0	0.4420	225.40	253.46	yes	Zn coating	4O
C.150.290.0160.A	15.0	2.90	16.0	15.6434	14.79	15.74	yes	music wire	4I
C.150.290.0160.I	15.0	2.90	16.0	13.4360	14.79	15.74	yes	stainless steel	4I
C.150.290.0190.A	15.0	2.90	19.0	12.3251	16.82	18.03	yes	music wire	4I
C.150.290.0190.I	15.0	2.90	19.0	10.5860	16.82	18.03	yes	stainless steel	4I
C.150.290.0240.A	15.0	2.90	24.0	9.0384	20.30	21.95	yes	music wire	4I
C.150.290.0240.I	15.0	2.90	24.0	7.7630	20.30	21.95	yes	stainless steel	4I
C.150.290.0310.A	15.0	2.90	31.0	6.5601	25.23	27.50	yes	music wire	4I
C.150.290.0310.I	15.0	2.90	31.0	5.6345	25.23	27.50	yes	stainless steel	4I
C.150.290.0570.A	15.0	2.90	57.0	3.2801	43.21	47.74	yes	music wire	4I
C.150.290.0570.I	15.0	2.90	57.0	2.8172	43.21	47.74	yes	stainless steel	4I
C.150.290.0820.A	15.0	2.90	82.0	2.2105	60.61	67.34	yes	music wire	4I
C.150.290.0820.I	15.0	2.90	82.0	1.8986	60.61	67.34	yes	stainless steel	4I
C.150.290.1100.A	15.0	2.90	110.0	1.6204	80.04	89.22	yes	music wire	4I
C.150.290.1100.I	15.0	2.90	110.0	1.3918	80.04	89.22	yes	stainless steel	4I
C.150.300.0270.A	15.0	3.00	27.0	10.4170	21.30	23.01	yes	music wire	4J
C.150.300.0270.I	15.0	3.00	27.0	9.0628	21.00	22.67	yes	stainless steel	4J
C.150.300.0270.N	15.0	3.00	27.0	10.4170	21.30	23.01	yes	Zn coating	4L
C.150.300.0430.A	15.0	3.00	43.0	4.9340	36.60	40.21	yes	music wire	4I
C.150.300.0430.AP	15.0	3.00	43.0	6.0791	31.20	34.14	yes	music wire	4J
C.150.300.0430.I	15.0	3.00	43.0	4.2926	36.30	39.87	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.150.300.0430.N	15.0	3.00	43.0	4.9340	36.60	40.21	yes	Zn coating	4J
C.150.300.0630.A	15.0	3.00	63.0	4.2610	41.10	49.23	yes	music wire	4M
C.150.300.0630.I	15.0	3.00	63.0	3.7071	40.80	48.90	yes	stainless steel	4M
C.150.300.0630.N	15.0	3.00	63.0	4.2610	41.10	49.23	yes	Zn coating	4N
C.150.350.0400.A	15.0	3.50	40.0	15.1800	31.85	34.53	yes	music wire	4N
C.150.350.0400.I	15.0	3.50	40.0	13.2066	31.50	34.14	yes	stainless steel	4N
C.150.350.0400.N	15.0	3.50	40.0	15.1800	31.85	34.53	yes	Zn coating	4P
C.151.080.0200.A	15.1	0.80	20.0	0.0471	4.40	5.79	yes	music wire	4C
C.151.080.0200.I	15.1	0.80	20.0	0.0410	4.40	5.79	yes	stainless steel	4C
C.151.080.0250.A	15.1	0.80	25.0	0.0379	5.04	6.80	yes	music wire	4C
C.151.080.0250.I	15.1	0.80	25.0	0.0330	4.96	6.67	yes	stainless steel	4D
C.151.080.0260.A	15.1	0.80	26.0	0.0379	5.04	6.80	yes	music wire	4C
C.151.080.0260.I	15.1	0.80	26.0	0.0330	4.96	6.67	yes	stainless steel	4D
C.151.080.0320.A	15.1	0.80	32.0	0.0322	5.52	7.56	yes	music wire	4C
C.151.080.0320.I	15.1	0.80	32.0	0.0280	5.52	7.56	yes	stainless steel	4D
C.151.080.0400.A	15.1	0.80	40.0	0.0340	5.36	7.31	yes	music wire	4C
C.151.080.0400.I	15.1	0.80	40.0	0.0292	5.36	7.31	yes	stainless steel	4D
C.151.080.0500.A	15.1	0.80	50.0	0.0195	7.84	11.22	yes	music wire	4D
C.151.080.0500.I	15.1	0.80	50.0	0.0170	7.76	11.10	yes	stainless steel	4D
C.151.080.0570.A	15.1	0.80	57.0	0.0184	8.24	11.85	yes	music wire	4D
C.151.080.0570.I	15.1	0.80	57.0	0.0160	8.16	11.73	yes	stainless steel	4D
C.151.080.1000.A	15.1	0.80	100.0	0.0133	10.56	15.52	yes	music wire	4E
C.151.080.1000.I	15.1	0.80	100.0	0.0115	10.56	15.52	yes	stainless steel	4E
C.151.090.0143.A	15.1	0.90	14.3	0.0483	6.57	8.62	yes	music wire	4C
C.151.090.0143.I	15.1	0.90	14.3	0.0420	6.57	8.62	yes	stainless steel	4C
C.151.090.0600.A	15.1	0.90	60.0	0.0324	8.73	11.80	yes	music wire	4D
C.151.090.0600.I	15.1	0.90	60.0	0.0278	8.73	11.80	yes	stainless steel	4E
C.151.100.0191.A	15.1	1.00	19.1	0.1046	6.00	7.39	yes	music wire	4C
C.151.100.0191.I	15.1	1.00	19.1	0.0910	5.90	7.25	yes	stainless steel	4D
C.151.100.0460.A	15.1	1.00	46.0	0.0310	14.20	18.86	yes	music wire	4D
C.151.100.0460.I	15.1	1.00	46.0	0.0270	14.10	18.72	yes	stainless steel	4D
C.151.100.0530.A	15.1	1.00	53.0	0.0650	8.10	10.33	yes	music wire	4G
C.151.100.0530.I	15.1	1.00	53.0	0.0566	8.00	10.19	yes	stainless steel	4G
C.151.100.2000.A	15.1	1.00	200.0	0.0133	29.90	40.81	yes	music wire	4G
C.151.100.2000.I	15.1	1.00	200.0	0.0114	29.90	40.81	yes	stainless steel	4G
C.151.110.0143.A	15.1	1.10	14.3	0.2874	4.84	5.56	yes	music wire	4C
C.151.110.0143.I	15.1	1.10	14.3	0.2500	4.84	5.56	yes	stainless steel	4D
C.151.110.0600.A	15.1	1.10	60.0	0.0611	12.54	15.90	yes	music wire	4D
C.151.110.0600.I	15.1	1.10	60.0	0.0525	12.54	15.90	yes	stainless steel	4E
C.151.120.0119.A	15.1	1.20	11.9	0.2200	7.32	8.62	yes	music wire	4C
C.151.120.0119.AP	15.1	1.20	11.9	0.7164	4.32	5.29	yes	music wire	4F
C.151.120.0119.I	15.1	1.20	11.9	0.1914	7.20	8.47	yes	stainless steel	4D
C.151.120.0450.A	15.1	1.20	45.0	0.0494	22.08	27.83	yes	music wire	4D
C.151.120.0450.AP	15.1	1.20	45.0	0.1751	8.40	17.94	yes	music wire	4G
C.151.120.0450.I	15.1	1.20	45.0	0.0430	21.84	27.52	yes	stainless steel	4E
C.151.120.0800.A	15.1	1.20	80.0	0.0610	18.48	23.14	yes	music wire	4E
C.151.120.0800.I	15.1	1.20	80.0	0.0524	18.48	23.14	yes	stainless steel	4E
C.151.140.0198.A	15.1	1.40	19.8	0.3333	9.94	11.51	yes	music wire	4E
C.151.140.0198.AP	15.1	1.40	19.8	0.6944	6.58	9.30	yes	music wire	4H
C.151.140.0198.I	15.1	1.40	19.8	0.2900	9.80	11.33	yes	stainless steel	4E
C.151.140.0400.A	15.1	1.40	40.0	0.2069	13.86	16.38	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.151.140.0400.AP	15.1	1.40	40.0	0.3250	10.08	17.57	yes	music wire	4I
C.151.140.0400.I	15.1	1.40	40.0	0.1800	13.72	16.21	yes	stainless steel	4F
C.151.140.0410.A	15.1	1.40	41.0	0.1264	20.30	24.39	yes	music wire	4E
C.151.140.0410.AP	15.1	1.40	41.0	0.3183	10.22	18.09	yes	music wire	4I
C.151.140.0410.I	15.1	1.40	41.0	0.1100	20.16	24.22	yes	stainless steel	4F
C.151.140.0800.A	15.1	1.40	80.0	0.1028	24.22	29.27	yes	music wire	4F
C.151.140.0800.I	15.1	1.40	80.0	0.0883	24.22	29.27	yes	stainless steel	4G
C.151.150.0240.A	15.1	1.50	24.0	0.6207	8.70	9.81	yes	music wire	4I
C.151.150.0240.I	15.1	1.50	24.0	0.5400	8.70	9.81	yes	stainless steel	4I
C.151.150.0800.A	15.1	1.50	80.0	0.1314	27.15	32.38	yes	music wire	4G
C.151.150.0800.I	15.1	1.50	80.0	0.1129	27.15	32.38	yes	stainless steel	4G
C.151.160.0200.A	15.1	1.60	20.0	0.7538	9.76	10.95	yes	music wire	4E
C.151.160.0200.I	15.1	1.60	20.0	0.6474	9.76	10.95	yes	stainless steel	4F
C.151.160.0470.A	15.1	1.60	47.0	0.2360	22.40	26.20	yes	music wire	4F
C.151.160.0470.AP	15.1	1.60	47.0	0.4331	14.08	22.60	yes	music wire	4I
C.151.160.0470.I	15.1	1.60	47.0	0.2027	22.40	26.20	yes	stainless steel	4F
C.151.160.0470.N	15.1	1.60	47.0	0.2360	22.40	26.20	yes	Zn coating	4H
C.151.160.0520.A	15.1	1.60	52.0	0.2299	22.88	26.78	yes	music wire	4F
C.151.160.0520.AP	15.1	1.60	52.0	0.3898	15.20	24.88	yes	music wire	4I
C.151.160.0520.I	15.1	1.60	52.0	0.2000	22.72	26.59	yes	stainless steel	4G
C.151.170.0350.A	15.1	1.70	35.0	0.4598	17.34	19.87	yes	music wire	4F
C.151.170.0350.AP	15.1	1.70	35.0	0.7263	12.58	17.79	yes	music wire	4I
C.151.170.0350.I	15.1	1.70	35.0	0.4000	17.17	19.67	yes	stainless steel	4F
C.151.170.0370.A	15.1	1.70	37.0	0.4400	17.85	20.48	yes	music wire	4F
C.151.170.0370.AP	15.1	1.70	37.0	0.6844	13.09	18.73	yes	music wire	4I
C.151.170.0370.I	15.1	1.70	37.0	0.3828	17.68	20.27	yes	stainless steel	4F
C.151.170.0600.A	15.1	1.70	60.0	0.2829	25.50	29.61	yes	music wire	4F
C.151.170.0600.I	15.1	1.70	60.0	0.2430	25.50	29.61	yes	stainless steel	4G
C.151.180.0250.A	15.1	1.80	25.0	1.2644	10.98	13.42	yes	music wire	4I
C.151.180.0250.I	15.1	1.80	25.0	1.1000	10.80	13.35	yes	stainless steel	4I
C.151.180.0570.A	15.1	1.80	57.0	0.5287	19.98	29.31	yes	music wire	4I
C.151.180.0570.I	15.1	1.80	57.0	0.4600	19.80	29.14	yes	stainless steel	4I
C.151.180.1200.A	15.1	1.80	120.0	0.1709	52.38	61.09	yes	music wire	4H
C.151.180.1200.I	15.1	1.80	120.0	0.1468	52.38	61.09	yes	stainless steel	4I
C.151.200.0300.A	15.1	2.00	30.0	0.9540	20.20	22.70	yes	music wire	4G
C.151.200.0300.AP	15.1	2.00	30.0	1.5907	14.20	17.70	yes	music wire	4I
C.151.200.0300.I	15.1	2.00	30.0	0.8300	20.00	22.47	yes	stainless steel	4G
C.151.200.1000.A	15.1	2.00	100.0	0.3139	51.20	58.79	yes	music wire	4H
C.151.200.1000.I	15.1	2.00	100.0	0.2696	51.20	58.79	yes	stainless steel	4I
C.151.210.0300.A	15.1	2.10	30.0	1.2644	20.16	22.51	yes	music wire	4G
C.151.210.0300.AP	15.1	2.10	30.0	1.9382	15.12	18.46	yes	music wire	4I
C.151.210.0300.I	15.1	2.10	30.0	1.1000	19.95	22.27	yes	stainless steel	4G
C.151.210.1000.A	15.1	2.10	100.0	0.3854	54.39	62.13	yes	music wire	4H
C.151.210.1000.I	15.1	2.10	100.0	0.3310	54.39	62.13	yes	stainless steel	4I
C.151.230.1000.A	15.1	2.30	100.0	0.5688	60.72	68.77	yes	music wire	4H
C.151.230.1000.I	15.1	2.30	100.0	0.4885	60.72	68.77	yes	stainless steel	4I
C.151.280.0160.A	15.1	2.80	16.0	13.3100	14.00	14.90	yes	music wire	4F
C.151.280.0160.S	15.1	2.80	16.0	10.0000	16.00	16.00	yes	Cr-Si steel	4J
C.151.280.0200.A	15.1	2.80	20.0	8.5556	17.92	19.33	yes	music wire	4F
C.151.280.0200.S	15.1	2.80	20.0	8.0000	18.76	18.76	yes	Cr-Si steel	4J
C.151.280.0250.A	15.1	2.80	25.0	6.2222	22.12	24.07	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.151.280.0250.S	15.1	2.80	25.0	6.4286	21.56	23.44	yes	Cr-Si steel	4J
C.151.280.0320.A	15.1	2.80	32.0	5.0000	25.76	28.18	yes	music wire	4F
C.151.280.0320.S	15.1	2.80	32.0	5.1429	25.20	27.55	yes	Cr-Si steel	4J
C.151.280.0400.A	15.1	2.80	40.0	4.0000	30.52	33.55	yes	music wire	4G
C.151.280.0400.S	15.1	2.80	40.0	4.0000	30.52	33.55	yes	Cr-Si steel	4J
C.151.280.0450.A	15.1	2.80	45.0	4.2033	29.40	33.43	yes	music wire	4J
C.151.280.0450.I	15.1	2.80	45.0	3.6569	29.12	33.19	yes	stainless steel	4J
C.151.280.0500.A	15.1	2.80	50.0	3.1111	37.24	41.14	yes	music wire	4G
C.151.280.0500.S	15.1	2.80	50.0	3.2143	36.40	40.19	yes	Cr-Si steel	4J
C.151.280.0600.A	15.1	2.80	60.0	2.4384	45.64	50.62	yes	music wire	4I
C.151.280.0600.I	15.1	2.80	60.0	2.0943	45.64	50.62	yes	stainless steel	4I
C.151.280.0630.A	15.1	2.80	63.0	2.5000	44.80	49.67	yes	music wire	4G
C.151.280.0630.S	15.1	2.80	63.0	2.5714	43.68	48.41	yes	Cr-Si steel	4M
C.151.280.0800.A	15.1	2.80	80.0	2.0000	54.04	60.11	yes	music wire	4G
C.151.280.0800.S	15.1	2.80	80.0	2.0000	54.04	60.11	yes	Cr-Si steel	4M
C.151.280.1000.A	15.1	2.80	100.0	1.5556	67.48	75.28	yes	music wire	4G
C.151.280.1000.S	15.1	2.80	100.0	1.6000	65.80	73.38	yes	Cr-Si steel	4M
C.151.280.1250.A	15.1	2.80	125.0	1.2444	82.60	92.35	yes	music wire	4H
C.151.280.1250.S	15.1	2.80	125.0	1.2857	80.36	89.82	yes	Cr-Si steel	4N
C.151.280.1600.A	15.1	2.80	160.0	1.0000	101.08	113.21	yes	music wire	4I
C.151.280.1600.S	15.1	2.80	160.0	1.0000	101.08	113.21	yes	Cr-Si steel	4N
C.151.280.2000.A	15.1	2.80	200.0	0.7778	128.24	143.87	yes	music wire	4I
C.151.280.2000.S	15.1	2.80	200.0	0.8000	124.88	140.08	yes	Cr-Si steel	4N
C.151.280.2600.A	15.1	2.80	260.0	0.5241	186.76	209.94	yes	music wire	4J
C.151.280.2600.I	15.1	2.80	260.0	0.4502	186.76	209.94	yes	stainless steel	4J
C.151.280.3200.A	15.1	2.80	320.0	0.4243	229.04	257.67	yes	music wire	4J
C.151.280.3200.I	15.1	2.80	320.0	0.3645	229.04	257.67	yes	stainless steel	4J
C.151.290.0400.A	15.1	2.90	40.0	4.6140	32.19	35.35	yes	music wire	4I
C.151.290.0400.I	15.1	2.90	40.0	3.9630	32.19	35.35	yes	stainless steel	4I
C.151.290.1520.A	15.1	2.90	152.0	1.2259	101.21	113.10	yes	music wire	4L
C.151.290.1520.I	15.1	2.90	152.0	1.0665	100.05	111.79	yes	stainless steel	4L
C.151.300.0310.A	15.1	3.00	31.0	7.1264	27.00	29.43	yes	music wire	4I
C.151.300.0310.AP	15.1	3.00	31.0	8.7846	23.40	25.38	yes	music wire	4J
C.151.300.0310.I	15.1	3.00	31.0	6.2000	27.00	29.43	yes	stainless steel	4I
C.151.300.2000.A	15.1	3.00	200.0	0.9624	152.70	170.76	yes	music wire	4J
C.151.300.2000.I	15.1	3.00	200.0	0.8266	152.70	170.76	yes	stainless steel	4J
C.151.360.0500.A	15.1	3.60	50.0	10.1149	48.96	48.96	yes	music wire	4M
C.151.360.0500.AP	15.1	3.60	50.0	12.4542	41.40	45.14	yes	music wire	4O
C.151.360.0500.I	15.1	3.60	50.0	8.8000	48.60	48.60	yes	stainless steel	4M
C.151.360.2000.A	15.1	3.60	200.0	2.4891	171.72	190.48	yes	music wire	4M
C.151.360.2000.I	15.1	3.60	200.0	2.1379	171.72	190.48	yes	stainless steel	4M
C.152.110.0127.A	15.2	1.10	12.7	0.4097	4.18	4.68	yes	music wire	4C
C.152.110.0127.I	15.2	1.10	12.7	0.3519	4.18	4.68	yes	stainless steel	4D
C.152.110.0127.N	15.2	1.10	12.7	0.4097	4.18	4.68	yes	Zn coating	4E
C.152.110.0157.A	15.2	1.10	15.7	0.2723	4.95	5.71	yes	music wire	4C
C.152.110.0157.I	15.2	1.10	15.7	0.2369	4.84	5.56	yes	stainless steel	4D
C.152.110.0160.A	15.2	1.10	16.0	0.3200	4.62	5.27	yes	music wire	4C
C.152.110.0160.I	15.2	1.10	16.0	0.2784	4.51	5.12	yes	stainless steel	4G
C.152.110.0190.A	15.2	1.10	19.0	0.2265	5.28	6.16	yes	music wire	4C
C.152.110.0190.I	15.2	1.10	19.0	0.1945	5.28	6.16	yes	stainless steel	4D
C.152.110.0190.N	15.2	1.10	19.0	0.2265	5.28	6.16	yes	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.110.0224.A	15.2	1.10	22.4	0.1921	5.83	6.90	yes	music wire	4C
C.152.110.0224.I	15.2	1.10	22.4	0.1650	5.83	6.90	yes	stainless steel	4D
C.152.110.0224.N	15.2	1.10	22.4	0.1921	5.83	6.90	yes	Zn coating	4E
C.152.110.0254.A	15.2	1.10	25.4	0.1545	6.49	7.79	yes	music wire	4C
C.152.110.0254.I	15.2	1.10	25.4	0.1344	6.49	7.79	yes	stainless steel	4D
C.152.110.0305.A	15.2	1.10	30.5	0.1239	7.48	9.12	yes	music wire	4D
C.152.110.0305.I	15.2	1.10	30.5	0.1078	7.37	8.97	yes	stainless steel	4D
C.152.110.0351.A	15.2	1.10	35.1	0.1142	7.92	9.71	yes	music wire	4D
C.152.110.0351.I	15.2	1.10	35.1	0.0993	7.81	9.56	yes	stainless steel	4D
C.152.110.0351.N	15.2	1.10	35.1	0.1142	7.92	9.71	yes	Zn coating	4E
C.152.110.0356.A	15.2	1.10	35.6	0.1127	7.92	9.71	yes	music wire	4D
C.152.110.0356.I	15.2	1.10	35.6	0.0981	7.92	9.71	yes	stainless steel	4D
C.152.110.0380.A	15.2	1.10	38.0	0.1300	7.26	9.63	yes	music wire	4G
C.152.110.0380.I	15.2	1.10	38.0	0.1100	7.37	9.07	yes	stainless steel	4G
C.152.110.0381.A	15.2	1.10	38.1	0.1006	8.58	10.60	yes	music wire	4D
C.152.110.0381.I	15.2	1.10	38.1	0.0864	8.58	10.60	yes	stainless steel	4D
C.152.110.0381.N	15.2	1.10	38.1	0.1006	8.58	10.60	yes	Zn coating	4E
C.152.110.0444.A	15.2	1.10	44.4	0.0900	9.24	11.49	yes	music wire	4D
C.152.110.0444.I	15.2	1.10	44.4	0.0782	9.13	11.34	yes	stainless steel	4D
C.152.110.0444.N	15.2	1.10	44.4	0.0900	9.24	11.49	yes	Zn coating	4F
C.152.110.0457.A	15.2	1.10	45.7	0.0887	9.35	11.64	yes	music wire	4D
C.152.110.0457.I	15.2	1.10	45.7	0.0772	9.24	11.49	yes	stainless steel	4D
C.152.110.0500.A	15.2	1.10	50.0	0.0920	9.13	11.34	yes	music wire	4G
C.152.110.0500.I	15.2	1.10	50.0	0.0800	9.02	11.19	yes	stainless steel	4G
C.152.110.0508.A	15.2	1.10	50.8	0.0800	10.12	12.67	yes	music wire	4D
C.152.110.0508.I	15.2	1.10	50.8	0.0698	10.01	12.53	yes	stainless steel	4E
C.152.110.0559.A	15.2	1.10	55.9	0.0711	11.00	13.86	yes	music wire	4D
C.152.110.0559.I	15.2	1.10	55.9	0.0618	10.89	13.71	yes	stainless steel	4E
C.152.110.0572.A	15.2	1.10	57.2	0.0720	10.89	13.71	yes	music wire	4D
C.152.110.0572.I	15.2	1.10	57.2	0.0626	10.78	13.56	yes	stainless steel	4E
C.152.110.0572.N	15.2	1.10	57.2	0.0720	10.89	13.71	yes	Zn coating	4F
C.152.110.0635.A	15.2	1.10	63.5	0.0655	11.66	14.75	yes	music wire	4D
C.152.110.0635.I	15.2	1.10	63.5	0.0570	11.55	14.60	yes	stainless steel	4E
C.152.110.0640.A	15.2	1.10	64.0	0.0730	10.78	13.56	yes	music wire	4G
C.152.110.0640.I	15.2	1.10	64.0	0.0635	10.67	13.90	yes	stainless steel	4G
C.152.110.0698.A	15.2	1.10	69.8	0.0561	13.20	16.82	yes	music wire	4E
C.152.110.0698.I	15.2	1.10	69.8	0.0488	13.09	16.67	yes	stainless steel	4E
C.152.110.0698.N	15.2	1.10	69.8	0.0561	13.20	16.82	yes	Zn coating	4F
C.152.110.0711.A	15.2	1.10	71.1	0.0553	13.31	16.97	yes	music wire	4E
C.152.110.0711.I	15.2	1.10	71.1	0.0481	13.20	16.82	yes	stainless steel	4E
C.152.110.0762.A	15.2	1.10	76.2	0.0515	14.08	18.01	yes	music wire	4E
C.152.110.0762.I	15.2	1.10	76.2	0.0442	14.08	18.01	yes	stainless steel	4E
C.152.110.0762.N	15.2	1.10	76.2	0.0515	14.08	18.01	yes	Zn coating	4G
C.152.110.0830.A	15.2	1.10	83.0	0.0500	14.41	18.45	yes	music wire	4E
C.152.110.0830.I	15.2	1.10	83.0	0.0430	14.41	18.45	yes	stainless steel	4E
C.152.110.0889.A	15.2	1.10	88.9	0.0443	15.95	20.52	yes	music wire	4E
C.152.110.0889.I	15.2	1.10	88.9	0.0380	15.95	20.52	yes	stainless steel	4E
C.152.110.0889.N	15.2	1.10	88.9	0.0443	15.95	20.52	yes	Zn coating	4G
C.152.120.0160.A	15.2	1.20	16.0	0.4900	4.92	6.39	yes	music wire	4F
C.152.120.0160.I	15.2	1.20	16.0	0.4200	4.92	6.31	yes	stainless steel	4G
C.152.120.0220.A	15.2	1.20	22.0	0.3300	5.76	7.73	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.120.0220.I	15.2	1.20	22.0	0.2800	5.88	7.46	yes	stainless steel	4G
C.152.120.0320.A	15.2	1.20	32.0	0.2184	7.20	10.44	yes	music wire	4G
C.152.120.0320.I	15.2	1.20	32.0	0.1900	7.20	10.57	yes	stainless steel	4G
C.152.125.0157.A	15.2	1.25	15.7	0.3383	6.50	7.47	yes	music wire	4C
C.152.125.0157.AP	15.2	1.25	15.7	0.6122	5.00	7.08	yes	music wire	4F
C.152.125.0157.I	15.2	1.25	15.7	0.2943	6.50	7.47	yes	stainless steel	4D
C.152.125.0190.A	15.2	1.25	19.0	0.2791	7.25	8.43	yes	music wire	4C
C.152.125.0190.AP	15.2	1.25	19.0	0.5102	5.38	8.65	yes	music wire	4F
C.152.125.0190.I	15.2	1.25	19.0	0.2397	7.25	8.43	yes	stainless steel	4D
C.152.125.0190.N	15.2	1.25	19.0	0.2791	7.25	8.43	yes	Zn coating	4E
C.152.125.0254.A	15.2	1.25	25.4	0.2208	8.25	9.72	yes	music wire	4D
C.152.125.0254.AP	15.2	1.25	25.4	0.3673	6.25	11.03	yes	music wire	4F
C.152.125.0254.I	15.2	1.25	25.4	0.1921	8.25	9.72	yes	stainless steel	4D
C.152.125.0305.A	15.2	1.25	30.5	0.1843	9.38	11.17	yes	music wire	4D
C.152.125.0305.AP	15.2	1.25	30.5	0.2962	7.00	12.68	yes	music wire	4G
C.152.125.0305.I	15.2	1.25	30.5	0.1603	9.25	11.01	yes	stainless steel	4D
C.152.125.0381.A	15.2	1.25	38.1	0.1601	10.25	12.29	yes	music wire	4D
C.152.125.0381.AP	15.2	1.25	38.1	0.2355	8.00	15.68	yes	music wire	4G
C.152.125.0381.I	15.2	1.25	38.1	0.1375	10.25	12.29	yes	stainless steel	4D
C.152.125.0381.N	15.2	1.25	38.1	0.1601	10.25	12.29	yes	Zn coating	4F
C.152.125.0444.A	15.2	1.25	44.4	0.1402	11.25	13.58	yes	music wire	4D
C.152.125.0444.AP	15.2	1.25	44.4	0.1996	8.88	17.96	yes	music wire	4G
C.152.125.0444.I	15.2	1.25	44.4	0.1220	11.25	13.58	yes	stainless steel	4E
C.152.125.0444.N	15.2	1.25	44.4	0.1402	11.25	13.58	yes	Zn coating	4F
C.152.125.0457.A	15.2	1.25	45.7	0.1384	11.38	13.75	yes	music wire	4D
C.152.125.0457.AP	15.2	1.25	45.7	0.1954	9.00	18.68	yes	music wire	4G
C.152.125.0457.I	15.2	1.25	45.7	0.1204	11.25	13.58	yes	stainless steel	4E
C.152.125.0508.A	15.2	1.25	50.8	0.1231	12.38	15.03	yes	music wire	4D
C.152.125.0508.AP	15.2	1.25	50.8	0.1733	9.75	20.34	yes	music wire	4G
C.152.125.0508.I	15.2	1.25	50.8	0.1071	12.25	14.87	yes	stainless steel	4E
C.152.125.0559.A	15.2	1.25	55.9	0.1081	13.75	16.80	yes	music wire	4D
C.152.125.0559.AP	15.2	1.25	55.9	0.1583	10.38	22.56	yes	music wire	4G
C.152.125.0559.I	15.2	1.25	55.9	0.0941	13.63	16.64	yes	stainless steel	4E
C.152.125.0572.A	15.2	1.25	57.2	0.1096	13.63	16.64	yes	music wire	4D
C.152.125.0572.I	15.2	1.25	57.2	0.0953	13.50	16.48	yes	stainless steel	4E
C.152.125.0572.N	15.2	1.25	57.2	0.1096	13.63	16.64	yes	Zn coating	4F
C.152.125.0635.A	15.2	1.25	63.5	0.0986	14.75	18.08	yes	music wire	4E
C.152.125.0635.I	15.2	1.25	63.5	0.0858	14.63	17.93	yes	stainless steel	4E
C.152.125.0698.A	15.2	1.25	69.8	0.0917	15.63	19.22	yes	music wire	4E
C.152.125.0698.I	15.2	1.25	69.8	0.0800	15.38	18.89	yes	stainless steel	4E
C.152.125.0698.N	15.2	1.25	69.8	0.0917	15.63	19.22	yes	Zn coating	4G
C.152.125.0711.A	15.2	1.25	71.1	0.0906	15.75	19.37	yes	music wire	4E
C.152.125.0711.I	15.2	1.25	71.1	0.0788	15.63	19.22	yes	stainless steel	4E
C.152.125.0762.A	15.2	1.25	76.2	0.0848	16.63	20.50	yes	music wire	4E
C.152.125.0762.I	15.2	1.25	76.2	0.0729	16.63	20.50	yes	stainless steel	4E
C.152.125.0762.N	15.2	1.25	76.2	0.0848	16.63	20.50	yes	Zn coating	4G
C.152.140.0157.A	15.2	1.40	15.7	0.6766	6.58	7.34	yes	music wire	4E
C.152.140.0157.I	15.2	1.40	15.7	0.5886	6.58	7.34	yes	stainless steel	4E
C.152.140.0190.A	15.2	1.40	19.0	0.5873	7.00	7.86	yes	music wire	4E
C.152.140.0190.I	15.2	1.40	19.0	0.5044	7.00	7.86	yes	stainless steel	4E
C.152.140.0190.N	15.2	1.40	19.0	0.5873	7.00	7.86	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.140.0224.A	15.2	1.40	22.4	0.4835	7.84	8.91	yes	music wire	4E
C.152.140.0224.I	15.2	1.40	22.4	0.4153	7.84	8.91	yes	stainless steel	4E
C.152.140.0224.N	15.2	1.40	22.4	0.4835	7.84	8.91	yes	Zn coating	4G
C.152.140.0305.A	15.2	1.40	30.5	0.3119	10.22	11.87	yes	music wire	4E
C.152.140.0305.AP	15.2	1.40	30.5	0.4270	8.40	13.54	yes	music wire	4I
C.152.140.0305.I	15.2	1.40	30.5	0.2714	10.08	11.70	yes	stainless steel	4F
C.152.140.0320.A	15.2	1.40	32.0	0.3218	9.94	11.52	yes	music wire	4E
C.152.140.0320.I	15.2	1.40	32.0	0.2800	9.94	11.52	yes	stainless steel	4F
C.152.140.0380.A	15.2	1.40	38.0	0.2600	11.48	13.44	yes	music wire	4E
C.152.140.0380.I	15.2	1.40	38.0	0.2200	11.62	13.62	yes	stainless steel	4F
C.152.140.0444.A	15.2	1.40	44.4	0.2053	13.72	16.23	yes	music wire	4F
C.152.140.0444.AP	15.2	1.40	44.4	0.2931	10.64	19.68	yes	music wire	4I
C.152.140.0444.I	15.2	1.40	44.4	0.1786	13.58	16.06	yes	stainless steel	4F
C.152.140.0444.N	15.2	1.40	44.4	0.2053	13.72	16.23	yes	Zn coating	4H
C.152.140.0457.A	15.2	1.40	45.7	0.2027	13.72	16.23	yes	music wire	4F
C.152.140.0457.AP	15.2	1.40	45.7	0.2820	10.92	20.01	yes	music wire	4I
C.152.140.0457.I	15.2	1.40	45.7	0.1764	13.72	16.23	yes	stainless steel	4F
C.152.140.0508.A	15.2	1.40	50.8	0.1802	15.12	17.98	yes	music wire	4F
C.152.140.0508.AP	15.2	1.40	50.8	0.2533	11.76	22.20	yes	music wire	4I
C.152.140.0508.I	15.2	1.40	50.8	0.1567	14.98	17.80	yes	stainless steel	4F
C.152.140.0559.A	15.2	1.40	55.9	0.1621	16.38	19.55	yes	music wire	4F
C.152.140.0559.AP	15.2	1.40	55.9	0.2265	12.74	23.91	yes	music wire	4I
C.152.140.0559.I	15.2	1.40	55.9	0.1411	16.24	19.37	yes	stainless steel	4F
C.152.140.0572.A	15.2	1.40	57.2	0.1642	16.24	19.37	yes	music wire	4F
C.152.140.0572.I	15.2	1.40	57.2	0.1429	16.10	19.20	yes	stainless steel	4F
C.152.140.0572.N	15.2	1.40	57.2	0.1642	16.24	19.37	yes	Zn coating	4H
C.152.140.0635.A	15.2	1.40	63.5	0.1448	17.92	21.46	yes	music wire	4F
C.152.140.0635.I	15.2	1.40	63.5	0.1259	17.78	21.29	yes	stainless steel	4G
C.152.140.0698.A	15.2	1.40	69.8	0.1392	18.48	22.16	yes	music wire	4F
C.152.140.0698.I	15.2	1.40	69.8	0.1211	18.34	21.99	yes	stainless steel	4G
C.152.140.0698.N	15.2	1.40	69.8	0.1392	18.48	22.16	yes	Zn coating	4I
C.152.140.0711.A	15.2	1.40	71.1	0.1374	18.62	22.34	yes	music wire	4F
C.152.140.0711.I	15.2	1.40	71.1	0.1195	18.48	22.16	yes	stainless steel	4I
C.152.140.0762.A	15.2	1.40	76.2	0.1283	19.74	23.73	yes	music wire	4F
C.152.140.0762.I	15.2	1.40	76.2	0.1102	19.74	23.73	yes	stainless steel	4G
C.152.140.0762.N	15.2	1.40	76.2	0.1283	19.74	23.73	yes	Zn coating	4I
C.152.150.0157.A	15.2	1.50	15.7	0.6512	8.40	9.45	yes	music wire	4E
C.152.150.0157.AP	15.2	1.50	15.7	1.1853	6.30	8.29	yes	music wire	4H
C.152.150.0157.I	15.2	1.50	15.7	0.5593	8.40	9.45	yes	stainless steel	4E
C.152.150.0157.N	15.2	1.50	15.7	0.6512	8.40	9.45	yes	Zn coating	4G
C.152.150.0160.A	15.2	1.50	16.0	0.9080	7.05	7.79	yes	music wire	4E
C.152.150.0160.I	15.2	1.50	16.0	0.7900	7.05	7.79	yes	stainless steel	4E
C.152.150.0190.A	15.2	1.50	19.0	0.5590	9.15	10.37	yes	music wire	4E
C.152.150.0190.AP	15.2	1.50	19.0	0.9159	7.05	9.41	yes	music wire	4I
C.152.150.0190.I	15.2	1.50	19.0	0.4801	9.15	10.37	yes	stainless steel	4F
C.152.150.0190.N	15.2	1.50	19.0	0.5590	9.15	10.37	yes	Zn coating	4G
C.152.150.0191.A	15.2	1.50	19.1	0.7241	7.95	8.90	yes	music wire	4E
C.152.150.0191.I	15.2	1.50	19.1	0.6300	7.80	8.71	yes	stainless steel	4F
C.152.150.0220.A	15.2	1.50	22.0	0.5977	8.85	10.00	yes	music wire	4E
C.152.150.0220.I	15.2	1.50	22.0	0.5200	8.70	9.81	yes	stainless steel	4F
C.152.150.0224.A	15.2	1.50	22.4	0.4897	9.90	11.28	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.150.0224.AP	15.2	1.50	22.4	0.7750	7.65	11.07	yes	music wire	4I
C.152.150.0224.I	15.2	1.50	22.4	0.4206	9.90	11.28	yes	stainless steel	4F
C.152.150.0224.N	15.2	1.50	22.4	0.4897	9.90	11.28	yes	Zn coating	4G
C.152.150.0254.A	15.2	1.50	25.4	0.4357	10.65	12.20	yes	music wire	4E
C.152.150.0254.AP	15.2	1.50	25.4	0.6717	8.25	12.33	yes	music wire	4I
C.152.150.0254.I	15.2	1.50	25.4	0.3742	10.65	12.20	yes	stainless steel	4F
C.152.150.0254.N	15.2	1.50	25.4	0.4357	10.65	12.20	yes	Zn coating	4G
C.152.150.0305.A	15.2	1.50	30.5	0.3523	12.30	14.22	yes	music wire	4E
C.152.150.0305.AP	15.2	1.50	30.5	0.5446	9.30	14.38	yes	music wire	4I
C.152.150.0305.I	15.2	1.50	30.5	0.3065	12.15	14.04	yes	stainless steel	4F
C.152.150.0318.A	15.2	1.50	31.8	0.3569	12.15	14.04	yes	music wire	4E
C.152.150.0318.AP	15.2	1.50	31.8	0.5167	9.60	14.81	yes	music wire	4I
C.152.150.0318.I	15.2	1.50	31.8	0.3105	12.00	13.86	yes	stainless steel	4F
C.152.150.0318.N	15.2	1.50	31.8	0.3569	12.15	14.04	yes	Zn coating	4G
C.152.150.0381.A	15.2	1.50	38.1	0.3023	13.65	15.88	yes	music wire	4E
C.152.150.0381.AP	15.2	1.50	38.1	0.4287	10.80	17.62	yes	music wire	4I
C.152.150.0381.I	15.2	1.50	38.1	0.2596	13.65	15.88	yes	stainless steel	4F
C.152.150.0381.N	15.2	1.50	38.1	0.3023	13.65	15.88	yes	Zn coating	4H
C.152.150.0444.A	15.2	1.50	44.4	0.2621	15.30	17.90	yes	music wire	4F
C.152.150.0444.AP	15.2	1.50	44.4	0.3664	12.00	20.44	yes	music wire	4I
C.152.150.0444.I	15.2	1.50	44.4	0.2280	15.15	17.72	yes	stainless steel	4F
C.152.150.0444.N	15.2	1.50	44.4	0.2621	15.30	17.90	yes	Zn coating	4H
C.152.150.0457.A	15.2	1.50	45.7	0.2588	15.45	18.08	yes	music wire	4F
C.152.150.0457.I	15.2	1.50	45.7	0.2251	15.30	17.90	yes	stainless steel	4F
C.152.150.0508.A	15.2	1.50	50.8	0.2314	16.80	19.74	yes	music wire	4F
C.152.150.0508.AP	15.2	1.50	50.8	0.3148	13.35	22.91	yes	music wire	4I
C.152.150.0508.I	15.2	1.50	50.8	0.1987	16.80	19.74	yes	stainless steel	4F
C.152.150.0508.N	15.2	1.50	50.8	0.2314	16.80	19.74	yes	Zn coating	4H
C.152.150.0570.A	15.2	1.50	57.0	0.2184	17.55	20.66	yes	music wire	4F
C.152.150.0570.I	15.2	1.50	57.0	0.1900	17.40	20.47	yes	stainless steel	4G
C.152.150.0572.A	15.2	1.50	57.2	0.2071	18.30	21.58	yes	music wire	4F
C.152.150.0572.I	15.2	1.50	57.2	0.1802	18.15	21.39	yes	stainless steel	4G
C.152.150.0572.N	15.2	1.50	57.2	0.2071	18.30	21.58	yes	Zn coating	4H
C.152.150.0635.A	15.2	1.50	63.5	0.1875	19.80	23.41	yes	music wire	4F
C.152.150.0635.I	15.2	1.50	63.5	0.1610	19.80	23.41	yes	stainless steel	4G
C.152.150.0635.N	15.2	1.50	63.5	0.1875	19.80	23.41	yes	Zn coating	4I
C.152.150.0711.A	15.2	1.50	71.1	0.1690	21.60	25.62	yes	music wire	4F
C.152.150.0711.I	15.2	1.50	71.1	0.1470	21.30	25.25	yes	stainless steel	4G
C.152.150.0762.A	15.2	1.50	76.2	0.1575	22.80	27.09	yes	music wire	4G
C.152.150.0762.I	15.2	1.50	76.2	0.1353	22.80	27.09	yes	stainless steel	4G
C.152.150.0762.N	15.2	1.50	76.2	0.1575	22.80	27.09	yes	Zn coating	4I
C.152.160.0157.A	15.2	1.60	15.7	1.0717	8.00	8.83	yes	music wire	4E
C.152.160.0157.AP	15.2	1.60	15.7	1.4827	6.88	8.62	yes	music wire	4I
C.152.160.0157.I	15.2	1.60	15.7	0.9324	7.84	8.64	yes	stainless steel	4F
C.152.160.0190.A	15.2	1.60	19.0	0.9086	8.64	9.61	yes	music wire	4E
C.152.160.0190.I	15.2	1.60	19.0	0.7804	8.64	9.61	yes	stainless steel	4F
C.152.160.0190.N	15.2	1.60	19.0	0.9086	8.64	9.61	yes	Zn coating	4G
C.152.160.0224.A	15.2	1.60	22.4	0.7812	9.44	10.57	yes	music wire	4E
C.152.160.0224.I	15.2	1.60	22.4	0.6710	9.44	10.57	yes	stainless steel	4F
C.152.160.0224.N	15.2	1.60	22.4	0.7812	9.44	10.57	yes	Zn coating	4G
C.152.160.0254.A	15.2	1.60	25.4	0.6498	10.56	11.93	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.152.160.0254.I	15.2	1.60	25.4	0.5653	10.40	11.73	yes	stainless steel	4F
C.152.160.0305.A	15.2	1.60	30.5	0.5429	11.84	13.47	yes	music wire	4E
C.152.160.0305.I	15.2	1.60	30.5	0.4724	11.68	13.28	yes	stainless steel	4F
C.152.160.0320.A	15.2	1.60	32.0	0.5172	12.16	13.86	yes	music wire	4E
C.152.160.0320.I	15.2	1.60	32.0	0.4500	12.16	13.86	yes	stainless steel	4F
C.152.160.0381.A	15.2	1.60	38.1	0.4138	14.24	16.37	yes	music wire	4F
C.152.160.0381.I	15.2	1.60	38.1	0.3554	14.24	16.37	yes	stainless steel	4F
C.152.160.0381.N	15.2	1.60	38.1	0.4138	14.24	16.37	yes	Zn coating	4H
C.152.160.0444.A	15.2	1.60	44.4	0.3317	16.80	19.47	yes	music wire	4F
C.152.160.0444.AP	15.2	1.60	44.4	0.4523	13.44	21.18	yes	music wire	4I
C.152.160.0444.I	15.2	1.60	44.4	0.2886	16.64	19.27	yes	stainless steel	4F
C.152.160.0444.N	15.2	1.60	44.4	0.3317	16.80	19.47	yes	Zn coating	4H
C.152.160.0457.A	15.2	1.60	45.7	0.3275	16.96	19.66	yes	music wire	4F
C.152.160.0457.I	15.2	1.60	45.7	0.2849	16.80	19.47	yes	stainless steel	4F
C.152.160.0508.A	15.2	1.60	50.8	0.2876	18.72	21.79	yes	music wire	4F
C.152.160.0508.AP	15.2	1.60	50.8	0.3925	14.88	24.04	yes	music wire	4I
C.152.160.0508.I	15.2	1.60	50.8	0.2500	18.56	21.59	yes	stainless steel	4G
C.152.160.0559.A	15.2	1.60	55.9	0.2563	20.64	24.11	yes	music wire	4F
C.152.160.0559.AP	15.2	1.60	55.9	0.3558	16.00	26.38	yes	music wire	4I
C.152.160.0559.I	15.2	1.60	55.9	0.2230	20.32	23.72	yes	stainless steel	4G
C.152.160.0572.A	15.2	1.60	57.2	0.2596	20.32	23.72	yes	music wire	4F
C.152.160.0572.I	15.2	1.60	57.2	0.2259	20.16	23.53	yes	stainless steel	4G
C.152.160.0572.N	15.2	1.60	57.2	0.2596	20.32	23.72	yes	Zn coating	4H
C.152.160.0635.A	15.2	1.60	63.5	0.2312	22.40	26.23	yes	music wire	4F
C.152.160.0635.I	15.2	1.60	63.5	0.2011	22.08	25.85	yes	stainless steel	4G
C.152.160.0698.A	15.2	1.60	69.8	0.2278	22.72	26.62	yes	music wire	4I
C.152.160.0698.I	15.2	1.60	69.8	0.1982	22.40	26.23	yes	stainless steel	4I
C.152.160.0698.N	15.2	1.60	69.8	0.2278	22.72	26.62	yes	Zn coating	4J
C.152.160.0711.A	15.2	1.60	71.1	0.2249	22.88	26.81	yes	music wire	4I
C.152.160.0711.I	15.2	1.60	71.1	0.1956	22.72	26.62	yes	stainless steel	4I
C.152.160.0762.A	15.2	1.60	76.2	0.2080	24.48	28.75	yes	music wire	4I
C.152.160.0762.I	15.2	1.60	76.2	0.1786	24.48	28.75	yes	stainless steel	4I
C.152.160.0762.N	15.2	1.60	76.2	0.2080	24.48	28.75	yes	Zn coating	4J
C.152.160.0830.A	15.2	1.60	83.0	0.1800	27.52	32.42	yes	music wire	4G
C.152.160.0830.AP	15.2	1.60	83.0	0.2362	21.92	38.53	yes	music wire	4I
C.152.160.0830.I	15.2	1.60	83.0	0.1500	28.32	33.39	yes	stainless steel	4G
C.152.160.0889.A	15.2	1.60	88.9	0.1809	27.52	32.42	yes	music wire	4I
C.152.160.0889.I	15.2	1.60	88.9	0.1554	27.52	32.42	yes	stainless steel	4I
C.152.160.0889.N	15.2	1.60	88.9	0.1809	27.52	32.42	yes	Zn coating	4J
C.152.170.0157.A	15.2	1.70	15.7	1.3932	8.50	9.33	yes	music wire	4E
C.152.170.0157.AP	15.2	1.70	15.7	1.8319	7.48	8.92	yes	music wire	4I
C.152.170.0157.I	15.2	1.70	15.7	1.2000	8.50	9.33	yes	stainless steel	4F
C.152.170.0157.N	15.2	1.70	15.7	1.3932	8.50	9.33	yes	Zn coating	4G
C.152.170.0190.A	15.2	1.70	19.0	1.1228	9.52	10.55	yes	music wire	4E
C.152.170.0190.I	15.2	1.70	19.0	0.9644	9.52	10.55	yes	stainless steel	4F
C.152.170.0190.N	15.2	1.70	19.0	1.1228	9.52	10.55	yes	Zn coating	4G
C.152.170.0224.A	15.2	1.70	22.4	0.8697	11.05	12.37	yes	music wire	4E
C.152.170.0224.AP	15.2	1.70	22.4	1.2002	9.18	12.05	yes	music wire	4I
C.152.170.0224.I	15.2	1.70	22.4	0.7470	11.05	12.37	yes	stainless steel	4F
C.152.170.0224.N	15.2	1.70	22.4	0.8697	11.05	12.37	yes	Zn coating	4G
C.152.170.0254.A	15.2	1.70	25.4	0.7716	11.90	13.39	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.170.0254.AP	15.2	1.70	25.4	1.0237	10.03	13.26	yes	music wire	4I
C.152.170.0254.I	15.2	1.70	25.4	0.6713	11.73	13.19	yes	stainless steel	4F
C.152.170.0305.A	15.2	1.70	30.5	0.6075	13.94	15.83	yes	music wire	4E
C.152.170.0305.AP	15.2	1.70	30.5	0.8489	11.22	15.86	yes	music wire	4I
C.152.170.0305.I	15.2	1.70	30.5	0.5285	13.77	15.62	yes	stainless steel	4F
C.152.170.0318.A	15.2	1.70	31.8	0.6154	13.77	15.62	yes	music wire	4E
C.152.170.0318.I	15.2	1.70	31.8	0.5354	13.60	15.42	yes	stainless steel	4F
C.152.170.0318.N	15.2	1.70	31.8	0.6154	13.77	15.62	yes	Zn coating	4H
C.152.170.0381.A	15.2	1.70	38.1	0.5074	15.81	18.06	yes	music wire	4F
C.152.170.0381.I	15.2	1.70	38.1	0.4358	15.81	18.06	yes	stainless steel	4F
C.152.170.0381.N	15.2	1.70	38.1	0.5074	15.81	18.06	yes	Zn coating	4H
C.152.170.0444.A	15.2	1.70	44.4	0.4017	18.87	21.71	yes	music wire	4F
C.152.170.0444.AP	15.2	1.70	44.4	0.5614	14.79	22.27	yes	music wire	4I
C.152.170.0444.I	15.2	1.70	44.4	0.3495	18.70	21.51	yes	stainless steel	4F
C.152.170.0444.N	15.2	1.70	44.4	0.4017	18.87	21.71	yes	Zn coating	4H
C.152.170.0457.A	15.2	1.70	45.7	0.3966	19.04	21.92	yes	music wire	4F
C.152.170.0457.AP	15.2	1.70	45.7	0.5438	15.13	22.85	yes	music wire	4I
C.152.170.0457.I	15.2	1.70	45.7	0.3451	18.87	21.71	yes	stainless steel	4F
C.152.170.0508.A	15.2	1.70	50.8	0.3639	20.40	23.54	yes	music wire	4F
C.152.170.0508.AP	15.2	1.70	50.8	0.4834	16.49	25.10	yes	music wire	4I
C.152.170.0508.I	15.2	1.70	50.8	0.3125	20.40	23.54	yes	stainless steel	4G
C.152.170.0508.N	15.2	1.70	50.8	0.3639	20.40	23.54	yes	Zn coating	4H
C.152.170.0559.A	15.2	1.70	55.9	0.3191	22.61	26.18	yes	music wire	4F
C.152.170.0559.AP	15.2	1.70	55.9	0.4406	17.51	27.70	yes	music wire	4I
C.152.170.0559.I	15.2	1.70	55.9	0.2776	22.44	25.98	yes	stainless steel	4G
C.152.170.0572.A	15.2	1.70	57.2	0.3232	22.44	25.98	yes	music wire	4F
C.152.170.0572.I	15.2	1.70	57.2	0.2812	22.27	25.78	yes	stainless steel	4G
C.152.170.0572.N	15.2	1.70	57.2	0.3232	22.44	25.98	yes	Zn coating	4H
C.152.170.0635.A	15.2	1.70	63.5	0.2944	24.14	28.01	yes	music wire	4F
C.152.170.0635.I	15.2	1.70	63.5	0.2529	24.14	28.01	yes	stainless steel	4G
C.152.170.0635.N	15.2	1.70	63.5	0.2944	24.14	28.01	yes	Zn coating	4I
C.152.170.0698.A	15.2	1.70	69.8	0.2768	25.50	29.64	yes	music wire	4F
C.152.170.0698.I	15.2	1.70	69.8	0.2408	25.16	29.23	yes	stainless steel	4G
C.152.170.0698.N	15.2	1.70	69.8	0.2768	25.50	29.64	yes	Zn coating	4I
C.152.170.0711.A	15.2	1.70	71.1	0.2733	25.84	30.04	yes	music wire	4G
C.152.170.0711.I	15.2	1.70	71.1	0.2378	25.50	29.64	yes	stainless steel	4I
C.152.170.0762.A	15.2	1.70	76.2	0.2554	27.20	31.67	yes	music wire	4I
C.152.170.0762.I	15.2	1.70	76.2	0.2194	27.20	31.67	yes	stainless steel	4G
C.152.170.0762.N	15.2	1.70	76.2	0.2554	27.20	31.67	yes	Zn coating	4J
C.152.180.0157.A	15.2	1.80	15.7	1.3051	10.62	11.74	yes	music wire	4F
C.152.180.0157.AP	15.2	1.80	15.7	2.2387	8.10	9.20	yes	music wire	4I
C.152.180.0157.I	15.2	1.80	15.7	1.1354	10.62	11.74	yes	stainless steel	4G
C.152.180.0160.A	15.2	1.80	16.0	1.8391	8.82	9.61	yes	music wire	4F
C.152.180.0160.I	15.2	1.80	16.0	1.6000	8.82	9.61	yes	stainless steel	4G
C.152.180.0190.A	15.2	1.80	19.0	1.2196	10.98	12.17	yes	music wire	4G
C.152.180.0190.AP	15.2	1.80	19.0	1.7910	9.00	10.88	yes	music wire	4I
C.152.180.0190.I	15.2	1.80	19.0	1.0470	10.98	12.17	yes	stainless steel	4G
C.152.180.0190.N	15.2	1.80	19.0	1.2196	10.98	12.17	yes	Zn coating	4I
C.152.180.0224.A	15.2	1.80	22.4	1.0927	11.88	13.23	yes	music wire	4G
C.152.180.0224.AP	15.2	1.80	22.4	1.4925	9.90	12.65	yes	music wire	4I
C.152.180.0224.I	15.2	1.80	22.4	0.9385	11.88	13.23	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.180.0224.N	15.2	1.80	22.4	1.0927	11.88	13.23	yes	Zn coating	4I
C.152.180.0254.A	15.2	1.80	25.4	0.8680	13.68	15.36	yes	music wire	4G
C.152.180.0254.AP	15.2	1.80	25.4	1.2793	10.80	14.03	yes	music wire	4I
C.152.180.0254.I	15.2	1.80	25.4	0.7551	13.68	15.36	yes	stainless steel	4G
C.152.180.0280.A	15.2	1.80	28.0	0.9700	12.78	14.30	yes	music wire	4I
C.152.180.0280.I	15.2	1.80	28.0	0.8439	12.60	14.08	yes	stainless steel	4I
C.152.180.0280.N	15.2	1.80	28.0	0.9700	12.78	14.30	yes	Zn coating	4J
C.152.180.0305.A	15.2	1.80	30.5	0.7095	15.84	17.92	yes	music wire	4G
C.152.180.0305.AP	15.2	1.80	30.5	1.0413	12.24	16.52	yes	music wire	4I
C.152.180.0305.I	15.2	1.80	30.5	0.6173	15.66	17.70	yes	stainless steel	4G
C.152.180.0381.A	15.2	1.80	38.1	0.5745	18.36	20.90	yes	music wire	4G
C.152.180.0381.AP	15.2	1.80	38.1	0.8141	14.40	20.22	yes	music wire	4I
C.152.180.0381.I	15.2	1.80	38.1	0.4934	18.36	20.90	yes	stainless steel	4G
C.152.180.0381.N	15.2	1.80	38.1	0.5745	18.36	20.90	yes	Zn coating	4I
C.152.180.0444.A	15.2	1.80	44.4	0.4785	21.24	24.31	yes	music wire	4G
C.152.180.0444.AP	15.2	1.80	44.4	0.6888	16.20	23.27	yes	music wire	4I
C.152.180.0444.I	15.2	1.80	44.4	0.4163	21.06	24.09	yes	stainless steel	4G
C.152.180.0444.N	15.2	1.80	44.4	0.4785	21.24	24.31	yes	Zn coating	4I
C.152.180.0457.A	15.2	1.80	45.7	0.4724	21.42	24.52	yes	music wire	4G
C.152.180.0457.AP	15.2	1.80	45.7	0.6683	16.56	23.92	yes	music wire	4I
C.152.180.0457.I	15.2	1.80	45.7	0.4110	21.24	24.31	yes	stainless steel	4G
C.152.180.0508.A	15.2	1.80	50.8	0.4390	22.68	26.01	yes	music wire	4G
C.152.180.0508.AP	15.2	1.80	50.8	0.5970	17.82	26.42	yes	music wire	4I
C.152.180.0508.I	15.2	1.80	50.8	0.3820	22.50	25.80	yes	stainless steel	4G
C.152.180.0559.A	15.2	1.80	55.9	0.3847	25.38	29.20	yes	music wire	4G
C.152.180.0559.AP	15.2	1.80	55.9	0.5394	19.26	28.92	yes	music wire	4I
C.152.180.0559.I	15.2	1.80	55.9	0.3347	25.02	28.78	yes	stainless steel	4G
C.152.180.0572.A	15.2	1.80	57.2	0.3897	25.02	28.78	yes	music wire	4G
C.152.180.0572.AP	15.2	1.80	57.2	0.5268	19.62	29.57	yes	music wire	4I
C.152.180.0572.I	15.2	1.80	57.2	0.3390	24.84	28.56	yes	stainless steel	4G
C.152.180.0572.N	15.2	1.80	57.2	0.3897	25.02	28.78	yes	Zn coating	4I
C.152.180.0640.A	15.2	1.80	64.0	0.3793	25.56	29.42	yes	music wire	4I
C.152.180.0640.I	15.2	1.80	64.0	0.3300	25.38	29.20	yes	stainless steel	4I
C.152.180.0698.A	15.2	1.80	69.8	0.3220	29.34	33.89	yes	music wire	4G
C.152.180.0698.AP	15.2	1.80	69.8	0.4264	23.22	35.67	yes	music wire	4I
C.152.180.0698.I	15.2	1.80	69.8	0.2768	29.34	33.89	yes	stainless steel	4H
C.152.180.0698.N	15.2	1.80	69.8	0.3220	29.34	33.89	yes	Zn coating	4I
C.152.180.0762.A	15.2	1.80	76.2	0.2949	31.68	36.66	yes	music wire	4G
C.152.180.0762.AP	15.2	1.80	76.2	0.3893	25.02	38.82	yes	music wire	4I
C.152.180.0762.I	15.2	1.80	76.2	0.2533	31.68	36.66	yes	stainless steel	4H
C.152.180.0762.N	15.2	1.80	76.2	0.2949	31.68	36.66	yes	Zn coating	4I
C.152.200.0500.A	15.2	2.00	50.0	0.8197	22.20	26.28	yes	music wire	4I
C.152.200.0500.I	15.2	2.00	50.0	0.7132	22.00	26.06	yes	stainless steel	4I
C.152.200.0570.A	15.2	2.00	57.0	0.7221	24.60	30.07	yes	music wire	4I
C.152.200.0570.I	15.2	2.00	57.0	0.6282	24.40	29.82	yes	stainless steel	4I
C.152.210.0157.A	15.2	2.10	15.7	2.9784	11.55	12.55	yes	music wire	4G
C.152.210.0157.AP	15.2	2.10	15.7	4.2392	9.66	10.46	yes	music wire	4I
C.152.210.0157.I	15.2	2.10	15.7	2.5581	11.55	12.55	yes	stainless steel	4G
C.152.210.0157.N	15.2	2.10	15.7	2.9784	11.55	12.55	yes	Zn coating	4I
C.152.210.0190.A	15.2	2.10	19.0	2.4730	12.81	14.01	yes	music wire	4G
C.152.210.0190.AP	15.2	2.10	19.0	3.2972	10.92	12.26	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.210.0190.I	15.2	2.10	19.0	2.1240	12.81	14.01	yes	stainless steel	4G
C.152.210.0190.N	15.2	2.10	19.0	2.4730	12.81	14.01	yes	Zn coating	4I
C.152.210.0224.A	15.2	2.10	22.4	2.1142	14.07	15.47	yes	music wire	4G
C.152.210.0224.AP	15.2	2.10	22.4	2.6977	12.18	14.16	yes	music wire	4I
C.152.210.0224.I	15.2	2.10	22.4	1.8159	14.07	15.47	yes	stainless steel	4G
C.152.210.0224.N	15.2	2.10	22.4	2.1142	14.07	15.47	yes	Zn coating	4I
C.152.210.0254.A	15.2	2.10	25.4	1.9000	14.91	16.44	yes	music wire	4G
C.152.210.0254.I	15.2	2.10	25.4	1.6270	15.12	16.68	yes	stainless steel	4G
C.152.210.0254.N	15.2	2.10	25.4	1.9000	14.91	16.44	yes	Zn coating	4I
C.152.210.0305.A	15.2	2.10	30.5	1.5155	17.43	19.36	yes	music wire	4G
C.152.210.0305.I	15.2	2.10	30.5	1.3185	17.22	19.12	yes	stainless steel	4G
C.152.210.0318.A	15.2	2.10	31.8	1.5351	17.22	19.12	yes	music wire	4I
C.152.210.0318.I	15.2	2.10	31.8	1.3356	17.22	19.12	yes	stainless steel	4I
C.152.210.0318.N	15.2	2.10	31.8	1.5351	17.22	19.12	yes	Zn coating	4J
C.152.210.0381.A	15.2	2.10	38.1	1.2680	19.95	22.28	yes	music wire	4I
C.152.210.0381.I	15.2	2.10	38.1	1.0891	19.95	22.28	yes	stainless steel	4I
C.152.210.0381.N	15.2	2.10	38.1	1.2680	19.95	22.28	yes	Zn coating	4J
C.152.210.0444.A	15.2	2.10	44.4	1.0963	22.05	24.71	yes	music wire	4I
C.152.210.0444.I	15.2	2.10	44.4	0.9538	21.84	24.47	yes	stainless steel	4I
C.152.210.0444.N	15.2	2.10	44.4	1.0963	22.05	24.71	yes	Zn coating	4J
C.152.210.0457.A	15.2	2.10	45.7	1.0823	22.26	25.16	yes	music wire	4I
C.152.210.0457.I	15.2	2.10	45.7	0.9416	22.05	24.94	yes	stainless steel	4I
C.152.210.0508.A	15.2	2.10	50.8	0.9656	24.36	27.78	yes	music wire	4I
C.152.210.0508.I	15.2	2.10	50.8	0.8293	24.36	27.39	yes	stainless steel	4I
C.152.210.0508.N	15.2	2.10	50.8	0.9656	24.36	27.78	yes	Zn coating	4J
C.152.210.0559.A	15.2	2.10	55.9	0.8517	26.88	30.31	yes	music wire	4I
C.152.210.0559.I	15.2	2.10	55.9	0.7409	26.67	30.06	yes	stainless steel	4I
C.152.210.0572.A	15.2	2.10	57.2	0.8627	26.67	31.44	yes	music wire	4I
C.152.210.0572.I	15.2	2.10	57.2	0.7500	26.46	31.13	yes	stainless steel	4I
C.152.210.0572.N	15.2	2.10	57.2	0.8627	26.67	31.44	yes	Zn coating	4J
C.152.210.0635.A	15.2	2.10	63.5	0.7796	28.98	34.99	yes	music wire	4I
C.152.210.0635.I	15.2	2.10	63.5	0.6696	28.98	34.30	yes	stainless steel	4I
C.152.210.0635.N	15.2	2.10	63.5	0.7796	28.98	34.99	yes	Zn coating	4J
C.152.210.0698.A	15.2	2.10	69.8	0.7043	31.50	38.24	yes	music wire	4I
C.152.210.0698.I	15.2	2.10	69.8	0.6049	31.50	37.48	yes	stainless steel	4I
C.152.210.0698.N	15.2	2.10	69.8	0.7043	31.50	38.24	yes	Zn coating	4J
C.152.210.0762.A	15.2	2.10	76.2	0.6479	33.81	41.89	yes	music wire	4I
C.152.210.0762.I	15.2	2.10	76.2	0.5565	33.81	41.07	yes	stainless steel	4J
C.152.210.0762.N	15.2	2.10	76.2	0.6479	33.81	41.89	yes	Zn coating	4J
C.152.210.0826.A	15.2	2.10	82.6	0.6000	36.12	45.56	yes	music wire	4I
C.152.210.0826.I	15.2	2.10	82.6	0.5152	36.12	44.66	yes	stainless steel	4J
C.152.210.0826.N	15.2	2.10	82.6	0.6000	36.12	45.56	yes	Zn coating	4J
C.152.210.0889.A	15.2	2.10	88.9	0.5590	38.43	49.14	yes	music wire	4I
C.152.210.0889.I	15.2	2.10	88.9	0.4797	38.43	48.15	yes	stainless steel	4J
C.152.210.0889.N	15.2	2.10	88.9	0.5590	38.43	49.14	yes	Zn coating	4J
C.152.210.0952.A	15.2	2.10	95.2	0.5225	40.74	52.66	yes	music wire	4J
C.152.210.0952.I	15.2	2.10	95.2	0.4487	40.74	51.63	yes	stainless steel	4J
C.152.210.0952.N	15.2	2.10	95.2	0.5225	40.74	52.66	yes	Zn coating	4K
C.152.210.1016.A	15.2	2.10	101.6	0.4875	43.26	56.01	yes	music wire	4J
C.152.210.1016.I	15.2	2.10	101.6	0.4187	43.26	54.91	yes	stainless steel	4J
C.152.210.1016.N	15.2	2.10	101.6	0.4875	43.26	56.01	yes	Zn coating	4K

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.152.220.0157.A	15.2	2.20	15.7	3.6174	12.10	13.11	yes	music wire	4G
C.152.220.0157.AP	15.2	2.20	15.7	4.9920	10.34	11.08	yes	music wire	4I
C.152.220.0157.I	15.2	2.20	15.7	3.1471	12.10	13.11	yes	stainless steel	4G
C.152.220.0160.A	15.2	2.20	16.0	4.4828	10.78	11.58	yes	music wire	4G
C.152.220.0160.I	15.2	2.20	16.0	3.9000	10.78	11.58	yes	stainless steel	4G
C.152.220.0190.A	15.2	2.20	19.0	3.0669	13.20	14.37	yes	music wire	4G
C.152.220.0190.AP	15.2	2.20	19.0	3.9223	11.66	12.60	yes	music wire	4I
C.152.220.0190.I	15.2	2.20	19.0	2.6342	13.20	14.37	yes	stainless steel	4G
C.152.220.0190.N	15.2	2.20	19.0	3.0669	13.20	14.37	yes	Zn coating	4I
C.152.220.0224.A	15.2	2.20	22.4	2.5652	14.74	16.15	yes	music wire	4G
C.152.220.0224.AP	15.2	2.20	22.4	3.2301	12.98	14.59	yes	music wire	4I
C.152.220.0224.I	15.2	2.20	22.4	2.2000	14.74	16.15	yes	stainless steel	4G
C.152.220.0224.N	15.2	2.20	22.4	2.5652	14.74	16.15	yes	Zn coating	4I
C.152.220.0254.A	15.2	2.20	25.4	2.2834	16.06	17.67	yes	music wire	4G
C.152.220.0254.I	15.2	2.20	25.4	1.9866	15.84	17.42	yes	stainless steel	4G
C.152.220.0320.A	15.2	2.20	32.0	1.8391	18.48	20.46	yes	music wire	4G
C.152.220.0320.I	15.2	2.20	32.0	1.6000	18.26	20.20	yes	stainless steel	4G
C.152.220.0381.A	15.2	2.20	38.1	1.5506	20.90	23.25	yes	music wire	4I
C.152.220.0381.I	15.2	2.20	38.1	1.3318	20.90	23.25	yes	stainless steel	4I
C.152.220.0381.N	15.2	2.20	38.1	1.5506	20.90	23.25	yes	Zn coating	4J
C.152.220.0444.A	15.2	2.20	44.4	1.3312	23.54	26.29	yes	music wire	4I
C.152.220.0444.I	15.2	2.20	44.4	1.1581	23.32	26.04	yes	stainless steel	4I
C.152.220.0444.N	15.2	2.20	44.4	1.3312	23.54	26.29	yes	Zn coating	4J
C.152.220.0457.A	15.2	2.20	45.7	1.3142	23.76	26.54	yes	music wire	4I
C.152.220.0457.I	15.2	2.20	45.7	1.1434	23.54	26.29	yes	stainless steel	4I
C.152.220.0508.A	15.2	2.20	50.8	1.1513	26.18	29.33	yes	music wire	4I
C.152.220.0508.I	15.2	2.20	50.8	1.0000	25.96	29.08	yes	stainless steel	4I
C.152.220.0559.A	15.2	2.20	55.9	1.0243	28.82	32.37	yes	music wire	4I
C.152.220.0559.I	15.2	2.20	55.9	0.8912	28.60	32.12	yes	stainless steel	4I
C.152.220.0572.A	15.2	2.20	57.2	1.0376	28.60	32.88	yes	music wire	4I
C.152.220.0572.I	15.2	2.20	57.2	0.9000	28.38	32.50	yes	stainless steel	4I
C.152.220.0572.N	15.2	2.20	57.2	1.0376	28.60	32.88	yes	Zn coating	4J
C.152.220.0635.A	15.2	2.20	63.5	0.9226	31.46	36.15	yes	music wire	4I
C.152.220.0635.I	15.2	2.20	63.5	0.8027	31.02	35.80	yes	stainless steel	4J
C.152.220.0698.A	15.2	2.20	69.8	0.8578	33.44	40.38	yes	music wire	4I
C.152.220.0698.I	15.2	2.20	69.8	0.7368	33.44	39.63	yes	stainless steel	4J
C.152.220.0698.N	15.2	2.20	69.8	0.8578	33.44	40.38	yes	Zn coating	4J
C.152.220.0826.A	15.2	2.20	82.6	0.7255	38.50	47.82	yes	music wire	4J
C.152.220.0826.I	15.2	2.20	82.6	0.6232	38.50	46.92	yes	stainless steel	4J
C.152.220.0826.N	15.2	2.20	82.6	0.7255	38.50	47.82	yes	Zn coating	4K
C.152.220.0889.A	15.2	2.20	88.9	0.6736	40.92	51.43	yes	music wire	4J
C.152.220.0889.I	15.2	2.20	88.9	0.5785	40.92	50.47	yes	stainless steel	4J
C.152.220.0889.N	15.2	2.20	88.9	0.6736	40.92	51.43	yes	Zn coating	4K
C.152.220.0952.A	15.2	2.20	95.2	0.6286	43.56	55.05	yes	music wire	4J
C.152.220.0952.I	15.2	2.20	95.2	0.5399	43.56	54.02	yes	stainless steel	4J
C.152.220.0952.N	15.2	2.20	95.2	0.6286	43.56	55.05	yes	Zn coating	4K
C.152.220.1016.A	15.2	2.20	101.6	0.5892	45.98	58.77	yes	music wire	4J
C.152.220.1016.I	15.2	2.20	101.6	0.5061	45.98	57.67	yes	stainless steel	4J
C.152.220.1016.N	15.2	2.20	101.6	0.5892	45.98	58.77	yes	Zn coating	4K
C.152.230.0191.A	15.2	2.30	19.1	4.9425	11.96	13.34	yes	music wire	4I
C.152.230.0191.I	15.2	2.30	19.1	4.3000	11.96	13.26	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.235.0190.A	15.2	2.35	19.0	4.0446	14.34	15.57	yes	music wire	4G
C.152.235.0190.AP	15.2	2.35	19.0	5.2946	12.46	13.41	yes	music wire	4I
C.152.235.0190.I	15.2	2.35	19.0	3.4739	14.34	15.57	yes	stainless steel	4G
C.152.235.0190.N	15.2	2.35	19.0	4.0446	14.34	15.57	yes	Zn coating	4I
C.152.235.0224.A	15.2	2.35	22.4	3.4301	15.98	17.44	yes	music wire	4G
C.152.235.0224.AP	15.2	2.35	22.4	4.2357	14.10	15.29	yes	music wire	4I
C.152.235.0224.I	15.2	2.35	22.4	2.9461	15.98	17.44	yes	stainless steel	4G
C.152.235.0224.N	15.2	2.35	22.4	3.4301	15.98	17.44	yes	Zn coating	4I
C.152.235.0254.A	15.2	2.35	25.4	3.0447	17.16	18.79	yes	music wire	4G
C.152.235.0254.I	15.2	2.35	25.4	2.6151	17.16	18.79	yes	stainless steel	4G
C.152.235.0254.N	15.2	2.35	25.4	3.0447	17.16	18.79	yes	Zn coating	4I
C.152.235.0305.A	15.2	2.35	30.5	2.4100	20.21	22.29	yes	music wire	4G
C.152.235.0305.I	15.2	2.35	30.5	2.1000	19.98	22.02	yes	stainless steel	4G
C.152.235.0318.A	15.2	2.35	31.8	2.4412	19.98	22.02	yes	music wire	4G
C.152.235.0318.I	15.2	2.35	31.8	2.1238	19.74	21.75	yes	stainless steel	4G
C.152.235.0318.N	15.2	2.35	31.8	2.4412	19.98	22.02	yes	Zn coating	4I
C.152.235.0381.A	15.2	2.35	38.1	2.0374	22.80	25.25	yes	music wire	4I
C.152.235.0381.I	15.2	2.35	38.1	1.7500	22.80	25.25	yes	stainless steel	4I
C.152.235.0381.N	15.2	2.35	38.1	2.0374	22.80	25.25	yes	Zn coating	4J
C.152.235.0444.A	15.2	2.35	44.4	1.7500	25.62	28.48	yes	music wire	4I
C.152.235.0444.I	15.2	2.35	44.4	1.5209	25.38	28.21	yes	stainless steel	4I
C.152.235.0444.N	15.2	2.35	44.4	1.7500	25.62	28.48	yes	Zn coating	4J
C.152.235.0457.A	15.2	2.35	45.7	1.7253	25.85	28.74	yes	music wire	4I
C.152.235.0457.I	15.2	2.35	45.7	1.5000	25.62	28.48	yes	stainless steel	4I
C.152.235.0508.A	15.2	2.35	50.8	1.5309	28.44	31.71	yes	music wire	4I
C.152.235.0508.I	15.2	2.35	50.8	1.3149	28.44	31.71	yes	stainless steel	4I
C.152.235.0508.N	15.2	2.35	50.8	1.5309	28.44	31.71	yes	Zn coating	4J
C.152.235.0572.A	15.2	2.35	57.2	1.3616	31.26	35.03	yes	music wire	4I
C.152.235.0572.I	15.2	2.35	57.2	1.1695	31.26	34.94	yes	stainless steel	4I
C.152.235.0572.N	15.2	2.35	57.2	1.3616	31.26	35.03	yes	Zn coating	4J
C.152.235.0635.A	15.2	2.35	63.5	1.2261	33.84	38.88	yes	music wire	4I
C.152.235.0635.I	15.2	2.35	63.5	1.0531	33.84	38.19	yes	stainless steel	4J
C.152.235.0635.N	15.2	2.35	63.5	1.2261	33.84	38.88	yes	Zn coating	4J
C.152.235.0698.A	15.2	2.35	69.8	1.1151	36.66	42.72	yes	music wire	4I
C.152.235.0698.I	15.2	2.35	69.8	0.9577	36.66	41.97	yes	stainless steel	4J
C.152.235.0698.N	15.2	2.35	69.8	1.1151	36.66	42.72	yes	Zn coating	4J
C.152.235.0762.A	15.2	2.35	76.2	1.0225	39.48	46.67	yes	music wire	4I
C.152.235.0762.I	15.2	2.35	76.2	0.8782	39.48	45.85	yes	stainless steel	4J
C.152.235.0762.N	15.2	2.35	76.2	1.0225	39.48	46.67	yes	Zn coating	4J
C.152.235.0826.A	15.2	2.35	82.6	0.9441	42.30	50.62	yes	music wire	4J
C.152.235.0826.I	15.2	2.35	82.6	0.8109	42.30	49.73	yes	stainless steel	4J
C.152.235.0826.N	15.2	2.35	82.6	0.9441	42.30	50.62	yes	Zn coating	4K
C.152.235.0889.A	15.2	2.35	88.9	0.8769	45.12	54.47	yes	music wire	4J
C.152.235.0889.I	15.2	2.35	88.9	0.7532	45.12	53.51	yes	stainless steel	4J
C.152.235.0889.N	15.2	2.35	88.9	0.8769	45.12	54.47	yes	Zn coating	4K
C.152.235.0952.A	15.2	2.35	95.2	0.8186	47.94	58.32	yes	music wire	4J
C.152.235.0952.I	15.2	2.35	95.2	0.7031	47.94	57.29	yes	stainless steel	4J
C.152.235.0952.N	15.2	2.35	95.2	0.8186	47.94	58.32	yes	Zn coating	4K
C.152.235.1016.A	15.2	2.35	101.6	0.7676	50.76	62.27	yes	music wire	4J
C.152.235.1016.I	15.2	2.35	101.6	0.6593	50.76	61.17	yes	stainless steel	4J
C.152.235.1016.N	15.2	2.35	101.6	0.7676	50.76	62.27	yes	Zn coating	4K

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.240.0250.A	15.2	2.40	25.0	2.9304	19.20	21.08	yes	music wire	4G
C.152.240.0250.AP	15.2	2.40	25.0	4.0811	15.36	17.17	yes	music wire	4I
C.152.240.0250.I	15.2	2.40	25.0	2.5169	19.20	21.08	yes	stainless steel	4G
C.152.240.0250.N	15.2	2.40	25.0	2.9304	19.20	21.08	yes	Zn coating	4I
C.152.240.0320.A	15.2	2.40	32.0	2.4795	21.60	23.83	yes	music wire	4G
C.152.240.0320.AP	15.2	2.40	32.0	3.0231	18.72	21.43	yes	music wire	4I
C.152.240.0320.I	15.2	2.40	32.0	2.1296	21.60	23.83	yes	stainless steel	4G
C.152.240.0320.N	15.2	2.40	32.0	2.4795	21.60	23.83	yes	Zn coating	4I
C.152.240.0380.A	15.2	2.40	38.0	2.0146	25.20	27.94	yes	music wire	4G
C.152.240.0380.AP	15.2	2.40	38.0	2.4734	21.60	25.08	yes	music wire	4I
C.152.240.0380.I	15.2	2.40	38.0	1.7303	25.20	27.94	yes	stainless steel	4G
C.152.240.0380.N	15.2	2.40	38.0	2.0146	25.20	27.94	yes	Zn coating	4I
C.152.240.0440.A	15.2	2.40	44.0	1.7908	27.60	30.68	yes	music wire	4G
C.152.240.0440.I	15.2	2.40	44.0	1.5381	27.60	30.68	yes	stainless steel	4G
C.152.240.0440.N	15.2	2.40	44.0	1.7908	27.60	30.68	yes	Zn coating	4I
C.152.240.0510.A	15.2	2.40	51.0	1.4652	32.40	36.17	yes	music wire	4G
C.152.240.0510.AP	15.2	2.40	51.0	1.7939	27.60	33.18	yes	music wire	4I
C.152.240.0510.I	15.2	2.40	51.0	1.2585	32.40	36.17	yes	stainless steel	4H
C.152.240.0510.N	15.2	2.40	51.0	1.4652	32.40	36.17	yes	Zn coating	4I
C.152.240.0640.A	15.2	2.40	64.0	1.0745	42.00	47.14	yes	music wire	4G
C.152.240.0640.AP	15.2	2.40	64.0	1.4073	33.60	41.29	yes	music wire	4I
C.152.240.0640.I	15.2	2.40	64.0	0.9229	42.00	47.14	yes	stainless steel	4H
C.152.240.0640.N	15.2	2.40	64.0	1.0745	42.00	47.14	yes	Zn coating	4I
C.152.240.0760.A	15.2	2.40	76.0	0.9210	48.00	53.99	yes	music wire	4H
C.152.240.0760.AP	15.2	2.40	76.0	1.1744	38.88	48.78	yes	music wire	4I
C.152.240.0760.I	15.2	2.40	76.0	0.7910	48.00	53.99	yes	stainless steel	4H
C.152.240.0760.N	15.2	2.40	76.0	0.9210	48.00	53.99	yes	Zn coating	4I
C.152.240.0890.A	15.2	2.40	89.0	0.7675	56.40	63.59	yes	music wire	4H
C.152.240.0890.AP	15.2	2.40	89.0	0.9894	45.12	56.69	yes	music wire	4J
C.152.240.0890.I	15.2	2.40	89.0	0.6592	56.40	63.59	yes	stainless steel	4I
C.152.240.0890.N	15.2	2.40	89.0	0.7675	56.40	63.59	yes	Zn coating	4I
C.152.240.1020.A	15.2	2.40	102.0	0.6715	63.60	71.82	yes	music wire	4H
C.152.240.1020.AP	15.2	2.40	102.0	0.8592	51.12	64.80	yes	music wire	4J
C.152.240.1020.I	15.2	2.40	102.0	0.5767	63.60	71.82	yes	stainless steel	4I
C.152.240.1020.N	15.2	2.40	102.0	0.6715	63.60	71.82	yes	Zn coating	4I
C.152.250.0224.A	15.2	2.50	22.4	4.5189	17.00	18.49	yes	music wire	4G
C.152.250.0224.AP	15.2	2.50	22.4	5.4710	15.25	16.50	yes	music wire	4I
C.152.250.0224.I	15.2	2.50	22.4	3.8812	17.00	18.49	yes	stainless steel	4G
C.152.250.0224.N	15.2	2.50	22.4	4.5189	17.00	18.49	yes	Zn coating	4I
C.152.250.0250.A	15.2	2.50	25.0	4.5977	16.75	18.21	yes	music wire	4I
C.152.250.0250.I	15.2	2.50	25.0	4.0000	16.75	18.21	yes	stainless steel	4I
C.152.250.0254.A	15.2	2.50	25.4	3.9072	18.75	20.48	yes	music wire	4G
C.152.250.0254.AP	15.2	2.50	25.4	4.8038	16.25	17.97	yes	music wire	4I
C.152.250.0254.I	15.2	2.50	25.4	3.3992	18.50	20.20	yes	stainless steel	4G
C.152.250.0305.A	15.2	2.50	30.5	3.1298	21.75	23.90	yes	music wire	4G
C.152.250.0305.AP	15.2	2.50	30.5	3.7876	19.00	21.08	yes	music wire	4I
C.152.250.0305.I	15.2	2.50	30.5	2.7229	21.50	23.62	yes	stainless steel	4G
C.152.250.0318.A	15.2	2.50	31.8	3.1703	21.50	23.62	yes	music wire	4G
C.152.250.0318.I	15.2	2.50	31.8	2.7581	21.25	23.33	yes	stainless steel	4G
C.152.250.0318.N	15.2	2.50	31.8	3.1703	21.50	23.62	yes	Zn coating	4I
C.152.250.0381.A	15.2	2.50	38.1	2.6442	24.50	27.03	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.152.250.0381.I	15.2	2.50	38.1	2.2711	24.50	27.03	yes	stainless steel	4H
C.152.250.0381.N	15.2	2.50	38.1	2.6442	24.50	27.03	yes	Zn coating	4I
C.152.250.0450.A	15.2	2.50	45.0	2.4000	26.50	30.13	yes	music wire	4I
C.152.250.0450.I	15.2	2.50	45.0	2.0880	26.25	29.88	yes	stainless steel	4I
C.152.250.0457.A	15.2	2.50	45.7	2.2389	28.00	31.02	yes	music wire	4I
C.152.250.0457.I	15.2	2.50	45.7	1.9479	27.75	30.73	yes	stainless steel	4I
C.152.250.0508.A	15.2	2.50	50.8	1.9600	31.00	34.43	yes	music wire	4I
C.152.250.0508.I	15.2	2.50	50.8	1.7052	30.75	34.15	yes	stainless steel	4J
C.152.250.0572.A	15.2	2.50	57.2	1.7654	33.75	37.56	yes	music wire	4I
C.152.250.0572.I	15.2	2.50	57.2	1.5163	33.75	37.56	yes	stainless steel	4J
C.152.250.0572.N	15.2	2.50	57.2	1.7654	33.75	37.56	yes	Zn coating	4J
C.152.250.0635.A	15.2	2.50	63.5	1.5690	37.25	41.55	yes	music wire	4I
C.152.250.0635.I	15.2	2.50	63.5	1.3650	36.75	40.98	yes	stainless steel	4J
C.152.250.0698.A	15.2	2.50	69.8	1.4562	39.50	45.29	yes	music wire	4J
C.152.250.0698.I	15.2	2.50	69.8	1.2500	39.50	44.54	yes	stainless steel	4J
C.152.250.0698.N	15.2	2.50	69.8	1.4562	39.50	45.29	yes	Zn coating	4K
C.152.250.0762.A	15.2	2.50	76.2	1.3342	42.75	49.45	yes	music wire	4J
C.152.250.0762.I	15.2	2.50	76.2	1.1460	42.75	48.64	yes	stainless steel	4J
C.152.250.0762.N	15.2	2.50	76.2	1.3342	42.75	49.45	yes	Zn coating	4K
C.152.250.0826.A	15.2	2.50	82.6	1.2312	45.75	53.61	yes	music wire	4J
C.152.250.0826.I	15.2	2.50	82.6	1.0574	45.75	52.74	yes	stainless steel	4J
C.152.250.0826.N	15.2	2.50	82.6	1.2312	45.75	53.61	yes	Zn coating	4K
C.152.250.0889.A	15.2	2.50	88.9	1.1429	48.75	57.67	yes	music wire	4J
C.152.250.0889.I	15.2	2.50	88.9	0.9816	48.75	56.73	yes	stainless steel	4J
C.152.250.0889.N	15.2	2.50	88.9	1.1429	48.75	57.67	yes	Zn coating	4L
C.152.250.0952.A	15.2	2.50	95.2	1.0664	51.75	61.73	yes	music wire	4J
C.152.250.0952.I	15.2	2.50	95.2	0.9159	51.75	60.72	yes	stainless steel	4J
C.152.250.0952.N	15.2	2.50	95.2	1.0664	51.75	61.73	yes	Zn coating	4L
C.152.250.1016.A	15.2	2.50	101.6	1.0000	54.75	65.91	yes	music wire	4J
C.152.250.1016.I	15.2	2.50	101.6	0.8585	54.75	64.81	yes	stainless steel	4J
C.152.250.1016.N	15.2	2.50	101.6	1.0000	54.75	65.91	yes	Zn coating	4L
C.152.300.0250.A	15.2	3.00	25.0	11.0329	19.80	21.34	yes	music wire	4I
C.152.300.0250.I	15.2	3.00	25.0	9.5986	19.80	21.34	yes	stainless steel	4I
C.152.300.0450.A	15.2	3.00	45.0	5.6047	31.80	34.83	yes	music wire	4J
C.152.300.0450.I	15.2	3.00	45.0	4.8761	31.50	34.50	yes	stainless steel	4J
C.152.300.0500.A	15.2	3.00	50.0	5.0781	34.20	38.57	yes	music wire	4J
C.152.300.0500.I	15.2	3.00	50.0	4.4179	33.90	38.30	yes	stainless steel	4J
C.152.300.1520.A	15.2	3.00	152.0	1.5760	93.90	115.17	yes	music wire	4M
C.152.300.1520.I	15.2	3.00	152.0	1.3711	93.00	114.30	yes	stainless steel	4M
C.153.125.0190.A	15.3	1.25	19.0	0.4021	5.88	6.68	yes	music wire	4F
C.153.125.0190.I	15.3	1.25	19.0	0.3498	5.88	6.68	yes	stainless steel	4G
C.153.130.0320.A	15.3	1.30	32.0	0.1160	15.08	18.32	yes	music wire	4D
C.153.130.0320.AP	15.3	1.30	32.0	0.3222	7.54	13.83	yes	music wire	4G
C.153.130.0320.I	15.3	1.30	32.0	0.1009	14.95	18.16	yes	stainless steel	4D
C.153.130.0320.N	15.3	1.30	32.0	0.1160	15.08	18.32	yes	Zn coating	4E
C.153.235.0159.A	15.3	2.35	15.9	6.2650	11.28	12.07	yes	music wire	4G
C.153.235.0159.I	15.3	2.35	15.9	5.4505	11.28	12.07	yes	stainless steel	4G
C.154.125.0250.A	15.4	1.25	25.0	0.2500	7.50	8.78	yes	music wire	4C
C.154.125.0320.A	15.4	1.25	32.0	0.2000	8.63	10.24	yes	music wire	4C
C.154.125.0400.A	15.4	1.25	40.0	0.1563	10.13	12.18	yes	music wire	4C
C.154.125.0500.A	15.4	1.25	50.0	0.1250	11.88	14.44	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.154.125.0630.A	15.4	1.25	63.0	0.1000	14.13	17.34	yes	music wire	4C
C.154.125.0800.A	15.4	1.25	80.0	0.0781	17.13	21.22	yes	music wire	4D
C.154.125.1000.A	15.4	1.25	100.0	0.0625	20.63	25.74	yes	music wire	4D
C.154.125.1250.A	15.4	1.25	125.0	0.0500	25.13	31.56	yes	music wire	4E
C.154.125.1600.A	15.4	1.25	160.0	0.0400	30.50	38.50	yes	music wire	4F
C.154.125.1600.I	15.4	1.25	160.0	0.0348	30.25	38.18	yes	stainless steel	4I
C.154.125.1600.N	15.4	1.25	160.0	0.0400	30.50	38.50	yes	Zn coating	4I
C.154.125.2000.A	15.4	1.25	200.0	0.0320	37.38	47.39	yes	music wire	4G
C.154.125.2000.I	15.4	1.25	200.0	0.0278	37.00	46.90	yes	stainless steel	4I
C.154.125.2000.N	15.4	1.25	200.0	0.0320	37.38	47.39	yes	Zn coating	4I
C.154.220.2400.A	15.4	2.20	240.0	0.3347	73.70	165.49	yes	music wire	4M
C.154.220.2400.I	15.4	2.20	240.0	0.2875	73.70	163.59	yes	stainless steel	4M
C.154.220.2400.N	15.4	2.20	240.0	0.3347	73.70	165.49	yes	Zn coating	4O
C.155.060.0250.A	15.5	0.60	25.0	0.0040	8.10	14.25	no	music wire	4C
C.155.060.0250.I	15.5	0.60	25.0	0.0035	8.04	14.13	no	stainless steel	4C
C.155.070.0320.A	15.5	0.70	32.0	0.0161	5.74	8.28	no	music wire	4C
C.155.070.0320.I	15.5	0.70	32.0	0.0140	5.67	8.15	no	stainless steel	4D
C.155.080.0103.A	15.5	0.80	10.3	0.0420	4.48	5.98	yes	music wire	4C
C.155.080.0103.AP	15.5	0.80	10.3	0.1192	2.88	3.41	yes	music wire	4C
C.155.080.0103.I	15.5	0.80	10.3	0.0365	4.48	5.98	yes	stainless steel	4C
C.155.080.0174.A	15.5	0.80	17.4	0.0270	5.92	8.30	yes	music wire	4C
C.155.080.0174.I	15.5	0.80	17.4	0.0235	5.84	8.17	yes	stainless steel	4C
C.155.080.0290.A	15.5	0.80	29.0	0.0276	5.84	8.17	yes	music wire	4C
C.155.080.0290.I	15.5	0.80	29.0	0.0240	5.76	8.04	yes	stainless steel	4D
C.155.080.0300.A	15.5	0.80	30.0	0.0299	5.52	7.65	yes	music wire	4C
C.155.080.0300.I	15.5	0.80	30.0	0.0260	5.44	7.53	yes	stainless steel	4D
C.155.100.0270.A	15.5	1.00	27.0	0.1069	5.60	6.89	yes	music wire	4C
C.155.100.0270.I	15.5	1.00	27.0	0.0930	5.60	6.89	yes	stainless steel	4D
C.155.100.0700.A	15.5	1.00	70.0	0.0437	10.20	13.40	yes	music wire	4E
C.155.100.0700.I	15.5	1.00	70.0	0.0380	10.10	13.26	yes	stainless steel	4E
C.155.110.0111.A	15.5	1.10	11.1	0.3563	4.29	4.84	yes	music wire	4C
C.155.110.0111.I	15.5	1.10	11.1	0.3100	4.29	4.84	yes	stainless steel	4D
C.155.110.0182.A	15.5	1.10	18.2	0.1200	7.37	9.02	yes	music wire	4C
C.155.110.0182.I	15.5	1.10	18.2	0.1044	7.26	8.87	yes	stainless steel	4D
C.155.110.0191.A	15.5	1.10	19.1	0.1264	7.15	8.72	yes	music wire	4C
C.155.110.0191.I	15.5	1.10	19.1	0.1100	7.04	8.57	yes	stainless steel	4D
C.155.110.0380.A	15.5	1.10	38.0	0.0655	11.11	14.10	yes	music wire	4D
C.155.110.0380.I	15.5	1.10	38.0	0.0570	11.00	13.95	yes	stainless steel	4D
C.155.110.0610.A	15.5	1.10	61.0	0.0782	9.79	14.70	yes	music wire	4G
C.155.110.0610.I	15.5	1.10	61.0	0.0680	9.68	15.08	yes	stainless steel	4G
C.155.110.0640.A	15.5	1.10	64.0	0.0391	16.83	21.86	yes	music wire	4D
C.155.110.0640.I	15.5	1.10	64.0	0.0340	16.61	21.56	yes	stainless steel	4E
C.155.130.0167.A	15.5	1.30	16.7	0.2299	8.97	10.57	yes	music wire	4C
C.155.130.0167.AP	15.5	1.30	16.7	0.6369	5.33	7.62	yes	music wire	4F
C.155.130.0167.I	15.5	1.30	16.7	0.2000	8.97	10.57	yes	stainless steel	4D
C.155.130.0290.A	15.5	1.30	29.0	0.2800	7.93	9.24	yes	music wire	4G
C.155.130.0290.I	15.5	1.30	29.0	0.2436	7.93	9.24	yes	stainless steel	4G
C.155.140.0111.A	15.5	1.40	11.1	0.6207	6.58	7.36	yes	music wire	4E
C.155.140.0111.AP	15.5	1.40	11.1	1.2739	5.04	5.52	yes	music wire	4H
C.155.140.0111.I	15.5	1.40	11.1	0.5400	6.58	7.36	yes	stainless steel	4E
C.155.140.0127.A	15.5	1.40	12.7	0.6207	6.58	7.36	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.155.140.0127.AP	15.5	1.40	12.7	1.1677	5.18	6.61	yes	music wire	4H
C.155.140.0127.I	15.5	1.40	12.7	0.5400	6.58	7.36	yes	stainless steel	4E
C.155.140.0330.A	15.5	1.40	33.0	0.2600	11.06	12.97	yes	music wire	4E
C.155.140.0330.AP	15.5	1.40	33.0	0.3892	8.54	14.73	yes	music wire	4I
C.155.140.0330.I	15.5	1.40	33.0	0.2262	10.92	12.79	yes	stainless steel	4F
C.155.140.0380.A	15.5	1.40	38.0	0.1954	13.44	15.95	yes	music wire	4E
C.155.140.0380.AP	15.5	1.40	38.0	0.3336	9.38	16.69	yes	music wire	4I
C.155.140.0380.I	15.5	1.40	38.0	0.1700	13.44	15.95	yes	stainless steel	4F
C.155.140.0410.A	15.5	1.40	41.0	0.1724	14.84	17.70	yes	music wire	4E
C.155.140.0410.AP	15.5	1.40	41.0	0.3046	9.94	17.66	yes	music wire	4I
C.155.140.0410.I	15.5	1.40	41.0	0.1500	14.70	17.52	yes	stainless steel	4F
C.155.140.2150.A	15.5	1.40	215.0	0.0345	60.20	74.50	yes	music wire	4I
C.155.140.2150.AP	15.5	1.40	215.0	0.0561	38.36	88.15	yes	music wire	4J
C.155.140.2150.I	15.5	1.40	215.0	0.0300	59.50	73.62	yes	stainless steel	4I
C.155.150.0174.A	15.5	1.50	17.4	0.4943	9.45	10.76	yes	music wire	4E
C.155.150.0174.AP	15.5	1.50	17.4	0.9938	6.60	8.73	yes	music wire	4I
C.155.150.0174.I	15.5	1.50	17.4	0.4300	9.45	10.76	yes	stainless steel	4E
C.155.150.0290.A	15.5	1.50	29.0	0.5370	9.00	12.95	yes	music wire	4I
C.155.150.0290.I	15.5	1.50	29.0	0.4612	9.00	12.74	yes	stainless steel	4I
C.155.150.0290.N	15.5	1.50	29.0	0.5370	9.00	12.95	yes	Zn coating	4I
C.155.150.0800.A	15.5	1.50	80.0	0.1790	19.50	31.86	yes	music wire	4I
C.155.150.0800.I	15.5	1.50	80.0	0.1537	19.50	31.20	yes	stainless steel	4I
C.155.150.0800.N	15.5	1.50	80.0	0.1790	19.50	31.86	yes	Zn coating	4J
C.155.160.0260.A	15.5	1.60	26.0	0.6500	10.08	11.38	yes	music wire	4I
C.155.160.0260.I	15.5	1.60	26.0	0.5655	10.08	11.38	yes	stainless steel	4I
C.155.160.0470.A	15.5	1.60	47.0	0.2800	18.24	21.28	yes	music wire	4F
C.155.160.0470.AP	15.5	1.60	47.0	0.4166	13.60	22.25	yes	music wire	4I
C.155.160.0470.I	15.5	1.60	47.0	0.2436	18.08	21.08	yes	stainless steel	4F
C.155.160.0890.A	15.5	1.60	89.0	0.1379	32.80	38.94	yes	music wire	4G
C.155.160.0890.AP	15.5	1.60	89.0	0.2137	22.56	40.74	yes	music wire	4I
C.155.160.0890.I	15.5	1.60	89.0	0.1200	32.48	38.55	yes	stainless steel	4G
C.155.160.2400.A	15.5	1.60	240.0	0.0600	70.24	84.36	yes	music wire	4I
C.155.160.2400.I	15.5	1.60	240.0	0.0522	69.44	83.39	yes	stainless steel	4I
C.155.160.2400.N	15.5	1.60	240.0	0.0600	70.24	84.36	yes	Zn coating	4J
C.155.180.0103.A	15.5	1.80	10.3	4.4828	6.12	7.11	yes	music wire	4I
C.155.180.0103.I	15.5	1.80	10.3	3.9000	6.12	7.09	yes	stainless steel	4I
C.155.180.0200.A	15.5	1.80	20.0	1.4943	9.54	10.48	yes	music wire	4I
C.155.180.0200.I	15.5	1.80	20.0	1.3000	9.36	10.38	yes	stainless steel	4I
C.155.180.0350.A	15.5	1.80	35.0	0.7700	14.22	16.44	yes	music wire	4I
C.155.180.0350.I	15.5	1.80	35.0	0.6900	13.86	16.88	yes	stainless steel	4I
C.155.180.0500.A	15.5	1.80	50.0	0.3140	28.26	32.70	yes	music wire	4G
C.155.180.0500.AP	15.5	1.80	50.0	0.5901	17.10	25.79	yes	music wire	4I
C.155.180.0500.I	15.5	1.80	50.0	0.2732	28.08	32.49	yes	stainless steel	4G
C.155.180.0500.N	15.5	1.80	50.0	0.3140	28.26	32.70	yes	Zn coating	4I
C.155.190.0111.A	15.5	1.90	11.1	2.6437	8.55	9.22	yes	music wire	4F
C.155.190.0111.I	15.5	1.90	11.1	2.3000	8.55	9.22	yes	stainless steel	4G
C.155.200.0280.A	15.5	2.00	28.0	1.0690	17.40	19.49	yes	music wire	4G
C.155.200.0280.AP	15.5	2.00	28.0	1.6307	13.20	16.29	yes	music wire	4I
C.155.200.0280.I	15.5	2.00	28.0	0.9300	17.20	19.25	yes	stainless steel	4G
C.155.200.1670.A	15.5	2.00	167.0	0.2325	62.00	84.86	yes	music wire	4J
C.155.200.1670.I	15.5	2.00	167.0	0.2000	62.00	83.14	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.155.200.1670.N	15.5	2.00	167.0	0.2325	62.00	84.86	yes	Zn coating	4L
C.155.210.0470.A	15.5	2.10	47.0	0.8600	25.41	28.66	yes	music wire	4G
C.155.210.0470.AP	15.5	2.10	47.0	1.1090	20.79	27.31	yes	music wire	4I
C.155.210.0470.I	15.5	2.10	47.0	0.7500	24.99	28.17	yes	stainless steel	4G
C.155.220.1110.A	15.5	2.20	111.0	0.2989	80.08	91.63	yes	music wire	4I
C.155.220.1110.AP	15.5	2.20	111.0	0.5342	47.30	64.59	yes	music wire	4J
C.155.220.1110.I	15.5	2.20	111.0	0.2600	79.20	90.61	yes	stainless steel	4I
C.155.230.0360.A	15.5	2.30	36.0	2.4138	17.48	24.41	yes	music wire	4J
C.155.230.0360.I	15.5	2.30	36.0	2.1000	17.48	24.24	yes	stainless steel	4J
C.155.240.1150.A	15.5	2.40	115.0	0.6000	66.24	74.96	yes	music wire	4I
C.155.240.1150.I	15.5	2.40	115.0	0.5220	65.28	73.86	yes	stainless steel	4I
C.155.250.0184.A	15.5	2.50	18.4	7.1120	12.50	13.47	yes	music wire	4I
C.155.250.0184.I	15.5	2.50	18.4	6.1874	12.50	13.38	yes	stainless steel	4I
C.155.250.0184.N	15.5	2.50	18.4	7.1120	12.50	13.47	yes	Zn coating	4J
C.155.250.0280.A	15.5	2.50	28.0	4.0252	17.50	19.29	yes	music wire	4I
C.155.250.0280.I	15.5	2.50	28.0	3.4572	17.50	19.08	yes	stainless steel	4I
C.155.250.0280.N	15.5	2.50	28.0	4.0252	17.50	19.29	yes	Zn coating	4J
C.155.250.0490.A	15.5	2.50	49.0	2.1310	27.50	32.54	yes	music wire	4I
C.155.250.0490.I	15.5	2.50	49.0	1.8303	27.50	32.04	yes	stainless steel	4J
C.155.250.0490.N	15.5	2.50	49.0	2.1310	27.50	32.54	yes	Zn coating	4J
C.155.250.0590.A	15.5	2.50	59.0	1.7251	32.50	38.67	yes	music wire	4I
C.155.250.0590.I	15.5	2.50	59.0	1.4817	32.50	38.05	yes	stainless steel	4J
C.155.250.0590.N	15.5	2.50	59.0	1.7251	32.50	38.67	yes	Zn coating	4J
C.155.250.0900.A	15.5	2.50	90.0	1.1000	47.50	58.11	yes	music wire	4J
C.155.250.0900.I	15.5	2.50	90.0	0.9429	47.50	57.08	yes	stainless steel	4J
C.155.250.0900.N	15.5	2.50	90.0	1.1000	47.50	58.11	yes	Zn coating	4L
C.155.250.2240.A	15.5	2.50	224.0	0.4262	112.50	141.70	yes	music wire	4K
C.155.250.2240.I	15.5	2.50	224.0	0.3661	112.50	139.22	yes	stainless steel	4L
C.155.250.2240.N	15.5	2.50	224.0	0.4262	112.50	141.70	yes	Zn coating	4M
C.155.280.0159.A	15.5	2.80	15.9	16.0920	12.32	13.02	yes	music wire	4J
C.155.280.0159.I	15.5	2.80	15.9	14.0000	12.32	13.02	yes	stainless steel	4J
C.155.280.0290.A	15.5	2.80	29.0	8.5057	17.08	23.41	yes	music wire	4L
C.155.280.0290.I	15.5	2.80	29.0	7.4000	16.80	23.29	yes	stainless steel	4L
C.155.300.0410.A	15.5	3.00	41.0	6.5517	26.70	32.28	yes	music wire	4L
C.155.300.0410.I	15.5	3.00	41.0	5.7000	26.70	32.08	yes	stainless steel	4M
C.155.310.0250.A	15.5	3.10	25.0	14.0988	18.60	20.58	yes	music wire	4L
C.155.310.0250.I	15.5	3.10	25.0	12.1094	18.60	20.42	yes	stainless steel	4J
C.155.310.0250.N	15.5	3.10	25.0	14.0988	18.60	20.58	yes	Zn coating	4N
C.155.310.0320.A	15.5	3.10	32.0	9.3992	23.87	25.87	yes	music wire	4J
C.155.310.0320.I	15.5	3.10	32.0	8.0729	24.18	26.22	yes	stainless steel	4J
C.155.310.0320.N	15.5	3.10	32.0	9.3992	23.87	25.87	yes	Zn coating	4L
C.155.310.0380.A	15.5	3.10	38.0	7.3105	28.52	31.10	yes	music wire	4J
C.155.310.0380.I	15.5	3.10	38.0	6.2790	28.52	31.10	yes	stainless steel	4J
C.155.310.0380.N	15.5	3.10	38.0	7.3105	28.52	31.10	yes	Zn coating	4L
C.155.310.0430.A	15.5	3.10	43.0	7.1264	29.14	34.26	yes	music wire	4L
C.155.310.0430.I	15.5	3.10	43.0	6.2000	28.83	34.05	yes	stainless steel	4M
C.155.310.0440.A	15.5	3.10	44.0	6.1682	32.55	35.63	yes	music wire	4J
C.155.310.0440.I	15.5	3.10	44.0	5.2978	32.55	35.63	yes	stainless steel	4J
C.155.310.0440.N	15.5	3.10	44.0	6.1682	32.55	35.63	yes	Zn coating	4L
C.155.310.0510.A	15.5	3.10	51.0	5.0611	37.82	41.55	yes	music wire	4J
C.155.310.0510.I	15.5	3.10	51.0	4.3470	37.82	41.55	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.155.310.0510.N	15.5	3.10	51.0	5.0611	37.82	41.55	yes	Zn coating	4L
C.155.310.0640.A	15.5	3.10	64.0	4.1121	44.95	49.56	yes	music wire	4J
C.155.310.0640.I	15.5	3.10	64.0	3.5319	44.95	49.56	yes	stainless steel	4J
C.155.310.0640.N	15.5	3.10	64.0	4.1121	44.95	49.56	yes	Zn coating	4L
C.155.310.0760.A	15.5	3.10	76.0	3.4032	52.70	58.27	yes	music wire	4J
C.155.310.0760.I	15.5	3.10	76.0	2.9230	52.70	58.27	yes	stainless steel	4J
C.155.310.0760.N	15.5	3.10	76.0	3.4032	52.70	58.27	yes	Zn coating	4M
C.155.310.0890.A	15.5	3.10	89.0	3.0367	57.97	68.50	yes	music wire	4M
C.155.310.0890.I	15.5	3.10	89.0	2.6082	57.97	67.71	yes	stainless steel	4M
C.155.310.0890.N	15.5	3.10	89.0	3.0367	57.97	68.50	yes	Zn coating	4N
C.155.310.1020.A	15.5	3.10	102.0	2.5305	68.20	77.40	yes	music wire	4K
C.155.310.1020.I	15.5	3.10	102.0	2.1734	68.20	76.46	yes	stainless steel	4K
C.155.310.1020.N	15.5	3.10	102.0	2.5305	68.20	77.40	yes	Zn coating	4M
C.155.340.0600.A	15.5	3.40	60.0	9.7701	35.36	51.89	yes	music wire	4N
C.155.340.0600.I	15.5	3.40	60.0	8.5000	35.02	51.66	yes	stainless steel	4N
C.159.050.0210.A	15.9	0.50	21.0	0.0034	4.30	8.18	no	music wire	4C
C.159.050.0210.I	15.9	0.50	21.0	0.0030	4.25	8.06	no	stainless steel	4C
C.159.070.0095.A	15.9	0.70	9.5	0.0678	3.15	3.72	no	music wire	4C
C.159.070.0095.I	15.9	0.70	9.5	0.0590	3.15	3.72	no	stainless steel	4C
C.159.070.0151.A	15.9	0.70	15.1	0.0138	5.95	8.78	no	music wire	4C
C.159.070.0151.I	15.9	0.70	15.1	0.0120	5.95	8.78	no	stainless steel	4C
C.159.070.0300.A	15.9	0.70	30.0	0.0290	4.13	5.49	no	music wire	4C
C.159.070.0300.I	15.9	0.70	30.0	0.0249	4.13	5.49	no	stainless steel	4D
C.159.070.0500.A	15.9	0.70	50.0	0.0150	5.67	8.27	no	music wire	4D
C.159.070.0500.I	15.9	0.70	50.0	0.0131	5.67	8.27	no	stainless steel	4D
C.159.080.0100.A	15.9	0.80	10.0	0.1102	2.88	3.44	yes	music wire	4C
C.159.080.0100.I	15.9	0.80	10.0	0.0946	2.88	3.44	yes	stainless steel	4C
C.159.080.0182.A	15.9	0.80	18.2	0.0471	4.08	5.40	yes	music wire	4C
C.159.080.0182.I	15.9	0.80	18.2	0.0410	4.00	5.27	yes	stainless steel	4C
C.159.080.0300.A	15.9	0.80	30.0	0.0253	5.84	8.28	yes	music wire	4C
C.159.080.0300.I	15.9	0.80	30.0	0.0220	5.76	8.15	yes	stainless steel	4D
C.159.080.0450.A	15.9	0.80	45.0	0.0241	6.00	8.54	yes	music wire	4D
C.159.080.0450.I	15.9	0.80	45.0	0.0210	6.00	8.54	yes	stainless steel	4D
C.159.080.0760.A	15.9	0.80	76.0	0.0161	8.00	11.81	yes	music wire	4E
C.159.080.0760.I	15.9	0.80	76.0	0.0140	7.92	11.68	yes	stainless steel	4E
C.159.100.0174.A	15.9	1.00	17.4	0.1609	4.40	5.22	yes	music wire	4C
C.159.100.0174.I	15.9	1.00	17.4	0.1400	4.40	5.22	yes	stainless steel	4D
C.159.100.0220.A	15.9	1.00	22.0	0.0943	5.80	7.23	yes	music wire	4C
C.159.100.0220.I	15.9	1.00	22.0	0.0820	5.70	7.09	yes	stainless steel	4D
C.159.110.0270.A	15.9	1.10	27.0	0.1800	5.61	7.39	yes	music wire	4F
C.159.110.0270.I	15.9	1.10	27.0	0.1566	5.50	7.55	yes	stainless steel	4G
C.159.120.0111.A	15.9	1.20	11.1	0.2299	6.48	7.61	yes	music wire	4C
C.159.120.0111.AP	15.9	1.20	11.1	0.6057	4.32	4.75	yes	music wire	4C
C.159.120.0111.I	15.9	1.20	11.1	0.2000	6.48	7.61	yes	stainless steel	4D
C.159.140.0103.A	15.9	1.40	10.3	1.2644	4.90	5.27	yes	music wire	4E
C.159.140.0103.I	15.9	1.40	10.3	1.1000	4.90	5.27	yes	stainless steel	4E
C.159.150.0270.A	15.9	1.50	27.0	0.2874	12.75	14.89	yes	music wire	4E
C.159.150.0270.AP	15.9	1.50	27.0	0.5784	8.25	12.46	yes	music wire	4I
C.159.150.0270.I	15.9	1.50	27.0	0.2500	12.60	14.71	yes	stainless steel	4F
C.159.150.0290.A	15.9	1.50	29.0	0.2874	12.75	14.89	yes	music wire	4E
C.159.150.0290.AP	15.9	1.50	29.0	0.5422	8.55	13.49	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.159.150.0290.I	15.9	1.50	29.0	0.2500	12.60	14.71	yes	stainless steel	4F
C.159.160.0071.A	15.9	1.60	7.1	2.0690	5.76	6.15	yes	music wire	4E
C.159.160.0071.I	15.9	1.60	7.1	1.8000	5.76	6.15	yes	stainless steel	4E
C.159.160.0330.A	15.9	1.60	33.0	0.6900	9.28	18.41	yes	music wire	4J
C.159.160.0330.I	15.9	1.60	33.0	0.6000	9.28	18.37	yes	stainless steel	4J
C.159.170.0270.A	15.9	1.70	27.0	0.4900	14.62	16.74	yes	music wire	4E
C.159.170.0270.AP	15.9	1.70	27.0	0.9063	9.86	13.86	yes	music wire	4I
C.159.170.0270.I	15.9	1.70	27.0	0.4263	14.45	16.54	yes	stainless steel	4F
C.159.170.3810.A	15.9	1.70	381.0	0.0391	133.45	159.89	yes	music wire	4J
C.159.170.3810.AP	15.9	1.70	381.0	0.0575	92.14	173.95	yes	music wire	4L
C.159.170.3810.I	15.9	1.70	381.0	0.0340	131.92	158.05	yes	stainless steel	4J
C.159.180.0135.A	15.9	1.80	13.5	2.3000	7.56	8.15	yes	music wire	4F
C.159.180.0135.I	15.9	1.80	13.5	2.0000	7.38	7.93	yes	stainless steel	4G
C.159.180.0290.A	15.9	1.80	29.0	0.6667	14.76	16.73	yes	music wire	4G
C.159.180.0290.AP	15.9	1.80	29.0	1.0114	11.34	15.21	yes	music wire	4I
C.159.180.0290.I	15.9	1.80	29.0	0.5800	14.58	16.52	yes	stainless steel	4G
C.159.180.0480.A	15.9	1.80	48.0	0.3793	22.68	26.17	yes	music wire	4G
C.159.180.0480.AP	15.9	1.80	48.0	0.5913	16.20	24.41	yes	music wire	4I
C.159.180.0480.I	15.9	1.80	48.0	0.3300	22.32	25.74	yes	stainless steel	4G
C.159.180.1300.A	15.9	1.80	130.0	0.1429	52.56	61.79	yes	music wire	4I
C.159.180.1300.I	15.9	1.80	130.0	0.1227	52.56	61.79	yes	stainless steel	4I
C.159.200.1060.A	15.9	2.00	106.0	0.3563	39.00	53.65	yes	music wire	4J
C.159.200.1060.I	15.9	2.00	106.0	0.3100	38.60	53.16	yes	stainless steel	4J
C.159.220.0360.A	15.9	2.20	36.0	1.2644	21.56	24.10	yes	music wire	4G
C.159.220.0360.AP	15.9	2.20	36.0	1.7061	17.38	21.80	yes	music wire	4I
C.159.220.0360.I	15.9	2.20	36.0	1.1000	21.34	23.85	yes	stainless steel	4G
C.159.220.1150.A	15.9	2.20	115.0	0.3218	68.86	78.88	yes	music wire	4I
C.159.220.1150.AP	15.9	2.20	115.0	0.4913	47.08	65.70	yes	music wire	4J
C.159.220.1150.I	15.9	2.20	115.0	0.2800	68.20	78.12	yes	stainless steel	4I
C.159.270.0350.A	15.9	2.70	35.0	3.1000	27.27	30.06	yes	music wire	4G
C.159.270.0350.AP	15.9	2.70	35.0	4.1221	22.14	24.76	yes	music wire	4I
C.159.270.0350.I	15.9	2.70	35.0	2.6970	27.00	29.75	yes	stainless steel	4H
C.159.320.0670.A	15.9	3.20	67.0	4.2529	47.36	52.23	yes	music wire	4M
C.159.320.0670.I	15.9	3.20	67.0	3.7000	46.72	51.51	yes	stainless steel	4M
C.159.320.0950.A	15.9	3.20	95.0	2.4138	77.12	85.67	yes	music wire	4J
C.159.320.0950.AP	15.9	3.20	95.0	2.9506	64.64	72.54	yes	music wire	4M
C.159.320.0950.I	15.9	3.20	95.0	2.1000	76.16	84.59	yes	stainless steel	4J
C.159.380.0300.A	15.9	3.80	30.0	23.4000	28.88	28.88	yes	music wire	4L
C.159.380.0300.AP	15.9	3.80	30.0	26.5466	26.60	28.57	yes	music wire	4L
C.159.380.0300.I	15.9	3.80	30.0	20.3580	28.88	28.88	yes	stainless steel	4M
C.159.380.0450.A	15.9	3.80	45.0	13.9000	42.18	42.18	yes	music wire	4M
C.159.380.0450.AP	15.9	3.80	45.0	16.0677	38.00	41.28	yes	music wire	4O
C.159.380.0450.I	15.9	3.80	45.0	12.0930	41.80	41.80	yes	stainless steel	4M
C.159.380.0640.A	15.9	3.80	64.0	9.3103	58.52	58.52	yes	music wire	4M
C.159.380.0640.AP	15.9	3.80	64.0	10.7118	52.06	56.96	yes	music wire	4O
C.159.380.0640.I	15.9	3.80	64.0	8.1000	57.76	63.32	yes	stainless steel	4M
C.159.380.1300.A	15.9	3.80	130.0	4.3922	113.24	125.19	yes	music wire	4M
C.159.380.1300.I	15.9	3.80	130.0	3.7725	113.24	125.19	yes	stainless steel	4M
C.160.090.0180.A	16.0	0.90	18.0	0.1213	3.69	4.44	yes	music wire	4C
C.160.090.0180.I	16.0	0.90	18.0	0.1042	3.69	4.44	yes	stainless steel	4D
C.160.090.0220.A	16.0	0.90	22.0	0.1022	3.96	4.85	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.090.0220.I	16.0	0.90	22.0	0.0878	3.96	4.85	yes	stainless steel	4D
C.160.090.0330.A	16.0	0.90	33.0	0.0647	4.95	6.36	yes	music wire	4C
C.160.090.0330.I	16.0	0.90	33.0	0.0556	4.95	6.36	yes	stainless steel	4D
C.160.090.0530.A	16.0	0.90	53.0	0.0404	6.57	8.83	yes	music wire	4D
C.160.090.0530.I	16.0	0.90	53.0	0.0347	6.57	8.83	yes	stainless steel	4E
C.160.095.0300.A	16.0	0.95	30.0	0.0869	5.04	6.31	yes	music wire	4C
C.160.095.0300.I	16.0	0.95	30.0	0.0747	5.04	6.31	yes	stainless steel	4D
C.160.095.0540.A	16.0	0.95	54.0	0.0468	7.32	9.67	yes	music wire	4D
C.160.095.0540.I	16.0	0.95	54.0	0.0402	7.32	9.67	yes	stainless steel	4E
C.160.095.0740.A	16.0	0.95	74.0	0.0338	9.22	12.48	yes	music wire	4E
C.160.095.0740.I	16.0	0.95	74.0	0.0290	9.22	12.48	yes	stainless steel	4E
C.160.095.0910.A	16.0	0.95	91.0	0.0274	10.83	14.86	yes	music wire	4E
C.160.095.0910.I	16.0	0.95	91.0	0.0235	10.83	14.86	yes	stainless steel	4E
C.160.100.0940.A	16.0	1.00	94.0	0.0311	12.20	16.44	yes	music wire	4E
C.160.100.0940.I	16.0	1.00	94.0	0.0267	12.20	16.44	yes	stainless steel	4E
C.160.100.1350.A	16.0	1.00	135.0	0.0216	16.50	22.63	yes	music wire	4E
C.160.100.1350.I	16.0	1.00	135.0	0.0185	16.50	22.63	yes	stainless steel	4F
C.160.100.1550.A	16.0	1.00	155.0	0.0187	18.60	25.64	yes	music wire	4F
C.160.100.1550.I	16.0	1.00	155.0	0.0161	18.60	25.64	yes	stainless steel	4G
C.160.105.0112.A	16.0	1.05	11.2	0.3088	3.89	4.40	yes	music wire	4C
C.160.105.0112.I	16.0	1.05	11.2	0.2653	3.89	4.40	yes	stainless steel	4C
C.160.105.0142.A	16.0	1.05	14.2	0.2316	4.31	4.99	yes	music wire	4C
C.160.105.0142.I	16.0	1.05	14.2	0.1989	4.31	4.99	yes	stainless steel	4D
C.160.105.0206.A	16.0	1.05	20.6	0.1482	5.25	6.31	yes	music wire	4C
C.160.105.0206.I	16.0	1.05	20.6	0.1273	5.25	6.31	yes	stainless steel	4D
C.160.105.0224.A	16.0	1.05	22.4	0.1373	5.46	6.61	yes	music wire	4C
C.160.105.0224.I	16.0	1.05	22.4	0.1179	5.46	6.61	yes	stainless steel	4D
C.160.105.0254.A	16.0	1.05	25.4	0.1195	5.88	7.20	yes	music wire	4C
C.160.105.0254.I	16.0	1.05	25.4	0.1027	5.88	7.20	yes	stainless steel	4D
C.160.105.0285.A	16.0	1.05	28.5	0.1059	6.30	7.79	yes	music wire	4C
C.160.105.0285.I	16.0	1.05	28.5	0.0909	6.30	7.79	yes	stainless steel	4D
C.160.105.0445.A	16.0	1.05	44.5	0.0662	8.51	10.89	yes	music wire	4D
C.160.105.0445.I	16.0	1.05	44.5	0.0568	8.51	10.89	yes	stainless steel	4D
C.160.105.0635.A	16.0	1.05	63.5	0.0463	11.03	14.42	yes	music wire	4D
C.160.105.0635.I	16.0	1.05	63.5	0.0398	11.03	14.42	yes	stainless steel	4E
C.160.105.1250.A	16.0	1.05	125.0	0.0271	17.01	22.82	yes	music wire	4E
C.160.105.1250.I	16.0	1.05	125.0	0.0232	17.01	22.82	yes	stainless steel	4F
C.160.110.0095.A	16.0	1.10	9.5	0.4099	3.96	4.41	yes	music wire	4C
C.160.110.0095.I	16.0	1.10	9.5	0.3521	3.96	4.41	yes	stainless steel	4D
C.160.110.0097.A	16.0	1.10	9.7	0.4099	3.96	4.41	yes	music wire	4C
C.160.110.0097.I	16.0	1.10	9.7	0.3521	3.96	4.41	yes	stainless steel	4D
C.160.110.0110.A	16.0	1.10	11.0	0.3468	4.18	4.72	yes	music wire	4C
C.160.110.0110.I	16.0	1.10	11.0	0.2979	4.18	4.72	yes	stainless steel	4D
C.160.110.0112.A	16.0	1.10	11.2	0.3468	4.18	4.72	yes	music wire	4C
C.160.110.0112.I	16.0	1.10	11.2	0.2979	4.18	4.72	yes	stainless steel	4D
C.160.110.0142.A	16.0	1.10	14.2	0.2652	4.62	5.32	yes	music wire	4C
C.160.110.0142.I	16.0	1.10	14.2	0.2278	4.62	5.32	yes	stainless steel	4D
C.160.110.0160.A	16.0	1.10	16.0	0.2310	4.95	5.78	yes	music wire	4C
C.160.110.0160.I	16.0	1.10	16.0	0.2010	4.84	5.62	yes	stainless steel	4D
C.160.110.0160.N	16.0	1.10	16.0	0.2310	4.95	5.78	yes	Zn coating	4E
C.160.110.0200.A	16.0	1.10	20.0	0.1830	5.50	6.53	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.110.0200.I	16.0	1.10	20.0	0.1592	5.39	6.38	yes	stainless steel	4D
C.160.110.0200.N	16.0	1.10	20.0	0.1830	5.50	6.53	yes	Zn coating	4E
C.160.110.0224.A	16.0	1.10	22.4	0.1610	5.83	6.99	yes	music wire	4C
C.160.110.0224.I	16.0	1.10	22.4	0.1383	5.83	6.99	yes	stainless steel	4D
C.160.110.0239.A	16.0	1.10	23.9	0.1503	6.05	7.29	yes	music wire	4C
C.160.110.0239.I	16.0	1.10	23.9	0.1291	6.05	7.29	yes	stainless steel	4D
C.160.110.0250.A	16.0	1.10	25.0	0.1450	6.16	7.44	yes	music wire	4C
C.160.110.0250.I	16.0	1.10	25.0	0.1262	6.16	7.44	yes	stainless steel	4D
C.160.110.0250.N	16.0	1.10	25.0	0.1450	6.16	7.44	yes	Zn coating	4E
C.160.110.0279.A	16.0	1.10	27.9	0.1253	6.71	8.20	yes	music wire	4D
C.160.110.0279.I	16.0	1.10	27.9	0.1076	6.71	8.20	yes	stainless steel	4D
C.160.110.0284.A	16.0	1.10	28.4	0.1253	6.71	8.20	yes	music wire	4D
C.160.110.0284.I	16.0	1.10	28.4	0.1076	6.71	8.20	yes	stainless steel	4D
C.160.110.0318.A	16.0	1.10	31.8	0.1100	7.26	8.95	yes	music wire	4D
C.160.110.0318.I	16.0	1.10	31.8	0.0945	7.26	8.95	yes	stainless steel	4D
C.160.110.0320.A	16.0	1.10	32.0	0.1120	7.15	8.80	yes	music wire	4D
C.160.110.0320.I	16.0	1.10	32.0	0.0974	7.15	8.80	yes	stainless steel	4D
C.160.110.0320.N	16.0	1.10	32.0	0.1120	7.15	8.80	yes	Zn coating	4E
C.160.110.0400.A	16.0	1.10	40.0	0.0890	8.36	10.47	yes	music wire	4D
C.160.110.0400.I	16.0	1.10	40.0	0.0774	8.25	10.31	yes	stainless steel	4D
C.160.110.0400.N	16.0	1.10	40.0	0.0890	8.36	10.47	yes	Zn coating	4F
C.160.110.0500.A	16.0	1.10	50.0	0.0710	9.79	12.43	yes	music wire	4D
C.160.110.0500.I	16.0	1.10	50.0	0.0618	9.68	12.28	yes	stainless steel	4E
C.160.110.0500.N	16.0	1.10	50.0	0.0710	9.79	12.43	yes	Zn coating	4F
C.160.110.0630.A	16.0	1.10	63.0	0.0550	11.77	15.15	yes	music wire	4E
C.160.110.0630.I	16.0	1.10	63.0	0.0479	11.66	15.00	yes	stainless steel	4E
C.160.110.0630.N	16.0	1.10	63.0	0.0550	11.77	15.15	yes	Zn coating	4F
C.160.110.0740.A	16.0	1.10	74.0	0.0460	13.53	17.57	yes	music wire	4E
C.160.110.0740.I	16.0	1.10	74.0	0.0395	13.53	17.57	yes	stainless steel	4E
C.160.110.0800.A	16.0	1.10	80.0	0.0430	14.30	18.63	yes	music wire	4E
C.160.110.0800.I	16.0	1.10	80.0	0.0374	14.19	18.48	yes	stainless steel	4E
C.160.110.0800.N	16.0	1.10	80.0	0.0430	14.30	18.63	yes	Zn coating	4G
C.160.110.1000.A	16.0	1.10	100.0	0.0350	16.94	22.26	yes	music wire	4E
C.160.110.1000.I	16.0	1.10	100.0	0.0305	16.72	21.96	yes	stainless steel	4E
C.160.110.1000.N	16.0	1.10	100.0	0.0350	16.94	22.26	yes	Zn coating	4G
C.160.110.1250.A	16.0	1.10	125.0	0.0280	20.46	27.11	yes	music wire	4E
C.160.110.1250.I	16.0	1.10	125.0	0.0244	20.24	26.80	yes	stainless steel	4F
C.160.110.1250.N	16.0	1.10	125.0	0.0280	20.46	27.11	yes	Zn coating	4G
C.160.110.1500.A	16.0	1.10	150.0	0.0261	21.78	28.92	yes	music wire	4F
C.160.110.1500.I	16.0	1.10	150.0	0.0224	21.78	28.92	yes	stainless steel	4G
C.160.110.3600.A	16.0	1.10	360.0	0.0090	58.96	79.64	no	music wire	4I
C.160.110.3600.I	16.0	1.10	360.0	0.0078	58.30	78.73	no	stainless steel	4I
C.160.115.0097.A	16.0	1.15	9.7	0.4946	4.14	4.58	yes	music wire	4C
C.160.115.0097.I	16.0	1.15	9.7	0.4248	4.14	4.58	yes	stainless steel	4D
C.160.115.0112.A	16.0	1.15	11.2	0.4185	4.37	4.89	yes	music wire	4C
C.160.115.0112.I	16.0	1.15	11.2	0.3595	4.37	4.89	yes	stainless steel	4D
C.160.115.0142.A	16.0	1.15	14.2	0.3201	4.83	5.51	yes	music wire	4C
C.160.115.0142.I	16.0	1.15	14.2	0.2749	4.83	5.51	yes	stainless steel	4D
C.160.115.0206.A	16.0	1.15	20.6	0.2015	5.98	7.07	yes	music wire	4C
C.160.115.0206.I	16.0	1.15	20.6	0.1731	5.98	7.07	yes	stainless steel	4D
C.160.115.0224.A	16.0	1.15	22.4	0.1876	6.21	7.38	yes	music wire	4C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.115.0224.I	16.0	1.15	22.4	0.1611	6.21	7.38	yes	stainless steel	4D
C.160.115.0254.A	16.0	1.15	25.4	0.1649	6.67	8.00	yes	music wire	4C
C.160.115.0254.I	16.0	1.15	25.4	0.1416	6.67	8.00	yes	stainless steel	4D
C.160.115.0285.A	16.0	1.15	28.5	0.1432	7.25	8.78	yes	music wire	4D
C.160.115.0285.I	16.0	1.15	28.5	0.1230	7.25	8.78	yes	stainless steel	4D
C.160.115.0445.A	16.0	1.15	44.5	0.0892	9.89	12.35	yes	music wire	4D
C.160.115.0445.I	16.0	1.15	44.5	0.0766	9.89	12.35	yes	stainless steel	4E
C.160.115.0635.A	16.0	1.15	63.5	0.0618	13.00	16.54	yes	music wire	4E
C.160.115.0635.I	16.0	1.15	63.5	0.0531	13.00	16.54	yes	stainless steel	4E
C.160.115.0880.A	16.0	1.15	88.0	0.0513	15.07	19.34	yes	music wire	4E
C.160.115.0880.I	16.0	1.15	88.0	0.0441	15.07	19.34	yes	stainless steel	4E
C.160.115.1100.A	16.0	1.15	110.0	0.0409	18.17	23.53	yes	music wire	4E
C.160.115.1100.I	16.0	1.15	110.0	0.0351	18.17	23.53	yes	stainless steel	4E
C.160.120.0133.A	16.0	1.20	13.3	0.4260	4.80	5.39	yes	music wire	4C
C.160.120.0133.I	16.0	1.20	13.3	0.3706	4.80	5.39	yes	stainless steel	4D
C.160.120.0133.N	16.0	1.20	13.3	0.4260	4.80	5.39	yes	Zn coating	4E
C.160.120.1550.A	16.0	1.20	155.0	0.0332	26.52	34.24	yes	music wire	4F
C.160.120.1550.I	16.0	1.20	155.0	0.0286	26.52	34.24	yes	stainless steel	4G
C.160.125.0160.A	16.0	1.25	16.0	0.3730	5.75	6.56	yes	music wire	4C
C.160.125.0160.AP	16.0	1.25	16.0	0.5549	4.88	6.95	yes	music wire	4F
C.160.125.0160.I	16.0	1.25	16.0	0.3245	5.75	6.56	yes	stainless steel	4D
C.160.125.0160.N	16.0	1.25	16.0	0.3730	5.75	6.56	yes	Zn coating	4E
C.160.125.0200.A	16.0	1.25	20.0	0.2980	6.38	7.38	yes	music wire	4C
C.160.125.0200.AP	16.0	1.25	20.0	0.4316	5.38	8.36	yes	music wire	4F
C.160.125.0200.I	16.0	1.25	20.0	0.2593	6.38	7.38	yes	stainless steel	4D
C.160.125.0200.N	16.0	1.25	20.0	0.2980	6.38	7.38	yes	Zn coating	4E
C.160.125.0250.A	16.0	1.25	25.0	0.2290	7.38	8.69	yes	music wire	4D
C.160.125.0250.I	16.0	1.25	25.0	0.1992	7.25	8.52	yes	stainless steel	4D
C.160.125.0250.N	16.0	1.25	25.0	0.2290	7.38	8.69	yes	Zn coating	4E
C.160.125.0320.A	16.0	1.25	32.0	0.1750	8.63	10.33	yes	music wire	4D
C.160.125.0320.I	16.0	1.25	32.0	0.1523	8.63	10.33	yes	stainless steel	4D
C.160.125.0320.N	16.0	1.25	32.0	0.1750	8.63	10.33	yes	Zn coating	4E
C.160.125.0400.A	16.0	1.25	40.0	0.1390	10.13	12.29	yes	music wire	4D
C.160.125.0400.I	16.0	1.25	40.0	0.1209	10.00	12.12	yes	stainless steel	4E
C.160.125.0400.N	16.0	1.25	40.0	0.1390	10.13	12.29	yes	Zn coating	4F
C.160.125.0500.A	16.0	1.25	50.0	0.1100	11.88	14.58	yes	music wire	4D
C.160.125.0500.I	16.0	1.25	50.0	0.0957	11.88	14.58	yes	stainless steel	4E
C.160.125.0500.N	16.0	1.25	50.0	0.1100	11.88	14.58	yes	Zn coating	4F
C.160.125.0630.A	16.0	1.25	63.0	0.0860	14.38	17.85	yes	music wire	4E
C.160.125.0630.I	16.0	1.25	63.0	0.0748	14.25	17.69	yes	stainless steel	4E
C.160.125.0630.N	16.0	1.25	63.0	0.0860	14.38	17.85	yes	Zn coating	4G
C.160.125.0800.A	16.0	1.25	80.0	0.0680	17.38	21.78	yes	music wire	4E
C.160.125.0800.I	16.0	1.25	80.0	0.0592	17.25	21.61	yes	stainless steel	4E
C.160.125.0800.N	16.0	1.25	80.0	0.0680	17.38	21.78	yes	Zn coating	4G
C.160.125.1000.A	16.0	1.25	100.0	0.0540	21.13	26.69	yes	music wire	4E
C.160.125.1000.I	16.0	1.25	100.0	0.0470	20.88	26.36	yes	stainless steel	4E
C.160.125.1000.N	16.0	1.25	100.0	0.0540	21.13	26.69	yes	Zn coating	4G
C.160.125.1250.A	16.0	1.25	125.0	0.0430	25.63	32.58	yes	music wire	4E
C.160.125.1250.I	16.0	1.25	125.0	0.0374	25.38	32.25	yes	stainless steel	4F
C.160.125.1250.N	16.0	1.25	125.0	0.0430	25.63	32.58	yes	Zn coating	4H
C.160.125.3600.A	16.0	1.25	360.0	0.0150	69.00	88.96	no	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.125.3600.I	16.0	1.25	360.0	0.0131	68.13	87.82	no	stainless steel	4I
C.160.130.0190.A	16.0	1.30	19.0	0.3817	6.37	7.28	yes	music wire	4C
C.160.130.0190.I	16.0	1.30	19.0	0.3278	6.37	7.28	yes	stainless steel	4D
C.160.130.0220.A	16.0	1.30	22.0	0.3271	6.89	7.95	yes	music wire	4D
C.160.130.0220.I	16.0	1.30	22.0	0.2810	6.89	7.95	yes	stainless steel	4D
C.160.130.0380.A	16.0	1.30	38.0	0.1832	9.75	11.65	yes	music wire	4D
C.160.130.0380.I	16.0	1.30	38.0	0.1573	9.75	11.65	yes	stainless steel	4E
C.160.130.0440.A	16.0	1.30	44.0	0.1579	10.79	12.99	yes	music wire	4D
C.160.130.0440.I	16.0	1.30	44.0	0.1356	10.79	12.99	yes	stainless steel	4E
C.160.130.0590.A	16.0	1.30	59.0	0.1159	13.52	16.52	yes	music wire	4E
C.160.130.0590.I	16.0	1.30	59.0	0.0996	13.52	16.52	yes	stainless steel	4E
C.160.130.0720.A	16.0	1.30	72.0	0.0944	15.86	19.54	yes	music wire	4E
C.160.130.0720.I	16.0	1.30	72.0	0.0811	15.86	19.54	yes	stainless steel	4E
C.160.130.0870.A	16.0	1.30	87.0	0.0776	18.59	23.07	yes	music wire	4E
C.160.130.0870.I	16.0	1.30	87.0	0.0667	18.59	23.07	yes	stainless steel	4E
C.160.130.0970.A	16.0	1.30	97.0	0.0694	20.41	25.42	yes	music wire	4E
C.160.130.0970.I	16.0	1.30	97.0	0.0596	20.41	25.42	yes	stainless steel	4E
C.160.130.1500.A	16.0	1.30	150.0	0.0445	30.03	37.84	yes	music wire	4F
C.160.130.1500.I	16.0	1.30	150.0	0.0382	30.03	37.84	yes	stainless steel	4G
C.160.140.0160.A	16.0	1.40	16.0	0.5690	6.58	7.39	yes	music wire	4E
C.160.140.0160.AP	16.0	1.40	16.0	0.8414	5.60	7.80	yes	music wire	4H
C.160.140.0160.I	16.0	1.40	16.0	0.4950	6.58	7.39	yes	stainless steel	4E
C.160.140.0160.N	16.0	1.40	16.0	0.5690	6.58	7.39	yes	Zn coating	4G
C.160.140.0200.A	16.0	1.40	20.0	0.4400	7.56	8.63	yes	music wire	4E
C.160.140.0200.AP	16.0	1.40	20.0	0.6311	6.30	9.07	yes	music wire	4I
C.160.140.0200.I	16.0	1.40	20.0	0.3828	7.42	8.45	yes	stainless steel	4E
C.160.140.0200.N	16.0	1.40	20.0	0.4400	7.56	8.63	yes	Zn coating	4G
C.160.140.0250.A	16.0	1.40	25.0	0.3460	8.54	9.87	yes	music wire	4E
C.160.140.0250.AP	16.0	1.40	25.0	0.5049	7.00	11.34	yes	music wire	4I
C.160.140.0250.I	16.0	1.40	25.0	0.3010	8.54	9.87	yes	stainless steel	4F
C.160.140.0250.N	16.0	1.40	25.0	0.3460	8.54	9.87	yes	Zn coating	4G
C.160.140.0320.A	16.0	1.40	32.0	0.2620	10.22	11.99	yes	music wire	4E
C.160.140.0320.AP	16.0	1.40	32.0	0.3825	8.12	13.97	yes	music wire	4I
C.160.140.0320.I	16.0	1.40	32.0	0.3012	8.54	12.11	yes	stainless steel	4I
C.160.140.0320.N	16.0	1.40	32.0	0.2620	10.22	11.99	yes	Zn coating	4G
C.160.140.0400.A	16.0	1.40	40.0	0.2100	11.90	14.11	yes	music wire	4E
C.160.140.0400.AP	16.0	1.40	40.0	0.3005	9.38	17.05	yes	music wire	4I
C.160.140.0400.I	16.0	1.40	40.0	0.1827	11.76	13.93	yes	stainless steel	4F
C.160.140.0400.N	16.0	1.40	40.0	0.2100	11.90	14.11	yes	Zn coating	4H
C.160.140.0480.A	16.0	1.40	48.0	0.1230	17.78	21.54	yes	music wire	4F
C.160.140.0480.AP	16.0	1.40	48.0	0.2475	10.64	20.13	yes	music wire	4I
C.160.140.0480.I	16.0	1.40	48.0	0.1070	17.64	21.36	yes	stainless steel	4F
C.160.140.0480.N	16.0	1.40	48.0	0.1230	17.78	21.54	yes	Zn coating	4H
C.160.140.0500.A	16.0	1.40	50.0	0.1640	14.28	17.12	yes	music wire	4F
C.160.140.0500.AP	16.0	1.40	50.0	0.2381	10.92	21.04	yes	music wire	4I
C.160.140.0500.I	16.0	1.40	50.0	0.1427	14.14	16.94	yes	stainless steel	4F
C.160.140.0500.N	16.0	1.40	50.0	0.1640	14.28	17.12	yes	Zn coating	4H
C.160.140.0630.A	16.0	1.40	63.0	0.1290	17.08	20.65	yes	music wire	4F
C.160.140.0630.AP	16.0	1.40	63.0	0.1884	12.88	26.39	yes	music wire	4I
C.160.140.0630.I	16.0	1.40	63.0	0.1122	16.94	20.48	yes	stainless steel	4G
C.160.140.0630.N	16.0	1.40	63.0	0.1290	17.08	20.65	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.160.140.0800.A	16.0	1.40	80.0	0.1010	21.00	25.60	yes	music wire	4G
C.160.140.0800.AP	16.0	1.40	80.0	0.1468	15.54	33.01	yes	music wire	4I
C.160.140.0800.I	16.0	1.40	80.0	0.0879	20.72	25.25	yes	stainless steel	4G
C.160.140.0800.N	16.0	1.40	80.0	0.1010	21.00	25.60	yes	Zn coating	4I
C.160.140.1000.A	16.0	1.40	100.0	0.0810	25.20	30.91	yes	music wire	4G
C.160.140.1000.AP	16.0	1.40	100.0	0.1169	18.62	40.99	yes	music wire	4I
C.160.140.1000.I	16.0	1.40	100.0	0.0705	24.92	30.56	yes	stainless steel	4G
C.160.140.1000.N	16.0	1.40	100.0	0.0810	25.20	30.91	yes	Zn coating	4I
C.160.140.1250.A	16.0	1.40	125.0	0.0640	30.94	38.16	yes	music wire	4G
C.160.140.1250.AP	16.0	1.40	125.0	0.0928	22.54	50.69	yes	music wire	4I
C.160.140.1250.I	16.0	1.40	125.0	0.0557	30.66	37.81	yes	stainless steel	4G
C.160.140.1250.N	16.0	1.40	125.0	0.0640	30.94	38.16	yes	Zn coating	4I
C.160.140.1500.A	16.0	1.40	150.0	0.0566	34.58	42.76	yes	music wire	4H
C.160.140.1500.I	16.0	1.40	150.0	0.0487	34.58	42.76	yes	stainless steel	4H
C.160.140.3600.A	16.0	1.40	360.0	0.0220	84.98	106.05	no	music wire	4J
C.160.140.3600.I	16.0	1.40	360.0	0.0190	84.42	105.34	no	stainless steel	4J
C.160.150.0103.A	16.0	1.50	10.3	1.2084	5.85	6.35	yes	music wire	4E
C.160.150.0103.I	16.0	1.50	10.3	1.0379	5.85	6.35	yes	stainless steel	4E
C.160.150.0240.A	16.0	1.50	24.0	0.6640	7.50	11.41	yes	music wire	4I
C.160.150.0240.I	16.0	1.50	24.0	0.5777	7.50	11.40	yes	stainless steel	4I
C.160.150.0240.N	16.0	1.50	24.0	0.6640	7.50	11.41	yes	Zn coating	4I
C.160.150.0350.A	16.0	1.50	35.0	0.2115	15.75	18.63	yes	music wire	4E
C.160.150.0350.AP	16.0	1.50	35.0	0.4358	9.60	15.82	yes	music wire	4I
C.160.150.0350.I	16.0	1.50	35.0	0.1817	15.75	18.63	yes	stainless steel	4F
C.160.150.0350.N	16.0	1.50	35.0	0.2115	15.75	18.63	yes	Zn coating	4H
C.160.150.0460.A	16.0	1.50	46.0	0.1580	19.80	23.65	yes	music wire	4F
C.160.150.0460.AP	16.0	1.50	46.0	0.3268	11.55	20.42	yes	music wire	4I
C.160.150.0460.I	16.0	1.50	46.0	0.1375	19.65	23.47	yes	stainless steel	4F
C.160.150.0460.N	16.0	1.50	46.0	0.1580	19.80	23.65	yes	Zn coating	4H
C.160.150.0880.A	16.0	1.50	88.0	0.1235	24.30	29.24	yes	music wire	4G
C.160.150.0880.I	16.0	1.50	88.0	0.1061	24.30	29.24	yes	stainless steel	4G
C.160.150.1400.A	16.0	1.50	140.0	0.0769	36.75	44.68	yes	music wire	4G
C.160.150.1400.I	16.0	1.50	140.0	0.0660	36.75	44.68	yes	stainless steel	4H
C.160.150.1550.A	16.0	1.50	155.0	0.0693	40.35	49.14	yes	music wire	4H
C.160.150.1550.I	16.0	1.50	155.0	0.0595	40.35	49.14	yes	stainless steel	4H
C.160.160.0160.A	16.0	1.60	16.0	0.9060	8.00	8.89	yes	music wire	4E
C.160.160.0160.AP	16.0	1.60	16.0	1.3225	6.72	8.44	yes	music wire	4I
C.160.160.0160.I	16.0	1.60	16.0	0.7882	7.84	8.69	yes	stainless steel	4F
C.160.160.0160.N	16.0	1.60	16.0	0.9060	8.00	8.89	yes	Zn coating	4G
C.160.160.0200.A	16.0	1.60	20.0	0.7170	8.96	10.06	yes	music wire	4E
C.160.160.0200.AP	16.0	1.60	20.0	1.0219	7.52	10.21	yes	music wire	4I
C.160.160.0200.I	16.0	1.60	20.0	0.6238	8.96	10.06	yes	stainless steel	4F
C.160.160.0200.N	16.0	1.60	20.0	0.7170	8.96	10.06	yes	Zn coating	4G
C.160.160.0220.A	16.0	1.60	22.0	0.5500	10.56	12.01	yes	music wire	4E
C.160.160.0220.AP	16.0	1.60	22.0	0.8993	8.00	10.88	yes	music wire	4I
C.160.160.0220.I	16.0	1.60	22.0	0.4785	10.40	11.82	yes	stainless steel	4F
C.160.160.0220.N	16.0	1.60	22.0	0.5500	10.56	12.01	yes	Zn coating	4G
C.160.160.0250.A	16.0	1.60	25.0	0.5550	10.40	11.82	yes	music wire	4E
C.160.160.0250.AP	16.0	1.60	25.0	0.7753	8.64	12.10	yes	music wire	4I
C.160.160.0250.I	16.0	1.60	25.0	0.4829	10.40	11.82	yes	stainless steel	4F
C.160.160.0250.N	16.0	1.60	25.0	0.5550	10.40	11.82	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.160.0320.A	16.0	1.60	32.0	0.4200	12.48	14.36	yes	music wire	4E
C.160.160.0320.AP	16.0	1.60	32.0	0.6076	9.92	15.54	yes	music wire	4I
C.160.160.0320.I	16.0	1.60	32.0	0.3654	12.48	14.36	yes	stainless steel	4F
C.160.160.0320.N	16.0	1.60	32.0	0.4200	12.48	14.36	yes	Zn coating	4H
C.160.160.0400.A	16.0	1.60	40.0	0.3310	14.88	17.29	yes	music wire	4F
C.160.160.0400.AP	16.0	1.60	40.0	0.4684	11.68	18.64	yes	music wire	4I
C.160.160.0400.I	16.0	1.60	40.0	0.2880	14.72	17.09	yes	stainless steel	4F
C.160.160.0400.N	16.0	1.60	40.0	0.3310	14.88	17.29	yes	Zn coating	4H
C.160.160.0500.A	16.0	1.60	50.0	0.2570	17.92	21.00	yes	music wire	4F
C.160.160.0500.AP	16.0	1.60	50.0	0.3747	13.60	23.30	yes	music wire	4I
C.160.160.0500.I	16.0	1.60	50.0	0.2236	17.76	20.81	yes	stainless steel	4G
C.160.160.0500.N	16.0	1.60	50.0	0.2570	17.92	21.00	yes	Zn coating	4H
C.160.160.0630.A	16.0	1.60	63.0	0.2020	21.76	25.69	yes	music wire	4F
C.160.160.0630.AP	16.0	1.60	63.0	0.2920	16.32	28.74	yes	music wire	4I
C.160.160.0630.I	16.0	1.60	63.0	0.1757	21.44	25.30	yes	stainless steel	4G
C.160.160.0630.N	16.0	1.60	63.0	0.2020	21.76	25.69	yes	Zn coating	4I
C.160.160.0800.A	16.0	1.60	80.0	0.1580	26.72	31.75	yes	music wire	4G
C.160.160.0800.AP	16.0	1.60	80.0	0.2271	19.68	35.95	yes	music wire	4I
C.160.160.0800.I	16.0	1.60	80.0	0.1375	26.40	31.36	yes	stainless steel	4G
C.160.160.0800.N	16.0	1.60	80.0	0.1580	26.72	31.75	yes	Zn coating	4I
C.160.160.1000.A	16.0	1.60	100.0	0.1260	32.32	38.59	yes	music wire	4G
C.160.160.1000.AP	16.0	1.60	100.0	0.1813	23.68	44.82	yes	music wire	4I
C.160.160.1000.I	16.0	1.60	100.0	0.1096	32.00	38.20	yes	stainless steel	4G
C.160.160.1000.N	16.0	1.60	100.0	0.1260	32.32	38.59	yes	Zn coating	4I
C.160.160.1100.A	16.0	1.60	110.0	0.1229	33.12	39.57	yes	music wire	4G
C.160.160.1100.I	16.0	1.60	110.0	0.1055	33.12	39.57	yes	stainless steel	4G
C.160.160.1250.A	16.0	1.60	125.0	0.1000	39.84	47.78	yes	music wire	4G
C.160.160.1250.AP	16.0	1.60	125.0	0.1441	28.80	55.58	yes	music wire	4I
C.160.160.1250.I	16.0	1.60	125.0	0.0870	39.36	47.19	yes	stainless steel	4H
C.160.160.1250.N	16.0	1.60	125.0	0.1000	39.84	47.78	yes	Zn coating	4I
C.160.160.1450.A	16.0	1.60	145.0	0.0928	42.56	51.10	yes	music wire	4H
C.160.160.1450.I	16.0	1.60	145.0	0.0797	42.56	51.10	yes	stainless steel	4H
C.160.160.3600.A	16.0	1.60	360.0	0.0340	110.88	134.20	no	music wire	4J
C.160.160.3600.I	16.0	1.60	360.0	0.0296	109.44	132.44	no	stainless steel	4J
C.160.170.2350.A	16.0	1.70	235.0	0.0700	74.97	89.55	yes	music wire	4I
C.160.170.2350.I	16.0	1.70	235.0	0.0609	73.95	88.32	yes	stainless steel	4I
C.160.170.2350.N	16.0	1.70	235.0	0.0700	74.97	89.55	yes	Zn coating	4J
C.160.175.0280.A	16.0	1.75	28.0	0.7178	12.43	14.04	yes	music wire	4E
C.160.175.0280.I	16.0	1.75	28.0	0.6165	12.43	14.04	yes	stainless steel	4F
C.160.175.0480.A	16.0	1.75	48.0	0.4027	18.73	21.59	yes	music wire	4F
C.160.175.0480.I	16.0	1.75	48.0	0.3459	18.73	21.59	yes	stainless steel	4G
C.160.175.0690.A	16.0	1.75	69.0	0.2752	25.38	29.57	yes	music wire	4G
C.160.175.0690.I	16.0	1.75	69.0	0.2363	25.38	29.57	yes	stainless steel	4G
C.160.175.0950.A	16.0	1.75	95.0	0.1965	33.78	39.64	yes	music wire	4G
C.160.175.0950.I	16.0	1.75	95.0	0.1688	33.78	39.64	yes	stainless steel	4G
C.160.175.1550.A	16.0	1.75	155.0	0.1192	52.85	62.52	yes	music wire	4H
C.160.175.1550.I	16.0	1.75	155.0	0.1024	52.85	62.52	yes	stainless steel	4I
C.160.180.0160.A	16.0	1.80	16.0	1.5130	9.00	9.87	yes	music wire	4F
C.160.180.0160.AP	16.0	1.80	16.0	1.9803	7.92	9.00	yes	music wire	4I
C.160.180.0160.I	16.0	1.80	16.0	1.3163	8.82	9.66	yes	stainless steel	4G
C.160.180.0160.N	16.0	1.80	16.0	1.5130	9.00	9.87	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.180.0200.A	16.0	1.80	20.0	1.1500	10.26	11.37	yes	music wire	4G
C.160.180.0200.AP	16.0	1.80	20.0	1.5677	8.82	11.15	yes	music wire	4I
C.160.180.0200.I	16.0	1.80	20.0	1.0000	10.26	11.37	yes	stainless steel	4G
C.160.180.0200.N	16.0	1.80	20.0	1.1500	10.26	11.37	yes	Zn coating	4I
C.160.180.0250.A	16.0	1.80	25.0	0.8710	12.24	13.74	yes	music wire	4G
C.160.180.0250.AP	16.0	1.80	25.0	1.1758	10.26	13.21	yes	music wire	4I
C.160.180.0250.I	16.0	1.80	25.0	0.7578	12.06	13.52	yes	stainless steel	4G
C.160.180.0250.N	16.0	1.80	25.0	0.8710	12.24	13.74	yes	Zn coating	4I
C.160.180.0320.A	16.0	1.80	32.0	0.6680	14.58	16.53	yes	music wire	4G
C.160.180.0320.AP	16.0	1.80	32.0	0.8958	12.06	16.52	yes	music wire	4I
C.160.180.0320.I	16.0	1.80	32.0	0.5812	14.40	16.31	yes	stainless steel	4G
C.160.180.0320.N	16.0	1.80	32.0	0.6680	14.58	16.53	yes	Zn coating	4I
C.160.180.0400.A	16.0	1.80	40.0	0.5230	17.28	19.75	yes	music wire	4G
C.160.180.0400.AP	16.0	1.80	40.0	0.7099	14.04	20.47	yes	music wire	4I
C.160.180.0400.I	16.0	1.80	40.0	0.4935	16.20	18.46	yes	stainless steel	4G
C.160.180.0400.N	16.0	1.80	40.0	0.5230	17.28	19.75	yes	Zn coating	4I
C.160.180.0500.A	16.0	1.80	50.0	0.4110	20.88	24.05	yes	music wire	4G
C.160.180.0500.AP	16.0	1.80	50.0	0.5616	16.56	25.31	yes	music wire	4I
C.160.180.0500.I	16.0	1.80	50.0	0.3576	20.70	23.83	yes	stainless steel	4G
C.160.180.0500.N	16.0	1.80	50.0	0.4110	20.88	24.05	yes	Zn coating	4I
C.160.180.0520.A	16.0	1.80	52.0	0.3932	21.60	24.91	yes	music wire	4G
C.160.180.0520.AP	16.0	1.80	52.0	0.5375	16.92	26.20	yes	music wire	4I
C.160.180.0520.I	16.0	1.80	52.0	0.3377	21.60	24.91	yes	stainless steel	4G
C.160.180.0520.N	16.0	1.80	52.0	0.3932	21.60	24.91	yes	Zn coating	4I
C.160.180.0630.A	16.0	1.80	63.0	0.3190	25.56	29.63	yes	music wire	4G
C.160.180.0630.AP	16.0	1.80	63.0	0.4375	19.80	31.30	yes	music wire	4I
C.160.180.0630.I	16.0	1.80	63.0	0.2775	25.38	29.42	yes	stainless steel	4G
C.160.180.0630.N	16.0	1.80	63.0	0.3190	25.56	29.63	yes	Zn coating	4I
C.160.180.0640.A	16.0	1.80	64.0	0.3248	25.20	29.20	yes	music wire	4G
C.160.180.0640.AP	16.0	1.80	64.0	0.4276	20.16	31.57	yes	music wire	4I
C.160.180.0640.I	16.0	1.80	64.0	0.2790	25.20	29.20	yes	stainless steel	4G
C.160.180.0640.N	16.0	1.80	64.0	0.3248	25.20	29.20	yes	Zn coating	4I
C.160.180.0800.A	16.0	1.80	80.0	0.2500	31.32	36.51	yes	music wire	4G
C.160.180.0800.AP	16.0	1.80	80.0	0.3390	24.30	39.09	yes	music wire	4I
C.160.180.0800.I	16.0	1.80	80.0	0.2213	30.60	35.65	yes	stainless steel	4H
C.160.180.0800.N	16.0	1.80	80.0	0.2500	31.32	36.51	yes	Zn coating	4I
C.160.180.0930.A	16.0	1.80	93.0	0.2264	34.20	39.94	yes	music wire	4H
C.160.180.0930.I	16.0	1.80	93.0	0.1945	34.20	39.94	yes	stainless steel	4H
C.160.180.0930.N	16.0	1.80	93.0	0.2264	34.20	39.94	yes	Zn coating	4I
C.160.180.1000.A	16.0	1.80	100.0	0.1980	38.52	45.10	yes	music wire	4H
C.160.180.1000.AP	16.0	1.80	100.0	0.2707	29.34	48.77	yes	music wire	4J
C.160.180.1000.I	16.0	1.80	100.0	0.1723	37.98	44.45	yes	stainless steel	4H
C.160.180.1000.N	16.0	1.80	100.0	0.1980	38.52	45.10	yes	Zn coating	4I
C.160.180.1250.A	16.0	1.80	125.0	0.1570	47.34	55.62	yes	music wire	4I
C.160.180.1250.AP	16.0	1.80	125.0	0.2150	35.82	60.50	yes	music wire	4J
C.160.180.1250.I	16.0	1.80	125.0	0.1366	46.80	54.98	yes	stainless steel	4I
C.160.180.1250.N	16.0	1.80	125.0	0.1570	47.34	55.62	yes	Zn coating	4I
C.160.180.1500.A	16.0	1.80	150.0	0.1363	53.82	63.36	yes	music wire	4I
C.160.180.1500.I	16.0	1.80	150.0	0.1171	53.82	63.36	yes	stainless steel	4I
C.160.180.3600.A	16.0	1.80	360.0	0.0530	133.20	157.74	no	music wire	4J
C.160.180.3600.I	16.0	1.80	360.0	0.0460	131.76	156.02	no	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.190.0440.A	16.0	1.90	44.0	0.5995	19.76	22.50	yes	music wire	4G
C.160.190.0440.I	16.0	1.90	44.0	0.5149	19.76	22.50	yes	stainless steel	4G
C.160.190.0690.A	16.0	1.90	69.0	0.3729	28.88	33.29	yes	music wire	4G
C.160.190.0690.I	16.0	1.90	69.0	0.3203	28.88	33.29	yes	stainless steel	4H
C.160.190.1550.A	16.0	1.90	155.0	0.1611	60.61	70.81	yes	music wire	4I
C.160.190.1550.I	16.0	1.90	155.0	0.1384	60.61	70.81	yes	stainless steel	4I
C.160.200.0160.A	16.0	2.00	16.0	2.2860	10.20	11.10	yes	music wire	4G
C.160.200.0160.AP	16.0	2.00	16.0	2.9974	9.00	9.81	yes	music wire	4I
C.160.200.0160.I	16.0	2.00	16.0	1.9888	10.20	11.10	yes	stainless steel	4G
C.160.200.0160.N	16.0	2.00	16.0	2.2860	10.20	11.10	yes	Zn coating	4I
C.160.200.0200.A	16.0	2.00	20.0	1.6930	12.00	13.21	yes	music wire	4G
C.160.200.0200.AP	16.0	2.00	20.0	2.3057	10.20	11.96	yes	music wire	4I
C.160.200.0200.I	16.0	2.00	20.0	1.4729	12.00	13.21	yes	stainless steel	4G
C.160.200.0200.N	16.0	2.00	20.0	1.6930	12.00	13.21	yes	Zn coating	4I
C.160.200.0210.A	16.0	2.00	21.0	1.2960	14.20	15.80	yes	music wire	4G
C.160.200.0210.AP	16.0	2.00	21.0	2.1410	10.60	12.34	yes	music wire	4I
C.160.200.0210.I	16.0	2.00	21.0	1.1275	14.00	15.56	yes	stainless steel	4G
C.160.200.0210.N	16.0	2.00	21.0	1.2960	14.20	15.80	yes	Zn coating	4I
C.160.200.0250.A	16.0	2.00	25.0	1.3060	14.00	15.56	yes	music wire	4G
C.160.200.0250.AL	16.0	2.00	25.0	1.4933	13.00	14.39	yes	music wire	4E
C.160.200.0250.AP	16.0	2.00	25.0	1.7632	11.80	14.48	yes	music wire	4I
C.160.200.0250.I	16.0	2.00	25.0	1.1362	14.00	15.56	yes	stainless steel	4G
C.160.200.0250.N	16.0	2.00	25.0	1.3060	14.00	15.56	yes	Zn coating	4I
C.160.200.0320.A	16.0	2.00	32.0	0.9940	17.00	19.08	yes	music wire	4G
C.160.200.0320.AL	16.0	2.00	32.0	1.1667	15.20	16.97	yes	music wire	4E
C.160.200.0320.AP	16.0	2.00	32.0	1.3322	14.00	18.08	yes	music wire	4I
C.160.200.0320.I	16.0	2.00	32.0	0.8648	16.80	18.85	yes	stainless steel	4G
C.160.200.0320.N	16.0	2.00	32.0	0.9940	17.00	19.08	yes	Zn coating	4I
C.160.200.0400.A	16.0	2.00	40.0	0.7750	20.40	23.07	yes	music wire	4G
C.160.200.0400.AF	16.0	2.00	40.0	0.9333	17.80	20.13	yes	music wire	4I
C.160.200.0400.AL	16.0	2.00	40.0	0.9333	17.80	20.13	yes	music wire	4E
C.160.200.0400.AP	16.0	2.00	40.0	1.0336	16.40	22.06	yes	music wire	4I
C.160.200.0400.I	16.0	2.00	40.0	0.8120	17.60	19.94	yes	stainless steel	4I
C.160.200.0400.N	16.0	2.00	40.0	0.9333	17.80	20.13	yes	Zn coating	4J
C.160.200.0400.NF	16.0	2.00	40.0	0.7750	20.40	23.07	yes	Zn coating	4I
C.160.200.0500.A	16.0	2.00	50.0	0.6020	24.80	28.24	yes	music wire	4G
C.160.200.0500.AF	16.0	2.00	50.0	0.7368	21.20	24.83	yes	music wire	4I
C.160.200.0500.AL	16.0	2.00	50.0	0.7467	21.00	25.16	yes	music wire	4E
C.160.200.0500.AP	16.0	2.00	50.0	0.8212	19.40	27.42	yes	music wire	4I
C.160.200.0500.I	16.0	2.00	50.0	0.6410	21.00	24.60	yes	stainless steel	4I
C.160.200.0500.N	16.0	2.00	50.0	0.7368	21.20	24.83	yes	Zn coating	4J
C.160.200.0500.NF	16.0	2.00	50.0	0.6020	24.80	28.24	yes	Zn coating	4I
C.160.200.0630.A	16.0	2.00	63.0	0.4710	30.20	34.57	yes	music wire	4G
C.160.200.0630.AF	16.0	2.00	63.0	0.5833	25.40	31.21	yes	music wire	4I
C.160.200.0630.AL	16.0	2.00	63.0	0.5895	25.20	31.54	yes	music wire	4E
C.160.200.0630.AP	16.0	2.00	63.0	0.6378	23.60	33.92	yes	music wire	4I
C.160.200.0630.I	16.0	2.00	63.0	0.5075	25.20	30.91	yes	stainless steel	4I
C.160.200.0630.N	16.0	2.00	63.0	0.5833	25.40	31.21	yes	Zn coating	4J
C.160.200.0630.NF	16.0	2.00	63.0	0.4710	30.20	34.57	yes	Zn coating	4I
C.160.200.0700.A	16.0	2.00	70.0	0.4466	31.60	36.22	yes	music wire	4G
C.160.200.0700.I	16.0	2.00	70.0	0.3836	31.60	36.22	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.200.0800.A	16.0	2.00	80.0	0.3660	37.40	43.02	yes	music wire	4H
C.160.200.0800.AF	16.0	2.00	80.0	0.4667	30.40	40.27	yes	music wire	4I
C.160.200.0800.AL	16.0	2.00	80.0	0.4667	30.40	40.26	yes	music wire	4F
C.160.200.0800.AP	16.0	2.00	80.0	0.4954	29.00	42.57	yes	music wire	4I
C.160.200.0800.I	16.0	2.00	80.0	0.3184	37.00	42.55	yes	stainless steel	4H
C.160.200.0800.N	16.0	2.00	80.0	0.4667	30.40	40.27	yes	Zn coating	4J
C.160.200.0800.NF	16.0	2.00	80.0	0.3660	37.40	43.02	yes	Zn coating	4I
C.160.200.1000.A	16.0	2.00	100.0	0.2890	46.20	53.35	yes	music wire	4H
C.160.200.1000.AF	16.0	2.00	100.0	0.3684	37.20	49.66	yes	music wire	4J
C.160.200.1000.AL	16.0	2.00	100.0	0.3733	36.80	50.33	yes	music wire	4F
C.160.200.1000.AP	16.0	2.00	100.0	0.3944	35.20	52.98	yes	music wire	4J
C.160.200.1000.I	16.0	2.00	100.0	0.3205	36.80	49.19	yes	stainless steel	4J
C.160.200.1000.N	16.0	2.00	100.0	0.3684	37.20	49.66	yes	Zn coating	4K
C.160.200.1000.NF	16.0	2.00	100.0	0.2890	46.20	53.35	yes	Zn coating	4I
C.160.200.1250.A	16.0	2.00	125.0	0.2300	56.60	65.55	yes	music wire	4I
C.160.200.1250.AF	16.0	2.00	125.0	0.2917	45.80	61.43	yes	music wire	4J
C.160.200.1250.AL	16.0	2.00	125.0	0.2947	45.40	62.08	yes	music wire	4G
C.160.200.1250.AP	16.0	2.00	125.0	0.3122	43.00	65.61	yes	music wire	4J
C.160.200.1250.I	16.0	2.00	125.0	0.2538	45.20	60.83	yes	stainless steel	4J
C.160.200.1250.N	16.0	2.00	125.0	0.2917	45.80	61.43	yes	Zn coating	4L
C.160.200.1250.NF	16.0	2.00	125.0	0.2300	56.60	65.55	yes	Zn coating	4I
C.160.200.1600.A	16.0	2.00	160.0	0.2333	56.00	80.52	yes	music wire	4J
C.160.200.1600.I	16.0	2.00	160.0	0.2030	55.20	79.77	yes	stainless steel	4J
C.160.200.1600.N	16.0	2.00	160.0	0.2333	56.00	80.52	yes	Zn coating	4L
C.160.200.2000.A	16.0	2.00	200.0	0.1842	69.40	99.33	yes	music wire	4J
C.160.200.2000.I	16.0	2.00	200.0	0.1603	68.60	98.38	yes	stainless steel	4J
C.160.200.2000.N	16.0	2.00	200.0	0.1842	69.40	99.33	yes	Zn coating	4M
C.160.200.3600.A	16.0	2.00	360.0	0.0780	159.40	185.84	no	music wire	4J
C.160.200.3600.I	16.0	2.00	360.0	0.0679	157.40	183.49	no	stainless steel	4J
C.160.210.1550.A	16.0	2.10	155.0	0.2372	70.56	81.38	yes	music wire	4I
C.160.210.1550.I	16.0	2.10	155.0	0.2037	70.56	81.38	yes	stainless steel	4I
C.160.220.0160.A	16.0	2.20	16.0	3.4940	11.22	12.13	yes	music wire	4G
C.160.220.0160.AP	16.0	2.20	16.0	4.3719	10.12	10.85	yes	music wire	4I
C.160.220.0160.I	16.0	2.20	16.0	3.0398	11.22	12.13	yes	stainless steel	4G
C.160.220.0160.N	16.0	2.20	16.0	3.4940	11.22	12.13	yes	Zn coating	4I
C.160.220.0200.A	16.0	2.20	20.0	2.5880	13.20	14.42	yes	music wire	4G
C.160.220.0200.AP	16.0	2.20	20.0	3.4004	11.44	12.92	yes	music wire	4I
C.160.220.0200.I	16.0	2.20	20.0	2.2516	13.20	14.42	yes	stainless steel	4G
C.160.220.0200.N	16.0	2.20	20.0	2.5880	13.20	14.42	yes	Zn coating	4I
C.160.220.0250.A	16.0	2.20	25.0	2.0000	15.40	16.97	yes	music wire	4G
C.160.220.0250.AP	16.0	2.20	25.0	2.5503	13.42	15.56	yes	music wire	4I
C.160.220.0250.I	16.0	2.20	25.0	1.7374	15.40	16.97	yes	stainless steel	4G
C.160.220.0250.N	16.0	2.20	25.0	2.0000	15.40	16.97	yes	Zn coating	4I
C.160.220.0280.A	16.0	2.20	28.0	1.7805	16.72	18.50	yes	music wire	4G
C.160.220.0280.I	16.0	2.20	28.0	1.5293	16.72	18.50	yes	stainless steel	4G
C.160.220.0320.A	16.0	2.20	32.0	1.4870	18.92	21.05	yes	music wire	4G
C.160.220.0320.AP	16.0	2.20	32.0	1.9127	15.84	19.41	yes	music wire	4I
C.160.220.0320.I	16.0	2.20	32.0	1.2937	18.70	20.80	yes	stainless steel	4G
C.160.220.0320.N	16.0	2.20	32.0	1.4870	18.92	21.05	yes	Zn coating	4I
C.160.220.0400.A	16.0	2.20	40.0	1.1650	22.66	25.39	yes	music wire	4G
C.160.220.0400.AP	16.0	2.20	40.0	1.5051	18.70	24.00	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.220.0400.I	16.0	2.20	40.0	1.0136	22.44	25.13	yes	stainless steel	4G
C.160.220.0400.N	16.0	2.20	40.0	1.1650	22.66	25.39	yes	Zn coating	4I
C.160.220.0430.A	16.0	2.20	43.0	0.9900	25.74	28.96	yes	music wire	4G
C.160.220.0430.AP	16.0	2.20	43.0	1.3703	20.02	25.43	yes	music wire	4I
C.160.220.0430.I	16.0	2.20	43.0	0.8613	25.52	28.70	yes	stainless steel	4G
C.160.220.0430.N	16.0	2.20	43.0	0.9900	25.74	28.96	yes	Zn coating	4I
C.160.220.0500.A	16.0	2.20	50.0	0.9080	27.50	31.00	yes	music wire	4G
C.160.220.0500.AP	16.0	2.20	50.0	1.1622	22.66	29.28	yes	music wire	4I
C.160.220.0500.I	16.0	2.20	50.0	0.7900	27.28	30.74	yes	stainless steel	4H
C.160.220.0500.N	16.0	2.20	50.0	0.9080	27.50	31.00	yes	Zn coating	4I
C.160.220.0630.A	16.0	2.20	63.0	0.7060	33.88	38.39	yes	music wire	4G
C.160.220.0630.AP	16.0	2.20	63.0	0.9090	27.50	36.51	yes	music wire	4I
C.160.220.0630.I	16.0	2.20	63.0	0.6142	33.44	37.88	yes	stainless steel	4H
C.160.220.0630.N	16.0	2.20	63.0	0.7060	33.88	38.39	yes	Zn coating	4I
C.160.220.0800.A	16.0	2.20	80.0	0.5460	42.02	47.83	yes	music wire	4H
C.160.220.0800.AP	16.0	2.20	80.0	0.7062	33.88	45.90	yes	music wire	4J
C.160.220.0800.I	16.0	2.20	80.0	0.4750	41.58	47.32	yes	stainless steel	4H
C.160.220.0800.N	16.0	2.20	80.0	0.5460	42.02	47.83	yes	Zn coating	4I
C.160.220.1000.A	16.0	2.20	100.0	0.4310	51.92	59.30	yes	music wire	4H
C.160.220.1000.AP	16.0	2.20	100.0	0.5598	41.14	56.98	yes	music wire	4J
C.160.220.1000.I	16.0	2.20	100.0	0.3750	51.26	58.54	yes	stainless steel	4I
C.160.220.1000.N	16.0	2.20	100.0	0.4310	51.92	59.30	yes	Zn coating	4I
C.160.220.1250.A	16.0	2.20	125.0	0.3430	63.80	73.07	yes	music wire	4I
C.160.220.1250.AP	16.0	2.20	125.0	0.4457	50.38	70.96	yes	music wire	4J
C.160.220.1250.I	16.0	2.20	125.0	0.2984	62.92	72.05	yes	stainless steel	4I
C.160.220.1250.N	16.0	2.20	125.0	0.3430	63.80	73.07	yes	Zn coating	4I
C.160.220.3600.A	16.0	2.20	360.0	0.1160	179.96	207.35	no	music wire	4J
C.160.220.3600.I	16.0	2.20	360.0	0.1009	177.76	204.80	no	stainless steel	4J
C.160.225.0170.A	16.0	2.25	17.0	3.5870	11.93	12.91	yes	music wire	4G
C.160.225.0170.I	16.0	2.25	17.0	3.0809	11.93	12.91	yes	stainless steel	4G
C.160.225.0430.A	16.0	2.25	43.0	1.2101	24.30	27.21	yes	music wire	4G
C.160.225.0430.I	16.0	2.25	43.0	1.0393	24.30	27.21	yes	stainless steel	4G
C.160.225.1450.A	16.0	2.25	145.0	0.3348	73.13	83.66	yes	music wire	4I
C.160.225.1450.I	16.0	2.25	145.0	0.2875	73.13	83.66	yes	stainless steel	4I
C.160.230.0520.A	16.0	2.30	52.0	1.0764	29.44	33.07	yes	music wire	4G
C.160.230.0520.I	16.0	2.30	52.0	0.9245	29.44	33.07	yes	stainless steel	4H
C.160.230.0670.A	16.0	2.30	67.0	0.8213	36.80	41.56	yes	music wire	4G
C.160.230.0670.I	16.0	2.30	67.0	0.7054	36.80	41.56	yes	stainless steel	4H
C.160.230.0800.A	16.0	2.30	80.0	0.6802	43.24	48.98	yes	music wire	4H
C.160.230.0800.I	16.0	2.30	80.0	0.5842	43.24	48.98	yes	stainless steel	4H
C.160.230.1200.A	16.0	2.30	120.0	0.4453	63.02	71.79	yes	music wire	4I
C.160.230.1200.I	16.0	2.30	120.0	0.3824	63.02	71.79	yes	stainless steel	4I
C.160.235.1150.A	16.0	2.35	115.0	0.5090	62.28	70.77	yes	music wire	4I
C.160.235.1150.I	16.0	2.35	115.0	0.4372	62.28	70.77	yes	stainless steel	4I
C.160.235.1600.A	16.0	2.35	160.0	0.3625	85.07	97.00	yes	music wire	4I
C.160.235.1600.I	16.0	2.35	160.0	0.3114	85.07	97.00	yes	stainless steel	4I
C.160.240.0200.A	16.0	2.40	20.0	3.9520	14.16	15.37	yes	music wire	4G
C.160.240.0200.I	16.0	2.40	20.0	3.3944	14.16	15.37	yes	stainless steel	4G
C.160.240.1550.A	16.0	2.40	155.0	0.4084	84.96	96.66	yes	music wire	4I
C.160.240.1550.I	16.0	2.40	155.0	0.3508	84.96	96.66	yes	stainless steel	4I
C.160.250.0160.A	16.0	2.50	16.0	6.5510	12.50	13.40	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.250.0160.I	16.0	2.50	16.0	5.6994	12.25	13.11	yes	stainless steel	4G
C.160.250.0160.N	16.0	2.50	16.0	6.5510	12.50	13.40	yes	Zn coating	4I
C.160.250.0200.A	16.0	2.50	20.0	4.7870	14.75	15.97	yes	music wire	4G
C.160.250.0200.I	16.0	2.50	20.0	4.1647	14.50	15.69	yes	stainless steel	4G
C.160.250.0200.N	16.0	2.50	20.0	4.7870	14.75	15.97	yes	Zn coating	4I
C.160.250.0250.A	16.0	2.50	25.0	3.5560	17.50	19.12	yes	music wire	4G
C.160.250.0250.I	16.0	2.50	25.0	3.0937	17.50	19.12	yes	stainless steel	4G
C.160.250.0250.N	16.0	2.50	25.0	3.5560	17.50	19.12	yes	Zn coating	4I
C.160.250.0262.A	16.0	2.50	26.2	3.9690	16.50	17.97	yes	music wire	4I
C.160.250.0262.I	16.0	2.50	26.2	3.4530	16.25	17.69	yes	stainless steel	4I
C.160.250.0262.N	16.0	2.50	26.2	3.9690	16.50	17.97	yes	Zn coating	4J
C.160.250.0320.A	16.0	2.50	32.0	2.6480	21.50	23.69	yes	music wire	4G
C.160.250.0320.I	16.0	2.50	32.0	2.3000	21.25	23.41	yes	stainless steel	4H
C.160.250.0320.N	16.0	2.50	32.0	2.6480	21.50	23.69	yes	Zn coating	4I
C.160.250.0340.A	16.0	2.50	34.0	2.6460	21.50	23.69	yes	music wire	4G
C.160.250.0340.I	16.0	2.50	34.0	2.3000	21.25	23.41	yes	stainless steel	4H
C.160.250.0340.N	16.0	2.50	34.0	2.6460	21.50	23.69	yes	Zn coating	4I
C.160.250.0400.A	16.0	2.50	40.0	2.0410	26.00	28.84	yes	music wire	4G
C.160.250.0400.I	16.0	2.50	40.0	1.7757	25.75	28.55	yes	stainless steel	4H
C.160.250.0400.N	16.0	2.50	40.0	2.0410	26.00	28.84	yes	Zn coating	4I
C.160.250.0500.A	16.0	2.50	50.0	1.6000	31.50	35.13	yes	music wire	4G
C.160.250.0500.I	16.0	2.50	50.0	1.3885	31.25	34.84	yes	stainless steel	4H
C.160.250.0500.N	16.0	2.50	50.0	1.6000	31.50	35.13	yes	Zn coating	4I
C.160.250.0585.A	16.0	2.50	58.5	1.1760	40.75	45.71	yes	music wire	4H
C.160.250.0585.AP	16.0	2.50	58.5	1.6398	31.00	37.70	yes	music wire	4I
C.160.250.0585.I	16.0	2.50	58.5	1.0231	40.25	45.14	yes	stainless steel	4H
C.160.250.0585.N	16.0	2.50	58.5	1.1760	40.75	45.71	yes	Zn coating	4I
C.160.250.0630.A	16.0	2.50	63.0	1.2450	38.75	43.42	yes	music wire	4H
C.160.250.0630.I	16.0	2.50	63.0	1.0832	38.25	42.85	yes	stainless steel	4H
C.160.250.0630.N	16.0	2.50	63.0	1.2450	38.75	43.42	yes	Zn coating	4I
C.160.250.0800.A	16.0	2.50	80.0	0.9570	48.50	54.57	yes	music wire	4H
C.160.250.0800.AF	16.0	2.50	80.0	1.2700	38.00	53.15	yes	music wire	4L
C.160.250.0800.I	16.0	2.50	80.0	1.1049	37.75	52.69	yes	stainless steel	4L
C.160.250.0800.N	16.0	2.50	80.0	1.2700	38.00	53.15	yes	Zn coating	4M
C.160.250.0800.NF	16.0	2.50	80.0	1.0580	44.50	50.00	yes	Zn coating	4K
C.160.250.1000.A	16.0	2.50	100.0	0.7590	59.50	67.15	yes	music wire	4I
C.160.250.1000.I	16.0	2.50	100.0	0.6603	58.75	66.30	yes	stainless steel	4I
C.160.250.1000.N	16.0	2.50	100.0	0.7590	59.50	67.15	yes	Zn coating	4I
C.160.250.1200.A	16.0	2.50	120.0	0.8580	53.50	80.26	yes	music wire	4L
C.160.250.1200.I	16.0	2.50	120.0	0.7465	52.75	79.58	yes	stainless steel	4L
C.160.250.1200.N	16.0	2.50	120.0	0.8580	53.50	80.26	yes	Zn coating	4N
C.160.250.1250.A	16.0	2.50	125.0	0.6000	73.75	83.45	yes	music wire	4I
C.160.250.1250.I	16.0	2.50	125.0	0.5229	72.75	82.31	yes	stainless steel	4I
C.160.250.1250.N	16.0	2.50	125.0	0.6000	73.75	83.45	yes	Zn coating	4J
C.160.250.1500.A	16.0	2.50	150.0	0.5023	86.75	98.32	yes	music wire	4I
C.160.250.1500.I	16.0	2.50	150.0	0.4314	86.75	98.32	yes	stainless steel	4I
C.160.250.3600.A	16.0	2.50	360.0	0.2020	209.00	237.78	no	music wire	4J
C.160.250.3600.I	16.0	2.50	360.0	0.1757	206.25	234.64	no	stainless steel	4J
C.160.260.0160.A	16.0	2.60	16.0	7.7394	13.00	13.91	yes	music wire	4G
C.160.260.0160.I	16.0	2.60	16.0	6.6473	13.00	13.91	yes	stainless steel	4G
C.160.260.0190.A	16.0	2.60	19.0	6.0464	14.82	15.98	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.260.0190.I	16.0	2.60	19.0	5.1932	14.82	15.98	yes	stainless steel	4G
C.160.260.0310.A	16.0	2.60	31.0	3.2794	21.84	23.99	yes	music wire	4G
C.160.260.0310.I	16.0	2.60	31.0	2.8167	21.84	23.99	yes	stainless steel	4G
C.160.260.0360.A	16.0	2.60	36.0	2.7641	24.70	27.25	yes	music wire	4G
C.160.260.0360.I	16.0	2.60	36.0	2.3740	24.70	27.25	yes	stainless steel	4H
C.160.260.1500.A	16.0	2.60	150.0	0.5972	90.74	102.52	yes	music wire	4I
C.160.260.1500.I	16.0	2.60	150.0	0.5129	90.74	102.52	yes	stainless steel	4I
C.160.270.0240.A	16.0	2.70	24.0	5.3518	18.36	19.94	yes	music wire	4G
C.160.270.0240.I	16.0	2.70	24.0	4.5966	18.36	19.94	yes	stainless steel	4G
C.160.270.0290.A	16.0	2.70	29.0	4.2616	21.33	23.32	yes	music wire	4G
C.160.270.0290.I	16.0	2.70	29.0	3.6603	21.33	23.32	yes	stainless steel	4G
C.160.270.0590.A	16.0	2.70	59.0	1.8863	39.69	44.18	yes	music wire	4H
C.160.270.0590.I	16.0	2.70	59.0	1.6201	39.69	44.18	yes	stainless steel	4H
C.160.270.0670.A	16.0	2.70	67.0	1.6438	44.55	49.71	yes	music wire	4H
C.160.270.0670.I	16.0	2.70	67.0	1.4118	44.55	49.71	yes	stainless steel	4I
C.160.270.1250.A	16.0	2.70	125.0	0.8523	79.65	89.59	yes	music wire	4I
C.160.270.1250.I	16.0	2.70	125.0	0.7321	79.65	89.59	yes	stainless steel	4I
C.160.280.0180.A	16.0	2.80	18.0	9.3881	15.12	16.20	yes	music wire	4I
C.160.280.0180.I	16.0	2.80	18.0	8.0634	15.12	16.20	yes	stainless steel	4I
C.160.280.0230.A	16.0	2.80	23.0	6.8064	18.20	19.69	yes	music wire	4I
C.160.280.0230.I	16.0	2.80	23.0	5.8460	18.20	19.69	yes	stainless steel	4I
C.160.280.0270.A	16.0	2.80	27.0	5.5563	20.72	22.55	yes	music wire	4I
C.160.280.0270.I	16.0	2.80	27.0	4.7722	20.72	22.55	yes	stainless steel	4I
C.160.280.0360.A	16.0	2.80	36.0	3.8894	26.60	29.21	yes	music wire	4I
C.160.280.0360.I	16.0	2.80	36.0	3.3406	26.60	29.21	yes	stainless steel	4I
C.160.280.0420.A	16.0	2.80	42.0	3.2802	30.24	33.34	yes	music wire	4I
C.160.280.0420.I	16.0	2.80	42.0	2.8173	30.24	33.34	yes	stainless steel	4I
C.160.280.0550.A	16.0	2.80	55.0	2.4093	38.64	42.86	yes	music wire	4I
C.160.280.0550.I	16.0	2.80	55.0	2.0694	38.64	42.86	yes	stainless steel	4I
C.160.280.0710.A	16.0	2.80	71.0	1.8272	48.72	54.28	yes	music wire	4I
C.160.280.0710.I	16.0	2.80	71.0	1.5694	48.72	54.28	yes	stainless steel	4I
C.160.280.0930.A	16.0	2.80	93.0	1.3750	62.44	69.83	yes	music wire	4I
C.160.280.0930.I	16.0	2.80	93.0	1.1810	62.44	69.83	yes	stainless steel	4I
C.160.280.1100.A	16.0	2.80	110.0	1.1488	73.36	82.21	yes	music wire	4I
C.160.280.1100.I	16.0	2.80	110.0	0.9867	73.36	82.21	yes	stainless steel	4I
C.160.280.1350.A	16.0	2.80	135.0	1.4850	58.24	103.85	yes	music wire	4M
C.160.280.1350.I	16.0	2.80	135.0	1.2920	57.68	103.19	yes	stainless steel	4M
C.160.280.1350.N	16.0	2.80	135.0	1.4850	58.24	103.85	yes	Zn coating	4O
C.160.290.0470.A	16.0	2.90	47.0	3.4097	34.51	38.07	yes	music wire	4I
C.160.290.0470.I	16.0	2.90	47.0	2.9286	34.51	38.07	yes	stainless steel	4I
C.160.290.0670.A	16.0	2.90	67.0	2.2894	47.85	53.15	yes	music wire	4I
C.160.290.0670.I	16.0	2.90	67.0	1.9663	47.85	53.15	yes	stainless steel	4I
C.160.290.0970.A	16.0	2.90	97.0	1.5484	67.28	75.12	yes	music wire	4I
C.160.290.0970.I	16.0	2.90	97.0	1.3299	67.28	75.12	yes	stainless steel	4I
C.160.300.0160.A	16.0	3.00	16.0	15.6499	14.70	15.62	yes	music wire	4I
C.160.300.0160.I	16.0	3.00	16.0	13.4416	14.70	15.62	yes	stainless steel	4I
C.160.300.0180.A	16.0	3.00	18.0	13.4142	15.90	16.98	yes	music wire	4I
C.160.300.0180.I	16.0	3.00	18.0	11.5214	15.90	16.98	yes	stainless steel	4I
C.160.300.0210.A	16.0	3.00	21.0	10.7314	18.00	19.35	yes	music wire	4I
C.160.300.0210.I	16.0	3.00	21.0	9.2171	18.00	19.35	yes	stainless steel	4I
C.160.300.0300.A	16.0	3.00	30.0	6.7060	24.30	26.45	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.160.300.0300.AP	16.0	3.00	30.0	7.8063	21.90	23.75	yes	music wire	4J
C.160.300.0300.I	16.0	3.00	30.0	5.8342	24.00	26.11	yes	stainless steel	4I
C.160.300.0300.N	16.0	3.00	30.0	6.7060	24.30	26.45	yes	Zn coating	4J
C.160.300.0360.A	16.0	3.00	36.0	5.4434	28.20	30.85	yes	music wire	4I
C.160.300.0360.I	16.0	3.00	36.0	4.6753	28.20	30.85	yes	stainless steel	4I
C.160.300.0560.A	16.0	3.00	56.0	3.2947	41.70	46.08	yes	music wire	4I
C.160.300.0560.I	16.0	3.00	56.0	2.8298	41.70	46.08	yes	stainless steel	4I
C.160.300.0680.A	16.0	3.00	68.0	2.6638	49.80	55.22	yes	music wire	4I
C.160.300.0680.I	16.0	3.00	68.0	2.2879	49.80	55.22	yes	stainless steel	4I
C.160.300.0740.A	16.0	3.00	74.0	2.4232	54.00	59.96	yes	music wire	4I
C.160.300.0740.I	16.0	3.00	74.0	2.0813	54.00	59.96	yes	stainless steel	4I
C.160.300.0820.A	16.0	3.00	82.0	2.3790	54.90	60.98	yes	music wire	4J
C.160.300.0820.I	16.0	3.00	82.0	2.0697	54.30	60.30	yes	stainless steel	4K
C.160.300.0820.N	16.0	3.00	82.0	2.3790	54.90	60.98	yes	Zn coating	4M
C.160.300.0930.A	16.0	3.00	93.0	1.8970	66.90	74.51	yes	music wire	4I
C.160.300.0930.I	16.0	3.00	93.0	1.6293	66.90	74.51	yes	stainless steel	4I
C.160.300.1100.A	16.0	3.00	110.0	1.5915	78.30	87.37	yes	music wire	4I
C.160.300.1100.I	16.0	3.00	110.0	1.3669	78.30	87.37	yes	stainless steel	4I
C.160.300.1200.A	16.0	3.00	120.0	1.4502	85.20	95.16	yes	music wire	4I
C.160.300.1200.I	16.0	3.00	120.0	1.2456	85.20	95.16	yes	stainless steel	4I
C.160.300.1320.A	16.0	3.00	132.0	1.6760	74.70	98.83	yes	music wire	4M
C.160.300.1320.I	16.0	3.00	132.0	1.4581	73.80	98.04	yes	stainless steel	4M
C.160.300.1320.N	16.0	3.00	132.0	1.6760	74.70	98.83	yes	Zn coating	4O
C.160.310.0170.A	16.0	3.10	17.0	16.8567	15.81	16.83	yes	music wire	4I
C.160.310.0170.I	16.0	3.10	17.0	14.4781	15.81	16.83	yes	stainless steel	4I
C.160.310.0210.A	16.0	3.10	21.0	12.5221	18.60	19.97	yes	music wire	4I
C.160.310.0210.I	16.0	3.10	21.0	10.7552	18.60	19.97	yes	stainless steel	4I
C.160.310.1450.A	16.0	3.10	145.0	1.3913	105.40	117.70	yes	music wire	4I
C.160.310.1450.I	16.0	3.10	145.0	1.1950	105.40	117.70	yes	stainless steel	4J
C.160.400.0500.A	16.0	4.00	50.0	18.5190	42.40	46.08	yes	music wire	4R
C.160.400.0500.I	16.0	4.00	50.0	16.1115	42.00	45.63	yes	stainless steel	4R
C.160.400.0500.N	16.0	4.00	50.0	18.5190	42.40	46.08	yes	Zn coating	4S
C.162.400.0550.A	16.2	4.00	55.0	19.1954	40.00	48.96	yes	music wire	4T
C.162.400.0550.I	16.2	4.00	55.0	16.7000	39.60	48.75	yes	stainless steel	4T
C.163.100.0100.A	16.3	1.00	10.0	0.2586	3.60	4.10	yes	music wire	4C
C.163.100.0100.I	16.3	1.00	10.0	0.2221	3.60	4.10	yes	stainless steel	4C
C.163.100.0159.A	16.3	1.00	15.9	0.0747	6.30	8.01	yes	music wire	4C
C.163.100.0159.I	16.3	1.00	15.9	0.0650	6.30	8.01	yes	stainless steel	4D
C.163.100.0300.A	16.3	1.00	30.0	0.1200	4.90	8.04	yes	music wire	4F
C.163.100.0370.A	16.3	1.00	37.0	0.0850	5.80	7.29	yes	music wire	4G
C.163.100.0370.I	16.3	1.00	37.0	0.0740	5.80	7.29	yes	stainless steel	4G
C.163.100.0480.A	16.3	1.00	48.0	0.0333	11.00	14.83	yes	music wire	4D
C.163.100.0480.I	16.3	1.00	48.0	0.0290	10.90	14.69	yes	stainless steel	4E
C.163.100.0500.A	16.3	1.00	50.0	0.0425	9.20	12.22	yes	music wire	4D
C.163.100.0500.I	16.3	1.00	50.0	0.0370	9.10	12.08	yes	stainless steel	4E
C.163.100.0750.A	16.3	1.00	75.0	0.0310	11.70	15.85	yes	music wire	4E
C.163.100.0750.I	16.3	1.00	75.0	0.0270	11.50	15.56	yes	stainless steel	4E
C.163.110.0410.A	16.3	1.10	41.0	0.0747	9.02	11.44	yes	music wire	4D
C.163.110.0410.I	16.3	1.10	41.0	0.0650	8.91	11.29	yes	stainless steel	4D
C.163.120.0191.A	16.3	1.20	19.1	0.1839	6.96	8.30	yes	music wire	4C
C.163.120.0191.I	16.3	1.20	19.1	0.1600	6.96	8.30	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.163.120.0260.A	16.3	1.20	26.0	0.2184	6.36	7.49	yes	music wire	4D
C.163.120.0260.I	16.3	1.20	26.0	0.1900	6.36	7.49	yes	stainless steel	4D
C.163.120.0300.A	16.3	1.20	30.0	0.1724	7.32	8.78	yes	music wire	4D
C.163.120.0300.I	16.3	1.20	30.0	0.1500	7.20	8.62	yes	stainless steel	4D
C.163.120.0800.A	16.3	1.20	80.0	0.0548	16.44	20.98	yes	music wire	4E
C.163.120.0800.I	16.3	1.20	80.0	0.0471	16.44	20.98	yes	stainless steel	4E
C.163.140.0240.A	16.3	1.40	24.0	0.2644	9.80	11.50	yes	music wire	4E
C.163.140.0240.AP	16.3	1.40	24.0	0.5163	6.72	10.88	yes	music wire	4I
C.163.140.0240.I	16.3	1.40	24.0	0.2300	9.66	11.32	yes	stainless steel	4F
C.163.140.0300.A	16.3	1.40	30.0	0.3908	7.70	12.66	yes	music wire	4I
C.163.140.0300.I	16.3	1.40	30.0	0.3400	7.70	12.69	yes	stainless steel	4I
C.163.140.0320.A	16.3	1.40	32.0	0.3100	8.82	10.26	yes	music wire	4I
C.163.140.0320.I	16.3	1.40	32.0	0.2697	8.82	10.26	yes	stainless steel	4I
C.163.140.0360.A	16.3	1.40	36.0	0.2644	9.80	11.50	yes	music wire	4I
C.163.140.0360.I	16.3	1.40	36.0	0.2300	9.66	11.32	yes	stainless steel	4I
C.163.140.0800.A	16.3	1.40	80.0	0.0917	21.56	26.43	yes	music wire	4G
C.163.140.0800.I	16.3	1.40	80.0	0.0788	21.56	26.43	yes	stainless steel	4G
C.163.160.0450.A	16.3	1.60	45.0	0.3200	14.56	16.95	yes	music wire	4F
C.163.160.0450.I	16.3	1.60	45.0	0.2784	14.40	16.76	yes	stainless steel	4F
C.163.170.0300.A	16.3	1.70	30.0	0.5402	12.92	14.75	yes	music wire	4E
C.163.170.0300.AP	16.3	1.70	30.0	0.7643	10.37	14.78	yes	music wire	4I
C.163.170.0300.I	16.3	1.70	30.0	0.4700	12.75	14.54	yes	stainless steel	4F
C.163.180.0127.A	16.3	1.80	12.7	2.1839	7.38	7.95	yes	music wire	4F
C.163.180.0127.I	16.3	1.80	12.7	1.9000	7.38	7.95	yes	stainless steel	4G
C.163.180.0670.A	16.3	1.80	67.0	0.4023	20.16	33.13	yes	music wire	4I
C.163.180.0670.I	16.3	1.80	67.0	0.3500	19.98	32.92	yes	stainless steel	4I
C.163.190.0210.A	16.3	1.90	21.0	0.7356	16.15	18.27	yes	music wire	4G
C.163.190.0210.AP	16.3	1.90	21.0	1.7243	9.69	11.82	yes	music wire	4I
C.163.190.0210.I	16.3	1.90	21.0	0.6400	16.15	18.27	yes	stainless steel	4G
C.163.200.0600.A	16.3	2.00	60.0	0.5977	23.60	29.51	yes	music wire	4I
C.163.200.0600.I	16.3	2.00	60.0	0.5200	23.40	29.22	yes	stainless steel	4I
C.163.220.0220.A	16.3	2.20	22.0	2.1839	14.08	15.47	yes	music wire	4G
C.163.220.0220.AP	16.3	2.20	22.0	2.8691	12.10	13.75	yes	music wire	4I
C.163.220.0220.I	16.3	2.20	22.0	1.9000	13.86	15.21	yes	stainless steel	4G
C.163.220.0240.A	16.3	2.20	24.0	2.4138	13.20	14.44	yes	music wire	4I
C.163.220.0240.I	16.3	2.20	24.0	2.1000	13.20	14.44	yes	stainless steel	4I
C.163.220.0250.A	16.3	2.20	25.0	2.5287	12.98	15.64	yes	music wire	4I
C.163.220.0250.I	16.3	2.20	25.0	2.2000	12.76	15.52	yes	stainless steel	4I
C.163.220.1000.A	16.3	2.20	100.0	0.3941	53.02	60.70	yes	music wire	4H
C.163.220.1000.I	16.3	2.20	100.0	0.3385	53.02	60.70	yes	stainless steel	4I
C.163.240.0380.A	16.3	2.40	38.0	1.3000	29.28	32.78	yes	music wire	4G
C.163.240.0380.AP	16.3	2.40	38.0	2.1606	19.92	24.11	yes	music wire	4I
C.163.240.0380.I	16.3	2.40	38.0	1.1310	29.04	32.50	yes	stainless steel	4G
C.163.270.0174.A	16.3	2.70	17.4	7.3563	14.58	15.66	yes	music wire	4G
C.163.270.0174.AP	16.3	2.70	17.4	9.5043	12.96	13.82	yes	music wire	4I
C.163.270.0174.I	16.3	2.70	17.4	6.4000	14.58	15.66	yes	stainless steel	4G
C.163.270.0191.A	16.3	2.70	19.1	8.0460	14.04	15.05	yes	music wire	4G
C.163.270.0191.I	16.3	2.70	19.1	7.0000	13.77	14.74	yes	stainless steel	4G
C.163.270.0450.A	16.3	2.70	45.0	2.2897	32.13	35.63	yes	music wire	4G
C.163.270.0450.I	16.3	2.70	45.0	1.9666	32.13	35.63	yes	stainless steel	4H
C.163.270.0830.A	16.3	2.70	83.0	1.1494	57.24	64.21	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.163.270.0830.AP	16.3	2.70	83.0	1.4973	45.63	55.43	yes	music wire	4J
C.163.270.0830.I	16.3	2.70	83.0	1.0000	56.70	63.60	yes	stainless steel	4I
C.165.100.0280.A	16.5	1.00	28.0	0.0540	7.60	9.95	yes	music wire	4C
C.165.100.0280.I	16.5	1.00	28.0	0.0470	7.50	9.80	yes	stainless steel	4D
C.165.100.0280.N	16.5	1.00	28.0	0.0540	7.60	9.95	yes	Zn coating	4E
C.165.150.0233.A	16.5	1.50	23.3	0.4366	9.00	10.31	yes	music wire	4E
C.165.150.0233.AP	16.5	1.50	23.3	0.6675	7.20	11.14	yes	music wire	4I
C.165.150.0233.I	16.5	1.50	23.3	0.3750	9.00	10.31	yes	stainless steel	4F
C.165.150.0233.N	16.5	1.50	23.3	0.4366	9.00	10.31	yes	Zn coating	4G
C.165.150.0350.A	16.5	1.50	35.0	0.2778	12.00	14.06	yes	music wire	4E
C.165.150.0350.AP	16.5	1.50	35.0	0.4149	9.30	15.44	yes	music wire	4I
C.165.150.0350.I	16.5	1.50	35.0	0.2386	12.00	14.06	yes	stainless steel	4F
C.165.150.0350.N	16.5	1.50	35.0	0.2778	12.00	14.06	yes	Zn coating	4H
C.165.150.0489.A	16.5	1.50	48.9	0.1910	15.75	18.75	yes	music wire	4F
C.165.150.0489.AP	16.5	1.50	48.9	0.2952	11.55	21.40	yes	music wire	4I
C.165.150.0489.I	16.5	1.50	48.9	0.1640	15.75	18.75	yes	stainless steel	4F
C.165.150.0489.N	16.5	1.50	48.9	0.1910	15.75	18.75	yes	Zn coating	4H
C.165.150.0525.A	16.5	1.50	52.5	0.1798	16.50	19.69	yes	music wire	4F
C.165.150.0525.AP	16.5	1.50	52.5	0.2741	12.15	22.89	yes	music wire	4I
C.165.150.0525.I	16.5	1.50	52.5	0.1544	16.50	19.69	yes	stainless steel	4G
C.165.150.0525.N	16.5	1.50	52.5	0.1798	16.50	19.69	yes	Zn coating	4H
C.165.150.0757.A	16.5	1.50	75.7	0.1223	22.50	27.19	yes	music wire	4G
C.165.150.0757.AP	16.5	1.50	75.7	0.1872	16.05	32.34	yes	music wire	4I
C.165.150.0757.I	16.5	1.50	75.7	0.1050	22.50	27.19	yes	stainless steel	4G
C.165.150.0757.N	16.5	1.50	75.7	0.1223	22.50	27.19	yes	Zn coating	4I
C.165.150.1100.A	16.5	1.50	110.0	0.0826	31.50	38.44	yes	music wire	4G
C.165.150.1100.AP	16.5	1.50	110.0	0.1269	21.75	46.02	yes	music wire	4I
C.165.150.1100.I	16.5	1.50	110.0	0.0709	31.50	38.44	yes	stainless steel	4G
C.165.150.1100.N	16.5	1.50	110.0	0.0826	31.50	38.44	yes	Zn coating	4I
C.165.200.1170.A	16.5	2.00	117.0	0.1810	64.00	74.55	yes	music wire	4I
C.165.200.1170.AP	16.5	2.00	117.0	0.3174	38.60	60.23	yes	music wire	4J
C.165.200.1170.I	16.5	2.00	117.0	0.1575	63.40	73.84	yes	stainless steel	4I
C.165.200.1170.N	16.5	2.00	117.0	0.1810	64.00	74.55	yes	Zn coating	4I
C.165.250.0350.A	16.5	2.50	35.0	2.1900	22.75	25.18	yes	music wire	4G
C.165.250.0350.AP	16.5	2.50	35.0	2.7227	19.50	22.82	yes	music wire	4I
C.165.250.0350.I	16.5	2.50	35.0	1.9000	22.75	25.18	yes	stainless steel	4H
C.165.250.0350.N	16.5	2.50	35.0	2.1900	22.75	25.18	yes	Zn coating	4I
C.165.250.0520.A	16.5	2.50	52.0	1.9337	25.00	34.85	yes	music wire	4K
C.165.250.0520.I	16.5	2.50	52.0	1.6608	25.00	34.33	yes	stainless steel	4L
C.165.250.0520.N	16.5	2.50	52.0	1.9337	25.00	34.85	yes	Zn coating	4M
C.165.350.0400.A	16.5	3.50	40.0	10.5080	31.85	34.64	yes	music wire	4L
C.165.350.0400.I	16.5	3.50	40.0	9.1420	31.50	34.25	yes	stainless steel	4L
C.165.350.0400.N	16.5	3.50	40.0	10.5080	31.85	34.64	yes	Zn coating	4N
C.166.160.0174.A	16.6	1.60	17.4	0.6437	8.96	10.11	yes	music wire	4E
C.166.160.0174.AP	16.6	1.60	17.4	1.1051	6.88	8.66	yes	music wire	4I
C.166.160.0174.I	16.6	1.60	17.4	0.5600	8.80	9.91	yes	stainless steel	4F
C.166.320.1400.S	16.6	3.20	140.0	1.6809	92.48	103.15	yes	Cr-Si steel	4O
C.167.060.0100.I	16.7	0.60	10.0	0.0247	2.76	3.54	no	stainless steel	4C
C.167.070.0100.A	16.7	0.70	10.0	0.0543	3.22	3.90	no	music wire	4C
C.167.070.0100.I	16.7	0.70	10.0	0.0466	3.22	3.90	no	stainless steel	4C
C.167.070.0480.A	16.7	0.70	48.0	0.0050	10.78	18.14	no	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.167.070.0480.I	16.7	0.70	48.0	0.0044	10.71	18.01	no	stainless steel	4D
C.167.070.0480.N	16.7	0.70	48.0	0.0050	10.78	18.14	no	Zn coating	4E
C.167.080.0200.A	16.7	0.80	20.0	0.0483	3.76	4.98	yes	music wire	4C
C.167.080.0200.I	16.7	0.80	20.0	0.0420	3.68	4.84	yes	stainless steel	4D
C.167.080.0350.A	16.7	0.80	35.0	0.0290	4.88	6.87	yes	music wire	4C
C.167.080.0350.I	16.7	0.80	35.0	0.0252	4.80	6.74	yes	stainless steel	4D
C.167.080.0600.A	16.7	0.80	60.0	0.0200	6.16	9.04	yes	music wire	4D
C.167.080.0600.I	16.7	0.80	60.0	0.0171	6.16	9.04	yes	stainless steel	4E
C.167.080.0890.A	16.7	0.80	89.0	0.0057	16.48	26.51	yes	music wire	4E
C.167.080.0890.I	16.7	0.80	89.0	0.0050	16.24	26.10	yes	stainless steel	4E
C.167.100.0111.A	16.7	1.00	11.1	0.3103	3.30	3.68	yes	music wire	4C
C.167.100.0111.I	16.7	1.00	11.1	0.2700	3.30	3.68	yes	stainless steel	4C
C.167.100.0191.A	16.7	1.00	19.1	0.1494	4.30	5.15	yes	music wire	4C
C.167.100.0191.I	16.7	1.00	19.1	0.1300	4.20	5.00	yes	stainless steel	4D
C.167.100.0270.A	16.7	1.00	27.0	0.0851	5.60	7.06	yes	music wire	4C
C.167.100.0270.I	16.7	1.00	27.0	0.0740	5.60	7.06	yes	stainless steel	4D
C.167.100.0400.A	16.7	1.00	40.0	0.0598	6.90	8.97	yes	music wire	4D
C.167.100.0400.I	16.7	1.00	40.0	0.0514	6.90	8.97	yes	stainless steel	4D
C.167.100.0500.A	16.7	1.00	50.0	0.0356	9.90	13.38	yes	music wire	4D
C.167.100.0500.I	16.7	1.00	50.0	0.0310	9.80	13.23	yes	stainless steel	4E
C.167.100.0640.A	16.7	1.00	64.0	0.0379	9.40	12.64	yes	music wire	4E
C.167.100.0640.I	16.7	1.00	64.0	0.0330	9.40	12.64	yes	stainless steel	4E
C.167.100.0670.A	16.7	1.00	67.0	0.0379	9.40	12.64	yes	music wire	4E
C.167.100.0670.I	16.7	1.00	67.0	0.0330	9.40	12.64	yes	stainless steel	4E
C.167.100.2000.A	16.7	1.00	200.0	0.0117	25.00	35.57	yes	music wire	4G
C.167.100.2000.I	16.7	1.00	200.0	0.0100	25.00	35.57	yes	stainless steel	4G
C.167.110.0250.A	16.7	1.10	25.0	0.1724	5.28	6.30	yes	music wire	4F
C.167.110.0250.I	16.7	1.10	25.0	0.1500	5.17	6.14	yes	stainless steel	4G
C.167.110.0270.A	16.7	1.10	27.0	0.0750	8.47	10.77	yes	music wire	4D
C.167.110.0270.I	16.7	1.10	27.0	0.0653	8.47	10.77	yes	stainless steel	4D
C.167.110.0370.A	16.7	1.10	37.0	0.0989	7.15	8.92	yes	music wire	4D
C.167.110.0370.I	16.7	1.10	37.0	0.0860	7.04	8.76	yes	stainless steel	4D
C.167.110.0600.A	16.7	1.10	60.0	0.0538	10.78	14.01	yes	music wire	4E
C.167.110.0600.I	16.7	1.10	60.0	0.0462	10.78	14.01	yes	stainless steel	4E
C.167.120.0174.A	16.7	1.20	17.4	0.2989	5.28	6.08	yes	music wire	4C
C.167.120.0174.I	16.7	1.20	17.4	0.2600	5.28	6.08	yes	stainless steel	4D
C.167.120.0330.A	16.7	1.20	33.0	0.1494	7.56	9.16	yes	music wire	4D
C.167.120.0330.I	16.7	1.20	33.0	0.1300	7.44	9.00	yes	stainless steel	4D
C.167.120.0370.A	16.7	1.20	37.0	0.0839	11.16	14.02	yes	music wire	4D
C.167.120.0370.I	16.7	1.20	37.0	0.0730	11.04	13.86	yes	stainless steel	4D
C.167.120.0800.A	16.7	1.20	80.0	0.0530	15.84	20.34	yes	music wire	4E
C.167.120.0800.I	16.7	1.20	80.0	0.0455	15.84	20.34	yes	stainless steel	4E
C.167.140.0135.A	16.7	1.40	13.5	0.5632	6.16	6.90	yes	music wire	4E
C.167.140.0135.I	16.7	1.40	13.5	0.4900	6.16	6.90	yes	stainless steel	4E
C.167.140.0200.A	16.7	1.40	20.0	0.4943	6.58	7.44	yes	music wire	4I
C.167.140.0200.I	16.7	1.40	20.0	0.4300	6.58	7.44	yes	stainless steel	4I
C.167.140.0800.A	16.7	1.40	80.0	0.0881	20.86	25.71	yes	music wire	4G
C.167.140.0800.I	16.7	1.40	80.0	0.0757	20.86	25.71	yes	stainless steel	4G
C.167.160.0191.A	16.7	1.60	19.1	0.8851	7.52	8.34	yes	music wire	4I
C.167.160.0191.I	16.7	1.60	19.1	0.7700	7.52	8.34	yes	stainless steel	4I
C.167.160.0800.A	16.7	1.60	80.0	0.1405	26.08	31.24	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.167.160.0800.I	16.7	1.60	80.0	0.1207	26.08	31.24	yes	stainless steel	4G
C.167.170.0190.A	16.7	1.70	19.0	0.9866	8.67	9.63	yes	music wire	4E
C.167.170.0190.I	16.7	1.70	19.0	0.8583	8.50	9.42	yes	stainless steel	4F
C.167.170.0600.A	16.7	1.70	60.0	0.2356	22.44	26.38	yes	music wire	4F
C.167.170.0600.I	16.7	1.70	60.0	0.2024	22.44	26.38	yes	stainless steel	4G
C.167.180.0190.A	16.7	1.80	19.0	1.3073	9.00	9.91	yes	music wire	4G
C.167.180.0190.I	16.7	1.80	19.0	1.1373	8.82	9.70	yes	stainless steel	4G
C.167.180.0800.A	16.7	1.80	80.0	0.2155	31.50	36.98	yes	music wire	4G
C.167.180.0800.I	16.7	1.80	80.0	0.1851	31.50	36.98	yes	stainless steel	4H
C.167.190.0191.A	16.7	1.90	19.1	1.3793	10.45	11.54	yes	music wire	4G
C.167.190.0191.AP	16.7	1.90	19.1	1.8770	8.93	10.86	yes	music wire	4I
C.167.190.0191.I	16.7	1.90	19.1	1.2000	10.26	11.31	yes	stainless steel	4G
C.167.190.0600.A	16.7	1.90	60.0	0.3592	26.41	30.55	yes	music wire	4G
C.167.190.0600.I	16.7	1.90	60.0	0.3086	26.41	30.55	yes	stainless steel	4G
C.167.200.0350.A	16.7	2.00	35.0	0.9800	15.40	17.28	yes	music wire	4I
C.167.200.0350.I	16.7	2.00	35.0	0.8526	15.40	17.28	yes	stainless steel	4I
C.167.200.1000.A	16.7	2.00	100.0	0.2553	45.20	52.48	yes	music wire	4H
C.167.200.1000.I	16.7	2.00	100.0	0.2193	45.20	52.48	yes	stainless steel	4I
C.167.230.0174.A	16.7	2.30	17.4	2.7586	13.80	15.08	yes	music wire	4G
C.167.230.0174.AP	16.7	2.30	17.4	4.3917	10.81	11.61	yes	music wire	4I
C.167.230.0174.I	16.7	2.30	17.4	2.4000	13.57	14.81	yes	stainless steel	4G
C.167.230.0260.A	16.7	2.30	26.0	2.0690	16.33	18.01	yes	music wire	4G
C.167.230.0260.AP	16.7	2.30	26.0	2.6838	14.03	16.26	yes	music wire	4I
C.167.230.0260.I	16.7	2.30	26.0	1.8000	16.33	18.01	yes	stainless steel	4G
C.167.230.1000.A	16.7	2.30	100.0	0.4504	54.51	62.25	yes	music wire	4I
C.167.230.1000.I	16.7	2.30	100.0	0.3868	54.51	62.25	yes	stainless steel	4I
C.167.250.0390.A	16.7	2.50	39.0	1.9540	24.00	26.63	yes	music wire	4G
C.167.250.0390.I	16.7	2.50	39.0	1.7000	23.75	26.35	yes	stainless steel	4H
C.167.250.1000.A	16.7	2.50	100.0	0.6434	60.25	68.26	yes	music wire	4I
C.167.250.1000.I	16.7	2.50	100.0	0.5526	60.25	68.26	yes	stainless steel	4I
C.167.270.0380.A	16.7	2.70	38.0	2.4138	28.89	32.00	yes	music wire	4G
C.167.270.0380.AP	16.7	2.70	38.0	3.3399	22.68	25.90	yes	music wire	4I
C.167.270.0380.I	16.7	2.70	38.0	2.1000	28.62	31.69	yes	stainless steel	4H
C.167.270.0850.A	16.7	2.70	85.0	1.0115	59.40	66.79	yes	music wire	4I
C.167.270.0850.AP	16.7	2.70	85.0	1.3820	45.36	55.76	yes	music wire	4J
C.167.270.0850.I	16.7	2.70	85.0	0.8800	58.86	66.17	yes	stainless steel	4I
C.167.270.3200.A	16.7	2.70	320.0	0.2729	201.96	229.35	yes	music wire	4J
C.167.270.3200.I	16.7	2.70	320.0	0.2344	201.96	229.35	yes	stainless steel	4J
C.167.280.0480.A	16.7	2.80	48.0	2.4138	34.16	37.88	yes	music wire	4I
C.167.280.0480.AP	16.7	2.80	48.0	3.0003	28.84	33.15	yes	music wire	4J
C.167.280.0480.I	16.7	2.80	48.0	2.1000	33.60	37.24	yes	stainless steel	4I
C.167.280.1000.A	16.7	2.80	100.0	1.0695	68.04	76.40	yes	music wire	4I
C.167.280.1000.I	16.7	2.80	100.0	0.9186	68.04	76.40	yes	stainless steel	4I
C.167.290.0380.A	16.7	2.90	38.0	6.4368	19.72	30.39	yes	music wire	4L
C.167.290.0380.I	16.7	2.90	38.0	5.6000	19.43	30.22	yes	stainless steel	4M
C.167.290.2000.A	16.7	2.90	200.0	0.6134	136.88	154.25	yes	music wire	4J
C.167.290.2000.I	16.7	2.90	200.0	0.5268	136.88	154.25	yes	stainless steel	4J
C.167.330.0450.A	16.7	3.30	45.0	6.3218	34.32	37.57	yes	music wire	4J
C.167.330.0450.I	16.7	3.30	45.0	5.5000	33.99	37.20	yes	stainless steel	4J
C.167.330.2000.A	16.7	3.30	200.0	1.1438	153.12	171.19	yes	music wire	4L
C.167.330.2000.I	16.7	3.30	200.0	0.9824	153.12	171.19	yes	stainless steel	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.167.360.0160.A	16.7	3.60	16.0	53.5897	14.04	14.64	yes	music wire	4J
C.167.360.0200.A	16.7	3.60	20.0	32.2102	17.64	18.68	yes	music wire	4J
C.167.360.0250.A	16.7	3.60	25.0	20.7969	22.32	23.92	yes	music wire	4J
C.167.360.0320.A	16.7	3.60	32.0	15.1250	27.00	29.16	yes	music wire	4J
C.167.360.0320.S	16.7	3.60	32.0	12.6000	30.60	30.60	yes	Cr-Si steel	4O
C.167.360.0400.A	16.7	3.60	40.0	11.0000	33.84	36.82	yes	music wire	4J
C.167.360.0400.S	16.7	3.60	40.0	10.0000	36.36	39.64	yes	Cr-Si steel	4O
C.167.360.0500.A	16.7	3.60	50.0	7.9365	43.56	47.70	yes	music wire	4J
C.167.360.0500.S	16.7	3.60	50.0	7.8750	43.92	48.11	yes	Cr-Si steel	4O
C.167.360.0630.A	16.7	3.60	63.0	6.2500	52.92	58.18	yes	music wire	4J
C.167.360.0630.S	16.7	3.60	63.0	6.3000	52.56	57.78	yes	Cr-Si steel	4O
C.167.360.0800.A	16.7	3.60	80.0	5.0000	63.72	70.28	yes	music wire	4J
C.167.360.0800.S	16.7	3.60	80.0	5.0400	63.36	69.88	yes	Cr-Si steel	4O
C.167.360.1000.A	16.7	3.60	100.0	4.0000	77.40	85.60	yes	music wire	4J
C.167.360.1000.S	16.7	3.60	100.0	3.9375	78.48	86.81	yes	Cr-Si steel	4O
C.167.360.1200.A	16.7	3.60	120.0	3.0446	99.00	109.79	yes	music wire	4M
C.167.360.1200.I	16.7	3.60	120.0	2.6150	99.00	109.79	yes	stainless steel	4M
C.167.360.1250.A	16.7	3.60	125.0	3.1250	96.84	107.37	yes	music wire	4J
C.167.360.1250.S	16.7	3.60	125.0	3.1500	96.12	106.56	yes	Cr-Si steel	4R
C.167.360.1600.A	16.7	3.60	160.0	2.5000	118.44	131.56	yes	music wire	4J
C.167.360.1600.S	16.7	3.60	160.0	2.5200	117.72	130.75	yes	Cr-Si steel	4R
C.167.360.2000.A	16.7	3.60	200.0	2.0000	146.16	162.60	yes	music wire	4K
C.167.360.2000.S	16.7	3.60	200.0	1.9688	148.32	165.02	yes	Cr-Si steel	4R
C.167.360.3200.A	16.7	3.60	320.0	1.0999	258.12	287.98	yes	music wire	4N
C.167.360.3200.I	16.7	3.60	320.0	0.9447	258.12	287.98	yes	stainless steel	4N
C.168.120.0220.A	16.8	1.20	22.0	0.2700	5.52	6.41	yes	music wire	4F
C.168.120.0220.I	16.8	1.20	22.0	0.2300	5.52	6.41	yes	stainless steel	4G
C.168.120.0380.A	16.8	1.20	38.0	0.1500	7.44	9.51	yes	music wire	4G
C.168.120.0380.I	16.8	1.20	38.0	0.1300	7.44	9.58	yes	stainless steel	4G
C.168.120.0450.A	16.8	1.20	45.0	0.1300	8.16	12.13	yes	music wire	4G
C.168.120.0450.I	16.8	1.20	45.0	0.1100	8.16	11.41	yes	stainless steel	4G
C.168.120.0500.A	16.8	1.20	50.0	0.1069	9.24	11.45	yes	music wire	4G
C.168.120.0500.I	16.8	1.20	50.0	0.0930	9.12	11.28	yes	stainless steel	4G
C.168.120.0570.A	16.8	1.20	57.0	0.0943	10.08	12.58	yes	music wire	4G
C.168.120.0570.I	16.8	1.20	57.0	0.0820	9.96	12.42	yes	stainless steel	4G
C.168.120.0640.A	16.8	1.20	64.0	0.0851	10.80	13.76	yes	music wire	4G
C.168.120.0640.I	16.8	1.20	64.0	0.0740	10.80	14.06	yes	stainless steel	4H
C.168.120.0700.A	16.8	1.20	70.0	0.0770	11.64	14.69	yes	music wire	4G
C.168.120.0700.I	16.8	1.20	70.0	0.0670	11.52	14.85	yes	stainless steel	4H
C.168.120.0760.A	16.8	1.20	76.0	0.0720	12.24	16.65	yes	music wire	4G
C.168.120.0760.I	16.8	1.20	76.0	0.0610	12.36	15.67	yes	stainless steel	4H
C.168.120.1000.A	16.8	1.20	100.0	0.0418	18.96	24.60	yes	music wire	4E
C.168.120.1000.I	16.8	1.20	100.0	0.0359	18.96	24.60	yes	stainless steel	4E
C.168.120.1200.A	16.8	1.20	120.0	0.0348	22.20	28.99	yes	music wire	4E
C.168.120.1200.I	16.8	1.20	120.0	0.0299	22.20	28.99	yes	stainless steel	4F
C.168.120.2000.A	16.8	1.20	200.0	0.0207	35.28	46.69	yes	music wire	4G
C.168.120.2000.I	16.8	1.20	200.0	0.0178	35.28	46.69	yes	stainless steel	4G
C.168.125.0190.A	16.8	1.25	19.0	0.3187	5.75	6.62	yes	music wire	4C
C.168.125.0190.I	16.8	1.25	19.0	0.2655	5.75	6.62	yes	stainless steel	4D
C.168.125.0800.A	16.8	1.25	80.0	0.0601	16.88	21.45	yes	music wire	4E
C.168.125.0800.I	16.8	1.25	80.0	0.0516	16.88	21.45	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.168.140.0190.A	16.8	1.40	19.0	0.5051	6.44	7.27	yes	music wire	4E
C.168.140.0190.I	16.8	1.40	19.0	0.4207	6.58	7.45	yes	stainless steel	4E
C.168.140.0220.A	16.8	1.40	22.0	0.4200	7.14	8.16	yes	music wire	4E
C.168.140.0220.I	16.8	1.40	22.0	0.3600	7.14	8.16	yes	stainless steel	4F
C.168.140.0250.A	16.8	1.40	25.0	0.3563	7.70	8.88	yes	music wire	4E
C.168.140.0250.I	16.8	1.40	25.0	0.3100	7.70	8.88	yes	stainless steel	4F
C.168.140.0380.A	16.8	1.40	38.0	0.2300	10.08	11.93	yes	music wire	4E
C.168.140.0380.I	16.8	1.40	38.0	0.2000	9.94	11.75	yes	stainless steel	4F
C.168.140.0450.A	16.8	1.40	45.0	0.2000	11.06	13.19	yes	music wire	4I
C.168.140.0450.I	16.8	1.40	45.0	0.1700	11.06	13.19	yes	stainless steel	4I
C.168.140.0570.A	16.8	1.40	57.0	0.1500	13.44	16.24	yes	music wire	4F
C.168.140.0570.I	16.8	1.40	57.0	0.1300	13.44	16.24	yes	stainless steel	4G
C.168.140.0640.A	16.8	1.40	64.0	0.1379	14.42	17.49	yes	music wire	4I
C.168.140.0640.I	16.8	1.40	64.0	0.1200	14.28	17.31	yes	stainless steel	4I
C.168.140.0700.A	16.8	1.40	70.0	0.1200	15.96	19.47	yes	music wire	4F
C.168.140.0700.I	16.8	1.40	70.0	0.1000	16.38	20.01	yes	stainless steel	4G
C.168.140.0800.A	16.8	1.40	80.0	0.0878	20.58	25.39	yes	music wire	4G
C.168.140.0800.I	16.8	1.40	80.0	0.0754	20.58	25.39	yes	stainless steel	4G
C.168.140.1000.A	16.8	1.40	100.0	0.0696	25.06	31.13	yes	music wire	4G
C.168.140.1000.I	16.8	1.40	100.0	0.0598	25.06	31.13	yes	stainless steel	4G
C.168.140.1200.A	16.8	1.40	120.0	0.0576	29.54	36.87	yes	music wire	4G
C.168.140.1200.I	16.8	1.40	120.0	0.0495	29.54	36.87	yes	stainless steel	4H
C.168.160.0160.A	16.8	1.60	16.0	0.9540	7.20	7.95	yes	music wire	4E
C.168.160.0160.I	16.8	1.60	16.0	0.8300	7.20	7.95	yes	stainless steel	4F
C.168.160.0190.A	16.8	1.60	19.0	0.7787	7.84	8.74	yes	music wire	4E
C.168.160.0190.I	16.8	1.60	19.0	0.6774	7.84	8.74	yes	stainless steel	4F
C.168.160.0191.A	16.8	1.60	19.1	0.7586	8.00	8.94	yes	music wire	4E
C.168.160.0191.I	16.8	1.60	19.1	0.6600	8.00	8.94	yes	stainless steel	4F
C.168.160.0220.A	16.8	1.60	22.0	0.6500	8.64	9.73	yes	music wire	4E
C.168.160.0220.I	16.8	1.60	22.0	0.5500	8.80	9.93	yes	stainless steel	4F
C.168.160.0380.A	16.8	1.60	38.0	0.3500	12.64	14.67	yes	music wire	4F
C.168.160.0380.I	16.8	1.60	38.0	0.3000	12.64	14.67	yes	stainless steel	4F
C.168.160.0450.A	16.8	1.60	45.0	0.2874	14.56	17.05	yes	music wire	4F
C.168.160.0450.I	16.8	1.60	45.0	0.2500	14.40	16.85	yes	stainless steel	4G
C.168.160.0500.A	16.8	1.60	50.0	0.2529	16.00	18.82	yes	music wire	4F
C.168.160.0500.I	16.8	1.60	50.0	0.2200	15.84	18.63	yes	stainless steel	4G
C.168.160.0570.A	16.8	1.60	57.0	0.2300	17.28	20.41	yes	music wire	4F
C.168.160.0570.AP	16.8	1.60	57.0	0.3034	14.08	25.53	yes	music wire	4I
C.168.160.0570.I	16.8	1.60	57.0	0.1900	17.76	21.00	yes	stainless steel	4G
C.168.160.0700.A	16.8	1.60	70.0	0.1900	20.00	23.77	yes	music wire	4G
C.168.160.0700.I	16.8	1.60	70.0	0.1600	20.32	24.16	yes	stainless steel	4G
C.168.160.0760.A	16.8	1.60	76.0	0.1609	22.88	27.32	yes	music wire	4G
C.168.160.0760.AP	16.8	1.60	76.0	0.2249	17.60	33.54	yes	music wire	4I
C.168.160.0760.I	16.8	1.60	76.0	0.1400	22.72	27.13	yes	stainless steel	4G
C.168.160.1000.A	16.8	1.60	100.0	0.1105	31.52	38.00	yes	music wire	4G
C.168.160.1000.I	16.8	1.60	100.0	0.0949	31.52	38.00	yes	stainless steel	4G
C.168.160.1200.A	16.8	1.60	120.0	0.0914	37.28	45.11	yes	music wire	4G
C.168.160.1200.I	16.8	1.60	120.0	0.0785	37.28	45.11	yes	stainless steel	4H
C.168.160.1600.A	16.8	1.60	160.0	0.0681	48.64	59.15	yes	music wire	4H
C.168.160.1600.I	16.8	1.60	160.0	0.0585	48.64	59.15	yes	stainless steel	4I
C.168.160.2400.A	16.8	1.60	240.0	0.0452	71.36	87.21	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.168.160.2400.I	16.8	1.60	240.0	0.0388	71.36	87.21	yes	stainless steel	4I
C.168.170.0160.A	16.8	1.70	16.0	1.2644	7.65	8.39	yes	music wire	4E
C.168.170.0160.I	16.8	1.70	16.0	1.1000	7.48	8.19	yes	stainless steel	4F
C.168.170.0220.A	16.8	1.70	22.0	0.8200	9.35	10.46	yes	music wire	4E
C.168.170.0220.I	16.8	1.70	22.0	0.7000	9.35	10.46	yes	stainless steel	4F
C.168.170.0250.A	16.8	1.70	25.0	0.6897	10.37	11.71	yes	music wire	4E
C.168.170.0250.I	16.8	1.70	25.0	0.6000	10.20	11.50	yes	stainless steel	4F
C.168.170.0320.A	16.8	1.70	32.0	0.5287	12.24	13.98	yes	music wire	4F
C.168.170.0320.I	16.8	1.70	32.0	0.4600	12.07	13.78	yes	stainless steel	4F
C.168.170.0380.A	16.8	1.70	38.0	0.4500	13.60	15.64	yes	music wire	4F
C.168.170.0380.I	16.8	1.70	38.0	0.3800	13.77	15.85	yes	stainless steel	4F
C.168.170.0450.A	16.8	1.70	45.0	0.3800	15.30	17.71	yes	music wire	4F
C.168.170.0450.I	16.8	1.70	45.0	0.3200	15.47	17.92	yes	stainless steel	4G
C.168.170.0500.A	16.8	1.70	50.0	0.3218	17.34	20.20	yes	music wire	4F
C.168.170.0500.I	16.8	1.70	50.0	0.2800	17.17	19.99	yes	stainless steel	4G
C.168.170.0570.A	16.8	1.70	57.0	0.2900	18.70	21.86	yes	music wire	4F
C.168.170.0570.I	16.8	1.70	57.0	0.2500	18.70	21.86	yes	stainless steel	4G
C.168.170.0600.A	16.8	1.70	60.0	0.2331	22.27	26.20	yes	music wire	4F
C.168.170.0600.I	16.8	1.70	60.0	0.2002	22.27	26.20	yes	stainless steel	4G
C.168.170.0640.A	16.8	1.70	64.0	0.2529	20.91	24.55	yes	music wire	4G
C.168.170.0640.I	16.8	1.70	64.0	0.2200	20.57	24.13	yes	stainless steel	4G
C.168.170.0700.A	16.8	1.70	70.0	0.2300	22.44	26.41	yes	music wire	4G
C.168.170.0700.I	16.8	1.70	70.0	0.2000	22.27	26.20	yes	stainless steel	4G
C.168.170.0800.A	16.8	1.70	80.0	0.1728	28.56	33.87	yes	music wire	4G
C.168.170.0800.I	16.8	1.70	80.0	0.1484	28.56	33.87	yes	stainless steel	4G
C.168.170.1000.A	16.8	1.70	100.0	0.1373	34.85	41.53	yes	music wire	4G
C.168.170.1000.I	16.8	1.70	100.0	0.1179	34.85	41.53	yes	stainless steel	4G
C.168.170.2400.A	16.8	1.70	240.0	0.0562	79.05	95.38	yes	music wire	4I
C.168.170.2400.I	16.8	1.70	240.0	0.0482	79.05	95.38	yes	stainless steel	4I
C.168.180.0160.A	16.8	1.80	16.0	1.6092	8.10	8.84	yes	music wire	4G
C.168.180.0160.AP	16.8	1.80	16.0	1.2500	9.00	9.92	yes	music wire	4E
C.168.180.0160.I	16.8	1.80	16.0	1.4000	7.92	8.62	yes	stainless steel	4G
C.168.180.0200.A	16.8	1.80	20.0	0.9902	10.26	11.44	yes	music wire	4G
C.168.180.0200.I	16.8	1.80	20.0	0.8505	10.26	11.44	yes	stainless steel	4G
C.168.180.0220.A	16.8	1.80	22.0	1.1000	9.72	10.79	yes	music wire	4I
C.168.180.0220.I	16.8	1.80	22.0	0.9200	9.90	11.00	yes	stainless steel	4G
C.168.180.0250.A	16.8	1.80	25.0	0.7778	11.88	13.39	yes	music wire	4E
C.168.180.0320.A	16.8	1.80	32.0	0.6250	13.68	15.55	yes	music wire	4E
C.168.180.0380.A	16.8	1.80	38.0	0.5900	14.22	16.20	yes	music wire	4I
C.168.180.0380.I	16.8	1.80	38.0	0.5000	14.22	16.20	yes	stainless steel	4I
C.168.180.0400.A	16.8	1.80	40.0	0.5000	15.84	18.16	yes	music wire	4E
C.168.180.0450.A	16.8	1.80	45.0	0.4900	16.20	18.59	yes	music wire	4I
C.168.180.0450.I	16.8	1.80	45.0	0.4200	16.20	18.59	yes	stainless steel	4I
C.168.180.0500.A	16.8	1.80	50.0	0.3889	19.08	22.06	yes	music wire	4E
C.168.180.0570.A	16.8	1.80	57.0	0.3678	19.98	23.14	yes	music wire	4I
C.168.180.0570.I	16.8	1.80	57.0	0.3200	19.80	22.92	yes	stainless steel	4I
C.168.180.0600.A	16.8	1.80	60.0	0.2881	24.30	28.34	yes	music wire	4G
C.168.180.0600.I	16.8	1.80	60.0	0.2474	24.30	28.34	yes	stainless steel	4G
C.168.180.0630.A	16.8	1.80	63.0	0.3111	22.86	26.61	yes	music wire	4E
C.168.180.0700.A	16.8	1.80	70.0	0.3100	22.86	27.28	yes	music wire	4I
C.168.180.0700.I	16.8	1.80	70.0	0.2600	23.40	27.26	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.168.180.0750.A	16.8	1.80	75.0	0.2830	24.66	28.78	yes	music wire	4I
C.168.180.0750.I	16.8	1.80	75.0	0.2462	24.48	28.56	yes	stainless steel	4J
C.168.180.0750.N	16.8	1.80	75.0	0.2830	24.66	28.78	yes	Zn coating	4J
C.168.180.0760.A	16.8	1.80	76.0	0.2759	25.20	29.43	yes	music wire	4I
C.168.180.0760.I	16.8	1.80	76.0	0.2400	24.84	28.99	yes	stainless steel	4J
C.168.180.0800.A	16.8	1.80	80.0	0.2141	31.14	36.58	yes	music wire	4G
C.168.180.0800.AP	16.8	1.80	80.0	0.2500	27.36	32.03	yes	music wire	4F
C.168.180.0800.I	16.8	1.80	80.0	0.1839	31.14	36.58	yes	stainless steel	4H
C.168.180.0950.A	16.8	1.80	95.0	0.2300	29.34	37.42	yes	music wire	4J
C.168.180.0950.I	16.8	1.80	95.0	0.2000	28.98	37.04	yes	stainless steel	4J
C.168.180.0950.N	16.8	1.80	95.0	0.2300	29.34	37.42	yes	Zn coating	4K
C.168.180.1000.A	16.8	1.80	100.0	0.1695	38.16	45.03	yes	music wire	4H
C.168.180.1000.AP	16.8	1.80	100.0	0.1944	33.84	39.83	yes	music wire	4G
C.168.180.1000.I	16.8	1.80	100.0	0.1455	38.16	45.03	yes	stainless steel	4I
C.168.180.1200.A	16.8	1.80	120.0	0.1402	45.18	53.49	yes	music wire	4I
C.168.180.1200.I	16.8	1.80	120.0	0.1204	45.18	53.49	yes	stainless steel	4I
C.168.180.1250.A	16.8	1.80	125.0	0.1556	41.22	48.72	yes	music wire	4G
C.168.180.1600.A	16.8	1.80	160.0	0.1286	48.78	57.82	yes	music wire	4J
C.168.180.1600.I	16.8	1.80	160.0	0.1119	48.24	57.17	yes	stainless steel	4J
C.168.180.1600.N	16.8	1.80	160.0	0.1286	48.78	57.82	yes	Zn coating	4L
C.168.180.2000.A	16.8	1.80	200.0	0.1000	61.56	73.21	yes	music wire	4J
C.168.180.2000.I	16.8	1.80	200.0	0.0870	60.84	72.34	yes	stainless steel	4J
C.168.180.2000.N	16.8	1.80	200.0	0.1000	61.56	73.21	yes	Zn coating	4M
C.168.180.2500.A	16.8	1.80	250.0	0.0804	75.42	89.90	yes	music wire	4L
C.168.180.2500.I	16.8	1.80	250.0	0.0700	74.52	88.82	yes	stainless steel	4L
C.168.180.2500.N	16.8	1.80	250.0	0.0804	75.42	89.90	yes	Zn coating	4M
C.168.180.3200.A	16.8	1.80	320.0	0.0643	93.24	114.03	yes	music wire	4L
C.168.180.3200.I	16.8	1.80	320.0	0.0559	92.16	112.80	yes	stainless steel	4L
C.168.180.3200.N	16.8	1.80	320.0	0.0643	93.24	114.03	yes	Zn coating	4N
C.168.250.0200.A	16.8	2.50	20.0	4.0026	14.75	16.02	yes	music wire	4G
C.168.250.0200.I	16.8	2.50	20.0	3.4378	14.75	16.02	yes	stainless steel	4G
C.168.250.0250.A	16.8	2.50	25.0	3.1746	17.00	18.60	yes	music wire	4E
C.168.250.0320.A	16.8	2.50	32.0	2.5000	19.75	21.76	yes	music wire	4E
C.168.250.0400.A	16.8	2.50	40.0	1.7226	26.00	28.94	yes	music wire	4G
C.168.250.0400.AP	16.8	2.50	40.0	2.0000	23.25	25.78	yes	music wire	4E
C.168.250.0400.I	16.8	2.50	40.0	1.4796	26.00	28.94	yes	stainless steel	4H
C.168.250.0500.A	16.8	2.50	50.0	1.6000	27.50	30.67	yes	music wire	4E
C.168.250.0600.A	16.8	2.50	60.0	1.0975	37.25	41.87	yes	music wire	4H
C.168.250.0600.I	16.8	2.50	60.0	0.9426	37.25	41.87	yes	stainless steel	4H
C.168.250.0630.A	16.8	2.50	63.0	1.2500	33.50	37.56	yes	music wire	4E
C.168.250.0800.A	16.8	2.50	80.0	1.0000	40.25	47.36	yes	music wire	4J
C.168.250.0800.I	16.8	2.50	80.0	0.8700	39.75	46.81	yes	stainless steel	4J
C.168.250.0800.N	16.8	2.50	80.0	1.0000	40.25	47.36	yes	Zn coating	4L
C.168.250.1000.A	16.8	2.50	100.0	0.8000	48.75	59.20	yes	music wire	4G
C.168.250.1250.A	16.8	2.50	125.0	0.6250	60.75	72.78	yes	music wire	4G
C.168.250.1600.A	16.8	2.50	160.0	0.5000	74.25	94.73	yes	music wire	4J
C.168.250.1600.I	16.8	2.50	160.0	0.4350	73.50	93.61	yes	stainless steel	4J
C.168.250.1600.N	16.8	2.50	160.0	0.5000	74.25	94.73	yes	Zn coating	4L
C.168.250.2000.A	16.8	2.50	200.0	0.3968	92.00	117.75	yes	music wire	4K
C.168.250.2000.I	16.8	2.50	200.0	0.3452	91.00	116.35	yes	stainless steel	4L
C.168.250.2000.N	16.8	2.50	200.0	0.3968	92.00	117.75	yes	Zn coating	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.168.250.2500.A	16.8	2.50	250.0	0.3125	115.00	145.56	yes	music wire	4L
C.168.250.2500.I	16.8	2.50	250.0	0.2719	113.75	143.78	yes	stainless steel	4L
C.168.250.2500.N	16.8	2.50	250.0	0.3125	115.00	145.56	yes	Zn coating	4M
C.168.250.3200.A	16.8	2.50	320.0	0.2500	142.25	189.45	yes	music wire	4M
C.168.250.3200.I	16.8	2.50	320.0	0.2175	140.50	187.23	yes	stainless steel	4M
C.168.250.3200.N	16.8	2.50	320.0	0.2500	142.25	189.45	yes	Zn coating	4N
C.169.320.1150.S	16.9	3.20	115.0	1.9614	75.84	84.49	yes	Cr-Si steel	4O
C.170.080.1080.A	17.0	0.80	108.0	0.0046	19.84	32.03	no	music wire	4E
C.170.080.1080.I	17.0	0.80	108.0	0.0040	19.68	31.75	no	stainless steel	4E
C.170.090.0151.A	17.0	0.90	15.1	0.0494	5.13	6.80	yes	music wire	4C
C.170.090.0151.I	17.0	0.90	15.1	0.0430	5.13	6.80	yes	stainless steel	4C
C.170.090.0280.A	17.0	0.90	28.0	0.0260	7.83	11.07	yes	music wire	4C
C.170.090.0280.I	17.0	0.90	28.0	0.0226	7.74	10.92	yes	stainless steel	4D
C.170.095.0230.A	17.0	0.95	23.0	0.1056	4.18	5.13	yes	music wire	4C
C.170.095.0230.I	17.0	0.95	23.0	0.0907	4.18	5.13	yes	stainless steel	4D
C.170.095.0660.A	17.0	0.95	66.0	0.0352	7.79	10.65	yes	music wire	4D
C.170.095.0660.I	17.0	0.95	66.0	0.0302	7.79	10.65	yes	stainless steel	4E
C.170.100.0130.A	17.0	1.00	13.0	0.0700	6.10	7.84	yes	music wire	4C
C.170.100.0130.AP	17.0	1.00	13.0	0.2261	3.60	4.13	yes	music wire	4C
C.170.100.0130.I	17.0	1.00	13.0	0.0609	6.00	7.69	yes	stainless steel	4D
C.170.100.0130.N	17.0	1.00	13.0	0.0700	6.10	7.84	yes	Zn coating	4E
C.170.100.0320.A	17.0	1.00	32.0	0.0713	6.00	7.69	yes	music wire	4D
C.170.100.0320.I	17.0	1.00	32.0	0.0620	5.90	7.55	yes	stainless steel	4D
C.170.100.0446.A	17.0	1.00	44.6	0.0711	6.00	9.03	yes	music wire	4G
C.170.100.0446.I	17.0	1.00	44.6	0.0611	6.00	8.98	yes	stainless steel	4G
C.170.100.0446.N	17.0	1.00	44.6	0.0711	6.00	9.03	yes	Zn coating	4I
C.170.100.0681.A	17.0	1.00	68.1	0.0452	8.00	12.14	yes	music wire	4G
C.170.100.0681.I	17.0	1.00	68.1	0.0388	8.00	12.00	yes	stainless steel	4H
C.170.100.0681.N	17.0	1.00	68.1	0.0452	8.00	12.14	yes	Zn coating	4I
C.170.100.0850.A	17.0	1.00	85.0	0.0276	11.50	15.86	yes	music wire	4E
C.170.100.0850.I	17.0	1.00	85.0	0.0240	11.40	15.71	yes	stainless steel	4E
C.170.100.1150.A	17.0	1.00	115.0	0.0262	12.00	18.46	yes	music wire	4I
C.170.100.1150.I	17.0	1.00	115.0	0.0225	12.00	18.26	yes	stainless steel	4I
C.170.100.1150.N	17.0	1.00	115.0	0.0262	12.00	18.46	yes	Zn coating	4I
C.170.100.1860.A	17.0	1.00	186.0	0.0160	18.00	27.92	yes	music wire	4I
C.170.100.1860.I	17.0	1.00	186.0	0.0137	18.10	27.13	yes	stainless steel	4I
C.170.100.1860.N	17.0	1.00	186.0	0.0160	18.00	27.92	yes	Zn coating	4J
C.170.105.0790.A	17.0	1.05	79.0	0.0402	10.61	14.17	yes	music wire	4E
C.170.105.0790.I	17.0	1.05	79.0	0.0345	10.61	14.17	yes	stainless steel	4E
C.170.105.1450.A	17.0	1.05	145.0	0.0216	17.43	24.03	yes	music wire	4F
C.170.105.1450.I	17.0	1.05	145.0	0.0186	17.43	24.03	yes	stainless steel	4G
C.170.110.0640.A	17.0	1.10	64.0	0.0470	11.44	15.03	yes	music wire	4E
C.170.110.0640.I	17.0	1.10	64.0	0.0409	11.33	14.88	yes	stainless steel	4E
C.170.110.1350.A	17.0	1.10	135.0	0.0269	17.93	24.21	yes	music wire	4F
C.170.110.1350.I	17.0	1.10	135.0	0.0231	17.93	24.21	yes	stainless steel	4F
C.170.115.0340.A	17.0	1.15	34.0	0.1279	6.90	8.45	yes	music wire	4D
C.170.115.0340.I	17.0	1.15	34.0	0.1098	6.90	8.45	yes	stainless steel	4D
C.170.115.0790.A	17.0	1.15	79.0	0.0533	12.54	16.26	yes	music wire	4E
C.170.115.0790.I	17.0	1.15	79.0	0.0458	12.54	16.26	yes	stainless steel	4E
C.170.115.1300.A	17.0	1.15	130.0	0.0320	18.98	25.18	yes	music wire	4F
C.170.115.1300.I	17.0	1.15	130.0	0.0275	18.98	25.18	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.170.120.0097.A	17.0	1.20	9.7	0.4869	4.32	4.80	yes	music wire	4C
C.170.120.0097.I	17.0	1.20	9.7	0.4182	4.32	4.80	yes	stainless steel	4D
C.170.120.0112.A	17.0	1.20	11.2	0.4463	4.44	4.96	yes	music wire	4C
C.170.120.0112.I	17.0	1.20	11.2	0.3833	4.44	4.96	yes	stainless steel	4D
C.170.120.0119.A	17.0	1.20	11.9	0.5632	4.20	4.63	yes	music wire	4F
C.170.120.0119.I	17.0	1.20	11.9	0.4900	4.08	4.47	yes	stainless steel	4G
C.170.120.0130.A	17.0	1.20	13.0	0.1750	6.72	8.06	yes	music wire	4C
C.170.120.0130.AP	17.0	1.20	13.0	0.4878	4.32	4.80	yes	music wire	4F
C.170.120.0130.I	17.0	1.20	13.0	0.1523	6.60	7.90	yes	stainless steel	4D
C.170.120.0130.N	17.0	1.20	13.0	0.1750	6.72	8.06	yes	Zn coating	4E
C.170.120.0142.A	17.0	1.20	14.2	0.3347	4.92	5.61	yes	music wire	4C
C.170.120.0142.I	17.0	1.20	14.2	0.2875	4.92	5.61	yes	stainless steel	4D
C.170.120.0157.A	17.0	1.20	15.7	0.2975	5.16	5.94	yes	music wire	4C
C.170.120.0157.I	17.0	1.20	15.7	0.2556	5.16	5.94	yes	stainless steel	4D
C.170.120.0206.A	17.0	1.20	20.6	0.2142	6.00	7.08	yes	music wire	4C
C.170.120.0206.I	17.0	1.20	20.6	0.1840	6.00	7.08	yes	stainless steel	4D
C.170.120.0224.A	17.0	1.20	22.4	0.1984	6.24	7.41	yes	music wire	4D
C.170.120.0224.I	17.0	1.20	22.4	0.1704	6.24	7.41	yes	stainless steel	4D
C.170.120.0239.A	17.0	1.20	23.9	0.1847	6.48	7.73	yes	music wire	4D
C.170.120.0239.I	17.0	1.20	23.9	0.1586	6.48	7.73	yes	stainless steel	4D
C.170.120.0254.A	17.0	1.20	25.4	0.1728	6.72	8.06	yes	music wire	4D
C.170.120.0254.I	17.0	1.20	25.4	0.1484	6.72	8.06	yes	stainless steel	4D
C.170.120.0279.A	17.0	1.20	27.9	0.1575	7.08	8.55	yes	music wire	4D
C.170.120.0279.I	17.0	1.20	27.9	0.1353	7.08	8.55	yes	stainless steel	4D
C.170.120.0284.A	17.0	1.20	28.4	0.1530	7.20	8.71	yes	music wire	4D
C.170.120.0284.I	17.0	1.20	28.4	0.1314	7.20	8.71	yes	stainless steel	4D
C.170.120.0305.A	17.0	1.20	30.5	0.1409	7.56	9.20	yes	music wire	4D
C.170.120.0305.I	17.0	1.20	30.5	0.1211	7.56	9.20	yes	stainless steel	4D
C.170.120.0315.A	17.0	1.20	31.5	0.1530	7.20	8.71	yes	music wire	4D
C.170.120.0315.I	17.0	1.20	31.5	0.1314	7.20	8.71	yes	stainless steel	4D
C.170.120.0315.N	17.0	1.20	31.5	0.1530	7.20	8.71	yes	Zn coating	4E
C.170.120.0318.A	17.0	1.20	31.8	0.1339	7.80	9.53	yes	music wire	4D
C.170.120.0318.I	17.0	1.20	31.8	0.1150	7.80	9.53	yes	stainless steel	4D
C.170.120.0345.A	17.0	1.20	34.5	0.1246	8.16	10.02	yes	music wire	4D
C.170.120.0345.I	17.0	1.20	34.5	0.1070	8.16	10.02	yes	stainless steel	4D
C.170.120.0351.A	17.0	1.20	35.1	0.1217	8.28	10.18	yes	music wire	4D
C.170.120.0351.I	17.0	1.20	35.1	0.1045	8.28	10.18	yes	stainless steel	4D
C.170.120.0356.A	17.0	1.20	35.6	0.1190	8.40	10.34	yes	music wire	4D
C.170.120.0356.I	17.0	1.20	35.6	0.1022	8.40	10.34	yes	stainless steel	4D
C.170.120.0381.A	17.0	1.20	38.1	0.1116	8.76	10.83	yes	music wire	4D
C.170.120.0381.I	17.0	1.20	38.1	0.0958	8.76	10.83	yes	stainless steel	4E
C.170.120.0444.A	17.0	1.20	44.4	0.0956	9.72	12.14	yes	music wire	4D
C.170.120.0444.I	17.0	1.20	44.4	0.0821	9.72	12.14	yes	stainless steel	4E
C.170.120.0450.A	17.0	1.20	45.0	0.0920	9.96	12.47	yes	music wire	4D
C.170.120.0450.I	17.0	1.20	45.0	0.0800	9.96	12.47	yes	stainless steel	4E
C.170.120.0457.A	17.0	1.20	45.7	0.0923	9.96	12.47	yes	music wire	4D
C.170.120.0457.I	17.0	1.20	45.7	0.0793	9.96	12.47	yes	stainless steel	4E
C.170.120.0480.A	17.0	1.20	48.0	0.0974	9.60	11.98	yes	music wire	4D
C.170.120.0480.I	17.0	1.20	48.0	0.0837	9.60	11.98	yes	stainless steel	4E
C.170.120.0480.N	17.0	1.20	48.0	0.0974	9.60	11.98	yes	Zn coating	4F
C.170.120.0500.A	17.0	1.20	50.0	0.0678	12.48	15.89	yes	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.120.0500.I	17.0	1.20	50.0	0.0590	12.36	15.73	yes	stainless steel	4E
C.170.120.0508.A	17.0	1.20	50.8	0.0824	10.80	13.61	yes	music wire	4D
C.170.120.0508.I	17.0	1.20	50.8	0.0708	10.80	13.61	yes	stainless steel	4E
C.170.120.0559.A	17.0	1.20	55.9	0.0744	11.64	14.75	yes	music wire	4E
C.170.120.0559.I	17.0	1.20	55.9	0.0639	11.64	14.75	yes	stainless steel	4E
C.170.120.0572.A	17.0	1.20	57.2	0.0734	11.76	14.91	yes	music wire	4E
C.170.120.0572.I	17.0	1.20	57.2	0.0630	11.76	14.91	yes	stainless steel	4E
C.170.120.0635.A	17.0	1.20	63.5	0.0653	12.84	16.38	yes	music wire	4E
C.170.120.0635.I	17.0	1.20	63.5	0.0561	12.84	16.38	yes	stainless steel	4E
C.170.120.0698.A	17.0	1.20	69.8	0.0595	13.80	17.69	yes	music wire	4E
C.170.120.0698.I	17.0	1.20	69.8	0.0511	13.80	17.69	yes	stainless steel	4E
C.170.120.0728.A	17.0	1.20	72.8	0.0630	13.20	16.87	yes	music wire	4E
C.170.120.0728.I	17.0	1.20	72.8	0.0541	13.20	16.87	yes	stainless steel	4E
C.170.120.0728.N	17.0	1.20	72.8	0.0630	13.20	16.87	yes	Zn coating	4G
C.170.120.0762.A	17.0	1.20	76.2	0.0541	14.88	19.16	yes	music wire	4E
C.170.120.0762.I	17.0	1.20	76.2	0.0465	14.88	19.16	yes	stainless steel	4E
C.170.120.0826.A	17.0	1.20	82.6	0.0501	15.84	20.46	yes	music wire	4E
C.170.120.0826.I	17.0	1.20	82.6	0.0430	15.84	20.46	yes	stainless steel	4E
C.170.120.0830.A	17.0	1.20	83.0	0.0496	15.96	20.63	yes	music wire	4E
C.170.120.0830.I	17.0	1.20	83.0	0.0426	15.96	20.63	yes	stainless steel	4E
C.170.120.0889.A	17.0	1.20	88.9	0.0462	16.92	21.93	yes	music wire	4E
C.170.120.0889.I	17.0	1.20	88.9	0.0397	16.92	21.93	yes	stainless steel	4E
C.170.120.0894.A	17.0	1.20	89.4	0.0510	15.60	20.14	yes	music wire	4E
C.170.120.0894.I	17.0	1.20	89.4	0.0438	15.60	20.14	yes	stainless steel	4E
C.170.120.0894.N	17.0	1.20	89.4	0.0510	15.60	20.14	yes	Zn coating	4G
C.170.120.1060.A	17.0	1.20	106.0	0.0428	18.00	23.40	yes	music wire	4E
C.170.120.1060.I	17.0	1.20	106.0	0.0368	18.00	23.40	yes	stainless steel	4F
C.170.120.1060.N	17.0	1.20	106.0	0.0428	18.00	23.40	yes	Zn coating	4G
C.170.120.1270.A	17.0	1.20	127.0	0.0253	28.44	37.60	yes	music wire	4F
C.170.120.1270.I	17.0	1.20	127.0	0.0220	28.08	37.11	yes	stainless steel	4F
C.170.125.0112.A	17.0	1.25	11.2	0.4897	4.75	5.30	yes	music wire	4C
C.170.125.0112.I	17.0	1.25	11.2	0.4206	4.75	5.30	yes	stainless steel	4D
C.170.125.0142.A	17.0	1.25	14.2	0.3745	5.25	5.97	yes	music wire	4C
C.170.125.0142.I	17.0	1.25	14.2	0.3216	5.25	5.97	yes	stainless steel	4D
C.170.125.0160.A	17.0	1.25	16.0	0.3500	5.38	6.14	yes	music wire	4C
C.170.125.0160.I	17.0	1.25	16.0	0.3045	5.38	6.14	yes	stainless steel	4D
C.170.125.0160.N	17.0	1.25	16.0	0.3500	5.38	6.14	yes	Zn coating	4E
C.170.125.0200.A	17.0	1.25	20.0	0.2720	6.00	6.97	yes	music wire	4C
C.170.125.0200.I	17.0	1.25	20.0	0.2366	6.00	6.97	yes	stainless steel	4D
C.170.125.0200.N	17.0	1.25	20.0	0.2720	6.00	6.97	yes	Zn coating	4E
C.170.125.0224.A	17.0	1.25	22.4	0.2274	6.63	7.81	yes	music wire	4D
C.170.125.0224.I	17.0	1.25	22.4	0.1953	6.63	7.81	yes	stainless steel	4D
C.170.125.0239.A	17.0	1.25	23.9	0.2122	6.88	8.15	yes	music wire	4D
C.170.125.0239.I	17.0	1.25	23.9	0.1823	6.88	8.15	yes	stainless steel	4D
C.170.125.0250.A	17.0	1.25	25.0	0.2130	6.88	8.15	yes	music wire	4D
C.170.125.0250.I	17.0	1.25	25.0	0.1853	6.88	8.15	yes	stainless steel	4D
C.170.125.0250.N	17.0	1.25	25.0	0.2130	6.88	8.15	yes	Zn coating	4E
C.170.125.0279.A	17.0	1.25	27.9	0.1768	7.63	9.15	yes	music wire	4D
C.170.125.0279.I	17.0	1.25	27.9	0.1519	7.63	9.15	yes	stainless steel	4D
C.170.125.0284.A	17.0	1.25	28.4	0.1768	7.63	9.15	yes	music wire	4D
C.170.125.0284.I	17.0	1.25	28.4	0.1519	7.63	9.15	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.125.0320.A	17.0	1.25	32.0	0.1630	8.00	9.65	yes	music wire	4D
C.170.125.0320.I	17.0	1.25	32.0	0.1418	8.00	9.65	yes	stainless steel	4D
C.170.125.0320.N	17.0	1.25	32.0	0.1630	8.00	9.65	yes	Zn coating	4F
C.170.125.0351.A	17.0	1.25	35.1	0.1384	8.88	10.82	yes	music wire	4D
C.170.125.0351.I	17.0	1.25	35.1	0.1189	8.88	10.82	yes	stainless steel	4D
C.170.125.0400.A	17.0	1.25	40.0	0.1260	9.50	11.66	yes	music wire	4D
C.170.125.0400.I	17.0	1.25	40.0	0.1096	9.38	11.49	yes	stainless steel	4E
C.170.125.0400.N	17.0	1.25	40.0	0.1260	9.50	11.66	yes	Zn coating	4F
C.170.125.0500.A	17.0	1.25	50.0	0.1000	11.13	13.84	yes	music wire	4D
C.170.125.0500.I	17.0	1.25	50.0	0.0870	11.00	13.66	yes	stainless steel	4E
C.170.125.0500.N	17.0	1.25	50.0	0.1000	11.13	13.84	yes	Zn coating	4F
C.170.125.0630.A	17.0	1.25	63.0	0.0790	13.25	16.67	yes	music wire	4E
C.170.125.0630.I	17.0	1.25	63.0	0.0687	13.13	16.51	yes	stainless steel	4E
C.170.125.0630.N	17.0	1.25	63.0	0.0790	13.25	16.67	yes	Zn coating	4G
C.170.125.0800.A	17.0	1.25	80.0	0.0620	16.00	20.35	yes	music wire	4E
C.170.125.0800.I	17.0	1.25	80.0	0.0539	15.75	20.02	yes	stainless steel	4E
C.170.125.0800.N	17.0	1.25	80.0	0.0620	16.00	20.35	yes	Zn coating	4G
C.170.125.0826.A	17.0	1.25	82.6	0.0568	17.13	21.86	yes	music wire	4E
C.170.125.0826.I	17.0	1.25	82.6	0.0488	17.13	21.86	yes	stainless steel	4E
C.170.125.0889.A	17.0	1.25	88.9	0.0531	18.13	23.20	yes	music wire	4E
C.170.125.0889.I	17.0	1.25	88.9	0.0456	18.13	23.20	yes	stainless steel	4E
C.170.125.1000.A	17.0	1.25	100.0	0.0490	19.38	24.87	yes	music wire	4E
C.170.125.1000.I	17.0	1.25	100.0	0.0426	19.13	24.54	yes	stainless steel	4E
C.170.125.1000.N	17.0	1.25	100.0	0.0490	19.38	24.87	yes	Zn coating	4G
C.170.125.1250.A	17.0	1.25	125.0	0.0390	23.50	30.39	yes	music wire	4F
C.170.125.1250.I	17.0	1.25	125.0	0.0339	23.25	30.06	yes	stainless steel	4F
C.170.125.1250.N	17.0	1.25	125.0	0.0390	23.50	30.39	yes	Zn coating	4H
C.170.125.3600.A	17.0	1.25	360.0	0.0130	65.63	86.34	no	music wire	4I
C.170.125.3600.I	17.0	1.25	360.0	0.0110	66.50	87.51	no	stainless steel	4I
C.170.130.0650.A	17.0	1.30	65.0	0.1400	10.27	27.23	yes	music wire	4I
C.170.130.0650.I	17.0	1.30	65.0	0.1218	10.14	27.38	yes	stainless steel	4I
C.170.130.1300.A	17.0	1.30	130.0	0.0473	23.92	30.51	yes	music wire	4F
C.170.130.1300.I	17.0	1.30	130.0	0.0406	23.92	30.51	yes	stainless steel	4F
C.170.130.1650.A	17.0	1.30	165.0	0.0372	29.51	37.88	yes	music wire	4G
C.170.130.1650.I	17.0	1.30	165.0	0.0320	29.51	37.88	yes	stainless steel	4G
C.170.140.0160.A	17.0	1.40	16.0	0.5290	6.16	6.92	yes	music wire	4E
C.170.140.0160.I	17.0	1.40	16.0	0.4602	6.16	6.92	yes	stainless steel	4E
C.170.140.0160.N	17.0	1.40	16.0	0.5290	6.16	6.92	yes	Zn coating	4G
C.170.140.0200.A	17.0	1.40	20.0	0.3970	7.14	8.18	yes	music wire	4E
C.170.140.0200.AP	17.0	1.40	20.0	0.6086	5.88	9.31	yes	music wire	4I
C.170.140.0200.I	17.0	1.40	20.0	0.3454	7.14	8.18	yes	stainless steel	4E
C.170.140.0200.N	17.0	1.40	20.0	0.3970	7.14	8.18	yes	Zn coating	4G
C.170.140.0250.A	17.0	1.40	25.0	0.3170	8.12	9.44	yes	music wire	4E
C.170.140.0250.AP	17.0	1.40	25.0	0.4703	6.58	11.17	yes	music wire	4I
C.170.140.0250.I	17.0	1.40	25.0	0.2758	7.98	9.26	yes	stainless steel	4F
C.170.140.0250.N	17.0	1.40	25.0	0.3170	8.12	9.44	yes	Zn coating	4G
C.170.140.0290.A	17.0	1.40	29.0	0.1839	11.34	13.58	yes	music wire	4E
C.170.140.0290.AP	17.0	1.40	29.0	0.3979	7.14	12.65	yes	music wire	4I
C.170.140.0290.I	17.0	1.40	29.0	0.1600	11.20	13.40	yes	stainless steel	4F
C.170.140.0320.A	17.0	1.40	32.0	0.2400	9.52	11.24	yes	music wire	4E
C.170.140.0320.AP	17.0	1.40	32.0	0.3568	7.56	13.77	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.140.0320.I	17.0	1.40	32.0	0.2088	9.38	11.06	yes	stainless steel	4F
C.170.140.0320.N	17.0	1.40	32.0	0.2400	9.52	11.24	yes	Zn coating	4G
C.170.140.0380.A	17.0	1.40	38.0	0.1839	11.34	13.58	yes	music wire	4E
C.170.140.0380.AP	17.0	1.40	38.0	0.2956	8.40	15.99	yes	music wire	4I
C.170.140.0380.I	17.0	1.40	38.0	0.1600	11.20	13.40	yes	stainless steel	4F
C.170.140.0400.A	17.0	1.40	40.0	0.1890	11.20	13.40	yes	music wire	4F
C.170.140.0400.AP	17.0	1.40	40.0	0.2796	8.68	16.74	yes	music wire	4I
C.170.140.0400.I	17.0	1.40	40.0	0.1644	11.06	13.22	yes	stainless steel	4F
C.170.140.0400.N	17.0	1.40	40.0	0.1890	11.20	13.40	yes	Zn coating	4H
C.170.140.0500.A	17.0	1.40	50.0	0.1500	13.16	15.93	yes	music wire	4F
C.170.140.0500.AP	17.0	1.40	50.0	0.2201	10.08	20.45	yes	music wire	4I
C.170.140.0500.I	17.0	1.40	50.0	0.1305	13.02	15.74	yes	stainless steel	4F
C.170.140.0500.N	17.0	1.40	50.0	0.1500	13.16	15.93	yes	Zn coating	4H
C.170.140.0630.A	17.0	1.40	63.0	0.1180	15.68	19.17	yes	music wire	4F
C.170.140.0630.AP	17.0	1.40	63.0	0.1724	11.90	25.27	yes	music wire	4I
C.170.140.0630.I	17.0	1.40	63.0	0.1027	15.54	18.99	yes	stainless steel	4G
C.170.140.0630.N	17.0	1.40	63.0	0.1180	15.68	19.17	yes	Zn coating	4I
C.170.140.0800.A	17.0	1.40	80.0	0.0920	19.18	23.67	yes	music wire	4G
C.170.140.0800.AP	17.0	1.40	80.0	0.1361	14.14	32.21	yes	music wire	4I
C.170.140.0800.I	17.0	1.40	80.0	0.0800	19.04	23.49	yes	stainless steel	4G
C.170.140.0800.N	17.0	1.40	80.0	0.0920	19.18	23.67	yes	Zn coating	4I
C.170.140.1000.A	17.0	1.40	100.0	0.0730	23.24	28.89	yes	music wire	4G
C.170.140.1000.AP	17.0	1.40	100.0	0.1078	16.94	39.64	yes	music wire	4I
C.170.140.1000.I	17.0	1.40	100.0	0.0635	22.96	28.53	yes	stainless steel	4G
C.170.140.1000.N	17.0	1.40	100.0	0.0730	23.24	28.89	yes	Zn coating	4I
C.170.140.1250.A	17.0	1.40	125.0	0.0580	28.42	35.55	yes	music wire	4G
C.170.140.1250.AP	17.0	1.40	125.0	0.0862	20.30	49.55	yes	music wire	4I
C.170.140.1250.I	17.0	1.40	125.0	0.0505	28.00	35.01	yes	stainless steel	4H
C.170.140.1250.N	17.0	1.40	125.0	0.0580	28.42	35.55	yes	Zn coating	4I
C.170.140.3600.A	17.0	1.40	360.0	0.0200	77.00	97.64	no	music wire	4J
C.170.140.3600.I	17.0	1.40	360.0	0.0174	76.16	96.56	no	stainless steel	4J
C.170.150.0440.A	17.0	1.50	44.0	0.2090	13.65	16.23	yes	music wire	4F
C.170.150.0440.AP	17.0	1.50	44.0	0.3162	10.35	19.05	yes	music wire	4I
C.170.150.0440.I	17.0	1.50	44.0	0.1818	13.50	16.04	yes	stainless steel	4F
C.170.150.0440.N	17.0	1.50	44.0	0.2090	13.65	16.23	yes	Zn coating	4H
C.170.150.0950.A	17.0	1.50	95.0	0.1041	23.70	28.89	yes	music wire	4G
C.170.150.0950.I	17.0	1.50	95.0	0.0894	23.70	28.89	yes	stainless steel	4G
C.170.150.1700.A	17.0	1.50	170.0	0.0577	39.75	49.12	yes	music wire	4I
C.170.150.1700.I	17.0	1.50	170.0	0.0496	39.75	49.12	yes	stainless steel	4I
C.170.160.0160.A	17.0	1.60	16.0	0.8280	7.52	8.36	yes	music wire	4E
C.170.160.0160.AP	17.0	1.60	16.0	1.2254	6.40	8.29	yes	music wire	4I
C.170.160.0160.I	17.0	1.60	16.0	0.7204	7.52	8.36	yes	stainless steel	4F
C.170.160.0160.N	17.0	1.60	16.0	0.8280	7.52	8.36	yes	Zn coating	4G
C.170.160.0200.A	17.0	1.60	20.0	0.6390	8.64	9.75	yes	music wire	4E
C.170.160.0200.AP	17.0	1.60	20.0	0.9191	7.20	9.73	yes	music wire	4I
C.170.160.0200.I	17.0	1.60	20.0	0.5559	8.48	9.55	yes	stainless steel	4F
C.170.160.0200.N	17.0	1.60	20.0	0.6390	8.64	9.75	yes	Zn coating	4G
C.170.160.0250.A	17.0	1.60	25.0	0.5020	9.76	11.14	yes	music wire	4E
C.170.160.0250.AP	17.0	1.60	25.0	0.7353	8.00	12.16	yes	music wire	4I
C.170.160.0250.I	17.0	1.60	25.0	0.4367	9.76	11.14	yes	stainless steel	4F
C.170.160.0250.N	17.0	1.60	25.0	0.5020	9.76	11.14	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.160.0287.A	17.0	1.60	28.7	0.5223	9.60	10.94	yes	music wire	4I
C.170.160.0287.I	17.0	1.60	28.7	0.4486	9.60	10.94	yes	stainless steel	4I
C.170.160.0287.N	17.0	1.60	28.7	0.5223	9.60	10.94	yes	Zn coating	4I
C.170.160.0320.A	17.0	1.60	32.0	0.3800	11.68	13.52	yes	music wire	4F
C.170.160.0320.AP	17.0	1.60	32.0	0.5570	9.28	15.05	yes	music wire	4I
C.170.160.0320.I	17.0	1.60	32.0	0.3306	11.52	13.32	yes	stainless steel	4F
C.170.160.0320.N	17.0	1.60	32.0	0.3800	11.68	13.52	yes	Zn coating	4H
C.170.160.0400.A	17.0	1.60	40.0	0.2930	13.92	16.29	yes	music wire	4F
C.170.160.0400.AP	17.0	1.60	40.0	0.4275	10.88	17.91	yes	music wire	4I
C.170.160.0400.I	17.0	1.60	40.0	0.2549	13.92	16.29	yes	stainless steel	4F
C.170.160.0400.N	17.0	1.60	40.0	0.2930	13.92	16.29	yes	Zn coating	4H
C.170.160.0433.A	17.0	1.60	43.3	0.3324	12.80	14.90	yes	music wire	4I
C.170.160.0433.I	17.0	1.60	43.3	0.2855	12.80	14.90	yes	stainless steel	4I
C.170.160.0433.N	17.0	1.60	43.3	0.3324	12.80	14.90	yes	Zn coating	4J
C.170.160.0500.A	17.0	1.60	50.0	0.2340	16.48	19.46	yes	music wire	4F
C.170.160.0500.AP	17.0	1.60	50.0	0.3404	12.64	22.26	yes	music wire	4I
C.170.160.0500.I	17.0	1.60	50.0	0.2036	16.32	19.26	yes	stainless steel	4G
C.170.160.0500.N	17.0	1.60	50.0	0.2340	16.48	19.46	yes	Zn coating	4H
C.170.160.0630.A	17.0	1.60	63.0	0.1830	20.00	23.82	yes	music wire	4F
C.170.160.0630.AP	17.0	1.60	63.0	0.2664	15.04	27.56	yes	music wire	4I
C.170.160.0630.I	17.0	1.60	63.0	0.1592	19.84	23.63	yes	stainless steel	4G
C.170.160.0630.N	17.0	1.60	63.0	0.1830	20.00	23.82	yes	Zn coating	4I
C.170.160.0724.A	17.0	1.60	72.4	0.1924	19.20	23.32	yes	music wire	4I
C.170.160.0724.I	17.0	1.60	72.4	0.1653	19.20	22.83	yes	stainless steel	4I
C.170.160.0724.N	17.0	1.60	72.4	0.1924	19.20	23.32	yes	Zn coating	4J
C.170.160.0800.A	17.0	1.60	80.0	0.1420	24.64	29.57	yes	music wire	4G
C.170.160.0800.AP	17.0	1.60	80.0	0.2089	18.08	34.79	yes	music wire	4I
C.170.160.0800.I	17.0	1.60	80.0	0.1235	24.32	29.18	yes	stainless steel	4G
C.170.160.0800.N	17.0	1.60	80.0	0.1420	24.64	29.57	yes	Zn coating	4I
C.170.160.1000.A	17.0	1.60	100.0	0.1130	29.92	36.11	yes	music wire	4G
C.170.160.1000.AP	17.0	1.60	100.0	0.1656	21.60	42.98	yes	music wire	4I
C.170.160.1000.I	17.0	1.60	100.0	0.0983	29.60	35.72	yes	stainless steel	4G
C.170.160.1000.N	17.0	1.60	100.0	0.1130	29.92	36.11	yes	Zn coating	4I
C.170.160.1160.A	17.0	1.60	116.0	0.1179	28.80	35.91	yes	music wire	4I
C.170.160.1160.I	17.0	1.60	116.0	0.1013	28.80	34.73	yes	stainless steel	4I
C.170.160.1160.N	17.0	1.60	116.0	0.1179	28.80	35.91	yes	Zn coating	4J
C.170.160.1250.A	17.0	1.60	125.0	0.0900	36.48	44.24	yes	music wire	4G
C.170.160.1250.AP	17.0	1.60	125.0	0.1322	26.08	53.60	yes	music wire	4I
C.170.160.1250.I	17.0	1.60	125.0	0.0783	36.16	43.84	yes	stainless steel	4H
C.170.160.1250.N	17.0	1.60	125.0	0.0900	36.48	44.24	yes	Zn coating	4I
C.170.160.1400.A	17.0	1.60	140.0	0.0875	37.44	45.43	yes	music wire	4H
C.170.160.1400.I	17.0	1.60	140.0	0.0751	37.44	45.43	yes	stainless steel	4H
C.170.160.3600.A	17.0	1.60	360.0	0.0310	100.00	122.56	no	music wire	4J
C.170.160.3600.I	17.0	1.60	360.0	0.0270	98.72	120.97	no	stainless steel	4J
C.170.170.0100.A	17.0	1.70	10.0	1.5600	6.80	7.36	yes	music wire	4E
C.170.170.0100.I	17.0	1.70	10.0	1.3572	6.80	7.36	yes	stainless steel	4E
C.170.170.0100.N	17.0	1.70	10.0	1.5600	6.80	7.36	yes	Zn coating	4G
C.170.170.1250.A	17.0	1.70	125.0	0.1212	37.57	44.95	yes	music wire	4G
C.170.170.1250.I	17.0	1.70	125.0	0.1041	37.57	44.95	yes	stainless steel	4H
C.170.170.1650.A	17.0	1.70	165.0	0.0910	48.62	58.45	yes	music wire	4I
C.170.170.1650.I	17.0	1.70	165.0	0.0782	48.62	58.45	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.175.0180.A	17.0	1.75	18.0	1.0776	8.75	9.69	yes	music wire	4E
C.170.175.0180.I	17.0	1.75	18.0	0.9256	8.75	9.69	yes	stainless steel	4F
C.170.175.0230.A	17.0	1.75	23.0	0.8164	10.15	11.39	yes	music wire	4E
C.170.175.0230.I	17.0	1.75	23.0	0.7012	10.15	11.39	yes	stainless steel	4F
C.170.175.1150.A	17.0	1.75	115.0	0.1456	36.75	43.68	yes	music wire	4G
C.170.175.1150.I	17.0	1.75	115.0	0.1251	36.75	43.68	yes	stainless steel	4H
C.170.180.0160.A	17.0	1.80	16.0	1.3000	8.64	9.50	yes	music wire	4G
C.170.180.0160.AP	17.0	1.80	16.0	1.8045	7.56	8.74	yes	music wire	4I
C.170.180.0160.I	17.0	1.80	16.0	1.1327	8.64	9.50	yes	stainless steel	4G
C.170.180.0160.N	17.0	1.80	16.0	1.3000	8.64	9.50	yes	Zn coating	4I
C.170.180.0191.A	17.0	1.80	19.1	1.0460	9.72	10.80	yes	music wire	4G
C.170.180.0191.AP	17.0	1.80	19.1	1.4608	8.28	10.13	yes	music wire	4I
C.170.180.0191.I	17.0	1.80	19.1	0.9100	9.72	10.80	yes	stainless steel	4G
C.170.180.0200.A	17.0	1.80	20.0	1.0190	9.90	11.02	yes	music wire	4G
C.170.180.0200.AP	17.0	1.80	20.0	1.3944	8.46	10.61	yes	music wire	4I
C.170.180.0200.I	17.0	1.80	20.0	0.8865	9.90	11.02	yes	stainless steel	4G
C.170.180.0200.N	17.0	1.80	20.0	1.0190	9.90	11.02	yes	Zn coating	4I
C.170.180.0250.A	17.0	1.80	25.0	0.7810	11.52	12.97	yes	music wire	4G
C.170.180.0250.AP	17.0	1.80	25.0	1.0956	9.54	13.05	yes	music wire	4I
C.170.180.0250.I	17.0	1.80	25.0	0.6795	11.34	12.76	yes	stainless steel	4G
C.170.180.0250.N	17.0	1.80	25.0	0.7810	11.52	12.97	yes	Zn coating	4I
C.170.180.0320.A	17.0	1.80	32.0	0.6000	13.68	15.58	yes	music wire	4G
C.170.180.0320.AP	17.0	1.80	32.0	0.8291	11.16	16.20	yes	music wire	4I
C.170.180.0320.I	17.0	1.80	32.0	0.5229	13.50	15.36	yes	stainless steel	4G
C.170.180.0320.N	17.0	1.80	32.0	0.6000	13.68	15.58	yes	Zn coating	4I
C.170.180.0400.A	17.0	1.80	40.0	0.4690	16.20	18.62	yes	music wire	4G
C.170.180.0400.AP	17.0	1.80	40.0	0.6391	13.14	19.51	yes	music wire	4I
C.170.180.0400.I	17.0	1.80	40.0	0.4080	16.02	18.40	yes	stainless steel	4G
C.170.180.0400.N	17.0	1.80	40.0	0.4690	16.20	18.62	yes	Zn coating	4I
C.170.180.0500.A	17.0	1.80	50.0	0.3660	19.44	22.53	yes	music wire	4G
C.170.180.0500.AP	17.0	1.80	50.0	0.5113	15.30	24.39	yes	music wire	4I
C.170.180.0500.I	17.0	1.80	50.0	0.3184	19.26	22.31	yes	stainless steel	4G
C.170.180.0500.N	17.0	1.80	50.0	0.3660	19.44	22.53	yes	Zn coating	4I
C.170.180.0630.A	17.0	1.80	63.0	0.2860	23.58	27.53	yes	music wire	4G
C.170.180.0630.AP	17.0	1.80	63.0	0.3984	18.18	30.13	yes	music wire	4I
C.170.180.0630.I	17.0	1.80	63.0	0.2488	23.40	27.31	yes	stainless steel	4H
C.170.180.0630.N	17.0	1.80	63.0	0.2860	23.58	27.53	yes	Zn coating	4I
C.170.180.0800.A	17.0	1.80	80.0	0.2230	29.16	34.26	yes	music wire	4G
C.170.180.0800.AP	17.0	1.80	80.0	0.3099	22.14	37.74	yes	music wire	4I
C.170.180.0800.I	17.0	1.80	80.0	0.1940	28.80	33.83	yes	stainless steel	4H
C.170.180.0800.N	17.0	1.80	80.0	0.2230	29.16	34.26	yes	Zn coating	4I
C.170.180.1000.A	17.0	1.80	100.0	0.1760	35.64	42.08	yes	music wire	4H
C.170.180.1000.AP	17.0	1.80	100.0	0.2454	26.82	46.64	yes	music wire	4J
C.170.180.1000.I	17.0	1.80	100.0	0.1531	35.28	41.65	yes	stainless steel	4I
C.170.180.1000.N	17.0	1.80	100.0	0.1760	35.64	42.08	yes	Zn coating	4I
C.170.180.1250.A	17.0	1.80	125.0	0.1400	43.74	51.86	yes	music wire	4I
C.170.180.1250.AP	17.0	1.80	125.0	0.1954	32.58	57.98	yes	music wire	4J
C.170.180.1250.I	17.0	1.80	125.0	0.1218	43.20	51.21	yes	stainless steel	4I
C.170.180.1250.N	17.0	1.80	125.0	0.1400	43.74	51.86	yes	Zn coating	4I
C.170.180.3600.A	17.0	1.80	360.0	0.0480	120.42	144.04	no	music wire	4J
C.170.180.3600.I	17.0	1.80	360.0	0.0418	118.98	142.30	no	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.190.0224.A	17.0	1.90	22.4	1.0422	11.78	13.15	yes	music wire	4G
C.170.190.0224.I	17.0	1.90	22.4	0.8951	11.78	13.15	yes	stainless steel	4G
C.170.190.0254.A	17.0	1.90	25.4	0.8968	12.92	14.51	yes	music wire	4G
C.170.190.0254.I	17.0	1.90	25.4	0.7702	12.92	14.51	yes	stainless steel	4G
C.170.190.0305.A	17.0	1.90	30.5	0.7276	14.82	16.78	yes	music wire	4G
C.170.190.0305.I	17.0	1.90	30.5	0.6249	14.82	16.78	yes	stainless steel	4G
C.170.190.0318.A	17.0	1.90	31.8	0.6886	15.39	17.46	yes	music wire	4G
C.170.190.0318.I	17.0	1.90	31.8	0.5914	15.39	17.46	yes	stainless steel	4G
C.170.190.0381.A	17.0	1.90	38.1	0.5671	17.67	20.19	yes	music wire	4G
C.170.190.0381.I	17.0	1.90	38.1	0.4871	17.67	20.19	yes	stainless steel	4G
C.170.190.0508.A	17.0	1.90	50.8	0.4146	22.42	25.86	yes	music wire	4G
C.170.190.0508.I	17.0	1.90	50.8	0.3561	22.42	25.86	yes	stainless steel	4G
C.170.190.0635.A	17.0	1.90	63.5	0.3268	27.17	31.54	yes	music wire	4G
C.170.190.0635.I	17.0	1.90	63.5	0.2807	27.17	31.54	yes	stainless steel	4H
C.170.190.0762.A	17.0	1.90	76.2	0.2697	31.92	37.21	yes	music wire	4G
C.170.190.0762.I	17.0	1.90	76.2	0.2316	31.92	37.21	yes	stainless steel	4H
C.170.190.0889.A	17.0	1.90	88.9	0.2295	36.67	42.89	yes	music wire	4H
C.170.190.0889.I	17.0	1.90	88.9	0.1971	36.67	42.89	yes	stainless steel	4H
C.170.190.1300.A	17.0	1.90	130.0	0.1729	47.12	55.37	yes	music wire	4I
C.170.190.1300.I	17.0	1.90	130.0	0.1485	47.12	55.37	yes	stainless steel	4I
C.170.200.0160.A	17.0	2.00	16.0	1.9560	10.00	10.92	yes	music wire	4G
C.170.200.0160.AF	17.0	2.00	16.0	1.4590	11.60	12.82	yes	music wire	4G
C.170.200.0160.AP	17.0	2.00	16.0	2.7078	8.60	9.53	yes	music wire	4I
C.170.200.0160.I	17.0	2.00	16.0	1.7000	9.80	10.69	yes	stainless steel	4G
C.170.200.0160.N	17.0	2.00	16.0	1.9560	10.00	10.92	yes	Zn coating	4I
C.170.200.0160.NF	17.0	2.00	16.0	1.4590	11.60	12.82	yes	Zn coating	4I
C.170.200.0180.A	17.0	2.00	18.0	1.8575	10.20	11.16	yes	music wire	4G
C.170.200.0180.I	17.0	2.00	18.0	1.5954	10.20	11.16	yes	stainless steel	4G
C.170.200.0200.A	17.0	2.00	20.0	1.4870	11.40	12.58	yes	music wire	4G
C.170.200.0200.AP	17.0	2.00	20.0	2.0309	9.80	11.37	yes	music wire	4I
C.170.200.0200.I	17.0	2.00	20.0	1.2937	11.40	12.58	yes	stainless steel	4G
C.170.200.0200.N	17.0	2.00	20.0	1.4870	11.40	12.58	yes	Zn coating	4I
C.170.200.0250.A	17.0	2.00	25.0	1.1610	13.40	14.95	yes	music wire	4G
C.170.200.0250.AP	17.0	2.00	25.0	1.5723	11.20	13.85	yes	music wire	4I
C.170.200.0250.I	17.0	2.00	25.0	1.0101	13.20	14.71	yes	stainless steel	4G
C.170.200.0250.N	17.0	2.00	25.0	1.1610	13.40	14.95	yes	Zn coating	4I
C.170.200.0290.A	17.0	2.00	29.0	1.0230	14.40	16.13	yes	music wire	4G
C.170.200.0290.AP	17.0	2.00	29.0	1.3539	12.20	16.06	yes	music wire	4I
C.170.200.0290.I	17.0	2.00	29.0	0.8900	14.40	16.13	yes	stainless steel	4G
C.170.200.0320.A	17.0	2.00	32.0	0.8640	16.20	18.27	yes	music wire	4G
C.170.200.0320.AP	17.0	2.00	32.0	1.1888	13.20	17.26	yes	music wire	4I
C.170.200.0320.I	17.0	2.00	32.0	0.7500	16.00	18.03	yes	stainless steel	4G
C.170.200.0320.N	17.0	2.00	32.0	0.8640	16.20	18.27	yes	Zn coating	4I
C.170.200.0380.A	17.0	2.00	38.0	0.8276	16.60	18.74	yes	music wire	4I
C.170.200.0380.I	17.0	2.00	38.0	0.7200	16.60	18.74	yes	stainless steel	4I
C.170.200.0400.A	17.0	2.00	40.0	0.6760	19.20	21.82	yes	music wire	4G
C.170.200.0400.AP	17.0	2.00	40.0	0.9373	15.40	21.30	yes	music wire	4I
C.170.200.0400.I	17.0	2.00	40.0	0.5881	19.20	21.82	yes	stainless steel	4G
C.170.200.0400.N	17.0	2.00	40.0	0.6760	19.20	21.82	yes	Zn coating	4I
C.170.200.0440.A	17.0	2.00	44.0	0.8620	16.20	23.67	yes	music wire	4I
C.170.200.0440.I	17.0	2.00	44.0	0.7500	16.00	23.48	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.200.0440.N	17.0	2.00	44.0	0.8620	16.20	23.67	yes	Zn coating	4J
C.170.200.0480.A	17.0	2.00	48.0	0.6207	20.60	23.48	yes	music wire	4G
C.170.200.0480.I	17.0	2.00	48.0	0.5400	20.40	23.24	yes	stainless steel	4G
C.170.200.0500.A	17.0	2.00	50.0	0.5310	23.20	26.56	yes	music wire	4G
C.170.200.0500.AP	17.0	2.00	50.0	0.7385	18.00	26.27	yes	music wire	4I
C.170.200.0500.I	17.0	2.00	50.0	0.4620	23.00	26.32	yes	stainless steel	4G
C.170.200.0500.N	17.0	2.00	50.0	0.5310	23.20	26.56	yes	Zn coating	4I
C.170.200.0560.A	17.0	2.00	56.0	0.3510	32.60	37.69	yes	music wire	4G
C.170.200.0560.AP	17.0	2.00	56.0	0.6499	19.80	29.04	yes	music wire	4I
C.170.200.0560.I	17.0	2.00	56.0	0.3054	32.20	37.22	yes	stainless steel	4H
C.170.200.0560.N	17.0	2.00	56.0	0.3510	32.60	37.69	yes	Zn coating	4I
C.170.200.0570.A	17.0	2.00	57.0	0.5000	24.40	27.98	yes	music wire	4G
C.170.200.0570.I	17.0	2.00	57.0	0.4341	24.20	27.74	yes	stainless steel	4H
C.170.200.0570.N	17.0	2.00	57.0	0.5000	24.40	27.98	yes	Zn coating	4I
C.170.200.0630.A	17.0	2.00	63.0	0.4180	28.20	32.48	yes	music wire	4G
C.170.200.0630.AP	17.0	2.00	63.0	0.5734	21.80	32.44	yes	music wire	4I
C.170.200.0630.I	17.0	2.00	63.0	0.3637	27.80	32.00	yes	stainless steel	4H
C.170.200.0630.N	17.0	2.00	63.0	0.4180	28.20	32.48	yes	Zn coating	4I
C.170.200.0780.A	17.0	2.00	78.0	0.2500	43.60	50.72	yes	music wire	4H
C.170.200.0780.AP	17.0	2.00	78.0	0.4598	26.00	39.89	yes	music wire	4I
C.170.200.0780.I	17.0	2.00	78.0	0.2175	43.20	50.24	yes	stainless steel	4H
C.170.200.0780.N	17.0	2.00	78.0	0.2500	43.60	50.72	yes	Zn coating	4I
C.170.200.0800.A	17.0	2.00	80.0	0.3230	35.00	40.53	yes	music wire	4H
C.170.200.0800.AP	17.0	2.00	80.0	0.4472	26.60	40.81	yes	music wire	4J
C.170.200.0800.I	17.0	2.00	80.0	0.2810	34.60	40.06	yes	stainless steel	4H
C.170.200.0800.N	17.0	2.00	80.0	0.3230	35.00	40.53	yes	Zn coating	4I
C.170.200.0900.A	17.0	2.00	90.0	0.3057	36.60	42.43	yes	music wire	4H
C.170.200.0900.I	17.0	2.00	90.0	0.2625	36.60	42.43	yes	stainless steel	4I
C.170.200.1000.A	17.0	2.00	100.0	0.2560	42.80	49.77	yes	music wire	4H
C.170.200.1000.AP	17.0	2.00	100.0	0.3558	32.20	50.74	yes	music wire	4J
C.170.200.1000.I	17.0	2.00	100.0	0.2227	42.20	49.06	yes	stainless steel	4I
C.170.200.1000.N	17.0	2.00	100.0	0.2560	42.80	49.77	yes	Zn coating	4I
C.170.200.1020.A	17.0	2.00	102.0	0.2430	44.80	52.14	yes	music wire	4H
C.170.200.1020.AP	17.0	2.00	102.0	0.3481	32.80	51.67	yes	music wire	4J
C.170.200.1020.I	17.0	2.00	102.0	0.2114	44.20	51.43	yes	stainless steel	4I
C.170.200.1020.N	17.0	2.00	102.0	0.2430	44.80	52.14	yes	Zn coating	4I
C.170.200.1250.A	17.0	2.00	125.0	0.2030	52.60	61.38	yes	music wire	4I
C.170.200.1250.AP	17.0	2.00	125.0	0.2817	39.20	62.80	yes	music wire	4J
C.170.200.1250.I	17.0	2.00	125.0	0.1766	52.00	60.67	yes	stainless steel	4I
C.170.200.1250.N	17.0	2.00	125.0	0.2030	52.60	61.38	yes	Zn coating	4I
C.170.200.1400.A	17.0	2.00	140.0	0.1940	54.80	63.98	yes	music wire	4I
C.170.200.1400.I	17.0	2.00	140.0	0.1666	54.80	63.98	yes	stainless steel	4I
C.170.200.2270.A	17.0	2.00	227.0	0.1170	87.60	102.83	yes	music wire	4I
C.170.200.2270.I	17.0	2.00	227.0	0.1018	86.60	101.65	yes	stainless steel	4I
C.170.200.2270.N	17.0	2.00	227.0	0.1170	87.60	102.83	yes	Zn coating	4J
C.170.200.3300.A	17.0	2.00	330.0	0.0790	127.20	149.73	yes	music wire	4J
C.170.200.3300.AP	17.0	2.00	330.0	0.1050	97.00	163.18	yes	music wire	4L
C.170.200.3300.I	17.0	2.00	330.0	0.0687	125.80	148.07	yes	stainless steel	4J
C.170.200.3300.N	17.0	2.00	330.0	0.0790	127.20	149.73	yes	Zn coating	4L
C.170.200.3600.A	17.0	2.00	360.0	0.0690	147.00	172.81	no	music wire	4J
C.170.200.3600.I	17.0	2.00	360.0	0.0600	145.20	170.68	no	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.210.0170.A	17.0	2.10	17.0	2.3958	10.50	11.42	yes	music wire	4G
C.170.210.0170.I	17.0	2.10	17.0	2.0577	10.50	11.42	yes	stainless steel	4G
C.170.210.0280.A	17.0	2.10	28.0	1.3021	14.91	16.61	yes	music wire	4G
C.170.210.0280.I	17.0	2.10	28.0	1.1183	14.91	16.61	yes	stainless steel	4G
C.170.210.0350.A	17.0	2.10	35.0	1.0152	17.64	19.81	yes	music wire	4G
C.170.210.0350.I	17.0	2.10	35.0	0.8719	17.64	19.81	yes	stainless steel	4G
C.170.210.0410.A	17.0	2.10	41.0	0.8556	19.95	22.53	yes	music wire	4G
C.170.210.0410.I	17.0	2.10	41.0	0.7349	19.95	22.53	yes	stainless steel	4G
C.170.210.1200.A	17.0	2.10	120.0	0.2735	51.24	59.31	yes	music wire	4I
C.170.210.1200.I	17.0	2.10	120.0	0.2349	51.24	59.31	yes	stainless steel	4I
C.170.210.1700.A	17.0	2.10	170.0	0.1914	70.98	82.52	yes	music wire	4I
C.170.210.1700.I	17.0	2.10	170.0	0.1644	70.98	82.52	yes	stainless steel	4I
C.170.220.0160.A	17.0	2.20	16.0	2.9820	11.00	11.92	yes	music wire	4G
C.170.220.0160.AP	17.0	2.20	16.0	3.9173	9.68	10.38	yes	music wire	4I
C.170.220.0160.I	17.0	2.20	16.0	2.5943	10.78	11.67	yes	stainless steel	4G
C.170.220.0160.N	17.0	2.20	16.0	2.9820	11.00	11.92	yes	Zn coating	4I
C.170.220.0180.A	17.0	2.20	18.0	2.7265	11.44	12.44	yes	music wire	4G
C.170.220.0180.I	17.0	2.20	18.0	2.3418	11.44	12.44	yes	stainless steel	4G
C.170.220.0200.A	17.0	2.20	20.0	2.2660	12.54	13.72	yes	music wire	4G
C.170.220.0200.AP	17.0	2.20	20.0	2.9772	11.00	12.35	yes	music wire	4I
C.170.220.0200.I	17.0	2.20	20.0	1.9714	12.54	13.72	yes	stainless steel	4G
C.170.220.0200.N	17.0	2.20	20.0	2.2660	12.54	13.72	yes	Zn coating	4I
C.170.220.0250.A	17.0	2.20	25.0	1.7170	14.96	16.55	yes	music wire	4G
C.170.220.0250.AP	17.0	2.20	25.0	2.2554	12.76	14.90	yes	music wire	4I
C.170.220.0250.I	17.0	2.20	25.0	1.4938	14.74	16.29	yes	stainless steel	4G
C.170.220.0250.N	17.0	2.20	25.0	1.7170	14.96	16.55	yes	Zn coating	4I
C.170.220.0320.A	17.0	2.20	32.0	1.2880	18.04	20.15	yes	music wire	4G
C.170.220.0320.AP	17.0	2.20	32.0	1.7309	14.96	18.84	yes	music wire	4I
C.170.220.0320.I	17.0	2.20	32.0	1.1206	17.82	19.89	yes	stainless steel	4G
C.170.220.0320.N	17.0	2.20	32.0	1.2880	18.04	20.15	yes	Zn coating	4I
C.170.220.0400.A	17.0	2.20	40.0	1.0120	21.56	24.26	yes	music wire	4G
C.170.220.0400.AP	17.0	2.20	40.0	1.3291	17.60	22.86	yes	music wire	4I
C.170.220.0400.I	17.0	2.20	40.0	0.8804	21.34	24.00	yes	stainless steel	4G
C.170.220.0400.N	17.0	2.20	40.0	1.0120	21.56	24.26	yes	Zn coating	4I
C.170.220.0500.A	17.0	2.20	50.0	0.7870	26.18	29.65	yes	music wire	4G
C.170.220.0500.AP	17.0	2.20	50.0	1.0483	20.90	28.27	yes	music wire	4I
C.170.220.0500.I	17.0	2.20	50.0	0.6847	25.74	29.14	yes	stainless steel	4H
C.170.220.0500.N	17.0	2.20	50.0	0.7870	26.18	29.65	yes	Zn coating	4I
C.170.220.0630.A	17.0	2.20	63.0	0.6160	31.90	36.33	yes	music wire	4G
C.170.220.0630.AP	17.0	2.20	63.0	0.8179	25.30	35.15	yes	music wire	4I
C.170.220.0630.I	17.0	2.20	63.0	0.5359	31.46	35.82	yes	stainless steel	4H
C.170.220.0630.N	17.0	2.20	63.0	0.6160	31.90	36.33	yes	Zn coating	4I
C.170.220.0800.A	17.0	2.20	80.0	0.4800	39.16	44.81	yes	music wire	4H
C.170.220.0800.AP	17.0	2.20	80.0	0.6361	31.02	44.20	yes	music wire	4J
C.170.220.0800.I	17.0	2.20	80.0	0.4176	38.72	44.30	yes	stainless steel	4I
C.170.220.0800.N	17.0	2.20	80.0	0.4800	39.16	44.81	yes	Zn coating	4I
C.170.220.1000.A	17.0	2.20	100.0	0.3780	48.40	55.60	yes	music wire	4I
C.170.220.1000.AP	17.0	2.20	100.0	0.5029	37.62	54.71	yes	music wire	4J
C.170.220.1000.I	17.0	2.20	100.0	0.3289	47.74	54.83	yes	stainless steel	4I
C.170.220.1000.N	17.0	2.20	100.0	0.3780	48.40	55.60	yes	Zn coating	4I
C.170.220.1250.A	17.0	2.20	125.0	0.3010	59.40	68.45	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.220.1250.AP	17.0	2.20	125.0	0.3980	46.20	67.78	yes	music wire	4J
C.170.220.1250.I	17.0	2.20	125.0	0.2619	58.52	67.42	yes	stainless steel	4I
C.170.220.1250.N	17.0	2.20	125.0	0.3010	59.40	68.45	yes	Zn coating	4J
C.170.220.1400.A	17.0	2.20	140.0	0.2799	63.36	73.07	yes	music wire	4I
C.170.220.1400.I	17.0	2.20	140.0	0.2404	63.36	73.07	yes	stainless steel	4I
C.170.220.1700.A	17.0	2.20	170.0	0.2293	76.12	87.98	yes	music wire	4I
C.170.220.1700.I	17.0	2.20	170.0	0.1970	76.12	87.98	yes	stainless steel	4I
C.170.220.3600.A	17.0	2.20	360.0	0.1020	166.54	193.21	no	music wire	4J
C.170.220.3600.I	17.0	2.20	360.0	0.0887	164.56	190.89	no	stainless steel	4J
C.170.225.0260.A	17.0	2.25	26.0	1.8921	15.30	16.89	yes	music wire	4G
C.170.225.0260.I	17.0	2.25	26.0	1.6252	15.30	16.89	yes	stainless steel	4G
C.170.225.0850.A	17.0	2.25	85.0	0.6509	33.75	47.79	yes	music wire	4J
C.170.225.0850.I	17.0	2.25	85.0	0.5591	33.75	46.81	yes	stainless steel	4J
C.170.225.0850.N	17.0	2.25	85.0	0.6509	33.75	47.79	yes	Zn coating	4K
C.170.230.0220.A	17.0	2.30	22.0	2.7586	13.34	14.56	yes	music wire	4G
C.170.230.0220.I	17.0	2.30	22.0	2.4000	13.11	14.30	yes	stainless steel	4G
C.170.230.0310.A	17.0	2.30	31.0	1.6934	17.94	19.91	yes	music wire	4G
C.170.230.0310.I	17.0	2.30	31.0	1.4544	17.94	19.91	yes	stainless steel	4G
C.170.230.0460.A	17.0	2.30	46.0	1.0813	24.84	27.92	yes	music wire	4G
C.170.230.0460.I	17.0	2.30	46.0	0.9287	24.84	27.92	yes	stainless steel	4H
C.170.230.1400.A	17.0	2.30	140.0	0.3336	67.62	77.60	yes	music wire	4I
C.170.230.1400.I	17.0	2.30	140.0	0.2866	67.62	77.60	yes	stainless steel	4I
C.170.230.1600.A	17.0	2.30	160.0	0.2904	76.82	88.28	yes	music wire	4I
C.170.230.1600.I	17.0	2.30	160.0	0.2495	76.82	88.28	yes	stainless steel	4I
C.170.235.0170.A	17.0	2.35	17.0	3.8006	11.99	12.96	yes	music wire	4G
C.170.235.0170.I	17.0	2.35	17.0	3.2643	11.99	12.96	yes	stainless steel	4G
C.170.235.0480.A	17.0	2.35	48.0	1.1229	26.56	29.83	yes	music wire	4G
C.170.235.0480.I	17.0	2.35	48.0	0.9645	26.56	29.83	yes	stainless steel	4H
C.170.235.1400.A	17.0	2.35	140.0	0.3633	69.80	79.92	yes	music wire	4I
C.170.235.1400.I	17.0	2.35	140.0	0.3120	69.80	79.92	yes	stainless steel	4I
C.170.240.0240.A	17.0	2.40	24.0	2.7152	15.60	17.09	yes	music wire	4G
C.170.240.0240.I	17.0	2.40	24.0	2.3320	15.60	17.09	yes	stainless steel	4G
C.170.240.0280.A	17.0	2.40	28.0	2.2626	17.52	19.31	yes	music wire	4G
C.170.240.0280.I	17.0	2.40	28.0	1.9434	17.52	19.31	yes	stainless steel	4G
C.170.240.0600.A	17.0	2.40	60.0	0.9697	32.88	37.06	yes	music wire	4G
C.170.240.0600.I	17.0	2.40	60.0	0.8329	32.88	37.06	yes	stainless steel	4H
C.170.240.1250.A	17.0	2.40	125.0	0.4451	64.56	73.67	yes	music wire	4I
C.170.240.1250.I	17.0	2.40	125.0	0.3823	64.56	73.67	yes	stainless steel	4I
C.170.250.0160.A	17.0	2.50	16.0	5.5810	12.00	12.87	yes	music wire	4G
C.170.250.0160.I	17.0	2.50	16.0	4.8555	12.00	12.87	yes	stainless steel	4G
C.170.250.0160.N	17.0	2.50	16.0	5.5810	12.00	12.87	yes	Zn coating	4I
C.170.250.0180.A	17.0	2.50	18.0	4.6619	13.25	14.30	yes	music wire	4G
C.170.250.0180.I	17.0	2.50	18.0	4.0041	13.25	14.30	yes	stainless steel	4G
C.170.250.0200.A	17.0	2.50	20.0	4.0180	14.25	15.45	yes	music wire	4G
C.170.250.0200.AP	17.0	2.50	20.0	5.0898	12.75	13.73	yes	music wire	4I
C.170.250.0200.I	17.0	2.50	20.0	3.4957	14.25	15.45	yes	stainless steel	4G
C.170.250.0200.N	17.0	2.50	20.0	4.0180	14.25	15.45	yes	Zn coating	4I
C.170.250.0230.A	17.0	2.50	23.0	3.4351	15.75	17.18	yes	music wire	4G
C.170.250.0230.I	17.0	2.50	23.0	2.9504	15.75	17.18	yes	stainless steel	4G
C.170.250.0250.A	17.0	2.50	25.0	3.0440	17.00	18.62	yes	music wire	4G
C.170.250.0250.AP	17.0	2.50	25.0	3.7810	15.00	16.46	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.250.0250.I	17.0	2.50	25.0	2.6483	16.75	18.33	yes	stainless steel	4G
C.170.250.0250.N	17.0	2.50	25.0	3.0440	17.00	18.62	yes	Zn coating	4I
C.170.250.0300.A	17.0	2.50	30.0	2.8470	17.75	19.48	yes	music wire	4I
C.170.250.0300.I	17.0	2.50	30.0	2.4769	17.50	19.19	yes	stainless steel	4I
C.170.250.0300.N	17.0	2.50	30.0	2.8470	17.75	19.48	yes	Zn coating	4J
C.170.250.0320.A	17.0	2.50	32.0	2.2830	20.50	22.64	yes	music wire	4G
C.170.250.0320.AP	17.0	2.50	32.0	2.8157	17.75	20.53	yes	music wire	4I
C.170.250.0320.I	17.0	2.50	32.0	1.9862	20.25	22.36	yes	stainless steel	4H
C.170.250.0320.N	17.0	2.50	32.0	2.2830	20.50	22.64	yes	Zn coating	4I
C.170.250.0330.A	17.0	2.50	33.0	2.5000	19.25	21.21	yes	music wire	4I
C.170.250.0330.I	17.0	2.50	33.0	2.1750	19.25	21.21	yes	stainless steel	4I
C.170.250.0400.A	17.0	2.50	40.0	1.7620	24.75	27.53	yes	music wire	4G
C.170.250.0400.AP	17.0	2.50	40.0	2.2056	21.00	25.36	yes	music wire	4I
C.170.250.0400.I	17.0	2.50	40.0	1.5329	24.50	27.25	yes	stainless steel	4H
C.170.250.0400.N	17.0	2.50	40.0	1.7620	24.75	27.53	yes	Zn coating	4I
C.170.250.0500.A	17.0	2.50	50.0	1.3760	30.00	33.57	yes	music wire	4H
C.170.250.0500.AP	17.0	2.50	50.0	1.7186	25.25	31.21	yes	music wire	4I
C.170.250.0500.I	17.0	2.50	50.0	1.2000	29.50	33.00	yes	stainless steel	4H
C.170.250.0500.N	17.0	2.50	50.0	1.3760	30.00	33.57	yes	Zn coating	4I
C.170.250.0630.A	17.0	2.50	63.0	1.0690	36.75	41.34	yes	music wire	4H
C.170.250.0630.AP	17.0	2.50	63.0	1.3367	30.75	38.84	yes	music wire	4J
C.170.250.0630.I	17.0	2.50	63.0	0.9300	36.50	41.05	yes	stainless steel	4I
C.170.250.0630.N	17.0	2.50	63.0	1.0690	36.75	41.34	yes	Zn coating	4I
C.170.250.0720.A	17.0	2.50	72.0	0.9459	40.75	45.94	yes	music wire	4H
C.170.250.0720.I	17.0	2.50	72.0	0.8124	40.75	45.94	yes	stainless steel	4I
C.170.250.0800.A	17.0	2.50	80.0	0.8300	45.50	51.41	yes	music wire	4H
C.170.250.0800.I	17.0	2.50	80.0	0.7221	45.00	50.83	yes	stainless steel	4I
C.170.250.0800.N	17.0	2.50	80.0	0.8300	45.50	51.41	yes	Zn coating	4I
C.170.250.0900.A	17.0	2.50	90.0	0.6570	56.00	63.49	yes	music wire	4I
C.170.250.0900.AP	17.0	2.50	90.0	0.9127	42.00	54.62	yes	music wire	4J
C.170.250.0900.I	17.0	2.50	90.0	0.5716	55.25	62.62	yes	stainless steel	4I
C.170.250.0900.N	17.0	2.50	90.0	0.6570	56.00	63.49	yes	Zn coating	4I
C.170.250.1000.A	17.0	2.50	100.0	0.6570	56.00	63.49	yes	music wire	4I
C.170.250.1000.I	17.0	2.50	100.0	0.5716	55.25	62.62	yes	stainless steel	4I
C.170.250.1000.N	17.0	2.50	100.0	0.6570	56.00	63.49	yes	Zn coating	4I
C.170.250.1100.A	17.0	2.50	110.0	0.6043	60.25	68.37	yes	music wire	4I
C.170.250.1100.I	17.0	2.50	110.0	0.5191	60.25	68.37	yes	stainless steel	4I
C.170.250.1250.A	17.0	2.50	125.0	0.5200	69.00	78.44	yes	music wire	4I
C.170.250.1250.I	17.0	2.50	125.0	0.4524	68.25	77.58	yes	stainless steel	4I
C.170.250.1250.N	17.0	2.50	125.0	0.5200	69.00	78.44	yes	Zn coating	4J
C.170.250.1350.A	17.0	2.50	135.0	0.4871	73.25	83.33	yes	music wire	4I
C.170.250.1350.I	17.0	2.50	135.0	0.4183	73.25	83.33	yes	stainless steel	4I
C.170.250.3600.A	17.0	2.50	360.0	0.1750	195.25	223.31	no	music wire	4J
C.170.250.3600.I	17.0	2.50	360.0	0.1523	192.75	220.43	no	stainless steel	4J
C.170.260.0260.A	17.0	2.60	26.0	3.5434	17.94	19.61	yes	music wire	4G
C.170.260.0260.I	17.0	2.60	26.0	3.0434	17.94	19.61	yes	stainless steel	4G
C.170.260.0610.A	17.0	2.60	61.0	1.3326	36.92	41.36	yes	music wire	4H
C.170.260.0610.I	17.0	2.60	61.0	1.1445	36.92	41.36	yes	stainless steel	4H
C.170.260.0910.A	17.0	2.60	91.0	0.8710	53.04	59.84	yes	music wire	4I
C.170.260.0910.I	17.0	2.60	91.0	0.7481	53.04	59.84	yes	stainless steel	4I
C.170.270.0103.A	17.0	2.70	10.3	16.8966	9.72	10.14	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.270.0103.I	17.0	2.70	10.3	14.7000	9.72	10.14	yes	stainless steel	4G
C.170.270.0220.A	17.0	2.70	22.0	5.1429	16.47	17.85	yes	music wire	4G
C.170.270.0220.I	17.0	2.70	22.0	4.4173	16.47	17.85	yes	stainless steel	4G
C.170.270.0250.A	17.0	2.70	25.0	4.4082	18.09	19.70	yes	music wire	4G
C.170.270.0250.I	17.0	2.70	25.0	3.7862	18.09	19.70	yes	stainless steel	4G
C.170.270.0360.A	17.0	2.70	36.0	3.3040	21.87	24.02	yes	music wire	4I
C.170.270.0360.I	17.0	2.70	36.0	2.8745	21.60	23.72	yes	stainless steel	4I
C.170.270.0360.N	17.0	2.70	36.0	3.3040	21.87	24.02	yes	Zn coating	4J
C.170.270.0520.A	17.0	2.70	52.0	1.8702	33.48	37.28	yes	music wire	4H
C.170.270.0520.I	17.0	2.70	52.0	1.6063	33.48	37.28	yes	stainless steel	4H
C.170.270.1100.A	17.0	2.70	110.0	0.8378	66.42	74.90	yes	music wire	4I
C.170.270.1100.I	17.0	2.70	110.0	0.7196	66.42	74.90	yes	stainless steel	4I
C.170.270.1500.A	17.0	2.70	150.0	0.6070	89.10	100.80	yes	music wire	4I
C.170.270.1500.I	17.0	2.70	150.0	0.5214	89.10	100.80	yes	stainless steel	4I
C.170.270.1700.A	17.0	2.70	170.0	0.5336	100.44	113.75	yes	music wire	4I
C.170.270.1700.I	17.0	2.70	170.0	0.4583	100.44	113.75	yes	stainless steel	4I
C.170.280.0160.A	17.0	2.80	16.0	9.9000	13.16	14.01	yes	music wire	4I
C.170.280.0160.I	17.0	2.80	16.0	8.6130	13.16	14.01	yes	stainless steel	4I
C.170.280.0160.N	17.0	2.80	16.0	9.9000	13.16	14.01	yes	Zn coating	4J
C.170.280.0200.A	17.0	2.80	20.0	7.0120	15.68	16.88	yes	music wire	4I
C.170.280.0200.I	17.0	2.80	20.0	6.1004	15.68	16.88	yes	stainless steel	4I
C.170.280.0200.N	17.0	2.80	20.0	7.0120	15.68	16.88	yes	Zn coating	4J
C.170.280.0250.A	17.0	2.80	25.0	5.2590	18.76	20.39	yes	music wire	4I
C.170.280.0250.I	17.0	2.80	25.0	4.5753	18.48	20.07	yes	stainless steel	4I
C.170.280.0250.N	17.0	2.80	25.0	5.2590	18.76	20.39	yes	Zn coating	4J
C.170.280.0320.A	17.0	2.80	32.0	3.9140	22.68	24.85	yes	music wire	4I
C.170.280.0320.I	17.0	2.80	32.0	3.4052	22.40	24.53	yes	stainless steel	4I
C.170.280.0320.N	17.0	2.80	32.0	3.9140	22.68	24.85	yes	Zn coating	4J
C.170.280.0330.A	17.0	2.80	33.0	3.9762	22.40	24.53	yes	music wire	4I
C.170.280.0330.I	17.0	2.80	33.0	3.4151	22.40	24.53	yes	stainless steel	4I
C.170.280.0330.N	17.0	2.80	33.0	3.9762	22.40	24.53	yes	Zn coating	4J
C.170.280.0400.A	17.0	2.80	40.0	3.0050	27.44	30.27	yes	music wire	4I
C.170.280.0400.I	17.0	2.80	40.0	2.6144	27.16	29.95	yes	stainless steel	4I
C.170.280.0400.N	17.0	2.80	40.0	3.0050	27.44	30.27	yes	Zn coating	4J
C.170.280.0500.A	17.0	2.80	50.0	2.3000	33.60	37.29	yes	music wire	4I
C.170.280.0500.I	17.0	2.80	50.0	2.0000	33.32	36.97	yes	stainless steel	4I
C.170.280.0500.N	17.0	2.80	50.0	2.3000	33.60	37.29	yes	Zn coating	4J
C.170.280.0630.A	17.0	2.80	63.0	1.7900	41.16	45.89	yes	music wire	4I
C.170.280.0630.I	17.0	2.80	63.0	1.5573	40.88	45.58	yes	stainless steel	4I
C.170.280.0630.N	17.0	2.80	63.0	1.7900	41.16	45.89	yes	Zn coating	4J
C.170.280.0800.A	17.0	2.80	80.0	1.3910	50.96	57.05	yes	music wire	4I
C.170.280.0800.I	17.0	2.80	80.0	1.2102	50.40	56.41	yes	stainless steel	4I
C.170.280.0800.N	17.0	2.80	80.0	1.3910	50.96	57.05	yes	Zn coating	4J
C.170.280.0870.A	17.0	2.80	87.0	1.2641	55.44	62.15	yes	music wire	4I
C.170.280.0870.I	17.0	2.80	87.0	1.0857	55.44	62.15	yes	stainless steel	4I
C.170.280.1000.A	17.0	2.80	100.0	1.0930	63.00	70.76	yes	music wire	4I
C.170.280.1000.I	17.0	2.80	100.0	0.9509	62.44	70.12	yes	stainless steel	4I
C.170.280.1000.N	17.0	2.80	100.0	1.0930	63.00	70.76	yes	Zn coating	4J
C.170.280.1250.A	17.0	2.80	125.0	0.8630	77.84	87.66	yes	music wire	4I
C.170.280.1250.I	17.0	2.80	125.0	0.7500	77.00	86.70	yes	stainless steel	4I
C.170.280.1250.N	17.0	2.80	125.0	0.8630	77.84	87.66	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.280.1550.A	17.0	2.80	155.0	0.6899	95.76	108.06	yes	music wire	4J
C.170.280.1550.I	17.0	2.80	155.0	0.5925	95.76	108.06	yes	stainless steel	4J
C.170.280.3600.A	17.0	2.80	360.0	0.3090	208.04	235.51	no	music wire	4N
C.170.280.3600.I	17.0	2.80	360.0	0.2688	205.52	232.64	no	stainless steel	4N
C.170.290.0200.A	17.0	2.90	20.0	8.2916	16.24	17.46	yes	music wire	4I
C.170.290.0200.I	17.0	2.90	20.0	7.1217	16.24	17.46	yes	stainless steel	4I
C.170.290.0270.A	17.0	2.90	27.0	5.5878	20.59	22.40	yes	music wire	4I
C.170.290.0270.I	17.0	2.90	27.0	4.7994	20.59	22.40	yes	stainless steel	4I
C.170.290.1200.A	17.0	2.90	120.0	1.0534	78.01	87.60	yes	music wire	4I
C.170.290.1200.I	17.0	2.90	120.0	0.9048	78.01	87.60	yes	stainless steel	4I
C.170.290.1400.A	17.0	2.90	140.0	0.8956	90.48	101.75	yes	music wire	4I
C.170.290.1400.I	17.0	2.90	140.0	0.7692	90.48	101.75	yes	stainless steel	4J
C.170.300.0240.A	17.0	3.00	24.0	8.5921	18.00	19.39	yes	music wire	4I
C.170.300.0240.I	17.0	3.00	24.0	7.3797	18.00	19.39	yes	stainless steel	4I
C.170.300.0240.N	17.0	3.00	24.0	8.5921	18.00	19.39	yes	Zn coating	4J
C.170.300.0280.A	17.0	3.00	28.0	6.2651	21.90	23.81	yes	music wire	4I
C.170.300.0280.I	17.0	3.00	28.0	5.3811	21.90	23.81	yes	stainless steel	4I
C.170.300.0343.A	17.0	3.00	34.3	5.4677	24.00	26.19	yes	music wire	4J
C.170.300.0343.I	17.0	3.00	34.3	4.6962	24.00	26.19	yes	stainless steel	4J
C.170.300.0343.N	17.0	3.00	34.3	5.4677	24.00	26.19	yes	Zn coating	4L
C.170.300.0430.A	17.0	3.00	43.0	4.5977	27.00	31.52	yes	music wire	4J
C.170.300.0430.I	17.0	3.00	43.0	4.0000	27.00	31.25	yes	stainless steel	4J
C.170.300.0498.A	17.0	3.00	49.8	3.5379	33.00	36.38	yes	music wire	4J
C.170.300.0498.I	17.0	3.00	49.8	3.0387	33.00	36.38	yes	stainless steel	4J
C.170.300.0498.N	17.0	3.00	49.8	3.5379	33.00	36.38	yes	Zn coating	4L
C.170.300.0630.A	17.0	3.00	63.0	2.6840	41.10	45.56	yes	music wire	4J
C.170.300.0630.I	17.0	3.00	63.0	2.3351	40.80	45.22	yes	stainless steel	4J
C.170.300.0630.N	17.0	3.00	63.0	2.6840	41.10	45.56	yes	Zn coating	4L
C.170.300.0704.A	17.0	3.00	70.4	2.4000	45.00	49.98	yes	music wire	4J
C.170.300.0704.I	17.0	3.00	70.4	2.0663	45.00	49.98	yes	stainless steel	4K
C.170.300.0704.N	17.0	3.00	70.4	2.4000	45.00	49.98	yes	Zn coating	4M
C.170.300.1010.A	17.0	3.00	101.0	1.6255	63.00	70.36	yes	music wire	4K
C.170.300.1010.I	17.0	3.00	101.0	1.4000	62.70	70.02	yes	stainless steel	4L
C.170.300.1010.N	17.0	3.00	101.0	1.6255	63.00	70.36	yes	Zn coating	4M
C.170.300.1700.A	17.0	3.00	170.0	0.8568	112.80	126.77	yes	music wire	4J
C.170.300.1700.I	17.0	3.00	170.0	0.7359	112.80	126.77	yes	stainless steel	4J
C.170.320.0160.A	17.0	3.20	16.0	22.7772	13.76	14.50	yes	music wire	4H
C.170.320.0170.A	17.0	3.20	17.0	16.9363	15.68	16.66	yes	music wire	4J
C.170.320.0170.I	17.0	3.20	17.0	14.5465	15.68	16.66	yes	stainless steel	4J
C.170.320.0190.A	17.0	3.20	19.0	14.5168	16.96	18.11	yes	music wire	4J
C.170.320.0190.I	17.0	3.20	19.0	12.4685	16.96	18.11	yes	stainless steel	4J
C.170.320.0200.A	17.0	3.20	20.0	13.3100	17.92	19.19	yes	music wire	4H
C.170.320.0220.A	17.0	3.20	22.0	11.6135	19.20	20.63	yes	music wire	4J
C.170.320.0220.AP	17.0	3.20	22.0	13.7984	17.28	18.47	yes	music wire	4L
C.170.320.0220.I	17.0	3.20	22.0	9.9748	19.20	20.63	yes	stainless steel	4J
C.170.320.0220.N	17.0	3.20	22.0	11.6135	19.20	20.63	yes	Zn coating	4K
C.170.320.0250.A	17.0	3.20	25.0	9.6800	21.44	23.16	yes	music wire	4H
C.170.320.0250.S	17.0	3.20	25.0	8.0357	24.32	24.32	yes	Cr-Si steel	4L
C.170.320.0280.A	17.0	3.20	28.0	8.6483	23.04	24.96	yes	music wire	4J
C.170.320.0280.I	17.0	3.20	28.0	7.4280	23.04	24.96	yes	stainless steel	4J
C.170.320.0320.A	17.0	3.20	32.0	7.3904	25.60	27.85	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.320.0320.AP	17.0	3.20	32.0	6.4286	28.16	30.74	yes	music wire	4H
C.170.320.0320.I	17.0	3.20	32.0	6.3476	25.60	27.85	yes	stainless steel	4J
C.170.320.0320.N	17.0	3.20	32.0	7.3904	25.60	27.85	yes	Zn coating	4L
C.170.320.0320.S	17.0	3.20	32.0	6.4286	28.16	30.74	yes	Cr-Si steel	4L
C.170.320.0360.A	17.0	3.20	36.0	6.3511	28.48	31.10	yes	music wire	4J
C.170.320.0360.I	17.0	3.20	36.0	5.4549	28.48	31.10	yes	stainless steel	4J
C.170.320.0400.A	17.0	3.20	40.0	5.1429	33.28	36.51	yes	music wire	4I
C.170.320.0400.S	17.0	3.20	40.0	5.0000	33.92	37.24	yes	Cr-Si steel	4L
C.170.320.0460.A	17.0	3.20	46.0	4.7820	35.20	38.68	yes	music wire	4J
C.170.320.0460.I	17.0	3.20	46.0	4.1072	35.20	38.68	yes	stainless steel	4J
C.170.320.0460.N	17.0	3.20	46.0	4.7820	35.20	38.68	yes	Zn coating	4L
C.170.320.0500.A	17.0	3.20	50.0	4.0000	40.64	44.81	yes	music wire	4I
C.170.320.0500.S	17.0	3.20	50.0	4.0179	40.32	44.45	yes	Cr-Si steel	4L
C.170.320.0560.A	17.0	3.20	56.0	3.7988	42.24	46.62	yes	music wire	4J
C.170.320.0560.I	17.0	3.20	56.0	3.2628	42.24	46.62	yes	stainless steel	4J
C.170.320.0630.A	17.0	3.20	63.0	3.2143	48.32	53.48	yes	music wire	4I
C.170.320.0630.S	17.0	3.20	63.0	3.2143	48.32	53.48	yes	Cr-Si steel	4M
C.170.320.0650.A	17.0	3.20	65.0	3.3333	47.04	52.03	yes	music wire	4J
C.170.320.0650.I	17.0	3.20	65.0	2.9000	46.40	51.31	yes	stainless steel	4J
C.170.320.0700.A	17.0	3.20	70.0	3.0190	51.20	56.73	yes	music wire	4J
C.170.320.0700.I	17.0	3.20	70.0	2.5930	51.20	56.73	yes	stainless steel	4J
C.170.320.0700.N	17.0	3.20	70.0	3.0190	51.20	56.73	yes	Zn coating	4L
C.170.320.0800.A	17.0	3.20	80.0	2.5714	58.56	65.03	yes	music wire	4I
C.170.320.0800.S	17.0	3.20	80.0	2.5000	60.16	66.83	yes	Cr-Si steel	4M
C.170.320.0860.A	17.0	3.20	86.0	2.3770	62.72	69.72	yes	music wire	4J
C.170.320.0860.I	17.0	3.20	86.0	2.0416	62.72	69.72	yes	stainless steel	4J
C.170.320.1000.A	17.0	3.20	100.0	2.0000	72.96	81.27	yes	music wire	4I
C.170.320.1000.S	17.0	3.20	100.0	2.0000	72.96	81.27	yes	Cr-Si steel	4M
C.170.320.1250.A	17.0	3.20	125.0	1.6000	89.28	99.68	yes	music wire	4I
C.170.320.1250.S	17.0	3.20	125.0	1.6071	88.96	99.31	yes	Cr-Si steel	4M
C.170.320.1600.A	17.0	3.20	160.0	1.2857	109.12	122.05	yes	music wire	4I
C.170.320.1600.S	17.0	3.20	160.0	1.2500	112.00	125.30	yes	Cr-Si steel	4M
C.170.320.1800.A	17.0	3.20	180.0	1.1240	123.84	138.66	yes	music wire	4M
C.170.320.1800.I	17.0	3.20	180.0	0.9779	122.24	136.85	yes	stainless steel	4N
C.170.320.1800.N	17.0	3.20	180.0	1.1240	123.84	138.66	yes	Zn coating	4O
C.170.320.2000.A	17.0	3.20	200.0	1.0000	137.92	154.54	yes	music wire	4J
C.170.320.2000.S	17.0	3.20	200.0	1.0000	137.92	154.54	yes	Cr-Si steel	4N
C.170.320.2500.A	17.0	3.20	250.0	0.8000	170.56	191.35	yes	music wire	4J
C.170.320.2500.S	17.0	3.20	250.0	0.8036	169.92	190.63	yes	Cr-Si steel	4Q
C.170.330.0180.A	17.0	3.30	18.0	18.0713	16.83	17.91	yes	music wire	4J
C.170.330.0180.I	17.0	3.30	18.0	15.5213	16.83	17.91	yes	stainless steel	4J
C.170.330.0230.A	17.0	3.30	23.0	13.0515	20.13	21.63	yes	music wire	4J
C.170.330.0230.I	17.0	3.30	23.0	11.2098	20.13	21.63	yes	stainless steel	4J
C.170.330.0290.A	17.0	3.30	29.0	9.5888	24.42	26.45	yes	music wire	4J
C.170.330.0290.I	17.0	3.30	29.0	8.2358	24.42	26.45	yes	stainless steel	4J
C.170.330.0350.A	17.0	3.30	35.0	7.5783	28.71	31.28	yes	music wire	4J
C.170.330.0350.I	17.0	3.30	35.0	6.5089	28.71	31.28	yes	stainless steel	4J
C.170.330.0570.A	17.0	3.30	57.0	4.3106	44.22	48.75	yes	music wire	4J
C.170.330.0570.I	17.0	3.30	57.0	3.7023	44.22	48.75	yes	stainless steel	4J
C.170.330.0700.A	17.0	3.30	70.0	3.4548	53.13	58.78	yes	music wire	4J
C.170.330.0700.I	17.0	3.30	70.0	2.9673	53.13	58.78	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.170.330.0950.A	17.0	3.30	95.0	2.4729	70.95	78.84	yes	music wire	4J
C.170.330.0950.I	17.0	3.30	95.0	2.1240	70.95	78.84	yes	stainless steel	4J
C.170.330.1100.A	17.0	3.30	110.0	2.1165	81.51	90.73	yes	music wire	4J
C.170.330.1100.I	17.0	3.30	110.0	1.8178	81.51	90.73	yes	stainless steel	4J
C.170.330.1400.A	17.0	3.30	140.0	1.6428	102.63	114.51	yes	music wire	4J
C.170.330.1400.I	17.0	3.30	140.0	1.4110	102.63	114.51	yes	stainless steel	4J
C.170.330.1650.A	17.0	3.30	165.0	1.3860	120.12	134.20	yes	music wire	4K
C.170.330.1650.I	17.0	3.30	165.0	1.1904	120.12	134.20	yes	stainless steel	4K
C.170.350.5300.A	17.0	3.50	530.0	0.6930	322.70	415.52	yes	music wire	4R
C.170.350.5300.I	17.0	3.50	530.0	0.6029	318.50	412.10	yes	stainless steel	4R
C.170.350.5300.N	17.0	3.50	530.0	0.6930	322.70	415.52	yes	Zn coating	4S
C.171.300.0450.A	17.1	3.00	45.0	3.3451	33.90	37.41	yes	music wire	4I
C.171.300.0450.I	17.1	3.00	45.0	2.8731	33.90	37.41	yes	stainless steel	4I
C.171.300.1270.A	17.1	3.00	127.0	1.1729	82.80	92.83	yes	music wire	4I
C.171.300.1270.I	17.1	3.00	127.0	1.0204	81.90	91.81	yes	stainless steel	4I
C.171.300.1400.A	17.1	3.00	140.0	1.0680	90.30	101.32	yes	music wire	4L
C.171.300.1400.I	17.1	3.00	140.0	0.9291	89.10	99.96	yes	stainless steel	4L
C.172.170.0405.A	17.2	1.70	40.5	0.5300	11.56	19.65	yes	music wire	4I
C.172.170.0405.I	17.2	1.70	40.5	0.4611	11.56	19.56	yes	stainless steel	4I
C.172.170.0405.N	17.2	1.70	40.5	0.5300	11.56	19.65	yes	Zn coating	4J
C.172.170.2400.A	17.2	1.70	240.0	0.0539	76.33	92.53	yes	music wire	4I
C.172.170.2400.I	17.2	1.70	240.0	0.0463	76.33	92.53	yes	stainless steel	4I
C.172.300.0400.A	17.2	3.00	40.0	4.3520	27.30	29.95	yes	music wire	4J
C.172.300.0400.I	17.2	3.00	40.0	3.7862	27.00	29.61	yes	stainless steel	4J
C.172.300.0400.N	17.2	3.00	40.0	4.3520	27.30	29.95	yes	Zn coating	4L
C.172.300.2000.A	17.2	3.00	200.0	0.6625	138.00	155.44	yes	music wire	4J
C.172.300.2000.I	17.2	3.00	200.0	0.5690	138.00	155.44	yes	stainless steel	4J
C.172.320.1520.S	17.2	3.20	152.0	1.4000	96.96	108.41	yes	Cr-Si steel	4P
C.172.340.0570.A	17.2	3.40	57.0	4.0680	51.68	51.68	yes	music wire	4J
C.172.340.0570.AP	17.2	3.40	57.0	5.5532	40.12	44.06	yes	music wire	4L
C.172.340.0570.I	17.2	3.40	57.0	3.5392	51.34	56.68	yes	stainless steel	4J
C.172.340.0570.N	17.2	3.40	57.0	4.0680	51.68	51.68	yes	Zn coating	4L
C.172.340.2400.A	17.2	3.40	240.0	1.0078	183.26	205.05	yes	music wire	4L
C.172.340.2400.I	17.2	3.40	240.0	0.8656	183.26	205.05	yes	stainless steel	4L
C.173.125.0405.A	17.3	1.25	40.5	0.1735	7.50	13.66	yes	music wire	4G
C.173.125.0405.I	17.3	1.25	40.5	0.1490	7.50	13.44	yes	stainless steel	4G
C.173.125.0405.N	17.3	1.25	40.5	0.1735	7.50	13.66	yes	Zn coating	4I
C.173.125.0620.A	17.3	1.25	62.0	0.1104	9.88	19.82	yes	music wire	4G
C.173.125.0620.I	17.3	1.25	62.0	0.0948	10.00	19.47	yes	stainless steel	4H
C.173.125.0620.N	17.3	1.25	62.0	0.1104	9.88	19.82	yes	Zn coating	4I
C.173.125.0940.A	17.3	1.25	94.0	0.0714	13.63	28.78	yes	music wire	4H
C.173.125.0940.I	17.3	1.25	94.0	0.0613	13.63	28.23	yes	stainless steel	4I
C.173.125.0940.N	17.3	1.25	94.0	0.0714	13.63	28.78	yes	Zn coating	4I
C.173.125.1400.A	17.3	1.25	140.0	0.0486	18.63	44.18	yes	music wire	4I
C.173.125.1400.AF	17.3	1.25	140.0	0.0328	26.00	33.94	yes	music wire	4F
C.173.125.1400.I	17.3	1.25	140.0	0.0417	18.63	43.31	yes	stainless steel	4I
C.173.125.1400.IF	17.3	1.25	140.0	0.0282	26.00	33.94	yes	stainless steel	4G
C.173.125.1400.N	17.3	1.25	140.0	0.0486	18.63	44.18	yes	Zn coating	4J
C.173.125.1400.NF	17.3	1.25	140.0	0.0328	26.00	33.94	yes	Zn coating	4I
C.173.125.2050.A	17.3	1.25	205.0	0.0328	26.00	63.02	yes	music wire	4I
C.173.125.2050.AF	17.3	1.25	205.0	0.0270	31.00	40.68	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.173.125.2050.I	17.3	1.25	205.0	0.0282	26.00	62.02	yes	stainless steel	4I
C.173.125.2050.IF	17.3	1.25	205.0	0.0232	31.00	40.68	yes	stainless steel	4I
C.173.125.2050.N	17.3	1.25	205.0	0.0328	26.00	63.02	yes	Zn coating	4J
C.173.125.2050.NF	17.3	1.25	205.0	0.0270	31.00	40.68	yes	Zn coating	4J
C.173.140.0320.A	17.3	1.40	32.0	0.2560	8.82	10.38	yes	music wire	4D
C.173.140.0400.A	17.3	1.40	40.0	0.2000	10.36	12.37	yes	music wire	4E
C.173.140.0500.A	17.3	1.40	50.0	0.1600	12.04	14.55	yes	music wire	4E
C.173.140.0630.A	17.3	1.40	63.0	0.1280	14.14	17.26	yes	music wire	4E
C.173.140.0800.A	17.3	1.40	80.0	0.1000	17.08	21.07	yes	music wire	4E
C.173.140.1000.A	17.3	1.40	100.0	0.0800	20.58	25.59	yes	music wire	4F
C.173.140.1250.A	17.3	1.40	125.0	0.0640	24.78	31.03	yes	music wire	4F
C.173.140.1600.A	17.3	1.40	160.0	0.0500	30.80	38.81	yes	music wire	4J
C.173.140.1600.I	17.3	1.40	160.0	0.0435	30.38	38.27	yes	stainless steel	4J
C.173.140.1600.N	17.3	1.40	160.0	0.0500	30.80	38.81	yes	Zn coating	4K
C.173.140.2000.A	17.3	1.40	200.0	0.0400	37.52	47.50	yes	music wire	4J
C.173.140.2000.I	17.3	1.40	200.0	0.0348	37.10	46.96	yes	stainless steel	4J
C.173.140.2000.N	17.3	1.40	200.0	0.0400	37.52	47.50	yes	Zn coating	4L
C.173.140.2500.A	17.3	1.40	250.0	0.0320	46.06	58.55	yes	music wire	4J
C.173.140.2500.I	17.3	1.40	250.0	0.0278	45.50	57.83	yes	stainless steel	4J
C.173.140.2500.N	17.3	1.40	250.0	0.0320	46.06	58.55	yes	Zn coating	4M
C.173.190.0400.A	17.3	1.90	40.0	0.6490	15.39	17.50	yes	music wire	4I
C.173.190.0400.I	17.3	1.90	40.0	0.5646	15.20	17.27	yes	stainless steel	4I
C.173.190.0400.N	17.3	1.90	40.0	0.6490	15.39	17.50	yes	Zn coating	4J
C.173.240.0800.A	17.3	2.40	80.0	0.8360	35.28	45.99	yes	music wire	4J
C.173.240.0800.I	17.3	2.40	80.0	0.7273	35.04	45.46	yes	stainless steel	4J
C.173.240.0800.N	17.3	2.40	80.0	0.8360	35.28	45.99	yes	Zn coating	4K
C.173.300.1150.A	17.3	3.00	115.0	1.2788	73.80	82.69	yes	music wire	4L
C.173.300.1150.I	17.3	3.00	115.0	1.1126	72.90	81.67	yes	stainless steel	4L
C.173.300.1520.A	17.3	3.00	152.0	0.9807	93.90	105.48	yes	music wire	4L
C.173.300.1520.I	17.3	3.00	152.0	0.8532	92.70	104.12	yes	stainless steel	4L
C.174.060.0119.I	17.4	0.60	11.9	0.0240	2.70	3.47	no	stainless steel	4C
C.174.060.0143.I	17.4	0.60	14.3	0.0040	5.70	10.29	no	stainless steel	4C
C.174.080.0240.A	17.4	0.80	24.0	0.0180	6.88	9.92	no	music wire	4C
C.174.080.0240.I	17.4	0.80	24.0	0.0157	6.80	9.78	no	stainless steel	4D
C.174.080.0360.A	17.4	0.80	36.0	0.0138	8.08	12.02	no	music wire	4D
C.174.080.0360.I	17.4	0.80	36.0	0.0120	8.00	11.88	no	stainless steel	4D
C.174.080.1000.A	17.4	0.80	100.0	0.0114	9.20	13.97	no	music wire	4E
C.174.080.1000.I	17.4	0.80	100.0	0.0098	9.20	13.97	no	stainless steel	4E
C.174.090.0250.A	17.4	0.90	25.0	0.0460	5.13	6.87	yes	music wire	4C
C.174.090.0250.I	17.4	0.90	25.0	0.0400	5.13	6.87	yes	stainless steel	4D
C.174.090.0600.A	17.4	0.90	60.0	0.0271	7.20	10.19	yes	music wire	4D
C.174.090.0600.I	17.4	0.90	60.0	0.0232	7.20	10.19	yes	stainless steel	4E
C.174.100.0182.A	17.4	1.00	18.2	0.0782	5.50	7.01	yes	music wire	4C
C.174.100.0182.I	17.4	1.00	18.2	0.0680	5.40	6.86	yes	stainless steel	4D
C.174.100.0310.A	17.4	1.00	31.0	0.0609	6.30	8.21	yes	music wire	4D
C.174.100.0310.I	17.4	1.00	31.0	0.0530	6.20	8.06	yes	stainless steel	4D
C.174.100.0380.A	17.4	1.00	38.0	0.0471	7.40	9.87	yes	music wire	4D
C.174.100.0380.I	17.4	1.00	38.0	0.0410	7.30	9.72	yes	stainless steel	4D
C.174.100.0600.A	17.4	1.00	60.0	0.0379	8.60	11.67	yes	music wire	4D
C.174.100.0600.I	17.4	1.00	60.0	0.0325	8.60	11.67	yes	stainless steel	4E
C.174.100.2000.A	17.4	1.00	200.0	0.0111	23.30	33.77	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.174.100.2000.I	17.4	1.00	200.0	0.0095	23.30	33.77	yes	stainless steel	4G
C.174.110.0230.A	17.4	1.10	23.0	0.0810	7.48	9.51	yes	music wire	4C
C.174.110.0230.I	17.4	1.10	23.0	0.0705	7.37	9.35	yes	stainless steel	4D
C.174.110.0360.A	17.4	1.10	36.0	0.0759	7.70	9.83	yes	music wire	4D
C.174.110.0360.I	17.4	1.10	36.0	0.0660	7.70	9.83	yes	stainless steel	4D
C.174.110.0600.A	17.4	1.10	60.0	0.0506	10.23	13.44	yes	music wire	4E
C.174.110.0600.I	17.4	1.10	60.0	0.0435	10.23	13.44	yes	stainless steel	4E
C.174.120.0200.A	17.4	1.20	20.0	0.2160	5.76	6.79	yes	music wire	4C
C.174.120.0200.I	17.4	1.20	20.0	0.1855	5.76	6.79	yes	stainless steel	4D
C.174.120.0500.A	17.4	1.20	50.0	0.0480	15.48	20.14	yes	music wire	4D
C.174.120.0500.I	17.4	1.20	50.0	0.0418	15.24	19.81	yes	stainless steel	4E
C.174.130.0200.A	17.4	1.30	20.0	0.2789	6.50	7.57	yes	music wire	4D
C.174.130.0200.I	17.4	1.30	20.0	0.2395	6.50	7.57	yes	stainless steel	4D
C.174.130.0480.A	17.4	1.30	48.0	0.0780	14.82	18.64	yes	music wire	4D
C.174.130.0480.I	17.4	1.30	48.0	0.0679	14.69	18.47	yes	stainless steel	4E
C.174.140.0174.A	17.4	1.40	17.4	0.3400	7.42	8.58	yes	music wire	4E
C.174.140.0174.AP	17.4	1.40	17.4	0.6850	5.46	8.11	yes	music wire	4H
C.174.140.0174.I	17.4	1.40	17.4	0.2958	7.42	8.58	yes	stainless steel	4E
C.174.140.0200.A	17.4	1.40	20.0	0.3675	7.14	8.22	yes	music wire	4E
C.174.140.0200.I	17.4	1.40	20.0	0.3156	7.14	8.22	yes	stainless steel	4F
C.174.140.0290.A	17.4	1.40	29.0	0.2759	8.40	9.85	yes	music wire	4E
C.174.140.0290.I	17.4	1.40	29.0	0.2400	8.26	9.67	yes	stainless steel	4F
C.174.140.0300.A	17.4	1.40	30.0	0.1379	13.16	16.02	yes	music wire	4E
C.174.140.0300.AP	17.4	1.40	30.0	0.3688	7.14	12.75	yes	music wire	4I
C.174.140.0300.I	17.4	1.40	30.0	0.1200	13.02	15.84	yes	stainless steel	4F
C.174.140.0343.A	17.4	1.40	34.3	0.2730	8.40	11.00	yes	music wire	4I
C.174.140.0343.I	17.4	1.40	34.3	0.2345	8.40	10.74	yes	stainless steel	4I
C.174.140.0343.N	17.4	1.40	34.3	0.2730	8.40	11.00	yes	Zn coating	4I
C.174.140.0400.A	17.4	1.40	40.0	0.1706	11.34	13.66	yes	music wire	4F
C.174.140.0400.I	17.4	1.40	40.0	0.1465	11.34	13.66	yes	stainless steel	4F
C.174.140.0539.A	17.4	1.40	53.9	0.1737	11.20	17.28	yes	music wire	4I
C.174.140.0539.I	17.4	1.40	53.9	0.1492	11.20	16.87	yes	stainless steel	4I
C.174.140.0539.N	17.4	1.40	53.9	0.1737	11.20	17.28	yes	Zn coating	4J
C.174.140.0600.A	17.4	1.40	60.0	0.1124	15.40	18.92	yes	music wire	4F
C.174.140.0600.I	17.4	1.40	60.0	0.0965	15.40	18.92	yes	stainless steel	4G
C.174.140.0833.A	17.4	1.40	83.3	0.1124	15.40	26.70	yes	music wire	4I
C.174.140.0833.I	17.4	1.40	83.3	0.0965	15.40	26.04	yes	stainless steel	4I
C.174.140.0833.N	17.4	1.40	83.3	0.1124	15.40	26.70	yes	Zn coating	4J
C.174.140.1000.A	17.4	1.40	100.0	0.0659	23.80	29.81	yes	music wire	4G
C.174.140.1000.I	17.4	1.40	100.0	0.0566	23.80	29.81	yes	stainless steel	4G
C.174.140.1220.A	17.4	1.40	122.0	0.0764	21.00	38.74	yes	music wire	4I
C.174.140.1220.I	17.4	1.40	122.0	0.0656	21.00	37.77	yes	stainless steel	4I
C.174.140.1220.N	17.4	1.40	122.0	0.0764	21.00	38.74	yes	Zn coating	4J
C.174.140.1810.A	17.4	1.40	181.0	0.0516	29.40	57.72	yes	music wire	4J
C.174.140.1810.I	17.4	1.40	181.0	0.0443	29.40	56.27	yes	stainless steel	4J
C.174.140.1810.N	17.4	1.40	181.0	0.0516	29.40	57.72	yes	Zn coating	4L
C.174.150.0200.A	17.4	1.50	20.0	0.4752	7.80	8.89	yes	music wire	4E
C.174.150.0200.I	17.4	1.50	20.0	0.4081	7.80	8.89	yes	stainless steel	4F
C.174.150.0600.A	17.4	1.50	60.0	0.0897	25.20	30.96	yes	music wire	4F
C.174.150.0600.AP	17.4	1.50	60.0	0.2222	12.45	25.29	yes	music wire	4I
C.174.150.0600.I	17.4	1.50	60.0	0.0780	24.90	30.58	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.174.150.0650.A	17.4	1.50	65.0	0.0690	31.65	39.14	yes	music wire	4F
C.174.150.0650.AP	17.4	1.50	65.0	0.2046	13.20	27.30	yes	music wire	4I
C.174.150.0650.I	17.4	1.50	65.0	0.0600	31.35	38.76	yes	stainless steel	4G
C.174.180.0260.A	17.4	1.80	26.0	0.8736	10.26	11.48	yes	music wire	4I
C.174.180.0260.I	17.4	1.80	26.0	0.7600	10.26	11.48	yes	stainless steel	4I
C.174.180.0650.A	17.4	1.80	65.0	0.2100	28.62	33.75	yes	music wire	4G
C.174.180.0650.AP	17.4	1.80	65.0	0.3734	18.00	30.69	yes	music wire	4I
C.174.180.0650.I	17.4	1.80	65.0	0.1827	28.26	33.31	yes	stainless steel	4H
C.174.180.1200.A	17.4	1.80	120.0	0.1316	43.02	51.21	yes	music wire	4I
C.174.180.1200.I	17.4	1.80	120.0	0.1131	43.02	51.21	yes	stainless steel	4I
C.174.190.0320.A	17.4	1.90	32.0	0.7126	14.25	16.15	yes	music wire	4G
C.174.190.0320.AP	17.4	1.90	32.0	0.9716	11.78	16.68	yes	music wire	4I
C.174.190.0320.I	17.4	1.90	32.0	0.6200	14.06	15.92	yes	stainless steel	4G
C.174.190.2200.A	17.4	1.90	220.0	0.0867	82.84	98.44	yes	music wire	4I
C.174.190.2200.I	17.4	1.90	220.0	0.0745	82.84	98.44	yes	stainless steel	4I
C.174.200.0350.A	17.4	2.00	35.0	0.8161	16.00	18.08	yes	music wire	4G
C.174.200.0350.I	17.4	2.00	35.0	0.7100	15.80	17.84	yes	stainless steel	4G
C.174.200.0470.A	17.4	2.00	47.0	0.7100	17.60	22.85	yes	music wire	4I
C.174.200.0470.I	17.4	2.00	47.0	0.6177	17.40	22.62	yes	stainless steel	4I
C.174.200.0740.A	17.4	2.00	74.0	0.4600	24.40	36.73	yes	music wire	4I
C.174.200.0740.I	17.4	2.00	74.0	0.4000	24.20	36.36	yes	stainless steel	4J
C.174.200.1200.A	17.4	2.00	120.0	0.1957	50.60	59.22	yes	music wire	4I
C.174.200.1200.I	17.4	2.00	120.0	0.1681	50.60	59.22	yes	stainless steel	4I
C.174.230.0410.A	17.4	2.30	41.0	1.2644	20.70	23.16	yes	music wire	4I
C.174.230.0410.I	17.4	2.30	41.0	1.1000	20.70	23.16	yes	stainless steel	4I
C.174.230.1000.A	17.4	2.30	100.0	0.4120	51.98	59.59	yes	music wire	4I
C.174.230.1000.I	17.4	2.30	100.0	0.3538	51.98	59.59	yes	stainless steel	4I
C.174.270.0380.A	17.4	2.70	38.0	2.1000	28.62	31.78	yes	music wire	4G
C.174.270.0380.AP	17.4	2.70	38.0	3.0369	21.87	25.17	yes	music wire	4I
C.174.270.0380.I	17.4	2.70	38.0	1.8270	28.35	31.47	yes	stainless steel	4H
C.174.270.1000.A	17.4	2.70	100.0	0.8155	63.18	71.33	yes	music wire	4I
C.174.270.1000.I	17.4	2.70	100.0	0.7004	63.18	71.33	yes	stainless steel	4I
C.174.300.0380.A	17.4	3.00	38.0	4.3678	26.40	28.94	yes	music wire	4I
C.174.300.0380.I	17.4	3.00	38.0	3.8000	26.10	28.60	yes	stainless steel	4I
C.174.300.2000.A	17.4	3.00	200.0	0.6427	136.50	153.86	yes	music wire	4J
C.174.300.2000.I	17.4	3.00	200.0	0.5520	136.50	153.86	yes	stainless steel	4J
C.174.330.0410.A	17.4	3.30	41.0	6.7000	29.37	32.06	yes	music wire	4L
C.174.330.0410.I	17.4	3.30	41.0	5.8290	29.37	32.06	yes	stainless steel	4L
C.174.330.2000.A	17.4	3.30	200.0	1.0141	148.50	166.37	yes	music wire	4L
C.174.330.2000.I	17.4	3.30	200.0	0.8710	148.50	166.37	yes	stainless steel	4L
C.174.380.0460.A	17.4	3.80	46.0	12.9000	34.20	38.53	yes	music wire	4Q
C.174.380.0460.I	17.4	3.80	46.0	11.2230	34.20	38.28	yes	stainless steel	4Q
C.174.380.1000.A	17.4	3.80	100.0	4.3085	83.98	92.86	yes	music wire	4M
C.174.380.1000.I	17.4	3.80	100.0	3.7006	83.98	92.86	yes	stainless steel	4M
C.174.480.0250.A	17.4	4.80	25.0	89.1000	25.00	25.00	yes	music wire	4Q
C.175.130.0800.A	17.5	1.30	80.0	0.0646	17.03	21.62	yes	music wire	4E
C.175.130.0800.I	17.5	1.30	80.0	0.0555	17.03	21.62	yes	stainless steel	4E
C.175.150.0200.A	17.5	1.50	20.0	0.4663	7.80	8.90	yes	music wire	4E
C.175.150.0200.I	17.5	1.50	20.0	0.4005	7.80	8.90	yes	stainless steel	4F
C.175.150.0400.A	17.5	1.50	40.0	0.2171	12.45	14.80	yes	music wire	4F
C.175.150.0400.I	17.5	1.50	40.0	0.1865	12.45	14.80	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.175.150.0580.A	17.5	1.50	58.0	0.0920	24.30	29.86	yes	music wire	4F
C.175.150.0580.AP	17.5	1.50	58.0	0.2259	12.15	24.04	yes	music wire	4I
C.175.150.0580.I	17.5	1.50	58.0	0.0800	24.00	29.48	yes	stainless steel	4G
C.175.150.0580.N	17.5	1.50	58.0	0.0920	24.30	29.86	yes	Zn coating	4I
C.175.150.0700.A	17.5	1.50	70.0	0.0850	25.95	31.96	yes	music wire	4G
C.175.150.0700.AP	17.5	1.50	70.0	0.1860	13.95	28.76	yes	music wire	4I
C.175.150.0700.I	17.5	1.50	70.0	0.0740	25.65	31.58	yes	stainless steel	4G
C.175.150.0700.N	17.5	1.50	70.0	0.0850	25.95	31.96	yes	Zn coating	4I
C.175.150.0750.A	17.5	1.50	75.0	0.0850	25.95	31.96	yes	music wire	4G
C.175.150.0750.AP	17.5	1.50	75.0	0.1733	14.70	30.73	yes	music wire	4I
C.175.150.0750.I	17.5	1.50	75.0	0.0740	25.65	31.58	yes	stainless steel	4G
C.175.150.0750.N	17.5	1.50	75.0	0.0850	25.95	31.96	yes	Zn coating	4I
C.175.150.0815.A	17.5	1.50	81.5	0.0800	27.30	33.67	yes	music wire	4G
C.175.150.0815.AP	17.5	1.50	81.5	0.1601	15.60	33.59	yes	music wire	4I
C.175.150.0815.I	17.5	1.50	81.5	0.0696	27.00	33.29	yes	stainless steel	4G
C.175.150.0815.N	17.5	1.50	81.5	0.0800	27.30	33.67	yes	Zn coating	4I
C.175.150.2600.A	17.5	1.50	260.0	0.0312	64.20	80.56	yes	music wire	4I
C.175.150.2600.I	17.5	1.50	260.0	0.0268	64.20	80.56	yes	stainless steel	4I
C.175.190.0200.A	17.5	1.90	20.0	1.1281	10.64	11.82	yes	music wire	4G
C.175.190.0200.I	17.5	1.90	20.0	0.9689	10.64	11.82	yes	stainless steel	4G
C.175.190.0900.A	17.5	1.90	90.0	0.2080	36.67	43.09	yes	music wire	4H
C.175.190.0900.AP	17.5	1.90	90.0	0.3148	25.84	42.99	yes	music wire	4J
C.175.190.0900.I	17.5	1.90	90.0	0.1810	36.29	42.63	yes	stainless steel	4H
C.175.190.0900.N	17.5	1.90	90.0	0.2080	36.67	43.09	yes	Zn coating	4I
C.175.250.0450.A	17.5	2.50	45.0	1.7810	22.75	27.34	yes	music wire	4I
C.175.250.0450.I	17.5	2.50	45.0	1.5495	22.50	27.04	yes	stainless steel	4J
C.175.250.0450.N	17.5	2.50	45.0	1.7810	22.75	27.34	yes	Zn coating	4J
C.175.250.1000.A	17.5	2.50	100.0	0.5752	57.50	65.39	yes	music wire	4I
C.175.250.1000.I	17.5	2.50	100.0	0.4940	57.50	65.39	yes	stainless steel	4I
C.175.300.0450.A	17.5	3.00	45.0	3.3834	31.50	34.74	yes	music wire	4I
C.175.300.0450.I	17.5	3.00	45.0	2.9060	31.50	34.74	yes	stainless steel	4I
C.175.300.0450.N	17.5	3.00	45.0	3.3834	31.50	34.74	yes	Zn coating	4J
C.175.300.0500.A	17.5	3.00	50.0	3.0075	34.50	38.15	yes	music wire	4I
C.175.300.0500.I	17.5	3.00	50.0	2.5831	34.50	38.15	yes	stainless steel	4I
C.175.300.0500.N	17.5	3.00	50.0	3.0075	34.50	38.15	yes	Zn coating	4J
C.175.300.1000.A	17.5	3.00	100.0	1.3013	69.90	78.33	yes	music wire	4I
C.175.300.1000.I	17.5	3.00	100.0	1.1177	69.90	78.33	yes	stainless steel	4I
C.175.300.2000.A	17.5	3.00	200.0	0.6324	135.90	153.24	yes	music wire	4J
C.175.300.2000.I	17.5	3.00	200.0	0.5432	135.90	153.24	yes	stainless steel	4J
C.175.350.0440.A	17.5	3.50	44.0	8.4130	31.85	34.79	yes	music wire	4L
C.175.350.0440.I	17.5	3.50	44.0	7.3193	31.50	34.52	yes	stainless steel	4L
C.175.350.0440.N	17.5	3.50	44.0	8.4130	31.85	34.79	yes	Zn coating	4N
C.175.350.2000.A	17.5	3.50	200.0	1.3328	155.05	173.19	yes	music wire	4L
C.175.350.2000.I	17.5	3.50	200.0	1.1448	155.05	173.19	yes	stainless steel	4L
C.176.100.0350.A	17.6	1.00	35.0	0.0620	6.10	7.95	yes	music wire	4D
C.176.100.0350.I	17.6	1.00	35.0	0.0539	6.00	7.80	yes	stainless steel	4D
C.176.100.0350.N	17.6	1.00	35.0	0.0620	6.10	7.95	yes	Zn coating	4E
C.176.130.0360.A	17.6	1.30	36.0	0.0940	12.48	15.58	yes	music wire	4D
C.176.130.0360.I	17.6	1.30	36.0	0.0818	12.48	15.58	yes	stainless steel	4E
C.176.130.0360.N	17.6	1.30	36.0	0.0940	12.48	15.58	yes	Zn coating	4F
C.176.160.0340.A	17.6	1.60	34.0	0.4657	9.60	14.39	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.176.160.0340.I	17.6	1.60	34.0	0.4000	9.60	14.09	yes	stainless steel	4I
C.176.160.0340.N	17.6	1.60	34.0	0.4657	9.60	14.39	yes	Zn coating	4J
C.176.160.0511.A	17.6	1.60	51.1	0.2964	12.80	20.28	yes	music wire	4I
C.176.160.0511.I	17.6	1.60	51.1	0.2546	12.80	19.82	yes	stainless steel	4I
C.176.160.0511.N	17.6	1.60	51.1	0.2964	12.80	20.28	yes	Zn coating	4J
C.176.160.0775.A	17.6	1.60	77.5	0.1918	17.60	29.88	yes	music wire	4I
C.176.160.0775.I	17.6	1.60	77.5	0.1647	17.60	29.14	yes	stainless steel	4I
C.176.160.0775.N	17.6	1.60	77.5	0.1918	17.60	29.88	yes	Zn coating	4J
C.176.160.1100.A	17.6	1.60	110.0	0.1304	24.00	39.95	yes	music wire	4I
C.176.160.1100.AP	17.6	1.60	110.0	0.1438	22.08	46.47	yes	music wire	4I
C.176.160.1100.I	17.6	1.60	110.0	0.1120	24.00	38.88	yes	stainless steel	4I
C.176.160.1100.IF	17.6	1.60	110.0	0.0757	33.60	41.00	yes	stainless steel	4H
C.176.160.1100.N	17.6	1.60	110.0	0.1304	24.00	39.95	yes	Zn coating	4J
C.176.160.1650.A	17.6	1.60	165.0	0.0881	33.60	61.32	yes	music wire	4J
C.176.160.1650.I	17.6	1.60	165.0	0.0757	33.60	59.78	yes	stainless steel	4J
C.176.160.1650.IF	17.6	1.60	165.0	0.0622	40.00	49.00	yes	stainless steel	4I
C.176.160.1650.N	17.6	1.60	165.0	0.0881	33.60	61.32	yes	Zn coating	4L
C.177.250.0286.A	17.7	2.50	28.6	2.4720	17.75	19.54	yes	music wire	4G
C.177.250.0286.I	17.7	2.50	28.6	2.1506	17.50	19.25	yes	stainless steel	4G
C.177.250.0286.N	17.7	2.50	28.6	2.4720	17.75	19.54	yes	Zn coating	4I
C.177.290.0760.A	17.7	2.90	76.0	1.7868	43.21	49.96	yes	music wire	4J
C.177.290.0760.I	17.7	2.90	76.0	1.5545	42.92	49.37	yes	stainless steel	4K
C.177.290.0890.A	17.7	2.90	89.0	1.5760	48.14	59.47	yes	music wire	4K
C.177.290.0890.I	17.7	2.90	89.0	1.3711	47.56	58.81	yes	stainless steel	4K
C.177.320.0450.S	17.7	3.20	45.0	5.0437	30.08	32.99	yes	Cr-Si steel	4N
C.178.225.0200.A	17.8	2.25	20.0	2.1700	12.83	14.07	yes	music wire	4G
C.178.225.0200.I	17.8	2.25	20.0	1.8638	12.83	14.07	yes	stainless steel	4G
C.178.225.0300.A	17.8	2.25	30.0	1.3354	17.33	19.34	yes	music wire	4G
C.178.225.0300.I	17.8	2.25	30.0	1.1469	17.33	19.34	yes	stainless steel	4G
C.178.225.0320.A	17.8	2.25	32.0	1.4583	16.43	18.28	yes	music wire	4E
C.178.225.0350.A	17.8	2.25	35.0	1.1200	19.58	21.97	yes	music wire	4G
C.178.225.0350.I	17.8	2.25	35.0	0.9620	19.58	21.97	yes	stainless steel	4G
C.178.225.0400.A	17.8	2.25	40.0	0.9644	21.83	24.61	yes	music wire	4G
C.178.225.0400.AP	17.8	2.25	40.0	1.1667	19.13	21.45	yes	music wire	4E
C.178.225.0400.I	17.8	2.25	40.0	0.8284	21.83	24.61	yes	stainless steel	4G
C.178.225.0500.A	17.8	2.25	50.0	0.9474	22.05	25.50	yes	music wire	4I
C.178.225.0500.I	17.8	2.25	50.0	0.8242	21.83	25.17	yes	stainless steel	4I
C.178.225.0500.N	17.8	2.25	50.0	0.9474	22.05	25.50	yes	Zn coating	4J
C.178.225.0600.A	17.8	2.25	60.0	0.6145	31.05	35.41	yes	music wire	4G
C.178.225.0600.I	17.8	2.25	60.0	0.5278	31.05	35.41	yes	stainless steel	4H
C.178.225.0630.A	17.8	2.25	63.0	0.7500	26.55	32.05	yes	music wire	4I
C.178.225.0630.I	17.8	2.25	63.0	0.6525	26.10	31.64	yes	stainless steel	4J
C.178.225.0630.N	17.8	2.25	63.0	0.7500	26.55	32.05	yes	Zn coating	4J
C.178.225.0800.A	17.8	2.25	80.0	0.6000	31.73	41.31	yes	music wire	4J
C.178.225.0800.I	17.8	2.25	80.0	0.5220	31.28	40.80	yes	stainless steel	4J
C.178.225.0800.N	17.8	2.25	80.0	0.6000	31.73	41.31	yes	Zn coating	4K
C.178.225.1000.A	17.8	2.25	100.0	0.4737	38.70	51.00	yes	music wire	4J
C.178.225.1000.I	17.8	2.25	100.0	0.4121	38.25	50.34	yes	stainless steel	4J
C.178.225.1000.N	17.8	2.25	100.0	0.4737	38.70	51.00	yes	Zn coating	4L
C.178.225.1200.A	17.8	2.25	120.0	0.2967	58.28	67.32	yes	music wire	4I
C.178.225.1200.I	17.8	2.25	120.0	0.2549	58.28	67.32	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.178.225.1250.A	17.8	2.25	125.0	0.3750	47.25	63.10	yes	music wire	4J
C.178.225.1250.I	17.8	2.25	125.0	0.3263	46.80	62.27	yes	stainless steel	4J
C.178.225.1250.N	17.8	2.25	125.0	0.3750	47.25	63.10	yes	Zn coating	4L
C.178.225.1600.A	17.8	2.25	160.0	0.3000	57.60	82.62	yes	music wire	4J
C.178.225.1600.I	17.8	2.25	160.0	0.2610	57.15	81.59	yes	stainless steel	4J
C.178.225.1600.N	17.8	2.25	160.0	0.3000	57.60	82.62	yes	Zn coating	4L
C.178.225.1800.A	17.8	2.25	180.0	0.1956	85.50	99.21	yes	music wire	4I
C.178.225.1800.I	17.8	2.25	180.0	0.1680	85.50	99.21	yes	stainless steel	4I
C.178.225.2000.A	17.8	2.25	200.0	0.2368	71.55	101.97	yes	music wire	4K
C.178.225.2000.I	17.8	2.25	200.0	0.2060	70.65	100.66	yes	stainless steel	4L
C.178.225.2000.N	17.8	2.25	200.0	0.2368	71.55	101.97	yes	Zn coating	4M
C.178.225.2500.A	17.8	2.25	250.0	0.1875	88.88	126.20	yes	music wire	4L
C.178.225.2500.I	17.8	2.25	250.0	0.1631	87.98	124.55	yes	stainless steel	4L
C.178.225.2500.N	17.8	2.25	250.0	0.1875	88.88	126.20	yes	Zn coating	4M
C.178.225.3200.A	17.8	2.25	320.0	0.1088	149.18	173.82	yes	music wire	4J
C.178.225.3200.I	17.8	2.25	320.0	0.0935	149.18	173.82	yes	stainless steel	4J
C.178.320.0890.S	17.8	3.20	89.0	2.2419	56.96	63.38	yes	Cr-Si steel	4O
C.179.080.0200.A	17.9	0.80	20.0	0.0556	4.00	4.94	no	music wire	4C
C.179.080.0200.I	17.9	0.80	20.0	0.0478	4.00	4.94	no	stainless steel	4D
C.179.080.0420.A	17.9	0.80	42.0	0.0138	7.68	11.51	no	music wire	4D
C.179.080.0420.I	17.9	0.80	42.0	0.0120	7.60	11.37	no	stainless steel	4D
C.179.080.0700.A	17.9	0.80	70.0	0.0069	12.48	20.08	no	music wire	4E
C.179.080.0700.I	17.9	0.80	70.0	0.0060	12.32	19.80	no	stainless steel	4E
C.179.090.0127.A	17.9	0.90	12.7	0.0897	3.60	4.46	yes	music wire	4C
C.179.090.0127.I	17.9	0.90	12.7	0.0780	3.60	4.46	yes	stainless steel	4C
C.179.090.0200.A	17.9	0.90	20.0	0.0850	3.69	4.60	yes	music wire	4C
C.179.090.0200.I	17.9	0.90	20.0	0.0730	3.69	4.60	yes	stainless steel	4D
C.179.090.0250.A	17.9	0.90	25.0	0.0287	6.48	9.17	yes	music wire	4C
C.179.090.0250.I	17.9	0.90	25.0	0.0250	6.48	9.17	yes	stainless steel	4D
C.179.090.0380.A	17.9	0.90	38.0	0.0368	5.58	7.70	yes	music wire	4D
C.179.090.0380.I	17.9	0.90	38.0	0.0320	5.58	7.70	yes	stainless steel	4D
C.179.090.0600.A	17.9	0.90	60.0	0.0262	6.93	9.90	yes	music wire	4D
C.179.090.0600.I	17.9	0.90	60.0	0.0225	6.93	9.90	yes	stainless steel	4E
C.179.090.1050.A	17.9	0.90	105.0	0.0150	10.44	15.64	yes	music wire	4E
C.179.090.1050.I	17.9	0.90	105.0	0.0128	10.44	15.64	yes	stainless steel	4E
C.179.100.0174.A	17.9	1.00	17.4	0.1000	4.60	5.71	yes	music wire	4C
C.179.100.0174.I	17.9	1.00	17.4	0.0870	4.60	5.71	yes	stainless steel	4D
C.179.100.0350.A	17.9	1.00	35.0	0.0529	6.50	8.61	yes	music wire	4D
C.179.100.0350.I	17.9	1.00	35.0	0.0460	6.40	8.46	yes	stainless steel	4D
C.179.100.0600.A	17.9	1.00	60.0	0.0364	8.30	11.36	yes	music wire	4E
C.179.100.0600.I	17.9	1.00	60.0	0.0313	8.30	11.36	yes	stainless steel	4E
C.179.100.1000.A	17.9	1.00	100.0	0.0218	12.20	17.33	yes	music wire	4E
C.179.100.1000.I	17.9	1.00	100.0	0.0187	12.20	17.33	yes	stainless steel	4E
C.179.100.2000.A	17.9	1.00	200.0	0.0108	22.10	32.46	yes	music wire	4G
C.179.100.2000.I	17.9	1.00	200.0	0.0092	22.10	32.46	yes	stainless steel	4H
C.179.110.0200.A	17.9	1.10	20.0	0.1573	4.95	5.94	yes	music wire	4C
C.179.110.0200.I	17.9	1.10	20.0	0.1351	4.95	5.94	yes	stainless steel	4D
C.179.110.0380.A	17.9	1.10	38.0	0.0943	6.38	8.01	yes	music wire	4D
C.179.110.0380.I	17.9	1.10	38.0	0.0820	6.38	8.01	yes	stainless steel	4D
C.179.120.0151.A	17.9	1.20	15.1	0.2184	5.52	6.50	yes	music wire	4C
C.179.120.0151.I	17.9	1.20	15.1	0.1900	5.52	6.50	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.179.120.0800.A	17.9	1.20	80.0	0.0483	14.28	18.68	yes	music wire	4E
C.179.120.0800.I	17.9	1.20	80.0	0.0414	14.28	18.68	yes	stainless steel	4E
C.179.130.0135.A	17.9	1.30	13.5	0.3793	5.46	6.22	yes	music wire	4C
C.179.130.0135.I	17.9	1.30	13.5	0.3300	5.46	6.22	yes	stainless steel	4D
C.179.130.0800.A	17.9	1.30	80.0	0.0624	16.51	21.08	yes	music wire	4E
C.179.130.0800.I	17.9	1.30	80.0	0.0536	16.51	21.08	yes	stainless steel	4E
C.179.160.0380.A	17.9	1.60	38.0	0.3103	12.00	14.05	yes	music wire	4F
C.179.160.0380.I	17.9	1.60	38.0	0.2700	11.84	13.84	yes	stainless steel	4F
C.179.160.0800.A	17.9	1.60	80.0	0.1253	23.68	28.71	yes	music wire	4G
C.179.160.0800.I	17.9	1.60	80.0	0.1077	23.68	28.71	yes	stainless steel	4G
C.179.180.0174.A	17.9	1.80	17.4	1.0805	8.82	9.77	yes	music wire	4G
C.179.180.0174.AP	17.9	1.80	17.4	1.5185	7.56	9.19	yes	music wire	4I
C.179.180.0174.I	17.9	1.80	17.4	0.9400	8.64	9.55	yes	stainless steel	4G
C.179.180.0350.A	17.9	1.80	35.0	0.4828	14.04	16.14	yes	music wire	4G
C.179.180.0350.AP	17.9	1.80	35.0	0.6977	11.16	17.13	yes	music wire	4I
C.179.180.0350.I	17.9	1.80	35.0	0.4200	13.86	15.92	yes	stainless steel	4G
C.179.180.0600.A	17.9	1.80	60.0	0.2588	22.32	26.24	yes	music wire	4G
C.179.180.0600.I	17.9	1.80	60.0	0.2223	22.32	26.24	yes	stainless steel	4H
C.179.180.0850.A	17.9	1.80	85.0	0.1609	33.12	39.42	yes	music wire	4H
C.179.180.0850.AP	17.9	1.80	85.0	0.2689	21.60	38.62	yes	music wire	4J
C.179.180.0850.I	17.9	1.80	85.0	0.1400	32.76	38.98	yes	stainless steel	4H
C.179.180.1150.A	17.9	1.80	115.0	0.1494	35.28	42.05	yes	music wire	4I
C.179.180.1150.I	17.9	1.80	115.0	0.1300	34.92	41.61	yes	stainless steel	4I
C.179.180.2000.A	17.9	1.80	200.0	0.0745	66.42	80.04	yes	music wire	4I
C.179.180.2000.I	17.9	1.80	200.0	0.0640	66.42	80.04	yes	stainless steel	4I
C.179.180.3200.A	17.9	1.80	320.0	0.0463	104.22	126.16	yes	music wire	4J
C.179.180.3200.I	17.9	1.80	320.0	0.0397	104.22	126.16	yes	stainless steel	4J
C.179.200.0200.A	17.9	2.00	20.0	1.3081	11.20	12.41	yes	music wire	4G
C.179.200.0200.I	17.9	2.00	20.0	1.1235	11.20	12.41	yes	stainless steel	4G
C.179.200.0480.A	17.9	2.00	48.0	0.2500	37.40	43.71	yes	music wire	4G
C.179.200.0480.AP	17.9	2.00	48.0	0.7056	16.40	24.34	yes	music wire	4I
C.179.200.0480.I	17.9	2.00	48.0	0.2175	37.00	43.23	yes	stainless steel	4G
C.179.220.0290.A	17.9	2.20	29.0	1.2644	16.28	18.18	yes	music wire	4G
C.179.220.0290.AP	17.9	2.20	29.0	1.7319	13.42	16.46	yes	music wire	4I
C.179.220.0290.I	17.9	2.20	29.0	1.1000	16.06	17.92	yes	stainless steel	4G
C.179.220.1000.A	17.9	2.20	100.0	0.3246	47.30	54.67	yes	music wire	4I
C.179.220.1000.I	17.9	2.20	100.0	0.2788	47.30	54.67	yes	stainless steel	4I
C.179.250.0127.A	17.9	2.50	12.7	11.5000	8.50	10.02	yes	music wire	4J
C.179.250.0127.I	17.9	2.50	12.7	10.0050	8.50	9.98	yes	stainless steel	4J
C.179.250.0220.A	17.9	2.50	22.0	3.3333	14.50	15.79	yes	music wire	4G
C.179.250.0220.I	17.9	2.50	22.0	2.9000	14.25	15.51	yes	stainless steel	4G
C.179.250.1000.A	17.9	2.50	100.0	0.5475	56.00	63.81	yes	music wire	4I
C.179.250.1000.I	17.9	2.50	100.0	0.4703	56.00	63.81	yes	stainless steel	4I
C.179.300.0191.A	17.9	3.00	19.1	10.6897	14.40	15.35	yes	music wire	4I
C.179.300.0191.I	17.9	3.00	19.1	9.3000	14.40	15.35	yes	stainless steel	4I
C.179.300.2000.A	17.9	3.00	200.0	0.5954	133.20	150.42	yes	music wire	4J
C.179.300.2000.I	17.9	3.00	200.0	0.5114	133.20	150.42	yes	stainless steel	4J
C.179.400.0270.A	17.9	4.00	27.0	22.8000	27.00	27.00	yes	music wire	4O
C.179.400.0270.AP	17.9	4.00	27.0	27.4714	24.00	25.65	yes	music wire	4O
C.179.400.0270.I	17.9	4.00	27.0	19.8360	26.80	26.80	yes	stainless steel	4P
C.179.400.2000.A	17.9	4.00	200.0	2.4773	166.80	185.32	yes	music wire	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.179.400.2000.I	17.9	4.00	200.0	2.1277	166.80	185.32	yes	stainless steel	4Q
C.180.080.0220.A	18.0	0.80	22.0	0.0230	5.68	7.96	no	music wire	4C
C.180.080.0220.I	18.0	0.80	22.0	0.0200	5.60	7.82	no	stainless steel	4D
C.180.080.0220.N	18.0	0.80	22.0	0.0230	5.68	7.96	no	Zn coating	4E
C.180.105.0180.A	18.0	1.05	18.0	0.1695	4.20	4.97	yes	music wire	4C
C.180.105.0180.I	18.0	1.05	18.0	0.1456	4.20	4.97	yes	stainless steel	4D
C.180.105.0360.A	18.0	1.05	36.0	0.0848	5.78	7.33	yes	music wire	4D
C.180.105.0360.I	18.0	1.05	36.0	0.0728	5.78	7.33	yes	stainless steel	4D
C.180.105.0520.A	18.0	1.05	52.0	0.0578	7.25	9.52	yes	music wire	4D
C.180.105.0520.I	18.0	1.05	52.0	0.0496	7.25	9.52	yes	stainless steel	4E
C.180.105.0980.A	18.0	1.05	98.0	0.0299	11.55	15.93	yes	music wire	4E
C.180.105.0980.I	18.0	1.05	98.0	0.0257	11.55	15.93	yes	stainless steel	4E
C.180.105.1150.A	18.0	1.05	115.0	0.0254	13.13	18.28	yes	music wire	4E
C.180.105.1150.I	18.0	1.05	115.0	0.0218	13.13	18.28	yes	stainless steel	4F
C.180.110.0910.A	18.0	1.10	91.0	0.0372	11.88	16.03	yes	music wire	4E
C.180.110.0910.I	18.0	1.10	91.0	0.0320	11.88	16.03	yes	stainless steel	4E
C.180.110.1100.A	18.0	1.10	110.0	0.0309	13.75	18.74	yes	music wire	4E
C.180.110.1100.I	18.0	1.10	110.0	0.0265	13.75	18.74	yes	stainless steel	4F
C.180.110.1550.A	18.0	1.10	155.0	0.0218	18.37	25.46	yes	music wire	4G
C.180.110.1550.I	18.0	1.10	155.0	0.0187	18.37	25.46	yes	stainless steel	4G
C.180.110.1750.A	18.0	1.10	175.0	0.0193	20.35	28.34	yes	music wire	4G
C.180.110.1750.I	18.0	1.10	175.0	0.0166	20.35	28.34	yes	stainless steel	4G
C.180.115.0180.A	18.0	1.15	18.0	0.2328	4.72	5.50	yes	music wire	4C
C.180.115.0180.I	18.0	1.15	18.0	0.1999	4.72	5.50	yes	stainless steel	4D
C.180.115.0570.A	18.0	1.15	57.0	0.0690	9.09	11.71	yes	music wire	4E
C.180.115.0570.I	18.0	1.15	57.0	0.0592	9.09	11.71	yes	stainless steel	4E
C.180.115.1750.A	18.0	1.15	175.0	0.0222	22.20	30.35	yes	music wire	4G
C.180.115.1750.I	18.0	1.15	175.0	0.0190	22.20	30.35	yes	stainless steel	4G
C.180.120.1600.A	18.0	1.20	160.0	0.0277	22.32	29.93	yes	music wire	4G
C.180.120.1600.I	18.0	1.20	160.0	0.0238	22.32	29.93	yes	stainless steel	4G
C.180.125.0160.A	18.0	1.25	16.0	0.3130	5.25	6.03	yes	music wire	4C
C.180.125.0160.I	18.0	1.25	16.0	0.2723	5.25	6.03	yes	stainless steel	4D
C.180.125.0160.N	18.0	1.25	16.0	0.3130	5.25	6.03	yes	Zn coating	4E
C.180.125.0200.A	18.0	1.25	20.0	0.2400	5.88	6.90	yes	music wire	4D
C.180.125.0200.I	18.0	1.25	20.0	0.2088	5.88	6.90	yes	stainless steel	4D
C.180.125.0200.N	18.0	1.25	20.0	0.2400	5.88	6.90	yes	Zn coating	4E
C.180.125.0250.A	18.0	1.25	25.0	0.1940	6.50	7.75	yes	music wire	4D
C.180.125.0250.I	18.0	1.25	25.0	0.1688	6.50	7.75	yes	stainless steel	4D
C.180.125.0250.N	18.0	1.25	25.0	0.1940	6.50	7.75	yes	Zn coating	4E
C.180.125.0320.A	18.0	1.25	32.0	0.1510	7.50	9.12	yes	music wire	4D
C.180.125.0320.I	18.0	1.25	32.0	0.1314	7.50	9.12	yes	stainless steel	4D
C.180.125.0320.N	18.0	1.25	32.0	0.1510	7.50	9.12	yes	Zn coating	4F
C.180.125.0400.A	18.0	1.25	40.0	0.1160	8.88	11.00	yes	music wire	4D
C.180.125.0400.I	18.0	1.25	40.0	0.1009	8.75	10.83	yes	stainless steel	4E
C.180.125.0400.N	18.0	1.25	40.0	0.1160	8.88	11.00	yes	Zn coating	4F
C.180.125.0500.A	18.0	1.25	50.0	0.0930	10.25	12.88	yes	music wire	4D
C.180.125.0500.I	18.0	1.25	50.0	0.0809	10.13	12.72	yes	stainless steel	4E
C.180.125.0500.N	18.0	1.25	50.0	0.0930	10.25	12.88	yes	Zn coating	4F
C.180.125.0630.A	18.0	1.25	63.0	0.0730	12.25	15.62	yes	music wire	4E
C.180.125.0630.I	18.0	1.25	63.0	0.0730	10.88	13.74	yes	stainless steel	4E
C.180.125.0630.N	18.0	1.25	63.0	0.0730	12.25	15.62	yes	Zn coating	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.180.125.0700.A	18.0	1.25	70.0	0.0725	12.25	15.62	yes	music wire	4E
C.180.125.0700.I	18.0	1.25	70.0	0.0623	12.25	15.62	yes	stainless steel	4E
C.180.125.0800.A	18.0	1.25	80.0	0.0570	14.75	19.04	yes	music wire	4E
C.180.125.0800.I	18.0	1.25	80.0	0.0496	14.63	18.88	yes	stainless steel	4E
C.180.125.0800.N	18.0	1.25	80.0	0.0570	14.75	19.04	yes	Zn coating	4G
C.180.125.1000.A	18.0	1.25	100.0	0.0450	17.88	23.33	yes	music wire	4E
C.180.125.1000.I	18.0	1.25	100.0	0.0392	17.63	22.99	yes	stainless steel	4F
C.180.125.1000.N	18.0	1.25	100.0	0.0450	17.88	23.33	yes	Zn coating	4G
C.180.125.1250.A	18.0	1.25	125.0	0.0360	21.50	28.29	yes	music wire	4F
C.180.125.1250.I	18.0	1.25	125.0	0.0313	21.25	27.94	yes	stainless steel	4F
C.180.125.1250.N	18.0	1.25	125.0	0.0360	21.50	28.29	yes	Zn coating	4H
C.180.125.1800.A	18.0	1.25	180.0	0.0279	26.88	35.65	yes	music wire	4G
C.180.125.1800.I	18.0	1.25	180.0	0.0239	26.88	35.65	yes	stainless steel	4G
C.180.125.3600.A	18.0	1.25	360.0	0.0120	59.50	79.86	no	music wire	4I
C.180.125.3600.I	18.0	1.25	360.0	0.0104	58.75	78.83	no	stainless steel	4I
C.180.130.0095.A	18.0	1.30	9.5	0.5679	4.68	5.18	yes	music wire	4C
C.180.130.0095.I	18.0	1.30	9.5	0.4878	4.68	5.18	yes	stainless steel	4D
C.180.130.0112.A	18.0	1.30	11.2	0.5206	4.81	5.35	yes	music wire	4C
C.180.130.0112.I	18.0	1.30	11.2	0.4471	4.81	5.35	yes	stainless steel	4D
C.180.130.0142.A	18.0	1.30	14.2	0.3905	5.33	6.05	yes	music wire	4C
C.180.130.0142.I	18.0	1.30	14.2	0.3354	5.33	6.05	yes	stainless steel	4D
C.180.130.0143.A	18.0	1.30	14.3	0.3905	5.33	6.05	yes	music wire	4C
C.180.130.0143.I	18.0	1.30	14.3	0.3354	5.33	6.05	yes	stainless steel	4D
C.180.130.0157.A	18.0	1.30	15.7	0.3675	5.46	6.23	yes	music wire	4C
C.180.130.0157.I	18.0	1.30	15.7	0.3156	5.46	6.23	yes	stainless steel	4D
C.180.130.0174.A	18.0	1.30	17.4	0.3124	5.85	6.75	yes	music wire	4C
C.180.130.0174.I	18.0	1.30	17.4	0.2683	5.85	6.75	yes	stainless steel	4D
C.180.130.0206.A	18.0	1.30	20.6	0.2603	6.37	7.45	yes	music wire	4D
C.180.130.0206.I	18.0	1.30	20.6	0.2236	6.37	7.45	yes	stainless steel	4D
C.180.130.0224.A	18.0	1.30	22.4	0.2403	6.63	7.80	yes	music wire	4D
C.180.130.0224.I	18.0	1.30	22.4	0.2064	6.63	7.80	yes	stainless steel	4D
C.180.130.0239.A	18.0	1.30	23.9	0.2231	6.89	8.15	yes	music wire	4D
C.180.130.0239.I	18.0	1.30	23.9	0.1916	6.89	8.15	yes	stainless steel	4D
C.180.130.0254.A	18.0	1.30	25.4	0.2082	7.15	8.51	yes	music wire	4D
C.180.130.0254.I	18.0	1.30	25.4	0.1789	7.15	8.51	yes	stainless steel	4D
C.180.130.0279.A	18.0	1.30	27.9	0.1893	7.54	9.03	yes	music wire	4D
C.180.130.0279.I	18.0	1.30	27.9	0.1626	7.54	9.03	yes	stainless steel	4D
C.180.130.0284.A	18.0	1.30	28.4	0.1837	7.67	9.21	yes	music wire	4D
C.180.130.0284.I	18.0	1.30	28.4	0.1578	7.67	9.21	yes	stainless steel	4D
C.180.130.0305.A	18.0	1.30	30.5	0.1688	8.06	9.73	yes	music wire	4D
C.180.130.0305.I	18.0	1.30	30.5	0.1450	8.06	9.73	yes	stainless steel	4D
C.180.130.0318.A	18.0	1.30	31.8	0.1644	8.19	9.91	yes	music wire	4D
C.180.130.0318.I	18.0	1.30	31.8	0.1412	8.19	9.91	yes	stainless steel	4D
C.180.130.0351.A	18.0	1.30	35.1	0.1453	8.84	10.78	yes	music wire	4D
C.180.130.0351.I	18.0	1.30	35.1	0.1248	8.84	10.78	yes	stainless steel	4E
C.180.130.0356.A	18.0	1.30	35.6	0.1453	8.84	10.78	yes	music wire	4D
C.180.130.0356.I	18.0	1.30	35.6	0.1248	8.84	10.78	yes	stainless steel	4E
C.180.130.0381.A	18.0	1.30	38.1	0.1358	9.23	11.31	yes	music wire	4D
C.180.130.0381.I	18.0	1.30	38.1	0.1166	9.23	11.31	yes	stainless steel	4E
C.180.130.0444.A	18.0	1.30	44.4	0.1136	10.40	12.88	yes	music wire	4D
C.180.130.0444.I	18.0	1.30	44.4	0.0976	10.40	12.88	yes	stainless steel	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.130.0457.A	18.0	1.30	45.7	0.1116	10.53	13.06	yes	music wire	4D
C.180.130.0457.I	18.0	1.30	45.7	0.0958	10.53	13.06	yes	stainless steel	4E
C.180.130.0508.A	18.0	1.30	50.8	0.0992	11.44	14.29	yes	music wire	4E
C.180.130.0508.I	18.0	1.30	50.8	0.0852	11.44	14.29	yes	stainless steel	4E
C.180.130.0559.A	18.0	1.30	55.9	0.0892	12.35	15.51	yes	music wire	4E
C.180.130.0559.I	18.0	1.30	55.9	0.0767	12.35	15.51	yes	stainless steel	4E
C.180.130.0572.A	18.0	1.30	57.2	0.0880	12.48	15.69	yes	music wire	4E
C.180.130.0572.I	18.0	1.30	57.2	0.0756	12.48	15.69	yes	stainless steel	4E
C.180.130.0635.A	18.0	1.30	63.5	0.0791	13.52	17.09	yes	music wire	4E
C.180.130.0635.I	18.0	1.30	63.5	0.0679	13.52	17.09	yes	stainless steel	4E
C.180.130.0698.A	18.0	1.30	69.8	0.0710	14.69	18.67	yes	music wire	4E
C.180.130.0698.I	18.0	1.30	69.8	0.0610	14.69	18.67	yes	stainless steel	4E
C.180.130.0762.A	18.0	1.30	76.2	0.0651	15.73	20.07	yes	music wire	4E
C.180.130.0762.I	18.0	1.30	76.2	0.0559	15.73	20.07	yes	stainless steel	4E
C.180.130.0826.A	18.0	1.30	82.6	0.0601	16.77	21.47	yes	music wire	4E
C.180.130.0826.I	18.0	1.30	82.6	0.0516	16.77	21.47	yes	stainless steel	4E
C.180.130.0889.A	18.0	1.30	88.9	0.0558	17.81	22.87	yes	music wire	4E
C.180.130.0889.I	18.0	1.30	88.9	0.0479	17.81	22.87	yes	stainless steel	4E
C.180.130.1100.A	18.0	1.30	110.0	0.0521	18.85	24.27	yes	music wire	4E
C.180.130.1100.I	18.0	1.30	110.0	0.0447	18.85	24.27	yes	stainless steel	4F
C.180.130.1450.A	18.0	1.30	145.0	0.0338	27.30	35.66	yes	music wire	4G
C.180.130.1450.I	18.0	1.30	145.0	0.0290	27.30	35.66	yes	stainless steel	4G
C.180.140.0111.A	18.0	1.40	11.1	0.7130	5.18	5.70	yes	music wire	4E
C.180.140.0111.I	18.0	1.40	11.1	0.6124	5.18	5.70	yes	stainless steel	4E
C.180.140.0112.A	18.0	1.40	11.2	0.7130	5.18	5.70	yes	music wire	4E
C.180.140.0112.I	18.0	1.40	11.2	0.6124	5.18	5.70	yes	stainless steel	4E
C.180.140.0142.A	18.0	1.40	14.2	0.5347	5.74	6.44	yes	music wire	4E
C.180.140.0142.I	18.0	1.40	14.2	0.4593	5.74	6.44	yes	stainless steel	4E
C.180.140.0143.A	18.0	1.40	14.3	0.5033	5.88	6.62	yes	music wire	4E
C.180.140.0143.I	18.0	1.40	14.3	0.4323	5.88	6.62	yes	stainless steel	4E
C.180.140.0160.A	18.0	1.40	16.0	0.4700	6.02	6.80	yes	music wire	4E
C.180.140.0160.I	18.0	1.40	16.0	0.4089	6.02	6.80	yes	stainless steel	4E
C.180.140.0160.N	18.0	1.40	16.0	0.4700	6.02	6.80	yes	Zn coating	4G
C.180.140.0200.A	18.0	1.40	20.0	0.3660	6.72	7.72	yes	music wire	4E
C.180.140.0200.AP	18.0	1.40	20.0	0.5367	5.74	8.53	yes	music wire	4I
C.180.140.0200.I	18.0	1.40	20.0	0.3184	6.72	7.72	yes	stainless steel	4F
C.180.140.0200.N	18.0	1.40	20.0	0.3660	6.72	7.72	yes	Zn coating	4G
C.180.140.0239.A	18.0	1.40	23.9	0.2852	7.70	9.01	yes	music wire	4E
C.180.140.0239.I	18.0	1.40	23.9	0.2449	7.70	9.01	yes	stainless steel	4F
C.180.140.0250.A	18.0	1.40	25.0	0.2860	7.70	9.01	yes	music wire	4E
C.180.140.0250.I	18.0	1.40	25.0	0.2488	7.70	9.01	yes	stainless steel	4F
C.180.140.0250.N	18.0	1.40	25.0	0.2860	7.70	9.01	yes	Zn coating	4G
C.180.140.0284.A	18.0	1.40	28.4	0.2377	8.54	10.11	yes	music wire	4E
C.180.140.0284.I	18.0	1.40	28.4	0.2041	8.54	10.11	yes	stainless steel	4F
C.180.140.0320.A	18.0	1.40	32.0	0.2190	8.96	10.66	yes	music wire	4E
C.180.140.0320.I	18.0	1.40	32.0	0.1905	8.96	10.66	yes	stainless steel	4F
C.180.140.0320.N	18.0	1.40	32.0	0.2190	8.96	10.66	yes	Zn coating	4H
C.180.140.0351.A	18.0	1.40	35.1	0.1860	9.94	11.94	yes	music wire	4E
C.180.140.0351.I	18.0	1.40	35.1	0.1597	9.94	11.94	yes	stainless steel	4F
C.180.140.0400.A	18.0	1.40	40.0	0.1730	10.36	12.49	yes	music wire	4F
C.180.140.0400.I	18.0	1.40	40.0	0.1505	10.36	12.49	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.140.0400.N	18.0	1.40	40.0	0.1730	10.36	12.49	yes	Zn coating	4H
C.180.140.0500.A	18.0	1.40	50.0	0.1370	12.18	14.88	yes	music wire	4F
C.180.140.0500.I	18.0	1.40	50.0	0.1192	12.18	14.88	yes	stainless steel	4G
C.180.140.0500.N	18.0	1.40	50.0	0.1370	12.18	14.88	yes	Zn coating	4H
C.180.140.0630.A	18.0	1.40	63.0	0.1080	14.56	18.00	yes	music wire	4F
C.180.140.0630.I	18.0	1.40	63.0	0.0940	14.42	17.81	yes	stainless steel	4G
C.180.140.0630.N	18.0	1.40	63.0	0.1080	14.56	18.00	yes	Zn coating	4I
C.180.140.0800.A	18.0	1.40	80.0	0.0840	17.78	22.22	yes	music wire	4G
C.180.140.0800.I	18.0	1.40	80.0	0.0731	17.64	22.04	yes	stainless steel	4G
C.180.140.0800.N	18.0	1.40	80.0	0.0840	17.78	22.22	yes	Zn coating	4I
C.180.140.0826.A	18.0	1.40	82.6	0.0764	19.18	24.05	yes	music wire	4G
C.180.140.0826.I	18.0	1.40	82.6	0.0656	19.18	24.05	yes	stainless steel	4G
C.180.140.0889.A	18.0	1.40	88.9	0.0707	20.44	25.71	yes	music wire	4G
C.180.140.0889.I	18.0	1.40	88.9	0.0607	20.44	25.71	yes	stainless steel	4G
C.180.140.1000.A	18.0	1.40	100.0	0.0670	21.42	26.99	yes	music wire	4G
C.180.140.1000.I	18.0	1.40	100.0	0.0583	21.14	26.62	yes	stainless steel	4G
C.180.140.1000.N	18.0	1.40	100.0	0.0670	21.42	26.99	yes	Zn coating	4I
C.180.140.1250.A	18.0	1.40	125.0	0.0540	25.62	32.50	yes	music wire	4G
C.180.140.1250.I	18.0	1.40	125.0	0.0470	25.34	32.13	yes	stainless steel	4H
C.180.140.1250.N	18.0	1.40	125.0	0.0540	25.62	32.50	yes	Zn coating	4I
C.180.140.3600.A	18.0	1.40	360.0	0.0180	71.40	92.07	no	music wire	4J
C.180.140.3600.I	18.0	1.40	360.0	0.0157	70.56	90.97	no	stainless steel	4J
C.180.150.0280.A	18.0	1.50	28.0	0.3479	8.70	10.09	yes	music wire	4E
C.180.150.0280.I	18.0	1.50	28.0	0.2988	8.70	10.09	yes	stainless steel	4F
C.180.150.0400.A	18.0	1.50	40.0	0.1500	15.30	18.55	yes	music wire	4F
C.180.150.0400.AP	18.0	1.50	40.0	0.3204	9.15	16.70	yes	music wire	4I
C.180.150.0400.I	18.0	1.50	40.0	0.1305	15.15	18.36	yes	stainless steel	4F
C.180.150.0400.N	18.0	1.50	40.0	0.1500	15.30	18.55	yes	Zn coating	4H
C.180.150.0450.A	18.0	1.50	45.0	0.1880	12.90	15.48	yes	music wire	4F
C.180.150.0450.AP	18.0	1.50	45.0	0.2883	9.75	19.11	yes	music wire	4I
C.180.150.0450.I	18.0	1.50	45.0	0.1636	12.75	15.28	yes	stainless steel	4F
C.180.150.0450.N	18.0	1.50	45.0	0.1880	12.90	15.48	yes	Zn coating	4H
C.180.150.1200.A	18.0	1.50	120.0	0.0755	26.55	32.97	yes	music wire	4G
C.180.150.1200.I	18.0	1.50	120.0	0.0649	26.55	32.97	yes	stainless steel	4H
C.180.150.1450.A	18.0	1.50	145.0	0.0624	31.35	39.12	yes	music wire	4H
C.180.150.1450.I	18.0	1.50	145.0	0.0536	31.35	39.12	yes	stainless steel	4I
C.180.160.0160.A	18.0	1.60	16.0	0.7770	7.04	7.82	yes	music wire	4E
C.180.160.0160.I	18.0	1.60	16.0	0.6760	7.04	7.82	yes	stainless steel	4F
C.180.160.0160.N	18.0	1.60	16.0	0.7770	7.04	7.82	yes	Zn coating	4G
C.180.160.0200.A	18.0	1.60	20.0	0.5820	8.16	9.23	yes	music wire	4E
C.180.160.0200.AP	18.0	1.60	20.0	0.8455	6.88	9.43	yes	music wire	4I
C.180.160.0200.I	18.0	1.60	20.0	0.5063	8.16	9.23	yes	stainless steel	4F
C.180.160.0200.N	18.0	1.60	20.0	0.5820	8.16	9.23	yes	Zn coating	4G
C.180.160.0250.A	18.0	1.60	25.0	0.4480	9.44	10.84	yes	music wire	4E
C.180.160.0250.AP	18.0	1.60	25.0	0.6617	7.68	11.49	yes	music wire	4I
C.180.160.0250.I	18.0	1.60	25.0	0.3898	9.28	10.64	yes	stainless steel	4F
C.180.160.0250.N	18.0	1.60	25.0	0.4480	9.44	10.84	yes	Zn coating	4H
C.180.160.0320.A	18.0	1.60	32.0	0.3430	11.04	12.85	yes	music wire	4F
C.180.160.0320.AP	18.0	1.60	32.0	0.5073	8.80	14.38	yes	music wire	4I
C.180.160.0320.I	18.0	1.60	32.0	0.2984	11.04	12.85	yes	stainless steel	4F
C.180.160.0320.N	18.0	1.60	32.0	0.3430	11.04	12.85	yes	Zn coating	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.160.0380.A	18.0	1.60	38.0	0.3300	11.36	13.26	yes	music wire	4F
C.180.160.0380.I	18.0	1.60	38.0	0.2871	11.20	13.05	yes	stainless steel	4F
C.180.160.0380.N	18.0	1.60	38.0	0.3300	11.36	13.26	yes	Zn coating	4H
C.180.160.0400.A	18.0	1.60	40.0	0.2710	12.96	15.27	yes	music wire	4F
C.180.160.0400.AP	18.0	1.60	40.0	0.4005	10.08	17.68	yes	music wire	4I
C.180.160.0400.I	18.0	1.60	40.0	0.2358	12.80	15.07	yes	stainless steel	4F
C.180.160.0400.N	18.0	1.60	40.0	0.2710	12.96	15.27	yes	Zn coating	4H
C.180.160.0500.A	18.0	1.60	50.0	0.2120	15.36	18.29	yes	music wire	4F
C.180.160.0500.AP	18.0	1.60	50.0	0.3171	11.68	21.81	yes	music wire	4I
C.180.160.0500.I	18.0	1.60	50.0	0.1844	15.20	18.09	yes	stainless steel	4G
C.180.160.0500.N	18.0	1.60	50.0	0.2120	15.36	18.29	yes	Zn coating	4I
C.180.160.0630.A	18.0	1.60	63.0	0.1660	18.56	22.31	yes	music wire	4G
C.180.160.0630.AP	18.0	1.60	63.0	0.2455	13.92	26.58	yes	music wire	4I
C.180.160.0630.I	18.0	1.60	63.0	0.1444	18.40	22.11	yes	stainless steel	4G
C.180.160.0630.N	18.0	1.60	63.0	0.1660	18.56	22.31	yes	Zn coating	4I
C.180.160.0800.A	18.0	1.60	80.0	0.1290	22.72	27.54	yes	music wire	4G
C.180.160.0800.AP	18.0	1.60	80.0	0.1927	16.64	33.60	yes	music wire	4I
C.180.160.0800.I	18.0	1.60	80.0	0.1122	22.56	27.34	yes	stainless steel	4G
C.180.160.0800.N	18.0	1.60	80.0	0.1290	22.72	27.54	yes	Zn coating	4I
C.180.160.0910.A	18.0	1.60	91.0	0.1251	23.36	28.35	yes	music wire	4G
C.180.160.0910.I	18.0	1.60	91.0	0.1074	23.36	28.35	yes	stainless steel	4G
C.180.160.1000.A	18.0	1.60	100.0	0.1030	27.52	33.58	yes	music wire	4G
C.180.160.1000.AP	18.0	1.60	100.0	0.1537	19.68	41.85	yes	music wire	4I
C.180.160.1000.I	18.0	1.60	100.0	0.0896	27.20	33.18	yes	stainless steel	4G
C.180.160.1000.N	18.0	1.60	100.0	0.1030	27.52	33.58	yes	Zn coating	4I
C.180.160.1250.A	18.0	1.60	125.0	0.0820	33.60	41.22	yes	music wire	4H
C.180.160.1250.AP	18.0	1.60	125.0	0.1218	23.84	51.58	yes	music wire	4I
C.180.160.1250.I	18.0	1.60	125.0	0.0713	33.12	40.62	yes	stainless steel	4H
C.180.160.1250.N	18.0	1.60	125.0	0.0820	33.60	41.22	yes	Zn coating	4I
C.180.160.3600.A	18.0	1.60	360.0	0.0280	92.16	114.46	no	music wire	4J
C.180.160.3600.I	18.0	1.60	360.0	0.0244	91.04	113.05	no	stainless steel	4J
C.180.175.0350.A	18.0	1.75	35.0	0.4639	12.78	14.71	yes	music wire	4F
C.180.175.0350.I	18.0	1.75	35.0	0.3984	12.78	14.71	yes	stainless steel	4F
C.180.175.0600.A	18.0	1.75	60.0	0.2620	19.25	22.66	yes	music wire	4G
C.180.175.0600.I	18.0	1.75	60.0	0.2250	19.25	22.66	yes	stainless steel	4G
C.180.175.0830.A	18.0	1.75	83.0	0.1871	25.20	29.98	yes	music wire	4G
C.180.175.0830.I	18.0	1.75	83.0	0.1607	25.20	29.98	yes	stainless steel	4G
C.180.180.0160.A	18.0	1.80	16.0	1.2100	8.28	9.12	yes	music wire	4G
C.180.180.0160.AP	18.0	1.80	16.0	1.6893	7.20	8.66	yes	music wire	4I
C.180.180.0160.I	18.0	1.80	16.0	1.0527	8.28	9.12	yes	stainless steel	4G
C.180.180.0160.N	18.0	1.80	16.0	1.2100	8.28	9.12	yes	Zn coating	4I
C.180.180.0200.A	18.0	1.80	20.0	0.9220	9.36	10.44	yes	music wire	4G
C.180.180.0200.AP	18.0	1.80	20.0	1.2670	8.10	10.21	yes	music wire	4I
C.180.180.0200.I	18.0	1.80	20.0	0.8000	9.36	10.44	yes	stainless steel	4G
C.180.180.0200.N	18.0	1.80	20.0	0.9220	9.36	10.44	yes	Zn coating	4I
C.180.180.0250.A	18.0	1.80	25.0	0.7170	10.80	12.20	yes	music wire	4G
C.180.180.0250.AP	18.0	1.80	25.0	1.0136	9.00	12.76	yes	music wire	4I
C.180.180.0250.I	18.0	1.80	25.0	0.6238	10.80	12.20	yes	stainless steel	4G
C.180.180.0250.N	18.0	1.80	25.0	0.7170	10.80	12.20	yes	Zn coating	4I
C.180.180.0320.A	18.0	1.80	32.0	0.5380	12.96	14.83	yes	music wire	4G
C.180.180.0320.AP	18.0	1.80	32.0	0.7453	10.62	15.36	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.180.0320.I	18.0	1.80	32.0	0.4681	12.78	14.61	yes	stainless steel	4G
C.180.180.0320.N	18.0	1.80	32.0	0.5380	12.96	14.83	yes	Zn coating	4I
C.180.180.0400.A	18.0	1.80	40.0	0.4210	15.30	17.69	yes	music wire	4G
C.180.180.0400.AP	18.0	1.80	40.0	0.5893	12.24	18.95	yes	music wire	4I
C.180.180.0400.I	18.0	1.80	40.0	0.3663	15.12	17.47	yes	stainless steel	4G
C.180.180.0400.N	18.0	1.80	40.0	0.4210	15.30	17.69	yes	Zn coating	4I
C.180.180.0450.A	18.0	1.80	45.0	0.4192	15.30	17.69	yes	music wire	4I
C.180.180.0450.I	18.0	1.80	45.0	0.3600	15.30	17.69	yes	stainless steel	4G
C.180.180.0450.N	18.0	1.80	45.0	0.4192	15.30	17.69	yes	Zn coating	4J
C.180.180.0500.A	18.0	1.80	50.0	0.3280	18.36	21.43	yes	music wire	4G
C.180.180.0500.AP	18.0	1.80	50.0	0.4693	14.22	23.57	yes	music wire	4I
C.180.180.0500.I	18.0	1.80	50.0	0.2854	18.18	21.21	yes	stainless steel	4G
C.180.180.0500.N	18.0	1.80	50.0	0.3280	18.36	21.43	yes	Zn coating	4I
C.180.180.0630.A	18.0	1.80	63.0	0.2580	21.96	25.83	yes	music wire	4G
C.180.180.0630.AP	18.0	1.80	63.0	0.3672	16.74	29.22	yes	music wire	4I
C.180.180.0630.I	18.0	1.80	63.0	0.2245	21.78	25.61	yes	stainless steel	4H
C.180.180.0630.N	18.0	1.80	63.0	0.2580	21.96	25.83	yes	Zn coating	4I
C.180.180.0800.A	18.0	1.80	80.0	0.2020	27.00	31.98	yes	music wire	4H
C.180.180.0800.AP	18.0	1.80	80.0	0.2847	20.34	36.43	yes	music wire	4I
C.180.180.0800.I	18.0	1.80	80.0	0.1757	26.64	31.54	yes	stainless steel	4H
C.180.180.0800.N	18.0	1.80	80.0	0.2020	27.00	31.98	yes	Zn coating	4I
C.180.180.1000.A	18.0	1.80	100.0	0.1600	32.76	39.02	yes	music wire	4H
C.180.180.1000.AP	18.0	1.80	100.0	0.2262	24.48	45.17	yes	music wire	4J
C.180.180.1000.I	18.0	1.80	100.0	0.1392	32.40	38.58	yes	stainless steel	4I
C.180.180.1000.N	18.0	1.80	100.0	0.1600	32.76	39.02	yes	Zn coating	4I
C.180.180.1250.A	18.0	1.80	125.0	0.1270	40.14	48.03	yes	music wire	4I
C.180.180.1250.AP	18.0	1.80	125.0	0.1797	29.70	55.98	yes	music wire	4J
C.180.180.1250.I	18.0	1.80	125.0	0.1105	39.78	47.59	yes	stainless steel	4I
C.180.180.1250.N	18.0	1.80	125.0	0.1270	40.14	48.03	yes	Zn coating	4I
C.180.180.1400.A	18.0	1.80	140.0	0.1198	42.30	50.67	yes	music wire	4I
C.180.180.1400.I	18.0	1.80	140.0	0.1029	42.30	50.67	yes	stainless steel	4I
C.180.180.3600.A	18.0	1.80	360.0	0.0430	111.60	134.92	no	music wire	4J
C.180.180.3600.I	18.0	1.80	360.0	0.0374	110.34	133.38	no	stainless steel	4J
C.180.190.1050.A	18.0	1.90	105.0	0.1952	35.72	42.15	yes	music wire	4H
C.180.190.1050.I	18.0	1.90	105.0	0.1676	35.72	42.15	yes	stainless steel	4I
C.180.190.1800.A	18.0	1.90	180.0	0.1124	58.52	69.69	yes	music wire	4I
C.180.190.1800.I	18.0	1.90	180.0	0.0966	58.52	69.69	yes	stainless steel	4I
C.180.200.0160.A	18.0	2.00	16.0	1.8000	9.40	10.26	yes	music wire	4G
C.180.200.0160.AP	18.0	2.00	16.0	2.5101	8.20	9.38	yes	music wire	4I
C.180.200.0160.I	18.0	2.00	16.0	1.5669	9.40	10.26	yes	stainless steel	4G
C.180.200.0160.N	18.0	2.00	16.0	1.8000	9.40	10.26	yes	Zn coating	4I
C.180.200.0200.A	18.0	2.00	20.0	1.3320	11.00	12.18	yes	music wire	4G
C.180.200.0200.AP	18.0	2.00	20.0	1.9124	9.20	11.32	yes	music wire	4I
C.180.200.0200.I	18.0	2.00	20.0	1.1588	10.80	11.94	yes	stainless steel	4G
C.180.200.0200.N	18.0	2.00	20.0	1.3320	11.00	12.18	yes	Zn coating	4I
C.180.200.0210.A	18.0	2.00	21.0	1.3000	11.20	12.42	yes	music wire	4G
C.180.200.0210.AP	18.0	2.00	21.0	1.7461	9.60	11.49	yes	music wire	4I
C.180.200.0210.I	18.0	2.00	21.0	1.1327	11.00	12.18	yes	stainless steel	4G
C.180.200.0210.N	18.0	2.00	21.0	1.3000	11.20	12.42	yes	Zn coating	4I
C.180.200.0230.A	18.0	2.00	23.0	1.1160	12.20	13.61	yes	music wire	4G
C.180.200.0230.AP	18.0	2.00	23.0	1.6064	10.00	12.66	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.200.0230.I	18.0	2.00	23.0	0.9709	12.00	13.37	yes	stainless steel	4G
C.180.200.0230.N	18.0	2.00	23.0	1.1160	12.20	13.61	yes	Zn coating	4I
C.180.200.0250.A	18.0	2.00	25.0	1.0210	12.80	14.33	yes	music wire	4G
C.180.200.0250.AP	18.0	2.00	25.0	1.4343	10.60	13.42	yes	music wire	4I
C.180.200.0250.I	18.0	2.00	25.0	0.8883	12.60	14.09	yes	stainless steel	4G
C.180.200.0250.N	18.0	2.00	25.0	1.0210	12.80	14.33	yes	Zn coating	4I
C.180.200.0300.A	18.0	2.00	30.0	1.1370	12.00	15.39	yes	music wire	4I
C.180.200.0300.AF	18.0	2.00	30.0	0.8680	14.20	16.00	yes	music wire	4G
C.180.200.0300.AP	18.0	2.00	30.0	1.1812	11.80	15.94	yes	music wire	4I
C.180.200.0300.I	18.0	2.00	30.0	0.9766	12.00	15.07	yes	stainless steel	4I
C.180.200.0300.N	18.0	2.00	30.0	1.1370	12.00	15.39	yes	Zn coating	4J
C.180.200.0300.NF	18.0	2.00	30.0	0.8680	14.20	16.00	yes	Zn coating	4I
C.180.200.0320.A	18.0	2.00	32.0	0.7850	15.20	17.20	yes	music wire	4G
C.180.200.0320.AP	18.0	2.00	32.0	1.0854	12.40	16.70	yes	music wire	4I
C.180.200.0320.I	18.0	2.00	32.0	0.6830	15.00	16.96	yes	stainless steel	4G
C.180.200.0320.N	18.0	2.00	32.0	0.7850	15.20	17.20	yes	Zn coating	4I
C.180.200.0400.A	18.0	2.00	40.0	0.6120	18.00	20.55	yes	music wire	4G
C.180.200.0400.AP	18.0	2.00	40.0	0.8545	14.40	20.56	yes	music wire	4I
C.180.200.0400.I	18.0	2.00	40.0	0.6120	16.20	18.40	yes	stainless steel	4G
C.180.200.0400.N	18.0	2.00	40.0	0.6120	18.00	20.55	yes	Zn coating	4I
C.180.200.0440.A	18.0	2.00	44.0	0.4600	22.40	25.81	yes	music wire	4G
C.180.200.0440.AP	18.0	2.00	44.0	0.7723	15.40	22.50	yes	music wire	4I
C.180.200.0440.I	18.0	2.00	44.0	0.4000	22.00	25.33	yes	stainless steel	4G
C.180.200.0440.N	18.0	2.00	44.0	0.4600	22.40	25.81	yes	Zn coating	4I
C.180.200.0450.A	18.0	2.00	45.0	0.7235	16.00	22.05	yes	music wire	4I
C.180.200.0450.I	18.0	2.00	45.0	0.6214	16.00	21.53	yes	stainless steel	4I
C.180.200.0450.N	18.0	2.00	45.0	0.7235	16.00	22.05	yes	Zn coating	4J
C.180.200.0500.A	18.0	2.00	50.0	0.4790	21.60	24.85	yes	music wire	4G
C.180.200.0500.AF	18.0	2.00	50.0	0.3910	25.40	29.40	yes	music wire	4G
C.180.200.0500.AP	18.0	2.00	50.0	0.6694	16.80	25.19	yes	music wire	4I
C.180.200.0500.I	18.0	2.00	50.0	0.4167	21.40	24.61	yes	stainless steel	4H
C.180.200.0500.N	18.0	2.00	50.0	0.4790	21.60	24.85	yes	Zn coating	4I
C.180.200.0500.NF	18.0	2.00	50.0	0.3910	25.40	29.40	yes	Zn coating	4I
C.180.200.0560.A	18.0	2.00	56.0	0.4682	22.00	25.33	yes	music wire	4G
C.180.200.0560.I	18.0	2.00	56.0	0.4021	22.00	25.33	yes	stainless steel	4H
C.180.200.0560.N	18.0	2.00	56.0	0.4682	22.00	25.33	yes	Zn coating	4I
C.180.200.0600.A	18.0	2.00	60.0	0.3720	26.40	30.59	yes	music wire	4G
C.180.200.0600.AP	18.0	2.00	60.0	0.5502	19.40	29.81	yes	music wire	4I
C.180.200.0600.I	18.0	2.00	60.0	0.3236	26.20	30.36	yes	stainless steel	4H
C.180.200.0600.N	18.0	2.00	60.0	0.3720	26.40	30.59	yes	Zn coating	4I
C.180.200.0630.A	18.0	2.00	63.0	0.3730	26.40	30.59	yes	music wire	4G
C.180.200.0630.AP	18.0	2.00	63.0	0.5216	20.20	31.16	yes	music wire	4I
C.180.200.0630.I	18.0	2.00	63.0	0.3245	26.00	30.12	yes	stainless steel	4H
C.180.200.0630.N	18.0	2.00	63.0	0.3730	26.40	30.59	yes	Zn coating	4I
C.180.200.0680.A	18.0	2.00	68.0	0.4682	22.00	32.53	yes	music wire	4I
C.180.200.0680.I	18.0	2.00	68.0	0.4021	22.00	31.73	yes	stainless steel	4J
C.180.200.0680.N	18.0	2.00	68.0	0.4682	22.00	32.53	yes	Zn coating	4J
C.180.200.0800.A	18.0	2.00	80.0	0.2890	32.60	38.01	yes	music wire	4H
C.180.200.0800.AP	18.0	2.00	80.0	0.4098	24.40	39.47	yes	music wire	4J
C.180.200.0800.I	18.0	2.00	80.0	0.2514	32.20	37.53	yes	stainless steel	4H
C.180.200.0800.N	18.0	2.00	80.0	0.2890	32.60	38.01	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.200.0980.A	18.0	2.00	98.0	0.3184	30.00	45.84	yes	music wire	4J
C.180.200.0980.AP	18.0	2.00	98.0	0.3319	29.00	47.96	yes	music wire	4J
C.180.200.0980.I	18.0	2.00	98.0	0.2735	30.00	44.68	yes	stainless steel	4J
C.180.200.0980.IF	18.0	2.00	98.0	0.1847	42.00	49.25	yes	stainless steel	4I
C.180.200.0980.N	18.0	2.00	98.0	0.3184	30.00	45.84	yes	Zn coating	4L
C.180.200.1000.A	18.0	2.00	100.0	0.2290	39.80	46.62	yes	music wire	4I
C.180.200.1000.AP	18.0	2.00	100.0	0.3239	29.60	48.72	yes	music wire	4J
C.180.200.1000.I	18.0	2.00	100.0	0.1992	39.40	46.14	yes	stainless steel	4I
C.180.200.1000.N	18.0	2.00	100.0	0.2290	39.80	46.62	yes	Zn coating	4I
C.180.200.1250.A	18.0	2.00	125.0	0.1820	48.80	57.38	yes	music wire	4I
C.180.200.1250.AP	18.0	2.00	125.0	0.2574	36.00	60.49	yes	music wire	4J
C.180.200.1250.I	18.0	2.00	125.0	0.1583	48.20	56.67	yes	stainless steel	4I
C.180.200.1250.N	18.0	2.00	125.0	0.1820	48.80	57.38	yes	Zn coating	4I
C.180.200.1450.A	18.0	2.00	145.0	0.2151	42.00	67.79	yes	music wire	4J
C.180.200.1450.I	18.0	2.00	145.0	0.1847	42.00	66.04	yes	stainless steel	4J
C.180.200.1450.IF	18.0	2.00	145.0	0.1519	50.00	58.82	yes	stainless steel	4I
C.180.200.1450.N	18.0	2.00	145.0	0.2151	42.00	67.79	yes	Zn coating	4L
C.180.200.1700.A	18.0	2.00	170.0	0.1624	54.00	67.74	yes	music wire	4J
C.180.200.1700.I	18.0	2.00	170.0	0.1395	54.00	65.45	yes	stainless steel	4J
C.180.200.1700.N	18.0	2.00	170.0	0.1624	54.00	67.74	yes	Zn coating	4L
C.180.200.3600.A	18.0	2.00	360.0	0.0630	133.40	158.17	no	music wire	4J
C.180.200.3600.I	18.0	2.00	360.0	0.0548	131.80	156.26	no	stainless steel	4J
C.180.210.1500.A	18.0	2.10	150.0	0.1956	58.17	68.01	yes	music wire	4I
C.180.210.1500.I	18.0	2.10	150.0	0.1680	58.17	68.01	yes	stainless steel	4I
C.180.220.0160.A	18.0	2.20	16.0	2.7390	10.34	11.20	yes	music wire	4G
C.180.220.0160.AP	18.0	2.20	16.0	3.5984	9.24	10.00	yes	music wire	4I
C.180.220.0160.I	18.0	2.20	16.0	2.3829	10.34	11.20	yes	stainless steel	4G
C.180.220.0160.N	18.0	2.20	16.0	2.7390	10.34	11.20	yes	Zn coating	4I
C.180.220.0200.A	18.0	2.20	20.0	2.0240	12.10	13.27	yes	music wire	4G
C.180.220.0200.AP	18.0	2.20	20.0	2.6597	10.56	11.88	yes	music wire	4I
C.180.220.0200.I	18.0	2.20	20.0	1.7609	12.10	13.27	yes	stainless steel	4G
C.180.220.0200.N	18.0	2.20	20.0	2.0240	12.10	13.27	yes	Zn coating	4I
C.180.220.0250.A	18.0	2.20	25.0	1.5520	14.08	15.60	yes	music wire	4G
C.180.220.0250.AP	18.0	2.20	25.0	2.0391	12.10	14.41	yes	music wire	4I
C.180.220.0250.I	18.0	2.20	25.0	1.3502	13.86	15.34	yes	stainless steel	4G
C.180.220.0250.N	18.0	2.20	25.0	1.5520	14.08	15.60	yes	Zn coating	4I
C.180.220.0320.A	18.0	2.20	32.0	1.1640	16.94	18.97	yes	music wire	4G
C.180.220.0320.AP	18.0	2.20	32.0	1.5685	14.08	18.23	yes	music wire	4I
C.180.220.0320.I	18.0	2.20	32.0	1.0127	16.72	18.71	yes	stainless steel	4G
C.180.220.0320.N	18.0	2.20	32.0	1.1640	16.94	18.97	yes	Zn coating	4I
C.180.220.0380.A	18.0	2.20	38.0	1.3200	15.62	21.64	yes	music wire	4I
C.180.220.0380.I	18.0	2.20	38.0	1.1484	15.40	21.43	yes	stainless steel	4I
C.180.220.0380.N	18.0	2.20	38.0	1.3200	15.62	21.64	yes	Zn coating	4J
C.180.220.0400.A	18.0	2.20	40.0	0.8950	20.46	23.11	yes	music wire	4G
C.180.220.0400.AP	18.0	2.20	40.0	1.1995	16.50	21.99	yes	music wire	4I
C.180.220.0400.I	18.0	2.20	40.0	0.7787	20.24	22.85	yes	stainless steel	4G
C.180.220.0400.N	18.0	2.20	40.0	0.8950	20.46	23.11	yes	Zn coating	4I
C.180.220.0500.A	18.0	2.20	50.0	0.7050	24.42	27.78	yes	music wire	4G
C.180.220.0500.AP	18.0	2.20	50.0	0.9411	19.58	27.05	yes	music wire	4I
C.180.220.0500.I	18.0	2.20	50.0	0.6134	24.20	27.52	yes	stainless steel	4H
C.180.220.0500.N	18.0	2.20	50.0	0.7050	24.42	27.78	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.220.0630.A	18.0	2.20	63.0	0.5480	29.70	33.99	yes	music wire	4H
C.180.220.0630.AP	18.0	2.20	63.0	0.7370	23.54	33.70	yes	music wire	4I
C.180.220.0630.I	18.0	2.20	63.0	0.4768	29.48	33.73	yes	stainless steel	4H
C.180.220.0630.N	18.0	2.20	63.0	0.5480	29.70	33.99	yes	Zn coating	4I
C.180.220.0800.A	18.0	2.20	80.0	0.4230	36.96	42.54	yes	music wire	4H
C.180.220.0800.AP	18.0	2.20	80.0	0.5717	28.82	42.22	yes	music wire	4J
C.180.220.0800.I	18.0	2.20	80.0	0.3680	36.52	42.02	yes	stainless steel	4I
C.180.220.0800.N	18.0	2.20	80.0	0.4230	36.96	42.54	yes	Zn coating	4I
C.180.220.1000.A	18.0	2.20	100.0	0.3370	45.10	52.12	yes	music wire	4I
C.180.220.1000.AP	18.0	2.20	100.0	0.4531	34.98	52.34	yes	music wire	4J
C.180.220.1000.I	18.0	2.20	100.0	0.2932	44.44	51.35	yes	stainless steel	4I
C.180.220.1000.N	18.0	2.20	100.0	0.3370	45.10	52.12	yes	Zn coating	4I
C.180.220.1250.A	18.0	2.20	125.0	0.2660	55.44	64.30	yes	music wire	4I
C.180.220.1250.AP	18.0	2.20	125.0	0.3598	42.46	64.98	yes	music wire	4J
C.180.220.1250.I	18.0	2.20	125.0	0.2314	55.00	63.78	yes	stainless steel	4I
C.180.220.1250.N	18.0	2.20	125.0	0.2660	55.44	64.30	yes	Zn coating	4J
C.180.220.1500.A	18.0	2.20	150.0	0.2327	62.70	72.85	yes	music wire	4I
C.180.220.1500.I	18.0	2.20	150.0	0.1999	62.70	72.85	yes	stainless steel	4I
C.180.220.3600.A	18.0	2.20	360.0	0.0900	155.54	181.76	no	music wire	4J
C.180.220.3600.I	18.0	2.20	360.0	0.0783	153.78	179.69	no	stainless steel	4J
C.180.230.0740.A	18.0	2.30	74.0	0.5755	35.19	40.19	yes	music wire	4H
C.180.230.0740.I	18.0	2.30	74.0	0.4943	35.19	40.19	yes	stainless steel	4I
C.180.230.0850.A	18.0	2.30	85.0	0.4978	39.79	45.57	yes	music wire	4H
C.180.230.0850.I	18.0	2.30	85.0	0.4275	39.79	45.57	yes	stainless steel	4I
C.180.230.1150.A	18.0	2.30	115.0	0.3647	52.21	60.10	yes	music wire	4I
C.180.230.1150.I	18.0	2.30	115.0	0.3132	52.21	60.10	yes	stainless steel	4I
C.180.235.0220.A	18.0	2.35	22.0	2.4563	13.63	14.92	yes	music wire	4G
C.180.235.0220.I	18.0	2.35	22.0	2.1097	13.63	14.92	yes	stainless steel	4G
C.180.235.0280.A	18.0	2.35	28.0	1.8422	16.22	17.94	yes	music wire	4G
C.180.235.0280.I	18.0	2.35	28.0	1.5823	16.22	17.94	yes	stainless steel	4G
C.180.235.0350.A	18.0	2.35	35.0	1.4221	19.27	21.50	yes	music wire	4G
C.180.235.0350.I	18.0	2.35	35.0	1.2214	19.27	21.50	yes	stainless steel	4G
C.180.235.0420.A	18.0	2.35	42.0	1.1580	22.33	25.07	yes	music wire	4G
C.180.235.0420.I	18.0	2.35	42.0	0.9946	22.33	25.07	yes	stainless steel	4H
C.180.235.0600.A	18.0	2.35	60.0	0.7870	30.08	34.11	yes	music wire	4H
C.180.235.0600.I	18.0	2.35	60.0	0.6759	30.08	34.11	yes	stainless steel	4H
C.180.235.0810.A	18.0	2.35	81.0	0.5708	39.25	44.81	yes	music wire	4H
C.180.235.0810.I	18.0	2.35	81.0	0.4903	39.25	44.81	yes	stainless steel	4I
C.180.235.0960.A	18.0	2.35	96.0	0.4768	45.83	52.48	yes	music wire	4I
C.180.235.0960.I	18.0	2.35	96.0	0.4095	45.83	52.48	yes	stainless steel	4I
C.180.235.1250.A	18.0	2.35	125.0	0.3635	58.28	67.01	yes	music wire	4I
C.180.235.1250.I	18.0	2.35	125.0	0.3122	58.28	67.01	yes	stainless steel	4I
C.180.235.1800.A	18.0	2.35	180.0	0.2494	82.25	94.97	yes	music wire	4I
C.180.235.1800.I	18.0	2.35	180.0	0.2142	82.25	94.97	yes	stainless steel	4I
C.180.240.1350.A	18.0	2.40	135.0	0.3649	64.56	74.13	yes	music wire	4I
C.180.240.1350.I	18.0	2.40	135.0	0.3134	64.56	74.13	yes	stainless steel	4I
C.180.240.1700.A	18.0	2.40	170.0	0.2881	80.16	92.28	yes	music wire	4I
C.180.240.1700.I	18.0	2.40	170.0	0.2475	80.16	92.28	yes	stainless steel	4I
C.180.250.0160.A	18.0	2.50	16.0	4.8380	11.75	12.62	yes	music wire	4G
C.180.250.0160.AP	18.0	2.50	16.0	6.0189	10.75	11.46	yes	music wire	4I
C.180.250.0160.I	18.0	2.50	16.0	4.2091	11.75	12.62	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.250.0160.N	18.0	2.50	16.0	4.8380	11.75	12.62	yes	Zn coating	4I
C.180.250.0190.A	18.0	2.50	19.0	2.9970	15.25	16.67	yes	music wire	4G
C.180.250.0190.AP	18.0	2.50	19.0	4.7104	12.00	12.91	yes	music wire	4I
C.180.250.0190.I	18.0	2.50	19.0	2.6074	15.00	16.38	yes	stainless steel	4G
C.180.250.0190.N	18.0	2.50	19.0	2.9970	15.25	16.67	yes	Zn coating	4I
C.180.250.0200.A	18.0	2.50	20.0	3.5760	13.75	14.93	yes	music wire	4G
C.180.250.0200.AF	18.0	2.50	20.0	2.4680	17.00	18.69	yes	music wire	4G
C.180.250.0200.AP	18.0	2.50	20.0	4.5141	12.25	13.21	yes	music wire	4I
C.180.250.0200.I	18.0	2.50	20.0	3.1111	13.75	14.93	yes	stainless steel	4G
C.180.250.0200.N	18.0	2.50	20.0	3.5760	13.75	14.93	yes	Zn coating	4I
C.180.250.0200.NF	18.0	2.50	20.0	2.4680	17.00	18.69	yes	Zn coating	4I
C.180.250.0235.A	18.0	2.50	23.5	2.3310	17.75	19.56	yes	music wire	4G
C.180.250.0235.AP	18.0	2.50	23.5	3.6113	13.75	15.01	yes	music wire	4I
C.180.250.0235.I	18.0	2.50	23.5	2.0280	17.50	19.27	yes	stainless steel	4G
C.180.250.0235.N	18.0	2.50	23.5	2.3310	17.75	19.56	yes	Zn coating	4I
C.180.250.0250.A	18.0	2.50	25.0	2.6530	16.25	17.83	yes	music wire	4G
C.180.250.0250.AP	18.0	2.50	25.0	3.3856	14.25	15.95	yes	music wire	4I
C.180.250.0250.I	18.0	2.50	25.0	2.3081	16.25	17.83	yes	stainless steel	4G
C.180.250.0250.N	18.0	2.50	25.0	2.6530	16.25	17.83	yes	Zn coating	4I
C.180.250.0318.A	18.0	2.50	31.8	1.9083	20.25	22.46	yes	music wire	4G
C.180.250.0318.I	18.0	2.50	31.8	1.6390	20.25	22.46	yes	stainless steel	4H
C.180.250.0320.A	18.0	2.50	32.0	2.0060	19.50	21.59	yes	music wire	4G
C.180.250.0320.AP	18.0	2.50	32.0	2.5195	16.75	19.83	yes	music wire	4I
C.180.250.0320.I	18.0	2.50	32.0	1.7500	19.25	21.30	yes	stainless steel	4H
C.180.250.0320.N	18.0	2.50	32.0	2.0060	19.50	21.59	yes	Zn coating	4I
C.180.250.0340.A	18.0	2.50	34.0	1.9070	20.25	22.46	yes	music wire	4G
C.180.250.0340.I	18.0	2.50	34.0	1.6591	20.00	22.17	yes	stainless steel	4H
C.180.250.0340.N	18.0	2.50	34.0	1.9070	20.25	22.46	yes	Zn coating	4I
C.180.250.0400.A	18.0	2.50	40.0	1.5520	23.50	26.22	yes	music wire	4G
C.180.250.0400.AP	18.0	2.50	40.0	1.9698	19.75	24.44	yes	music wire	4I
C.180.250.0400.I	18.0	2.50	40.0	1.3502	23.25	25.93	yes	stainless steel	4H
C.180.250.0400.N	18.0	2.50	40.0	1.5520	23.50	26.22	yes	Zn coating	4I
C.180.250.0450.A	18.0	2.50	45.0	1.4000	25.25	28.25	yes	music wire	4G
C.180.250.0450.AF	18.0	2.50	45.0	1.0178	32.50	36.64	yes	music wire	4G
C.180.250.0450.AP	18.0	2.50	45.0	1.7197	21.75	27.18	yes	music wire	4I
C.180.250.0450.I	18.0	2.50	45.0	0.8742	32.50	36.64	yes	stainless steel	4H
C.180.250.0450.N	18.0	2.50	45.0	1.4000	25.25	28.25	yes	Zn coating	4I
C.180.250.0450.NF	18.0	2.50	45.0	1.0178	32.50	36.64	yes	Zn coating	4I
C.180.250.0500.A	18.0	2.50	50.0	1.2090	28.25	31.72	yes	music wire	4H
C.180.250.0500.AP	18.0	2.50	50.0	1.5259	23.75	29.91	yes	music wire	4I
C.180.250.0500.I	18.0	2.50	50.0	1.0518	28.00	31.43	yes	stainless steel	4H
C.180.250.0500.N	18.0	2.50	50.0	1.2090	28.25	31.72	yes	Zn coating	4I
C.180.250.0520.A	18.0	2.50	52.0	1.2340	28.00	31.43	yes	music wire	4H
C.180.250.0520.I	18.0	2.50	52.0	1.0736	27.50	30.85	yes	stainless steel	4H
C.180.250.0520.N	18.0	2.50	52.0	1.2340	28.00	31.43	yes	Zn coating	4I
C.180.250.0630.A	18.0	2.50	63.0	0.9350	34.75	39.24	yes	music wire	4H
C.180.250.0630.AP	18.0	2.50	63.0	1.1905	28.75	37.25	yes	music wire	4J
C.180.250.0630.I	18.0	2.50	63.0	0.8135	34.50	38.95	yes	stainless steel	4I
C.180.250.0630.N	18.0	2.50	63.0	0.9350	34.75	39.24	yes	Zn coating	4I
C.180.250.0650.A	18.0	2.50	65.0	0.9540	34.25	38.66	yes	music wire	4H
C.180.250.0650.I	18.0	2.50	65.0	0.8300	34.00	38.38	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.250.0650.N	18.0	2.50	65.0	0.9540	34.25	38.66	yes	Zn coating	4I
C.180.250.0750.A	18.0	2.50	75.0	0.8740	36.75	41.56	yes	music wire	4J
C.180.250.0750.I	18.0	2.50	75.0	0.7604	36.50	41.27	yes	stainless steel	4J
C.180.250.0750.N	18.0	2.50	75.0	0.8740	36.75	41.56	yes	Zn coating	4L
C.180.250.0800.A	18.0	2.50	80.0	0.7280	43.00	48.79	yes	music wire	4I
C.180.250.0800.AP	18.0	2.50	80.0	0.9260	35.00	46.90	yes	music wire	4J
C.180.250.0800.I	18.0	2.50	80.0	0.6334	42.50	48.22	yes	stainless steel	4I
C.180.250.0800.N	18.0	2.50	80.0	0.7280	43.00	48.79	yes	Zn coating	4I
C.180.250.0850.A	18.0	2.50	85.0	0.6170	49.50	56.32	yes	music wire	4I
C.180.250.0850.AP	18.0	2.50	85.0	0.8667	37.00	49.63	yes	music wire	4J
C.180.250.0850.I	18.0	2.50	85.0	0.5368	49.00	55.74	yes	stainless steel	4I
C.180.250.0850.N	18.0	2.50	85.0	0.6170	49.50	56.32	yes	Zn coating	4I
C.180.250.0910.A	18.0	2.50	91.0	0.7916	40.00	52.28	yes	music wire	4J
C.180.250.0910.I	18.0	2.50	91.0	0.6799	40.00	51.11	yes	stainless steel	4J
C.180.250.0910.N	18.0	2.50	91.0	0.7916	40.00	52.28	yes	Zn coating	4L
C.180.250.1000.A	18.0	2.50	100.0	0.5750	52.75	60.08	yes	music wire	4I
C.180.250.1000.AP	18.0	2.50	100.0	0.7320	42.75	58.13	yes	music wire	4J
C.180.250.1000.I	18.0	2.50	100.0	0.5000	52.25	59.50	yes	stainless steel	4I
C.180.250.1000.N	18.0	2.50	100.0	0.5750	52.75	60.08	yes	Zn coating	4I
C.180.250.1250.A	18.0	2.50	125.0	0.4540	65.00	74.26	yes	music wire	4I
C.180.250.1250.AP	18.0	2.50	125.0	0.5794	52.25	72.09	yes	music wire	4J
C.180.250.1250.I	18.0	2.50	125.0	0.3950	64.25	73.39	yes	stainless steel	4I
C.180.250.1250.N	18.0	2.50	125.0	0.4540	65.00	74.26	yes	Zn coating	4J
C.180.250.1450.A	18.0	2.50	145.0	0.4002	73.00	83.52	yes	music wire	4I
C.180.250.1450.I	18.0	2.50	145.0	0.3438	73.00	83.52	yes	stainless steel	4I
C.180.250.1720.A	18.0	2.50	172.0	0.3440	84.00	96.26	yes	music wire	4I
C.180.250.1720.I	18.0	2.50	172.0	0.3000	82.75	94.81	yes	stainless steel	4I
C.180.250.1720.N	18.0	2.50	172.0	0.3440	84.00	96.26	yes	Zn coating	4J
C.180.250.1810.A	18.0	2.50	181.0	0.3886	75.00	102.12	yes	music wire	4K
C.180.250.1810.I	18.0	2.50	181.0	0.3338	75.00	99.75	yes	stainless steel	4K
C.180.250.1810.N	18.0	2.50	181.0	0.3886	75.00	102.12	yes	Zn coating	4M
C.180.250.3600.A	18.0	2.50	360.0	0.1530	183.25	210.76	no	music wire	4J
C.180.250.3600.I	18.0	2.50	360.0	0.1331	181.25	208.45	no	stainless steel	4J
C.180.260.0390.A	18.0	2.60	39.0	1.9313	23.66	26.28	yes	music wire	4G
C.180.260.0390.I	18.0	2.60	39.0	1.6588	23.66	26.28	yes	stainless steel	4H
C.180.260.0480.A	18.0	2.60	48.0	1.5175	28.34	31.67	yes	music wire	4H
C.180.260.0480.I	18.0	2.60	48.0	1.3033	28.34	31.67	yes	stainless steel	4H
C.180.260.0720.A	18.0	2.60	72.0	0.9805	40.30	45.46	yes	music wire	4H
C.180.260.0720.I	18.0	2.60	72.0	0.8422	40.30	45.46	yes	stainless steel	4I
C.180.260.1150.A	18.0	2.60	115.0	0.5984	61.88	70.33	yes	music wire	4I
C.180.260.1150.I	18.0	2.60	115.0	0.5140	61.88	70.33	yes	stainless steel	4I
C.180.260.1350.A	18.0	2.60	135.0	0.5058	72.02	82.02	yes	music wire	4I
C.180.260.1350.I	18.0	2.60	135.0	0.4344	72.02	82.02	yes	stainless steel	4I
C.180.280.0160.A	18.0	2.80	16.0	8.5760	12.88	13.73	yes	music wire	4I
C.180.280.0160.I	18.0	2.80	16.0	7.4611	12.88	13.73	yes	stainless steel	4I
C.180.280.0160.N	18.0	2.80	16.0	8.5760	12.88	13.73	yes	Zn coating	4J
C.180.280.0200.A	18.0	2.80	20.0	5.9660	15.40	16.61	yes	music wire	4I
C.180.280.0200.AP	18.0	2.80	20.0	7.2504	14.00	15.01	yes	music wire	4J
C.180.280.0200.I	18.0	2.80	20.0	5.1904	15.40	16.61	yes	stainless steel	4I
C.180.280.0200.N	18.0	2.80	20.0	5.9660	15.40	16.61	yes	Zn coating	4J
C.180.280.0250.A	18.0	2.80	25.0	4.5740	17.92	19.49	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.280.0250.I	18.0	2.80	25.0	3.9794	17.64	19.17	yes	stainless steel	4I
C.180.280.0250.N	18.0	2.80	25.0	4.5740	17.92	19.49	yes	Zn coating	4J
C.180.280.0280.A	18.0	2.80	28.0	3.9624	19.60	21.42	yes	music wire	4I
C.180.280.0280.I	18.0	2.80	28.0	3.4033	19.60	21.42	yes	stainless steel	4I
C.180.280.0320.A	18.0	2.80	32.0	3.3470	21.84	23.98	yes	music wire	4I
C.180.280.0320.I	18.0	2.80	32.0	2.9119	21.84	23.98	yes	stainless steel	4I
C.180.280.0320.N	18.0	2.80	32.0	3.3470	21.84	23.98	yes	Zn coating	4J
C.180.280.0400.A	18.0	2.80	40.0	2.5890	26.32	29.11	yes	music wire	4I
C.180.280.0400.I	18.0	2.80	40.0	2.2524	26.04	28.79	yes	stainless steel	4I
C.180.280.0400.N	18.0	2.80	40.0	2.5890	26.32	29.11	yes	Zn coating	4J
C.180.280.0500.A	18.0	2.80	50.0	2.0180	31.64	35.19	yes	music wire	4I
C.180.280.0500.I	18.0	2.80	50.0	1.7557	31.36	34.87	yes	stainless steel	4I
C.180.280.0500.N	18.0	2.80	50.0	2.0180	31.64	35.19	yes	Zn coating	4J
C.180.280.0630.A	18.0	2.80	63.0	1.5590	38.92	43.52	yes	music wire	4I
C.180.280.0630.I	18.0	2.80	63.0	1.3563	38.64	43.20	yes	stainless steel	4I
C.180.280.0630.N	18.0	2.80	63.0	1.5590	38.92	43.52	yes	Zn coating	4J
C.180.280.0800.A	18.0	2.80	80.0	1.2040	48.44	54.42	yes	music wire	4I
C.180.280.0800.I	18.0	2.80	80.0	1.0475	47.88	53.78	yes	stainless steel	4I
C.180.280.0800.N	18.0	2.80	80.0	1.2040	48.44	54.42	yes	Zn coating	4J
C.180.280.1000.A	18.0	2.80	100.0	0.9460	59.64	67.23	yes	music wire	4I
C.180.280.1000.I	18.0	2.80	100.0	0.8230	59.08	66.59	yes	stainless steel	4I
C.180.280.1000.N	18.0	2.80	100.0	0.9460	59.64	67.23	yes	Zn coating	4J
C.180.280.1150.A	18.0	2.80	115.0	0.8179	68.04	76.84	yes	music wire	4I
C.180.280.1150.I	18.0	2.80	115.0	0.7025	68.04	76.84	yes	stainless steel	4I
C.180.280.1250.A	18.0	2.80	125.0	0.7500	73.64	83.25	yes	music wire	4I
C.180.280.1250.I	18.0	2.80	125.0	0.6525	72.80	82.29	yes	stainless steel	4J
C.180.280.1250.N	18.0	2.80	125.0	0.7500	73.64	83.25	yes	Zn coating	4J
C.180.280.1400.A	18.0	2.80	140.0	0.6678	81.76	92.54	yes	music wire	4I
C.180.280.1400.I	18.0	2.80	140.0	0.5736	81.76	92.54	yes	stainless steel	4J
C.180.280.1750.A	18.0	2.80	175.0	0.5291	101.36	114.97	yes	music wire	4J
C.180.280.1750.I	18.0	2.80	175.0	0.4544	101.36	114.97	yes	stainless steel	4J
C.180.280.3600.A	18.0	2.80	360.0	0.2510	208.60	237.27	no	music wire	4L
C.180.280.3600.I	18.0	2.80	360.0	0.2184	206.08	234.38	no	stainless steel	4L
C.180.290.0230.A	18.0	2.90	23.0	5.9794	17.40	18.83	yes	music wire	4I
C.180.290.0230.I	18.0	2.90	23.0	5.1357	17.40	18.83	yes	stainless steel	4I
C.180.290.0560.A	18.0	2.90	56.0	2.0721	36.54	40.66	yes	music wire	4I
C.180.290.0560.I	18.0	2.90	56.0	1.7797	36.54	40.66	yes	stainless steel	4I
C.180.290.1700.A	18.0	2.90	170.0	0.6361	102.66	116.08	yes	music wire	4J
C.180.290.1700.I	18.0	2.90	170.0	0.5464	102.66	116.08	yes	stainless steel	4J
C.180.300.0220.A	18.0	3.00	22.0	7.4091	17.40	18.76	yes	music wire	4I
C.180.300.0220.I	18.0	3.00	22.0	6.3636	17.40	18.76	yes	stainless steel	4I
C.180.300.0240.A	18.0	3.00	24.0	8.0000	16.80	18.08	yes	music wire	4J
C.180.300.0240.I	18.0	3.00	24.0	6.9600	16.50	17.74	yes	stainless steel	4J
C.180.300.0240.N	18.0	3.00	24.0	8.0000	16.80	18.08	yes	Zn coating	4L
C.180.300.0250.S	18.0	3.00	25.0	7.8809	16.80	18.63	yes	Cr-Si steel	4M
C.180.300.0330.A	18.0	3.00	33.0	4.4455	24.00	26.27	yes	music wire	4I
C.180.300.0330.I	18.0	3.00	33.0	3.8182	24.00	26.27	yes	stainless steel	4I
C.180.300.0475.A	18.0	3.00	47.5	3.0000	32.10	35.48	yes	music wire	4I
C.180.300.0475.I	18.0	3.00	47.5	2.6100	31.50	34.80	yes	stainless steel	4I
C.180.300.0475.N	18.0	3.00	47.5	3.0000	32.10	35.48	yes	Zn coating	4J
C.180.300.0550.A	18.0	3.00	55.0	2.4450	37.50	41.63	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.180.300.0550.I	18.0	3.00	55.0	2.1000	37.50	41.63	yes	stainless steel	4I
C.180.300.0670.A	18.0	3.00	67.0	1.9718	44.70	49.81	yes	music wire	4I
C.180.300.0670.I	18.0	3.00	67.0	1.6935	44.70	49.81	yes	stainless steel	4I
C.180.300.0780.A	18.0	3.00	78.0	1.6747	51.30	57.32	yes	music wire	4I
C.180.300.0780.I	18.0	3.00	78.0	1.4384	51.30	57.32	yes	stainless steel	4I
C.180.300.0870.A	18.0	3.00	87.0	1.4909	56.70	63.47	yes	music wire	4I
C.180.300.0870.I	18.0	3.00	87.0	1.2805	56.70	63.47	yes	stainless steel	4I
C.180.300.1400.A	18.0	3.00	140.0	0.8730	91.50	103.05	yes	music wire	4I
C.180.300.1400.AP	18.0	3.00	140.0	1.0779	75.60	93.41	yes	music wire	4L
C.180.300.1400.I	18.0	3.00	140.0	0.7595	90.30	101.69	yes	stainless steel	4J
C.180.300.1400.N	18.0	3.00	140.0	0.8730	91.50	103.05	yes	Zn coating	4J
C.180.310.0220.A	18.0	3.10	22.0	8.6187	17.98	19.36	yes	music wire	4I
C.180.310.0220.I	18.0	3.10	22.0	7.4026	17.98	19.36	yes	stainless steel	4I
C.180.310.0300.A	18.0	3.10	30.0	5.8044	22.94	24.99	yes	music wire	4I
C.180.310.0300.I	18.0	3.10	30.0	4.9854	22.94	24.99	yes	stainless steel	4I
C.180.310.0360.A	18.0	3.10	36.0	4.6626	26.66	29.21	yes	music wire	4I
C.180.310.0360.I	18.0	3.10	36.0	4.0047	26.66	29.21	yes	stainless steel	4I
C.180.310.0480.A	18.0	3.10	48.0	3.3072	34.41	38.00	yes	music wire	4I
C.180.310.0480.I	18.0	3.10	48.0	2.8405	34.41	38.00	yes	stainless steel	4I
C.180.310.0570.A	18.0	3.10	57.0	2.7348	39.99	44.33	yes	music wire	4I
C.180.310.0570.I	18.0	3.10	57.0	2.3489	39.99	44.33	yes	stainless steel	4I
C.180.310.0670.A	18.0	3.10	67.0	2.2937	46.19	51.37	yes	music wire	4I
C.180.310.0670.I	18.0	3.10	67.0	1.9700	46.19	51.37	yes	stainless steel	4I
C.180.310.0830.A	18.0	3.10	83.0	1.8232	56.11	62.62	yes	music wire	4I
C.180.310.0830.I	18.0	3.10	83.0	1.5659	56.11	62.62	yes	stainless steel	4I
C.180.310.0950.A	18.0	3.10	95.0	1.5801	63.55	71.06	yes	music wire	4I
C.180.310.0950.I	18.0	3.10	95.0	1.3571	63.55	71.06	yes	stainless steel	4I
C.180.310.1150.A	18.0	3.10	115.0	1.2870	76.26	85.49	yes	music wire	4I
C.180.310.1150.I	18.0	3.10	115.0	1.1054	76.26	85.49	yes	stainless steel	4I
C.180.310.1700.A	18.0	3.10	170.0	0.8567	110.67	124.53	yes	music wire	4J
C.180.310.1700.I	18.0	3.10	170.0	0.7358	110.67	124.53	yes	stainless steel	4J
C.180.320.0190.A	18.0	3.20	19.0	12.2045	16.64	17.78	yes	music wire	4J
C.180.320.0190.I	18.0	3.20	19.0	10.4824	16.64	17.78	yes	stainless steel	4J
C.180.320.0210.A	18.0	3.20	21.0	10.6297	17.92	19.23	yes	music wire	4J
C.180.320.0210.I	18.0	3.20	21.0	9.1298	17.92	19.23	yes	stainless steel	4J
C.180.320.0240.A	18.0	3.20	24.0	8.9060	19.84	21.40	yes	music wire	4J
C.180.320.0240.I	18.0	3.20	24.0	7.6493	19.84	21.40	yes	stainless steel	4J
C.180.320.0270.A	18.0	3.20	27.0	7.6633	21.76	23.58	yes	music wire	4J
C.180.320.0270.I	18.0	3.20	27.0	6.5819	21.76	23.58	yes	stainless steel	4J
C.180.320.0300.A	18.0	3.20	30.0	6.7249	23.68	25.75	yes	music wire	4J
C.180.320.0300.I	18.0	3.20	30.0	5.7760	23.68	25.75	yes	stainless steel	4J
C.180.320.1050.A	18.0	3.20	105.0	1.6394	72.32	80.82	yes	music wire	4J
C.180.320.1050.I	18.0	3.20	105.0	1.4081	72.32	80.82	yes	stainless steel	4J
C.180.320.1350.A	18.0	3.20	135.0	1.2577	91.84	102.91	yes	music wire	4J
C.180.320.1350.I	18.0	3.20	135.0	1.0802	91.84	102.91	yes	stainless steel	4K
C.180.330.0810.A	18.0	3.30	81.0	2.5022	58.41	64.92	yes	music wire	4J
C.180.330.0810.I	18.0	3.30	81.0	2.1492	58.41	64.92	yes	stainless steel	4J
C.180.340.0180.A	18.0	3.40	18.0	18.2269	16.66	17.70	yes	music wire	4J
C.180.340.0180.I	18.0	3.40	18.0	15.6550	16.66	17.70	yes	stainless steel	4J
C.180.340.0210.A	18.0	3.40	21.0	14.5815	18.70	20.00	yes	music wire	4J
C.180.340.0210.I	18.0	3.40	21.0	12.5240	18.70	20.00	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.340.0250.S	18.0	3.40	25.0	13.9230	19.04	20.39	yes	Cr-Si steel	4N
C.180.340.0310.A	18.0	3.40	31.0	8.7489	25.50	27.67	yes	music wire	4J
C.180.340.0310.I	18.0	3.40	31.0	7.5144	25.50	27.67	yes	stainless steel	4J
C.180.340.0340.A	18.0	3.40	34.0	7.8115	27.54	29.97	yes	music wire	4J
C.180.340.0340.I	18.0	3.40	34.0	6.7093	27.54	29.97	yes	stainless steel	4J
C.180.340.0390.A	18.0	3.40	39.0	6.6280	30.94	33.80	yes	music wire	4J
C.180.340.0390.I	18.0	3.40	39.0	5.6927	30.94	33.80	yes	stainless steel	4J
C.180.340.0440.A	18.0	3.40	44.0	5.6811	34.68	38.02	yes	music wire	4J
C.180.340.0440.I	18.0	3.40	44.0	4.8795	34.68	38.02	yes	stainless steel	4J
C.180.340.0500.A	18.0	3.40	50.0	4.9151	38.76	42.62	yes	music wire	4J
C.180.340.0500.I	18.0	3.40	50.0	4.2216	38.76	42.62	yes	stainless steel	4J
C.180.340.0690.A	18.0	3.40	69.0	3.4445	51.68	57.19	yes	music wire	4J
C.180.340.0690.I	18.0	3.40	69.0	2.9584	51.68	57.19	yes	stainless steel	4J
C.180.340.0810.A	18.0	3.40	81.0	2.8970	59.84	66.39	yes	music wire	4J
C.180.340.0810.I	18.0	3.40	81.0	2.4882	59.84	66.39	yes	stainless steel	4J
C.180.340.0950.A	18.0	3.40	95.0	2.4303	69.70	77.51	yes	music wire	4J
C.180.340.0950.I	18.0	3.40	95.0	2.0873	69.70	77.51	yes	stainless steel	4J
C.180.340.1050.A	18.0	3.40	105.0	2.1872	76.50	85.18	yes	music wire	4J
C.180.340.1050.I	18.0	3.40	105.0	1.8786	76.50	85.18	yes	stainless steel	4J
C.180.340.1200.A	18.0	3.40	120.0	1.9019	86.70	96.68	yes	music wire	4J
C.180.340.1200.I	18.0	3.40	120.0	1.6336	86.70	96.68	yes	stainless steel	4J
C.180.340.1350.A	18.0	3.40	135.0	1.6760	97.24	108.57	yes	music wire	4J
C.180.340.1350.I	18.0	3.40	135.0	1.4395	97.24	108.57	yes	stainless steel	4K
C.180.340.1550.A	18.0	3.40	155.0	1.4533	110.84	123.90	yes	music wire	4K
C.180.340.1550.I	18.0	3.40	155.0	1.2482	110.84	123.90	yes	stainless steel	4K
C.180.350.0190.A	18.0	3.50	19.0	20.0584	17.50	18.60	yes	music wire	4J
C.180.350.0190.I	18.0	3.50	19.0	17.2281	17.50	18.60	yes	stainless steel	4J
C.180.350.0270.A	18.0	3.50	27.0	11.9395	23.45	25.30	yes	music wire	4J
C.180.350.0270.I	18.0	3.50	27.0	10.2548	23.45	25.30	yes	stainless steel	4J
C.180.350.0320.A	18.0	3.50	32.0	9.6435	26.95	29.24	yes	music wire	4J
C.180.350.0320.I	18.0	3.50	32.0	8.2827	26.95	29.24	yes	stainless steel	4J
C.180.350.0400.A	18.0	3.50	40.0	10.9380	24.85	33.08	yes	music wire	4N
C.180.350.0400.I	18.0	3.50	40.0	9.5161	24.50	32.87	yes	stainless steel	4N
C.180.350.0400.N	18.0	3.50	40.0	10.9380	24.85	33.08	yes	Zn coating	4P
C.180.350.0550.A	18.0	3.50	55.0	5.1169	43.05	47.36	yes	music wire	4J
C.180.350.0550.I	18.0	3.50	55.0	4.3949	43.05	47.36	yes	stainless steel	4J
C.180.350.0690.A	18.0	3.50	69.0	3.9798	52.85	58.40	yes	music wire	4J
C.180.350.0690.I	18.0	3.50	69.0	3.4183	52.85	58.40	yes	stainless steel	4J
C.180.350.0820.A	18.0	3.50	82.0	3.2775	62.30	69.03	yes	music wire	4J
C.180.350.0820.I	18.0	3.50	82.0	2.8150	62.30	69.03	yes	stainless steel	4J
C.180.350.1000.A	18.0	3.50	100.0	3.0760	65.80	75.39	yes	music wire	4M
C.180.350.1000.I	18.0	3.50	100.0	2.6761	65.10	74.66	yes	stainless steel	4M
C.180.350.1000.N	18.0	3.50	100.0	3.0760	65.80	75.39	yes	Zn coating	4N
C.180.350.1450.A	18.0	3.50	145.0	1.7909	106.75	119.07	yes	music wire	4J
C.180.350.1450.I	18.0	3.50	145.0	1.5382	106.75	119.07	yes	stainless steel	4K
C.180.350.1700.A	18.0	3.50	170.0	1.5150	124.60	139.17	yes	music wire	4K
C.180.350.1700.I	18.0	3.50	170.0	1.3012	124.60	139.17	yes	stainless steel	4L
C.180.360.0260.A	18.0	3.60	26.0	16.3728	21.60	23.16	yes	music wire	4L
C.180.360.0260.I	18.0	3.60	26.0	14.0625	21.60	23.16	yes	stainless steel	4M
C.180.360.0260.N	18.0	3.60	26.0	16.3728	21.60	23.16	yes	Zn coating	4N
C.180.360.0368.A	18.0	3.60	36.8	10.4100	28.80	31.26	yes	music wire	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.180.360.0368.I	18.0	3.60	36.8	8.9411	28.80	31.26	yes	stainless steel	4M
C.180.360.0368.N	18.0	3.60	36.8	10.4100	28.80	31.26	yes	Zn coating	4P
C.180.360.0380.S	18.0	3.60	38.0	10.5955	28.44	30.85	yes	Cr-Si steel	4Q
C.180.360.0450.S	18.0	3.60	45.0	8.7567	32.40	35.69	yes	Cr-Si steel	4Q
C.180.360.0500.S	18.0	3.60	50.0	7.4435	36.72	40.16	yes	Cr-Si steel	4R
C.180.360.0583.A	18.0	3.60	58.3	6.0321	43.20	47.44	yes	music wire	4O
C.180.360.0583.I	18.0	3.60	58.3	5.1809	43.20	47.44	yes	stainless steel	4O
C.180.360.0583.N	18.0	3.60	58.3	6.0321	43.20	47.44	yes	Zn coating	4Q
C.180.360.0640.S	18.0	3.60	64.0	5.7793	44.64	49.90	yes	Cr-Si steel	4R
C.180.360.0906.A	18.0	3.60	90.6	3.6971	64.80	71.72	yes	music wire	4O
C.180.360.0906.I	18.0	3.60	90.6	3.1754	64.80	71.72	yes	stainless steel	4O
C.180.360.0906.N	18.0	3.60	90.6	3.6971	64.80	71.72	yes	Zn coating	4Q
C.180.400.0400.A	18.0	4.00	40.0	15.5490	34.40	37.29	yes	music wire	4P
C.180.400.0400.I	18.0	4.00	40.0	13.5276	34.00	36.84	yes	stainless steel	4P
C.180.400.0400.N	18.0	4.00	40.0	15.5490	34.40	37.29	yes	Zn coating	4R
C.180.400.0530.A	18.0	4.00	53.0	11.1816	44.00	48.02	yes	music wire	4P
C.180.400.0530.I	18.0	4.00	53.0	9.6038	44.00	48.02	yes	stainless steel	4P
C.180.400.0530.N	18.0	4.00	53.0	11.1816	44.00	48.02	yes	Zn coating	4R
C.180.400.0830.A	18.0	4.00	83.0	7.3111	62.00	68.34	yes	music wire	4T
C.180.400.0830.I	18.0	4.00	83.0	6.2795	62.00	68.16	yes	stainless steel	4R
C.180.400.0830.N	18.0	4.00	83.0	7.3111	62.00	68.34	yes	Zn coating	5A
C.181.270.1400.A	18.1	2.70	140.0	0.6129	72.09	81.81	yes	music wire	4J
C.181.270.1400.I	18.1	2.70	140.0	0.5333	71.28	80.88	yes	stainless steel	4J
C.181.320.0760.S	18.1	3.20	76.0	2.5224	48.96	54.39	yes	Cr-Si steel	4O
C.182.070.0103.A	18.2	0.70	10.3	0.0690	2.94	3.45	no	music wire	4C
C.182.070.0103.I	18.2	0.70	10.3	0.0600	2.94	3.45	no	stainless steel	4C
C.182.080.0200.A	18.2	0.80	20.0	0.0566	3.92	4.83	no	music wire	4C
C.182.080.0200.I	18.2	0.80	20.0	0.0486	3.92	4.83	no	stainless steel	4D
C.182.080.0450.A	18.2	0.80	45.0	0.0184	6.24	9.03	no	music wire	4D
C.182.080.0450.I	18.2	0.80	45.0	0.0160	6.24	9.03	no	stainless steel	4D
C.182.080.1220.A	18.2	0.80	122.0	0.0057	13.84	22.78	no	music wire	4E
C.182.080.1220.I	18.2	0.80	122.0	0.0050	13.68	22.49	no	stainless steel	4F
C.182.100.0159.A	18.2	1.00	15.9	0.0839	4.90	6.21	yes	music wire	4C
C.182.100.0159.I	18.2	1.00	15.9	0.0730	4.90	6.21	yes	stainless steel	4D
C.182.100.0191.A	18.2	1.00	19.1	0.1149	4.20	5.12	yes	music wire	4C
C.182.100.0191.I	18.2	1.00	19.1	0.1000	4.20	5.12	yes	stainless steel	4D
C.182.100.0250.A	18.2	1.00	25.0	0.0586	5.90	7.75	yes	music wire	4C
C.182.100.0250.I	18.2	1.00	25.0	0.0510	5.90	7.75	yes	stainless steel	4D
C.182.100.0260.A	18.2	1.00	26.0	0.0655	5.60	7.29	yes	music wire	4C
C.182.100.0260.I	18.2	1.00	26.0	0.0570	5.50	7.13	yes	stainless steel	4D
C.182.100.0410.A	18.2	1.00	41.0	0.0483	6.60	8.83	yes	music wire	4D
C.182.100.0410.I	18.2	1.00	41.0	0.0420	6.60	8.83	yes	stainless steel	4D
C.182.100.0450.A	18.2	1.00	45.0	0.0230	11.20	15.93	yes	music wire	4D
C.182.100.0450.I	18.2	1.00	45.0	0.0200	11.10	15.78	yes	stainless steel	4E
C.182.100.0560.A	18.2	1.00	56.0	0.0310	9.00	12.53	yes	music wire	4D
C.182.100.0560.I	18.2	1.00	56.0	0.0270	8.90	12.38	yes	stainless steel	4E
C.182.100.0800.A	18.2	1.00	80.0	0.0267	10.00	14.08	yes	music wire	4E
C.182.100.0800.I	18.2	1.00	80.0	0.0229	10.00	14.08	yes	stainless steel	4E
C.182.100.1000.A	18.2	1.00	100.0	0.0213	11.90	17.01	yes	music wire	4E
C.182.100.1000.I	18.2	1.00	100.0	0.0183	11.90	17.01	yes	stainless steel	4E
C.182.100.1460.A	18.2	1.00	146.0	0.0080	27.40	40.94	yes	music wire	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.182.100.1460.I	18.2	1.00	146.0	0.0070	27.10	40.48	yes	stainless steel	4G
C.182.100.2000.A	18.2	1.00	200.0	0.0105	21.50	31.83	yes	music wire	4G
C.182.100.2000.I	18.2	1.00	200.0	0.0091	21.50	31.83	yes	stainless steel	4H
C.182.110.0200.A	18.2	1.10	20.0	0.1570	4.84	5.81	yes	music wire	4C
C.182.110.0200.I	18.2	1.10	20.0	0.1348	4.84	5.81	yes	stainless steel	4D
C.182.110.0300.A	18.2	1.10	30.0	0.0690	7.48	9.67	yes	music wire	4D
C.182.110.0300.I	18.2	1.10	30.0	0.0600	7.48	9.67	yes	stainless steel	4D
C.182.110.0330.A	18.2	1.10	33.0	0.0839	6.71	8.54	yes	music wire	4D
C.182.110.0330.I	18.2	1.10	33.0	0.0730	6.60	8.38	yes	stainless steel	4D
C.182.110.0500.A	18.2	1.10	50.0	0.0483	9.57	12.72	yes	music wire	4D
C.182.110.0500.I	18.2	1.10	50.0	0.0420	9.46	12.56	yes	stainless steel	4E
C.182.110.0670.A	18.2	1.10	67.0	0.0207	18.59	25.92	yes	music wire	4E
C.182.110.0670.I	18.2	1.10	67.0	0.0180	18.37	25.59	yes	stainless steel	4E
C.182.110.2000.A	18.2	1.10	200.0	0.0141	25.96	36.69	yes	music wire	4G
C.182.110.2000.I	18.2	1.10	200.0	0.0121	25.96	36.69	yes	stainless steel	4H
C.182.120.0310.A	18.2	1.20	31.0	0.1011	8.16	10.23	yes	music wire	4D
C.182.120.0310.I	18.2	1.20	31.0	0.0880	8.04	10.06	yes	stainless steel	4D
C.182.120.0380.A	18.2	1.20	38.0	0.1100	7.68	9.56	yes	music wire	4D
C.182.120.0380.I	18.2	1.20	38.0	0.0957	7.68	9.56	yes	stainless steel	4E
C.182.120.0800.A	18.2	1.20	80.0	0.0473	13.92	18.30	yes	music wire	4E
C.182.120.0800.I	18.2	1.20	80.0	0.0406	13.92	18.30	yes	stainless steel	4E
C.182.130.0111.A	18.2	1.30	11.1	0.2874	5.98	6.95	yes	music wire	4C
C.182.130.0111.AP	18.2	1.30	11.1	0.5495	4.68	5.19	yes	music wire	4C
C.182.130.0111.I	18.2	1.30	11.1	0.2500	5.98	6.95	yes	stainless steel	4D
C.182.130.0290.A	18.2	1.30	29.0	0.1609	8.06	9.76	yes	music wire	4D
C.182.130.0290.I	18.2	1.30	29.0	0.1400	8.06	9.76	yes	stainless steel	4D
C.182.130.0350.A	18.2	1.30	35.0	0.1300	9.23	11.34	yes	music wire	4D
C.182.130.0350.I	18.2	1.30	35.0	0.1131	9.23	11.34	yes	stainless steel	4E
C.182.130.0800.A	18.2	1.30	80.0	0.0609	16.12	20.67	yes	music wire	4E
C.182.130.0800.I	18.2	1.30	80.0	0.0523	16.12	20.67	yes	stainless steel	4E
C.182.140.0250.A	18.2	1.40	25.0	0.2299	8.54	10.13	yes	music wire	4E
C.182.140.0250.AP	18.2	1.40	25.0	0.4142	6.30	10.30	yes	music wire	4I
C.182.140.0250.I	18.2	1.40	25.0	0.2000	8.40	9.95	yes	stainless steel	4F
C.182.140.0310.A	18.2	1.40	31.0	0.1379	11.90	14.55	yes	music wire	4E
C.182.140.0310.I	18.2	1.40	31.0	0.1200	11.76	14.37	yes	stainless steel	4F
C.182.140.0800.A	18.2	1.40	80.0	0.0779	18.34	23.03	yes	music wire	4G
C.182.140.0800.I	18.2	1.40	80.0	0.0669	18.34	23.03	yes	stainless steel	4G
C.182.160.0127.A	18.2	1.60	12.7	1.3793	5.76	6.29	yes	music wire	4I
C.182.160.0127.I	18.2	1.60	12.7	1.2000	5.60	6.27	yes	stainless steel	4I
C.182.160.0330.A	18.2	1.60	33.0	0.1900	16.32	19.54	yes	music wire	4F
C.182.160.0330.AP	18.2	1.60	33.0	0.4892	8.80	14.92	yes	music wire	4I
C.182.160.0330.I	18.2	1.60	33.0	0.1653	16.16	19.34	yes	stainless steel	4F
C.182.160.0800.A	18.2	1.60	80.0	0.1227	23.04	28.02	yes	music wire	4G
C.182.160.0800.I	18.2	1.60	80.0	0.1053	23.04	28.02	yes	stainless steel	4G
C.182.170.0200.A	18.2	1.70	20.0	0.6765	9.01	10.16	yes	music wire	4E
C.182.170.0200.I	18.2	1.70	20.0	0.5810	9.01	10.16	yes	stainless steel	4F
C.182.170.0590.A	18.2	1.70	59.0	0.2200	18.87	22.40	yes	music wire	4G
C.182.170.0590.AP	18.2	1.70	59.0	0.3177	14.45	26.04	yes	music wire	4I
C.182.170.0590.I	18.2	1.70	59.0	0.1914	18.70	22.19	yes	stainless steel	4G
C.182.180.0159.A	18.2	1.80	15.9	1.4943	7.38	8.03	yes	music wire	4I
C.182.180.0159.I	18.2	1.80	15.9	1.3000	7.38	8.03	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.182.180.0350.A	18.2	1.80	35.0	0.4000	15.48	17.95	yes	music wire	4G
C.182.180.0350.AP	18.2	1.80	35.0	0.6784	10.98	16.91	yes	music wire	4I
C.182.180.0350.I	18.2	1.80	35.0	0.3480	15.30	17.72	yes	stainless steel	4G
C.182.180.0600.A	18.2	1.80	60.0	0.2500	21.96	25.88	yes	music wire	4G
C.182.180.0600.I	18.2	1.80	60.0	0.2147	21.96	25.88	yes	stainless steel	4H
C.182.180.0980.A	18.2	1.80	98.0	0.1839	28.26	33.59	yes	music wire	4J
C.182.180.0980.I	18.2	1.80	98.0	0.1600	27.90	33.15	yes	stainless steel	4J
C.182.190.0350.A	18.2	1.90	35.0	0.5400	15.58	17.86	yes	music wire	4G
C.182.190.0350.AP	18.2	1.90	35.0	0.8134	11.97	17.47	yes	music wire	4I
C.182.190.0350.I	18.2	1.90	35.0	0.4698	15.39	17.63	yes	stainless steel	4G
C.182.190.0650.A	18.2	1.90	65.0	0.3000	24.13	28.21	yes	music wire	4G
C.182.190.0650.AP	18.2	1.90	65.0	0.4177	18.62	30.86	yes	music wire	4I
C.182.190.0650.I	18.2	1.90	65.0	0.2610	23.94	27.98	yes	stainless steel	4H
C.182.190.2200.A	18.2	1.90	220.0	0.0800	77.52	92.83	yes	music wire	4I
C.182.190.2200.I	18.2	1.90	220.0	0.0687	77.52	92.83	yes	stainless steel	4I
C.182.200.0200.A	18.2	2.00	20.0	1.2780	11.00	12.19	yes	music wire	4G
C.182.200.0200.I	18.2	2.00	20.0	1.0976	11.00	12.19	yes	stainless steel	4G
C.182.200.1020.A	18.2	2.00	102.0	0.2479	36.00	42.15	yes	music wire	4I
C.182.200.1020.I	18.2	2.00	102.0	0.2157	35.60	41.67	yes	stainless steel	4I
C.182.200.1150.A	18.2	2.00	115.0	0.2529	35.40	50.01	yes	music wire	4J
C.182.200.1150.I	18.2	2.00	115.0	0.2200	35.00	49.40	yes	stainless steel	4J
C.182.200.1300.A	18.2	2.00	130.0	0.1900	45.40	53.42	yes	music wire	4I
C.182.200.1300.I	18.2	2.00	130.0	0.1653	44.80	52.70	yes	stainless steel	4I
C.182.210.0200.A	18.2	2.10	20.0	1.5825	11.55	12.74	yes	music wire	4G
C.182.210.0200.I	18.2	2.10	20.0	1.3592	11.55	12.74	yes	stainless steel	4G
C.182.210.0540.A	18.2	2.10	54.0	0.5517	23.31	26.71	yes	music wire	4G
C.182.210.0540.I	18.2	2.10	54.0	0.4800	23.10	26.46	yes	stainless steel	4H
C.182.230.0174.A	18.2	2.30	17.4	4.0230	9.89	11.40	yes	music wire	4I
C.182.230.0174.I	18.2	2.30	17.4	3.5000	9.66	11.31	yes	stainless steel	4I
C.182.230.1000.A	18.2	2.30	100.0	0.3753	49.22	56.68	yes	music wire	4I
C.182.230.1000.I	18.2	2.30	100.0	0.3223	49.22	56.68	yes	stainless steel	4I
C.182.240.0127.A	18.2	2.40	12.7	3.9080	11.28	12.15	yes	music wire	4G
C.182.240.0127.AP	18.2	2.40	12.7	6.6766	9.12	9.63	yes	music wire	4G
C.182.240.0127.I	18.2	2.40	12.7	3.4000	11.28	12.15	yes	stainless steel	4G
C.182.240.0167.A	18.2	2.40	16.7	2.4138	14.64	16.07	yes	music wire	4G
C.182.240.0167.AP	18.2	2.40	16.7	4.8220	10.32	11.07	yes	music wire	4I
C.182.240.0167.I	18.2	2.40	16.7	2.1000	14.40	15.79	yes	stainless steel	4G
C.182.240.0410.A	18.2	2.40	41.0	1.0000	26.64	30.05	yes	music wire	4G
C.182.240.0410.AP	18.2	2.40	41.0	1.6073	18.72	24.11	yes	music wire	4I
C.182.240.0410.I	18.2	2.40	41.0	0.8700	26.40	29.77	yes	stainless steel	4H
C.182.240.1000.A	18.2	2.40	100.0	0.4440	52.32	59.96	yes	music wire	4I
C.182.240.1000.I	18.2	2.40	100.0	0.3814	52.32	59.96	yes	stainless steel	4I
C.182.250.0240.A	18.2	2.50	24.0	3.1060	14.50	15.81	yes	music wire	4G
C.182.250.0240.I	18.2	2.50	24.0	2.7022	14.50	15.81	yes	stainless steel	4G
C.182.250.0240.N	18.2	2.50	24.0	3.1060	14.50	15.81	yes	Zn coating	4I
C.182.250.1000.A	18.2	2.50	100.0	0.5273	55.00	62.76	yes	music wire	4I
C.182.250.1000.I	18.2	2.50	100.0	0.4529	55.00	62.76	yes	stainless steel	4I
C.182.270.0200.A	18.2	2.70	20.0	4.6899	15.12	16.37	yes	music wire	4G
C.182.270.0200.I	18.2	2.70	20.0	4.0282	15.12	16.37	yes	stainless steel	4G
C.182.270.1150.A	18.2	2.70	115.0	0.7885	56.43	67.55	yes	music wire	4J
C.182.270.1150.I	18.2	2.70	115.0	0.6860	55.89	66.61	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.182.320.0380.S	18.2	3.20	38.0	5.6047	25.92	28.30	yes	Cr-Si steel	4N
C.182.350.0380.A	18.2	3.50	38.0	8.8506	27.65	30.04	yes	music wire	4L
C.182.350.0380.I	18.2	3.50	38.0	7.7000	27.65	30.04	yes	stainless steel	4L
C.182.350.2000.A	18.2	3.50	200.0	1.1854	150.85	168.82	yes	music wire	4L
C.182.350.2000.I	18.2	3.50	200.0	1.0181	150.85	168.82	yes	stainless steel	4L
C.182.360.0320.S	18.2	3.60	32.0	12.7844	24.48	26.41	yes	Cr-Si steel	4Q
C.183.140.0157.A	18.3	1.40	15.7	0.3444	6.86	7.93	yes	music wire	4E
C.183.140.0157.AP	18.3	1.40	15.7	0.6782	5.18	6.77	yes	music wire	4H
C.183.140.0157.I	18.3	1.40	15.7	0.2958	6.86	7.93	yes	stainless steel	4E
C.183.140.0157.N	18.3	1.40	15.7	0.3444	6.86	7.93	yes	Zn coating	4G
C.183.140.0190.A	18.3	1.40	19.0	0.4072	6.30	7.19	yes	music wire	4E
C.183.140.0190.I	18.3	1.40	19.0	0.3497	6.30	7.19	yes	stainless steel	4F
C.183.140.0190.N	18.3	1.40	19.0	0.4072	6.30	7.19	yes	Zn coating	4G
C.183.140.0224.A	18.3	1.40	22.4	0.3444	6.86	7.93	yes	music wire	4E
C.183.140.0224.I	18.3	1.40	22.4	0.2958	6.86	7.93	yes	stainless steel	4F
C.183.140.0224.N	18.3	1.40	22.4	0.3444	6.86	7.93	yes	Zn coating	4G
C.183.140.0254.A	18.3	1.40	25.4	0.3157	7.14	8.30	yes	music wire	4E
C.183.140.0254.I	18.3	1.40	25.4	0.2746	7.00	8.12	yes	stainless steel	4F
C.183.140.0305.A	18.3	1.40	30.5	0.2599	7.84	9.22	yes	music wire	4E
C.183.140.0305.I	18.3	1.40	30.5	0.2261	7.84	9.22	yes	stainless steel	4F
C.183.140.0318.A	18.3	1.40	31.8	0.2633	7.84	9.22	yes	music wire	4I
C.183.140.0318.I	18.3	1.40	31.8	0.2290	7.70	9.04	yes	stainless steel	4I
C.183.140.0318.N	18.3	1.40	31.8	0.2633	7.84	9.22	yes	Zn coating	4I
C.183.140.0320.A	18.3	1.40	32.0	0.2529	7.98	9.41	yes	music wire	4I
C.183.140.0320.I	18.3	1.40	32.0	0.2200	7.98	9.41	yes	stainless steel	4I
C.183.140.0350.A	18.3	1.40	35.0	0.2150	8.82	10.51	yes	music wire	4E
C.183.140.0350.I	18.3	1.40	35.0	0.1791	8.96	10.70	yes	stainless steel	4F
C.183.140.0381.A	18.3	1.40	38.1	0.2034	9.10	10.88	yes	music wire	4F
C.183.140.0381.I	18.3	1.40	38.1	0.1747	9.10	10.88	yes	stainless steel	4F
C.183.140.0381.N	18.3	1.40	38.1	0.2034	9.10	10.88	yes	Zn coating	4H
C.183.140.0400.A	18.3	1.40	40.0	0.1790	9.80	11.81	yes	music wire	4F
C.183.140.0400.I	18.3	1.40	40.0	0.1558	9.80	11.81	yes	stainless steel	4F
C.183.140.0444.A	18.3	1.40	44.4	0.1597	10.64	12.91	yes	music wire	4F
C.183.140.0444.I	18.3	1.40	44.4	0.1390	10.50	12.73	yes	stainless steel	4F
C.183.140.0444.N	18.3	1.40	44.4	0.1597	10.64	12.91	yes	Zn coating	4H
C.183.140.0457.A	18.3	1.40	45.7	0.1577	10.64	12.91	yes	music wire	4F
C.183.140.0457.I	18.3	1.40	45.7	0.1372	10.64	12.91	yes	stainless steel	4F
C.183.140.0508.A	18.3	1.40	50.8	0.1472	11.20	13.65	yes	music wire	4F
C.183.140.0508.I	18.3	1.40	50.8	0.1281	11.06	13.47	yes	stainless steel	4G
C.183.140.0550.A	18.3	1.40	55.0	0.1330	12.04	14.76	yes	music wire	4F
C.183.140.0550.I	18.3	1.40	55.0	0.1157	11.90	14.58	yes	stainless steel	4G
C.183.140.0559.A	18.3	1.40	55.9	0.1193	13.02	16.05	yes	music wire	4F
C.183.140.0559.I	18.3	1.40	55.9	0.1038	12.88	15.87	yes	stainless steel	4G
C.183.140.0572.A	18.3	1.40	57.2	0.1209	12.88	15.87	yes	music wire	4F
C.183.140.0572.I	18.3	1.40	57.2	0.1051	12.74	15.68	yes	stainless steel	4G
C.183.140.0572.N	18.3	1.40	57.2	0.1209	12.88	15.87	yes	Zn coating	4I
C.183.140.0635.A	18.3	1.40	63.5	0.1077	14.00	17.35	yes	music wire	4F
C.183.140.0635.I	18.3	1.40	63.5	0.0937	13.86	17.16	yes	stainless steel	4G
C.183.140.0650.A	18.3	1.40	65.0	0.1120	13.58	16.79	yes	music wire	4F
C.183.140.0650.I	18.3	1.40	65.0	0.0933	14.00	17.35	yes	stainless steel	4G
C.183.140.0698.A	18.3	1.40	69.8	0.0994	14.98	18.64	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.140.0698.I	18.3	1.40	69.8	0.0864	14.84	18.45	yes	stainless steel	4G
C.183.140.0698.N	18.3	1.40	69.8	0.0994	14.98	18.64	yes	Zn coating	4I
C.183.140.0711.A	18.3	1.40	71.1	0.0981	15.12	18.82	yes	music wire	4G
C.183.140.0711.I	18.3	1.40	71.1	0.0853	14.98	18.64	yes	stainless steel	4G
C.183.140.0762.A	18.3	1.40	76.2	0.0932	15.68	19.56	yes	music wire	4G
C.183.140.0762.I	18.3	1.40	76.2	0.0800	15.68	19.56	yes	stainless steel	4G
C.183.140.0762.N	18.3	1.40	76.2	0.0932	15.68	19.56	yes	Zn coating	4I
C.183.150.0190.A	18.3	1.50	19.0	0.3968	7.80	8.97	yes	music wire	4E
C.183.150.0190.AP	18.3	1.50	19.0	0.7285	6.00	8.91	yes	music wire	4I
C.183.150.0190.I	18.3	1.50	19.0	0.3408	7.80	8.97	yes	stainless steel	4F
C.183.150.0190.N	18.3	1.50	19.0	0.3968	7.80	8.97	yes	Zn coating	4G
C.183.150.0224.A	18.3	1.50	22.4	0.3347	8.55	9.93	yes	music wire	4E
C.183.150.0224.AP	18.3	1.50	22.4	0.6071	6.45	10.30	yes	music wire	4I
C.183.150.0224.I	18.3	1.50	22.4	0.2875	8.55	9.93	yes	stainless steel	4F
C.183.150.0224.N	18.3	1.50	22.4	0.3347	8.55	9.93	yes	Zn coating	4G
C.183.150.0305.A	18.3	1.50	30.5	0.2517	10.20	12.06	yes	music wire	4E
C.183.150.0305.AP	18.3	1.50	30.5	0.4203	7.65	13.02	yes	music wire	4I
C.183.150.0305.I	18.3	1.50	30.5	0.2190	10.20	12.06	yes	stainless steel	4F
C.183.150.0318.A	18.3	1.50	31.8	0.2550	10.20	12.06	yes	music wire	4E
C.183.150.0318.AP	18.3	1.50	31.8	0.4047	7.80	13.64	yes	music wire	4I
C.183.150.0318.I	18.3	1.50	31.8	0.2219	10.05	11.87	yes	stainless steel	4F
C.183.150.0318.N	18.3	1.50	31.8	0.2550	10.20	12.06	yes	Zn coating	4H
C.183.150.0457.A	18.3	1.50	45.7	0.1855	12.60	15.15	yes	music wire	4F
C.183.150.0457.AP	18.3	1.50	45.7	0.2732	9.75	18.80	yes	music wire	4I
C.183.150.0457.I	18.3	1.50	45.7	0.1614	12.45	14.96	yes	stainless steel	4G
C.183.150.0508.A	18.3	1.50	50.8	0.1661	13.65	16.50	yes	music wire	4F
C.183.150.0508.AP	18.3	1.50	50.8	0.2483	10.35	21.21	yes	music wire	4I
C.183.150.0508.I	18.3	1.50	50.8	0.1445	13.50	16.31	yes	stainless steel	4G
C.183.150.0559.A	18.3	1.50	55.9	0.1503	14.55	17.66	yes	music wire	4F
C.183.150.0559.AP	18.3	1.50	55.9	0.2230	11.10	22.95	yes	music wire	4I
C.183.150.0559.I	18.3	1.50	55.9	0.1308	14.40	17.47	yes	stainless steel	4G
C.183.150.0572.A	18.3	1.50	57.2	0.1523	14.40	17.47	yes	music wire	4F
C.183.150.0572.AP	18.3	1.50	57.2	0.2185	11.25	23.58	yes	music wire	4I
C.183.150.0572.I	18.3	1.50	57.2	0.1325	14.40	17.47	yes	stainless steel	4G
C.183.150.0572.N	18.3	1.50	57.2	0.1523	14.40	17.47	yes	Zn coating	4I
C.183.150.0635.A	18.3	1.50	63.5	0.1391	15.45	18.82	yes	music wire	4G
C.183.150.0635.AP	18.3	1.50	63.5	0.1951	12.15	25.84	yes	music wire	4I
C.183.150.0635.I	18.3	1.50	63.5	0.1194	15.45	18.82	yes	stainless steel	4G
C.183.150.0635.N	18.3	1.50	63.5	0.1391	15.45	18.82	yes	Zn coating	4I
C.183.150.0700.A	18.3	1.50	70.0	0.1300	16.35	19.98	yes	music wire	4G
C.183.150.0700.I	18.3	1.50	70.0	0.1100	16.50	20.17	yes	stainless steel	4G
C.183.150.0760.A	18.3	1.50	76.0	0.1200	17.40	21.33	yes	music wire	4G
C.183.150.0760.AP	18.3	1.50	76.0	0.1607	13.95	30.27	yes	music wire	4I
C.183.150.0760.I	18.3	1.50	76.0	0.0980	18.00	22.11	yes	stainless steel	4G
C.183.160.0157.A	18.3	1.60	15.7	0.5506	8.16	9.26	yes	music wire	4E
C.183.160.0157.AP	18.3	1.60	15.7	1.1088	6.08	7.76	yes	music wire	4I
C.183.160.0157.I	18.3	1.60	15.7	0.4729	8.16	9.26	yes	stainless steel	4F
C.183.160.0157.N	18.3	1.60	15.7	0.5506	8.16	9.26	yes	Zn coating	4G
C.183.160.0159.A	18.3	1.60	15.9	0.6958	7.36	8.25	yes	music wire	4E
C.183.160.0159.AP	18.3	1.60	15.9	1.1088	6.08	7.96	yes	music wire	4I
C.183.160.0159.I	18.3	1.60	15.9	0.6053	7.20	8.04	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.160.0160.A	18.3	1.60	16.0	0.8046	6.88	7.64	yes	music wire	4E
C.183.160.0160.I	18.3	1.60	16.0	0.7000	6.88	7.64	yes	stainless steel	4F
C.183.160.0190.A	18.3	1.60	19.0	0.5863	7.84	8.85	yes	music wire	4E
C.183.160.0190.AP	18.3	1.60	19.0	0.9009	6.56	9.23	yes	music wire	4I
C.183.160.0190.I	18.3	1.60	19.0	0.5036	7.84	8.85	yes	stainless steel	4F
C.183.160.0190.N	18.3	1.60	19.0	0.5863	7.84	8.85	yes	Zn coating	4G
C.183.160.0224.A	18.3	1.60	22.4	0.4907	8.64	9.86	yes	music wire	4E
C.183.160.0224.AP	18.3	1.60	22.4	0.7207	7.20	10.19	yes	music wire	4I
C.183.160.0224.I	18.3	1.60	22.4	0.4215	8.64	9.86	yes	stainless steel	4F
C.183.160.0224.N	18.3	1.60	22.4	0.4907	8.64	9.86	yes	Zn coating	4G
C.183.160.0254.A	18.3	1.60	25.4	0.4165	9.44	10.87	yes	music wire	4E
C.183.160.0254.AP	18.3	1.60	25.4	0.6267	7.68	11.36	yes	music wire	4I
C.183.160.0254.I	18.3	1.60	25.4	0.3624	9.44	10.87	yes	stainless steel	4F
C.183.160.0305.A	18.3	1.60	30.5	0.3139	11.36	13.30	yes	music wire	4F
C.183.160.0305.AP	18.3	1.60	30.5	0.5148	8.48	13.41	yes	music wire	4I
C.183.160.0305.I	18.3	1.60	30.5	0.2731	11.20	13.10	yes	stainless steel	4F
C.183.160.0381.A	18.3	1.60	38.1	0.2625	12.80	15.12	yes	music wire	4F
C.183.160.0381.AP	18.3	1.60	38.1	0.4118	9.60	16.74	yes	music wire	4I
C.183.160.0381.I	18.3	1.60	38.1	0.2255	12.80	15.12	yes	stainless steel	4F
C.183.160.0381.N	18.3	1.60	38.1	0.2625	12.80	15.12	yes	Zn coating	4H
C.183.160.0450.A	18.3	1.60	45.0	0.2300	13.92	16.53	yes	music wire	4F
C.183.160.0450.AP	18.3	1.60	45.0	0.3432	10.72	19.36	yes	music wire	4I
C.183.160.0450.I	18.3	1.60	45.0	0.2000	13.92	16.53	yes	stainless steel	4G
C.183.160.0457.A	18.3	1.60	45.7	0.2207	14.40	17.14	yes	music wire	4F
C.183.160.0457.AP	18.3	1.60	45.7	0.3352	10.88	19.45	yes	music wire	4I
C.183.160.0457.I	18.3	1.60	45.7	0.1920	14.24	16.94	yes	stainless steel	4G
C.183.160.0508.A	18.3	1.60	50.8	0.1881	16.16	19.36	yes	music wire	4F
C.183.160.0508.AP	18.3	1.60	50.8	0.3003	11.68	21.50	yes	music wire	4I
C.183.160.0508.I	18.3	1.60	50.8	0.1636	16.00	19.16	yes	stainless steel	4G
C.183.160.0559.A	18.3	1.60	55.9	0.1881	16.16	19.36	yes	music wire	4F
C.183.160.0559.AP	18.3	1.60	55.9	0.2720	12.48	23.55	yes	music wire	4I
C.183.160.0559.I	18.3	1.60	55.9	0.1636	16.00	19.16	yes	stainless steel	4G
C.183.160.0572.A	18.3	1.60	57.2	0.1905	16.00	19.16	yes	music wire	4F
C.183.160.0572.AP	18.3	1.60	57.2	0.2669	12.64	24.24	yes	music wire	4I
C.183.160.0572.I	18.3	1.60	57.2	0.1657	15.84	18.96	yes	stainless steel	4G
C.183.160.0572.N	18.3	1.60	57.2	0.1905	16.00	19.16	yes	Zn coating	4I
C.183.160.0635.A	18.3	1.60	63.5	0.1701	17.44	20.98	yes	music wire	4G
C.183.160.0635.AP	18.3	1.60	63.5	0.2402	13.60	26.88	yes	music wire	4I
C.183.160.0635.I	18.3	1.60	63.5	0.1480	17.28	20.78	yes	stainless steel	4G
C.183.160.0698.A	18.3	1.60	69.8	0.1573	18.56	22.40	yes	music wire	4G
C.183.160.0698.I	18.3	1.60	69.8	0.1369	18.40	22.19	yes	stainless steel	4G
C.183.160.0698.N	18.3	1.60	69.8	0.1573	18.56	22.40	yes	Zn coating	4I
C.183.160.0711.A	18.3	1.60	71.1	0.1553	18.72	22.60	yes	music wire	4G
C.183.160.0711.I	18.3	1.60	71.1	0.1351	18.56	22.40	yes	stainless steel	4G
C.183.160.0762.A	18.3	1.60	76.2	0.1447	19.84	24.01	yes	music wire	4G
C.183.160.0762.I	18.3	1.60	76.2	0.1243	19.84	24.01	yes	stainless steel	4G
C.183.160.0762.N	18.3	1.60	76.2	0.1447	19.84	24.01	yes	Zn coating	4I
C.183.170.0190.A	18.3	1.70	19.0	0.8519	7.99	8.90	yes	music wire	4E
C.183.170.0190.AF	18.3	1.70	19.0	0.6688	9.01	10.17	yes	music wire	4E
C.183.170.0190.AP	18.3	1.70	19.0	1.1012	7.14	9.54	yes	music wire	4I
C.183.170.0190.I	18.3	1.70	19.0	0.7317	7.99	8.90	yes	stainless steel	4F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.183.170.0190.IF	18.3	1.70	19.0	0.5745	9.01	10.17	yes	stainless steel	4F
C.183.170.0190.N	18.3	1.70	19.0	0.8519	7.99	8.90	yes	Zn coating	4G
C.183.170.0190.NF	18.3	1.70	19.0	0.6688	9.01	10.17	yes	Zn coating	4G
C.183.170.0224.A	18.3	1.70	22.4	0.6688	9.01	10.17	yes	music wire	4E
C.183.170.0224.AP	18.3	1.70	22.4	0.8915	7.82	10.71	yes	music wire	4I
C.183.170.0224.I	18.3	1.70	22.4	0.5745	9.01	10.17	yes	stainless steel	4F
C.183.170.0224.N	18.3	1.70	22.4	0.6688	9.01	10.17	yes	Zn coating	4G
C.183.170.0254.A	18.3	1.70	25.4	0.5760	9.69	11.01	yes	music wire	4E
C.183.170.0254.AP	18.3	1.70	25.4	0.7800	8.33	12.05	yes	music wire	4I
C.183.170.0254.I	18.3	1.70	25.4	0.4947	9.69	11.01	yes	stainless steel	4F
C.183.170.0254.N	18.3	1.70	25.4	0.5760	9.69	11.01	yes	Zn coating	4H
C.183.170.0305.A	18.3	1.70	30.5	0.4618	11.05	12.70	yes	music wire	4F
C.183.170.0305.AP	18.3	1.70	30.5	0.6455	9.18	14.36	yes	music wire	4I
C.183.170.0305.I	18.3	1.70	30.5	0.4018	11.05	12.70	yes	stainless steel	4F
C.183.170.0318.A	18.3	1.70	31.8	0.4678	11.05	12.70	yes	music wire	4F
C.183.170.0318.I	18.3	1.70	31.8	0.4070	10.88	12.49	yes	stainless steel	4F
C.183.170.0318.N	18.3	1.70	31.8	0.4678	11.05	12.70	yes	Zn coating	4H
C.183.170.0320.A	18.3	1.70	32.0	0.4138	11.90	13.76	yes	music wire	4F
C.183.170.0320.AP	18.3	1.70	32.0	0.6039	9.52	14.75	yes	music wire	4I
C.183.170.0320.I	18.3	1.70	32.0	0.3600	11.73	13.55	yes	stainless steel	4F
C.183.170.0381.A	18.3	1.70	38.1	0.3817	12.58	14.60	yes	music wire	4F
C.183.170.0381.I	18.3	1.70	38.1	0.3279	12.58	14.60	yes	stainless steel	4F
C.183.170.0381.N	18.3	1.70	38.1	0.3817	12.58	14.60	yes	Zn coating	4H
C.183.170.0444.A	18.3	1.70	44.4	0.3065	14.62	17.14	yes	music wire	4F
C.183.170.0444.AP	18.3	1.70	44.4	0.4255	11.73	19.92	yes	music wire	4I
C.183.170.0444.I	18.3	1.70	44.4	0.2667	14.45	16.93	yes	stainless steel	4G
C.183.170.0444.N	18.3	1.70	44.4	0.3065	14.62	17.14	yes	Zn coating	4H
C.183.170.0457.A	18.3	1.70	45.7	0.3026	14.62	17.14	yes	music wire	4F
C.183.170.0457.I	18.3	1.70	45.7	0.2633	14.62	17.14	yes	stainless steel	4G
C.183.170.0508.A	18.3	1.70	50.8	0.2671	16.15	19.04	yes	music wire	4F
C.183.170.0508.AP	18.3	1.70	50.8	0.3671	12.92	22.42	yes	music wire	4I
C.183.170.0508.I	18.3	1.70	50.8	0.2294	16.15	19.04	yes	stainless steel	4G
C.183.170.0508.N	18.3	1.70	50.8	0.2671	16.15	19.04	yes	Zn coating	4I
C.183.170.0559.A	18.3	1.70	55.9	0.2292	18.02	21.37	yes	music wire	4F
C.183.170.0559.AP	18.3	1.70	55.9	0.3343	13.77	24.74	yes	music wire	4I
C.183.170.0559.I	18.3	1.70	55.9	0.2000	17.85	21.16	yes	stainless steel	4G
C.183.170.0572.A	18.3	1.70	57.2	0.2322	17.85	21.16	yes	music wire	4F
C.183.170.0572.AP	18.3	1.70	57.2	0.3284	13.94	25.48	yes	music wire	4I
C.183.170.0572.I	18.3	1.70	57.2	0.2020	17.68	20.94	yes	stainless steel	4G
C.183.170.0572.N	18.3	1.70	57.2	0.2322	17.85	21.16	yes	Zn coating	4I
C.183.170.0635.A	18.3	1.70	63.5	0.2161	18.87	22.42	yes	music wire	4G
C.183.170.0635.I	18.3	1.70	63.5	0.1856	18.87	22.42	yes	stainless steel	4G
C.183.170.0635.N	18.3	1.70	63.5	0.2161	18.87	22.42	yes	Zn coating	4I
C.183.170.0700.A	18.3	1.70	70.0	0.1954	20.40	24.32	yes	music wire	4G
C.183.170.0700.I	18.3	1.70	70.0	0.1700	20.23	24.11	yes	stainless steel	4G
C.183.170.0762.A	18.3	1.70	76.2	0.1788	21.93	26.23	yes	music wire	4G
C.183.170.0762.I	18.3	1.70	76.2	0.1536	21.93	26.23	yes	stainless steel	4G
C.183.170.0762.N	18.3	1.70	76.2	0.1788	21.93	26.23	yes	Zn coating	4I
C.183.170.0813.A	18.3	1.70	81.3	0.1716	22.61	27.07	yes	music wire	4G
C.183.170.0813.I	18.3	1.70	81.3	0.1493	22.44	26.86	yes	stainless steel	4G
C.183.170.0826.A	18.3	1.70	82.6	0.1738	22.44	26.86	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.170.0826.I	18.3	1.70	82.6	0.1512	22.27	26.65	yes	stainless steel	4I
C.183.170.0826.N	18.3	1.70	82.6	0.1738	22.44	26.86	yes	Zn coating	4J
C.183.170.0830.A	18.3	1.70	83.0	0.1609	23.97	28.76	yes	music wire	4G
C.183.170.0830.I	18.3	1.70	83.0	0.1400	23.63	28.34	yes	stainless steel	4G
C.183.170.0889.A	18.3	1.70	88.9	0.1625	23.63	28.34	yes	music wire	4I
C.183.170.0889.I	18.3	1.70	88.9	0.1396	23.63	28.34	yes	stainless steel	4I
C.183.170.0889.N	18.3	1.70	88.9	0.1625	23.63	28.34	yes	Zn coating	4J
C.183.170.0890.A	18.3	1.70	89.0	0.1400	26.86	32.35	yes	music wire	4G
C.183.170.0890.AP	18.3	1.70	89.0	0.2057	19.55	38.36	yes	music wire	4I
C.183.170.0890.I	18.3	1.70	89.0	0.1200	26.86	32.35	yes	stainless steel	4G
C.183.180.0190.A	18.3	1.80	19.0	0.7391	10.26	11.56	yes	music wire	4G
C.183.180.0190.AP	18.3	1.80	19.0	1.3324	7.74	9.84	yes	music wire	4I
C.183.180.0190.I	18.3	1.80	19.0	0.6348	10.26	11.56	yes	stainless steel	4G
C.183.180.0190.N	18.3	1.80	19.0	0.7391	10.26	11.56	yes	Zn coating	4I
C.183.180.0191.A	18.3	1.80	19.1	1.1494	8.28	9.13	yes	music wire	4I
C.183.180.0191.I	18.3	1.80	19.1	1.0000	8.10	8.91	yes	stainless steel	4I
C.183.180.0224.A	18.3	1.80	22.4	0.7730	10.08	11.34	yes	music wire	4G
C.183.180.0224.AP	18.3	1.80	22.4	1.0901	8.46	11.20	yes	music wire	4I
C.183.180.0224.I	18.3	1.80	22.4	0.6639	10.08	11.34	yes	stainless steel	4G
C.183.180.0224.N	18.3	1.80	22.4	0.7730	10.08	11.34	yes	Zn coating	4I
C.183.180.0254.A	18.3	1.80	25.4	0.6449	11.16	12.67	yes	music wire	4G
C.183.180.0254.AP	18.3	1.80	25.4	0.9593	9.00	12.67	yes	music wire	4I
C.183.180.0254.I	18.3	1.80	25.4	0.5611	10.98	12.44	yes	stainless steel	4G
C.183.180.0305.A	18.3	1.80	30.5	0.5403	12.42	14.21	yes	music wire	4G
C.183.180.0305.AP	18.3	1.80	30.5	0.7736	10.08	14.72	yes	music wire	4I
C.183.180.0305.I	18.3	1.80	30.5	0.4701	12.42	14.21	yes	stainless steel	4G
C.183.180.0320.A	18.3	1.80	32.0	0.5862	11.88	13.55	yes	music wire	4G
C.183.180.0320.I	18.3	1.80	32.0	0.5100	11.70	13.33	yes	stainless steel	4G
C.183.180.0381.A	18.3	1.80	38.1	0.4132	14.94	17.30	yes	music wire	4G
C.183.180.0381.AP	18.3	1.80	38.1	0.6149	11.52	18.24	yes	music wire	4I
C.183.180.0381.I	18.3	1.80	38.1	0.3549	14.94	17.30	yes	stainless steel	4G
C.183.180.0381.N	18.3	1.80	38.1	0.4132	14.94	17.30	yes	Zn coating	4I
C.183.180.0444.A	18.3	1.80	44.4	0.3455	16.92	19.73	yes	music wire	4G
C.183.180.0444.AP	18.3	1.80	44.4	0.5214	12.78	20.98	yes	music wire	4I
C.183.180.0444.I	18.3	1.80	44.4	0.3000	16.74	19.51	yes	stainless steel	4G
C.183.180.0444.N	18.3	1.80	44.4	0.3455	16.92	19.73	yes	Zn coating	4I
C.183.180.0457.A	18.3	1.80	45.7	0.3411	17.10	19.95	yes	music wire	4G
C.183.180.0457.AP	18.3	1.80	45.7	0.4996	13.14	21.26	yes	music wire	4I
C.183.180.0457.I	18.3	1.80	45.7	0.2968	16.92	19.73	yes	stainless steel	4G
C.183.180.0508.A	18.3	1.80	50.8	0.3094	18.36	21.49	yes	music wire	4G
C.183.180.0508.AP	18.3	1.80	50.8	0.4441	14.22	23.31	yes	music wire	4I
C.183.180.0508.I	18.3	1.80	50.8	0.2692	18.18	21.27	yes	stainless steel	4G
C.183.180.0559.A	18.3	1.80	55.9	0.2738	20.16	23.70	yes	music wire	4G
C.183.180.0559.AP	18.3	1.80	55.9	0.4065	15.12	25.86	yes	music wire	4I
C.183.180.0559.I	18.3	1.80	55.9	0.2382	19.98	23.48	yes	stainless steel	4G
C.183.180.0572.A	18.3	1.80	57.2	0.2774	19.98	23.48	yes	music wire	4G
C.183.180.0572.AP	18.3	1.80	57.2	0.3932	15.48	26.14	yes	music wire	4I
C.183.180.0572.I	18.3	1.80	57.2	0.2413	19.80	23.26	yes	stainless steel	4G
C.183.180.0572.N	18.3	1.80	57.2	0.2774	19.98	23.48	yes	Zn coating	4I
C.183.180.0635.A	18.3	1.80	63.5	0.2492	21.78	25.69	yes	music wire	4G
C.183.180.0635.AP	18.3	1.80	63.5	0.3527	16.74	28.88	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.180.0635.I	18.3	1.80	63.5	0.2168	21.42	25.24	yes	stainless steel	4H
C.183.180.0698.A	18.3	1.80	69.8	0.2285	23.22	27.45	yes	music wire	4G
C.183.180.0698.AP	18.3	1.80	69.8	0.3198	17.82	31.61	yes	music wire	4I
C.183.180.0698.I	18.3	1.80	69.8	0.1988	23.04	27.23	yes	stainless steel	4H
C.183.180.0698.N	18.3	1.80	69.8	0.2285	23.22	27.45	yes	Zn coating	4I
C.183.180.0711.A	18.3	1.80	71.1	0.2256	23.58	27.89	yes	music wire	4G
C.183.180.0711.AP	18.3	1.80	71.1	0.3156	18.00	32.40	yes	music wire	4I
C.183.180.0711.I	18.3	1.80	71.1	0.1963	23.22	27.45	yes	stainless steel	4H
C.183.180.0762.A	18.3	1.80	76.2	0.2114	24.84	29.44	yes	music wire	4H
C.183.180.0762.AP	18.3	1.80	76.2	0.2925	19.08	34.45	yes	music wire	4I
C.183.180.0762.I	18.3	1.80	76.2	0.1815	24.84	29.44	yes	stainless steel	4H
C.183.180.0762.N	18.3	1.80	76.2	0.2114	24.84	29.44	yes	Zn coating	4I
C.183.180.0813.A	18.3	1.80	81.3	0.1941	26.64	31.64	yes	music wire	4H
C.183.180.0813.AP	18.3	1.80	81.3	0.2725	20.16	36.49	yes	music wire	4I
C.183.180.0813.I	18.3	1.80	81.3	0.1688	26.28	31.20	yes	stainless steel	4H
C.183.180.0826.A	18.3	1.80	82.6	0.1966	26.28	31.20	yes	music wire	4H
C.183.180.0826.I	18.3	1.80	82.6	0.1710	26.10	30.98	yes	stainless steel	4H
C.183.180.0826.N	18.3	1.80	82.6	0.1966	26.28	31.20	yes	Zn coating	4I
C.183.180.0830.A	18.3	1.80	83.0	0.2184	24.12	28.55	yes	music wire	4J
C.183.180.0830.I	18.3	1.80	83.0	0.1900	23.94	28.33	yes	stainless steel	4J
C.183.180.0889.A	18.3	1.80	88.9	0.1818	28.08	33.41	yes	music wire	4H
C.183.180.0889.AP	18.3	1.80	88.9	0.2498	21.60	40.02	yes	music wire	4J
C.183.180.0889.I	18.3	1.80	88.9	0.1561	28.08	33.41	yes	stainless steel	4I
C.183.180.0889.N	18.3	1.80	88.9	0.1818	28.08	33.41	yes	Zn coating	4I
C.183.180.1016.A	18.3	1.80	101.6	0.1625	30.96	36.94	yes	music wire	4H
C.183.180.1016.I	18.3	1.80	101.6	0.1396	30.96	36.94	yes	stainless steel	4I
C.183.180.1016.N	18.3	1.80	101.6	0.1625	30.96	36.94	yes	Zn coating	4I
C.183.200.0320.A	18.3	2.00	32.0	1.4000	10.40	20.32	yes	music wire	4J
C.183.200.0320.I	18.3	2.00	32.0	0.7400	13.80	15.56	yes	stainless steel	4G
C.183.200.0350.A	18.3	2.00	35.0	0.8030	14.40	16.28	yes	music wire	4I
C.183.200.0350.I	18.3	2.00	35.0	0.7000	14.20	16.04	yes	stainless steel	4I
C.183.200.0600.A	18.3	2.00	60.0	0.4450	22.00	25.39	yes	music wire	4I
C.183.200.0600.I	18.3	2.00	60.0	0.3707	22.40	25.87	yes	stainless steel	4H
C.183.200.0700.A	18.3	2.00	70.0	0.3700	25.40	29.47	yes	music wire	4I
C.183.200.0700.I	18.3	2.00	70.0	0.3100	25.80	29.95	yes	stainless steel	4H
C.183.200.0760.A	18.3	2.00	76.0	0.3300	27.80	32.35	yes	music wire	4H
C.183.200.0760.I	18.3	2.00	76.0	0.2800	28.00	32.59	yes	stainless steel	4H
C.183.200.0800.A	18.3	2.00	80.0	0.3141	29.00	33.79	yes	music wire	4H
C.183.200.0800.I	18.3	2.00	80.0	0.2732	28.60	33.31	yes	stainless steel	4I
C.183.200.0890.A	18.3	2.00	89.0	0.2900	31.00	36.19	yes	music wire	4J
C.183.200.0890.I	18.3	2.00	89.0	0.2400	32.00	37.39	yes	stainless steel	4I
C.183.210.0190.A	18.3	2.10	19.0	1.4559	11.97	13.24	yes	music wire	4G
C.183.210.0190.AP	18.3	2.10	19.0	2.3537	9.45	11.05	yes	music wire	4I
C.183.210.0190.I	18.3	2.10	19.0	1.2500	11.97	13.24	yes	stainless steel	4G
C.183.210.0190.N	18.3	2.10	19.0	1.4559	11.97	13.24	yes	Zn coating	4I
C.183.210.0224.A	18.3	2.10	22.4	1.2647	13.02	14.49	yes	music wire	4G
C.183.210.0224.AP	18.3	2.10	22.4	1.8829	10.50	12.46	yes	music wire	4I
C.183.210.0224.I	18.3	2.10	22.4	1.0863	13.02	14.49	yes	stainless steel	4G
C.183.210.0224.N	18.3	2.10	22.4	1.2647	13.02	14.49	yes	Zn coating	4I
C.183.210.0254.A	18.3	2.10	25.4	1.1179	14.07	15.74	yes	music wire	4G
C.183.210.0254.AP	18.3	2.10	25.4	1.6812	11.13	14.27	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.210.0254.I	18.3	2.10	25.4	0.9602	14.07	15.74	yes	stainless steel	4G
C.183.210.0254.N	18.3	2.10	25.4	1.1179	14.07	15.74	yes	Zn coating	4I
C.183.210.0305.A	18.3	2.10	30.5	0.8957	16.17	18.24	yes	music wire	4G
C.183.210.0305.AP	18.3	2.10	30.5	1.3449	12.60	16.59	yes	music wire	4I
C.183.210.0305.I	18.3	2.10	30.5	0.7793	15.96	17.99	yes	stainless steel	4G
C.183.210.0318.A	18.3	2.10	31.8	0.9073	15.96	17.99	yes	music wire	4G
C.183.210.0318.AP	18.3	2.10	31.8	1.2722	13.02	17.09	yes	music wire	4I
C.183.210.0318.I	18.3	2.10	31.8	0.7894	15.96	17.99	yes	stainless steel	4G
C.183.210.0318.N	18.3	2.10	31.8	0.9073	15.96	17.99	yes	Zn coating	4I
C.183.210.0381.A	18.3	2.10	38.1	0.7635	18.06	20.48	yes	music wire	4G
C.183.210.0381.AP	18.3	2.10	38.1	1.0461	14.70	20.22	yes	music wire	4I
C.183.210.0381.I	18.3	2.10	38.1	0.6558	18.06	20.48	yes	stainless steel	4G
C.183.210.0381.N	18.3	2.10	38.1	0.7635	18.06	20.48	yes	Zn coating	4I
C.183.210.0444.A	18.3	2.10	44.4	0.6705	19.95	22.73	yes	music wire	4G
C.183.210.0444.I	18.3	2.10	44.4	0.5833	19.74	22.48	yes	stainless steel	4G
C.183.210.0444.N	18.3	2.10	44.4	0.6705	19.95	22.73	yes	Zn coating	4I
C.183.210.0457.A	18.3	2.10	45.7	0.6619	19.95	22.73	yes	music wire	4G
C.183.210.0457.I	18.3	2.10	45.7	0.5759	19.95	22.73	yes	stainless steel	4G
C.183.210.0508.A	18.3	2.10	50.8	0.5885	21.84	24.98	yes	music wire	4G
C.183.210.0508.I	18.3	2.10	50.8	0.5055	21.84	24.98	yes	stainless steel	4H
C.183.210.0508.N	18.3	2.10	50.8	0.5885	21.84	24.98	yes	Zn coating	4I
C.183.210.0559.A	18.3	2.10	55.9	0.5178	24.15	27.73	yes	music wire	4G
C.183.210.0559.AP	18.3	2.10	55.9	0.6923	19.32	28.87	yes	music wire	4I
C.183.210.0559.I	18.3	2.10	55.9	0.4505	23.94	27.48	yes	stainless steel	4H
C.183.210.0572.A	18.3	2.10	57.2	0.5245	23.94	27.48	yes	music wire	4G
C.183.210.0572.I	18.3	2.10	57.2	0.4563	23.73	27.23	yes	stainless steel	4H
C.183.210.0572.N	18.3	2.10	57.2	0.5245	23.94	27.48	yes	Zn coating	4I
C.183.210.0635.A	18.3	2.10	63.5	0.4730	26.04	29.97	yes	music wire	4G
C.183.210.0635.I	18.3	2.10	63.5	0.4062	26.04	29.97	yes	stainless steel	4H
C.183.210.0635.N	18.3	2.10	63.5	0.4730	26.04	29.97	yes	Zn coating	4I
C.183.210.0698.A	18.3	2.10	69.8	0.4307	27.93	32.22	yes	music wire	4H
C.183.210.0698.I	18.3	2.10	69.8	0.3747	27.72	31.97	yes	stainless steel	4H
C.183.210.0698.N	18.3	2.10	69.8	0.4307	27.93	32.22	yes	Zn coating	4I
C.183.210.0711.A	18.3	2.10	71.1	0.4252	28.35	32.72	yes	music wire	4H
C.183.210.0711.I	18.3	2.10	71.1	0.3699	27.93	32.22	yes	stainless steel	4H
C.183.210.0762.A	18.3	2.10	76.2	0.3953	30.03	34.72	yes	music wire	4H
C.183.210.0762.I	18.3	2.10	76.2	0.3395	30.03	34.72	yes	stainless steel	4H
C.183.210.0762.N	18.3	2.10	76.2	0.3953	30.03	34.72	yes	Zn coating	4I
C.183.210.0889.A	18.3	2.10	88.9	0.3396	34.02	39.47	yes	music wire	4H
C.183.210.0889.I	18.3	2.10	88.9	0.2917	34.02	39.47	yes	stainless steel	4I
C.183.210.0889.N	18.3	2.10	88.9	0.3396	34.02	39.47	yes	Zn coating	4I
C.183.210.1016.A	18.3	2.10	101.6	0.2976	38.22	44.46	yes	music wire	4J
C.183.210.1016.I	18.3	2.10	101.6	0.2556	38.22	44.46	yes	stainless steel	4I
C.183.210.1016.N	18.3	2.10	101.6	0.2976	38.22	44.46	yes	Zn coating	4L
C.183.220.0190.A	18.3	2.20	19.0	1.9290	12.10	13.29	yes	music wire	4G
C.183.220.0190.AP	18.3	2.20	19.0	2.7532	10.12	11.28	yes	music wire	4I
C.183.220.0190.I	18.3	2.20	19.0	1.6568	12.10	13.29	yes	stainless steel	4G
C.183.220.0190.N	18.3	2.20	19.0	1.9290	12.10	13.29	yes	Zn coating	4I
C.183.220.0224.A	18.3	2.20	22.4	1.6690	12.98	14.33	yes	music wire	4G
C.183.220.0224.AP	18.3	2.20	22.4	2.3127	11.00	13.20	yes	music wire	4I
C.183.220.0224.I	18.3	2.20	22.4	1.4335	12.98	14.33	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.220.0224.N	18.3	2.20	22.4	1.6690	12.98	14.33	yes	Zn coating	4I
C.183.220.0254.A	18.3	2.20	25.4	1.4520	14.08	15.63	yes	music wire	4G
C.183.220.0254.AP	18.3	2.20	25.4	1.9937	11.88	14.73	yes	music wire	4I
C.183.220.0254.I	18.3	2.20	25.4	1.2632	14.08	15.63	yes	stainless steel	4G
C.183.220.0305.A	18.3	2.20	30.5	1.1733	16.28	18.22	yes	music wire	4G
C.183.220.0305.AP	18.3	2.20	30.5	1.6060	13.42	17.26	yes	music wire	4I
C.183.220.0305.I	18.3	2.20	30.5	1.0207	16.06	17.96	yes	stainless steel	4G
C.183.220.0320.A	18.3	2.20	32.0	1.2644	15.40	17.19	yes	music wire	4G
C.183.220.0320.I	18.3	2.20	32.0	1.1000	15.40	17.19	yes	stainless steel	4G
C.183.220.0381.A	18.3	2.20	38.1	1.0000	18.04	20.30	yes	music wire	4G
C.183.220.0381.I	18.3	2.20	38.1	0.8564	18.04	20.30	yes	stainless steel	4G
C.183.220.0381.N	18.3	2.20	38.1	1.0000	18.04	20.30	yes	Zn coating	4I
C.183.220.0444.A	18.3	2.20	44.4	0.8739	19.80	22.38	yes	music wire	4I
C.183.220.0444.I	18.3	2.20	44.4	0.7603	19.80	22.38	yes	stainless steel	4I
C.183.220.0444.N	18.3	2.20	44.4	0.8739	19.80	22.38	yes	Zn coating	4J
C.183.220.0457.A	18.3	2.20	45.7	0.8627	20.02	22.64	yes	music wire	4I
C.183.220.0457.I	18.3	2.20	45.7	0.7500	19.80	22.38	yes	stainless steel	4I
C.183.220.0508.A	18.3	2.20	50.8	0.7560	22.22	25.24	yes	music wire	4I
C.183.220.0508.I	18.3	2.20	50.8	0.6578	22.00	24.98	yes	stainless steel	4I
C.183.220.0559.A	18.3	2.20	55.9	0.6728	24.20	27.57	yes	music wire	4I
C.183.220.0559.I	18.3	2.20	55.9	0.5854	23.98	27.31	yes	stainless steel	4H
C.183.220.0635.A	18.3	2.20	63.5	0.6137	25.96	29.65	yes	music wire	4I
C.183.220.0635.I	18.3	2.20	63.5	0.5339	25.74	29.39	yes	stainless steel	4J
C.183.220.0698.A	18.3	2.20	69.8	0.5649	27.72	32.15	yes	music wire	4J
C.183.220.0698.I	18.3	2.20	69.8	0.4852	27.72	31.73	yes	stainless steel	4J
C.183.220.0698.N	18.3	2.20	69.8	0.5649	27.72	32.15	yes	Zn coating	4K
C.183.220.0762.A	18.3	2.20	76.2	0.5177	29.70	35.12	yes	music wire	4J
C.183.220.0762.I	18.3	2.20	76.2	0.4446	29.70	34.06	yes	stainless steel	4J
C.183.220.0762.N	18.3	2.20	76.2	0.5177	29.70	35.12	yes	Zn coating	4K
C.183.220.0889.A	18.3	2.20	88.9	0.4475	33.66	41.38	yes	music wire	4J
C.183.220.0889.I	18.3	2.20	88.9	0.3844	33.66	40.16	yes	stainless steel	4J
C.183.220.0889.N	18.3	2.20	88.9	0.4475	33.66	41.38	yes	Zn coating	4L
C.183.220.1016.A	18.3	2.20	101.6	0.3910	37.62	47.21	yes	music wire	4J
C.183.220.1016.I	18.3	2.20	101.6	0.3358	37.62	45.81	yes	stainless steel	4J
C.183.220.1016.N	18.3	2.20	101.6	0.3910	37.62	47.21	yes	Zn coating	4L
C.183.230.0570.A	18.3	2.30	57.0	0.7500	27.14	30.83	yes	music wire	4G
C.183.230.0570.I	18.3	2.30	57.0	0.6525	26.91	30.56	yes	stainless steel	4H
C.183.240.0190.A	18.3	2.40	19.0	2.6394	13.68	14.95	yes	music wire	4G
C.183.240.0190.AP	18.3	2.40	19.0	3.8713	11.28	12.16	yes	music wire	4I
C.183.240.0190.I	18.3	2.40	19.0	2.2669	13.68	14.95	yes	stainless steel	4G
C.183.240.0190.N	18.3	2.40	19.0	2.6394	13.68	14.95	yes	Zn coating	4I
C.183.240.0191.A	18.3	2.40	19.1	4.1379	10.80	12.57	yes	music wire	4I
C.183.240.0191.I	18.3	2.40	19.1	3.6000	10.80	12.47	yes	stainless steel	4I
C.183.240.0220.A	18.3	2.40	22.0	3.4000	12.00	14.06	yes	music wire	4I
C.183.240.0220.I	18.3	2.40	22.0	2.9580	11.76	13.93	yes	stainless steel	4I
C.183.240.0224.A	18.3	2.40	22.4	2.2634	14.88	16.35	yes	music wire	4G
C.183.240.0224.AP	18.3	2.40	22.4	3.1544	12.48	13.84	yes	music wire	4I
C.183.240.0224.I	18.3	2.40	22.4	1.9440	14.88	16.35	yes	stainless steel	4G
C.183.240.0224.N	18.3	2.40	22.4	2.2634	14.88	16.35	yes	Zn coating	4I
C.183.240.0254.A	18.3	2.40	25.4	2.0319	15.84	17.47	yes	music wire	4G
C.183.240.0254.AP	18.3	2.40	25.4	2.7474	13.44	15.57	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.240.0254.I	18.3	2.40	25.4	1.7500	15.84	17.47	yes	stainless steel	4G
C.183.240.0254.N	18.3	2.40	25.4	2.0319	15.84	17.47	yes	Zn coating	4I
C.183.240.0305.A	18.3	2.40	30.5	1.6306	18.48	20.55	yes	music wire	4G
C.183.240.0305.AP	18.3	2.40	30.5	2.2413	15.12	18.45	yes	music wire	4I
C.183.240.0305.I	18.3	2.40	30.5	1.4186	18.24	20.27	yes	stainless steel	4G
C.183.240.0318.A	18.3	2.40	31.8	1.6517	18.24	20.27	yes	music wire	4G
C.183.240.0318.AP	18.3	2.40	31.8	2.1292	15.36	19.12	yes	music wire	4I
C.183.240.0318.I	18.3	2.40	31.8	1.4370	18.00	19.99	yes	stainless steel	4G
C.183.240.0318.N	18.3	2.40	31.8	1.6517	18.24	20.27	yes	Zn coating	4I
C.183.240.0380.A	18.3	2.40	38.0	1.8000	17.28	23.00	yes	music wire	4I
C.183.240.0380.I	18.3	2.40	38.0	1.5660	17.04	22.76	yes	stainless steel	4I
C.183.240.0381.A	18.3	2.40	38.1	1.3914	20.40	22.79	yes	music wire	4G
C.183.240.0381.I	18.3	2.40	38.1	1.1951	20.40	22.79	yes	stainless steel	4G
C.183.240.0381.N	18.3	2.40	38.1	1.3914	20.40	22.79	yes	Zn coating	4I
C.183.240.0444.A	18.3	2.40	44.4	1.2000	22.80	25.59	yes	music wire	4G
C.183.240.0444.I	18.3	2.40	44.4	1.0457	22.56	25.31	yes	stainless steel	4H
C.183.240.0444.N	18.3	2.40	44.4	1.2000	22.80	25.59	yes	Zn coating	4I
C.183.240.0457.A	18.3	2.40	45.7	1.1866	23.04	25.87	yes	music wire	4G
C.183.240.0457.I	18.3	2.40	45.7	1.0323	22.80	25.59	yes	stainless steel	4H
C.183.240.0508.A	18.3	2.40	50.8	1.0579	24.96	28.10	yes	music wire	4I
C.183.240.0508.I	18.3	2.40	50.8	0.9086	24.96	28.10	yes	stainless steel	4H
C.183.240.0508.N	18.3	2.40	50.8	1.0579	24.96	28.10	yes	Zn coating	4J
C.183.240.0559.A	18.3	2.40	55.9	0.9326	27.60	31.18	yes	music wire	4G
C.183.240.0559.I	18.3	2.40	55.9	0.8114	27.36	30.90	yes	stainless steel	4H
C.183.240.0570.A	18.3	2.40	57.0	1.1034	24.24	32.53	yes	music wire	4I
C.183.240.0570.I	18.3	2.40	57.0	0.9600	24.00	32.15	yes	stainless steel	4J
C.183.240.0572.A	18.3	2.40	57.2	0.9447	27.36	30.90	yes	music wire	4I
C.183.240.0572.I	18.3	2.40	57.2	0.8219	27.12	30.62	yes	stainless steel	4J
C.183.240.0572.N	18.3	2.40	57.2	0.9447	27.36	30.90	yes	Zn coating	4J
C.183.240.0635.A	18.3	2.40	63.5	0.8534	29.76	33.70	yes	music wire	4I
C.183.240.0635.I	18.3	2.40	63.5	0.7330	29.76	33.70	yes	stainless steel	4J
C.183.240.0635.N	18.3	2.40	63.5	0.8534	29.76	33.70	yes	Zn coating	4J
C.183.240.0698.A	18.3	2.40	69.8	0.7706	32.16	36.50	yes	music wire	4J
C.183.240.0698.I	18.3	2.40	69.8	0.6619	32.16	36.50	yes	stainless steel	4J
C.183.240.0698.N	18.3	2.40	69.8	0.7706	32.16	36.50	yes	Zn coating	4K
C.183.240.0700.A	18.3	2.40	70.0	0.8966	28.56	39.88	yes	music wire	4J
C.183.240.0700.I	18.3	2.40	70.0	0.7800	28.32	39.41	yes	stainless steel	4J
C.183.240.0762.A	18.3	2.40	76.2	0.7151	34.32	39.02	yes	music wire	4J
C.183.240.0762.I	18.3	2.40	76.2	0.6142	34.32	39.02	yes	stainless steel	4J
C.183.240.0762.N	18.3	2.40	76.2	0.7151	34.32	39.02	yes	Zn coating	4K
C.183.240.0889.A	18.3	2.40	88.9	0.6107	39.12	44.68	yes	music wire	4J
C.183.240.0889.I	18.3	2.40	88.9	0.5245	39.12	44.61	yes	stainless steel	4J
C.183.240.0889.N	18.3	2.40	88.9	0.6107	39.12	44.68	yes	Zn coating	4L
C.183.240.1016.A	18.3	2.40	101.6	0.5365	43.68	51.26	yes	music wire	4J
C.183.240.1016.I	18.3	2.40	101.6	0.4608	43.68	49.93	yes	stainless steel	4J
C.183.240.1016.N	18.3	2.40	101.6	0.5365	43.68	51.26	yes	Zn coating	4L
C.183.250.0190.A	18.3	2.50	19.0	2.8569	15.00	16.40	yes	music wire	4G
C.183.250.0190.AP	18.3	2.50	19.0	4.6493	11.75	12.63	yes	music wire	4I
C.183.250.0190.I	18.3	2.50	19.0	2.4855	15.00	16.40	yes	stainless steel	4G
C.183.250.0224.A	18.3	2.50	22.4	2.5258	16.25	17.85	yes	music wire	4G
C.183.250.0224.AP	18.3	2.50	22.4	3.7883	13.00	14.43	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.250.0224.I	18.3	2.50	22.4	2.1694	16.25	17.85	yes	stainless steel	4G
C.183.250.0224.N	18.3	2.50	22.4	2.5258	16.25	17.85	yes	Zn coating	4I
C.183.250.0254.A	18.3	2.50	25.4	2.2122	17.75	19.59	yes	music wire	4G
C.183.250.0254.AP	18.3	2.50	25.4	3.1964	14.25	15.95	yes	music wire	4I
C.183.250.0254.I	18.3	2.50	25.4	1.9247	17.50	19.30	yes	stainless steel	4G
C.183.250.0305.A	18.3	2.50	30.5	1.8000	20.25	22.49	yes	music wire	4G
C.183.250.0305.AP	18.3	2.50	30.5	2.6227	15.75	18.99	yes	music wire	4I
C.183.250.0305.I	18.3	2.50	30.5	1.5703	20.00	22.20	yes	stainless steel	4H
C.183.250.0381.A	18.3	2.50	38.1	1.5204	22.75	25.39	yes	music wire	4G
C.183.250.0381.AP	18.3	2.50	38.1	2.0056	18.75	23.05	yes	music wire	4I
C.183.250.0381.I	18.3	2.50	38.1	1.3058	22.75	25.39	yes	stainless steel	4H
C.183.250.0381.N	18.3	2.50	38.1	1.5204	22.75	25.39	yes	Zn coating	4I
C.183.250.0457.A	18.3	2.50	45.7	1.3000	25.75	28.87	yes	music wire	4G
C.183.250.0457.I	18.3	2.50	45.7	1.1325	25.50	28.58	yes	stainless steel	4H
C.183.250.0508.A	18.3	2.50	50.8	1.1491	28.25	31.77	yes	music wire	4H
C.183.250.0508.AP	18.3	2.50	50.8	1.4612	23.50	30.14	yes	music wire	4I
C.183.250.0508.I	18.3	2.50	50.8	1.0000	28.00	31.48	yes	stainless steel	4H
C.183.250.0572.A	18.3	2.50	57.2	1.0310	30.75	34.67	yes	music wire	4H
C.183.250.0572.I	18.3	2.50	57.2	0.8970	30.50	34.38	yes	stainless steel	4H
C.183.250.0572.N	18.3	2.50	57.2	1.0310	30.75	34.67	yes	Zn coating	4I
C.183.250.0698.A	18.3	2.50	69.8	0.8537	35.75	40.47	yes	music wire	4H
C.183.250.0698.I	18.3	2.50	69.8	0.7428	35.50	40.18	yes	stainless steel	4I
C.183.250.0698.N	18.3	2.50	69.8	0.8537	35.75	40.47	yes	Zn coating	4I
C.183.250.0762.A	18.3	2.50	76.2	0.7862	38.25	43.37	yes	music wire	4H
C.183.250.0762.I	18.3	2.50	76.2	0.6840	38.00	43.08	yes	stainless steel	4I
C.183.250.0762.N	18.3	2.50	76.2	0.7862	38.25	43.37	yes	Zn coating	4I
C.183.250.0889.A	18.3	2.50	88.9	0.6741	43.75	49.75	yes	music wire	4J
C.183.250.0889.I	18.3	2.50	88.9	0.5865	43.25	49.17	yes	stainless steel	4J
C.183.250.0889.N	18.3	2.50	88.9	0.6741	43.75	49.75	yes	Zn coating	4L
C.183.250.1016.A	18.3	2.50	101.6	0.5900	49.00	55.84	yes	music wire	4J
C.183.250.1016.I	18.3	2.50	101.6	0.5133	48.50	55.26	yes	stainless steel	4J
C.183.250.1016.N	18.3	2.50	101.6	0.5900	49.00	55.84	yes	Zn coating	4L
C.183.270.0191.A	18.3	2.70	19.1	6.0920	12.96	13.89	yes	music wire	4G
C.183.270.0191.I	18.3	2.70	19.1	5.3000	12.96	13.89	yes	stainless steel	4G
C.183.270.0320.A	18.3	2.70	32.0	3.1034	19.17	21.03	yes	music wire	4I
C.183.270.0320.I	18.3	2.70	32.0	2.7000	18.90	20.72	yes	stainless steel	4I
C.183.270.0500.A	18.3	2.70	50.0	1.7108	29.16	32.52	yes	music wire	4H
C.183.270.0500.I	18.3	2.70	50.0	1.4884	28.89	32.21	yes	stainless steel	4H
C.183.270.0572.A	18.3	2.70	57.2	1.5797	31.05	34.70	yes	music wire	4J
C.183.270.0572.I	18.3	2.70	57.2	1.3743	30.78	34.39	yes	stainless steel	4J
C.183.270.0635.A	18.3	2.70	63.5	1.4289	33.75	37.80	yes	music wire	4J
C.183.270.0635.I	18.3	2.70	63.5	1.2431	33.48	37.49	yes	stainless steel	4J
C.183.270.0698.A	18.3	2.70	69.8	1.3043	36.18	41.26	yes	music wire	4J
C.183.270.0698.I	18.3	2.70	69.8	1.1348	35.91	40.69	yes	stainless steel	4J
C.183.270.0700.A	18.3	2.70	70.0	1.2592	37.26	41.84	yes	music wire	4J
C.183.270.0700.I	18.3	2.70	70.0	1.0955	36.99	41.53	yes	stainless steel	4J
C.183.270.0760.A	18.3	2.70	76.0	1.1464	40.23	45.25	yes	music wire	4J
C.183.270.0760.I	18.3	2.70	76.0	1.0000	39.69	44.63	yes	stainless steel	4J
C.183.270.0762.A	18.3	2.70	76.2	1.2000	38.88	45.17	yes	music wire	4J
C.183.270.0762.I	18.3	2.70	76.2	1.0438	38.34	44.55	yes	stainless steel	4J
C.183.270.0889.A	18.3	2.70	88.9	1.0269	44.28	52.64	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.270.0889.I	18.3	2.70	88.9	0.8934	43.74	51.93	yes	stainless steel	4J
C.183.270.0890.A	18.3	2.70	89.0	1.0000	45.36	51.77	yes	music wire	4J
C.183.270.0890.I	18.3	2.70	89.0	0.8700	44.82	51.03	yes	stainless steel	4J
C.183.270.1016.A	18.3	2.70	101.6	0.9000	49.41	60.23	yes	music wire	4J
C.183.270.1016.I	18.3	2.70	101.6	0.7809	49.14	59.30	yes	stainless steel	4J
C.183.280.0190.A	18.3	2.80	19.0	5.1558	16.24	17.59	yes	music wire	4I
C.183.280.0190.AP	18.3	2.80	19.0	7.4321	13.44	14.38	yes	music wire	4J
C.183.280.0190.I	18.3	2.80	19.0	4.4283	16.24	17.59	yes	stainless steel	4I
C.183.280.0190.N	18.3	2.80	19.0	5.1558	16.24	17.59	yes	Zn coating	4J
C.183.280.0191.A	18.3	2.80	19.1	8.2000	12.88	14.09	yes	music wire	4J
C.183.280.0191.I	18.3	2.80	19.1	7.0000	12.88	13.89	yes	stainless steel	4J
C.183.280.0220.A	18.3	2.80	22.0	6.6000	14.00	15.77	yes	music wire	4J
C.183.280.0220.I	18.3	2.80	22.0	5.6000	14.28	15.48	yes	stainless steel	4J
C.183.280.0224.A	18.3	2.80	22.4	4.4184	17.64	19.19	yes	music wire	4I
C.183.280.0224.AP	18.3	2.80	22.4	6.1049	14.84	15.98	yes	music wire	4J
C.183.280.0224.I	18.3	2.80	22.4	3.7950	17.64	19.19	yes	stainless steel	4I
C.183.280.0224.N	18.3	2.80	22.4	4.4184	17.64	19.19	yes	Zn coating	4J
C.183.280.0250.A	18.3	2.80	25.0	5.5000	15.68	17.53	yes	music wire	4J
C.183.280.0250.I	18.3	2.80	25.0	4.7000	15.68	17.23	yes	stainless steel	4J
C.183.280.0254.A	18.3	2.80	25.4	3.8975	19.04	20.80	yes	music wire	4I
C.183.280.0254.AP	18.3	2.80	25.4	5.1800	15.96	17.47	yes	music wire	4J
C.183.280.0254.I	18.3	2.80	25.4	3.3909	19.04	20.80	yes	stainless steel	4I
C.183.280.0305.A	18.3	2.80	30.5	3.1042	22.12	24.33	yes	music wire	4I
C.183.280.0305.AP	18.3	2.80	30.5	4.1692	18.20	20.64	yes	music wire	4J
C.183.280.0305.I	18.3	2.80	30.5	2.7006	21.84	24.01	yes	stainless steel	4I
C.183.280.0320.A	18.3	2.80	32.0	4.2000	18.20	22.22	yes	music wire	4L
C.183.280.0320.I	18.3	2.80	32.0	3.5000	18.48	21.57	yes	stainless steel	4J
C.183.280.0380.A	18.3	2.80	38.0	3.4000	20.72	25.91	yes	music wire	4L
C.183.280.0380.I	18.3	2.80	38.0	2.9000	21.00	25.41	yes	stainless steel	4J
C.183.280.0381.A	18.3	2.80	38.1	2.6499	24.64	27.21	yes	music wire	4I
C.183.280.0381.I	18.3	2.80	38.1	2.2760	24.64	27.21	yes	stainless steel	4I
C.183.280.0381.N	18.3	2.80	38.1	2.6499	24.64	27.21	yes	Zn coating	4J
C.183.280.0444.A	18.3	2.80	44.4	2.2898	27.44	30.42	yes	music wire	4I
C.183.280.0444.I	18.3	2.80	44.4	1.9921	27.16	30.10	yes	stainless steel	4I
C.183.280.0444.N	18.3	2.80	44.4	2.2898	27.44	30.42	yes	Zn coating	4J
C.183.280.0450.A	18.3	2.80	45.0	2.8000	23.80	30.33	yes	music wire	4M
C.183.280.0450.I	18.3	2.80	45.0	2.4000	23.80	29.79	yes	stainless steel	4J
C.183.280.0457.A	18.3	2.80	45.7	2.2606	27.72	30.74	yes	music wire	4I
C.183.280.0457.I	18.3	2.80	45.7	1.9667	27.44	30.42	yes	stainless steel	4I
C.183.280.0500.A	18.3	2.80	50.0	2.4000	26.60	32.88	yes	music wire	4J
C.183.280.0500.I	18.3	2.80	50.0	2.1000	26.32	32.62	yes	stainless steel	4J
C.183.280.0508.A	18.3	2.80	50.8	1.9687	30.80	34.27	yes	music wire	4I
C.183.280.0508.I	18.3	2.80	50.8	1.7128	30.52	33.95	yes	stainless steel	4I
C.183.280.0570.A	18.3	2.80	57.0	2.1000	29.40	37.43	yes	music wire	4M
C.183.280.0570.I	18.3	2.80	57.0	1.8270	29.12	37.02	yes	stainless steel	4J
C.183.280.0572.A	18.3	2.80	57.2	1.7832	33.32	37.16	yes	music wire	4J
C.183.280.0572.I	18.3	2.80	57.2	1.5316	33.32	37.16	yes	stainless steel	4I
C.183.280.0572.N	18.3	2.80	57.2	1.7832	33.32	37.16	yes	Zn coating	4L
C.183.280.0635.A	18.3	2.80	63.5	1.5782	36.96	41.33	yes	music wire	4J
C.183.280.0635.I	18.3	2.80	63.5	1.3731	36.40	40.69	yes	stainless steel	4J
C.183.280.0640.A	18.3	2.80	64.0	1.9000	31.92	42.37	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.183.280.0640.I	18.3	2.80	64.0	1.6530	31.36	41.92	yes	stainless steel	4M
C.183.280.0698.A	18.3	2.80	69.8	1.4601	39.20	43.90	yes	music wire	4J
C.183.280.0698.I	18.3	2.80	69.8	1.2541	39.20	43.90	yes	stainless steel	4K
C.183.280.0698.N	18.3	2.80	69.8	1.4601	39.20	43.90	yes	Zn coating	4M
C.183.280.0762.A	18.3	2.80	76.2	1.3437	42.00	47.11	yes	music wire	4J
C.183.280.0762.I	18.3	2.80	76.2	1.1541	42.00	47.11	yes	stainless steel	4K
C.183.280.0762.N	18.3	2.80	76.2	1.3437	42.00	47.11	yes	Zn coating	4M
C.183.280.0889.A	18.3	2.80	88.9	1.1517	47.88	53.85	yes	music wire	4K
C.183.280.0889.I	18.3	2.80	88.9	0.9892	47.88	53.85	yes	stainless steel	4L
C.183.280.0889.N	18.3	2.80	88.9	1.1517	47.88	53.85	yes	Zn coating	4M
C.183.280.1016.A	18.3	2.80	101.6	1.0077	53.76	60.82	yes	music wire	4K
C.183.280.1016.I	18.3	2.80	101.6	0.8655	53.76	60.59	yes	stainless steel	4L
C.183.280.1016.N	18.3	2.80	101.6	1.0077	53.76	60.82	yes	Zn coating	4M
C.183.300.0410.A	18.3	3.00	41.0	2.6610	33.60	37.23	yes	music wire	4I
C.183.300.0410.AP	18.3	3.00	41.0	3.9106	25.20	28.34	yes	music wire	4J
C.183.300.0410.I	18.3	3.00	41.0	2.3151	33.00	36.54	yes	stainless steel	4I
C.183.300.0410.N	18.3	3.00	41.0	2.6610	33.60	37.23	yes	Zn coating	4J
C.185.100.0420.A	18.5	1.00	42.0	0.0534	6.10	8.11	yes	music wire	4D
C.185.100.0420.I	18.5	1.00	42.0	0.0459	6.10	8.11	yes	stainless steel	4E
C.185.100.0420.N	18.5	1.00	42.0	0.0534	6.10	8.11	yes	Zn coating	4F
C.185.100.0650.A	18.5	1.00	65.0	0.0346	8.00	11.08	yes	music wire	4E
C.185.100.0650.I	18.5	1.00	65.0	0.0297	8.00	11.08	yes	stainless steel	4E
C.185.100.0650.N	18.5	1.00	65.0	0.0346	8.00	11.08	yes	Zn coating	4G
C.185.100.1000.A	18.5	1.00	100.0	0.0224	11.00	15.75	yes	music wire	4E
C.185.100.1000.I	18.5	1.00	100.0	0.0192	11.00	15.75	yes	stainless steel	4E
C.185.100.1000.N	18.5	1.00	100.0	0.0224	11.00	15.75	yes	Zn coating	4G
C.185.100.1570.A	18.5	1.00	157.0	0.0141	16.00	23.55	yes	music wire	4G
C.185.100.1570.I	18.5	1.00	157.0	0.0121	16.00	23.55	yes	stainless steel	4G
C.185.100.1570.N	18.5	1.00	157.0	0.0141	16.00	23.55	yes	Zn coating	4I
C.185.140.0270.A	18.5	1.40	27.0	0.2560	7.84	9.25	yes	music wire	4E
C.185.140.0270.I	18.5	1.40	27.0	0.2227	7.70	9.06	yes	stainless steel	4F
C.185.140.0270.N	18.5	1.40	27.0	0.2560	7.84	9.25	yes	Zn coating	4G
C.185.150.0256.A	18.5	1.50	25.6	0.3000	9.00	10.54	yes	music wire	4E
C.185.150.0256.AP	18.5	1.50	25.6	0.5022	6.90	11.12	yes	music wire	4I
C.185.150.0256.I	18.5	1.50	25.6	0.2576	9.00	10.54	yes	stainless steel	4F
C.185.150.0256.N	18.5	1.50	25.6	0.3000	9.00	10.54	yes	Zn coating	4G
C.185.150.0365.A	18.5	1.50	36.5	0.2060	11.40	13.64	yes	music wire	4F
C.185.150.0365.AP	18.5	1.50	36.5	0.3402	8.40	15.13	yes	music wire	4I
C.185.150.0365.I	18.5	1.50	36.5	0.1792	11.25	13.45	yes	stainless steel	4F
C.185.150.0365.N	18.5	1.50	36.5	0.2060	11.40	13.64	yes	Zn coating	4H
C.185.150.0386.A	18.5	1.50	38.6	0.1909	12.00	14.41	yes	music wire	4F
C.185.150.0386.AP	18.5	1.50	38.6	0.3196	8.70	15.85	yes	music wire	4I
C.185.150.0386.I	18.5	1.50	38.6	0.1640	12.00	14.41	yes	stainless steel	4F
C.185.150.0386.N	18.5	1.50	38.6	0.1909	12.00	14.41	yes	Zn coating	4H
C.185.150.0595.A	18.5	1.50	59.5	0.1235	16.50	20.23	yes	music wire	4F
C.185.150.0595.AP	18.5	1.50	59.5	0.2068	11.40	24.34	yes	music wire	4I
C.185.150.0595.I	18.5	1.50	59.5	0.1061	16.50	20.23	yes	stainless steel	4G
C.185.150.0595.N	18.5	1.50	59.5	0.1235	16.50	20.23	yes	Zn coating	4I
C.185.150.0850.A	18.5	1.50	85.0	0.1235	16.50	26.12	yes	music wire	4I
C.185.150.0850.I	18.5	1.50	85.0	0.1061	16.50	25.35	yes	stainless steel	4I
C.185.150.0850.N	18.5	1.50	85.0	0.1235	16.50	26.12	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.185.150.0875.A	18.5	1.50	87.5	0.0840	22.50	27.99	yes	music wire	4G
C.185.150.0875.AP	18.5	1.50	87.5	0.1388	15.15	35.10	yes	music wire	4I
C.185.150.0875.I	18.5	1.50	87.5	0.0721	22.50	27.99	yes	stainless steel	4G
C.185.150.0875.N	18.5	1.50	87.5	0.0840	22.50	27.99	yes	Zn coating	4I
C.185.150.1040.A	18.5	1.50	104.0	0.1000	19.50	31.29	yes	music wire	4I
C.185.150.1040.I	18.5	1.50	104.0	0.0859	19.50	30.33	yes	stainless steel	4I
C.185.150.1040.N	18.5	1.50	104.0	0.1000	19.50	31.29	yes	Zn coating	4J
C.185.150.1290.A	18.5	1.50	129.0	0.0567	31.50	39.62	yes	music wire	4H
C.185.150.1290.AP	18.5	1.50	129.0	0.0925	20.70	50.40	yes	music wire	4I
C.185.150.1290.I	18.5	1.50	129.0	0.0487	31.50	39.62	yes	stainless steel	4H
C.185.150.1290.N	18.5	1.50	129.0	0.0567	31.50	39.62	yes	Zn coating	4I
C.185.200.0660.A	18.5	2.00	66.0	0.4269	22.00	28.09	yes	music wire	4I
C.185.200.0660.I	18.5	2.00	66.0	0.3667	22.00	27.24	yes	stainless steel	4J
C.185.200.0660.N	18.5	2.00	66.0	0.4269	22.00	28.09	yes	Zn coating	4J
C.185.250.0275.A	18.5	2.50	27.5	2.7759	15.00	16.73	yes	music wire	4I
C.185.250.0275.I	18.5	2.50	27.5	2.3842	15.00	16.41	yes	stainless steel	4I
C.185.250.0275.N	18.5	2.50	27.5	2.7759	15.00	16.73	yes	Zn coating	4J
C.185.250.0320.A	18.5	2.50	32.0	2.1590	17.50	19.32	yes	music wire	4I
C.185.250.0320.I	18.5	2.50	32.0	1.8544	17.50	19.32	yes	stainless steel	4I
C.185.250.0320.N	18.5	2.50	32.0	2.1590	17.50	19.32	yes	Zn coating	4J
C.185.250.0410.A	18.5	2.50	41.0	1.7665	20.00	24.08	yes	music wire	4I
C.185.250.0410.I	18.5	2.50	41.0	1.5172	20.00	23.57	yes	stainless steel	4J
C.185.250.0410.N	18.5	2.50	41.0	1.7665	20.00	24.08	yes	Zn coating	4J
C.185.250.0420.A	18.5	2.50	42.0	1.5890	21.50	23.96	yes	music wire	4I
C.185.250.0420.I	18.5	2.50	42.0	1.3824	21.25	23.67	yes	stainless steel	4J
C.185.250.0420.N	18.5	2.50	42.0	1.5890	21.50	23.96	yes	Zn coating	4J
C.185.250.0610.A	18.5	2.50	61.0	1.1430	27.50	34.85	yes	music wire	4J
C.185.250.0610.I	18.5	2.50	61.0	0.9817	27.50	34.06	yes	stainless steel	4J
C.185.250.0610.N	18.5	2.50	61.0	1.1430	27.50	34.85	yes	Zn coating	4K
C.185.250.0850.A	18.5	2.50	85.0	0.8670	34.25	50.52	yes	music wire	4L
C.185.250.0850.I	18.5	2.50	85.0	0.7543	34.00	49.93	yes	stainless steel	4L
C.185.250.0850.N	18.5	2.50	85.0	0.8670	34.25	50.52	yes	Zn coating	4M
C.185.250.0880.A	18.5	2.50	88.0	0.7772	37.50	49.54	yes	music wire	4J
C.185.250.0880.AP	18.5	2.50	88.0	0.7943	36.75	50.37	yes	music wire	4J
C.185.250.0880.I	18.5	2.50	88.0	0.6675	37.50	48.38	yes	stainless steel	4J
C.185.250.0880.IF	18.5	2.50	88.0	0.4511	52.50	59.97	yes	stainless steel	4I
C.185.250.0880.N	18.5	2.50	88.0	0.7772	37.50	49.54	yes	Zn coating	4L
C.185.250.1050.A	18.5	2.50	105.0	0.6700	42.50	60.38	yes	music wire	4L
C.185.250.1050.I	18.5	2.50	105.0	0.5755	42.50	59.04	yes	stainless steel	4J
C.185.250.1050.N	18.5	2.50	105.0	0.6700	42.50	60.38	yes	Zn coating	4N
C.185.250.1300.A	18.5	2.50	130.0	0.5252	52.50	73.08	yes	music wire	4J
C.185.250.1300.I	18.5	2.50	130.0	0.4511	52.50	71.37	yes	stainless steel	4J
C.185.250.1300.IF	18.5	2.50	130.0	0.3709	62.50	71.58	yes	stainless steel	4I
C.185.250.1300.N	18.5	2.50	130.0	0.5252	52.50	73.08	yes	Zn coating	4L
C.185.320.0320.S	18.5	3.20	32.0	6.7423	22.08	23.97	yes	Cr-Si steel	4N
C.185.380.1270.S	18.5	3.80	127.0	3.0823	91.96	102.06	yes	Cr-Si steel	4R
C.185.380.1400.S	18.5	3.80	140.0	2.8019	100.32	111.44	yes	Cr-Si steel	4R
C.185.380.1520.S	18.5	3.80	152.0	2.5224	110.20	122.53	yes	Cr-Si steel	4R
C.186.050.0191.I	18.6	0.50	19.1	0.0010	6.35	15.85	no	stainless steel	4C
C.186.090.0159.A	18.6	0.90	15.9	0.1103	3.24	3.91	yes	music wire	4C
C.186.090.0159.I	18.6	0.90	15.9	0.0960	3.24	3.91	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.186.090.0600.A	18.6	0.90	60.0	0.0251	6.57	9.51	yes	music wire	4D
C.186.090.0600.I	18.6	0.90	60.0	0.0216	6.57	9.51	yes	stainless steel	4E
C.186.100.0191.A	18.6	1.00	19.1	0.0575	5.80	7.66	yes	music wire	4C
C.186.100.0191.I	18.6	1.00	19.1	0.0500	5.70	7.51	yes	stainless steel	4D
C.186.100.0370.A	18.6	1.00	37.0	0.0240	10.30	14.70	yes	music wire	4D
C.186.100.0370.I	18.6	1.00	37.0	0.0209	10.20	14.55	yes	stainless steel	4D
C.186.100.0410.A	18.6	1.00	41.0	0.0218	11.10	15.96	yes	music wire	4D
C.186.100.0410.I	18.6	1.00	41.0	0.0190	10.90	15.64	yes	stainless steel	4E
C.186.100.0440.A	18.6	1.00	44.0	0.0218	11.10	15.96	yes	music wire	4D
C.186.100.0440.I	18.6	1.00	44.0	0.0190	10.90	15.64	yes	stainless steel	4E
C.186.100.1000.A	18.6	1.00	100.0	0.0208	11.50	16.58	yes	music wire	4E
C.186.100.1000.I	18.6	1.00	100.0	0.0178	11.50	16.58	yes	stainless steel	4E
C.186.100.2000.A	18.6	1.00	200.0	0.0103	20.70	30.98	yes	music wire	4G
C.186.100.2000.I	18.6	1.00	200.0	0.0088	20.70	30.98	yes	stainless steel	4H
C.186.110.0191.A	18.6	1.10	19.1	0.0713	7.04	9.10	yes	music wire	4C
C.186.110.0191.I	18.6	1.10	19.1	0.0620	7.04	9.10	yes	stainless steel	4D
C.186.110.0380.A	18.6	1.10	38.0	0.0632	7.59	9.91	yes	music wire	4D
C.186.110.0380.I	18.6	1.10	38.0	0.0550	7.48	9.75	yes	stainless steel	4E
C.186.110.0450.A	18.6	1.10	45.0	0.0570	8.14	10.73	yes	music wire	4D
C.186.110.0450.I	18.6	1.10	45.0	0.0496	8.03	10.56	yes	stainless steel	4E
C.186.110.0600.A	18.6	1.10	60.0	0.0472	9.24	12.35	yes	music wire	4E
C.186.110.0600.I	18.6	1.10	60.0	0.0405	9.24	12.35	yes	stainless steel	4E
C.186.110.0750.A	18.6	1.10	75.0	0.0172	20.46	28.95	yes	music wire	4E
C.186.110.0750.I	18.6	1.10	75.0	0.0150	20.24	28.63	yes	stainless steel	4E
C.186.110.2000.A	18.6	1.10	200.0	0.0138	24.97	35.63	yes	music wire	4G
C.186.110.2000.I	18.6	1.10	200.0	0.0118	24.97	35.63	yes	stainless steel	4H
C.186.120.0300.A	18.6	1.20	30.0	0.0885	8.40	10.64	yes	music wire	4D
C.186.120.0300.I	18.6	1.20	30.0	0.0770	8.40	10.64	yes	stainless steel	4D
C.186.120.0800.A	18.6	1.20	80.0	0.0461	13.44	17.78	yes	music wire	4E
C.186.120.0800.I	18.6	1.20	80.0	0.0396	13.44	17.78	yes	stainless steel	4E
C.186.140.0200.A	18.6	1.40	20.0	0.3344	6.72	7.77	yes	music wire	4E
C.186.140.0200.I	18.6	1.40	20.0	0.2872	6.72	7.77	yes	stainless steel	4F
C.186.140.0680.A	18.6	1.40	68.0	0.0563	22.68	28.94	yes	music wire	4G
C.186.140.0680.I	18.6	1.40	68.0	0.0490	22.40	28.57	yes	stainless steel	4G
C.186.140.0830.A	18.6	1.40	83.0	0.1100	13.30	28.78	yes	music wire	4I
C.186.140.0830.I	18.6	1.40	83.0	0.0957	13.16	28.87	yes	stainless steel	4I
C.186.150.0182.A	18.6	1.50	18.2	0.2700	9.45	11.13	yes	music wire	4E
C.186.150.0182.AP	18.6	1.50	18.2	0.7401	5.85	8.43	yes	music wire	4I
C.186.150.0182.I	18.6	1.50	18.2	0.2349	9.45	11.13	yes	stainless steel	4F
C.186.150.0800.A	18.6	1.50	80.0	0.0955	19.95	24.73	yes	music wire	4G
C.186.150.0800.I	18.6	1.50	80.0	0.0820	19.95	24.73	yes	stainless steel	4G
C.186.170.0330.A	18.6	1.70	33.0	0.1724	21.59	25.89	yes	music wire	4F
C.186.170.0330.AP	18.6	1.70	33.0	0.5723	9.52	15.08	yes	music wire	4I
C.186.170.0330.I	18.6	1.70	33.0	0.1500	21.42	25.68	yes	stainless steel	4F
C.186.170.2400.A	18.6	1.70	240.0	0.0475	67.32	82.98	yes	music wire	4I
C.186.170.2400.I	18.6	1.70	240.0	0.0408	67.32	82.98	yes	stainless steel	4I
C.186.200.0220.A	18.6	2.00	22.0	0.9195	12.80	14.39	yes	music wire	4G
C.186.200.0220.AP	18.6	2.00	22.0	1.5636	9.60	11.70	yes	music wire	4I
C.186.200.0220.I	18.6	2.00	22.0	0.8000	12.60	14.15	yes	stainless steel	4G
C.186.200.1000.A	18.6	2.00	100.0	0.2084	39.20	46.15	yes	music wire	4I
C.186.200.1000.I	18.6	2.00	100.0	0.1790	39.20	46.15	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.186.230.0480.A	18.6	2.30	48.0	0.6897	27.60	31.43	yes	music wire	4G
C.186.230.0480.AP	18.6	2.30	48.0	1.1103	19.32	26.68	yes	music wire	4I
C.186.230.0480.I	18.6	2.30	48.0	0.6000	27.37	31.16	yes	stainless steel	4H
C.186.230.1000.A	18.6	2.30	100.0	0.3578	48.07	55.49	yes	music wire	4I
C.186.230.1000.I	18.6	2.30	100.0	0.3073	48.07	55.49	yes	stainless steel	4I
C.186.240.0143.A	18.6	2.40	14.3	5.2874	9.60	10.21	yes	music wire	4G
C.186.240.0143.I	18.6	2.40	14.3	4.6000	9.60	10.21	yes	stainless steel	4G
C.186.240.0420.A	18.6	2.40	42.0	0.9500	26.16	29.55	yes	music wire	4G
C.186.240.0420.AP	18.6	2.40	42.0	1.4912	18.72	24.16	yes	music wire	4I
C.186.240.0420.I	18.6	2.40	42.0	0.8265	25.92	29.27	yes	stainless steel	4H
C.186.240.1000.A	18.6	2.40	100.0	0.4251	50.88	58.44	yes	music wire	4I
C.186.240.1000.I	18.6	2.40	100.0	0.3651	50.88	58.44	yes	stainless steel	4I
C.186.260.0200.A	18.6	2.60	20.0	3.7886	14.30	15.52	yes	music wire	4G
C.186.260.0200.I	18.6	2.60	20.0	3.2540	14.30	15.52	yes	stainless steel	4G
C.186.260.1600.A	18.6	2.60	160.0	0.4100	78.52	89.81	yes	music wire	4J
C.186.260.1600.I	18.6	2.60	160.0	0.3567	77.74	88.91	yes	stainless steel	4K
C.186.270.0174.A	18.6	2.70	17.4	6.0920	12.69	13.59	yes	music wire	4G
C.186.270.0174.I	18.6	2.70	17.4	5.3000	12.69	13.59	yes	stainless steel	4G
C.186.270.1000.A	18.6	2.70	100.0	0.6979	58.86	66.78	yes	music wire	4I
C.186.270.1000.I	18.6	2.70	100.0	0.5994	58.86	66.78	yes	stainless steel	4I
C.186.290.0290.A	18.6	2.90	29.0	4.2529	20.01	21.85	yes	music wire	4I
C.186.290.0290.I	18.6	2.90	29.0	3.7000	19.72	21.52	yes	stainless steel	4I
C.186.290.2000.A	18.6	2.90	200.0	0.4632	123.83	140.61	yes	music wire	4J
C.186.290.2000.I	18.6	2.90	200.0	0.3978	123.83	140.61	yes	stainless steel	4J
C.186.300.0174.A	18.6	3.00	17.4	12.8736	12.60	13.61	yes	music wire	4J
C.186.300.0174.I	18.6	3.00	17.4	11.2000	12.60	13.52	yes	stainless steel	4J
C.186.300.0300.A	18.6	3.00	30.0	4.5977	21.60	23.58	yes	music wire	4I
C.186.300.0300.I	18.6	3.00	30.0	4.0000	21.60	23.58	yes	stainless steel	4I
C.186.300.2000.A	18.6	3.00	200.0	0.5394	128.40	145.39	yes	music wire	4J
C.186.300.2000.I	18.6	3.00	200.0	0.4632	128.40	145.39	yes	stainless steel	4J
C.186.320.0650.A	18.6	3.20	65.0	2.7856	41.60	46.13	yes	music wire	4M
C.186.320.0650.I	18.6	3.20	65.0	2.3925	41.60	46.13	yes	stainless steel	4M
C.186.320.0650.N	18.6	3.20	65.0	2.7856	41.60	46.13	yes	Zn coating	4N
C.186.320.2000.A	18.6	3.20	200.0	0.7258	136.96	154.34	yes	music wire	4L
C.186.320.2000.I	18.6	3.20	200.0	0.6234	136.96	154.34	yes	stainless steel	4L
C.186.380.0400.A	18.6	3.80	40.0	9.9283	34.58	37.66	yes	music wire	4M
C.186.380.0400.I	18.6	3.80	40.0	8.5273	34.58	37.66	yes	stainless steel	4M
C.186.380.0760.S	18.6	3.80	76.0	5.2536	57.00	62.83	yes	Cr-Si steel	4R
C.186.380.0890.S	18.6	3.80	89.0	4.4661	65.36	72.22	yes	Cr-Si steel	4R
C.186.380.1020.S	18.6	3.80	102.0	3.8532	74.10	82.03	yes	Cr-Si steel	4R
C.186.380.1150.S	18.6	3.80	115.0	3.4148	82.46	91.42	yes	Cr-Si steel	4R
C.186.400.0200.A	18.6	4.00	20.0	44.6433	17.60	18.51	yes	music wire	4M
C.186.400.0250.A	18.6	4.00	25.0	28.8245	21.60	22.99	yes	music wire	4M
C.186.400.0320.A	18.6	4.00	32.0	19.0575	27.60	29.71	yes	music wire	4M
C.186.400.0320.S	18.6	4.00	32.0	16.0000	30.80	30.80	yes	Cr-Si steel	4R
C.186.400.0400.A	18.6	4.00	40.0	13.8600	34.00	36.88	yes	music wire	4M
C.186.400.0400.S	18.6	4.00	40.0	12.6984	36.40	39.57	yes	Cr-Si steel	4R
C.186.400.0500.A	18.6	4.00	50.0	10.0000	43.60	47.63	yes	music wire	4M
C.186.400.0500.S	18.6	4.00	50.0	10.0000	43.60	47.63	yes	Cr-Si steel	4R
C.186.400.0600.A	18.6	4.00	60.0	8.0578	51.60	56.59	yes	music wire	4P
C.186.400.0600.I	18.6	4.00	60.0	6.9208	51.60	56.59	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.186.400.0630.A	18.6	4.00	63.0	7.8750	52.40	57.49	yes	music wire	4M
C.186.400.0630.S	18.6	4.00	63.0	8.0000	52.00	57.04	yes	Cr-Si steel	4R
C.186.400.0760.S	18.6	4.00	76.0	6.8306	59.20	65.10	yes	Cr-Si steel	4T
C.186.400.0800.A	18.6	4.00	80.0	6.3000	63.20	69.58	yes	music wire	4M
C.186.400.0800.S	18.6	4.00	80.0	6.4000	62.40	68.69	yes	Cr-Si steel	4T
C.186.400.0890.S	18.6	4.00	89.0	5.7793	68.00	74.96	yes	Cr-Si steel	4T
C.186.400.1000.A	18.6	4.00	100.0	5.0400	76.40	84.37	yes	music wire	4M
C.186.400.1000.S	18.6	4.00	100.0	5.0000	77.20	85.26	yes	Cr-Si steel	4T
C.186.400.1150.S	18.6	4.00	115.0	4.3788	86.40	95.57	yes	Cr-Si steel	4T
C.186.400.1200.A	18.6	4.00	120.0	3.7411	99.60	110.35	yes	music wire	4P
C.186.400.1200.I	18.6	4.00	120.0	3.2132	99.60	110.35	yes	stainless steel	4P
C.186.400.1250.A	18.6	4.00	125.0	3.9375	95.20	105.42	yes	music wire	4M
C.186.400.1250.S	18.6	4.00	125.0	4.0000	94.00	104.08	yes	Cr-Si steel	4T
C.186.400.1400.S	18.6	4.00	140.0	3.5031	105.60	117.07	yes	Cr-Si steel	5A
C.186.400.1520.S	18.6	4.00	152.0	3.1520	116.40	129.17	yes	Cr-Si steel	5A
C.186.400.1600.A	18.6	4.00	160.0	3.1500	116.40	129.17	yes	music wire	4N
C.186.400.1600.S	18.6	4.00	160.0	3.2000	114.80	127.37	yes	Cr-Si steel	5A
C.186.400.2000.A	18.6	4.00	200.0	2.5200	143.20	159.18	yes	music wire	4N
C.186.400.2000.S	18.6	4.00	200.0	2.5000	144.00	160.08	yes	Cr-Si steel	5A
C.186.400.3200.A	18.6	4.00	320.0	1.3451	259.20	289.10	yes	music wire	4Q
C.186.400.3200.I	18.6	4.00	320.0	1.1553	259.20	289.10	yes	stainless steel	4R
C.186.450.0280.A	18.6	4.50	28.0	41.6092	27.45	27.45	yes	music wire	4Q
C.186.450.0280.I	18.6	4.50	28.0	36.2000	27.00	27.00	yes	stainless steel	4Q
C.186.450.2000.A	18.6	4.50	200.0	4.1054	174.60	193.34	yes	music wire	4R
C.186.450.2000.I	18.6	4.50	200.0	3.5261	174.60	193.34	yes	stainless steel	4R
C.188.280.0200.A	18.8	2.80	20.0	5.0959	15.40	16.65	yes	music wire	4I
C.188.280.0200.I	18.8	2.80	20.0	4.3768	15.40	16.65	yes	stainless steel	4I
C.188.280.0250.A	18.8	2.80	25.0	3.9600	17.92	19.55	yes	music wire	4F
C.188.280.0320.A	18.8	2.80	32.0	3.1250	20.72	22.76	yes	music wire	4G
C.188.280.0400.A	18.8	2.80	40.0	2.1839	26.60	29.52	yes	music wire	4I
C.188.280.0400.AP	18.8	2.80	40.0	2.5000	24.08	26.62	yes	music wire	4G
C.188.280.0400.I	18.8	2.80	40.0	1.8758	26.60	29.52	yes	stainless steel	4I
C.188.280.0500.A	18.8	2.80	50.0	2.0000	28.28	31.45	yes	music wire	4G
C.188.280.0630.A	18.8	2.80	63.0	1.5625	34.44	38.53	yes	music wire	4G
C.188.280.0800.A	18.8	2.80	80.0	1.0058	49.56	55.90	yes	music wire	4I
C.188.280.0800.AP	18.8	2.80	80.0	1.2500	41.16	47.92	yes	music wire	4G
C.188.280.0800.I	18.8	2.80	80.0	0.8638	49.56	55.90	yes	stainless steel	4I
C.188.280.1000.A	18.8	2.80	100.0	1.0000	49.84	59.90	yes	music wire	4H
C.188.280.1250.A	18.8	2.80	125.0	0.7813	61.88	73.67	yes	music wire	4I
C.188.280.1500.A	18.8	2.80	150.0	0.6390	73.92	87.24	yes	music wire	4L
C.188.280.1500.I	18.8	2.80	150.0	0.5559	73.08	85.91	yes	stainless steel	4L
C.188.280.1500.N	18.8	2.80	150.0	0.6390	73.92	87.24	yes	Zn coating	4M
C.188.280.1600.A	18.8	2.80	160.0	0.6400	73.92	97.34	yes	music wire	4L
C.188.280.1600.I	18.8	2.80	160.0	0.5568	73.08	96.01	yes	stainless steel	4L
C.188.280.1600.N	18.8	2.80	160.0	0.6400	73.92	97.34	yes	Zn coating	4N
C.188.280.2000.A	18.8	2.80	200.0	0.5079	91.28	121.04	yes	music wire	4M
C.188.280.2000.I	18.8	2.80	200.0	0.4419	90.16	119.37	yes	stainless steel	4M
C.188.280.2000.N	18.8	2.80	200.0	0.5079	91.28	121.04	yes	Zn coating	4N
C.188.280.2500.A	18.8	2.80	250.0	0.4000	113.96	149.74	yes	music wire	4M
C.188.280.2500.I	18.8	2.80	250.0	0.3480	112.56	147.62	yes	stainless steel	4M
C.188.280.2500.N	18.8	2.80	250.0	0.4000	113.96	149.74	yes	Zn coating	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.188.280.3200.A	18.8	2.80	320.0	0.3200	140.84	194.68	yes	music wire	4O
C.188.280.3200.I	18.8	2.80	320.0	0.2784	139.16	192.02	yes	stainless steel	4P
C.188.280.3200.N	18.8	2.80	320.0	0.3200	140.84	194.68	yes	Zn coating	4Q
C.189.280.0650.A	18.9	2.80	65.0	2.3084	25.20	47.71	yes	music wire	4M
C.189.280.0650.I	18.9	2.80	65.0	1.9827	25.20	47.12	yes	stainless steel	4M
C.189.280.0650.N	18.9	2.80	65.0	2.3084	25.20	47.71	yes	Zn coating	4N
C.190.080.0330.A	19.0	0.80	33.0	0.0207	5.44	7.75	no	music wire	4D
C.190.080.0330.I	19.0	0.80	33.0	0.0180	5.44	7.75	no	stainless steel	4D
C.190.090.0640.A	19.0	0.90	64.0	0.0057	20.79	33.26	no	music wire	4E
C.190.090.0640.I	19.0	0.90	64.0	0.0050	20.61	32.95	no	stainless steel	4E
C.190.090.0710.A	19.0	0.90	71.0	0.0149	9.90	14.67	no	music wire	4E
C.190.090.0710.I	19.0	0.90	71.0	0.0130	9.81	14.52	no	stainless steel	4E
C.190.100.0142.A	19.0	1.00	14.2	0.1588	3.60	4.24	yes	music wire	4C
C.190.100.0142.I	19.0	1.00	14.2	0.1364	3.60	4.24	yes	stainless steel	4D
C.190.100.0143.A	19.0	1.00	14.3	0.0586	5.50	7.26	yes	music wire	4C
C.190.100.0143.AP	19.0	1.00	14.3	0.1588	3.60	4.24	yes	music wire	4C
C.190.100.0143.I	19.0	1.00	14.3	0.0510	5.40	7.10	yes	stainless steel	4D
C.190.100.0151.A	19.0	1.00	15.1	0.0720	4.90	6.31	yes	music wire	4C
C.190.100.0151.AP	19.0	1.00	15.1	0.1588	3.60	4.24	yes	music wire	4C
C.190.100.0151.I	19.0	1.00	15.1	0.0626	4.90	6.31	yes	stainless steel	4D
C.190.100.0224.A	19.0	1.00	22.4	0.0970	4.30	5.35	yes	music wire	4C
C.190.100.0224.I	19.0	1.00	22.4	0.0834	4.30	5.35	yes	stainless steel	4D
C.190.100.0240.A	19.0	1.00	24.0	0.0410	6.80	9.32	yes	music wire	4C
C.190.100.0240.I	19.0	1.00	24.0	0.0357	6.70	9.16	yes	stainless steel	4D
C.190.100.0250.A	19.0	1.00	25.0	0.1000	4.20	5.20	yes	music wire	4C
C.190.100.0250.I	19.0	1.00	25.0	0.0870	4.20	5.20	yes	stainless steel	4D
C.190.100.0305.A	19.0	1.00	30.5	0.0672	5.10	6.62	yes	music wire	4D
C.190.100.0305.I	19.0	1.00	30.5	0.0577	5.10	6.62	yes	stainless steel	4D
C.190.100.0381.A	19.0	1.00	38.1	0.0546	5.70	7.58	yes	music wire	4D
C.190.100.0381.I	19.0	1.00	38.1	0.0469	5.70	7.58	yes	stainless steel	4D
C.190.100.0444.A	19.0	1.00	44.4	0.0460	6.30	8.53	yes	music wire	4D
C.190.100.0444.I	19.0	1.00	44.4	0.0395	6.30	8.53	yes	stainless steel	4E
C.190.100.0457.A	19.0	1.00	45.7	0.0448	6.40	8.69	yes	music wire	4D
C.190.100.0457.I	19.0	1.00	45.7	0.0385	6.40	8.69	yes	stainless steel	4E
C.190.100.0465.A	19.0	1.00	46.5	0.0260	9.20	13.13	yes	music wire	4D
C.190.100.0465.I	19.0	1.00	46.5	0.0226	9.10	12.97	yes	stainless steel	4E
C.190.100.0465.N	19.0	1.00	46.5	0.0260	9.20	13.13	yes	Zn coating	4F
C.190.100.0572.A	19.0	1.00	57.2	0.0357	7.40	10.27	yes	music wire	4E
C.190.100.0572.I	19.0	1.00	57.2	0.0306	7.40	10.27	yes	stainless steel	4E
C.190.100.0610.A	19.0	1.00	61.0	0.0149	14.20	21.06	yes	music wire	4E
C.190.100.0610.I	19.0	1.00	61.0	0.0130	14.00	20.74	yes	stainless steel	4E
C.190.100.0640.A	19.0	1.00	64.0	0.0140	15.00	22.32	yes	music wire	4E
C.190.100.0640.I	19.0	1.00	64.0	0.0130	14.00	20.74	yes	stainless steel	4E
C.190.110.0224.A	19.0	1.10	22.4	0.1300	4.95	6.04	yes	music wire	4C
C.190.110.0224.I	19.0	1.10	22.4	0.1117	4.95	6.04	yes	stainless steel	4D
C.190.110.0500.A	19.0	1.10	50.0	0.0743	6.60	10.06	yes	music wire	4G
C.190.110.0500.I	19.0	1.10	50.0	0.0638	6.60	9.87	yes	stainless steel	4G
C.190.110.0500.N	19.0	1.10	50.0	0.0743	6.60	10.06	yes	Zn coating	4I
C.190.110.0540.A	19.0	1.10	54.0	0.0333	11.33	15.60	yes	music wire	4E
C.190.110.0540.I	19.0	1.10	54.0	0.0290	11.22	15.43	yes	stainless steel	4E
C.190.110.0572.A	19.0	1.10	57.2	0.0482	8.69	11.64	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.110.0572.I	19.0	1.10	57.2	0.0414	8.69	11.64	yes	stainless steel	4E
C.190.110.0763.A	19.0	1.10	76.3	0.0473	8.80	13.57	yes	music wire	4H
C.190.110.0763.I	19.0	1.10	76.3	0.0406	8.80	13.25	yes	stainless steel	4H
C.190.110.0763.N	19.0	1.10	76.3	0.0473	8.80	13.57	yes	Zn coating	4I
C.190.110.1290.A	19.0	1.10	129.0	0.0274	13.20	20.70	yes	music wire	4I
C.190.110.1290.I	19.0	1.10	129.0	0.0235	13.20	20.06	yes	stainless steel	4I
C.190.110.1290.N	19.0	1.10	129.0	0.0274	13.20	20.70	yes	Zn coating	4J
C.190.110.2080.A	19.0	1.10	208.0	0.0168	19.80	31.37	yes	music wire	4J
C.190.110.2080.I	19.0	1.10	208.0	0.0144	19.80	30.22	yes	stainless steel	4J
C.190.110.2080.N	19.0	1.10	208.0	0.0168	19.80	31.37	yes	Zn coating	4K
C.190.115.0250.A	19.0	1.15	25.0	0.1566	5.18	6.24	yes	music wire	4D
C.190.115.0250.I	19.0	1.15	25.0	0.1345	5.18	6.24	yes	stainless steel	4D
C.190.115.0380.A	19.0	1.15	38.0	0.0979	6.56	8.26	yes	music wire	4D
C.190.115.0380.I	19.0	1.15	38.0	0.0841	6.56	8.26	yes	stainless steel	4E
C.190.115.0460.A	19.0	1.15	46.0	0.0803	7.36	9.43	yes	music wire	4D
C.190.115.0460.I	19.0	1.15	46.0	0.0690	7.36	9.43	yes	stainless steel	4E
C.190.115.0930.A	19.0	1.15	93.0	0.0392	12.08	16.32	yes	music wire	4E
C.190.115.0930.I	19.0	1.15	93.0	0.0336	12.08	16.32	yes	stainless steel	4E
C.190.115.1400.A	19.0	1.15	140.0	0.0259	16.79	23.21	yes	music wire	4F
C.190.115.1400.I	19.0	1.15	140.0	0.0222	16.79	23.21	yes	stainless steel	4G
C.190.120.0191.A	19.0	1.20	19.1	0.1724	5.64	6.78	yes	music wire	4C
C.190.120.0191.I	19.0	1.20	19.1	0.1500	5.52	6.60	yes	stainless steel	4D
C.190.120.0350.A	19.0	1.20	35.0	0.1100	7.08	8.83	yes	music wire	4D
C.190.120.0350.I	19.0	1.20	35.0	0.0957	7.08	8.83	yes	stainless steel	4E
C.190.120.0570.A	19.0	1.20	57.0	0.0540	11.28	14.84	yes	music wire	4E
C.190.120.0570.I	19.0	1.20	57.0	0.0470	11.16	14.67	yes	stainless steel	4E
C.190.120.1450.A	19.0	1.20	145.0	0.0286	18.72	25.48	yes	music wire	4G
C.190.120.1450.I	19.0	1.20	145.0	0.0246	18.72	25.48	yes	stainless steel	4G
C.190.120.1750.A	19.0	1.20	175.0	0.0236	22.08	30.29	yes	music wire	4G
C.190.120.1750.I	19.0	1.20	175.0	0.0202	22.08	30.29	yes	stainless steel	4G
C.190.125.0320.A	19.0	1.25	32.0	0.1271	7.50	9.26	yes	music wire	4D
C.190.125.0320.I	19.0	1.25	32.0	0.1092	7.50	9.26	yes	stainless steel	4E
C.190.125.0320.N	19.0	1.25	32.0	0.1271	7.50	9.26	yes	Zn coating	4F
C.190.125.0490.A	19.0	1.25	49.0	0.0809	10.00	12.77	yes	music wire	4E
C.190.125.0490.I	19.0	1.25	49.0	0.0695	10.00	12.77	yes	stainless steel	4E
C.190.125.0490.N	19.0	1.25	49.0	0.0809	10.00	12.77	yes	Zn coating	4F
C.190.125.0750.A	19.0	1.25	75.0	0.0523	13.75	18.03	yes	music wire	4E
C.190.125.0750.I	19.0	1.25	75.0	0.0449	13.75	18.03	yes	stainless steel	4E
C.190.125.0750.N	19.0	1.25	75.0	0.0523	13.75	18.03	yes	Zn coating	4G
C.190.125.1160.A	19.0	1.25	116.0	0.0329	20.00	26.79	yes	music wire	4F
C.190.125.1160.I	19.0	1.25	116.0	0.0283	20.00	26.79	yes	stainless steel	4F
C.190.125.1160.N	19.0	1.25	116.0	0.0329	20.00	26.79	yes	Zn coating	4H
C.190.125.1500.A	19.0	1.25	150.0	0.0313	20.88	28.02	yes	music wire	4G
C.190.125.1500.I	19.0	1.25	150.0	0.0269	20.88	28.02	yes	stainless steel	4G
C.190.130.0127.A	19.0	1.30	12.7	0.3700	5.07	5.76	yes	music wire	4C
C.190.130.0127.I	19.0	1.30	12.7	0.3219	5.07	5.76	yes	stainless steel	4D
C.190.130.0191.A	19.0	1.30	19.1	0.2300	6.24	7.37	yes	music wire	4D
C.190.130.0191.I	19.0	1.30	19.1	0.2000	6.24	7.37	yes	stainless steel	4D
C.190.130.0350.A	19.0	1.30	35.0	0.1264	8.58	10.60	yes	music wire	4D
C.190.130.0350.I	19.0	1.30	35.0	0.1100	8.58	10.60	yes	stainless steel	4E
C.190.130.0760.A	19.0	1.30	76.0	0.0356	22.36	29.58	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.130.0760.I	19.0	1.30	76.0	0.0310	22.10	29.23	yes	stainless steel	4E
C.190.130.0980.A	19.0	1.30	98.0	0.0547	15.73	20.45	yes	music wire	4E
C.190.130.0980.I	19.0	1.30	98.0	0.0469	15.73	20.45	yes	stainless steel	4F
C.190.130.1250.A	19.0	1.30	125.0	0.0427	19.24	25.29	yes	music wire	4F
C.190.130.1250.I	19.0	1.30	125.0	0.0366	19.24	25.29	yes	stainless steel	4G
C.190.130.1800.A	19.0	1.30	180.0	0.0295	26.39	35.14	yes	music wire	4G
C.190.130.1800.I	19.0	1.30	180.0	0.0253	26.39	35.14	yes	stainless steel	4H
C.190.140.0200.A	19.0	1.40	20.0	0.3450	6.44	7.43	yes	music wire	4E
C.190.140.0200.I	19.0	1.40	20.0	0.3000	6.44	7.43	yes	stainless steel	4F
C.190.140.0200.N	19.0	1.40	20.0	0.3450	6.44	7.43	yes	Zn coating	4G
C.190.140.0250.A	19.0	1.40	25.0	0.2630	7.28	8.55	yes	music wire	4E
C.190.140.0250.I	19.0	1.40	25.0	0.2288	7.28	8.55	yes	stainless steel	4F
C.190.140.0250.N	19.0	1.40	25.0	0.2630	7.28	8.55	yes	Zn coating	4G
C.190.140.0280.A	19.0	1.40	28.0	0.2500	7.56	8.93	yes	music wire	4E
C.190.140.0280.I	19.0	1.40	28.0	0.2175	7.42	8.74	yes	stainless steel	4F
C.190.140.0320.A	19.0	1.40	32.0	0.2050	8.40	10.05	yes	music wire	4E
C.190.140.0320.I	19.0	1.40	32.0	0.1784	8.40	10.05	yes	stainless steel	4F
C.190.140.0320.N	19.0	1.40	32.0	0.2050	8.40	10.05	yes	Zn coating	4H
C.190.140.0350.A	19.0	1.40	35.0	0.1609	9.80	11.92	yes	music wire	4F
C.190.140.0350.I	19.0	1.40	35.0	0.1400	9.66	11.74	yes	stainless steel	4F
C.190.140.0400.A	19.0	1.40	40.0	0.1620	9.66	11.74	yes	music wire	4F
C.190.140.0400.I	19.0	1.40	40.0	0.1409	9.66	11.74	yes	stainless steel	4F
C.190.140.0400.N	19.0	1.40	40.0	0.1620	9.66	11.74	yes	Zn coating	4H
C.190.140.0500.A	19.0	1.40	50.0	0.1280	11.34	13.98	yes	music wire	4F
C.190.140.0500.I	19.0	1.40	50.0	0.1114	11.20	13.80	yes	stainless steel	4G
C.190.140.0500.N	19.0	1.40	50.0	0.1280	11.34	13.98	yes	Zn coating	4H
C.190.140.0630.A	19.0	1.40	63.0	0.1000	13.58	16.98	yes	music wire	4F
C.190.140.0630.I	19.0	1.40	63.0	0.0870	13.44	16.79	yes	stainless steel	4G
C.190.140.0630.N	19.0	1.40	63.0	0.1000	13.58	16.98	yes	Zn coating	4I
C.190.140.0800.A	19.0	1.40	80.0	0.0780	16.38	20.72	yes	music wire	4G
C.190.140.0800.I	19.0	1.40	80.0	0.0679	16.24	20.53	yes	stainless steel	4G
C.190.140.0800.N	19.0	1.40	80.0	0.0780	16.38	20.72	yes	Zn coating	4I
C.190.140.1000.A	19.0	1.40	100.0	0.0620	19.74	25.21	yes	music wire	4G
C.190.140.1000.I	19.0	1.40	100.0	0.0539	19.46	24.84	yes	stainless steel	4G
C.190.140.1000.N	19.0	1.40	100.0	0.0620	19.74	25.21	yes	Zn coating	4I
C.190.140.1100.A	19.0	1.40	110.0	0.0614	19.88	25.40	yes	music wire	4G
C.190.140.1100.I	19.0	1.40	110.0	0.0527	19.88	25.40	yes	stainless steel	4H
C.190.140.1250.A	19.0	1.40	125.0	0.0490	24.08	31.02	yes	music wire	4H
C.190.140.1250.I	19.0	1.40	125.0	0.0426	23.80	30.64	yes	stainless steel	4H
C.190.140.1250.N	19.0	1.40	125.0	0.0490	24.08	31.02	yes	Zn coating	4I
C.190.140.1400.A	19.0	1.40	140.0	0.0479	24.50	31.58	yes	music wire	4H
C.190.140.1400.I	19.0	1.40	140.0	0.0411	24.50	31.58	yes	stainless steel	4I
C.190.140.1850.A	19.0	1.40	185.0	0.0363	31.22	40.56	yes	music wire	4I
C.190.140.1850.I	19.0	1.40	185.0	0.0311	31.22	40.56	yes	stainless steel	4I
C.190.140.3600.A	19.0	1.40	360.0	0.0170	63.98	83.89	no	music wire	4J
C.190.140.3600.I	19.0	1.40	360.0	0.0148	63.28	82.96	no	stainless steel	4J
C.190.150.0112.A	19.0	1.50	11.2	0.8019	5.55	6.10	yes	music wire	4E
C.190.150.0112.I	19.0	1.50	11.2	0.6888	5.55	6.10	yes	stainless steel	4E
C.190.150.0142.A	19.0	1.50	14.2	0.6014	6.15	6.88	yes	music wire	4E
C.190.150.0142.I	19.0	1.50	14.2	0.5166	6.15	6.88	yes	stainless steel	4E
C.190.150.0157.A	19.0	1.50	15.7	0.5346	6.45	7.27	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.150.0157.I	19.0	1.50	15.7	0.4592	6.45	7.27	yes	stainless steel	4F
C.190.150.0190.A	19.0	1.50	19.0	0.4720	6.75	7.66	yes	music wire	4E
C.190.150.0190.I	19.0	1.50	19.0	0.4106	6.75	7.66	yes	stainless steel	4F
C.190.150.0190.N	19.0	1.50	19.0	0.4720	6.75	7.66	yes	Zn coating	4G
C.190.150.0225.A	19.0	1.50	22.5	0.3564	7.80	9.03	yes	music wire	4E
C.190.150.0225.I	19.0	1.50	22.5	0.3061	7.80	9.03	yes	stainless steel	4F
C.190.150.0360.A	19.0	1.50	36.0	0.2529	9.45	11.18	yes	music wire	4F
C.190.150.0360.I	19.0	1.50	36.0	0.2200	9.45	11.18	yes	stainless steel	4F
C.190.150.0380.A	19.0	1.50	38.0	0.1450	13.65	16.66	yes	music wire	4F
C.190.150.0380.I	19.0	1.50	38.0	0.1262	13.65	16.66	yes	stainless steel	4F
C.190.150.0380.N	19.0	1.50	38.0	0.1450	13.65	16.66	yes	Zn coating	4H
C.190.150.0510.A	19.0	1.50	51.0	0.1500	13.35	16.27	yes	music wire	4F
C.190.150.0510.I	19.0	1.50	51.0	0.1305	13.20	16.07	yes	stainless steel	4G
C.190.150.0510.N	19.0	1.50	51.0	0.1500	13.35	16.27	yes	Zn coating	4I
C.190.150.0762.A	19.0	1.50	76.2	0.0972	18.60	23.12	yes	music wire	4G
C.190.150.0762.I	19.0	1.50	76.2	0.0835	18.60	23.12	yes	stainless steel	4G
C.190.150.1650.A	19.0	1.50	165.0	0.0506	32.25	40.92	yes	music wire	4I
C.190.150.1650.I	19.0	1.50	165.0	0.0435	32.25	40.92	yes	stainless steel	4I
C.190.150.1850.A	19.0	1.50	185.0	0.0452	35.70	45.42	yes	music wire	4I
C.190.150.1850.I	19.0	1.50	185.0	0.0388	35.70	45.42	yes	stainless steel	4I
C.190.150.2200.A	19.0	1.50	220.0	0.0400	39.90	50.90	yes	music wire	4J
C.190.150.2200.I	19.0	1.50	220.0	0.0348	39.45	50.31	yes	stainless steel	4J
C.190.150.2200.N	19.0	1.50	220.0	0.0400	39.90	50.90	yes	Zn coating	4L
C.190.160.0200.A	19.0	1.60	20.0	0.5420	7.68	8.70	yes	music wire	4E
C.190.160.0200.AP	19.0	1.60	20.0	0.7965	6.56	9.35	yes	music wire	4I
C.190.160.0200.I	19.0	1.60	20.0	0.4715	7.68	8.70	yes	stainless steel	4F
C.190.160.0200.N	19.0	1.60	20.0	0.5420	7.68	8.70	yes	Zn coating	4G
C.190.160.0240.A	19.0	1.60	24.0	0.4943	8.16	9.31	yes	music wire	4E
C.190.160.0240.I	19.0	1.60	24.0	0.4300	8.00	9.11	yes	stainless steel	4F
C.190.160.0250.A	19.0	1.60	25.0	0.4060	8.96	10.34	yes	music wire	4E
C.190.160.0250.AP	19.0	1.60	25.0	0.6068	7.36	11.02	yes	music wire	4I
C.190.160.0250.I	19.0	1.60	25.0	0.3532	8.96	10.34	yes	stainless steel	4F
C.190.160.0250.N	19.0	1.60	25.0	0.4060	8.96	10.34	yes	Zn coating	4H
C.190.160.0300.A	19.0	1.60	30.0	0.2900	11.04	12.99	yes	music wire	4F
C.190.160.0300.AP	19.0	1.60	30.0	0.5097	8.00	13.35	yes	music wire	4I
C.190.160.0300.I	19.0	1.60	30.0	0.2523	10.88	12.79	yes	stainless steel	4F
C.190.160.0320.A	19.0	1.60	32.0	0.3150	10.40	12.18	yes	music wire	4F
C.190.160.0320.AP	19.0	1.60	32.0	0.4720	8.32	14.02	yes	music wire	4I
C.190.160.0320.I	19.0	1.60	32.0	0.2800	10.24	11.97	yes	stainless steel	4F
C.190.160.0320.N	19.0	1.60	32.0	0.3150	10.40	12.18	yes	Zn coating	4H
C.190.160.0400.A	19.0	1.60	40.0	0.2440	12.32	14.63	yes	music wire	4F
C.190.160.0400.AP	19.0	1.60	40.0	0.3748	9.44	17.36	yes	music wire	4I
C.190.160.0400.I	19.0	1.60	40.0	0.2123	12.16	14.42	yes	stainless steel	4G
C.190.160.0400.N	19.0	1.60	40.0	0.2440	12.32	14.63	yes	Zn coating	4H
C.190.160.0440.A	19.0	1.60	44.0	0.2014	14.08	16.88	yes	music wire	4F
C.190.160.0440.AP	19.0	1.60	44.0	0.3354	10.08	18.69	yes	music wire	4I
C.190.160.0440.I	19.0	1.60	44.0	0.1752	13.92	16.67	yes	stainless steel	4G
C.190.160.0440.N	19.0	1.60	44.0	0.2014	14.08	16.88	yes	Zn coating	4H
C.190.160.0500.A	19.0	1.60	50.0	0.1950	14.40	17.28	yes	music wire	4F
C.190.160.0500.AP	19.0	1.60	50.0	0.2964	10.88	21.36	yes	music wire	4I
C.190.160.0500.I	19.0	1.60	50.0	0.1697	14.24	17.08	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.160.0500.N	19.0	1.60	50.0	0.1950	14.40	17.28	yes	Zn coating	4I
C.190.160.0630.A	19.0	1.60	63.0	0.1520	17.28	20.96	yes	music wire	4G
C.190.160.0630.AP	19.0	1.60	63.0	0.2317	12.80	26.37	yes	music wire	4I
C.190.160.0630.I	19.0	1.60	63.0	0.1322	17.12	20.76	yes	stainless steel	4G
C.190.160.0630.N	19.0	1.60	63.0	0.1520	17.28	20.96	yes	Zn coating	4I
C.190.160.0660.A	19.0	1.60	66.0	0.1303	19.52	23.83	yes	music wire	4G
C.190.160.0660.AP	19.0	1.60	66.0	0.2197	13.28	27.38	yes	music wire	4I
C.190.160.0660.I	19.0	1.60	66.0	0.1119	19.52	23.83	yes	stainless steel	4G
C.190.160.0660.N	19.0	1.60	66.0	0.1303	19.52	23.83	yes	Zn coating	4I
C.190.160.0800.A	19.0	1.60	80.0	0.1190	21.12	25.87	yes	music wire	4G
C.190.160.0800.AP	19.0	1.60	80.0	0.1795	15.36	32.72	yes	music wire	4I
C.190.160.0800.I	19.0	1.60	80.0	0.1035	20.80	25.46	yes	stainless steel	4G
C.190.160.0800.N	19.0	1.60	80.0	0.1190	21.12	25.87	yes	Zn coating	4I
C.190.160.0880.A	19.0	1.60	88.0	0.1103	22.40	27.50	yes	music wire	4G
C.190.160.0880.AP	19.0	1.60	88.0	0.1634	16.48	36.06	yes	music wire	4I
C.190.160.0880.I	19.0	1.60	88.0	0.0960	22.08	27.10	yes	stainless steel	4G
C.190.160.1000.A	19.0	1.60	100.0	0.0950	25.28	31.18	yes	music wire	4G
C.190.160.1000.AP	19.0	1.60	100.0	0.1432	18.24	40.73	yes	music wire	4I
C.190.160.1000.I	19.0	1.60	100.0	0.0827	25.12	30.98	yes	stainless steel	4H
C.190.160.1000.N	19.0	1.60	100.0	0.0950	25.28	31.18	yes	Zn coating	4I
C.190.160.1040.A	19.0	1.60	104.0	0.0820	28.80	35.68	yes	music wire	4G
C.190.160.1040.AP	19.0	1.60	104.0	0.1370	18.72	42.07	yes	music wire	4I
C.190.160.1040.I	19.0	1.60	104.0	0.0704	28.80	35.68	yes	stainless steel	4H
C.190.160.1040.N	19.0	1.60	104.0	0.0820	28.80	35.68	yes	Zn coating	4I
C.190.160.1250.A	19.0	1.60	125.0	0.0750	31.04	38.54	yes	music wire	4H
C.190.160.1250.AP	19.0	1.60	125.0	0.1138	21.76	50.41	yes	music wire	4J
C.190.160.1250.I	19.0	1.60	125.0	0.0653	30.72	38.13	yes	stainless steel	4H
C.190.160.1250.N	19.0	1.60	125.0	0.0750	31.04	38.54	yes	Zn coating	4I
C.190.160.1450.A	19.0	1.60	145.0	0.0716	32.32	40.18	yes	music wire	4I
C.190.160.1450.I	19.0	1.60	145.0	0.0615	32.32	40.18	yes	stainless steel	4I
C.190.160.1850.A	19.0	1.60	185.0	0.0558	40.32	50.40	yes	music wire	4I
C.190.160.1850.I	19.0	1.60	185.0	0.0480	40.32	50.40	yes	stainless steel	4I
C.190.160.3600.A	19.0	1.60	360.0	0.0260	83.52	105.13	no	music wire	4J
C.190.160.3600.I	19.0	1.60	360.0	0.0226	82.56	103.91	no	stainless steel	4J
C.190.170.0300.A	19.0	1.70	30.0	0.4000	11.22	13.00	yes	music wire	4F
C.190.170.0300.AP	19.0	1.70	30.0	0.6126	8.84	13.60	yes	music wire	4I
C.190.170.0300.I	19.0	1.70	30.0	0.3480	11.22	13.00	yes	stainless steel	4F
C.190.170.1100.A	19.0	1.70	110.0	0.1157	28.39	34.55	yes	music wire	4G
C.190.170.1100.I	19.0	1.70	110.0	0.0994	28.39	34.55	yes	stainless steel	4H
C.190.175.1700.A	19.0	1.75	170.0	0.0820	44.10	53.86	yes	music wire	4I
C.190.175.1700.I	19.0	1.75	170.0	0.0704	44.10	53.86	yes	stainless steel	4I
C.190.180.0130.A	19.0	1.80	13.0	1.3750	7.20	7.84	yes	music wire	4F
C.190.180.0130.I	19.0	1.80	13.0	1.1963	7.20	7.84	yes	stainless steel	4G
C.190.180.0130.N	19.0	1.80	13.0	1.3750	7.20	7.84	yes	Zn coating	4I
C.190.180.0179.A	19.0	1.80	17.9	0.7000	9.90	11.18	yes	music wire	4G
C.190.180.0179.AP	19.0	1.80	17.9	1.3232	7.38	9.00	yes	music wire	4I
C.190.180.0179.I	19.0	1.80	17.9	0.6090	9.90	11.18	yes	stainless steel	4G
C.190.180.0200.A	19.0	1.80	20.0	0.8510	9.00	10.07	yes	music wire	4G
C.190.180.0200.AP	19.0	1.80	20.0	1.1762	7.74	9.98	yes	music wire	4I
C.190.180.0200.I	19.0	1.80	20.0	0.7404	8.82	9.84	yes	stainless steel	4G
C.190.180.0200.N	19.0	1.80	20.0	0.8510	9.00	10.07	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.180.0250.A	19.0	1.80	25.0	0.6470	10.26	11.62	yes	music wire	4G
C.190.180.0250.AP	19.0	1.80	25.0	0.9205	8.64	12.20	yes	music wire	4I
C.190.180.0250.I	19.0	1.80	25.0	0.5629	10.26	11.62	yes	stainless steel	4G
C.190.180.0250.N	19.0	1.80	25.0	0.6470	10.26	11.62	yes	Zn coating	4I
C.190.180.0320.A	19.0	1.80	32.0	0.4900	12.24	14.07	yes	music wire	4G
C.190.180.0320.AP	19.0	1.80	32.0	0.7057	9.90	15.31	yes	music wire	4I
C.190.180.0320.I	19.0	1.80	32.0	0.4263	12.06	13.85	yes	stainless steel	4G
C.190.180.0320.N	19.0	1.80	32.0	0.4900	12.24	14.07	yes	Zn coating	4I
C.190.180.0380.A	19.0	1.80	38.0	0.4828	12.42	14.30	yes	music wire	4I
C.190.180.0380.I	19.0	1.80	38.0	0.4200	12.24	14.07	yes	stainless steel	4I
C.190.180.0400.A	19.0	1.80	40.0	0.3850	14.40	16.75	yes	music wire	4G
C.190.180.0400.AP	19.0	1.80	40.0	0.5429	11.52	18.30	yes	music wire	4I
C.190.180.0400.I	19.0	1.80	40.0	0.3350	14.22	16.52	yes	stainless steel	4G
C.190.180.0400.N	19.0	1.80	40.0	0.3850	14.40	16.75	yes	Zn coating	4I
C.190.180.0500.A	19.0	1.80	50.0	0.3000	17.10	20.09	yes	music wire	4G
C.190.180.0500.AP	19.0	1.80	50.0	0.4321	13.32	22.73	yes	music wire	4I
C.190.180.0500.I	19.0	1.80	50.0	0.2610	16.92	19.86	yes	stainless steel	4G
C.190.180.0500.N	19.0	1.80	50.0	0.3000	17.10	20.09	yes	Zn coating	4I
C.190.180.0630.A	19.0	1.80	63.0	0.2340	20.70	24.54	yes	music wire	4G
C.190.180.0630.AP	19.0	1.80	63.0	0.3361	15.84	27.94	yes	music wire	4I
C.190.180.0630.I	19.0	1.80	63.0	0.2036	20.52	24.32	yes	stainless steel	4H
C.190.180.0630.N	19.0	1.80	63.0	0.2340	20.70	24.54	yes	Zn coating	4I
C.190.180.0800.A	19.0	1.80	80.0	0.1840	25.02	29.88	yes	music wire	4H
C.190.180.0800.AP	19.0	1.80	80.0	0.2646	18.72	35.48	yes	music wire	4J
C.190.180.0800.I	19.0	1.80	80.0	0.1601	24.84	29.66	yes	stainless steel	4H
C.190.180.0800.N	19.0	1.80	80.0	0.1840	25.02	29.88	yes	Zn coating	4I
C.190.180.1000.A	19.0	1.80	100.0	0.1460	30.42	36.56	yes	music wire	4H
C.190.180.1000.AP	19.0	1.80	100.0	0.2096	22.50	43.80	yes	music wire	4J
C.190.180.1000.I	19.0	1.80	100.0	0.1270	30.06	36.12	yes	stainless steel	4I
C.190.180.1000.N	19.0	1.80	100.0	0.1460	30.42	36.56	yes	Zn coating	4I
C.190.180.1170.A	19.0	1.80	117.0	0.1200	36.00	43.46	yes	music wire	4I
C.190.180.1170.AP	19.0	1.80	117.0	0.1779	25.74	50.78	yes	music wire	4J
C.190.180.1170.I	19.0	1.80	117.0	0.1044	35.64	43.02	yes	stainless steel	4I
C.190.180.1250.A	19.0	1.80	125.0	0.1160	37.08	44.80	yes	music wire	4I
C.190.180.1250.AP	19.0	1.80	125.0	0.1667	27.18	54.33	yes	music wire	4J
C.190.180.1250.I	19.0	1.80	125.0	0.1009	36.72	44.35	yes	stainless steel	4I
C.190.180.1250.N	19.0	1.80	125.0	0.1160	37.08	44.80	yes	Zn coating	4I
C.190.180.1500.A	19.0	1.80	150.0	0.1025	41.40	50.14	yes	music wire	4I
C.190.180.1500.I	19.0	1.80	150.0	0.0881	41.40	50.14	yes	stainless steel	4I
C.190.180.1700.A	19.0	1.80	170.0	0.0906	46.26	56.16	yes	music wire	4I
C.190.180.1700.I	19.0	1.80	170.0	0.0778	46.26	56.16	yes	stainless steel	4I
C.190.180.3600.A	19.0	1.80	360.0	0.0390	103.32	126.31	no	music wire	4J
C.190.180.3600.I	19.0	1.80	360.0	0.0339	102.06	124.75	no	stainless steel	4J
C.190.190.0280.A	19.0	1.90	28.0	0.7375	11.59	13.11	yes	music wire	4G
C.190.190.0280.I	19.0	1.90	28.0	0.6335	11.59	13.11	yes	stainless steel	4G
C.190.190.0450.A	19.0	1.90	45.0	0.4353	16.34	18.91	yes	music wire	4G
C.190.190.0450.I	19.0	1.90	45.0	0.3739	16.34	18.91	yes	stainless steel	4G
C.190.190.0540.A	19.0	1.90	54.0	0.3588	18.81	21.92	yes	music wire	4G
C.190.190.0540.I	19.0	1.90	54.0	0.3082	18.81	21.92	yes	stainless steel	4G
C.190.190.0810.A	19.0	1.90	81.0	0.2350	26.22	30.98	yes	music wire	4H
C.190.190.0810.I	19.0	1.90	81.0	0.2018	26.22	30.98	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.190.190.1200.A	19.0	1.90	120.0	0.1562	37.05	44.20	yes	music wire	4I
C.190.190.1200.I	19.0	1.90	120.0	0.1341	37.05	44.20	yes	stainless steel	4I
C.190.190.1450.A	19.0	1.90	145.0	0.1283	44.08	52.79	yes	music wire	4I
C.190.190.1450.I	19.0	1.90	145.0	0.1102	44.08	52.79	yes	stainless steel	4I
C.190.200.0143.A	19.0	2.00	14.3	1.7000	9.00	9.83	yes	music wire	4G
C.190.200.0143.I	19.0	2.00	14.3	1.4790	8.80	9.59	yes	stainless steel	4G
C.190.200.0160.A	19.0	2.00	16.0	1.6000	9.20	10.08	yes	music wire	4G
C.190.200.0160.AP	19.0	2.00	16.0	2.2322	8.00	8.93	yes	music wire	4I
C.190.200.0160.I	19.0	2.00	16.0	1.3920	9.00	9.83	yes	stainless steel	4G
C.190.200.0160.N	19.0	2.00	16.0	1.6000	9.20	10.08	yes	Zn coating	4I
C.190.200.0200.A	19.0	2.00	20.0	1.2160	10.40	11.53	yes	music wire	4G
C.190.200.0200.AL	19.0	2.00	20.0	1.2857	10.20	11.28	yes	music wire	4E
C.190.200.0200.AP	19.0	2.00	20.0	1.7622	8.80	11.05	yes	music wire	4I
C.190.200.0200.I	19.0	2.00	20.0	1.0579	10.40	11.53	yes	stainless steel	4G
C.190.200.0200.N	19.0	2.00	20.0	1.2160	10.40	11.53	yes	Zn coating	4I
C.190.200.0250.A	19.0	2.00	25.0	0.9460	12.00	13.46	yes	music wire	4G
C.190.200.0250.AL	19.0	2.00	25.0	1.0000	11.60	12.98	yes	music wire	4E
C.190.200.0250.AP	19.0	2.00	25.0	1.3393	10.00	13.22	yes	music wire	4I
C.190.200.0250.I	19.0	2.00	25.0	0.8230	12.00	13.46	yes	stainless steel	4G
C.190.200.0250.N	19.0	2.00	25.0	0.9460	12.00	13.46	yes	Zn coating	4I
C.190.200.0280.A	19.0	2.00	28.0	0.8967	12.40	13.94	yes	music wire	4G
C.190.200.0280.I	19.0	2.00	28.0	0.7702	12.40	13.94	yes	stainless steel	4G
C.190.200.0320.A	19.0	2.00	32.0	0.7090	14.40	16.36	yes	music wire	4G
C.190.200.0320.AL	19.0	2.00	32.0	0.8036	13.20	14.91	yes	music wire	4E
C.190.200.0320.AP	19.0	2.00	32.0	1.0146	11.60	16.45	yes	music wire	4I
C.190.200.0320.I	19.0	2.00	32.0	0.6168	14.20	16.12	yes	stainless steel	4G
C.190.200.0320.N	19.0	2.00	32.0	0.7090	14.40	16.36	yes	Zn coating	4I
C.190.200.0400.A	19.0	2.00	40.0	0.5430	17.20	19.74	yes	music wire	4G
C.190.200.0400.AL	19.0	2.00	40.0	0.6429	15.40	17.57	yes	music wire	4E
C.190.200.0400.AP	19.0	2.00	40.0	0.7787	13.60	19.73	yes	music wire	4I
C.190.200.0400.I	19.0	2.00	40.0	0.4724	17.00	19.50	yes	stainless steel	4G
C.190.200.0400.N	19.0	2.00	40.0	0.5430	17.20	19.74	yes	Zn coating	4I
C.190.200.0450.A	19.0	2.00	45.0	0.6510	15.20	20.76	yes	music wire	4I
C.190.200.0450.I	19.0	2.00	45.0	0.5664	15.00	20.53	yes	stainless steel	4I
C.190.200.0450.N	19.0	2.00	45.0	0.6510	15.20	20.76	yes	Zn coating	4J
C.190.200.0500.A	19.0	2.00	50.0	0.4330	20.40	23.61	yes	music wire	4G
C.190.200.0500.AL	19.0	2.00	50.0	0.5000	18.20	20.95	yes	music wire	4E
C.190.200.0500.AP	19.0	2.00	50.0	0.6200	15.80	24.55	yes	music wire	4I
C.190.200.0500.I	19.0	2.00	50.0	0.3767	20.20	23.37	yes	stainless steel	4H
C.190.200.0500.N	19.0	2.00	50.0	0.4330	20.40	23.61	yes	Zn coating	4I
C.190.200.0540.A	19.0	2.00	54.0	0.3908	22.00	25.54	yes	music wire	4G
C.190.200.0540.AP	19.0	2.00	54.0	0.5675	16.60	26.19	yes	music wire	4I
C.190.200.0540.I	19.0	2.00	54.0	0.3400	21.80	25.30	yes	stainless steel	4H
C.190.200.0630.A	19.0	2.00	63.0	0.3360	24.80	28.93	yes	music wire	4G
C.190.200.0630.AF	19.0	2.00	63.0	0.4000	21.60	25.06	yes	music wire	4I
C.190.200.0630.AL	19.0	2.00	63.0	0.4000	21.60	25.06	yes	music wire	4F
C.190.200.0630.AP	19.0	2.00	63.0	0.4853	18.60	30.48	yes	music wire	4I
C.190.200.0630.I	19.0	2.00	63.0	0.3480	21.40	24.82	yes	stainless steel	4J
C.190.200.0630.N	19.0	2.00	63.0	0.4000	21.60	25.06	yes	Zn coating	4J
C.190.200.0630.NF	19.0	2.00	63.0	0.3360	24.80	28.93	yes	Zn coating	4I
C.190.200.0800.A	19.0	2.00	80.0	0.2610	30.40	35.69	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.200.0800.AF	19.0	2.00	80.0	0.3111	26.40	30.86	yes	music wire	4J
C.190.200.0800.AL	19.0	2.00	80.0	0.3214	25.60	30.91	yes	music wire	4F
C.190.200.0800.AP	19.0	2.00	80.0	0.3762	22.60	38.05	yes	music wire	4J
C.190.200.0800.I	19.0	2.00	80.0	0.2707	26.00	30.38	yes	stainless steel	4J
C.190.200.0800.N	19.0	2.00	80.0	0.3111	26.40	30.86	yes	Zn coating	4K
C.190.200.0800.NF	19.0	2.00	80.0	0.2610	30.40	35.69	yes	Zn coating	4I
C.190.200.1000.A	19.0	2.00	100.0	0.2080	37.00	43.67	yes	music wire	4I
C.190.200.1000.AF	19.0	2.00	100.0	0.2489	31.60	37.14	yes	music wire	4J
C.190.200.1000.AL	19.0	2.00	100.0	0.2500	31.60	37.14	yes	music wire	4G
C.190.200.1000.AP	19.0	2.00	100.0	0.2990	27.20	47.21	yes	music wire	4J
C.190.200.1000.I	19.0	2.00	100.0	0.1810	36.40	42.94	yes	stainless steel	4I
C.190.200.1000.N	19.0	2.00	100.0	0.2489	31.60	37.14	yes	Zn coating	4L
C.190.200.1000.NF	19.0	2.00	100.0	0.2080	37.00	43.67	yes	Zn coating	4I
C.190.200.1030.A	19.0	2.00	103.0	0.2400	32.60	38.35	yes	music wire	4J
C.190.200.1030.I	19.0	2.00	103.0	0.2088	32.20	37.87	yes	stainless steel	4J
C.190.200.1250.A	19.0	2.00	125.0	0.1650	45.20	53.58	yes	music wire	4I
C.190.200.1250.AF	19.0	2.00	125.0	0.2000	38.20	46.10	yes	music wire	4J
C.190.200.1250.AL	19.0	2.00	125.0	0.2000	38.20	46.10	yes	music wire	4G
C.190.200.1250.AP	19.0	2.00	125.0	0.2375	33.00	58.55	yes	music wire	4J
C.190.200.1250.I	19.0	2.00	125.0	0.1740	37.80	45.36	yes	stainless steel	4J
C.190.200.1250.N	19.0	2.00	125.0	0.2000	38.20	46.10	yes	Zn coating	4L
C.190.200.1250.NF	19.0	2.00	125.0	0.1650	45.20	53.58	yes	Zn coating	4J
C.190.200.1330.A	19.0	2.00	133.0	0.1609	46.20	54.78	yes	music wire	4I
C.190.200.1330.AP	19.0	2.00	133.0	0.2217	35.00	61.83	yes	music wire	4J
C.190.200.1330.I	19.0	2.00	133.0	0.1400	45.80	54.30	yes	stainless steel	4I
C.190.200.1600.A	19.0	2.00	160.0	0.1600	46.40	61.37	yes	music wire	4J
C.190.200.1600.I	19.0	2.00	160.0	0.1392	46.00	60.45	yes	stainless steel	4J
C.190.200.1600.N	19.0	2.00	160.0	0.1600	46.40	61.37	yes	Zn coating	4L
C.190.200.2000.A	19.0	2.00	200.0	0.1244	58.40	73.15	yes	music wire	4K
C.190.200.2000.I	19.0	2.00	200.0	0.1082	57.60	71.96	yes	stainless steel	4L
C.190.200.2000.N	19.0	2.00	200.0	0.1244	58.40	73.15	yes	Zn coating	4M
C.190.200.2500.A	19.0	2.00	250.0	0.1000	71.40	92.20	yes	music wire	4L
C.190.200.2500.I	19.0	2.00	250.0	0.0870	70.60	90.72	yes	stainless steel	4L
C.190.200.2500.N	19.0	2.00	250.0	0.1000	71.40	92.20	yes	Zn coating	4M
C.190.200.3200.A	19.0	2.00	320.0	0.0800	88.00	122.75	yes	music wire	4M
C.190.200.3200.I	19.0	2.00	320.0	0.0696	86.80	120.90	yes	stainless steel	4M
C.190.200.3200.N	19.0	2.00	320.0	0.0800	88.00	122.75	yes	Zn coating	4N
C.190.200.3600.A	19.0	2.00	360.0	0.0560	125.40	150.07	no	music wire	4J
C.190.200.3600.I	19.0	2.00	360.0	0.0487	124.00	148.38	no	stainless steel	4J
C.190.210.1850.A	19.0	2.10	185.0	0.1430	65.52	77.40	yes	music wire	4I
C.190.210.1850.I	19.0	2.10	185.0	0.1228	65.52	77.40	yes	stainless steel	4I
C.190.220.0200.A	19.0	2.20	20.0	1.8440	11.44	12.55	yes	music wire	4G
C.190.220.0200.AP	19.0	2.20	20.0	2.4232	10.12	11.53	yes	music wire	4I
C.190.220.0200.I	19.0	2.20	20.0	1.6000	11.44	12.55	yes	stainless steel	4G
C.190.220.0200.N	19.0	2.20	20.0	1.8440	11.44	12.55	yes	Zn coating	4I
C.190.220.0250.A	19.0	2.20	25.0	1.3830	13.42	14.90	yes	music wire	4G
C.190.220.0250.AP	19.0	2.20	25.0	1.8847	11.44	14.11	yes	music wire	4I
C.190.220.0250.I	19.0	2.20	25.0	1.2000	13.42	14.90	yes	stainless steel	4G
C.190.220.0250.N	19.0	2.20	25.0	1.3830	13.42	14.90	yes	Zn coating	4I
C.190.220.0320.A	19.0	2.20	32.0	1.0470	16.06	18.04	yes	music wire	4G
C.190.220.0320.AP	19.0	2.20	32.0	1.4135	13.42	17.47	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.220.0320.I	19.0	2.20	32.0	0.9109	15.84	17.78	yes	stainless steel	4G
C.190.220.0320.N	19.0	2.20	32.0	1.0470	16.06	18.04	yes	Zn coating	4I
C.190.220.0400.A	19.0	2.20	40.0	0.8070	19.14	21.70	yes	music wire	4G
C.190.220.0400.AP	19.0	2.20	40.0	1.1062	15.40	21.44	yes	music wire	4I
C.190.220.0400.I	19.0	2.20	40.0	0.7000	19.14	21.70	yes	stainless steel	4H
C.190.220.0400.N	19.0	2.20	40.0	0.8070	19.14	21.70	yes	Zn coating	4I
C.190.220.0500.A	19.0	2.20	50.0	0.6250	23.32	26.66	yes	music wire	4G
C.190.220.0500.AP	19.0	2.20	50.0	0.8625	18.26	26.19	yes	music wire	4I
C.190.220.0500.I	19.0	2.20	50.0	0.5438	23.10	26.40	yes	stainless steel	4H
C.190.220.0500.N	19.0	2.20	50.0	0.6250	23.32	26.66	yes	Zn coating	4I
C.190.220.0570.A	19.0	2.20	57.0	0.5921	24.20	27.71	yes	music wire	4H
C.190.220.0570.I	19.0	2.20	57.0	0.5086	24.20	27.71	yes	stainless steel	4H
C.190.220.0570.N	19.0	2.20	57.0	0.5921	24.20	27.71	yes	Zn coating	4I
C.190.220.0630.A	19.0	2.20	63.0	0.4900	28.16	32.41	yes	music wire	4H
C.190.220.0630.AP	19.0	2.20	63.0	0.6785	21.78	32.74	yes	music wire	4I
C.190.220.0630.I	19.0	2.20	63.0	0.4263	27.72	31.89	yes	stainless steel	4H
C.190.220.0630.N	19.0	2.20	63.0	0.4900	28.16	32.41	yes	Zn coating	4I
C.190.220.0680.A	19.0	2.20	68.0	0.4793	28.60	32.93	yes	music wire	4H
C.190.220.0680.I	19.0	2.20	68.0	0.4117	28.60	32.93	yes	stainless steel	4H
C.190.220.0680.N	19.0	2.20	68.0	0.4793	28.60	32.93	yes	Zn coating	4I
C.190.220.0800.A	19.0	2.20	80.0	0.3800	34.54	39.98	yes	music wire	4H
C.190.220.0800.AP	19.0	2.20	80.0	0.5246	26.62	40.86	yes	music wire	4J
C.190.220.0800.I	19.0	2.20	80.0	0.3458	33.00	38.16	yes	stainless steel	4I
C.190.220.0800.N	19.0	2.20	80.0	0.3800	34.54	39.98	yes	Zn coating	4I
C.190.220.0950.A	19.0	2.20	95.0	0.3471	37.40	43.38	yes	music wire	4I
C.190.220.0950.I	19.0	2.20	95.0	0.2981	37.40	43.38	yes	stainless steel	4I
C.190.220.0950.N	19.0	2.20	95.0	0.3471	37.40	43.38	yes	Zn coating	4I
C.190.220.1000.A	19.0	2.20	100.0	0.3030	42.02	48.87	yes	music wire	4I
C.190.220.1000.AF	19.0	2.20	100.0	0.4490	30.14	54.27	yes	music wire	4L
C.190.220.1000.AP	19.0	2.20	100.0	0.4137	32.34	50.37	yes	music wire	4J
C.190.220.1000.I	19.0	2.20	100.0	0.3906	29.92	53.70	yes	stainless steel	4L
C.190.220.1000.N	19.0	2.20	100.0	0.4490	30.14	54.27	yes	Zn coating	4M
C.190.220.1000.NF	19.0	2.20	100.0	0.3030	42.02	48.87	yes	Zn coating	4I
C.190.220.1060.A	19.0	2.20	106.0	0.3050	41.80	48.61	yes	music wire	4I
C.190.220.1060.I	19.0	2.20	106.0	0.2620	41.80	48.61	yes	stainless steel	4I
C.190.220.1060.N	19.0	2.20	106.0	0.3050	41.80	48.61	yes	Zn coating	4I
C.190.220.1250.A	19.0	2.20	125.0	0.2390	51.92	60.62	yes	music wire	4I
C.190.220.1250.AP	19.0	2.20	125.0	0.3304	38.94	62.86	yes	music wire	4J
C.190.220.1250.I	19.0	2.20	125.0	0.2079	51.26	59.84	yes	stainless steel	4I
C.190.220.1250.N	19.0	2.20	125.0	0.2390	51.92	60.62	yes	Zn coating	4J
C.190.220.1800.A	19.0	2.20	180.0	0.1748	68.86	80.74	yes	music wire	4I
C.190.220.1800.I	19.0	2.20	180.0	0.1501	68.86	80.74	yes	stainless steel	4I
C.190.220.3600.A	19.0	2.20	360.0	0.0810	144.32	169.93	no	music wire	4J
C.190.220.3600.I	19.0	2.20	360.0	0.0705	142.56	167.84	no	stainless steel	4J
C.190.225.0220.A	19.0	2.25	22.0	1.8520	12.38	13.62	yes	music wire	4G
C.190.225.0220.I	19.0	2.25	22.0	1.5906	12.38	13.62	yes	stainless steel	4G
C.190.225.0440.A	19.0	2.25	44.0	0.8418	20.48	23.20	yes	music wire	4G
C.190.225.0440.I	19.0	2.25	44.0	0.7230	20.48	23.20	yes	stainless steel	4H
C.190.225.0700.A	19.0	2.25	70.0	0.5051	30.38	34.91	yes	music wire	4H
C.190.225.0700.I	19.0	2.25	70.0	0.4338	30.38	34.91	yes	stainless steel	4I
C.190.225.0890.A	19.0	2.25	89.0	0.3940	37.35	43.16	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.225.0890.I	19.0	2.25	89.0	0.3384	37.35	43.16	yes	stainless steel	4I
C.190.225.1400.A	19.0	2.25	140.0	0.2458	56.48	65.79	yes	music wire	4I
C.190.225.1400.I	19.0	2.25	140.0	0.2111	56.48	65.79	yes	stainless steel	4I
C.190.230.0240.A	19.0	2.30	24.0	1.8003	13.57	14.97	yes	music wire	4G
C.190.230.0240.I	19.0	2.30	24.0	1.5463	13.57	14.97	yes	stainless steel	4G
C.190.230.0360.A	19.0	2.30	36.0	1.1335	18.17	20.39	yes	music wire	4G
C.190.230.0360.I	19.0	2.30	36.0	0.9736	18.17	20.39	yes	stainless steel	4G
C.190.230.0680.A	19.0	2.30	68.0	0.5668	30.59	35.04	yes	music wire	4H
C.190.230.0680.I	19.0	2.30	68.0	0.4868	30.59	35.04	yes	stainless steel	4H
C.190.230.1650.A	19.0	2.30	165.0	0.2259	68.08	79.24	yes	music wire	4I
C.190.230.1650.I	19.0	2.30	165.0	0.1940	68.08	79.24	yes	stainless steel	4I
C.190.235.0190.A	19.0	2.35	19.0	2.6925	11.75	12.78	yes	music wire	4G
C.190.235.0190.I	19.0	2.35	19.0	2.3126	11.75	12.78	yes	stainless steel	4G
C.190.235.0670.A	19.0	2.35	67.0	0.6291	31.02	35.43	yes	music wire	4H
C.190.235.0670.I	19.0	2.35	67.0	0.5403	31.02	35.43	yes	stainless steel	4H
C.190.235.1100.A	19.0	2.35	110.0	0.3719	48.41	55.87	yes	music wire	4I
C.190.235.1100.I	19.0	2.35	110.0	0.3194	48.41	55.87	yes	stainless steel	4I
C.190.235.1550.A	19.0	2.35	155.0	0.2619	66.27	76.86	yes	music wire	4I
C.190.235.1550.I	19.0	2.35	155.0	0.2250	66.27	76.86	yes	stainless steel	4I
C.190.240.0540.A	19.0	2.40	54.0	0.8046	28.08	31.87	yes	music wire	4G
C.190.240.0540.AP	19.0	2.40	54.0	1.1006	22.08	30.30	yes	music wire	4I
C.190.240.0540.I	19.0	2.40	54.0	0.7000	27.84	31.59	yes	stainless steel	4H
C.190.240.1900.A	19.0	2.40	190.0	0.2302	83.04	96.27	yes	music wire	4I
C.190.240.1900.I	19.0	2.40	190.0	0.1977	83.04	96.27	yes	stainless steel	4I
C.190.250.0159.A	19.0	2.50	15.9	3.6782	12.25	13.24	yes	music wire	4G
C.190.250.0159.AP	19.0	2.50	15.9	5.6132	10.25	10.91	yes	music wire	4I
C.190.250.0159.I	19.0	2.50	15.9	3.2000	12.25	13.24	yes	stainless steel	4G
C.190.250.0200.A	19.0	2.50	20.0	3.0990	13.50	14.70	yes	music wire	4G
C.190.250.0200.AP	19.0	2.50	20.0	4.0823	11.75	12.86	yes	music wire	4I
C.190.250.0200.I	19.0	2.50	20.0	2.6961	13.25	14.41	yes	stainless steel	4G
C.190.250.0200.N	19.0	2.50	20.0	3.0990	13.50	14.70	yes	Zn coating	4I
C.190.250.0250.A	19.0	2.50	25.0	2.3510	15.75	17.32	yes	music wire	4G
C.190.250.0250.AP	19.0	2.50	25.0	3.0969	13.50	15.58	yes	music wire	4I
C.190.250.0250.I	19.0	2.50	25.0	2.0454	15.50	17.03	yes	stainless steel	4G
C.190.250.0250.N	19.0	2.50	25.0	2.3510	15.75	17.32	yes	Zn coating	4I
C.190.250.0290.A	19.0	2.50	29.0	1.7241	19.00	21.11	yes	music wire	4G
C.190.250.0290.AP	19.0	2.50	29.0	2.5660	15.00	17.63	yes	music wire	4I
C.190.250.0290.I	19.0	2.50	29.0	1.5000	19.00	21.11	yes	stainless steel	4H
C.190.250.0310.A	19.0	2.50	31.0	1.7390	19.00	21.11	yes	music wire	4G
C.190.250.0310.AP	19.0	2.50	31.0	2.3634	15.50	18.66	yes	music wire	4I
C.190.250.0310.I	19.0	2.50	31.0	1.5129	18.75	20.82	yes	stainless steel	4H
C.190.250.0310.N	19.0	2.50	31.0	1.7390	19.00	21.11	yes	Zn coating	4I
C.190.250.0320.A	19.0	2.50	32.0	1.7940	18.50	20.53	yes	music wire	4G
C.190.250.0320.AP	19.0	2.50	32.0	2.3028	15.75	19.33	yes	music wire	4I
C.190.250.0320.I	19.0	2.50	32.0	1.5608	18.50	20.53	yes	stainless steel	4H
C.190.250.0320.N	19.0	2.50	32.0	1.7940	18.50	20.53	yes	Zn coating	4I
C.190.250.0400.A	19.0	2.50	40.0	1.3630	22.50	25.19	yes	music wire	4G
C.190.250.0400.AP	19.0	2.50	40.0	1.7610	18.75	23.44	yes	music wire	4I
C.190.250.0400.I	19.0	2.50	40.0	1.1858	22.25	24.90	yes	stainless steel	4H
C.190.250.0400.N	19.0	2.50	40.0	1.3630	22.50	25.19	yes	Zn coating	4I
C.190.250.0420.A	19.0	2.50	42.0	1.2420	24.00	26.93	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.250.0420.AP	19.0	2.50	42.0	1.6945	19.25	24.79	yes	music wire	4I
C.190.250.0420.I	19.0	2.50	42.0	1.0805	23.75	26.64	yes	stainless steel	4H
C.190.250.0420.N	19.0	2.50	42.0	1.2420	24.00	26.93	yes	Zn coating	4I
C.190.250.0500.A	19.0	2.50	50.0	1.0650	27.00	30.43	yes	music wire	4H
C.190.250.0500.AP	19.0	2.50	50.0	1.3817	22.25	28.89	yes	music wire	4I
C.190.250.0500.I	19.0	2.50	50.0	0.9266	26.75	30.14	yes	stainless steel	4H
C.190.250.0500.N	19.0	2.50	50.0	1.0650	27.00	30.43	yes	Zn coating	4I
C.190.250.0630.A	19.0	2.50	63.0	0.8310	33.00	37.42	yes	music wire	4H
C.190.250.0630.AP	19.0	2.50	63.0	1.0821	26.75	36.04	yes	music wire	4J
C.190.250.0630.I	19.0	2.50	63.0	0.7230	32.50	36.84	yes	stainless steel	4I
C.190.250.0630.N	19.0	2.50	63.0	0.8310	33.00	37.42	yes	Zn coating	4I
C.190.250.0800.A	19.0	2.50	80.0	0.6430	40.75	46.45	yes	music wire	4I
C.190.250.0800.AP	19.0	2.50	80.0	0.8394	32.75	45.25	yes	music wire	4J
C.190.250.0800.I	19.0	2.50	80.0	0.5594	40.25	45.87	yes	stainless steel	4I
C.190.250.0800.N	19.0	2.50	80.0	0.6430	40.75	46.45	yes	Zn coating	4I
C.190.250.1000.A	19.0	2.50	100.0	0.5090	49.75	56.94	yes	music wire	4I
C.190.250.1000.AP	19.0	2.50	100.0	0.6604	39.75	55.83	yes	music wire	4J
C.190.250.1000.I	19.0	2.50	100.0	0.4428	49.25	56.36	yes	stainless steel	4I
C.190.250.1000.N	19.0	2.50	100.0	0.5090	49.75	56.94	yes	Zn coating	4J
C.190.250.1250.A	19.0	2.50	125.0	0.4030	61.25	70.34	yes	music wire	4I
C.190.250.1250.AP	19.0	2.50	125.0	0.5252	48.50	69.47	yes	music wire	4J
C.190.250.1250.I	19.0	2.50	125.0	0.3506	60.50	69.47	yes	stainless steel	4I
C.190.250.1250.N	19.0	2.50	125.0	0.4030	61.25	70.34	yes	Zn coating	4J
C.190.250.1850.A	19.0	2.50	185.0	0.2900	82.50	95.11	yes	music wire	4K
C.190.250.1850.I	19.0	2.50	185.0	0.2523	81.75	94.23	yes	stainless steel	4L
C.190.250.1850.N	19.0	2.50	185.0	0.2900	82.50	95.11	yes	Zn coating	4M
C.190.250.3600.A	19.0	2.50	360.0	0.1360	171.50	198.41	no	music wire	4J
C.190.250.3600.I	19.0	2.50	360.0	0.1183	169.50	196.08	no	stainless steel	4K
C.190.260.0560.A	19.0	2.60	56.0	1.1472	30.42	34.24	yes	music wire	4H
C.190.260.0560.I	19.0	2.60	56.0	0.9853	30.42	34.24	yes	stainless steel	4I
C.190.260.0980.A	19.0	2.60	98.0	0.6282	50.18	57.15	yes	music wire	4I
C.190.260.0980.I	19.0	2.60	98.0	0.5396	50.18	57.15	yes	stainless steel	4I
C.190.270.0230.A	19.0	2.70	23.0	3.7883	15.66	17.04	yes	music wire	4G
C.190.270.0230.I	19.0	2.70	23.0	3.2538	15.66	17.04	yes	stainless steel	4G
C.190.270.0270.A	19.0	2.70	27.0	3.0491	17.82	19.53	yes	music wire	4G
C.190.270.0270.I	19.0	2.70	27.0	2.6189	17.82	19.53	yes	stainless steel	4H
C.190.270.0345.A	19.0	2.70	34.5	2.1554	22.41	24.83	yes	music wire	4G
C.190.270.0345.I	19.0	2.70	34.5	1.8513	22.41	24.83	yes	stainless steel	4H
C.190.270.0420.A	19.0	2.70	42.0	1.8384	25.11	27.95	yes	music wire	4G
C.190.270.0420.I	19.0	2.70	42.0	1.5790	25.11	27.95	yes	stainless steel	4H
C.190.270.0550.A	19.0	2.70	55.0	1.6092	27.81	32.64	yes	music wire	4J
C.190.270.0550.I	19.0	2.70	55.0	1.4000	27.54	32.20	yes	stainless steel	4J
C.190.270.0650.A	19.0	2.70	65.0	1.4000	30.78	39.30	yes	music wire	4J
C.190.270.0650.I	19.0	2.70	65.0	1.2180	30.51	38.79	yes	stainless steel	4J
C.190.270.2540.A	19.0	2.70	254.0	0.2184	161.19	185.08	yes	music wire	4J
C.190.270.2540.AP	19.0	2.70	254.0	0.3395	106.11	148.01	yes	music wire	4L
C.190.270.2540.I	19.0	2.70	254.0	0.1900	159.30	182.89	yes	stainless steel	4J
C.190.270.2590.A	19.0	2.70	259.0	0.2100	167.40	192.25	yes	music wire	4J
C.190.270.2590.AP	19.0	2.70	259.0	0.3333	108.00	151.02	yes	music wire	4L
C.190.270.2590.I	19.0	2.70	259.0	0.1827	165.51	190.07	yes	stainless steel	4J
C.190.270.3400.A	19.0	2.70	340.0	0.1609	216.54	248.99	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.270.3400.AP	19.0	2.70	340.0	0.2524	140.40	197.45	yes	music wire	4M
C.190.270.3400.I	19.0	2.70	340.0	0.1400	213.84	245.87	yes	stainless steel	4J
C.190.280.0200.A	19.0	2.80	20.0	5.3970	14.56	15.70	yes	music wire	4I
C.190.280.0200.I	19.0	2.80	20.0	4.6954	14.56	15.70	yes	stainless steel	4I
C.190.280.0200.N	19.0	2.80	20.0	5.3970	14.56	15.70	yes	Zn coating	4J
C.190.280.0250.A	19.0	2.80	25.0	4.0480	17.08	18.59	yes	music wire	4I
C.190.280.0250.I	19.0	2.80	25.0	3.5218	17.08	18.59	yes	stainless steel	4I
C.190.280.0250.N	19.0	2.80	25.0	4.0480	17.08	18.59	yes	Zn coating	4J
C.190.280.0318.A	19.0	2.80	31.8	2.7789	21.84	24.07	yes	music wire	4I
C.190.280.0318.I	19.0	2.80	31.8	2.3868	21.84	24.07	yes	stainless steel	4I
C.190.280.0320.A	19.0	2.80	32.0	2.9830	20.72	22.78	yes	music wire	4I
C.190.280.0320.I	19.0	2.80	32.0	2.5952	20.72	22.78	yes	stainless steel	4I
C.190.280.0320.N	19.0	2.80	32.0	2.9830	20.72	22.78	yes	Zn coating	4J
C.190.280.0400.A	19.0	2.80	40.0	2.2670	25.20	27.93	yes	music wire	4I
C.190.280.0400.I	19.0	2.80	40.0	1.9723	24.92	27.61	yes	stainless steel	4I
C.190.280.0400.N	19.0	2.80	40.0	2.2670	25.20	27.93	yes	Zn coating	4J
C.190.280.0500.A	19.0	2.80	50.0	1.7710	30.24	33.73	yes	music wire	4I
C.190.280.0500.I	19.0	2.80	50.0	1.5408	29.96	33.41	yes	stainless steel	4I
C.190.280.0500.N	19.0	2.80	50.0	1.7710	30.24	33.73	yes	Zn coating	4J
C.190.280.0630.A	19.0	2.80	63.0	1.3660	37.24	41.78	yes	music wire	4I
C.190.280.0630.I	19.0	2.80	63.0	1.1884	36.68	41.14	yes	stainless steel	4I
C.190.280.0630.N	19.0	2.80	63.0	1.3660	37.24	41.78	yes	Zn coating	4J
C.190.280.0800.A	19.0	2.80	80.0	1.0490	46.20	52.09	yes	music wire	4I
C.190.280.0800.I	19.0	2.80	80.0	0.9126	45.92	51.77	yes	stainless steel	4I
C.190.280.0800.N	19.0	2.80	80.0	1.0490	46.20	52.09	yes	Zn coating	4J
C.190.280.1000.A	19.0	2.80	100.0	0.8330	56.56	64.00	yes	music wire	4I
C.190.280.1000.I	19.0	2.80	100.0	0.7247	56.00	63.36	yes	stainless steel	4I
C.190.280.1000.N	19.0	2.80	100.0	0.8330	56.56	64.00	yes	Zn coating	4J
C.190.280.1250.A	19.0	2.80	125.0	0.6590	69.44	78.82	yes	music wire	4I
C.190.280.1250.I	19.0	2.80	125.0	0.5733	68.88	78.18	yes	stainless steel	4J
C.190.280.1250.N	19.0	2.80	125.0	0.6590	69.44	78.82	yes	Zn coating	4J
C.190.280.3600.A	19.0	2.80	360.0	0.2210	196.28	224.29	no	music wire	4L
C.190.280.3600.I	19.0	2.80	360.0	0.1923	194.04	221.72	no	stainless steel	4L
C.190.300.0210.A	19.0	3.00	21.0	6.9470	16.20	17.44	yes	music wire	4I
C.190.300.0210.I	19.0	3.00	21.0	5.9667	16.20	17.44	yes	stainless steel	4I
C.190.300.0230.A	19.0	3.00	23.0	7.0000	16.20	17.44	yes	music wire	4J
C.190.300.0230.I	19.0	3.00	23.0	6.0900	15.90	17.10	yes	stainless steel	4I
C.190.300.0255.A	19.0	3.00	25.5	3.9550	22.80	24.98	yes	music wire	4I
C.190.300.0255.AP	19.0	3.00	25.5	6.4116	16.80	18.13	yes	music wire	4J
C.190.300.0255.I	19.0	3.00	25.5	3.4409	22.50	24.64	yes	stainless steel	4I
C.190.300.0255.N	19.0	3.00	25.5	3.9550	22.80	24.98	yes	Zn coating	4J
C.190.300.0300.A	19.0	3.00	30.0	3.9080	23.10	25.33	yes	music wire	4I
C.190.300.0300.AP	19.0	3.00	30.0	5.2608	18.90	20.90	yes	music wire	4J
C.190.300.0300.I	19.0	3.00	30.0	3.4000	22.80	24.98	yes	stainless steel	4I
C.190.300.0350.A	19.0	3.00	35.0	2.6370	30.30	33.55	yes	music wire	4I
C.190.300.0350.AP	19.0	3.00	35.0	4.3653	21.30	24.03	yes	music wire	4J
C.190.300.0350.I	19.0	3.00	35.0	2.3000	30.00	33.21	yes	stainless steel	4I
C.190.300.0350.N	19.0	3.00	35.0	2.6370	30.30	33.55	yes	Zn coating	4J
C.190.300.0600.A	19.0	3.00	60.0	2.2000	35.10	39.04	yes	music wire	4J
C.190.300.0600.I	19.0	3.00	60.0	1.9114	34.80	38.69	yes	stainless steel	4J
C.190.300.0600.N	19.0	3.00	60.0	2.2000	35.10	39.04	yes	Zn coating	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.300.0730.A	19.0	3.00	73.0	1.4650	48.90	54.81	yes	music wire	4I
C.190.300.0730.AP	19.0	3.00	73.0	1.8997	39.30	47.80	yes	music wire	4J
C.190.300.0730.I	19.0	3.00	73.0	1.2746	48.30	54.12	yes	stainless steel	4I
C.190.300.0730.N	19.0	3.00	73.0	1.4650	48.90	54.81	yes	Zn coating	4J
C.190.300.0940.A	19.0	3.00	94.0	1.1992	57.90	65.09	yes	music wire	4I
C.190.300.0940.I	19.0	3.00	94.0	1.0300	57.90	65.09	yes	stainless steel	4I
C.190.300.1200.A	19.0	3.00	120.0	0.9284	72.60	81.89	yes	music wire	4I
C.190.300.1200.I	19.0	3.00	120.0	0.7974	72.60	81.89	yes	stainless steel	4J
C.190.300.1650.A	19.0	3.00	165.0	0.6671	98.10	111.03	yes	music wire	4J
C.190.300.1650.I	19.0	3.00	165.0	0.5730	98.10	111.03	yes	stainless steel	4J
C.190.300.2270.A	19.0	3.00	227.0	0.5200	123.60	140.16	yes	music wire	4M
C.190.300.2270.I	19.0	3.00	227.0	0.4524	122.10	138.45	yes	stainless steel	4M
C.190.300.2270.N	19.0	3.00	227.0	0.5200	123.60	140.16	yes	Zn coating	4N
C.190.310.0190.A	19.0	3.10	19.0	9.3623	15.50	16.58	yes	music wire	4I
C.190.310.0190.I	19.0	3.10	19.0	8.0412	15.50	16.58	yes	stainless steel	4I
C.190.310.0270.A	19.0	3.10	27.0	5.7087	20.46	22.23	yes	music wire	4I
C.190.310.0270.I	19.0	3.10	27.0	4.9032	20.46	22.23	yes	stainless steel	4I
C.190.310.0750.A	19.0	3.10	75.0	1.7732	48.67	54.38	yes	music wire	4I
C.190.310.0750.I	19.0	3.10	75.0	1.5230	48.67	54.38	yes	stainless steel	4I
C.190.310.1500.A	19.0	3.10	150.0	0.8511	93.00	104.89	yes	music wire	4J
C.190.310.1500.I	19.0	3.10	150.0	0.7310	93.00	104.89	yes	stainless steel	4J
C.190.310.2110.A	19.0	3.10	211.0	0.6207	124.62	140.92	yes	music wire	4M
C.190.310.2110.I	19.0	3.10	211.0	0.5400	123.07	139.15	yes	stainless steel	4M
C.190.320.0200.A	19.0	3.20	20.0	9.9250	16.64	17.82	yes	music wire	4J
C.190.320.0200.AP	19.0	3.20	20.0	11.9919	15.36	16.37	yes	music wire	4L
C.190.320.0200.I	19.0	3.20	20.0	8.6348	16.64	17.82	yes	stainless steel	4J
C.190.320.0200.N	19.0	3.20	20.0	9.9250	16.64	17.82	yes	Zn coating	4K
C.190.320.0250.A	19.0	3.20	25.0	7.4440	19.52	21.09	yes	music wire	4J
C.190.320.0250.I	19.0	3.20	25.0	6.4763	19.52	21.09	yes	stainless steel	4J
C.190.320.0250.N	19.0	3.20	25.0	7.4440	19.52	21.09	yes	Zn coating	4L
C.190.320.0320.A	19.0	3.20	32.0	5.3440	24.32	26.55	yes	music wire	4J
C.190.320.0320.AP	19.0	3.20	32.0	6.4143	21.44	23.28	yes	music wire	4L
C.190.320.0320.I	19.0	3.20	32.0	4.6493	24.00	26.19	yes	stainless steel	4J
C.190.320.0320.N	19.0	3.20	32.0	5.3440	24.32	26.55	yes	Zn coating	4L
C.190.320.0360.A	19.0	3.20	36.0	4.6695	26.56	29.09	yes	music wire	4J
C.190.320.0360.I	19.0	3.20	36.0	4.0106	26.56	29.09	yes	stainless steel	4J
C.190.320.0400.A	19.0	3.20	40.0	4.0870	29.12	32.00	yes	music wire	4J
C.190.320.0400.AP	19.0	3.20	40.0	4.9253	25.60	28.44	yes	music wire	4L
C.190.320.0400.I	19.0	3.20	40.0	3.5557	28.80	31.64	yes	stainless steel	4J
C.190.320.0400.N	19.0	3.20	40.0	4.0870	29.12	32.00	yes	Zn coating	4L
C.190.320.0460.A	19.0	3.20	46.0	3.1034	35.84	39.64	yes	music wire	4J
C.190.320.0460.AP	19.0	3.20	46.0	4.1790	28.80	32.37	yes	music wire	4L
C.190.320.0460.I	19.0	3.20	46.0	2.7000	35.52	39.28	yes	stainless steel	4J
C.190.320.0500.A	19.0	3.20	50.0	3.1580	35.52	39.28	yes	music wire	4J
C.190.320.0500.AP	19.0	3.20	50.0	3.7783	31.04	34.93	yes	music wire	4L
C.190.320.0500.I	19.0	3.20	50.0	2.7475	35.20	38.91	yes	stainless steel	4J
C.190.320.0500.N	19.0	3.20	50.0	3.1580	35.52	39.28	yes	Zn coating	4L
C.190.320.0630.A	19.0	3.20	63.0	2.4520	43.20	48.01	yes	music wire	4J
C.190.320.0630.I	19.0	3.20	63.0	2.1332	42.88	47.64	yes	stainless steel	4J
C.190.320.0630.N	19.0	3.20	63.0	2.4520	43.20	48.01	yes	Zn coating	4L
C.190.320.0720.A	19.0	3.20	72.0	2.1325	48.64	54.19	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.320.0720.I	19.0	3.20	72.0	1.8316	48.64	54.19	yes	stainless steel	4J
C.190.320.0800.A	19.0	3.20	80.0	1.8780	54.08	60.37	yes	music wire	4J
C.190.320.0800.AP	19.0	3.20	80.0	2.2608	46.40	54.81	yes	music wire	4M
C.190.320.0800.I	19.0	3.20	80.0	1.6339	53.44	59.65	yes	stainless steel	4J
C.190.320.0800.N	19.0	3.20	80.0	1.8780	54.08	60.37	yes	Zn coating	4L
C.190.320.1000.A	19.0	3.20	100.0	1.4780	66.56	74.56	yes	music wire	4J
C.190.320.1000.AP	19.0	3.20	100.0	1.7794	56.64	68.00	yes	music wire	4M
C.190.320.1000.I	19.0	3.20	100.0	1.2859	65.92	73.83	yes	stainless steel	4J
C.190.320.1000.N	19.0	3.20	100.0	1.4780	66.56	74.56	yes	Zn coating	4L
C.190.320.1100.A	19.0	3.20	110.0	1.3541	72.00	80.74	yes	music wire	4J
C.190.320.1100.I	19.0	3.20	110.0	1.1631	72.00	80.74	yes	stainless steel	4J
C.190.320.1250.A	19.0	3.20	125.0	1.1710	81.92	92.02	yes	music wire	4J
C.190.320.1250.AP	19.0	3.20	125.0	1.4072	69.44	84.53	yes	music wire	4M
C.190.320.1250.I	19.0	3.20	125.0	1.0188	80.96	90.92	yes	stainless steel	4J
C.190.320.1250.N	19.0	3.20	125.0	1.1710	81.92	92.02	yes	Zn coating	4M
C.190.320.1450.A	19.0	3.20	145.0	1.0143	93.44	105.11	yes	music wire	4K
C.190.320.1450.I	19.0	3.20	145.0	0.8712	93.44	105.11	yes	stainless steel	4K
C.190.320.1750.A	19.0	3.20	175.0	0.8359	111.68	125.84	yes	music wire	4L
C.190.320.1750.I	19.0	3.20	175.0	0.7179	111.68	125.84	yes	stainless steel	4L
C.190.320.3600.A	19.0	3.20	360.0	0.3900	233.28	263.61	no	music wire	4M
C.190.320.3600.I	19.0	3.20	360.0	0.3393	230.72	260.70	no	stainless steel	4M
C.190.330.0210.A	19.0	3.30	21.0	10.7653	17.82	19.10	yes	music wire	4J
C.190.330.0210.I	19.0	3.30	21.0	9.2463	17.82	19.10	yes	stainless steel	4J
C.190.330.0410.A	19.0	3.30	41.0	5.6322	26.40	30.02	yes	music wire	4L
C.190.330.0410.I	19.0	3.30	41.0	4.9000	26.40	29.72	yes	stainless steel	4M
C.190.330.1750.A	19.0	3.30	175.0	0.9606	115.50	129.87	yes	music wire	4L
C.190.330.1750.I	19.0	3.30	175.0	0.8251	115.50	129.87	yes	stainless steel	4L
C.190.340.0230.A	19.0	3.40	23.0	11.2062	19.38	20.81	yes	music wire	4J
C.190.340.0230.I	19.0	3.40	23.0	9.6250	19.38	20.81	yes	stainless steel	4J
C.190.340.0290.A	19.0	3.40	29.0	8.9655	22.10	23.89	yes	music wire	4J
C.190.340.0290.I	19.0	3.40	29.0	7.8000	21.76	23.50	yes	stainless steel	4J
C.190.340.0630.A	19.0	3.40	63.0	3.2899	45.56	50.44	yes	music wire	4J
C.190.340.0630.I	19.0	3.40	63.0	2.8257	45.56	50.44	yes	stainless steel	4J
C.190.340.1700.A	19.0	3.40	170.0	1.1384	115.60	129.69	yes	music wire	4K
C.190.340.1700.I	19.0	3.40	170.0	0.9778	115.60	129.69	yes	stainless steel	4L
C.190.350.0230.A	19.0	3.50	23.0	12.8291	19.95	21.40	yes	music wire	4J
C.190.350.0230.I	19.0	3.50	23.0	11.0188	19.95	21.40	yes	stainless steel	4J
C.190.350.1100.A	19.0	3.50	110.0	2.3700	69.30	79.48	yes	music wire	4M
C.190.350.1100.I	19.0	3.50	110.0	2.0619	68.60	78.57	yes	stainless steel	4M
C.190.350.1100.N	19.0	3.50	110.0	2.3700	69.30	79.48	yes	Zn coating	4N
C.190.350.1250.A	19.0	3.50	125.0	1.8006	88.55	98.88	yes	music wire	4J
C.190.350.1250.I	19.0	3.50	125.0	1.5465	88.55	98.88	yes	stainless steel	4J
C.190.360.0190.A	19.0	3.60	19.0	19.5211	17.64	18.74	yes	music wire	4L
C.190.360.0190.I	19.0	3.60	19.0	16.7666	17.64	18.74	yes	stainless steel	4M
C.190.360.0200.A	19.0	3.60	20.0	20.1314	17.28	18.34	yes	music wire	4J
C.190.360.0210.A	19.0	3.60	21.0	16.7324	19.08	20.36	yes	music wire	4L
C.190.360.0210.I	19.0	3.60	21.0	14.3714	19.08	20.36	yes	stainless steel	4M
C.190.360.0230.A	19.0	3.60	23.0	14.6408	20.52	21.99	yes	music wire	4L
C.190.360.0230.I	19.0	3.60	23.0	12.5749	20.52	21.99	yes	stainless steel	4M
C.190.360.0250.A	19.0	3.60	25.0	13.3100	21.60	23.21	yes	music wire	4J
C.190.360.0250.S	19.0	3.60	25.0	10.0000	25.00	25.00	yes	Cr-Si steel	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.190.360.0320.A	19.0	3.60	32.0	8.8393	28.08	30.51	yes	music wire	4J
C.190.360.0320.S	19.0	3.60	32.0	8.0000	30.24	30.24	yes	Cr-Si steel	4O
C.190.360.0400.A	19.0	3.60	40.0	6.4286	35.28	38.63	yes	music wire	4J
C.190.360.0400.S	19.0	3.60	40.0	6.2222	36.00	39.44	yes	Cr-Si steel	4O
C.190.360.0500.A	19.0	3.60	50.0	5.0000	42.84	47.15	yes	music wire	4J
C.190.360.0500.S	19.0	3.60	50.0	5.0000	42.84	47.15	yes	Cr-Si steel	4O
C.190.360.0540.A	19.0	3.60	54.0	5.1484	41.76	45.94	yes	music wire	4M
C.190.360.0540.I	19.0	3.60	54.0	4.4220	41.76	45.94	yes	stainless steel	4M
C.190.360.0630.A	19.0	3.60	63.0	4.0179	51.12	56.49	yes	music wire	4J
C.190.360.0630.S	19.0	3.60	63.0	4.0000	51.12	56.49	yes	Cr-Si steel	4O
C.190.360.0720.A	19.0	3.60	72.0	3.7183	54.36	60.14	yes	music wire	4M
C.190.360.0720.I	19.0	3.60	72.0	3.1936	54.36	60.14	yes	stainless steel	4M
C.190.360.0800.A	19.0	3.60	80.0	3.2143	61.56	68.26	yes	music wire	4J
C.190.360.0800.S	19.0	3.60	80.0	3.1111	63.36	70.29	yes	Cr-Si steel	4O
C.190.360.1000.A	19.0	3.60	100.0	2.5000	76.32	84.90	yes	music wire	4J
C.190.360.1000.S	19.0	3.60	100.0	2.4889	76.68	85.31	yes	Cr-Si steel	4O
C.190.360.1100.A	19.0	3.60	110.0	2.3543	80.64	89.77	yes	music wire	4M
C.190.360.1100.I	19.0	3.60	110.0	2.0221	80.64	89.77	yes	stainless steel	4M
C.190.360.1250.A	19.0	3.60	125.0	2.0000	93.24	103.98	yes	music wire	4J
C.190.360.1250.S	19.0	3.60	125.0	2.0000	93.24	103.98	yes	Cr-Si steel	4O
C.190.360.1400.A	19.0	3.60	140.0	1.8230	101.52	113.31	yes	music wire	4M
C.190.360.1400.I	19.0	3.60	140.0	1.5658	101.52	113.31	yes	stainless steel	4M
C.190.360.1600.A	19.0	3.60	160.0	1.6071	114.12	127.52	yes	music wire	4K
C.190.360.1600.S	19.0	3.60	160.0	1.5556	117.36	131.17	yes	Cr-Si steel	4P
C.190.360.1800.A	19.0	3.60	180.0	1.4027	129.24	144.56	yes	music wire	4N
C.190.360.1800.I	19.0	3.60	180.0	1.2048	129.24	144.56	yes	stainless steel	4N
C.190.360.2000.A	19.0	3.60	200.0	1.2500	144.00	161.21	yes	music wire	4L
C.190.360.2000.S	19.0	3.60	200.0	1.2444	144.36	161.61	yes	Cr-Si steel	4P
C.190.360.2500.A	19.0	3.60	250.0	1.0000	177.84	199.36	yes	music wire	4L
C.190.360.2500.S	19.0	3.60	250.0	1.0000	177.84	199.36	yes	Cr-Si steel	4Q
C.190.400.0191.A	19.0	4.00	19.1	40.2000	17.60	18.52	yes	music wire	4O
C.190.400.0191.I	19.0	4.00	19.1	34.9740	17.60	18.52	yes	stainless steel	4P
C.190.400.0350.A	19.0	4.00	35.0	17.1720	28.00	30.18	yes	music wire	4R
C.190.400.0350.I	19.0	4.00	35.0	14.7490	28.00	30.18	yes	stainless steel	4R
C.190.400.0350.N	19.0	4.00	35.0	17.1720	28.00	30.18	yes	Zn coating	4S
C.190.450.0900.A	19.0	4.50	90.0	10.9264	67.50	77.29	yes	music wire	5A
C.190.450.0900.I	19.0	4.50	90.0	9.3846	67.50	76.60	yes	stainless steel	5B
C.190.450.0900.N	19.0	4.50	90.0	10.9264	67.50	77.29	yes	Zn coating	5C
C.191.120.0191.A	19.1	1.20	19.1	0.1724	5.52	6.61	yes	music wire	4C
C.191.120.0191.I	19.1	1.20	19.1	0.1500	5.52	6.61	yes	stainless steel	4D
C.191.450.0280.A	19.1	4.50	28.0	41.4000	25.65	27.32	yes	music wire	4Q
C.191.450.0280.I	19.1	4.50	28.0	36.0180	25.65	27.32	yes	stainless steel	4Q
C.192.320.0275.A	19.2	3.20	27.5	7.4514	19.20	20.74	yes	music wire	4L
C.192.320.0275.I	19.2	3.20	27.5	6.4000	19.20	20.74	yes	stainless steel	4L
C.192.320.0275.N	19.2	3.20	27.5	7.4514	19.20	20.74	yes	Zn coating	4N
C.192.320.0400.A	19.2	3.20	40.0	4.7418	25.60	28.10	yes	music wire	4L
C.192.320.0400.I	19.2	3.20	40.0	4.0727	25.60	28.02	yes	stainless steel	4L
C.192.320.0400.N	19.2	3.20	40.0	4.7418	25.60	28.10	yes	Zn coating	4N
C.192.320.0540.A	19.2	3.20	54.0	2.7453	38.40	42.58	yes	music wire	4J
C.192.320.0540.AP	19.2	3.20	54.0	3.4051	32.64	37.43	yes	music wire	4M
C.192.320.0540.I	19.2	3.20	54.0	2.3579	38.40	42.58	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.192.320.0540.N	19.2	3.20	54.0	2.7453	38.40	42.58	yes	Zn coating	4L
C.192.320.0590.A	19.2	3.20	59.0	3.0682	35.20	40.61	yes	music wire	4M
C.192.320.0590.I	19.2	3.20	59.0	2.6353	35.20	39.88	yes	stainless steel	4M
C.192.320.0590.N	19.2	3.20	59.0	3.0682	35.20	40.61	yes	Zn coating	4N
C.192.320.0835.A	19.2	3.20	83.5	2.0864	48.00	56.45	yes	music wire	4M
C.192.320.0835.I	19.2	3.20	83.5	1.7920	48.00	55.38	yes	stainless steel	4M
C.192.320.0835.N	19.2	3.20	83.5	2.0864	48.00	56.45	yes	Zn coating	4N
C.192.320.1000.A	19.2	3.20	100.0	1.3799	68.48	76.80	yes	music wire	4J
C.192.320.1000.I	19.2	3.20	100.0	1.1852	68.48	76.80	yes	stainless steel	4J
C.192.320.1200.A	19.2	3.20	120.0	1.4097	67.20	79.97	yes	music wire	4M
C.192.320.1200.AP	19.2	3.20	120.0	1.4357	66.24	80.70	yes	music wire	4M
C.192.320.1200.I	19.2	3.20	120.0	1.2108	67.20	78.39	yes	stainless steel	4M
C.192.320.1200.IF	19.2	3.20	120.0	0.9955	80.00	89.90	yes	stainless steel	4J
C.192.320.1200.N	19.2	3.20	120.0	1.4097	67.20	79.97	yes	Zn coating	4O
C.192.320.1600.A	19.2	3.20	160.0	0.8386	107.52	121.20	yes	music wire	4K
C.192.320.1600.I	19.2	3.20	160.0	0.7203	107.52	121.20	yes	stainless steel	4L
C.192.320.2000.A	19.2	3.20	200.0	0.6670	133.12	150.32	yes	music wire	4L
C.192.320.2000.I	19.2	3.20	200.0	0.5729	133.12	150.32	yes	stainless steel	4L
C.192.400.0400.A	19.2	4.00	40.0	11.7879	35.20	38.27	yes	music wire	4P
C.192.400.0400.I	19.2	4.00	40.0	10.1246	35.20	38.27	yes	stainless steel	4P
C.192.400.1226.A	19.2	4.00	122.6	3.5560	93.60	103.77	yes	music wire	4R
C.192.400.1226.I	19.2	4.00	122.6	3.0937	92.40	102.42	yes	stainless steel	4R
C.192.400.1226.N	19.2	4.00	122.6	3.5560	93.60	103.77	yes	Zn coating	4T
C.194.080.0200.A	19.4	0.80	20.0	0.0322	4.40	5.86	no	music wire	4C
C.194.080.0200.I	19.4	0.80	20.0	0.0280	4.40	5.86	no	stainless steel	4D
C.194.090.0300.A	19.4	0.90	30.0	0.0264	6.75	9.39	no	music wire	4D
C.194.090.0300.I	19.4	0.90	30.0	0.0230	6.66	9.24	no	stainless steel	4D
C.194.090.0380.A	19.4	0.90	38.0	0.0241	7.11	10.02	no	music wire	4D
C.194.090.0380.I	19.4	0.90	38.0	0.0210	7.02	9.86	no	stainless steel	4D
C.194.100.0159.A	19.4	1.00	15.9	0.0471	6.00	8.13	yes	music wire	4C
C.194.100.0159.AP	19.4	1.00	15.9	0.1487	3.60	4.27	yes	music wire	4C
C.194.100.0159.I	19.4	1.00	15.9	0.0410	5.90	7.97	yes	stainless steel	4D
C.194.100.0260.A	19.4	1.00	26.0	0.0862	4.40	5.55	yes	music wire	4D
C.194.100.0260.I	19.4	1.00	26.0	0.0750	4.40	5.55	yes	stainless steel	4D
C.194.130.0320.A	19.4	1.30	32.0	0.0667	12.87	16.63	yes	music wire	4D
C.194.130.0320.I	19.4	1.30	32.0	0.0580	12.74	16.45	yes	stainless steel	4E
C.194.130.0380.A	19.4	1.30	38.0	0.0490	16.25	21.33	yes	music wire	4D
C.194.130.0380.I	19.4	1.30	38.0	0.0426	16.12	21.15	yes	stainless steel	4E
C.194.140.0690.A	19.4	1.40	69.0	0.0800	15.26	19.35	yes	music wire	4G
C.194.140.0690.I	19.4	1.40	69.0	0.0696	15.12	19.16	yes	stainless steel	4G
C.194.150.2030.A	19.4	1.50	203.0	0.0437	34.65	44.34	yes	music wire	4J
C.194.150.2030.I	19.4	1.50	203.0	0.0380	34.20	43.93	yes	stainless steel	4J
C.194.160.0320.A	19.4	1.60	32.0	0.1609	15.84	19.22	yes	music wire	4F
C.194.160.0320.AP	19.4	1.60	32.0	0.4578	8.16	13.83	yes	music wire	4I
C.194.160.0320.I	19.4	1.60	32.0	0.1400	15.68	19.02	yes	stainless steel	4F
C.194.160.0550.A	19.4	1.60	55.0	0.1609	15.84	19.22	yes	music wire	4F
C.194.160.0550.AP	19.4	1.60	55.0	0.2588	11.36	22.86	yes	music wire	4I
C.194.160.0550.I	19.4	1.60	55.0	0.1400	15.68	19.02	yes	stainless steel	4G
C.194.160.1150.A	19.4	1.60	115.0	0.0690	31.52	39.38	yes	music wire	4H
C.194.160.1150.AP	19.4	1.60	115.0	0.1202	19.68	45.82	yes	music wire	4I
C.194.160.1150.I	19.4	1.60	115.0	0.0600	31.04	38.76	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.194.170.0380.A	19.4	1.70	38.0	0.3563	11.56	13.48	yes	music wire	4F
C.194.170.0380.I	19.4	1.70	38.0	0.3100	11.56	13.48	yes	stainless steel	4F
C.194.180.0220.A	19.4	1.80	22.0	0.6782	9.72	10.99	yes	music wire	4G
C.194.180.0220.AP	19.4	1.80	22.0	1.0400	7.92	10.90	yes	music wire	4I
C.194.180.0220.I	19.4	1.80	22.0	0.5900	9.72	10.99	yes	stainless steel	4G
C.194.180.0370.A	19.4	1.80	37.0	0.3678	14.04	16.36	yes	music wire	4G
C.194.180.0370.AP	19.4	1.80	37.0	0.5812	10.62	17.13	yes	music wire	4I
C.194.180.0370.I	19.4	1.80	37.0	0.3200	14.04	16.36	yes	stainless steel	4G
C.194.200.0250.A	19.4	2.00	25.0	0.9195	11.80	13.25	yes	music wire	4G
C.194.200.0250.AP	19.4	2.00	25.0	1.3011	9.80	13.11	yes	music wire	4I
C.194.200.0250.I	19.4	2.00	25.0	0.8000	11.60	13.01	yes	stainless steel	4G
C.194.210.0620.A	19.4	2.10	62.0	0.3678	27.09	31.50	yes	music wire	4G
C.194.210.0620.AP	19.4	2.10	62.0	0.5602	19.53	30.39	yes	music wire	4I
C.194.210.0620.I	19.4	2.10	62.0	0.3200	26.88	31.24	yes	stainless steel	4H
C.194.230.0450.A	19.4	2.30	45.0	0.4598	34.27	39.49	yes	music wire	4G
C.194.230.0450.AP	19.4	2.30	45.0	1.1096	17.48	24.49	yes	music wire	4I
C.194.230.0450.I	19.4	2.30	45.0	0.4000	33.81	38.94	yes	stainless steel	4H
C.194.240.1190.A	19.4	2.40	119.0	0.3100	59.28	68.62	yes	music wire	4I
C.194.240.1190.AP	19.4	2.40	119.0	0.4584	42.00	63.20	yes	music wire	4J
C.194.240.1190.I	19.4	2.40	119.0	0.2697	58.56	67.77	yes	stainless steel	4I
C.194.250.0230.A	19.4	2.50	23.0	4.3000	11.00	16.35	yes	music wire	4J
C.194.250.0230.I	19.4	2.50	23.0	3.7410	11.00	16.23	yes	stainless steel	4J
C.194.270.0159.A	19.4	2.70	15.9	5.4023	12.69	13.62	yes	music wire	4G
C.194.270.0159.AP	19.4	2.70	15.9	7.3790	11.07	11.75	yes	music wire	4I
C.194.270.0159.I	19.4	2.70	15.9	4.7000	12.42	13.31	yes	stainless steel	4G
C.194.270.0900.A	19.4	2.70	90.0	0.6897	52.38	59.56	yes	music wire	4I
C.194.270.0900.AP	19.4	2.70	90.0	0.9521	39.69	52.92	yes	music wire	4J
C.194.270.0900.I	19.4	2.70	90.0	0.6000	51.57	58.62	yes	stainless steel	4I
C.194.270.1970.A	19.4	2.70	197.0	0.3800	89.37	104.09	yes	music wire	4L
C.194.270.1970.I	19.4	2.70	197.0	0.3306	88.29	102.25	yes	stainless steel	4L
C.194.290.0250.A	19.4	2.90	25.0	5.8328	15.08	17.65	yes	music wire	4J
C.194.290.0250.I	19.4	2.90	25.0	5.0098	15.08	17.39	yes	stainless steel	4J
C.194.290.0250.N	19.4	2.90	25.0	5.8328	15.08	17.65	yes	Zn coating	4L
C.194.290.0320.A	19.4	2.90	32.0	4.2774	17.98	21.98	yes	music wire	4J
C.194.290.0320.I	19.4	2.90	32.0	3.6738	18.27	21.62	yes	stainless steel	4J
C.194.290.0320.N	19.4	2.90	32.0	4.2774	17.98	21.98	yes	Zn coating	4L
C.194.290.0380.A	19.4	2.90	38.0	3.5645	20.30	25.97	yes	music wire	4L
C.194.290.0380.I	19.4	2.90	38.0	3.0615	20.30	25.54	yes	stainless steel	4M
C.194.290.0380.N	19.4	2.90	38.0	3.5645	20.30	25.97	yes	Zn coating	4N
C.194.290.0440.A	19.4	2.90	44.0	2.6734	24.65	27.96	yes	music wire	4J
C.194.290.0440.I	19.4	2.90	44.0	2.3000	24.65	27.42	yes	stainless steel	4J
C.194.290.0440.N	19.4	2.90	44.0	2.6734	24.65	27.96	yes	Zn coating	4L
C.194.290.0510.A	19.4	2.90	51.0	2.4677	26.10	33.63	yes	music wire	4M
C.194.290.0510.I	19.4	2.90	51.0	2.1195	26.10	33.01	yes	stainless steel	4J
C.194.290.0510.N	19.4	2.90	51.0	2.4677	26.10	33.63	yes	Zn coating	4N
C.194.290.0640.A	19.4	2.90	64.0	1.9443	31.03	41.95	yes	music wire	4M
C.194.290.0640.I	19.4	2.90	64.0	1.6700	31.03	41.16	yes	stainless steel	4M
C.194.290.0640.N	19.4	2.90	64.0	1.9443	31.03	41.95	yes	Zn coating	4N
C.194.290.0760.A	19.4	2.90	76.0	1.6884	34.80	50.61	yes	music wire	4M
C.194.290.0760.I	19.4	2.90	76.0	1.4502	34.80	49.70	yes	stainless steel	4M
C.194.290.0760.N	19.4	2.90	76.0	1.6884	34.80	50.61	yes	Zn coating	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.194.290.0890.A	19.4	2.90	89.0	1.3948	40.60	58.26	yes	music wire	4M
C.194.290.0890.I	19.4	2.90	89.0	1.2000	40.60	57.22	yes	stainless steel	4M
C.194.290.0890.N	19.4	2.90	89.0	1.3948	40.60	58.26	yes	Zn coating	4O
C.194.290.1020.A	19.4	2.90	102.0	1.1062	49.30	63.24	yes	music wire	4L
C.194.290.1020.I	19.4	2.90	102.0	0.9501	49.30	61.86	yes	stainless steel	4L
C.194.290.1020.N	19.4	2.90	102.0	1.1062	49.30	63.24	yes	Zn coating	4M
C.194.290.1150.A	19.4	2.90	115.0	1.0184	53.07	72.90	yes	music wire	4M
C.194.290.1150.I	19.4	2.90	115.0	0.8747	53.07	71.40	yes	stainless steel	4M
C.194.290.1150.N	19.4	2.90	115.0	1.0184	53.07	72.90	yes	Zn coating	4O
C.194.290.1270.A	19.4	2.90	127.0	0.9037	58.58	79.56	yes	music wire	4M
C.194.290.1270.I	19.4	2.90	127.0	0.7762	58.58	77.87	yes	stainless steel	4L
C.194.290.1270.N	19.4	2.90	127.0	0.9037	58.58	79.56	yes	Zn coating	4O
C.194.290.1530.A	19.4	2.90	153.0	0.7730	67.57	97.54	yes	music wire	4N
C.194.290.1530.I	19.4	2.90	153.0	0.6639	67.57	95.56	yes	stainless steel	4N
C.194.290.1530.N	19.4	2.90	153.0	0.7730	67.57	97.54	yes	Zn coating	4O
C.194.300.0290.A	19.4	3.00	29.0	6.4368	16.20	21.70	yes	music wire	4L
C.194.300.0290.I	19.4	3.00	29.0	5.6000	16.20	21.53	yes	stainless steel	4L
C.194.300.0350.A	19.4	3.00	35.0	3.4483	23.70	26.05	yes	music wire	4I
C.194.300.0350.I	19.4	3.00	35.0	3.0000	23.70	26.05	yes	stainless steel	4I
C.194.320.0500.A	19.4	3.20	50.0	4.2529	26.88	36.85	yes	music wire	4N
C.194.320.0500.I	19.4	3.20	50.0	3.7000	26.56	36.51	yes	stainless steel	4N
C.194.330.0410.A	19.4	3.30	41.0	4.2529	30.69	33.74	yes	music wire	4J
C.194.330.0410.AP	19.4	3.30	41.0	5.1724	26.73	29.26	yes	music wire	4L
C.194.330.0410.I	19.4	3.30	41.0	3.7000	30.36	33.36	yes	stainless steel	4J
C.194.360.0250.A	19.4	3.60	25.0	10.1149	24.48	24.48	yes	music wire	4L
C.194.360.0250.AP	19.4	3.60	25.0	14.2517	19.80	21.19	yes	music wire	4L
C.194.360.0250.I	19.4	3.60	25.0	8.8000	24.12	24.12	yes	stainless steel	4M
C.195.080.0250.A	19.5	0.80	25.0	0.0250	4.88	6.79	no	music wire	4C
C.195.080.0250.I	19.5	0.80	25.0	0.0218	4.80	6.64	no	stainless steel	4D
C.195.080.0250.N	19.5	0.80	25.0	0.0250	4.88	6.79	no	Zn coating	4E
C.195.150.0165.A	19.5	1.50	16.5	0.4300	6.90	7.90	yes	music wire	4E
C.195.150.0165.AP	19.5	1.50	16.5	0.7403	5.55	7.17	yes	music wire	4I
C.195.150.0165.I	19.5	1.50	16.5	0.3741	6.75	7.70	yes	stainless steel	4F
C.195.150.0165.N	19.5	1.50	16.5	0.4300	6.90	7.90	yes	Zn coating	4G
C.195.200.0580.A	19.5	2.00	58.0	0.2710	27.40	32.21	yes	music wire	4G
C.195.200.0580.AP	19.5	2.00	58.0	0.5032	17.00	27.40	yes	music wire	4I
C.195.200.0580.I	19.5	2.00	58.0	0.2358	27.20	31.97	yes	stainless steel	4H
C.195.200.0580.N	19.5	2.00	58.0	0.2710	27.40	32.21	yes	Zn coating	4I
C.195.250.0350.A	19.5	2.50	35.0	1.7670	17.75	19.70	yes	music wire	4I
C.195.250.0350.AF	19.5	2.50	35.0	1.4727	20.00	22.33	yes	music wire	4G
C.195.250.0350.AP	19.5	2.50	35.0	1.9552	16.50	20.44	yes	music wire	4I
C.195.250.0350.I	19.5	2.50	35.0	1.2649	20.00	22.33	yes	stainless steel	4H
C.195.250.0350.N	19.5	2.50	35.0	1.7670	17.75	19.70	yes	Zn coating	4J
C.195.250.0350.NF	19.5	2.50	35.0	1.4727	20.00	22.33	yes	Zn coating	4I
C.195.250.0490.A	19.5	2.50	49.0	0.9350	28.00	31.68	yes	music wire	4H
C.195.250.0490.AP	19.5	2.50	49.0	1.3462	21.25	27.85	yes	music wire	4I
C.195.250.0490.I	19.5	2.50	49.0	0.8135	27.75	31.39	yes	stainless steel	4H
C.195.250.0490.N	19.5	2.50	49.0	0.9350	28.00	31.68	yes	Zn coating	4I
C.195.250.1250.A	19.5	2.50	125.0	0.4378	52.50	60.33	yes	music wire	4J
C.195.250.1250.I	19.5	2.50	125.0	0.3760	52.50	60.33	yes	stainless steel	4J
C.195.250.1250.N	19.5	2.50	125.0	0.4378	52.50	60.33	yes	Zn coating	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.195.300.0400.A	19.5	3.00	40.0	3.0616	25.50	28.12	yes	music wire	4I
C.195.300.0400.I	19.5	3.00	40.0	2.6296	25.50	28.12	yes	stainless steel	4I
C.195.300.0400.N	19.5	3.00	40.0	3.0616	25.50	28.12	yes	Zn coating	4J
C.195.300.0850.A	19.5	3.00	85.0	1.2669	51.00	57.32	yes	music wire	4I
C.195.300.0850.I	19.5	3.00	85.0	1.0881	51.00	57.32	yes	stainless steel	4I
C.195.300.0850.N	19.5	3.00	85.0	1.2669	51.00	57.32	yes	Zn coating	4J
C.195.330.0250.A	19.5	3.30	25.0	8.1191	19.80	21.37	yes	music wire	4J
C.195.330.0250.I	19.5	3.30	25.0	6.9735	19.80	21.37	yes	stainless steel	4J
C.195.330.0250.N	19.5	3.30	25.0	8.1191	19.80	21.37	yes	Zn coating	4L
C.195.330.0320.A	19.5	3.30	32.0	6.6864	22.11	24.00	yes	music wire	4L
C.195.330.0320.I	19.5	3.30	32.0	5.7429	22.11	24.00	yes	stainless steel	4L
C.195.330.0320.N	19.5	3.30	32.0	6.6864	22.11	24.00	yes	Zn coating	4N
C.195.330.0380.A	19.5	3.30	38.0	5.1667	26.40	28.87	yes	music wire	4J
C.195.330.0380.I	19.5	3.30	38.0	4.4377	26.40	28.87	yes	stainless steel	4J
C.195.330.0380.N	19.5	3.30	38.0	5.1667	26.40	28.87	yes	Zn coating	4L
C.195.330.0440.A	19.5	3.30	44.0	4.2099	30.69	33.75	yes	music wire	4J
C.195.330.0440.I	19.5	3.30	44.0	3.6159	30.36	33.37	yes	stainless steel	4J
C.195.330.0440.N	19.5	3.30	44.0	4.2099	30.69	33.75	yes	Zn coating	4L
C.195.330.0510.A	19.5	3.30	51.0	3.5521	34.65	38.24	yes	music wire	4J
C.195.330.0510.I	19.5	3.30	51.0	3.0509	34.65	38.24	yes	stainless steel	4J
C.195.330.0510.N	19.5	3.30	51.0	3.5521	34.65	38.24	yes	Zn coating	4L
C.195.330.0640.A	19.5	3.30	64.0	2.9146	40.26	44.62	yes	music wire	4M
C.195.330.0640.I	19.5	3.30	64.0	2.5000	40.59	44.99	yes	stainless steel	4M
C.195.330.0640.N	19.5	3.30	64.0	2.9146	40.26	44.62	yes	Zn coating	4N
C.195.330.0760.A	19.5	3.30	76.0	2.4185	46.86	52.12	yes	music wire	4M
C.195.330.0760.I	19.5	3.30	76.0	2.0772	47.19	52.49	yes	stainless steel	4M
C.195.330.0760.N	19.5	3.30	76.0	2.4185	46.86	52.12	yes	Zn coating	4N
C.195.330.0890.A	19.5	3.30	89.0	2.1000	52.80	60.21	yes	music wire	4M
C.195.330.0890.I	19.5	3.30	89.0	1.8080	52.80	59.11	yes	stainless steel	4M
C.195.330.0890.N	19.5	3.30	89.0	2.1000	52.80	60.21	yes	Zn coating	4N
C.195.330.1020.A	19.5	3.30	102.0	1.8334	59.40	69.03	yes	music wire	4M
C.195.330.1020.I	19.5	3.30	102.0	1.5747	59.40	67.68	yes	stainless steel	4M
C.195.330.1020.N	19.5	3.30	102.0	1.8334	59.40	69.03	yes	Zn coating	4N
C.195.330.1150.A	19.5	3.30	115.0	1.6716	64.35	78.84	yes	music wire	4O
C.195.330.1150.I	19.5	3.30	115.0	1.4357	64.35	77.36	yes	stainless steel	4M
C.195.330.1150.N	19.5	3.30	115.0	1.6716	64.35	78.84	yes	Zn coating	4Q
C.195.330.1270.A	19.5	3.30	127.0	1.5000	70.62	86.70	yes	music wire	4M
C.195.330.1270.I	19.5	3.30	127.0	1.2846	70.95	84.93	yes	stainless steel	4M
C.195.330.1270.N	19.5	3.30	127.0	1.5000	70.62	86.70	yes	Zn coating	4O
C.195.330.1520.A	19.5	3.30	152.0	1.2500	83.16	103.64	yes	music wire	4O
C.195.330.1520.I	19.5	3.30	152.0	1.0728	83.49	101.63	yes	stainless steel	4N
C.195.330.1520.N	19.5	3.30	152.0	1.2500	83.16	103.64	yes	Zn coating	4Q
C.195.350.0350.A	19.5	3.50	35.0	8.1410	24.85	26.96	yes	music wire	4L
C.195.350.0350.I	19.5	3.50	35.0	7.0827	24.50	26.57	yes	stainless steel	4L
C.195.350.0350.N	19.5	3.50	35.0	8.1410	24.85	26.96	yes	Zn coating	4N
C.198.100.0230.A	19.8	1.00	23.0	0.0425	6.10	8.37	yes	music wire	4C
C.198.100.0230.I	19.8	1.00	23.0	0.0370	6.10	8.37	yes	stainless steel	4D
C.198.100.0600.A	19.8	1.00	60.0	0.0326	7.20	10.16	yes	music wire	4E
C.198.100.0600.I	19.8	1.00	60.0	0.0280	7.20	10.16	yes	stainless steel	4E
C.198.110.0220.A	19.8	1.10	22.0	0.1264	4.73	5.79	yes	music wire	4C
C.198.110.0220.I	19.8	1.10	22.0	0.1100	4.73	5.79	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.198.110.0600.A	19.8	1.10	60.0	0.0430	8.58	11.69	yes	music wire	4E
C.198.110.0600.I	19.8	1.10	60.0	0.0370	8.58	11.69	yes	stainless steel	4E
C.198.110.0850.A	19.8	1.10	85.0	0.0230	13.64	19.45	yes	music wire	4E
C.198.110.0850.I	19.8	1.10	85.0	0.0200	13.53	19.28	yes	stainless steel	4E
C.198.140.0200.A	19.8	1.40	20.0	0.2992	6.44	7.50	yes	music wire	4E
C.198.140.0200.I	19.8	1.40	20.0	0.2569	6.44	7.50	yes	stainless steel	4F
C.198.140.0620.A	19.8	1.40	62.0	0.0931	12.88	16.25	yes	music wire	4G
C.198.140.0620.I	19.8	1.40	62.0	0.0810	12.88	16.25	yes	stainless steel	4G
C.198.160.0240.A	19.8	1.60	24.0	0.2529	11.04	13.11	yes	music wire	4E
C.198.160.0240.AP	19.8	1.60	24.0	0.6187	6.88	10.82	yes	music wire	4I
C.198.160.0240.I	19.8	1.60	24.0	0.2200	10.88	12.90	yes	stainless steel	4F
C.198.160.0290.A	19.8	1.60	29.0	0.3164	9.60	11.25	yes	music wire	4F
C.198.160.0290.AP	19.8	1.60	29.0	0.5062	7.52	12.89	yes	music wire	4I
C.198.160.0290.I	19.8	1.60	29.0	0.2718	9.60	11.25	yes	stainless steel	4F
C.198.160.0290.N	19.8	1.60	29.0	0.3164	9.60	11.25	yes	Zn coating	4H
C.198.160.0320.A	19.8	1.60	32.0	0.2529	11.04	13.11	yes	music wire	4F
C.198.160.0320.AP	19.8	1.60	32.0	0.4454	8.00	13.69	yes	music wire	4I
C.198.160.0320.I	19.8	1.60	32.0	0.2200	10.88	12.90	yes	stainless steel	4F
C.198.160.0440.A	19.8	1.60	44.0	0.1989	12.96	15.60	yes	music wire	4F
C.198.160.0440.AP	19.8	1.60	44.0	0.3182	9.60	18.37	yes	music wire	4I
C.198.160.0440.I	19.8	1.60	44.0	0.1730	12.80	15.39	yes	stainless steel	4G
C.198.160.0600.A	19.8	1.60	60.0	0.1839	13.60	16.42	yes	music wire	4I
C.198.160.0600.I	19.8	1.60	60.0	0.1600	13.44	16.22	yes	stainless steel	4I
C.198.160.0800.A	19.8	1.60	80.0	0.1075	20.48	25.33	yes	music wire	4G
C.198.160.0800.I	19.8	1.60	80.0	0.0923	20.48	25.33	yes	stainless steel	4G
C.198.160.1200.A	19.8	1.60	120.0	0.0710	28.96	36.30	yes	music wire	4H
C.198.160.1200.I	19.8	1.60	120.0	0.0610	28.96	36.30	yes	stainless steel	4H
C.198.170.0111.A	19.8	1.70	11.1	1.2644	6.12	6.63	yes	music wire	4E
C.198.170.0111.I	19.8	1.70	11.1	1.1000	6.12	6.63	yes	stainless steel	4F
C.198.170.0600.A	19.8	1.70	60.0	0.1794	17.85	21.52	yes	music wire	4G
C.198.170.0600.I	19.8	1.70	60.0	0.1541	17.85	21.52	yes	stainless steel	4G
C.198.180.0200.A	19.8	1.80	20.0	0.7335	9.00	10.13	yes	music wire	4G
C.198.180.0200.I	19.8	1.80	20.0	0.6300	9.00	10.13	yes	stainless steel	4G
C.198.180.0480.A	19.8	1.80	48.0	0.3218	14.76	17.32	yes	music wire	4G
C.198.180.0480.I	19.8	1.80	48.0	0.2800	14.58	17.10	yes	stainless steel	4G
C.198.180.1060.A	19.8	1.80	106.0	0.1264	30.60	37.13	yes	music wire	4I
C.198.180.1060.AP	19.8	1.80	106.0	0.1866	22.14	45.30	yes	music wire	4J
C.198.180.1060.I	19.8	1.80	106.0	0.1100	30.24	36.67	yes	stainless steel	4I
C.198.300.0127.A	19.8	3.00	12.7	18.1000	10.50	10.94	yes	music wire	4I
C.198.300.0127.I	19.8	3.00	12.7	15.7470	10.20	10.60	yes	stainless steel	4I
C.198.300.0191.A	19.8	3.00	19.1	9.1954	13.20	14.08	yes	music wire	4J
C.198.300.0191.I	19.8	3.00	19.1	8.0000	13.20	14.04	yes	stainless steel	4J
C.198.300.0230.A	19.8	3.00	23.0	9.1954	13.20	17.98	yes	music wire	4L
C.198.300.0230.I	19.8	3.00	23.0	8.0000	13.20	17.86	yes	stainless steel	4L
C.198.300.0280.A	19.8	3.00	28.0	5.9770	16.20	20.28	yes	music wire	4L
C.198.300.0280.I	19.8	3.00	28.0	5.2000	16.20	20.10	yes	stainless steel	4L
C.198.300.1000.A	19.8	3.00	100.0	0.9510	62.40	70.47	yes	music wire	4I
C.198.300.1000.I	19.8	3.00	100.0	0.8168	62.40	70.47	yes	stainless steel	4I
C.198.300.2000.A	19.8	3.00	200.0	0.4616	120.60	137.23	yes	music wire	4J
C.198.300.2000.I	19.8	3.00	200.0	0.3965	120.60	137.23	yes	stainless steel	4J
C.198.320.0270.A	19.8	3.20	27.0	6.3218	19.84	21.50	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.198.320.0270.I	19.8	3.20	27.0	5.5000	19.52	21.14	yes	stainless steel	4J
C.198.320.2000.A	19.8	3.20	200.0	0.6146	129.60	146.67	yes	music wire	4L
C.198.320.2000.I	19.8	3.20	200.0	0.5278	129.60	146.67	yes	stainless steel	4L
C.198.360.0290.A	19.8	3.60	29.0	9.8000	23.76	25.68	yes	music wire	4M
C.198.360.0290.I	19.8	3.60	29.0	8.5260	23.76	25.68	yes	stainless steel	4M
C.198.360.2000.A	19.8	3.60	200.0	1.0676	144.72	162.41	yes	music wire	4N
C.198.360.2000.I	19.8	3.60	200.0	0.9169	144.72	162.41	yes	stainless steel	4N
C.198.470.0380.A	19.8	4.70	38.0	35.8000	30.55	33.80	yes	music wire	5A
C.198.470.0380.I	19.8	4.70	38.0	31.1460	30.55	33.62	yes	stainless steel	5A
C.198.470.2000.A	19.8	4.70	200.0	4.1973	173.43	192.10	yes	music wire	4R
C.198.470.2000.I	19.8	4.70	200.0	3.6050	173.43	192.10	yes	stainless steel	4R
C.199.100.0330.A	19.9	1.00	33.0	0.0340	6.90	9.70	yes	music wire	4D
C.199.100.0330.I	19.9	1.00	33.0	0.0296	6.90	9.70	yes	stainless steel	4D
C.200.100.0450.A	20.0	1.00	45.0	0.0240	8.70	12.68	yes	music wire	4D
C.200.100.0450.I	20.0	1.00	45.0	0.0209	8.60	12.51	yes	stainless steel	4E
C.200.100.0450.N	20.0	1.00	45.0	0.0240	8.70	12.68	yes	Zn coating	4F
C.200.115.0200.A	20.0	1.15	20.0	0.1774	4.60	5.47	yes	music wire	4C
C.200.115.0200.I	20.0	1.15	20.0	0.1523	4.60	5.47	yes	stainless steel	4D
C.200.115.0670.A	20.0	1.15	67.0	0.0512	8.86	11.87	yes	music wire	4E
C.200.115.0670.I	20.0	1.15	67.0	0.0439	8.86	11.87	yes	stainless steel	4E
C.200.120.0250.A	20.0	1.20	25.0	0.0780	7.92	10.22	yes	music wire	4D
C.200.120.0250.I	20.0	1.20	25.0	0.0679	7.80	10.05	yes	stainless steel	4D
C.200.120.0250.N	20.0	1.20	25.0	0.0780	7.92	10.22	yes	Zn coating	4E
C.200.120.0504.A	20.0	1.20	50.4	0.0908	7.20	10.69	yes	music wire	4G
C.200.120.0504.I	20.0	1.20	50.4	0.0780	7.20	10.43	yes	stainless steel	4G
C.200.120.0504.N	20.0	1.20	50.4	0.0908	7.20	10.69	yes	Zn coating	4I
C.200.120.0768.A	20.0	1.20	76.8	0.0578	9.60	14.42	yes	music wire	4H
C.200.120.0768.I	20.0	1.20	76.8	0.0496	9.60	13.94	yes	stainless steel	4I
C.200.120.0768.N	20.0	1.20	76.8	0.0578	9.60	14.42	yes	Zn coating	4I
C.200.120.0960.A	20.0	1.20	96.0	0.0408	12.36	16.74	yes	music wire	4E
C.200.120.0960.I	20.0	1.20	96.0	0.0350	12.36	16.74	yes	stainless steel	4F
C.200.120.1100.A	20.0	1.20	110.0	0.0353	13.80	18.86	yes	music wire	4F
C.200.120.1100.I	20.0	1.20	110.0	0.0303	13.80	18.86	yes	stainless steel	4F
C.200.120.1300.A	20.0	1.20	130.0	0.0335	14.40	22.38	yes	music wire	4I
C.200.120.1300.I	20.0	1.20	130.0	0.0288	14.40	21.74	yes	stainless steel	4I
C.200.120.1300.N	20.0	1.20	130.0	0.0335	14.40	22.38	yes	Zn coating	4J
C.200.120.2090.A	20.0	1.20	209.0	0.0205	21.60	33.13	yes	music wire	4J
C.200.120.2090.I	20.0	1.20	209.0	0.0176	21.60	31.85	yes	stainless steel	4J
C.200.120.2090.N	20.0	1.20	209.0	0.0205	21.60	33.13	yes	Zn coating	4K
C.200.125.0230.A	20.0	1.25	23.0	0.2096	5.38	6.36	yes	music wire	4D
C.200.125.0230.I	20.0	1.25	23.0	0.1800	5.38	6.36	yes	stainless steel	4D
C.200.125.0280.A	20.0	1.25	28.0	0.1640	6.00	7.26	yes	music wire	4D
C.200.125.0280.I	20.0	1.25	28.0	0.1409	6.00	7.26	yes	stainless steel	4D
C.200.125.0420.A	20.0	1.25	42.0	0.1078	7.50	9.41	yes	music wire	4D
C.200.125.0420.I	20.0	1.25	42.0	0.0926	7.50	9.41	yes	stainless steel	4E
C.200.125.0590.A	20.0	1.25	59.0	0.0755	9.38	12.11	yes	music wire	4E
C.200.125.0590.I	20.0	1.25	59.0	0.0648	9.38	12.11	yes	stainless steel	4E
C.200.125.0860.A	20.0	1.25	86.0	0.0517	12.25	16.24	yes	music wire	4E
C.200.125.0860.I	20.0	1.25	86.0	0.0444	12.25	16.24	yes	stainless steel	4F
C.200.125.1700.A	20.0	1.25	170.0	0.0258	21.38	29.36	yes	music wire	4G
C.200.125.1700.I	20.0	1.25	170.0	0.0222	21.38	29.36	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.125.1950.A	20.0	1.25	195.0	0.0226	24.00	33.13	yes	music wire	4H
C.200.125.1950.I	20.0	1.25	195.0	0.0194	24.00	33.13	yes	stainless steel	4H
C.200.130.0680.A	20.0	1.30	68.0	0.0742	11.05	14.25	yes	music wire	4E
C.200.130.0680.I	20.0	1.30	68.0	0.0637	11.05	14.25	yes	stainless steel	4E
C.200.130.1600.A	20.0	1.30	160.0	0.0311	21.84	29.47	yes	music wire	4G
C.200.130.1600.I	20.0	1.30	160.0	0.0267	21.84	29.47	yes	stainless steel	4G
C.200.140.0200.A	20.0	1.40	20.0	0.3120	6.16	7.13	yes	music wire	4E
C.200.140.0200.I	20.0	1.40	20.0	0.2714	6.16	7.13	yes	stainless steel	4F
C.200.140.0200.N	20.0	1.40	20.0	0.3120	6.16	7.13	yes	Zn coating	4G
C.200.140.0250.A	20.0	1.40	25.0	0.2460	7.00	8.28	yes	music wire	4E
C.200.140.0250.I	20.0	1.40	25.0	0.2140	6.86	8.09	yes	stainless steel	4F
C.200.140.0250.N	20.0	1.40	25.0	0.2460	7.00	8.28	yes	Zn coating	4G
C.200.140.0320.A	20.0	1.40	32.0	0.1870	8.12	9.81	yes	music wire	4E
C.200.140.0320.I	20.0	1.40	32.0	0.1627	7.98	9.61	yes	stainless steel	4F
C.200.140.0320.N	20.0	1.40	32.0	0.1870	8.12	9.81	yes	Zn coating	4H
C.200.140.0400.A	20.0	1.40	40.0	0.1510	9.10	11.14	yes	music wire	4F
C.200.140.0400.I	20.0	1.40	40.0	0.1314	9.10	11.14	yes	stainless steel	4F
C.200.140.0400.N	20.0	1.40	40.0	0.1510	9.10	11.14	yes	Zn coating	4H
C.200.140.0500.A	20.0	1.40	50.0	0.1170	10.78	13.44	yes	music wire	4F
C.200.140.0500.I	20.0	1.40	50.0	0.1018	10.64	13.24	yes	stainless steel	4G
C.200.140.0500.N	20.0	1.40	50.0	0.1170	10.78	13.44	yes	Zn coating	4H
C.200.140.0630.A	20.0	1.40	63.0	0.0940	12.60	15.92	yes	music wire	4G
C.200.140.0630.I	20.0	1.40	63.0	0.0818	12.46	15.73	yes	stainless steel	4G
C.200.140.0630.N	20.0	1.40	63.0	0.0940	12.60	15.92	yes	Zn coating	4I
C.200.140.0800.A	20.0	1.40	80.0	0.0720	15.26	19.55	yes	music wire	4G
C.200.140.0800.I	20.0	1.40	80.0	0.0626	15.12	19.36	yes	stainless steel	4G
C.200.140.0800.N	20.0	1.40	80.0	0.0720	15.26	19.55	yes	Zn coating	4I
C.200.140.1000.A	20.0	1.40	100.0	0.0580	18.20	23.56	yes	music wire	4G
C.200.140.1000.I	20.0	1.40	100.0	0.0505	18.06	23.37	yes	stainless steel	4G
C.200.140.1000.N	20.0	1.40	100.0	0.0580	18.20	23.56	yes	Zn coating	4I
C.200.140.1250.A	20.0	1.40	125.0	0.0460	21.98	28.72	yes	music wire	4H
C.200.140.1250.I	20.0	1.40	125.0	0.0400	21.84	28.53	yes	stainless steel	4H
C.200.140.1250.N	20.0	1.40	125.0	0.0460	21.98	28.72	yes	Zn coating	4I
C.200.140.1500.A	20.0	1.40	150.0	0.0419	23.80	31.20	yes	music wire	4I
C.200.140.1500.I	20.0	1.40	150.0	0.0360	23.80	31.20	yes	stainless steel	4I
C.200.140.1700.A	20.0	1.40	170.0	0.0369	26.60	35.03	yes	music wire	4I
C.200.140.1700.I	20.0	1.40	170.0	0.0317	26.60	35.03	yes	stainless steel	4I
C.200.140.3600.A	20.0	1.40	360.0	0.0160	58.10	77.51	no	music wire	4J
C.200.140.3600.I	20.0	1.40	360.0	0.0139	57.40	76.55	no	stainless steel	4J
C.200.150.0400.A	20.0	1.50	40.0	0.2300	9.00	10.72	yes	music wire	4I
C.200.150.0400.I	20.0	1.50	40.0	0.2000	9.00	10.72	yes	stainless steel	4I
C.200.150.0400.N	20.0	1.50	40.0	0.2300	9.00	10.72	yes	Zn coating	4J
C.200.150.0660.A	20.0	1.50	66.0	0.1100	14.85	18.49	yes	music wire	4G
C.200.150.0660.I	20.0	1.50	66.0	0.0957	14.70	18.29	yes	stainless steel	4G
C.200.150.0660.N	20.0	1.50	66.0	0.1100	14.85	18.49	yes	Zn coating	4I
C.200.150.0670.A	20.0	1.50	67.0	0.0800	19.05	24.07	yes	music wire	4G
C.200.150.0670.I	20.0	1.50	67.0	0.0696	18.90	23.87	yes	stainless steel	4G
C.200.150.0670.N	20.0	1.50	67.0	0.0800	19.05	24.07	yes	Zn coating	4I
C.200.150.0940.A	20.0	1.50	94.0	0.0840	18.30	23.07	yes	music wire	4G
C.200.150.0940.I	20.0	1.50	94.0	0.0721	18.30	23.07	yes	stainless steel	4G
C.200.150.1150.A	20.0	1.50	115.0	0.0684	21.60	27.46	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.150.1150.I	20.0	1.50	115.0	0.0588	21.60	27.46	yes	stainless steel	4H
C.200.150.1520.A	20.0	1.50	152.0	0.0603	24.00	40.17	yes	music wire	4J
C.200.150.1520.I	20.0	1.50	152.0	0.0518	24.00	38.70	yes	stainless steel	4J
C.200.150.1520.N	20.0	1.50	152.0	0.0603	24.00	40.17	yes	Zn coating	4L
C.200.160.0200.A	20.0	1.60	20.0	0.4850	7.52	8.57	yes	music wire	4E
C.200.160.0200.AP	20.0	1.60	20.0	0.7184	6.40	8.76	yes	music wire	4I
C.200.160.0200.I	20.0	1.60	20.0	0.4220	7.52	8.57	yes	stainless steel	4F
C.200.160.0200.N	20.0	1.60	20.0	0.4850	7.52	8.57	yes	Zn coating	4G
C.200.160.0250.A	20.0	1.60	25.0	0.3750	8.64	10.02	yes	music wire	4E
C.200.160.0250.AP	20.0	1.60	25.0	0.5672	7.04	10.76	yes	music wire	4I
C.200.160.0250.I	20.0	1.60	25.0	0.3263	8.48	9.82	yes	stainless steel	4F
C.200.160.0250.N	20.0	1.60	25.0	0.3750	8.64	10.02	yes	Zn coating	4H
C.200.160.0320.A	20.0	1.60	32.0	0.2950	9.76	11.48	yes	music wire	4F
C.200.160.0320.AP	20.0	1.60	32.0	0.3200	9.28	10.86	yes	music wire	4E
C.200.160.0320.I	20.0	1.60	32.0	0.2567	9.76	11.48	yes	stainless steel	4F
C.200.160.0320.N	20.0	1.60	32.0	0.2950	9.76	11.48	yes	Zn coating	4H
C.200.160.0360.A	20.0	1.60	36.0	0.2820	10.08	11.89	yes	music wire	4F
C.200.160.0360.I	20.0	1.60	36.0	0.2422	10.08	11.89	yes	stainless steel	4F
C.200.160.0400.A	20.0	1.60	40.0	0.2290	11.52	13.76	yes	music wire	4F
C.200.160.0400.AL	20.0	1.60	40.0	0.2500	10.88	12.93	yes	music wire	4E
C.200.160.0400.AP	20.0	1.60	40.0	0.3476	8.96	16.77	yes	music wire	4I
C.200.160.0400.I	20.0	1.60	40.0	0.1992	11.36	13.56	yes	stainless steel	4G
C.200.160.0400.N	20.0	1.60	40.0	0.2290	11.52	13.76	yes	Zn coating	4H
C.200.160.0500.A	20.0	1.60	50.0	0.1790	13.60	16.46	yes	music wire	4F
C.200.160.0500.AP	20.0	1.60	50.0	0.2000	12.64	15.22	yes	music wire	4E
C.200.160.0500.I	20.0	1.60	50.0	0.1557	13.44	16.26	yes	stainless steel	4G
C.200.160.0500.N	20.0	1.60	50.0	0.1790	13.60	16.46	yes	Zn coating	4I
C.200.160.0630.A	20.0	1.60	63.0	0.1400	16.32	20.00	yes	music wire	4G
C.200.160.0630.AL	20.0	1.60	63.0	0.1600	14.72	17.92	yes	music wire	4E
C.200.160.0630.AP	20.0	1.60	63.0	0.2155	12.00	25.53	yes	music wire	4I
C.200.160.0630.I	20.0	1.60	63.0	0.1218	16.16	19.79	yes	stainless steel	4G
C.200.160.0630.N	20.0	1.60	63.0	0.1400	16.32	20.00	yes	Zn coating	4I
C.200.160.0800.A	20.0	1.60	80.0	0.1100	19.52	24.15	yes	music wire	4G
C.200.160.0800.AP	20.0	1.60	80.0	0.1250	17.76	21.87	yes	music wire	4E
C.200.160.0800.I	20.0	1.60	80.0	0.0957	19.36	23.94	yes	stainless steel	4G
C.200.160.0800.N	20.0	1.60	80.0	0.1100	19.52	24.15	yes	Zn coating	4I
C.200.160.1000.A	20.0	1.60	100.0	0.0880	23.52	29.34	yes	music wire	4G
C.200.160.1000.AL	20.0	1.60	100.0	0.1000	21.12	26.23	yes	music wire	4F
C.200.160.1000.AP	20.0	1.60	100.0	0.1330	16.96	39.29	yes	music wire	4I
C.200.160.1000.I	20.0	1.60	100.0	0.0766	23.20	28.93	yes	stainless steel	4H
C.200.160.1000.N	20.0	1.60	100.0	0.0880	23.52	29.34	yes	Zn coating	4I
C.200.160.1250.A	20.0	1.60	125.0	0.0690	28.80	36.20	yes	music wire	4H
C.200.160.1250.AP	20.0	1.60	125.0	0.0800	25.44	31.84	yes	music wire	4G
C.200.160.1250.I	20.0	1.60	125.0	0.0600	28.48	35.78	yes	stainless steel	4I
C.200.160.1250.N	20.0	1.60	125.0	0.0690	28.80	36.20	yes	Zn coating	4I
C.200.160.1600.A	20.0	1.60	160.0	0.0625	31.36	39.52	yes	music wire	4I
C.200.160.1600.I	20.0	1.60	160.0	0.0544	31.04	39.11	yes	stainless steel	4I
C.200.160.1600.N	20.0	1.60	160.0	0.0625	31.36	39.52	yes	Zn coating	4I
C.200.160.2000.A	20.0	1.60	200.0	0.0500	38.24	48.46	yes	music wire	4J
C.200.160.2000.I	20.0	1.60	200.0	0.0435	37.92	48.04	yes	stainless steel	4J
C.200.160.2000.N	20.0	1.60	200.0	0.0500	38.24	48.46	yes	Zn coating	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.160.2500.A	20.0	1.60	250.0	0.0400	46.88	59.67	yes	music wire	4L
C.200.160.2500.I	20.0	1.60	250.0	0.0348	46.40	59.05	yes	stainless steel	4L
C.200.160.2500.N	20.0	1.60	250.0	0.0400	46.88	59.67	yes	Zn coating	4M
C.200.160.3600.A	20.0	1.60	360.0	0.0240	77.12	98.46	no	music wire	4J
C.200.160.3600.I	20.0	1.60	360.0	0.0209	76.16	97.21	no	stainless steel	4J
C.200.170.1400.A	20.0	1.70	140.0	0.0841	32.30	39.98	yes	music wire	4I
C.200.170.1400.I	20.0	1.70	140.0	0.0723	32.30	39.98	yes	stainless steel	4I
C.200.170.1600.A	20.0	1.70	160.0	0.0735	36.38	45.18	yes	music wire	4I
C.200.170.1600.I	20.0	1.70	160.0	0.0631	36.38	45.18	yes	stainless steel	4I
C.200.170.1850.A	20.0	1.70	185.0	0.0634	41.48	51.67	yes	music wire	4I
C.200.170.1850.I	20.0	1.70	185.0	0.0545	41.48	51.67	yes	stainless steel	4I
C.200.175.0400.A	20.0	1.75	40.0	0.3144	13.13	15.43	yes	music wire	4F
C.200.175.0400.AP	20.0	1.75	40.0	0.4655	10.33	17.72	yes	music wire	4I
C.200.175.0400.I	20.0	1.75	40.0	0.2700	13.13	15.43	yes	stainless steel	4G
C.200.175.0400.N	20.0	1.75	40.0	0.3144	13.13	15.43	yes	Zn coating	4H
C.200.175.1300.A	20.0	1.75	130.0	0.1001	31.85	39.08	yes	music wire	4H
C.200.175.1300.I	20.0	1.75	130.0	0.0860	31.85	39.08	yes	stainless steel	4I
C.200.180.0200.A	20.0	1.80	20.0	0.7580	8.64	9.69	yes	music wire	4G
C.200.180.0200.AP	20.0	1.80	20.0	1.1169	7.38	9.96	yes	music wire	4I
C.200.180.0200.I	20.0	1.80	20.0	0.6595	8.64	9.69	yes	stainless steel	4G
C.200.180.0200.N	20.0	1.80	20.0	0.7580	8.64	9.69	yes	Zn coating	4I
C.200.180.0250.A	20.0	1.80	25.0	0.5940	9.90	11.27	yes	music wire	4G
C.200.180.0250.AP	20.0	1.80	25.0	0.8510	8.28	11.82	yes	music wire	4I
C.200.180.0250.I	20.0	1.80	25.0	0.5168	9.72	11.04	yes	stainless steel	4G
C.200.180.0250.N	20.0	1.80	25.0	0.5940	9.90	11.27	yes	Zn coating	4I
C.200.180.0280.A	20.0	1.80	28.0	0.5544	10.26	11.72	yes	music wire	4G
C.200.180.0280.I	20.0	1.80	28.0	0.4761	10.26	11.72	yes	stainless steel	4G
C.200.180.0320.A	20.0	1.80	32.0	0.4550	11.52	13.30	yes	music wire	4G
C.200.180.0320.AP	20.0	1.80	32.0	0.6619	9.36	15.05	yes	music wire	4I
C.200.180.0320.I	20.0	1.80	32.0	0.3959	11.34	13.07	yes	stainless steel	4G
C.200.180.0320.N	20.0	1.80	32.0	0.4550	11.52	13.30	yes	Zn coating	4I
C.200.180.0341.A	20.0	1.80	34.1	0.5068	10.80	12.40	yes	music wire	4I
C.200.180.0341.I	20.0	1.80	34.1	0.4353	10.80	12.40	yes	stainless steel	4I
C.200.180.0341.N	20.0	1.80	34.1	0.5068	10.80	12.40	yes	Zn coating	4J
C.200.180.0400.A	20.0	1.80	40.0	0.3500	13.68	16.01	yes	music wire	4G
C.200.180.0400.AP	20.0	1.80	40.0	0.5106	10.80	18.03	yes	music wire	4I
C.200.180.0400.I	20.0	1.80	40.0	0.3045	13.50	15.78	yes	stainless steel	4G
C.200.180.0400.N	20.0	1.80	40.0	0.3500	13.68	16.01	yes	Zn coating	4I
C.200.180.0500.A	20.0	1.80	50.0	0.2790	16.02	18.94	yes	music wire	4G
C.200.180.0500.AP	20.0	1.80	50.0	0.4061	12.42	22.38	yes	music wire	4I
C.200.180.0500.I	20.0	1.80	50.0	0.2427	15.84	18.71	yes	stainless steel	4G
C.200.180.0500.N	20.0	1.80	50.0	0.2790	16.02	18.94	yes	Zn coating	4I
C.200.180.0515.A	20.0	1.80	51.5	0.3225	14.40	16.91	yes	music wire	4I
C.200.180.0515.I	20.0	1.80	51.5	0.2770	14.40	16.91	yes	stainless steel	4I
C.200.180.0515.N	20.0	1.80	51.5	0.3225	14.40	16.91	yes	Zn coating	4J
C.200.180.0560.A	20.0	1.80	56.0	0.2729	16.20	19.16	yes	music wire	4G
C.200.180.0560.I	20.0	1.80	56.0	0.2344	16.20	19.16	yes	stainless steel	4H
C.200.180.0560.N	20.0	1.80	56.0	0.2729	16.20	19.16	yes	Zn coating	4I
C.200.180.0630.A	20.0	1.80	63.0	0.2170	19.26	23.00	yes	music wire	4G
C.200.180.0630.AP	20.0	1.80	63.0	0.3135	14.76	27.22	yes	music wire	4I
C.200.180.0630.I	20.0	1.80	63.0	0.1888	19.08	22.77	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.180.0630.N	20.0	1.80	63.0	0.2170	19.26	23.00	yes	Zn coating	4I
C.200.180.0690.A	20.0	1.80	69.0	0.2087	19.80	23.68	yes	music wire	4G
C.200.180.0690.AP	20.0	1.80	69.0	0.2882	15.66	30.08	yes	music wire	4I
C.200.180.0690.I	20.0	1.80	69.0	0.1793	19.80	23.68	yes	stainless steel	4H
C.200.180.0690.N	20.0	1.80	69.0	0.2087	19.80	23.68	yes	Zn coating	4I
C.200.180.0800.A	20.0	1.80	80.0	0.1690	23.40	28.19	yes	music wire	4H
C.200.180.0800.AP	20.0	1.80	80.0	0.2448	17.46	34.18	yes	music wire	4J
C.200.180.0800.I	20.0	1.80	80.0	0.1470	23.22	27.96	yes	stainless steel	4H
C.200.180.0800.N	20.0	1.80	80.0	0.1690	23.40	28.19	yes	Zn coating	4I
C.200.180.0863.A	20.0	1.80	86.3	0.1867	21.60	26.22	yes	music wire	4J
C.200.180.0863.I	20.0	1.80	86.3	0.1604	21.60	25.93	yes	stainless steel	4J
C.200.180.0863.N	20.0	1.80	86.3	0.1867	21.60	26.22	yes	Zn coating	4K
C.200.180.1000.A	20.0	1.80	100.0	0.1340	28.26	34.28	yes	music wire	4I
C.200.180.1000.AP	20.0	1.80	100.0	0.1942	20.88	42.25	yes	music wire	4J
C.200.180.1000.I	20.0	1.80	100.0	0.1219	27.00	32.70	yes	stainless steel	4I
C.200.180.1000.N	20.0	1.80	100.0	0.1340	28.26	34.28	yes	Zn coating	4I
C.200.180.1180.A	20.0	1.80	118.0	0.1223	30.60	37.21	yes	music wire	4I
C.200.180.1180.I	20.0	1.80	118.0	0.1050	30.60	37.21	yes	stainless steel	4I
C.200.180.1180.N	20.0	1.80	118.0	0.1223	30.60	37.21	yes	Zn coating	4I
C.200.180.1250.A	20.0	1.80	125.0	0.1060	34.56	42.18	yes	music wire	4I
C.200.180.1250.AP	20.0	1.80	125.0	0.1554	25.02	52.82	yes	music wire	4J
C.200.180.1250.I	20.0	1.80	125.0	0.0922	34.20	41.72	yes	stainless steel	4I
C.200.180.1250.N	20.0	1.80	125.0	0.1060	34.56	42.18	yes	Zn coating	4J
C.200.180.1390.A	20.0	1.80	139.0	0.1144	32.40	40.95	yes	music wire	4J
C.200.180.1390.I	20.0	1.80	139.0	0.0983	32.40	39.47	yes	stainless steel	4J
C.200.180.1390.N	20.0	1.80	139.0	0.1144	32.40	40.95	yes	Zn coating	4L
C.200.180.1900.A	20.0	1.80	190.0	0.0745	47.34	58.19	yes	music wire	4I
C.200.180.1900.I	20.0	1.80	190.0	0.0640	47.34	58.19	yes	stainless steel	4I
C.200.180.2500.A	20.0	1.80	250.0	0.0496	68.94	85.27	yes	music wire	4J
C.200.180.2500.I	20.0	1.80	250.0	0.0426	68.94	85.27	yes	stainless steel	4J
C.200.180.3600.A	20.0	1.80	360.0	0.0360	95.04	117.52	no	music wire	4J
C.200.180.3600.I	20.0	1.80	360.0	0.0313	93.78	115.94	no	stainless steel	4K
C.200.190.1100.A	20.0	1.90	110.0	0.1566	31.92	38.34	yes	music wire	4I
C.200.190.1100.I	20.0	1.90	110.0	0.1345	31.92	38.34	yes	stainless steel	4I
C.200.190.1650.A	20.0	1.90	165.0	0.1037	45.79	55.48	yes	music wire	4I
C.200.190.1650.I	20.0	1.90	165.0	0.0890	45.79	55.48	yes	stainless steel	4I
C.200.190.2000.A	20.0	1.90	200.0	0.0851	54.72	66.52	yes	music wire	4I
C.200.190.2000.I	20.0	1.90	200.0	0.0731	54.72	66.52	yes	stainless steel	4I
C.200.200.0200.A	20.0	2.00	20.0	1.1320	10.00	11.11	yes	music wire	4G
C.200.200.0200.AP	20.0	2.00	20.0	1.5670	8.60	10.41	yes	music wire	4I
C.200.200.0200.I	20.0	2.00	20.0	0.9848	9.80	10.86	yes	stainless steel	4G
C.200.200.0200.N	20.0	2.00	20.0	1.1320	10.00	11.11	yes	Zn coating	4I
C.200.200.0250.A	20.0	2.00	25.0	0.8600	11.40	12.82	yes	music wire	4G
C.200.200.0250.AP	20.0	2.00	25.0	1.2264	9.60	12.74	yes	music wire	4I
C.200.200.0250.I	20.0	2.00	25.0	0.7500	11.40	12.82	yes	stainless steel	4G
C.200.200.0250.N	20.0	2.00	25.0	0.8600	11.40	12.82	yes	Zn coating	4I
C.200.200.0290.A	20.0	2.00	29.0	0.7764	12.20	13.79	yes	music wire	4G
C.200.200.0290.I	20.0	2.00	29.0	0.6668	12.20	13.79	yes	stainless steel	4G
C.200.200.0320.A	20.0	2.00	32.0	0.6330	13.80	15.75	yes	music wire	4G
C.200.200.0320.AP	20.0	2.00	32.0	0.9402	11.00	16.01	yes	music wire	4I
C.200.200.0320.I	20.0	2.00	32.0	0.5507	13.80	15.75	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.200.0320.N	20.0	2.00	32.0	0.6330	13.80	15.75	yes	Zn coating	4I
C.200.200.0400.A	20.0	2.00	40.0	0.5000	16.20	18.68	yes	music wire	4G
C.200.200.0400.AP	20.0	2.00	40.0	0.7232	12.80	19.22	yes	music wire	4I
C.200.200.0400.I	20.0	2.00	40.0	0.4350	16.00	18.44	yes	stainless steel	4G
C.200.200.0400.N	20.0	2.00	40.0	0.5000	16.20	18.68	yes	Zn coating	4I
C.200.200.0435.A	20.0	2.00	43.5	0.4658	17.00	19.66	yes	music wire	4G
C.200.200.0435.AP	20.0	2.00	43.5	0.6716	13.40	21.12	yes	music wire	4I
C.200.200.0435.I	20.0	2.00	43.5	0.4000	17.00	19.66	yes	stainless steel	4G
C.200.200.0435.N	20.0	2.00	43.5	0.4658	17.00	19.66	yes	Zn coating	4I
C.200.200.0450.A	20.0	2.00	45.0	0.3230	22.40	26.25	yes	music wire	4G
C.200.200.0450.AP	20.0	2.00	45.0	0.6411	13.80	21.55	yes	music wire	4I
C.200.200.0450.I	20.0	2.00	45.0	0.2810	22.00	25.77	yes	stainless steel	4H
C.200.200.0450.N	20.0	2.00	45.0	0.3230	22.40	26.25	yes	Zn coating	4I
C.200.200.0500.A	20.0	2.00	50.0	0.3910	19.20	22.35	yes	music wire	4G
C.200.200.0500.AF	20.0	2.00	50.0	0.2541	27.00	31.87	yes	music wire	4G
C.200.200.0500.AP	20.0	2.00	50.0	0.5756	14.80	23.89	yes	music wire	4I
C.200.200.0500.I	20.0	2.00	50.0	0.2182	27.00	31.87	yes	stainless steel	4H
C.200.200.0500.N	20.0	2.00	50.0	0.3910	19.20	22.35	yes	Zn coating	4I
C.200.200.0500.NF	20.0	2.00	50.0	0.2541	27.00	31.87	yes	Zn coating	4I
C.200.200.0530.A	20.0	2.00	53.0	0.2740	25.40	29.92	yes	music wire	4G
C.200.200.0530.AP	20.0	2.00	53.0	0.5322	15.60	24.76	yes	music wire	4I
C.200.200.0530.I	20.0	2.00	53.0	0.2384	25.20	29.67	yes	stainless steel	4H
C.200.200.0530.N	20.0	2.00	53.0	0.2740	25.40	29.92	yes	Zn coating	4I
C.200.200.0600.A	20.0	2.00	60.0	0.3050	23.40	27.48	yes	music wire	4G
C.200.200.0600.AP	20.0	2.00	60.0	0.4701	16.80	28.03	yes	music wire	4I
C.200.200.0600.I	20.0	2.00	60.0	0.2654	23.00	26.99	yes	stainless steel	4H
C.200.200.0600.N	20.0	2.00	60.0	0.3050	23.40	27.48	yes	Zn coating	4I
C.200.200.0630.A	20.0	2.00	63.0	0.3070	23.20	27.23	yes	music wire	4H
C.200.200.0630.AP	20.0	2.00	63.0	0.4477	17.40	29.43	yes	music wire	4I
C.200.200.0630.I	20.0	2.00	63.0	0.2671	23.00	26.99	yes	stainless steel	4H
C.200.200.0630.N	20.0	2.00	63.0	0.3070	23.20	27.23	yes	Zn coating	4I
C.200.200.0650.A	20.0	2.00	65.0	0.1553	41.00	48.97	yes	music wire	4H
C.200.200.0650.AP	20.0	2.00	65.0	0.4339	17.80	30.36	yes	music wire	4I
C.200.200.0650.I	20.0	2.00	65.0	0.1334	41.00	48.97	yes	stainless steel	4H
C.200.200.0650.N	20.0	2.00	65.0	0.1553	41.00	48.97	yes	Zn coating	4I
C.200.200.0775.A	20.0	2.00	77.5	0.2541	27.00	31.87	yes	music wire	4H
C.200.200.0775.AP	20.0	2.00	77.5	0.3616	20.40	35.94	yes	music wire	4J
C.200.200.0775.I	20.0	2.00	77.5	0.2182	27.00	31.87	yes	stainless steel	4I
C.200.200.0775.N	20.0	2.00	77.5	0.2541	27.00	31.87	yes	Zn coating	4I
C.200.200.0800.A	20.0	2.00	80.0	0.2390	28.40	33.58	yes	music wire	4H
C.200.200.0800.AP	20.0	2.00	80.0	0.3482	21.00	36.84	yes	music wire	4J
C.200.200.0800.I	20.0	2.00	80.0	0.2079	28.00	33.09	yes	stainless steel	4I
C.200.200.0800.N	20.0	2.00	80.0	0.2390	28.40	33.58	yes	Zn coating	4I
C.200.200.0900.A	20.0	2.00	90.0	0.1480	42.80	51.17	yes	music wire	4I
C.200.200.0900.AP	20.0	2.00	90.0	0.3066	23.20	40.98	yes	music wire	4J
C.200.200.0900.I	20.0	2.00	90.0	0.1288	42.20	50.44	yes	stainless steel	4I
C.200.200.0900.N	20.0	2.00	90.0	0.1480	42.80	51.17	yes	Zn coating	4I
C.200.200.1000.A	20.0	2.00	100.0	0.1890	34.60	41.16	yes	music wire	4I
C.200.200.1000.AP	20.0	2.00	100.0	0.2765	25.20	45.65	yes	music wire	4J
C.200.200.1000.I	20.0	2.00	100.0	0.1644	34.20	40.67	yes	stainless steel	4I
C.200.200.1000.N	20.0	2.00	100.0	0.1890	34.60	41.16	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.200.200.1020.A	20.0	2.00	102.0	0.1410	44.60	53.37	yes	music wire	4I
C.200.200.1020.AP	20.0	2.00	102.0	0.2712	25.60	46.58	yes	music wire	4J
C.200.200.1020.I	20.0	2.00	102.0	0.1227	44.20	52.88	yes	stainless steel	4I
C.200.200.1020.N	20.0	2.00	102.0	0.1410	44.60	53.37	yes	Zn coating	4I
C.200.200.1250.A	20.0	2.00	125.0	0.1500	42.20	50.44	yes	music wire	4I
C.200.200.1250.AP	20.0	2.00	125.0	0.2187	30.60	56.26	yes	music wire	4J
C.200.200.1250.I	20.0	2.00	125.0	0.1305	41.80	49.95	yes	stainless steel	4I
C.200.200.1250.N	20.0	2.00	125.0	0.1500	42.20	50.44	yes	Zn coating	4J
C.200.200.1400.A	20.0	2.00	140.0	0.1463	43.20	51.66	yes	music wire	4I
C.200.200.1400.I	20.0	2.00	140.0	0.1257	43.20	51.66	yes	stainless steel	4I
C.200.200.1600.N	20.0	2.00	160.0	0.1600	40.00	66.06	yes	Zn coating	4M
C.200.200.1800.A	20.0	2.00	180.0	0.1132	54.40	65.34	yes	music wire	4I
C.200.200.1800.I	20.0	2.00	180.0	0.0972	54.40	65.34	yes	stainless steel	4I
C.200.200.2000.A	20.0	2.00	200.0	0.1035	59.00	70.96	yes	music wire	4I
C.200.200.2000.I	20.0	2.00	200.0	0.0889	59.00	70.96	yes	stainless steel	4I
C.200.200.2000.N	20.0	2.00	200.0	0.1035	59.00	70.96	yes	Zn coating	4J
C.200.200.3600.A	20.0	2.00	360.0	0.0510	116.60	140.88	no	music wire	4J
C.200.200.3600.I	20.0	2.00	360.0	0.0444	115.20	139.17	no	stainless steel	4K
C.200.210.0280.A	20.0	2.10	28.0	0.9870	12.60	14.14	yes	music wire	4G
C.200.210.0280.I	20.0	2.10	28.0	0.8477	12.60	14.14	yes	stainless steel	4G
C.200.210.1300.A	20.0	2.10	130.0	0.1877	43.89	51.97	yes	music wire	4I
C.200.210.1300.I	20.0	2.10	130.0	0.1613	43.89	51.97	yes	stainless steel	4I
C.200.220.0200.A	20.0	2.20	20.0	1.6280	11.22	12.35	yes	music wire	4G
C.200.220.0200.AP	20.0	2.20	20.0	2.2517	9.68	11.31	yes	music wire	4I
C.200.220.0200.I	20.0	2.20	20.0	1.4164	11.22	12.35	yes	stainless steel	4G
C.200.220.0200.N	20.0	2.20	20.0	1.6280	11.22	12.35	yes	Zn coating	4I
C.200.220.0250.A	20.0	2.20	25.0	1.2500	12.98	14.46	yes	music wire	4G
C.200.220.0250.AP	20.0	2.20	25.0	1.7113	11.00	13.57	yes	music wire	4I
C.200.220.0250.I	20.0	2.20	25.0	1.0892	12.76	14.20	yes	stainless steel	4G
C.200.220.0250.N	20.0	2.20	25.0	1.2500	12.98	14.46	yes	Zn coating	4I
C.200.220.0280.A	20.0	2.20	28.0	1.1754	13.42	14.99	yes	music wire	4G
C.200.220.0280.I	20.0	2.20	28.0	1.0096	13.42	14.99	yes	stainless steel	4G
C.200.220.0320.A	20.0	2.20	32.0	0.9300	15.62	17.63	yes	music wire	4G
C.200.220.0320.AP	20.0	2.20	32.0	1.2964	12.76	16.91	yes	music wire	4I
C.200.220.0320.I	20.0	2.20	32.0	0.8091	15.40	17.36	yes	stainless steel	4G
C.200.220.0320.N	20.0	2.20	32.0	0.9300	15.62	17.63	yes	Zn coating	4I
C.200.220.0360.A	20.0	2.20	36.0	0.8816	16.06	18.15	yes	music wire	4G
C.200.220.0360.I	20.0	2.20	36.0	0.7572	16.06	18.15	yes	stainless steel	4G
C.200.220.0400.A	20.0	2.20	40.0	0.7240	18.26	20.79	yes	music wire	4G
C.200.220.0400.AP	20.0	2.20	40.0	1.0186	14.74	20.79	yes	music wire	4I
C.200.220.0400.I	20.0	2.20	40.0	0.6299	18.26	20.79	yes	stainless steel	4H
C.200.220.0400.N	20.0	2.20	40.0	0.7240	18.26	20.79	yes	Zn coating	4I
C.200.220.0500.A	20.0	2.20	50.0	0.5710	21.78	25.01	yes	music wire	4G
C.200.220.0500.AP	20.0	2.20	50.0	0.7923	17.16	25.31	yes	music wire	4I
C.200.220.0500.I	20.0	2.20	50.0	0.4968	21.56	24.74	yes	stainless steel	4H
C.200.220.0500.N	20.0	2.20	50.0	0.5710	21.78	25.01	yes	Zn coating	4I
C.200.220.0630.A	20.0	2.20	63.0	0.4460	26.40	30.54	yes	music wire	4H
C.200.220.0630.AP	20.0	2.20	63.0	0.6200	20.46	31.45	yes	music wire	4J
C.200.220.0630.I	20.0	2.20	63.0	0.3880	26.18	30.28	yes	stainless steel	4H
C.200.220.0630.N	20.0	2.20	63.0	0.4460	26.40	30.54	yes	Zn coating	4I
C.200.220.0800.A	20.0	2.20	80.0	0.3460	32.34	37.66	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.220.0800.AP	20.0	2.20	80.0	0.4807	24.86	39.30	yes	music wire	4J
C.200.220.0800.I	20.0	2.20	80.0	0.3010	32.12	37.40	yes	stainless steel	4I
C.200.220.0800.N	20.0	2.20	80.0	0.3460	32.34	37.66	yes	Zn coating	4I
C.200.220.0889.A	20.0	2.20	88.9	0.2959	36.96	43.20	yes	music wire	4I
C.200.220.0889.I	20.0	2.20	88.9	0.2542	36.96	43.20	yes	stainless steel	4I
C.200.220.1000.A	20.0	2.20	100.0	0.2740	39.38	46.09	yes	music wire	4I
C.200.220.1000.AP	20.0	2.20	100.0	0.3820	29.92	48.78	yes	music wire	4J
C.200.220.1000.I	20.0	2.20	100.0	0.2384	38.94	45.57	yes	stainless steel	4I
C.200.220.1000.N	20.0	2.20	100.0	0.2740	39.38	46.09	yes	Zn coating	4I
C.200.220.1250.A	20.0	2.20	125.0	0.2170	48.40	56.90	yes	music wire	4I
C.200.220.1250.AP	20.0	2.20	125.0	0.3034	36.08	60.52	yes	music wire	4J
C.200.220.1250.I	20.0	2.20	125.0	0.1888	47.96	56.38	yes	stainless steel	4I
C.200.220.1250.N	20.0	2.20	125.0	0.2170	48.40	56.90	yes	Zn coating	4J
C.200.220.1400.A	20.0	2.20	140.0	0.2064	50.60	59.54	yes	music wire	4I
C.200.220.1400.I	20.0	2.20	140.0	0.1773	50.60	59.54	yes	stainless steel	4I
C.200.220.1600.A	20.0	2.20	160.0	0.1801	57.20	67.45	yes	music wire	4I
C.200.220.1600.I	20.0	2.20	160.0	0.1547	57.20	67.45	yes	stainless steel	4I
C.200.220.3600.A	20.0	2.20	360.0	0.0730	135.30	160.59	no	music wire	4J
C.200.220.3600.I	20.0	2.20	360.0	0.0635	133.54	158.48	no	stainless steel	4K
C.200.225.0280.A	20.0	2.25	28.0	1.2618	13.95	15.56	yes	music wire	4G
C.200.225.0280.I	20.0	2.25	28.0	1.0838	13.95	15.56	yes	stainless steel	4G
C.200.225.0550.A	20.0	2.25	55.0	0.5986	23.18	26.57	yes	music wire	4H
C.200.225.0550.I	20.0	2.25	55.0	0.5141	23.18	26.57	yes	stainless steel	4H
C.200.225.1100.A	20.0	2.25	110.0	0.2882	42.08	49.13	yes	music wire	4I
C.200.225.1100.I	20.0	2.25	110.0	0.2475	42.08	49.13	yes	stainless steel	4I
C.200.230.0278.A	20.0	2.30	27.8	1.4689	13.80	15.32	yes	music wire	4G
C.200.230.0278.I	20.0	2.30	27.8	1.2616	13.80	15.32	yes	stainless steel	4G
C.200.230.0278.N	20.0	2.30	27.8	1.4689	13.80	15.32	yes	Zn coating	4I
C.200.230.0411.A	20.0	2.30	41.1	0.9348	18.40	20.79	yes	music wire	4G
C.200.230.0411.I	20.0	2.30	41.1	0.8029	18.40	20.79	yes	stainless steel	4H
C.200.230.0411.N	20.0	2.30	41.1	0.9348	18.40	20.79	yes	Zn coating	4I
C.200.230.0609.A	20.0	2.30	60.9	0.6048	25.30	28.99	yes	music wire	4H
C.200.230.0609.I	20.0	2.30	60.9	0.5195	25.30	28.99	yes	stainless steel	4H
C.200.230.0609.N	20.0	2.30	60.9	0.6048	25.30	28.99	yes	Zn coating	4I
C.200.230.0876.A	20.0	2.30	87.6	0.4113	34.50	39.93	yes	music wire	4I
C.200.230.0876.I	20.0	2.30	87.6	0.3533	34.50	39.93	yes	stainless steel	4I
C.200.230.0876.N	20.0	2.30	87.6	0.4113	34.50	39.93	yes	Zn coating	4I
C.200.230.1270.A	20.0	2.30	127.0	0.2779	48.30	56.33	yes	music wire	4I
C.200.230.1270.I	20.0	2.30	127.0	0.2387	48.30	56.33	yes	stainless steel	4I
C.200.230.1270.N	20.0	2.30	127.0	0.2779	48.30	56.33	yes	Zn coating	4J
C.200.235.2000.A	20.0	2.35	200.0	0.1829	78.49	91.90	yes	music wire	4I
C.200.235.2000.I	20.0	2.35	200.0	0.1571	78.49	91.90	yes	stainless steel	4I
C.200.240.0290.A	20.0	2.40	29.0	1.5499	15.60	17.33	yes	music wire	4G
C.200.240.0290.I	20.0	2.40	29.0	1.3312	15.60	17.33	yes	stainless steel	4G
C.200.240.0350.A	20.0	2.40	35.0	1.2653	17.76	19.88	yes	music wire	4G
C.200.240.0350.I	20.0	2.40	35.0	1.0867	17.76	19.88	yes	stainless steel	4G
C.200.240.1500.A	20.0	2.40	150.0	0.2661	61.92	72.02	yes	music wire	4I
C.200.240.1500.I	20.0	2.40	150.0	0.2285	61.92	72.02	yes	stainless steel	4I
C.200.250.0200.A	20.0	2.50	20.0	2.8570	12.75	13.88	yes	music wire	4G
C.200.250.0200.AP	20.0	2.50	20.0	3.7639	11.25	12.61	yes	music wire	4I
C.200.250.0200.I	20.0	2.50	20.0	2.4856	12.75	13.88	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.250.0200.N	20.0	2.50	20.0	2.8570	12.75	13.88	yes	Zn coating	4I
C.200.250.0220.A	20.0	2.50	22.0	1.6200	17.75	19.75	yes	music wire	4G
C.200.250.0220.AP	20.0	2.50	22.0	3.2730	12.00	13.50	yes	music wire	4I
C.200.250.0220.I	20.0	2.50	22.0	1.4094	17.50	19.45	yes	stainless steel	4G
C.200.250.0220.N	20.0	2.50	22.0	1.6200	17.75	19.75	yes	Zn coating	4I
C.200.250.0240.A	20.0	2.50	24.0	1.3250	20.25	22.68	yes	music wire	4G
C.200.250.0240.AP	20.0	2.50	24.0	2.8953	12.75	14.39	yes	music wire	4I
C.200.250.0240.I	20.0	2.50	24.0	1.1528	20.00	22.39	yes	stainless steel	4G
C.200.250.0240.N	20.0	2.50	24.0	1.3250	20.25	22.68	yes	Zn coating	4I
C.200.250.0250.A	20.0	2.50	25.0	2.1160	15.00	16.52	yes	music wire	4G
C.200.250.0250.AP	20.0	2.50	25.0	2.7881	13.00	15.02	yes	music wire	4I
C.200.250.0250.I	20.0	2.50	25.0	1.8409	15.00	16.52	yes	stainless steel	4G
C.200.250.0250.N	20.0	2.50	25.0	2.1160	15.00	16.52	yes	Zn coating	4I
C.200.250.0254.A	20.0	2.50	25.4	2.0068	15.50	17.10	yes	music wire	4G
C.200.250.0254.I	20.0	2.50	25.4	1.7237	15.50	17.10	yes	stainless steel	4G
C.200.250.0260.A	20.0	2.50	26.0	2.9150	12.50	16.46	yes	music wire	4J
C.200.250.0260.I	20.0	2.50	26.0	2.5361	12.50	16.30	yes	stainless steel	4I
C.200.250.0260.N	20.0	2.50	26.0	2.9150	12.50	16.46	yes	Zn coating	4M
C.200.250.0318.A	20.0	2.50	31.8	1.5154	18.50	20.63	yes	music wire	4G
C.200.250.0318.I	20.0	2.50	31.8	1.3015	18.50	20.63	yes	stainless steel	4H
C.200.250.0320.A	20.0	2.50	32.0	1.5870	18.00	20.04	yes	music wire	4G
C.200.250.0320.AP	20.0	2.50	32.0	2.0911	15.25	18.70	yes	music wire	4I
C.200.250.0320.I	20.0	2.50	32.0	1.3807	17.75	19.75	yes	stainless steel	4H
C.200.250.0320.N	20.0	2.50	32.0	1.5870	18.00	20.04	yes	Zn coating	4I
C.200.250.0400.A	20.0	2.50	40.0	1.2420	21.25	23.85	yes	music wire	4G
C.200.250.0400.AL	20.0	2.50	40.0	1.5000	18.75	21.46	yes	music wire	4E
C.200.250.0400.AP	20.0	2.50	40.0	1.6365	17.50	23.00	yes	music wire	4I
C.200.250.0400.I	20.0	2.50	40.0	1.0805	21.00	23.56	yes	stainless steel	4H
C.200.250.0400.N	20.0	2.50	40.0	1.2420	21.25	23.85	yes	Zn coating	4I
C.200.250.0460.A	20.0	2.50	46.0	1.4580	19.00	26.92	yes	music wire	4K
C.200.250.0460.I	20.0	2.50	46.0	1.2685	18.75	26.60	yes	stainless steel	4L
C.200.250.0460.N	20.0	2.50	46.0	1.4580	19.00	26.92	yes	Zn coating	4M
C.200.250.0500.A	20.0	2.50	50.0	0.9690	25.50	28.84	yes	music wire	4H
C.200.250.0500.AF	20.0	2.50	50.0	1.1842	22.00	26.51	yes	music wire	4J
C.200.250.0500.AL	20.0	2.50	50.0	1.2000	21.75	26.82	yes	music wire	4E
C.200.250.0500.AP	20.0	2.50	50.0	1.2759	20.75	28.20	yes	music wire	4J
C.200.250.0500.I	20.0	2.50	50.0	0.8430	25.25	28.55	yes	stainless steel	4H
C.200.250.0500.N	20.0	2.50	50.0	1.1842	22.00	26.51	yes	Zn coating	4K
C.200.250.0500.NF	20.0	2.50	50.0	0.9690	25.50	28.84	yes	Zn coating	4I
C.200.250.0630.A	20.0	2.50	63.0	0.7520	31.00	35.29	yes	music wire	4H
C.200.250.0630.AF	20.0	2.50	63.0	0.9375	26.00	33.33	yes	music wire	4J
C.200.250.0630.AP	20.0	2.50	63.0	0.9905	25.00	34.92	yes	music wire	4J
C.200.250.0630.I	20.0	2.50	63.0	0.8156	25.75	32.83	yes	stainless steel	4J
C.200.250.0630.N	20.0	2.50	63.0	0.9375	26.00	33.33	yes	Zn coating	4K
C.200.250.0630.NF	20.0	2.50	63.0	0.7500	31.00	35.29	yes	Zn coating	4I
C.200.250.0650.A	20.0	2.50	65.0	0.8736	27.50	33.16	yes	music wire	4J
C.200.250.0650.I	20.0	2.50	65.0	0.7500	27.50	32.19	yes	stainless steel	4J
C.200.250.0650.N	20.0	2.50	65.0	0.8736	27.50	33.16	yes	Zn coating	4K
C.200.250.0730.A	20.0	2.50	73.0	0.6630	34.25	39.11	yes	music wire	4I
C.200.250.0730.I	20.0	2.50	73.0	0.5694	34.25	39.11	yes	stainless steel	4I
C.200.250.0800.A	20.0	2.50	80.0	0.5770	38.50	44.10	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.250.0800.AF	20.0	2.50	80.0	0.7500	31.00	42.91	yes	music wire	4J
C.200.250.0800.AP	20.0	2.50	80.0	0.7604	30.75	43.42	yes	music wire	4J
C.200.250.0800.I	20.0	2.50	80.0	0.6525	30.75	42.28	yes	stainless steel	4J
C.200.250.0800.N	20.0	2.50	80.0	0.7500	31.00	42.91	yes	Zn coating	4L
C.200.250.0800.NF	20.0	2.50	80.0	0.5770	38.50	44.10	yes	Zn coating	4I
C.200.250.1000.A	20.0	2.50	100.0	0.4570	46.75	53.78	yes	music wire	4I
C.200.250.1000.AF	20.0	2.50	100.0	0.5921	37.50	53.02	yes	music wire	4J
C.200.250.1000.AP	20.0	2.50	100.0	0.6022	37.00	53.81	yes	music wire	4J
C.200.250.1000.I	20.0	2.50	100.0	0.5151	37.25	52.22	yes	stainless steel	4J
C.200.250.1000.N	20.0	2.50	100.0	0.5921	37.50	53.02	yes	Zn coating	4L
C.200.250.1000.NF	20.0	2.50	100.0	0.4570	46.75	53.78	yes	Zn coating	4J
C.200.250.1250.A	20.0	2.50	125.0	0.3620	57.50	66.39	yes	music wire	4I
C.200.250.1250.AP	20.0	2.50	125.0	0.4795	45.00	66.99	yes	music wire	4J
C.200.250.1250.I	20.0	2.50	125.0	0.3149	57.00	65.81	yes	stainless steel	4I
C.200.250.1250.N	20.0	2.50	125.0	0.3620	57.50	66.39	yes	Zn coating	4J
C.200.250.1600.A	20.0	2.50	160.0	0.3750	55.75	85.83	yes	music wire	4M
C.200.250.1600.I	20.0	2.50	160.0	0.3263	55.00	84.57	yes	stainless steel	4K
C.200.250.1600.N	20.0	2.50	160.0	0.3750	55.75	85.83	yes	Zn coating	4N
C.200.250.1650.A	20.0	2.50	165.0	0.2560	78.75	91.33	yes	music wire	4I
C.200.250.1650.I	20.0	2.50	165.0	0.2199	78.75	91.33	yes	stainless steel	4I
C.200.250.2000.A	20.0	2.50	200.0	0.2961	69.00	106.07	yes	music wire	4L
C.200.250.2000.I	20.0	2.50	200.0	0.2576	68.25	104.47	yes	stainless steel	4L
C.200.250.2000.N	20.0	2.50	200.0	0.2961	69.00	106.07	yes	Zn coating	4M
C.200.250.2500.A	20.0	2.50	250.0	0.2344	85.50	131.34	yes	music wire	4L
C.200.250.2500.I	20.0	2.50	250.0	0.2039	84.50	129.32	yes	stainless steel	4L
C.200.250.2500.N	20.0	2.50	250.0	0.2344	85.50	131.34	yes	Zn coating	4N
C.200.250.3600.A	20.0	2.50	360.0	0.1220	161.00	187.42	no	music wire	4K
C.200.250.3600.I	20.0	2.50	360.0	0.1061	159.00	185.07	no	stainless steel	4K
C.200.260.0310.A	20.0	2.60	31.0	2.0084	17.94	19.85	yes	music wire	4G
C.200.260.0310.I	20.0	2.60	31.0	1.7250	17.94	19.85	yes	stainless steel	4H
C.200.260.2000.A	20.0	2.60	200.0	0.2694	91.78	106.04	yes	music wire	4I
C.200.260.2000.I	20.0	2.60	200.0	0.2314	91.78	106.04	yes	stainless steel	4J
C.200.270.1080.A	20.0	2.70	108.0	0.5446	58.59	66.97	yes	music wire	4I
C.200.270.1080.I	20.0	2.70	108.0	0.4678	58.59	66.97	yes	stainless steel	4I
C.200.270.1250.A	20.0	2.70	125.0	0.5101	62.10	71.04	yes	music wire	4I
C.200.270.1250.I	20.0	2.70	125.0	0.4381	62.10	71.04	yes	stainless steel	4I
C.200.270.1460.A	20.0	2.70	146.0	0.3976	77.76	89.23	yes	music wire	4I
C.200.270.1460.I	20.0	2.70	146.0	0.3415	77.76	89.23	yes	stainless steel	4I
C.200.270.1700.A	20.0	2.70	170.0	0.3708	82.89	95.19	yes	music wire	4I
C.200.270.1700.I	20.0	2.70	170.0	0.3185	82.89	95.19	yes	stainless steel	4I
C.200.280.0200.A	20.0	2.80	20.0	4.7350	14.28	15.42	yes	music wire	4I
C.200.280.0200.AP	20.0	2.80	20.0	5.9570	12.88	13.80	yes	music wire	4J
C.200.280.0200.I	20.0	2.80	20.0	4.1195	14.28	15.42	yes	stainless steel	4I
C.200.280.0200.N	20.0	2.80	20.0	4.7350	14.28	15.42	yes	Zn coating	4J
C.200.280.0250.A	20.0	2.80	25.0	3.5080	16.80	18.33	yes	music wire	4I
C.200.280.0250.AP	20.0	2.80	25.0	4.4678	14.84	16.51	yes	music wire	4J
C.200.280.0250.I	20.0	2.80	25.0	3.0520	16.80	18.33	yes	stainless steel	4I
C.200.280.0250.N	20.0	2.80	25.0	3.5080	16.80	18.33	yes	Zn coating	4J
C.200.280.0272.A	20.0	2.80	27.2	3.5160	16.80	18.33	yes	music wire	4I
C.200.280.0272.I	20.0	2.80	27.2	3.0199	16.80	18.33	yes	stainless steel	4I
C.200.280.0272.N	20.0	2.80	27.2	3.5160	16.80	18.33	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.280.0320.A	20.0	2.80	32.0	2.6310	20.16	22.22	yes	music wire	4I
C.200.280.0320.I	20.0	2.80	32.0	2.2890	19.88	21.90	yes	stainless steel	4I
C.200.280.0320.N	20.0	2.80	32.0	2.6310	20.16	22.22	yes	Zn coating	4J
C.200.280.0360.A	20.0	2.80	36.0	2.2789	22.12	24.49	yes	music wire	4I
C.200.280.0360.I	20.0	2.80	36.0	1.9573	22.12	24.49	yes	stainless steel	4I
C.200.280.0395.A	20.0	2.80	39.5	2.2374	22.40	24.81	yes	music wire	4J
C.200.280.0395.I	20.0	2.80	39.5	1.9217	22.40	24.81	yes	stainless steel	4I
C.200.280.0395.N	20.0	2.80	39.5	2.2374	22.40	24.81	yes	Zn coating	4L
C.200.280.0400.A	20.0	2.80	40.0	2.0150	24.08	26.75	yes	music wire	4I
C.200.280.0400.I	20.0	2.80	40.0	1.7500	23.80	26.43	yes	stainless steel	4I
C.200.280.0400.N	20.0	2.80	40.0	2.0150	24.08	26.75	yes	Zn coating	4J
C.200.280.0500.A	20.0	2.80	50.0	1.5530	29.12	32.58	yes	music wire	4I
C.200.280.0500.AP	20.0	2.80	50.0	1.9547	24.64	30.60	yes	music wire	4J
C.200.280.0500.I	20.0	2.80	50.0	1.3511	28.84	32.26	yes	stainless steel	4I
C.200.280.0500.N	20.0	2.80	50.0	1.5530	29.12	32.58	yes	Zn coating	4J
C.200.280.0630.A	20.0	2.80	63.0	1.2140	35.28	39.71	yes	music wire	4I
C.200.280.0630.I	20.0	2.80	63.0	1.0562	35.00	39.38	yes	stainless steel	4I
C.200.280.0630.N	20.0	2.80	63.0	1.2140	35.28	39.71	yes	Zn coating	4J
C.200.280.0635.A	20.0	2.80	63.5	1.1187	37.80	42.62	yes	music wire	4I
C.200.280.0635.I	20.0	2.80	63.5	0.9609	37.80	42.62	yes	stainless steel	4I
C.200.280.0642.A	20.0	2.80	64.2	1.2954	33.60	37.77	yes	music wire	4J
C.200.280.0642.I	20.0	2.80	64.2	1.1126	33.60	37.77	yes	stainless steel	4K
C.200.280.0642.N	20.0	2.80	64.2	1.2954	33.60	37.77	yes	Zn coating	4M
C.200.280.0762.A	20.0	2.80	76.2	0.9184	44.52	50.40	yes	music wire	4I
C.200.280.0762.I	20.0	2.80	76.2	0.7888	44.52	50.40	yes	stainless steel	4I
C.200.280.0800.A	20.0	2.80	80.0	0.9380	43.68	49.42	yes	music wire	4I
C.200.280.0800.I	20.0	2.80	80.0	0.8161	43.40	49.10	yes	stainless steel	4I
C.200.280.0800.N	20.0	2.80	80.0	0.9380	43.68	49.42	yes	Zn coating	4J
C.200.280.0889.A	20.0	2.80	88.9	0.7789	51.24	58.17	yes	music wire	4I
C.200.280.0889.I	20.0	2.80	88.9	0.6690	51.24	58.17	yes	stainless steel	4I
C.200.280.1000.A	20.0	2.80	100.0	0.7400	53.48	60.76	yes	music wire	4I
C.200.280.1000.I	20.0	2.80	100.0	0.6438	52.92	60.11	yes	stainless steel	4I
C.200.280.1000.N	20.0	2.80	100.0	0.7400	53.48	60.76	yes	Zn coating	4J
C.200.280.1010.A	20.0	2.80	101.0	0.7939	50.40	57.20	yes	music wire	4L
C.200.280.1010.I	20.0	2.80	101.0	0.6819	50.40	57.20	yes	stainless steel	4L
C.200.280.1010.N	20.0	2.80	101.0	0.7939	50.40	57.20	yes	Zn coating	4M
C.200.280.1143.A	20.0	2.80	114.3	0.5974	64.68	73.71	yes	music wire	4I
C.200.280.1143.I	20.0	2.80	114.3	0.5131	64.68	73.71	yes	stainless steel	4J
C.200.280.1180.A	20.0	2.80	118.0	0.5777	66.64	75.98	yes	music wire	4I
C.200.280.1180.I	20.0	2.80	118.0	0.4962	66.64	75.98	yes	stainless steel	4J
C.200.280.1250.A	20.0	2.80	125.0	0.5850	65.80	75.01	yes	music wire	4I
C.200.280.1250.I	20.0	2.80	125.0	0.5090	65.24	74.36	yes	stainless steel	4J
C.200.280.1250.N	20.0	2.80	125.0	0.5850	65.80	75.01	yes	Zn coating	4J
C.200.280.1650.A	20.0	2.80	165.0	0.4075	91.56	104.80	yes	music wire	4J
C.200.280.1650.I	20.0	2.80	165.0	0.3500	91.56	104.80	yes	stainless steel	4J
C.200.280.1800.A	20.0	2.80	180.0	0.4048	92.12	105.45	yes	music wire	4J
C.200.280.1800.I	20.0	2.80	180.0	0.3477	92.12	105.45	yes	stainless steel	4J
C.200.280.3600.A	20.0	2.80	360.0	0.1960	185.64	213.18	no	music wire	4L
C.200.280.3600.I	20.0	2.80	360.0	0.1705	183.40	210.59	no	stainless steel	4L
C.200.280.4000.A	20.0	2.80	400.0	0.1650	215.88	248.59	yes	music wire	4L
C.200.280.4000.I	20.0	2.80	400.0	0.1417	215.88	248.59	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.280.5000.A	20.0	2.80	500.0	0.1316	268.80	309.80	yes	music wire	4M
C.200.280.5000.I	20.0	2.80	500.0	0.1130	268.80	309.80	yes	stainless steel	4M
C.200.290.0210.A	20.0	2.90	21.0	5.1465	15.37	16.61	yes	music wire	4I
C.200.290.0210.I	20.0	2.90	21.0	4.4203	15.37	16.61	yes	stainless steel	4I
C.200.300.0224.A	20.0	3.00	22.4	5.2488	17.10	18.52	yes	music wire	4I
C.200.300.0224.I	20.0	3.00	22.4	4.5081	17.10	18.52	yes	stainless steel	4I
C.200.300.0254.A	20.0	3.00	25.4	4.4200	18.90	20.59	yes	music wire	4I
C.200.300.0254.I	20.0	3.00	25.4	3.7963	18.90	20.59	yes	stainless steel	4I
C.200.300.0305.A	20.0	3.00	30.5	3.4992	21.90	24.03	yes	music wire	4I
C.200.300.0305.I	20.0	3.00	30.5	3.0054	21.90	24.03	yes	stainless steel	4I
C.200.300.0318.A	20.0	3.00	31.8	3.3592	22.50	24.72	yes	music wire	4I
C.200.300.0318.I	20.0	3.00	31.8	2.8852	22.50	24.72	yes	stainless steel	4I
C.200.300.0381.A	20.0	3.00	38.1	2.7090	26.10	28.86	yes	music wire	4I
C.200.300.0381.I	20.0	3.00	38.1	2.3268	26.10	28.86	yes	stainless steel	4I
C.200.300.0395.A	20.0	3.00	39.5	2.7993	25.50	28.17	yes	music wire	4I
C.200.300.0395.I	20.0	3.00	39.5	2.4354	25.20	27.82	yes	stainless steel	4I
C.200.300.0395.N	20.0	3.00	39.5	2.7993	25.50	28.17	yes	Zn coating	4J
C.200.300.0420.A	20.0	3.00	42.0	2.2000	30.30	33.68	yes	music wire	4I
C.200.300.0420.AP	20.0	3.00	42.0	3.1676	23.40	27.57	yes	music wire	4J
C.200.300.0420.I	20.0	3.00	42.0	1.9123	30.00	33.33	yes	stainless steel	4I
C.200.300.0420.N	20.0	3.00	42.0	2.2000	30.30	33.68	yes	Zn coating	4J
C.200.300.0460.A	20.0	3.00	46.0	2.3328	29.10	32.30	yes	music wire	4I
C.200.300.0460.I	20.0	3.00	46.0	2.0036	29.10	32.30	yes	stainless steel	4I
C.200.300.0508.A	20.0	3.00	50.8	1.9306	33.60	37.47	yes	music wire	4I
C.200.300.0508.I	20.0	3.00	50.8	1.6582	33.60	37.47	yes	stainless steel	4I
C.200.300.0635.A	20.0	3.00	63.5	1.5132	40.80	45.73	yes	music wire	4I
C.200.300.0635.I	20.0	3.00	63.5	1.2996	40.80	45.73	yes	stainless steel	4I
C.200.300.0650.A	20.0	3.00	65.0	1.6490	38.10	42.63	yes	music wire	4I
C.200.300.0650.I	20.0	3.00	65.0	1.4346	37.80	42.29	yes	stainless steel	4I
C.200.300.0650.N	20.0	3.00	65.0	1.6490	38.10	42.63	yes	Zn coating	4J
C.200.300.0762.A	20.0	3.00	76.2	1.2441	48.00	54.00	yes	music wire	4I
C.200.300.0762.I	20.0	3.00	76.2	1.0686	48.00	54.00	yes	stainless steel	4I
C.200.300.0790.A	20.0	3.00	79.0	1.1912	49.80	56.07	yes	music wire	4I
C.200.300.0790.I	20.0	3.00	79.0	1.0231	49.80	56.07	yes	stainless steel	4I
C.200.300.0830.A	20.0	3.00	83.0	1.1349	51.90	58.48	yes	music wire	4I
C.200.300.0830.I	20.0	3.00	83.0	0.9747	51.90	58.48	yes	stainless steel	4I
C.200.300.0880.A	20.0	3.00	88.0	1.0630	54.90	61.92	yes	music wire	4I
C.200.300.0880.I	20.0	3.00	88.0	0.9130	54.90	61.92	yes	stainless steel	4I
C.200.300.0889.A	20.0	3.00	88.9	1.0498	55.50	62.61	yes	music wire	4I
C.200.300.0889.I	20.0	3.00	88.9	0.9016	55.50	62.61	yes	stainless steel	4I
C.200.300.1016.A	20.0	3.00	101.6	0.9128	62.70	70.88	yes	music wire	4I
C.200.300.1016.I	20.0	3.00	101.6	0.7840	62.70	70.88	yes	stainless steel	4I
C.200.300.1080.A	20.0	3.00	108.0	0.8526	66.60	75.36	yes	music wire	4I
C.200.300.1080.I	20.0	3.00	108.0	0.7323	66.60	75.36	yes	stainless steel	4I
C.200.300.1350.A	20.0	3.00	135.0	0.7271	76.80	87.07	yes	music wire	4J
C.200.300.1350.I	20.0	3.00	135.0	0.6245	76.80	87.07	yes	stainless steel	4J
C.200.300.1500.A	20.0	3.00	150.0	0.6718	82.50	93.61	yes	music wire	4J
C.200.300.1500.I	20.0	3.00	150.0	0.5770	82.50	93.61	yes	stainless steel	4J
C.200.300.1500.N	20.0	3.00	150.0	0.6718	82.50	93.61	yes	Zn coating	4L
C.200.300.1780.A	20.0	3.00	178.0	0.5074	106.80	121.51	yes	music wire	4J
C.200.300.1780.I	20.0	3.00	178.0	0.4358	106.80	121.51	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.300.2050.A	20.0	3.00	205.0	0.4385	122.40	139.42	yes	music wire	4J
C.200.300.2050.I	20.0	3.00	205.0	0.3767	122.40	139.42	yes	stainless steel	4J
C.200.310.0420.A	20.0	3.10	42.0	2.9988	27.90	30.81	yes	music wire	4I
C.200.310.0420.I	20.0	3.10	42.0	2.5756	27.90	30.81	yes	stainless steel	4I
C.200.310.0630.A	20.0	3.10	63.0	1.8924	39.68	44.30	yes	music wire	4I
C.200.310.0630.I	20.0	3.10	63.0	1.6254	39.68	44.30	yes	stainless steel	4I
C.200.310.1000.A	20.0	3.10	100.0	1.1466	60.45	68.07	yes	music wire	4I
C.200.310.1000.I	20.0	3.10	100.0	0.9848	60.45	68.07	yes	stainless steel	4I
C.200.320.0200.A	20.0	3.20	20.0	8.6690	16.32	17.50	yes	music wire	4J
C.200.320.0200.AP	20.0	3.20	20.0	10.4289	15.04	16.04	yes	music wire	4J
C.200.320.0200.I	20.0	3.20	20.0	7.5420	16.32	17.50	yes	stainless steel	4J
C.200.320.0200.N	20.0	3.20	20.0	8.6690	16.32	17.50	yes	Zn coating	4K
C.200.320.0230.A	20.0	3.20	23.0	7.2674	17.92	19.32	yes	music wire	4J
C.200.320.0230.I	20.0	3.20	23.0	6.2419	17.92	19.32	yes	stainless steel	4J
C.200.320.0250.A	20.0	3.20	25.0	6.4210	19.20	20.78	yes	music wire	4J
C.200.320.0250.AP	20.0	3.20	25.0	7.6478	17.28	18.59	yes	music wire	4L
C.200.320.0250.I	20.0	3.20	25.0	5.5863	19.20	20.78	yes	stainless steel	4J
C.200.320.0250.N	20.0	3.20	25.0	6.4210	19.20	20.78	yes	Zn coating	4L
C.200.320.0320.A	20.0	3.20	32.0	4.6860	23.36	25.53	yes	music wire	4J
C.200.320.0320.AP	20.0	3.20	32.0	5.7359	20.48	22.51	yes	music wire	4L
C.200.320.0320.I	20.0	3.20	32.0	4.0768	23.04	25.17	yes	stainless steel	4J
C.200.320.0320.N	20.0	3.20	32.0	4.6860	23.36	25.53	yes	Zn coating	4L
C.200.320.0400.A	20.0	3.20	40.0	3.6120	27.84	30.64	yes	music wire	4J
C.200.320.0400.I	20.0	3.20	40.0	3.1424	27.84	30.64	yes	stainless steel	4J
C.200.320.0400.N	20.0	3.20	40.0	3.6120	27.84	30.64	yes	Zn coating	4L
C.200.320.0500.A	20.0	3.20	50.0	2.7520	34.24	37.95	yes	music wire	4J
C.200.320.0500.AP	20.0	3.20	50.0	3.3740	29.44	33.87	yes	music wire	4L
C.200.320.0500.I	20.0	3.20	50.0	2.4000	33.92	37.58	yes	stainless steel	4J
C.200.320.0500.N	20.0	3.20	50.0	2.7520	34.24	37.95	yes	Zn coating	4L
C.200.320.0630.A	20.0	3.20	63.0	2.1400	41.60	46.35	yes	music wire	4J
C.200.320.0630.AP	20.0	3.20	63.0	2.6072	35.52	42.12	yes	music wire	4M
C.200.320.0630.I	20.0	3.20	63.0	1.8618	41.28	45.98	yes	stainless steel	4J
C.200.320.0630.N	20.0	3.20	63.0	2.1400	41.60	46.35	yes	Zn coating	4L
C.200.320.0800.A	20.0	3.20	80.0	1.6510	51.52	57.67	yes	music wire	4J
C.200.320.0800.AP	20.0	3.20	80.0	2.0126	43.84	52.96	yes	music wire	4M
C.200.320.0800.I	20.0	3.20	80.0	1.4364	51.20	57.31	yes	stainless steel	4J
C.200.320.0800.N	20.0	3.20	80.0	1.6510	51.52	57.67	yes	Zn coating	4L
C.200.320.1000.A	20.0	3.20	100.0	1.2940	63.68	71.55	yes	music wire	4J
C.200.320.1000.AP	20.0	3.20	100.0	1.5823	53.44	65.60	yes	music wire	4M
C.200.320.1000.I	20.0	3.20	100.0	1.1258	63.04	70.82	yes	stainless steel	4J
C.200.320.1000.N	20.0	3.20	100.0	1.2940	63.68	71.55	yes	Zn coating	4L
C.200.320.1250.A	20.0	3.20	125.0	1.0260	78.40	88.35	yes	music wire	4J
C.200.320.1250.AP	20.0	3.20	125.0	1.2537	65.60	81.59	yes	music wire	4M
C.200.320.1250.I	20.0	3.20	125.0	0.8926	77.44	87.25	yes	stainless steel	4K
C.200.320.1250.N	20.0	3.20	125.0	1.0260	78.40	88.35	yes	Zn coating	4M
C.200.320.1400.A	20.0	3.20	140.0	0.9271	85.76	96.75	yes	music wire	4K
C.200.320.1400.I	20.0	3.20	140.0	0.7963	85.76	96.75	yes	stainless steel	4K
C.200.320.2050.A	20.0	3.20	205.0	0.5837	131.52	148.98	yes	music wire	4L
C.200.320.2050.I	20.0	3.20	205.0	0.5013	131.52	148.98	yes	stainless steel	4L
C.200.320.2300.A	20.0	3.20	230.0	0.5191	146.88	166.51	yes	music wire	4L
C.200.320.2300.I	20.0	3.20	230.0	0.4459	146.88	166.51	yes	stainless steel	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.320.2750.A	20.0	3.20	275.0	0.4324	174.72	198.28	yes	music wire	4L
C.200.320.2750.I	20.0	3.20	275.0	0.3714	174.72	198.28	yes	stainless steel	4M
C.200.320.2800.A	20.0	3.20	280.0	0.4243	177.92	201.94	yes	music wire	4M
C.200.320.2800.I	20.0	3.20	280.0	0.3644	177.92	201.94	yes	stainless steel	4M
C.200.320.3600.A	20.0	3.20	360.0	0.3410	222.72	252.62	no	music wire	4M
C.200.320.3600.I	20.0	3.20	360.0	0.2967	219.84	249.33	no	stainless steel	4M
C.200.320.4000.A	20.0	3.20	400.0	0.2949	252.48	287.04	yes	music wire	4M
C.200.320.4000.I	20.0	3.20	400.0	0.2533	252.48	287.04	yes	stainless steel	4M
C.200.320.5000.A	20.0	3.20	500.0	0.2352	314.56	357.89	yes	music wire	4N
C.200.320.5000.I	20.0	3.20	500.0	0.2020	314.56	357.89	yes	stainless steel	4N
C.200.340.0210.A	20.0	3.40	21.0	11.0229	17.68	18.93	yes	music wire	4J
C.200.340.0210.I	20.0	3.40	21.0	9.4675	17.68	18.93	yes	stainless steel	4J
C.200.340.0330.A	20.0	3.40	33.0	6.0738	25.16	27.42	yes	music wire	4J
C.200.340.0330.I	20.0	3.40	33.0	5.2168	25.16	27.42	yes	stainless steel	4J
C.200.340.0381.A	20.0	3.40	38.1	4.8790	29.24	32.06	yes	music wire	4J
C.200.340.0381.I	20.0	3.40	38.1	4.1905	29.24	32.06	yes	stainless steel	4J
C.200.340.0510.A	20.0	3.40	51.0	3.6295	36.38	40.16	yes	music wire	4J
C.200.340.0510.I	20.0	3.40	51.0	3.1174	36.38	40.16	yes	stainless steel	4J
C.200.340.0750.A	20.0	3.40	75.0	2.3620	51.34	57.16	yes	music wire	4J
C.200.340.0750.I	20.0	3.40	75.0	2.0288	51.34	57.16	yes	stainless steel	4J
C.200.340.0870.A	20.0	3.40	87.0	2.0109	58.82	65.65	yes	music wire	4J
C.200.340.0870.I	20.0	3.40	87.0	1.7272	58.82	65.65	yes	stainless steel	4J
C.200.340.1016.A	20.0	3.40	101.6	1.6087	71.40	79.94	yes	music wire	4J
C.200.340.1016.I	20.0	3.40	101.6	1.3817	71.40	79.94	yes	stainless steel	4J
C.200.340.1080.A	20.0	3.40	108.0	1.5108	75.48	84.57	yes	music wire	4J
C.200.340.1080.I	20.0	3.40	108.0	1.2976	75.48	84.57	yes	stainless steel	4J
C.200.340.1110.A	20.0	3.40	111.0	1.4661	77.52	86.89	yes	music wire	4J
C.200.340.1110.I	20.0	3.40	111.0	1.2592	77.52	86.89	yes	stainless steel	4J
C.200.340.1143.A	20.0	3.40	114.3	1.4240	79.56	89.21	yes	music wire	4J
C.200.340.1143.I	20.0	3.40	114.3	1.2231	79.56	89.21	yes	stainless steel	4J
C.200.340.1500.A	20.0	3.40	150.0	1.1316	97.92	110.06	yes	music wire	4K
C.200.340.1500.I	20.0	3.40	150.0	0.9719	97.92	110.06	yes	stainless steel	4L
C.200.340.2350.A	20.0	3.40	235.0	0.6703	159.46	179.95	yes	music wire	4L
C.200.340.2350.I	20.0	3.40	235.0	0.5757	159.46	179.95	yes	stainless steel	4L
C.200.350.0210.A	20.0	3.50	21.0	12.6045	18.20	19.46	yes	music wire	4J
C.200.350.0210.I	20.0	3.50	21.0	10.8259	18.20	19.46	yes	stainless steel	4J
C.200.350.0290.A	20.0	3.50	29.0	8.3005	23.10	25.01	yes	music wire	4J
C.200.350.0290.I	20.0	3.50	29.0	7.1293	23.10	25.01	yes	stainless steel	4J
C.200.350.0430.A	20.0	3.50	43.0	3.9300	39.20	39.20	yes	music wire	4J
C.200.350.0430.AP	20.0	3.50	43.0	5.9756	28.70	31.42	yes	music wire	4L
C.200.350.0430.I	20.0	3.50	43.0	3.4191	38.50	42.47	yes	stainless steel	4J
C.200.350.0430.N	20.0	3.50	43.0	3.9300	39.20	39.20	yes	Zn coating	4L
C.200.350.0500.A	20.0	3.50	50.0	3.9300	39.20	43.26	yes	music wire	4J
C.200.350.0500.AP	20.0	3.50	50.0	5.0230	32.55	36.22	yes	music wire	4L
C.200.350.0500.I	20.0	3.50	50.0	3.4191	38.50	42.47	yes	stainless steel	4J
C.200.350.0500.N	20.0	3.50	50.0	3.9300	39.20	43.26	yes	Zn coating	4L
C.200.350.0640.A	20.0	3.50	64.0	3.2106	45.85	50.80	yes	music wire	4J
C.200.350.0640.I	20.0	3.50	64.0	2.7575	45.85	50.80	yes	stainless steel	4J
C.200.350.0760.A	20.0	3.50	76.0	2.6588	53.55	59.52	yes	music wire	4J
C.200.350.0760.I	20.0	3.50	76.0	2.2836	53.55	59.52	yes	stainless steel	4J
C.200.350.0900.A	20.0	3.50	90.0	3.0370	47.95	67.21	yes	music wire	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.350.0900.I	20.0	3.50	90.0	2.6422	47.60	66.53	yes	stainless steel	4O
C.200.350.0900.N	20.0	3.50	90.0	3.0370	47.95	67.21	yes	Zn coating	4P
C.200.350.1850.A	20.0	3.50	185.0	1.0376	123.55	138.86	yes	music wire	4L
C.200.350.1850.I	20.0	3.50	185.0	0.8912	123.55	138.86	yes	stainless steel	4L
C.200.360.0220.A	20.0	3.60	22.0	13.8544	19.08	20.40	yes	music wire	4L
C.200.360.0220.I	20.0	3.60	22.0	11.8995	19.08	20.40	yes	stainless steel	4M
C.200.360.0350.A	20.0	3.60	35.0	7.4601	27.72	30.17	yes	music wire	4M
C.200.360.0350.I	20.0	3.60	35.0	6.4074	27.72	30.17	yes	stainless steel	4M
C.200.360.0470.A	20.0	3.60	47.0	5.2422	35.64	39.13	yes	music wire	4M
C.200.360.0470.I	20.0	3.60	47.0	4.5025	35.64	39.13	yes	stainless steel	4M
C.200.360.0590.A	20.0	3.60	59.0	4.0409	43.56	48.09	yes	music wire	4M
C.200.360.0590.I	20.0	3.60	59.0	3.4707	43.56	48.09	yes	stainless steel	4M
C.200.360.0670.A	20.0	3.60	67.0	3.4948	48.96	54.20	yes	music wire	4M
C.200.360.0670.I	20.0	3.60	67.0	3.0017	48.96	54.20	yes	stainless steel	4M
C.200.360.0940.A	20.0	3.60	94.0	2.4095	66.96	74.56	yes	music wire	4M
C.200.360.0940.I	20.0	3.60	94.0	2.0695	66.96	74.56	yes	stainless steel	4M
C.200.380.0200.A	20.0	3.80	20.0	20.8183	18.62	19.78	yes	music wire	4L
C.200.380.0200.I	20.0	3.80	20.0	17.8808	18.62	19.78	yes	stainless steel	4M
C.200.380.0240.A	20.0	3.80	24.0	16.1174	21.28	22.78	yes	music wire	4L
C.200.380.0240.I	20.0	3.80	24.0	13.8432	21.28	22.78	yes	stainless steel	4M
C.200.380.0260.A	20.0	3.80	26.0	14.2754	22.80	24.49	yes	music wire	4L
C.200.380.0260.I	20.0	3.80	26.0	12.2611	22.80	24.49	yes	stainless steel	4M
C.200.380.0290.A	20.0	3.80	29.0	12.4910	24.70	26.63	yes	music wire	4M
C.200.380.0290.I	20.0	3.80	29.0	10.7285	24.70	26.63	yes	stainless steel	4M
C.200.380.0340.A	20.0	3.80	34.0	9.9928	28.50	30.92	yes	music wire	4M
C.200.380.0340.I	20.0	3.80	34.0	8.5828	28.50	30.92	yes	stainless steel	4M
C.200.380.0450.A	20.0	3.80	45.0	9.8090	28.88	36.22	yes	music wire	4Q
C.200.380.0450.I	20.0	3.80	45.0	8.5338	28.50	35.93	yes	stainless steel	4Q
C.200.380.0450.N	20.0	3.80	45.0	9.8090	28.88	36.22	yes	Zn coating	4R
C.200.380.0508.A	20.0	3.80	50.8	5.9481	41.42	45.48	yes	music wire	4M
C.200.380.0508.I	20.0	3.80	50.8	5.1088	41.42	45.48	yes	stainless steel	4M
C.200.380.0560.A	20.0	3.80	56.0	5.5516	43.70	48.05	yes	music wire	4M
C.200.380.0560.I	20.0	3.80	56.0	4.7682	43.70	48.05	yes	stainless steel	4M
C.200.380.0635.A	20.0	3.80	63.5	4.6263	50.54	55.76	yes	music wire	4M
C.200.380.0635.I	20.0	3.80	63.5	3.9735	50.54	55.76	yes	stainless steel	4M
C.200.380.0762.A	20.0	3.80	76.2	3.7851	59.66	66.04	yes	music wire	4M
C.200.380.0762.I	20.0	3.80	76.2	3.2510	59.66	66.04	yes	stainless steel	4M
C.200.380.1450.A	20.0	3.80	145.0	1.9749	105.64	117.87	yes	music wire	4M
C.200.380.1450.I	20.0	3.80	145.0	1.6962	105.64	117.87	yes	stainless steel	4M
C.200.380.1750.A	20.0	3.80	175.0	1.6222	126.54	141.43	yes	music wire	4N
C.200.380.1750.I	20.0	3.80	175.0	1.3933	126.54	141.43	yes	stainless steel	4N
C.200.400.0288.A	20.0	4.00	28.8	18.1920	24.00	25.74	yes	music wire	4P
C.200.400.0288.I	20.0	4.00	28.8	15.6250	24.00	25.74	yes	stainless steel	4P
C.200.400.0288.N	20.0	4.00	28.8	18.1920	24.00	25.74	yes	Zn coating	4R
C.200.400.0406.A	20.0	4.00	40.6	11.5767	32.00	34.73	yes	music wire	4R
C.200.400.0406.I	20.0	4.00	40.6	9.9432	32.00	34.73	yes	stainless steel	4P
C.200.400.0406.N	20.0	4.00	40.6	11.5767	32.00	34.73	yes	Zn coating	4S
C.200.400.0644.A	20.0	4.00	64.4	6.7023	48.00	52.71	yes	music wire	4R
C.200.400.0644.I	20.0	4.00	64.4	5.7566	48.00	52.71	yes	stainless steel	4R
C.200.400.0644.N	20.0	4.00	64.4	6.7023	48.00	52.71	yes	Zn coating	4T
C.200.400.0700.A	20.0	4.00	70.0	5.2080	58.80	64.85	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.200.400.0700.AP	20.0	4.00	70.0	6.3572	50.00	54.96	yes	music wire	4R
C.200.400.0700.I	20.0	4.00	70.0	4.5310	58.40	64.40	yes	stainless steel	4P
C.200.400.0700.N	20.0	4.00	70.0	5.2080	58.80	64.85	yes	Zn coating	4R
C.200.400.0770.A	20.0	4.00	77.0	6.0644	52.00	60.76	yes	music wire	4T
C.200.400.0770.I	20.0	4.00	77.0	5.2087	52.00	59.96	yes	stainless steel	4T
C.200.400.0770.N	20.0	4.00	77.0	6.0644	52.00	60.76	yes	Zn coating	5A
C.200.400.0930.A	20.0	4.00	93.0	5.2080	58.80	74.09	yes	music wire	4T
C.200.400.0930.I	20.0	4.00	93.0	4.5310	58.40	73.42	yes	stainless steel	4T
C.200.400.0930.N	20.0	4.00	93.0	5.2080	58.80	74.09	yes	Zn coating	5B
C.200.400.1000.A	20.0	4.00	100.0	4.1079	72.00	79.69	yes	music wire	4R
C.200.400.1000.I	20.0	4.00	100.0	3.5283	72.00	79.69	yes	stainless steel	4R
C.200.400.1000.N	20.0	4.00	100.0	4.1079	72.00	79.69	yes	Zn coating	4T
C.200.400.2850.A	20.0	4.00	285.0	1.6230	166.80	224.31	yes	music wire	5A
C.200.400.2850.I	20.0	4.00	285.0	1.4120	164.80	222.16	yes	stainless steel	5A
C.200.400.2850.N	20.0	4.00	285.0	1.6230	166.80	224.31	yes	Zn coating	5C
C.200.500.1600.A	20.0	5.00	160.0	8.0520	129.50	142.78	yes	music wire	5C
C.200.500.1600.I	20.0	5.00	160.0	7.0052	128.00	141.11	yes	stainless steel	5D
C.200.500.1600.N	20.0	5.00	160.0	8.0520	129.50	142.78	yes	Zn coating	5E
C.202.110.0250.A	20.2	1.10	25.0	0.0630	6.49	8.56	yes	music wire	4D
C.202.110.0250.I	20.2	1.10	25.0	0.0548	6.49	8.56	yes	stainless steel	4D
C.202.110.0600.A	20.2	1.10	60.0	0.0420	8.36	11.46	yes	music wire	4E
C.202.110.0600.I	20.2	1.10	60.0	0.0361	8.36	11.46	yes	stainless steel	4E
C.202.120.0200.A	20.2	1.20	20.0	0.1812	5.04	6.01	yes	music wire	4D
C.202.120.0200.I	20.2	1.20	20.0	0.1556	5.04	6.01	yes	stainless steel	4D
C.202.120.0330.A	20.2	1.20	33.0	0.1057	6.48	8.14	yes	music wire	4D
C.202.120.0330.I	20.2	1.20	33.0	0.0920	6.48	8.14	yes	stainless steel	4E
C.202.120.0640.A	20.2	1.20	64.0	0.0580	9.36	12.39	yes	music wire	4E
C.202.120.0640.I	20.2	1.20	64.0	0.0505	9.24	12.21	yes	stainless steel	4E
C.202.140.0150.A	20.2	1.40	15.0	0.4207	5.46	6.19	yes	music wire	4E
C.202.140.0150.I	20.2	1.40	15.0	0.3613	5.46	6.19	yes	stainless steel	4E
C.202.140.0300.A	20.2	1.40	30.0	0.1264	10.08	12.52	yes	music wire	4E
C.202.140.0300.I	20.2	1.40	30.0	0.1100	9.94	12.33	yes	stainless steel	4F
C.202.140.0430.A	20.2	1.40	43.0	0.1069	11.20	14.05	yes	music wire	4F
C.202.140.0430.I	20.2	1.40	43.0	0.0930	11.06	13.86	yes	stainless steel	4F
C.202.140.0590.A	20.2	1.40	59.0	0.0632	16.52	21.34	yes	music wire	4F
C.202.140.0590.I	20.2	1.40	59.0	0.0550	16.38	21.15	yes	stainless steel	4G
C.202.140.0800.A	20.2	1.40	80.0	0.0677	15.68	20.19	yes	music wire	4G
C.202.140.0800.I	20.2	1.40	80.0	0.0581	15.68	20.19	yes	stainless steel	4G
C.202.140.1000.A	20.2	1.40	100.0	0.0535	18.90	24.61	yes	music wire	4G
C.202.140.1000.I	20.2	1.40	100.0	0.0460	18.90	24.61	yes	stainless steel	4H
C.202.150.0200.A	20.2	1.50	20.0	0.3756	6.90	7.95	yes	music wire	4E
C.202.150.0200.I	20.2	1.50	20.0	0.3226	6.90	7.95	yes	stainless steel	4F
C.202.150.0410.A	20.2	1.50	41.0	0.1839	10.20	12.35	yes	music wire	4F
C.202.150.0410.I	20.2	1.50	41.0	0.1600	10.05	12.15	yes	stainless steel	4G
C.202.150.0480.A	20.2	1.50	48.0	0.1200	13.65	16.95	yes	music wire	4F
C.202.150.0480.I	20.2	1.50	48.0	0.1044	13.50	16.75	yes	stainless steel	4G
C.202.160.0200.A	20.2	1.60	20.0	0.4716	7.52	8.59	yes	music wire	4E
C.202.160.0200.I	20.2	1.60	20.0	0.4051	7.52	8.59	yes	stainless steel	4F
C.202.160.0400.A	20.2	1.60	40.0	0.1149	18.40	22.76	yes	music wire	4F
C.202.160.0400.I	20.2	1.60	40.0	0.1000	18.24	22.55	yes	stainless steel	4G
C.202.180.0380.A	20.2	1.80	38.0	0.4483	11.34	13.22	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.202.180.0380.I	20.2	1.80	38.0	0.3900	11.34	13.10	yes	stainless steel	4I
C.202.180.0500.A	20.2	1.80	50.0	0.1379	26.82	32.55	yes	music wire	4G
C.202.180.0500.AP	20.2	1.80	50.0	0.3930	12.42	21.73	yes	music wire	4I
C.202.180.0500.I	20.2	1.80	50.0	0.1200	26.64	32.32	yes	stainless steel	4G
C.202.180.1200.A	20.2	1.80	120.0	0.1028	34.56	42.28	yes	music wire	4I
C.202.180.1200.I	20.2	1.80	120.0	0.0883	34.56	42.28	yes	stainless steel	4I
C.202.200.0200.A	20.2	2.00	20.0	1.0815	10.00	11.12	yes	music wire	4G
C.202.200.0200.I	20.2	2.00	20.0	0.9289	10.00	11.12	yes	stainless steel	4G
C.202.200.0830.A	20.2	2.00	83.0	0.2759	24.60	29.03	yes	music wire	4J
C.202.200.0830.I	20.2	2.00	83.0	0.2400	24.40	28.75	yes	stainless steel	4J
C.202.230.0270.A	20.2	2.30	27.0	1.7241	12.42	14.29	yes	music wire	4I
C.202.230.0270.I	20.2	2.30	27.0	1.5000	12.19	14.11	yes	stainless steel	4I
C.202.230.0330.A	20.2	2.30	33.0	1.1149	16.10	18.08	yes	music wire	4G
C.202.230.0330.I	20.2	2.30	33.0	0.9700	15.87	17.80	yes	stainless steel	4G
C.202.230.1000.A	20.2	2.30	100.0	0.3050	43.24	50.40	yes	music wire	4I
C.202.230.1000.I	20.2	2.30	100.0	0.2619	43.24	50.40	yes	stainless steel	4I
C.202.250.0380.A	20.2	2.50	38.0	1.1494	21.75	24.47	yes	music wire	4G
C.202.250.0380.AP	20.2	2.50	38.0	1.6920	16.75	21.71	yes	music wire	4I
C.202.250.0380.I	20.2	2.50	38.0	1.0000	21.75	24.47	yes	stainless steel	4H
C.202.250.0600.A	20.2	2.50	60.0	0.7249	31.00	35.34	yes	music wire	4H
C.202.250.0600.I	20.2	2.50	60.0	0.6226	31.00	35.34	yes	stainless steel	4I
C.202.250.1080.A	20.2	2.50	108.0	0.4100	50.00	57.66	yes	music wire	4I
C.202.250.1080.AP	20.2	2.50	108.0	0.5470	39.00	57.62	yes	music wire	4J
C.202.250.1080.I	20.2	2.50	108.0	0.3567	49.50	57.08	yes	stainless steel	4I
C.202.270.0380.A	20.2	2.70	38.0	1.8391	21.60	24.02	yes	music wire	4G
C.202.270.0380.I	20.2	2.70	38.0	1.6000	21.33	23.71	yes	stainless steel	4H
C.202.270.0450.A	20.2	2.70	45.0	0.9310	36.18	40.98	yes	music wire	4H
C.202.270.0450.AP	20.2	2.70	45.0	1.8655	21.33	26.76	yes	music wire	4I
C.202.270.0450.I	20.2	2.70	45.0	0.8100	35.64	40.35	yes	stainless steel	4H
C.202.270.1000.A	20.2	2.70	100.0	0.5773	54.00	61.70	yes	music wire	4I
C.202.270.1000.I	20.2	2.70	100.0	0.4958	54.00	61.70	yes	stainless steel	4I
C.202.290.0700.A	20.2	2.90	70.0	1.2644	39.15	44.04	yes	music wire	4I
C.202.290.0700.I	20.2	2.90	70.0	1.1000	38.86	43.71	yes	stainless steel	4I
C.202.290.2000.A	20.2	2.90	200.0	0.3792	113.68	130.00	yes	music wire	4J
C.202.290.2000.I	20.2	2.90	200.0	0.3257	113.68	130.00	yes	stainless steel	4J
C.202.330.0260.A	20.2	3.30	26.0	7.1264	19.80	21.41	yes	music wire	4J
C.202.330.0260.I	20.2	3.30	26.0	6.2000	19.80	21.41	yes	stainless steel	4J
C.202.330.2000.A	20.2	3.30	200.0	0.6710	131.34	148.49	yes	music wire	4L
C.202.330.2000.I	20.2	3.30	200.0	0.5764	131.34	148.49	yes	stainless steel	4L
C.202.420.0800.A	20.2	4.20	80.0	5.7756	66.78	73.63	yes	music wire	4P
C.202.420.0800.I	20.2	4.20	80.0	4.9607	66.78	73.63	yes	stainless steel	4P
C.202.420.2890.A	20.2	4.20	289.0	1.7241	199.08	224.64	yes	music wire	4S
C.202.420.2890.I	20.2	4.20	289.0	1.5000	196.56	222.22	yes	stainless steel	4S
C.203.420.2889.A	20.3	4.20	288.9	1.7241	195.72	224.79	yes	music wire	5A
C.203.420.2889.I	20.3	4.20	288.9	1.5000	193.20	222.39	yes	stainless steel	5A
C.205.120.0800.A	20.5	1.20	80.0	0.0250	17.16	24.07	yes	music wire	4E
C.205.120.0800.I	20.5	1.20	80.0	0.0218	16.92	23.71	yes	stainless steel	4E
C.205.120.0800.N	20.5	1.20	80.0	0.0250	17.16	24.07	yes	Zn coating	4G
C.205.180.0660.A	20.5	1.80	66.0	0.2140	18.18	21.76	yes	music wire	4G
C.205.180.0660.I	20.5	1.80	66.0	0.1862	18.00	21.54	yes	stainless steel	4H
C.205.180.0660.N	20.5	1.80	66.0	0.2140	18.18	21.76	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.205.180.0780.A	20.5	1.80	78.0	0.1690	21.96	26.53	yes	music wire	4H
C.205.180.0780.AP	20.5	1.80	78.0	0.2423	16.74	32.79	yes	music wire	4J
C.205.180.0780.I	20.5	1.80	78.0	0.1470	21.78	26.31	yes	stainless steel	4H
C.205.180.0780.N	20.5	1.80	78.0	0.1690	21.96	26.53	yes	Zn coating	4I
C.205.200.0270.A	20.5	2.00	27.0	0.7355	12.00	13.60	yes	music wire	4G
C.205.200.0270.AP	20.5	2.00	27.0	1.0825	9.80	13.44	yes	music wire	4I
C.205.200.0270.I	20.5	2.00	27.0	0.6317	12.00	13.60	yes	stainless steel	4G
C.205.200.0270.N	20.5	2.00	27.0	0.7355	12.00	13.60	yes	Zn coating	4I
C.205.200.0410.A	20.5	2.00	41.0	0.4681	16.00	18.51	yes	music wire	4G
C.205.200.0410.AP	20.5	2.00	41.0	0.6837	12.60	19.53	yes	music wire	4I
C.205.200.0410.I	20.5	2.00	41.0	0.4020	16.00	18.51	yes	stainless steel	4G
C.205.200.0410.N	20.5	2.00	41.0	0.4681	16.00	18.51	yes	Zn coating	4I
C.205.200.0540.A	20.5	2.00	54.0	0.2200	28.40	33.74	yes	music wire	4G
C.205.200.0540.AP	20.5	2.00	54.0	0.5094	15.20	25.18	yes	music wire	4I
C.205.200.0540.I	20.5	2.00	54.0	0.1914	28.20	33.50	yes	stainless steel	4H
C.205.200.0540.N	20.5	2.00	54.0	0.2200	28.40	33.74	yes	Zn coating	4I
C.205.200.0620.A	20.5	2.00	62.0	0.3029	22.00	25.88	yes	music wire	4H
C.205.200.0620.AP	20.5	2.00	62.0	0.4404	16.60	28.66	yes	music wire	4I
C.205.200.0620.I	20.5	2.00	62.0	0.2602	22.00	25.88	yes	stainless steel	4H
C.205.200.0620.N	20.5	2.00	62.0	0.3029	22.00	25.88	yes	Zn coating	4I
C.205.200.0970.A	20.5	2.00	97.0	0.1907	32.00	38.17	yes	music wire	4I
C.205.200.0970.AP	20.5	2.00	97.0	0.2735	23.80	43.32	yes	music wire	4J
C.205.200.0970.I	20.5	2.00	97.0	0.1638	32.00	38.17	yes	stainless steel	4I
C.205.200.0970.N	20.5	2.00	97.0	0.1907	32.00	38.17	yes	Zn coating	4I
C.205.250.0200.A	20.5	2.50	20.0	1.9140	15.25	16.85	yes	music wire	4G
C.205.250.0200.AP	20.5	2.50	20.0	3.4589	11.25	12.14	yes	music wire	4I
C.205.250.0200.I	20.5	2.50	20.0	1.6652	15.00	16.56	yes	stainless steel	4G
C.205.250.0200.N	20.5	2.50	20.0	1.9140	15.25	16.85	yes	Zn coating	4I
C.205.250.0950.A	20.5	2.50	95.0	0.5459	37.50	45.21	yes	music wire	4J
C.205.250.0950.I	20.5	2.50	95.0	0.4689	37.50	43.71	yes	stainless steel	4J
C.205.250.0950.N	20.5	2.50	95.0	0.5459	37.50	45.21	yes	Zn coating	4L
C.205.400.1800.A	20.5	4.00	180.0	2.1110	120.00	134.28	yes	music wire	4S
C.205.400.1800.I	20.5	4.00	180.0	1.8366	118.80	132.66	yes	stainless steel	4S
C.205.400.1800.N	20.5	4.00	180.0	2.1110	120.00	134.28	yes	Zn coating	4T
C.206.070.0380.A	20.6	0.70	38.0	0.0069	5.60	9.73	no	music wire	4D
C.206.090.0200.A	20.6	0.90	20.0	0.0673	4.32	5.28	no	music wire	4C
C.206.090.0200.I	20.6	0.90	20.0	0.0578	4.32	5.28	no	stainless steel	4D
C.206.090.0550.A	20.6	0.90	55.0	0.0103	10.80	17.06	no	music wire	4E
C.206.090.0550.I	20.6	0.90	55.0	0.0090	10.62	16.74	no	stainless steel	4E
C.206.110.0182.A	20.6	1.10	18.2	0.0655	6.16	8.11	yes	music wire	4C
C.206.110.0182.I	20.6	1.10	18.2	0.0570	6.05	7.94	yes	stainless steel	4D
C.206.110.0600.A	20.6	1.10	60.0	0.0411	8.14	11.22	yes	music wire	4E
C.206.110.0600.I	20.6	1.10	60.0	0.0353	8.14	11.22	yes	stainless steel	4E
C.206.120.0200.A	20.6	1.20	20.0	0.1702	5.04	6.04	yes	music wire	4D
C.206.120.0200.I	20.6	1.20	20.0	0.1462	5.04	6.04	yes	stainless steel	4D
C.206.120.0380.A	20.6	1.20	38.0	0.0690	8.04	10.52	yes	music wire	4D
C.206.120.0380.I	20.6	1.20	38.0	0.0600	7.92	10.34	yes	stainless steel	4E
C.206.120.0420.A	20.6	1.20	42.0	0.0759	7.56	9.80	yes	music wire	4D
C.206.120.0420.I	20.6	1.20	42.0	0.0660	7.56	9.80	yes	stainless steel	4E
C.206.130.0200.A	20.6	1.30	20.0	0.2249	5.59	6.60	yes	music wire	4D
C.206.130.0200.I	20.6	1.30	20.0	0.1931	5.59	6.60	yes	stainless steel	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.206.130.0460.A	20.6	1.30	46.0	0.0759	10.14	13.11	yes	music wire	4E
C.206.130.0460.I	20.6	1.30	46.0	0.0660	10.14	13.11	yes	stainless steel	4E
C.206.130.0570.A	20.6	1.30	57.0	0.0529	13.26	17.57	yes	music wire	4E
C.206.130.0570.I	20.6	1.30	57.0	0.0460	13.13	17.38	yes	stainless steel	4E
C.206.140.0111.A	20.6	1.40	11.1	0.3100	6.02	6.98	yes	music wire	4E
C.206.140.0111.I	20.6	1.40	11.1	0.2697	6.02	6.98	yes	stainless steel	4E
C.206.140.0800.A	20.6	1.40	80.0	0.0658	15.26	19.75	yes	music wire	4G
C.206.140.0800.I	20.6	1.40	80.0	0.0565	15.26	19.75	yes	stainless steel	4G
C.206.150.0127.A	20.6	1.50	12.7	0.3100	7.35	8.59	yes	music wire	4E
C.206.150.0127.AP	20.6	1.50	12.7	0.6760	5.40	5.97	yes	music wire	4E
C.206.150.0127.I	20.6	1.50	12.7	0.2697	7.35	8.59	yes	stainless steel	4E
C.206.150.0198.A	20.6	1.50	19.8	0.1954	9.45	11.41	yes	music wire	4E
C.206.150.0198.I	20.6	1.50	19.8	0.1700	9.30	11.20	yes	stainless steel	4F
C.206.150.0800.A	20.6	1.50	80.0	0.0822	17.25	21.88	yes	music wire	4G
C.206.150.0800.I	20.6	1.50	80.0	0.0706	17.25	21.88	yes	stainless steel	4G
C.206.170.0200.A	20.6	1.70	20.0	0.5729	7.99	9.06	yes	music wire	4E
C.206.170.0200.I	20.6	1.70	20.0	0.4920	7.99	9.06	yes	stainless steel	4F
C.206.170.0640.A	20.6	1.70	64.0	0.0920	27.54	34.19	yes	music wire	4G
C.206.170.0640.AP	20.6	1.70	64.0	0.2487	12.92	26.62	yes	music wire	4I
C.206.170.0640.I	20.6	1.70	64.0	0.0800	27.20	33.75	yes	stainless steel	4G
C.206.180.0174.A	20.6	1.80	17.4	1.1379	7.02	7.82	yes	music wire	4I
C.206.180.0174.I	20.6	1.80	17.4	0.9900	7.02	7.76	yes	stainless steel	4I
C.206.180.0600.A	20.6	1.80	60.0	0.2063	18.54	22.24	yes	music wire	4G
C.206.180.0600.I	20.6	1.80	60.0	0.1772	18.54	22.24	yes	stainless steel	4H
C.206.180.0980.A	20.6	1.80	98.0	0.1379	25.56	31.11	yes	music wire	4I
C.206.180.0980.I	20.6	1.80	98.0	0.1200	25.20	30.66	yes	stainless steel	4I
C.206.200.0380.A	20.6	2.00	38.0	0.5287	14.60	16.81	yes	music wire	4G
C.206.200.0380.AP	20.6	2.00	38.0	0.7304	12.00	17.99	yes	music wire	4I
C.206.200.0380.I	20.6	2.00	38.0	0.4600	14.40	16.56	yes	stainless steel	4G
C.206.200.0800.A	20.6	2.00	80.0	0.2203	28.00	33.28	yes	music wire	4H
C.206.200.0800.I	20.6	2.00	80.0	0.1892	28.00	33.28	yes	stainless steel	4I
C.206.200.1200.A	20.6	2.00	120.0	0.1609	36.40	43.61	yes	music wire	4I
C.206.200.1200.I	20.6	2.00	120.0	0.1400	36.00	43.12	yes	stainless steel	4I
C.206.230.0200.A	20.6	2.30	20.0	1.7892	11.73	12.90	yes	music wire	4G
C.206.230.0200.I	20.6	2.30	20.0	1.5367	11.73	12.90	yes	stainless steel	4G
C.206.230.0730.A	20.6	2.30	73.0	0.4400	30.13	34.88	yes	music wire	4H
C.206.230.0730.AP	20.6	2.30	73.0	0.5959	23.69	36.90	yes	music wire	4J
C.206.230.0730.I	20.6	2.30	73.0	0.3828	29.67	34.33	yes	stainless steel	4I
C.206.230.0760.A	20.6	2.30	76.0	0.3800	33.81	39.28	yes	music wire	4H
C.206.230.0760.AP	20.6	2.30	76.0	0.5672	24.61	38.07	yes	music wire	4J
C.206.230.0760.I	20.6	2.30	76.0	0.3306	33.58	39.01	yes	stainless steel	4I
C.206.250.0200.A	20.6	2.50	20.0	2.4856	13.00	14.21	yes	music wire	4G
C.206.250.0200.I	20.6	2.50	20.0	2.1349	13.00	14.21	yes	stainless steel	4G
C.206.250.0540.A	20.6	2.50	54.0	0.7000	30.25	34.54	yes	music wire	4H
C.206.250.0540.AP	20.6	2.50	54.0	1.0974	21.50	29.34	yes	music wire	4J
C.206.250.0540.I	20.6	2.50	54.0	0.6100	29.75	33.95	yes	stainless steel	4I
C.206.270.0200.A	20.6	2.70	20.0	3.9080	13.23	14.31	yes	music wire	4G
C.206.270.0200.I	20.6	2.70	20.0	3.4000	13.23	14.31	yes	stainless steel	4G
C.206.270.0310.A	20.6	2.70	31.0	2.1839	18.36	20.29	yes	music wire	4G
C.206.270.0310.I	20.6	2.70	31.0	1.9000	18.36	20.29	yes	stainless steel	4H
C.206.270.0390.A	20.6	2.70	39.0	1.7241	21.60	24.06	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.206.270.0390.I	20.6	2.70	39.0	1.5000	21.33	23.75	yes	stainless steel	4H
C.206.270.0800.A	20.6	2.70	80.0	0.6992	43.20	49.25	yes	music wire	4I
C.206.270.0800.I	20.6	2.70	80.0	0.6006	43.20	49.25	yes	stainless steel	4I
C.206.270.1050.A	20.6	2.70	105.0	0.5244	55.35	63.41	yes	music wire	4I
C.206.270.1050.I	20.6	2.70	105.0	0.4504	55.35	63.41	yes	stainless steel	4I
C.206.270.3200.A	20.6	2.70	320.0	0.1668	159.57	184.93	yes	music wire	4J
C.206.270.3200.I	20.6	2.70	320.0	0.1432	159.57	184.93	yes	stainless steel	4J
C.206.320.0700.S	20.6	3.20	70.0	2.0000	40.32	44.99	yes	Cr-Si steel	4O
C.206.340.0400.A	20.6	3.40	40.0	4.2468	29.92	32.88	yes	music wire	4J
C.206.340.0400.I	20.6	3.40	40.0	3.6475	29.92	32.88	yes	stainless steel	4J
C.206.340.0680.A	20.6	3.40	68.0	2.9000	39.78	46.48	yes	music wire	4M
C.206.340.0680.I	20.6	3.40	68.0	2.5230	39.44	45.86	yes	stainless steel	4M
C.206.360.0250.A	20.6	3.60	25.0	10.0000	21.60	23.28	yes	music wire	4L
C.206.360.0250.AP	20.6	3.60	25.0	12.2308	19.08	20.43	yes	music wire	4L
C.206.360.0250.I	20.6	3.60	25.0	8.7000	21.24	22.87	yes	stainless steel	4M
C.206.360.2000.A	20.6	3.60	200.0	0.9542	140.40	157.94	yes	music wire	4N
C.206.360.2000.I	20.6	3.60	200.0	0.8196	140.40	157.94	yes	stainless steel	4N
C.207.380.0220.A	20.7	3.80	22.0	29.6552	15.20	19.18	yes	music wire	4Q
C.207.380.0220.I	20.7	3.80	22.0	25.8000	15.20	19.09	yes	stainless steel	4Q
C.208.450.0200.A	20.8	4.50	20.0	68.5948	17.55	18.30	yes	music wire	4N
C.208.450.0250.A	20.8	4.50	25.0	40.2628	22.05	23.34	yes	music wire	4N
C.208.450.0320.A	20.8	4.50	32.0	26.6200	27.45	29.39	yes	music wire	4N
C.208.450.0320.S	20.8	4.50	32.0	20.0000	32.00	32.00	yes	Cr-Si steel	4S
C.208.450.0400.A	20.8	4.50	40.0	19.3600	33.75	36.44	yes	music wire	4N
C.208.450.0400.S	20.8	4.50	40.0	15.8730	38.70	38.70	yes	Cr-Si steel	4S
C.208.450.0500.A	20.8	4.50	50.0	13.9683	42.30	46.02	yes	music wire	4N
C.208.450.0500.S	20.8	4.50	50.0	12.5000	45.90	45.90	yes	Cr-Si steel	4S
C.208.450.0630.A	20.8	4.50	63.0	10.0000	54.45	59.62	yes	music wire	4N
C.208.450.0630.S	20.8	4.50	63.0	10.0000	54.45	59.62	yes	Cr-Si steel	4S
C.208.450.0800.A	20.8	4.50	80.0	8.0000	65.70	72.22	yes	music wire	4N
C.208.450.0800.S	20.8	4.50	80.0	8.0000	65.70	72.22	yes	Cr-Si steel	4S
C.208.450.1000.A	20.8	4.50	100.0	6.4000	79.20	87.33	yes	music wire	4N
C.208.450.1000.S	20.8	4.50	100.0	6.2500	80.55	88.84	yes	Cr-Si steel	4T
C.208.450.1250.A	20.8	4.50	125.0	5.0000	98.10	108.49	yes	music wire	4N
C.208.450.1250.S	20.8	4.50	125.0	5.0000	98.10	108.49	yes	Cr-Si steel	5B
C.208.450.1600.A	20.8	4.50	160.0	4.0000	119.70	132.68	yes	music wire	4O
C.208.450.1600.S	20.8	4.50	160.0	4.0000	119.70	132.68	yes	Cr-Si steel	5B
C.208.450.2000.A	20.8	4.50	200.0	3.2000	146.70	162.91	yes	music wire	4O
C.208.450.2000.S	20.8	4.50	200.0	3.1250	150.30	166.94	yes	Cr-Si steel	5C
C.209.380.0500.A	20.9	3.80	50.0	5.3776	39.52	43.43	yes	music wire	4M
C.209.380.0500.I	20.9	3.80	50.0	4.6188	39.52	43.43	yes	stainless steel	4M
C.209.380.0790.A	20.9	3.80	79.0	3.0050	63.08	70.07	yes	music wire	4M
C.209.380.0790.AP	20.9	3.80	79.0	3.8977	50.92	57.73	yes	music wire	4O
C.209.380.0790.I	20.9	3.80	79.0	2.6144	62.70	69.64	yes	stainless steel	4M
C.209.380.0790.N	20.9	3.80	79.0	3.0050	63.08	70.07	yes	Zn coating	4N
C.210.080.0200.I	21.0	0.80	20.0	0.0180	4.72	6.75	no	stainless steel	4D
C.210.090.0760.A	21.0	0.90	76.0	0.0057	16.02	26.94	no	music wire	4E
C.210.090.0760.I	21.0	0.90	76.0	0.0050	15.84	26.60	no	stainless steel	4E
C.210.100.0200.A	21.0	1.00	20.0	0.0364	7.00	9.45	no	music wire	4C
C.210.100.0200.I	21.0	1.00	20.0	0.0313	7.00	9.45	no	stainless steel	4D
C.210.100.0200.N	21.0	1.00	20.0	0.0364	7.00	9.45	no	Zn coating	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.210.100.0314.A	21.0	1.00	31.4	0.0232	9.00	12.85	no	music wire	4D
C.210.100.0314.I	21.0	1.00	31.4	0.0199	9.00	12.85	no	stainless steel	4D
C.210.100.0314.N	21.0	1.00	31.4	0.0232	9.00	12.85	no	Zn coating	4E
C.210.100.0485.A	21.0	1.00	48.5	0.0150	12.00	17.95	no	music wire	4D
C.210.100.0485.I	21.0	1.00	48.5	0.0129	12.00	17.95	no	stainless steel	4E
C.210.100.0485.N	21.0	1.00	48.5	0.0150	12.00	17.95	no	Zn coating	4F
C.210.100.0713.A	21.0	1.00	71.3	0.0102	16.00	24.75	no	music wire	4E
C.210.100.0713.I	21.0	1.00	71.3	0.0088	15.90	24.58	no	stainless steel	4E
C.210.100.0713.N	21.0	1.00	71.3	0.0102	16.00	24.75	no	Zn coating	4G
C.210.100.0850.A	21.0	1.00	85.0	0.0149	12.00	17.95	no	music wire	4E
C.210.100.0850.I	21.0	1.00	85.0	0.0130	11.90	17.78	no	stainless steel	4E
C.210.100.1050.A	21.0	1.00	105.0	0.0069	22.00	34.95	no	music wire	4F
C.210.100.1050.I	21.0	1.00	105.0	0.0059	22.00	34.95	no	stainless steel	4F
C.210.100.1050.N	21.0	1.00	105.0	0.0069	22.00	34.95	no	Zn coating	4H
C.210.110.0700.A	21.0	1.10	70.0	0.0172	14.85	22.00	yes	music wire	4E
C.210.110.0700.I	21.0	1.10	70.0	0.0150	14.63	21.65	yes	stainless steel	4E
C.210.115.0290.A	21.0	1.15	29.0	0.1139	5.18	6.44	yes	music wire	4D
C.210.115.0290.I	21.0	1.15	29.0	0.0978	5.18	6.44	yes	stainless steel	4D
C.210.120.0200.A	21.0	1.20	20.0	0.0590	8.52	11.33	yes	music wire	4D
C.210.120.0200.I	21.0	1.20	20.0	0.0513	8.52	11.33	yes	stainless steel	4D
C.210.120.0200.N	21.0	1.20	20.0	0.0590	8.52	11.33	yes	Zn coating	4E
C.210.120.0290.A	21.0	1.20	29.0	0.1296	5.52	6.80	yes	music wire	4D
C.210.120.0290.I	21.0	1.20	29.0	0.1113	5.52	6.80	yes	stainless steel	4D
C.210.120.0780.A	21.0	1.20	78.0	0.0200	19.32	27.62	yes	music wire	4E
C.210.120.0780.I	21.0	1.20	78.0	0.0174	19.08	27.25	yes	stainless steel	4E
C.210.120.0780.N	21.0	1.20	78.0	0.0200	19.32	27.62	yes	Zn coating	4G
C.210.120.1600.A	21.0	1.20	160.0	0.0229	17.28	24.54	yes	music wire	4G
C.210.120.1600.I	21.0	1.20	160.0	0.0196	17.28	24.54	yes	stainless steel	4G
C.210.125.0110.A	21.0	1.25	11.0	0.2935	4.50	5.15	yes	music wire	4C
C.210.125.0110.I	21.0	1.25	11.0	0.2521	4.50	5.15	yes	stainless steel	4D
C.210.125.0210.A	21.0	1.25	21.0	0.2152	5.00	5.89	yes	music wire	4D
C.210.125.0210.I	21.0	1.25	21.0	0.1849	5.00	5.89	yes	stainless steel	4D
C.210.125.0260.A	21.0	1.25	26.0	0.1699	5.50	6.63	yes	music wire	4D
C.210.125.0260.I	21.0	1.25	26.0	0.1459	5.50	6.63	yes	stainless steel	4D
C.210.125.0370.A	21.0	1.25	37.0	0.1153	6.63	8.29	yes	music wire	4D
C.210.125.0370.I	21.0	1.25	37.0	0.0990	6.63	8.29	yes	stainless steel	4E
C.210.125.0520.A	21.0	1.25	52.0	0.0807	8.13	10.50	yes	music wire	4E
C.210.125.0520.I	21.0	1.25	52.0	0.0693	8.13	10.50	yes	stainless steel	4E
C.210.125.0970.A	21.0	1.25	97.0	0.0430	12.50	16.95	yes	music wire	4F
C.210.125.0970.I	21.0	1.25	97.0	0.0370	12.50	16.95	yes	stainless steel	4F
C.210.125.1300.A	21.0	1.25	130.0	0.0320	15.75	21.74	yes	music wire	4G
C.210.125.1300.I	21.0	1.25	130.0	0.0275	15.75	21.74	yes	stainless steel	4G
C.210.130.0280.A	21.0	1.30	28.0	0.1812	5.98	7.19	yes	music wire	4D
C.210.130.0280.I	21.0	1.30	28.0	0.1557	5.98	7.19	yes	stainless steel	4E
C.210.130.0450.A	21.0	1.30	45.0	0.0874	8.97	11.51	yes	music wire	4E
C.210.130.0450.I	21.0	1.30	45.0	0.0760	8.84	11.32	yes	stainless steel	4E
C.210.130.1350.A	21.0	1.30	135.0	0.0349	17.42	23.72	yes	music wire	4G
C.210.130.1350.I	21.0	1.30	135.0	0.0300	17.42	23.72	yes	stainless steel	4G
C.210.140.0224.A	21.0	1.40	22.4	0.2475	6.44	7.60	yes	music wire	4E
C.210.140.0224.I	21.0	1.40	22.4	0.2126	6.44	7.60	yes	stainless steel	4F
C.210.140.0280.A	21.0	1.40	28.0	0.2260	6.72	7.99	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.140.0280.I	21.0	1.40	28.0	0.1941	6.72	7.99	yes	stainless steel	4F
C.210.140.0444.A	21.0	1.40	44.4	0.1181	9.66	12.09	yes	music wire	4F
C.210.140.0444.I	21.0	1.40	44.4	0.1015	9.66	12.09	yes	stainless steel	4G
C.210.140.0572.A	21.0	1.40	57.2	0.0912	11.48	14.62	yes	music wire	4F
C.210.140.0572.I	21.0	1.40	57.2	0.0783	11.48	14.62	yes	stainless steel	4G
C.210.140.0698.A	21.0	1.40	69.8	0.0743	13.30	17.16	yes	music wire	4G
C.210.140.0698.I	21.0	1.40	69.8	0.0638	13.30	17.16	yes	stainless steel	4G
C.210.140.0762.A	21.0	1.40	76.2	0.0675	14.28	18.53	yes	music wire	4G
C.210.140.0762.I	21.0	1.40	76.2	0.0580	14.28	18.53	yes	stainless steel	4G
C.210.140.1900.A	21.0	1.40	190.0	0.0309	27.02	36.29	yes	music wire	4I
C.210.140.1900.I	21.0	1.40	190.0	0.0266	27.02	36.29	yes	stainless steel	4I
C.210.150.0170.A	21.0	1.50	17.0	0.2700	7.65	9.03	yes	music wire	4E
C.210.150.0170.I	21.0	1.50	17.0	0.2349	7.50	8.83	yes	stainless steel	4F
C.210.150.0170.N	21.0	1.50	17.0	0.2700	7.65	9.03	yes	Zn coating	4G
C.210.150.0240.A	21.0	1.50	24.0	0.3312	6.90	8.01	yes	music wire	4E
C.210.150.0240.I	21.0	1.50	24.0	0.2845	6.90	8.01	yes	stainless steel	4F
C.210.150.0540.A	21.0	1.50	54.0	0.1391	11.25	13.90	yes	music wire	4F
C.210.150.0540.I	21.0	1.50	54.0	0.1195	11.25	13.90	yes	stainless steel	4G
C.210.150.0600.A	21.0	1.50	60.0	0.1242	12.15	15.12	yes	music wire	4G
C.210.150.0600.I	21.0	1.50	60.0	0.1067	12.15	15.12	yes	stainless steel	4G
C.210.150.1000.A	21.0	1.50	100.0	0.0740	17.85	22.83	yes	music wire	4G
C.210.150.1000.I	21.0	1.50	100.0	0.0636	17.85	22.83	yes	stainless steel	4H
C.210.150.1250.A	21.0	1.50	125.0	0.0589	21.45	27.71	yes	music wire	4H
C.210.150.1250.I	21.0	1.50	125.0	0.0506	21.45	27.71	yes	stainless steel	4I
C.210.150.1800.A	21.0	1.50	180.0	0.0407	29.40	38.47	yes	music wire	4I
C.210.150.1800.I	21.0	1.50	180.0	0.0349	29.40	38.47	yes	stainless steel	4I
C.210.160.0174.A	21.0	1.60	17.4	0.5379	6.72	7.59	yes	music wire	4E
C.210.160.0174.I	21.0	1.60	17.4	0.4620	6.72	7.59	yes	stainless steel	4F
C.210.160.0191.A	21.0	1.60	19.1	0.4813	7.04	8.01	yes	music wire	4E
C.210.160.0191.I	21.0	1.60	19.1	0.4134	7.04	8.01	yes	stainless steel	4F
C.210.160.0220.A	21.0	1.60	22.0	0.4572	7.20	8.23	yes	music wire	4E
C.210.160.0220.I	21.0	1.60	22.0	0.3927	7.20	8.23	yes	stainless steel	4F
C.210.160.0250.A	21.0	1.60	25.0	0.3520	8.16	9.49	yes	music wire	4F
C.210.160.0250.I	21.0	1.60	25.0	0.3062	8.16	9.49	yes	stainless steel	4F
C.210.160.0250.N	21.0	1.60	25.0	0.3520	8.16	9.49	yes	Zn coating	4H
C.210.160.0320.A	21.0	1.60	32.0	0.2710	9.44	11.18	yes	music wire	4F
C.210.160.0320.I	21.0	1.60	32.0	0.2358	9.28	10.97	yes	stainless steel	4F
C.210.160.0320.N	21.0	1.60	32.0	0.2710	9.44	11.18	yes	Zn coating	4H
C.210.160.0400.A	21.0	1.60	40.0	0.2130	10.88	13.09	yes	music wire	4F
C.210.160.0400.I	21.0	1.60	40.0	0.1853	10.72	12.87	yes	stainless steel	4G
C.210.160.0400.N	21.0	1.60	40.0	0.2130	10.88	13.09	yes	Zn coating	4H
C.210.160.0500.A	21.0	1.60	50.0	0.1680	12.64	15.41	yes	music wire	4F
C.210.160.0500.I	21.0	1.60	50.0	0.1462	12.64	15.41	yes	stainless steel	4G
C.210.160.0500.N	21.0	1.60	50.0	0.1680	12.64	15.41	yes	Zn coating	4I
C.210.160.0630.A	21.0	1.60	63.0	0.1300	15.20	18.79	yes	music wire	4G
C.210.160.0630.I	21.0	1.60	63.0	0.1131	15.04	18.58	yes	stainless steel	4G
C.210.160.0630.N	21.0	1.60	63.0	0.1300	15.20	18.79	yes	Zn coating	4I
C.210.160.0690.A	21.0	1.60	69.0	0.1325	15.04	18.58	yes	music wire	4G
C.210.160.0690.I	21.0	1.60	69.0	0.1138	15.04	18.58	yes	stainless steel	4G
C.210.160.0790.A	21.0	1.60	79.0	0.1005	18.56	23.23	yes	music wire	4G
C.210.160.0790.I	21.0	1.60	79.0	0.0863	18.56	23.23	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.160.0800.A	21.0	1.60	80.0	0.1020	18.40	23.02	yes	music wire	4G
C.210.160.0800.I	21.0	1.60	80.0	0.0720	21.44	27.03	yes	stainless steel	4G
C.210.160.0800.N	21.0	1.60	80.0	0.1020	18.40	23.02	yes	Zn coating	4I
C.210.160.0830.A	21.0	1.60	83.0	0.0953	19.36	24.28	yes	music wire	4G
C.210.160.0830.I	21.0	1.60	83.0	0.0818	19.36	24.28	yes	stainless steel	4G
C.210.160.0910.A	21.0	1.60	91.0	0.1005	18.56	23.23	yes	music wire	4G
C.210.160.0910.I	21.0	1.60	91.0	0.0863	18.56	23.23	yes	stainless steel	4H
C.210.160.1000.A	21.0	1.60	100.0	0.0810	22.08	27.88	yes	music wire	4G
C.210.160.1000.I	21.0	1.60	100.0	0.0705	21.76	27.45	yes	stainless steel	4H
C.210.160.1000.N	21.0	1.60	100.0	0.0810	22.08	27.88	yes	Zn coating	4I
C.210.160.1250.A	21.0	1.60	125.0	0.0650	26.56	33.79	yes	music wire	4H
C.210.160.1250.I	21.0	1.60	125.0	0.0566	26.24	33.37	yes	stainless steel	4I
C.210.160.1250.N	21.0	1.60	125.0	0.0650	26.56	33.79	yes	Zn coating	4I
C.210.160.1500.A	21.0	1.60	150.0	0.0602	28.32	36.12	yes	music wire	4I
C.210.160.1500.I	21.0	1.60	150.0	0.0517	28.32	36.12	yes	stainless steel	4I
C.210.160.2540.A	21.0	1.60	254.0	0.0161	94.88	124.01	yes	music wire	4I
C.210.160.2540.I	21.0	1.60	254.0	0.0140	93.76	122.53	yes	stainless steel	4J
C.210.160.3600.A	21.0	1.60	360.0	0.0220	72.16	93.49	no	music wire	4J
C.210.160.3600.I	21.0	1.60	360.0	0.0191	71.36	92.44	no	stainless steel	4J
C.210.170.0318.A	21.0	1.70	31.8	0.3288	10.37	12.17	yes	music wire	4F
C.210.170.0318.I	21.0	1.70	31.8	0.2824	10.37	12.17	yes	stainless steel	4F
C.210.170.0381.A	21.0	1.70	38.1	0.2690	11.73	13.92	yes	music wire	4F
C.210.170.0381.I	21.0	1.70	38.1	0.2310	11.73	13.92	yes	stainless steel	4G
C.210.170.0444.A	21.0	1.70	44.4	0.2276	13.09	15.68	yes	music wire	4F
C.210.170.0444.I	21.0	1.70	44.4	0.1955	13.09	15.68	yes	stainless steel	4G
C.210.170.0508.A	21.0	1.70	50.8	0.1973	14.45	17.44	yes	music wire	4F
C.210.170.0508.I	21.0	1.70	50.8	0.1694	14.45	17.44	yes	stainless steel	4G
C.210.170.0572.A	21.0	1.70	57.2	0.1715	15.98	19.42	yes	music wire	4G
C.210.170.0572.I	21.0	1.70	57.2	0.1473	15.98	19.42	yes	stainless steel	4G
C.210.170.0635.A	21.0	1.70	63.5	0.1537	17.34	21.18	yes	music wire	4G
C.210.170.0635.I	21.0	1.70	63.5	0.1320	17.34	21.18	yes	stainless steel	4G
C.210.170.0990.A	21.0	1.70	99.0	0.1117	22.27	27.56	yes	music wire	4G
C.210.170.0990.I	21.0	1.70	99.0	0.0959	22.27	27.56	yes	stainless steel	4H
C.210.170.1200.A	21.0	1.70	120.0	0.0917	26.18	32.61	yes	music wire	4H
C.210.170.1200.I	21.0	1.70	120.0	0.0788	26.18	32.61	yes	stainless steel	4I
C.210.175.1900.A	21.0	1.75	190.0	0.0632	41.48	51.92	yes	music wire	4I
C.210.175.1900.I	21.0	1.75	190.0	0.0543	41.48	51.92	yes	stainless steel	4I
C.210.180.0103.A	21.0	1.80	10.3	1.5110	6.30	6.79	yes	music wire	4F
C.210.180.0103.I	21.0	1.80	10.3	1.2978	6.30	6.79	yes	stainless steel	4G
C.210.180.0224.A	21.0	1.80	22.4	0.5811	9.18	10.45	yes	music wire	4G
C.210.180.0224.I	21.0	1.80	22.4	0.4991	9.18	10.45	yes	stainless steel	4G
C.210.180.0250.A	21.0	1.80	25.0	0.5540	9.36	10.68	yes	music wire	4G
C.210.180.0250.AP	21.0	1.80	25.0	0.8011	7.92	11.64	yes	music wire	4I
C.210.180.0250.I	21.0	1.80	25.0	0.4820	9.36	10.68	yes	stainless steel	4G
C.210.180.0250.N	21.0	1.80	25.0	0.5540	9.36	10.68	yes	Zn coating	4I
C.210.180.0305.A	21.0	1.80	30.5	0.4197	10.98	12.73	yes	music wire	4G
C.210.180.0305.I	21.0	1.80	30.5	0.3605	10.98	12.73	yes	stainless steel	4G
C.210.180.0320.A	21.0	1.80	32.0	0.4150	10.98	12.73	yes	music wire	4G
C.210.180.0320.AP	21.0	1.80	32.0	0.6088	9.00	14.42	yes	music wire	4I
C.210.180.0320.I	21.0	1.80	32.0	0.3611	10.98	12.73	yes	stainless steel	4G
C.210.180.0320.N	21.0	1.80	32.0	0.4150	10.98	12.73	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.180.0381.A	21.0	1.80	38.1	0.3215	12.96	15.25	yes	music wire	4G
C.210.180.0381.I	21.0	1.80	38.1	0.2761	12.96	15.25	yes	stainless steel	4G
C.210.180.0400.A	21.0	1.80	40.0	0.3230	12.96	15.25	yes	music wire	4G
C.210.180.0400.AP	21.0	1.80	40.0	0.4757	10.26	17.50	yes	music wire	4I
C.210.180.0400.I	21.0	1.80	40.0	0.2810	12.78	15.02	yes	stainless steel	4G
C.210.180.0400.N	21.0	1.80	40.0	0.3230	12.96	15.25	yes	Zn coating	4I
C.210.180.0444.A	21.0	1.80	44.4	0.2747	14.40	17.08	yes	music wire	4G
C.210.180.0444.I	21.0	1.80	44.4	0.2360	14.40	17.08	yes	stainless steel	4G
C.210.180.0457.A	21.0	1.80	45.7	0.2651	14.76	17.54	yes	music wire	4G
C.210.180.0457.I	21.0	1.80	45.7	0.2277	14.76	17.54	yes	stainless steel	4G
C.210.180.0500.A	21.0	1.80	50.0	0.2530	15.30	18.22	yes	music wire	4G
C.210.180.0500.AP	21.0	1.80	50.0	0.3712	11.88	21.17	yes	music wire	4I
C.210.180.0500.I	21.0	1.80	50.0	0.2201	15.12	17.99	yes	stainless steel	4G
C.210.180.0500.N	21.0	1.80	50.0	0.2530	15.30	18.22	yes	Zn coating	4I
C.210.180.0572.A	21.0	1.80	57.2	0.2099	17.46	20.97	yes	music wire	4G
C.210.180.0572.I	21.0	1.80	57.2	0.1802	17.46	20.97	yes	stainless steel	4H
C.210.180.0630.A	21.0	1.80	63.0	0.2000	18.18	21.88	yes	music wire	4G
C.210.180.0630.AP	21.0	1.80	63.0	0.2927	13.86	26.43	yes	music wire	4I
C.210.180.0630.I	21.0	1.80	63.0	0.1740	18.00	21.65	yes	stainless steel	4H
C.210.180.0630.N	21.0	1.80	63.0	0.2000	18.18	21.88	yes	Zn coating	4I
C.210.180.0698.A	21.0	1.80	69.8	0.1698	20.52	24.86	yes	music wire	4H
C.210.180.0698.I	21.0	1.80	69.8	0.1458	20.52	24.86	yes	stainless steel	4H
C.210.180.0762.A	21.0	1.80	76.2	0.1558	21.96	26.69	yes	music wire	4H
C.210.180.0762.I	21.0	1.80	76.2	0.1338	21.96	26.69	yes	stainless steel	4H
C.210.180.0800.A	21.0	1.80	80.0	0.1550	21.96	26.69	yes	music wire	4H
C.210.180.0800.AP	21.0	1.80	80.0	0.2306	16.38	33.59	yes	music wire	4J
C.210.180.0800.I	21.0	1.80	80.0	0.1349	21.78	26.46	yes	stainless steel	4I
C.210.180.0800.N	21.0	1.80	80.0	0.1550	21.96	26.69	yes	Zn coating	4I
C.210.180.0826.A	21.0	1.80	82.6	0.1425	23.58	28.74	yes	music wire	4H
C.210.180.0826.I	21.0	1.80	82.6	0.1224	23.58	28.74	yes	stainless steel	4I
C.210.180.0830.A	21.0	1.80	83.0	0.1425	23.58	28.74	yes	music wire	4H
C.210.180.0830.I	21.0	1.80	83.0	0.1224	23.58	28.74	yes	stainless steel	4I
C.210.180.0889.A	21.0	1.80	88.9	0.1325	25.02	30.57	yes	music wire	4H
C.210.180.0889.I	21.0	1.80	88.9	0.1138	25.02	30.57	yes	stainless steel	4I
C.210.180.1000.A	21.0	1.80	100.0	0.1240	26.46	32.40	yes	music wire	4I
C.210.180.1000.AP	21.0	1.80	100.0	0.1834	19.26	41.64	yes	music wire	4J
C.210.180.1000.I	21.0	1.80	100.0	0.1079	26.10	31.95	yes	stainless steel	4I
C.210.180.1000.N	21.0	1.80	100.0	0.1240	26.46	32.40	yes	Zn coating	4I
C.210.180.1250.A	21.0	1.80	125.0	0.0990	32.04	39.49	yes	music wire	4I
C.210.180.1250.AP	21.0	1.80	125.0	0.1450	23.22	51.17	yes	music wire	4J
C.210.180.1250.I	21.0	1.80	125.0	0.0861	31.68	39.04	yes	stainless steel	4I
C.210.180.1250.N	21.0	1.80	125.0	0.0990	32.04	39.49	yes	Zn coating	4J
C.210.180.3600.A	21.0	1.80	360.0	0.0330	88.74	111.05	no	music wire	4K
C.210.180.3600.I	21.0	1.80	360.0	0.0287	87.66	109.68	no	stainless steel	4K
C.210.190.1300.A	21.0	1.90	130.0	0.1229	34.20	41.61	yes	music wire	4I
C.210.190.1300.I	21.0	1.90	130.0	0.1056	34.20	41.61	yes	stainless steel	4I
C.210.200.0200.A	21.0	2.00	20.0	1.3793	8.40	9.60	yes	music wire	4I
C.210.200.0200.I	21.0	2.00	20.0	1.2000	8.40	9.50	yes	stainless steel	4I
C.210.200.0230.A	21.0	2.00	23.0	0.9506	10.00	11.18	yes	music wire	4G
C.210.200.0230.I	21.0	2.00	23.0	0.8164	10.00	11.18	yes	stainless steel	4G
C.210.200.0250.A	21.0	2.00	25.0	0.7950	11.00	12.41	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.200.0250.AP	21.0	2.00	25.0	1.1421	9.20	12.44	yes	music wire	4I
C.210.200.0250.I	21.0	2.00	25.0	0.6917	11.00	12.41	yes	stainless steel	4G
C.210.200.0250.N	21.0	2.00	25.0	0.7950	11.00	12.41	yes	Zn coating	4I
C.210.200.0320.A	21.0	2.00	32.0	0.5900	13.00	14.88	yes	music wire	4G
C.210.200.0320.AP	21.0	2.00	32.0	0.8565	10.60	15.25	yes	music wire	4I
C.210.200.0320.I	21.0	2.00	32.0	0.5133	13.00	14.88	yes	stainless steel	4G
C.210.200.0320.N	21.0	2.00	32.0	0.5900	13.00	14.88	yes	Zn coating	4I
C.210.200.0400.A	21.0	2.00	40.0	0.4570	15.40	17.85	yes	music wire	4G
C.210.200.0400.AP	21.0	2.00	40.0	0.6852	12.00	19.06	yes	music wire	4I
C.210.200.0400.I	21.0	2.00	40.0	0.3976	15.20	17.60	yes	stainless steel	4G
C.210.200.0400.N	21.0	2.00	40.0	0.4570	15.40	17.85	yes	Zn coating	4I
C.210.200.0450.A	21.0	2.00	45.0	0.4321	16.00	18.59	yes	music wire	4G
C.210.200.0450.AP	21.0	2.00	45.0	0.5996	13.00	21.07	yes	music wire	4I
C.210.200.0450.I	21.0	2.00	45.0	0.3711	16.00	18.59	yes	stainless steel	4H
C.210.200.0450.N	21.0	2.00	45.0	0.4321	16.00	18.59	yes	Zn coating	4I
C.210.200.0480.A	21.0	2.00	48.0	0.4943	14.60	18.97	yes	music wire	4I
C.210.200.0480.I	21.0	2.00	48.0	0.4300	14.40	18.70	yes	stainless steel	4I
C.210.200.0500.A	21.0	2.00	50.0	0.3590	18.20	21.31	yes	music wire	4G
C.210.200.0500.AP	21.0	2.00	50.0	0.5330	14.00	23.08	yes	music wire	4I
C.210.200.0500.I	21.0	2.00	50.0	0.3123	18.00	21.06	yes	stainless steel	4H
C.210.200.0500.N	21.0	2.00	50.0	0.3590	18.20	21.31	yes	Zn coating	4I
C.210.200.0540.A	21.0	2.00	54.0	0.3563	18.40	21.55	yes	music wire	4G
C.210.200.0540.AP	21.0	2.00	54.0	0.4895	14.80	24.69	yes	music wire	4I
C.210.200.0540.I	21.0	2.00	54.0	0.3100	18.20	21.31	yes	stainless steel	4H
C.210.200.0630.A	21.0	2.00	63.0	0.2810	22.00	26.00	yes	music wire	4H
C.210.200.0630.AP	21.0	2.00	63.0	0.4135	16.40	28.30	yes	music wire	4I
C.210.200.0630.I	21.0	2.00	63.0	0.2445	21.60	25.51	yes	stainless steel	4H
C.210.200.0630.N	21.0	2.00	63.0	0.2810	22.00	26.00	yes	Zn coating	4I
C.210.200.0640.A	21.0	2.00	64.0	0.2759	22.20	26.25	yes	music wire	4H
C.210.200.0640.AP	21.0	2.00	64.0	0.4065	16.60	28.71	yes	music wire	4I
C.210.200.0640.I	21.0	2.00	64.0	0.2400	22.00	26.00	yes	stainless steel	4H
C.210.200.0700.A	21.0	2.00	70.0	0.4670	15.20	39.28	yes	music wire	4L
C.210.200.0700.I	21.0	2.00	70.0	0.4063	15.00	38.99	yes	stainless steel	4L
C.210.200.0700.N	21.0	2.00	70.0	0.4670	15.20	39.28	yes	Zn coating	4M
C.210.200.0800.A	21.0	2.00	80.0	0.2180	26.80	31.93	yes	music wire	4H
C.210.200.0800.AP	21.0	2.00	80.0	0.3241	19.60	35.73	yes	music wire	4J
C.210.200.0800.I	21.0	2.00	80.0	0.1897	26.60	31.68	yes	stainless steel	4I
C.210.200.0800.N	21.0	2.00	80.0	0.2180	26.80	31.93	yes	Zn coating	4I
C.210.200.0850.A	21.0	2.00	85.0	0.2263	26.00	30.94	yes	music wire	4H
C.210.200.0850.I	21.0	2.00	85.0	0.1944	26.00	30.94	yes	stainless steel	4I
C.210.200.0850.N	21.0	2.00	85.0	0.2263	26.00	30.94	yes	Zn coating	4I
C.210.200.1000.A	21.0	2.00	100.0	0.1740	32.40	38.85	yes	music wire	4I
C.210.200.1000.AF	21.0	2.00	100.0	0.1110	47.80	57.87	yes	music wire	4I
C.210.200.1000.AP	21.0	2.00	100.0	0.2579	23.40	44.37	yes	music wire	4J
C.210.200.1000.I	21.0	2.00	100.0	0.1514	32.00	38.36	yes	stainless steel	4I
C.210.200.1000.N	21.0	2.00	100.0	0.1740	32.40	38.85	yes	Zn coating	4I
C.210.200.1000.NF	21.0	2.00	100.0	0.1110	47.80	57.87	yes	Zn coating	4I
C.210.200.1150.A	21.0	2.00	115.0	0.1760	32.00	38.36	yes	music wire	4J
C.210.200.1150.I	21.0	2.00	115.0	0.1512	32.00	38.36	yes	stainless steel	4I
C.210.200.1150.N	21.0	2.00	115.0	0.1760	32.00	38.36	yes	Zn coating	4L
C.210.200.1250.A	21.0	2.00	125.0	0.1380	39.40	47.50	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.200.1250.AP	21.0	2.00	125.0	0.2050	28.20	55.01	yes	music wire	4J
C.210.200.1250.I	21.0	2.00	125.0	0.1201	39.00	47.00	yes	stainless steel	4I
C.210.200.1250.N	21.0	2.00	125.0	0.1380	39.40	47.50	yes	Zn coating	4J
C.210.200.3600.A	21.0	2.00	360.0	0.0470	108.20	132.02	no	music wire	4K
C.210.200.3600.I	21.0	2.00	360.0	0.0409	106.80	130.29	no	stainless steel	4K
C.210.210.0325.A	21.0	2.10	32.5	1.1520	10.50	18.24	yes	music wire	4J
C.210.210.0325.I	21.0	2.10	32.5	1.0000	10.50	18.05	yes	stainless steel	4J
C.210.210.0325.N	21.0	2.10	32.5	1.1520	10.50	18.24	yes	Zn coating	4L
C.210.210.0980.A	21.0	2.10	98.0	0.2329	31.71	37.57	yes	music wire	4I
C.210.210.0980.I	21.0	2.10	98.0	0.2000	31.71	37.57	yes	stainless steel	4I
C.210.210.1150.A	21.0	2.10	115.0	0.1970	36.54	43.47	yes	music wire	4I
C.210.210.1150.I	21.0	2.10	115.0	0.1692	36.54	43.47	yes	stainless steel	4I
C.210.210.1650.A	21.0	2.10	165.0	0.1359	50.61	60.66	yes	music wire	4I
C.210.210.1650.I	21.0	2.10	165.0	0.1167	50.61	60.66	yes	stainless steel	4I
C.210.220.0250.A	21.0	2.20	25.0	1.1520	12.32	13.75	yes	music wire	4G
C.210.220.0250.AP	21.0	2.20	25.0	1.5788	10.56	13.17	yes	music wire	4I
C.210.220.0250.I	21.0	2.20	25.0	1.0000	12.32	13.75	yes	stainless steel	4G
C.210.220.0250.N	21.0	2.20	25.0	1.1520	12.32	13.75	yes	Zn coating	4I
C.210.220.0320.A	21.0	2.20	32.0	0.8640	14.74	16.68	yes	music wire	4G
C.210.220.0320.AP	21.0	2.20	32.0	1.2104	12.10	16.56	yes	music wire	4I
C.210.220.0320.I	21.0	2.20	32.0	0.7500	14.52	16.41	yes	stainless steel	4G
C.210.220.0320.N	21.0	2.20	32.0	0.8640	14.74	16.68	yes	Zn coating	4I
C.210.220.0400.A	21.0	2.20	40.0	0.6580	17.60	20.14	yes	music wire	4G
C.210.220.0400.AP	21.0	2.20	40.0	0.9311	14.08	19.93	yes	music wire	4I
C.210.220.0400.I	21.0	2.20	40.0	0.5725	17.38	19.87	yes	stainless steel	4H
C.210.220.0400.N	21.0	2.20	40.0	0.6580	17.60	20.14	yes	Zn coating	4I
C.210.220.0500.A	21.0	2.20	50.0	0.5220	20.68	23.86	yes	music wire	4G
C.210.220.0500.AP	21.0	2.20	50.0	0.7411	16.06	24.79	yes	music wire	4I
C.210.220.0500.I	21.0	2.20	50.0	0.4541	20.46	23.59	yes	stainless steel	4H
C.210.220.0500.N	21.0	2.20	50.0	0.5220	20.68	23.86	yes	Zn coating	4I
C.210.220.0630.A	21.0	2.20	63.0	0.4060	24.86	28.92	yes	music wire	4H
C.210.220.0630.AP	21.0	2.20	63.0	0.5764	19.14	30.59	yes	music wire	4J
C.210.220.0630.I	21.0	2.20	63.0	0.3532	24.64	28.65	yes	stainless steel	4I
C.210.220.0630.N	21.0	2.20	63.0	0.4060	24.86	28.92	yes	Zn coating	4I
C.210.220.0670.A	21.0	2.20	67.0	0.3678	27.06	31.58	yes	music wire	4H
C.210.220.0670.AP	21.0	2.20	67.0	0.5420	20.02	32.53	yes	music wire	4J
C.210.220.0670.I	21.0	2.20	67.0	0.3200	26.62	31.05	yes	stainless steel	4I
C.210.220.0800.A	21.0	2.20	80.0	0.3140	30.58	35.84	yes	music wire	4I
C.210.220.0800.AP	21.0	2.20	80.0	0.4483	23.10	38.33	yes	music wire	4J
C.210.220.0800.I	21.0	2.20	80.0	0.2732	30.36	35.57	yes	stainless steel	4I
C.210.220.0800.N	21.0	2.20	80.0	0.3140	30.58	35.84	yes	Zn coating	4I
C.210.220.1000.A	21.0	2.20	100.0	0.2490	37.18	43.82	yes	music wire	4I
C.210.220.1000.AP	21.0	2.20	100.0	0.3560	27.72	47.52	yes	music wire	4J
C.210.220.1000.I	21.0	2.20	100.0	0.2166	36.74	43.29	yes	stainless steel	4I
C.210.220.1000.N	21.0	2.20	100.0	0.2490	37.18	43.82	yes	Zn coating	4J
C.210.220.1250.A	21.0	2.20	125.0	0.1970	45.54	53.93	yes	music wire	4I
C.210.220.1250.AP	21.0	2.20	125.0	0.2815	33.66	58.63	yes	music wire	4J
C.210.220.1250.I	21.0	2.20	125.0	0.1714	45.10	53.40	yes	stainless steel	4I
C.210.220.1250.N	21.0	2.20	125.0	0.1970	45.54	53.93	yes	Zn coating	4J
C.210.220.1950.A	21.0	2.20	195.0	0.1350	64.02	76.28	yes	music wire	4I
C.210.220.1950.I	21.0	2.20	195.0	0.1160	64.02	76.28	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.220.3600.A	21.0	2.20	360.0	0.0670	125.62	150.33	no	music wire	4K
C.210.220.3600.I	21.0	2.20	360.0	0.0583	124.08	148.47	no	stainless steel	4L
C.210.230.0410.A	21.0	2.30	41.0	0.7000	20.01	22.85	yes	music wire	4G
C.210.230.0410.AP	21.0	2.30	41.0	1.0761	15.18	21.37	yes	music wire	4I
C.210.230.0410.I	21.0	2.30	41.0	0.6100	19.78	22.57	yes	stainless steel	4H
C.210.230.2000.A	21.0	2.30	200.0	0.1546	70.61	83.53	yes	music wire	4I
C.210.230.2000.I	21.0	2.30	200.0	0.1328	70.61	83.53	yes	stainless steel	4J
C.210.235.1350.A	21.0	2.35	135.0	0.2508	50.76	59.49	yes	music wire	4I
C.210.235.1350.I	21.0	2.35	135.0	0.2154	50.76	59.49	yes	stainless steel	4I
C.210.240.0224.A	21.0	2.40	22.4	1.7509	13.20	14.57	yes	music wire	4G
C.210.240.0224.I	21.0	2.40	22.4	1.5038	13.20	14.57	yes	stainless steel	4G
C.210.240.0254.A	21.0	2.40	25.4	1.5007	14.40	16.00	yes	music wire	4G
C.210.240.0254.I	21.0	2.40	25.4	1.2890	14.40	16.00	yes	stainless steel	4G
C.210.240.0318.A	21.0	2.40	31.8	1.1672	16.80	18.85	yes	music wire	4G
C.210.240.0318.I	21.0	2.40	31.8	1.0025	16.80	18.85	yes	stainless steel	4G
C.210.240.0381.A	21.0	2.40	38.1	0.9380	19.44	21.99	yes	music wire	4G
C.210.240.0381.I	21.0	2.40	38.1	0.8056	19.44	21.99	yes	stainless steel	4H
C.210.240.0508.A	21.0	2.40	50.8	0.6822	24.48	27.99	yes	music wire	4G
C.210.240.0508.I	21.0	2.40	50.8	0.5859	24.48	27.99	yes	stainless steel	4H
C.210.240.0635.A	21.0	2.40	63.5	0.5360	29.52	33.99	yes	music wire	4H
C.210.240.0635.I	21.0	2.40	63.5	0.4604	29.52	33.99	yes	stainless steel	4I
C.210.240.0800.A	21.0	2.40	80.0	0.4690	32.88	37.99	yes	music wire	4I
C.210.240.0800.I	21.0	2.40	80.0	0.4028	32.88	37.99	yes	stainless steel	4I
C.210.250.0224.A	21.0	2.50	22.4	2.0950	13.75	15.12	yes	music wire	4G
C.210.250.0224.I	21.0	2.50	22.4	1.7994	13.75	15.12	yes	stainless steel	4G
C.210.250.0250.A	21.0	2.50	25.0	1.9350	14.25	15.71	yes	music wire	4G
C.210.250.0250.AP	21.0	2.50	25.0	2.5487	12.50	14.57	yes	music wire	4I
C.210.250.0250.I	21.0	2.50	25.0	1.6835	14.25	15.71	yes	stainless steel	4H
C.210.250.0250.N	21.0	2.50	25.0	1.9350	14.25	15.71	yes	Zn coating	4I
C.210.250.0280.A	21.0	2.50	28.0	1.7459	15.25	16.89	yes	music wire	4G
C.210.250.0280.I	21.0	2.50	28.0	1.4995	15.25	16.89	yes	stainless steel	4H
C.210.250.0320.A	21.0	2.50	32.0	1.4230	17.25	19.25	yes	music wire	4G
C.210.250.0320.AP	21.0	2.50	32.0	1.9309	14.50	18.24	yes	music wire	4I
C.210.250.0320.I	21.0	2.50	32.0	1.2380	17.25	19.25	yes	stainless steel	4H
C.210.250.0320.N	21.0	2.50	32.0	1.4230	17.25	19.25	yes	Zn coating	4I
C.210.250.0330.A	21.0	2.50	33.0	1.1220	20.25	22.80	yes	music wire	4G
C.210.250.0330.AP	21.0	2.50	33.0	1.8741	14.75	18.82	yes	music wire	4I
C.210.250.0330.I	21.0	2.50	33.0	0.9761	20.00	22.50	yes	stainless steel	4H
C.210.250.0330.N	21.0	2.50	33.0	1.1220	20.25	22.80	yes	Zn coating	4I
C.210.250.0400.A	21.0	2.50	40.0	1.1250	20.25	22.80	yes	music wire	4H
C.210.250.0400.AP	21.0	2.50	40.0	1.4818	16.75	22.06	yes	music wire	4I
C.210.250.0400.I	21.0	2.50	40.0	0.9788	20.00	22.50	yes	stainless steel	4H
C.210.250.0400.N	21.0	2.50	40.0	1.1250	20.25	22.80	yes	Zn coating	4I
C.210.250.0500.A	21.0	2.50	50.0	0.8640	24.50	27.82	yes	music wire	4H
C.210.250.0500.AF	21.0	2.50	50.0	0.6490	30.50	34.92	yes	music wire	4H
C.210.250.0500.AP	21.0	2.50	50.0	1.1585	19.75	27.06	yes	music wire	4J
C.210.250.0500.I	21.0	2.50	50.0	0.7500	24.25	27.53	yes	stainless steel	4H
C.210.250.0500.N	21.0	2.50	50.0	0.8640	24.50	27.82	yes	Zn coating	4I
C.210.250.0500.NF	21.0	2.50	50.0	0.6490	30.50	34.92	yes	Zn coating	4I
C.210.250.0630.A	21.0	2.50	63.0	0.6720	29.75	34.03	yes	music wire	4H
C.210.250.0630.AP	21.0	2.50	63.0	0.9103	23.50	33.80	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.250.0630.I	21.0	2.50	63.0	0.5846	29.25	33.44	yes	stainless steel	4I
C.210.250.0630.N	21.0	2.50	63.0	0.6720	29.75	34.03	yes	Zn coating	4I
C.210.250.0800.A	21.0	2.50	80.0	0.5260	36.00	41.42	yes	music wire	4I
C.210.250.0800.AP	21.0	2.50	80.0	0.7002	28.75	42.04	yes	music wire	4J
C.210.250.0800.I	21.0	2.50	80.0	0.4576	35.75	41.12	yes	stainless steel	4I
C.210.250.0800.N	21.0	2.50	80.0	0.5260	36.00	41.42	yes	Zn coating	4I
C.210.250.1000.A	21.0	2.50	100.0	0.4130	44.25	51.17	yes	music wire	4I
C.210.250.1000.AP	21.0	2.50	100.0	0.5541	34.50	52.03	yes	music wire	4J
C.210.250.1000.I	21.0	2.50	100.0	0.3593	43.75	50.58	yes	stainless steel	4I
C.210.250.1000.N	21.0	2.50	100.0	0.4130	44.25	51.17	yes	Zn coating	4J
C.210.250.1250.A	21.0	2.50	125.0	0.3290	54.00	62.70	yes	music wire	4I
C.210.250.1250.AP	21.0	2.50	125.0	0.4394	42.00	64.52	yes	music wire	4J
C.210.250.1250.I	21.0	2.50	125.0	0.2862	53.50	62.11	yes	stainless steel	4I
C.210.250.1250.N	21.0	2.50	125.0	0.3290	54.00	62.70	yes	Zn coating	4J
C.210.250.1400.A	21.0	2.50	140.0	0.3036	58.00	67.43	yes	music wire	4I
C.210.250.1400.I	21.0	2.50	140.0	0.2608	58.00	67.43	yes	stainless steel	4I
C.210.250.1800.A	21.0	2.50	180.0	0.2345	73.25	85.45	yes	music wire	4I
C.210.250.1800.I	21.0	2.50	180.0	0.2014	73.25	85.45	yes	stainless steel	4I
C.210.250.3600.A	21.0	2.50	360.0	0.1100	151.50	177.50	no	music wire	4L
C.210.250.3600.I	21.0	2.50	360.0	0.0957	149.75	175.43	no	stainless steel	4L
C.210.260.0230.A	21.0	2.60	23.0	2.5770	14.04	15.36	yes	music wire	4G
C.210.260.0230.I	21.0	2.60	23.0	2.2133	14.04	15.36	yes	stainless steel	4G
C.210.260.0440.A	21.0	2.60	44.0	1.2054	22.62	25.44	yes	music wire	4H
C.210.260.0440.I	21.0	2.60	44.0	1.0353	22.62	25.44	yes	stainless steel	4H
C.210.260.0650.A	21.0	2.60	65.0	0.7950	30.94	35.22	yes	music wire	4H
C.210.260.0650.I	21.0	2.60	65.0	0.6828	30.94	35.22	yes	stainless steel	4I
C.210.260.0860.A	21.0	2.60	86.0	0.5884	39.52	45.30	yes	music wire	4I
C.210.260.0860.I	21.0	2.60	86.0	0.5054	39.52	45.30	yes	stainless steel	4I
C.210.260.1100.A	21.0	2.60	110.0	0.4529	49.40	56.91	yes	music wire	4I
C.210.260.1100.I	21.0	2.60	110.0	0.3890	49.40	56.91	yes	stainless steel	4I
C.210.260.1400.A	21.0	2.60	140.0	0.3542	61.36	70.97	yes	music wire	4I
C.210.260.1400.I	21.0	2.60	140.0	0.3042	61.36	70.97	yes	stainless steel	4I
C.210.270.0570.A	21.0	2.70	57.0	1.0644	29.16	32.95	yes	music wire	4H
C.210.270.0570.I	21.0	2.70	57.0	0.9142	29.16	32.95	yes	stainless steel	4I
C.210.270.0760.A	21.0	2.70	76.0	1.0115	30.24	43.55	yes	music wire	4L
C.210.270.0760.I	21.0	2.70	76.0	0.8800	29.97	42.91	yes	stainless steel	4J
C.210.280.0224.A	21.0	2.80	22.4	3.4623	15.40	16.77	yes	music wire	4I
C.210.280.0224.I	21.0	2.80	22.4	2.9738	15.40	16.77	yes	stainless steel	4I
C.210.280.0250.A	21.0	2.80	25.0	3.1970	15.96	17.42	yes	music wire	4I
C.210.280.0250.I	21.0	2.80	25.0	2.7814	15.96	17.42	yes	stainless steel	4I
C.210.280.0250.N	21.0	2.80	25.0	3.1970	15.96	17.42	yes	Zn coating	4J
C.210.280.0254.A	21.0	2.80	25.4	2.8852	17.08	18.73	yes	music wire	4I
C.210.280.0254.I	21.0	2.80	25.4	2.4781	17.08	18.73	yes	stainless steel	4I
C.210.280.0320.A	21.0	2.80	32.0	2.3510	19.32	21.33	yes	music wire	4I
C.210.280.0320.AP	21.0	2.80	32.0	2.9330	16.80	19.64	yes	music wire	4J
C.210.280.0320.I	21.0	2.80	32.0	2.0454	19.32	21.33	yes	stainless steel	4I
C.210.280.0320.N	21.0	2.80	32.0	2.3510	19.32	21.33	yes	Zn coating	4J
C.210.280.0381.A	21.0	2.80	38.1	1.7908	23.24	25.89	yes	music wire	4I
C.210.280.0381.I	21.0	2.80	38.1	1.5381	23.24	25.89	yes	stainless steel	4I
C.210.280.0400.A	21.0	2.80	40.0	1.8170	22.96	25.57	yes	music wire	4I
C.210.280.0400.I	21.0	2.80	40.0	1.5808	22.68	25.24	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.280.0400.N	21.0	2.80	40.0	1.8170	22.96	25.57	yes	Zn coating	4J
C.210.280.0460.A	21.0	2.80	46.0	1.0690	34.16	38.60	yes	music wire	4I
C.210.280.0460.AP	21.0	2.80	46.0	1.9554	21.84	27.46	yes	music wire	4J
C.210.280.0460.I	21.0	2.80	46.0	0.9300	33.88	38.27	yes	stainless steel	4I
C.210.280.0500.A	21.0	2.80	50.0	1.4000	27.72	31.11	yes	music wire	4I
C.210.280.0500.AP	21.0	2.80	50.0	1.7897	23.24	29.74	yes	music wire	4J
C.210.280.0500.I	21.0	2.80	50.0	1.2197	27.44	30.78	yes	stainless steel	4I
C.210.280.0500.N	21.0	2.80	50.0	1.4000	27.72	31.11	yes	Zn coating	4J
C.210.280.0508.A	21.0	2.80	50.8	1.2823	29.68	33.39	yes	music wire	4I
C.210.280.0508.I	21.0	2.80	50.8	1.1014	29.68	33.39	yes	stainless steel	4I
C.210.280.0560.A	21.0	2.80	56.0	1.2514	30.24	34.04	yes	music wire	4I
C.210.280.0560.I	21.0	2.80	56.0	1.0749	30.24	34.04	yes	stainless steel	4I
C.210.280.0630.A	21.0	2.80	63.0	1.0800	33.88	38.27	yes	music wire	4I
C.210.280.0630.AP	21.0	2.80	63.0	1.3893	28.00	36.91	yes	music wire	4J
C.210.280.0630.I	21.0	2.80	63.0	0.9396	33.60	37.95	yes	stainless steel	4I
C.210.280.0630.N	21.0	2.80	63.0	1.0800	33.88	38.27	yes	Zn coating	4J
C.210.280.0800.A	21.0	2.80	80.0	0.8410	41.72	47.39	yes	music wire	4I
C.210.280.0800.I	21.0	2.80	80.0	0.7317	41.16	46.74	yes	stainless steel	4I
C.210.280.0800.N	21.0	2.80	80.0	0.8410	41.72	47.39	yes	Zn coating	4J
C.210.280.1000.A	21.0	2.80	100.0	0.6610	50.96	58.14	yes	music wire	4I
C.210.280.1000.AP	21.0	2.80	100.0	0.8447	41.44	57.08	yes	music wire	4L
C.210.280.1000.I	21.0	2.80	100.0	0.5751	50.40	57.49	yes	stainless steel	4I
C.210.280.1000.N	21.0	2.80	100.0	0.6610	50.96	58.14	yes	Zn coating	4J
C.210.280.1250.A	21.0	2.80	125.0	0.5260	62.16	71.17	yes	music wire	4J
C.210.280.1250.I	21.0	2.80	125.0	0.4576	61.60	70.52	yes	stainless steel	4J
C.210.280.1250.N	21.0	2.80	125.0	0.5260	62.16	71.17	yes	Zn coating	4K
C.210.280.1450.A	21.0	2.80	145.0	0.4556	70.84	81.27	yes	music wire	4J
C.210.280.1450.I	21.0	2.80	145.0	0.3913	70.84	81.27	yes	stainless steel	4J
C.210.280.1900.A	21.0	2.80	190.0	0.3451	91.28	105.05	yes	music wire	4J
C.210.280.1900.I	21.0	2.80	190.0	0.2964	91.28	105.05	yes	stainless steel	4J
C.210.280.3600.A	21.0	2.80	360.0	0.1760	175.00	201.99	no	music wire	4L
C.210.280.3600.I	21.0	2.80	360.0	0.1531	173.04	199.71	no	stainless steel	4L
C.210.300.0127.A	21.0	3.00	12.7	14.9425	10.20	10.62	yes	music wire	4I
C.210.300.0127.I	21.0	3.00	12.7	13.0000	10.20	10.62	yes	stainless steel	4I
C.210.300.0270.A	21.0	3.00	27.0	4.6300	16.80	18.23	yes	music wire	4J
C.210.300.0270.I	21.0	3.00	27.0	4.0281	16.50	17.89	yes	stainless steel	4J
C.210.300.0270.N	21.0	3.00	27.0	4.6300	16.80	18.23	yes	Zn coating	4L
C.210.300.0285.A	21.0	3.00	28.5	4.0427	18.00	19.62	yes	music wire	4I
C.210.300.0285.I	21.0	3.00	28.5	3.4723	18.00	19.62	yes	stainless steel	4I
C.210.300.0285.N	21.0	3.00	28.5	4.0427	18.00	19.62	yes	Zn coating	4J
C.210.300.0414.A	21.0	3.00	41.4	2.5726	24.00	26.54	yes	music wire	4J
C.210.300.0414.I	21.0	3.00	41.4	2.2096	24.00	26.54	yes	stainless steel	4I
C.210.300.0414.N	21.0	3.00	41.4	2.5726	24.00	26.54	yes	Zn coating	4L
C.210.300.0480.A	21.0	3.00	48.0	2.3000	26.10	28.98	yes	music wire	4J
C.210.300.0480.I	21.0	3.00	48.0	2.0000	25.80	28.62	yes	stainless steel	4J
C.210.300.0605.A	21.0	3.00	60.5	1.6646	33.00	36.93	yes	music wire	4J
C.210.300.0605.I	21.0	3.00	60.5	1.4297	33.00	36.93	yes	stainless steel	4K
C.210.300.0605.N	21.0	3.00	60.5	1.6646	33.00	36.93	yes	Zn coating	4M
C.210.300.0863.A	21.0	3.00	86.3	1.1319	45.00	50.77	yes	music wire	4K
C.210.300.0863.I	21.0	3.00	86.3	0.9722	45.00	50.77	yes	stainless steel	4L
C.210.300.0863.N	21.0	3.00	86.3	1.1319	45.00	50.77	yes	Zn coating	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.300.1240.A	21.0	3.00	124.0	0.7648	63.00	71.55	yes	music wire	4L
C.210.300.1240.I	21.0	3.00	124.0	0.6569	63.00	71.55	yes	stainless steel	4L
C.210.300.1240.N	21.0	3.00	124.0	0.7648	63.00	71.55	yes	Zn coating	4M
C.210.300.1500.A	21.0	3.00	150.0	0.5240	88.50	100.97	yes	music wire	4J
C.210.300.1500.AP	21.0	3.00	150.0	0.7205	66.30	89.28	yes	music wire	4L
C.210.300.1500.I	21.0	3.00	150.0	0.4559	87.60	99.94	yes	stainless steel	4J
C.210.300.1500.N	21.0	3.00	150.0	0.5240	88.50	100.97	yes	Zn coating	4L
C.210.310.0220.A	21.0	3.10	22.0	5.8586	16.43	17.73	yes	music wire	4I
C.210.310.0220.I	21.0	3.10	22.0	5.0320	16.43	17.73	yes	stainless steel	4I
C.210.310.0340.A	21.0	3.10	34.0	3.4175	22.63	24.86	yes	music wire	4I
C.210.310.0340.I	21.0	3.10	34.0	2.9353	22.63	24.86	yes	stainless steel	4I
C.210.310.0870.A	21.0	3.10	87.0	1.1887	50.53	56.95	yes	music wire	4I
C.210.310.0870.I	21.0	3.10	87.0	1.0210	50.53	56.95	yes	stainless steel	4I
C.210.310.1350.A	21.0	3.10	135.0	0.7491	75.64	85.82	yes	music wire	4J
C.210.310.1350.I	21.0	3.10	135.0	0.6434	75.64	85.82	yes	stainless steel	4J
C.210.310.1650.A	21.0	3.10	165.0	0.6076	91.45	104.01	yes	music wire	4J
C.210.310.1650.I	21.0	3.10	165.0	0.5218	91.45	104.01	yes	stainless steel	4J
C.210.320.0250.A	21.0	3.20	25.0	5.6060	18.88	20.47	yes	music wire	4J
C.210.320.0250.AP	21.0	3.20	25.0	6.8892	16.64	17.91	yes	music wire	4L
C.210.320.0250.I	21.0	3.20	25.0	6.4437	16.00	17.78	yes	stainless steel	4L
C.210.320.0250.N	21.0	3.20	25.0	5.6060	18.88	20.47	yes	Zn coating	4L
C.210.320.0290.A	21.0	3.20	29.0	4.7353	20.80	22.67	yes	music wire	4J
C.210.320.0290.I	21.0	3.20	29.0	4.0671	20.80	22.67	yes	stainless steel	4J
C.210.320.0320.A	21.0	3.20	32.0	4.1650	22.40	24.51	yes	music wire	4J
C.210.320.0320.AP	21.0	3.20	32.0	5.0763	19.84	21.74	yes	music wire	4L
C.210.320.0320.I	21.0	3.20	32.0	3.6236	22.40	24.51	yes	stainless steel	4J
C.210.320.0320.N	21.0	3.20	32.0	4.1650	22.40	24.51	yes	Zn coating	4L
C.210.320.0360.A	21.0	3.20	36.0	3.6425	24.64	27.08	yes	music wire	4J
C.210.320.0360.I	21.0	3.20	36.0	3.1286	24.64	27.08	yes	stainless steel	4J
C.210.320.0400.A	21.0	3.20	40.0	3.1690	27.20	30.01	yes	music wire	4J
C.210.320.0400.AP	21.0	3.20	40.0	3.9367	23.36	26.76	yes	music wire	4L
C.210.320.0400.I	21.0	3.20	40.0	2.7570	26.88	29.64	yes	stainless steel	4J
C.210.320.0400.N	21.0	3.20	40.0	3.1690	27.20	30.01	yes	Zn coating	4L
C.210.320.0440.A	21.0	3.20	44.0	2.9140	28.80	31.85	yes	music wire	4J
C.210.320.0440.I	21.0	3.20	44.0	2.5028	28.80	31.85	yes	stainless steel	4J
C.210.320.0500.A	21.0	3.20	50.0	2.4710	32.64	36.25	yes	music wire	4J
C.210.320.0500.AP	21.0	3.20	50.0	3.0619	27.84	32.98	yes	music wire	4M
C.210.320.0500.I	21.0	3.20	50.0	2.1000	32.64	36.25	yes	stainless steel	4J
C.210.320.0500.N	21.0	3.20	50.0	2.4710	32.64	36.25	yes	Zn coating	4L
C.210.320.0630.A	21.0	3.20	63.0	1.8930	40.00	44.69	yes	music wire	4J
C.210.320.0630.AP	21.0	3.20	63.0	2.3524	33.92	40.85	yes	music wire	4M
C.210.320.0630.I	21.0	3.20	63.0	1.6469	39.68	44.32	yes	stainless steel	4J
C.210.320.0630.N	21.0	3.20	63.0	1.8930	40.00	44.69	yes	Zn coating	4L
C.210.320.0760.A	21.0	3.20	76.0	1.6092	45.76	51.29	yes	music wire	4J
C.210.320.0760.I	21.0	3.20	76.0	1.4000	45.12	50.55	yes	stainless steel	4J
C.210.320.0800.A	21.0	3.20	80.0	1.4580	49.60	55.69	yes	music wire	4J
C.210.320.0800.AP	21.0	3.20	80.0	1.8198	41.28	51.37	yes	music wire	4M
C.210.320.0800.I	21.0	3.20	80.0	1.2685	48.96	54.96	yes	stainless steel	4J
C.210.320.0800.N	21.0	3.20	80.0	1.4580	49.60	55.69	yes	Zn coating	4L
C.210.320.0890.A	21.0	3.20	89.0	1.3339	53.44	60.09	yes	music wire	4J
C.210.320.0890.I	21.0	3.20	89.0	1.1457	53.44	60.09	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.320.1000.A	21.0	3.20	100.0	1.1480	60.80	68.53	yes	music wire	4J
C.210.320.1000.AP	21.0	3.20	100.0	1.4289	50.56	63.53	yes	music wire	4M
C.210.320.1000.I	21.0	3.20	100.0	1.0000	60.16	67.80	yes	stainless steel	4J
C.210.320.1000.N	21.0	3.20	100.0	1.1480	60.80	68.53	yes	Zn coating	4L
C.210.320.1250.A	21.0	3.20	125.0	0.9050	74.88	84.67	yes	music wire	4J
C.210.320.1250.AP	21.0	3.20	125.0	1.1281	61.76	78.81	yes	music wire	4M
C.210.320.1250.I	21.0	3.20	125.0	0.7874	74.24	83.94	yes	stainless steel	4K
C.210.320.1250.N	21.0	3.20	125.0	0.9050	74.88	84.67	yes	Zn coating	4M
C.210.320.1500.A	21.0	3.20	150.0	0.7669	87.04	98.61	yes	music wire	4K
C.210.320.1500.I	21.0	3.20	150.0	0.6586	87.04	98.61	yes	stainless steel	4L
C.210.320.1750.A	21.0	3.20	175.0	0.6531	100.80	114.39	yes	music wire	4L
C.210.320.1750.I	21.0	3.20	175.0	0.5610	100.80	114.39	yes	stainless steel	4L
C.210.320.3600.A	21.0	3.20	360.0	0.3020	211.84	241.22	no	music wire	4M
C.210.320.3600.I	21.0	3.20	360.0	0.2627	209.28	238.28	no	stainless steel	4M
C.210.340.0240.A	21.0	3.40	24.0	8.0553	19.04	20.52	yes	music wire	4J
C.210.340.0240.I	21.0	3.40	24.0	6.9187	19.04	20.52	yes	stainless steel	4J
C.210.340.0300.A	21.0	3.40	30.0	6.0906	22.44	24.39	yes	music wire	4J
C.210.340.0300.I	21.0	3.40	30.0	5.2312	22.44	24.39	yes	stainless steel	4J
C.210.340.0580.A	21.0	3.40	58.0	2.7746	39.10	43.39	yes	music wire	4J
C.210.340.0580.I	21.0	3.40	58.0	2.3831	39.10	43.39	yes	stainless steel	4J
C.210.340.1300.A	21.0	3.40	130.0	1.1615	81.60	91.85	yes	music wire	4J
C.210.340.1300.I	21.0	3.40	130.0	0.9976	81.60	91.85	yes	stainless steel	4K
C.210.340.1950.A	21.0	3.40	195.0	0.7613	120.02	135.65	yes	music wire	4L
C.210.340.1950.I	21.0	3.40	195.0	0.6539	120.02	135.65	yes	stainless steel	4L
C.210.350.0270.A	21.0	3.50	27.0	7.9236	21.35	23.08	yes	music wire	4J
C.210.350.0270.I	21.0	3.50	27.0	6.8056	21.35	23.08	yes	stainless steel	4J
C.210.350.0700.A	21.0	3.50	70.0	2.5698	47.60	52.94	yes	music wire	4J
C.210.350.0700.I	21.0	3.50	70.0	2.2072	47.60	52.94	yes	stainless steel	4J
C.210.350.1200.A	21.0	3.50	120.0	1.4407	78.05	87.58	yes	music wire	4J
C.210.350.1200.I	21.0	3.50	120.0	1.2374	78.05	87.58	yes	stainless steel	4K
C.210.350.1650.A	21.0	3.50	165.0	1.0298	105.70	119.03	yes	music wire	4L
C.210.350.1650.I	21.0	3.50	165.0	0.8845	105.70	119.03	yes	stainless steel	4L
C.210.360.0280.A	21.0	3.60	28.0	8.5476	22.68	24.53	yes	music wire	4M
C.210.360.0280.I	21.0	3.60	28.0	7.3415	22.68	24.53	yes	stainless steel	4M
C.210.360.0360.A	21.0	3.60	36.0	6.2464	27.72	30.25	yes	music wire	4M
C.210.360.0360.I	21.0	3.60	36.0	5.3650	27.72	30.25	yes	stainless steel	4M
C.210.360.0440.A	21.0	3.60	44.0	4.9214	32.76	35.97	yes	music wire	4M
C.210.360.0440.I	21.0	3.60	44.0	4.2269	32.76	35.97	yes	stainless steel	4M
C.210.360.0550.A	21.0	3.60	55.0	3.8213	39.60	43.73	yes	music wire	4M
C.210.360.0550.I	21.0	3.60	55.0	3.2821	39.60	43.73	yes	stainless steel	4M
C.210.360.0710.A	21.0	3.60	71.0	2.8744	49.68	55.17	yes	music wire	4M
C.210.360.0710.I	21.0	3.60	71.0	2.4688	49.68	55.17	yes	stainless steel	4M
C.210.360.0770.A	21.0	3.60	77.0	2.6407	53.28	59.26	yes	music wire	4M
C.210.360.0770.I	21.0	3.60	77.0	2.2681	53.28	59.26	yes	stainless steel	4M
C.210.360.0880.A	21.0	3.60	88.0	2.2714	60.48	67.43	yes	music wire	4M
C.210.360.0880.I	21.0	3.60	88.0	1.9509	60.48	67.43	yes	stainless steel	4M
C.210.360.1100.A	21.0	3.60	110.0	1.7945	74.16	82.96	yes	music wire	4M
C.210.360.1100.I	21.0	3.60	110.0	1.5413	74.16	82.96	yes	stainless steel	4M
C.210.360.1200.A	21.0	3.60	120.0	1.6322	80.64	90.31	yes	music wire	4M
C.210.360.1200.I	21.0	3.60	120.0	1.4019	80.64	90.31	yes	stainless steel	4M
C.210.360.1300.A	21.0	3.60	130.0	1.5038	86.76	97.26	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.210.360.1300.I	21.0	3.60	130.0	1.2916	86.76	97.26	yes	stainless steel	4M
C.210.360.1450.A	21.0	3.60	145.0	1.3422	96.12	107.88	yes	music wire	4M
C.210.360.1450.I	21.0	3.60	145.0	1.1528	96.12	107.88	yes	stainless steel	4N
C.210.360.1650.A	21.0	3.60	165.0	1.1726	108.72	122.19	yes	music wire	4N
C.210.360.1650.I	21.0	3.60	165.0	1.0071	108.72	122.19	yes	stainless steel	4N
C.210.380.0310.A	21.0	3.80	31.0	9.9396	25.46	27.55	yes	music wire	4M
C.210.380.0310.I	21.0	3.80	31.0	8.5370	25.46	27.55	yes	stainless steel	4M
C.210.380.0370.A	21.0	3.80	37.0	7.8766	29.64	32.27	yes	music wire	4M
C.210.380.0370.I	21.0	3.80	37.0	6.7652	29.64	32.27	yes	stainless steel	4M
C.210.380.0480.A	21.0	3.80	48.0	6.4000	34.20	37.43	yes	music wire	4O
C.210.380.0480.I	21.0	3.80	48.0	5.5680	33.82	37.00	yes	stainless steel	4O
C.210.380.0870.A	21.0	3.80	87.0	2.9819	62.70	69.65	yes	music wire	4M
C.210.380.0870.I	21.0	3.80	87.0	2.5611	62.70	69.65	yes	stainless steel	4M
C.210.380.0990.A	21.0	3.80	99.0	2.5769	71.06	79.11	yes	music wire	4M
C.210.380.0990.I	21.0	3.80	99.0	2.2133	71.06	79.11	yes	stainless steel	4M
C.210.380.1100.A	21.0	3.80	110.0	2.3064	78.28	87.27	yes	music wire	4M
C.210.380.1100.I	21.0	3.80	110.0	1.9810	78.28	87.27	yes	stainless steel	4M
C.210.380.1350.A	21.0	3.80	135.0	1.8554	95.00	106.18	yes	music wire	4M
C.210.380.1350.I	21.0	3.80	135.0	1.5936	95.00	106.18	yes	stainless steel	4M
C.210.380.2000.A	21.0	3.80	200.0	1.2315	138.32	155.16	yes	music wire	4N
C.210.380.2000.I	21.0	3.80	200.0	1.0577	138.32	155.16	yes	stainless steel	4N
C.210.400.0210.A	21.0	4.00	21.0	22.1182	19.60	20.82	yes	music wire	4O
C.210.400.0210.I	21.0	4.00	21.0	18.9972	19.60	20.82	yes	stainless steel	4P
C.210.400.0230.A	21.0	4.00	23.0	19.6606	20.80	22.17	yes	music wire	4O
C.210.400.0230.I	21.0	4.00	23.0	16.8864	20.80	22.17	yes	stainless steel	4P
C.210.400.0340.A	21.0	4.00	34.0	11.2944	28.80	31.19	yes	music wire	4P
C.210.400.0340.I	21.0	4.00	34.0	9.7007	28.80	31.19	yes	stainless steel	4P
C.210.400.0370.A	21.0	4.00	37.0	10.2084	30.80	33.44	yes	music wire	4P
C.210.400.0370.I	21.0	4.00	37.0	8.7679	30.80	33.44	yes	stainless steel	4P
C.210.400.0400.A	21.0	4.00	40.0	9.6516	32.00	34.80	yes	music wire	4P
C.210.400.0400.I	21.0	4.00	40.0	8.2897	32.00	34.80	yes	stainless steel	4P
C.210.400.0400.N	21.0	4.00	40.0	9.6516	32.00	34.80	yes	Zn coating	4R
C.210.400.0450.A	21.0	4.00	45.0	8.0430	36.40	39.76	yes	music wire	4P
C.210.400.0450.I	21.0	4.00	45.0	6.9081	36.40	39.76	yes	stainless steel	4P
C.210.400.0730.A	21.0	4.00	73.0	4.6160	56.00	61.85	yes	music wire	4P
C.210.400.0730.I	21.0	4.00	73.0	3.9646	56.00	61.85	yes	stainless steel	4P
C.210.400.0850.A	21.0	4.00	85.0	3.9032	64.40	71.31	yes	music wire	4P
C.210.400.0850.I	21.0	4.00	85.0	3.3525	64.40	71.31	yes	stainless steel	4P
C.210.400.1150.A	21.0	4.00	115.0	2.8087	85.60	95.21	yes	music wire	4P
C.210.400.1150.I	21.0	4.00	115.0	2.4123	85.60	95.21	yes	stainless steel	4P
C.210.400.1350.A	21.0	4.00	135.0	2.3698	99.60	110.99	yes	music wire	4P
C.210.400.1350.I	21.0	4.00	135.0	2.0354	99.60	110.99	yes	stainless steel	4P
C.210.400.1450.A	21.0	4.00	145.0	2.2026	106.40	118.65	yes	music wire	4P
C.210.400.1450.I	21.0	4.00	145.0	1.8918	106.40	118.65	yes	stainless steel	4P
C.210.400.5050.A	21.0	4.00	505.0	0.7749	284.00	382.94	yes	music wire	5B
C.210.400.5050.I	21.0	4.00	505.0	0.6656	284.00	376.99	yes	stainless steel	5C
C.210.400.5050.N	21.0	4.00	505.0	0.7749	284.00	382.94	yes	Zn coating	5D
C.210.450.1530.A	21.0	4.50	153.0	4.0230	115.20	127.69	yes	music wire	4T
C.210.450.1530.I	21.0	4.50	153.0	3.5000	113.85	126.18	yes	stainless steel	4T
C.210.470.0730.A	21.0	4.70	73.0	11.1494	60.16	65.87	yes	music wire	4R
C.210.470.0730.I	21.0	4.70	73.0	9.7000	59.69	65.35	yes	stainless steel	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.212.120.0500.A	21.2	1.20	50.0	0.0270	14.76	20.84	yes	music wire	4E
C.212.120.0500.I	21.2	1.20	50.0	0.0235	14.64	20.65	yes	stainless steel	4E
C.212.120.0500.N	21.2	1.20	50.0	0.0270	14.76	20.84	yes	Zn coating	4G
C.212.320.1200.A	21.2	3.20	120.0	1.4653	48.00	84.74	yes	music wire	4O
C.212.320.1200.I	21.2	3.20	120.0	1.2585	48.00	83.35	yes	stainless steel	4O
C.212.320.1200.N	21.2	3.20	120.0	1.4653	48.00	84.74	yes	Zn coating	4Q
C.212.400.0250.A	21.2	4.00	25.0	16.5636	22.40	23.98	yes	music wire	4M
C.212.400.0320.A	21.2	4.00	32.0	12.1000	26.80	28.95	yes	music wire	4M
C.212.400.0320.S	21.2	4.00	32.0	10.0000	30.40	30.40	yes	Cr-Si steel	4R
C.212.400.0400.A	21.2	4.00	40.0	8.0000	35.60	38.87	yes	music wire	4M
C.212.400.0400.S	21.2	4.00	40.0	7.7778	36.40	39.77	yes	Cr-Si steel	4R
C.212.400.0500.A	21.2	4.00	50.0	6.2222	42.80	46.99	yes	music wire	4M
C.212.400.0500.S	21.2	4.00	50.0	6.2500	42.80	46.99	yes	Cr-Si steel	4R
C.212.400.0630.A	21.2	4.00	63.0	5.0000	51.20	56.46	yes	music wire	4M
C.212.400.0630.S	21.2	4.00	63.0	5.0000	51.20	56.46	yes	Cr-Si steel	4R
C.212.400.0800.A	21.2	4.00	80.0	4.0000	61.20	67.74	yes	music wire	4M
C.212.400.0800.S	21.2	4.00	80.0	3.8889	62.80	69.54	yes	Cr-Si steel	4R
C.212.400.1000.A	21.2	4.00	100.0	3.1111	76.00	84.43	yes	music wire	4M
C.212.400.1000.S	21.2	4.00	100.0	3.1111	76.00	84.43	yes	Cr-Si steel	4R
C.212.400.1250.A	21.2	4.00	125.0	2.4889	92.40	102.93	yes	music wire	4M
C.212.400.1250.S	21.2	4.00	125.0	2.5000	92.00	102.47	yes	Cr-Si steel	4R
C.212.400.1600.A	21.2	4.00	160.0	2.0000	112.40	125.48	yes	music wire	4N
C.212.400.1600.S	21.2	4.00	160.0	1.9444	115.60	129.09	yes	Cr-Si steel	4S
C.212.400.2000.A	21.2	4.00	200.0	1.5556	141.60	158.41	yes	music wire	4N
C.212.400.2000.S	21.2	4.00	200.0	1.5556	141.60	158.41	yes	Cr-Si steel	4S
C.212.400.2500.A	21.2	4.00	250.0	1.2444	174.80	195.85	yes	music wire	4N
C.212.400.2500.S	21.2	4.00	250.0	1.2500	174.00	194.95	yes	Cr-Si steel	5A
C.214.100.0200.A	21.4	1.00	20.0	0.0923	4.80	5.74	no	music wire	4C
C.214.100.0200.I	21.4	1.00	20.0	0.0793	4.80	5.74	no	stainless steel	4D
C.214.100.0350.A	21.4	1.00	35.0	0.0425	6.30	8.33	no	music wire	4D
C.214.100.0350.I	21.4	1.00	35.0	0.0370	6.30	8.33	no	stainless steel	4D
C.214.120.0250.A	21.4	1.20	25.0	0.0816	6.72	8.67	yes	music wire	4D
C.214.120.0250.I	21.4	1.20	25.0	0.0710	6.72	8.67	yes	stainless steel	4D
C.214.120.0800.A	21.4	1.20	80.0	0.0383	11.04	15.26	yes	music wire	4E
C.214.120.0800.I	21.4	1.20	80.0	0.0329	11.04	15.26	yes	stainless steel	4E
C.214.130.0127.A	21.4	1.30	12.7	0.2100	5.46	6.47	yes	music wire	4C
C.214.130.0127.I	21.4	1.30	12.7	0.1827	5.46	6.47	yes	stainless steel	4D
C.214.130.0600.A	21.4	1.30	60.0	0.0664	10.27	13.49	yes	music wire	4E
C.214.130.0600.I	21.4	1.30	60.0	0.0570	10.27	13.49	yes	stainless steel	4E
C.214.130.1150.A	21.4	1.30	115.0	0.0172	30.29	42.69	yes	music wire	4F
C.214.130.1150.I	21.4	1.30	115.0	0.0150	29.90	42.12	yes	stainless steel	4G
C.214.150.0260.A	21.4	1.50	26.0	0.3448	6.60	7.69	yes	music wire	4I
C.214.150.0260.I	21.4	1.50	26.0	0.3000	6.60	7.68	yes	stainless steel	4I
C.214.150.0270.A	21.4	1.50	27.0	0.3400	6.60	8.43	yes	music wire	4I
C.214.150.0270.I	21.4	1.50	27.0	0.2958	6.60	8.42	yes	stainless steel	4I
C.214.150.0280.A	21.4	1.50	28.0	0.1600	9.90	12.14	yes	music wire	4F
C.214.150.0280.I	21.4	1.50	28.0	0.1392	9.75	11.93	yes	stainless steel	4F
C.214.150.0410.A	21.4	1.50	41.0	0.1149	12.30	15.41	yes	music wire	4F
C.214.150.0410.I	21.4	1.50	41.0	0.1000	12.15	15.21	yes	stainless steel	4G
C.214.150.0800.A	21.4	1.50	80.0	0.0779	16.35	20.94	yes	music wire	4G
C.214.150.0800.I	21.4	1.50	80.0	0.0669	16.35	20.94	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.214.150.2600.A	21.4	1.50	260.0	0.0235	45.45	60.63	yes	music wire	4I
C.214.150.2600.I	21.4	1.50	260.0	0.0202	45.45	60.63	yes	stainless steel	4J
C.214.160.0200.A	21.4	1.60	20.0	0.4301	7.20	8.26	yes	music wire	4E
C.214.160.0200.I	21.4	1.60	20.0	0.3694	7.20	8.26	yes	stainless steel	4F
C.214.160.0410.A	21.4	1.60	41.0	0.2069	10.72	12.94	yes	music wire	4F
C.214.160.0410.I	21.4	1.60	41.0	0.1800	10.56	12.72	yes	stainless steel	4G
C.214.160.0760.A	21.4	1.60	76.0	0.1046	17.12	21.45	yes	music wire	4G
C.214.160.0760.I	21.4	1.60	76.0	0.0910	16.96	21.23	yes	stainless steel	4G
C.214.170.0320.A	21.4	1.70	32.0	0.3333	9.86	11.55	yes	music wire	4F
C.214.170.0320.AP	21.4	1.70	32.0	0.4870	8.16	13.60	yes	music wire	4I
C.214.170.0320.I	21.4	1.70	32.0	0.2900	9.86	11.55	yes	stainless steel	4F
C.214.170.0380.A	21.4	1.70	38.0	0.2100	13.26	15.98	yes	music wire	4F
C.214.170.0380.I	21.4	1.70	38.0	0.1827	13.09	15.75	yes	stainless steel	4G
C.214.170.2400.A	21.4	1.70	240.0	0.0384	53.55	68.41	yes	music wire	4I
C.214.170.2400.I	21.4	1.70	240.0	0.0330	53.55	68.41	yes	stainless steel	4I
C.214.180.0290.A	21.4	1.80	29.0	0.3678	11.52	13.47	yes	music wire	4G
C.214.180.0290.AP	21.4	1.80	29.0	0.6504	8.46	12.84	yes	music wire	4I
C.214.180.0290.I	21.4	1.80	29.0	0.3200	11.34	13.24	yes	stainless steel	4G
C.214.180.0570.A	21.4	1.80	57.0	0.2184	16.20	19.45	yes	music wire	4G
C.214.180.0570.AP	21.4	1.80	57.0	0.3180	12.60	23.94	yes	music wire	4I
C.214.180.0570.I	21.4	1.80	57.0	0.1900	16.02	19.22	yes	stainless steel	4H
C.214.180.1200.A	21.4	1.80	120.0	0.0941	31.68	39.23	yes	music wire	4I
C.214.180.1200.I	21.4	1.80	120.0	0.0808	31.68	39.23	yes	stainless steel	4I
C.214.180.1810.A	21.4	1.80	181.0	0.0644	44.28	55.33	yes	music wire	4I
C.214.180.1810.AP	21.4	1.80	181.0	0.0973	30.78	73.01	yes	music wire	4K
C.214.180.1810.I	21.4	1.80	181.0	0.0560	43.74	54.64	yes	stainless steel	4I
C.214.200.0350.A	21.4	2.00	35.0	0.5747	12.80	14.68	yes	music wire	4G
C.214.200.0350.I	21.4	2.00	35.0	0.5000	12.60	14.43	yes	stainless steel	4G
C.214.200.0400.A	21.4	2.00	40.0	0.3563	17.60	20.64	yes	music wire	4G
C.214.200.0400.AP	21.4	2.00	40.0	0.6626	11.80	18.74	yes	music wire	4I
C.214.200.0400.I	21.4	2.00	40.0	0.3100	17.40	20.39	yes	stainless steel	4G
C.214.200.0450.A	21.4	2.00	45.0	0.2874	20.60	24.36	yes	music wire	4G
C.214.200.0450.AP	21.4	2.00	45.0	0.5777	12.80	20.61	yes	music wire	4I
C.214.200.0450.I	21.4	2.00	45.0	0.2500	20.40	24.11	yes	stainless steel	4H
C.214.200.1000.A	21.4	2.00	100.0	0.1642	32.20	38.76	yes	music wire	4I
C.214.200.1000.I	21.4	2.00	100.0	0.1410	32.20	38.76	yes	stainless steel	4I
C.214.230.0200.A	21.4	2.30	20.0	1.6366	11.50	12.67	yes	music wire	4G
C.214.230.0200.I	21.4	2.30	20.0	1.4057	11.50	12.67	yes	stainless steel	4G
C.214.230.0950.A	21.4	2.30	95.0	0.2874	38.41	45.05	yes	music wire	4I
C.214.230.0950.AP	21.4	2.30	95.0	0.4225	28.06	45.88	yes	music wire	4J
C.214.230.0950.I	21.4	2.30	95.0	0.2500	38.18	44.78	yes	stainless steel	4I
C.214.240.0191.A	21.4	2.40	19.1	2.1839	11.52	12.59	yes	music wire	4G
C.214.240.0191.AP	21.4	2.40	19.1	2.9360	10.08	11.15	yes	music wire	4I
C.214.240.0191.I	21.4	2.40	19.1	1.9000	11.28	12.30	yes	stainless steel	4G
C.214.240.1000.A	21.4	2.40	100.0	0.3221	42.72	49.84	yes	music wire	4I
C.214.240.1000.I	21.4	2.40	100.0	0.2766	42.72	49.84	yes	stainless steel	4I
C.214.250.0174.A	21.4	2.50	17.4	1.8000	14.50	16.03	yes	music wire	4G
C.214.250.0174.AP	21.4	2.50	17.4	3.9839	10.00	10.85	yes	music wire	4I
C.214.250.0174.I	21.4	2.50	17.4	1.6000	14.25	15.74	yes	stainless steel	4G
C.214.250.0350.A	21.4	2.50	35.0	1.2000	18.50	20.78	yes	music wire	4G
C.214.250.0350.AP	21.4	2.50	35.0	1.6599	15.25	19.27	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.214.250.0350.I	21.4	2.50	35.0	1.0440	18.25	20.48	yes	stainless steel	4H
C.214.250.0600.A	21.4	2.50	60.0	0.6477	29.00	33.23	yes	music wire	4H
C.214.250.0600.I	21.4	2.50	60.0	0.5563	29.00	33.23	yes	stainless steel	4I
C.214.250.0830.A	21.4	2.50	83.0	0.5172	34.75	40.04	yes	music wire	4I
C.214.250.0830.I	21.4	2.50	83.0	0.4500	34.50	39.75	yes	stainless steel	4I
C.214.280.0380.A	21.4	2.80	38.0	2.5287	17.64	23.91	yes	music wire	4M
C.214.280.0380.I	21.4	2.80	38.0	2.2000	17.64	23.61	yes	stainless steel	4M
C.214.280.1000.A	21.4	2.80	100.0	0.5934	52.92	60.55	yes	music wire	4I
C.214.280.1000.I	21.4	2.80	100.0	0.5096	52.92	60.55	yes	stainless steel	4I
C.214.300.0520.A	21.4	3.00	52.0	1.8391	29.10	32.48	yes	music wire	4I
C.214.300.0520.I	21.4	3.00	52.0	1.6000	28.80	32.13	yes	stainless steel	4I
C.214.300.2000.A	21.4	3.00	200.0	0.3840	111.00	127.19	yes	music wire	4J
C.214.300.2000.I	21.4	3.00	200.0	0.3298	111.00	127.19	yes	stainless steel	4J
C.214.320.0250.A	21.4	3.20	25.0	5.0794	19.20	20.86	yes	music wire	4H
C.214.320.0320.A	21.4	3.20	32.0	4.0000	22.08	24.17	yes	music wire	4I
C.214.320.0400.A	21.4	3.20	40.0	2.9048	27.52	30.42	yes	music wire	4J
C.214.320.0400.AP	21.4	3.20	40.0	3.2000	25.60	28.21	yes	music wire	4I
C.214.320.0400.I	21.4	3.20	40.0	2.4950	27.52	30.42	yes	stainless steel	4J
C.214.320.0500.A	21.4	3.20	50.0	2.5600	30.08	33.36	yes	music wire	4I
C.214.320.0630.A	21.4	3.20	63.0	2.0000	36.48	40.71	yes	music wire	4I
C.214.320.0800.A	21.4	3.20	80.0	1.6000	43.52	48.80	yes	music wire	4I
C.214.320.1000.A	21.4	3.20	100.0	1.0485	62.08	70.11	yes	music wire	4J
C.214.320.1000.AP	21.4	3.20	100.0	1.2800	52.16	59.98	yes	music wire	4I
C.214.320.1000.I	21.4	3.20	100.0	0.9005	62.08	70.11	yes	stainless steel	4J
C.214.320.1250.A	21.4	3.20	125.0	1.0000	64.64	73.77	yes	music wire	4I
C.214.320.1600.A	21.4	3.20	160.0	0.8000	78.72	95.96	yes	music wire	4N
C.214.320.1600.I	21.4	3.20	160.0	0.6960	78.08	94.28	yes	stainless steel	4N
C.214.320.1600.N	21.4	3.20	160.0	0.8000	78.72	95.96	yes	Zn coating	4O
C.214.320.2000.A	21.4	3.20	200.0	0.6349	97.28	119.31	yes	music wire	4N
C.214.320.2000.I	21.4	3.20	200.0	0.5524	96.32	117.19	yes	stainless steel	4N
C.214.320.2000.N	21.4	3.20	200.0	0.6349	97.28	119.31	yes	Zn coating	4P
C.214.320.2500.A	21.4	3.20	250.0	0.5000	121.28	147.54	yes	music wire	4O
C.214.320.2500.I	21.4	3.20	250.0	0.4350	120.00	144.85	yes	stainless steel	4O
C.214.320.2500.N	21.4	3.20	250.0	0.5000	121.28	147.54	yes	Zn coating	4P
C.214.320.3200.A	21.4	3.20	320.0	0.4000	149.76	191.93	yes	music wire	4O
C.214.320.3200.I	21.4	3.20	320.0	0.3480	147.84	188.57	yes	stainless steel	4O
C.214.320.3200.N	21.4	3.20	320.0	0.4000	149.76	191.93	yes	Zn coating	4Q
C.214.400.0530.A	21.4	4.00	53.0	8.2759	34.00	41.75	yes	music wire	4T
C.214.400.0530.I	21.4	4.00	53.0	7.2000	33.60	41.35	yes	stainless steel	4T
C.214.400.0580.A	21.4	4.00	58.0	7.3563	36.80	45.35	yes	music wire	4T
C.214.400.0580.I	21.4	4.00	58.0	6.4000	36.40	44.90	yes	stainless steel	4T
C.214.400.2000.A	21.4	4.00	200.0	1.4226	149.20	167.07	yes	music wire	4Q
C.214.400.2000.I	21.4	4.00	200.0	1.2219	149.20	167.07	yes	stainless steel	4Q
C.214.420.0500.A	21.4	4.20	50.0	10.0000	36.54	39.80	yes	music wire	4R
C.214.420.0500.I	21.4	4.20	50.0	8.7000	36.54	39.80	yes	stainless steel	4R
C.214.420.2000.A	21.4	4.20	200.0	1.8110	154.98	173.06	yes	music wire	4Q
C.214.420.2000.I	21.4	4.20	200.0	1.5555	154.98	173.06	yes	stainless steel	4Q
C.215.200.0280.A	21.5	2.00	28.0	0.8630	10.00	11.75	yes	music wire	4I
C.215.200.0280.I	21.5	2.00	28.0	0.7500	10.00	11.57	yes	stainless steel	4I
C.215.200.0280.N	21.5	2.00	28.0	0.8630	10.00	11.75	yes	Zn coating	4J
C.215.200.0450.A	21.5	2.00	45.0	0.3600	17.20	20.16	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.215.200.0450.AP	21.5	2.00	45.0	0.5838	12.60	20.97	yes	music wire	4I
C.215.200.0450.I	21.5	2.00	45.0	0.3132	17.00	19.91	yes	stainless steel	4H
C.215.200.0450.N	21.5	2.00	45.0	0.3600	17.20	20.16	yes	Zn coating	4I
C.215.225.0200.A	21.5	2.25	20.0	1.5556	11.03	12.16	yes	music wire	4G
C.215.225.0200.AP	21.5	2.25	20.0	2.1778	9.45	11.07	yes	music wire	4I
C.215.225.0200.I	21.5	2.25	20.0	1.3534	10.80	11.89	yes	stainless steel	4G
C.215.225.0200.N	21.5	2.25	20.0	1.5556	11.03	12.16	yes	Zn coating	4I
C.215.225.0250.A	21.5	2.25	25.0	1.2500	12.15	13.52	yes	music wire	4G
C.215.225.0250.AP	21.5	2.25	25.0	1.6829	10.58	13.45	yes	music wire	4I
C.215.225.0250.I	21.5	2.25	25.0	1.0875	12.15	13.52	yes	stainless steel	4G
C.215.225.0250.N	21.5	2.25	25.0	1.2500	12.15	13.52	yes	Zn coating	4I
C.215.225.0320.A	21.5	2.25	32.0	1.0000	13.95	15.70	yes	music wire	4G
C.215.225.0320.I	21.5	2.25	32.0	0.8700	13.73	15.43	yes	stainless steel	4G
C.215.225.0320.N	21.5	2.25	32.0	1.0000	13.95	15.70	yes	Zn coating	4I
C.215.225.0400.A	21.5	2.25	40.0	0.7778	16.20	18.42	yes	music wire	4G
C.215.225.0400.I	21.5	2.25	40.0	0.6767	15.98	18.15	yes	stainless steel	4H
C.215.225.0400.N	21.5	2.25	40.0	0.7778	16.20	18.42	yes	Zn coating	4I
C.215.225.0500.A	21.5	2.25	50.0	0.6222	18.90	21.68	yes	music wire	4H
C.215.225.0500.I	21.5	2.25	50.0	0.5413	18.68	21.42	yes	stainless steel	4H
C.215.225.0500.N	21.5	2.25	50.0	0.6222	18.90	21.68	yes	Zn coating	4I
C.215.225.0630.A	21.5	2.25	63.0	0.5000	22.05	25.50	yes	music wire	4J
C.215.225.0630.I	21.5	2.25	63.0	0.4350	21.83	25.23	yes	stainless steel	4J
C.215.225.0630.N	21.5	2.25	63.0	0.5000	22.05	25.50	yes	Zn coating	4K
C.215.225.0800.A	21.5	2.25	80.0	0.3889	26.78	31.22	yes	music wire	4J
C.215.225.0800.I	21.5	2.25	80.0	0.3383	26.55	30.94	yes	stainless steel	4J
C.215.225.0800.N	21.5	2.25	80.0	0.3889	26.78	31.22	yes	Zn coating	4L
C.215.225.1000.A	21.5	2.25	100.0	0.3111	32.18	37.75	yes	music wire	4J
C.215.225.1000.I	21.5	2.25	100.0	0.2707	31.73	37.21	yes	stainless steel	4J
C.215.225.1000.N	21.5	2.25	100.0	0.3111	32.18	37.75	yes	Zn coating	4L
C.215.225.1250.A	21.5	2.25	125.0	0.2500	38.48	47.23	yes	music wire	4J
C.215.225.1250.I	21.5	2.25	125.0	0.2175	38.25	46.19	yes	stainless steel	4J
C.215.225.1250.N	21.5	2.25	125.0	0.2500	38.48	47.23	yes	Zn coating	4L
C.215.225.1600.A	21.5	2.25	160.0	0.2000	46.80	62.79	yes	music wire	4K
C.215.225.1600.I	21.5	2.25	160.0	0.1740	46.35	61.49	yes	stainless steel	4K
C.215.225.1600.N	21.5	2.25	160.0	0.2000	46.80	62.79	yes	Zn coating	4M
C.215.225.2000.A	21.5	2.25	200.0	0.1556	58.50	75.05	yes	music wire	4L
C.215.225.2000.I	21.5	2.25	200.0	0.1354	57.83	73.38	yes	stainless steel	4L
C.215.225.2000.N	21.5	2.25	200.0	0.1556	58.50	75.05	yes	Zn coating	4M
C.215.225.2500.A	21.5	2.25	250.0	0.1250	71.55	94.46	yes	music wire	4L
C.215.225.2500.I	21.5	2.25	250.0	0.1088	70.65	92.39	yes	stainless steel	4M
C.215.225.2500.N	21.5	2.25	250.0	0.1250	71.55	94.46	yes	Zn coating	4N
C.215.225.3000.A	21.5	2.25	300.0	0.1010	87.08	107.50	yes	music wire	4M
C.215.225.3000.I	21.5	2.25	300.0	0.0879	86.18	104.94	yes	stainless steel	4M
C.215.225.3000.N	21.5	2.25	300.0	0.1010	87.08	107.50	yes	Zn coating	4N
C.215.225.3200.A	21.5	2.25	320.0	0.1000	87.98	125.58	yes	music wire	4M
C.215.225.3200.I	21.5	2.25	320.0	0.0870	86.85	122.99	yes	stainless steel	4M
C.215.225.3200.N	21.5	2.25	320.0	0.1000	87.98	125.58	yes	Zn coating	4O
C.215.250.0700.A	21.5	2.50	70.0	0.6330	29.25	33.54	yes	music wire	4I
C.215.250.0700.I	21.5	2.50	70.0	0.5507	28.75	32.95	yes	stainless steel	4I
C.215.250.0700.N	21.5	2.50	70.0	0.6330	29.25	33.54	yes	Zn coating	4I
C.215.280.0730.A	21.5	2.80	73.0	1.2500	28.56	44.62	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.215.280.0730.I	21.5	2.80	73.0	1.0901	28.00	44.09	yes	stainless steel	4M
C.215.280.0730.N	21.5	2.80	73.0	1.2500	28.56	44.62	yes	Zn coating	4N
C.215.300.0300.A	21.5	3.00	30.0	3.7237	18.00	19.65	yes	music wire	4J
C.215.300.0300.I	21.5	3.00	30.0	3.1983	18.00	19.65	yes	stainless steel	4J
C.215.300.0300.N	21.5	3.00	30.0	3.7237	18.00	19.65	yes	Zn coating	4L
C.215.300.0450.A	21.5	3.00	45.0	2.3696	24.00	26.93	yes	music wire	4J
C.215.300.0450.I	21.5	3.00	45.0	2.0352	24.00	26.59	yes	stainless steel	4J
C.215.300.0450.N	21.5	3.00	45.0	2.3696	24.00	26.93	yes	Zn coating	4L
C.215.350.0600.A	21.5	3.50	60.0	3.2160	37.45	41.46	yes	music wire	4M
C.215.350.0600.I	21.5	3.50	60.0	2.7979	36.75	40.66	yes	stainless steel	4M
C.215.350.0600.N	21.5	3.50	60.0	3.2160	37.45	41.46	yes	Zn coating	4N
C.215.400.0500.A	21.5	4.00	50.0	7.4865	36.00	39.35	yes	music wire	4R
C.215.400.0500.I	21.5	4.00	50.0	6.4301	36.00	39.35	yes	stainless steel	4R
C.215.400.0500.N	21.5	4.00	50.0	7.4865	36.00	39.35	yes	Zn coating	4S
C.215.400.2100.A	21.5	4.00	210.0	1.5920	132.40	151.76	yes	music wire	4S
C.215.400.2100.I	21.5	4.00	210.0	1.3850	130.80	149.69	yes	stainless steel	4S
C.215.400.2100.N	21.5	4.00	210.0	1.5920	132.40	151.76	yes	Zn coating	4T
C.216.130.0191.A	21.6	1.30	19.1	0.2300	5.20	6.11	yes	music wire	4D
C.216.130.0191.I	21.6	1.30	19.1	0.1900	5.33	6.30	yes	stainless steel	4D
C.216.130.0220.A	21.6	1.30	22.0	0.1900	5.59	6.68	yes	music wire	4D
C.216.130.0220.I	21.6	1.30	22.0	0.1600	5.72	6.87	yes	stainless steel	4D
C.216.130.0250.A	21.6	1.30	25.0	0.1600	6.11	7.44	yes	music wire	4D
C.216.130.0250.I	21.6	1.30	25.0	0.1400	5.98	7.25	yes	stainless steel	4D
C.216.130.0320.A	21.6	1.30	32.0	0.1300	6.76	8.39	yes	music wire	4D
C.216.130.0320.I	21.6	1.30	32.0	0.1100	6.76	8.39	yes	stainless steel	4E
C.216.130.0380.A	21.6	1.30	38.0	0.1100	7.41	9.35	yes	music wire	4D
C.216.130.0380.I	21.6	1.30	38.0	0.0900	7.54	9.54	yes	stainless steel	4E
C.216.130.0500.A	21.6	1.30	50.0	0.0780	9.10	11.82	yes	music wire	4E
C.216.130.0500.I	21.6	1.30	50.0	0.0660	9.10	11.82	yes	stainless steel	4E
C.216.130.0640.A	21.6	1.30	64.0	0.0610	10.66	14.11	yes	music wire	4E
C.216.130.0640.I	21.6	1.30	64.0	0.0520	10.66	14.11	yes	stainless steel	4E
C.216.130.0760.A	21.6	1.30	76.0	0.0510	12.09	16.21	yes	music wire	4E
C.216.130.0760.I	21.6	1.30	76.0	0.0430	12.22	16.40	yes	stainless steel	4E
C.216.130.0890.A	21.6	1.30	89.0	0.0430	13.78	18.68	yes	music wire	4E
C.216.130.0890.I	21.6	1.30	89.0	0.0370	13.78	18.68	yes	stainless steel	4F
C.216.130.1016.A	21.6	1.30	101.6	0.0368	15.60	21.35	yes	music wire	4F
C.216.130.1016.I	21.6	1.30	101.6	0.0320	15.34	20.97	yes	stainless steel	4F
C.216.130.1020.A	21.6	1.30	102.0	0.0380	15.21	20.78	yes	music wire	4F
C.216.130.1020.I	21.6	1.30	102.0	0.0331	14.95	20.40	yes	stainless steel	4F
C.216.140.0191.A	21.6	1.40	19.1	0.3200	5.60	6.47	yes	music wire	4E
C.216.140.0191.I	21.6	1.40	19.1	0.2700	5.60	6.47	yes	stainless steel	4F
C.216.140.0220.A	21.6	1.40	22.0	0.2600	6.02	7.06	yes	music wire	4E
C.216.140.0220.I	21.6	1.40	22.0	0.2200	6.16	7.26	yes	stainless steel	4F
C.216.140.0250.A	21.6	1.40	25.0	0.2300	6.44	7.65	yes	music wire	4E
C.216.140.0250.I	21.6	1.40	25.0	0.1900	6.44	7.65	yes	stainless steel	4F
C.216.140.0320.A	21.6	1.40	32.0	0.1800	7.14	8.64	yes	music wire	4F
C.216.140.0320.I	21.6	1.40	32.0	0.1500	7.28	8.84	yes	stainless steel	4F
C.216.140.0380.A	21.6	1.40	38.0	0.1500	7.98	9.83	yes	music wire	4F
C.216.140.0380.I	21.6	1.40	38.0	0.1200	8.26	10.22	yes	stainless steel	4F
C.216.140.0450.A	21.6	1.40	45.0	0.1200	9.10	11.41	yes	music wire	4F
C.216.140.0450.I	21.6	1.40	45.0	0.1100	8.68	10.82	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.216.140.0570.A	21.6	1.40	57.0	0.0950	10.50	13.39	yes	music wire	4G
C.216.140.0570.I	21.6	1.40	57.0	0.0800	10.64	13.58	yes	stainless steel	4G
C.216.140.0640.A	21.6	1.40	64.0	0.0850	11.34	14.57	yes	music wire	4G
C.216.140.0640.I	21.6	1.40	64.0	0.0720	11.48	14.77	yes	stainless steel	4G
C.216.140.0700.A	21.6	1.40	70.0	0.0770	12.18	15.76	yes	music wire	4G
C.216.140.0700.I	21.6	1.40	70.0	0.0650	12.32	15.96	yes	stainless steel	4G
C.216.140.0890.A	21.6	1.40	89.0	0.0600	14.56	19.12	yes	music wire	4G
C.216.140.0890.I	21.6	1.40	89.0	0.0510	14.70	19.32	yes	stainless steel	4G
C.216.140.1020.A	21.6	1.40	102.0	0.0520	16.24	21.49	yes	music wire	4G
C.216.140.1020.I	21.6	1.40	102.0	0.0440	16.52	21.89	yes	stainless steel	4H
C.216.160.0480.A	21.6	1.60	48.0	0.2384	9.60	16.55	yes	music wire	4I
C.216.160.0480.I	21.6	1.60	48.0	0.2048	9.60	16.08	yes	stainless steel	4I
C.216.160.0480.N	21.6	1.60	48.0	0.2384	9.60	16.55	yes	Zn coating	4J
C.216.160.0735.A	21.6	1.60	73.5	0.1517	12.80	24.08	yes	music wire	4I
C.216.160.0735.I	21.6	1.60	73.5	0.1303	12.80	23.33	yes	stainless steel	4I
C.216.160.0735.N	21.6	1.60	73.5	0.1517	12.80	24.08	yes	Zn coating	4J
C.216.160.1100.A	21.6	1.60	110.0	0.0982	17.60	33.66	yes	music wire	4J
C.216.160.1100.I	21.6	1.60	110.0	0.0843	17.60	32.45	yes	stainless steel	4J
C.216.160.1100.N	21.6	1.60	110.0	0.0982	17.60	33.66	yes	Zn coating	4K
C.216.160.1650.A	21.6	1.60	165.0	0.0668	24.00	52.77	yes	music wire	4J
C.216.160.1650.I	21.6	1.60	165.0	0.0574	24.00	51.10	yes	stainless steel	4J
C.216.160.1650.IF	21.6	1.60	165.0	0.0387	33.60	43.50	yes	stainless steel	4I
C.216.160.1650.N	21.6	1.60	165.0	0.0668	24.00	52.77	yes	Zn coating	4L
C.216.160.2400.A	21.6	1.60	240.0	0.0451	33.60	73.77	yes	music wire	4L
C.216.160.2400.I	21.6	1.60	240.0	0.0387	33.60	71.07	yes	stainless steel	4L
C.216.160.2400.IF	21.6	1.60	240.0	0.0319	40.00	52.04	yes	stainless steel	4I
C.216.160.2400.N	21.6	1.60	240.0	0.0451	33.60	73.77	yes	Zn coating	4M
C.216.170.0700.A	21.6	1.70	70.0	0.1500	16.49	20.23	yes	music wire	4G
C.216.170.0700.I	21.6	1.70	70.0	0.1300	16.32	20.01	yes	stainless steel	4G
C.216.175.0190.A	21.6	1.75	19.0	0.5530	8.23	9.36	yes	music wire	4E
C.216.175.0190.AP	21.6	1.75	19.0	0.9462	6.65	8.82	yes	music wire	4I
C.216.175.0190.I	21.6	1.75	19.0	0.4750	8.23	9.36	yes	stainless steel	4F
C.216.175.0190.N	21.6	1.75	19.0	0.5530	8.23	9.36	yes	Zn coating	4G
C.216.175.0224.A	21.6	1.75	22.4	0.4619	8.93	10.26	yes	music wire	4E
C.216.175.0224.AP	21.6	1.75	22.4	0.7688	7.18	9.87	yes	music wire	4I
C.216.175.0224.I	21.6	1.75	22.4	0.3968	8.93	10.26	yes	stainless steel	4F
C.216.175.0224.N	21.6	1.75	22.4	0.4619	8.93	10.26	yes	Zn coating	4H
C.216.175.0254.A	21.6	1.75	25.4	0.4163	9.45	10.94	yes	music wire	4F
C.216.175.0254.AP	21.6	1.75	25.4	0.6834	7.53	11.31	yes	music wire	4I
C.216.175.0254.I	21.6	1.75	25.4	0.3575	9.45	10.94	yes	stainless steel	4F
C.216.175.0254.N	21.6	1.75	25.4	0.4163	9.45	10.94	yes	Zn coating	4H
C.216.175.0305.A	21.6	1.75	30.5	0.3295	10.85	12.75	yes	music wire	4F
C.216.175.0305.AP	21.6	1.75	30.5	0.5591	8.23	13.28	yes	music wire	4I
C.216.175.0305.I	21.6	1.75	30.5	0.2866	10.85	12.75	yes	stainless steel	4F
C.216.175.0318.A	21.6	1.75	31.8	0.3337	10.85	12.75	yes	music wire	4F
C.216.175.0318.AP	21.6	1.75	31.8	0.5348	8.40	13.79	yes	music wire	4I
C.216.175.0318.I	21.6	1.75	31.8	0.2903	10.68	12.53	yes	stainless steel	4F
C.216.175.0318.N	21.6	1.75	31.8	0.3337	10.85	12.75	yes	Zn coating	4H
C.216.175.0381.A	21.6	1.75	38.1	0.2785	12.08	14.34	yes	music wire	4F
C.216.175.0381.AP	21.6	1.75	38.1	0.4393	9.28	16.18	yes	music wire	4I
C.216.175.0381.I	21.6	1.75	38.1	0.2392	12.08	14.34	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.216.175.0381.N	21.6	1.75	38.1	0.2785	12.08	14.34	yes	Zn coating	4H
C.216.175.0444.A	21.6	1.75	44.4	0.2390	13.30	15.91	yes	music wire	4F
C.216.175.0444.AP	21.6	1.75	44.4	0.3727	10.15	18.57	yes	music wire	4I
C.216.175.0444.I	21.6	1.75	44.4	0.2079	13.13	15.69	yes	stainless steel	4G
C.216.175.0444.N	21.6	1.75	44.4	0.2390	13.30	15.91	yes	Zn coating	4I
C.216.175.0457.A	21.6	1.75	45.7	0.2359	13.48	16.15	yes	music wire	4F
C.216.175.0457.AP	21.6	1.75	45.7	0.3618	10.33	19.08	yes	music wire	4I
C.216.175.0457.I	21.6	1.75	45.7	0.2053	13.30	15.91	yes	stainless steel	4G
C.216.175.0508.A	21.6	1.75	50.8	0.2093	14.53	17.50	yes	music wire	4G
C.216.175.0508.AP	21.6	1.75	50.8	0.3237	11.03	21.05	yes	music wire	4I
C.216.175.0508.I	21.6	1.75	50.8	0.1797	14.53	17.50	yes	stainless steel	4G
C.216.175.0508.N	21.6	1.75	50.8	0.2093	14.53	17.50	yes	Zn coating	4I
C.216.175.0559.A	21.6	1.75	55.9	0.1837	15.93	19.31	yes	music wire	4G
C.216.175.0559.AP	21.6	1.75	55.9	0.2929	11.73	23.02	yes	music wire	4I
C.216.175.0559.I	21.6	1.75	55.9	0.1599	15.93	19.31	yes	stainless steel	4G
C.216.175.0572.A	21.6	1.75	57.2	0.1861	15.93	19.31	yes	music wire	4G
C.216.175.0572.AP	21.6	1.75	57.2	0.2861	11.90	23.54	yes	music wire	4I
C.216.175.0572.I	21.6	1.75	57.2	0.1619	15.75	19.08	yes	stainless steel	4G
C.216.175.0572.N	21.6	1.75	57.2	0.1861	15.93	19.31	yes	Zn coating	4I
C.216.175.0635.A	21.6	1.75	63.5	0.1676	17.15	20.89	yes	music wire	4G
C.216.175.0635.AP	21.6	1.75	63.5	0.2563	12.78	25.92	yes	music wire	4I
C.216.175.0635.I	21.6	1.75	63.5	0.1440	17.15	20.89	yes	stainless steel	4G
C.216.175.0635.N	21.6	1.75	63.5	0.1676	17.15	20.89	yes	Zn coating	4I
C.216.175.0762.A	21.6	1.75	76.2	0.1398	19.60	24.06	yes	music wire	4G
C.216.175.0762.AP	21.6	1.75	76.2	0.2121	14.53	30.79	yes	music wire	4I
C.216.175.0762.I	21.6	1.75	76.2	0.1200	19.60	24.06	yes	stainless steel	4G
C.216.175.0762.N	21.6	1.75	76.2	0.1398	19.60	24.06	yes	Zn coating	4I
C.216.175.0889.A	21.6	1.75	88.9	0.1199	22.23	27.46	yes	music wire	4G
C.216.175.0889.AP	21.6	1.75	88.9	0.1809	16.28	35.67	yes	music wire	4I
C.216.175.0889.I	21.6	1.75	88.9	0.1030	22.23	27.46	yes	stainless steel	4H
C.216.175.0889.N	21.6	1.75	88.9	0.1199	22.23	27.46	yes	Zn coating	4I
C.216.175.1016.A	21.6	1.75	101.6	0.1049	24.68	30.63	yes	music wire	4H
C.216.175.1016.AP	21.6	1.75	101.6	0.1577	17.85	40.54	yes	music wire	4I
C.216.175.1016.I	21.6	1.75	101.6	0.0900	24.85	30.85	yes	stainless steel	4H
C.216.175.1016.N	21.6	1.75	101.6	0.1049	24.68	30.63	yes	Zn coating	4I
C.216.180.0320.A	21.6	1.80	32.0	0.4598	9.90	11.42	yes	music wire	4G
C.216.180.0320.I	21.6	1.80	32.0	0.4000	9.90	11.42	yes	stainless steel	4G
C.216.190.0224.A	21.6	1.90	22.4	0.6482	9.88	11.22	yes	music wire	4G
C.216.190.0224.AP	21.6	1.90	22.4	1.0300	7.98	10.64	yes	music wire	4I
C.216.190.0224.I	21.6	1.90	22.4	0.5568	9.88	11.22	yes	stainless steel	4G
C.216.190.0224.N	21.6	1.90	22.4	0.6482	9.88	11.22	yes	Zn coating	4I
C.216.190.0254.A	21.6	1.90	25.4	0.5638	10.64	12.18	yes	music wire	4G
C.216.190.0254.AP	21.6	1.90	25.4	0.9215	8.36	12.26	yes	music wire	4I
C.216.190.0254.I	21.6	1.90	25.4	0.4843	10.64	12.18	yes	stainless steel	4G
C.216.190.0254.N	21.6	1.90	25.4	0.5638	10.64	12.18	yes	Zn coating	4I
C.216.190.0305.A	21.6	1.90	30.5	0.4416	12.16	14.10	yes	music wire	4G
C.216.190.0305.AP	21.6	1.90	30.5	0.7295	9.31	13.90	yes	music wire	4I
C.216.190.0305.I	21.6	1.90	30.5	0.3842	12.16	14.10	yes	stainless steel	4G
C.216.190.0318.A	21.6	1.90	31.8	0.4473	12.16	14.10	yes	music wire	4G
C.216.190.0318.AP	21.6	1.90	31.8	0.7004	9.50	14.51	yes	music wire	4I
C.216.190.0318.I	21.6	1.90	31.8	0.3892	11.97	13.86	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.216.190.0318.N	21.6	1.90	31.8	0.4473	12.16	14.10	yes	Zn coating	4I
C.216.190.0381.A	21.6	1.90	38.1	0.3707	13.68	16.01	yes	music wire	4G
C.216.190.0381.AP	21.6	1.90	38.1	0.5836	10.45	17.35	yes	music wire	4I
C.216.190.0381.I	21.6	1.90	38.1	0.3184	13.68	16.01	yes	stainless steel	4G
C.216.190.0381.N	21.6	1.90	38.1	0.3707	13.68	16.01	yes	Zn coating	4I
C.216.190.0508.A	21.6	1.90	50.8	0.2762	16.72	19.85	yes	music wire	4G
C.216.190.0508.AP	21.6	1.90	50.8	0.4271	12.54	22.44	yes	music wire	4I
C.216.190.0508.I	21.6	1.90	50.8	0.2372	16.72	19.85	yes	stainless steel	4H
C.216.190.0508.N	21.6	1.90	50.8	0.2762	16.72	19.85	yes	Zn coating	4I
C.216.190.0570.A	21.6	1.90	57.0	0.2500	17.86	21.29	yes	music wire	4G
C.216.190.0570.AP	21.6	1.90	57.0	0.3725	13.68	24.49	yes	music wire	4I
C.216.190.0570.I	21.6	1.90	57.0	0.2175	17.86	21.29	yes	stainless steel	4H
C.216.190.0635.A	21.6	1.90	63.5	0.2238	19.57	23.44	yes	music wire	4G
C.216.190.0635.AP	21.6	1.90	63.5	0.3367	14.63	27.54	yes	music wire	4I
C.216.190.0635.I	21.6	1.90	63.5	0.1922	19.57	23.44	yes	stainless steel	4H
C.216.190.0635.N	21.6	1.90	63.5	0.2238	19.57	23.44	yes	Zn coating	4I
C.216.190.0700.A	21.6	1.90	70.0	0.2000	21.28	25.60	yes	music wire	4H
C.216.190.0700.AP	21.6	1.90	70.0	0.3019	15.77	29.89	yes	music wire	4I
C.216.190.0700.I	21.6	1.90	70.0	0.1700	21.47	25.84	yes	stainless steel	4H
C.216.190.0762.A	21.6	1.90	76.2	0.1855	22.61	27.28	yes	music wire	4H
C.216.190.0762.AP	21.6	1.90	76.2	0.2779	16.53	32.63	yes	music wire	4J
C.216.190.0762.I	21.6	1.90	76.2	0.1593	22.61	27.28	yes	stainless steel	4I
C.216.190.0762.N	21.6	1.90	76.2	0.1855	22.61	27.28	yes	Zn coating	4I
C.216.190.0889.A	21.6	1.90	88.9	0.1583	25.65	31.11	yes	music wire	4H
C.216.190.0889.AP	21.6	1.90	88.9	0.2366	18.62	37.72	yes	music wire	4J
C.216.190.0889.I	21.6	1.90	88.9	0.1360	25.65	31.11	yes	stainless steel	4I
C.216.190.0889.N	21.6	1.90	88.9	0.1583	25.65	31.11	yes	Zn coating	4I
C.216.200.0320.A	21.6	2.00	32.0	0.6207	12.00	13.71	yes	music wire	4G
C.216.200.0320.I	21.6	2.00	32.0	0.5400	11.80	13.46	yes	stainless steel	4G
C.216.210.0190.A	21.6	2.10	19.0	1.1350	10.29	11.45	yes	music wire	4G
C.216.210.0190.AP	21.6	2.10	19.0	1.7994	8.40	10.11	yes	music wire	4I
C.216.210.0190.I	21.6	2.10	19.0	0.9748	10.29	11.45	yes	stainless steel	4G
C.216.210.0190.N	21.6	2.10	19.0	1.1350	10.29	11.45	yes	Zn coating	4I
C.216.210.0224.A	21.6	2.10	22.4	0.9415	11.13	12.48	yes	music wire	4G
C.216.210.0224.AP	21.6	2.10	22.4	1.4995	9.03	11.74	yes	music wire	4I
C.216.210.0224.I	21.6	2.10	22.4	0.8086	11.13	12.48	yes	stainless steel	4G
C.216.210.0224.N	21.6	2.10	22.4	0.9415	11.13	12.48	yes	Zn coating	4I
C.216.210.0254.A	21.6	2.10	25.4	0.8348	11.97	13.51	yes	music wire	4G
C.216.210.0254.AP	21.6	2.10	25.4	1.2853	9.66	12.96	yes	music wire	4I
C.216.210.0254.I	21.6	2.10	25.4	0.7170	11.97	13.51	yes	stainless steel	4G
C.216.210.0254.N	21.6	2.10	25.4	0.8348	11.97	13.51	yes	Zn coating	4I
C.216.210.0305.A	21.6	2.10	30.5	0.6517	13.86	15.83	yes	music wire	4G
C.216.210.0305.AP	21.6	2.10	30.5	1.0381	10.71	15.10	yes	music wire	4I
C.216.210.0305.I	21.6	2.10	30.5	0.5670	13.65	15.58	yes	stainless steel	4G
C.216.210.0318.A	21.6	2.10	31.8	0.6602	13.65	15.58	yes	music wire	4G
C.216.210.0318.AP	21.6	2.10	31.8	0.9997	10.92	15.80	yes	music wire	4I
C.216.210.0318.I	21.6	2.10	31.8	0.5743	13.65	15.58	yes	stainless steel	4G
C.216.210.0318.N	21.6	2.10	31.8	0.6602	13.65	15.58	yes	Zn coating	4I
C.216.210.0350.A	21.6	2.10	35.0	0.6000	14.70	16.87	yes	music wire	4G
C.216.210.0350.AP	21.6	2.10	35.0	0.8997	11.55	17.23	yes	music wire	4I
C.216.210.0350.I	21.6	2.10	35.0	0.5220	14.49	16.61	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.216.210.0381.A	21.6	2.10	38.1	0.5460	15.54	17.90	yes	music wire	4G
C.216.210.0381.AP	21.6	2.10	38.1	0.8179	12.18	18.55	yes	music wire	4I
C.216.210.0381.I	21.6	2.10	38.1	0.4689	15.54	17.90	yes	stainless steel	4G
C.216.210.0381.N	21.6	2.10	38.1	0.5460	15.54	17.90	yes	Zn coating	4I
C.216.210.0444.A	21.6	2.10	44.4	0.4654	17.22	19.97	yes	music wire	4G
C.216.210.0444.AP	21.6	2.10	44.4	0.6921	13.44	21.29	yes	music wire	4I
C.216.210.0444.I	21.6	2.10	44.4	0.4049	17.22	19.97	yes	stainless steel	4H
C.216.210.0444.N	21.6	2.10	44.4	0.4654	17.22	19.97	yes	Zn coating	4I
C.216.210.0457.A	21.6	2.10	45.7	0.4595	17.43	20.22	yes	music wire	4G
C.216.210.0457.AP	21.6	2.10	45.7	0.6583	13.86	21.41	yes	music wire	4I
C.216.210.0457.I	21.6	2.10	45.7	0.4000	17.22	19.97	yes	stainless steel	4H
C.216.210.0508.A	21.6	2.10	50.8	0.4056	19.11	22.29	yes	music wire	4G
C.216.210.0508.AP	21.6	2.10	50.8	0.5868	14.91	23.55	yes	music wire	4I
C.216.210.0508.I	21.6	2.10	50.8	0.3484	19.11	22.29	yes	stainless steel	4H
C.216.210.0508.N	21.6	2.10	50.8	0.4056	19.11	22.29	yes	Zn coating	4I
C.216.210.0559.A	21.6	2.10	55.9	0.3548	21.00	24.61	yes	music wire	4G
C.216.210.0559.AP	21.6	2.10	55.9	0.5398	15.54	26.28	yes	music wire	4I
C.216.210.0559.I	21.6	2.10	55.9	0.3087	20.79	24.35	yes	stainless steel	4H
C.216.210.0572.A	21.6	2.10	57.2	0.3594	20.79	24.35	yes	music wire	4H
C.216.210.0572.AP	21.6	2.10	57.2	0.5191	15.96	26.39	yes	music wire	4I
C.216.210.0572.I	21.6	2.10	57.2	0.3127	20.58	24.10	yes	stainless steel	4H
C.216.210.0572.N	21.6	2.10	57.2	0.3594	20.79	24.35	yes	Zn coating	4I
C.216.210.0635.A	21.6	2.10	63.5	0.3227	22.68	26.68	yes	music wire	4H
C.216.210.0635.AP	21.6	2.10	63.5	0.4654	17.22	29.14	yes	music wire	4J
C.216.210.0635.I	21.6	2.10	63.5	0.2771	22.68	26.68	yes	stainless steel	4H
C.216.210.0635.N	21.6	2.10	63.5	0.3227	22.68	26.68	yes	Zn coating	4I
C.216.210.0698.A	21.6	2.10	69.8	0.2927	24.36	28.74	yes	music wire	4H
C.216.210.0698.AP	21.6	2.10	69.8	0.4217	18.48	31.88	yes	music wire	4J
C.216.210.0698.I	21.6	2.10	69.8	0.2547	24.15	28.48	yes	stainless steel	4I
C.216.210.0698.N	21.6	2.10	69.8	0.2927	24.36	28.74	yes	Zn coating	4I
C.216.210.0711.A	21.6	2.10	71.1	0.2890	24.57	29.00	yes	music wire	4H
C.216.210.0711.AP	21.6	2.10	71.1	0.4152	18.69	32.59	yes	music wire	4J
C.216.210.0711.I	21.6	2.10	71.1	0.2514	24.36	28.74	yes	stainless steel	4I
C.216.210.0762.A	21.6	2.10	76.2	0.2679	26.25	31.07	yes	music wire	4H
C.216.210.0762.AP	21.6	2.10	76.2	0.3856	19.74	34.73	yes	music wire	4J
C.216.210.0762.I	21.6	2.10	76.2	0.2301	26.25	31.07	yes	stainless steel	4I
C.216.210.0762.N	21.6	2.10	76.2	0.2679	26.25	31.07	yes	Zn coating	4I
C.216.210.0889.A	21.6	2.10	88.9	0.2290	29.82	35.45	yes	music wire	4I
C.216.210.0889.AP	21.6	2.10	88.9	0.3292	22.26	40.32	yes	music wire	4J
C.216.210.0889.I	21.6	2.10	88.9	0.1967	29.82	35.45	yes	stainless steel	4I
C.216.210.0889.N	21.6	2.10	88.9	0.2290	29.82	35.45	yes	Zn coating	4I
C.216.220.0190.A	21.6	2.20	19.0	1.3060	11.00	12.19	yes	music wire	4G
C.216.220.0190.AP	21.6	2.20	19.0	2.2031	8.80	10.74	yes	music wire	4I
C.216.220.0190.I	21.6	2.20	19.0	1.1217	11.00	12.19	yes	stainless steel	4G
C.216.220.0190.N	21.6	2.20	19.0	1.3060	11.00	12.19	yes	Zn coating	4I
C.216.220.0224.A	21.6	2.20	22.4	1.1000	12.10	13.53	yes	music wire	4G
C.216.220.0224.AP	21.6	2.20	22.4	1.7393	9.68	11.94	yes	music wire	4I
C.216.220.0224.I	21.6	2.20	22.4	0.9470	12.10	13.53	yes	stainless steel	4G
C.216.220.0224.N	21.6	2.20	22.4	1.1000	12.10	13.53	yes	Zn coating	4I
C.216.220.0254.A	21.6	2.20	25.4	0.9746	12.98	14.60	yes	music wire	4G
C.216.220.0254.AP	21.6	2.20	25.4	1.5021	10.34	13.29	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.216.220.0254.I	21.6	2.20	25.4	0.8479	12.76	14.33	yes	stainless steel	4G
C.216.220.0305.A	21.6	2.20	30.5	0.7620	14.96	17.01	yes	music wire	4G
C.216.220.0305.AP	21.6	2.20	30.5	1.2239	11.44	15.64	yes	music wire	4I
C.216.220.0305.I	21.6	2.20	30.5	0.6630	14.74	16.74	yes	stainless steel	4G
C.216.220.0350.A	21.6	2.20	35.0	0.7400	15.18	17.28	yes	music wire	4G
C.216.220.0350.AP	21.6	2.20	35.0	1.0327	12.54	17.39	yes	music wire	4I
C.216.220.0350.I	21.6	2.20	35.0	0.6300	15.40	17.54	yes	stainless steel	4H
C.216.220.0381.A	21.6	2.20	38.1	0.6482	16.50	18.88	yes	music wire	4G
C.216.220.0381.AP	21.6	2.20	38.1	0.9442	13.20	18.83	yes	music wire	4I
C.216.220.0381.I	21.6	2.20	38.1	0.5567	16.50	18.88	yes	stainless steel	4H
C.216.220.0381.N	21.6	2.20	38.1	0.6482	16.50	18.88	yes	Zn coating	4I
C.216.220.0444.A	21.6	2.20	44.4	0.5478	18.70	21.56	yes	music wire	4G
C.216.220.0444.AP	21.6	2.20	44.4	0.8060	14.52	21.83	yes	music wire	4I
C.216.220.0444.I	21.6	2.20	44.4	0.4766	18.48	21.29	yes	stainless steel	4H
C.216.220.0444.N	21.6	2.20	44.4	0.5478	18.70	21.56	yes	Zn coating	4I
C.216.220.0457.A	21.6	2.20	45.7	0.5408	18.70	21.56	yes	music wire	4G
C.216.220.0457.AP	21.6	2.20	45.7	0.7868	14.74	22.58	yes	music wire	4I
C.216.220.0457.I	21.6	2.20	45.7	0.4705	18.70	21.56	yes	stainless steel	4H
C.216.220.0508.A	21.6	2.20	50.8	0.4683	20.90	24.24	yes	music wire	4H
C.216.220.0508.AP	21.6	2.20	50.8	0.6885	15.84	24.38	yes	music wire	4I
C.216.220.0508.I	21.6	2.20	50.8	0.4075	20.68	23.97	yes	stainless steel	4H
C.216.220.0559.A	21.6	2.20	55.9	0.4192	22.66	26.38	yes	music wire	4H
C.216.220.0559.AP	21.6	2.20	55.9	0.6235	16.94	26.73	yes	music wire	4J
C.216.220.0559.I	21.6	2.20	55.9	0.3647	22.44	26.11	yes	stainless steel	4H
C.216.220.0572.A	21.6	2.20	57.2	0.4246	22.44	26.11	yes	music wire	4H
C.216.220.0572.AP	21.6	2.20	57.2	0.6120	17.16	27.48	yes	music wire	4J
C.216.220.0572.I	21.6	2.20	57.2	0.3694	22.22	25.84	yes	stainless steel	4H
C.216.220.0572.N	21.6	2.20	57.2	0.4246	22.44	26.11	yes	Zn coating	4I
C.216.220.0635.A	21.6	2.20	63.5	0.3743	24.64	28.79	yes	music wire	4H
C.216.220.0635.AP	21.6	2.20	63.5	0.5508	18.48	30.47	yes	music wire	4J
C.216.220.0635.I	21.6	2.20	63.5	0.3256	24.42	28.52	yes	stainless steel	4I
C.216.220.0698.A	21.6	2.20	69.8	0.3466	26.18	30.66	yes	music wire	4H
C.216.220.0698.AP	21.6	2.20	69.8	0.4932	20.02	32.92	yes	music wire	4J
C.216.220.0698.I	21.6	2.20	69.8	0.3016	25.96	30.39	yes	stainless steel	4I
C.216.220.0698.N	21.6	2.20	69.8	0.3466	26.18	30.66	yes	Zn coating	4I
C.216.220.0711.A	21.6	2.20	71.1	0.3422	26.62	31.20	yes	music wire	4H
C.216.220.0711.AP	21.6	2.20	71.1	0.4860	20.24	33.67	yes	music wire	4J
C.216.220.0711.I	21.6	2.20	71.1	0.2977	26.18	30.66	yes	stainless steel	4I
C.216.220.0762.A	21.6	2.20	76.2	0.3157	28.38	33.34	yes	music wire	4I
C.216.220.0762.AP	21.6	2.20	76.2	0.4527	21.34	36.02	yes	music wire	4J
C.216.220.0762.I	21.6	2.20	76.2	0.2711	28.38	33.34	yes	stainless steel	4I
C.216.220.0762.N	21.6	2.20	76.2	0.3157	28.38	33.34	yes	Zn coating	4I
C.216.220.0826.A	21.6	2.20	82.6	0.2928	30.14	35.48	yes	music wire	4I
C.216.220.0826.AP	21.6	2.20	82.6	0.4131	22.88	38.56	yes	music wire	4J
C.216.220.0826.I	21.6	2.20	82.6	0.2515	30.14	35.48	yes	stainless steel	4I
C.216.220.0826.N	21.6	2.20	82.6	0.2928	30.14	35.48	yes	Zn coating	4I
C.216.220.0889.A	21.6	2.20	88.9	0.2705	32.12	37.89	yes	music wire	4I
C.216.220.0889.AP	21.6	2.20	88.9	0.3843	24.20	41.56	yes	music wire	4J
C.216.220.0889.I	21.6	2.20	88.9	0.2323	32.12	37.89	yes	stainless steel	4I
C.216.220.0889.N	21.6	2.20	88.9	0.2705	32.12	37.89	yes	Zn coating	4I
C.216.220.1016.A	21.6	2.20	101.6	0.2366	35.86	42.44	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.216.220.1016.AP	21.6	2.20	101.6	0.3338	27.06	47.11	yes	music wire	4J
C.216.220.1016.I	21.6	2.20	101.6	0.2032	35.86	42.44	yes	stainless steel	4I
C.216.220.1016.N	21.6	2.20	101.6	0.2366	35.86	42.44	yes	Zn coating	4J
C.216.230.0320.A	21.6	2.30	32.0	1.0000	14.95	16.84	yes	music wire	4G
C.216.230.0320.AP	21.6	2.30	32.0	1.3377	12.65	16.62	yes	music wire	4I
C.216.230.0320.I	21.6	2.30	32.0	0.8700	14.72	16.56	yes	stainless steel	4G
C.216.235.0224.A	21.6	2.35	22.4	1.4142	13.16	14.62	yes	music wire	4G
C.216.235.0224.AP	21.6	2.35	22.4	2.2048	10.58	12.50	yes	music wire	4I
C.216.235.0224.I	21.6	2.35	22.4	1.2146	13.16	14.62	yes	stainless steel	4G
C.216.235.0224.N	21.6	2.35	22.4	1.4142	13.16	14.62	yes	Zn coating	4I
C.216.235.0254.A	21.6	2.35	25.4	1.2401	14.10	15.75	yes	music wire	4G
C.216.235.0254.AP	21.6	2.35	25.4	1.9173	11.28	14.02	yes	music wire	4I
C.216.235.0254.I	21.6	2.35	25.4	1.0651	14.10	15.75	yes	stainless steel	4G
C.216.235.0254.N	21.6	2.35	25.4	1.2401	14.10	15.75	yes	Zn coating	4I
C.216.235.0305.A	21.6	2.35	30.5	0.9587	16.45	18.57	yes	music wire	4G
C.216.235.0305.AP	21.6	2.35	30.5	1.5206	12.69	16.15	yes	music wire	4I
C.216.235.0305.I	21.6	2.35	30.5	0.8341	16.45	18.57	yes	stainless steel	4G
C.216.235.0318.A	21.6	2.35	31.8	0.9711	16.45	18.57	yes	music wire	4G
C.216.235.0318.AP	21.6	2.35	31.8	1.4699	12.93	16.95	yes	music wire	4I
C.216.235.0318.I	21.6	2.35	31.8	0.8449	16.22	18.29	yes	stainless steel	4G
C.216.235.0318.N	21.6	2.35	31.8	0.9711	16.45	18.57	yes	Zn coating	4I
C.216.235.0381.A	21.6	2.35	38.1	0.8000	18.57	21.12	yes	music wire	4G
C.216.235.0381.AP	21.6	2.35	38.1	1.1918	14.57	19.79	yes	music wire	4I
C.216.235.0381.I	21.6	2.35	38.1	0.6854	18.80	21.39	yes	stainless steel	4H
C.216.235.0381.N	21.6	2.35	38.1	0.8000	18.57	21.12	yes	Zn coating	4I
C.216.235.0444.A	21.6	2.35	44.4	0.6889	20.68	23.65	yes	music wire	4G
C.216.235.0444.AP	21.6	2.35	44.4	1.0022	15.98	22.62	yes	music wire	4I
C.216.235.0444.I	21.6	2.35	44.4	0.6000	20.45	23.37	yes	stainless steel	4H
C.216.235.0444.N	21.6	2.35	44.4	0.6889	20.68	23.65	yes	Zn coating	4I
C.216.235.0457.A	21.6	2.35	45.7	0.6801	20.92	23.94	yes	music wire	4G
C.216.235.0457.AP	21.6	2.35	45.7	0.9799	16.22	23.43	yes	music wire	4I
C.216.235.0457.I	21.6	2.35	45.7	0.5917	20.68	23.65	yes	stainless steel	4H
C.216.235.0508.A	21.6	2.35	50.8	0.5970	23.03	26.47	yes	music wire	4H
C.216.235.0508.AP	21.6	2.35	50.8	0.8819	17.39	26.05	yes	music wire	4I
C.216.235.0508.I	21.6	2.35	50.8	0.5128	23.03	26.47	yes	stainless steel	4H
C.216.235.0508.N	21.6	2.35	50.8	0.5970	23.03	26.47	yes	Zn coating	4I
C.216.235.0559.A	21.6	2.35	55.9	0.5201	25.62	29.58	yes	music wire	4H
C.216.235.0559.AP	21.6	2.35	55.9	0.7874	18.80	28.18	yes	music wire	4J
C.216.235.0559.I	21.6	2.35	55.9	0.4525	25.38	29.29	yes	stainless steel	4H
C.216.235.0572.A	21.6	2.35	57.2	0.5268	25.38	29.29	yes	music wire	4H
C.216.235.0572.AP	21.6	2.35	57.2	0.7736	19.04	28.99	yes	music wire	4J
C.216.235.0572.I	21.6	2.35	57.2	0.4583	25.15	29.02	yes	stainless steel	4H
C.216.235.0572.N	21.6	2.35	57.2	0.5268	25.38	29.29	yes	Zn coating	4I
C.216.235.0635.A	21.6	2.35	63.5	0.4769	27.26	31.55	yes	music wire	4H
C.216.235.0635.AP	21.6	2.35	63.5	0.6890	20.68	31.82	yes	music wire	4J
C.216.235.0635.I	21.6	2.35	63.5	0.4096	27.26	31.55	yes	stainless steel	4I
C.216.235.0635.N	21.6	2.35	63.5	0.4769	27.26	31.55	yes	Zn coating	4I
C.216.235.0698.A	21.6	2.35	69.8	0.4310	29.61	34.37	yes	music wire	4H
C.216.235.0698.AP	21.6	2.35	69.8	0.6211	22.33	34.66	yes	music wire	4J
C.216.235.0698.I	21.6	2.35	69.8	0.3702	29.61	34.37	yes	stainless steel	4I
C.216.235.0698.N	21.6	2.35	69.8	0.4310	29.61	34.37	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.216.235.0762.A	21.6	2.35	76.2	0.3932	31.96	37.19	yes	music wire	4I
C.216.235.0762.AP	21.6	2.35	76.2	0.5653	23.97	37.59	yes	music wire	4J
C.216.235.0762.I	21.6	2.35	76.2	0.3377	31.96	37.19	yes	stainless steel	4I
C.216.235.0762.N	21.6	2.35	76.2	0.3932	31.96	37.19	yes	Zn coating	4I
C.216.235.0889.A	21.6	2.35	88.9	0.3372	36.19	42.27	yes	music wire	4I
C.216.235.0889.AP	21.6	2.35	88.9	0.4846	27.03	43.86	yes	music wire	4J
C.216.235.0889.I	21.6	2.35	88.9	0.2897	36.19	42.27	yes	stainless steel	4I
C.216.235.0889.N	21.6	2.35	88.9	0.3372	36.19	42.27	yes	Zn coating	4I
C.216.250.0250.A	21.6	2.50	25.0	2.1839	12.75	13.97	yes	music wire	4I
C.216.250.0250.I	21.6	2.50	25.0	1.9000	12.75	13.97	yes	stainless steel	4I
C.216.250.0254.A	21.6	2.50	25.4	1.5479	15.50	17.23	yes	music wire	4G
C.216.250.0254.AP	21.6	2.50	25.4	2.4125	12.25	14.67	yes	music wire	4I
C.216.250.0254.I	21.6	2.50	25.4	1.3295	15.50	17.23	yes	stainless steel	4H
C.216.250.0254.N	21.6	2.50	25.4	1.5479	15.50	17.23	yes	Zn coating	4I
C.216.250.0305.A	21.6	2.50	30.5	1.2247	18.00	20.20	yes	music wire	4G
C.216.250.0305.AP	21.6	2.50	30.5	1.9300	13.75	17.09	yes	music wire	4I
C.216.250.0305.I	21.6	2.50	30.5	1.0655	17.75	19.91	yes	stainless steel	4H
C.216.250.0320.A	21.6	2.50	32.0	1.7000	14.75	16.77	yes	music wire	4I
C.216.250.0320.AP	21.6	2.50	32.0	1.8094	14.25	17.69	yes	music wire	4I
C.216.250.0320.I	21.6	2.50	32.0	1.1000	17.50	19.61	yes	stainless steel	4H
C.216.250.0380.A	21.6	2.50	38.0	1.3000	17.25	19.31	yes	music wire	4I
C.216.250.0380.I	21.6	2.50	38.0	1.1000	17.50	19.61	yes	stainless steel	4H
C.216.250.0381.A	21.6	2.50	38.1	1.0162	20.25	22.88	yes	music wire	4G
C.216.250.0381.AP	21.6	2.50	38.1	1.4846	15.75	20.66	yes	music wire	4I
C.216.250.0381.I	21.6	2.50	38.1	0.8728	20.25	22.88	yes	stainless steel	4H
C.216.250.0381.N	21.6	2.50	38.1	1.0162	20.25	22.88	yes	Zn coating	4I
C.216.250.0444.A	21.6	2.50	44.4	0.8740	22.50	25.55	yes	music wire	4H
C.216.250.0444.AP	21.6	2.50	44.4	1.2587	17.50	23.84	yes	music wire	4I
C.216.250.0444.I	21.6	2.50	44.4	0.7604	22.50	25.55	yes	stainless steel	4H
C.216.250.0444.N	21.6	2.50	44.4	0.8740	22.50	25.55	yes	Zn coating	4I
C.216.250.0450.A	21.6	2.50	45.0	1.1000	19.25	21.69	yes	music wire	4J
C.216.250.0450.I	21.6	2.50	45.0	0.9600	19.00	21.39	yes	stainless steel	4J
C.216.250.0457.A	21.6	2.50	45.7	0.8629	22.75	25.84	yes	music wire	4H
C.216.250.0457.AP	21.6	2.50	45.7	1.2319	17.75	24.69	yes	music wire	4J
C.216.250.0457.I	21.6	2.50	45.7	0.7500	22.50	25.55	yes	stainless steel	4H
C.216.250.0500.A	21.6	2.50	50.0	0.9425	21.50	24.36	yes	music wire	4J
C.216.250.0500.I	21.6	2.50	50.0	0.8200	21.25	24.06	yes	stainless steel	4J
C.216.250.0508.A	21.6	2.50	50.8	0.7468	25.25	28.81	yes	music wire	4H
C.216.250.0508.AP	21.6	2.50	50.8	1.0925	19.25	27.11	yes	music wire	4J
C.216.250.0508.I	21.6	2.50	50.8	0.6497	25.25	28.81	yes	stainless steel	4I
C.216.250.0559.A	21.6	2.50	55.9	0.6582	28.00	32.08	yes	music wire	4H
C.216.250.0559.AP	21.6	2.50	55.9	0.9814	20.75	29.52	yes	music wire	4J
C.216.250.0559.I	21.6	2.50	55.9	0.5726	27.75	31.78	yes	stainless steel	4I
C.216.250.0570.A	21.6	2.50	57.0	0.8500	23.00	26.55	yes	music wire	4J
C.216.250.0570.I	21.6	2.50	57.0	0.7200	23.25	26.44	yes	stainless steel	4J
C.216.250.0572.A	21.6	2.50	57.2	0.6667	27.75	31.78	yes	music wire	4H
C.216.250.0572.AP	21.6	2.50	57.2	0.9650	21.00	30.38	yes	music wire	4J
C.216.250.0572.I	21.6	2.50	57.2	0.5800	27.50	31.49	yes	stainless steel	4I
C.216.250.0572.N	21.6	2.50	57.2	0.6667	27.75	31.78	yes	Zn coating	4I
C.216.250.0635.A	21.6	2.50	63.5	0.5947	30.25	34.75	yes	music wire	4H
C.216.250.0635.AP	21.6	2.50	63.5	0.8515	23.00	33.10	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.216.250.0635.I	21.6	2.50	63.5	0.5174	30.00	34.45	yes	stainless steel	4I
C.216.250.0640.A	21.6	2.50	64.0	0.7471	25.25	29.35	yes	music wire	4J
C.216.250.0640.I	21.6	2.50	64.0	0.6500	25.00	28.76	yes	stainless steel	4J
C.216.250.0698.A	21.6	2.50	69.8	0.5441	32.50	37.42	yes	music wire	4I
C.216.250.0698.AP	21.6	2.50	69.8	0.7720	24.75	36.27	yes	music wire	4J
C.216.250.0698.I	21.6	2.50	69.8	0.4673	32.50	37.42	yes	stainless steel	4I
C.216.250.0698.N	21.6	2.50	69.8	0.5441	32.50	37.42	yes	Zn coating	4I
C.216.250.0700.A	21.6	2.50	70.0	0.6667	27.75	31.78	yes	music wire	4J
C.216.250.0700.I	21.6	2.50	70.0	0.5800	27.50	31.49	yes	stainless steel	4J
C.216.250.0760.A	21.6	2.50	76.0	0.6200	29.25	34.25	yes	music wire	4J
C.216.250.0760.I	21.6	2.50	76.0	0.5300	29.50	33.86	yes	stainless steel	4J
C.216.250.0762.A	21.6	2.50	76.2	0.5000	34.75	40.10	yes	music wire	4I
C.216.250.0762.AP	21.6	2.50	76.2	0.7061	26.50	39.54	yes	music wire	4J
C.216.250.0762.I	21.6	2.50	76.2	0.4299	34.75	40.10	yes	stainless steel	4I
C.216.250.0762.N	21.6	2.50	76.2	0.5000	34.75	40.10	yes	Zn coating	4I
C.216.250.0889.A	21.6	2.50	88.9	0.4248	39.75	46.03	yes	music wire	4I
C.216.250.0889.AP	21.6	2.50	88.9	0.5969	30.25	45.54	yes	music wire	4J
C.216.250.0889.I	21.6	2.50	88.9	0.3649	39.75	46.03	yes	stainless steel	4I
C.216.250.0889.N	21.6	2.50	88.9	0.4248	39.75	46.03	yes	Zn coating	4J
C.216.250.0890.A	21.6	2.50	89.0	0.5300	33.25	40.16	yes	music wire	4J
C.216.250.0890.I	21.6	2.50	89.0	0.4500	33.50	38.61	yes	stainless steel	4J
C.216.270.0250.A	21.6	2.70	25.0	2.4000	15.66	17.21	yes	music wire	4G
C.216.270.0250.AP	21.6	2.70	25.0	3.2579	13.50	15.19	yes	music wire	4I
C.216.270.0250.I	21.6	2.70	25.0	2.0880	15.66	17.21	yes	stainless steel	4H
C.216.270.0320.A	21.6	2.70	32.0	1.7241	19.44	21.64	yes	music wire	4G
C.216.270.0320.AP	21.6	2.70	32.0	2.4681	15.39	19.04	yes	music wire	4I
C.216.270.0320.I	21.6	2.70	32.0	1.5000	19.17	21.32	yes	stainless steel	4H
C.216.270.0640.A	21.6	2.70	64.0	0.8200	33.21	37.80	yes	music wire	4H
C.216.270.0640.AP	21.6	2.70	64.0	1.1312	25.92	35.73	yes	music wire	4J
C.216.270.0640.I	21.6	2.70	64.0	0.7134	32.94	37.48	yes	stainless steel	4I
C.217.280.0180.A	21.7	2.80	18.0	4.0460	13.44	14.52	yes	music wire	4I
C.217.280.0180.AP	21.7	2.80	18.0	5.8929	11.48	12.23	yes	music wire	4J
C.217.280.0180.I	21.7	2.80	18.0	3.5200	13.44	14.52	yes	stainless steel	4I
C.217.280.0180.N	21.7	2.80	18.0	4.0460	13.44	14.52	yes	Zn coating	4J
C.217.280.1050.A	21.7	2.80	105.0	0.5456	54.60	62.61	yes	music wire	4I
C.217.280.1050.I	21.7	2.80	105.0	0.4686	54.60	62.61	yes	stainless steel	4J
C.218.100.0200.A	21.8	1.00	20.0	0.0943	4.70	5.60	no	music wire	4C
C.218.100.0200.I	21.8	1.00	20.0	0.0810	4.70	5.60	no	stainless steel	4D
C.218.100.0390.A	21.8	1.00	39.0	0.0218	8.70	12.59	no	music wire	4D
C.218.100.0390.I	21.8	1.00	39.0	0.0190	8.60	12.42	no	stainless steel	4E
C.218.100.0720.A	21.8	1.00	72.0	0.0160	10.60	15.92	no	music wire	4E
C.218.100.0720.I	21.8	1.00	72.0	0.0139	10.50	15.74	no	stainless steel	4E
C.218.110.0200.A	21.8	1.10	20.0	0.1201	4.29	5.26	yes	music wire	4C
C.218.110.0200.I	21.8	1.10	20.0	0.1032	4.29	5.26	yes	stainless steel	4D
C.218.110.1060.A	21.8	1.10	106.0	0.0207	11.66	17.28	yes	music wire	4F
C.218.110.1060.I	21.8	1.10	106.0	0.0180	11.55	17.10	yes	stainless steel	4F
C.218.120.0200.A	21.8	1.20	20.0	0.1611	4.80	5.78	yes	music wire	4D
C.218.120.0200.I	21.8	1.20	20.0	0.1384	4.80	5.78	yes	stainless steel	4D
C.218.120.0250.A	21.8	1.20	25.0	0.0710	7.08	9.29	yes	music wire	4D
C.218.120.0250.I	21.8	1.20	25.0	0.0618	7.08	9.29	yes	stainless steel	4D
C.218.120.0450.A	21.8	1.20	45.0	0.0690	7.20	9.48	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.218.120.0450.I	21.8	1.20	45.0	0.0593	7.20	9.48	yes	stainless steel	4E
C.218.120.0670.A	21.8	1.20	67.0	0.0356	11.16	15.58	yes	music wire	4E
C.218.120.0670.I	21.8	1.20	67.0	0.0310	11.04	15.40	yes	stainless steel	4E
C.218.120.0760.A	21.8	1.20	76.0	0.0333	11.64	16.32	yes	music wire	4E
C.218.120.0760.I	21.8	1.20	76.0	0.0290	11.64	16.32	yes	stainless steel	4E
C.218.120.2000.A	21.8	1.20	200.0	0.0148	22.56	33.16	yes	music wire	4I
C.218.120.2000.I	21.8	1.20	200.0	0.0127	22.56	33.16	yes	stainless steel	4I
C.218.130.0220.A	21.8	1.30	22.0	0.1080	7.28	9.19	yes	music wire	4D
C.218.130.0220.I	21.8	1.30	22.0	0.0940	7.28	9.19	yes	stainless steel	4D
C.218.130.0800.A	21.8	1.30	80.0	0.0482	12.35	16.65	yes	music wire	4E
C.218.130.0800.I	21.8	1.30	80.0	0.0414	12.35	16.65	yes	stainless steel	4F
C.218.140.0143.A	21.8	1.40	14.3	0.3678	5.32	6.08	yes	music wire	4E
C.218.140.0143.I	21.8	1.40	14.3	0.3200	5.18	5.88	yes	stainless steel	4E
C.218.140.0410.A	21.8	1.40	41.0	0.0655	13.30	17.40	yes	music wire	4F
C.218.140.0410.I	21.8	1.40	41.0	0.0570	13.16	17.20	yes	stainless steel	4F
C.218.140.0800.A	21.8	1.40	80.0	0.0615	14.00	18.39	yes	music wire	4G
C.218.140.0800.I	21.8	1.40	80.0	0.0528	14.00	18.39	yes	stainless steel	4G
C.218.150.0320.A	21.8	1.50	32.0	0.2874	6.90	10.42	yes	music wire	4I
C.218.150.0320.I	21.8	1.50	32.0	0.2500	6.90	10.41	yes	stainless steel	4I
C.218.150.0920.A	21.8	1.50	92.0	0.0700	16.95	21.90	yes	music wire	4G
C.218.150.0920.I	21.8	1.50	92.0	0.0610	16.80	21.69	yes	stainless steel	4H
C.218.150.2600.A	21.8	1.50	260.0	0.0229	44.10	59.22	yes	music wire	4J
C.218.150.2600.I	21.8	1.50	260.0	0.0197	44.10	59.22	yes	stainless steel	4J
C.218.160.0290.A	21.8	1.60	29.0	0.3700	7.52	8.92	yes	music wire	4I
C.218.160.0290.I	21.8	1.60	29.0	0.3219	7.52	8.87	yes	stainless steel	4I
C.218.160.0800.A	21.8	1.60	80.0	0.0942	17.76	22.43	yes	music wire	4G
C.218.160.0800.I	21.8	1.60	80.0	0.0809	17.76	22.43	yes	stainless steel	4G
C.218.160.1180.A	21.8	1.60	118.0	0.0736	21.60	27.57	yes	music wire	4H
C.218.160.1180.I	21.8	1.60	118.0	0.0640	21.44	27.35	yes	stainless steel	4I
C.218.170.0360.A	21.8	1.70	36.0	0.2874	10.37	12.27	yes	music wire	4F
C.218.170.0360.I	21.8	1.70	36.0	0.2500	10.37	12.27	yes	stainless steel	4G
C.218.170.2400.A	21.8	1.70	240.0	0.0374	51.85	66.59	yes	music wire	4I
C.218.170.2400.I	21.8	1.70	240.0	0.0321	51.85	66.59	yes	stainless steel	4J
C.218.180.0159.A	21.8	1.80	15.9	0.6897	7.92	8.90	yes	music wire	4G
C.218.180.0159.I	21.8	1.80	15.9	0.6000	7.92	8.90	yes	stainless steel	4G
C.218.180.0800.A	21.8	1.80	80.0	0.1393	21.78	26.71	yes	music wire	4H
C.218.180.0800.I	21.8	1.80	80.0	0.1196	21.78	26.71	yes	stainless steel	4I
C.218.210.0200.A	21.8	2.10	20.0	1.1267	10.08	11.20	yes	music wire	4G
C.218.210.0200.I	21.8	2.10	20.0	0.9677	10.08	11.20	yes	stainless steel	4G
C.218.210.0600.A	21.8	2.10	60.0	0.2989	23.52	27.76	yes	music wire	4H
C.218.210.0600.AP	21.8	2.10	60.0	0.4939	16.17	27.91	yes	music wire	4I
C.218.210.0600.I	21.8	2.10	60.0	0.2600	23.31	27.50	yes	stainless steel	4H
C.218.230.0200.A	21.8	2.30	20.0	1.6020	11.27	12.42	yes	music wire	4G
C.218.230.0200.I	21.8	2.30	20.0	1.3760	11.27	12.42	yes	stainless steel	4G
C.218.230.0520.A	21.8	2.30	52.0	0.4943	23.69	27.42	yes	music wire	4H
C.218.230.0520.AP	21.8	2.30	52.0	0.7782	17.02	25.80	yes	music wire	4I
C.218.230.0520.I	21.8	2.30	52.0	0.4300	23.46	27.14	yes	stainless steel	4H
C.218.240.0079.A	21.8	2.40	7.9	6.4368	7.68	7.68	yes	music wire	4G
C.218.240.0079.I	21.8	2.40	7.9	5.6000	7.68	7.68	yes	stainless steel	4G
C.218.240.0103.A	21.8	2.40	10.3	5.6322	7.92	8.30	yes	music wire	4G
C.218.240.0103.I	21.8	2.40	10.3	4.9000	7.92	8.30	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.218.240.1000.A	21.8	2.40	100.0	0.3107	41.76	48.84	yes	music wire	4I
C.218.240.1000.I	21.8	2.40	100.0	0.2668	41.76	48.84	yes	stainless steel	4I
C.218.270.0410.A	21.8	2.70	41.0	1.6092	19.71	21.98	yes	music wire	4I
C.218.270.0410.I	21.8	2.70	41.0	1.4000	19.71	21.98	yes	stainless steel	4J
C.218.270.1000.A	21.8	2.70	100.0	0.4918	49.41	56.88	yes	music wire	4I
C.218.270.1000.I	21.8	2.70	100.0	0.4224	49.41	56.88	yes	stainless steel	4I
C.218.280.0200.A	21.8	2.80	20.0	3.2184	14.84	16.17	yes	music wire	4I
C.218.280.0200.AP	21.8	2.80	20.0	4.8845	12.32	13.22	yes	music wire	4J
C.218.280.0200.I	21.8	2.80	20.0	2.8000	14.84	16.17	yes	stainless steel	4I
C.218.280.0220.A	21.8	2.80	22.0	4.4000	12.88	14.04	yes	music wire	4J
C.218.280.0220.I	21.8	2.80	22.0	3.8280	12.60	13.87	yes	stainless steel	4J
C.218.280.0650.A	21.8	2.80	65.0	1.0690	30.80	34.82	yes	music wire	4J
C.218.280.0650.I	21.8	2.80	65.0	0.9300	30.52	34.50	yes	stainless steel	4K
C.218.280.1000.A	21.8	2.80	100.0	0.5706	51.80	59.37	yes	music wire	4I
C.218.280.1000.I	21.8	2.80	100.0	0.4901	51.80	59.37	yes	stainless steel	4I
C.218.280.1300.A	21.8	2.80	130.0	0.4327	66.08	76.07	yes	music wire	4J
C.218.280.1300.I	21.8	2.80	130.0	0.3716	66.08	76.07	yes	stainless steel	4J
C.218.280.3200.A	21.8	2.80	320.0	0.1713	156.24	181.47	yes	music wire	4L
C.218.280.3200.I	21.8	2.80	320.0	0.1471	156.24	181.47	yes	stainless steel	4L
C.218.450.0500.A	21.8	4.50	50.0	12.0690	41.40	45.08	yes	music wire	4Q
C.218.450.0500.I	21.8	4.50	50.0	10.5000	40.95	44.58	yes	stainless steel	4R
C.218.450.2000.A	21.8	4.50	200.0	2.4302	160.65	178.90	yes	music wire	4R
C.218.450.2000.I	21.8	4.50	200.0	2.0873	160.65	178.90	yes	stainless steel	4R
C.220.125.0290.A	22.0	1.25	29.0	0.1392	5.63	6.91	yes	music wire	4D
C.220.125.0290.I	22.0	1.25	29.0	0.1196	5.63	6.91	yes	stainless steel	4E
C.220.125.0330.A	22.0	1.25	33.0	0.1265	5.88	7.29	yes	music wire	4D
C.220.125.0330.I	22.0	1.25	33.0	0.1087	5.88	7.29	yes	stainless steel	4E
C.220.125.0440.A	22.0	1.25	44.0	0.0928	6.88	8.80	yes	music wire	4E
C.220.125.0440.I	22.0	1.25	44.0	0.0797	6.88	8.80	yes	stainless steel	4E
C.220.125.0660.A	22.0	1.25	66.0	0.0605	8.88	11.83	yes	music wire	4E
C.220.125.0660.I	22.0	1.25	66.0	0.0520	8.88	11.83	yes	stainless steel	4E
C.220.125.0790.A	22.0	1.25	79.0	0.0506	10.00	13.53	yes	music wire	4E
C.220.125.0790.I	22.0	1.25	79.0	0.0435	10.00	13.53	yes	stainless steel	4F
C.220.125.1050.A	22.0	1.25	105.0	0.0376	12.38	17.13	yes	music wire	4F
C.220.125.1050.I	22.0	1.25	105.0	0.0323	12.38	17.13	yes	stainless steel	4G
C.220.125.1450.A	22.0	1.25	145.0	0.0270	16.00	22.61	yes	music wire	4G
C.220.125.1450.I	22.0	1.25	145.0	0.0232	16.00	22.61	yes	stainless steel	4G
C.220.130.1550.A	22.0	1.30	155.0	0.0285	18.20	25.38	yes	music wire	4G
C.220.130.1550.I	22.0	1.30	155.0	0.0245	18.20	25.38	yes	stainless steel	4H
C.220.130.1750.A	22.0	1.30	175.0	0.0252	20.15	28.27	yes	music wire	4H
C.220.130.1750.I	22.0	1.30	175.0	0.0217	20.15	28.27	yes	stainless steel	4H
C.220.140.1450.A	22.0	1.40	145.0	0.0383	19.88	26.84	yes	music wire	4I
C.220.140.1450.I	22.0	1.40	145.0	0.0329	19.88	26.84	yes	stainless steel	4I
C.220.150.0220.A	22.0	1.50	22.0	0.3521	6.30	7.27	yes	music wire	4E
C.220.150.0220.I	22.0	1.50	22.0	0.3025	6.30	7.27	yes	stainless steel	4F
C.220.150.0333.A	22.0	1.50	33.3	0.1710	9.00	11.00	yes	music wire	4F
C.220.150.0333.I	22.0	1.50	33.3	0.1469	9.00	11.00	yes	stainless steel	4F
C.220.150.0333.N	22.0	1.50	33.3	0.1710	9.00	11.00	yes	Zn coating	4H
C.220.150.0507.A	22.0	1.50	50.7	0.1088	12.00	15.14	yes	music wire	4F
C.220.150.0507.I	22.0	1.50	50.7	0.0934	12.00	15.14	yes	stainless steel	4G
C.220.150.0507.N	22.0	1.50	50.7	0.1088	12.00	15.14	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.150.0670.A	22.0	1.50	67.0	0.0600	18.75	24.45	yes	music wire	4G
C.220.150.0670.I	22.0	1.50	67.0	0.0522	18.60	24.25	yes	stainless steel	4G
C.220.150.0670.N	22.0	1.50	67.0	0.0600	18.75	24.45	yes	Zn coating	4I
C.220.150.0762.A	22.0	1.50	76.2	0.0704	16.50	21.35	yes	music wire	4G
C.220.150.0762.I	22.0	1.50	76.2	0.0605	16.50	21.35	yes	stainless steel	4G
C.220.150.0762.N	22.0	1.50	76.2	0.0704	16.50	21.35	yes	Zn coating	4I
C.220.150.1100.A	22.0	1.50	110.0	0.0479	22.50	29.63	yes	music wire	4H
C.220.150.1100.I	22.0	1.50	110.0	0.0411	22.50	29.63	yes	stainless steel	4H
C.220.150.1100.N	22.0	1.50	110.0	0.0479	22.50	29.63	yes	Zn coating	4I
C.220.150.1450.A	22.0	1.50	145.0	0.0475	22.65	29.84	yes	music wire	4I
C.220.150.1450.I	22.0	1.50	145.0	0.0408	22.65	29.84	yes	stainless steel	4I
C.220.150.1620.A	22.0	1.50	162.0	0.0324	31.50	42.05	yes	music wire	4I
C.220.150.1620.I	22.0	1.50	162.0	0.0278	31.50	42.05	yes	stainless steel	4I
C.220.150.1620.N	22.0	1.50	162.0	0.0324	31.50	42.05	yes	Zn coating	4J
C.220.150.2000.A	22.0	1.50	200.0	0.0344	29.85	39.77	yes	music wire	4I
C.220.150.2000.I	22.0	1.50	200.0	0.0296	29.85	39.77	yes	stainless steel	4I
C.220.160.0230.A	22.0	1.60	23.0	0.4139	7.04	8.09	yes	music wire	4E
C.220.160.0230.I	22.0	1.60	23.0	0.3555	7.04	8.09	yes	stainless steel	4F
C.220.160.0250.A	22.0	1.60	25.0	0.3360	7.68	8.95	yes	music wire	4F
C.220.160.0250.I	22.0	1.60	25.0	0.2923	7.68	8.95	yes	stainless steel	4F
C.220.160.0250.N	22.0	1.60	25.0	0.3360	7.68	8.95	yes	Zn coating	4H
C.220.160.0320.A	22.0	1.60	32.0	0.2520	8.96	10.67	yes	music wire	4F
C.220.160.0320.I	22.0	1.60	32.0	0.2192	8.96	10.67	yes	stainless steel	4F
C.220.160.0320.N	22.0	1.60	32.0	0.2520	8.96	10.67	yes	Zn coating	4H
C.220.160.0400.A	22.0	1.60	40.0	0.1950	10.40	12.60	yes	music wire	4F
C.220.160.0400.I	22.0	1.60	40.0	0.1697	10.40	12.60	yes	stainless steel	4G
C.220.160.0400.N	22.0	1.60	40.0	0.1950	10.40	12.60	yes	Zn coating	4H
C.220.160.0500.A	22.0	1.60	50.0	0.1550	12.16	14.97	yes	music wire	4G
C.220.160.0500.I	22.0	1.60	50.0	0.1349	12.00	14.75	yes	stainless steel	4G
C.220.160.0500.N	22.0	1.60	50.0	0.1550	12.16	14.97	yes	Zn coating	4I
C.220.160.0630.A	22.0	1.60	63.0	0.1240	14.08	17.55	yes	music wire	4G
C.220.160.0630.I	22.0	1.60	63.0	0.1079	14.08	17.55	yes	stainless steel	4G
C.220.160.0630.N	22.0	1.60	63.0	0.1240	14.08	17.55	yes	Zn coating	4I
C.220.160.0800.A	22.0	1.60	80.0	0.0960	17.12	21.63	yes	music wire	4G
C.220.160.0800.I	22.0	1.60	80.0	0.0835	16.96	21.42	yes	stainless steel	4G
C.220.160.0800.N	22.0	1.60	80.0	0.0960	17.12	21.63	yes	Zn coating	4I
C.220.160.1000.A	22.0	1.60	100.0	0.0760	20.48	26.15	yes	music wire	4H
C.220.160.1000.I	22.0	1.60	100.0	0.0661	20.32	25.93	yes	stainless steel	4H
C.220.160.1000.N	22.0	1.60	100.0	0.0760	20.48	26.15	yes	Zn coating	4I
C.220.160.1250.A	22.0	1.60	125.0	0.0610	24.64	31.74	yes	music wire	4I
C.220.160.1250.I	22.0	1.60	125.0	0.0531	24.32	31.31	yes	stainless steel	4I
C.220.160.1250.N	22.0	1.60	125.0	0.0610	24.64	31.74	yes	Zn coating	4I
C.220.160.1400.A	22.0	1.60	140.0	0.0605	24.80	31.95	yes	music wire	4I
C.220.160.1400.I	22.0	1.60	140.0	0.0520	24.80	31.95	yes	stainless steel	4I
C.220.160.1850.A	22.0	1.60	185.0	0.0457	31.52	40.98	yes	music wire	4I
C.220.160.1850.I	22.0	1.60	185.0	0.0393	31.52	40.98	yes	stainless steel	4I
C.220.160.3600.A	22.0	1.60	360.0	0.0210	65.44	86.02	no	music wire	4J
C.220.160.3600.I	22.0	1.60	360.0	0.0183	64.64	84.94	no	stainless steel	4J
C.220.170.0157.A	22.0	1.70	15.7	0.6781	6.80	7.60	yes	music wire	4E
C.220.170.0157.I	22.0	1.70	15.7	0.5824	6.80	7.60	yes	stainless steel	4F
C.220.170.0224.A	22.0	1.70	22.4	0.4422	8.16	9.39	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.170.0224.I	22.0	1.70	22.4	0.3798	8.16	9.39	yes	stainless steel	4F
C.220.170.0254.A	22.0	1.70	25.4	0.3912	8.67	10.06	yes	music wire	4F
C.220.170.0254.I	22.0	1.70	25.4	0.3360	8.67	10.06	yes	stainless steel	4F
C.220.170.0305.A	22.0	1.70	30.5	0.3179	9.69	11.40	yes	music wire	4F
C.220.170.0305.I	22.0	1.70	30.5	0.2730	9.69	11.40	yes	stainless steel	4F
C.220.170.0318.A	22.0	1.70	31.8	0.2992	10.03	11.84	yes	music wire	4F
C.220.170.0318.I	22.0	1.70	31.8	0.2569	10.03	11.84	yes	stainless steel	4F
C.220.170.0381.A	22.0	1.70	38.1	0.2481	11.22	13.41	yes	music wire	4F
C.220.170.0381.I	22.0	1.70	38.1	0.2131	11.22	13.41	yes	stainless steel	4G
C.220.170.0444.A	22.0	1.70	44.4	0.2119	12.41	14.97	yes	music wire	4F
C.220.170.0444.I	22.0	1.70	44.4	0.1820	12.41	14.97	yes	stainless steel	4G
C.220.170.0457.A	22.0	1.70	45.7	0.2034	12.75	15.42	yes	music wire	4F
C.220.170.0457.I	22.0	1.70	45.7	0.1747	12.75	15.42	yes	stainless steel	4G
C.220.170.0508.A	22.0	1.70	50.8	0.1816	13.77	16.76	yes	music wire	4G
C.220.170.0508.I	22.0	1.70	50.8	0.1560	13.77	16.76	yes	stainless steel	4G
C.220.170.0559.A	22.0	1.70	55.9	0.1641	14.79	18.10	yes	music wire	4G
C.220.170.0559.I	22.0	1.70	55.9	0.1409	14.79	18.10	yes	stainless steel	4G
C.220.170.0572.A	22.0	1.70	57.2	0.1614	14.96	18.32	yes	music wire	4G
C.220.170.0572.I	22.0	1.70	57.2	0.1387	14.96	18.32	yes	stainless steel	4G
C.220.170.0635.A	22.0	1.70	63.5	0.1453	16.15	19.89	yes	music wire	4G
C.220.170.0635.I	22.0	1.70	63.5	0.1248	16.15	19.89	yes	stainless steel	4G
C.220.170.0698.A	22.0	1.70	69.8	0.1304	17.51	21.67	yes	music wire	4G
C.220.170.0698.I	22.0	1.70	69.8	0.1120	17.51	21.67	yes	stainless steel	4G
C.220.170.0762.A	22.0	1.70	76.2	0.1197	18.70	23.24	yes	music wire	4G
C.220.170.0762.I	22.0	1.70	76.2	0.1028	18.70	23.24	yes	stainless steel	4G
C.220.170.1700.A	22.0	1.70	170.0	0.0605	32.81	41.77	yes	music wire	4I
C.220.170.1700.I	22.0	1.70	170.0	0.0520	32.81	41.77	yes	stainless steel	4I
C.220.170.2350.A	22.0	1.70	235.0	0.0377	50.15	64.56	yes	music wire	4I
C.220.170.2350.I	22.0	1.70	235.0	0.0324	50.15	64.56	yes	stainless steel	4I
C.220.180.0250.A	22.0	1.80	25.0	0.5000	9.18	10.53	yes	music wire	4G
C.220.180.0250.AP	22.0	1.80	25.0	0.7688	7.56	11.69	yes	music wire	4I
C.220.180.0250.I	22.0	1.80	25.0	0.4341	9.18	10.53	yes	stainless steel	4G
C.220.180.0250.N	22.0	1.80	25.0	0.5000	9.18	10.53	yes	Zn coating	4I
C.220.180.0320.A	22.0	1.80	32.0	0.3840	10.62	12.39	yes	music wire	4G
C.220.180.0320.AP	22.0	1.80	32.0	0.5683	8.64	13.99	yes	music wire	4I
C.220.180.0320.I	22.0	1.80	32.0	0.3341	10.44	12.16	yes	stainless steel	4G
C.220.180.0320.N	22.0	1.80	32.0	0.3840	10.62	12.39	yes	Zn coating	4I
C.220.180.0400.A	22.0	1.80	40.0	0.3030	12.24	14.48	yes	music wire	4G
C.220.180.0400.AP	22.0	1.80	40.0	0.4507	9.72	17.29	yes	music wire	4I
C.220.180.0400.I	22.0	1.80	40.0	0.2636	12.06	14.24	yes	stainless steel	4G
C.220.180.0400.N	22.0	1.80	40.0	0.3030	12.24	14.48	yes	Zn coating	4I
C.220.180.0500.A	22.0	1.80	50.0	0.2380	14.40	17.26	yes	music wire	4G
C.220.180.0500.AP	22.0	1.80	50.0	0.3533	11.16	21.03	yes	music wire	4I
C.220.180.0500.I	22.0	1.80	50.0	0.2071	14.22	17.03	yes	stainless steel	4H
C.220.180.0500.N	22.0	1.80	50.0	0.2380	14.40	17.26	yes	Zn coating	4I
C.220.180.0630.A	22.0	1.80	63.0	0.1850	17.10	20.74	yes	music wire	4H
C.220.180.0630.AP	22.0	1.80	63.0	0.2781	12.96	26.20	yes	music wire	4I
C.220.180.0630.I	22.0	1.80	63.0	0.1610	16.92	20.51	yes	stainless steel	4H
C.220.180.0630.N	22.0	1.80	63.0	0.1850	17.10	20.74	yes	Zn coating	4I
C.220.180.0800.A	22.0	1.80	80.0	0.1450	20.52	25.15	yes	music wire	4H
C.220.180.0800.AP	22.0	1.80	80.0	0.2143	15.48	32.24	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.180.0800.I	22.0	1.80	80.0	0.1262	20.34	24.92	yes	stainless steel	4I
C.220.180.0800.N	22.0	1.80	80.0	0.1450	20.52	25.15	yes	Zn coating	4I
C.220.180.1000.A	22.0	1.80	100.0	0.1150	24.84	30.72	yes	music wire	4I
C.220.180.1000.AP	22.0	1.80	100.0	0.1720	18.00	40.49	yes	music wire	4J
C.220.180.1000.I	22.0	1.80	100.0	0.1000	24.48	30.25	yes	stainless steel	4I
C.220.180.1000.N	22.0	1.80	100.0	0.1150	24.84	30.72	yes	Zn coating	4I
C.220.180.1250.A	22.0	1.80	125.0	0.0920	29.88	37.21	yes	music wire	4I
C.220.180.1250.AP	22.0	1.80	125.0	0.1362	21.60	49.83	yes	music wire	4J
C.220.180.1250.I	22.0	1.80	125.0	0.0800	29.52	36.75	yes	stainless steel	4I
C.220.180.1250.N	22.0	1.80	125.0	0.0920	29.88	37.21	yes	Zn coating	4J
C.220.180.1450.A	22.0	1.80	145.0	0.0854	31.86	39.76	yes	music wire	4I
C.220.180.1450.I	22.0	1.80	145.0	0.0733	31.86	39.76	yes	stainless steel	4I
C.220.180.3600.A	22.0	1.80	360.0	0.0310	81.72	103.51	no	music wire	4K
C.220.180.3600.I	22.0	1.80	360.0	0.0270	80.64	102.12	no	stainless steel	4L
C.220.190.1850.A	22.0	1.90	185.0	0.0798	43.70	54.13	yes	music wire	4I
C.220.190.1850.I	22.0	1.90	185.0	0.0685	43.70	54.13	yes	stainless steel	4I
C.220.200.0250.A	22.0	2.00	25.0	0.7130	10.80	12.25	yes	music wire	4G
C.220.200.0250.AP	22.0	2.00	25.0	1.0822	8.80	12.32	yes	music wire	4I
C.220.200.0250.I	22.0	2.00	25.0	0.6203	10.60	12.00	yes	stainless steel	4G
C.220.200.0250.N	22.0	2.00	25.0	0.7130	10.80	12.25	yes	Zn coating	4I
C.220.200.0320.A	22.0	2.00	32.0	0.5410	12.60	14.50	yes	music wire	4G
C.220.200.0320.AP	22.0	2.00	32.0	0.8225	10.00	15.32	yes	music wire	4I
C.220.200.0320.I	22.0	2.00	32.0	0.4707	12.40	14.25	yes	stainless steel	4G
C.220.200.0320.N	22.0	2.00	32.0	0.5410	12.60	14.50	yes	Zn coating	4I
C.220.200.0367.A	22.0	2.00	36.7	0.5821	12.00	13.75	yes	music wire	4I
C.220.200.0367.I	22.0	2.00	36.7	0.5000	12.00	13.75	yes	stainless steel	4I
C.220.200.0367.N	22.0	2.00	36.7	0.5821	12.00	13.75	yes	Zn coating	4J
C.220.200.0400.A	22.0	2.00	40.0	0.4240	14.60	17.00	yes	music wire	4G
C.220.200.0400.AP	22.0	2.00	40.0	0.6426	11.40	18.64	yes	music wire	4I
C.220.200.0400.I	22.0	2.00	40.0	0.3689	14.40	16.75	yes	stainless steel	4G
C.220.200.0400.N	22.0	2.00	40.0	0.4240	14.60	17.00	yes	Zn coating	4I
C.220.200.0410.A	22.0	2.00	41.0	0.5821	12.00	17.43	yes	music wire	4I
C.220.200.0410.I	22.0	2.00	41.0	0.5000	12.00	16.90	yes	stainless steel	4I
C.220.200.0410.N	22.0	2.00	41.0	0.5821	12.00	17.43	yes	Zn coating	4J
C.220.200.0420.A	22.0	2.00	42.0	0.2110	24.40	29.25	yes	music wire	4G
C.220.200.0420.AP	22.0	2.00	42.0	0.6048	11.80	19.31	yes	music wire	4I
C.220.200.0420.I	22.0	2.00	42.0	0.1836	24.00	28.75	yes	stainless steel	4H
C.220.200.0420.N	22.0	2.00	42.0	0.2110	24.40	29.25	yes	Zn coating	4I
C.220.200.0500.A	22.0	2.00	50.0	0.3340	17.20	20.25	yes	music wire	4G
C.220.200.0500.AP	22.0	2.00	50.0	0.5015	13.20	22.64	yes	music wire	4I
C.220.200.0500.I	22.0	2.00	50.0	0.2906	17.00	20.00	yes	stainless steel	4H
C.220.200.0500.N	22.0	2.00	50.0	0.3340	17.20	20.25	yes	Zn coating	4I
C.220.200.0554.A	22.0	2.00	55.4	0.3705	16.00	18.75	yes	music wire	4I
C.220.200.0554.I	22.0	2.00	55.4	0.3182	16.00	18.75	yes	stainless steel	4J
C.220.200.0554.N	22.0	2.00	55.4	0.3705	16.00	18.75	yes	Zn coating	4J
C.220.200.0620.A	22.0	2.00	62.0	0.3705	16.00	24.96	yes	music wire	4J
C.220.200.0620.I	22.0	2.00	62.0	0.3182	16.00	24.13	yes	stainless steel	4J
C.220.200.0620.N	22.0	2.00	62.0	0.3705	16.00	24.96	yes	Zn coating	4K
C.220.200.0630.A	22.0	2.00	63.0	0.2610	20.60	24.50	yes	music wire	4H
C.220.200.0630.AP	22.0	2.00	63.0	0.3880	15.60	27.63	yes	music wire	4J
C.220.200.0630.I	22.0	2.00	63.0	0.2271	20.40	24.25	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.200.0630.N	22.0	2.00	63.0	0.2610	20.60	24.50	yes	Zn coating	4I
C.220.200.0790.A	22.0	2.00	79.0	0.2397	22.00	26.25	yes	music wire	4H
C.220.200.0790.I	22.0	2.00	79.0	0.2059	22.00	26.25	yes	stainless steel	4I
C.220.200.0790.N	22.0	2.00	79.0	0.2397	22.00	26.25	yes	Zn coating	4I
C.220.200.0800.A	22.0	2.00	80.0	0.2010	25.20	30.25	yes	music wire	4H
C.220.200.0800.AP	22.0	2.00	80.0	0.3024	18.40	34.62	yes	music wire	4J
C.220.200.0800.I	22.0	2.00	80.0	0.1749	25.00	30.00	yes	stainless steel	4I
C.220.200.0800.N	22.0	2.00	80.0	0.2010	25.20	30.25	yes	Zn coating	4I
C.220.200.0940.A	22.0	2.00	94.0	0.2397	22.00	36.75	yes	music wire	4J
C.220.200.0940.I	22.0	2.00	94.0	0.2059	22.00	35.47	yes	stainless steel	4J
C.220.200.0940.N	22.0	2.00	94.0	0.2397	22.00	36.75	yes	Zn coating	4L
C.220.200.1000.A	22.0	2.00	100.0	0.1600	30.40	36.75	yes	music wire	4I
C.220.200.1000.AP	22.0	2.00	100.0	0.2419	21.80	43.28	yes	music wire	4J
C.220.200.1000.I	22.0	2.00	100.0	0.1392	30.20	36.50	yes	stainless steel	4I
C.220.200.1000.N	22.0	2.00	100.0	0.1600	30.40	36.75	yes	Zn coating	4I
C.220.200.1020.A	22.0	2.00	102.0	0.1772	28.00	33.75	yes	music wire	4I
C.220.200.1020.I	22.0	2.00	102.0	0.1522	28.00	33.75	yes	stainless steel	4I
C.220.200.1020.N	22.0	2.00	102.0	0.1772	28.00	33.75	yes	Zn coating	4I
C.220.200.1250.A	22.0	2.00	125.0	0.1270	37.00	45.00	yes	music wire	4I
C.220.200.1250.AP	22.0	2.00	125.0	0.1922	26.20	53.59	yes	music wire	4J
C.220.200.1250.I	22.0	2.00	125.0	0.1105	36.60	44.50	yes	stainless steel	4I
C.220.200.1250.N	22.0	2.00	125.0	0.1270	37.00	45.00	yes	Zn coating	4J
C.220.200.1350.A	22.0	2.00	135.0	0.1630	30.00	50.81	yes	music wire	4J
C.220.200.1350.AF	22.0	2.00	135.0	0.1101	42.00	51.25	yes	music wire	4I
C.220.200.1350.AP	22.0	2.00	135.0	0.1773	28.00	57.59	yes	music wire	4J
C.220.200.1350.I	22.0	2.00	135.0	0.1400	30.00	48.93	yes	stainless steel	4J
C.220.200.1350.IF	22.0	2.00	135.0	0.0946	42.00	51.25	yes	stainless steel	4I
C.220.200.1350.N	22.0	2.00	135.0	0.1630	30.00	50.81	yes	Zn coating	4L
C.220.200.1350.NF	22.0	2.00	135.0	0.1101	42.00	51.25	yes	Zn coating	4J
C.220.200.1490.A	22.0	2.00	149.0	0.1315	36.00	44.65	yes	music wire	4J
C.220.200.1490.I	22.0	2.00	149.0	0.1129	36.00	43.75	yes	stainless steel	4K
C.220.200.1490.N	22.0	2.00	149.0	0.1315	36.00	44.65	yes	Zn coating	4M
C.220.200.1650.A	22.0	2.00	165.0	0.1067	43.20	52.75	yes	music wire	4I
C.220.200.1650.I	22.0	2.00	165.0	0.0916	43.20	52.75	yes	stainless steel	4I
C.220.200.2000.A	22.0	2.00	200.0	0.1101	42.00	75.37	yes	music wire	4L
C.220.200.2000.I	22.0	2.00	200.0	0.0946	42.00	72.62	yes	stainless steel	4L
C.220.200.2000.IF	22.0	2.00	200.0	0.0778	50.00	61.25	yes	stainless steel	4J
C.220.200.2000.N	22.0	2.00	200.0	0.1101	42.00	75.37	yes	Zn coating	4M
C.220.200.2500.A	22.0	2.00	250.0	0.0614	71.40	88.00	yes	music wire	4J
C.220.200.2500.I	22.0	2.00	250.0	0.0527	71.40	88.00	yes	stainless steel	4J
C.220.200.3600.A	22.0	2.00	360.0	0.0430	101.80	125.50	no	music wire	4K
C.220.200.3600.I	22.0	2.00	360.0	0.0374	100.60	124.00	no	stainless steel	4L
C.220.220.0250.A	22.0	2.20	25.0	1.0290	12.10	13.56	yes	music wire	4G
C.220.220.0250.AP	22.0	2.20	25.0	1.4802	10.12	12.92	yes	music wire	4I
C.220.220.0250.I	22.0	2.20	25.0	0.8952	11.88	13.29	yes	stainless steel	4G
C.220.220.0250.N	22.0	2.20	25.0	1.0290	12.10	13.56	yes	Zn coating	4I
C.220.220.0320.A	22.0	2.20	32.0	0.7890	14.08	15.98	yes	music wire	4G
C.220.220.0320.AP	22.0	2.20	32.0	1.1101	11.66	15.90	yes	music wire	4I
C.220.220.0320.I	22.0	2.20	32.0	0.6864	13.86	15.71	yes	stainless steel	4G
C.220.220.0320.N	22.0	2.20	32.0	0.7890	14.08	15.98	yes	Zn coating	4I
C.220.220.0400.A	22.0	2.20	40.0	0.6070	16.72	19.21	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.220.0400.AP	22.0	2.20	40.0	0.8881	13.20	19.87	yes	music wire	4I
C.220.220.0400.I	22.0	2.20	40.0	0.5281	16.50	18.94	yes	stainless steel	4H
C.220.220.0400.N	22.0	2.20	40.0	0.6070	16.72	19.21	yes	Zn coating	4I
C.220.220.0500.A	22.0	2.20	50.0	0.4830	19.58	22.70	yes	music wire	4H
C.220.220.0500.AP	22.0	2.20	50.0	0.6907	15.40	24.12	yes	music wire	4I
C.220.220.0500.I	22.0	2.20	50.0	0.4202	19.36	22.43	yes	stainless steel	4H
C.220.220.0500.N	22.0	2.20	50.0	0.4830	19.58	22.70	yes	Zn coating	4I
C.220.220.0630.A	22.0	2.20	63.0	0.3760	23.54	27.54	yes	music wire	4H
C.220.220.0630.AP	22.0	2.20	63.0	0.5359	18.04	29.65	yes	music wire	4J
C.220.220.0630.I	22.0	2.20	63.0	0.3271	23.32	27.27	yes	stainless steel	4I
C.220.220.0630.N	22.0	2.20	63.0	0.3760	23.54	27.54	yes	Zn coating	4I
C.220.220.0800.A	22.0	2.20	80.0	0.2890	28.82	33.99	yes	music wire	4I
C.220.220.0800.AP	22.0	2.20	80.0	0.4200	21.56	37.44	yes	music wire	4J
C.220.220.0800.I	22.0	2.20	80.0	0.2514	28.60	33.72	yes	stainless steel	4I
C.220.220.0800.N	22.0	2.20	80.0	0.2890	28.82	33.99	yes	Zn coating	4I
C.220.220.1000.A	22.0	2.20	100.0	0.2300	34.98	41.51	yes	music wire	4I
C.220.220.1000.AP	22.0	2.20	100.0	0.3307	25.96	45.94	yes	music wire	4J
C.220.220.1000.I	22.0	2.20	100.0	0.2000	34.54	40.97	yes	stainless steel	4I
C.220.220.1000.N	22.0	2.20	100.0	0.2300	34.98	41.51	yes	Zn coating	4J
C.220.220.1250.A	22.0	2.20	125.0	0.1820	42.68	50.92	yes	music wire	4I
C.220.220.1250.AP	22.0	2.20	125.0	0.2634	31.24	57.14	yes	music wire	4J
C.220.220.1250.I	22.0	2.20	125.0	0.1583	42.24	50.38	yes	stainless steel	4I
C.220.220.1250.N	22.0	2.20	125.0	0.1820	42.68	50.92	yes	Zn coating	4J
C.220.220.1450.A	22.0	2.20	145.0	0.1699	45.32	54.14	yes	music wire	4I
C.220.220.1450.I	22.0	2.20	145.0	0.1459	45.32	54.14	yes	stainless steel	4I
C.220.220.1650.A	22.0	2.20	165.0	0.1485	51.04	61.13	yes	music wire	4I
C.220.220.1650.I	22.0	2.20	165.0	0.1276	51.04	61.13	yes	stainless steel	4I
C.220.220.3600.A	22.0	2.20	360.0	0.0610	118.58	143.14	no	music wire	4L
C.220.220.3600.I	22.0	2.20	360.0	0.0531	117.26	141.53	no	stainless steel	4L
C.220.230.0250.A	22.0	2.30	25.0	1.3317	12.19	13.54	yes	music wire	4G
C.220.230.0250.I	22.0	2.30	25.0	1.1438	12.19	13.54	yes	stainless steel	4G
C.220.230.0660.A	22.0	2.30	66.0	0.4493	24.84	28.85	yes	music wire	4H
C.220.230.0660.I	22.0	2.30	66.0	0.3859	24.84	28.85	yes	stainless steel	4I
C.220.230.1700.A	22.0	2.30	170.0	0.1687	56.58	67.26	yes	music wire	4I
C.220.230.1700.I	22.0	2.30	170.0	0.1449	56.58	67.26	yes	stainless steel	4I
C.220.235.1100.A	22.0	2.35	110.0	0.2844	39.72	46.65	yes	music wire	4I
C.220.235.1100.I	22.0	2.35	110.0	0.2442	39.72	46.65	yes	stainless steel	4I
C.220.235.1800.A	22.0	2.35	180.0	0.1721	61.81	73.27	yes	music wire	4I
C.220.235.1800.I	22.0	2.35	180.0	0.1478	61.81	73.27	yes	stainless steel	4I
C.220.240.1250.A	22.0	2.40	125.0	0.2704	45.84	53.81	yes	music wire	4I
C.220.240.1250.I	22.0	2.40	125.0	0.2323	45.84	53.81	yes	stainless steel	4I
C.220.240.1750.A	22.0	2.40	175.0	0.1910	62.40	73.68	yes	music wire	4I
C.220.240.1750.I	22.0	2.40	175.0	0.1641	62.40	73.68	yes	stainless steel	4I
C.220.250.0250.A	22.0	2.50	25.0	1.8000	13.75	15.18	yes	music wire	4G
C.220.250.0250.AP	22.0	2.50	25.0	2.3656	12.00	14.24	yes	music wire	4I
C.220.250.0250.I	22.0	2.50	25.0	1.5625	13.75	15.18	yes	stainless steel	4H
C.220.250.0250.N	22.0	2.50	25.0	1.8000	13.75	15.18	yes	Zn coating	4I
C.220.250.0320.A	22.0	2.50	32.0	1.3320	16.25	18.16	yes	music wire	4G
C.220.250.0320.AP	22.0	2.50	32.0	1.7552	14.00	17.50	yes	music wire	4I
C.220.250.0320.I	22.0	2.50	32.0	1.1588	16.25	18.16	yes	stainless steel	4H
C.220.250.0320.N	22.0	2.50	32.0	1.3320	16.25	18.16	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.250.0330.A	22.0	2.50	33.0	1.0540	19.00	21.44	yes	music wire	4G
C.220.250.0330.AP	22.0	2.50	33.0	1.7003	14.25	18.04	yes	music wire	4I
C.220.250.0330.I	22.0	2.50	33.0	0.9170	18.75	21.14	yes	stainless steel	4H
C.220.250.0330.N	22.0	2.50	33.0	1.0540	19.00	21.44	yes	Zn coating	4I
C.220.250.0400.A	22.0	2.50	40.0	1.0070	19.50	22.03	yes	music wire	4H
C.220.250.0400.AP	22.0	2.50	40.0	1.3951	15.75	21.76	yes	music wire	4I
C.220.250.0400.I	22.0	2.50	40.0	0.8761	19.50	22.03	yes	stainless steel	4H
C.220.250.0400.N	22.0	2.50	40.0	1.0070	19.50	22.03	yes	Zn coating	4I
C.220.250.0500.A	22.0	2.50	50.0	0.7940	23.25	26.50	yes	music wire	4H
C.220.250.0500.AP	22.0	2.50	50.0	1.0669	18.75	26.15	yes	music wire	4J
C.220.250.0500.I	22.0	2.50	50.0	0.6908	23.00	26.20	yes	stainless steel	4I
C.220.250.0500.N	22.0	2.50	50.0	0.7940	23.25	26.50	yes	Zn coating	4I
C.220.250.0630.A	22.0	2.50	63.0	0.6160	28.00	32.16	yes	music wire	4H
C.220.250.0630.AP	22.0	2.50	63.0	0.8371	22.25	32.61	yes	music wire	4J
C.220.250.0630.I	22.0	2.50	63.0	0.5359	27.75	31.86	yes	stainless steel	4I
C.220.250.0630.N	22.0	2.50	63.0	0.6160	28.00	32.16	yes	Zn coating	4I
C.220.250.0730.A	22.0	2.50	73.0	0.5850	29.25	33.65	yes	music wire	4J
C.220.250.0730.I	22.0	2.50	73.0	0.5090	29.00	33.35	yes	stainless steel	4I
C.220.250.0730.N	22.0	2.50	73.0	0.5850	29.25	33.65	yes	Zn coating	4L
C.220.250.0800.A	22.0	2.50	80.0	0.4800	34.25	39.61	yes	music wire	4I
C.220.250.0800.AP	22.0	2.50	80.0	0.6477	27.00	40.72	yes	music wire	4J
C.220.250.0800.I	22.0	2.50	80.0	0.4176	33.75	39.01	yes	stainless steel	4I
C.220.250.0800.N	22.0	2.50	80.0	0.4800	34.25	39.61	yes	Zn coating	4I
C.220.250.1000.A	22.0	2.50	100.0	0.3790	41.75	48.54	yes	music wire	4I
C.220.250.1000.AP	22.0	2.50	100.0	0.5133	32.50	50.43	yes	music wire	4J
C.220.250.1000.I	22.0	2.50	100.0	0.3297	41.25	47.94	yes	stainless steel	4I
C.220.250.1000.N	22.0	2.50	100.0	0.3790	41.75	48.54	yes	Zn coating	4J
C.220.250.1250.A	22.0	2.50	125.0	0.2990	51.00	59.56	yes	music wire	4I
C.220.250.1250.AP	22.0	2.50	125.0	0.4091	39.00	62.81	yes	music wire	4J
C.220.250.1250.I	22.0	2.50	125.0	0.2601	50.50	58.96	yes	stainless steel	4I
C.220.250.1250.N	22.0	2.50	125.0	0.2990	51.00	59.56	yes	Zn coating	4J
C.220.250.1500.A	22.0	2.50	150.0	0.2240	66.25	77.73	yes	music wire	4I
C.220.250.1500.AP	22.0	2.50	150.0	0.3379	46.00	74.71	yes	music wire	4K
C.220.250.1500.I	22.0	2.50	150.0	0.1949	65.50	76.83	yes	stainless steel	4I
C.220.250.1500.N	22.0	2.50	150.0	0.2240	66.25	77.73	yes	Zn coating	4J
C.220.250.1900.A	22.0	2.50	190.0	0.2041	72.00	84.58	yes	music wire	4I
C.220.250.1900.I	22.0	2.50	190.0	0.1753	72.00	84.58	yes	stainless steel	4J
C.220.250.3600.A	22.0	2.50	360.0	0.1010	141.50	166.89	no	music wire	4L
C.220.250.3600.I	22.0	2.50	360.0	0.0879	140.00	165.10	no	stainless steel	4L
C.220.260.0280.A	22.0	2.60	28.0	1.8753	15.34	16.96	yes	music wire	4G
C.220.260.0280.I	22.0	2.60	28.0	1.6107	15.34	16.96	yes	stainless steel	4H
C.220.260.0520.A	22.0	2.60	52.0	0.9241	24.44	27.73	yes	music wire	4H
C.220.260.0520.I	22.0	2.60	52.0	0.7937	24.44	27.73	yes	stainless steel	4I
C.220.270.0520.A	22.0	2.70	52.0	1.0759	25.65	28.99	yes	music wire	4H
C.220.270.0520.I	22.0	2.70	52.0	0.9240	25.65	28.99	yes	stainless steel	4I
C.220.270.0860.A	22.0	2.70	86.0	0.6224	39.42	45.19	yes	music wire	4I
C.220.270.0860.I	22.0	2.70	86.0	0.5346	39.42	45.19	yes	stainless steel	4I
C.220.270.1150.A	22.0	2.70	115.0	0.4592	51.03	58.85	yes	music wire	4I
C.220.270.1150.I	22.0	2.70	115.0	0.3944	51.03	58.85	yes	stainless steel	4I
C.220.270.1350.A	22.0	2.70	135.0	0.3882	59.13	68.38	yes	music wire	4I
C.220.270.1350.I	22.0	2.70	135.0	0.3334	59.13	68.38	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.270.1850.A	22.0	2.70	185.0	0.2800	79.38	92.21	yes	music wire	4I
C.220.270.1850.I	22.0	2.70	185.0	0.2405	79.38	92.21	yes	stainless steel	4J
C.220.280.0250.A	22.0	2.80	25.0	2.8370	15.68	17.16	yes	music wire	4I
C.220.280.0250.AP	22.0	2.80	25.0	3.7473	13.72	15.73	yes	music wire	4J
C.220.280.0250.I	22.0	2.80	25.0	2.4682	15.68	17.16	yes	stainless steel	4I
C.220.280.0250.N	22.0	2.80	25.0	2.8370	15.68	17.16	yes	Zn coating	4J
C.220.280.0320.A	22.0	2.80	32.0	2.1260	18.76	20.77	yes	music wire	4I
C.220.280.0320.AP	22.0	2.80	32.0	2.7253	15.96	19.26	yes	music wire	4J
C.220.280.0320.I	22.0	2.80	32.0	1.8496	18.48	20.44	yes	stainless steel	4I
C.220.280.0320.N	22.0	2.80	32.0	2.1260	18.76	20.77	yes	Zn coating	4J
C.220.280.0400.A	22.0	2.80	40.0	1.6210	22.40	25.03	yes	music wire	4I
C.220.280.0400.AP	22.0	2.80	40.0	2.0915	18.76	23.40	yes	music wire	4J
C.220.280.0400.I	22.0	2.80	40.0	1.4103	22.12	24.70	yes	stainless steel	4I
C.220.280.0400.N	22.0	2.80	40.0	1.6210	22.40	25.03	yes	Zn coating	4J
C.220.280.0500.A	22.0	2.80	50.0	1.2610	26.60	29.94	yes	music wire	4I
C.220.280.0500.AP	22.0	2.80	50.0	1.6352	22.12	28.76	yes	music wire	4J
C.220.280.0500.I	22.0	2.80	50.0	1.1000	26.32	29.61	yes	stainless steel	4I
C.220.280.0500.N	22.0	2.80	50.0	1.2610	26.60	29.94	yes	Zn coating	4J
C.220.280.0630.A	22.0	2.80	63.0	0.9870	32.20	36.50	yes	music wire	4I
C.220.280.0630.AP	22.0	2.80	63.0	1.2667	26.60	35.58	yes	music wire	4J
C.220.280.0630.I	22.0	2.80	63.0	0.8587	31.64	35.84	yes	stainless steel	4I
C.220.280.0630.N	22.0	2.80	63.0	0.9870	32.20	36.50	yes	Zn coating	4J
C.220.280.0800.A	22.0	2.80	80.0	0.7560	39.76	45.35	yes	music wire	4I
C.220.280.0800.AP	22.0	2.80	80.0	0.9776	32.48	44.48	yes	music wire	4K
C.220.280.0800.I	22.0	2.80	80.0	0.6577	39.48	45.02	yes	stainless steel	4I
C.220.280.0800.N	22.0	2.80	80.0	0.7560	39.76	45.35	yes	Zn coating	4J
C.220.280.1000.A	22.0	2.80	100.0	0.5970	48.44	55.51	yes	music wire	4I
C.220.280.1000.AP	22.0	2.80	100.0	0.7753	38.92	55.21	yes	music wire	4L
C.220.280.1000.I	22.0	2.80	100.0	0.5194	47.88	54.85	yes	stainless steel	4J
C.220.280.1000.N	22.0	2.80	100.0	0.5970	48.44	55.51	yes	Zn coating	4J
C.220.280.1250.A	22.0	2.80	125.0	0.4730	59.36	68.29	yes	music wire	4J
C.220.280.1250.AP	22.0	2.80	125.0	0.6160	47.32	68.62	yes	music wire	4L
C.220.280.1250.I	22.0	2.80	125.0	0.4115	58.80	67.63	yes	stainless steel	4J
C.220.280.1250.N	22.0	2.80	125.0	0.4730	59.36	68.29	yes	Zn coating	4K
C.220.280.1800.A	22.0	2.80	180.0	0.3326	81.48	94.18	yes	music wire	4J
C.220.280.1800.I	22.0	2.80	180.0	0.2857	81.48	94.18	yes	stainless steel	4J
C.220.280.3600.A	22.0	2.80	360.0	0.1590	165.48	192.03	no	music wire	4L
C.220.280.3600.I	22.0	2.80	360.0	0.1383	163.52	189.73	no	stainless steel	4M
C.220.290.0570.A	22.0	2.90	57.0	1.2926	30.45	34.28	yes	music wire	4I
C.220.290.0570.I	22.0	2.90	57.0	1.1102	30.45	34.28	yes	stainless steel	4I
C.220.290.0820.A	22.0	2.90	82.0	0.8690	41.76	47.46	yes	music wire	4I
C.220.290.0820.I	22.0	2.90	82.0	0.7464	41.76	47.46	yes	stainless steel	4I
C.220.290.0950.A	22.0	2.90	95.0	0.7440	47.56	54.21	yes	music wire	4I
C.220.290.0950.I	22.0	2.90	95.0	0.6390	47.56	54.21	yes	stainless steel	4I
C.220.290.1400.A	22.0	2.90	140.0	0.4948	67.86	77.86	yes	music wire	4J
C.220.290.1400.I	22.0	2.90	140.0	0.4250	67.86	77.86	yes	stainless steel	4J
C.220.300.0240.A	22.0	3.00	24.0	4.1485	16.20	17.59	yes	music wire	4I
C.220.300.0240.I	22.0	3.00	24.0	3.5632	16.20	17.59	yes	stainless steel	4I
C.220.300.0360.A	22.0	3.00	36.0	2.5064	21.90	24.21	yes	music wire	4I
C.220.300.0360.I	22.0	3.00	36.0	2.1527	21.90	24.21	yes	stainless steel	4I
C.220.300.0710.A	22.0	3.00	71.0	1.1680	38.40	43.35	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.300.0710.I	22.0	3.00	71.0	1.0032	38.40	43.35	yes	stainless steel	4I
C.220.310.0730.A	22.0	3.10	73.0	1.2903	41.23	46.44	yes	music wire	4I
C.220.310.0730.I	22.0	3.10	73.0	1.1083	41.23	46.44	yes	stainless steel	4I
C.220.320.0220.A	22.0	3.20	22.0	6.1833	16.32	17.58	yes	music wire	4J
C.220.320.0220.I	22.0	3.20	22.0	5.3108	16.32	17.58	yes	stainless steel	4J
C.220.320.0250.A	22.0	3.20	25.0	5.1550	17.92	19.43	yes	music wire	4J
C.220.320.0250.AP	22.0	3.20	25.0	6.2971	16.32	17.58	yes	music wire	4L
C.220.320.0250.I	22.0	3.20	25.0	4.4849	17.92	19.43	yes	stainless steel	4J
C.220.320.0250.N	22.0	3.20	25.0	5.1550	17.92	19.43	yes	Zn coating	4L
C.220.320.0320.A	22.0	3.20	32.0	3.7490	21.76	23.85	yes	music wire	4J
C.220.320.0320.AP	22.0	3.20	32.0	4.6779	18.88	21.32	yes	music wire	4L
C.220.320.0320.I	22.0	3.20	32.0	3.2616	21.44	23.48	yes	stainless steel	4J
C.220.320.0320.N	22.0	3.20	32.0	3.7490	21.76	23.85	yes	Zn coating	4L
C.220.320.0400.A	22.0	3.20	40.0	2.8120	26.24	29.01	yes	music wire	4J
C.220.320.0400.AP	22.0	3.20	40.0	3.5592	22.40	25.96	yes	music wire	4L
C.220.320.0400.I	22.0	3.20	40.0	2.4464	25.92	28.64	yes	stainless steel	4J
C.220.320.0400.N	22.0	3.20	40.0	2.8120	26.24	29.01	yes	Zn coating	4L
C.220.320.0450.A	22.0	3.20	45.0	2.5518	28.16	31.22	yes	music wire	4J
C.220.320.0450.I	22.0	3.20	45.0	2.1918	28.16	31.22	yes	stainless steel	4J
C.220.320.0500.A	22.0	3.20	50.0	2.2090	31.36	34.91	yes	music wire	4J
C.220.320.0500.AP	22.0	3.20	50.0	2.7750	26.56	32.00	yes	music wire	4M
C.220.320.0500.I	22.0	3.20	50.0	1.9218	31.04	34.54	yes	stainless steel	4J
C.220.320.0500.N	22.0	3.20	50.0	2.2090	31.36	34.91	yes	Zn coating	4L
C.220.320.0560.A	22.0	3.20	56.0	2.1435	32.00	35.64	yes	music wire	4M
C.220.320.0560.I	22.0	3.20	56.0	1.8410	32.00	35.64	yes	stainless steel	4J
C.220.320.0560.N	22.0	3.20	56.0	2.1435	32.00	35.64	yes	Zn coating	4N
C.220.320.0630.A	22.0	3.20	63.0	1.7000	38.40	43.01	yes	music wire	4J
C.220.320.0630.AP	22.0	3.20	63.0	2.1263	32.32	39.50	yes	music wire	4M
C.220.320.0630.I	22.0	3.20	63.0	1.4747	38.08	42.65	yes	stainless steel	4J
C.220.320.0630.N	22.0	3.20	63.0	1.7000	38.40	43.01	yes	Zn coating	4L
C.220.320.0700.A	22.0	3.20	70.0	1.6923	38.40	43.01	yes	music wire	4M
C.220.320.0700.I	22.0	3.20	70.0	1.4535	38.40	43.01	yes	stainless steel	4M
C.220.320.0700.N	22.0	3.20	70.0	1.6923	38.40	43.01	yes	Zn coating	4N
C.220.320.0800.A	22.0	3.20	80.0	1.3000	47.68	53.70	yes	music wire	4J
C.220.320.0800.AP	22.0	3.20	80.0	1.6538	39.04	49.79	yes	music wire	4M
C.220.320.0800.I	22.0	3.20	80.0	1.1327	47.04	52.97	yes	stainless steel	4J
C.220.320.0800.N	22.0	3.20	80.0	1.3000	47.68	53.70	yes	Zn coating	4L
C.220.320.0820.A	22.0	3.20	82.0	1.4000	44.80	50.39	yes	music wire	4M
C.220.320.0820.I	22.0	3.20	82.0	1.2000	44.80	50.39	yes	stainless steel	4M
C.220.320.0820.N	22.0	3.20	82.0	1.4000	44.80	50.39	yes	Zn coating	4N
C.220.320.0950.A	22.0	3.20	95.0	1.1909	51.20	57.76	yes	music wire	4M
C.220.320.0950.I	22.0	3.20	95.0	1.0229	51.20	57.76	yes	stainless steel	4M
C.220.320.0950.N	22.0	3.20	95.0	1.1909	51.20	57.76	yes	Zn coating	4N
C.220.320.1000.A	22.0	3.20	100.0	1.0220	58.24	65.87	yes	music wire	4J
C.220.320.1000.AP	22.0	3.20	100.0	1.2994	47.68	61.55	yes	music wire	4M
C.220.320.1000.I	22.0	3.20	100.0	0.8891	57.60	65.13	yes	stainless steel	4J
C.220.320.1000.N	22.0	3.20	100.0	1.0220	58.24	65.87	yes	Zn coating	4L
C.220.320.1130.A	22.0	3.20	113.0	0.9743	60.80	68.81	yes	music wire	4M
C.220.320.1130.I	22.0	3.20	113.0	0.8368	60.80	68.81	yes	stainless steel	4K
C.220.320.1130.N	22.0	3.20	113.0	0.9743	60.80	68.81	yes	Zn coating	4O
C.220.320.1250.A	22.0	3.20	125.0	0.8090	71.68	81.34	yes	music wire	4K

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.320.1250.AP	22.0	3.20	125.0	1.0233	58.24	76.17	yes	music wire	4M
C.220.320.1250.I	22.0	3.20	125.0	0.7038	70.72	80.24	yes	stainless steel	4K
C.220.320.1250.N	22.0	3.20	125.0	0.8090	71.68	81.34	yes	Zn coating	4M
C.220.320.1450.A	22.0	3.20	145.0	0.7145	80.00	90.93	yes	music wire	4K
C.220.320.1450.I	22.0	3.20	145.0	0.6137	80.00	90.93	yes	stainless steel	4L
C.220.320.3600.A	22.0	3.20	360.0	0.2700	201.60	230.50	no	music wire	4M
C.220.320.3600.I	22.0	3.20	360.0	0.2349	199.36	227.92	no	stainless steel	4M
C.220.330.0230.A	22.0	3.30	23.0	6.5984	17.49	18.86	yes	music wire	4J
C.220.330.0230.I	22.0	3.30	23.0	5.6674	17.49	18.86	yes	stainless steel	4J
C.220.330.0290.A	22.0	3.30	29.0	4.8620	20.79	22.65	yes	music wire	4J
C.220.330.0290.I	22.0	3.30	29.0	4.1760	20.79	22.65	yes	stainless steel	4J
C.220.330.0350.A	22.0	3.30	35.0	3.9310	23.76	26.06	yes	music wire	4J
C.220.330.0350.I	22.0	3.30	35.0	3.3763	23.76	26.06	yes	stainless steel	4J
C.220.330.0470.A	22.0	3.30	47.0	2.7576	30.36	33.64	yes	music wire	4J
C.220.330.0470.I	22.0	3.30	47.0	2.3684	30.36	33.64	yes	stainless steel	4J
C.220.330.0570.A	22.0	3.30	57.0	2.2260	35.64	39.70	yes	music wire	4J
C.220.330.0570.I	22.0	3.30	57.0	1.9119	35.64	39.70	yes	stainless steel	4J
C.220.330.0840.A	22.0	3.30	84.0	1.4548	50.16	56.37	yes	music wire	4J
C.220.330.0840.I	22.0	3.30	84.0	1.2495	50.16	56.37	yes	stainless steel	4J
C.220.330.1400.A	22.0	3.30	140.0	0.8436	80.52	91.23	yes	music wire	4K
C.220.330.1400.I	22.0	3.30	140.0	0.7246	80.52	91.23	yes	stainless steel	4L
C.220.330.1850.A	22.0	3.30	185.0	0.6327	104.61	118.89	yes	music wire	4L
C.220.330.1850.I	22.0	3.30	185.0	0.5434	104.61	118.89	yes	stainless steel	4L
C.220.340.0270.A	22.0	3.40	27.0	6.2225	20.06	21.73	yes	music wire	4J
C.220.340.0270.I	22.0	3.40	27.0	5.3445	20.06	21.73	yes	stainless steel	4J
C.220.340.0350.A	22.0	3.40	35.0	4.4076	24.82	27.18	yes	music wire	4J
C.220.340.0350.I	22.0	3.40	35.0	3.7857	24.82	27.18	yes	stainless steel	4J
C.220.340.0820.A	22.0	3.40	82.0	1.6925	51.00	57.16	yes	music wire	4J
C.220.340.0820.I	22.0	3.40	82.0	1.4537	51.00	57.16	yes	stainless steel	4J
C.220.340.0950.A	22.0	3.40	95.0	1.4491	58.14	65.33	yes	music wire	4J
C.220.340.0950.I	22.0	3.40	95.0	1.2446	58.14	65.33	yes	stainless steel	4J
C.220.340.1650.A	22.0	3.40	165.0	0.8075	97.58	110.49	yes	music wire	4L
C.220.340.1650.I	22.0	3.40	165.0	0.6936	97.58	110.49	yes	stainless steel	4L
C.220.350.0240.A	22.0	3.50	24.0	8.3258	18.90	20.34	yes	music wire	4J
C.220.350.0240.I	22.0	3.50	24.0	7.1510	18.90	20.34	yes	stainless steel	4J
C.220.350.0300.A	22.0	3.50	30.0	6.1910	22.40	24.34	yes	music wire	4J
C.220.350.0300.I	22.0	3.50	30.0	5.3174	22.40	24.34	yes	stainless steel	4J
C.220.350.0800.A	22.0	3.50	80.0	2.1550	47.95	53.51	yes	music wire	4M
C.220.350.0800.I	22.0	3.50	80.0	1.8749	47.60	53.11	yes	stainless steel	4M
C.220.350.0800.N	22.0	3.50	80.0	2.1550	47.95	53.51	yes	Zn coating	4N
C.220.350.1050.A	22.0	3.50	105.0	1.4722	66.15	74.30	yes	music wire	4J
C.220.350.1050.I	22.0	3.50	105.0	1.2645	66.15	74.30	yes	stainless steel	4J
C.220.350.1350.A	22.0	3.50	135.0	1.0530	88.90	100.27	yes	music wire	4K
C.220.350.1350.AP	22.0	3.50	135.0	1.3585	71.05	88.15	yes	music wire	4M
C.220.350.1350.I	22.0	3.50	135.0	0.9161	87.85	99.07	yes	stainless steel	4L
C.220.350.1350.N	22.0	3.50	135.0	1.0530	88.90	100.27	yes	Zn coating	4M
C.220.360.0230.A	22.0	3.60	23.0	10.1733	18.72	20.07	yes	music wire	4L
C.220.360.0230.I	22.0	3.60	23.0	8.7378	18.72	20.07	yes	stainless steel	4M
C.220.360.0250.A	22.0	3.60	25.0	8.8080	20.16	21.71	yes	music wire	4L
C.220.360.0250.AP	22.0	3.60	25.0	10.7590	18.36	19.66	yes	music wire	4O
C.220.360.0250.I	22.0	3.60	25.0	7.6630	20.16	21.71	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.360.0250.N	22.0	3.60	25.0	8.8080	20.16	21.71	yes	Zn coating	4N
C.220.360.0320.A	22.0	3.60	32.0	8.4060	20.88	23.83	yes	music wire	4O
C.220.360.0320.I	22.0	3.60	32.0	7.3132	20.52	23.58	yes	stainless steel	4O
C.220.360.0320.N	22.0	3.60	32.0	8.4060	20.88	23.83	yes	Zn coating	4Q
C.220.360.0400.A	22.0	3.60	40.0	4.9160	29.16	31.97	yes	music wire	4M
C.220.360.0400.I	22.0	3.60	40.0	4.2769	28.80	31.56	yes	stainless steel	4M
C.220.360.0400.N	22.0	3.60	40.0	4.9160	29.16	31.97	yes	Zn coating	4N
C.220.360.0500.A	22.0	3.60	50.0	3.7750	35.28	38.94	yes	music wire	4M
C.220.360.0500.I	22.0	3.60	50.0	3.2843	34.92	38.53	yes	stainless steel	4M
C.220.360.0500.N	22.0	3.60	50.0	3.7750	35.28	38.94	yes	Zn coating	4N
C.220.360.0630.A	22.0	3.60	63.0	2.8960	43.20	47.96	yes	music wire	4M
C.220.360.0630.AP	22.0	3.60	63.0	3.4967	37.44	43.37	yes	music wire	4O
C.220.360.0630.I	22.0	3.60	63.0	2.5195	42.84	47.55	yes	stainless steel	4M
C.220.360.0630.N	22.0	3.60	63.0	2.8960	43.20	47.96	yes	Zn coating	4N
C.220.360.0800.A	22.0	3.60	80.0	2.2250	53.28	59.44	yes	music wire	4M
C.220.360.0800.I	22.0	3.60	80.0	1.9358	52.92	59.03	yes	stainless steel	4M
C.220.360.0800.N	22.0	3.60	80.0	2.2250	53.28	59.44	yes	Zn coating	4N
C.220.360.1000.A	22.0	3.60	100.0	1.7500	65.52	73.39	yes	music wire	4M
C.220.360.1000.I	22.0	3.60	100.0	1.5199	64.80	72.57	yes	stainless steel	4M
C.220.360.1000.N	22.0	3.60	100.0	1.7500	65.52	73.39	yes	Zn coating	4O
C.220.360.1250.A	22.0	3.60	125.0	1.3820	80.64	90.61	yes	music wire	4M
C.220.360.1250.I	22.0	3.60	125.0	1.2000	79.92	89.79	yes	stainless steel	4M
C.220.360.1250.N	22.0	3.60	125.0	1.3820	80.64	90.61	yes	Zn coating	4O
C.220.360.1550.A	22.0	3.60	155.0	1.1121	97.92	110.30	yes	music wire	4N
C.220.360.1550.I	22.0	3.60	155.0	0.9551	97.92	110.30	yes	stainless steel	4N
C.220.360.1750.A	22.0	3.60	175.0	0.9775	110.16	124.24	yes	music wire	4N
C.220.360.1750.I	22.0	3.60	175.0	0.8396	110.16	124.24	yes	stainless steel	4N
C.220.360.3600.A	22.0	3.60	360.0	0.4590	227.88	257.84	no	music wire	4O
C.220.360.3600.I	22.0	3.60	360.0	0.4000	225.00	254.56	no	stainless steel	4O
C.220.380.0410.A	22.0	3.80	41.0	6.1818	31.16	34.07	yes	music wire	4M
C.220.380.0410.I	22.0	3.80	41.0	5.3095	31.16	34.07	yes	stainless steel	4M
C.220.380.0570.A	22.0	3.80	57.0	4.1948	41.42	45.71	yes	music wire	4M
C.220.380.0570.I	22.0	3.80	57.0	3.6029	41.42	45.71	yes	stainless steel	4M
C.220.380.0690.A	22.0	3.80	69.0	3.3881	49.02	54.33	yes	music wire	4M
C.220.380.0690.I	22.0	3.80	69.0	2.9100	49.02	54.33	yes	stainless steel	4M
C.220.380.1200.A	22.0	3.80	120.0	1.8545	81.70	91.40	yes	music wire	4M
C.220.380.1200.I	22.0	3.80	120.0	1.5928	81.70	91.40	yes	stainless steel	4M
C.220.380.1550.A	22.0	3.80	155.0	1.4208	103.74	116.41	yes	music wire	4N
C.220.380.1550.I	22.0	3.80	155.0	1.2203	103.74	116.41	yes	stainless steel	4N
C.220.400.0270.A	22.0	4.00	27.0	13.5511	23.20	24.92	yes	music wire	4P
C.220.400.0270.I	22.0	4.00	27.0	11.6390	23.20	24.92	yes	stainless steel	4P
C.220.400.0300.A	22.0	4.00	30.0	11.7681	25.20	27.18	yes	music wire	4P
C.220.400.0300.I	22.0	4.00	30.0	10.1076	25.20	27.18	yes	stainless steel	4P
C.220.400.0430.A	22.0	4.00	43.0	7.4531	34.00	37.13	yes	music wire	4P
C.220.400.0430.I	22.0	4.00	43.0	6.4015	34.00	37.13	yes	stainless steel	4P
C.220.400.0680.A	22.0	4.00	68.0	4.3842	50.80	56.12	yes	music wire	4P
C.220.400.0680.I	22.0	4.00	68.0	3.7656	50.80	56.12	yes	stainless steel	4P
C.220.400.0870.A	22.0	4.00	87.0	3.3372	63.60	70.59	yes	music wire	4P
C.220.400.0870.I	22.0	4.00	87.0	2.8663	63.60	70.59	yes	stainless steel	4P
C.220.400.1100.A	22.0	4.00	110.0	2.5849	79.20	88.22	yes	music wire	4P
C.220.400.1100.I	22.0	4.00	110.0	2.2202	79.20	88.22	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.220.400.1400.A	22.0	4.00	140.0	2.0053	99.20	110.83	yes	music wire	4P
C.220.400.1400.I	22.0	4.00	140.0	1.7224	99.20	110.83	yes	stainless steel	4Q
C.220.420.0220.A	22.0	4.20	22.0	23.4204	20.58	21.86	yes	music wire	4O
C.220.420.0220.I	22.0	4.20	22.0	20.1156	20.58	21.86	yes	stainless steel	4P
C.220.420.0260.A	22.0	4.20	26.0	18.1319	23.52	25.17	yes	music wire	4P
C.220.420.0260.I	22.0	4.20	26.0	15.5734	23.52	25.17	yes	stainless steel	4P
C.220.420.0310.A	22.0	4.20	31.0	14.4125	26.88	28.96	yes	music wire	4P
C.220.420.0310.I	22.0	4.20	31.0	12.3789	26.88	28.96	yes	stainless steel	4P
C.220.420.0360.A	22.0	4.20	36.0	11.9593	30.24	32.75	yes	music wire	4P
C.220.420.0360.I	22.0	4.20	36.0	10.2718	30.24	32.75	yes	stainless steel	4P
C.220.420.0410.A	22.0	4.20	41.0	10.0373	34.02	37.01	yes	music wire	4P
C.220.420.0410.I	22.0	4.20	41.0	8.6210	34.02	37.01	yes	stainless steel	4P
C.220.420.0590.A	22.0	4.20	59.0	6.5359	46.62	51.21	yes	music wire	4P
C.220.420.0590.I	22.0	4.20	59.0	5.6137	46.62	51.21	yes	stainless steel	4P
C.220.420.0700.A	22.0	4.20	70.0	5.4047	54.18	59.72	yes	music wire	4P
C.220.420.0700.I	22.0	4.20	70.0	4.6421	54.18	59.72	yes	stainless steel	4P
C.220.420.0850.A	22.0	4.20	85.0	4.3238	65.10	72.03	yes	music wire	4P
C.220.420.0850.I	22.0	4.20	85.0	3.7137	65.10	72.03	yes	stainless steel	4P
C.220.420.0950.A	22.0	4.20	95.0	3.8499	71.82	79.60	yes	music wire	4P
C.220.420.0950.I	22.0	4.20	95.0	3.3067	71.82	79.60	yes	stainless steel	4P
C.220.420.1100.A	22.0	4.20	110.0	3.2871	82.32	91.44	yes	music wire	4P
C.220.420.1100.I	22.0	4.20	110.0	2.8232	82.32	91.44	yes	stainless steel	4P
C.220.420.1350.A	22.0	4.20	135.0	2.6389	99.96	111.32	yes	music wire	4P
C.220.420.1350.I	22.0	4.20	135.0	2.2666	99.96	111.32	yes	stainless steel	4P
C.220.420.1650.A	22.0	4.20	165.0	2.1291	121.38	135.46	yes	music wire	4Q
C.220.420.1650.I	22.0	4.20	165.0	1.8287	121.38	135.46	yes	stainless steel	4Q
C.220.450.0318.A	22.0	4.50	31.8	22.2700	27.00	28.93	yes	music wire	4Q
C.220.450.0318.I	22.0	4.50	31.8	19.1276	27.00	28.93	yes	stainless steel	4Q
C.220.450.0318.N	22.0	4.50	31.8	22.2700	27.00	28.93	yes	Zn coating	4S
C.220.450.0449.A	22.0	4.50	44.9	14.1723	36.00	39.04	yes	music wire	4S
C.220.450.0449.I	22.0	4.50	44.9	12.1725	36.00	39.04	yes	stainless steel	4R
C.220.450.0449.N	22.0	4.50	44.9	14.1723	36.00	39.04	yes	Zn coating	5A
C.220.450.0500.A	22.0	4.50	50.0	14.1723	36.00	41.26	yes	music wire	5A
C.220.450.0500.I	22.0	4.50	50.0	12.1725	36.00	40.78	yes	stainless steel	5A
C.220.450.0500.N	22.0	4.50	50.0	14.1723	36.00	41.26	yes	Zn coating	5C
C.220.450.0709.A	22.0	4.50	70.9	8.2050	54.00	59.24	yes	music wire	4S
C.220.450.0709.I	22.0	4.50	70.9	7.0472	54.00	59.24	yes	stainless steel	4T
C.220.450.0709.N	22.0	4.50	70.9	8.2050	54.00	59.24	yes	Zn coating	5A
C.220.450.1100.A	22.0	4.50	110.0	5.0289	81.00	89.56	yes	music wire	4T
C.220.450.1100.I	22.0	4.50	110.0	4.3193	81.00	89.56	yes	stainless steel	4T
C.220.450.1100.N	22.0	4.50	110.0	5.0289	81.00	89.56	yes	Zn coating	5A
C.220.450.2000.A	22.0	4.50	200.0	2.9430	130.50	157.89	yes	music wire	5B
C.220.450.2000.I	22.0	4.50	200.0	2.5604	128.70	156.19	yes	stainless steel	5B
C.220.450.2000.N	22.0	4.50	200.0	2.9430	130.50	157.89	yes	Zn coating	5D
C.222.100.0150.A	22.2	1.00	15.0	0.0972	4.60	5.45	no	music wire	4C
C.222.100.0150.I	22.2	1.00	15.0	0.0835	4.60	5.45	no	stainless steel	4D
C.222.100.0240.A	22.2	1.00	24.0	0.0816	4.80	5.81	no	music wire	4D
C.222.100.0240.I	22.2	1.00	24.0	0.0710	4.80	5.81	no	stainless steel	4D
C.222.100.0300.A	22.2	1.00	30.0	0.0240	8.00	11.48	no	music wire	4D
C.222.100.0300.I	22.2	1.00	30.0	0.0209	7.90	11.31	no	stainless steel	4D
C.222.100.0400.A	22.2	1.00	40.0	0.0428	6.00	7.94	no	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.222.100.0400.I	22.2	1.00	40.0	0.0367	6.00	7.94	no	stainless steel	4E
C.222.100.0560.A	22.2	1.00	56.0	0.0184	9.30	13.79	no	music wire	4E
C.222.100.0560.I	22.2	1.00	56.0	0.0160	9.20	13.61	no	stainless steel	4E
C.222.100.2000.A	22.2	1.00	200.0	0.0084	16.30	26.21	no	music wire	4I
C.222.100.2000.I	22.2	1.00	200.0	0.0072	16.30	26.21	no	stainless steel	4I
C.222.110.0191.A	22.2	1.10	19.1	0.0920	4.62	5.84	yes	music wire	4C
C.222.110.0191.I	22.2	1.10	19.1	0.0800	4.62	5.84	yes	stainless steel	4D
C.222.110.0320.A	22.2	1.10	32.0	0.0220	10.67	15.83	yes	music wire	4D
C.222.110.0320.I	22.2	1.10	32.0	0.0191	10.56	15.65	yes	stainless steel	4E
C.222.110.0600.A	22.2	1.10	60.0	0.0378	7.37	10.38	yes	music wire	4E
C.222.110.0600.I	22.2	1.10	60.0	0.0325	7.37	10.38	yes	stainless steel	4E
C.222.120.0151.A	22.2	1.20	15.1	0.1149	5.40	6.74	yes	music wire	4C
C.222.120.0151.I	22.2	1.20	15.1	0.1000	5.40	6.74	yes	stainless steel	4D
C.222.120.0800.A	22.2	1.20	80.0	0.0368	10.44	14.60	yes	music wire	4E
C.222.120.0800.I	22.2	1.20	80.0	0.0316	10.44	14.60	yes	stainless steel	4F
C.222.130.0220.A	22.2	1.30	22.0	0.0575	10.40	13.89	yes	music wire	4D
C.222.130.0220.I	22.2	1.30	22.0	0.0500	10.40	13.89	yes	stainless steel	4D
C.222.130.0320.A	22.2	1.30	32.0	0.0609	10.01	13.31	yes	music wire	4D
C.222.130.0320.I	22.2	1.30	32.0	0.0530	10.01	13.31	yes	stainless steel	4E
C.222.130.0400.A	22.2	1.30	40.0	0.0713	9.10	11.95	yes	music wire	4E
C.222.130.0400.I	22.2	1.30	40.0	0.0620	8.97	11.76	yes	stainless steel	4E
C.222.130.0600.A	22.2	1.30	60.0	0.0637	9.75	12.92	yes	music wire	4E
C.222.130.0600.I	22.2	1.30	60.0	0.0547	9.75	12.92	yes	stainless steel	4E
C.222.130.0800.A	22.2	1.30	80.0	0.0476	11.96	16.21	yes	music wire	4E
C.222.130.0800.I	22.2	1.30	80.0	0.0409	11.96	16.21	yes	stainless steel	4F
C.222.130.2000.A	22.2	1.30	200.0	0.0186	25.48	36.32	yes	music wire	4I
C.222.130.2000.I	22.2	1.30	200.0	0.0160	25.48	36.32	yes	stainless steel	4I
C.222.150.0103.A	22.2	1.50	10.3	0.5977	5.25	5.83	yes	music wire	4E
C.222.150.0103.I	22.2	1.50	10.3	0.5200	5.25	5.83	yes	stainless steel	4E
C.222.150.0800.A	22.2	1.50	80.0	0.0745	15.45	19.96	yes	music wire	4G
C.222.150.0800.I	22.2	1.50	80.0	0.0640	15.45	19.96	yes	stainless steel	4G
C.222.160.0350.A	22.2	1.60	35.0	0.1724	11.04	13.49	yes	music wire	4F
C.222.160.0350.I	22.2	1.60	35.0	0.1500	11.04	13.49	yes	stainless steel	4G
C.222.160.0410.A	22.2	1.60	41.0	0.1379	12.80	15.87	yes	music wire	4F
C.222.160.0410.I	22.2	1.60	41.0	0.1200	12.80	15.87	yes	stainless steel	4G
C.222.160.0800.A	22.2	1.60	80.0	0.0920	17.28	21.91	yes	music wire	4G
C.222.160.0800.I	22.2	1.60	80.0	0.0790	17.28	21.91	yes	stainless steel	4G
C.222.170.0540.A	22.2	1.70	54.0	0.1080	19.72	24.64	yes	music wire	4G
C.222.170.0540.I	22.2	1.70	54.0	0.0940	19.55	24.42	yes	stainless steel	4G
C.222.170.0550.A	22.2	1.70	55.0	0.2414	11.22	19.17	yes	music wire	4I
C.222.170.0550.I	22.2	1.70	55.0	0.2100	11.05	19.02	yes	stainless steel	4I
C.222.170.2400.A	22.2	1.70	240.0	0.0364	50.32	64.98	yes	music wire	4I
C.222.170.2400.I	22.2	1.70	240.0	0.0313	50.32	64.98	yes	stainless steel	4J
C.222.190.0410.A	22.2	1.90	41.0	0.2989	14.82	17.55	yes	music wire	4G
C.222.190.0410.AP	22.2	1.90	41.0	0.5162	10.64	18.15	yes	music wire	4I
C.222.190.0410.I	22.2	1.90	41.0	0.2600	14.63	17.31	yes	stainless steel	4G
C.222.190.2200.A	22.2	1.90	220.0	0.0577	57.00	71.17	yes	music wire	4J
C.222.190.2200.I	22.2	1.90	220.0	0.0496	57.00	71.17	yes	stainless steel	4J
C.222.200.0200.A	22.2	2.00	20.0	0.8989	9.40	10.51	yes	music wire	4G
C.222.200.0200.I	22.2	2.00	20.0	0.7721	9.40	10.51	yes	stainless steel	4G
C.222.200.0480.A	22.2	2.00	48.0	0.3448	16.40	19.28	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.222.200.0480.AP	22.2	2.00	48.0	0.5117	12.80	21.42	yes	music wire	4I
C.222.200.0480.I	22.2	2.00	48.0	0.3000	16.40	19.28	yes	stainless steel	4H
C.222.220.0220.A	22.2	2.20	22.0	1.7241	9.24	11.72	yes	music wire	4I
C.222.220.0220.I	22.2	2.20	22.0	1.5000	9.24	11.59	yes	stainless steel	4I
C.222.220.1000.A	22.2	2.20	100.0	0.2177	35.64	42.39	yes	music wire	4I
C.222.220.1000.I	22.2	2.20	100.0	0.1870	35.64	42.39	yes	stainless steel	4I
C.222.230.0200.A	22.2	2.30	20.0	1.5729	11.04	12.16	yes	music wire	4G
C.222.230.0200.I	22.2	2.30	20.0	1.3509	11.04	12.16	yes	stainless steel	4G
C.222.230.0780.A	22.2	2.30	78.0	0.3700	28.29	33.08	yes	music wire	4I
C.222.230.0780.I	22.2	2.30	78.0	0.3219	28.06	32.80	yes	stainless steel	4I
C.222.270.0280.A	22.2	2.70	28.0	2.1839	15.66	17.25	yes	music wire	4G
C.222.270.0280.I	22.2	2.70	28.0	1.9000	15.66	17.25	yes	stainless steel	4H
C.222.270.0620.A	22.2	2.70	62.0	0.7000	34.83	39.84	yes	music wire	4H
C.222.270.0620.AP	22.2	2.70	62.0	1.1068	24.57	33.84	yes	music wire	4J
C.222.270.0620.I	22.2	2.70	62.0	0.6100	34.56	39.52	yes	stainless steel	4I
C.222.270.3200.A	22.2	2.70	320.0	0.1426	144.99	169.63	yes	music wire	4K
C.222.270.3200.I	22.2	2.70	320.0	0.1225	144.99	169.63	yes	stainless steel	4K
C.222.290.0480.A	22.2	2.90	48.0	1.2644	30.16	33.97	yes	music wire	4I
C.222.290.0480.AP	22.2	2.90	48.0	1.9242	22.33	28.30	yes	music wire	4J
C.222.290.0480.I	22.2	2.90	48.0	1.1000	29.87	33.63	yes	stainless steel	4I
C.222.290.2000.A	22.2	2.90	200.0	0.3074	101.79	117.52	yes	music wire	4J
C.222.290.2000.I	22.2	2.90	200.0	0.2641	101.79	117.52	yes	stainless steel	4J
C.222.310.0520.A	22.2	3.10	52.0	2.1000	27.59	30.70	yes	music wire	4J
C.222.310.0520.I	22.2	3.10	52.0	1.8270	27.28	30.35	yes	stainless steel	4J
C.222.310.2000.A	22.2	3.10	200.0	0.4055	110.98	127.18	yes	music wire	4J
C.222.310.2000.I	22.2	3.10	200.0	0.3483	110.98	127.18	yes	stainless steel	4J
C.222.320.1100.A	22.2	3.20	110.0	0.8800	64.64	73.30	yes	music wire	4J
C.222.320.1100.AP	22.2	3.20	110.0	1.1493	51.52	66.88	yes	music wire	4M
C.222.320.1100.I	22.2	3.20	110.0	0.7656	64.00	72.56	yes	stainless steel	4K
C.222.320.2000.A	22.2	3.20	200.0	0.4635	115.52	131.96	yes	music wire	4L
C.222.320.2000.I	22.2	3.20	200.0	0.3981	115.52	131.96	yes	stainless steel	4L
C.223.180.0200.A	22.3	1.80	20.0	0.6207	8.10	9.16	yes	music wire	4G
C.223.180.0200.I	22.3	1.80	20.0	0.5331	8.10	9.16	yes	stainless steel	4G
C.223.180.0400.A	22.3	1.80	40.0	0.3125	11.70	13.82	yes	music wire	4E
C.223.180.0500.A	22.3	1.80	50.0	0.2500	13.50	16.15	yes	music wire	4E
C.223.180.0630.A	22.3	1.80	63.0	0.2000	15.66	18.95	yes	music wire	4F
C.223.180.0800.A	22.3	1.80	80.0	0.1349	21.06	25.94	yes	music wire	4H
C.223.180.0800.AP	22.3	1.80	80.0	0.1563	18.72	22.91	yes	music wire	4G
C.223.180.0800.I	22.3	1.80	80.0	0.1159	21.06	25.94	yes	stainless steel	4I
C.223.180.1000.A	22.3	1.80	100.0	0.1250	22.32	27.57	yes	music wire	4G
C.223.180.1250.A	22.3	1.80	125.0	0.1000	26.82	33.39	yes	music wire	4G
C.223.180.1600.A	22.3	1.80	160.0	0.0788	32.94	41.32	yes	music wire	4I
C.223.180.1600.I	22.3	1.80	160.0	0.0686	32.58	40.85	yes	stainless steel	4I
C.223.180.1600.N	22.3	1.80	160.0	0.0788	32.94	41.32	yes	Zn coating	4J
C.223.180.2000.A	22.3	1.80	200.0	0.0630	39.96	50.41	yes	music wire	4I
C.223.180.2000.I	22.3	1.80	200.0	0.0548	39.60	49.94	yes	stainless steel	4J
C.223.180.2000.N	22.3	1.80	200.0	0.0630	39.96	50.41	yes	Zn coating	4J
C.223.180.2500.A	22.3	1.80	250.0	0.0504	48.78	61.82	yes	music wire	4L
C.223.180.2500.I	22.3	1.80	250.0	0.0438	48.24	61.12	yes	stainless steel	4M
C.223.180.2500.N	22.3	1.80	250.0	0.0504	48.78	61.82	yes	Zn coating	4N
C.223.180.3200.A	22.3	1.80	320.0	0.0394	61.20	77.90	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.223.180.3200.I	22.3	1.80	320.0	0.0343	60.48	76.97	yes	stainless steel	4M
C.223.180.3200.N	22.3	1.80	320.0	0.0394	61.20	77.90	yes	Zn coating	4O
C.223.250.0290.A	22.3	2.50	29.0	1.4380	15.25	17.00	yes	music wire	4G
C.223.250.0290.AP	22.3	2.50	29.0	1.9250	13.00	15.95	yes	music wire	4I
C.223.250.0290.I	22.3	2.50	29.0	1.2500	15.00	16.70	yes	stainless steel	4H
C.223.250.0290.N	22.3	2.50	29.0	1.4380	15.25	17.00	yes	Zn coating	4I
C.223.250.1000.A	22.3	2.50	100.0	0.3464	43.25	50.43	yes	music wire	4I
C.223.250.1000.I	22.3	2.50	100.0	0.2975	43.25	50.43	yes	stainless steel	4I
C.225.150.0250.A	22.5	1.50	25.0	0.1100	11.40	14.41	yes	music wire	4E
C.225.150.0250.I	22.5	1.50	25.0	0.0957	11.25	14.21	yes	stainless steel	4F
C.225.150.0250.N	22.5	1.50	25.0	0.1100	11.40	14.41	yes	Zn coating	4H
C.225.250.0270.A	22.5	2.50	27.0	1.4212	15.00	16.72	yes	music wire	4G
C.225.250.0270.AP	22.5	2.50	27.0	2.1013	12.25	15.15	yes	music wire	4I
C.225.250.0270.I	22.5	2.50	27.0	1.2207	15.00	16.72	yes	stainless steel	4H
C.225.250.0270.N	22.5	2.50	27.0	1.4212	15.00	16.72	yes	Zn coating	4I
C.225.250.0360.A	22.5	2.50	36.0	1.4212	15.00	18.47	yes	music wire	4I
C.225.250.0360.I	22.5	2.50	36.0	1.2207	15.00	17.94	yes	stainless steel	4J
C.225.250.0360.N	22.5	2.50	36.0	1.4212	15.00	18.47	yes	Zn coating	4J
C.225.250.0400.A	22.5	2.50	40.0	0.9044	20.00	22.70	yes	music wire	4H
C.225.250.0400.AP	22.5	2.50	40.0	1.3271	15.50	21.23	yes	music wire	4I
C.225.250.0400.I	22.5	2.50	40.0	0.7768	20.00	22.70	yes	stainless steel	4H
C.225.250.0400.N	22.5	2.50	40.0	0.9044	20.00	22.70	yes	Zn coating	4I
C.225.250.0470.A	22.5	2.50	47.0	1.0850	17.75	24.04	yes	music wire	4J
C.225.250.0470.I	22.5	2.50	47.0	0.9440	17.50	23.65	yes	stainless steel	4J
C.225.250.0470.N	22.5	2.50	47.0	1.0850	17.75	24.04	yes	Zn coating	4K
C.225.250.0540.A	22.5	2.50	54.0	0.9044	20.00	26.46	yes	music wire	4J
C.225.250.0540.I	22.5	2.50	54.0	0.7768	20.00	25.63	yes	stainless steel	4J
C.225.250.0540.N	22.5	2.50	54.0	0.9044	20.00	26.46	yes	Zn coating	4K
C.225.250.0600.A	22.5	2.50	60.0	0.5852	27.50	31.66	yes	music wire	4H
C.225.250.0600.AP	22.5	2.50	60.0	0.8548	20.75	30.86	yes	music wire	4J
C.225.250.0600.I	22.5	2.50	60.0	0.5026	27.50	31.66	yes	stainless steel	4I
C.225.250.0600.N	22.5	2.50	60.0	0.5852	27.50	31.66	yes	Zn coating	4I
C.225.250.0815.A	22.5	2.50	81.5	0.5852	27.50	38.93	yes	music wire	4J
C.225.250.0815.I	22.5	2.50	81.5	0.5026	27.50	37.65	yes	stainless steel	4J
C.225.250.0815.N	22.5	2.50	81.5	0.5852	27.50	38.93	yes	Zn coating	4L
C.225.250.0930.A	22.5	2.50	93.0	0.3685	40.00	46.62	yes	music wire	4I
C.225.250.0930.AP	22.5	2.50	93.0	0.5365	29.50	46.57	yes	music wire	4J
C.225.250.0930.I	22.5	2.50	93.0	0.3165	40.00	46.62	yes	stainless steel	4I
C.225.250.0930.N	22.5	2.50	93.0	0.3685	40.00	46.62	yes	Zn coating	4J
C.225.250.1030.A	22.5	2.50	103.0	0.3685	40.00	46.62	yes	music wire	4I
C.225.250.1030.I	22.5	2.50	103.0	0.3165	40.00	46.62	yes	stainless steel	4I
C.225.250.1030.N	22.5	2.50	103.0	0.3685	40.00	46.62	yes	Zn coating	4J
C.225.250.1200.A	22.5	2.50	120.0	0.3979	37.50	57.40	yes	music wire	4J
C.225.250.1200.AP	22.5	2.50	120.0	0.4100	36.50	59.24	yes	music wire	4J
C.225.250.1200.I	22.5	2.50	120.0	0.3418	37.50	55.52	yes	stainless steel	4J
C.225.250.1200.IF	22.5	2.50	120.0	0.2310	52.50	61.56	yes	stainless steel	4I
C.225.250.1200.N	22.5	2.50	120.0	0.3979	37.50	57.40	yes	Zn coating	4L
C.225.250.1750.A	22.5	2.50	175.0	0.2689	52.50	82.36	yes	music wire	4L
C.225.250.1750.I	22.5	2.50	175.0	0.2309	52.50	79.56	yes	stainless steel	4L
C.225.250.1750.IF	22.5	2.50	175.0	0.1899	62.50	73.53	yes	stainless steel	4J
C.225.250.1750.N	22.5	2.50	175.0	0.2689	52.50	82.36	yes	Zn coating	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.225.300.0500.A	22.5	3.00	50.0	1.2140	35.10	39.61	yes	music wire	4I
C.225.300.0500.AP	22.5	3.00	50.0	2.0607	23.70	30.07	yes	music wire	4J
C.225.300.0500.I	22.5	3.00	50.0	1.0562	34.80	39.26	yes	stainless steel	4I
C.225.300.0500.N	22.5	3.00	50.0	1.2140	35.10	39.61	yes	Zn coating	4J
C.225.300.1000.A	22.5	3.00	100.0	0.7800	50.40	57.41	yes	music wire	4I
C.225.300.1000.I	22.5	3.00	100.0	0.6786	49.80	56.71	yes	stainless steel	4J
C.225.300.1000.N	22.5	3.00	100.0	0.7800	50.40	57.41	yes	Zn coating	4J
C.225.360.0600.A	22.5	3.60	60.0	3.3793	36.00	40.09	yes	music wire	4O
C.225.360.0600.I	22.5	3.60	60.0	2.9025	36.00	39.82	yes	stainless steel	4O
C.225.360.0600.N	22.5	3.60	60.0	3.3793	36.00	40.09	yes	Zn coating	4Q
C.226.110.0380.A	22.6	1.10	38.0	0.0320	7.92	11.40	yes	music wire	4D
C.226.110.0380.I	22.6	1.10	38.0	0.0278	7.81	11.22	yes	stainless steel	4E
C.226.130.0410.A	22.6	1.30	41.0	0.0448	11.96	16.34	yes	music wire	4E
C.226.130.0410.I	22.6	1.30	41.0	0.0390	11.83	16.14	yes	stainless steel	4E
C.226.140.0850.A	22.6	1.40	85.0	0.0460	15.96	21.49	yes	music wire	4G
C.226.140.0850.I	22.6	1.40	85.0	0.0400	15.82	21.29	yes	stainless steel	4G
C.226.150.0350.A	22.6	1.50	35.0	0.1400	9.60	11.92	yes	music wire	4F
C.226.150.0350.I	22.6	1.50	35.0	0.1218	9.60	11.92	yes	stainless steel	4F
C.226.160.0570.A	22.6	1.60	57.0	0.0966	16.00	20.30	yes	music wire	4G
C.226.160.0570.I	22.6	1.60	57.0	0.0840	15.84	20.08	yes	stainless steel	4G
C.226.180.0350.A	22.6	1.80	35.0	0.1900	15.84	19.25	yes	music wire	4G
C.226.180.0350.AP	22.6	1.80	35.0	0.4988	8.82	15.01	yes	music wire	4I
C.226.180.0350.I	22.6	1.80	35.0	0.1653	15.66	19.01	yes	stainless steel	4G
C.226.210.0520.A	22.6	2.10	52.0	0.3448	19.32	22.74	yes	music wire	4G
C.226.210.0520.AP	22.6	2.10	52.0	0.5402	14.28	23.65	yes	music wire	4I
C.226.210.0520.I	22.6	2.10	52.0	0.3000	19.11	22.48	yes	stainless steel	4H
C.226.280.0630.A	22.6	2.80	63.0	1.1667	26.32	33.97	yes	music wire	4J
C.226.280.0630.I	22.6	2.80	63.0	1.0150	26.04	33.36	yes	stainless steel	4K
C.226.280.0630.N	22.6	2.80	63.0	1.1667	26.32	33.97	yes	Zn coating	4M
C.226.280.0800.A	22.6	2.80	80.0	0.9333	31.08	43.71	yes	music wire	4K
C.226.280.0800.I	22.6	2.80	80.0	0.8120	30.80	42.94	yes	stainless steel	4L
C.226.280.0800.N	22.6	2.80	80.0	0.9333	31.08	43.71	yes	Zn coating	4M
C.226.280.1000.A	22.6	2.80	100.0	0.7368	37.52	54.03	yes	music wire	4L
C.226.280.1000.I	22.6	2.80	100.0	0.6410	37.24	53.06	yes	stainless steel	4L
C.226.280.1000.N	22.6	2.80	100.0	0.7368	37.52	54.03	yes	Zn coating	4M
C.226.280.1250.A	22.6	2.80	125.0	0.5833	45.64	66.93	yes	music wire	4L
C.226.280.1250.I	22.6	2.80	125.0	0.5075	45.36	65.71	yes	stainless steel	4L
C.226.280.1250.N	22.6	2.80	125.0	0.5833	45.64	66.93	yes	Zn coating	4M
C.226.280.1600.A	22.6	2.80	160.0	0.4667	55.44	87.43	yes	music wire	4N
C.226.280.1600.I	22.6	2.80	160.0	0.4060	54.88	85.89	yes	stainless steel	4N
C.226.280.1600.N	22.6	2.80	160.0	0.4667	55.44	87.43	yes	Zn coating	4P
C.226.280.2000.A	22.6	2.80	200.0	0.3684	68.32	108.06	yes	music wire	4O
C.226.280.2000.I	22.6	2.80	200.0	0.3205	67.48	106.12	yes	stainless steel	4O
C.226.280.2000.N	22.6	2.80	200.0	0.3684	68.32	108.06	yes	Zn coating	4P
C.226.280.2500.A	22.6	2.80	250.0	0.2917	84.56	133.89	yes	music wire	4O
C.226.280.2500.I	22.6	2.80	250.0	0.2538	83.44	131.43	yes	stainless steel	4O
C.226.280.2500.N	22.6	2.80	250.0	0.2917	84.56	133.89	yes	Zn coating	4Q
C.226.280.3200.A	22.6	2.80	320.0	0.2333	103.88	174.82	yes	music wire	4P
C.226.280.3200.I	22.6	2.80	320.0	0.2030	102.48	171.75	yes	stainless steel	4P
C.226.280.3200.N	22.6	2.80	320.0	0.2333	103.88	174.82	yes	Zn coating	4R
C.226.300.0920.A	22.6	3.00	92.0	0.8161	47.70	54.29	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.226.300.0920.AP	22.6	3.00	92.0	1.0431	39.00	52.79	yes	music wire	4L
C.226.300.0920.I	22.6	3.00	92.0	0.7100	47.40	53.94	yes	stainless steel	4I
C.226.340.0450.A	22.6	3.40	45.0	3.2000	28.90	31.92	yes	music wire	4J
C.226.340.0450.I	22.6	3.40	45.0	2.7840	28.56	31.53	yes	stainless steel	4J
C.226.380.0500.A	22.6	3.80	50.0	4.9425	34.20	37.58	yes	music wire	4O
C.226.380.0500.I	22.6	3.80	50.0	4.3000	33.82	37.14	yes	stainless steel	4O
C.226.400.0350.A	22.6	4.00	35.0	11.9540	23.60	27.57	yes	music wire	4T
C.226.400.0350.I	22.6	4.00	35.0	10.4000	23.20	27.30	yes	stainless steel	4T
C.226.400.1750.A	22.6	4.00	175.0	1.4000	125.60	140.91	yes	music wire	4Q
C.226.400.1750.AP	22.6	4.00	175.0	1.7270	104.00	123.55	yes	music wire	4S
C.226.400.1750.I	22.6	4.00	175.0	1.2180	124.40	139.55	yes	stainless steel	4Q
C.226.450.0450.S	22.6	4.50	45.0	14.0103	33.75	36.55	yes	Cr-Si steel	5B
C.227.270.0250.A	22.7	2.70	25.0	1.6919	17.55	19.52	yes	music wire	4G
C.227.270.0250.AP	22.7	2.70	25.0	2.9885	12.96	14.78	yes	music wire	4I
C.227.270.0250.I	22.7	2.70	25.0	1.4532	17.55	19.52	yes	stainless steel	4H
C.227.270.0250.N	22.7	2.70	25.0	1.6919	17.55	19.52	yes	Zn coating	4I
C.227.270.0340.A	22.7	2.70	34.0	1.2305	21.60	24.31	yes	music wire	4G
C.227.270.0340.AP	22.7	2.70	34.0	2.0829	15.39	19.34	yes	music wire	4I
C.227.270.0340.I	22.7	2.70	34.0	1.0569	21.60	24.31	yes	stainless steel	4H
C.227.270.0340.N	22.7	2.70	34.0	1.2305	21.60	24.31	yes	Zn coating	4I
C.227.380.0520.A	22.7	3.80	52.0	4.3000	37.24	41.04	yes	music wire	4M
C.227.380.0520.I	22.7	3.80	52.0	3.7410	36.86	40.61	yes	stainless steel	4M
C.228.360.0380.S	22.8	3.60	38.0	5.7616	24.12	26.46	yes	Cr-Si steel	4R
C.229.380.0890.S	22.9	3.80	89.0	2.6273	53.58	59.85	yes	Cr-Si steel	4R
C.230.050.0380.A	23.0	0.50	38.0	0.0011	4.20	11.89	no	music wire	4C
C.230.100.0890.A	23.0	1.00	89.0	0.0090	14.10	22.86	no	music wire	4E
C.230.100.0890.I	23.0	1.00	89.0	0.0078	14.00	22.67	no	stainless steel	4F
C.230.120.0300.A	23.0	1.20	30.0	0.0989	5.52	7.02	yes	music wire	4D
C.230.120.0300.I	23.0	1.20	30.0	0.0860	5.40	6.83	yes	stainless steel	4E
C.230.125.0230.I	23.0	1.25	23.0	0.1483	4.88	5.85	yes	stainless steel	4D
C.230.130.0700.A	23.0	1.30	70.0	0.0606	9.36	12.52	yes	music wire	4E
C.230.130.0700.I	23.0	1.30	70.0	0.0520	9.36	12.52	yes	stainless steel	4E
C.230.140.0159.A	23.0	1.40	15.9	0.3500	5.04	5.74	yes	music wire	4E
C.230.140.0159.I	23.0	1.40	15.9	0.3045	5.04	5.74	yes	stainless steel	4F
C.230.140.0240.A	23.0	1.40	24.0	0.2427	5.74	6.76	yes	music wire	4E
C.230.140.0240.I	23.0	1.40	24.0	0.2085	5.74	6.76	yes	stainless steel	4F
C.230.140.0520.A	23.0	1.40	52.0	0.1050	8.68	11.05	yes	music wire	4F
C.230.140.0520.I	23.0	1.40	52.0	0.0901	8.68	11.05	yes	stainless steel	4G
C.230.140.1150.A	23.0	1.40	115.0	0.0462	15.26	20.64	yes	music wire	4H
C.230.140.1150.I	23.0	1.40	115.0	0.0397	15.26	20.64	yes	stainless steel	4I
C.230.140.1350.A	23.0	1.40	135.0	0.0392	17.36	23.69	yes	music wire	4I
C.230.140.1350.I	23.0	1.40	135.0	0.0337	17.36	23.69	yes	stainless steel	4I
C.230.140.1750.A	23.0	1.40	175.0	0.0301	21.56	29.81	yes	music wire	4I
C.230.140.1750.I	23.0	1.40	175.0	0.0259	21.56	29.81	yes	stainless steel	4I
C.230.140.2000.A	23.0	1.40	200.0	0.0262	24.22	33.69	yes	music wire	4I
C.230.140.2000.I	23.0	1.40	200.0	0.0225	24.22	33.69	yes	stainless steel	4I
C.230.150.0300.A	23.0	1.50	30.0	0.0900	12.45	16.00	yes	music wire	4F
C.230.150.0300.I	23.0	1.50	30.0	0.0783	12.30	15.79	yes	stainless steel	4F
C.230.150.0300.N	23.0	1.50	30.0	0.0900	12.45	16.00	yes	Zn coating	4H
C.230.150.0460.A	23.0	1.50	46.0	0.1483	9.00	11.14	yes	music wire	4F
C.230.150.0460.I	23.0	1.50	46.0	0.1273	9.00	11.14	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.230.150.0570.A	23.0	1.50	57.0	0.0850	12.90	16.63	yes	music wire	4G
C.230.150.0570.I	23.0	1.50	57.0	0.0740	12.75	16.42	yes	stainless steel	4G
C.230.150.1350.A	23.0	1.50	135.0	0.0485	19.80	26.35	yes	music wire	4I
C.230.150.1350.I	23.0	1.50	135.0	0.0417	19.80	26.35	yes	stainless steel	4I
C.230.150.1750.A	23.0	1.50	175.0	0.0373	24.60	33.11	yes	music wire	4I
C.230.150.1750.I	23.0	1.50	175.0	0.0321	24.60	33.11	yes	stainless steel	4I
C.230.170.1450.A	23.0	1.70	145.0	0.0667	26.69	34.22	yes	music wire	4I
C.230.170.1450.I	23.0	1.70	145.0	0.0573	26.69	34.22	yes	stainless steel	4I
C.230.180.0280.A	23.0	1.80	28.0	0.4490	9.00	10.39	yes	music wire	4G
C.230.180.0280.I	23.0	1.80	28.0	0.3856	9.00	10.39	yes	stainless steel	4G
C.230.180.1100.A	23.0	1.80	110.0	0.1069	23.40	29.22	yes	music wire	4I
C.230.180.1100.I	23.0	1.80	110.0	0.0918	23.40	29.22	yes	stainless steel	4I
C.230.190.1550.A	23.0	1.90	155.0	0.0900	34.58	43.08	yes	music wire	4I
C.230.190.1550.I	23.0	1.90	155.0	0.0773	34.58	43.08	yes	stainless steel	4I
C.230.200.0290.A	23.0	2.00	29.0	0.6286	10.60	12.09	yes	music wire	4G
C.230.200.0290.I	23.0	2.00	29.0	0.5399	10.60	12.09	yes	stainless steel	4G
C.230.200.0380.A	23.0	2.00	38.0	0.4320	13.20	15.38	yes	music wire	4G
C.230.200.0380.AP	23.0	2.00	38.0	0.6344	10.60	17.27	yes	music wire	4I
C.230.200.0380.I	23.0	2.00	38.0	0.3758	13.00	15.12	yes	stainless steel	4G
C.230.200.0380.N	23.0	2.00	38.0	0.4320	13.20	15.38	yes	Zn coating	4I
C.230.200.0940.A	23.0	2.00	94.0	0.2071	22.00	30.51	yes	music wire	4J
C.230.200.0940.I	23.0	2.00	94.0	0.1779	22.00	29.09	yes	stainless steel	4J
C.230.200.0940.N	23.0	2.00	94.0	0.2071	22.00	30.51	yes	Zn coating	4L
C.230.200.1750.A	23.0	2.00	175.0	0.0941	42.40	52.33	yes	music wire	4I
C.230.200.1750.I	23.0	2.00	175.0	0.0808	42.40	52.33	yes	stainless steel	4I
C.230.210.0220.A	23.0	2.10	22.0	1.0650	9.45	10.49	yes	music wire	4G
C.230.210.0220.I	23.0	2.10	22.0	0.9266	9.45	10.49	yes	stainless steel	4G
C.230.210.0220.N	23.0	2.10	22.0	1.0650	9.45	10.49	yes	Zn coating	4I
C.230.210.1350.A	23.0	2.10	135.0	0.1447	36.75	44.58	yes	music wire	4I
C.230.210.1350.I	23.0	2.10	135.0	0.1243	36.75	44.58	yes	stainless steel	4I
C.230.210.2000.A	23.0	2.10	200.0	0.0969	52.29	63.98	yes	music wire	4J
C.230.210.2000.I	23.0	2.10	200.0	0.0832	52.29	63.98	yes	stainless steel	4J
C.230.220.0280.A	23.0	2.20	28.0	0.9145	11.88	13.37	yes	music wire	4G
C.230.220.0280.I	23.0	2.20	28.0	0.7854	11.88	13.37	yes	stainless steel	4G
C.230.220.1100.A	23.0	2.20	110.0	0.2105	33.22	39.71	yes	music wire	4I
C.230.220.1100.I	23.0	2.20	110.0	0.1808	33.22	39.71	yes	stainless steel	4I
C.230.220.1800.A	23.0	2.20	180.0	0.1263	51.70	62.51	yes	music wire	4I
C.230.220.1800.I	23.0	2.20	180.0	0.1085	51.70	62.51	yes	stainless steel	4J
C.230.225.0450.A	23.0	2.25	45.0	0.5845	16.88	19.44	yes	music wire	4G
C.230.225.0450.I	23.0	2.25	45.0	0.5020	16.88	19.44	yes	stainless steel	4H
C.230.230.0360.A	23.0	2.30	36.0	0.8035	14.95	16.99	yes	music wire	4G
C.230.230.0360.I	23.0	2.30	36.0	0.6902	14.95	16.99	yes	stainless steel	4H
C.230.230.0590.A	23.0	2.30	59.0	0.4727	21.39	24.85	yes	music wire	4H
C.230.230.0590.I	23.0	2.30	59.0	0.4060	21.39	24.85	yes	stainless steel	4I
C.230.230.1150.A	23.0	2.30	115.0	0.2346	37.26	44.24	yes	music wire	4I
C.230.230.1150.I	23.0	2.30	115.0	0.2015	37.26	44.24	yes	stainless steel	4I
C.230.230.1500.A	23.0	2.30	150.0	0.1776	47.38	56.60	yes	music wire	4I
C.230.230.1500.I	23.0	2.30	150.0	0.1525	47.38	56.60	yes	stainless steel	4I
C.230.240.0280.A	23.0	2.40	28.0	1.2472	13.44	15.01	yes	music wire	4G
C.230.240.0280.I	23.0	2.40	28.0	1.0712	13.44	15.01	yes	stainless steel	4G
C.230.240.1100.A	23.0	2.40	110.0	0.2864	38.40	45.22	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.230.240.1100.I	23.0	2.40	110.0	0.2460	38.40	45.22	yes	stainless steel	4I
C.230.240.1400.A	23.0	2.40	140.0	0.2110	49.92	59.17	yes	music wire	4I
C.230.240.1400.AP	23.0	2.40	140.0	0.2945	37.44	65.97	yes	music wire	4J
C.230.240.1400.I	23.0	2.40	140.0	0.1836	49.44	58.58	yes	stainless steel	4I
C.230.240.1400.N	23.0	2.40	140.0	0.2110	49.92	59.17	yes	Zn coating	4J
C.230.240.2000.A	23.0	2.40	200.0	0.1540	66.24	78.92	yes	music wire	4J
C.230.240.2000.I	23.0	2.40	200.0	0.1323	66.24	78.92	yes	stainless steel	4J
C.230.250.0230.A	23.0	2.50	23.0	1.8477	12.50	13.76	yes	music wire	4G
C.230.250.0230.I	23.0	2.50	23.0	1.5870	12.50	13.76	yes	stainless steel	4H
C.230.250.0500.A	23.0	2.50	50.0	0.4770	30.50	35.37	yes	music wire	4H
C.230.250.0500.AP	23.0	2.50	50.0	0.9964	17.75	25.51	yes	music wire	4J
C.230.250.0500.I	23.0	2.50	50.0	0.4150	30.25	35.07	yes	stainless steel	4I
C.230.250.0500.N	23.0	2.50	50.0	0.4770	30.50	35.37	yes	Zn coating	4I
C.230.250.1350.A	23.0	2.50	135.0	0.2670	49.50	58.19	yes	music wire	4I
C.230.250.1350.I	23.0	2.50	135.0	0.2293	49.50	58.19	yes	stainless steel	4I
C.230.260.0370.A	23.0	2.60	37.0	1.2463	17.94	20.14	yes	music wire	4H
C.230.260.0370.I	23.0	2.60	37.0	1.0704	17.94	20.14	yes	stainless steel	4H
C.230.260.0990.A	23.0	2.60	99.0	0.4284	39.78	46.18	yes	music wire	4I
C.230.260.0990.I	23.0	2.60	99.0	0.3680	39.78	46.18	yes	stainless steel	4I
C.230.260.1800.A	23.0	2.60	180.0	0.2304	68.38	80.28	yes	music wire	4I
C.230.260.1800.I	23.0	2.60	180.0	0.1979	68.38	80.28	yes	stainless steel	4J
C.230.270.0150.A	23.0	2.70	15.0	6.3530	9.45	10.25	yes	music wire	4I
C.230.270.0150.I	23.0	2.70	15.0	5.5271	9.45	10.16	yes	stainless steel	4I
C.230.270.0150.N	23.0	2.70	15.0	6.3530	9.45	10.25	yes	Zn coating	4J
C.230.270.0380.A	23.0	2.70	38.0	0.9885	24.30	27.54	yes	music wire	4H
C.230.270.0380.AP	23.0	2.70	38.0	1.7765	16.47	21.03	yes	music wire	4I
C.230.270.0380.I	23.0	2.70	38.0	0.8600	24.30	27.54	yes	stainless steel	4H
C.230.270.1250.A	23.0	2.70	125.0	0.3852	52.11	60.49	yes	music wire	4I
C.230.270.1250.I	23.0	2.70	125.0	0.3309	52.11	60.49	yes	stainless steel	4I
C.230.270.1618.A	23.0	2.70	161.8	0.2190	86.67	101.44	yes	music wire	4I
C.230.270.1618.AP	23.0	2.70	161.8	0.3822	52.38	82.89	yes	music wire	4L
C.230.270.1618.I	23.0	2.70	161.8	0.1905	85.59	100.16	yes	stainless steel	4I
C.230.270.1618.N	23.0	2.70	161.8	0.2190	86.67	101.44	yes	Zn coating	4J
C.230.280.0280.A	23.0	2.80	28.0	2.3021	16.24	17.89	yes	music wire	4I
C.230.280.0280.I	23.0	2.80	28.0	1.9773	16.24	17.89	yes	stainless steel	4I
C.230.280.0360.A	23.0	2.80	36.0	1.7266	19.32	21.51	yes	music wire	4I
C.230.280.0360.I	23.0	2.80	36.0	1.4830	19.32	21.51	yes	stainless steel	4I
C.230.280.0440.A	23.0	2.80	44.0	1.3566	22.68	25.47	yes	music wire	4I
C.230.280.0440.I	23.0	2.80	44.0	1.1652	22.68	25.47	yes	stainless steel	4I
C.230.280.0550.A	23.0	2.80	55.0	1.0700	26.88	30.42	yes	music wire	4I
C.230.280.0550.I	23.0	2.80	55.0	0.9190	26.88	30.42	yes	stainless steel	4I
C.230.280.1100.A	23.0	2.80	110.0	0.5065	49.00	56.48	yes	music wire	4J
C.230.280.1100.I	23.0	2.80	110.0	0.4350	49.00	56.48	yes	stainless steel	4J
C.230.280.1400.A	23.0	2.80	140.0	0.3936	61.04	70.66	yes	music wire	4J
C.230.280.1400.I	23.0	2.80	140.0	0.3381	61.04	70.66	yes	stainless steel	4J
C.230.290.0230.A	23.0	2.90	23.0	3.4127	14.79	16.09	yes	music wire	4I
C.230.290.0230.I	23.0	2.90	23.0	2.9312	14.79	16.09	yes	stainless steel	4I
C.230.290.0330.A	23.0	2.90	33.0	2.1642	19.14	21.19	yes	music wire	4I
C.230.290.0330.I	23.0	2.90	33.0	1.8588	19.14	21.19	yes	stainless steel	4I
C.230.290.1200.A	23.0	2.90	120.0	0.5313	55.68	64.01	yes	music wire	4J
C.230.290.1200.I	23.0	2.90	120.0	0.4563	55.68	64.01	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.230.290.1600.A	23.0	2.90	160.0	0.3944	72.50	83.73	yes	music wire	4J
C.230.290.1600.I	23.0	2.90	160.0	0.3387	72.50	83.73	yes	stainless steel	4J
C.230.300.0320.A	23.0	3.00	32.0	2.5310	19.80	21.85	yes	music wire	4I
C.230.300.0320.AP	23.0	3.00	32.0	3.2827	16.80	19.74	yes	music wire	4J
C.230.300.0320.I	23.0	3.00	32.0	2.2000	19.50	21.50	yes	stainless steel	4I
C.230.300.0320.N	23.0	3.00	32.0	2.5310	19.80	21.85	yes	Zn coating	4J
C.230.300.0420.A	23.0	3.00	42.0	1.9102	23.70	26.40	yes	music wire	4I
C.230.300.0420.I	23.0	3.00	42.0	1.6406	23.70	26.40	yes	stainless steel	4I
C.230.300.0560.A	23.0	3.00	56.0	1.3753	30.00	33.75	yes	music wire	4I
C.230.300.0560.I	23.0	3.00	56.0	1.1813	30.00	33.75	yes	stainless steel	4I
C.230.300.0650.A	23.0	3.00	65.0	1.5580	27.30	39.17	yes	music wire	4M
C.230.300.0650.I	23.0	3.00	65.0	1.3555	27.00	38.56	yes	stainless steel	4M
C.230.300.0650.N	23.0	3.00	65.0	1.5580	27.30	39.17	yes	Zn coating	4N
C.230.300.0820.A	23.0	3.00	82.0	0.9048	41.70	47.40	yes	music wire	4I
C.230.300.0820.I	23.0	3.00	82.0	0.7771	41.70	47.40	yes	stainless steel	4I
C.230.300.1150.A	23.0	3.00	115.0	0.6328	56.40	64.55	yes	music wire	4J
C.230.300.1150.I	23.0	3.00	115.0	0.5435	56.40	64.55	yes	stainless steel	4J
C.230.300.1300.A	23.0	3.00	130.0	0.5576	63.00	72.25	yes	music wire	4J
C.230.300.1300.I	23.0	3.00	130.0	0.4789	63.00	72.25	yes	stainless steel	4J
C.230.300.1650.A	23.0	3.00	165.0	0.5060	68.70	85.47	yes	music wire	4M
C.230.300.1650.I	23.0	3.00	165.0	0.4402	67.80	83.58	yes	stainless steel	4M
C.230.300.1650.N	23.0	3.00	165.0	0.5060	68.70	85.47	yes	Zn coating	4N
C.230.300.1850.A	23.0	3.00	185.0	0.3878	87.30	100.60	yes	music wire	4J
C.230.300.1850.I	23.0	3.00	185.0	0.3331	87.30	100.60	yes	stainless steel	4J
C.230.310.0290.A	23.0	3.10	29.0	3.4110	18.60	20.36	yes	music wire	4I
C.230.310.0290.I	23.0	3.10	29.0	2.9297	18.60	20.36	yes	stainless steel	4I
C.230.310.0390.A	23.0	3.10	39.0	2.3877	23.25	25.76	yes	music wire	4I
C.230.310.0390.I	23.0	3.10	39.0	2.0508	23.25	25.76	yes	stainless steel	4I
C.230.310.1250.A	23.0	3.10	125.0	0.6633	63.55	72.58	yes	music wire	4J
C.230.310.1250.I	23.0	3.10	125.0	0.5697	63.55	72.58	yes	stainless steel	4J
C.230.320.0370.A	23.0	3.20	37.0	2.8670	23.36	25.78	yes	music wire	4J
C.230.320.0370.I	23.0	3.20	37.0	2.4625	23.36	25.78	yes	stainless steel	4J
C.230.320.1360.A	23.0	3.20	136.0	0.6100	80.32	91.71	yes	music wire	4K
C.230.320.1360.AP	23.0	3.20	136.0	0.8598	59.20	80.20	yes	music wire	4M
C.230.320.1360.I	23.0	3.20	136.0	0.5307	79.36	90.59	yes	stainless steel	4L
C.230.320.1850.A	23.0	3.20	185.0	0.5023	95.68	109.48	yes	music wire	4L
C.230.320.1850.I	23.0	3.20	185.0	0.4314	95.68	109.48	yes	stainless steel	4L
C.230.330.0410.A	23.0	3.30	41.0	2.9264	26.07	28.80	yes	music wire	4J
C.230.330.0410.I	23.0	3.30	41.0	2.5135	26.07	28.80	yes	stainless steel	4J
C.230.330.0690.A	23.0	3.30	69.0	1.6291	40.26	45.17	yes	music wire	4J
C.230.330.0690.I	23.0	3.30	69.0	1.3992	40.26	45.17	yes	stainless steel	4J
C.230.330.0950.A	23.0	3.30	95.0	1.1451	53.79	60.78	yes	music wire	4J
C.230.330.0950.I	23.0	3.30	95.0	0.9835	53.79	60.78	yes	stainless steel	4J
C.230.330.1100.A	23.0	3.30	110.0	0.9815	61.38	69.53	yes	music wire	4J
C.230.330.1100.I	23.0	3.30	110.0	0.8430	61.38	69.53	yes	stainless steel	4K
C.230.330.1650.A	23.0	3.30	165.0	0.6424	89.43	101.89	yes	music wire	4L
C.230.330.1650.I	23.0	3.30	165.0	0.5517	89.43	101.89	yes	stainless steel	4L
C.230.340.0320.A	23.0	3.40	32.0	4.5202	22.10	24.14	yes	music wire	4J
C.230.340.0320.I	23.0	3.40	32.0	3.8824	22.10	24.14	yes	stainless steel	4J
C.230.340.0530.A	23.0	3.40	53.0	2.4768	33.32	37.04	yes	music wire	4J
C.230.340.0530.I	23.0	3.40	53.0	2.1273	33.32	37.04	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.230.340.0710.A	23.0	3.40	71.0	1.7902	42.84	47.99	yes	music wire	4J
C.230.340.0710.I	23.0	3.40	71.0	1.5376	42.84	47.99	yes	stainless steel	4J
C.230.340.1800.A	23.0	3.40	180.0	0.6647	100.98	114.84	yes	music wire	4L
C.230.340.1800.I	23.0	3.40	180.0	0.5709	100.98	114.84	yes	stainless steel	4L
C.230.350.0380.A	23.0	3.50	38.0	3.6800	28.35	31.22	yes	music wire	4J
C.230.350.0380.AP	23.0	3.50	38.0	4.9993	23.10	25.77	yes	music wire	4L
C.230.350.0380.I	23.0	3.50	38.0	3.2016	28.00	30.82	yes	stainless steel	4J
C.230.350.0380.N	23.0	3.50	38.0	3.6800	28.35	31.22	yes	Zn coating	4L
C.230.350.0520.A	23.0	3.50	52.0	2.8635	33.95	37.64	yes	music wire	4J
C.230.350.0520.I	23.0	3.50	52.0	2.4595	33.95	37.64	yes	stainless steel	4J
C.230.350.1950.A	23.0	3.50	195.0	0.6942	112.70	127.94	yes	music wire	4L
C.230.350.1950.I	23.0	3.50	195.0	0.5962	112.70	127.94	yes	stainless steel	4L
C.230.360.0280.A	23.0	3.60	28.0	6.8928	21.24	23.00	yes	music wire	4M
C.230.360.0280.I	23.0	3.60	28.0	5.9202	21.24	23.00	yes	stainless steel	4M
C.230.360.0450.A	23.0	3.60	45.0	3.8419	30.96	34.11	yes	music wire	4M
C.230.360.0450.I	23.0	3.60	45.0	3.2998	30.96	34.11	yes	stainless steel	4M
C.230.360.0540.A	23.0	3.60	54.0	3.1247	36.00	39.88	yes	music wire	4M
C.230.360.0540.I	23.0	3.60	54.0	2.6838	36.00	39.88	yes	stainless steel	4M
C.230.360.0690.A	23.0	3.60	69.0	2.3672	44.64	49.76	yes	music wire	4M
C.230.360.0690.I	23.0	3.60	69.0	2.0332	44.64	49.76	yes	stainless steel	4M
C.230.360.0910.A	23.0	3.60	91.0	1.7489	57.24	64.17	yes	music wire	4M
C.230.360.0910.I	23.0	3.60	91.0	1.5021	57.24	64.17	yes	stainless steel	4M
C.230.360.1150.A	23.0	3.60	115.0	1.3625	70.92	79.81	yes	music wire	4M
C.230.360.1150.I	23.0	3.60	115.0	1.1703	70.92	79.81	yes	stainless steel	4M
C.230.360.1350.A	23.0	3.60	135.0	1.1488	82.44	92.98	yes	music wire	4M
C.230.360.1350.I	23.0	3.60	135.0	0.9867	82.44	92.98	yes	stainless steel	4N
C.230.360.1900.A	23.0	3.60	190.0	0.8053	113.76	128.80	yes	music wire	4N
C.230.360.1900.I	23.0	3.60	190.0	0.6917	113.76	128.80	yes	stainless steel	4N
C.230.380.0230.A	23.0	3.80	23.0	11.5432	19.38	20.75	yes	music wire	4L
C.230.380.0230.I	23.0	3.80	23.0	9.9144	19.38	20.75	yes	stainless steel	4M
C.230.380.0280.A	23.0	3.80	28.0	8.8271	22.42	24.21	yes	music wire	4M
C.230.380.0280.I	23.0	3.80	28.0	7.5816	22.42	24.21	yes	stainless steel	4M
C.230.380.0340.A	23.0	3.80	34.0	6.9796	25.84	28.10	yes	music wire	4M
C.230.380.0340.I	23.0	3.80	34.0	5.9947	25.84	28.10	yes	stainless steel	4M
C.230.380.0920.A	23.0	3.80	92.0	2.3000	58.90	65.73	yes	music wire	4M
C.230.380.0920.I	23.0	3.80	92.0	2.0000	58.52	65.30	yes	stainless steel	4M
C.230.380.1050.A	23.0	3.80	105.0	1.9116	69.16	77.41	yes	music wire	4M
C.230.380.1050.I	23.0	3.80	105.0	1.6419	69.16	77.41	yes	stainless steel	4M
C.230.380.1850.A	23.0	3.80	185.0	1.0531	117.80	132.78	yes	music wire	4N
C.230.380.1850.I	23.0	3.80	185.0	0.9045	117.80	132.78	yes	stainless steel	4N
C.230.400.0230.A	23.0	4.00	23.0	15.2092	20.00	21.34	yes	music wire	4O
C.230.400.0230.I	23.0	4.00	23.0	13.0631	20.00	21.34	yes	stainless steel	4P
C.230.400.0280.A	23.0	4.00	28.0	11.5221	23.20	24.97	yes	music wire	4P
C.230.400.0280.I	23.0	4.00	28.0	9.8963	23.20	24.97	yes	stainless steel	4P
C.230.400.0450.A	23.0	4.00	45.0	6.2333	34.40	37.67	yes	music wire	4P
C.230.400.0450.I	23.0	4.00	45.0	5.3537	34.40	37.67	yes	stainless steel	4P
C.230.400.0560.A	23.0	4.00	56.0	4.8747	41.20	45.38	yes	music wire	4P
C.230.400.0560.I	23.0	4.00	56.0	4.1869	41.20	45.38	yes	stainless steel	4P
C.230.400.0750.A	23.0	4.00	75.0	3.4884	53.60	59.44	yes	music wire	4P
C.230.400.0750.I	23.0	4.00	75.0	2.9961	53.60	59.44	yes	stainless steel	4P
C.230.400.0940.A	23.0	4.00	94.0	2.7159	66.00	73.50	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.230.400.0940.I	23.0	4.00	94.0	2.3327	66.00	73.50	yes	stainless steel	4P
C.230.400.1600.A	23.0	4.00	160.0	1.9140	89.60	114.28	yes	music wire	4T
C.230.400.1600.I	23.0	4.00	160.0	1.6652	88.40	112.66	yes	stainless steel	5A
C.230.400.1600.N	23.0	4.00	160.0	1.9140	89.60	114.28	yes	Zn coating	5B
C.230.400.1900.A	23.0	4.00	190.0	1.2933	127.60	143.34	yes	music wire	4Q
C.230.400.1900.I	23.0	4.00	190.0	1.1108	127.60	143.34	yes	stainless steel	4Q
C.230.420.0540.A	23.0	4.20	54.0	6.3611	42.00	46.10	yes	music wire	4P
C.230.420.0540.I	23.0	4.20	54.0	5.4635	42.00	46.10	yes	stainless steel	4P
C.230.420.0810.A	23.0	4.20	81.0	4.0431	60.06	66.51	yes	music wire	4P
C.230.420.0810.I	23.0	4.20	81.0	3.4726	60.06	66.51	yes	stainless steel	4P
C.230.420.1850.A	23.0	4.20	185.0	1.6681	130.62	146.24	yes	music wire	4Q
C.230.420.1850.I	23.0	4.20	185.0	1.4327	130.62	146.24	yes	stainless steel	4Q
C.230.450.0240.A	23.0	4.50	24.0	26.3914	22.50	23.91	yes	music wire	4Q
C.230.450.0240.I	23.0	4.50	24.0	22.6675	22.50	23.91	yes	stainless steel	4Q
C.230.450.0280.A	23.0	4.50	28.0	20.6183	25.65	27.46	yes	music wire	4Q
C.230.450.0280.I	23.0	4.50	28.0	17.7090	25.65	27.46	yes	stainless steel	4Q
C.230.450.0340.A	23.0	4.50	34.0	16.0923	29.70	32.01	yes	music wire	4Q
C.230.450.0340.I	23.0	4.50	34.0	13.8216	29.70	32.01	yes	stainless steel	4Q
C.230.450.0550.A	23.0	4.50	55.0	8.7971	45.00	49.23	yes	music wire	4R
C.230.450.0550.I	23.0	4.50	55.0	7.5558	45.00	49.23	yes	stainless steel	4R
C.230.450.0670.A	23.0	4.50	67.0	7.0190	53.55	58.85	yes	music wire	4R
C.230.450.0670.I	23.0	4.50	67.0	6.0286	53.55	58.85	yes	stainless steel	4R
C.230.450.0750.A	23.0	4.50	75.0	6.1662	59.40	65.44	yes	music wire	4R
C.230.450.0750.I	23.0	4.50	75.0	5.2961	59.40	65.44	yes	stainless steel	4R
C.230.450.0890.A	23.0	4.50	89.0	5.1146	69.30	76.58	yes	music wire	4R
C.230.450.0890.I	23.0	4.50	89.0	4.3929	69.30	76.58	yes	stainless steel	4R
C.230.450.1400.A	23.0	4.50	140.0	3.1269	106.20	118.10	yes	music wire	4R
C.230.450.1400.I	23.0	4.50	140.0	2.6857	106.20	118.10	yes	stainless steel	4R
C.230.450.1800.A	23.0	4.50	180.0	2.3992	135.00	150.51	yes	music wire	4R
C.230.450.1800.I	23.0	4.50	180.0	2.0607	135.00	150.51	yes	stainless steel	4R
C.230.550.0400.AP	23.0	5.50	40.0	42.1770	36.30	38.90	yes	music wire	5A
C.230.550.0400.I	23.0	5.50	40.0	29.7088	40.00	40.00	yes	stainless steel	5A
C.232.320.0280.A	23.2	3.20	28.0	3.8151	19.20	20.98	yes	music wire	4J
C.232.320.0280.AP	23.2	3.20	28.0	4.8567	16.64	18.20	yes	music wire	4L
C.232.320.0280.I	23.2	3.20	28.0	3.2768	19.20	20.98	yes	stainless steel	4J
C.232.320.0280.N	23.2	3.20	28.0	3.8151	19.20	20.98	yes	Zn coating	4L
C.232.320.0335.A	23.2	3.20	33.5	3.8151	19.20	21.02	yes	music wire	4L
C.232.320.0335.I	23.2	3.20	33.5	3.2768	19.20	20.98	yes	stainless steel	4M
C.232.320.0335.N	23.2	3.20	33.5	3.8151	19.20	21.02	yes	Zn coating	4N
C.232.320.0420.A	23.2	3.20	42.0	2.4278	25.60	28.39	yes	music wire	4J
C.232.320.0420.AP	23.2	3.20	42.0	3.0219	22.08	26.25	yes	music wire	4L
C.232.320.0420.I	23.2	3.20	42.0	2.0852	25.60	28.39	yes	stainless steel	4J
C.232.320.0420.N	23.2	3.20	42.0	2.4278	25.60	28.39	yes	Zn coating	4L
C.232.320.0495.A	23.2	3.20	49.5	2.4278	25.60	29.89	yes	music wire	4M
C.232.320.0495.I	23.2	3.20	49.5	2.0852	25.60	29.12	yes	stainless steel	4M
C.232.320.0495.N	23.2	3.20	49.5	2.4278	25.60	29.89	yes	Zn coating	4N
C.232.320.0610.A	23.2	3.20	61.0	1.5709	35.20	39.51	yes	music wire	4J
C.232.320.0610.AP	23.2	3.20	61.0	1.9998	29.44	37.20	yes	music wire	4M
C.232.320.0610.I	23.2	3.20	61.0	1.3492	35.20	39.51	yes	stainless steel	4J
C.232.320.0610.N	23.2	3.20	61.0	1.5709	35.20	39.51	yes	Zn coating	4L
C.232.320.0740.A	23.2	3.20	74.0	1.5709	35.20	43.70	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.232.320.0740.I	23.2	3.20	74.0	1.3492	35.20	42.50	yes	stainless steel	4M
C.232.320.0740.N	23.2	3.20	74.0	1.5709	35.20	43.70	yes	Zn coating	4N
C.232.320.0920.A	23.2	3.20	92.0	0.9891	51.20	58.05	yes	music wire	4J
C.232.320.0920.AP	23.2	3.20	92.0	1.2709	41.60	54.55	yes	music wire	4M
C.232.320.0920.I	23.2	3.20	92.0	0.8495	51.20	58.05	yes	stainless steel	4J
C.232.320.0920.N	23.2	3.20	92.0	0.9891	51.20	58.05	yes	Zn coating	4L
C.232.320.1050.A	23.2	3.20	105.0	1.0682	48.00	60.44	yes	music wire	4M
C.232.320.1050.AP	23.2	3.20	105.0	1.1056	46.72	61.94	yes	music wire	4M
C.232.320.1050.I	23.2	3.20	105.0	0.9175	48.00	58.68	yes	stainless steel	4M
C.232.320.1050.IF	23.2	3.20	105.0	0.6200	67.20	76.59	yes	stainless steel	4K
C.232.320.1050.N	23.2	3.20	105.0	1.0682	48.00	60.44	yes	Zn coating	4O
C.232.320.1550.A	23.2	3.20	155.0	0.7218	67.20	89.05	yes	music wire	4N
C.232.320.1550.I	23.2	3.20	155.0	0.6199	67.20	86.44	yes	stainless steel	4N
C.232.320.1550.IF	23.2	3.20	155.0	0.5098	80.00	91.42	yes	stainless steel	4L
C.232.320.1550.N	23.2	3.20	155.0	0.7218	67.20	89.05	yes	Zn coating	4O
C.232.400.0380.S	23.2	4.00	38.0	8.6870	26.80	29.06	yes	Cr-Si steel	4T
C.232.420.0890.S	23.2	4.20	89.0	3.7826	61.74	68.44	yes	Cr-Si steel	4T
C.232.450.0380.S	23.2	4.50	38.0	15.7618	29.70	32.02	yes	Cr-Si steel	5B
C.232.500.0250.A	23.2	5.00	25.0	55.3613	22.00	23.14	yes	music wire	4O
C.232.500.0320.A	23.2	5.00	32.0	33.2750	28.50	30.42	yes	music wire	4O
C.232.500.0400.A	23.2	5.00	40.0	24.2000	34.50	37.14	yes	music wire	4O
C.232.500.0400.S	23.2	5.00	40.0	19.8413	39.00	39.00	yes	Cr-Si steel	4T
C.232.500.0500.A	23.2	5.00	50.0	17.4603	42.50	46.10	yes	music wire	4O
C.232.500.0500.S	23.2	5.00	50.0	15.6250	46.50	46.50	yes	Cr-Si steel	5A
C.232.500.0630.A	23.2	5.00	63.0	12.5000	54.50	59.53	yes	music wire	4O
C.232.500.0630.S	23.2	5.00	63.0	12.5000	54.50	59.53	yes	Cr-Si steel	5A
C.232.500.0800.A	23.2	5.00	80.0	10.9130	61.00	66.81	yes	music wire	5A
C.232.500.0800.AP	23.2	5.00	80.0	10.0000	65.50	71.85	yes	music wire	4O
C.232.500.0800.I	23.2	5.00	80.0	9.4943	60.50	66.25	yes	stainless steel	5A
C.232.500.0800.N	23.2	5.00	80.0	10.9130	61.00	66.81	yes	Zn coating	5C
C.232.500.0800.S	23.2	5.00	80.0	10.0000	65.50	71.85	yes	Cr-Si steel	5A
C.232.500.1000.A	23.2	5.00	100.0	8.0000	78.50	86.41	yes	music wire	4O
C.232.500.1000.S	23.2	5.00	100.0	7.8125	80.00	88.09	yes	Cr-Si steel	5A
C.232.500.1250.A	23.2	5.00	125.0	6.2500	97.00	107.13	yes	music wire	4P
C.232.500.1250.S	23.2	5.00	125.0	6.2500	97.00	107.13	yes	Cr-Si steel	5D
C.232.500.1600.A	23.2	5.00	160.0	5.0000	118.00	130.65	yes	music wire	4P
C.232.500.1600.S	23.2	5.00	160.0	5.0000	118.00	130.65	yes	Cr-Si steel	5D
C.232.500.2000.A	23.2	5.00	200.0	4.0000	144.50	161.00	yes	music wire	4P
C.232.500.2000.S	23.2	5.00	200.0	3.9063	147.50	163.68	yes	Cr-Si steel	5D
C.233.290.0400.A	23.3	2.90	40.0	1.6660	22.04	24.62	yes	music wire	4I
C.233.290.0400.AP	23.3	2.90	40.0	2.1589	18.56	23.21	yes	music wire	4J
C.233.290.0400.I	23.3	2.90	40.0	1.4494	21.75	24.28	yes	stainless steel	4I
C.233.290.0400.N	23.3	2.90	40.0	1.6660	22.04	24.62	yes	Zn coating	4J
C.233.420.1020.S	23.3	4.20	102.0	3.2226	69.72	77.48	yes	Cr-Si steel	4T
C.233.420.1270.S	23.3	4.20	127.0	2.5224	86.10	96.01	yes	Cr-Si steel	5A
C.233.470.0500.S	23.3	4.70	50.0	12.8727	39.95	43.43	yes	Cr-Si steel	4S
C.234.130.0320.A	23.4	1.30	32.0	0.0575	9.36	12.62	yes	music wire	4D
C.234.130.0320.I	23.4	1.30	32.0	0.0500	9.23	12.42	yes	stainless steel	4E
C.234.130.0800.A	23.4	1.30	80.0	0.0442	11.18	15.41	yes	music wire	4E
C.234.130.0800.I	23.4	1.30	80.0	0.0380	11.18	15.41	yes	stainless steel	4F
C.234.140.0167.A	23.4	1.40	16.7	0.3333	5.04	5.76	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.234.140.0167.I	23.4	1.40	16.7	0.2900	5.04	5.76	yes	stainless steel	4F
C.234.140.0290.A	23.4	1.40	29.0	0.1200	7.84	9.88	yes	music wire	4F
C.234.140.0290.I	23.4	1.40	29.0	0.1044	7.70	9.68	yes	stainless steel	4F
C.234.140.0330.A	23.4	1.40	33.0	0.0667	11.20	14.82	yes	music wire	4F
C.234.140.0330.I	23.4	1.40	33.0	0.0580	11.06	14.62	yes	stainless steel	4F
C.234.140.0600.A	23.4	1.40	60.0	0.0750	10.36	13.59	yes	music wire	4G
C.234.140.0600.I	23.4	1.40	60.0	0.0644	10.36	13.59	yes	stainless steel	4G
C.234.140.0800.A	23.4	1.40	80.0	0.0557	12.74	17.09	yes	music wire	4G
C.234.140.0800.I	23.4	1.40	80.0	0.0478	12.74	17.09	yes	stainless steel	4G
C.234.140.1600.A	23.4	1.40	160.0	0.0274	22.26	31.08	yes	music wire	4I
C.234.140.1600.I	23.4	1.40	160.0	0.0236	22.26	31.08	yes	stainless steel	4I
C.234.180.0200.A	23.4	1.80	20.0	0.5585	7.92	9.00	yes	music wire	4G
C.234.180.0200.I	23.4	1.80	20.0	0.4797	7.92	9.00	yes	stainless steel	4G
C.234.180.1590.A	23.4	1.80	159.0	0.0747	30.06	38.14	yes	music wire	4I
C.234.180.1590.I	23.4	1.80	159.0	0.0650	29.70	37.66	yes	stainless steel	4I
C.234.190.0220.A	23.4	1.90	22.0	0.5900	9.12	10.40	yes	music wire	4G
C.234.190.0220.AP	23.4	1.90	22.0	0.9621	7.41	10.35	yes	music wire	4I
C.234.190.0220.I	23.4	1.90	22.0	0.5133	8.93	10.15	yes	stainless steel	4G
C.234.190.2200.A	23.4	1.90	220.0	0.0534	52.25	66.12	yes	music wire	4J
C.234.190.2200.I	23.4	1.90	220.0	0.0459	52.25	66.12	yes	stainless steel	4J
C.234.200.0380.A	23.4	2.00	38.0	0.5747	10.80	15.50	yes	music wire	4I
C.234.200.0380.I	23.4	2.00	38.0	0.5000	10.80	15.29	yes	stainless steel	4I
C.234.200.1000.A	23.4	2.00	100.0	0.1422	28.40	34.76	yes	music wire	4I
C.234.200.1000.I	23.4	2.00	100.0	0.1221	28.40	34.76	yes	stainless steel	4I
C.234.240.0200.A	23.4	2.40	20.0	1.6589	11.28	12.41	yes	music wire	4G
C.234.240.0200.I	23.4	2.40	20.0	1.4249	11.28	12.41	yes	stainless steel	4G
C.234.240.0700.A	23.4	2.40	70.0	0.3333	32.16	37.78	yes	music wire	4I
C.234.240.0700.AP	23.4	2.40	70.0	0.5868	20.88	33.45	yes	music wire	4J
C.234.240.0700.I	23.4	2.40	70.0	0.2900	31.92	37.49	yes	stainless steel	4I
C.234.250.0290.A	23.4	2.50	29.0	1.8391	12.25	15.95	yes	music wire	4I
C.234.250.0290.I	23.4	2.50	29.0	1.6000	12.00	15.73	yes	stainless steel	4I
C.234.250.0430.A	23.4	2.50	43.0	1.1494	15.75	22.12	yes	music wire	4J
C.234.250.0430.I	23.4	2.50	43.0	1.0000	15.50	21.76	yes	stainless steel	4J
C.234.250.1000.A	23.4	2.50	100.0	0.3182	40.50	47.52	yes	music wire	4I
C.234.250.1000.I	23.4	2.50	100.0	0.2733	40.50	47.52	yes	stainless steel	4I
C.234.280.0400.A	23.4	2.80	40.0	1.6092	19.60	21.88	yes	music wire	4J
C.234.280.0400.I	23.4	2.80	40.0	1.4000	19.32	21.55	yes	stainless steel	4I
C.234.280.1000.A	23.4	2.80	100.0	0.4906	47.88	55.29	yes	music wire	4I
C.234.280.1000.I	23.4	2.80	100.0	0.4214	47.88	55.29	yes	stainless steel	4J
C.234.420.1400.S	23.4	4.20	140.0	2.2419	94.50	105.53	yes	Cr-Si steel	5A
C.234.470.0380.A	23.4	4.70	38.0	22.1839	27.73	32.05	yes	music wire	5A
C.234.470.0380.I	23.4	4.70	38.0	19.3000	27.73	31.80	yes	stainless steel	5A
C.234.470.2000.A	23.4	4.70	200.0	2.4366	158.39	176.54	yes	music wire	4R
C.234.470.2000.I	23.4	4.70	200.0	2.0928	158.39	176.54	yes	stainless steel	4R
C.234.480.0760.A	23.4	4.80	76.0	8.8000	58.08	63.73	yes	music wire	4S
C.234.480.0760.I	23.4	4.80	76.0	7.6560	57.12	62.65	yes	stainless steel	4T
C.234.480.2000.A	23.4	4.80	200.0	2.7110	160.80	179.03	yes	music wire	4R
C.234.480.2000.I	23.4	4.80	200.0	2.3285	160.80	179.03	yes	stainless steel	4R
C.235.150.0940.A	23.5	1.50	94.0	0.0500	18.30	24.45	yes	music wire	4G
C.235.150.0940.I	23.5	1.50	94.0	0.0435	18.15	24.24	yes	stainless steel	4H
C.235.150.0940.N	23.5	1.50	94.0	0.0500	18.30	24.45	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.235.180.0250.A	23.5	1.80	25.0	0.4470	8.64	9.96	yes	music wire	4G
C.235.180.0250.I	23.5	1.80	25.0	0.3889	8.64	9.96	yes	stainless steel	4G
C.235.180.0250.N	23.5	1.80	25.0	0.4470	8.64	9.96	yes	Zn coating	4I
C.235.180.0320.A	23.5	1.80	32.0	0.3500	9.90	11.62	yes	music wire	4G
C.235.180.0320.I	23.5	1.80	32.0	0.3045	9.90	11.62	yes	stainless steel	4G
C.235.180.0320.N	23.5	1.80	32.0	0.3500	9.90	11.62	yes	Zn coating	4I
C.235.180.0400.A	23.5	1.80	40.0	0.2680	11.52	13.75	yes	music wire	4G
C.235.180.0400.I	23.5	1.80	40.0	0.2332	11.52	13.75	yes	stainless steel	4G
C.235.180.0400.N	23.5	1.80	40.0	0.2680	11.52	13.75	yes	Zn coating	4I
C.235.180.0500.A	23.5	1.80	50.0	0.2120	13.32	16.12	yes	music wire	4G
C.235.180.0500.I	23.5	1.80	50.0	0.1844	13.32	16.12	yes	stainless steel	4H
C.235.180.0500.N	23.5	1.80	50.0	0.2120	13.32	16.12	yes	Zn coating	4I
C.235.180.0630.A	23.5	1.80	63.0	0.1680	15.66	19.21	yes	music wire	4H
C.235.180.0630.I	23.5	1.80	63.0	0.1462	15.66	19.21	yes	stainless steel	4H
C.235.180.0630.N	23.5	1.80	63.0	0.1680	15.66	19.21	yes	Zn coating	4I
C.235.180.0800.A	23.5	1.80	80.0	0.1300	19.08	23.72	yes	music wire	4H
C.235.180.0800.I	23.5	1.80	80.0	0.1131	18.72	23.24	yes	stainless steel	4I
C.235.180.0800.N	23.5	1.80	80.0	0.1300	19.08	23.72	yes	Zn coating	4I
C.235.180.1000.A	23.5	1.80	100.0	0.1050	22.50	28.22	yes	music wire	4I
C.235.180.1000.I	23.5	1.80	100.0	0.0914	22.14	27.75	yes	stainless steel	4I
C.235.180.1000.N	23.5	1.80	100.0	0.1050	22.50	28.22	yes	Zn coating	4I
C.235.180.1250.A	23.5	1.80	125.0	0.0830	27.18	34.39	yes	music wire	4I
C.235.180.1250.I	23.5	1.80	125.0	0.0722	26.82	33.92	yes	stainless steel	4I
C.235.180.1250.N	23.5	1.80	125.0	0.0830	27.18	34.39	yes	Zn coating	4J
C.235.180.3600.A	23.5	1.80	360.0	0.0280	73.62	95.03	no	music wire	4L
C.235.180.3600.I	23.5	1.80	360.0	0.0244	72.72	93.84	no	stainless steel	4L
C.235.200.0250.A	23.5	2.00	25.0	0.6310	10.20	11.62	yes	music wire	4G
C.235.200.0250.AP	23.5	2.00	25.0	0.9736	8.40	11.77	yes	music wire	4I
C.235.200.0250.I	23.5	2.00	25.0	0.5490	10.20	11.62	yes	stainless steel	4G
C.235.200.0250.N	23.5	2.00	25.0	0.6310	10.20	11.62	yes	Zn coating	4I
C.235.200.0320.A	23.5	2.00	32.0	0.4850	11.80	13.66	yes	music wire	4G
C.235.200.0320.AP	23.5	2.00	32.0	0.7524	9.40	14.88	yes	music wire	4I
C.235.200.0320.I	23.5	2.00	32.0	0.4220	11.60	13.40	yes	stainless steel	4G
C.235.200.0320.N	23.5	2.00	32.0	0.4850	11.80	13.66	yes	Zn coating	4I
C.235.200.0400.A	23.5	2.00	40.0	0.3820	13.60	15.95	yes	music wire	4G
C.235.200.0400.AP	23.5	2.00	40.0	0.5708	10.80	17.43	yes	music wire	4I
C.235.200.0400.I	23.5	2.00	40.0	0.3323	13.40	15.70	yes	stainless steel	4H
C.235.200.0400.N	23.5	2.00	40.0	0.3820	13.60	15.95	yes	Zn coating	4I
C.235.200.0430.A	23.5	2.00	43.0	0.4686	12.00	15.51	yes	music wire	4I
C.235.200.0430.I	23.5	2.00	43.0	0.4025	12.00	14.90	yes	stainless steel	4I
C.235.200.0430.N	23.5	2.00	43.0	0.4686	12.00	15.51	yes	Zn coating	4J
C.235.200.0500.A	23.5	2.00	50.0	0.3010	15.80	18.75	yes	music wire	4G
C.235.200.0500.AP	23.5	2.00	50.0	0.4598	12.20	21.99	yes	music wire	4I
C.235.200.0500.I	23.5	2.00	50.0	0.2619	15.80	18.75	yes	stainless steel	4H
C.235.200.0500.N	23.5	2.00	50.0	0.3010	15.80	18.75	yes	Zn coating	4I
C.235.200.0630.A	23.5	2.00	63.0	0.2340	19.00	22.83	yes	music wire	4H
C.235.200.0630.AP	23.5	2.00	63.0	0.3598	14.20	27.21	yes	music wire	4J
C.235.200.0630.I	23.5	2.00	63.0	0.2340	17.00	20.28	yes	stainless steel	4I
C.235.200.0630.N	23.5	2.00	63.0	0.2340	19.00	22.83	yes	Zn coating	4I
C.235.200.0800.A	23.5	2.00	80.0	0.1800	23.20	28.17	yes	music wire	4I
C.235.200.0800.AP	23.5	2.00	80.0	0.2759	16.80	33.31	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.235.200.0800.I	23.5	2.00	80.0	0.1566	23.00	27.92	yes	stainless steel	4I
C.235.200.0800.N	23.5	2.00	80.0	0.1800	23.20	28.17	yes	Zn coating	4I
C.235.200.1000.A	23.5	2.00	100.0	0.1430	28.00	34.29	yes	music wire	4I
C.235.200.1000.AP	23.5	2.00	100.0	0.2207	19.80	41.64	yes	music wire	4J
C.235.200.1000.I	23.5	2.00	100.0	0.1244	27.60	33.78	yes	stainless steel	4I
C.235.200.1000.N	23.5	2.00	100.0	0.1430	28.00	34.29	yes	Zn coating	4J
C.235.200.1250.A	23.5	2.00	125.0	0.1150	33.60	41.42	yes	music wire	4I
C.235.200.1250.AP	23.5	2.00	125.0	0.1761	23.60	51.85	yes	music wire	4J
C.235.200.1250.I	23.5	2.00	125.0	0.1000	33.20	40.91	yes	stainless steel	4I
C.235.200.1250.N	23.5	2.00	125.0	0.1150	33.60	41.42	yes	Zn coating	4J
C.235.200.3600.A	23.5	2.00	360.0	0.0390	91.20	114.22	no	music wire	4L
C.235.200.3600.I	23.5	2.00	360.0	0.0339	90.00	112.69	no	stainless steel	4L
C.235.220.0250.A	23.5	2.20	25.0	0.9500	11.22	12.60	yes	music wire	4G
C.235.220.0250.AP	23.5	2.20	25.0	1.3871	9.46	12.90	yes	music wire	4I
C.235.220.0250.I	23.5	2.20	25.0	0.8265	11.22	12.60	yes	stainless steel	4G
C.235.220.0250.N	23.5	2.20	25.0	0.9500	11.22	12.60	yes	Zn coating	4I
C.235.220.0320.A	23.5	2.20	32.0	0.7040	13.20	15.05	yes	music wire	4G
C.235.220.0320.AP	23.5	2.20	32.0	1.0403	10.78	15.87	yes	music wire	4I
C.235.220.0320.I	23.5	2.20	32.0	0.6125	13.20	15.05	yes	stainless steel	4H
C.235.220.0320.N	23.5	2.20	32.0	0.7040	13.20	15.05	yes	Zn coating	4I
C.235.220.0400.A	23.5	2.20	40.0	0.5430	15.40	17.78	yes	music wire	4G
C.235.220.0400.AP	23.5	2.20	40.0	0.8054	12.32	19.16	yes	music wire	4I
C.235.220.0400.I	23.5	2.20	40.0	0.4724	15.40	17.78	yes	stainless steel	4H
C.235.220.0400.N	23.5	2.20	40.0	0.5430	15.40	17.78	yes	Zn coating	4I
C.235.220.0500.A	23.5	2.20	50.0	0.4220	18.48	21.60	yes	music wire	4H
C.235.220.0500.AP	23.5	2.20	50.0	0.6242	14.30	23.11	yes	music wire	4I
C.235.220.0500.I	23.5	2.20	50.0	0.3671	18.26	21.33	yes	stainless steel	4H
C.235.220.0500.N	23.5	2.20	50.0	0.4220	18.48	21.60	yes	Zn coating	4I
C.235.220.0630.A	23.5	2.20	63.0	0.3330	21.78	25.70	yes	music wire	4H
C.235.220.0630.AP	23.5	2.20	63.0	0.4896	16.50	28.71	yes	music wire	4J
C.235.220.0630.I	23.5	2.20	63.0	0.2897	21.56	25.42	yes	stainless steel	4I
C.235.220.0630.N	23.5	2.20	63.0	0.3330	21.78	25.70	yes	Zn coating	4I
C.235.220.0800.A	23.5	2.20	80.0	0.2570	26.62	31.70	yes	music wire	4I
C.235.220.0800.AP	23.5	2.20	80.0	0.3783	19.80	35.63	yes	music wire	4J
C.235.220.0800.I	23.5	2.20	80.0	0.2236	26.40	31.43	yes	stainless steel	4I
C.235.220.0800.N	23.5	2.20	80.0	0.2570	26.62	31.70	yes	Zn coating	4I
C.235.220.1000.A	23.5	2.20	100.0	0.2040	32.12	38.52	yes	music wire	4I
C.235.220.1000.AP	23.5	2.20	100.0	0.3008	23.54	44.20	yes	music wire	4J
C.235.220.1000.I	23.5	2.20	100.0	0.1775	31.90	38.25	yes	stainless steel	4I
C.235.220.1000.N	23.5	2.20	100.0	0.2040	32.12	38.52	yes	Zn coating	4J
C.235.220.1250.A	23.5	2.20	125.0	0.1620	38.94	46.99	yes	music wire	4I
C.235.220.1250.AP	23.5	2.20	125.0	0.2378	28.38	54.41	yes	music wire	4J
C.235.220.1250.I	23.5	2.20	125.0	0.1409	38.50	46.44	yes	stainless steel	4I
C.235.220.1250.N	23.5	2.20	125.0	0.1620	38.94	46.99	yes	Zn coating	4J
C.235.220.3600.A	23.5	2.20	360.0	0.0550	106.48	130.25	no	music wire	4L
C.235.220.3600.I	23.5	2.20	360.0	0.0479	105.16	128.61	no	stainless steel	4L
C.235.250.0250.A	23.5	2.50	25.0	1.5750	13.00	14.39	yes	music wire	4G
C.235.250.0250.AP	23.5	2.50	25.0	2.1782	11.25	14.02	yes	music wire	4I
C.235.250.0250.I	23.5	2.50	25.0	1.3703	13.00	14.39	yes	stainless steel	4H
C.235.250.0250.N	23.5	2.50	25.0	1.5750	13.00	14.39	yes	Zn coating	4I
C.235.250.0320.A	23.5	2.50	32.0	1.1400	15.75	17.71	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.235.250.0320.AP	23.5	2.50	32.0	1.6135	13.00	17.18	yes	music wire	4I
C.235.250.0320.I	23.5	2.50	32.0	0.9918	15.50	17.40	yes	stainless steel	4H
C.235.250.0320.N	23.5	2.50	32.0	1.1400	15.75	17.71	yes	Zn coating	4I
C.235.250.0400.A	23.5	2.50	40.0	0.8940	18.25	20.72	yes	music wire	4H
C.235.250.0400.AP	23.5	2.50	40.0	1.2447	15.00	20.79	yes	music wire	4I
C.235.250.0400.I	23.5	2.50	40.0	0.7778	18.00	20.42	yes	stainless steel	4H
C.235.250.0400.N	23.5	2.50	40.0	0.8940	18.25	20.72	yes	Zn coating	4I
C.235.250.0500.A	23.5	2.50	50.0	0.7040	21.50	24.64	yes	music wire	4H
C.235.250.0500.AP	23.5	2.50	50.0	0.9681	17.25	25.30	yes	music wire	4J
C.235.250.0500.I	23.5	2.50	50.0	0.6125	21.25	24.34	yes	stainless steel	4I
C.235.250.0500.N	23.5	2.50	50.0	0.7040	21.50	24.64	yes	Zn coating	4I
C.235.250.0520.A	23.5	2.50	52.0	0.4960	28.00	32.48	yes	music wire	4H
C.235.250.0520.AP	23.5	2.50	52.0	0.9269	17.75	26.21	yes	music wire	4J
C.235.250.0520.I	23.5	2.50	52.0	0.4315	27.75	32.18	yes	stainless steel	4I
C.235.250.0520.N	23.5	2.50	52.0	0.4960	28.00	32.48	yes	Zn coating	4I
C.235.250.0630.A	23.5	2.50	63.0	0.5420	26.00	30.07	yes	music wire	4I
C.235.250.0630.AP	23.5	2.50	63.0	0.7511	20.50	31.17	yes	music wire	4J
C.235.250.0630.I	23.5	2.50	63.0	0.4715	25.75	29.76	yes	stainless steel	4I
C.235.250.0630.N	23.5	2.50	63.0	0.5420	26.00	30.07	yes	Zn coating	4I
C.235.250.0710.A	23.5	2.50	71.0	0.4020	33.00	38.51	yes	music wire	4I
C.235.250.0710.AP	23.5	2.50	71.0	0.6601	22.50	34.78	yes	music wire	4J
C.235.250.0710.I	23.5	2.50	71.0	0.3497	32.75	38.20	yes	stainless steel	4I
C.235.250.0710.N	23.5	2.50	71.0	0.4020	33.00	38.51	yes	Zn coating	4I
C.235.250.0800.A	23.5	2.50	80.0	0.4240	31.50	36.70	yes	music wire	4I
C.235.250.0800.AP	23.5	2.50	80.0	0.5887	24.50	39.39	yes	music wire	4J
C.235.250.0800.I	23.5	2.50	80.0	0.3689	31.25	36.40	yes	stainless steel	4I
C.235.250.0800.N	23.5	2.50	80.0	0.4240	31.50	36.70	yes	Zn coating	4J
C.235.250.1000.A	23.5	2.50	100.0	0.3340	38.50	45.14	yes	music wire	4I
C.235.250.1000.AP	23.5	2.50	100.0	0.4634	29.50	48.41	yes	music wire	4J
C.235.250.1000.I	23.5	2.50	100.0	0.2906	38.00	44.54	yes	stainless steel	4I
C.235.250.1000.N	23.5	2.50	100.0	0.3340	38.50	45.14	yes	Zn coating	4J
C.235.250.1250.A	23.5	2.50	125.0	0.2650	46.75	55.09	yes	music wire	4I
C.235.250.1250.AP	23.5	2.50	125.0	0.3661	35.50	59.69	yes	music wire	4J
C.235.250.1250.I	23.5	2.50	125.0	0.2306	46.25	54.48	yes	stainless steel	4I
C.235.250.1250.N	23.5	2.50	125.0	0.2650	46.75	55.09	yes	Zn coating	4J
C.235.250.3600.A	23.5	2.50	360.0	0.0890	129.50	154.36	no	music wire	4L
C.235.250.3600.I	23.5	2.50	360.0	0.0774	128.00	152.55	no	stainless steel	4L
C.235.280.0250.A	23.5	2.80	25.0	2.4700	15.12	16.60	yes	music wire	4I
C.235.280.0250.AP	23.5	2.80	25.0	3.2621	13.16	14.99	yes	music wire	4J
C.235.280.0250.I	23.5	2.80	25.0	2.1489	14.84	16.27	yes	stainless steel	4I
C.235.280.0250.N	23.5	2.80	25.0	2.4700	15.12	16.60	yes	Zn coating	4J
C.235.280.0320.A	23.5	2.80	32.0	1.8730	17.64	19.58	yes	music wire	4I
C.235.280.0320.AP	23.5	2.80	32.0	2.3922	15.40	18.35	yes	music wire	4J
C.235.280.0320.I	23.5	2.80	32.0	1.6295	17.36	19.25	yes	stainless steel	4I
C.235.280.0320.N	23.5	2.80	32.0	1.8730	17.64	19.58	yes	Zn coating	4J
C.235.280.0400.A	23.5	2.80	40.0	1.4300	20.72	23.22	yes	music wire	4I
C.235.280.0400.AP	23.5	2.80	40.0	1.8886	17.36	22.71	yes	music wire	4J
C.235.280.0400.I	23.5	2.80	40.0	1.2441	20.72	23.22	yes	stainless steel	4I
C.235.280.0400.N	23.5	2.80	40.0	1.4300	20.72	23.22	yes	Zn coating	4J
C.235.280.0500.A	23.5	2.80	50.0	1.1090	24.92	28.18	yes	music wire	4I
C.235.280.0500.AP	23.5	2.80	50.0	1.4646	20.44	27.70	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.235.280.0500.I	23.5	2.80	50.0	0.9648	24.64	27.85	yes	stainless steel	4I
C.235.280.0500.N	23.5	2.80	50.0	1.1090	24.92	28.18	yes	Zn coating	4J
C.235.280.0630.A	23.5	2.80	63.0	0.8620	29.96	34.14	yes	music wire	4I
C.235.280.0630.AP	23.5	2.80	63.0	1.1392	24.36	34.33	yes	music wire	4K
C.235.280.0630.I	23.5	2.80	63.0	0.7500	29.68	33.81	yes	stainless steel	4I
C.235.280.0630.N	23.5	2.80	63.0	0.8620	29.96	34.14	yes	Zn coating	4J
C.235.280.0800.A	23.5	2.80	80.0	0.6630	36.68	42.08	yes	music wire	4I
C.235.280.0800.AP	23.5	2.80	80.0	0.8752	29.68	42.69	yes	music wire	4K
C.235.280.0800.I	23.5	2.80	80.0	0.5768	36.40	41.75	yes	stainless steel	4I
C.235.280.0800.N	23.5	2.80	80.0	0.6630	36.68	42.08	yes	Zn coating	4J
C.235.280.1000.A	23.5	2.80	100.0	0.5220	44.80	51.68	yes	music wire	4I
C.235.280.1000.AP	23.5	2.80	100.0	0.6901	35.56	52.67	yes	music wire	4L
C.235.280.1000.I	23.5	2.80	100.0	0.4541	44.52	51.35	yes	stainless steel	4J
C.235.280.1000.N	23.5	2.80	100.0	0.5220	44.80	51.68	yes	Zn coating	4J
C.235.280.1250.A	23.5	2.80	125.0	0.4150	54.60	63.26	yes	music wire	4J
C.235.280.1250.AP	23.5	2.80	125.0	0.5478	43.12	65.39	yes	music wire	4L
C.235.280.1250.I	23.5	2.80	125.0	0.3611	54.04	62.60	yes	stainless steel	4J
C.235.280.1250.N	23.5	2.80	125.0	0.4150	54.60	63.26	yes	Zn coating	4K
C.235.280.3600.A	23.5	2.80	360.0	0.1390	152.04	177.93	no	music wire	4M
C.235.280.3600.I	23.5	2.80	360.0	0.1209	150.08	175.61	no	stainless steel	4M
C.235.320.0250.A	23.5	3.20	25.0	4.2730	17.60	19.14	yes	music wire	4J
C.235.320.0250.AP	23.5	3.20	25.0	5.6542	15.36	16.68	yes	music wire	4L
C.235.320.0250.I	23.5	3.20	25.0	3.7175	17.60	19.14	yes	stainless steel	4J
C.235.320.0250.N	23.5	3.20	25.0	4.2730	17.60	19.14	yes	Zn coating	4L
C.235.320.0320.A	23.5	3.20	32.0	3.1700	20.80	22.85	yes	music wire	4J
C.235.320.0320.AP	23.5	3.20	32.0	4.0640	17.92	20.42	yes	music wire	4L
C.235.320.0320.I	23.5	3.20	32.0	2.7579	20.80	22.85	yes	stainless steel	4J
C.235.320.0320.N	23.5	3.20	32.0	3.1700	20.80	22.85	yes	Zn coating	4L
C.235.320.0400.A	23.5	3.20	40.0	2.4570	24.64	27.31	yes	music wire	4J
C.235.320.0400.AP	23.5	3.20	40.0	3.0964	21.12	24.81	yes	music wire	4L
C.235.320.0400.I	23.5	3.20	40.0	2.1376	24.32	26.94	yes	stainless steel	4J
C.235.320.0400.N	23.5	3.20	40.0	2.4570	24.64	27.31	yes	Zn coating	4L
C.235.320.0500.A	23.5	3.20	50.0	1.8900	29.76	33.25	yes	music wire	4J
C.235.320.0500.AP	23.5	3.20	50.0	2.4083	24.96	30.47	yes	music wire	4M
C.235.320.0500.I	23.5	3.20	50.0	1.6443	29.44	32.88	yes	stainless steel	4J
C.235.320.0500.N	23.5	3.20	50.0	1.8900	29.76	33.25	yes	Zn coating	4L
C.235.320.0630.A	23.5	3.20	63.0	1.4450	36.16	40.68	yes	music wire	4J
C.235.320.0630.AP	23.5	3.20	63.0	1.8847	29.76	38.04	yes	music wire	4M
C.235.320.0630.I	23.5	3.20	63.0	1.2572	35.84	40.30	yes	stainless steel	4J
C.235.320.0630.N	23.5	3.20	63.0	1.4450	36.16	40.68	yes	Zn coating	4L
C.235.320.0800.A	23.5	3.20	80.0	1.1170	44.48	50.33	yes	music wire	4J
C.235.320.0800.AP	23.5	3.20	80.0	1.4450	36.16	47.44	yes	music wire	4M
C.235.320.0800.I	23.5	3.20	80.0	0.9718	44.16	49.96	yes	stainless steel	4J
C.235.320.0800.N	23.5	3.20	80.0	1.1170	44.48	50.33	yes	Zn coating	4L
C.235.320.1000.A	23.5	3.20	100.0	0.8770	54.72	62.21	yes	music wire	4J
C.235.320.1000.AP	23.5	3.20	100.0	1.1408	43.84	58.76	yes	music wire	4M
C.235.320.1000.I	23.5	3.20	100.0	0.7630	54.08	61.47	yes	stainless steel	4J
C.235.320.1000.N	23.5	3.20	100.0	0.8770	54.72	62.21	yes	Zn coating	4M
C.235.320.1250.A	23.5	3.20	125.0	0.6970	66.56	75.95	yes	music wire	4K
C.235.320.1250.AP	23.5	3.20	125.0	0.9031	53.12	72.91	yes	music wire	4M
C.235.320.1250.I	23.5	3.20	125.0	0.6064	65.92	75.21	yes	stainless steel	4K

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.235.320.1250.N	23.5	3.20	125.0	0.6970	66.56	75.95	yes	Zn coating	4M
C.235.320.3600.A	23.5	3.20	360.0	0.2320	187.20	215.42	no	music wire	4N
C.235.320.3600.I	23.5	3.20	360.0	0.2018	184.96	212.82	no	stainless steel	4N
C.235.350.0427.A	23.5	3.50	42.7	2.8860	31.85	35.29	yes	music wire	4J
C.235.350.0427.AP	23.5	3.50	42.7	4.1407	24.85	28.21	yes	music wire	4L
C.235.350.0427.I	23.5	3.50	42.7	2.5108	31.50	34.89	yes	stainless steel	4J
C.235.350.0427.N	23.5	3.50	42.7	2.8860	31.85	35.29	yes	Zn coating	4L
C.235.360.0250.A	23.5	3.60	25.0	7.5950	19.44	20.96	yes	music wire	4M
C.235.360.0250.AP	23.5	3.60	25.0	9.2136	17.64	18.90	yes	music wire	4O
C.235.360.0250.I	23.5	3.60	25.0	6.6077	19.08	20.55	yes	stainless steel	4M
C.235.360.0250.N	23.5	3.60	25.0	7.5950	19.44	20.96	yes	Zn coating	4N
C.235.360.0320.A	23.5	3.60	32.0	5.5700	23.04	25.09	yes	music wire	4M
C.235.360.0320.I	23.5	3.60	32.0	4.8459	22.68	24.68	yes	stainless steel	4M
C.235.360.0320.N	23.5	3.60	32.0	5.5700	23.04	25.09	yes	Zn coating	4N
C.235.360.0400.A	23.5	3.60	40.0	4.1770	27.72	30.45	yes	music wire	4M
C.235.360.0400.I	23.5	3.60	40.0	3.6340	27.36	30.04	yes	stainless steel	4M
C.235.360.0400.N	23.5	3.60	40.0	4.1770	27.72	30.45	yes	Zn coating	4N
C.235.360.0500.A	23.5	3.60	50.0	3.2130	33.48	37.05	yes	music wire	4M
C.235.360.0500.I	23.5	3.60	50.0	2.7953	33.12	36.64	yes	stainless steel	4M
C.235.360.0500.N	23.5	3.60	50.0	3.2130	33.48	37.05	yes	Zn coating	4N
C.235.360.0630.A	23.5	3.60	63.0	2.4570	40.68	45.30	yes	music wire	4M
C.235.360.0630.AP	23.5	3.60	63.0	3.0291	34.92	41.63	yes	music wire	4O
C.235.360.0630.I	23.5	3.60	63.0	2.1376	40.32	44.89	yes	stainless steel	4M
C.235.360.0630.N	23.5	3.60	63.0	2.4570	40.68	45.30	yes	Zn coating	4N
C.235.360.0800.A	23.5	3.60	80.0	1.9000	50.04	56.02	yes	music wire	4M
C.235.360.0800.I	23.5	3.60	80.0	1.6521	49.68	55.61	yes	stainless steel	4M
C.235.360.0800.N	23.5	3.60	80.0	1.9000	50.04	56.02	yes	Zn coating	4N
C.235.360.1000.A	23.5	3.60	100.0	1.4790	61.92	69.64	yes	music wire	4M
C.235.360.1000.AP	23.5	3.60	100.0	1.8125	52.20	64.29	yes	music wire	4O
C.235.360.1000.I	23.5	3.60	100.0	1.2867	61.20	68.81	yes	stainless steel	4M
C.235.360.1000.N	23.5	3.60	100.0	1.4790	61.92	69.64	yes	Zn coating	4O
C.235.360.1250.A	23.5	3.60	125.0	1.1690	75.96	85.73	yes	music wire	4M
C.235.360.1250.AP	23.5	3.60	125.0	1.4359	63.36	79.92	yes	music wire	4P
C.235.360.1250.I	23.5	3.60	125.0	1.0170	74.88	84.49	yes	stainless steel	4M
C.235.360.1250.N	23.5	3.60	125.0	1.1690	75.96	85.73	yes	Zn coating	4O
C.235.360.3600.A	23.5	3.60	360.0	0.3880	214.20	243.60	no	music wire	4O
C.235.360.3600.I	23.5	3.60	360.0	0.3376	211.32	240.30	no	stainless steel	4O
C.235.380.0640.S	23.5	3.80	64.0	3.5727	39.14	43.30	yes	Cr-Si steel	4R
C.235.380.0760.S	23.5	3.80	76.0	2.9068	45.98	51.10	yes	Cr-Si steel	4R
C.235.400.0250.A	23.5	4.00	25.0	12.8890	20.80	22.27	yes	music wire	4P
C.235.400.0250.I	23.5	4.00	25.0	11.2134	20.80	22.27	yes	stainless steel	4P
C.235.400.0250.N	23.5	4.00	25.0	12.8890	20.80	22.27	yes	Zn coating	4R
C.235.400.0320.A	23.5	4.00	32.0	9.0230	25.60	27.72	yes	music wire	4P
C.235.400.0320.AP	23.5	4.00	32.0	10.5353	23.20	24.99	yes	music wire	4R
C.235.400.0320.I	23.5	4.00	32.0	7.8500	25.20	27.26	yes	stainless steel	4P
C.235.400.0320.N	23.5	4.00	32.0	9.0230	25.60	27.72	yes	Zn coating	4R
C.235.400.0400.A	23.5	4.00	40.0	6.9400	30.40	33.17	yes	music wire	4P
C.235.400.0400.I	23.5	4.00	40.0	6.0378	30.00	32.71	yes	stainless steel	4P
C.235.400.0400.N	23.5	4.00	40.0	6.9400	30.40	33.17	yes	Zn coating	4R
C.235.400.0500.A	23.5	4.00	50.0	5.3070	36.40	39.98	yes	music wire	4P
C.235.400.0500.I	23.5	4.00	50.0	4.6171	36.00	39.53	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.235.400.0500.N	23.5	4.00	50.0	5.3070	36.40	39.98	yes	Zn coating	4R
C.235.400.0630.A	23.5	4.00	63.0	4.0400	44.80	49.52	yes	music wire	4P
C.235.400.0630.I	23.5	4.00	63.0	3.5148	44.40	49.07	yes	stainless steel	4P
C.235.400.0630.N	23.5	4.00	63.0	4.0400	44.80	49.52	yes	Zn coating	4R
C.235.400.0800.A	23.5	4.00	80.0	3.0760	55.60	61.79	yes	music wire	4P
C.235.400.0800.I	23.5	4.00	80.0	2.6761	55.20	61.33	yes	stainless steel	4P
C.235.400.0800.N	23.5	4.00	80.0	3.0760	55.60	61.79	yes	Zn coating	4R
C.235.400.1000.A	23.5	4.00	100.0	2.4170	68.40	76.32	yes	music wire	4P
C.235.400.1000.I	23.5	4.00	100.0	2.1000	67.60	75.41	yes	stainless steel	4P
C.235.400.1000.N	23.5	4.00	100.0	2.4170	68.40	76.32	yes	Zn coating	4R
C.235.400.1250.A	23.5	4.00	125.0	1.9060	84.00	94.04	yes	music wire	4P
C.235.400.1250.I	23.5	4.00	125.0	1.6582	82.80	92.68	yes	stainless steel	4P
C.235.400.1250.N	23.5	4.00	125.0	1.9060	84.00	94.04	yes	Zn coating	4R
C.235.400.1800.A	23.5	4.00	180.0	1.6060	97.60	126.52	yes	music wire	5A
C.235.400.1800.I	23.5	4.00	180.0	1.4000	96.40	124.74	yes	stainless steel	5A
C.235.400.1800.N	23.5	4.00	180.0	1.6060	97.60	126.52	yes	Zn coating	5B
C.235.400.3600.A	23.5	4.00	360.0	0.6280	238.00	268.39	no	music wire	4R
C.235.400.3600.I	23.5	4.00	360.0	0.5464	235.20	265.21	no	stainless steel	4R
C.236.160.0275.A	23.6	1.60	27.5	0.1254	12.00	15.07	yes	music wire	4F
C.236.160.0275.I	23.6	1.60	27.5	0.1077	12.00	15.07	yes	stainless steel	4F
C.236.160.0275.N	23.6	1.60	27.5	0.1254	12.00	15.07	yes	Zn coating	4H
C.236.300.0960.A	23.6	3.00	96.0	0.4750	67.20	77.39	yes	music wire	4I
C.236.300.0960.AP	23.6	3.00	96.0	0.9244	38.10	53.49	yes	music wire	4L
C.236.300.0960.I	23.6	3.00	96.0	0.4133	66.30	76.34	yes	stainless steel	4J
C.236.300.0960.N	23.6	3.00	96.0	0.4750	67.20	77.39	yes	Zn coating	4J
C.237.360.0320.S	23.7	3.60	32.0	6.4099	20.88	22.62	yes	Cr-Si steel	4Q
C.237.470.0640.S	23.7	4.70	64.0	10.3327	44.65	51.36	yes	Cr-Si steel	5D
C.237.470.0760.S	23.7	4.70	76.0	8.4066	52.17	60.47	yes	Cr-Si steel	5D
C.237.470.0890.S	23.7	4.70	89.0	7.0051	60.16	70.36	yes	Cr-Si steel	5D
C.237.470.1020.S	23.7	4.70	102.0	6.0421	68.15	80.39	yes	Cr-Si steel	5D
C.237.470.1150.S	23.7	4.70	115.0	5.3419	75.67	90.55	yes	Cr-Si steel	5D
C.238.130.0420.A	23.8	1.30	42.0	0.0759	7.67	10.10	yes	music wire	4E
C.238.130.0420.I	23.8	1.30	42.0	0.0660	7.54	9.90	yes	stainless steel	4E
C.238.160.0350.A	23.8	1.60	35.0	0.1800	9.44	11.55	yes	music wire	4F
C.238.160.0350.I	23.8	1.60	35.0	0.1566	9.28	11.33	yes	stainless steel	4G
C.238.160.1110.A	23.8	1.60	111.0	0.0368	30.56	40.89	yes	music wire	4H
C.238.160.1110.I	23.8	1.60	111.0	0.0320	30.24	40.44	yes	stainless steel	4I
C.238.180.0450.A	23.8	1.80	45.0	0.2644	11.34	13.56	yes	music wire	4G
C.238.180.0450.I	23.8	1.80	45.0	0.2300	11.34	13.56	yes	stainless steel	4H
C.238.200.0520.A	23.8	2.00	52.0	0.2800	16.20	19.32	yes	music wire	4H
C.238.200.0520.AP	23.8	2.00	52.0	0.4291	12.40	22.35	yes	music wire	4I
C.238.200.0520.I	23.8	2.00	52.0	0.2436	16.00	19.06	yes	stainless steel	4H
C.238.220.0350.A	23.8	2.20	35.0	0.5287	15.40	17.82	yes	music wire	4G
C.238.220.0350.AP	23.8	2.20	35.0	0.9209	11.22	16.99	yes	music wire	4I
C.238.220.0350.I	23.8	2.20	35.0	0.4600	15.18	17.55	yes	stainless steel	4H
C.238.230.0198.A	23.8	2.30	19.8	0.9195	12.88	14.53	yes	music wire	4G
C.238.230.0198.AP	23.8	2.30	19.8	2.0735	8.97	10.75	yes	music wire	4I
C.238.230.0198.I	23.8	2.30	19.8	0.8000	12.88	14.53	yes	stainless steel	4G
C.238.240.0830.A	23.8	2.40	83.0	0.3908	27.12	31.75	yes	music wire	4J
C.238.240.0830.I	23.8	2.40	83.0	0.3400	26.88	31.46	yes	stainless steel	4J
C.238.270.0450.A	23.8	2.70	45.0	1.0805	21.06	23.80	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.238.270.0450.I	23.8	2.70	45.0	0.9400	21.06	23.80	yes	stainless steel	4I
C.238.300.0520.A	23.8	3.00	52.0	1.4943	25.80	28.95	yes	music wire	4I
C.238.300.0520.I	23.8	3.00	52.0	1.3000	25.80	28.95	yes	stainless steel	4I
C.238.310.0240.A	23.8	3.10	24.0	5.2874	13.95	15.93	yes	music wire	4J
C.238.310.0240.I	23.8	3.10	24.0	4.6000	13.95	15.73	yes	stainless steel	4J
C.238.330.0191.A	23.8	3.30	19.1	9.0805	13.20	13.98	yes	music wire	4L
C.238.330.0191.I	23.8	3.30	19.1	7.9000	13.20	13.98	yes	stainless steel	4L
C.238.340.1150.S	23.8	3.40	115.0	1.2259	53.04	70.27	yes	Cr-Si steel	4P
C.238.340.1400.S	23.8	3.40	140.0	0.9630	65.28	83.07	yes	Cr-Si steel	4P
C.238.340.1520.S	23.8	3.40	152.0	0.8758	70.72	89.39	yes	Cr-Si steel	4P
C.238.380.0450.S	23.8	3.80	45.0	5.1144	29.26	32.06	yes	Cr-Si steel	4R
C.238.380.0500.S	23.8	3.80	50.0	4.3955	32.30	35.53	yes	Cr-Si steel	4R
C.238.380.1330.A	23.8	3.80	133.0	1.1149	99.94	112.74	yes	music wire	4M
C.238.380.1330.AP	23.8	3.80	133.0	1.6389	71.06	87.83	yes	music wire	4P
C.238.380.1330.I	23.8	3.80	133.0	0.9700	98.80	111.44	yes	stainless steel	4N
C.238.400.0350.A	23.8	4.00	35.0	9.4230	24.40	26.37	yes	music wire	4R
C.238.400.0350.I	23.8	4.00	35.0	8.1980	24.00	25.91	yes	stainless steel	4R
C.238.400.0350.N	23.8	4.00	35.0	9.4230	24.40	26.37	yes	Zn coating	4S
C.238.400.0380.A	23.8	4.00	38.0	7.1264	28.80	31.37	yes	music wire	4P
C.238.400.0380.I	23.8	4.00	38.0	6.2000	28.80	31.37	yes	stainless steel	4P
C.238.420.1150.S	23.8	4.20	115.0	2.6616	76.86	85.66	yes	Cr-Si steel	5A
C.238.420.1520.S	23.8	4.20	152.0	1.9614	100.80	112.78	yes	Cr-Si steel	5A
C.239.330.0500.S	23.9	3.30	50.0	2.3645	27.39	30.42	yes	Cr-Si steel	4O
C.239.380.0250.S	23.9	3.80	25.0	10.8583	18.62	19.91	yes	Cr-Si steel	4O
C.240.100.0285.A	24.0	1.00	28.5	0.0239	7.00	10.13	no	music wire	4D
C.240.100.0285.I	24.0	1.00	28.5	0.0205	7.00	10.13	no	stainless steel	4D
C.240.100.0285.N	24.0	1.00	28.5	0.0239	7.00	10.13	no	Zn coating	4E
C.240.100.0445.A	24.0	1.00	44.5	0.0152	9.00	13.91	no	music wire	4E
C.240.100.0445.I	24.0	1.00	44.5	0.0131	9.00	13.91	no	stainless steel	4E
C.240.100.0445.N	24.0	1.00	44.5	0.0152	9.00	13.91	no	Zn coating	4F
C.240.100.0688.A	24.0	1.00	68.8	0.0099	12.00	19.59	no	music wire	4E
C.240.100.0688.I	24.0	1.00	68.8	0.0085	12.00	19.59	no	stainless steel	4E
C.240.100.0688.N	24.0	1.00	68.8	0.0099	12.00	19.59	no	Zn coating	4G
C.240.100.1010.A	24.0	1.00	101.0	0.0067	16.00	27.17	no	music wire	4F
C.240.100.1010.I	24.0	1.00	101.0	0.0058	15.90	26.98	no	stainless steel	4G
C.240.100.1010.N	24.0	1.00	101.0	0.0067	16.00	27.17	no	Zn coating	4H
C.240.100.1500.A	24.0	1.00	150.0	0.0045	22.10	38.72	no	music wire	4G
C.240.100.1500.I	24.0	1.00	150.0	0.0039	21.90	38.34	no	stainless steel	4H
C.240.100.1500.N	24.0	1.00	150.0	0.0045	22.10	38.72	no	Zn coating	4I
C.240.130.0360.I	24.0	1.30	36.0	0.0971	6.11	7.70	yes	stainless steel	4E
C.240.140.0430.A	24.0	1.40	43.0	0.1211	7.42	9.34	yes	music wire	4F
C.240.140.0430.I	24.0	1.40	43.0	0.1040	7.42	9.34	yes	stainless steel	4G
C.240.140.0609.A	24.0	1.40	60.9	0.0969	8.40	12.88	yes	music wire	4I
C.240.140.0609.I	24.0	1.40	60.9	0.0832	8.40	12.32	yes	stainless steel	4I
C.240.140.0609.N	24.0	1.40	60.9	0.0969	8.40	12.88	yes	Zn coating	4J
C.240.140.0710.A	24.0	1.40	71.0	0.0721	10.08	13.31	yes	music wire	4G
C.240.140.0710.I	24.0	1.40	71.0	0.0620	10.08	13.31	yes	stainless steel	4G
C.240.140.0930.A	24.0	1.40	93.0	0.0616	11.20	17.47	yes	music wire	4I
C.240.140.0930.I	24.0	1.40	93.0	0.0529	11.20	16.60	yes	stainless steel	4J
C.240.140.0930.N	24.0	1.40	93.0	0.0616	11.20	17.47	yes	Zn coating	4J
C.240.140.1570.A	24.0	1.40	157.0	0.0357	16.80	26.67	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.240.140.1570.I	24.0	1.40	157.0	0.0307	16.80	25.36	yes	stainless steel	4J
C.240.140.1570.N	24.0	1.40	157.0	0.0357	16.80	26.67	yes	Zn coating	4L
C.240.140.2530.A	24.0	1.40	253.0	0.0219	25.20	40.54	yes	music wire	4L
C.240.140.2530.I	24.0	1.40	253.0	0.0188	25.20	38.03	yes	stainless steel	4L
C.240.140.2530.N	24.0	1.40	253.0	0.0219	25.20	40.54	yes	Zn coating	4N
C.240.150.0280.A	24.0	1.50	28.0	0.2383	6.60	7.85	yes	music wire	4F
C.240.150.0280.I	24.0	1.50	28.0	0.2047	6.60	7.85	yes	stainless steel	4F
C.240.150.0400.A	24.0	1.50	40.0	0.1617	7.95	9.79	yes	music wire	4F
C.240.150.0400.I	24.0	1.50	40.0	0.1389	7.95	9.79	yes	stainless steel	4G
C.240.150.0720.A	24.0	1.50	72.0	0.0871	11.55	14.96	yes	music wire	4G
C.240.150.0720.I	24.0	1.50	72.0	0.0748	11.55	14.96	yes	stainless steel	4G
C.240.150.1150.A	24.0	1.50	115.0	0.0539	16.35	21.86	yes	music wire	4H
C.240.150.1150.I	24.0	1.50	115.0	0.0463	16.35	21.86	yes	stainless steel	4I
C.240.150.1500.A	24.0	1.50	150.0	0.0412	20.25	27.47	yes	music wire	4I
C.240.150.1500.I	24.0	1.50	150.0	0.0354	20.25	27.47	yes	stainless steel	4I
C.240.150.1900.A	24.0	1.50	190.0	0.0326	24.60	33.72	yes	music wire	4I
C.240.150.1900.I	24.0	1.50	190.0	0.0280	24.60	33.72	yes	stainless steel	4I
C.240.160.0950.A	24.0	1.60	95.0	0.0803	15.84	20.50	yes	music wire	4H
C.240.160.0950.I	24.0	1.60	95.0	0.0689	15.84	20.50	yes	stainless steel	4H
C.240.160.1350.A	24.0	1.60	135.0	0.0560	20.96	27.64	yes	music wire	4I
C.240.160.1350.I	24.0	1.60	135.0	0.0481	20.96	27.64	yes	stainless steel	4I
C.240.160.1600.A	24.0	1.60	160.0	0.0471	24.16	32.10	yes	music wire	4I
C.240.160.1600.I	24.0	1.60	160.0	0.0405	24.16	32.10	yes	stainless steel	4I
C.240.160.1900.A	24.0	1.60	190.0	0.0396	28.00	37.46	yes	music wire	4I
C.240.160.1900.I	24.0	1.60	190.0	0.0340	28.00	37.46	yes	stainless steel	4I
C.240.170.0880.A	24.0	1.70	88.0	0.1051	16.66	21.10	yes	music wire	4G
C.240.170.0880.I	24.0	1.70	88.0	0.0903	16.66	21.10	yes	stainless steel	4H
C.240.170.1300.A	24.0	1.70	130.0	0.0704	22.78	29.42	yes	music wire	4I
C.240.170.1300.I	24.0	1.70	130.0	0.0605	22.78	29.42	yes	stainless steel	4I
C.240.170.1900.A	24.0	1.70	190.0	0.0480	31.45	41.19	yes	music wire	4I
C.240.170.1900.I	24.0	1.70	190.0	0.0412	31.45	41.19	yes	stainless steel	4I
C.240.175.1150.A	24.0	1.75	115.0	0.0876	21.70	27.63	yes	music wire	4I
C.240.175.1150.I	24.0	1.75	115.0	0.0753	21.70	27.63	yes	stainless steel	4I
C.240.175.1650.A	24.0	1.75	165.0	0.0607	29.40	37.97	yes	music wire	4I
C.240.175.1650.I	24.0	1.75	165.0	0.0521	29.40	37.97	yes	stainless steel	4I
C.240.180.0418.A	24.0	1.80	41.8	0.2130	12.78	15.50	yes	music wire	4G
C.240.180.0418.I	24.0	1.80	41.8	0.1853	12.60	15.26	yes	stainless steel	4G
C.240.180.0418.N	24.0	1.80	41.8	0.2130	12.78	15.50	yes	Zn coating	4I
C.240.180.0481.A	24.0	1.80	48.1	0.2130	12.78	15.50	yes	music wire	4G
C.240.180.0481.I	24.0	1.80	48.1	0.1853	12.60	15.26	yes	stainless steel	4H
C.240.180.0481.N	24.0	1.80	48.1	0.2130	12.78	15.50	yes	Zn coating	4I
C.240.180.0880.A	24.0	1.80	88.0	0.1269	18.36	22.91	yes	music wire	4I
C.240.180.0880.I	24.0	1.80	88.0	0.1090	18.36	22.91	yes	stainless steel	4I
C.240.180.1400.A	24.0	1.80	140.0	0.0788	26.82	34.14	yes	music wire	4I
C.240.180.1400.I	24.0	1.80	140.0	0.0677	26.82	34.14	yes	stainless steel	4I
C.240.200.0260.A	24.0	2.00	26.0	0.4290	12.20	14.23	yes	music wire	4G
C.240.200.0260.AP	24.0	2.00	26.0	0.9088	8.40	12.11	yes	music wire	4I
C.240.200.0260.I	24.0	2.00	26.0	0.3732	12.00	13.97	yes	stainless steel	4G
C.240.200.0260.N	24.0	2.00	26.0	0.4290	12.20	14.23	yes	Zn coating	4I
C.240.200.1100.A	24.0	2.00	110.0	0.1417	26.60	32.68	yes	music wire	4I
C.240.200.1100.I	24.0	2.00	110.0	0.1217	26.60	32.68	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.240.210.0280.A	24.0	2.10	28.0	0.7255	10.71	12.15	yes	music wire	4G
C.240.210.0280.I	24.0	2.10	28.0	0.6231	10.71	12.15	yes	stainless steel	4G
C.240.210.0410.A	24.0	2.10	41.0	0.4716	13.65	15.86	yes	music wire	4G
C.240.210.0410.I	24.0	2.10	41.0	0.4050	13.65	15.86	yes	stainless steel	4H
C.240.220.0392.A	24.0	2.20	39.2	0.6581	13.20	15.10	yes	music wire	4I
C.240.220.0392.I	24.0	2.20	39.2	0.5652	13.20	15.10	yes	stainless steel	4J
C.240.220.0392.N	24.0	2.20	39.2	0.6581	13.20	15.10	yes	Zn coating	4J
C.240.220.0591.A	24.0	2.20	59.1	0.4188	17.60	20.59	yes	music wire	4J
C.240.220.0591.I	24.0	2.20	59.1	0.3597	17.60	20.59	yes	stainless steel	4J
C.240.220.0591.N	24.0	2.20	59.1	0.4188	17.60	20.59	yes	Zn coating	4K
C.240.220.0989.A	24.0	2.20	98.9	0.2425	26.40	31.57	yes	music wire	4J
C.240.220.0989.I	24.0	2.20	98.9	0.2083	26.40	31.57	yes	stainless steel	4J
C.240.220.0989.N	24.0	2.20	98.9	0.2425	26.40	31.57	yes	Zn coating	4L
C.240.220.1590.A	24.0	2.20	159.0	0.1486	39.60	48.30	yes	music wire	4L
C.240.220.1590.I	24.0	2.20	159.0	0.1276	39.60	48.03	yes	stainless steel	4L
C.240.220.1590.N	24.0	2.20	159.0	0.1486	39.60	48.30	yes	Zn coating	4M
C.240.225.0300.A	24.0	2.25	30.0	0.8750	12.15	13.72	yes	music wire	4G
C.240.225.0300.I	24.0	2.25	30.0	0.7516	12.15	13.72	yes	stainless steel	4G
C.240.225.0550.A	24.0	2.25	55.0	0.4375	18.68	21.81	yes	music wire	4H
C.240.225.0550.I	24.0	2.25	55.0	0.3758	18.68	21.81	yes	stainless steel	4I
C.240.225.0700.A	24.0	2.25	70.0	0.3383	22.50	26.55	yes	music wire	4I
C.240.225.0700.I	24.0	2.25	70.0	0.2906	22.50	26.55	yes	stainless steel	4I
C.240.225.0890.A	24.0	2.25	89.0	0.2643	27.23	32.42	yes	music wire	4I
C.240.225.0890.I	24.0	2.25	89.0	0.2270	27.23	32.42	yes	stainless steel	4I
C.240.225.1100.A	24.0	2.25	110.0	0.2115	32.63	39.11	yes	music wire	4I
C.240.225.1100.I	24.0	2.25	110.0	0.1816	32.63	39.11	yes	stainless steel	4I
C.240.225.1400.A	24.0	2.25	140.0	0.1659	40.05	48.32	yes	music wire	4I
C.240.225.1400.I	24.0	2.25	140.0	0.1425	40.05	48.32	yes	stainless steel	4I
C.240.225.1800.A	24.0	2.25	180.0	0.1275	50.40	61.15	yes	music wire	4I
C.240.225.1800.I	24.0	2.25	180.0	0.1095	50.40	61.15	yes	stainless steel	4J
C.240.230.0280.A	24.0	2.30	28.0	0.9964	12.19	13.69	yes	music wire	4G
C.240.230.0280.I	24.0	2.30	28.0	0.8558	12.19	13.69	yes	stainless steel	4G
C.240.230.0450.A	24.0	2.30	45.0	0.5936	16.56	19.08	yes	music wire	4H
C.240.230.0450.I	24.0	2.30	45.0	0.5098	16.56	19.08	yes	stainless steel	4H
C.240.230.0870.A	24.0	2.30	87.0	0.2937	27.60	32.70	yes	music wire	4I
C.240.230.0870.I	24.0	2.30	87.0	0.2522	27.60	32.70	yes	stainless steel	4I
C.240.240.0444.A	24.0	2.40	44.4	0.6211	18.96	21.83	yes	music wire	4G
C.240.240.0444.I	24.0	2.40	44.4	0.5335	18.96	21.83	yes	stainless steel	4H
C.240.240.0457.A	24.0	2.40	45.7	0.6098	19.20	22.12	yes	music wire	4H
C.240.240.0457.I	24.0	2.40	45.7	0.5238	19.20	22.12	yes	stainless steel	4H
C.240.240.0559.A	24.0	2.40	55.9	0.4861	22.56	26.23	yes	music wire	4H
C.240.240.0559.I	24.0	2.40	55.9	0.4175	22.56	26.23	yes	stainless steel	4I
C.240.240.0572.A	24.0	2.40	57.2	0.4724	23.04	26.81	yes	music wire	4H
C.240.240.0572.I	24.0	2.40	57.2	0.4057	23.04	26.81	yes	stainless steel	4I
C.240.240.0698.A	24.0	2.40	69.8	0.3811	27.12	31.80	yes	music wire	4I
C.240.240.0698.I	24.0	2.40	69.8	0.3273	27.12	31.80	yes	stainless steel	4I
C.240.250.0200.A	24.0	2.50	20.0	2.0000	11.25	12.30	yes	music wire	4G
C.240.250.0200.I	24.0	2.50	20.0	1.7400	11.25	12.30	yes	stainless steel	4G
C.240.250.0200.N	24.0	2.50	20.0	2.0000	11.25	12.30	yes	Zn coating	4I
C.240.250.0250.A	24.0	2.50	25.0	1.5556	12.75	14.12	yes	music wire	4E
C.240.250.0320.A	24.0	2.50	32.0	1.2500	14.25	15.94	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.240.250.0400.A	24.0	2.50	40.0	1.0000	16.25	18.36	yes	music wire	4E
C.240.250.0500.A	24.0	2.50	50.0	0.7778	19.00	21.69	yes	music wire	4F
C.240.250.0590.A	24.0	2.50	59.0	0.4370	29.25	34.10	yes	music wire	4I
C.240.250.0590.AP	24.0	2.50	59.0	0.7807	19.00	28.98	yes	music wire	4J
C.240.250.0590.I	24.0	2.50	59.0	0.3802	28.75	33.50	yes	stainless steel	4I
C.240.250.0590.N	24.0	2.50	59.0	0.4370	29.25	34.10	yes	Zn coating	4I
C.240.250.0630.A	24.0	2.50	63.0	0.6429	21.75	26.55	yes	music wire	4J
C.240.250.0630.I	24.0	2.50	63.0	0.5593	21.50	25.93	yes	stainless steel	4J
C.240.250.0630.N	24.0	2.50	63.0	0.6429	21.75	26.55	yes	Zn coating	4L
C.240.250.0800.A	24.0	2.50	80.0	0.5000	26.25	33.13	yes	music wire	4J
C.240.250.0800.I	24.0	2.50	80.0	0.4350	26.00	32.33	yes	stainless steel	4J
C.240.250.0800.N	24.0	2.50	80.0	0.5000	26.25	33.13	yes	Zn coating	4L
C.240.250.0850.A	24.0	2.50	85.0	0.5339	25.00	41.11	yes	music wire	4J
C.240.250.0850.I	24.0	2.50	85.0	0.4586	25.00	39.78	yes	stainless steel	4J
C.240.250.0850.N	24.0	2.50	85.0	0.5339	25.00	41.11	yes	Zn coating	4L
C.240.250.1000.A	24.0	2.50	100.0	0.4000	31.25	41.41	yes	music wire	4J
C.240.250.1000.I	24.0	2.50	100.0	0.3480	31.00	40.41	yes	stainless steel	4J
C.240.250.1000.N	24.0	2.50	100.0	0.4000	31.25	41.41	yes	Zn coating	4L
C.240.250.1250.A	24.0	2.50	125.0	0.3214	37.50	52.08	yes	music wire	4J
C.240.250.1250.I	24.0	2.50	125.0	0.2796	37.00	50.84	yes	stainless steel	4K
C.240.250.1250.N	24.0	2.50	125.0	0.3214	37.50	52.08	yes	Zn coating	4M
C.240.250.1600.A	24.0	2.50	160.0	0.2571	45.25	68.85	yes	music wire	4L
C.240.250.1600.I	24.0	2.50	160.0	0.2237	44.75	67.29	yes	stainless steel	4L
C.240.250.1600.N	24.0	2.50	160.0	0.2571	45.25	68.85	yes	Zn coating	4M
C.240.250.2000.A	24.0	2.50	200.0	0.2000	56.25	82.82	yes	music wire	4L
C.240.250.2000.I	24.0	2.50	200.0	0.1740	55.75	80.83	yes	stainless steel	4L
C.240.250.2000.N	24.0	2.50	200.0	0.2000	56.25	82.82	yes	Zn coating	4N
C.240.250.2500.A	24.0	2.50	250.0	0.1607	68.50	104.17	yes	music wire	4M
C.240.250.2500.I	24.0	2.50	250.0	0.1398	67.75	101.68	yes	stainless steel	4M
C.240.250.2500.N	24.0	2.50	250.0	0.1607	68.50	104.17	yes	Zn coating	4N
C.240.250.3200.A	24.0	2.50	320.0	0.1286	84.00	137.76	yes	music wire	4N
C.240.250.3200.I	24.0	2.50	320.0	0.1119	83.00	134.66	yes	stainless steel	4N
C.240.250.3200.N	24.0	2.50	320.0	0.1286	84.00	137.76	yes	Zn coating	4O
C.240.260.0600.A	24.0	2.60	60.0	0.6786	24.70	28.37	yes	music wire	4I
C.240.260.0600.I	24.0	2.60	60.0	0.5829	24.70	28.37	yes	stainless steel	4I
C.240.260.0760.A	24.0	2.60	76.0	0.5220	30.16	34.93	yes	music wire	4I
C.240.260.0760.I	24.0	2.60	76.0	0.4484	30.16	34.93	yes	stainless steel	4I
C.240.260.1250.A	24.0	2.60	125.0	0.3105	46.28	54.30	yes	music wire	4I
C.240.260.1250.I	24.0	2.60	125.0	0.2667	46.28	54.30	yes	stainless steel	4I
C.240.270.1400.A	24.0	2.70	140.0	0.3183	54.27	63.46	yes	music wire	4I
C.240.270.1400.I	24.0	2.70	140.0	0.2734	54.27	63.46	yes	stainless steel	4I
C.240.280.1900.A	24.0	2.80	190.0	0.2661	76.16	89.02	yes	music wire	4J
C.240.280.1900.I	24.0	2.80	190.0	0.2285	76.16	89.02	yes	stainless steel	4J
C.240.290.0280.A	24.0	2.90	28.0	2.4743	16.24	17.85	yes	music wire	4I
C.240.290.0280.I	24.0	2.90	28.0	2.1252	16.24	17.85	yes	stainless steel	4I
C.240.300.0270.A	24.0	3.00	27.0	3.4990	15.00	16.30	yes	music wire	4J
C.240.300.0270.I	24.0	3.00	27.0	3.0441	15.00	16.30	yes	stainless steel	4J
C.240.300.0270.N	24.0	3.00	27.0	3.4990	15.00	16.30	yes	Zn coating	4L
C.240.300.0660.A	24.0	3.00	66.0	1.5900	24.30	41.67	yes	music wire	4M
C.240.300.0660.I	24.0	3.00	66.0	1.3833	24.00	41.09	yes	stainless steel	4M
C.240.300.0660.N	24.0	3.00	66.0	1.5900	24.30	41.67	yes	Zn coating	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.240.310.0660.A	24.0	3.10	66.0	1.1983	34.41	38.89	yes	music wire	4I
C.240.310.0660.I	24.0	3.10	66.0	1.0292	34.41	38.89	yes	stainless steel	4I
C.240.310.0820.A	24.0	3.10	82.0	0.9455	41.54	47.22	yes	music wire	4I
C.240.310.0820.I	24.0	3.10	82.0	0.8121	41.54	47.22	yes	stainless steel	4I
C.240.310.1100.A	24.0	3.10	110.0	0.6963	53.63	61.35	yes	music wire	4J
C.240.310.1100.I	24.0	3.10	110.0	0.5981	53.63	61.35	yes	stainless steel	4J
C.240.310.1550.A	24.0	3.10	155.0	0.4861	73.47	84.52	yes	music wire	4J
C.240.310.1550.I	24.0	3.10	155.0	0.4175	73.47	84.52	yes	stainless steel	4J
C.240.320.1150.A	24.0	3.20	115.0	0.7513	58.56	66.82	yes	music wire	4K
C.240.320.1150.I	24.0	3.20	115.0	0.6453	58.56	66.82	yes	stainless steel	4K
C.240.320.1750.A	24.0	3.20	175.0	0.4865	86.08	98.84	yes	music wire	4L
C.240.320.1750.I	24.0	3.20	175.0	0.4179	86.08	98.84	yes	stainless steel	4L
C.240.330.0250.A	24.0	3.30	25.0	4.8647	17.49	18.96	yes	music wire	4J
C.240.330.0250.I	24.0	3.30	25.0	4.1783	17.49	18.96	yes	stainless steel	4J
C.240.350.0460.A	24.0	3.50	46.0	2.0930	38.50	43.01	yes	music wire	4J
C.240.350.0460.AP	24.0	3.50	46.0	3.6881	25.55	30.04	yes	music wire	4M
C.240.350.0460.I	24.0	3.50	46.0	1.8209	38.15	42.60	yes	stainless steel	4J
C.240.350.0460.N	24.0	3.50	46.0	2.0930	38.50	43.01	yes	Zn coating	4L
C.240.350.0660.A	24.0	3.50	66.0	1.9938	39.90	44.62	yes	music wire	4J
C.240.350.0660.I	24.0	3.50	66.0	1.7125	39.90	44.62	yes	stainless steel	4J
C.240.350.0960.A	24.0	3.50	96.0	1.3243	55.65	62.75	yes	music wire	4J
C.240.350.0960.I	24.0	3.50	96.0	1.1374	55.65	62.75	yes	stainless steel	4J
C.240.380.1700.A	24.0	3.80	170.0	1.0309	104.50	118.03	yes	music wire	4N
C.240.380.1700.I	24.0	3.80	170.0	0.8854	104.50	118.03	yes	stainless steel	4N
C.240.400.0300.A	24.0	4.00	30.0	9.3143	24.00	25.93	yes	music wire	4P
C.240.400.0300.I	24.0	4.00	30.0	8.0000	24.00	25.93	yes	stainless steel	4P
C.240.400.0335.A	24.0	4.00	33.5	9.3143	24.00	25.93	yes	music wire	4R
C.240.400.0335.I	24.0	4.00	33.5	8.0000	24.00	25.93	yes	stainless steel	4R
C.240.400.0335.N	24.0	4.00	33.5	9.3143	24.00	25.93	yes	Zn coating	4S
C.240.400.0490.A	24.0	4.00	49.0	5.9273	32.00	35.02	yes	music wire	4R
C.240.400.0490.I	24.0	4.00	49.0	5.0909	32.00	35.02	yes	stainless steel	4R
C.240.400.0490.N	24.0	4.00	49.0	5.9273	32.00	35.02	yes	Zn coating	4S
C.240.400.0650.A	24.0	4.00	65.0	3.7863	44.40	49.13	yes	music wire	4P
C.240.400.0650.I	24.0	4.00	65.0	3.2941	44.00	48.67	yes	stainless steel	4P
C.240.400.0720.A	24.0	4.00	72.0	3.8353	44.00	50.02	yes	music wire	4R
C.240.400.0720.I	24.0	4.00	72.0	3.2941	44.00	48.94	yes	stainless steel	4R
C.240.400.0720.N	24.0	4.00	72.0	3.8353	44.00	50.02	yes	Zn coating	4T
C.240.400.1050.A	24.0	4.00	105.0	2.6080	60.00	72.67	yes	music wire	4R
C.240.400.1050.I	24.0	4.00	105.0	2.2400	60.00	71.09	yes	stainless steel	4S
C.240.400.1050.N	24.0	4.00	105.0	2.6080	60.00	72.67	yes	Zn coating	4T
C.240.400.1500.A	24.0	4.00	150.0	1.7622	84.00	102.15	yes	music wire	4S
C.240.400.1500.AF	24.0	4.00	150.0	1.4489	100.00	112.38	yes	music wire	4Q
C.240.400.1500.AP	24.0	4.00	150.0	1.7566	84.00	102.00	yes	music wire	4S
C.240.400.1500.I	24.0	4.00	150.0	1.5135	84.00	99.82	yes	stainless steel	4S
C.240.400.1500.IF	24.0	4.00	150.0	1.2445	100.00	112.38	yes	stainless steel	4Q
C.240.400.1500.N	24.0	4.00	150.0	1.7622	84.00	102.15	yes	Zn coating	4T
C.240.400.1500.NF	24.0	4.00	150.0	1.4489	100.00	112.38	yes	Zn coating	4R
C.240.420.0290.A	24.0	4.20	29.0	12.3753	24.36	26.21	yes	music wire	4P
C.240.420.0290.I	24.0	4.20	29.0	10.6291	24.36	26.21	yes	stainless steel	4P
C.240.420.0340.A	24.0	4.20	34.0	9.9606	27.72	30.02	yes	music wire	4P
C.240.420.0340.I	24.0	4.20	34.0	8.5551	27.72	30.02	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.240.420.0450.S	24.0	4.20	45.0	7.7063	32.76	35.73	yes	Cr-Si steel	4R
C.240.420.0640.S	24.0	4.20	64.0	5.0437	44.52	49.06	yes	Cr-Si steel	4T
C.240.420.0760.S	24.0	4.20	76.0	4.0630	52.92	58.58	yes	Cr-Si steel	4R
C.240.450.0250.A	24.0	4.50	25.0	25.0524	21.15	22.42	yes	music wire	4N
C.240.450.0320.A	24.0	4.50	32.0	15.1250	27.90	30.03	yes	music wire	4N
C.240.450.0320.S	24.0	4.50	32.0	12.8571	31.05	31.05	yes	Cr-Si steel	4S
C.240.450.0400.A	24.0	4.50	40.0	11.0000	34.20	37.14	yes	music wire	4N
C.240.450.0400.S	24.0	4.50	40.0	10.0000	36.45	39.68	yes	Cr-Si steel	4S
C.240.450.0500.A	24.0	4.50	50.0	7.7778	43.65	47.80	yes	music wire	4N
C.240.450.0500.S	24.0	4.50	50.0	8.0357	42.75	46.79	yes	Cr-Si steel	4S
C.240.450.0630.A	24.0	4.50	63.0	6.2500	51.75	56.94	yes	music wire	4N
C.240.450.0630.S	24.0	4.50	63.0	6.4286	50.85	55.93	yes	Cr-Si steel	4S
C.240.450.0800.A	24.0	4.50	80.0	5.0000	62.10	68.62	yes	music wire	4N
C.240.450.0800.S	24.0	4.50	80.0	5.0000	62.10	68.62	yes	Cr-Si steel	4S
C.240.450.1000.A	24.0	4.50	100.0	3.8889	76.50	84.86	yes	music wire	4N
C.240.450.1000.S	24.0	4.50	100.0	4.0000	74.70	82.83	yes	Cr-Si steel	4T
C.240.450.1150.A	24.0	4.50	115.0	3.4145	85.50	95.02	yes	music wire	4R
C.240.450.1150.I	24.0	4.50	115.0	2.9327	85.50	95.02	yes	stainless steel	4R
C.240.450.1250.A	24.0	4.50	125.0	3.1111	92.70	103.14	yes	music wire	4O
C.240.450.1250.S	24.0	4.50	125.0	3.2143	90.00	100.09	yes	Cr-Si steel	4T
C.240.450.1600.A	24.0	4.50	160.0	2.5000	112.50	125.48	yes	music wire	4O
C.240.450.1600.S	24.0	4.50	160.0	2.5000	112.50	125.48	yes	Cr-Si steel	5B
C.240.450.2000.A	24.0	4.50	200.0	1.9444	141.75	158.48	yes	music wire	4O
C.240.450.2000.S	24.0	4.50	200.0	2.0000	138.15	154.41	yes	Cr-Si steel	5C
C.240.450.2500.A	24.0	4.50	250.0	1.5556	174.15	195.03	yes	music wire	4P
C.240.450.2500.S	24.0	4.50	250.0	1.6071	169.20	189.44	yes	Cr-Si steel	5C
C.240.470.0300.A	24.0	4.70	30.0	20.9543	27.26	29.20	yes	music wire	4Q
C.240.470.0300.I	24.0	4.70	30.0	17.9976	27.26	29.20	yes	stainless steel	4Q
C.240.470.0340.A	24.0	4.70	34.0	17.7306	30.08	32.38	yes	music wire	4Q
C.240.470.0340.I	24.0	4.70	34.0	15.2287	30.08	32.38	yes	stainless steel	4R
C.240.470.1350.A	24.0	4.70	135.0	3.5461	103.40	114.88	yes	music wire	4R
C.240.470.1350.I	24.0	4.70	135.0	3.0457	103.40	114.88	yes	stainless steel	4R
C.242.100.0250.A	24.2	1.00	25.0	0.0563	4.90	6.17	no	music wire	4D
C.242.100.0250.I	24.2	1.00	25.0	0.0490	4.90	6.17	no	stainless steel	4D
C.242.100.0600.A	24.2	1.00	60.0	0.0255	6.70	9.60	no	music wire	4E
C.242.100.0600.I	24.2	1.00	60.0	0.0219	6.70	9.60	no	stainless steel	4E
C.242.130.0250.A	24.2	1.30	25.0	0.1011	6.37	8.13	yes	music wire	4D
C.242.130.0250.I	24.2	1.30	25.0	0.0880	6.37	8.13	yes	stainless steel	4E
C.242.130.0800.A	24.2	1.30	80.0	0.0425	10.66	14.85	yes	music wire	4E
C.242.130.0800.I	24.2	1.30	80.0	0.0365	10.66	14.85	yes	stainless steel	4F
C.242.170.2400.A	24.2	1.70	240.0	0.0323	43.52	57.77	yes	music wire	4J
C.242.170.2400.I	24.2	1.70	240.0	0.0278	43.52	57.77	yes	stainless steel	4J
C.242.190.0410.A	24.2	1.90	41.0	0.2299	14.63	17.66	yes	music wire	4G
C.242.190.0410.I	24.2	1.90	41.0	0.2000	14.44	17.41	yes	stainless steel	4G
C.242.190.2200.A	24.2	1.90	220.0	0.0507	49.59	63.34	yes	music wire	4J
C.242.190.2200.I	24.2	1.90	220.0	0.0436	49.59	63.34	yes	stainless steel	4J
C.242.200.0200.A	24.2	2.00	20.0	0.7841	8.80	9.88	yes	music wire	4G
C.242.200.0200.I	24.2	2.00	20.0	0.6735	8.80	9.88	yes	stainless steel	4G
C.242.200.0700.A	24.2	2.00	70.0	0.2184	18.60	22.47	yes	music wire	4H
C.242.200.0700.AP	24.2	2.00	70.0	0.3068	14.80	29.19	yes	music wire	4J
C.242.200.0700.I	24.2	2.00	70.0	0.1900	18.40	22.22	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.242.210.0480.A	24.2	2.10	48.0	0.2184	22.89	27.58	yes	music wire	4G
C.242.210.0480.AP	24.2	2.10	48.0	0.5298	12.60	20.93	yes	music wire	4I
C.242.210.0480.I	24.2	2.10	48.0	0.1900	22.68	27.32	yes	stainless steel	4H
C.242.210.1000.A	24.2	2.10	100.0	0.1596	29.40	35.83	yes	music wire	4I
C.242.210.1000.I	24.2	2.10	100.0	0.1371	29.40	35.83	yes	stainless steel	4I
C.242.230.0220.A	24.2	2.30	22.0	1.3793	10.35	11.44	yes	music wire	4G
C.242.230.0220.I	24.2	2.30	22.0	1.2000	10.12	11.15	yes	stainless steel	4G
C.242.230.1000.A	24.2	2.30	100.0	0.2207	34.04	40.72	yes	music wire	4I
C.242.230.1000.I	24.2	2.30	100.0	0.1895	34.04	40.72	yes	stainless steel	4I
C.242.320.0380.A	24.2	3.20	38.0	1.8391	28.16	31.48	yes	music wire	4J
C.242.320.0380.AP	24.2	3.20	38.0	3.1749	19.52	23.58	yes	music wire	4L
C.242.320.0380.I	24.2	3.20	38.0	1.6000	27.84	31.11	yes	stainless steel	4J
C.242.320.2000.A	24.2	3.20	200.0	0.3819	104.64	120.55	yes	music wire	4L
C.242.320.2000.I	24.2	3.20	200.0	0.3281	104.64	120.55	yes	stainless steel	4L
C.242.330.0450.S	24.2	3.30	45.0	2.7146	24.42	27.01	yes	Cr-Si steel	4O
C.242.360.0200.A	24.2	3.60	20.0	9.3209	16.56	17.69	yes	music wire	4L
C.242.360.0200.I	24.2	3.60	20.0	8.0057	16.56	17.69	yes	stainless steel	4M
C.242.360.0250.S	24.2	3.60	25.0	7.5838	18.36	19.76	yes	Cr-Si steel	4O
C.242.360.0320.A	24.2	3.60	32.0	5.0000	23.04	25.13	yes	music wire	4J
C.242.360.0320.S	24.2	3.60	32.0	5.0000	23.04	25.13	yes	Cr-Si steel	4O
C.242.360.0400.A	24.2	3.60	40.0	4.0000	26.64	29.27	yes	music wire	4J
C.242.360.0400.S	24.2	3.60	40.0	4.0000	26.64	29.27	yes	Cr-Si steel	4O
C.242.360.0500.A	24.2	3.60	50.0	3.2000	30.96	34.23	yes	music wire	4J
C.242.360.0500.S	24.2	3.60	50.0	3.1250	31.68	35.06	yes	Cr-Si steel	4O
C.242.360.0600.A	24.2	3.60	60.0	2.3028	39.60	44.16	yes	music wire	4M
C.242.360.0600.I	24.2	3.60	60.0	1.9779	39.60	44.16	yes	stainless steel	4M
C.242.360.0630.A	24.2	3.60	63.0	2.5000	37.08	41.27	yes	music wire	4J
C.242.360.0630.S	24.2	3.60	63.0	2.5000	37.08	41.27	yes	Cr-Si steel	4R
C.242.360.0800.A	24.2	3.60	80.0	2.0000	44.28	49.54	yes	music wire	4J
C.242.360.0800.S	24.2	3.60	80.0	2.0000	44.28	49.54	yes	Cr-Si steel	4R
C.242.360.1000.A	24.2	3.60	100.0	1.6000	52.92	60.60	yes	music wire	4J
C.242.360.1000.S	24.2	3.60	100.0	1.5625	54.00	60.71	yes	Cr-Si steel	4R
C.242.360.1200.A	24.2	3.60	120.0	1.0755	74.52	84.29	yes	music wire	4M
C.242.360.1200.I	24.2	3.60	120.0	0.9237	74.52	84.29	yes	stainless steel	4M
C.242.360.1250.A	24.2	3.60	125.0	1.2500	65.52	74.56	yes	music wire	4K
C.242.360.1250.S	24.2	3.60	125.0	1.2500	65.52	74.56	yes	Cr-Si steel	4R
C.242.360.1400.A	24.2	3.60	140.0	1.1000	73.08	82.69	yes	music wire	4P
C.242.360.1400.I	24.2	3.60	140.0	0.9553	72.36	81.81	yes	stainless steel	4P
C.242.360.1400.N	24.2	3.60	140.0	1.1000	73.08	82.69	yes	Zn coating	4R
C.242.360.1600.A	24.2	3.60	160.0	1.0000	79.56	96.96	yes	music wire	4L
C.242.360.1600.S	24.2	3.60	160.0	1.0000	79.56	96.96	yes	Cr-Si steel	4R
C.242.360.2000.A	24.2	3.60	200.0	0.8000	97.20	121.19	yes	music wire	4L
C.242.360.2000.S	24.2	3.60	200.0	0.7937	97.92	120.57	yes	Cr-Si steel	4S
C.242.360.2500.A	24.2	3.60	250.0	0.6349	119.88	150.71	yes	music wire	4M
C.242.360.2500.S	24.2	3.60	250.0	0.6250	121.68	149.13	yes	Cr-Si steel	4S
C.242.360.3200.A	24.2	3.60	320.0	0.5000	149.76	193.91	yes	music wire	4M
C.242.360.3200.S	24.2	3.60	320.0	0.5000	149.76	193.91	yes	Cr-Si steel	4T
C.242.400.1020.S	24.2	4.00	102.0	2.2772	65.60	73.29	yes	Cr-Si steel	4R
C.242.420.0500.S	24.2	4.20	50.0	6.4452	36.12	39.55	yes	Cr-Si steel	4R
C.242.450.0620.A	24.2	4.50	62.0	9.7701	36.45	50.28	yes	music wire	5A
C.242.450.0620.I	24.2	4.50	62.0	8.5000	36.00	49.81	yes	stainless steel	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.242.450.2000.A	24.2	4.50	200.0	1.7741	149.85	167.69	yes	music wire	4R
C.242.450.2000.I	24.2	4.50	200.0	1.5237	149.85	167.69	yes	stainless steel	4R
C.243.340.0400.A	24.3	3.40	40.0	2.8136	26.52	29.34	yes	music wire	4J
C.243.340.0400.I	24.3	3.40	40.0	2.4166	26.52	29.34	yes	stainless steel	4J
C.243.340.0760.S	24.3	3.40	76.0	1.7500	37.40	45.26	yes	Cr-Si steel	4O
C.243.340.0890.S	24.3	3.40	89.0	1.4887	42.50	52.86	yes	Cr-Si steel	4O
C.243.340.1020.S	24.3	3.40	102.0	1.3132	47.26	61.03	yes	Cr-Si steel	4O
C.243.380.0600.A	24.3	3.80	60.0	2.9008	41.80	46.44	yes	music wire	4M
C.243.380.0600.I	24.3	3.80	60.0	2.4915	41.80	46.44	yes	stainless steel	4M
C.243.380.2900.A	24.3	3.80	290.0	0.6540	152.76	178.88	yes	music wire	4R
C.243.380.2900.I	24.3	3.80	290.0	0.5690	150.86	175.19	yes	stainless steel	4R
C.243.380.2900.N	24.3	3.80	290.0	0.6540	152.76	178.88	yes	Zn coating	4S
C.243.400.0320.S	24.3	4.00	32.0	9.8070	22.80	24.57	yes	Cr-Si steel	4T
C.243.480.0800.A	24.3	4.80	80.0	6.5119	65.76	72.47	yes	music wire	4R
C.243.480.0800.I	24.3	4.80	80.0	5.5931	65.76	72.47	yes	stainless steel	4R
C.243.480.1270.S	24.3	4.80	127.0	4.9918	82.08	99.92	yes	Cr-Si steel	5D
C.243.480.1400.S	24.3	4.80	140.0	4.5534	88.80	110.32	yes	Cr-Si steel	5D
C.243.480.1520.S	24.3	4.80	152.0	4.1160	96.96	119.16	yes	Cr-Si steel	5D
C.244.320.0250.S	24.4	3.20	25.0	4.7289	15.68	16.95	yes	Cr-Si steel	4L
C.245.250.0300.A	24.5	2.50	30.0	0.8150	17.75	20.24	yes	music wire	4G
C.245.250.0300.AP	24.5	2.50	30.0	1.6473	12.00	16.05	yes	music wire	4I
C.245.250.0300.I	24.5	2.50	30.0	0.7091	17.50	19.93	yes	stainless steel	4H
C.245.250.0300.N	24.5	2.50	30.0	0.8150	17.75	20.24	yes	Zn coating	4I
C.245.340.0640.S	24.5	3.40	64.0	2.1000	31.96	38.57	yes	Cr-Si steel	4O
C.245.400.0650.A	24.5	4.00	65.0	3.7140	42.80	47.37	yes	music wire	4R
C.245.400.0650.I	24.5	4.00	65.0	3.2312	42.00	46.46	yes	stainless steel	4P
C.245.400.0650.N	24.5	4.00	65.0	3.7140	42.80	47.37	yes	Zn coating	4T
C.245.450.0320.S	24.5	4.50	32.0	17.5133	24.75	26.50	yes	Cr-Si steel	5B
C.246.100.0200.A	24.6	1.00	20.0	0.0705	4.60	5.63	no	music wire	4C
C.246.100.0200.I	24.6	1.00	20.0	0.0605	4.60	5.63	no	stainless steel	4D
C.246.100.0450.A	24.6	1.00	45.0	0.0184	7.70	11.63	no	music wire	4E
C.246.100.0450.I	24.6	1.00	45.0	0.0160	7.70	11.63	no	stainless steel	4E
C.246.110.0191.A	24.6	1.10	19.1	0.0368	7.26	9.94	no	music wire	4D
C.246.110.0191.AP	24.6	1.10	19.1	0.1046	5.06	6.01	no	music wire	4D
C.246.110.0191.I	24.6	1.10	19.1	0.0320	7.26	9.94	no	stainless steel	4D
C.246.110.0280.A	24.6	1.10	28.0	0.0437	6.71	8.95	no	music wire	4D
C.246.110.0280.I	24.6	1.10	28.0	0.0380	6.71	8.95	no	stainless steel	4D
C.246.110.0290.A	24.6	1.10	29.0	0.0391	7.04	9.54	no	music wire	4D
C.246.110.0290.I	24.6	1.10	29.0	0.0340	7.04	9.54	no	stainless steel	4E
C.246.110.0600.A	24.6	1.10	60.0	0.0338	7.59	10.52	no	music wire	4E
C.246.110.0600.I	24.6	1.10	60.0	0.0290	7.59	10.52	no	stainless steel	4E
C.246.120.0200.A	24.6	1.20	20.0	0.1374	4.44	5.41	yes	music wire	4D
C.246.120.0200.I	24.6	1.20	20.0	0.1180	4.44	5.41	yes	stainless steel	4D
C.246.120.0330.A	24.6	1.20	33.0	0.0782	5.52	7.21	yes	music wire	4D
C.246.120.0330.I	24.6	1.20	33.0	0.0680	5.52	7.21	yes	stainless steel	4E
C.246.120.0570.A	24.6	1.20	57.0	0.0390	8.04	11.42	yes	music wire	4E
C.246.120.0570.I	24.6	1.20	57.0	0.0339	8.04	11.42	yes	stainless steel	4E
C.246.140.0280.A	24.6	1.40	28.0	0.0880	8.54	11.12	yes	music wire	4F
C.246.140.0280.I	24.6	1.40	28.0	0.0766	8.40	10.91	yes	stainless steel	4F
C.246.140.0280.N	24.6	1.40	28.0	0.0880	8.54	11.12	yes	Zn coating	4H
C.246.140.0800.A	24.6	1.40	80.0	0.0522	11.90	16.20	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.140.0800.I	24.6	1.40	80.0	0.0449	11.90	16.20	yes	stainless steel	4G
C.246.170.0200.A	24.6	1.70	20.0	0.4428	6.97	7.98	yes	music wire	4E
C.246.170.0200.I	24.6	1.70	20.0	0.3803	6.97	7.98	yes	stainless steel	4F
C.246.170.0700.A	24.6	1.70	70.0	0.1494	12.24	17.61	yes	music wire	4I
C.246.170.0700.I	24.6	1.70	70.0	0.1300	12.24	17.39	yes	stainless steel	4I
C.246.190.0190.A	24.6	1.90	19.0	0.6048	8.36	9.49	yes	music wire	4G
C.246.190.0190.I	24.6	1.90	19.0	0.5261	8.36	9.49	yes	stainless steel	4G
C.246.190.0190.N	24.6	1.90	19.0	0.6048	8.36	9.49	yes	Zn coating	4I
C.246.190.0224.A	24.6	1.90	22.4	0.4983	9.12	10.49	yes	music wire	4G
C.246.190.0224.I	24.6	1.90	22.4	0.4280	9.12	10.49	yes	stainless steel	4G
C.246.190.0224.N	24.6	1.90	22.4	0.4983	9.12	10.49	yes	Zn coating	4I
C.246.190.0254.A	24.6	1.90	25.4	0.4459	9.50	10.99	yes	music wire	4G
C.246.190.0254.I	24.6	1.90	25.4	0.3830	9.50	10.99	yes	stainless steel	4G
C.246.190.0254.N	24.6	1.90	25.4	0.4459	9.50	10.99	yes	Zn coating	4I
C.246.190.0305.A	24.6	1.90	30.5	0.3487	11.02	12.99	yes	music wire	4G
C.246.190.0305.I	24.6	1.90	30.5	0.3034	10.83	12.74	yes	stainless steel	4G
C.246.190.0318.A	24.6	1.90	31.8	0.3532	10.83	12.74	yes	music wire	4G
C.246.190.0318.I	24.6	1.90	31.8	0.3073	10.83	12.74	yes	stainless steel	4G
C.246.190.0318.N	24.6	1.90	31.8	0.3532	10.83	12.74	yes	Zn coating	4I
C.246.190.0381.A	24.6	1.90	38.1	0.3028	11.78	13.99	yes	music wire	4G
C.246.190.0381.AP	24.6	1.90	38.1	0.4768	9.31	15.70	yes	music wire	4I
C.246.190.0381.I	24.6	1.90	38.1	0.2601	11.78	13.99	yes	stainless steel	4G
C.246.190.0381.N	24.6	1.90	38.1	0.3028	11.78	13.99	yes	Zn coating	4I
C.246.190.0508.A	24.6	1.90	50.8	0.2292	14.25	17.23	yes	music wire	4G
C.246.190.0508.I	24.6	1.90	50.8	0.1969	14.25	17.23	yes	stainless steel	4H
C.246.190.0508.N	24.6	1.90	50.8	0.2292	14.25	17.23	yes	Zn coating	4I
C.246.190.0600.A	24.6	1.90	60.0	0.1892	16.15	19.73	yes	music wire	4H
C.246.190.0600.I	24.6	1.90	60.0	0.1625	16.15	19.73	yes	stainless steel	4H
C.246.190.0635.A	24.6	1.90	63.5	0.1844	16.53	20.23	yes	music wire	4H
C.246.190.0635.I	24.6	1.90	63.5	0.1584	16.53	20.23	yes	stainless steel	4H
C.246.190.0635.N	24.6	1.90	63.5	0.1844	16.53	20.23	yes	Zn coating	4I
C.246.190.0762.A	24.6	1.90	76.2	0.1543	18.81	23.23	yes	music wire	4H
C.246.190.0762.I	24.6	1.90	76.2	0.1325	18.81	23.23	yes	stainless steel	4I
C.246.190.0762.N	24.6	1.90	76.2	0.1543	18.81	23.23	yes	Zn coating	4I
C.246.190.0800.A	24.6	1.90	80.0	0.1401	20.14	24.97	yes	music wire	4I
C.246.190.0800.I	24.6	1.90	80.0	0.1204	20.14	24.97	yes	stainless steel	4I
C.246.190.0889.A	24.6	1.90	88.9	0.1305	21.28	26.47	yes	music wire	4I
C.246.190.0889.I	24.6	1.90	88.9	0.1121	21.28	26.47	yes	stainless steel	4I
C.246.190.0889.N	24.6	1.90	88.9	0.1305	21.28	26.47	yes	Zn coating	4I
C.246.190.1016.A	24.6	1.90	101.6	0.1147	23.56	29.47	yes	music wire	4I
C.246.190.1016.I	24.6	1.90	101.6	0.0985	23.56	29.47	yes	stainless steel	4I
C.246.190.1016.N	24.6	1.90	101.6	0.1147	23.56	29.47	yes	Zn coating	4J
C.246.190.1200.A	24.6	1.90	120.0	0.0923	28.12	35.46	yes	music wire	4I
C.246.190.1200.I	24.6	1.90	120.0	0.0793	28.12	35.46	yes	stainless steel	4I
C.246.190.1400.A	24.6	1.90	140.0	0.0788	32.11	40.70	yes	music wire	4I
C.246.190.1400.I	24.6	1.90	140.0	0.0677	32.11	40.70	yes	stainless steel	4I
C.246.190.2200.A	24.6	1.90	220.0	0.0496	48.26	61.93	yes	music wire	4J
C.246.190.2200.I	24.6	1.90	220.0	0.0426	48.26	61.93	yes	stainless steel	4J
C.246.200.0200.A	24.6	2.00	20.0	0.7845	8.60	9.65	yes	music wire	4G
C.246.200.0200.I	24.6	2.00	20.0	0.6738	8.60	9.65	yes	stainless steel	4G
C.246.200.0890.A	24.6	2.00	89.0	0.1859	20.20	24.63	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.200.0890.I	24.6	2.00	89.0	0.1618	20.00	24.37	yes	stainless steel	4J
C.246.220.0224.A	24.6	2.20	22.4	0.8894	10.78	12.13	yes	music wire	4G
C.246.220.0224.AP	24.6	2.20	22.4	1.4312	8.80	11.17	yes	music wire	4I
C.246.220.0224.I	24.6	2.20	22.4	0.7639	10.78	12.13	yes	stainless steel	4G
C.246.220.0224.N	24.6	2.20	22.4	0.8894	10.78	12.13	yes	Zn coating	4I
C.246.220.0254.A	24.6	2.20	25.4	0.7668	11.66	13.23	yes	music wire	4G
C.246.220.0254.AP	24.6	2.20	25.4	1.2628	9.24	12.68	yes	music wire	4I
C.246.220.0254.I	24.6	2.20	25.4	0.6671	11.44	12.96	yes	stainless steel	4G
C.246.220.0305.A	24.6	2.20	30.5	0.6118	13.20	15.17	yes	music wire	4G
C.246.220.0305.AP	24.6	2.20	30.5	1.0223	10.12	14.78	yes	music wire	4I
C.246.220.0305.I	24.6	2.20	30.5	0.5323	12.98	14.89	yes	stainless steel	4H
C.246.220.0381.A	24.6	2.20	38.1	0.5155	14.52	16.82	yes	music wire	4G
C.246.220.0381.AP	24.6	2.20	38.1	0.7951	11.44	17.89	yes	music wire	4I
C.246.220.0381.I	24.6	2.20	38.1	0.4427	14.52	16.82	yes	stainless steel	4H
C.246.220.0381.N	24.6	2.20	38.1	0.5155	14.52	16.82	yes	Zn coating	4I
C.246.220.0508.A	24.6	2.20	50.8	0.3808	17.82	20.97	yes	music wire	4H
C.246.220.0508.AP	24.6	2.20	50.8	0.5802	13.64	23.11	yes	music wire	4J
C.246.220.0508.I	24.6	2.20	50.8	0.3313	17.60	20.69	yes	stainless steel	4H
C.246.220.0635.A	24.6	2.20	63.5	0.3042	20.90	24.83	yes	music wire	4H
C.246.220.0635.AP	24.6	2.20	63.5	0.4568	15.62	28.33	yes	music wire	4J
C.246.220.0635.I	24.6	2.20	63.5	0.2647	20.68	24.56	yes	stainless steel	4I
C.246.220.0762.A	24.6	2.20	76.2	0.2566	23.76	28.43	yes	music wire	4I
C.246.220.0762.AP	24.6	2.20	76.2	0.3766	17.82	33.54	yes	music wire	4J
C.246.220.0762.I	24.6	2.20	76.2	0.2204	23.76	28.43	yes	stainless steel	4I
C.246.220.0762.N	24.6	2.20	76.2	0.2566	23.76	28.43	yes	Zn coating	4I
C.246.220.0889.A	24.6	2.20	88.9	0.2198	26.84	32.29	yes	music wire	4I
C.246.220.0889.AP	24.6	2.20	88.9	0.3204	20.02	38.76	yes	music wire	4J
C.246.220.0889.I	24.6	2.20	88.9	0.1888	26.84	32.29	yes	stainless steel	4I
C.246.220.0889.N	24.6	2.20	88.9	0.2198	26.84	32.29	yes	Zn coating	4J
C.246.220.1000.A	24.6	2.20	100.0	0.1830	31.02	37.54	yes	music wire	4I
C.246.220.1000.I	24.6	2.20	100.0	0.1572	31.02	37.54	yes	stainless steel	4I
C.246.220.1200.A	24.6	2.20	120.0	0.1517	36.30	44.17	yes	music wire	4I
C.246.220.1200.I	24.6	2.20	120.0	0.1303	36.30	44.17	yes	stainless steel	4I
C.246.220.2000.A	24.6	2.20	200.0	0.0900	57.42	70.69	yes	music wire	4J
C.246.220.2000.I	24.6	2.20	200.0	0.0773	57.42	70.69	yes	stainless steel	4J
C.246.220.3200.A	24.6	2.20	320.0	0.0557	89.32	110.74	yes	music wire	4L
C.246.220.3200.I	24.6	2.20	320.0	0.0479	89.32	110.74	yes	stainless steel	4L
C.246.230.0174.A	24.6	2.30	17.4	1.7241	9.20	10.03	yes	music wire	4G
C.246.230.0174.I	24.6	2.30	17.4	1.5000	9.20	10.03	yes	stainless steel	4G
C.246.230.0710.A	24.6	2.30	71.0	0.3103	24.84	29.44	yes	music wire	4I
C.246.230.0710.AP	24.6	2.30	71.0	0.4646	18.40	31.88	yes	music wire	4J
C.246.230.0710.I	24.6	2.30	71.0	0.2700	24.61	29.16	yes	stainless steel	4I
C.246.230.1000.A	24.6	2.30	100.0	0.2142	33.35	40.00	yes	music wire	4I
C.246.230.1000.I	24.6	2.30	100.0	0.1840	33.35	40.00	yes	stainless steel	4I
C.246.235.0224.A	24.6	2.35	22.4	1.1107	11.75	13.13	yes	music wire	4G
C.246.235.0224.AP	24.6	2.35	22.4	1.7848	9.64	11.59	yes	music wire	4I
C.246.235.0224.I	24.6	2.35	22.4	0.9663	11.75	13.13	yes	stainless steel	4G
C.246.235.0224.N	24.6	2.35	22.4	1.1107	11.75	13.13	yes	Zn coating	4I
C.246.235.0254.A	24.6	2.35	25.4	0.9491	12.93	14.58	yes	music wire	4G
C.246.235.0254.AP	24.6	2.35	25.4	1.5865	10.11	13.24	yes	music wire	4I
C.246.235.0254.I	24.6	2.35	25.4	0.8152	12.93	14.58	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.235.0254.N	24.6	2.35	25.4	0.9491	12.93	14.58	yes	Zn coating	4I
C.246.235.0305.A	24.6	2.35	30.5	0.7469	14.81	16.90	yes	music wire	4G
C.246.235.0305.AP	24.6	2.35	30.5	1.2416	11.28	14.96	yes	music wire	4I
C.246.235.0305.I	24.6	2.35	30.5	0.6498	14.57	16.61	yes	stainless steel	4H
C.246.235.0318.A	24.6	2.35	31.8	0.7565	14.57	16.61	yes	music wire	4G
C.246.235.0318.AP	24.6	2.35	31.8	1.1899	11.52	15.59	yes	music wire	4I
C.246.235.0318.I	24.6	2.35	31.8	0.6582	14.57	16.61	yes	stainless steel	4H
C.246.235.0318.N	24.6	2.35	31.8	0.7565	14.57	16.61	yes	Zn coating	4I
C.246.235.0381.A	24.6	2.35	38.1	0.6444	16.22	18.64	yes	music wire	4G
C.246.235.0381.AP	24.6	2.35	38.1	0.9847	12.69	18.51	yes	music wire	4I
C.246.235.0381.I	24.6	2.35	38.1	0.5535	16.22	18.64	yes	stainless steel	4H
C.246.235.0381.N	24.6	2.35	38.1	0.6444	16.22	18.64	yes	Zn coating	4I
C.246.235.0508.A	24.6	2.35	50.8	0.4789	19.74	22.99	yes	music wire	4H
C.246.235.0508.AP	24.6	2.35	50.8	0.7139	15.28	23.78	yes	music wire	4J
C.246.235.0508.I	24.6	2.35	50.8	0.4113	19.74	22.99	yes	stainless steel	4H
C.246.235.0508.N	24.6	2.35	50.8	0.4789	19.74	22.99	yes	Zn coating	4I
C.246.235.0600.A	24.6	2.35	60.0	0.3973	22.56	26.47	yes	music wire	4H
C.246.235.0600.I	24.6	2.35	60.0	0.3412	22.56	26.47	yes	stainless steel	4I
C.246.235.0635.A	24.6	2.35	63.5	0.3810	23.27	27.35	yes	music wire	4H
C.246.235.0635.AP	24.6	2.35	63.5	0.5711	17.39	29.72	yes	music wire	4J
C.246.235.0635.I	24.6	2.35	63.5	0.3272	23.27	27.35	yes	stainless steel	4I
C.246.235.0635.N	24.6	2.35	63.5	0.3810	23.27	27.35	yes	Zn coating	4I
C.246.235.0762.A	24.6	2.35	76.2	0.3163	26.79	31.69	yes	music wire	4I
C.246.235.0762.AP	24.6	2.35	76.2	0.4681	19.98	34.99	yes	music wire	4J
C.246.235.0762.I	24.6	2.35	76.2	0.2752	26.56	31.41	yes	stainless steel	4I
C.246.235.0762.N	24.6	2.35	76.2	0.3163	26.79	31.69	yes	Zn coating	4I
C.246.235.0889.A	24.6	2.35	88.9	0.2704	30.32	36.05	yes	music wire	4I
C.246.235.0889.AP	24.6	2.35	88.9	0.3966	22.56	40.26	yes	music wire	4J
C.246.235.0889.I	24.6	2.35	88.9	0.2353	30.08	35.76	yes	stainless steel	4I
C.246.235.0889.N	24.6	2.35	88.9	0.2704	30.32	36.05	yes	Zn coating	4J
C.246.235.1016.A	24.6	2.35	101.6	0.2362	33.84	40.40	yes	music wire	4I
C.246.235.1016.AP	24.6	2.35	101.6	0.3441	25.15	45.53	yes	music wire	4J
C.246.235.1016.I	24.6	2.35	101.6	0.2055	33.61	40.11	yes	stainless steel	4I
C.246.235.1016.N	24.6	2.35	101.6	0.2362	33.84	40.40	yes	Zn coating	4J
C.246.235.1200.A	24.6	2.35	120.0	0.1919	40.42	48.52	yes	music wire	4I
C.246.235.1200.I	24.6	2.35	120.0	0.1648	40.42	48.52	yes	stainless steel	4I
C.246.235.1600.A	24.6	2.35	160.0	0.1425	52.41	63.32	yes	music wire	4I
C.246.235.1600.I	24.6	2.35	160.0	0.1224	52.41	63.32	yes	stainless steel	4I
C.246.235.2000.A	24.6	2.35	200.0	0.1133	64.39	78.11	yes	music wire	4J
C.246.235.2000.I	24.6	2.35	200.0	0.0973	64.39	78.11	yes	stainless steel	4J
C.246.235.3200.A	24.6	2.35	320.0	0.0703	100.11	122.21	yes	music wire	4L
C.246.235.3200.I	24.6	2.35	320.0	0.0604	100.11	122.21	yes	stainless steel	4L
C.246.240.0224.A	24.6	2.40	22.4	1.1628	12.48	13.96	yes	music wire	4G
C.246.240.0224.AP	24.6	2.40	22.4	1.9557	9.84	11.94	yes	music wire	4I
C.246.240.0224.I	24.6	2.40	22.4	1.0117	12.24	13.66	yes	stainless steel	4G
C.246.240.0224.N	24.6	2.40	22.4	1.1628	12.48	13.96	yes	Zn coating	4I
C.246.240.0254.A	24.6	2.40	25.4	1.0030	13.44	15.14	yes	music wire	4G
C.246.240.0254.AP	24.6	2.40	25.4	1.6469	10.56	12.98	yes	music wire	4I
C.246.240.0254.I	24.6	2.40	25.4	0.8615	13.44	15.14	yes	stainless steel	4G
C.246.240.0254.N	24.6	2.40	25.4	1.0030	13.44	15.14	yes	Zn coating	4I
C.246.240.0305.A	24.6	2.40	30.5	0.7767	15.60	17.79	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.246.240.0305.AP	24.6	2.40	30.5	1.3605	11.52	15.47	yes	music wire	4I
C.246.240.0305.I	24.6	2.40	30.5	0.6757	15.36	17.50	yes	stainless steel	4H
C.246.240.0318.A	24.6	2.40	31.8	0.7867	15.36	17.50	yes	music wire	4G
C.246.240.0318.AP	24.6	2.40	31.8	1.3038	11.76	16.12	yes	music wire	4I
C.246.240.0318.I	24.6	2.40	31.8	0.6845	15.36	17.50	yes	stainless steel	4H
C.246.240.0318.N	24.6	2.40	31.8	0.7867	15.36	17.50	yes	Zn coating	4I
C.246.240.0381.A	24.6	2.40	38.1	0.6619	17.28	19.86	yes	music wire	4G
C.246.240.0381.AP	24.6	2.40	38.1	1.0430	13.20	18.49	yes	music wire	4I
C.246.240.0381.I	24.6	2.40	38.1	0.5685	17.28	19.86	yes	stainless steel	4H
C.246.240.0381.N	24.6	2.40	38.1	0.6619	17.28	19.86	yes	Zn coating	4I
C.246.240.0508.A	24.6	2.40	50.8	0.4939	21.12	24.57	yes	music wire	4H
C.246.240.0508.AP	24.6	2.40	50.8	0.7632	15.60	24.01	yes	music wire	4J
C.246.240.0508.I	24.6	2.40	50.8	0.4242	21.12	24.57	yes	stainless steel	4H
C.246.240.0508.N	24.6	2.40	50.8	0.4939	21.12	24.57	yes	Zn coating	4I
C.246.240.0635.A	24.6	2.40	63.5	0.3939	24.72	28.99	yes	music wire	4H
C.246.240.0635.AP	24.6	2.40	63.5	0.6017	18.24	29.52	yes	music wire	4J
C.246.240.0635.I	24.6	2.40	63.5	0.3383	24.72	28.99	yes	stainless steel	4I
C.246.240.0635.N	24.6	2.40	63.5	0.3939	24.72	28.99	yes	Zn coating	4I
C.246.240.0762.A	24.6	2.40	76.2	0.3276	28.56	33.71	yes	music wire	4I
C.246.240.0762.AP	24.6	2.40	76.2	0.4967	20.88	35.03	yes	music wire	4J
C.246.240.0762.I	24.6	2.40	76.2	0.2814	28.56	33.71	yes	stainless steel	4I
C.246.240.0762.N	24.6	2.40	76.2	0.3276	28.56	33.71	yes	Zn coating	4I
C.246.240.0780.A	24.6	2.40	78.0	0.3103	30.00	35.48	yes	music wire	4I
C.246.240.0780.AP	24.6	2.40	78.0	0.4889	21.12	36.18	yes	music wire	4J
C.246.240.0780.I	24.6	2.40	78.0	0.2700	29.52	34.89	yes	stainless steel	4I
C.246.240.0889.A	24.6	2.40	88.9	0.2804	32.40	38.43	yes	music wire	4I
C.246.240.0889.AP	24.6	2.40	88.9	0.4228	23.52	40.54	yes	music wire	4J
C.246.240.0889.I	24.6	2.40	88.9	0.2439	32.16	38.13	yes	stainless steel	4I
C.246.240.0889.N	24.6	2.40	88.9	0.2804	32.40	38.43	yes	Zn coating	4J
C.246.240.1000.A	24.6	2.40	100.0	0.2512	35.52	42.26	yes	music wire	4I
C.246.240.1000.I	24.6	2.40	100.0	0.2157	35.52	42.26	yes	stainless steel	4I
C.246.240.1200.A	24.6	2.40	120.0	0.2073	41.76	49.93	yes	music wire	4I
C.246.240.1200.I	24.6	2.40	120.0	0.1781	41.76	49.93	yes	stainless steel	4I
C.246.240.1600.A	24.6	2.40	160.0	0.1537	54.24	65.26	yes	music wire	4I
C.246.240.1600.I	24.6	2.40	160.0	0.1320	54.24	65.26	yes	stainless steel	4I
C.246.240.2400.A	24.6	2.40	240.0	0.1016	78.96	95.62	yes	music wire	4J
C.246.240.2400.I	24.6	2.40	240.0	0.0873	78.96	95.62	yes	stainless steel	4J
C.246.240.3200.A	24.6	2.40	320.0	0.0757	103.92	126.28	yes	music wire	4L
C.246.240.3200.I	24.6	2.40	320.0	0.0650	103.92	126.28	yes	stainless steel	4L
C.246.250.0200.A	24.6	2.50	20.0	1.8434	11.25	12.34	yes	music wire	4G
C.246.250.0200.I	24.6	2.50	20.0	1.5833	11.25	12.34	yes	stainless steel	4G
C.246.250.0224.A	24.6	2.50	22.4	1.2000	14.00	15.68	yes	music wire	4G
C.246.250.0224.AP	24.6	2.50	22.4	2.3361	10.25	12.60	yes	music wire	4I
C.246.250.0224.I	24.6	2.50	22.4	1.0414	13.75	15.38	yes	stainless steel	4H
C.246.250.0224.N	24.6	2.50	22.4	1.2000	14.00	15.68	yes	Zn coating	4I
C.246.250.0254.A	24.6	2.50	25.4	1.0440	15.00	16.90	yes	music wire	4G
C.246.250.0254.AP	24.6	2.50	25.4	1.9672	11.00	13.76	yes	music wire	4I
C.246.250.0254.I	24.6	2.50	25.4	0.9083	15.00	16.90	yes	stainless steel	4H
C.246.250.0305.A	24.6	2.50	30.5	0.8271	17.50	19.94	yes	music wire	4G
C.246.250.0305.AP	24.6	2.50	30.5	1.5574	12.25	15.80	yes	music wire	4I
C.246.250.0305.I	24.6	2.50	30.5	0.7196	17.25	19.64	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.250.0318.A	24.6	2.50	31.8	0.8378	17.25	19.64	yes	music wire	4G
C.246.250.0318.AP	24.6	2.50	31.8	1.4951	12.50	16.49	yes	music wire	4I
C.246.250.0318.I	24.6	2.50	31.8	0.7289	17.00	19.34	yes	stainless steel	4H
C.246.250.0318.N	24.6	2.50	31.8	0.8378	17.25	19.64	yes	Zn coating	4I
C.246.250.0381.A	24.6	2.50	38.1	0.7072	19.25	22.07	yes	music wire	4H
C.246.250.0381.AP	24.6	2.50	38.1	1.2057	14.00	19.11	yes	music wire	4I
C.246.250.0381.I	24.6	2.50	38.1	0.6074	19.25	22.07	yes	stainless steel	4H
C.246.250.0381.N	24.6	2.50	38.1	0.7072	19.25	22.07	yes	Zn coating	4I
C.246.250.0444.A	24.6	2.50	44.4	0.6000	21.50	24.81	yes	music wire	4H
C.246.250.0444.AP	24.6	2.50	44.4	1.0383	15.25	22.35	yes	music wire	4J
C.246.250.0444.I	24.6	2.50	44.4	0.5234	21.25	24.51	yes	stainless steel	4I
C.246.250.0444.N	24.6	2.50	44.4	0.6000	21.50	24.81	yes	Zn coating	4I
C.246.250.0457.A	24.6	2.50	45.7	0.5940	21.75	25.12	yes	music wire	4H
C.246.250.0457.AP	24.6	2.50	45.7	1.0102	15.25	23.04	yes	music wire	4J
C.246.250.0457.I	24.6	2.50	45.7	0.5167	21.50	24.81	yes	stainless steel	4I
C.246.250.0508.A	24.6	2.50	50.8	0.5235	23.75	27.55	yes	music wire	4H
C.246.250.0508.AP	24.6	2.50	50.8	0.8899	16.50	25.08	yes	music wire	4J
C.246.250.0508.I	24.6	2.50	50.8	0.4497	23.75	27.55	yes	stainless steel	4I
C.246.250.0508.N	24.6	2.50	50.8	0.5235	23.75	27.55	yes	Zn coating	4I
C.246.250.0559.A	24.6	2.50	55.9	0.4634	26.25	30.59	yes	music wire	4H
C.246.250.0559.AP	24.6	2.50	55.9	0.7953	17.75	27.11	yes	music wire	4J
C.246.250.0559.I	24.6	2.50	55.9	0.4031	26.00	30.29	yes	stainless steel	4I
C.246.250.0572.A	24.6	2.50	57.2	0.4694	26.00	30.29	yes	music wire	4I
C.246.250.0572.AP	24.6	2.50	57.2	0.7787	18.00	27.80	yes	music wire	4J
C.246.250.0572.I	24.6	2.50	57.2	0.4083	25.75	29.99	yes	stainless steel	4I
C.246.250.0572.N	24.6	2.50	57.2	0.4694	26.00	30.29	yes	Zn coating	4I
C.246.250.0600.A	24.6	2.50	60.0	0.4982	24.75	28.77	yes	music wire	4I
C.246.250.0600.I	24.6	2.50	60.0	0.4279	24.75	28.77	yes	stainless steel	4I
C.246.250.0635.A	24.6	2.50	63.5	0.4204	28.25	33.03	yes	music wire	4I
C.246.250.0635.AP	24.6	2.50	63.5	0.6922	19.50	30.43	yes	music wire	4J
C.246.250.0635.I	24.6	2.50	63.5	0.3611	28.25	33.03	yes	stainless steel	4I
C.246.250.0635.N	24.6	2.50	63.5	0.4204	28.25	33.03	yes	Zn coating	4I
C.246.250.0698.A	24.6	2.50	69.8	0.3807	30.50	35.77	yes	music wire	4I
C.246.250.0698.AP	24.6	2.50	69.8	0.6335	20.75	33.66	yes	music wire	4J
C.246.250.0698.I	24.6	2.50	69.8	0.3312	30.25	35.46	yes	stainless steel	4I
C.246.250.0698.N	24.6	2.50	69.8	0.3807	30.50	35.77	yes	Zn coating	4I
C.246.250.0762.A	24.6	2.50	76.2	0.3479	32.75	38.51	yes	music wire	4I
C.246.250.0762.AP	24.6	2.50	76.2	0.5750	22.25	36.39	yes	music wire	4J
C.246.250.0762.I	24.6	2.50	76.2	0.3026	32.50	38.20	yes	stainless steel	4I
C.246.250.0762.N	24.6	2.50	76.2	0.3479	32.75	38.51	yes	Zn coating	4J
C.246.250.0889.A	24.6	2.50	88.9	0.3000	37.00	43.68	yes	music wire	4I
C.246.250.0889.AP	24.6	2.50	88.9	0.4918	25.00	42.35	yes	music wire	4J
C.246.250.0889.I	24.6	2.50	88.9	0.2602	36.75	43.38	yes	stainless steel	4I
C.246.250.0889.N	24.6	2.50	88.9	0.3000	37.00	43.68	yes	Zn coating	4J
C.246.250.1016.A	24.6	2.50	101.6	0.2605	41.75	49.46	yes	music wire	4I
C.246.250.1016.AP	24.6	2.50	101.6	0.4247	28.00	47.70	yes	music wire	4J
C.246.250.1016.I	24.6	2.50	101.6	0.2266	41.25	48.85	yes	stainless steel	4I
C.246.250.1016.N	24.6	2.50	101.6	0.2605	41.75	49.46	yes	Zn coating	4J
C.246.250.1200.A	24.6	2.50	120.0	0.2394	44.75	53.11	yes	music wire	4I
C.246.250.1200.I	24.6	2.50	120.0	0.2056	44.75	53.11	yes	stainless steel	4I
C.246.250.1600.A	24.6	2.50	160.0	0.1781	58.00	69.24	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.250.1600.I	24.6	2.50	160.0	0.1530	58.00	69.24	yes	stainless steel	4J
C.246.250.2000.A	24.6	2.50	200.0	0.1418	71.25	85.37	yes	music wire	4J
C.246.250.2000.I	24.6	2.50	200.0	0.1218	71.25	85.37	yes	stainless steel	4J
C.246.250.2400.A	24.6	2.50	240.0	0.1178	84.50	101.50	yes	music wire	4J
C.246.250.2400.I	24.6	2.50	240.0	0.1012	84.50	101.50	yes	stainless steel	4J
C.246.250.3200.A	24.6	2.50	320.0	0.0878	111.25	134.06	yes	music wire	4L
C.246.250.3200.I	24.6	2.50	320.0	0.0754	111.25	134.06	yes	stainless steel	4L
C.246.280.0224.A	24.6	2.80	22.4	2.0852	15.12	16.67	yes	music wire	4I
C.246.280.0224.AP	24.6	2.80	22.4	3.4134	12.04	13.23	yes	music wire	4J
C.246.280.0224.I	24.6	2.80	22.4	1.8141	15.12	16.67	yes	stainless steel	4I
C.246.280.0224.N	24.6	2.80	22.4	2.0852	15.12	16.67	yes	Zn coating	4J
C.246.280.0254.A	24.6	2.80	25.4	1.8532	16.24	18.00	yes	music wire	4I
C.246.280.0254.AP	24.6	2.80	25.4	2.9258	12.88	14.71	yes	music wire	4J
C.246.280.0254.I	24.6	2.80	25.4	1.5917	16.24	18.00	yes	stainless steel	4I
C.246.280.0254.N	24.6	2.80	25.4	1.8532	16.24	18.00	yes	Zn coating	4J
C.246.280.0305.A	24.6	2.80	30.5	1.4314	18.76	21.01	yes	music wire	4I
C.246.280.0305.AP	24.6	2.80	30.5	2.3632	14.28	17.26	yes	music wire	4J
C.246.280.0305.I	24.6	2.80	30.5	1.2453	18.76	21.01	yes	stainless steel	4I
C.246.280.0381.A	24.6	2.80	38.1	1.1908	21.28	24.01	yes	music wire	4I
C.246.280.0381.AP	24.6	2.80	38.1	1.8071	16.24	20.79	yes	music wire	4J
C.246.280.0381.I	24.6	2.80	38.1	1.0228	21.28	24.01	yes	stainless steel	4I
C.246.280.0381.N	24.6	2.80	38.1	1.1908	21.28	24.01	yes	Zn coating	4J
C.246.280.0508.A	24.6	2.80	50.8	0.8770	26.32	30.01	yes	music wire	4I
C.246.280.0508.AP	24.6	2.80	50.8	1.3357	19.60	27.38	yes	music wire	4J
C.246.280.0508.I	24.6	2.80	50.8	0.7630	26.04	29.68	yes	stainless steel	4I
C.246.280.0635.A	24.6	2.80	63.5	0.7000	31.08	35.68	yes	music wire	4I
C.246.280.0635.AP	24.6	2.80	63.5	1.0414	23.24	33.46	yes	music wire	4K
C.246.280.0635.I	24.6	2.80	63.5	0.6091	30.80	35.34	yes	stainless steel	4I
C.246.280.0762.A	24.6	2.80	76.2	0.5847	35.84	41.35	yes	music wire	4I
C.246.280.0762.AP	24.6	2.80	76.2	0.8534	26.88	39.54	yes	music wire	4K
C.246.280.0762.I	24.6	2.80	76.2	0.5087	35.56	41.01	yes	stainless steel	4I
C.246.280.0762.N	24.6	2.80	76.2	0.5847	35.84	41.35	yes	Zn coating	4J
C.246.280.0889.A	24.6	2.80	88.9	0.5000	40.88	47.35	yes	music wire	4I
C.246.280.0889.AP	24.6	2.80	88.9	0.7228	30.52	45.62	yes	music wire	4L
C.246.280.0889.I	24.6	2.80	88.9	0.4360	40.32	46.68	yes	stainless steel	4J
C.246.280.0889.N	24.6	2.80	88.9	0.5000	40.88	47.35	yes	Zn coating	4J
C.246.280.1000.A	24.6	2.80	100.0	0.4444	45.08	52.35	yes	music wire	4I
C.246.280.1000.I	24.6	2.80	100.0	0.3817	45.08	52.35	yes	stainless steel	4J
C.246.280.1200.A	24.6	2.80	120.0	0.3685	52.92	61.69	yes	music wire	4J
C.246.280.1200.I	24.6	2.80	120.0	0.3165	52.92	61.69	yes	stainless steel	4J
C.246.280.1600.A	24.6	2.80	160.0	0.2735	68.88	80.69	yes	music wire	4J
C.246.280.1600.I	24.6	2.80	160.0	0.2349	68.88	80.69	yes	stainless steel	4J
C.246.280.3200.A	24.6	2.80	320.0	0.1343	133.00	157.06	yes	music wire	4L
C.246.280.3200.I	24.6	2.80	320.0	0.1154	133.00	157.06	yes	stainless steel	4M
C.246.300.0224.A	24.6	3.00	22.4	2.6585	16.80	18.45	yes	music wire	4I
C.246.300.0224.AP	24.6	3.00	22.4	4.6328	12.90	14.24	yes	music wire	4J
C.246.300.0224.I	24.6	3.00	22.4	2.3129	16.50	18.10	yes	stainless steel	4I
C.246.300.0224.N	24.6	3.00	22.4	2.6585	16.80	18.45	yes	Zn coating	4J
C.246.300.0254.A	24.6	3.00	25.4	2.2821	18.30	20.22	yes	music wire	4I
C.246.300.0254.AP	24.6	3.00	25.4	3.7904	14.10	15.43	yes	music wire	4J
C.246.300.0254.I	24.6	3.00	25.4	1.9601	18.30	20.22	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.300.0254.N	24.6	3.00	25.4	2.2821	18.30	20.22	yes	Zn coating	4J
C.246.300.0305.A	24.6	3.00	30.5	1.7887	21.30	23.75	yes	music wire	4I
C.246.300.0305.AP	24.6	3.00	30.5	3.0885	15.60	18.26	yes	music wire	4J
C.246.300.0305.I	24.6	3.00	30.5	1.5562	21.00	23.40	yes	stainless steel	4I
C.246.300.0318.A	24.6	3.00	31.8	1.8118	21.00	23.40	yes	music wire	4I
C.246.300.0318.AP	24.6	3.00	31.8	2.9782	15.60	19.11	yes	music wire	4J
C.246.300.0318.I	24.6	3.00	31.8	1.5763	21.00	23.40	yes	stainless steel	4I
C.246.300.0318.N	24.6	3.00	31.8	1.8118	21.00	23.40	yes	Zn coating	4J
C.246.300.0381.A	24.6	3.00	38.1	1.4793	24.00	26.93	yes	music wire	4I
C.246.300.0381.AP	24.6	3.00	38.1	2.3826	17.70	22.23	yes	music wire	4J
C.246.300.0381.I	24.6	3.00	38.1	1.2705	24.00	26.93	yes	stainless steel	4I
C.246.300.0381.N	24.6	3.00	38.1	1.4793	24.00	26.93	yes	Zn coating	4J
C.246.300.0400.A	24.6	3.00	40.0	1.6055	22.80	25.52	yes	music wire	4I
C.246.300.0400.I	24.6	3.00	40.0	1.3790	22.80	25.52	yes	stainless steel	4I
C.246.300.0444.A	24.6	3.00	44.4	1.2662	27.00	30.47	yes	music wire	4I
C.246.300.0444.AP	24.6	3.00	44.4	1.9855	19.80	25.36	yes	music wire	4J
C.246.300.0444.I	24.6	3.00	44.4	1.1000	26.70	30.11	yes	stainless steel	4I
C.246.300.0444.N	24.6	3.00	44.4	1.2662	27.00	30.47	yes	Zn coating	4J
C.246.300.0457.A	24.6	3.00	45.7	1.2500	27.30	30.82	yes	music wire	4I
C.246.300.0457.AP	24.6	3.00	45.7	1.9393	20.10	26.20	yes	music wire	4J
C.246.300.0457.I	24.6	3.00	45.7	1.0876	27.00	30.47	yes	stainless steel	4I
C.246.300.0508.A	24.6	3.00	50.8	1.0943	30.00	34.00	yes	music wire	4I
C.246.300.0508.AP	24.6	3.00	50.8	1.7018	21.90	28.58	yes	music wire	4J
C.246.300.0508.I	24.6	3.00	50.8	0.9520	29.70	33.65	yes	stainless steel	4I
C.246.300.0508.N	24.6	3.00	50.8	1.0943	30.00	34.00	yes	Zn coating	4J
C.246.300.0572.A	24.6	3.00	57.2	0.9732	32.70	37.18	yes	music wire	4I
C.246.300.0572.AP	24.6	3.00	57.2	1.4891	24.00	31.81	yes	music wire	4J
C.246.300.0572.I	24.6	3.00	57.2	0.8467	32.40	36.83	yes	stainless steel	4I
C.246.300.0572.N	24.6	3.00	57.2	0.9732	32.70	37.18	yes	Zn coating	4J
C.246.300.0635.A	24.6	3.00	63.5	0.8683	35.70	40.71	yes	music wire	4I
C.246.300.0635.AP	24.6	3.00	63.5	1.3450	25.80	35.39	yes	music wire	4K
C.246.300.0635.I	24.6	3.00	63.5	0.7554	35.40	40.36	yes	stainless steel	4I
C.246.300.0635.N	24.6	3.00	63.5	0.8683	35.70	40.71	yes	Zn coating	4J
C.246.300.0698.A	24.6	3.00	69.8	0.7903	38.70	44.25	yes	music wire	4I
C.246.300.0698.AP	24.6	3.00	69.8	1.2085	27.90	38.52	yes	music wire	4K
C.246.300.0698.I	24.6	3.00	69.8	0.6875	38.10	43.54	yes	stainless steel	4I
C.246.300.0698.N	24.6	3.00	69.8	0.7903	38.70	44.25	yes	Zn coating	4J
C.246.300.0762.A	24.6	3.00	76.2	0.7197	41.70	47.78	yes	music wire	4I
C.246.300.0762.AP	24.6	3.00	76.2	1.0972	30.00	41.74	yes	music wire	4K
C.246.300.0762.I	24.6	3.00	76.2	0.6261	41.10	47.07	yes	stainless steel	4I
C.246.300.0762.N	24.6	3.00	76.2	0.7197	41.70	47.78	yes	Zn coating	4J
C.246.300.0800.A	24.6	3.00	80.0	0.7444	40.50	46.37	yes	music wire	4I
C.246.300.0800.I	24.6	3.00	80.0	0.6394	40.50	46.37	yes	stainless steel	4I
C.246.300.0889.A	24.6	3.00	88.9	0.6145	47.40	54.49	yes	music wire	4I
C.246.300.0889.AP	24.6	3.00	88.9	0.9266	33.90	48.10	yes	music wire	4L
C.246.300.0889.I	24.6	3.00	88.9	0.5346	47.10	54.14	yes	stainless steel	4J
C.246.300.0889.N	24.6	3.00	88.9	0.6145	47.40	54.49	yes	Zn coating	4J
C.246.300.1016.A	24.6	3.00	101.6	0.5362	53.40	61.56	yes	music wire	4I
C.246.300.1016.AP	24.6	3.00	101.6	0.8096	37.80	54.90	yes	music wire	4L
C.246.300.1016.I	24.6	3.00	101.6	0.4665	52.80	60.85	yes	stainless steel	4J
C.246.300.1016.N	24.6	3.00	101.6	0.5362	53.40	61.56	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.300.1020.A	24.6	3.00	102.0	0.6649	44.40	50.96	yes	music wire	4L
C.246.300.1020.I	24.6	3.00	102.0	0.5785	44.10	50.61	yes	stainless steel	4J
C.246.300.1200.A	24.6	3.00	120.0	0.4817	58.50	67.57	yes	music wire	4J
C.246.300.1200.I	24.6	3.00	120.0	0.4137	58.50	67.57	yes	stainless steel	4J
C.246.300.1400.A	24.6	3.00	140.0	0.4115	67.20	77.81	yes	music wire	4J
C.246.300.1400.I	24.6	3.00	140.0	0.3534	67.20	77.81	yes	stainless steel	4J
C.246.300.1600.A	24.6	3.00	160.0	0.3576	76.20	88.41	yes	music wire	4J
C.246.300.1600.I	24.6	3.00	160.0	0.3071	76.20	88.41	yes	stainless steel	4J
C.246.300.2000.A	24.6	3.00	200.0	0.2843	93.90	109.26	yes	music wire	4J
C.246.300.2000.I	24.6	3.00	200.0	0.2442	93.90	109.26	yes	stainless steel	4J
C.246.300.2800.A	24.6	3.00	280.0	0.2012	129.60	151.30	yes	music wire	4L
C.246.300.2800.I	24.6	3.00	280.0	0.1728	129.60	151.30	yes	stainless steel	4L
C.246.320.0830.A	24.6	3.20	83.0	0.8506	48.96	55.80	yes	music wire	4J
C.246.320.0830.AP	24.6	3.20	83.0	1.2759	35.20	47.65	yes	music wire	4M
C.246.320.0830.I	24.6	3.20	83.0	0.7400	48.64	55.43	yes	stainless steel	4J
C.246.320.2000.A	24.6	3.20	200.0	0.3682	102.72	118.55	yes	music wire	4L
C.246.320.2000.I	24.6	3.20	200.0	0.3163	102.72	118.55	yes	stainless steel	4L
C.246.330.0320.S	24.6	3.30	32.0	3.9405	18.81	20.53	yes	Cr-Si steel	4N
C.246.330.0380.S	24.6	3.30	38.0	3.1520	21.45	23.59	yes	Cr-Si steel	4O
C.246.330.2000.A	24.6	3.30	200.0	0.4181	106.92	122.95	yes	music wire	4L
C.246.330.2000.I	24.6	3.30	200.0	0.3591	106.92	122.95	yes	stainless steel	4L
C.246.340.0450.A	24.6	3.40	45.0	2.6204	27.20	30.16	yes	music wire	4J
C.246.340.0450.AP	24.6	3.40	45.0	3.1633	23.80	28.18	yes	music wire	4M
C.246.340.0450.I	24.6	3.40	45.0	2.1828	27.54	30.55	yes	stainless steel	4J
C.246.340.0570.A	24.6	3.40	57.0	1.9585	33.32	37.25	yes	music wire	4J
C.246.340.0570.AP	24.6	3.40	57.0	2.4252	28.56	35.06	yes	music wire	4M
C.246.340.0570.I	24.6	3.40	57.0	1.6314	34.00	38.04	yes	stainless steel	4J
C.246.340.2400.A	24.6	3.40	240.0	0.3925	132.26	151.85	yes	music wire	4M
C.246.340.2400.I	24.6	3.40	240.0	0.3371	132.26	151.85	yes	stainless steel	4M
C.246.360.0224.A	24.6	3.60	22.4	7.3449	18.00	19.36	yes	music wire	4L
C.246.360.0224.AP	24.6	3.60	22.4	9.9035	15.84	16.87	yes	music wire	4O
C.246.360.0224.I	24.6	3.60	22.4	6.3901	18.00	19.36	yes	stainless steel	4M
C.246.360.0224.N	24.6	3.60	22.4	7.3449	18.00	19.36	yes	Zn coating	4N
C.246.360.0254.A	24.6	3.60	25.4	6.2067	19.80	21.43	yes	music wire	4M
C.246.360.0254.AP	24.6	3.60	25.4	8.1811	17.28	18.53	yes	music wire	4O
C.246.360.0254.I	24.6	3.60	25.4	5.3998	19.44	21.02	yes	stainless steel	4M
C.246.360.0381.A	24.6	3.60	38.1	3.9289	25.92	28.48	yes	music wire	4M
C.246.360.0381.AP	24.6	3.60	38.1	4.8248	22.68	25.23	yes	music wire	4O
C.246.360.0381.I	24.6	3.60	38.1	3.3745	25.92	28.48	yes	stainless steel	4M
C.246.360.0381.N	24.6	3.60	38.1	3.9289	25.92	28.48	yes	Zn coating	4N
C.246.360.0508.A	24.6	3.60	50.8	2.8207	32.76	36.35	yes	music wire	4M
C.246.360.0508.AP	24.6	3.60	50.8	3.4845	28.08	32.97	yes	music wire	4O
C.246.360.0508.I	24.6	3.60	50.8	2.4540	32.40	35.93	yes	stainless steel	4M
C.246.360.0762.A	24.6	3.60	76.2	1.8487	45.00	50.44	yes	music wire	4M
C.246.360.0762.I	24.6	3.60	76.2	1.6084	44.64	50.02	yes	stainless steel	4M
C.246.360.0762.N	24.6	3.60	76.2	1.8487	45.00	50.44	yes	Zn coating	4N
C.246.360.0889.A	24.6	3.60	88.9	1.5714	51.48	57.90	yes	music wire	4M
C.246.360.0889.I	24.6	3.60	88.9	1.3671	50.76	57.07	yes	stainless steel	4M
C.246.360.0889.N	24.6	3.60	88.9	1.5714	51.48	57.90	yes	Zn coating	4O
C.246.360.1016.A	24.6	3.60	101.6	1.3664	57.60	64.94	yes	music wire	4M
C.246.360.1016.I	24.6	3.60	101.6	1.1888	56.88	64.11	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.360.1016.N	24.6	3.60	101.6	1.3664	57.60	64.94	yes	Zn coating	4O
C.246.360.1200.A	24.6	3.60	120.0	1.0322	73.44	83.17	yes	music wire	4M
C.246.360.1200.I	24.6	3.60	120.0	0.8866	73.44	83.17	yes	stainless steel	4M
C.246.360.1600.A	24.6	3.60	160.0	0.7635	96.12	109.28	yes	music wire	4N
C.246.360.1600.I	24.6	3.60	160.0	0.6558	96.12	109.28	yes	stainless steel	4N
C.246.360.2000.A	24.6	3.60	200.0	0.6058	118.80	135.38	yes	music wire	4N
C.246.360.2000.I	24.6	3.60	200.0	0.5203	118.80	135.38	yes	stainless steel	4N
C.246.380.0254.A	24.6	3.80	25.4	7.6641	21.28	22.99	yes	music wire	4M
C.246.380.0254.AP	24.6	3.80	25.4	10.4521	18.24	19.51	yes	music wire	4O
C.246.380.0254.I	24.6	3.80	25.4	6.5827	21.28	22.99	yes	stainless steel	4M
C.246.380.0254.N	24.6	3.80	25.4	7.6641	21.28	22.99	yes	Zn coating	4N
C.246.380.0381.A	24.6	3.80	38.1	4.7673	28.50	31.25	yes	music wire	4M
C.246.380.0381.AP	24.6	3.80	38.1	6.1641	23.94	26.44	yes	music wire	4O
C.246.380.0381.I	24.6	3.80	38.1	4.0946	28.50	31.25	yes	stainless steel	4M
C.246.380.0381.N	24.6	3.80	38.1	4.7673	28.50	31.25	yes	Zn coating	4N
C.246.380.0508.A	24.6	3.80	50.8	3.4596	35.34	39.09	yes	music wire	4M
C.246.380.0508.AP	24.6	3.80	50.8	4.3709	30.02	34.36	yes	music wire	4O
C.246.380.0508.I	24.6	3.80	50.8	3.0099	34.96	38.65	yes	stainless steel	4M
C.246.380.0508.N	24.6	3.80	50.8	3.4596	35.34	39.09	yes	Zn coating	4N
C.246.380.0600.A	24.6	3.80	60.0	2.8102	41.42	46.05	yes	music wire	4M
C.246.380.0600.I	24.6	3.80	60.0	2.4136	41.42	46.05	yes	stainless steel	4M
C.246.380.0635.A	24.6	3.80	63.5	2.7149	42.56	47.35	yes	music wire	4M
C.246.380.0635.AP	24.6	3.80	63.5	3.3859	36.10	42.27	yes	music wire	4O
C.246.380.0635.I	24.6	3.80	63.5	2.3620	42.18	46.92	yes	stainless steel	4M
C.246.380.0635.N	24.6	3.80	63.5	2.7149	42.56	47.35	yes	Zn coating	4N
C.246.380.0762.A	24.6	3.80	76.2	2.2340	49.78	55.62	yes	music wire	4M
C.246.380.0762.AP	24.6	3.80	76.2	2.7632	41.80	50.19	yes	music wire	4O
C.246.380.0762.I	24.6	3.80	76.2	1.9436	49.02	54.75	yes	stainless steel	4M
C.246.380.0762.N	24.6	3.80	76.2	2.2340	49.78	55.62	yes	Zn coating	4N
C.246.380.0800.A	24.6	3.80	80.0	2.0350	53.58	59.97	yes	music wire	4M
C.246.380.0800.I	24.6	3.80	80.0	1.7478	53.58	59.97	yes	stainless steel	4M
C.246.380.0889.A	24.6	3.80	88.9	1.9000	56.62	63.45	yes	music wire	4M
C.246.380.0889.AP	24.6	3.80	88.9	2.3340	47.88	58.10	yes	music wire	4O
C.246.380.0889.I	24.6	3.80	88.9	1.6511	56.24	63.01	yes	stainless steel	4M
C.246.380.0889.N	24.6	3.80	88.9	1.9000	56.62	63.45	yes	Zn coating	4O
C.246.380.1016.A	24.6	3.80	101.6	1.6496	63.84	71.72	yes	music wire	4M
C.246.380.1016.AP	24.6	3.80	101.6	2.0202	53.96	66.02	yes	music wire	4P
C.246.380.1016.I	24.6	3.80	101.6	1.4352	63.08	70.85	yes	stainless steel	4M
C.246.380.1016.N	24.6	3.80	101.6	1.6496	63.84	71.72	yes	Zn coating	4O
C.246.380.1400.A	24.6	3.80	140.0	1.1135	90.06	101.74	yes	music wire	4N
C.246.380.1400.I	24.6	3.80	140.0	0.9563	90.06	101.74	yes	stainless steel	4N
C.246.380.3000.A	24.6	3.80	300.0	0.5055	186.96	212.68	yes	music wire	4O
C.246.380.3000.I	24.6	3.80	300.0	0.4341	186.96	212.68	yes	stainless steel	4O
C.246.400.0381.A	24.6	4.00	38.1	5.8360	30.40	33.25	yes	music wire	4P
C.246.400.0381.AP	24.6	4.00	38.1	7.5957	25.60	27.78	yes	music wire	4R
C.246.400.0381.I	24.6	4.00	38.1	5.0773	30.00	32.80	yes	stainless steel	4P
C.246.400.0381.N	24.6	4.00	38.1	5.8360	30.40	33.25	yes	Zn coating	4R
C.246.400.0762.A	24.6	4.00	76.2	2.7235	54.00	60.15	yes	music wire	4P
C.246.400.0762.AP	24.6	4.00	76.2	3.4526	44.40	52.31	yes	music wire	4R
C.246.400.0762.I	24.6	4.00	76.2	2.3695	53.20	59.24	yes	stainless steel	4P
C.246.400.0762.N	24.6	4.00	76.2	2.7235	54.00	60.15	yes	Zn coating	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.246.400.0889.A	24.6	4.00	88.9	2.3087	61.60	68.81	yes	music wire	4P
C.246.400.0889.AP	24.6	4.00	88.9	2.8936	51.20	60.39	yes	music wire	4R
C.246.400.0889.I	24.6	4.00	88.9	2.0085	61.20	68.36	yes	stainless steel	4P
C.246.400.0889.N	24.6	4.00	88.9	2.3087	61.60	68.81	yes	Zn coating	4R
C.246.400.1016.A	24.6	4.00	101.6	2.0121	69.20	77.48	yes	music wire	4P
C.246.400.1016.AP	24.6	4.00	101.6	2.5110	57.60	68.75	yes	music wire	4R
C.246.400.1016.I	24.6	4.00	101.6	1.7500	68.40	76.56	yes	stainless steel	4P
C.246.400.1016.N	24.6	4.00	101.6	2.0121	69.20	77.48	yes	Zn coating	4R
C.246.400.1600.A	24.6	4.00	160.0	1.2227	107.60	121.24	yes	music wire	4Q
C.246.400.1600.I	24.6	4.00	160.0	1.0502	107.60	121.24	yes	stainless steel	4Q
C.246.400.2000.A	24.6	4.00	200.0	0.9686	133.20	150.42	yes	music wire	4Q
C.246.400.2000.I	24.6	4.00	200.0	0.8319	133.20	150.42	yes	stainless steel	4Q
C.246.530.0800.A	24.6	5.30	80.0	10.5486	69.43	76.17	yes	music wire	4S
C.246.530.0800.I	24.6	5.30	80.0	9.0601	69.43	76.17	yes	stainless steel	4S
C.246.530.1270.S	24.6	5.30	127.0	6.9179	99.11	109.40	yes	Cr-Si steel	5D
C.246.530.1520.S	24.6	5.30	152.0	5.6047	119.25	131.96	yes	Cr-Si steel	5D
C.247.200.0500.A	24.7	2.00	50.0	0.3150	13.80	16.38	yes	music wire	4F
C.247.200.0630.A	24.7	2.00	63.0	0.2520	16.00	19.23	yes	music wire	4F
C.247.200.0800.A	24.7	2.00	80.0	0.2000	19.00	23.11	yes	music wire	4I
C.247.200.0800.I	24.7	2.00	80.0	0.1740	18.80	22.85	yes	stainless steel	4I
C.247.200.0800.N	24.7	2.00	80.0	0.2000	19.00	23.11	yes	Zn coating	4I
C.247.200.1000.A	24.7	2.00	100.0	0.1600	22.40	27.50	yes	music wire	4J
C.247.200.1000.I	24.7	2.00	100.0	0.1392	22.20	27.24	yes	stainless steel	4J
C.247.200.1000.N	24.7	2.00	100.0	0.1600	22.40	27.50	yes	Zn coating	4L
C.247.200.1250.A	24.7	2.00	125.0	0.1270	27.00	33.45	yes	music wire	4J
C.247.200.1250.I	24.7	2.00	125.0	0.1105	26.60	32.93	yes	stainless steel	4J
C.247.200.1250.N	24.7	2.00	125.0	0.1270	27.00	33.45	yes	Zn coating	4L
C.247.200.1600.A	24.7	2.00	160.0	0.1000	32.80	40.95	yes	music wire	4L
C.247.200.1600.I	24.7	2.00	160.0	0.0870	32.60	40.69	yes	stainless steel	4L
C.247.200.1600.N	24.7	2.00	160.0	0.1000	32.80	40.95	yes	Zn coating	4M
C.247.200.2000.A	24.7	2.00	200.0	0.0800	39.80	50.00	yes	music wire	4L
C.247.200.2000.I	24.7	2.00	200.0	0.0696	39.40	49.49	yes	stainless steel	4L
C.247.200.2000.N	24.7	2.00	200.0	0.0800	39.80	50.00	yes	Zn coating	4N
C.247.200.2500.A	24.7	2.00	250.0	0.0640	48.60	61.38	yes	music wire	4M
C.247.200.2500.I	24.7	2.00	250.0	0.0557	48.00	60.61	yes	stainless steel	4M
C.247.200.2500.N	24.7	2.00	250.0	0.0640	48.60	61.38	yes	Zn coating	4N
C.247.200.3200.A	24.7	2.00	320.0	0.0500	60.80	77.16	yes	music wire	4N
C.247.200.3200.I	24.7	2.00	320.0	0.0435	60.00	76.13	yes	stainless steel	4N
C.247.200.3200.N	24.7	2.00	320.0	0.0500	60.80	77.16	yes	Zn coating	4O
C.247.220.0450.A	24.7	2.20	45.0	0.5061	14.52	16.84	yes	music wire	4H
C.247.220.0450.I	24.7	2.20	45.0	0.4403	14.52	16.84	yes	stainless steel	4H
C.247.320.0380.A	24.7	3.20	38.0	2.4204	22.08	24.44	yes	music wire	4J
C.247.320.0380.I	24.7	3.20	38.0	2.1000	22.08	24.44	yes	stainless steel	4J
C.247.320.0450.A	24.7	3.20	45.0	1.9315	25.92	28.93	yes	music wire	4J
C.247.320.0450.AP	24.7	3.20	45.0	2.4878	21.76	26.94	yes	music wire	4M
C.247.320.0450.I	24.7	3.20	45.0	1.6804	25.60	28.55	yes	stainless steel	4J
C.247.320.0570.A	24.7	3.20	57.0	1.5132	30.72	34.53	yes	music wire	4J
C.247.320.0570.I	24.7	3.20	57.0	1.3165	30.40	34.16	yes	stainless steel	4J
C.247.320.0760.A	24.7	3.20	76.0	1.1000	39.36	44.62	yes	music wire	4J
C.247.320.0760.I	24.7	3.20	76.0	0.9573	38.72	43.87	yes	stainless steel	4J
C.247.320.0890.A	24.7	3.20	89.0	0.9307	44.80	50.97	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.247.320.0890.I	24.7	3.20	89.0	0.8097	44.48	50.60	yes	stainless steel	4J
C.247.400.0380.A	24.7	4.00	38.0	7.3000	26.00	28.24	yes	music wire	4R
C.247.400.0380.I	24.7	4.00	38.0	6.3510	26.00	28.24	yes	stainless steel	4R
C.247.400.1150.S	24.7	4.00	115.0	1.9437	70.40	78.87	yes	Cr-Si steel	5A
C.247.400.1270.S	24.7	4.00	127.0	1.8000	75.20	84.34	yes	Cr-Si steel	5A
C.247.400.1400.S	24.7	4.00	140.0	1.6113	82.80	93.00	yes	Cr-Si steel	5A
C.247.400.1520.S	24.7	4.00	152.0	1.4181	92.80	104.41	yes	Cr-Si steel	5A
C.247.420.0250.S	24.7	4.20	25.0	19.2639	18.48	20.14	yes	Cr-Si steel	4T
C.248.160.0191.A	24.8	1.60	19.1	0.4500	5.92	6.72	yes	music wire	4E
C.248.160.0191.I	24.8	1.60	19.1	0.3800	5.92	6.72	yes	stainless steel	4F
C.248.160.0250.A	24.8	1.60	25.0	0.3200	6.72	7.85	yes	music wire	4F
C.248.160.0250.I	24.8	1.60	25.0	0.2700	6.72	7.85	yes	stainless steel	4F
C.248.160.0320.A	24.8	1.60	32.0	0.2500	7.36	8.76	yes	music wire	4F
C.248.160.0320.I	24.8	1.60	32.0	0.2100	7.52	8.98	yes	stainless steel	4G
C.248.160.0380.A	24.8	1.60	38.0	0.2000	8.32	10.11	yes	music wire	4F
C.248.160.0380.I	24.8	1.60	38.0	0.1700	8.32	10.11	yes	stainless steel	4G
C.248.160.0450.A	24.8	1.60	45.0	0.1700	8.96	11.02	yes	music wire	4G
C.248.160.0450.I	24.8	1.60	45.0	0.1500	8.96	11.02	yes	stainless steel	4G
C.248.160.0500.A	24.8	1.60	50.0	0.1500	9.76	12.15	yes	music wire	4G
C.248.160.0500.I	24.8	1.60	50.0	0.1300	9.60	11.93	yes	stainless steel	4G
C.248.160.0570.A	24.8	1.60	57.0	0.1300	10.56	13.28	yes	music wire	4G
C.248.160.0570.I	24.8	1.60	57.0	0.1100	10.72	13.51	yes	stainless steel	4G
C.248.160.0640.A	24.8	1.60	64.0	0.1200	11.20	14.19	yes	music wire	4G
C.248.160.0640.I	24.8	1.60	64.0	0.1000	11.36	14.42	yes	stainless steel	4G
C.248.160.0700.A	24.8	1.60	70.0	0.1100	11.84	15.10	yes	music wire	4G
C.248.160.0700.I	24.8	1.60	70.0	0.0910	12.00	15.32	yes	stainless steel	4G
C.248.160.0760.A	24.8	1.60	76.0	0.0970	12.80	16.46	yes	music wire	4G
C.248.160.0760.I	24.8	1.60	76.0	0.0830	12.80	16.46	yes	stainless steel	4H
C.248.160.0890.A	24.8	1.60	89.0	0.0830	14.24	18.49	yes	music wire	4H
C.248.160.0890.I	24.8	1.60	89.0	0.0710	14.40	18.72	yes	stainless steel	4H
C.248.160.1020.A	24.8	1.60	102.0	0.0720	15.84	20.76	yes	music wire	4H
C.248.160.1020.I	24.8	1.60	102.0	0.0610	16.00	20.98	yes	stainless steel	4I
C.248.180.0450.A	24.8	1.80	45.0	0.2600	10.62	12.73	yes	music wire	4G
C.248.180.0450.I	24.8	1.80	45.0	0.2200	10.62	12.73	yes	stainless steel	4H
C.248.180.0570.A	24.8	1.80	57.0	0.2000	12.42	15.15	yes	music wire	4H
C.248.180.0570.I	24.8	1.80	57.0	0.1700	12.42	15.15	yes	stainless steel	4H
C.248.180.0700.A	24.8	1.80	70.0	0.1600	14.40	17.81	yes	music wire	4H
C.248.180.0700.I	24.8	1.80	70.0	0.1392	14.22	17.57	yes	stainless steel	4I
C.248.190.0190.A	24.8	1.90	19.0	0.5815	8.36	9.51	yes	music wire	4G
C.248.190.0190.I	24.8	1.90	19.0	0.5059	8.36	9.51	yes	stainless steel	4G
C.248.210.0191.A	24.8	2.10	19.1	1.1000	8.40	9.27	yes	music wire	4G
C.248.210.0191.I	24.8	2.10	19.1	0.9000	8.61	9.53	yes	stainless steel	4G
C.248.210.0320.A	24.8	2.10	32.0	0.5747	11.34	13.02	yes	music wire	4G
C.248.210.0320.AP	24.8	2.10	32.0	0.8147	9.66	14.81	yes	music wire	4I
C.248.210.0320.I	24.8	2.10	32.0	0.5000	11.34	13.02	yes	stainless steel	4G
C.248.210.0450.A	24.8	2.10	45.0	0.4100	13.86	16.23	yes	music wire	4G
C.248.210.0450.AP	24.8	2.10	45.0	0.5519	11.76	19.62	yes	music wire	4I
C.248.210.0450.I	24.8	2.10	45.0	0.3500	14.07	16.50	yes	stainless steel	4H
C.248.210.0570.A	24.8	2.10	57.0	0.3100	16.80	19.98	yes	music wire	4H
C.248.210.0570.AP	24.8	2.10	57.0	0.4277	13.65	24.25	yes	music wire	4J
C.248.210.0570.I	24.8	2.10	57.0	0.2600	17.01	20.25	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.248.210.0700.A	24.8	2.10	70.0	0.2500	19.53	23.46	yes	music wire	4H
C.248.210.0700.AP	24.8	2.10	70.0	0.3492	15.54	29.88	yes	music wire	4J
C.248.210.0700.I	24.8	2.10	70.0	0.2175	19.32	23.19	yes	stainless steel	4I
C.248.210.0760.A	24.8	2.10	76.0	0.2184	21.63	26.14	yes	music wire	4I
C.248.210.0760.AP	24.8	2.10	76.0	0.3168	16.38	31.79	yes	music wire	4J
C.248.210.0760.I	24.8	2.10	76.0	0.1900	21.42	25.87	yes	stainless steel	4I
C.248.210.0890.A	24.8	2.10	89.0	0.1900	23.94	29.08	yes	music wire	4I
C.248.210.0890.AP	24.8	2.10	89.0	0.2716	18.27	37.42	yes	music wire	4J
C.248.210.0890.I	24.8	2.10	89.0	0.1653	23.73	28.82	yes	stainless steel	4I
C.248.210.1020.A	24.8	2.10	102.0	0.1609	27.30	33.37	yes	music wire	4I
C.248.210.1020.AP	24.8	2.10	102.0	0.2344	20.37	42.24	yes	music wire	4J
C.248.210.1020.I	24.8	2.10	102.0	0.1400	27.09	33.10	yes	stainless steel	4I
C.248.220.0320.A	24.8	2.20	32.0	0.6782	12.10	13.80	yes	music wire	4G
C.248.220.0320.AP	24.8	2.20	32.0	0.9501	10.34	15.22	yes	music wire	4I
C.248.220.0320.I	24.8	2.20	32.0	0.5900	12.10	13.80	yes	stainless steel	4H
C.248.220.0570.A	24.8	2.20	57.0	0.4000	16.94	19.89	yes	music wire	4J
C.248.220.0570.I	24.8	2.20	57.0	0.3400	16.94	19.89	yes	stainless steel	4I
C.248.220.0700.A	24.8	2.20	70.0	0.3200	19.80	23.49	yes	music wire	4J
C.248.220.0700.AP	24.8	2.20	70.0	0.4020	16.72	30.34	yes	music wire	4J
C.248.220.0700.I	24.8	2.20	70.0	0.2300	22.44	26.82	yes	stainless steel	4I
C.248.230.0320.A	24.8	2.30	32.0	0.8046	12.88	14.62	yes	music wire	4G
C.248.230.0320.AP	24.8	2.30	32.0	1.1012	11.04	15.62	yes	music wire	4I
C.248.230.0320.I	24.8	2.30	32.0	0.7000	12.88	14.62	yes	stainless steel	4H
C.248.235.0224.A	24.8	2.35	22.4	1.0675	11.99	13.44	yes	music wire	4G
C.248.235.0224.AP	24.8	2.35	22.4	1.8534	9.40	12.07	yes	music wire	4I
C.248.235.0224.I	24.8	2.35	22.4	0.9287	11.75	13.14	yes	stainless steel	4G
C.248.235.0762.A	24.8	2.35	76.2	0.3046	27.03	32.04	yes	music wire	4I
C.248.235.0762.AP	24.8	2.35	76.2	0.4633	19.74	34.89	yes	music wire	4J
C.248.235.0762.I	24.8	2.35	76.2	0.2650	26.79	31.74	yes	stainless steel	4I
C.248.235.0889.A	24.8	2.35	88.9	0.2599	30.79	36.69	yes	music wire	4I
C.248.235.0889.AP	24.8	2.35	88.9	0.3916	22.33	40.01	yes	music wire	4J
C.248.235.0889.I	24.8	2.35	88.9	0.2261	30.32	36.11	yes	stainless steel	4I
C.248.235.1016.A	24.8	2.35	101.6	0.2270	34.31	41.05	yes	music wire	4I
C.248.235.1016.AP	24.8	2.35	101.6	0.3390	24.91	45.14	yes	music wire	4J
C.248.235.1016.I	24.8	2.35	101.6	0.1975	33.84	40.46	yes	stainless steel	4I
C.248.240.0220.A	24.8	2.40	22.0	1.5000	10.80	11.91	yes	music wire	4G
C.248.240.0220.I	24.8	2.40	22.0	1.3050	10.80	11.91	yes	stainless steel	4G
C.248.240.0224.A	24.8	2.40	22.4	1.1175	12.48	13.97	yes	music wire	4G
C.248.240.0224.AP	24.8	2.40	22.4	1.9037	9.84	11.74	yes	music wire	4I
C.248.240.0224.I	24.8	2.40	22.4	0.9722	12.48	13.97	yes	stainless steel	4G
C.248.240.0700.A	24.8	2.40	70.0	0.4138	23.52	27.56	yes	music wire	4I
C.248.240.0700.I	24.8	2.40	70.0	0.3600	23.28	27.27	yes	stainless steel	4I
C.248.240.0889.A	24.8	2.40	88.9	0.2695	32.88	39.08	yes	music wire	4I
C.248.240.0889.AP	24.8	2.40	88.9	0.4231	23.04	40.94	yes	music wire	4J
C.248.240.0889.I	24.8	2.40	88.9	0.2344	32.40	38.49	yes	stainless steel	4I
C.248.240.1016.A	24.8	2.40	101.6	0.2759	32.16	38.19	yes	music wire	4I
C.248.240.1016.I	24.8	2.40	101.6	0.2400	31.92	37.90	yes	stainless steel	4I
C.248.240.1020.A	24.8	2.40	102.0	0.2759	32.16	38.19	yes	music wire	4I
C.248.240.1020.I	24.8	2.40	102.0	0.2400	31.92	37.90	yes	stainless steel	4I
C.248.270.0224.A	24.8	2.70	22.4	1.8315	14.04	15.50	yes	music wire	4G
C.248.270.0224.AP	24.8	2.70	22.4	2.9967	11.34	13.03	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.248.270.0224.I	24.8	2.70	22.4	1.5934	14.04	15.50	yes	stainless steel	4H
C.248.270.0320.A	24.8	2.70	32.0	1.4000	16.47	18.42	yes	music wire	4G
C.248.270.0320.AP	24.8	2.70	32.0	1.9594	13.77	17.66	yes	music wire	4I
C.248.270.0320.I	24.8	2.70	32.0	1.2000	16.47	18.42	yes	stainless steel	4H
C.248.270.0450.A	24.8	2.70	45.0	0.9310	21.33	24.25	yes	music wire	4H
C.248.270.0450.AP	24.8	2.70	45.0	1.3062	17.01	23.49	yes	music wire	4J
C.248.270.0450.I	24.8	2.70	45.0	0.8100	21.06	23.93	yes	stainless steel	4I
C.248.270.0500.A	24.8	2.70	50.0	0.8200	23.22	26.52	yes	music wire	4H
C.248.270.0500.AP	24.8	2.70	50.0	1.1578	18.36	25.74	yes	music wire	4J
C.248.270.0500.I	24.8	2.70	50.0	0.7134	22.95	26.20	yes	stainless steel	4I
C.248.270.0570.A	24.8	2.70	57.0	0.7200	25.65	29.44	yes	music wire	4I
C.248.270.0570.AP	24.8	2.70	57.0	1.0189	19.98	29.43	yes	music wire	4J
C.248.270.0570.I	24.8	2.70	57.0	0.6100	25.92	29.76	yes	stainless steel	4I
C.248.270.0698.A	24.8	2.70	69.8	0.5615	30.78	35.60	yes	music wire	4I
C.248.270.0698.AP	24.8	2.70	69.8	0.8086	23.49	35.06	yes	music wire	4J
C.248.270.0698.I	24.8	2.70	69.8	0.4885	30.51	35.27	yes	stainless steel	4I
C.248.270.0700.A	24.8	2.70	70.0	0.5700	30.51	35.27	yes	music wire	4I
C.248.270.0700.AP	24.8	2.70	70.0	0.8086	23.49	35.26	yes	music wire	4J
C.248.270.0700.I	24.8	2.70	70.0	0.4959	30.24	34.95	yes	stainless steel	4I
C.248.270.0762.A	24.8	2.70	76.2	0.5123	33.21	38.52	yes	music wire	4I
C.248.270.0762.AP	24.8	2.70	76.2	0.7383	25.11	38.15	yes	music wire	4J
C.248.270.0762.I	24.8	2.70	76.2	0.4457	32.94	38.19	yes	stainless steel	4I
C.248.270.0889.A	24.8	2.70	88.9	0.4396	37.53	43.70	yes	music wire	4I
C.248.270.0889.AP	24.8	2.70	88.9	0.6289	28.35	44.23	yes	music wire	4J
C.248.270.0889.I	24.8	2.70	88.9	0.3825	37.26	43.38	yes	stainless steel	4I
C.248.270.1016.A	24.8	2.70	101.6	0.3821	42.12	49.21	yes	music wire	4I
C.248.270.1016.AP	24.8	2.70	101.6	0.5478	31.59	50.32	yes	music wire	4J
C.248.270.1016.I	24.8	2.70	101.6	0.3325	41.85	48.89	yes	stainless steel	4I
C.248.280.0220.A	24.8	2.80	22.0	2.6437	13.16	14.35	yes	music wire	4I
C.248.280.0220.AP	24.8	2.80	22.0	3.5166	11.76	13.17	yes	music wire	4J
C.248.280.0220.I	24.8	2.80	22.0	2.3000	13.16	14.35	yes	stainless steel	4I
C.248.280.0224.A	24.8	2.80	22.4	2.0000	15.12	16.68	yes	music wire	4I
C.248.280.0224.AP	24.8	2.80	22.4	3.5166	11.76	13.57	yes	music wire	4J
C.248.280.0224.I	24.8	2.80	22.4	1.7426	15.12	16.68	yes	stainless steel	4I
C.248.280.0570.A	24.8	2.80	57.0	0.9195	24.92	28.37	yes	music wire	4I
C.248.280.0570.I	24.8	2.80	57.0	0.8000	24.64	28.04	yes	stainless steel	4I
C.248.280.0700.A	24.8	2.80	70.0	0.7356	29.40	33.71	yes	music wire	4I
C.248.280.0700.I	24.8	2.80	70.0	0.6400	29.12	33.38	yes	stainless steel	4I
C.248.280.0762.A	24.8	2.80	76.2	0.5616	36.40	42.06	yes	music wire	4I
C.248.280.0762.AP	24.8	2.80	76.2	0.8420	26.60	39.32	yes	music wire	4L
C.248.280.0762.I	24.8	2.80	76.2	0.4886	35.84	41.39	yes	stainless steel	4I
C.248.280.0889.A	24.8	2.80	88.9	0.4814	41.16	47.74	yes	music wire	4I
C.248.280.0889.AP	24.8	2.80	88.9	0.7203	29.96	45.79	yes	music wire	4L
C.248.280.0889.I	24.8	2.80	88.9	0.4188	40.88	47.41	yes	stainless steel	4J
C.248.290.0500.A	24.8	2.90	50.0	1.1494	24.65	27.88	yes	music wire	4I
C.248.290.0500.AP	24.8	2.90	50.0	1.5174	20.30	27.47	yes	music wire	4J
C.248.290.0500.I	24.8	2.90	50.0	1.0000	24.36	27.53	yes	stainless steel	4I
C.248.290.0640.A	24.8	2.90	64.0	0.8851	29.87	34.07	yes	music wire	4I
C.248.290.0640.AP	24.8	2.90	64.0	1.1633	24.36	34.61	yes	music wire	4K
C.248.290.0640.I	24.8	2.90	64.0	0.7700	29.58	33.72	yes	stainless steel	4I
C.248.290.0760.A	24.8	2.90	76.0	0.7356	34.22	39.22	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.248.290.0760.I	24.8	2.90	76.0	0.6400	33.93	38.88	yes	stainless steel	4I
C.248.290.0890.A	24.8	2.90	89.0	0.6207	39.44	45.41	yes	music wire	4I
C.248.290.0890.I	24.8	2.90	89.0	0.5400	38.86	44.73	yes	stainless steel	4J
C.248.290.1020.A	24.8	2.90	102.0	0.5517	43.21	49.88	yes	music wire	4J
C.248.290.1020.I	24.8	2.90	102.0	0.4800	42.92	49.54	yes	stainless steel	4J
C.248.300.0380.A	24.8	3.00	38.0	2.0000	19.50	21.65	yes	music wire	4I
C.248.300.0380.I	24.8	3.00	38.0	1.7400	19.20	21.30	yes	stainless steel	4I
C.248.300.0450.A	24.8	3.00	45.0	1.7000	21.60	24.13	yes	music wire	4J
C.248.300.0450.I	24.8	3.00	45.0	1.4000	22.20	24.83	yes	stainless steel	4I
C.248.300.0500.A	24.8	3.00	50.0	1.4000	24.60	27.66	yes	music wire	4I
C.248.300.0500.I	24.8	3.00	50.0	1.2180	24.30	27.31	yes	stainless steel	4I
C.248.300.0570.A	24.8	3.00	57.0	1.2000	27.30	30.85	yes	music wire	4I
C.248.300.0570.I	24.8	3.00	57.0	1.0440	27.30	30.85	yes	stainless steel	4I
C.248.300.0760.A	24.8	3.00	76.0	0.9100	33.90	38.63	yes	music wire	4L
C.248.300.0760.I	24.8	3.00	76.0	0.7917	33.30	37.92	yes	stainless steel	4L
C.248.300.0890.A	24.8	3.00	89.0	0.7700	38.40	43.94	yes	music wire	4L
C.248.300.0890.I	24.8	3.00	89.0	0.6699	38.10	43.58	yes	stainless steel	4L
C.248.320.0220.A	24.8	3.20	22.0	4.3000	16.00	17.35	yes	music wire	4J
C.248.320.0220.AP	24.8	3.20	22.0	5.9973	13.76	14.73	yes	music wire	4L
C.248.320.0220.I	24.8	3.20	22.0	3.7410	15.68	16.97	yes	stainless steel	4J
C.248.320.0224.A	24.8	3.20	22.4	3.7881	16.96	18.47	yes	music wire	4J
C.248.320.0224.AP	24.8	3.20	22.4	5.6816	14.08	15.10	yes	music wire	4L
C.248.320.0224.I	24.8	3.20	22.4	3.2957	16.96	18.47	yes	stainless steel	4J
C.248.320.0250.A	24.8	3.20	25.0	3.5632	17.60	19.22	yes	music wire	4J
C.248.320.0250.AP	24.8	3.20	25.0	4.9069	15.04	16.23	yes	music wire	4L
C.248.320.0250.I	24.8	3.20	25.0	3.1000	17.28	18.84	yes	stainless steel	4J
C.248.320.0320.A	24.8	3.20	32.0	2.6437	20.80	22.95	yes	music wire	4J
C.248.320.0320.AP	24.8	3.20	32.0	3.7224	16.96	19.97	yes	music wire	4L
C.248.320.0320.I	24.8	3.20	32.0	2.3000	20.80	22.95	yes	stainless steel	4J
C.248.320.0380.A	24.8	3.20	38.0	2.3000	22.72	25.20	yes	music wire	4J
C.248.320.0380.AP	24.8	3.20	38.0	2.9986	19.20	23.07	yes	music wire	4L
C.248.320.0380.I	24.8	3.20	38.0	2.0000	22.72	25.20	yes	stainless steel	4J
C.248.320.0508.A	24.8	3.20	50.8	1.5188	30.40	34.17	yes	music wire	4J
C.248.320.0508.AP	24.8	3.20	50.8	2.1590	23.68	30.07	yes	music wire	4M
C.248.320.0508.I	24.8	3.20	50.8	1.3214	30.08	33.80	yes	stainless steel	4J
C.248.320.0572.A	24.8	3.20	57.2	1.3480	33.28	37.54	yes	music wire	4J
C.248.320.0572.AP	24.8	3.20	57.2	1.8939	25.92	33.56	yes	music wire	4M
C.248.320.0572.I	24.8	3.20	57.2	1.1728	32.96	37.16	yes	stainless steel	4J
C.248.320.0635.A	24.8	3.20	63.5	1.2000	36.16	40.90	yes	music wire	4J
C.248.320.0635.AP	24.8	3.20	63.5	1.6867	28.16	36.96	yes	music wire	4M
C.248.320.0635.I	24.8	3.20	63.5	1.0446	35.84	40.53	yes	stainless steel	4J
C.248.320.0698.A	24.8	3.20	69.8	1.0914	39.04	44.27	yes	music wire	4J
C.248.320.0698.AP	24.8	3.20	69.8	1.5204	30.40	40.36	yes	music wire	4M
C.248.320.0698.I	24.8	3.20	69.8	0.9495	38.72	43.89	yes	stainless steel	4J
C.248.320.0700.A	24.8	3.20	70.0	1.1000	38.72	43.89	yes	music wire	4J
C.248.320.0700.AP	24.8	3.20	70.0	1.5204	30.40	40.56	yes	music wire	4M
C.248.320.0700.I	24.8	3.20	70.0	0.9570	38.40	43.52	yes	stainless steel	4J
C.248.320.0762.A	24.8	3.20	76.2	0.9927	42.24	48.00	yes	music wire	4J
C.248.320.0762.AP	24.8	3.20	76.2	1.3840	32.64	43.85	yes	music wire	4M
C.248.320.0762.I	24.8	3.20	76.2	0.8637	41.60	47.26	yes	stainless steel	4J
C.248.320.0889.A	24.8	3.20	88.9	0.8462	48.00	54.73	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.248.320.0889.AP	24.8	3.20	88.9	1.1734	36.80	50.75	yes	music wire	4M
C.248.320.0889.I	24.8	3.20	88.9	0.7362	47.68	54.36	yes	stainless steel	4J
C.248.320.1016.A	24.8	3.20	101.6	0.7373	54.08	61.84	yes	music wire	4J
C.248.320.1016.AP	24.8	3.20	101.6	1.0089	41.60	57.23	yes	music wire	4M
C.248.320.1016.I	24.8	3.20	101.6	0.6415	53.44	61.09	yes	stainless steel	4K
C.248.340.0220.A	24.8	3.40	22.0	6.2000	15.98	17.17	yes	music wire	4J
C.248.340.0220.AP	24.8	3.40	22.0	7.4458	14.96	15.99	yes	music wire	4L
C.248.340.0220.I	24.8	3.40	22.0	5.3000	16.32	17.57	yes	stainless steel	4J
C.248.340.0224.A	24.8	3.40	22.4	4.9310	18.02	19.54	yes	music wire	4J
C.248.340.0224.AP	24.8	3.40	22.4	7.4458	14.96	15.99	yes	music wire	4L
C.248.340.0224.I	24.8	3.40	22.4	4.2900	18.02	19.54	yes	stainless steel	4J
C.248.340.0250.A	24.8	3.40	25.0	5.2000	17.68	19.14	yes	music wire	4J
C.248.340.0250.AP	24.8	3.40	25.0	6.4304	15.98	17.17	yes	music wire	4L
C.248.340.0250.I	24.8	3.40	25.0	4.4000	17.68	19.14	yes	stainless steel	4J
C.248.340.0380.A	24.8	3.40	38.0	3.1000	23.80	26.24	yes	music wire	4J
C.248.340.0380.AP	24.8	3.40	38.0	3.8235	20.74	24.19	yes	music wire	4L
C.248.340.0380.I	24.8	3.40	38.0	2.6000	24.14	26.63	yes	stainless steel	4J
C.248.340.0500.A	24.8	3.40	50.0	2.2000	29.92	33.33	yes	music wire	4J
C.248.340.0500.AP	24.8	3.40	50.0	2.7739	25.50	30.96	yes	music wire	4M
C.248.340.0500.I	24.8	3.40	50.0	1.9000	29.92	33.33	yes	stainless steel	4J
C.248.340.0635.A	24.8	3.40	63.5	1.5527	38.76	43.58	yes	music wire	4J
C.248.340.0635.AP	24.8	3.40	63.5	2.1115	30.94	38.49	yes	music wire	4M
C.248.340.0635.I	24.8	3.40	63.5	1.3509	38.42	43.19	yes	stainless steel	4J
C.248.340.0760.A	24.8	3.40	76.0	1.4000	42.16	47.53	yes	music wire	4J
C.248.340.0760.I	24.8	3.40	76.0	1.2180	41.82	47.13	yes	stainless steel	4J
C.248.340.0762.A	24.8	3.40	76.2	1.2817	45.22	51.07	yes	music wire	4J
C.248.340.0762.AP	24.8	3.40	76.2	1.7465	35.70	45.97	yes	music wire	4M
C.248.340.0762.I	24.8	3.40	76.2	1.1151	44.88	50.68	yes	stainless steel	4J
C.248.340.0889.A	24.8	3.40	88.9	1.0912	51.68	58.56	yes	music wire	4J
C.248.340.0889.AP	24.8	3.40	88.9	1.4736	40.46	53.07	yes	music wire	4M
C.248.340.0889.I	24.8	3.40	88.9	0.9494	51.34	58.17	yes	stainless steel	4J
C.248.340.0890.A	24.8	3.40	89.0	1.2000	47.94	54.23	yes	music wire	4J
C.248.340.0890.I	24.8	3.40	89.0	1.0440	47.26	53.44	yes	stainless steel	4J
C.248.340.1016.A	24.8	3.40	101.6	0.9500	58.14	66.05	yes	music wire	4J
C.248.340.1016.AP	24.8	3.40	101.6	1.2745	45.56	60.17	yes	music wire	4M
C.248.340.1016.I	24.8	3.40	101.6	0.8265	57.46	65.27	yes	stainless steel	4K
C.248.380.0508.A	24.8	3.80	50.8	3.3188	35.72	39.54	yes	music wire	4M
C.248.380.0508.AP	24.8	3.80	50.8	4.3258	29.64	34.30	yes	music wire	4O
C.248.380.0508.I	24.8	3.80	50.8	2.8874	35.34	39.11	yes	stainless steel	4M
C.248.380.0635.A	24.8	3.80	63.5	2.6044	42.94	47.82	yes	music wire	4M
C.248.380.0635.AP	24.8	3.80	63.5	3.3371	35.72	42.12	yes	music wire	4O
C.248.380.0635.I	24.8	3.80	63.5	2.2658	42.56	47.38	yes	stainless steel	4M
C.248.380.0762.A	24.8	3.80	76.2	2.1431	50.16	56.09	yes	music wire	4M
C.248.380.0762.AP	24.8	3.80	76.2	2.7162	41.42	49.93	yes	music wire	4O
C.248.380.0762.I	24.8	3.80	76.2	1.8645	49.78	55.65	yes	stainless steel	4M
C.248.380.0889.A	24.8	3.80	88.9	1.8206	57.38	64.36	yes	music wire	4M
C.248.380.0889.AP	24.8	3.80	88.9	2.2902	47.50	57.74	yes	music wire	4O
C.248.380.0889.I	24.8	3.80	88.9	1.5839	56.62	63.49	yes	stainless steel	4M
C.248.380.1016.A	24.8	3.80	101.6	1.5825	64.60	72.63	yes	music wire	4M
C.248.380.1016.AP	24.8	3.80	101.6	1.9965	53.20	65.86	yes	music wire	4P
C.248.380.1016.I	24.8	3.80	101.6	1.3768	63.84	71.76	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.248.420.0381.A	24.8	4.20	38.1	7.5000	30.66	33.40	yes	music wire	4P
C.248.420.0381.AP	24.8	4.20	38.1	9.4693	26.46	28.63	yes	music wire	4R
C.248.420.0381.I	24.8	4.20	38.1	6.5250	30.66	33.40	yes	stainless steel	4P
C.248.420.0508.A	24.8	4.20	50.8	5.3850	38.64	42.47	yes	music wire	4P
C.248.420.0508.AP	24.8	4.20	50.8	6.5947	33.60	36.74	yes	music wire	4R
C.248.420.0508.I	24.8	4.20	50.8	4.6850	38.22	41.99	yes	stainless steel	4P
C.248.420.0635.A	24.8	4.20	63.5	4.2005	46.62	51.54	yes	music wire	4P
C.248.420.0635.AP	24.8	4.20	63.5	5.1292	40.32	45.30	yes	music wire	4R
C.248.420.0635.I	24.8	4.20	63.5	3.6544	46.20	51.06	yes	stainless steel	4P
C.248.420.0762.A	24.8	4.20	76.2	3.4633	54.60	60.60	yes	music wire	4P
C.248.420.0762.AP	24.8	4.20	76.2	4.1495	47.04	53.71	yes	music wire	4R
C.248.420.0762.I	24.8	4.20	76.2	3.0130	53.76	59.65	yes	stainless steel	4P
C.248.420.0889.A	24.8	4.20	88.9	2.9316	62.58	69.67	yes	music wire	4P
C.248.420.0889.AP	24.8	4.20	88.9	3.5172	53.76	62.37	yes	music wire	4R
C.248.420.0889.I	24.8	4.20	88.9	2.5505	61.74	68.71	yes	stainless steel	4P
C.248.420.1016.A	24.8	4.20	101.6	2.5524	70.14	78.26	yes	music wire	4P
C.248.420.1016.AP	24.8	4.20	101.6	3.0521	60.48	71.02	yes	music wire	4R
C.248.420.1016.I	24.8	4.20	101.6	2.2206	69.30	77.30	yes	stainless steel	4P
C.248.500.0380.S	24.8	5.00	38.0	22.4168	31.00	33.29	yes	Cr-Si steel	5C
C.248.530.0500.S	24.8	5.30	50.0	19.9651	41.87	45.31	yes	Cr-Si steel	5A
C.248.530.0640.S	24.8	5.30	64.0	15.0616	51.41	56.00	yes	Cr-Si steel	5C
C.248.530.0760.S	24.8	5.30	76.0	12.2597	59.89	65.50	yes	Cr-Si steel	5C
C.248.530.0890.S	24.8	5.30	89.0	10.2454	69.43	76.19	yes	Cr-Si steel	5D
C.248.530.1020.S	24.8	5.30	102.0	8.8440	78.44	86.28	yes	Cr-Si steel	5D
C.248.530.1150.S	24.8	5.30	115.0	7.7063	87.98	96.97	yes	Cr-Si steel	5D
C.250.100.0220.A	25.0	1.00	22.0	0.0253	6.40	9.20	no	music wire	4D
C.250.100.0220.I	25.0	1.00	22.0	0.0220	6.40	9.20	no	stainless steel	4D
C.250.100.0570.A	25.0	1.00	57.0	0.0115	9.90	16.07	no	music wire	4E
C.250.100.0570.I	25.0	1.00	57.0	0.0100	9.80	15.87	no	stainless steel	4E
C.250.110.0320.A	25.0	1.10	32.0	0.0621	5.83	7.43	no	music wire	4D
C.250.110.0320.I	25.0	1.10	32.0	0.0540	5.72	7.23	no	stainless steel	4E
C.250.120.0270.A	25.0	1.20	27.0	0.0500	6.72	9.29	yes	music wire	4D
C.250.120.0270.I	25.0	1.20	27.0	0.0435	6.72	9.29	yes	stainless steel	4E
C.250.125.0730.A	25.0	1.25	73.0	0.0240	12.75	18.92	yes	music wire	4E
C.250.125.0730.I	25.0	1.25	73.0	0.0209	12.63	18.72	yes	stainless steel	4F
C.250.125.0730.N	25.0	1.25	73.0	0.0240	12.75	18.92	yes	Zn coating	4G
C.250.130.0550.A	25.0	1.30	55.0	0.0655	7.54	10.11	yes	music wire	4E
C.250.130.0550.I	25.0	1.30	55.0	0.0570	7.54	10.11	yes	stainless steel	4E
C.250.130.0850.A	25.0	1.30	85.0	0.0310	12.48	18.00	yes	music wire	4F
C.250.130.0850.I	25.0	1.30	85.0	0.0270	12.35	17.80	yes	stainless steel	4F
C.250.130.0850.N	25.0	1.30	85.0	0.0310	12.48	18.00	yes	Zn coating	4H
C.250.140.0320.A	25.0	1.40	32.0	0.1567	6.16	7.56	yes	music wire	4F
C.250.140.0320.I	25.0	1.40	32.0	0.1346	6.16	7.56	yes	stainless steel	4F
C.250.140.0460.A	25.0	1.40	46.0	0.1063	7.42	9.48	yes	music wire	4F
C.250.140.0460.I	25.0	1.40	46.0	0.0913	7.42	9.48	yes	stainless steel	4G
C.250.140.0540.A	25.0	1.40	54.0	0.0902	8.12	10.55	yes	music wire	4G
C.250.140.0540.I	25.0	1.40	54.0	0.0775	8.12	10.55	yes	stainless steel	4G
C.250.140.1050.I	25.0	1.40	105.0	0.0393	12.60	17.39	yes	stainless steel	4I
C.250.140.1300.I	25.0	1.40	130.0	0.0316	14.84	20.81	yes	stainless steel	4I
C.250.140.1900.I	25.0	1.40	190.0	0.0215	20.16	28.93	yes	stainless steel	4I
C.250.150.0330.A	25.0	1.50	33.0	0.2200	6.45	8.33	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.150.0330.I	25.0	1.50	33.0	0.1914	6.45	8.32	yes	stainless steel	4I
C.250.150.0500.A	25.0	1.50	50.0	0.1204	8.70	11.02	yes	music wire	4G
C.250.150.0500.I	25.0	1.50	50.0	0.1034	8.70	11.02	yes	stainless steel	4G
C.250.150.0670.A	25.0	1.50	67.0	0.0400	18.60	25.55	yes	music wire	4G
C.250.150.0670.I	25.0	1.50	67.0	0.0348	18.45	25.33	yes	stainless steel	4G
C.250.150.0670.N	25.0	1.50	67.0	0.0400	18.60	25.55	yes	Zn coating	4I
C.250.150.1650.A	25.0	1.50	165.0	0.0358	20.40	28.20	yes	music wire	4I
C.250.150.1650.I	25.0	1.50	165.0	0.0308	20.40	28.20	yes	stainless steel	4I
C.250.160.1500.A	25.0	1.60	150.0	0.0478	21.44	28.78	yes	music wire	4I
C.250.160.1500.I	25.0	1.60	150.0	0.0411	21.44	28.78	yes	stainless steel	4I
C.250.170.0470.A	25.0	1.70	47.0	0.1922	10.20	12.47	yes	music wire	4G
C.250.170.0470.I	25.0	1.70	47.0	0.1651	10.20	12.47	yes	stainless steel	4G
C.250.170.1100.A	25.0	1.70	110.0	0.0791	18.70	24.22	yes	music wire	4I
C.250.170.1100.I	25.0	1.70	110.0	0.0680	18.70	24.22	yes	stainless steel	4I
C.250.170.1600.A	25.0	1.70	160.0	0.0542	25.33	33.38	yes	music wire	4I
C.250.170.1600.I	25.0	1.70	160.0	0.0466	25.33	33.38	yes	stainless steel	4I
C.250.175.0350.A	25.0	1.75	35.0	0.2924	8.93	10.59	yes	music wire	4F
C.250.175.0350.I	25.0	1.75	35.0	0.2511	8.93	10.59	yes	stainless steel	4G
C.250.175.2000.A	25.0	1.75	200.0	0.0475	32.38	42.59	yes	music wire	4I
C.250.175.2000.I	25.0	1.75	200.0	0.0408	32.38	42.59	yes	stainless steel	4I
C.250.180.0250.A	25.0	1.80	25.0	0.4120	8.28	9.60	yes	music wire	4G
C.250.180.0250.I	25.0	1.80	25.0	0.3584	8.28	9.60	yes	stainless steel	4G
C.250.180.0250.N	25.0	1.80	25.0	0.4120	8.28	9.60	yes	Zn coating	4I
C.250.180.0300.A	25.0	1.80	30.0	0.2989	9.72	11.54	yes	music wire	4G
C.250.180.0300.I	25.0	1.80	30.0	0.2600	9.54	11.30	yes	stainless steel	4G
C.250.180.0320.A	25.0	1.80	32.0	0.3140	9.36	11.06	yes	music wire	4G
C.250.180.0320.I	25.0	1.80	32.0	0.2732	9.36	11.06	yes	stainless steel	4G
C.250.180.0320.N	25.0	1.80	32.0	0.3140	9.36	11.06	yes	Zn coating	4I
C.250.180.0400.A	25.0	1.80	40.0	0.2440	10.80	13.00	yes	music wire	4G
C.250.180.0400.I	25.0	1.80	40.0	0.2123	10.80	13.00	yes	stainless steel	4G
C.250.180.0400.N	25.0	1.80	40.0	0.2440	10.80	13.00	yes	Zn coating	4I
C.250.180.0500.A	25.0	1.80	50.0	0.1940	12.42	15.19	yes	music wire	4G
C.250.180.0500.I	25.0	1.80	50.0	0.1688	12.42	15.19	yes	stainless steel	4H
C.250.180.0500.N	25.0	1.80	50.0	0.1940	12.42	15.19	yes	Zn coating	4I
C.250.180.0630.A	25.0	1.80	63.0	0.1530	14.58	18.10	yes	music wire	4H
C.250.180.0630.I	25.0	1.80	63.0	0.1331	14.40	17.86	yes	stainless steel	4H
C.250.180.0630.N	25.0	1.80	63.0	0.1530	14.58	18.10	yes	Zn coating	4I
C.250.180.0800.A	25.0	1.80	80.0	0.1200	17.28	21.74	yes	music wire	4I
C.250.180.0800.I	25.0	1.80	80.0	0.1044	17.10	21.50	yes	stainless steel	4I
C.250.180.0800.N	25.0	1.80	80.0	0.1200	17.28	21.74	yes	Zn coating	4I
C.250.180.1000.A	25.0	1.80	100.0	0.0960	20.52	26.11	yes	music wire	4I
C.250.180.1000.I	25.0	1.80	100.0	0.0835	20.34	25.87	yes	stainless steel	4I
C.250.180.1000.N	25.0	1.80	100.0	0.0960	20.52	26.11	yes	Zn coating	4J
C.250.180.1250.A	25.0	1.80	125.0	0.0760	24.84	31.94	yes	music wire	4I
C.250.180.1250.I	25.0	1.80	125.0	0.0661	24.48	31.46	yes	stainless steel	4I
C.250.180.1250.N	25.0	1.80	125.0	0.0760	24.84	31.94	yes	Zn coating	4J
C.250.180.1900.A	25.0	1.80	190.0	0.0545	32.76	42.63	yes	music wire	4J
C.250.180.1900.I	25.0	1.80	190.0	0.0469	32.76	42.63	yes	stainless steel	4J
C.250.180.3600.A	25.0	1.80	360.0	0.0260	65.52	86.20	no	music wire	4L
C.250.180.3600.I	25.0	1.80	360.0	0.0226	64.80	85.23	no	stainless steel	4L
C.250.190.0157.A	25.0	1.90	15.7	0.8285	7.22	8.01	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.190.0157.I	25.0	1.90	15.7	0.7116	7.22	8.01	yes	stainless steel	4G
C.250.190.0444.A	25.0	1.90	44.4	0.2564	12.73	15.30	yes	music wire	4G
C.250.190.0444.I	25.0	1.90	44.4	0.2203	12.73	15.30	yes	stainless steel	4H
C.250.190.0572.A	25.0	1.90	57.2	0.1958	15.20	18.56	yes	music wire	4H
C.250.190.0572.I	25.0	1.90	57.2	0.1682	15.20	18.56	yes	stainless steel	4H
C.250.190.0698.A	25.0	1.90	69.8	0.1584	17.67	21.83	yes	music wire	4H
C.250.190.0698.I	25.0	1.90	69.8	0.1360	17.67	21.83	yes	stainless steel	4I
C.250.190.0826.A	25.0	1.90	82.6	0.1330	20.14	25.09	yes	music wire	4I
C.250.190.0826.I	25.0	1.90	82.6	0.1142	20.14	25.09	yes	stainless steel	4I
C.250.190.0900.A	25.0	1.90	90.0	0.1210	21.66	27.10	yes	music wire	4I
C.250.190.0900.I	25.0	1.90	90.0	0.1039	21.66	27.10	yes	stainless steel	4I
C.250.200.0160.A	25.0	2.00	16.0	0.8770	8.00	8.90	yes	music wire	4G
C.250.200.0160.I	25.0	2.00	16.0	0.7630	8.00	8.90	yes	stainless steel	4G
C.250.200.0160.N	25.0	2.00	16.0	0.8770	8.00	8.90	yes	Zn coating	4I
C.250.200.0250.A	25.0	2.00	25.0	0.5730	9.60	10.97	yes	music wire	4G
C.250.200.0250.AP	25.0	2.00	25.0	0.9013	8.00	11.54	yes	music wire	4I
C.250.200.0250.I	25.0	2.00	25.0	0.5000	9.60	10.97	yes	stainless steel	4G
C.250.200.0250.N	25.0	2.00	25.0	0.5730	9.60	10.97	yes	Zn coating	4I
C.250.200.0320.A	25.0	2.00	32.0	0.4480	11.00	12.79	yes	music wire	4G
C.250.200.0320.AP	25.0	2.00	32.0	0.6760	9.00	14.05	yes	music wire	4I
C.250.200.0320.I	25.0	2.00	32.0	0.5149	9.40	11.31	yes	stainless steel	4I
C.250.200.0320.N	25.0	2.00	32.0	0.4480	11.00	12.79	yes	Zn coating	4I
C.250.200.0400.A	25.0	2.00	40.0	0.3440	12.80	15.13	yes	music wire	4G
C.250.200.0400.I	25.0	2.00	40.0	0.3000	12.60	14.87	yes	stainless steel	4H
C.250.200.0400.N	25.0	2.00	40.0	0.3440	12.80	15.13	yes	Zn coating	4I
C.250.200.0405.A	25.0	2.00	40.5	0.3828	12.00	14.09	yes	music wire	4G
C.250.200.0405.AP	25.0	2.00	40.5	0.5200	10.20	17.17	yes	music wire	4I
C.250.200.0405.I	25.0	2.00	40.5	0.3288	12.00	14.09	yes	stainless steel	4H
C.250.200.0405.N	25.0	2.00	40.5	0.3828	12.00	14.09	yes	Zn coating	4I
C.250.200.0460.A	25.0	2.00	46.0	0.2630	15.20	18.24	yes	music wire	4G
C.250.200.0460.I	25.0	2.00	46.0	0.2288	15.00	17.98	yes	stainless steel	4H
C.250.200.0460.N	25.0	2.00	46.0	0.2630	15.20	18.24	yes	Zn coating	4I
C.250.200.0500.A	25.0	2.00	50.0	0.2710	14.80	17.72	yes	music wire	4H
C.250.200.0500.AP	25.0	2.00	50.0	0.4225	11.40	21.28	yes	music wire	4I
C.250.200.0500.I	25.0	2.00	50.0	0.2358	14.80	17.72	yes	stainless steel	4H
C.250.200.0500.N	25.0	2.00	50.0	0.2710	14.80	17.72	yes	Zn coating	4I
C.250.200.0570.A	25.0	2.00	57.0	0.2679	15.00	17.98	yes	music wire	4H
C.250.200.0570.I	25.0	2.00	57.0	0.2301	15.00	17.98	yes	stainless steel	4H
C.250.200.0625.A	25.0	2.00	62.5	0.2436	16.00	19.28	yes	music wire	4H
C.250.200.0625.I	25.0	2.00	62.5	0.2092	16.00	19.28	yes	stainless steel	4I
C.250.200.0625.N	25.0	2.00	62.5	0.2436	16.00	19.28	yes	Zn coating	4I
C.250.200.0630.A	25.0	2.00	63.0	0.2100	17.80	21.62	yes	music wire	4H
C.250.200.0630.AF	25.0	2.00	63.0	0.2977	14.00	22.24	yes	music wire	4J
C.250.200.0630.AP	25.0	2.00	63.0	0.3298	13.20	26.20	yes	music wire	4J
C.250.200.0630.I	25.0	2.00	63.0	0.2557	14.00	21.33	yes	stainless steel	4J
C.250.200.0630.N	25.0	2.00	63.0	0.2977	14.00	22.24	yes	Zn coating	4K
C.250.200.0630.NF	25.0	2.00	63.0	0.2100	17.80	21.62	yes	Zn coating	4I
C.250.200.0800.A	25.0	2.00	80.0	0.1640	21.40	26.29	yes	music wire	4I
C.250.200.0800.AP	25.0	2.00	80.0	0.2551	15.60	32.43	yes	music wire	4J
C.250.200.0800.I	25.0	2.00	80.0	0.1427	21.20	26.03	yes	stainless steel	4I
C.250.200.0800.N	25.0	2.00	80.0	0.1640	21.40	26.29	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.250.200.0870.A	25.0	2.00	87.0	0.1250	26.40	32.79	yes	music wire	4I
C.250.200.0870.AP	25.0	2.00	87.0	0.2331	16.40	34.95	yes	music wire	4J
C.250.200.0870.I	25.0	2.00	87.0	0.1088	26.20	32.53	yes	stainless steel	4I
C.250.200.0870.N	25.0	2.00	87.0	0.1250	26.40	32.79	yes	Zn coating	4I
C.250.200.0955.A	25.0	2.00	95.5	0.1576	22.00	27.07	yes	music wire	4I
C.250.200.0955.I	25.0	2.00	95.5	0.1354	22.00	27.07	yes	stainless steel	4I
C.250.200.0955.N	25.0	2.00	95.5	0.1576	22.00	27.07	yes	Zn coating	4J
C.250.200.1000.A	25.0	2.00	100.0	0.1310	25.40	31.49	yes	music wire	4I
C.250.200.1000.AP	25.0	2.00	100.0	0.2018	18.20	39.87	yes	music wire	4J
C.250.200.1000.I	25.0	2.00	100.0	0.1140	25.20	31.23	yes	stainless steel	4I
C.250.200.1000.N	25.0	2.00	100.0	0.1310	25.40	31.49	yes	Zn coating	4J
C.250.200.1250.A	25.0	2.00	125.0	0.1040	30.80	38.50	yes	music wire	4I
C.250.200.1250.AP	25.0	2.00	125.0	0.1610	21.60	49.61	yes	music wire	4J
C.250.200.1250.I	25.0	2.00	125.0	0.0905	30.40	37.98	yes	stainless steel	4I
C.250.200.1250.N	25.0	2.00	125.0	0.1040	30.80	38.50	yes	Zn coating	4J
C.250.200.1330.A	25.0	2.00	133.0	0.0710	42.80	54.08	yes	music wire	4I
C.250.200.1330.I	25.0	2.00	133.0	0.0618	42.20	53.30	yes	stainless steel	4I
C.250.200.1330.N	25.0	2.00	133.0	0.0710	42.80	54.08	yes	Zn coating	4J
C.250.200.1395.A	25.0	2.00	139.5	0.1072	30.00	37.46	yes	music wire	4I
C.250.200.1395.I	25.0	2.00	139.5	0.0921	30.00	37.46	yes	stainless steel	4I
C.250.200.1395.N	25.0	2.00	139.5	0.1072	30.00	37.46	yes	Zn coating	4J
C.250.200.2055.A	25.0	2.00	205.5	0.0724	42.00	53.04	yes	music wire	4J
C.250.200.2055.I	25.0	2.00	205.5	0.0622	42.00	53.04	yes	stainless steel	4J
C.250.200.2055.N	25.0	2.00	205.5	0.0724	42.00	53.04	yes	Zn coating	4L
C.250.200.2500.A	25.0	2.00	250.0	0.0400	72.00	91.99	yes	music wire	4J
C.250.200.2500.I	25.0	2.00	250.0	0.0348	71.20	90.95	yes	stainless steel	4J
C.250.200.2500.N	25.0	2.00	250.0	0.0400	72.00	91.99	yes	Zn coating	4L
C.250.200.3600.A	25.0	2.00	360.0	0.0350	83.60	106.46	no	music wire	4L
C.250.200.3600.I	25.0	2.00	360.0	0.0305	82.60	105.16	no	stainless steel	4L
C.250.210.0889.A	25.0	2.10	88.9	0.1719	25.41	31.02	yes	music wire	4I
C.250.210.0889.I	25.0	2.10	88.9	0.1476	25.41	31.02	yes	stainless steel	4I
C.250.210.0950.A	25.0	2.10	95.0	0.1264	32.55	40.15	yes	music wire	4I
C.250.210.0950.AP	25.0	2.10	95.0	0.2487	19.11	39.12	yes	music wire	4J
C.250.210.0950.I	25.0	2.10	95.0	0.1100	32.34	39.88	yes	stainless steel	4I
C.250.210.1250.A	25.0	2.10	125.0	0.1386	30.24	37.20	yes	music wire	4I
C.250.210.1250.I	25.0	2.10	125.0	0.1191	30.24	37.20	yes	stainless steel	4I
C.250.210.1550.A	25.0	2.10	155.0	0.1107	36.54	45.25	yes	music wire	4I
C.250.210.1550.I	25.0	2.10	155.0	0.0951	36.54	45.25	yes	stainless steel	4I
C.250.220.0250.A	25.0	2.20	25.0	0.8610	10.56	11.88	yes	music wire	4G
C.250.220.0250.AP	25.0	2.20	25.0	1.2723	9.02	12.57	yes	music wire	4I
C.250.220.0250.I	25.0	2.20	25.0	0.7500	10.56	11.88	yes	stainless steel	4G
C.250.220.0250.N	25.0	2.20	25.0	0.8610	10.56	11.88	yes	Zn coating	4I
C.250.220.0320.A	25.0	2.20	32.0	0.6200	12.54	14.38	yes	music wire	4G
C.250.220.0320.AP	25.0	2.20	32.0	0.9253	10.34	14.91	yes	music wire	4I
C.250.220.0320.I	25.0	2.20	32.0	0.5394	12.54	14.38	yes	stainless steel	4H
C.250.220.0320.N	25.0	2.20	32.0	0.6200	12.54	14.38	yes	Zn coating	4I
C.250.220.0370.A	25.0	2.20	37.0	0.5172	14.08	16.32	yes	music wire	4G
C.250.220.0370.AP	25.0	2.20	37.0	0.7830	11.22	16.80	yes	music wire	4I
C.250.220.0370.I	25.0	2.20	37.0	0.4500	13.86	16.04	yes	stainless steel	4H
C.250.220.0400.A	25.0	2.20	40.0	0.4840	14.74	17.15	yes	music wire	4G
C.250.220.0400.AP	25.0	2.20	40.0	0.7271	11.66	18.24	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.220.0400.I	25.0	2.20	40.0	0.4211	14.52	16.88	yes	stainless steel	4H
C.250.220.0400.N	25.0	2.20	40.0	0.4840	14.74	17.15	yes	Zn coating	4I
C.250.220.0460.A	25.0	2.20	46.0	0.1839	29.48	35.74	yes	music wire	4H
C.250.220.0460.AP	25.0	2.20	46.0	0.6362	12.54	21.13	yes	music wire	4I
C.250.220.0460.I	25.0	2.20	46.0	0.1600	29.26	35.46	yes	stainless steel	4H
C.250.220.0500.A	25.0	2.20	50.0	0.3870	16.94	19.93	yes	music wire	4H
C.250.220.0500.AP	25.0	2.20	50.0	0.5655	13.42	22.03	yes	music wire	4J
C.250.220.0500.I	25.0	2.20	50.0	0.3367	16.72	19.65	yes	stainless steel	4H
C.250.220.0500.N	25.0	2.20	50.0	0.3870	16.94	19.93	yes	Zn coating	4I
C.250.220.0630.A	25.0	2.20	63.0	0.2980	20.46	24.37	yes	music wire	4H
C.250.220.0630.AP	25.0	2.20	63.0	0.4524	15.40	28.03	yes	music wire	4J
C.250.220.0630.I	25.0	2.20	63.0	0.2593	20.24	24.09	yes	stainless steel	4I
C.250.220.0630.N	25.0	2.20	63.0	0.2980	20.46	24.37	yes	Zn coating	4I
C.250.220.0800.A	25.0	2.20	80.0	0.2310	24.64	29.64	yes	music wire	4I
C.250.220.0800.AP	25.0	2.20	80.0	0.3510	18.04	34.93	yes	music wire	4J
C.250.220.0800.I	25.0	2.20	80.0	0.2010	24.42	29.36	yes	stainless steel	4I
C.250.220.0800.N	25.0	2.20	80.0	0.2310	24.64	29.64	yes	Zn coating	4I
C.250.220.1000.A	25.0	2.20	100.0	0.1840	29.48	35.74	yes	music wire	4I
C.250.220.1000.AP	25.0	2.20	100.0	0.2751	21.56	42.50	yes	music wire	4J
C.250.220.1000.I	25.0	2.20	100.0	0.1601	29.26	35.46	yes	stainless steel	4I
C.250.220.1000.N	25.0	2.20	100.0	0.1840	29.48	35.74	yes	Zn coating	4J
C.250.220.1016.A	25.0	2.20	101.6	0.1766	30.58	37.13	yes	music wire	4I
C.250.220.1016.I	25.0	2.20	101.6	0.1517	30.58	37.13	yes	stainless steel	4I
C.250.220.1250.A	25.0	2.20	125.0	0.1460	35.86	43.79	yes	music wire	4I
C.250.220.1250.AP	25.0	2.20	125.0	0.2189	25.74	52.74	yes	music wire	4J
C.250.220.1250.I	25.0	2.20	125.0	0.1270	35.42	43.23	yes	stainless steel	4I
C.250.220.1250.N	25.0	2.20	125.0	0.1460	35.86	43.79	yes	Zn coating	4J
C.250.220.1400.A	25.0	2.20	140.0	0.1438	36.30	44.34	yes	music wire	4I
C.250.220.1400.I	25.0	2.20	140.0	0.1235	36.30	44.34	yes	stainless steel	4I
C.250.220.3600.A	25.0	2.20	360.0	0.0500	96.36	119.51	no	music wire	4L
C.250.220.3600.I	25.0	2.20	360.0	0.0435	95.26	118.12	no	stainless steel	4L
C.250.225.0350.A	25.0	2.25	35.0	0.6720	13.05	14.93	yes	music wire	4G
C.250.225.0350.I	25.0	2.25	35.0	0.5771	13.05	14.93	yes	stainless steel	4H
C.250.230.0400.A	25.0	2.30	40.0	0.6249	14.72	16.93	yes	music wire	4G
C.250.230.0400.I	25.0	2.30	40.0	0.5368	14.72	16.93	yes	stainless steel	4H
C.250.240.0410.A	25.0	2.40	41.0	0.7000	16.08	18.43	yes	music wire	4G
C.250.240.0410.AP	25.0	2.40	41.0	0.9567	13.44	19.95	yes	music wire	4I
C.250.240.0410.I	25.0	2.40	41.0	0.6090	15.84	18.13	yes	stainless steel	4H
C.250.250.0250.A	25.0	2.50	25.0	1.4150	12.50	13.88	yes	music wire	4G
C.250.250.0250.AP	25.0	2.50	25.0	1.9677	10.75	13.54	yes	music wire	4I
C.250.250.0250.I	25.0	2.50	25.0	1.2311	12.25	13.58	yes	stainless steel	4H
C.250.250.0250.N	25.0	2.50	25.0	1.4150	12.50	13.88	yes	Zn coating	4I
C.250.250.0260.A	25.0	2.50	26.0	0.9800	15.25	17.24	yes	music wire	4G
C.250.250.0260.AP	25.0	2.50	26.0	1.8641	11.00	13.91	yes	music wire	4I
C.250.250.0260.I	25.0	2.50	26.0	0.8526	15.00	16.94	yes	stainless steel	4H
C.250.250.0260.N	25.0	2.50	26.0	0.9800	15.25	17.24	yes	Zn coating	4I
C.250.250.0320.A	25.0	2.50	32.0	1.0340	14.75	16.63	yes	music wire	4G
C.250.250.0320.AP	25.0	2.50	32.0	1.4758	12.25	16.72	yes	music wire	4I
C.250.250.0320.I	25.0	2.50	32.0	0.9000	14.50	16.33	yes	stainless steel	4H
C.250.250.0320.N	25.0	2.50	32.0	1.0340	14.75	16.63	yes	Zn coating	4I
C.250.250.0350.A	25.0	2.50	35.0	1.0575	14.50	16.33	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.250.0350.I	25.0	2.50	35.0	0.9200	14.50	16.33	yes	stainless steel	4H
C.250.250.0400.A	25.0	2.50	40.0	0.7910	17.25	19.69	yes	music wire	4H
C.250.250.0400.AP	25.0	2.50	40.0	1.1425	14.00	20.27	yes	music wire	4J
C.250.250.0400.I	25.0	2.50	40.0	0.6882	17.25	19.69	yes	stainless steel	4H
C.250.250.0400.N	25.0	2.50	40.0	0.7910	17.25	19.69	yes	Zn coating	4I
C.250.250.0500.A	25.0	2.50	50.0	0.6250	20.25	23.35	yes	music wire	4H
C.250.250.0500.AP	25.0	2.50	50.0	0.8855	16.00	24.54	yes	music wire	4J
C.250.250.0500.I	25.0	2.50	50.0	0.5438	20.00	23.05	yes	stainless steel	4I
C.250.250.0500.N	25.0	2.50	50.0	0.6250	20.25	23.35	yes	Zn coating	4I
C.250.250.0530.A	25.0	2.50	53.0	0.6207	20.25	23.35	yes	music wire	4H
C.250.250.0530.I	25.0	2.50	53.0	0.5400	20.25	23.35	yes	stainless steel	4I
C.250.250.0630.A	25.0	2.50	63.0	0.4890	24.00	27.93	yes	music wire	4I
C.250.250.0630.AP	25.0	2.50	63.0	0.6811	19.00	29.90	yes	music wire	4J
C.250.250.0630.I	25.0	2.50	63.0	0.4254	24.00	27.93	yes	stainless steel	4I
C.250.250.0630.N	25.0	2.50	63.0	0.4890	24.00	27.93	yes	Zn coating	4I
C.250.250.0800.A	25.0	2.50	80.0	0.3790	29.25	34.34	yes	music wire	4I
C.250.250.0800.AP	25.0	2.50	80.0	0.5366	22.50	37.99	yes	music wire	4J
C.250.250.0800.I	25.0	2.50	80.0	0.3297	29.00	34.04	yes	stainless steel	4I
C.250.250.0800.N	25.0	2.50	80.0	0.3790	29.25	34.34	yes	Zn coating	4J
C.250.250.1000.A	25.0	2.50	100.0	0.2990	35.50	41.98	yes	music wire	4I
C.250.250.1000.AP	25.0	2.50	100.0	0.4217	27.00	46.53	yes	music wire	4J
C.250.250.1000.I	25.0	2.50	100.0	0.2601	35.00	41.37	yes	stainless steel	4I
C.250.250.1000.N	25.0	2.50	100.0	0.2990	35.50	41.98	yes	Zn coating	4J
C.250.250.1087.A	25.0	2.50	108.7	0.1960	50.75	60.61	yes	music wire	4I
C.250.250.1087.AP	25.0	2.50	108.7	0.3850	29.00	50.14	yes	music wire	4J
C.250.250.1087.I	25.0	2.50	108.7	0.1705	50.25	60.00	yes	stainless steel	4I
C.250.250.1087.N	25.0	2.50	108.7	0.1960	50.75	60.61	yes	Zn coating	4J
C.250.250.1250.A	25.0	2.50	125.0	0.2360	43.25	51.45	yes	music wire	4I
C.250.250.1250.AP	25.0	2.50	125.0	0.3341	32.50	57.53	yes	music wire	4K
C.250.250.1250.I	25.0	2.50	125.0	0.2053	42.75	50.83	yes	stainless steel	4I
C.250.250.1250.N	25.0	2.50	125.0	0.2360	43.25	51.45	yes	Zn coating	4J
C.250.250.3600.A	25.0	2.50	360.0	0.0800	118.00	142.20	no	music wire	4L
C.250.250.3600.I	25.0	2.50	360.0	0.0696	116.50	140.37	no	stainless steel	4L
C.250.260.0260.A	25.0	2.60	26.0	1.5931	13.26	14.69	yes	music wire	4G
C.250.260.0260.I	25.0	2.60	26.0	1.3683	13.26	14.69	yes	stainless steel	4H
C.250.260.1600.A	25.0	2.60	160.0	0.2239	54.60	64.77	yes	music wire	4I
C.250.260.1600.I	25.0	2.60	160.0	0.1923	54.60	64.77	yes	stainless steel	4J
C.250.270.2000.A	25.0	2.70	200.0	0.2043	71.28	84.34	yes	music wire	4J
C.250.270.2000.I	25.0	2.70	200.0	0.1754	71.28	84.34	yes	stainless steel	4J
C.250.280.0250.A	25.0	2.80	25.0	2.2000	14.28	15.69	yes	music wire	4I
C.250.280.0250.AP	25.0	2.80	25.0	2.9090	12.60	14.41	yes	music wire	4J
C.250.280.0250.I	25.0	2.80	25.0	1.9157	14.28	15.69	yes	stainless steel	4I
C.250.280.0250.N	25.0	2.80	25.0	2.2000	14.28	15.69	yes	Zn coating	4J
C.250.280.0320.A	25.0	2.80	32.0	1.6310	16.80	18.70	yes	music wire	4I
C.250.280.0320.AP	25.0	2.80	32.0	2.1548	14.56	17.70	yes	music wire	4J
C.250.280.0320.I	25.0	2.80	32.0	1.4190	16.80	18.70	yes	stainless steel	4I
C.250.280.0320.N	25.0	2.80	32.0	1.6310	16.80	18.70	yes	Zn coating	4J
C.250.280.0400.A	25.0	2.80	40.0	1.2580	19.60	22.05	yes	music wire	4I
C.250.280.0400.AP	25.0	2.80	40.0	1.7112	16.24	21.99	yes	music wire	4J
C.250.280.0400.I	25.0	2.80	40.0	1.0945	19.60	22.05	yes	stainless steel	4I
C.250.280.0400.N	25.0	2.80	40.0	1.2580	19.60	22.05	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.280.0500.A	25.0	2.80	50.0	0.9790	23.24	26.40	yes	music wire	4I
C.250.280.0500.AP	25.0	2.80	50.0	1.3223	19.04	26.70	yes	music wire	4J
C.250.280.0500.I	25.0	2.80	50.0	0.8517	23.24	26.40	yes	stainless steel	4I
C.250.280.0500.N	25.0	2.80	50.0	0.9790	23.24	26.40	yes	Zn coating	4J
C.250.280.0630.A	25.0	2.80	63.0	0.7590	28.00	32.08	yes	music wire	4I
C.250.280.0630.AP	25.0	2.80	63.0	1.0207	22.68	32.81	yes	music wire	4K
C.250.280.0630.I	25.0	2.80	63.0	0.6603	27.72	31.75	yes	stainless steel	4I
C.250.280.0630.N	25.0	2.80	63.0	0.7590	28.00	32.08	yes	Zn coating	4J
C.250.280.0800.A	25.0	2.80	80.0	0.5870	34.16	39.44	yes	music wire	4I
C.250.280.0800.AP	25.0	2.80	80.0	0.7862	27.44	40.81	yes	music wire	4L
C.250.280.0800.I	25.0	2.80	80.0	0.5107	33.88	39.10	yes	stainless steel	4I
C.250.280.0800.N	25.0	2.80	80.0	0.5870	34.16	39.44	yes	Zn coating	4J
C.250.280.1000.A	25.0	2.80	100.0	0.4640	41.44	48.13	yes	music wire	4I
C.250.280.1000.AP	25.0	2.80	100.0	0.6256	32.48	50.74	yes	music wire	4L
C.250.280.1000.I	25.0	2.80	100.0	0.4037	41.16	47.80	yes	stainless steel	4J
C.250.280.1000.N	25.0	2.80	100.0	0.4640	41.44	48.13	yes	Zn coating	4J
C.250.280.1016.A	25.0	2.80	101.6	0.4239	44.80	52.14	yes	music wire	4J
C.250.280.1016.I	25.0	2.80	101.6	0.3641	44.80	52.14	yes	stainless steel	4J
C.250.280.1250.A	25.0	2.80	125.0	0.3670	50.68	59.17	yes	music wire	4J
C.250.280.1250.AP	25.0	2.80	125.0	0.4931	39.48	62.50	yes	music wire	4L
C.250.280.1250.I	25.0	2.80	125.0	0.3193	50.12	58.50	yes	stainless steel	4J
C.250.280.1250.N	25.0	2.80	125.0	0.3670	50.68	59.17	yes	Zn coating	4L
C.250.280.1760.A	25.0	2.80	176.0	0.2299	76.72	90.27	yes	music wire	4J
C.250.280.1760.AP	25.0	2.80	176.0	0.3463	53.20	87.02	yes	music wire	4M
C.250.280.1760.I	25.0	2.80	176.0	0.2000	75.88	89.26	yes	stainless steel	4J
C.250.280.3600.A	25.0	2.80	360.0	0.1230	140.00	165.30	no	music wire	4M
C.250.280.3600.I	25.0	2.80	360.0	0.1070	138.32	163.29	no	stainless steel	4M
C.250.290.1350.A	25.0	2.90	135.0	0.3997	55.68	64.74	yes	music wire	4J
C.250.290.1350.I	25.0	2.90	135.0	0.3433	55.68	64.74	yes	stainless steel	4J
C.250.290.1800.A	25.0	2.90	180.0	0.2967	72.50	84.71	yes	music wire	4J
C.250.290.1800.I	25.0	2.90	180.0	0.2548	72.50	84.71	yes	stainless steel	4J
C.250.300.0220.A	25.0	3.00	22.0	5.0710	12.00	14.66	yes	music wire	4J
C.250.300.0220.I	25.0	3.00	22.0	4.4118	12.00	14.48	yes	stainless steel	4J
C.250.300.0220.N	25.0	3.00	22.0	5.0710	12.00	14.66	yes	Zn coating	4L
C.250.300.0400.A	25.0	3.00	40.0	1.1700	27.30	30.88	yes	music wire	4I
C.250.300.0400.AP	25.0	3.00	40.0	2.1923	18.00	23.01	yes	music wire	4J
C.250.300.0400.I	25.0	3.00	40.0	1.0179	27.00	30.52	yes	stainless steel	4I
C.250.300.0400.N	25.0	3.00	40.0	1.1700	27.30	30.88	yes	Zn coating	4J
C.250.300.1000.A	25.0	3.00	100.0	0.4610	57.90	67.01	yes	music wire	4I
C.250.300.1000.AP	25.0	3.00	100.0	0.7972	36.60	53.28	yes	music wire	4L
C.250.300.1000.I	25.0	3.00	100.0	0.4000	57.30	66.30	yes	stainless steel	4J
C.250.300.1000.N	25.0	3.00	100.0	0.4610	57.90	67.01	yes	Zn coating	4J
C.250.300.1800.A	25.0	3.00	180.0	0.3384	76.20	88.61	yes	music wire	4J
C.250.300.1800.I	25.0	3.00	180.0	0.2907	76.20	88.61	yes	stainless steel	4J
C.250.320.0250.A	25.0	3.20	25.0	3.7790	16.64	18.11	yes	music wire	4J
C.250.320.0250.AP	25.0	3.20	25.0	5.0003	14.72	16.11	yes	music wire	4L
C.250.320.0250.I	25.0	3.20	25.0	3.2877	16.64	18.11	yes	stainless steel	4J
C.250.320.0250.N	25.0	3.20	25.0	3.7790	16.64	18.11	yes	Zn coating	4L
C.250.320.0320.A	25.0	3.20	32.0	2.7360	20.16	22.22	yes	music wire	4J
C.250.320.0320.AP	25.0	3.20	32.0	3.6209	16.96	19.73	yes	music wire	4L
C.250.320.0320.I	25.0	3.20	32.0	2.3803	19.84	21.85	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.320.0320.N	25.0	3.20	32.0	2.7360	20.16	22.22	yes	Zn coating	4L
C.250.320.0400.A	25.0	3.20	40.0	2.1450	23.36	25.97	yes	music wire	4J
C.250.320.0400.AP	25.0	3.20	40.0	2.7633	19.84	23.92	yes	music wire	4L
C.250.320.0400.I	25.0	3.20	40.0	1.8662	23.04	25.59	yes	stainless steel	4J
C.250.320.0400.N	25.0	3.20	40.0	2.1450	23.36	25.97	yes	Zn coating	4L
C.250.320.0500.A	25.0	3.20	50.0	1.6530	27.84	31.21	yes	music wire	4J
C.250.320.0500.AP	25.0	3.20	50.0	2.1430	23.36	29.27	yes	music wire	4M
C.250.320.0500.I	25.0	3.20	50.0	1.4381	27.84	31.21	yes	stainless steel	4J
C.250.320.0500.N	25.0	3.20	50.0	1.6530	27.84	31.21	yes	Zn coating	4L
C.250.320.0630.A	25.0	3.20	63.0	1.2600	34.24	38.69	yes	music wire	4J
C.250.320.0630.AP	25.0	3.20	63.0	1.6668	27.84	36.34	yes	music wire	4M
C.250.320.0630.I	25.0	3.20	63.0	1.0962	33.92	38.32	yes	stainless steel	4J
C.250.320.0630.N	25.0	3.20	63.0	1.2600	34.24	38.69	yes	Zn coating	4L
C.250.320.0800.A	25.0	3.20	80.0	0.9800	41.60	47.30	yes	music wire	4J
C.250.320.0800.AP	25.0	3.20	80.0	1.2806	33.92	45.30	yes	music wire	4M
C.250.320.0800.I	25.0	3.20	80.0	0.8526	41.28	46.92	yes	stainless steel	4J
C.250.320.0800.N	25.0	3.20	80.0	0.9800	41.60	47.30	yes	Zn coating	4L
C.250.320.1000.A	25.0	3.20	100.0	0.7700	50.88	58.15	yes	music wire	4J
C.250.320.1000.AP	25.0	3.20	100.0	1.0195	40.32	56.41	yes	music wire	4M
C.250.320.1000.I	25.0	3.20	100.0	0.6699	50.24	57.40	yes	stainless steel	4K
C.250.320.1000.N	25.0	3.20	100.0	0.7700	50.88	58.15	yes	Zn coating	4M
C.250.320.1250.A	25.0	3.20	125.0	0.6060	62.40	71.63	yes	music wire	4K
C.250.320.1250.AP	25.0	3.20	125.0	0.8016	49.28	69.57	yes	music wire	4M
C.250.320.1250.I	25.0	3.20	125.0	0.5272	61.76	70.88	yes	stainless steel	4L
C.250.320.1250.N	25.0	3.20	125.0	0.6060	62.40	71.63	yes	Zn coating	4M
C.250.320.1450.A	25.0	3.20	145.0	0.5427	68.80	79.11	yes	music wire	4L
C.250.320.1450.I	25.0	3.20	145.0	0.4661	68.80	79.11	yes	stainless steel	4L
C.250.320.3600.A	25.0	3.20	360.0	0.2020	174.40	202.08	no	music wire	4N
C.250.320.3600.I	25.0	3.20	360.0	0.1757	172.48	199.84	no	stainless steel	4N
C.250.330.0820.A	25.0	3.30	82.0	1.1260	42.90	48.61	yes	music wire	4J
C.250.330.0820.I	25.0	3.30	82.0	0.9672	42.90	48.61	yes	stainless steel	4J
C.250.330.1250.A	25.0	3.30	125.0	0.7166	62.70	71.68	yes	music wire	4K
C.250.330.1250.I	25.0	3.30	125.0	0.6155	62.70	71.68	yes	stainless steel	4L
C.250.350.0270.A	25.0	3.50	27.0	5.3043	18.90	20.49	yes	music wire	4J
C.250.350.0270.I	25.0	3.50	27.0	4.5558	18.90	20.49	yes	stainless steel	4J
C.250.350.0330.A	25.0	3.50	33.0	4.0480	22.05	24.13	yes	music wire	4J
C.250.350.0330.I	25.0	3.50	33.0	3.4768	22.05	24.13	yes	stainless steel	4J
C.250.350.0450.A	25.0	3.50	45.0	2.1570	33.60	37.49	yes	music wire	4J
C.250.350.0450.AP	25.0	3.50	45.0	3.4812	24.15	28.71	yes	music wire	4M
C.250.350.0450.I	25.0	3.50	45.0	1.8766	33.25	37.09	yes	stainless steel	4J
C.250.350.0450.N	25.0	3.50	45.0	2.1570	33.60	37.49	yes	Zn coating	4L
C.250.350.0550.A	25.0	3.50	55.0	2.1570	33.60	37.49	yes	music wire	4J
C.250.350.0550.AP	25.0	3.50	55.0	2.7483	28.35	34.36	yes	music wire	4M
C.250.350.0550.I	25.0	3.50	55.0	1.8766	33.25	37.09	yes	stainless steel	4J
C.250.350.0550.N	25.0	3.50	55.0	2.1570	33.60	37.49	yes	Zn coating	4L
C.250.350.0760.A	25.0	3.50	76.0	1.5538	43.40	48.83	yes	music wire	4J
C.250.350.0760.I	25.0	3.50	76.0	1.3345	43.40	48.83	yes	stainless steel	4J
C.250.350.1175.A	25.0	3.50	117.5	0.8390	72.80	82.83	yes	music wire	4K
C.250.350.1175.AP	25.0	3.50	117.5	1.2050	53.55	70.44	yes	music wire	4M
C.250.350.1175.I	25.0	3.50	117.5	0.7299	72.10	82.02	yes	stainless steel	4K
C.250.350.1175.N	25.0	3.50	117.5	0.8390	72.80	82.83	yes	Zn coating	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.350.1500.A	25.0	3.50	150.0	0.7540	80.15	91.33	yes	music wire	4L
C.250.350.1500.I	25.0	3.50	150.0	0.6476	80.15	91.33	yes	stainless steel	4L
C.250.350.1750.A	25.0	3.50	175.0	0.6409	92.75	105.90	yes	music wire	4L
C.250.350.1750.I	25.0	3.50	175.0	0.5505	92.75	105.90	yes	stainless steel	4L
C.250.350.2300.A	25.0	3.50	230.0	0.4472	129.15	148.00	yes	music wire	4M
C.250.350.2300.I	25.0	3.50	230.0	0.3841	129.15	148.00	yes	stainless steel	4M
C.250.350.2600.A	25.0	3.50	260.0	0.4250	135.45	155.29	yes	music wire	4M
C.250.350.2600.I	25.0	3.50	260.0	0.3698	133.70	153.27	yes	stainless steel	4M
C.250.350.2600.N	25.0	3.50	260.0	0.4250	135.45	155.29	yes	Zn coating	4N
C.250.360.0250.A	25.0	3.60	25.0	6.3980	18.72	20.21	yes	music wire	4M
C.250.360.0250.AP	25.0	3.60	25.0	8.0823	16.92	18.13	yes	music wire	4O
C.250.360.0250.I	25.0	3.60	25.0	5.5663	18.72	20.21	yes	stainless steel	4M
C.250.360.0250.N	25.0	3.60	25.0	6.3980	18.72	20.21	yes	Zn coating	4N
C.250.360.0290.A	25.0	3.60	29.0	5.4562	20.52	22.28	yes	music wire	4M
C.250.360.0290.I	25.0	3.60	29.0	4.6863	20.52	22.28	yes	stainless steel	4M
C.250.360.0320.A	25.0	3.60	32.0	4.7990	21.96	23.94	yes	music wire	4M
C.250.360.0320.I	25.0	3.60	32.0	4.1751	21.96	23.94	yes	stainless steel	4M
C.250.360.0320.N	25.0	3.60	32.0	4.7990	21.96	23.94	yes	Zn coating	4N
C.250.360.0333.A	25.0	3.60	33.3	4.9885	21.60	23.53	yes	music wire	4M
C.250.360.0333.I	25.0	3.60	33.3	4.2846	21.60	23.53	yes	stainless steel	4M
C.250.360.0333.N	25.0	3.60	33.3	4.9885	21.60	23.53	yes	Zn coating	4N
C.250.360.0400.A	25.0	3.60	40.0	3.6310	26.28	28.92	yes	music wire	4M
C.250.360.0400.I	25.0	3.60	40.0	3.1590	25.92	28.51	yes	stainless steel	4M
C.250.360.0400.N	25.0	3.60	40.0	3.6310	26.28	28.92	yes	Zn coating	4N
C.250.360.0430.A	25.0	3.60	43.0	3.4474	27.36	30.17	yes	music wire	4M
C.250.360.0430.I	25.0	3.60	43.0	2.9992	27.00	29.75	yes	stainless steel	4M
C.250.360.0465.A	25.0	3.60	46.5	2.8560	30.96	34.32	yes	music wire	4M
C.250.360.0465.AP	25.0	3.60	46.5	3.7044	25.92	29.98	yes	music wire	4O
C.250.360.0465.I	25.0	3.60	46.5	2.4847	30.60	33.90	yes	stainless steel	4M
C.250.360.0465.N	25.0	3.60	46.5	2.8560	30.96	34.32	yes	Zn coating	4N
C.250.360.0482.A	25.0	3.60	48.2	3.1745	28.80	31.83	yes	music wire	4O
C.250.360.0482.I	25.0	3.60	48.2	2.7266	28.80	31.83	yes	stainless steel	4M
C.250.360.0482.N	25.0	3.60	48.2	3.1745	28.80	31.83	yes	Zn coating	4Q
C.250.360.0500.A	25.0	3.60	50.0	2.7420	32.04	35.57	yes	music wire	4M
C.250.360.0500.AP	25.0	3.60	50.0	3.4194	27.36	32.10	yes	music wire	4O
C.250.360.0500.I	25.0	3.60	50.0	2.3855	31.68	35.15	yes	stainless steel	4M
C.250.360.0500.N	25.0	3.60	50.0	2.7420	32.04	35.57	yes	Zn coating	4N
C.250.360.0570.A	25.0	3.60	57.0	2.5000	34.20	38.06	yes	music wire	4M
C.250.360.0570.I	25.0	3.60	57.0	2.1423	34.20	38.06	yes	stainless steel	4M
C.250.360.0570.N	25.0	3.60	57.0	2.5000	34.20	38.06	yes	Zn coating	4N
C.250.360.0630.A	25.0	3.60	63.0	2.1330	38.52	43.04	yes	music wire	4M
C.250.360.0630.AP	25.0	3.60	63.0	2.6539	32.76	39.93	yes	music wire	4O
C.250.360.0630.I	25.0	3.60	63.0	1.8557	38.16	42.62	yes	stainless steel	4M
C.250.360.0630.N	25.0	3.60	63.0	2.1330	38.52	43.04	yes	Zn coating	4N
C.250.360.0635.A	25.0	3.60	63.5	2.0279	39.96	44.70	yes	music wire	4M
C.250.360.0635.AP	25.0	3.60	63.5	2.6149	33.12	40.09	yes	music wire	4O
C.250.360.0635.I	25.0	3.60	63.5	1.7643	39.60	44.28	yes	stainless steel	4M
C.250.360.0720.A	25.0	3.60	72.0	1.9400	41.40	46.36	yes	music wire	4M
C.250.360.0720.I	25.0	3.60	72.0	1.6663	41.40	46.36	yes	stainless steel	4M
C.250.360.0720.N	25.0	3.60	72.0	1.9400	41.40	46.36	yes	Zn coating	4N
C.250.360.0780.A	25.0	3.60	78.0	1.8145	43.56	48.85	yes	music wire	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.250.360.0780.I	25.0	3.60	78.0	1.5786	43.20	48.43	yes	stainless steel	4O
C.250.360.0800.A	25.0	3.60	80.0	1.6190	47.88	53.83	yes	music wire	4M
C.250.360.0800.AP	25.0	3.60	80.0	2.0438	39.60	50.05	yes	music wire	4O
C.250.360.0800.I	25.0	3.60	80.0	1.4085	47.16	53.00	yes	stainless steel	4M
C.250.360.0800.N	25.0	3.60	80.0	1.6190	47.88	53.83	yes	Zn coating	4O
C.250.360.0860.A	25.0	3.60	86.0	1.5669	48.96	55.07	yes	music wire	4M
C.250.360.0860.I	25.0	3.60	86.0	1.3632	48.60	54.66	yes	stainless steel	4M
C.250.360.0950.A	25.0	3.60	95.0	1.5182	50.40	56.73	yes	music wire	4O
C.250.360.0950.I	25.0	3.60	95.0	1.3040	50.40	56.73	yes	stainless steel	4P
C.250.360.0950.N	25.0	3.60	95.0	1.5182	50.40	56.73	yes	Zn coating	4Q
C.250.360.1000.A	25.0	3.60	100.0	1.2800	57.96	65.45	yes	music wire	4M
C.250.360.1000.AP	25.0	3.60	100.0	1.6019	48.24	61.79	yes	music wire	4P
C.250.360.1000.I	25.0	3.60	100.0	1.1136	57.60	65.04	yes	stainless steel	4M
C.250.360.1000.N	25.0	3.60	100.0	1.2800	57.96	65.45	yes	Zn coating	4O
C.250.360.1010.A	25.0	3.60	101.0	1.3260	56.52	63.79	yes	music wire	4M
C.250.360.1010.I	25.0	3.60	101.0	1.1536	55.80	62.96	yes	stainless steel	4M
C.250.360.1230.A	25.0	3.60	123.0	1.1121	65.52	74.17	yes	music wire	4P
C.250.360.1230.I	25.0	3.60	123.0	0.9675	64.80	73.34	yes	stainless steel	4P
C.250.360.1250.A	25.0	3.60	125.0	1.0100	71.28	80.81	yes	music wire	4M
C.250.360.1250.AP	25.0	3.60	125.0	1.2611	58.68	76.46	yes	music wire	4P
C.250.360.1250.I	25.0	3.60	125.0	0.8787	70.56	79.98	yes	stainless steel	4N
C.250.360.1250.N	25.0	3.60	125.0	1.0100	71.28	80.81	yes	Zn coating	4O
C.250.360.1750.A	25.0	3.60	175.0	0.7215	96.12	109.45	yes	music wire	4N
C.250.360.1750.I	25.0	3.60	175.0	0.6197	96.12	109.45	yes	stainless steel	4N
C.250.360.2800.A	25.0	3.60	280.0	0.4118	161.64	184.99	yes	music wire	4O
C.250.360.2800.I	25.0	3.60	280.0	0.3537	161.64	184.99	yes	stainless steel	4O
C.250.360.3600.A	25.0	3.60	360.0	0.3340	200.88	229.69	no	music wire	4P
C.250.360.3600.I	25.0	3.60	360.0	0.2906	198.36	226.78	no	stainless steel	4P
C.250.360.5000.A	25.0	3.60	500.0	0.2282	284.40	326.54	yes	music wire	4Q
C.250.360.5000.I	25.0	3.60	500.0	0.1960	284.40	326.54	yes	stainless steel	4Q
C.250.380.0300.A	25.0	3.80	30.0	6.5572	22.42	24.32	yes	music wire	4M
C.250.380.0300.I	25.0	3.80	30.0	5.6319	22.42	24.32	yes	stainless steel	4M
C.250.380.0450.A	25.0	3.80	45.0	4.2529	29.26	32.16	yes	music wire	4M
C.250.380.0450.I	25.0	3.80	45.0	3.7000	29.26	32.16	yes	stainless steel	4M
C.250.380.1143.A	25.0	3.80	114.3	1.3270	73.34	82.70	yes	music wire	4M
C.250.380.1143.I	25.0	3.80	114.3	1.1398	73.34	82.70	yes	stainless steel	4M
C.250.380.1950.A	25.0	3.80	195.0	0.8107	114.00	129.33	yes	music wire	4N
C.250.380.1950.I	25.0	3.80	195.0	0.6963	114.00	129.33	yes	stainless steel	4N
C.250.400.0240.A	25.0	4.00	24.0	14.0800	18.00	19.13	yes	music wire	4R
C.250.400.0240.I	25.0	4.00	24.0	12.0933	18.00	19.13	yes	stainless steel	4P
C.250.400.0240.N	25.0	4.00	24.0	14.0800	18.00	19.13	yes	Zn coating	4S
C.250.400.0250.A	25.0	4.00	25.0	10.8360	20.40	21.87	yes	music wire	4P
C.250.400.0250.AP	25.0	4.00	25.0	13.0361	18.80	20.04	yes	music wire	4R
C.250.400.0250.I	25.0	4.00	25.0	9.4273	20.40	21.87	yes	stainless steel	4P
C.250.400.0250.N	25.0	4.00	25.0	10.8360	20.40	21.87	yes	Zn coating	4R
C.250.400.0270.A	25.0	4.00	27.0	9.7107	21.60	23.24	yes	music wire	4P
C.250.400.0270.I	25.0	4.00	27.0	8.3405	21.60	23.24	yes	stainless steel	4P
C.250.400.0320.A	25.0	4.00	32.0	7.7400	24.40	26.44	yes	music wire	4P
C.250.400.0320.I	25.0	4.00	32.0	6.7338	24.40	26.44	yes	stainless steel	4P
C.250.400.0320.N	25.0	4.00	32.0	7.7400	24.40	26.44	yes	Zn coating	4R
C.250.400.0400.A	25.0	4.00	40.0	5.8570	29.20	31.91	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.400.0400.I	25.0	4.00	40.0	5.0956	28.80	31.46	yes	stainless steel	4P
C.250.400.0400.N	25.0	4.00	40.0	5.8570	29.20	31.91	yes	Zn coating	4R
C.250.400.0430.A	25.0	4.00	43.0	5.3134	31.20	34.20	yes	music wire	4P
C.250.400.0430.I	25.0	4.00	43.0	4.5637	31.20	34.20	yes	stainless steel	4P
C.250.400.0500.A	25.0	4.00	50.0	4.5150	34.80	38.31	yes	music wire	4P
C.250.400.0500.I	25.0	4.00	50.0	3.9281	34.80	38.31	yes	stainless steel	4P
C.250.400.0500.N	25.0	4.00	50.0	4.5150	34.80	38.31	yes	Zn coating	4R
C.250.400.0508.A	25.0	4.00	50.8	4.1413	37.20	41.04	yes	music wire	4P
C.250.400.0508.I	25.0	4.00	50.8	3.5570	37.20	41.04	yes	stainless steel	4P
C.250.400.0550.A	25.0	4.00	55.0	5.0260	32.40	38.82	yes	music wire	4R
C.250.400.0550.I	25.0	4.00	55.0	4.3726	32.00	38.25	yes	stainless steel	4R
C.250.400.0550.N	25.0	4.00	55.0	5.0260	32.40	38.82	yes	Zn coating	4T
C.250.400.0630.A	25.0	4.00	63.0	3.4400	42.80	47.44	yes	music wire	4P
C.250.400.0630.I	25.0	4.00	63.0	2.9928	42.40	46.98	yes	stainless steel	4P
C.250.400.0630.N	25.0	4.00	63.0	3.4400	42.80	47.44	yes	Zn coating	4R
C.250.400.0800.A	25.0	4.00	80.0	2.6430	52.80	58.85	yes	music wire	4P
C.250.400.0800.I	25.0	4.00	80.0	2.3000	52.00	57.94	yes	stainless steel	4P
C.250.400.0800.N	25.0	4.00	80.0	2.6430	52.80	58.85	yes	Zn coating	4R
C.250.400.1000.A	25.0	4.00	100.0	2.0640	64.40	72.09	yes	music wire	4P
C.250.400.1000.I	25.0	4.00	100.0	1.8000	63.60	71.18	yes	stainless steel	4P
C.250.400.1000.N	25.0	4.00	100.0	2.0640	64.40	72.09	yes	Zn coating	4R
C.250.400.1143.A	25.0	4.00	114.3	1.6763	77.20	86.70	yes	music wire	4P
C.250.400.1143.I	25.0	4.00	114.3	1.4397	77.20	86.70	yes	stainless steel	4P
C.250.400.1250.A	25.0	4.00	125.0	1.6170	79.60	89.44	yes	music wire	4P
C.250.400.1250.I	25.0	4.00	125.0	1.4068	78.80	88.52	yes	stainless steel	4Q
C.250.400.1250.N	25.0	4.00	125.0	1.6170	79.60	89.44	yes	Zn coating	4R
C.250.400.1850.A	25.0	4.00	185.0	1.0749	114.80	129.61	yes	music wire	4Q
C.250.400.1850.I	25.0	4.00	185.0	0.9232	114.80	129.61	yes	stainless steel	4Q
C.250.400.2050.A	25.0	4.00	205.0	0.9055	134.40	151.98	yes	music wire	4Q
C.250.400.2050.I	25.0	4.00	205.0	0.7777	134.40	151.98	yes	stainless steel	4Q
C.250.400.3600.A	25.0	4.00	360.0	0.5340	224.80	254.60	no	music wire	4R
C.250.400.3600.I	25.0	4.00	360.0	0.4646	222.40	251.86	no	stainless steel	4R
C.250.400.4000.A	25.0	4.00	400.0	0.4557	257.20	292.14	yes	music wire	4R
C.250.400.4000.I	25.0	4.00	400.0	0.3914	257.20	292.14	yes	stainless steel	4R
C.250.420.1143.A	25.0	4.20	114.3	2.0968	81.06	90.71	yes	music wire	4P
C.250.420.1143.I	25.0	4.20	114.3	1.8010	81.06	90.71	yes	stainless steel	4P
C.250.420.1800.A	25.0	4.20	180.0	1.3761	118.02	132.73	yes	music wire	4Q
C.250.420.1800.I	25.0	4.20	180.0	1.1819	118.02	132.73	yes	stainless steel	4Q
C.250.420.2000.A	25.0	4.20	200.0	1.2317	130.62	147.05	yes	music wire	4Q
C.250.420.2000.I	25.0	4.20	200.0	1.0579	130.62	147.05	yes	stainless steel	4Q
C.250.450.0270.A	25.0	4.50	27.0	17.3180	23.85	25.50	yes	music wire	4Q
C.250.450.0270.I	25.0	4.50	27.0	14.8744	23.85	25.50	yes	stainless steel	4Q
C.250.450.0350.A	25.0	4.50	35.0	10.5770	31.95	34.66	yes	music wire	4Q
C.250.450.0350.AP	25.0	4.50	35.0	14.1094	26.55	28.56	yes	music wire	4S
C.250.450.0350.I	25.0	4.50	35.0	9.2020	31.50	34.16	yes	stainless steel	4R
C.250.450.0350.N	25.0	4.50	35.0	10.5770	31.95	34.66	yes	Zn coating	4S
C.250.450.0440.A	25.0	4.50	44.0	7.9330	38.70	42.30	yes	music wire	4Q
C.250.450.0440.AP	25.0	4.50	44.0	10.5070	31.95	34.66	yes	music wire	4S
C.250.450.0440.I	25.0	4.50	44.0	6.9017	38.25	41.79	yes	stainless steel	4R
C.250.450.0440.N	25.0	4.50	44.0	7.9330	38.70	42.30	yes	Zn coating	4S
C.250.450.0690.A	25.0	4.50	69.0	5.3286	52.20	57.57	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.450.0690.I	25.0	4.50	69.0	4.5767	52.20	57.57	yes	stainless steel	4R
C.250.450.0940.A	25.0	4.50	94.0	3.7883	68.85	76.40	yes	music wire	4R
C.250.450.0940.I	25.0	4.50	94.0	3.2538	68.85	76.40	yes	stainless steel	4R
C.250.450.1350.A	25.0	4.50	135.0	2.5656	96.30	107.45	yes	music wire	4R
C.250.450.1350.I	25.0	4.50	135.0	2.2036	96.30	107.45	yes	stainless steel	4R
C.250.450.1850.A	25.0	4.50	185.0	1.8368	130.05	145.63	yes	music wire	4R
C.250.450.1850.I	25.0	4.50	185.0	1.5776	130.05	145.63	yes	stainless steel	4R
C.250.450.2050.A	25.0	4.50	205.0	1.5744	149.85	168.02	yes	music wire	4R
C.250.450.2050.I	25.0	4.50	205.0	1.3522	149.85	168.02	yes	stainless steel	4R
C.250.470.0260.A	25.0	4.70	26.0	22.8559	23.97	25.53	yes	music wire	4Q
C.250.470.0260.I	25.0	4.70	26.0	19.6308	23.97	25.53	yes	stainless steel	4Q
C.250.470.0460.A	25.0	4.70	46.0	10.6116	38.07	41.44	yes	music wire	4R
C.250.470.0460.I	25.0	4.70	46.0	9.1143	38.07	41.44	yes	stainless steel	4R
C.250.470.0540.A	25.0	4.70	54.0	8.7390	43.71	47.80	yes	music wire	4R
C.250.470.0540.I	25.0	4.70	54.0	7.5059	43.71	47.80	yes	stainless steel	4R
C.250.470.1650.A	25.0	4.70	165.0	2.5504	121.26	135.28	yes	music wire	4R
C.250.470.1650.I	25.0	4.70	165.0	2.1906	121.26	135.28	yes	stainless steel	4R
C.250.480.0260.A	25.0	4.80	26.0	25.2351	24.48	24.48	yes	music wire	4Q
C.250.480.0260.I	25.0	4.80	26.0	21.6743	24.48	24.48	yes	stainless steel	4Q
C.250.480.0300.A	25.0	4.80	30.0	20.5035	27.36	29.30	yes	music wire	4Q
C.250.480.0300.I	25.0	4.80	30.0	17.6104	27.36	29.30	yes	stainless steel	4Q
C.250.480.0340.A	25.0	4.80	34.0	17.7328	29.76	32.01	yes	music wire	4Q
C.250.480.0340.I	25.0	4.80	34.0	15.2306	29.76	32.01	yes	stainless steel	4R
C.250.480.0390.A	25.0	4.80	39.0	14.5803	33.60	36.33	yes	music wire	4Q
C.250.480.0390.I	25.0	4.80	39.0	12.5229	33.60	36.33	yes	stainless steel	4R
C.250.480.0430.A	25.0	4.80	43.0	12.8650	36.48	39.58	yes	music wire	4Q
C.250.480.0430.I	25.0	4.80	43.0	11.0497	36.48	39.58	yes	stainless steel	4R
C.250.480.0500.A	25.0	4.80	50.0	10.7559	41.28	44.99	yes	music wire	4R
C.250.480.0500.I	25.0	4.80	50.0	9.2382	41.28	44.99	yes	stainless steel	4R
C.250.480.0560.A	25.0	4.80	56.0	9.3730	45.60	49.85	yes	music wire	4R
C.250.480.0560.I	25.0	4.80	56.0	8.0505	45.60	49.85	yes	stainless steel	4R
C.250.480.0620.A	25.0	4.80	62.0	8.3052	49.92	54.72	yes	music wire	4R
C.250.480.0620.I	25.0	4.80	62.0	7.1333	49.92	54.72	yes	stainless steel	4R
C.250.480.0970.A	25.0	4.80	97.0	5.0085	74.88	82.84	yes	music wire	4R
C.250.480.0970.I	25.0	4.80	97.0	4.3018	74.88	82.84	yes	stainless steel	4R
C.250.480.1850.A	25.0	4.80	185.0	2.5042	137.76	153.68	yes	music wire	4R
C.250.480.1850.I	25.0	4.80	185.0	2.1509	137.76	153.68	yes	stainless steel	4R
C.250.500.0500.A	25.0	5.00	50.0	14.2050	40.50	43.97	yes	music wire	4R
C.250.500.0500.I	25.0	5.00	50.0	12.3584	40.00	43.41	yes	stainless steel	4S
C.250.500.0500.N	25.0	5.00	50.0	14.2050	40.50	43.97	yes	Zn coating	4T
C.250.500.0550.A	25.0	5.00	55.0	11.1610	48.00	52.40	yes	music wire	4R
C.250.500.0550.AP	25.0	5.00	55.0	13.2877	42.50	46.22	yes	music wire	5A
C.250.500.0550.I	25.0	5.00	55.0	9.7101	47.50	51.84	yes	stainless steel	4S
C.250.500.0550.N	25.0	5.00	55.0	11.1610	48.00	52.40	yes	Zn coating	4T
C.250.500.0850.A	25.0	5.00	85.0	7.8130	63.50	69.82	yes	music wire	5A
C.250.500.0850.I	25.0	5.00	85.0	6.7973	63.00	69.26	yes	stainless steel	5A
C.250.500.0850.N	25.0	5.00	85.0	7.8130	63.50	69.82	yes	Zn coating	5C
C.250.500.1020.A	25.0	5.00	102.0	6.5100	73.50	81.06	yes	music wire	5A
C.250.500.1020.I	25.0	5.00	102.0	5.6637	73.00	80.50	yes	stainless steel	5A
C.250.500.1020.N	25.0	5.00	102.0	6.5100	73.50	81.06	yes	Zn coating	5C
C.250.600.1000.A	25.0	6.00	100.0	19.8900	73.20	88.22	yes	music wire	5I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.250.600.1000.I	25.0	6.00	100.0	17.3043	72.60	87.58	yes	stainless steel	5J
C.250.600.1000.N	25.0	6.00	100.0	19.8900	73.20	88.22	yes	Zn coating	5J
C.254.100.0500.A	25.4	1.00	50.0	0.0264	6.20	8.88	no	music wire	4E
C.254.100.0500.I	25.4	1.00	50.0	0.0230	6.10	8.68	no	stainless steel	4E
C.254.100.0830.A	25.4	1.00	83.0	0.0115	9.60	15.66	no	music wire	4E
C.254.100.0830.I	25.4	1.00	83.0	0.0100	9.50	15.46	no	stainless steel	4F
C.254.110.0570.A	25.4	1.10	57.0	0.0241	8.58	12.52	no	music wire	4E
C.254.110.0570.I	25.4	1.10	57.0	0.0210	8.58	12.52	no	stainless steel	4E
C.254.130.0198.A	25.4	1.30	19.8	0.1200	5.46	6.82	yes	music wire	4D
C.254.130.0198.I	25.4	1.30	19.8	0.1044	5.46	6.82	yes	stainless steel	4D
C.254.130.0890.A	25.4	1.30	89.0	0.0264	13.52	19.84	yes	music wire	4F
C.254.130.0890.I	25.4	1.30	89.0	0.0230	13.39	19.63	yes	stainless steel	4G
C.254.140.0350.A	25.4	1.40	35.0	0.1264	6.58	8.25	yes	music wire	4F
C.254.140.0350.I	25.4	1.40	35.0	0.1100	6.58	8.25	yes	stainless steel	4F
C.254.140.0380.A	25.4	1.40	38.0	0.0736	8.82	11.70	yes	music wire	4F
C.254.140.0380.I	25.4	1.40	38.0	0.0640	8.82	11.70	yes	stainless steel	4G
C.254.150.0250.A	25.4	1.50	25.0	0.1954	6.60	7.97	yes	music wire	4F
C.254.150.0250.I	25.4	1.50	25.0	0.1700	6.60	7.97	yes	stainless steel	4F
C.254.150.0760.A	25.4	1.50	76.0	0.0529	14.40	19.52	yes	music wire	4G
C.254.150.0760.I	25.4	1.50	76.0	0.0460	14.40	19.52	yes	stainless steel	4G
C.254.150.0800.A	25.4	1.50	80.0	0.0448	16.35	22.41	yes	music wire	4G
C.254.150.0800.I	25.4	1.50	80.0	0.0390	16.20	22.19	yes	stainless steel	4H
C.254.160.0500.A	25.4	1.60	50.0	0.0747	14.56	19.12	yes	music wire	4G
C.254.160.0500.I	25.4	1.60	50.0	0.0650	14.40	18.89	yes	stainless steel	4G
C.254.160.0570.A	25.4	1.60	57.0	0.0954	12.32	15.91	yes	music wire	4G
C.254.160.0570.I	25.4	1.60	57.0	0.0830	12.16	15.68	yes	stainless steel	4G
C.254.160.0760.A	25.4	1.60	76.0	0.0350	26.56	36.30	yes	music wire	4G
C.254.160.0760.I	25.4	1.60	76.0	0.0305	26.40	36.07	yes	stainless steel	4H
C.254.160.0850.A	25.4	1.60	85.0	0.0598	17.28	23.02	yes	music wire	4G
C.254.160.0850.I	25.4	1.60	85.0	0.0520	17.12	22.79	yes	stainless steel	4H
C.254.180.0220.A	25.4	1.80	22.0	0.2069	11.52	14.03	yes	music wire	4G
C.254.180.0220.I	25.4	1.80	22.0	0.1800	11.52	14.03	yes	stainless steel	4G
C.254.200.0350.A	25.4	2.00	35.0	0.3448	12.40	14.66	yes	music wire	4G
C.254.200.0350.I	25.4	2.00	35.0	0.3000	12.20	14.40	yes	stainless steel	4G
C.254.200.1300.A	25.4	2.00	130.0	0.0943	32.00	40.24	yes	music wire	4I
C.254.200.1300.I	25.4	2.00	130.0	0.0820	31.60	39.72	yes	stainless steel	4I
C.254.220.2800.A	25.4	2.20	280.0	0.0610	74.36	92.73	yes	music wire	4J
C.254.220.2800.AP	25.4	2.20	280.0	0.0943	50.16	114.72	yes	music wire	4M
C.254.220.2800.I	25.4	2.20	280.0	0.0531	73.48	91.62	yes	stainless steel	4K
C.254.230.0240.A	25.4	2.30	24.0	0.6437	14.03	16.11	yes	music wire	4G
C.254.230.0240.AP	25.4	2.30	24.0	1.4628	9.43	11.95	yes	music wire	4I
C.254.230.0240.I	25.4	2.30	24.0	0.5600	13.80	15.82	yes	stainless steel	4G
C.254.230.0540.A	25.4	2.30	54.0	0.3563	20.70	24.46	yes	music wire	4H
C.254.230.0540.AP	25.4	2.30	54.0	0.6001	14.72	24.63	yes	music wire	4J
C.254.230.0540.I	25.4	2.30	54.0	0.3100	20.47	24.17	yes	stainless steel	4I
C.254.230.1300.A	25.4	2.30	130.0	0.1609	38.87	47.19	yes	music wire	4I
C.254.230.1300.AP	25.4	2.30	130.0	0.2388	28.06	56.20	yes	music wire	4J
C.254.230.1300.I	25.4	2.30	130.0	0.1400	38.41	46.62	yes	stainless steel	4I
C.254.230.1850.A	25.4	2.30	185.0	0.1609	38.87	75.47	yes	music wire	4L
C.254.230.1850.I	25.4	2.30	185.0	0.1400	38.41	73.92	yes	stainless steel	4L
C.254.240.0350.A	25.4	2.40	35.0	0.5000	19.44	22.64	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.254.240.0350.AP	25.4	2.40	35.0	1.1255	12.00	17.38	yes	music wire	4I
C.254.240.0350.I	25.4	2.40	35.0	0.4350	19.20	22.34	yes	stainless steel	4H
C.254.240.0590.A	25.4	2.40	59.0	0.3100	27.60	32.74	yes	music wire	4H
C.254.240.0590.AP	25.4	2.40	59.0	0.6253	16.56	27.28	yes	music wire	4J
C.254.240.0590.I	25.4	2.40	59.0	0.2697	27.12	32.14	yes	stainless steel	4I
C.254.260.0480.A	25.4	2.60	48.0	1.0460	16.38	24.34	yes	music wire	4J
C.254.260.0480.I	25.4	2.60	48.0	0.9100	16.12	23.90	yes	stainless steel	4J
C.254.270.0440.A	25.4	2.70	44.0	0.8276	21.87	24.99	yes	music wire	4H
C.254.270.0440.AP	25.4	2.70	44.0	1.3058	16.20	22.97	yes	music wire	4J
C.254.270.0440.I	25.4	2.70	44.0	0.7200	21.60	24.66	yes	stainless steel	4I
C.254.270.0600.A	25.4	2.70	60.0	0.6092	27.27	31.50	yes	music wire	4I
C.254.270.0600.AP	25.4	2.70	60.0	0.9218	20.25	30.20	yes	music wire	4J
C.254.270.0600.I	25.4	2.70	60.0	0.5300	27.00	31.17	yes	stainless steel	4I
C.254.320.0630.A	25.4	3.20	63.0	1.5000	28.80	33.81	yes	music wire	4M
C.254.320.0630.I	25.4	3.20	63.0	1.3050	28.48	33.04	yes	stainless steel	4M
C.254.320.0630.N	25.4	3.20	63.0	1.5000	28.80	33.81	yes	Zn coating	4N
C.254.320.0800.A	25.4	3.20	80.0	1.2000	33.92	43.51	yes	music wire	4M
C.254.320.0800.I	25.4	3.20	80.0	1.0440	33.60	42.55	yes	stainless steel	4M
C.254.320.0800.N	25.4	3.20	80.0	1.2000	33.92	43.51	yes	Zn coating	4N
C.254.320.1000.A	25.4	3.20	100.0	0.9474	40.96	53.78	yes	music wire	4M
C.254.320.1000.I	25.4	3.20	100.0	0.8242	40.64	52.57	yes	stainless steel	4M
C.254.320.1000.N	25.4	3.20	100.0	0.9474	40.96	53.78	yes	Zn coating	4O
C.254.320.1250.A	25.4	3.20	125.0	0.7500	49.60	66.62	yes	music wire	4M
C.254.320.1250.I	25.4	3.20	125.0	0.6525	49.28	65.09	yes	stainless steel	4N
C.254.320.1250.N	25.4	3.20	125.0	0.7500	49.60	66.62	yes	Zn coating	4O
C.254.320.1600.A	25.4	3.20	160.0	0.6000	60.16	87.02	yes	music wire	4N
C.254.320.1600.I	25.4	3.20	160.0	0.5220	59.52	85.11	yes	stainless steel	4N
C.254.320.1600.N	25.4	3.20	160.0	0.6000	60.16	87.02	yes	Zn coating	4P
C.254.320.2000.A	25.4	3.20	200.0	0.4737	73.92	107.57	yes	music wire	4N
C.254.320.2000.I	25.4	3.20	200.0	0.4121	72.96	105.14	yes	stainless steel	4N
C.254.320.2000.N	25.4	3.20	200.0	0.4737	73.92	107.57	yes	Zn coating	4P
C.254.320.2500.A	25.4	3.20	250.0	0.3750	91.20	133.24	yes	music wire	4O
C.254.320.2500.I	25.4	3.20	250.0	0.3263	90.24	130.17	yes	stainless steel	4O
C.254.320.2500.N	25.4	3.20	250.0	0.3750	91.20	133.24	yes	Zn coating	4Q
C.254.320.3200.A	25.4	3.20	320.0	0.3000	112.00	174.05	yes	music wire	4R
C.254.320.3200.I	25.4	3.20	320.0	0.2610	110.72	170.22	yes	stainless steel	4P
C.254.320.3200.N	25.4	3.20	320.0	0.3000	112.00	174.05	yes	Zn coating	4S
C.254.340.1130.A	25.4	3.40	113.0	1.0690	49.30	64.67	yes	music wire	4M
C.254.340.1130.I	25.4	3.40	113.0	0.9300	48.62	63.29	yes	stainless steel	4M
C.254.340.2030.A	25.4	3.40	203.0	0.4253	110.84	127.50	yes	music wire	4L
C.254.340.2030.AP	25.4	3.40	203.0	0.5919	81.94	115.72	yes	music wire	4N
C.254.340.2030.I	25.4	3.40	203.0	0.3700	109.48	125.92	yes	stainless steel	4L
C.254.380.0570.A	25.4	3.80	57.0	3.4483	32.68	36.75	yes	music wire	4O
C.254.380.0570.I	25.4	3.80	57.0	3.0000	32.30	36.07	yes	stainless steel	4O
C.254.400.0650.A	25.4	4.00	65.0	5.1724	30.40	49.50	yes	music wire	4T
C.254.400.0650.I	25.4	4.00	65.0	4.5000	30.40	48.95	yes	stainless steel	4T
C.254.400.1240.A	25.4	4.00	124.0	2.1000	60.80	85.82	yes	music wire	4T
C.254.400.1240.I	25.4	4.00	124.0	1.8270	60.00	84.47	yes	stainless steel	4T
C.255.170.0550.A	25.5	1.70	55.0	0.0700	19.55	25.58	yes	music wire	4G
C.255.170.0550.I	25.5	1.70	55.0	0.0609	19.38	25.34	yes	stainless steel	4G
C.255.170.0550.N	25.5	1.70	55.0	0.0700	19.55	25.58	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.255.170.2400.A	25.5	1.70	240.0	0.0302	39.78	53.78	yes	music wire	4J
C.255.170.2400.I	25.5	1.70	240.0	0.0259	39.78	53.78	yes	stainless steel	4J
C.255.280.0450.A	25.5	2.80	45.0	0.8760	24.08	27.47	yes	music wire	4I
C.255.280.0450.AP	25.5	2.80	45.0	1.4321	17.36	23.88	yes	music wire	4J
C.255.280.0450.I	25.5	2.80	45.0	0.7621	23.80	27.14	yes	stainless steel	4I
C.255.280.0450.N	25.5	2.80	45.0	0.8760	24.08	27.47	yes	Zn coating	4J
C.255.280.3200.A	25.5	2.80	320.0	0.1254	126.56	150.30	yes	music wire	4M
C.255.280.3200.I	25.5	2.80	320.0	0.1077	126.56	150.30	yes	stainless steel	4M
C.255.450.0750.A	25.5	4.50	75.0	5.9040	45.45	56.46	yes	music wire	5A
C.255.450.0750.I	25.5	4.50	75.0	5.1365	45.00	55.71	yes	stainless steel	5B
C.255.450.0750.N	25.5	4.50	75.0	5.9040	45.45	56.46	yes	Zn coating	5C
C.255.450.2000.A	25.5	4.50	200.0	1.5291	144.00	161.61	yes	music wire	4R
C.255.450.2000.I	25.5	4.50	200.0	1.3133	144.00	161.61	yes	stainless steel	4R
C.256.280.0200.A	25.6	2.80	20.0	2.6416	12.60	13.72	yes	music wire	4I
C.256.280.0200.I	25.6	2.80	20.0	2.2688	12.60	13.72	yes	stainless steel	4I
C.256.280.0250.A	25.6	2.80	25.0	1.8391	15.12	16.74	yes	music wire	4I
C.256.280.0250.AP	25.6	2.80	25.0	2.8267	12.32	14.34	yes	music wire	4J
C.256.280.0250.I	25.6	2.80	25.0	1.6000	14.84	16.40	yes	stainless steel	4I
C.256.280.0380.A	25.6	2.80	38.0	1.1000	20.44	23.12	yes	music wire	4I
C.256.280.0380.AP	25.6	2.80	38.0	1.7325	15.40	20.61	yes	music wire	4J
C.256.280.0380.I	25.6	2.80	38.0	0.9500	20.44	23.12	yes	stainless steel	4I
C.256.280.0500.A	25.6	2.80	50.0	0.7816	26.04	29.84	yes	music wire	4I
C.256.280.0500.AP	25.6	2.80	50.0	1.2787	18.48	26.43	yes	music wire	4J
C.256.280.0500.I	25.6	2.80	50.0	0.6800	25.76	29.50	yes	stainless steel	4I
C.256.280.0640.A	25.6	2.80	64.0	0.6092	31.36	36.22	yes	music wire	4I
C.256.280.0640.AP	25.6	2.80	64.0	0.9591	22.40	32.58	yes	music wire	4K
C.256.280.0640.I	25.6	2.80	64.0	0.5300	31.08	35.88	yes	stainless steel	4I
C.256.280.0760.A	25.6	2.80	76.0	0.5100	36.12	41.93	yes	music wire	4I
C.256.280.0760.AP	25.6	2.80	76.0	0.8016	25.48	38.41	yes	music wire	4L
C.256.280.0760.I	25.6	2.80	76.0	0.4437	35.56	41.26	yes	stainless steel	4I
C.256.280.0890.A	25.6	2.80	89.0	0.4400	40.60	47.30	yes	music wire	4I
C.256.280.0890.AP	25.6	2.80	89.0	0.6798	28.84	44.67	yes	music wire	4L
C.256.280.0890.I	25.6	2.80	89.0	0.3828	40.32	46.97	yes	stainless steel	4J
C.256.280.1000.A	25.6	2.80	100.0	0.4127	42.84	49.99	yes	music wire	4J
C.256.280.1000.I	25.6	2.80	100.0	0.3545	42.84	49.99	yes	stainless steel	4J
C.256.280.1150.A	25.6	2.80	115.0	0.3300	51.80	60.74	yes	music wire	4J
C.256.280.1150.AP	25.6	2.80	115.0	0.5214	35.28	57.21	yes	music wire	4L
C.256.280.1150.I	25.6	2.80	115.0	0.2800	52.36	61.41	yes	stainless steel	4J
C.256.280.1650.A	25.6	2.80	165.0	0.2446	67.48	79.54	yes	music wire	4J
C.256.280.1650.I	25.6	2.80	165.0	0.2101	67.48	79.54	yes	stainless steel	4J
C.256.280.2000.A	25.6	2.80	200.0	0.2009	80.64	95.33	yes	music wire	4J
C.256.280.2000.I	25.6	2.80	200.0	0.1725	80.64	95.33	yes	stainless steel	4K
C.256.280.2550.A	25.6	2.80	255.0	0.1568	101.36	120.18	yes	music wire	4L
C.256.280.2550.I	25.6	2.80	255.0	0.1347	101.36	120.18	yes	stainless steel	4L
C.256.280.3200.A	25.6	2.80	320.0	0.1243	126.00	149.74	yes	music wire	4M
C.256.280.3200.I	25.6	2.80	320.0	0.1068	126.00	149.74	yes	stainless steel	4M
C.258.100.0200.A	25.8	1.00	20.0	0.0607	4.60	5.72	no	music wire	4D
C.258.100.0200.I	25.8	1.00	20.0	0.0522	4.60	5.72	no	stainless steel	4D
C.258.100.0910.A	25.8	1.00	91.0	0.0080	11.80	20.29	no	music wire	4F
C.258.100.0910.I	25.8	1.00	91.0	0.0070	11.70	20.09	no	stainless steel	4F
C.258.140.0200.A	25.8	1.40	20.0	0.2072	5.32	6.33	yes	music wire	4E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.258.140.0200.I	25.8	1.40	20.0	0.1780	5.32	6.33	yes	stainless steel	4F
C.258.140.0410.A	25.8	1.40	41.0	0.0598	9.80	13.30	yes	music wire	4F
C.258.140.0410.I	25.8	1.40	41.0	0.0520	9.66	13.08	yes	stainless steel	4G
C.258.140.0850.A	25.8	1.40	85.0	0.0391	13.16	18.53	yes	music wire	4G
C.258.140.0850.I	25.8	1.40	85.0	0.0340	13.02	18.31	yes	stainless steel	4H
C.258.150.0200.A	25.8	1.50	20.0	0.2765	5.70	6.66	yes	music wire	4E
C.258.150.0200.I	25.8	1.50	20.0	0.2375	5.70	6.66	yes	stainless steel	4F
C.258.150.1240.A	25.8	1.50	124.0	0.0253	25.05	35.56	yes	music wire	4I
C.258.150.1240.I	25.8	1.50	124.0	0.0220	24.75	35.12	yes	stainless steel	4I
C.258.220.0200.A	25.8	2.20	20.0	1.0087	9.46	10.54	yes	music wire	4G
C.258.220.0200.I	25.8	2.20	20.0	0.8663	9.46	10.54	yes	stainless steel	4G
C.258.220.0550.A	25.8	2.20	55.0	0.2000	25.52	30.98	yes	music wire	4H
C.258.220.0550.AP	25.8	2.20	55.0	0.4961	13.64	24.07	yes	music wire	4J
C.258.220.0550.I	25.8	2.20	55.0	0.1740	25.30	30.70	yes	stainless steel	4I
C.258.240.0220.A	25.8	2.40	22.0	0.8046	13.92	15.84	yes	music wire	4G
C.258.240.0220.AP	25.8	2.40	22.0	1.9085	9.36	11.76	yes	music wire	4I
C.258.240.0220.I	25.8	2.40	22.0	0.7000	13.68	15.54	yes	stainless steel	4G
C.258.240.0600.A	25.8	2.40	60.0	0.3997	21.84	25.68	yes	music wire	4H
C.258.240.0600.I	25.8	2.40	60.0	0.3433	21.84	25.68	yes	stainless steel	4I
C.258.240.0890.A	25.8	2.40	89.0	0.3103	26.40	31.35	yes	music wire	4I
C.258.240.0890.I	25.8	2.40	89.0	0.2700	26.16	31.05	yes	stainless steel	4I
C.258.270.0570.A	25.8	2.70	57.0	0.6782	24.30	27.98	yes	music wire	4I
C.258.270.0570.AP	25.8	2.70	57.0	0.9491	19.17	28.49	yes	music wire	4J
C.258.270.0570.I	25.8	2.70	57.0	0.5900	24.03	27.66	yes	stainless steel	4I
C.258.270.3200.A	25.8	2.70	320.0	0.1071	117.45	140.67	yes	music wire	4L
C.258.270.3200.I	25.8	2.70	320.0	0.0920	117.45	140.67	yes	stainless steel	4L
C.258.300.0460.A	25.8	3.00	46.0	1.9540	18.30	27.49	yes	music wire	4M
C.258.300.0460.I	25.8	3.00	46.0	1.7000	18.00	27.05	yes	stainless steel	4M
C.258.300.2000.A	25.8	3.00	200.0	0.2579	88.50	103.62	yes	music wire	4J
C.258.300.2000.I	25.8	3.00	200.0	0.2215	88.50	103.62	yes	stainless steel	4K
C.258.310.0440.A	25.8	3.10	44.0	2.8736	16.43	30.23	yes	music wire	4M
C.258.310.0440.I	25.8	3.10	44.0	2.5000	16.43	29.89	yes	stainless steel	4M
C.258.310.2000.A	25.8	3.10	200.0	0.2936	92.69	108.02	yes	music wire	4J
C.258.310.2000.I	25.8	3.10	200.0	0.2521	92.69	108.02	yes	stainless steel	4K
C.258.320.0400.A	25.8	3.20	40.0	1.8886	23.68	26.42	yes	music wire	4J
C.258.320.0400.I	25.8	3.20	40.0	1.6221	23.68	26.42	yes	stainless steel	4J
C.258.320.1360.A	25.8	3.20	136.0	0.6500	53.44	69.61	yes	music wire	4N
C.258.320.1360.I	25.8	3.20	136.0	0.5655	53.12	67.87	yes	stainless steel	4N
C.258.340.0500.A	25.8	3.40	50.0	3.7931	19.38	36.58	yes	music wire	4N
C.258.340.0500.I	25.8	3.40	50.0	3.3000	19.38	36.19	yes	stainless steel	4N
C.258.340.2400.A	25.8	3.40	240.0	0.3531	125.12	144.37	yes	music wire	4M
C.258.340.2400.I	25.8	3.40	240.0	0.3033	125.12	144.37	yes	stainless steel	4M
C.260.090.0635.A	26.0	0.90	63.5	0.0163	5.49	8.45	no	music wire	4E
C.260.150.0143.A	26.0	1.50	14.3	0.3188	5.40	6.23	yes	music wire	4E
C.260.150.0143.I	26.0	1.50	14.3	0.2738	5.40	6.23	yes	stainless steel	4F
C.260.150.0157.A	26.0	1.50	15.7	0.3188	5.40	6.23	yes	music wire	4E
C.260.150.0157.I	26.0	1.50	15.7	0.2738	5.40	6.23	yes	stainless steel	4F
C.260.150.0224.A	26.0	1.50	22.4	0.2338	6.00	7.13	yes	music wire	4E
C.260.150.0224.I	26.0	1.50	22.4	0.2008	6.00	7.13	yes	stainless steel	4F
C.260.150.0318.A	26.0	1.50	31.8	0.1594	7.05	8.70	yes	music wire	4F
C.260.150.0318.I	26.0	1.50	31.8	0.1369	7.05	8.70	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.260.150.0444.A	26.0	1.50	44.4	0.1131	8.40	10.73	yes	music wire	4G
C.260.150.0444.I	26.0	1.50	44.4	0.0972	8.40	10.73	yes	stainless steel	4G
C.260.150.0572.A	26.0	1.50	57.2	0.0855	9.90	12.98	yes	music wire	4G
C.260.150.0572.I	26.0	1.50	57.2	0.0735	9.90	12.98	yes	stainless steel	4G
C.260.150.0635.A	26.0	1.50	63.5	0.0779	10.50	13.88	yes	music wire	4G
C.260.150.0635.I	26.0	1.50	63.5	0.0669	10.50	13.88	yes	stainless steel	4G
C.260.150.0700.A	26.0	1.50	70.0	0.0400	16.95	23.55	yes	music wire	4G
C.260.150.0700.I	26.0	1.50	70.0	0.0348	16.80	23.33	yes	stainless steel	4G
C.260.150.0700.N	26.0	1.50	70.0	0.0400	16.95	23.55	yes	Zn coating	4I
C.260.150.2000.A	26.0	1.50	200.0	0.0281	22.50	31.88	yes	music wire	4I
C.260.150.2000.I	26.0	1.50	200.0	0.0241	22.50	31.88	yes	stainless steel	4I
C.260.160.0290.A	26.0	1.60	29.0	0.2553	6.88	8.17	yes	music wire	4F
C.260.160.0290.I	26.0	1.60	29.0	0.2193	6.88	8.17	yes	stainless steel	4G
C.260.160.1200.A	26.0	1.60	120.0	0.0574	16.80	22.55	yes	music wire	4I
C.260.160.1200.I	26.0	1.60	120.0	0.0493	16.80	22.55	yes	stainless steel	4I
C.260.160.1700.A	26.0	1.60	170.0	0.0403	22.24	30.43	yes	music wire	4I
C.260.160.1700.I	26.0	1.60	170.0	0.0346	22.24	30.43	yes	stainless steel	4I
C.260.160.2000.A	26.0	1.60	200.0	0.0340	25.60	35.30	yes	music wire	4I
C.260.160.2000.I	26.0	1.60	200.0	0.0292	25.60	35.30	yes	stainless steel	4I
C.260.170.0330.A	26.0	1.70	33.0	0.2695	7.99	9.51	yes	music wire	4F
C.260.170.0330.I	26.0	1.70	33.0	0.2315	7.99	9.51	yes	stainless steel	4G
C.260.170.0400.A	26.0	1.70	40.0	0.2196	8.84	10.71	yes	music wire	4F
C.260.170.0400.I	26.0	1.70	40.0	0.1886	8.84	10.71	yes	stainless steel	4G
C.260.175.0280.A	26.0	1.75	28.0	0.3526	7.70	8.99	yes	music wire	4F
C.260.175.0280.I	26.0	1.75	28.0	0.3029	7.70	8.99	yes	stainless steel	4F
C.260.175.0530.A	26.0	1.75	53.0	0.1763	11.03	13.61	yes	music wire	4G
C.260.175.0530.I	26.0	1.75	53.0	0.1514	11.03	13.61	yes	stainless steel	4G
C.260.175.0710.A	26.0	1.75	71.0	0.1314	13.30	16.76	yes	music wire	4G
C.260.175.0710.I	26.0	1.75	71.0	0.1128	13.30	16.76	yes	stainless steel	4G
C.260.175.1450.A	26.0	1.75	145.0	0.0626	23.10	30.37	yes	music wire	4I
C.260.175.1450.I	26.0	1.75	145.0	0.0538	23.10	30.37	yes	stainless steel	4I
C.260.180.1500.A	26.0	1.80	150.0	0.0662	25.02	32.64	yes	music wire	4I
C.260.180.1500.I	26.0	1.80	150.0	0.0569	25.02	32.64	yes	stainless steel	4I
C.260.180.1750.A	26.0	1.80	175.0	0.0563	28.62	37.57	yes	music wire	4I
C.260.180.1750.I	26.0	1.80	175.0	0.0484	28.62	37.57	yes	stainless steel	4J
C.260.190.1750.A	26.0	1.90	175.0	0.0668	31.73	40.94	yes	music wire	4I
C.260.190.1750.I	26.0	1.90	175.0	0.0574	31.73	40.94	yes	stainless steel	4J
C.260.200.0143.A	26.0	2.00	14.3	1.0719	7.20	7.90	yes	music wire	4G
C.260.200.0143.I	26.0	2.00	14.3	0.9207	7.20	7.90	yes	stainless steel	4G
C.260.200.0225.A	26.0	2.00	22.5	0.6206	8.80	10.00	yes	music wire	4G
C.260.200.0225.I	26.0	2.00	22.5	0.5330	8.80	10.00	yes	stainless steel	4G
C.260.200.0285.A	26.0	2.00	28.5	0.4716	10.00	11.58	yes	music wire	4G
C.260.200.0285.I	26.0	2.00	28.5	0.4051	10.00	11.58	yes	stainless steel	4G
C.260.200.1450.A	26.0	2.00	145.0	0.0830	33.40	42.37	yes	music wire	4I
C.260.200.1450.I	26.0	2.00	145.0	0.0713	33.40	42.37	yes	stainless steel	4I
C.260.200.1800.A	26.0	2.00	180.0	0.0766	35.80	45.53	yes	music wire	4J
C.260.200.1800.I	26.0	2.00	180.0	0.0658	35.80	45.53	yes	stainless steel	4J
C.260.210.0224.A	26.0	2.10	22.4	0.7256	9.45	10.69	yes	music wire	4G
C.260.210.0224.I	26.0	2.10	22.4	0.6232	9.45	10.69	yes	stainless steel	4G
C.260.210.0254.A	26.0	2.10	25.4	0.6310	10.08	11.50	yes	music wire	4G
C.260.210.0254.I	26.0	2.10	25.4	0.5420	10.08	11.50	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.260.210.0318.A	26.0	2.10	31.8	0.5004	11.34	13.13	yes	music wire	4G
C.260.210.0318.I	26.0	2.10	31.8	0.4298	11.34	13.13	yes	stainless steel	4G
C.260.210.0381.A	26.0	2.10	38.1	0.4031	12.81	15.03	yes	music wire	4G
C.260.210.0381.I	26.0	2.10	38.1	0.3462	12.81	15.03	yes	stainless steel	4H
C.260.210.0444.A	26.0	2.10	44.4	0.3375	14.28	16.94	yes	music wire	4G
C.260.210.0444.I	26.0	2.10	44.4	0.2899	14.28	16.94	yes	stainless steel	4H
C.260.210.0508.A	26.0	2.10	50.8	0.2962	15.54	18.57	yes	music wire	4H
C.260.210.0508.I	26.0	2.10	50.8	0.2544	15.54	18.57	yes	stainless steel	4H
C.260.210.0572.A	26.0	2.10	57.2	0.2592	17.01	20.47	yes	music wire	4H
C.260.210.0572.I	26.0	2.10	57.2	0.2226	17.01	20.47	yes	stainless steel	4I
C.260.210.0635.A	26.0	2.10	63.5	0.2304	18.48	22.37	yes	music wire	4H
C.260.210.0635.I	26.0	2.10	63.5	0.1979	18.48	22.37	yes	stainless steel	4I
C.260.210.0698.A	26.0	2.10	69.8	0.2103	19.74	24.00	yes	music wire	4I
C.260.210.0698.I	26.0	2.10	69.8	0.1807	19.74	24.00	yes	stainless steel	4I
C.260.210.0762.A	26.0	2.10	76.2	0.1910	21.21	25.91	yes	music wire	4I
C.260.210.0762.I	26.0	2.10	76.2	0.1640	21.21	25.91	yes	stainless steel	4I
C.260.210.1800.A	26.0	2.10	180.0	0.0901	39.06	49.01	yes	music wire	4J
C.260.210.1800.I	26.0	2.10	180.0	0.0774	39.06	49.01	yes	stainless steel	4J
C.260.220.1750.A	26.0	2.20	175.0	0.1079	41.58	51.52	yes	music wire	4J
C.260.220.1750.I	26.0	2.20	175.0	0.0927	41.58	51.52	yes	stainless steel	4J
C.260.225.0500.A	26.0	2.25	50.0	0.4331	15.75	18.45	yes	music wire	4H
C.260.225.0500.I	26.0	2.25	50.0	0.3720	15.75	18.45	yes	stainless steel	4I
C.260.230.0820.A	26.0	2.30	82.0	0.2746	23.69	28.34	yes	music wire	4I
C.260.230.0820.I	26.0	2.30	82.0	0.2358	23.69	28.34	yes	stainless steel	4I
C.260.240.1800.A	26.0	2.40	180.0	0.1413	49.68	60.38	yes	music wire	4J
C.260.240.1800.I	26.0	2.40	180.0	0.1214	49.68	60.38	yes	stainless steel	4J
C.260.250.0545.A	26.0	2.50	54.5	0.4000	25.50	29.98	yes	music wire	4I
C.260.250.0545.AP	26.0	2.50	54.5	0.7582	16.25	25.86	yes	music wire	4J
C.260.250.0545.I	26.0	2.50	54.5	0.3489	25.00	29.36	yes	stainless steel	4I
C.260.250.0545.N	26.0	2.50	54.5	0.4000	25.50	29.98	yes	Zn coating	4I
C.260.250.1400.A	26.0	2.50	140.0	0.2100	42.75	51.24	yes	music wire	4I
C.260.250.1400.I	26.0	2.50	140.0	0.1804	42.75	51.24	yes	stainless steel	4I
C.260.250.1800.A	26.0	2.50	180.0	0.1622	53.50	64.49	yes	music wire	4J
C.260.250.1800.I	26.0	2.50	180.0	0.1393	53.50	64.49	yes	stainless steel	4J
C.260.260.0340.A	26.0	2.60	34.0	1.1010	15.08	16.98	yes	music wire	4H
C.260.260.0340.I	26.0	2.60	34.0	0.9457	15.08	16.98	yes	stainless steel	4H
C.260.270.0200.A	26.0	2.70	20.0	2.2527	11.88	12.97	yes	music wire	4G
C.260.270.0200.I	26.0	2.70	20.0	1.9348	11.88	12.97	yes	stainless steel	4H
C.260.270.0290.A	26.0	2.70	29.0	1.5286	14.31	15.91	yes	music wire	4G
C.260.270.0290.I	26.0	2.70	29.0	1.3129	14.31	15.91	yes	stainless steel	4H
C.260.270.0700.A	26.0	2.70	70.0	0.4670	31.59	36.85	yes	music wire	4I
C.260.270.0700.AP	26.0	2.70	70.0	0.7495	22.14	34.16	yes	music wire	4J
C.260.270.0700.I	26.0	2.70	70.0	0.4063	31.05	36.19	yes	stainless steel	4I
C.260.270.0700.N	26.0	2.70	70.0	0.4670	31.59	36.85	yes	Zn coating	4I
C.260.270.1100.A	26.0	2.70	110.0	0.4200	34.29	46.04	yes	music wire	4J
C.260.270.1100.I	26.0	2.70	110.0	0.3654	34.02	44.77	yes	stainless steel	4K
C.260.270.1100.N	26.0	2.70	110.0	0.4200	34.29	46.04	yes	Zn coating	4M
C.260.270.1300.A	26.0	2.70	130.0	0.2972	45.63	53.86	yes	music wire	4I
C.260.270.1300.I	26.0	2.70	130.0	0.2553	45.63	53.86	yes	stainless steel	4I
C.260.280.0280.A	26.0	2.80	28.0	1.8573	14.56	16.09	yes	music wire	4I
C.260.280.0280.I	26.0	2.80	28.0	1.5952	14.56	16.09	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.260.290.0430.A	26.0	2.90	43.0	1.2708	20.59	23.19	yes	music wire	4I
C.260.290.0430.I	26.0	2.90	43.0	1.0915	20.59	23.19	yes	stainless steel	4I
C.260.290.1150.A	26.0	2.90	115.0	0.4395	45.82	53.35	yes	music wire	4J
C.260.290.1150.I	26.0	2.90	115.0	0.3775	45.82	53.35	yes	stainless steel	4J
C.260.300.0340.A	26.0	3.00	34.0	1.8839	18.30	20.33	yes	music wire	4I
C.260.300.0340.I	26.0	3.00	34.0	1.6181	18.30	20.33	yes	stainless steel	4I
C.260.300.1100.A	26.0	3.00	110.0	0.5217	46.50	53.84	yes	music wire	4J
C.260.300.1100.I	26.0	3.00	110.0	0.4481	46.50	53.84	yes	stainless steel	4J
C.260.300.1500.A	26.0	3.00	150.0	0.3789	61.20	71.30	yes	music wire	4J
C.260.300.1500.I	26.0	3.00	150.0	0.3254	61.20	71.30	yes	stainless steel	4J
C.260.310.0340.A	26.0	3.10	34.0	2.1762	18.91	20.94	yes	music wire	4I
C.260.310.0340.I	26.0	3.10	34.0	1.8692	18.91	20.94	yes	stainless steel	4I
C.260.310.0760.A	26.0	3.10	76.0	0.8803	35.34	40.36	yes	music wire	4I
C.260.310.0760.I	26.0	3.10	76.0	0.7561	35.34	40.36	yes	stainless steel	4I
C.260.310.0920.A	26.0	3.10	92.0	0.7188	41.54	47.68	yes	music wire	4I
C.260.310.0920.I	26.0	3.10	92.0	0.6173	41.54	47.68	yes	stainless steel	4J
C.260.320.0290.A	26.0	3.20	29.0	3.0043	17.60	19.29	yes	music wire	4J
C.260.320.0290.I	26.0	3.20	29.0	2.5804	17.60	19.29	yes	stainless steel	4J
C.260.320.0350.A	26.0	3.20	35.0	2.3718	20.16	22.30	yes	music wire	4J
C.260.320.0350.I	26.0	3.20	35.0	2.0371	20.16	22.30	yes	stainless steel	4J
C.260.320.0540.A	26.0	3.20	54.0	1.4537	27.84	31.33	yes	music wire	4J
C.260.320.0540.I	26.0	3.20	54.0	1.2486	27.84	31.33	yes	stainless steel	4J
C.260.320.1100.A	26.0	3.20	110.0	0.6726	50.88	58.43	yes	music wire	4K
C.260.320.1100.I	26.0	3.20	110.0	0.5777	50.88	58.43	yes	stainless steel	4K
C.260.330.0610.A	26.0	3.30	61.0	1.4345	32.01	36.07	yes	music wire	4J
C.260.330.0610.I	26.0	3.30	61.0	1.2321	32.01	36.07	yes	stainless steel	4J
C.260.340.0300.A	26.0	3.40	30.0	3.6856	19.38	21.19	yes	music wire	4J
C.260.340.0300.I	26.0	3.40	30.0	3.1655	19.38	21.19	yes	stainless steel	4J
C.260.340.1700.A	26.0	3.40	170.0	0.5410	82.62	94.94	yes	music wire	4L
C.260.340.1700.I	26.0	3.40	170.0	0.4647	82.62	94.94	yes	stainless steel	4L
C.260.350.0555.A	26.0	3.50	55.5	1.7570	35.35	39.66	yes	music wire	4J
C.260.350.0555.AP	26.0	3.50	55.5	2.5312	27.30	33.89	yes	music wire	4M
C.260.350.0555.I	26.0	3.50	55.5	1.5286	35.00	39.25	yes	stainless steel	4J
C.260.350.0555.N	26.0	3.50	55.5	1.7570	35.35	39.66	yes	Zn coating	4L
C.260.350.0870.A	26.0	3.50	87.0	1.2313	46.90	53.08	yes	music wire	4J
C.260.350.0870.I	26.0	3.50	87.0	1.0576	46.90	53.08	yes	stainless steel	4J
C.260.360.1100.A	26.0	3.60	110.0	1.0797	59.76	67.78	yes	music wire	4M
C.260.360.1100.I	26.0	3.60	110.0	0.9274	59.76	67.78	yes	stainless steel	4M
C.260.380.0330.A	26.0	3.80	33.0	5.3931	23.18	25.25	yes	music wire	4M
C.260.380.0330.I	26.0	3.80	33.0	4.6321	23.18	25.25	yes	stainless steel	4M
C.260.380.1800.A	26.0	3.80	180.0	0.8056	101.08	114.93	yes	music wire	4N
C.260.380.1800.I	26.0	3.80	180.0	0.6919	101.08	114.93	yes	stainless steel	4N
C.260.400.0290.A	26.0	4.00	29.0	7.9009	22.40	24.20	yes	music wire	4P
C.260.400.0290.I	26.0	4.00	29.0	6.7861	22.40	24.20	yes	stainless steel	4P
C.260.400.0350.A	26.0	4.00	35.0	6.2802	25.60	27.87	yes	music wire	4P
C.260.400.0350.I	26.0	4.00	35.0	5.3941	25.60	27.87	yes	stainless steel	4P
C.260.400.0450.A	26.0	4.00	45.0	4.6213	31.20	34.28	yes	music wire	4P
C.260.400.0450.I	26.0	4.00	45.0	3.9692	31.20	34.28	yes	stainless steel	4P
C.260.400.0920.A	26.0	4.00	92.0	2.0411	58.00	64.98	yes	music wire	4P
C.260.400.0920.I	26.0	4.00	92.0	1.7531	58.00	64.98	yes	stainless steel	4P
C.260.400.1700.A	26.0	4.00	170.0	1.0649	102.00	115.37	yes	music wire	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.260.400.1700.I	26.0	4.00	170.0	0.9146	102.00	115.37	yes	stainless steel	4Q
C.260.420.0300.A	26.0	4.20	30.0	9.5619	23.94	25.83	yes	music wire	4P
C.260.420.0300.I	26.0	4.20	30.0	8.2127	23.94	25.83	yes	stainless steel	4P
C.260.420.0430.A	26.0	4.20	43.0	6.1196	31.50	34.45	yes	music wire	4P
C.260.420.0430.I	26.0	4.20	43.0	5.2561	31.50	34.45	yes	stainless steel	4P
C.260.420.0570.A	26.0	4.20	57.0	4.3712	39.90	44.03	yes	music wire	4P
C.260.420.0570.I	26.0	4.20	57.0	3.7544	39.90	44.03	yes	stainless steel	4P
C.260.420.1450.A	26.0	4.20	145.0	1.5611	92.82	104.38	yes	music wire	4Q
C.260.420.1450.I	26.0	4.20	145.0	1.3408	92.82	104.38	yes	stainless steel	4Q
C.260.450.0300.A	26.0	4.50	30.0	13.5594	25.20	27.07	yes	music wire	4Q
C.260.450.0300.I	26.0	4.50	30.0	11.6461	25.20	27.07	yes	stainless steel	4Q
C.260.450.0370.A	26.0	4.50	37.0	10.2522	29.70	32.18	yes	music wire	4Q
C.260.450.0370.I	26.0	4.50	37.0	8.8056	29.70	32.18	yes	stainless steel	4R
C.260.450.0560.A	26.0	4.50	56.0	6.0919	42.30	46.47	yes	music wire	4R
C.260.450.0560.I	26.0	4.50	56.0	5.2323	42.30	46.47	yes	stainless steel	4R
C.260.450.0890.A	26.0	4.50	89.0	3.6236	63.45	70.46	yes	music wire	4R
C.260.450.0890.I	26.0	4.50	89.0	3.1123	63.45	70.46	yes	stainless steel	4R
C.260.450.1100.A	26.0	4.50	110.0	2.8791	76.95	85.77	yes	music wire	4R
C.260.450.1100.I	26.0	4.50	110.0	2.4728	76.95	85.77	yes	stainless steel	4R
C.260.450.1450.A	26.0	4.50	145.0	2.1337	99.90	111.80	yes	music wire	4R
C.260.450.1450.I	26.0	4.50	145.0	1.8326	99.90	111.80	yes	stainless steel	4R
C.260.450.1750.A	26.0	4.50	175.0	1.7514	119.25	133.75	yes	music wire	4R
C.260.450.1750.I	26.0	4.50	175.0	1.5043	119.25	133.75	yes	stainless steel	4R
C.260.470.0360.A	26.0	4.70	36.0	13.1903	30.08	32.48	yes	music wire	4Q
C.260.470.0360.I	26.0	4.70	36.0	11.3291	30.08	32.48	yes	stainless steel	4R
C.260.470.0600.A	26.0	4.70	60.0	6.9517	46.53	51.08	yes	music wire	4R
C.260.470.0600.I	26.0	4.70	60.0	5.9708	46.53	51.08	yes	stainless steel	4R
C.260.470.0680.A	26.0	4.70	68.0	6.0520	51.70	56.93	yes	music wire	4R
C.260.470.0680.I	26.0	4.70	68.0	5.1981	51.70	56.93	yes	stainless steel	4R
C.260.470.0950.A	26.0	4.70	95.0	4.1486	70.03	77.65	yes	music wire	4R
C.260.470.0950.I	26.0	4.70	95.0	3.5632	70.03	77.65	yes	stainless steel	4R
C.260.470.1250.A	26.0	4.70	125.0	3.0804	90.24	100.51	yes	music wire	4R
C.260.470.1250.I	26.0	4.70	125.0	2.6457	90.24	100.51	yes	stainless steel	4R
C.260.470.1850.A	26.0	4.70	185.0	2.0253	131.13	146.75	yes	music wire	4R
C.260.470.1850.I	26.0	4.70	185.0	1.7395	131.13	146.75	yes	stainless steel	4R
C.260.480.0670.A	26.0	4.80	67.0	6.7569	52.32	57.53	yes	music wire	4R
C.260.480.0670.I	26.0	4.80	67.0	5.8034	52.32	57.53	yes	stainless steel	4R
C.260.480.0880.A	26.0	4.80	88.0	4.9787	66.72	73.79	yes	music wire	4R
C.260.480.0880.I	26.0	4.80	88.0	4.2762	66.72	73.79	yes	stainless steel	4R
C.260.480.1100.A	26.0	4.80	110.0	3.9143	81.60	90.60	yes	music wire	4R
C.260.480.1100.I	26.0	4.80	110.0	3.3620	81.60	90.60	yes	stainless steel	4R
C.260.480.1750.A	26.0	4.80	175.0	2.3748	126.72	141.55	yes	music wire	4R
C.260.480.1750.I	26.0	4.80	175.0	2.0397	126.72	141.55	yes	stainless steel	4R
C.260.500.0270.A	26.0	5.00	27.0	26.4433	25.50	25.50	yes	music wire	4R
C.260.500.0270.I	26.0	5.00	27.0	22.7121	25.50	25.50	yes	stainless steel	4R
C.260.500.0300.A	26.0	5.00	30.0	22.9176	27.50	29.40	yes	music wire	4R
C.260.500.0300.I	26.0	5.00	30.0	19.6838	27.50	29.40	yes	stainless steel	4R
C.260.500.0350.A	26.0	5.00	35.0	18.5818	31.00	33.34	yes	music wire	4R
C.260.500.0350.I	26.0	5.00	35.0	15.9598	31.00	33.34	yes	stainless steel	4R
C.260.500.0420.A	26.0	5.00	42.0	14.6282	36.00	38.97	yes	music wire	4R
C.260.500.0420.I	26.0	5.00	42.0	12.5641	36.00	38.97	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.260.500.0450.A	26.0	5.00	45.0	13.4809	38.00	41.22	yes	music wire	4R
C.260.500.0450.I	26.0	5.00	45.0	11.5787	38.00	41.22	yes	stainless steel	4S
C.260.500.0600.A	26.0	5.00	60.0	9.4182	49.00	53.62	yes	music wire	4S
C.260.500.0600.I	26.0	5.00	60.0	8.0892	49.00	53.62	yes	stainless steel	4S
C.260.500.0660.A	26.0	5.00	66.0	8.4880	53.00	58.12	yes	music wire	4S
C.260.500.0660.I	26.0	5.00	66.0	7.2903	53.00	58.12	yes	stainless steel	4S
C.260.500.0710.A	26.0	5.00	71.0	7.7250	57.00	62.63	yes	music wire	4S
C.260.500.0710.I	26.0	5.00	71.0	6.6350	57.00	62.63	yes	stainless steel	4S
C.260.500.0770.A	26.0	5.00	77.0	7.0879	61.00	67.13	yes	music wire	4S
C.260.500.0770.I	26.0	5.00	77.0	6.0878	61.00	67.13	yes	stainless steel	4S
C.260.500.0920.A	26.0	5.00	92.0	5.7775	72.00	79.52	yes	music wire	4S
C.260.500.0920.I	26.0	5.00	92.0	4.9623	72.00	79.52	yes	stainless steel	4S
C.260.500.1150.A	26.0	5.00	115.0	4.5232	88.50	98.11	yes	music wire	4S
C.260.500.1150.I	26.0	5.00	115.0	3.8850	88.50	98.11	yes	stainless steel	4S
C.260.500.1300.A	26.0	5.00	130.0	3.9741	99.00	109.94	yes	music wire	4S
C.260.500.1300.I	26.0	5.00	130.0	3.4134	99.00	109.94	yes	stainless steel	4S
C.260.500.1400.A	26.0	5.00	140.0	3.6766	106.00	117.82	yes	music wire	4S
C.260.500.1400.I	26.0	5.00	140.0	3.1578	106.00	117.82	yes	stainless steel	4S
C.260.500.1500.A	26.0	5.00	150.0	3.4036	113.50	126.27	yes	music wire	4S
C.260.500.1500.I	26.0	5.00	150.0	2.9233	113.50	126.27	yes	stainless steel	4S
C.260.500.1700.A	26.0	5.00	170.0	2.9892	127.50	142.04	yes	music wire	4S
C.260.500.1700.I	26.0	5.00	170.0	2.5675	127.50	142.04	yes	stainless steel	4S
C.260.500.1900.A	26.0	5.00	190.0	3.0680	124.50	143.66	yes	music wire	5D
C.260.500.1900.I	26.0	5.00	190.0	2.6692	123.00	141.56	yes	stainless steel	5B
C.260.500.1900.N	26.0	5.00	190.0	3.0680	124.50	143.66	yes	Zn coating	5E
C.260.550.0430.A	26.0	5.50	43.0	21.2430	41.80	41.80	yes	music wire	5A
C.260.550.0430.AP	26.0	5.50	43.0	26.2378	36.30	39.02	yes	music wire	5A
C.260.550.0430.I	26.0	5.50	43.0	18.4814	41.25	41.25	yes	stainless steel	5A
C.260.550.0430.N	26.0	5.50	43.0	21.2430	41.80	41.80	yes	Zn coating	5C
C.262.130.0191.A	26.2	1.30	19.1	0.0425	8.97	12.69	yes	music wire	4D
C.262.130.0191.AP	26.2	1.30	19.1	0.1718	4.68	5.61	yes	music wire	4D
C.262.130.0191.I	26.2	1.30	19.1	0.0370	8.97	12.69	yes	stainless steel	4D
C.262.130.0800.A	26.2	1.30	80.0	0.0385	9.62	13.76	yes	music wire	4F
C.262.130.0800.I	26.2	1.30	80.0	0.0330	9.62	13.76	yes	stainless steel	4F
C.262.140.0200.A	26.2	1.40	20.0	0.2138	5.18	6.14	yes	music wire	4E
C.262.140.0200.I	26.2	1.40	20.0	0.1836	5.18	6.14	yes	stainless steel	4F
C.262.140.0500.A	26.2	1.40	50.0	0.0575	9.80	13.40	yes	music wire	4G
C.262.140.0500.I	26.2	1.40	50.0	0.0500	9.66	13.18	yes	stainless steel	4G
C.262.150.0220.A	26.2	1.50	22.0	0.3103	5.40	6.24	yes	music wire	4E
C.262.150.0220.I	26.2	1.50	22.0	0.2700	5.40	6.24	yes	stainless steel	4F
C.262.150.0800.A	26.2	1.50	80.0	0.0600	12.30	16.63	yes	music wire	4G
C.262.150.0800.I	26.2	1.50	80.0	0.0516	12.30	16.63	yes	stainless steel	4H
C.262.200.0159.A	26.2	2.00	15.9	1.1494	7.00	7.64	yes	music wire	4G
C.262.200.0159.I	26.2	2.00	15.9	1.0000	7.00	7.64	yes	stainless steel	4G
C.262.200.0400.A	26.2	2.00	40.0	0.3195	12.20	14.50	yes	music wire	4G
C.262.200.0400.I	26.2	2.00	40.0	0.2744	12.20	14.50	yes	stainless steel	4H
C.262.200.0760.A	26.2	2.00	76.0	0.0954	29.20	36.93	yes	music wire	4I
C.262.200.0760.I	26.2	2.00	76.0	0.0830	28.80	36.41	yes	stainless steel	4I
C.262.210.0260.A	26.2	2.10	26.0	0.4253	12.18	14.24	yes	music wire	4G
C.262.210.0260.AP	26.2	2.10	26.0	0.9532	8.40	12.06	yes	music wire	4I
C.262.210.0260.I	26.2	2.10	26.0	0.3700	12.18	14.24	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.262.210.1000.A	26.2	2.10	100.0	0.1415	26.25	32.50	yes	music wire	4I
C.262.210.1000.I	26.2	2.10	100.0	0.1216	26.25	32.50	yes	stainless steel	4I
C.262.220.0380.A	26.2	2.20	38.0	0.3448	16.50	19.56	yes	music wire	4G
C.262.220.0380.AP	26.2	2.20	38.0	0.7272	10.78	17.21	yes	music wire	4I
C.262.220.0380.I	26.2	2.20	38.0	0.3000	16.28	19.28	yes	stainless steel	4H
C.262.220.1000.A	26.2	2.20	100.0	0.1660	28.38	34.75	yes	music wire	4I
C.262.220.1000.I	26.2	2.20	100.0	0.1426	28.38	34.75	yes	stainless steel	4I
C.262.300.0400.A	26.2	3.00	40.0	0.9200	29.10	33.20	yes	music wire	4I
C.262.300.0400.AP	26.2	3.00	40.0	2.0394	17.10	22.52	yes	music wire	4J
C.262.300.0400.I	26.2	3.00	40.0	0.8000	28.80	32.84	yes	stainless steel	4I
C.262.300.2000.A	26.2	3.00	200.0	0.2503	86.70	101.72	yes	music wire	4J
C.262.300.2000.I	26.2	3.00	200.0	0.2150	86.70	101.72	yes	stainless steel	4K
C.262.500.0980.A	26.2	5.00	98.0	5.7000	71.00	78.43	yes	music wire	5A
C.262.500.0980.I	26.2	5.00	98.0	4.9590	70.50	77.86	yes	stainless steel	5A
C.262.500.2000.A	26.2	5.00	200.0	2.3613	154.00	171.97	yes	music wire	4S
C.262.500.2000.I	26.2	5.00	200.0	2.0281	154.00	171.97	yes	stainless steel	4S
C.262.560.0250.A	26.2	5.60	25.0	76.1218	22.40	23.41	yes	music wire	4R
C.262.560.0320.A	26.2	5.60	32.0	45.7531	28.00	29.68	yes	music wire	4R
C.262.560.0400.A	26.2	5.60	40.0	30.2500	35.28	37.84	yes	music wire	4R
C.262.560.0400.S	26.2	5.60	40.0	25.3968	39.20	39.20	yes	Cr-Si steel	5D
C.262.560.0500.A	26.2	5.60	50.0	21.8254	43.68	47.25	yes	music wire	4R
C.262.560.0500.S	26.2	5.60	50.0	20.0000	45.92	49.76	yes	Cr-Si steel	5D
C.262.560.0630.A	26.2	5.60	63.0	15.6250	54.88	59.80	yes	music wire	4R
C.262.560.0630.S	26.2	5.60	63.0	16.0000	54.32	59.17	yes	Cr-Si steel	5D
C.262.560.0800.A	26.2	5.60	80.0	12.5000	65.52	71.72	yes	music wire	4R
C.262.560.0800.S	26.2	5.60	80.0	12.8000	64.40	70.46	yes	Cr-Si steel	5F
C.262.560.1000.A	26.2	5.60	100.0	10.0000	78.40	86.15	yes	music wire	4R
C.262.560.1000.S	26.2	5.60	100.0	10.0000	78.40	86.15	yes	Cr-Si steel	5F
C.262.560.1200.A	26.2	5.60	120.0	7.2999	101.92	112.50	yes	music wire	5A
C.262.560.1200.I	26.2	5.60	120.0	6.2699	101.92	112.50	yes	stainless steel	5B
C.262.560.1250.A	26.2	5.60	125.0	7.8125	96.32	106.22	yes	music wire	4R
C.262.560.1250.S	26.2	5.60	125.0	8.0000	94.08	103.71	yes	Cr-Si steel	5F
C.262.560.1600.A	26.2	5.60	160.0	6.2500	116.48	129.65	yes	music wire	4R
C.262.560.1600.S	26.2	5.60	160.0	6.4000	114.24	130.36	yes	Cr-Si steel	5H
C.262.560.1800.A	26.2	5.60	180.0	4.7164	150.08	166.45	yes	music wire	5B
C.262.560.1800.I	26.2	5.60	180.0	4.0509	150.08	166.45	yes	stainless steel	5B
C.262.560.2000.A	26.2	5.60	200.0	5.0000	142.24	162.06	yes	music wire	4R
C.262.560.2000.S	26.2	5.60	200.0	5.0000	142.24	162.06	yes	Cr-Si steel	5I
C.262.560.2500.A	26.2	5.60	250.0	3.9063	178.08	201.44	yes	music wire	4S
C.262.560.2500.S	26.2	5.60	250.0	4.0000	174.72	202.58	yes	Cr-Si steel	5I
C.262.560.3250.A	26.2	5.60	325.0	2.5356	267.12	297.57	yes	music wire	5B
C.262.560.3250.I	26.2	5.60	325.0	2.1778	267.12	297.57	yes	stainless steel	5C
C.265.150.0450.A	26.5	1.50	45.0	0.0943	9.00	11.71	yes	music wire	4G
C.265.150.0450.I	26.5	1.50	45.0	0.0810	9.00	11.71	yes	stainless steel	4G
C.265.150.0450.N	26.5	1.50	45.0	0.0943	9.00	11.71	yes	Zn coating	4I
C.265.150.0689.A	26.5	1.50	68.9	0.0600	12.00	16.26	yes	music wire	4G
C.265.150.0689.I	26.5	1.50	68.9	0.0515	12.00	16.26	yes	stainless steel	4G
C.265.150.0689.N	26.5	1.50	68.9	0.0600	12.00	16.26	yes	Zn coating	4I
C.265.150.1050.A	26.5	1.50	105.0	0.0388	16.50	23.09	yes	music wire	4H
C.265.150.1050.I	26.5	1.50	105.0	0.0333	16.50	23.09	yes	stainless steel	4I
C.265.150.1050.N	26.5	1.50	105.0	0.0388	16.50	23.09	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.265.150.1520.A	26.5	1.50	152.0	0.0264	22.50	32.19	yes	music wire	4I
C.265.150.1520.I	26.5	1.50	152.0	0.0227	22.50	32.19	yes	stainless steel	4I
C.265.150.1520.N	26.5	1.50	152.0	0.0264	22.50	32.19	yes	Zn coating	4J
C.265.150.2240.A	26.5	1.50	224.0	0.0178	31.50	45.84	yes	music wire	4J
C.265.150.2240.I	26.5	1.50	224.0	0.0153	31.50	45.84	yes	stainless steel	4J
C.265.150.2240.N	26.5	1.50	224.0	0.0178	31.50	45.84	yes	Zn coating	4K
C.265.200.0250.A	26.5	2.00	25.0	0.5330	9.20	10.57	yes	music wire	4G
C.265.200.0250.I	26.5	2.00	25.0	0.4637	9.20	10.57	yes	stainless steel	4G
C.265.200.0250.N	26.5	2.00	25.0	0.5330	9.20	10.57	yes	Zn coating	4I
C.265.200.0320.A	26.5	2.00	32.0	0.4060	10.40	12.16	yes	music wire	4G
C.265.200.0320.I	26.5	2.00	32.0	0.3532	10.40	12.16	yes	stainless steel	4G
C.265.200.0320.N	26.5	2.00	32.0	0.4060	10.40	12.16	yes	Zn coating	4I
C.265.200.0400.A	26.5	2.00	40.0	0.3160	12.00	14.28	yes	music wire	4G
C.265.200.0400.I	26.5	2.00	40.0	0.2749	12.00	14.28	yes	stainless steel	4H
C.265.200.0400.N	26.5	2.00	40.0	0.3160	12.00	14.28	yes	Zn coating	4I
C.265.200.0500.A	26.5	2.00	50.0	0.2510	13.80	16.66	yes	music wire	4H
C.265.200.0500.I	26.5	2.00	50.0	0.2184	13.80	16.66	yes	stainless steel	4H
C.265.200.0500.N	26.5	2.00	50.0	0.2510	13.80	16.66	yes	Zn coating	4I
C.265.200.0630.A	26.5	2.00	63.0	0.1940	16.40	20.11	yes	music wire	4H
C.265.200.0630.I	26.5	2.00	63.0	0.1688	16.20	19.84	yes	stainless steel	4I
C.265.200.0630.N	26.5	2.00	63.0	0.1940	16.40	20.11	yes	Zn coating	4I
C.265.200.0800.A	26.5	2.00	80.0	0.1500	19.80	24.61	yes	music wire	4I
C.265.200.0800.I	26.5	2.00	80.0	0.1305	19.60	24.35	yes	stainless steel	4I
C.265.200.0800.N	26.5	2.00	80.0	0.1500	19.80	24.61	yes	Zn coating	4I
C.265.200.1000.A	26.5	2.00	100.0	0.1200	23.40	29.38	yes	music wire	4I
C.265.200.1000.I	26.5	2.00	100.0	0.1044	23.20	29.12	yes	stainless steel	4I
C.265.200.1000.N	26.5	2.00	100.0	0.1200	23.40	29.38	yes	Zn coating	4J
C.265.200.1250.A	26.5	2.00	125.0	0.0950	28.40	36.01	yes	music wire	4I
C.265.200.1250.I	26.5	2.00	125.0	0.0827	28.00	35.48	yes	stainless steel	4I
C.265.200.1250.N	26.5	2.00	125.0	0.0950	28.40	36.01	yes	Zn coating	4J
C.265.200.1600.A	26.5	2.00	160.0	0.0740	35.00	44.75	yes	music wire	4I
C.265.200.1600.I	26.5	2.00	160.0	0.0644	34.60	44.22	yes	stainless steel	4J
C.265.200.1600.N	26.5	2.00	160.0	0.0740	35.00	44.75	yes	Zn coating	4J
C.265.200.3600.A	26.5	2.00	360.0	0.0320	76.20	98.70	no	music wire	4L
C.265.200.3600.I	26.5	2.00	360.0	0.0278	75.40	97.64	no	stainless steel	4L
C.265.220.0250.A	26.5	2.20	25.0	0.7530	10.34	11.71	yes	music wire	4G
C.265.220.0250.AP	26.5	2.20	25.0	1.1210	8.80	11.66	yes	music wire	4I
C.265.220.0250.I	26.5	2.20	25.0	0.6551	10.34	11.71	yes	stainless steel	4G
C.265.220.0250.N	26.5	2.20	25.0	0.7530	10.34	11.71	yes	Zn coating	4I
C.265.220.0320.A	26.5	2.20	32.0	0.5820	11.88	13.69	yes	music wire	4G
C.265.220.0320.AP	26.5	2.20	32.0	0.8850	9.68	15.10	yes	music wire	4I
C.265.220.0320.I	26.5	2.20	32.0	0.5063	11.66	13.40	yes	stainless steel	4H
C.265.220.0320.N	26.5	2.20	32.0	0.5820	11.88	13.69	yes	Zn coating	4I
C.265.220.0400.A	26.5	2.20	40.0	0.4410	13.86	16.23	yes	music wire	4G
C.265.220.0400.AP	26.5	2.20	40.0	0.6726	11.00	17.76	yes	music wire	4I
C.265.220.0400.I	26.5	2.20	40.0	0.3837	13.64	15.94	yes	stainless steel	4H
C.265.220.0400.N	26.5	2.20	40.0	0.4410	13.86	16.23	yes	Zn coating	4I
C.265.220.0500.A	26.5	2.20	50.0	0.3460	16.06	19.05	yes	music wire	4H
C.265.220.0500.AP	26.5	2.20	50.0	0.5255	12.54	21.54	yes	music wire	4J
C.265.220.0500.I	26.5	2.20	50.0	0.3010	15.84	18.77	yes	stainless steel	4I
C.265.220.0500.N	26.5	2.20	50.0	0.3460	16.06	19.05	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.265.220.0630.A	26.5	2.20	63.0	0.2720	18.92	22.72	yes	music wire	4I
C.265.220.0630.AP	26.5	2.20	63.0	0.4101	14.52	26.53	yes	music wire	4J
C.265.220.0630.I	26.5	2.20	63.0	0.2366	18.70	22.44	yes	stainless steel	4I
C.265.220.0630.N	26.5	2.20	63.0	0.2720	18.92	22.72	yes	Zn coating	4I
C.265.220.0800.A	26.5	2.20	80.0	0.2130	22.66	27.52	yes	music wire	4I
C.265.220.0800.AP	26.5	2.20	80.0	0.3234	16.72	33.75	yes	music wire	4J
C.265.220.0800.I	26.5	2.20	80.0	0.1853	22.44	27.23	yes	stainless steel	4I
C.265.220.0800.N	26.5	2.20	80.0	0.2130	22.66	27.52	yes	Zn coating	4J
C.265.220.1000.A	26.5	2.20	100.0	0.1680	27.28	33.44	yes	music wire	4I
C.265.220.1000.AP	26.5	2.20	100.0	0.2548	19.80	41.30	yes	music wire	4J
C.265.220.1000.I	26.5	2.20	100.0	0.1462	27.06	33.16	yes	stainless steel	4I
C.265.220.1000.N	26.5	2.20	100.0	0.1680	27.28	33.44	yes	Zn coating	4J
C.265.220.1250.A	26.5	2.20	125.0	0.1330	33.00	40.78	yes	music wire	4I
C.265.220.1250.AP	26.5	2.20	125.0	0.2026	23.54	51.18	yes	music wire	4J
C.265.220.1250.I	26.5	2.20	125.0	0.1157	32.56	40.22	yes	stainless steel	4I
C.265.220.1250.N	26.5	2.20	125.0	0.1330	33.00	40.78	yes	Zn coating	4J
C.265.220.1600.A	26.5	2.20	160.0	0.1030	40.92	50.94	yes	music wire	4I
C.265.220.1600.AP	26.5	2.20	160.0	0.1572	28.82	64.83	yes	music wire	4L
C.265.220.1600.I	26.5	2.20	160.0	0.0896	40.48	50.38	yes	stainless steel	4J
C.265.220.1600.N	26.5	2.20	160.0	0.1030	40.92	50.94	yes	Zn coating	4J
C.265.220.3600.A	26.5	2.20	360.0	0.0450	89.10	112.14	no	music wire	4L
C.265.220.3600.I	26.5	2.20	360.0	0.0392	88.00	110.73	no	stainless steel	4L
C.265.250.0250.A	26.5	2.50	25.0	1.2310	12.00	13.37	yes	music wire	4G
C.265.250.0250.AP	26.5	2.50	25.0	1.8240	10.25	13.31	yes	music wire	4I
C.265.250.0250.I	26.5	2.50	25.0	1.0710	12.00	13.37	yes	stainless steel	4H
C.265.250.0250.N	26.5	2.50	25.0	1.2310	12.00	13.37	yes	Zn coating	4I
C.265.250.0320.A	26.5	2.50	32.0	0.9230	14.00	15.85	yes	music wire	4H
C.265.250.0320.AP	26.5	2.50	32.0	1.3266	11.75	15.92	yes	music wire	4I
C.265.250.0320.I	26.5	2.50	32.0	0.8030	14.00	15.85	yes	stainless steel	4H
C.265.250.0320.N	26.5	2.50	32.0	0.9230	14.00	15.85	yes	Zn coating	4I
C.265.250.0400.A	26.5	2.50	40.0	0.7150	16.25	18.63	yes	music wire	4H
C.265.250.0400.AP	26.5	2.50	40.0	1.0423	13.25	19.54	yes	music wire	4J
C.265.250.0400.I	26.5	2.50	40.0	0.6221	16.25	18.63	yes	stainless steel	4H
C.265.250.0400.N	26.5	2.50	40.0	0.7150	16.25	18.63	yes	Zn coating	4I
C.265.250.0500.A	26.5	2.50	50.0	0.5680	19.00	22.04	yes	music wire	4H
C.265.250.0500.AP	26.5	2.50	50.0	0.8107	15.25	23.69	yes	music wire	4J
C.265.250.0500.I	26.5	2.50	50.0	0.4942	18.75	21.73	yes	stainless steel	4I
C.265.250.0500.N	26.5	2.50	50.0	0.5680	19.00	22.04	yes	Zn coating	4I
C.265.250.0630.A	26.5	2.50	63.0	0.4430	22.50	26.37	yes	music wire	4I
C.265.250.0630.AP	26.5	2.50	63.0	0.6344	17.50	29.39	yes	music wire	4J
C.265.250.0630.I	26.5	2.50	63.0	0.3854	22.25	26.06	yes	stainless steel	4I
C.265.250.0630.N	26.5	2.50	63.0	0.4430	22.50	26.37	yes	Zn coating	4I
C.265.250.0800.A	26.5	2.50	80.0	0.3410	27.25	32.25	yes	music wire	4I
C.265.250.0800.AP	26.5	2.50	80.0	0.4864	21.00	36.16	yes	music wire	4J
C.265.250.0800.I	26.5	2.50	80.0	0.2967	27.00	31.94	yes	stainless steel	4I
C.265.250.0800.N	26.5	2.50	80.0	0.3410	27.25	32.25	yes	Zn coating	4J
C.265.250.1000.A	26.5	2.50	100.0	0.2700	33.00	39.37	yes	music wire	4I
C.265.250.1000.AP	26.5	2.50	100.0	0.3891	24.75	45.20	yes	music wire	4J
C.265.250.1000.I	26.5	2.50	100.0	0.2349	32.50	38.75	yes	stainless steel	4I
C.265.250.1000.N	26.5	2.50	100.0	0.2700	33.00	39.37	yes	Zn coating	4J
C.265.250.1250.A	26.5	2.50	125.0	0.2130	40.00	48.04	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.265.250.1250.AP	26.5	2.50	125.0	0.3072	29.75	55.58	yes	music wire	4K
C.265.250.1250.I	26.5	2.50	125.0	0.1853	39.50	47.42	yes	stainless steel	4I
C.265.250.1250.N	26.5	2.50	125.0	0.2130	40.00	48.04	yes	Zn coating	4J
C.265.250.1600.A	26.5	2.50	160.0	0.1650	49.75	60.11	yes	music wire	4J
C.265.250.1600.AP	26.5	2.50	160.0	0.2392	36.25	70.85	yes	music wire	4L
C.265.250.1600.I	26.5	2.50	160.0	0.1436	49.25	59.49	yes	stainless steel	4J
C.265.250.1600.N	26.5	2.50	160.0	0.1650	49.75	60.11	yes	Zn coating	4K
C.265.250.1640.A	26.5	2.50	164.0	0.1260	63.25	76.83	yes	music wire	4J
C.265.250.1640.AP	26.5	2.50	164.0	0.2316	37.25	71.93	yes	music wire	4L
C.265.250.1640.I	26.5	2.50	164.0	0.1096	62.75	76.21	yes	stainless steel	4J
C.265.250.1640.N	26.5	2.50	164.0	0.1260	63.25	76.83	yes	Zn coating	4K
C.265.250.3600.A	26.5	2.50	360.0	0.0720	108.75	132.57	no	music wire	4L
C.265.250.3600.I	26.5	2.50	360.0	0.0626	107.50	131.03	no	stainless steel	4M
C.265.280.0250.A	26.5	2.80	25.0	2.0110	13.44	14.78	yes	music wire	4I
C.265.280.0250.AP	26.5	2.80	25.0	2.6565	12.04	14.02	yes	music wire	4J
C.265.280.0250.I	26.5	2.80	25.0	1.7500	13.44	14.78	yes	stainless steel	4I
C.265.280.0250.N	26.5	2.80	25.0	2.0110	13.44	14.78	yes	Zn coating	4J
C.265.280.0320.A	26.5	2.80	32.0	1.4480	15.96	17.82	yes	music wire	4I
C.265.280.0320.AP	26.5	2.80	32.0	1.9924	13.72	17.36	yes	music wire	4J
C.265.280.0320.I	26.5	2.80	32.0	1.2598	15.96	17.82	yes	stainless steel	4I
C.265.280.0320.N	26.5	2.80	32.0	1.4480	15.96	17.82	yes	Zn coating	4J
C.265.280.0400.A	26.5	2.80	40.0	1.1310	18.76	21.20	yes	music wire	4I
C.265.280.0400.AP	26.5	2.80	40.0	1.5425	15.40	21.09	yes	music wire	4J
C.265.280.0400.I	26.5	2.80	40.0	0.9840	18.48	20.86	yes	stainless steel	4I
C.265.280.0400.N	26.5	2.80	40.0	1.1310	18.76	21.20	yes	Zn coating	4J
C.265.280.0500.A	26.5	2.80	50.0	0.8830	21.84	24.92	yes	music wire	4I
C.265.280.0500.AP	26.5	2.80	50.0	1.1954	17.92	25.60	yes	music wire	4J
C.265.280.0500.I	26.5	2.80	50.0	0.7682	21.84	24.92	yes	stainless steel	4I
C.265.280.0500.N	26.5	2.80	50.0	0.8830	21.84	24.92	yes	Zn coating	4J
C.265.280.0630.A	26.5	2.80	63.0	0.6830	26.32	30.33	yes	music wire	4I
C.265.280.0630.AP	26.5	2.80	63.0	0.9376	21.00	31.89	yes	music wire	4K
C.265.280.0630.I	26.5	2.80	63.0	0.5942	26.04	29.99	yes	stainless steel	4I
C.265.280.0630.N	26.5	2.80	63.0	0.6830	26.32	30.33	yes	Zn coating	4J
C.265.280.0800.A	26.5	2.80	80.0	0.5250	32.20	37.43	yes	music wire	4I
C.265.280.0800.AP	26.5	2.80	80.0	0.7245	25.20	39.74	yes	music wire	4L
C.265.280.0800.I	26.5	2.80	80.0	0.4568	31.64	36.75	yes	stainless steel	4I
C.265.280.0800.N	26.5	2.80	80.0	0.5250	32.20	37.43	yes	Zn coating	4J
C.265.280.1000.A	26.5	2.80	100.0	0.4160	38.64	45.20	yes	music wire	4J
C.265.280.1000.AP	26.5	2.80	100.0	0.5693	30.24	48.77	yes	music wire	4L
C.265.280.1000.I	26.5	2.80	100.0	0.3619	38.36	44.87	yes	stainless steel	4J
C.265.280.1000.N	26.5	2.80	100.0	0.4160	38.64	45.20	yes	Zn coating	4K
C.265.280.1250.A	26.5	2.80	125.0	0.3290	47.04	55.35	yes	music wire	4J
C.265.280.1250.AP	26.5	2.80	125.0	0.4511	36.12	60.35	yes	music wire	4L
C.265.280.1250.I	26.5	2.80	125.0	0.2862	46.48	54.67	yes	stainless steel	4J
C.265.280.1250.N	26.5	2.80	125.0	0.3290	47.04	55.35	yes	Zn coating	4L
C.265.280.1600.A	26.5	2.80	160.0	0.2550	58.52	69.21	yes	music wire	4J
C.265.280.1600.AP	26.5	2.80	160.0	0.3490	44.80	76.44	yes	music wire	4M
C.265.280.1600.I	26.5	2.80	160.0	0.2219	57.96	68.53	yes	stainless steel	4J
C.265.280.1600.N	26.5	2.80	160.0	0.2550	58.52	69.21	yes	Zn coating	4L
C.265.280.3600.A	26.5	2.80	360.0	0.1100	129.64	154.50	no	music wire	4M
C.265.280.3600.I	26.5	2.80	360.0	0.0957	127.96	152.47	no	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.265.300.0450.A	26.5	3.00	45.0	1.5600	19.80	22.40	yes	music wire	4J
C.265.300.0450.I	26.5	3.00	45.0	1.3572	19.50	21.86	yes	stainless steel	4K
C.265.300.0450.N	26.5	3.00	45.0	1.5600	19.80	22.40	yes	Zn coating	4M
C.265.320.0250.A	26.5	3.20	25.0	3.4210	16.00	17.44	yes	music wire	4J
C.265.320.0250.AP	26.5	3.20	25.0	4.5265	14.08	15.70	yes	music wire	4L
C.265.320.0250.I	26.5	3.20	25.0	2.9763	15.68	17.06	yes	stainless steel	4J
C.265.320.0250.N	26.5	3.20	25.0	3.4210	16.00	17.44	yes	Zn coating	4L
C.265.320.0320.A	26.5	3.20	32.0	2.4000	19.20	21.21	yes	music wire	4J
C.265.320.0320.AP	26.5	3.20	32.0	3.3079	16.32	19.28	yes	music wire	4L
C.265.320.0320.I	26.5	3.20	32.0	2.1000	19.20	21.21	yes	stainless steel	4J
C.265.320.0320.N	26.5	3.20	32.0	2.4000	19.20	21.21	yes	Zn coating	4L
C.265.320.0400.A	26.5	3.20	40.0	1.8570	22.40	24.99	yes	music wire	4J
C.265.320.0400.AP	26.5	3.20	40.0	2.5295	18.56	23.36	yes	music wire	4M
C.265.320.0400.I	26.5	3.20	40.0	1.6156	22.40	24.99	yes	stainless steel	4J
C.265.320.0400.N	26.5	3.20	40.0	1.8570	22.40	24.99	yes	Zn coating	4L
C.265.320.0500.A	26.5	3.20	50.0	1.4440	26.56	29.89	yes	music wire	4J
C.265.320.0500.AP	26.5	3.20	50.0	1.9546	21.76	28.47	yes	music wire	4M
C.265.320.0500.I	26.5	3.20	50.0	1.2563	26.56	29.89	yes	stainless steel	4J
C.265.320.0500.N	26.5	3.20	50.0	1.4440	26.56	29.89	yes	Zn coating	4L
C.265.320.0630.A	26.5	3.20	63.0	1.1210	32.00	36.31	yes	music wire	4J
C.265.320.0630.AP	26.5	3.20	63.0	1.5088	25.92	35.10	yes	music wire	4M
C.265.320.0630.I	26.5	3.20	63.0	0.9753	31.68	35.93	yes	stainless steel	4J
C.265.320.0630.N	26.5	3.20	63.0	1.1210	32.00	36.31	yes	Zn coating	4L
C.265.320.0800.A	26.5	3.20	80.0	0.8670	39.04	44.61	yes	music wire	4J
C.265.320.0800.AP	26.5	3.20	80.0	1.1622	31.36	43.78	yes	music wire	4M
C.265.320.0800.I	26.5	3.20	80.0	0.7543	38.72	44.23	yes	stainless steel	4J
C.265.320.0800.N	26.5	3.20	80.0	0.8670	39.04	44.61	yes	Zn coating	4L
C.265.320.1000.A	26.5	3.20	100.0	0.6770	48.00	55.18	yes	music wire	4J
C.265.320.1000.AP	26.5	3.20	100.0	0.9149	37.44	54.00	yes	music wire	4M
C.265.320.1000.I	26.5	3.20	100.0	0.5890	47.36	54.43	yes	stainless steel	4K
C.265.320.1000.N	26.5	3.20	100.0	0.6770	48.00	55.18	yes	Zn coating	4M
C.265.320.1250.A	26.5	3.20	125.0	0.5370	58.24	67.26	yes	music wire	4L
C.265.320.1250.AP	26.5	3.20	125.0	0.7227	45.44	66.76	yes	music wire	4N
C.265.320.1250.I	26.5	3.20	125.0	0.4672	57.60	66.50	yes	stainless steel	4L
C.265.320.1250.N	26.5	3.20	125.0	0.5370	58.24	67.26	yes	Zn coating	4M
C.265.320.1600.A	26.5	3.20	160.0	0.4140	73.28	85.00	yes	music wire	4L
C.265.320.1600.AP	26.5	3.20	160.0	0.5585	56.32	84.63	yes	music wire	4N
C.265.320.1600.I	26.5	3.20	160.0	0.3602	72.32	83.87	yes	stainless steel	4L
C.265.320.1600.N	26.5	3.20	160.0	0.4140	73.28	85.00	yes	Zn coating	4M
C.265.320.3600.A	26.5	3.20	360.0	0.1790	162.24	189.36	no	music wire	4N
C.265.320.3600.I	26.5	3.20	360.0	0.1557	160.32	187.09	no	stainless steel	4N
C.265.360.0250.A	26.5	3.60	25.0	5.7710	18.00	19.45	yes	music wire	4M
C.265.360.0250.AP	26.5	3.60	25.0	7.2554	16.20	17.36	yes	music wire	4O
C.265.360.0250.I	26.5	3.60	25.0	5.0208	17.64	19.03	yes	stainless steel	4M
C.265.360.0250.N	26.5	3.60	25.0	5.7710	18.00	19.45	yes	Zn coating	4N
C.265.360.0320.A	26.5	3.60	32.0	4.0610	21.60	23.62	yes	music wire	4M
C.265.360.0320.AP	26.5	3.60	32.0	5.1824	18.72	20.80	yes	music wire	4O
C.265.360.0320.I	26.5	3.60	32.0	3.5331	21.60	23.62	yes	stainless steel	4M
C.265.360.0320.N	26.5	3.60	32.0	4.0610	21.60	23.62	yes	Zn coating	4N
C.265.360.0400.A	26.5	3.60	40.0	3.1330	25.20	27.80	yes	music wire	4M
C.265.360.0400.AP	26.5	3.60	40.0	3.9218	21.96	25.20	yes	music wire	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.265.360.0400.I	26.5	3.60	40.0	2.7257	25.20	27.80	yes	stainless steel	4M
C.265.360.0400.N	26.5	3.60	40.0	3.1330	25.20	27.80	yes	Zn coating	4N
C.265.360.0500.A	26.5	3.60	50.0	2.3840	30.60	34.07	yes	music wire	4M
C.265.360.0500.AP	26.5	3.60	50.0	3.0874	25.56	31.20	yes	music wire	4O
C.265.360.0500.I	26.5	3.60	50.0	2.0741	30.24	33.65	yes	stainless steel	4M
C.265.360.0500.N	26.5	3.60	50.0	2.3840	30.60	34.07	yes	Zn coating	4N
C.265.360.0630.A	26.5	3.60	63.0	1.8590	36.72	41.17	yes	music wire	4M
C.265.360.0630.AP	26.5	3.60	63.0	2.3405	30.96	38.20	yes	music wire	4O
C.265.360.0630.I	26.5	3.60	63.0	1.6173	36.36	40.76	yes	stainless steel	4M
C.265.360.0630.N	26.5	3.60	63.0	1.8590	36.72	41.17	yes	Zn coating	4N
C.265.360.0800.A	26.5	3.60	80.0	1.4240	45.00	50.78	yes	music wire	4M
C.265.360.0800.AP	26.5	3.60	80.0	1.8139	37.44	48.00	yes	music wire	4O
C.265.360.0800.I	26.5	3.60	80.0	1.2389	44.64	50.37	yes	stainless steel	4M
C.265.360.0800.N	26.5	3.60	80.0	1.4240	45.00	50.78	yes	Zn coating	4O
C.265.360.1000.A	26.5	3.60	100.0	1.1190	54.72	62.07	yes	music wire	4M
C.265.360.1000.AP	26.5	3.60	100.0	1.4226	45.00	59.20	yes	music wire	4P
C.265.360.1000.I	26.5	3.60	100.0	0.9735	54.36	61.65	yes	stainless steel	4M
C.265.360.1000.N	26.5	3.60	100.0	1.1190	54.72	62.07	yes	Zn coating	4O
C.265.360.1250.A	26.5	3.60	125.0	0.8840	66.96	76.27	yes	music wire	4M
C.265.360.1250.AP	26.5	3.60	125.0	1.1249	54.72	73.40	yes	music wire	4P
C.265.360.1250.I	26.5	3.60	125.0	0.7691	66.24	75.44	yes	stainless steel	4N
C.265.360.1250.N	26.5	3.60	125.0	0.8840	66.96	76.27	yes	Zn coating	4O
C.265.360.1600.A	26.5	3.60	160.0	0.6810	84.24	96.33	yes	music wire	4N
C.265.360.1600.AP	26.5	3.60	160.0	0.8689	68.04	93.20	yes	music wire	4P
C.265.360.1600.I	26.5	3.60	160.0	0.5925	83.52	95.50	yes	stainless steel	4N
C.265.360.1600.N	26.5	3.60	160.0	0.6810	84.24	96.33	yes	Zn coating	4O
C.265.360.3600.A	26.5	3.60	360.0	0.2920	188.28	216.51	no	music wire	4P
C.265.360.3600.I	26.5	3.60	360.0	0.2540	186.12	214.00	no	stainless steel	4P
C.265.400.0250.A	26.5	4.00	25.0	9.2740	20.00	21.47	yes	music wire	4P
C.265.400.0250.AP	26.5	4.00	25.0	11.1035	18.40	19.64	yes	music wire	4P
C.265.400.0250.I	26.5	4.00	25.0	8.0684	19.60	21.02	yes	stainless steel	4P
C.265.400.0250.N	26.5	4.00	25.0	9.2740	20.00	21.47	yes	Zn coating	4R
C.265.400.0320.A	26.5	4.00	32.0	6.7770	23.60	25.61	yes	music wire	4P
C.265.400.0320.I	26.5	4.00	32.0	5.8960	23.20	25.15	yes	stainless steel	4P
C.265.400.0320.N	26.5	4.00	32.0	6.7770	23.60	25.61	yes	Zn coating	4R
C.265.400.0400.A	26.5	4.00	40.0	5.0340	28.00	30.65	yes	music wire	4P
C.265.400.0400.AP	26.5	4.00	40.0	6.1362	24.80	27.42	yes	music wire	4R
C.265.400.0400.I	26.5	4.00	40.0	4.3796	28.00	30.65	yes	stainless steel	4P
C.265.400.0400.N	26.5	4.00	40.0	5.0340	28.00	30.65	yes	Zn coating	4R
C.265.400.0500.A	26.5	4.00	50.0	3.9160	33.20	36.62	yes	music wire	4P
C.265.400.0500.I	26.5	4.00	50.0	3.4069	33.20	36.62	yes	stainless steel	4P
C.265.400.0500.N	26.5	4.00	50.0	3.9160	33.20	36.62	yes	Zn coating	4R
C.265.400.0580.A	26.5	4.00	58.0	3.4580	36.40	40.29	yes	music wire	4P
C.265.400.0580.I	26.5	4.00	58.0	3.0085	36.00	39.83	yes	stainless steel	4P
C.265.400.0580.N	26.5	4.00	58.0	3.4580	36.40	40.29	yes	Zn coating	4R
C.265.400.0630.A	26.5	4.00	63.0	2.9860	40.80	45.34	yes	music wire	4P
C.265.400.0630.I	26.5	4.00	63.0	2.5978	40.40	44.88	yes	stainless steel	4P
C.265.400.0630.N	26.5	4.00	63.0	2.9860	40.80	45.34	yes	Zn coating	4R
C.265.400.0800.A	26.5	4.00	80.0	2.2590	50.40	56.36	yes	music wire	4P
C.265.400.0800.AP	26.5	4.00	80.0	2.7759	42.80	52.19	yes	music wire	4R
C.265.400.0800.I	26.5	4.00	80.0	1.9653	50.00	55.90	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.265.400.0800.N	26.5	4.00	80.0	2.2590	50.40	56.36	yes	Zn coating	4R
C.265.400.1000.A	26.5	4.00	100.0	1.7800	61.60	69.21	yes	music wire	4P
C.265.400.1000.I	26.5	4.00	100.0	1.5486	60.80	68.29	yes	stainless steel	4P
C.265.400.1000.N	26.5	4.00	100.0	1.7800	61.60	69.21	yes	Zn coating	4R
C.265.400.1250.A	26.5	4.00	125.0	1.4000	75.60	85.27	yes	music wire	4P
C.265.400.1250.I	26.5	4.00	125.0	1.2163	74.80	84.36	yes	stainless steel	4Q
C.265.400.1250.N	26.5	4.00	125.0	1.4000	75.60	85.27	yes	Zn coating	4R
C.265.400.1600.A	26.5	4.00	160.0	1.0810	94.80	107.30	yes	music wire	4Q
C.265.400.1600.I	26.5	4.00	160.0	0.9405	93.60	105.93	yes	stainless steel	4Q
C.265.400.1600.N	26.5	4.00	160.0	1.0810	94.80	107.30	yes	Zn coating	4R
C.265.400.3600.A	26.5	4.00	360.0	0.4620	212.40	241.66	no	music wire	4R
C.265.400.3600.I	26.5	4.00	360.0	0.4019	209.60	238.44	no	stainless steel	4R
C.265.450.0250.A	26.5	4.50	25.0	16.7740	21.60	23.01	yes	music wire	4Q
C.265.450.0250.I	26.5	4.50	25.0	14.5934	21.60	23.01	yes	stainless steel	4Q
C.265.450.0250.N	26.5	4.50	25.0	16.7740	21.60	23.01	yes	Zn coating	4S
C.265.450.0320.A	26.5	4.50	32.0	12.0770	25.65	27.61	yes	music wire	4Q
C.265.450.0320.I	26.5	4.50	32.0	10.5070	25.65	27.61	yes	stainless steel	4R
C.265.450.0320.N	26.5	4.50	32.0	12.0770	25.65	27.61	yes	Zn coating	4S
C.265.450.0400.A	26.5	4.50	40.0	8.8800	31.05	33.74	yes	music wire	4Q
C.265.450.0400.I	26.5	4.50	40.0	7.7256	31.05	33.74	yes	stainless steel	4R
C.265.450.0400.N	26.5	4.50	40.0	8.8800	31.05	33.74	yes	Zn coating	4S
C.265.450.0500.A	26.5	4.50	50.0	6.8620	36.90	40.38	yes	music wire	4R
C.265.450.0500.I	26.5	4.50	50.0	5.9699	36.45	39.87	yes	stainless steel	4R
C.265.450.0500.N	26.5	4.50	50.0	6.8620	36.90	40.38	yes	Zn coating	4S
C.265.450.0630.A	26.5	4.50	63.0	5.2060	45.00	49.59	yes	music wire	4R
C.265.450.0630.I	26.5	4.50	63.0	4.5292	44.55	49.07	yes	stainless steel	4R
C.265.450.0630.N	26.5	4.50	63.0	5.2060	45.00	49.59	yes	Zn coating	4S
C.265.450.0800.A	26.5	4.50	80.0	3.9210	56.25	62.36	yes	music wire	4R
C.265.450.0800.I	26.5	4.50	80.0	3.4113	55.80	61.85	yes	stainless steel	4R
C.265.450.0800.N	26.5	4.50	80.0	3.9210	56.25	62.36	yes	Zn coating	4S
C.265.450.1000.A	26.5	4.50	100.0	3.0810	68.40	76.16	yes	music wire	4R
C.265.450.1000.I	26.5	4.50	100.0	2.6805	67.95	75.65	yes	stainless steel	4R
C.265.450.1000.N	26.5	4.50	100.0	3.0810	68.40	76.16	yes	Zn coating	4S
C.265.450.1250.A	26.5	4.50	125.0	2.4150	84.15	94.05	yes	music wire	4R
C.265.450.1250.I	26.5	4.50	125.0	2.1000	83.25	93.03	yes	stainless steel	4R
C.265.450.1250.N	26.5	4.50	125.0	2.4150	84.15	94.05	yes	Zn coating	4S
C.265.450.1600.A	26.5	4.50	160.0	1.8520	106.65	119.61	yes	music wire	4R
C.265.450.1600.I	26.5	4.50	160.0	1.6112	105.30	118.08	yes	stainless steel	4R
C.265.450.1600.N	26.5	4.50	160.0	1.8520	106.65	119.61	yes	Zn coating	4S
C.265.450.3600.A	26.5	4.50	360.0	0.7900	239.40	269.78	no	music wire	4S
C.265.450.3600.I	26.5	4.50	360.0	0.6873	236.25	266.21	no	stainless steel	4S
C.266.140.0240.A	26.6	1.40	24.0	0.2644	4.76	8.09	yes	music wire	4I
C.266.140.0240.I	26.6	1.40	24.0	0.2300	4.76	8.11	yes	stainless steel	4I
C.266.140.0800.A	26.6	1.40	80.0	0.0480	10.64	14.82	yes	music wire	4G
C.266.140.0800.I	26.6	1.40	80.0	0.0412	10.64	14.82	yes	stainless steel	4H
C.266.150.0380.A	26.6	1.50	38.0	0.0586	12.15	16.52	yes	music wire	4F
C.266.150.0380.I	26.6	1.50	38.0	0.0510	12.00	16.29	yes	stainless steel	4G
C.266.150.2600.A	26.6	1.50	260.0	0.0178	31.20	45.47	yes	music wire	4J
C.266.150.2600.I	26.6	1.50	260.0	0.0153	31.20	45.47	yes	stainless steel	4J
C.266.180.0200.A	26.6	1.80	20.0	0.4674	7.20	8.24	yes	music wire	4G
C.266.180.0200.I	26.6	1.80	20.0	0.4015	7.20	8.24	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.266.180.0460.A	26.6	1.80	46.0	0.2414	9.72	11.73	yes	music wire	4I
C.266.180.0460.I	26.6	1.80	46.0	0.2100	9.72	11.73	yes	stainless steel	4I
C.266.190.0667.A	26.6	1.90	66.7	0.1379	16.91	21.21	yes	music wire	4H
C.266.190.0667.I	26.6	1.90	66.7	0.1200	16.72	20.95	yes	stainless steel	4I
C.266.190.0670.A	26.6	1.90	67.0	0.1379	16.91	21.21	yes	music wire	4H
C.266.190.0670.I	26.6	1.90	67.0	0.1200	16.72	20.95	yes	stainless steel	4I
C.266.190.2200.A	26.6	1.90	220.0	0.0445	42.37	55.67	yes	music wire	4J
C.266.190.2200.I	26.6	1.90	220.0	0.0382	42.37	55.67	yes	stainless steel	4J
C.266.230.0330.A	26.6	2.30	33.0	0.6552	12.65	14.50	yes	music wire	4G
C.266.230.0330.AP	26.6	2.30	33.0	0.9574	10.58	15.39	yes	music wire	4I
C.266.230.0330.I	26.6	2.30	33.0	0.5700	12.65	14.50	yes	stainless steel	4H
C.266.230.1000.A	26.6	2.30	100.0	0.1892	29.90	36.36	yes	music wire	4I
C.266.230.1000.I	26.6	2.30	100.0	0.1625	29.90	36.36	yes	stainless steel	4I
C.266.270.0500.A	26.6	2.70	50.0	1.0460	17.01	24.87	yes	music wire	4J
C.266.270.0500.I	26.6	2.70	50.0	0.9100	16.74	24.37	yes	stainless steel	4J
C.266.270.3200.A	26.6	2.70	320.0	0.1014	112.32	135.28	yes	music wire	4L
C.266.270.3200.I	26.6	2.70	320.0	0.0871	112.32	135.28	yes	stainless steel	4L
C.266.300.0200.A	26.6	3.00	20.0	3.1034	13.50	14.66	yes	music wire	4I
C.266.300.0200.I	26.6	3.00	20.0	2.7000	13.50	14.66	yes	stainless steel	4I
C.266.300.2000.A	26.6	3.00	200.0	0.2433	84.90	99.82	yes	music wire	4K
C.266.300.2000.I	26.6	3.00	200.0	0.2090	84.90	99.82	yes	stainless steel	4K
C.268.280.0200.A	26.8	2.80	20.0	2.5000	12.04	13.10	yes	music wire	4I
C.268.280.0200.I	26.8	2.80	20.0	2.1750	12.04	13.10	yes	stainless steel	4I
C.268.280.0200.N	26.8	2.80	20.0	2.5000	12.04	13.10	yes	Zn coating	4J
C.268.280.0250.A	26.8	2.80	25.0	2.0000	13.44	14.79	yes	music wire	4G
C.268.280.0300.A	26.8	2.80	30.0	1.4612	15.68	17.50	yes	music wire	4I
C.268.280.0300.I	26.8	2.80	30.0	1.2550	15.68	17.50	yes	stainless steel	4I
C.268.280.0320.A	26.8	2.80	32.0	1.6071	14.84	16.49	yes	music wire	4G
C.268.280.0350.A	26.8	2.80	35.0	1.2242	17.36	19.54	yes	music wire	4I
C.268.280.0350.I	26.8	2.80	35.0	1.0515	17.36	19.54	yes	stainless steel	4I
C.268.280.0400.A	26.8	2.80	40.0	1.0295	19.32	21.91	yes	music wire	4I
C.268.280.0400.AP	26.8	2.80	40.0	1.2857	16.80	18.86	yes	music wire	4G
C.268.280.0400.I	26.8	2.80	40.0	0.8842	19.32	21.91	yes	stainless steel	4I
C.268.280.0450.A	26.8	2.80	45.0	0.9059	21.00	23.94	yes	music wire	4I
C.268.280.0450.I	26.8	2.80	45.0	0.7781	21.00	23.94	yes	stainless steel	4I
C.268.280.0500.A	26.8	2.80	50.0	1.0000	19.60	22.25	yes	music wire	4G
C.268.280.0600.A	26.8	2.80	60.0	0.6565	26.32	30.38	yes	music wire	4I
C.268.280.0600.I	26.8	2.80	60.0	0.5638	26.32	30.38	yes	stainless steel	4I
C.268.280.0630.A	26.8	2.80	63.0	0.8036	22.68	27.09	yes	music wire	4K
C.268.280.0630.I	26.8	2.80	63.0	0.7000	22.68	26.38	yes	stainless steel	4L
C.268.280.0630.N	26.8	2.80	63.0	0.8036	22.68	27.09	yes	Zn coating	4M
C.268.280.0800.A	26.8	2.80	80.0	0.6250	27.16	33.83	yes	music wire	4L
C.268.280.0800.I	26.8	2.80	80.0	0.5438	27.16	32.85	yes	stainless steel	4L
C.268.280.0800.N	26.8	2.80	80.0	0.6250	27.16	33.83	yes	Zn coating	4M
C.268.280.1000.A	26.8	2.80	100.0	0.5000	32.48	42.29	yes	music wire	4L
C.268.280.1000.I	26.8	2.80	100.0	0.4350	31.92	41.07	yes	stainless steel	4L
C.268.280.1000.N	26.8	2.80	100.0	0.5000	32.48	42.29	yes	Zn coating	4M
C.268.280.1200.A	26.8	2.80	120.0	0.3146	47.32	55.80	yes	music wire	4J
C.268.280.1200.I	26.8	2.80	120.0	0.2702	47.32	55.80	yes	stainless steel	4J
C.268.280.1250.A	26.8	2.80	125.0	0.4018	38.64	53.18	yes	music wire	4L
C.268.280.1250.I	26.8	2.80	125.0	0.3496	38.08	51.66	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.268.280.1250.N	26.8	2.80	125.0	0.4018	38.64	53.18	yes	Zn coating	4N
C.268.280.1400.A	26.8	2.80	140.0	0.2680	54.32	64.27	yes	music wire	4J
C.268.280.1400.I	26.8	2.80	140.0	0.2302	54.32	64.27	yes	stainless steel	4J
C.268.280.1600.A	26.8	2.80	160.0	0.3214	46.48	70.22	yes	music wire	4M
C.268.280.1600.I	26.8	2.80	160.0	0.2796	45.92	68.32	yes	stainless steel	4M
C.268.280.1600.N	26.8	2.80	160.0	0.3214	46.48	70.22	yes	Zn coating	4N
C.268.280.2000.A	26.8	2.80	200.0	0.2500	57.68	84.58	yes	music wire	4M
C.268.280.2000.I	26.8	2.80	200.0	0.2175	57.12	82.13	yes	stainless steel	4M
C.268.280.2000.N	26.8	2.80	200.0	0.2500	57.68	84.58	yes	Zn coating	4O
C.268.280.2500.A	26.8	2.80	250.0	0.2009	70.00	106.37	yes	music wire	4N
C.268.280.2500.I	26.8	2.80	250.0	0.1748	69.44	103.33	yes	stainless steel	4N
C.268.280.2500.N	26.8	2.80	250.0	0.2009	70.00	106.37	yes	Zn coating	4P
C.268.280.2600.A	26.8	2.80	260.0	0.1416	96.60	115.43	yes	music wire	4L
C.268.280.2600.I	26.8	2.80	260.0	0.1216	96.60	115.43	yes	stainless steel	4L
C.268.280.3200.A	26.8	2.80	320.0	0.1607	85.96	140.44	yes	music wire	4O
C.268.280.3200.I	26.8	2.80	320.0	0.1398	84.84	136.64	yes	stainless steel	4O
C.268.280.3200.N	26.8	2.80	320.0	0.1607	85.96	140.44	yes	Zn coating	4Q
C.269.400.0570.A	26.9	4.00	57.0	3.7931	32.80	36.92	yes	music wire	4R
C.269.400.0570.I	26.9	4.00	57.0	3.3000	32.80	36.21	yes	stainless steel	4R
C.270.150.0220.A	27.0	1.50	22.0	0.1149	7.80	9.96	yes	music wire	4F
C.270.150.0220.I	27.0	1.50	22.0	0.1000	7.80	9.96	yes	stainless steel	4F
C.270.150.0280.I	27.0	1.50	28.0	0.1781	6.00	7.20	yes	stainless steel	4F
C.270.150.0700.A	27.0	1.50	70.0	0.0470	13.65	18.93	yes	music wire	4G
C.270.150.0700.I	27.0	1.50	70.0	0.0409	13.50	18.70	yes	stainless steel	4G
C.270.150.0700.N	27.0	1.50	70.0	0.0470	13.65	18.93	yes	Zn coating	4I
C.270.160.0220.A	27.0	1.60	22.0	0.1494	8.32	10.39	yes	music wire	4F
C.270.160.0220.I	27.0	1.60	22.0	0.1300	8.32	10.39	yes	stainless steel	4F
C.270.160.0340.A	27.0	1.60	34.0	0.2037	7.20	8.73	yes	music wire	4F
C.270.160.0340.I	27.0	1.60	34.0	0.1750	7.20	8.73	yes	stainless steel	4G
C.270.160.0410.A	27.0	1.60	41.0	0.1630	8.00	9.91	yes	music wire	4G
C.270.160.0410.I	27.0	1.60	41.0	0.1400	8.00	9.91	yes	stainless steel	4G
C.270.160.0940.A	27.0	1.60	94.0	0.0702	13.28	17.72	yes	music wire	4H
C.270.160.0940.I	27.0	1.60	94.0	0.0603	13.28	17.72	yes	stainless steel	4I
C.270.160.1400.A	27.0	1.60	140.0	0.0468	17.92	24.57	yes	music wire	4I
C.270.160.1400.I	27.0	1.60	140.0	0.0402	17.92	24.57	yes	stainless steel	4I
C.270.170.0280.A	27.0	1.70	28.0	0.3091	7.14	8.39	yes	music wire	4F
C.270.170.0280.I	27.0	1.70	28.0	0.2655	7.14	8.39	yes	stainless steel	4G
C.270.170.0760.A	27.0	1.70	76.0	0.1051	12.75	16.42	yes	music wire	4G
C.270.170.0760.I	27.0	1.70	76.0	0.0903	12.75	16.42	yes	stainless steel	4H
C.270.175.0450.A	27.0	1.75	45.0	0.1978	9.63	11.79	yes	music wire	4G
C.270.175.0450.I	27.0	1.75	45.0	0.1699	9.63	11.79	yes	stainless steel	4G
C.270.175.0970.A	27.0	1.75	97.0	0.0899	15.93	20.69	yes	music wire	4H
C.270.175.0970.I	27.0	1.75	97.0	0.0772	15.93	20.69	yes	stainless steel	4I
C.270.180.0350.A	27.0	1.80	35.0	0.2906	8.64	10.27	yes	music wire	4G
C.270.180.0350.I	27.0	1.80	35.0	0.2496	8.64	10.27	yes	stainless steel	4G
C.270.180.0480.A	27.0	1.80	48.0	0.1149	14.94	19.05	yes	music wire	4G
C.270.180.0480.I	27.0	1.80	48.0	0.1000	14.76	18.80	yes	stainless steel	4H
C.270.180.0530.A	27.0	1.80	53.0	0.1856	10.98	13.53	yes	music wire	4H
C.270.180.0530.I	27.0	1.80	53.0	0.1594	10.98	13.53	yes	stainless steel	4H
C.270.180.0670.A	27.0	1.80	67.0	0.1453	12.78	16.04	yes	music wire	4H
C.270.180.0670.I	27.0	1.80	67.0	0.1248	12.78	16.04	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.270.180.0740.A	27.0	1.80	74.0	0.1310	13.68	17.30	yes	music wire	4I
C.270.180.0740.I	27.0	1.80	74.0	0.1125	13.68	17.30	yes	stainless steel	4I
C.270.180.0890.A	27.0	1.80	89.0	0.0700	21.60	28.34	yes	music wire	4I
C.270.180.0890.I	27.0	1.80	89.0	0.0610	21.42	28.09	yes	stainless steel	4I
C.270.180.1150.A	27.0	1.80	115.0	0.0825	19.08	24.82	yes	music wire	4I
C.270.180.1150.I	27.0	1.80	115.0	0.0709	19.08	24.82	yes	stainless steel	4I
C.270.180.2000.A	27.0	1.80	200.0	0.0471	30.06	40.13	yes	music wire	4J
C.270.180.2000.I	27.0	1.80	200.0	0.0404	30.06	40.13	yes	stainless steel	4J
C.270.190.0220.A	27.0	1.90	22.0	0.5172	7.79	8.89	yes	music wire	4G
C.270.190.0220.I	27.0	1.90	22.0	0.4500	7.79	8.89	yes	stainless steel	4G
C.270.190.0280.A	27.0	1.90	28.0	0.4419	8.36	9.67	yes	music wire	4G
C.270.190.0280.I	27.0	1.90	28.0	0.3795	8.36	9.67	yes	stainless steel	4G
C.270.190.0680.A	27.0	1.90	68.0	0.0885	22.80	29.33	yes	music wire	4H
C.270.190.0680.I	27.0	1.90	68.0	0.0770	22.61	29.07	yes	stainless steel	4I
C.270.200.0370.A	27.0	2.00	37.0	0.2560	13.20	15.94	yes	music wire	4G
C.270.200.0370.I	27.0	2.00	37.0	0.2227	13.00	15.68	yes	stainless steel	4H
C.270.200.0370.N	27.0	2.00	37.0	0.2560	13.20	15.94	yes	Zn coating	4I
C.270.200.0380.A	27.0	2.00	38.0	0.3410	11.20	13.27	yes	music wire	4G
C.270.200.0380.I	27.0	2.00	38.0	0.2967	11.00	13.01	yes	stainless steel	4H
C.270.200.0380.N	27.0	2.00	38.0	0.3410	11.20	13.27	yes	Zn coating	4I
C.270.200.0410.A	27.0	2.00	41.0	0.4368	9.80	15.21	yes	music wire	4I
C.270.200.0410.I	27.0	2.00	41.0	0.3800	9.80	14.97	yes	stainless steel	4J
C.270.200.0580.A	27.0	2.00	58.0	0.2981	12.00	20.22	yes	music wire	4J
C.270.200.0580.I	27.0	2.00	58.0	0.2560	12.00	19.36	yes	stainless steel	4J
C.270.200.0580.N	27.0	2.00	58.0	0.2981	12.00	20.22	yes	Zn coating	4K
C.270.200.0850.A	27.0	2.00	85.0	0.0954	26.80	34.09	yes	music wire	4I
C.270.200.0850.I	27.0	2.00	85.0	0.0830	26.60	33.82	yes	stainless steel	4I
C.270.200.0885.A	27.0	2.00	88.5	0.1897	16.00	29.13	yes	music wire	4J
C.270.200.0885.I	27.0	2.00	88.5	0.1629	16.00	27.78	yes	stainless steel	4J
C.270.200.0885.N	27.0	2.00	88.5	0.1897	16.00	29.13	yes	Zn coating	4L
C.270.200.1100.A	27.0	2.00	110.0	0.1213	22.20	27.95	yes	music wire	4I
C.270.200.1100.I	27.0	2.00	110.0	0.1042	22.20	27.95	yes	stainless steel	4I
C.270.200.1250.A	27.0	2.00	125.0	0.0719	34.00	43.70	yes	music wire	4I
C.270.200.1250.I	27.0	2.00	125.0	0.0618	34.00	43.70	yes	stainless steel	4I
C.270.200.1250.N	27.0	2.00	125.0	0.0719	34.00	43.70	yes	Zn coating	4J
C.270.200.1350.A	27.0	2.00	135.0	0.1227	22.00	43.21	yes	music wire	4K
C.270.200.1350.I	27.0	2.00	135.0	0.1054	22.00	41.16	yes	stainless steel	4K
C.270.200.1350.IF	27.0	2.00	135.0	0.0717	30.00	38.36	yes	stainless steel	4I
C.270.200.1350.N	27.0	2.00	135.0	0.1227	22.00	43.21	yes	Zn coating	4M
C.270.200.1950.A	27.0	2.00	195.0	0.0835	30.00	60.11	yes	music wire	4L
C.270.200.1950.I	27.0	2.00	195.0	0.0717	30.00	57.05	yes	stainless steel	4L
C.270.200.1950.IF	27.0	2.00	195.0	0.0484	42.00	54.37	yes	stainless steel	4J
C.270.200.1950.N	27.0	2.00	195.0	0.0835	30.00	60.11	yes	Zn coating	4N
C.270.200.2900.A	27.0	2.00	290.0	0.0564	42.00	90.30	yes	music wire	4N
C.270.200.2900.I	27.0	2.00	290.0	0.0484	42.00	85.64	yes	stainless steel	4N
C.270.200.2900.IF	27.0	2.00	290.0	0.0400	49.80	64.78	yes	stainless steel	4L
C.270.200.2900.N	27.0	2.00	290.0	0.0564	42.00	90.30	yes	Zn coating	4O
C.270.220.2900.A	27.0	2.20	290.0	0.0550	67.98	86.14	yes	music wire	4L
C.270.220.2900.AP	27.0	2.20	290.0	0.0837	46.64	114.50	yes	music wire	4N
C.270.220.2900.I	27.0	2.20	290.0	0.0479	67.32	85.29	yes	stainless steel	4L
C.270.220.2900.N	27.0	2.20	290.0	0.0550	67.98	86.14	yes	Zn coating	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.270.225.0280.A	27.0	2.25	28.0	0.7828	10.58	11.97	yes	music wire	4G
C.270.225.0280.I	27.0	2.25	28.0	0.6723	10.58	11.97	yes	stainless steel	4H
C.270.225.0430.A	27.0	2.25	43.0	0.4784	13.73	16.01	yes	music wire	4H
C.270.225.0430.I	27.0	2.25	43.0	0.4109	13.73	16.01	yes	stainless steel	4H
C.270.225.0600.A	27.0	2.25	60.0	0.3377	17.10	20.33	yes	music wire	4H
C.270.225.0600.I	27.0	2.25	60.0	0.2900	17.10	20.33	yes	stainless steel	4I
C.270.230.0430.A	27.0	2.30	43.0	0.5255	14.03	16.29	yes	music wire	4H
C.270.230.0430.I	27.0	2.30	43.0	0.4514	14.03	16.29	yes	stainless steel	4H
C.270.230.1150.A	27.0	2.30	115.0	0.1819	29.67	36.20	yes	music wire	4I
C.270.230.1150.I	27.0	2.30	115.0	0.1562	29.67	36.20	yes	stainless steel	4I
C.270.235.0420.A	27.0	2.35	42.0	0.5762	14.34	16.58	yes	music wire	4H
C.270.235.0420.I	27.0	2.35	42.0	0.4949	14.34	16.58	yes	stainless steel	4H
C.270.235.1100.A	27.0	2.35	110.0	0.2054	29.61	35.90	yes	music wire	4I
C.270.235.1100.I	27.0	2.35	110.0	0.1764	29.61	35.90	yes	stainless steel	4I
C.270.235.1450.A	27.0	2.35	145.0	0.1548	37.37	45.72	yes	music wire	4I
C.270.235.1450.I	27.0	2.35	145.0	0.1330	37.37	45.72	yes	stainless steel	4I
C.270.240.0191.A	27.0	2.40	19.1	1.4190	9.84	10.83	yes	music wire	4G
C.270.240.0191.I	27.0	2.40	19.1	1.2188	9.84	10.83	yes	stainless steel	4G
C.270.240.0250.A	27.0	2.40	25.0	0.4138	19.20	22.60	yes	music wire	4G
C.270.240.0250.AP	27.0	2.40	25.0	1.5331	9.60	12.80	yes	music wire	4I
C.270.240.0250.I	27.0	2.40	25.0	0.3600	18.96	22.30	yes	stainless steel	4G
C.270.250.0280.A	27.0	2.50	28.0	1.1275	12.25	13.71	yes	music wire	4G
C.270.250.0280.I	27.0	2.50	28.0	0.9684	12.25	13.71	yes	stainless steel	4H
C.270.250.0440.A	27.0	2.50	44.0	0.6765	16.25	18.69	yes	music wire	4H
C.270.250.0440.I	27.0	2.50	44.0	0.5810	16.25	18.69	yes	stainless steel	4I
C.270.250.1180.A	27.0	2.50	118.0	0.2299	35.75	42.95	yes	music wire	4I
C.270.250.1180.AP	27.0	2.50	118.0	0.3190	27.50	52.33	yes	music wire	4K
C.270.250.1180.I	27.0	2.50	118.0	0.2000	35.25	42.33	yes	stainless steel	4I
C.270.250.1600.A	27.0	2.50	160.0	0.1330	57.00	69.39	yes	music wire	4J
C.270.250.1600.AP	27.0	2.50	160.0	0.2325	35.25	69.90	yes	music wire	4L
C.270.250.1600.I	27.0	2.50	160.0	0.1157	56.50	68.76	yes	stainless steel	4J
C.270.250.1600.N	27.0	2.50	160.0	0.1330	57.00	69.39	yes	Zn coating	4K
C.270.260.0900.A	27.0	2.60	90.0	0.3601	29.64	35.01	yes	music wire	4I
C.270.260.0900.I	27.0	2.60	90.0	0.3093	29.64	35.01	yes	stainless steel	4I
C.270.270.0370.A	27.0	2.70	37.0	1.0780	16.20	18.29	yes	music wire	4H
C.270.270.0370.I	27.0	2.70	37.0	0.9259	16.20	18.29	yes	stainless steel	4H
C.270.270.1450.A	27.0	2.70	145.0	0.2499	47.52	56.55	yes	music wire	4I
C.270.270.1450.I	27.0	2.70	145.0	0.2146	47.52	56.55	yes	stainless steel	4J
C.270.270.1700.A	27.0	2.70	170.0	0.2120	54.81	65.46	yes	music wire	4J
C.270.270.1700.I	27.0	2.70	170.0	0.1821	54.81	65.46	yes	stainless steel	4J
C.270.280.1720.A	27.0	2.80	172.0	0.2410	58.24	69.11	yes	music wire	4J
C.270.280.1720.I	27.0	2.80	172.0	0.2097	57.68	68.43	yes	stainless steel	4J
C.270.280.1720.N	27.0	2.80	172.0	0.2410	58.24	69.11	yes	Zn coating	4L
C.270.290.0370.A	27.0	2.90	37.0	1.4299	17.69	19.82	yes	music wire	4I
C.270.290.0370.I	27.0	2.90	37.0	1.2281	17.69	19.82	yes	stainless steel	4I
C.270.290.1500.A	27.0	2.90	150.0	0.3120	55.10	64.84	yes	music wire	4J
C.270.290.1500.I	27.0	2.90	150.0	0.2680	55.10	64.84	yes	stainless steel	4J
C.270.300.0300.A	27.0	3.00	30.0	1.3000	21.30	24.00	yes	music wire	4I
C.270.300.0300.AP	27.0	3.00	30.0	2.6431	14.40	16.89	yes	music wire	4J
C.270.300.0300.I	27.0	3.00	30.0	1.1327	21.00	23.65	yes	stainless steel	4I
C.270.300.0300.N	27.0	3.00	30.0	1.3000	21.30	24.00	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.270.300.0372.A	27.0	3.00	37.2	1.7055	18.00	20.06	yes	music wire	4I
C.270.300.0372.I	27.0	3.00	37.2	1.4648	18.00	20.06	yes	stainless steel	4I
C.270.300.0372.N	27.0	3.00	37.2	1.7055	18.00	20.06	yes	Zn coating	4J
C.270.300.0551.A	27.0	3.00	55.1	1.0853	24.00	27.23	yes	music wire	4I
C.270.300.0551.I	27.0	3.00	55.1	0.9322	24.00	27.23	yes	stainless steel	4I
C.270.300.0551.N	27.0	3.00	55.1	1.0853	24.00	27.23	yes	Zn coating	4J
C.270.300.0818.A	27.0	3.00	81.8	0.7023	33.00	38.00	yes	music wire	4I
C.270.300.0818.I	27.0	3.00	81.8	0.6032	33.00	38.00	yes	stainless steel	4J
C.270.300.0818.N	27.0	3.00	81.8	0.7023	33.00	38.00	yes	Zn coating	4J
C.270.300.0930.A	27.0	3.00	93.0	0.2930	68.70	80.70	yes	music wire	4I
C.270.300.0930.AP	27.0	3.00	93.0	0.7599	31.20	47.40	yes	music wire	4L
C.270.300.0930.I	27.0	3.00	93.0	0.2549	67.80	79.62	yes	stainless steel	4J
C.270.300.0930.N	27.0	3.00	93.0	0.2930	68.70	80.70	yes	Zn coating	4J
C.270.300.1170.A	27.0	3.00	117.0	0.4775	45.00	52.35	yes	music wire	4J
C.270.300.1170.I	27.0	3.00	117.0	0.4101	45.00	52.35	yes	stainless steel	4J
C.270.300.1170.N	27.0	3.00	117.0	0.4775	45.00	52.35	yes	Zn coating	4L
C.270.300.1300.A	27.0	3.00	130.0	0.4089	51.30	59.88	yes	music wire	4J
C.270.300.1300.I	27.0	3.00	130.0	0.3512	51.30	59.88	yes	stainless steel	4J
C.270.300.1700.A	27.0	3.00	170.0	0.3227	63.00	73.88	yes	music wire	4J
C.270.300.1700.I	27.0	3.00	170.0	0.2772	63.00	73.88	yes	stainless steel	4J
C.270.300.1700.N	27.0	3.00	170.0	0.3227	63.00	73.88	yes	Zn coating	4L
C.270.310.0270.A	27.0	3.10	27.0	2.6506	15.81	17.33	yes	music wire	4I
C.270.310.0270.I	27.0	3.10	27.0	2.2766	15.81	17.33	yes	stainless steel	4I
C.270.310.0540.A	27.0	3.10	54.0	1.1882	25.73	29.13	yes	music wire	4I
C.270.310.0540.I	27.0	3.10	54.0	1.0205	25.73	29.13	yes	stainless steel	4I
C.270.320.0360.A	27.0	3.20	36.0	2.1416	19.84	22.01	yes	music wire	4J
C.270.320.0360.I	27.0	3.20	36.0	1.8394	19.84	22.01	yes	stainless steel	4J
C.270.320.0590.A	27.0	3.20	59.0	1.2000	29.12	32.98	yes	music wire	4J
C.270.320.0590.AP	27.0	3.20	59.0	1.5519	24.32	32.35	yes	music wire	4M
C.270.320.0590.I	27.0	3.20	59.0	1.0440	28.80	32.61	yes	stainless steel	4J
C.270.320.0710.A	27.0	3.20	71.0	0.9905	33.60	38.28	yes	music wire	4J
C.270.320.0710.I	27.0	3.20	71.0	0.8507	33.60	38.28	yes	stainless steel	4J
C.270.330.0350.A	27.0	3.30	35.0	2.5000	20.13	22.24	yes	music wire	4J
C.270.330.0350.AP	27.0	3.30	35.0	3.1871	17.49	20.88	yes	music wire	4L
C.270.330.0350.I	27.0	3.30	35.0	2.1750	20.13	22.24	yes	stainless steel	4J
C.270.330.0730.A	27.0	3.30	73.0	1.0935	35.64	40.50	yes	music wire	4J
C.270.330.0730.I	27.0	3.30	73.0	0.9392	35.64	40.50	yes	stainless steel	4J
C.270.330.1073.A	27.0	3.30	107.3	0.6850	51.81	59.54	yes	music wire	4K
C.270.330.1073.AP	27.0	3.30	107.3	0.9243	40.59	58.62	yes	music wire	4M
C.270.330.1073.I	27.0	3.30	107.3	0.5960	51.48	59.15	yes	stainless steel	4K
C.270.330.1073.N	27.0	3.30	107.3	0.6850	51.81	59.54	yes	Zn coating	4M
C.270.330.1500.A	27.0	3.30	150.0	0.5070	67.32	77.80	yes	music wire	4L
C.270.330.1500.I	27.0	3.30	150.0	0.4355	67.32	77.80	yes	stainless steel	4L
C.270.330.1750.A	27.0	3.30	175.0	0.4322	77.55	89.84	yes	music wire	4L
C.270.330.1750.I	27.0	3.30	175.0	0.3712	77.55	89.84	yes	stainless steel	4L
C.270.340.0260.A	27.0	3.40	26.0	4.0230	17.34	18.86	yes	music wire	4J
C.270.340.0260.AP	27.0	3.40	26.0	5.2740	15.30	16.74	yes	music wire	4L
C.270.340.0260.I	27.0	3.40	26.0	3.5000	17.00	18.46	yes	stainless steel	4J
C.270.340.0340.A	27.0	3.40	34.0	2.9592	20.40	22.45	yes	music wire	4J
C.270.340.0340.I	27.0	3.40	34.0	2.5417	20.40	22.45	yes	stainless steel	4J
C.270.340.0420.A	27.0	3.40	42.0	2.3016	23.80	26.44	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.270.340.0420.I	27.0	3.40	42.0	1.9769	23.80	26.44	yes	stainless steel	4J
C.270.340.0690.A	27.0	3.40	69.0	1.3111	35.36	39.99	yes	music wire	4J
C.270.340.0690.I	27.0	3.40	69.0	1.1261	35.36	39.99	yes	stainless steel	4J
C.270.340.1450.A	27.0	3.40	145.0	0.5918	68.00	78.25	yes	music wire	4L
C.270.340.1450.I	27.0	3.40	145.0	0.5083	68.00	78.25	yes	stainless steel	4L
C.270.350.0700.A	27.0	3.50	70.0	1.2170	42.70	48.39	yes	music wire	4J
C.270.350.0700.AP	27.0	3.50	70.0	1.8177	31.50	40.93	yes	music wire	4M
C.270.350.0700.I	27.0	3.50	70.0	1.0588	42.35	47.98	yes	stainless steel	4J
C.270.350.0700.N	27.0	3.50	70.0	1.2170	42.70	48.39	yes	Zn coating	4L
C.270.350.0990.A	27.0	3.50	99.0	0.9899	50.40	57.38	yes	music wire	4J
C.270.350.0990.I	27.0	3.50	99.0	0.8502	50.40	57.38	yes	stainless steel	4K
C.270.350.2000.A	27.0	3.50	200.0	0.4750	95.55	110.10	yes	music wire	4L
C.270.350.2000.I	27.0	3.50	200.0	0.4080	95.55	110.10	yes	stainless steel	4M
C.270.350.2350.A	27.0	3.50	235.0	0.3350	131.95	152.60	yes	music wire	4M
C.270.350.2350.AP	27.0	3.50	235.0	0.5062	90.30	130.61	yes	music wire	4O
C.270.350.2350.I	27.0	3.50	235.0	0.2915	130.20	150.56	yes	stainless steel	4M
C.270.350.2350.N	27.0	3.50	235.0	0.3350	131.95	152.60	yes	Zn coating	4N
C.270.360.0280.A	27.0	3.60	28.0	4.7695	19.08	20.73	yes	music wire	4M
C.270.360.0280.I	27.0	3.60	28.0	4.0965	19.08	20.73	yes	stainless steel	4M
C.270.360.0360.A	27.0	3.60	36.0	3.5144	22.68	24.91	yes	music wire	4M
C.270.360.0360.I	27.0	3.60	36.0	3.0185	22.68	24.91	yes	stainless steel	4M
C.270.360.1450.A	27.0	3.60	145.0	0.7419	73.80	84.39	yes	music wire	4N
C.270.360.1450.I	27.0	3.60	145.0	0.6372	73.80	84.39	yes	stainless steel	4N
C.270.360.1850.A	27.0	3.60	185.0	0.5756	92.52	106.17	yes	music wire	4N
C.270.360.1850.I	27.0	3.60	185.0	0.4944	92.52	106.17	yes	stainless steel	4N
C.270.380.0400.A	27.0	3.80	40.0	3.8662	26.22	28.83	yes	music wire	4M
C.270.380.0400.I	27.0	3.80	40.0	3.3207	26.22	28.83	yes	stainless steel	4M
C.270.380.0960.A	27.0	3.80	96.0	1.4416	54.34	61.33	yes	music wire	4M
C.270.380.0960.I	27.0	3.80	96.0	1.2382	54.34	61.33	yes	stainless steel	4M
C.270.380.1600.A	27.0	3.80	160.0	0.8380	86.64	98.67	yes	music wire	4N
C.270.380.1600.I	27.0	3.80	160.0	0.7198	86.64	98.67	yes	stainless steel	4N
C.270.380.2000.A	27.0	3.80	200.0	0.6619	107.16	122.39	yes	music wire	4N
C.270.380.2000.I	27.0	3.80	200.0	0.5685	107.16	122.39	yes	stainless steel	4N
C.270.400.0320.A	27.0	4.00	32.0	6.2500	23.60	25.63	yes	music wire	4M
C.270.400.0320.S	27.0	4.00	32.0	6.3000	23.60	25.63	yes	Cr-Si steel	4R
C.270.400.0400.A	27.0	4.00	40.0	5.0000	27.20	29.77	yes	music wire	4M
C.270.400.0400.S	27.0	4.00	40.0	5.0400	27.20	29.77	yes	Cr-Si steel	4R
C.270.400.0500.A	27.0	4.00	50.0	4.0000	31.60	34.83	yes	music wire	4M
C.270.400.0500.S	27.0	4.00	50.0	3.9375	31.60	34.83	yes	Cr-Si steel	4R
C.270.400.0630.A	27.0	4.00	63.0	3.1250	37.60	41.73	yes	music wire	4M
C.270.400.0630.S	27.0	4.00	63.0	3.1500	37.20	41.27	yes	Cr-Si steel	4T
C.270.400.0710.A	27.0	4.00	71.0	2.4924	44.40	49.55	yes	music wire	4P
C.270.400.0710.I	27.0	4.00	71.0	2.1408	44.40	49.55	yes	stainless steel	4P
C.270.400.0800.A	27.0	4.00	80.0	2.5000	44.40	49.64	yes	music wire	4M
C.270.400.0800.S	27.0	4.00	80.0	2.5200	44.00	49.88	yes	Cr-Si steel	4T
C.270.400.1000.A	27.0	4.00	100.0	2.0000	52.80	62.05	yes	music wire	4M
C.270.400.1000.S	27.0	4.00	100.0	1.9688	53.60	61.45	yes	Cr-Si steel	5A
C.270.400.1250.A	27.0	4.00	125.0	1.5625	64.80	76.42	yes	music wire	4N
C.270.400.1250.S	27.0	4.00	125.0	1.5750	64.40	76.81	yes	Cr-Si steel	5A
C.270.400.1450.A	27.0	4.00	145.0	1.1524	84.40	95.53	yes	music wire	4Q
C.270.400.1450.I	27.0	4.00	145.0	0.9898	84.40	95.53	yes	stainless steel	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.270.400.1600.A	27.0	4.00	160.0	1.2500	78.40	99.28	yes	music wire	4N
C.270.400.1600.S	27.0	4.00	160.0	1.2600	78.00	99.76	yes	Cr-Si steel	5A
C.270.400.1800.A	27.0	4.00	180.0	0.9200	103.20	117.14	yes	music wire	4Q
C.270.400.1800.I	27.0	4.00	180.0	0.7901	103.20	117.14	yes	stainless steel	4Q
C.270.400.2000.A	27.0	4.00	200.0	1.0000	95.60	124.10	yes	music wire	4N
C.270.400.2000.S	27.0	4.00	200.0	1.0000	95.60	124.10	yes	Cr-Si steel	5A
C.270.400.2500.A	27.0	4.00	250.0	0.7937	118.00	154.36	yes	music wire	4O
C.270.400.2500.S	27.0	4.00	250.0	0.7875	118.80	153.61	yes	Cr-Si steel	5B
C.270.400.3200.A	27.0	4.00	320.0	0.6250	147.20	198.55	yes	music wire	4P
C.270.400.3200.S	27.0	4.00	320.0	0.6300	146.00	199.52	yes	Cr-Si steel	5D
C.270.400.5050.A	27.0	4.00	505.0	0.4420	204.00	333.27	yes	music wire	5C
C.270.400.5050.I	27.0	4.00	505.0	0.3796	204.00	324.88	yes	stainless steel	5D
C.270.400.5050.N	27.0	4.00	505.0	0.4420	204.00	333.27	yes	Zn coating	5E
C.270.420.0370.A	27.0	4.20	37.0	6.6865	27.30	29.72	yes	music wire	4P
C.270.420.0370.I	27.0	4.20	37.0	5.7430	27.30	29.72	yes	stainless steel	4P
C.270.420.0470.A	27.0	4.20	47.0	4.9530	33.18	36.45	yes	music wire	4P
C.270.420.0470.I	27.0	4.20	47.0	4.2541	33.18	36.45	yes	stainless steel	4P
C.270.420.1300.A	27.0	4.20	130.0	1.6016	80.64	90.75	yes	music wire	4Q
C.270.420.1300.I	27.0	4.20	130.0	1.3756	80.64	90.75	yes	stainless steel	4Q
C.270.420.1650.A	27.0	4.20	165.0	1.2440	100.80	113.82	yes	music wire	4Q
C.270.420.1650.I	27.0	4.20	165.0	1.0685	100.80	113.82	yes	stainless steel	4Q
C.270.450.0280.A	27.0	4.50	28.0	13.5833	23.40	25.07	yes	music wire	4Q
C.270.450.0280.I	27.0	4.50	28.0	11.6667	23.40	25.07	yes	stainless steel	4Q
C.270.450.0350.A	27.0	4.50	35.0	9.9122	27.90	30.19	yes	music wire	4Q
C.270.450.0350.I	27.0	4.50	35.0	8.5135	27.90	30.19	yes	stainless steel	4R
C.270.450.0460.A	27.0	4.50	46.0	7.0529	34.65	37.87	yes	music wire	4R
C.270.450.0460.I	27.0	4.50	46.0	6.0577	34.65	37.87	yes	stainless steel	4R
C.270.450.0700.A	27.0	4.50	70.0	4.8900	45.00	49.64	yes	music wire	4S
C.270.450.0700.I	27.0	4.50	70.0	4.2000	45.00	49.64	yes	stainless steel	4T
C.270.450.0700.N	27.0	4.50	70.0	4.8900	45.00	49.64	yes	Zn coating	5A
C.270.470.0320.A	27.0	4.70	32.0	13.5841	27.26	29.33	yes	music wire	4Q
C.270.470.0320.I	27.0	4.70	32.0	11.6673	27.26	29.33	yes	stainless steel	4R
C.270.470.0430.A	27.0	4.70	43.0	9.3391	34.31	37.33	yes	music wire	4R
C.270.470.0430.I	27.0	4.70	43.0	8.0213	34.31	37.33	yes	stainless steel	4R
C.270.470.0500.A	27.0	4.70	50.0	7.7289	39.01	42.66	yes	music wire	4R
C.270.470.0500.I	27.0	4.70	50.0	6.6383	39.01	42.66	yes	stainless steel	4R
C.270.470.0850.A	27.0	4.70	85.0	4.2290	61.57	68.23	yes	music wire	4R
C.270.470.0850.I	27.0	4.70	85.0	3.6323	61.57	68.23	yes	stainless steel	4R
C.270.470.1100.A	27.0	4.70	110.0	3.1793	78.02	86.88	yes	music wire	4R
C.270.470.1100.I	27.0	4.70	110.0	2.7306	78.02	86.88	yes	stainless steel	4R
C.270.470.1450.A	27.0	4.70	145.0	2.3718	100.58	112.46	yes	music wire	4R
C.270.470.1450.I	27.0	4.70	145.0	2.0372	100.58	112.46	yes	stainless steel	4R
C.270.480.0320.A	27.0	4.80	32.0	15.4463	27.36	29.39	yes	music wire	4Q
C.270.480.0320.I	27.0	4.80	32.0	13.2667	27.36	29.39	yes	stainless steel	4R
C.270.480.0370.A	27.0	4.80	37.0	12.6739	30.72	33.19	yes	music wire	4Q
C.270.480.0370.I	27.0	4.80	37.0	10.8855	30.72	33.19	yes	stainless steel	4R
C.270.480.0480.A	27.0	4.80	48.0	9.1533	37.92	41.34	yes	music wire	4R
C.270.480.0480.I	27.0	4.80	48.0	7.8618	37.92	41.34	yes	stainless steel	4R
C.270.480.0730.A	27.0	4.80	73.0	5.5537	54.72	60.36	yes	music wire	4R
C.270.480.0730.I	27.0	4.80	73.0	4.7701	54.72	60.36	yes	stainless steel	4R
C.270.480.1350.A	27.0	4.80	135.0	2.8245	96.00	107.10	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.270.480.1350.I	27.0	4.80	135.0	2.4259	96.00	107.10	yes	stainless steel	4R
C.270.480.1600.A	27.0	4.80	160.0	2.3537	112.80	126.11	yes	music wire	4R
C.270.480.1600.I	27.0	4.80	160.0	2.0216	112.80	126.11	yes	stainless steel	4R
C.270.480.1900.A	27.0	4.80	190.0	1.9614	132.96	148.94	yes	music wire	4R
C.270.480.1900.I	27.0	4.80	190.0	1.6847	132.96	148.94	yes	stainless steel	4R
C.270.500.0250.A	27.0	5.00	25.0	32.2102	22.00	23.23	yes	music wire	4O
C.270.500.0320.A	27.0	5.00	32.0	19.4464	28.00	30.00	yes	music wire	4O
C.270.500.0320.S	27.0	5.00	32.0	16.0000	31.00	31.00	yes	Cr-Si steel	4T
C.270.500.0400.A	27.0	5.00	40.0	14.1429	33.50	36.21	yes	music wire	4O
C.270.500.0400.S	27.0	5.00	40.0	12.4444	36.50	39.60	yes	Cr-Si steel	5A
C.270.500.0500.A	27.0	5.00	50.0	10.0000	42.50	46.37	yes	music wire	4O
C.270.500.0500.S	27.0	5.00	50.0	10.0000	42.50	46.37	yes	Cr-Si steel	5A
C.270.500.0630.A	27.0	5.00	63.0	8.0357	49.50	54.27	yes	music wire	4O
C.270.500.0630.S	27.0	5.00	63.0	8.0000	50.00	54.84	yes	Cr-Si steel	5A
C.270.500.0800.A	27.0	5.00	80.0	6.4286	59.00	65.00	yes	music wire	4O
C.270.500.0800.S	27.0	5.00	80.0	6.2222	60.50	66.69	yes	Cr-Si steel	5A
C.270.500.0890.A	27.0	5.00	89.0	5.3871	68.00	75.16	yes	music wire	4S
C.270.500.0890.I	27.0	5.00	89.0	4.6270	68.00	75.16	yes	stainless steel	4S
C.270.500.1000.A	27.0	5.00	100.0	5.0000	72.50	80.24	yes	music wire	4O
C.270.500.1000.S	27.0	5.00	100.0	4.9778	72.50	80.24	yes	Cr-Si steel	5A
C.270.500.1250.A	27.0	5.00	125.0	4.0000	87.00	96.61	yes	music wire	4P
C.270.500.1250.S	27.0	5.00	125.0	4.0000	87.00	96.61	yes	Cr-Si steel	5D
C.270.500.1600.A	27.0	5.00	160.0	3.2143	105.50	117.50	yes	music wire	4P
C.270.500.1600.S	27.0	5.00	160.0	3.1111	108.50	120.89	yes	Cr-Si steel	5D
C.270.500.1800.A	27.0	5.00	180.0	2.5231	131.00	146.29	yes	music wire	4S
C.270.500.1800.I	27.0	5.00	180.0	2.1671	131.00	146.29	yes	stainless steel	4S
C.270.500.2000.A	27.0	5.00	200.0	2.5000	132.00	147.42	yes	music wire	4P
C.270.500.2000.S	27.0	5.00	200.0	2.4889	132.50	147.98	yes	Cr-Si steel	5D
C.270.500.2200.A	27.0	5.00	220.0	2.1740	150.00	167.74	yes	music wire	5B
C.270.500.2200.I	27.0	5.00	220.0	1.8914	148.50	166.05	yes	stainless steel	5B
C.270.500.2200.N	27.0	5.00	220.0	2.1740	150.00	167.74	yes	Zn coating	5D
C.270.500.2500.A	27.0	5.00	250.0	2.0000	162.00	181.29	yes	music wire	4Q
C.270.500.2500.S	27.0	5.00	250.0	2.0000	162.00	181.29	yes	Cr-Si steel	5D
C.270.500.3200.A	27.0	5.00	320.0	1.6071	198.50	234.31	yes	music wire	4R
C.270.500.3200.S	27.0	5.00	320.0	1.6000	199.50	233.93	yes	Cr-Si steel	5G
C.270.500.3500.A	27.0	5.00	350.0	1.4140	224.00	252.61	yes	music wire	5B
C.270.500.3500.I	27.0	5.00	350.0	1.2302	221.00	248.18	yes	stainless steel	5C
C.270.500.3500.N	27.0	5.00	350.0	1.4140	224.00	252.61	yes	Zn coating	5D
C.270.530.0280.A	27.0	5.30	28.0	31.4668	26.50	26.50	yes	music wire	4R
C.270.530.0280.I	27.0	5.30	28.0	27.0267	26.50	26.50	yes	stainless steel	4R
C.270.530.0320.A	27.0	5.30	32.0	25.3764	29.68	31.74	yes	music wire	4R
C.270.530.0320.I	27.0	5.30	32.0	21.7957	29.68	31.74	yes	stainless steel	4R
C.270.530.0370.A	27.0	5.30	37.0	20.7018	33.39	35.91	yes	music wire	4R
C.270.530.0370.I	27.0	5.30	37.0	17.7807	33.39	35.91	yes	stainless steel	4S
C.270.530.0480.A	27.0	5.30	48.0	14.8428	41.34	44.86	yes	music wire	4R
C.270.530.0480.I	27.0	5.30	48.0	12.7484	41.34	44.86	yes	stainless steel	4S
C.270.530.0530.A	27.0	5.30	53.0	13.1111	45.05	49.03	yes	music wire	4S
C.270.530.0530.I	27.0	5.30	53.0	11.2611	45.05	49.03	yes	stainless steel	4S
C.270.530.0620.A	27.0	5.30	62.0	10.9260	51.41	56.19	yes	music wire	4S
C.270.530.0620.I	27.0	5.30	62.0	9.3843	51.41	56.19	yes	stainless steel	4S
C.270.530.0740.A	27.0	5.30	74.0	8.8390	60.42	66.32	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.270.530.0740.I	27.0	5.30	74.0	7.5918	60.42	66.32	yes	stainless steel	4S
C.270.530.1050.A	27.0	5.30	105.0	6.0051	82.68	91.37	yes	music wire	4S
C.270.530.1050.I	27.0	5.30	105.0	5.1578	82.68	91.37	yes	stainless steel	4S
C.270.530.1200.A	27.0	5.30	120.0	5.1755	93.81	103.89	yes	music wire	4S
C.270.530.1200.I	27.0	5.30	120.0	4.4452	93.81	103.89	yes	stainless steel	4S
C.270.530.1350.A	27.0	5.30	135.0	4.5472	104.94	116.41	yes	music wire	4S
C.270.530.1350.I	27.0	5.30	135.0	3.9056	104.94	116.41	yes	stainless steel	4S
C.270.530.1800.A	27.0	5.30	180.0	3.3475	137.80	153.39	yes	music wire	4S
C.270.530.1800.I	27.0	5.30	180.0	2.8752	137.80	153.39	yes	stainless steel	4S
C.270.530.2000.A	27.0	5.30	200.0	3.0026	152.11	169.49	yes	music wire	4S
C.270.530.2000.I	27.0	5.30	200.0	2.5789	152.11	169.49	yes	stainless steel	4S
C.272.320.0320.A	27.2	3.20	32.0	3.0910	16.00	18.71	yes	music wire	4L
C.272.320.0320.I	27.2	3.20	32.0	2.6548	16.00	18.19	yes	stainless steel	4M
C.272.320.0320.N	27.2	3.20	32.0	3.0910	16.00	18.71	yes	Zn coating	4N
C.274.110.0200.A	27.4	1.10	20.0	0.0745	5.06	6.22	no	music wire	4D
C.274.110.0200.I	27.4	1.10	20.0	0.0640	5.06	6.22	no	stainless steel	4D
C.274.110.0500.A	27.4	1.10	50.0	0.0310	6.71	9.45	no	music wire	4E
C.274.110.0500.I	27.4	1.10	50.0	0.0270	6.71	9.45	no	stainless steel	4E
C.274.160.0200.A	27.4	1.60	20.0	0.2991	6.08	7.10	yes	music wire	4F
C.274.160.0200.I	27.4	1.60	20.0	0.2569	6.08	7.10	yes	stainless steel	4F
C.274.160.0570.A	27.4	1.60	57.0	0.0839	11.36	14.97	yes	music wire	4G
C.274.160.0570.I	27.4	1.60	57.0	0.0730	11.36	14.97	yes	stainless steel	4G
C.274.190.0550.A	27.4	1.90	55.0	0.1609	14.25	17.77	yes	music wire	4H
C.274.190.0550.I	27.4	1.90	55.0	0.1400	14.06	17.51	yes	stainless steel	4H
C.274.190.2200.A	27.4	1.90	220.0	0.0428	40.28	53.43	yes	music wire	4J
C.274.190.2200.I	27.4	1.90	220.0	0.0368	40.28	53.43	yes	stainless steel	4J
C.274.200.0350.A	27.4	2.00	35.0	0.2414	13.20	16.00	yes	music wire	4G
C.274.200.0350.I	27.4	2.00	35.0	0.2100	13.20	16.00	yes	stainless steel	4H
C.274.200.0800.A	27.4	2.00	80.0	0.1421	19.00	23.79	yes	music wire	4I
C.274.200.0800.I	27.4	2.00	80.0	0.1220	19.00	23.79	yes	stainless steel	4I
C.274.200.1270.A	27.4	2.00	127.0	0.1057	23.80	30.23	yes	music wire	4I
C.274.200.1270.I	27.4	2.00	127.0	0.0920	23.60	29.96	yes	stainless steel	4I
C.274.220.0290.A	27.4	2.20	29.0	0.5517	11.44	13.20	yes	music wire	4G
C.274.220.0290.AP	27.4	2.20	29.0	0.9423	9.02	13.63	yes	music wire	4I
C.274.220.0290.I	27.4	2.20	29.0	0.4800	11.44	13.20	yes	stainless steel	4H
C.274.220.0480.A	27.4	2.20	48.0	0.2759	17.38	20.91	yes	music wire	4H
C.274.220.0480.AP	27.4	2.20	48.0	0.5199	11.88	20.15	yes	music wire	4J
C.274.220.0480.I	27.4	2.20	48.0	0.2400	17.16	20.62	yes	stainless steel	4I
C.274.220.1000.A	27.4	2.20	100.0	0.1553	26.62	32.89	yes	music wire	4I
C.274.220.1000.I	27.4	2.20	100.0	0.1334	26.62	32.89	yes	stainless steel	4I
C.274.230.0370.A	27.4	2.30	37.0	0.4598	14.72	17.22	yes	music wire	4G
C.274.230.0370.AP	27.4	2.30	37.0	0.8293	10.81	17.24	yes	music wire	4I
C.274.230.0370.I	27.4	2.30	37.0	0.4000	14.72	17.22	yes	stainless steel	4H
C.274.230.0540.A	27.4	2.30	54.0	0.3400	17.94	21.34	yes	music wire	4H
C.274.230.0540.AP	27.4	2.30	54.0	0.5366	13.57	23.46	yes	music wire	4J
C.274.230.0540.I	27.4	2.30	54.0	0.2958	17.71	21.04	yes	stainless steel	4I
C.274.230.1000.A	27.4	2.30	100.0	0.1803	28.75	35.16	yes	music wire	4I
C.274.230.1000.I	27.4	2.30	100.0	0.1548	28.75	35.16	yes	stainless steel	4I
C.274.270.0200.A	27.4	2.70	20.0	1.9960	11.61	12.71	yes	music wire	4G
C.274.270.0200.I	27.4	2.70	20.0	1.7144	11.61	12.71	yes	stainless steel	4H
C.274.270.1080.A	27.4	2.70	108.0	0.7701	19.44	74.81	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.274.320.0400.A	27.4	3.20	40.0	1.6750	22.40	25.08	yes	music wire	4J
C.274.320.0400.I	27.4	3.20	40.0	1.4386	22.40	25.08	yes	stainless steel	4J
C.274.320.1500.A	27.4	3.20	150.0	0.3793	71.68	83.51	yes	music wire	4L
C.274.320.1500.AP	27.4	3.20	150.0	0.5644	50.88	77.72	yes	music wire	4N
C.274.320.1500.I	27.4	3.20	150.0	0.3300	70.72	82.37	yes	stainless steel	4L
C.275.250.0490.A	27.5	2.50	49.0	0.7277	15.00	20.72	yes	music wire	4J
C.275.250.0490.I	27.5	2.50	49.0	0.6250	15.00	19.86	yes	stainless steel	4J
C.275.250.0490.N	27.5	2.50	49.0	0.7277	15.00	20.72	yes	Zn coating	4L
C.275.250.0600.A	27.5	2.50	60.0	0.4550	20.25	23.75	yes	music wire	4I
C.275.250.0600.AP	27.5	2.50	60.0	0.6298	16.25	27.32	yes	music wire	4J
C.275.250.0600.I	27.5	2.50	60.0	0.3959	20.00	23.44	yes	stainless steel	4I
C.275.250.0600.N	27.5	2.50	60.0	0.4550	20.25	23.75	yes	Zn coating	4I
C.275.250.0745.A	27.5	2.50	74.5	0.4631	20.00	30.06	yes	music wire	4J
C.275.250.0745.I	27.5	2.50	74.5	0.3978	20.00	28.72	yes	stainless steel	4J
C.275.250.0745.N	27.5	2.50	74.5	0.4631	20.00	30.06	yes	Zn coating	4L
C.275.250.1150.A	27.5	2.50	115.0	0.3000	27.50	46.39	yes	music wire	4K
C.275.250.1150.I	27.5	2.50	115.0	0.2573	27.50	44.22	yes	stainless steel	4K
C.275.250.1150.N	27.5	2.50	115.0	0.3000	27.50	46.39	yes	Zn coating	4M
C.275.250.1650.A	27.5	2.50	165.0	0.2037	37.50	63.96	yes	music wire	4L
C.275.250.1650.AP	27.5	2.50	165.0	0.2188	35.25	70.94	yes	music wire	4L
C.275.250.1650.I	27.5	2.50	165.0	0.1750	37.50	60.93	yes	stainless steel	4L
C.275.250.1650.IF	27.5	2.50	165.0	0.1183	52.50	64.06	yes	stainless steel	4J
C.275.250.1650.N	27.5	2.50	165.0	0.2037	37.50	63.96	yes	Zn coating	4M
C.275.250.2400.A	27.5	2.50	240.0	0.1377	52.50	90.53	yes	music wire	4M
C.275.250.2400.I	27.5	2.50	240.0	0.1183	52.50	86.06	yes	stainless steel	4M
C.275.250.2400.IF	27.5	2.50	240.0	0.0972	62.50	76.56	yes	stainless steel	4J
C.275.250.2400.N	27.5	2.50	240.0	0.1377	52.50	90.53	yes	Zn coating	4O
C.275.300.0410.A	27.5	3.00	41.0	1.2240	21.30	24.06	yes	music wire	4I
C.275.300.0410.AP	27.5	3.00	41.0	1.7858	16.80	21.93	yes	music wire	4J
C.275.300.0410.I	27.5	3.00	41.0	1.0649	21.00	23.70	yes	stainless steel	4I
C.275.300.0410.N	27.5	3.00	41.0	1.2240	21.30	24.06	yes	Zn coating	4J
C.275.320.1850.A	27.5	3.20	185.0	0.3950	68.16	82.07	yes	music wire	4N
C.275.320.1850.I	27.5	3.20	185.0	0.3437	67.52	79.37	yes	stainless steel	4N
C.275.320.1850.N	27.5	3.20	185.0	0.3950	68.16	82.07	yes	Zn coating	4P
C.275.350.0800.A	27.5	3.50	80.0	1.2060	40.95	46.44	yes	music wire	4J
C.275.350.0800.I	27.5	3.50	80.0	1.0492	40.60	46.03	yes	stainless steel	4J
C.275.350.0800.N	27.5	3.50	80.0	1.2060	40.95	46.44	yes	Zn coating	4L
C.275.400.5000.A	27.5	4.00	500.0	0.3910	215.60	309.07	yes	music wire	5C
C.275.400.5000.I	27.5	4.00	500.0	0.3402	212.80	302.31	yes	stainless steel	5D
C.275.400.5000.N	27.5	4.00	500.0	0.3910	215.60	309.07	yes	Zn coating	5E
C.275.600.0800.A	27.5	6.00	80.0	17.3870	60.60	67.47	yes	music wire	5I
C.275.600.0800.I	27.5	6.00	80.0	15.1267	60.00	66.78	yes	stainless steel	5J
C.275.600.0800.N	27.5	6.00	80.0	17.3870	60.60	67.47	yes	Zn coating	5J
C.278.130.0700.A	27.8	1.30	70.0	0.0276	11.96	17.32	no	music wire	4E
C.278.130.0700.I	27.8	1.30	70.0	0.0240	11.83	17.10	no	stainless steel	4F
C.278.190.0640.A	27.8	1.90	64.0	0.1494	14.44	18.11	yes	music wire	4H
C.278.190.0640.I	27.8	1.90	64.0	0.1300	14.25	17.85	yes	stainless steel	4I
C.278.200.0390.A	27.8	2.00	39.0	0.2184	13.60	16.61	yes	music wire	4G
C.278.200.0390.I	27.8	2.00	39.0	0.1900	13.60	16.61	yes	stainless steel	4H
C.278.220.0240.A	27.8	2.20	24.0	0.8506	9.24	10.37	yes	music wire	4G
C.278.220.0240.I	27.8	2.20	24.0	0.7400	9.24	10.37	yes	stainless steel	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.278.230.0600.A	27.8	2.30	60.0	0.2874	19.55	23.47	yes	music wire	4I
C.278.230.0600.AP	27.8	2.30	60.0	0.4702	14.26	25.63	yes	music wire	4J
C.278.230.0600.I	27.8	2.30	60.0	0.2500	19.32	23.18	yes	stainless steel	4I
C.278.230.0920.A	27.8	2.30	92.0	0.1264	37.03	45.93	yes	music wire	4I
C.278.230.0920.AP	27.8	2.30	92.0	0.3000	18.86	38.13	yes	music wire	4J
C.278.230.0920.I	27.8	2.30	92.0	0.1100	36.57	45.33	yes	stainless steel	4I
C.278.250.1250.A	27.8	2.50	125.0	0.1954	37.75	45.74	yes	music wire	4I
C.278.250.1250.AP	27.8	2.50	125.0	0.2864	27.75	53.87	yes	music wire	4K
C.278.250.1250.I	27.8	2.50	125.0	0.1700	37.25	45.11	yes	stainless steel	4I
C.278.280.0670.A	27.8	2.80	67.0	0.6437	24.36	28.17	yes	music wire	4I
C.278.280.0670.I	27.8	2.80	67.0	0.5600	24.08	27.83	yes	stainless steel	4I
C.278.280.0760.A	27.8	2.80	76.0	0.5484	27.44	31.93	yes	music wire	4I
C.278.280.0760.I	27.8	2.80	76.0	0.4771	27.16	31.59	yes	stainless steel	4I
C.278.280.0890.A	27.8	2.80	89.0	0.4657	31.08	36.37	yes	music wire	4I
C.278.280.0890.I	27.8	2.80	89.0	0.4052	30.80	36.03	yes	stainless steel	4J
C.278.280.1150.A	27.8	2.80	115.0	0.3559	38.64	45.59	yes	music wire	4J
C.278.280.1150.I	27.8	2.80	115.0	0.3096	38.08	44.90	yes	stainless steel	4J
C.278.290.0220.A	27.8	2.90	22.0	2.1839	13.34	14.62	yes	music wire	4I
C.278.290.0220.AP	27.8	2.90	22.0	3.3920	11.31	12.95	yes	music wire	4J
C.278.290.0220.I	27.8	2.90	22.0	1.9000	13.34	14.62	yes	stainless steel	4I
C.278.300.1060.A	27.8	3.00	106.0	0.5287	38.10	44.30	yes	music wire	4L
C.278.300.1060.I	27.8	3.00	106.0	0.4600	37.80	43.94	yes	stainless steel	4L
C.278.320.0860.A	27.8	3.20	86.0	0.7701	37.76	43.37	yes	music wire	4J
C.278.320.0860.I	27.8	3.20	86.0	0.6700	37.44	42.99	yes	stainless steel	4J
C.278.320.1300.A	27.8	3.20	130.0	0.4828	55.68	64.67	yes	music wire	4L
C.278.320.1300.AP	27.8	3.20	130.0	0.6410	43.84	67.22	yes	music wire	4N
C.278.320.1300.I	27.8	3.20	130.0	0.4200	55.04	63.91	yes	stainless steel	4L
C.278.360.0550.A	27.8	3.60	55.0	1.6742	34.92	39.27	yes	music wire	4M
C.278.360.0550.AP	27.8	3.60	55.0	2.5093	26.28	32.87	yes	music wire	4O
C.278.360.0550.I	27.8	3.60	55.0	1.4566	34.56	38.85	yes	stainless steel	4M
C.278.360.0850.A	27.8	3.60	85.0	1.3828	40.32	45.57	yes	music wire	4O
C.278.360.0850.I	27.8	3.60	85.0	1.1519	41.40	46.84	yes	stainless steel	4P
C.278.380.0191.A	27.8	3.80	19.1	13.7931	13.68	14.44	yes	music wire	4O
C.278.380.0191.I	27.8	3.80	19.1	12.0000	13.68	14.35	yes	stainless steel	4O
C.279.210.0450.A	27.9	2.10	45.0	0.3300	12.60	15.00	yes	music wire	4H
C.279.210.0450.I	27.9	2.10	45.0	0.2800	12.60	15.00	yes	stainless steel	4H
C.279.210.0890.A	27.9	2.10	89.0	0.1531	21.00	26.14	yes	music wire	4I
C.279.210.0890.I	27.9	2.10	89.0	0.1332	20.79	25.86	yes	stainless steel	4I
C.279.210.1020.A	27.9	2.10	102.0	0.1324	23.52	29.48	yes	music wire	4I
C.279.210.1020.I	27.9	2.10	102.0	0.1152	23.31	29.20	yes	stainless steel	4I
C.279.220.0224.A	27.9	2.20	22.4	0.6889	9.90	11.24	yes	music wire	4G
C.279.220.0224.I	27.9	2.20	22.4	0.5917	9.90	11.24	yes	stainless steel	4G
C.279.220.0224.N	27.9	2.20	22.4	0.6889	9.90	11.24	yes	Zn coating	4I
C.279.220.0254.A	27.9	2.20	25.4	0.6189	10.56	12.10	yes	music wire	4G
C.279.220.0254.AP	27.9	2.20	25.4	1.0153	8.58	11.38	yes	music wire	4I
C.279.220.0254.I	27.9	2.20	25.4	0.5315	10.56	12.10	yes	stainless steel	4G
C.279.220.0254.N	27.9	2.20	25.4	0.6189	10.56	12.10	yes	Zn coating	4I
C.279.220.0305.A	27.9	2.20	30.5	0.4872	11.88	13.82	yes	music wire	4G
C.279.220.0305.AP	27.9	2.20	30.5	0.8361	9.24	13.48	yes	music wire	4I
C.279.220.0305.I	27.9	2.20	30.5	0.4238	11.66	13.54	yes	stainless steel	4H
C.279.220.0381.A	27.9	2.20	38.1	0.4103	12.98	15.26	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.279.220.0381.I	27.9	2.20	38.1	0.3524	12.98	15.26	yes	stainless steel	4H
C.279.220.0381.N	27.9	2.20	38.1	0.4103	12.98	15.26	yes	Zn coating	4I
C.279.220.0508.A	27.9	2.20	50.8	0.3108	15.40	18.42	yes	music wire	4H
C.279.220.0508.I	27.9	2.20	50.8	0.2704	15.40	18.42	yes	stainless steel	4I
C.279.220.0635.A	27.9	2.20	63.5	0.2470	18.04	21.86	yes	music wire	4I
C.279.220.0635.I	27.9	2.20	63.5	0.2149	17.82	21.57	yes	stainless steel	4I
C.279.220.0762.A	27.9	2.20	76.2	0.2075	20.46	25.02	yes	music wire	4I
C.279.220.0762.I	27.9	2.20	76.2	0.1783	20.46	25.02	yes	stainless steel	4I
C.279.220.0762.N	27.9	2.20	76.2	0.2075	20.46	25.02	yes	Zn coating	4J
C.279.220.0889.A	27.9	2.20	88.9	0.1799	22.66	27.89	yes	music wire	4I
C.279.220.0889.I	27.9	2.20	88.9	0.1545	22.66	27.89	yes	stainless steel	4I
C.279.220.0889.N	27.9	2.20	88.9	0.1799	22.66	27.89	yes	Zn coating	4J
C.279.220.1016.A	27.9	2.20	101.6	0.1568	25.30	31.33	yes	music wire	4I
C.279.220.1016.I	27.9	2.20	101.6	0.1347	25.30	31.33	yes	stainless steel	4I
C.279.220.1016.N	27.9	2.20	101.6	0.1568	25.30	31.33	yes	Zn coating	4J
C.279.220.1143.A	27.9	2.20	114.3	0.1405	27.50	34.20	yes	music wire	4I
C.279.220.1143.I	27.9	2.20	114.3	0.1207	27.50	34.20	yes	stainless steel	4I
C.279.220.1143.N	27.9	2.20	114.3	0.1405	27.50	34.20	yes	Zn coating	4J
C.279.220.1270.A	27.9	2.20	127.0	0.1260	30.14	37.65	yes	music wire	4I
C.279.220.1270.I	27.9	2.20	127.0	0.1082	30.14	37.65	yes	stainless steel	4I
C.279.220.1270.N	27.9	2.20	127.0	0.1260	30.14	37.65	yes	Zn coating	4J
C.279.240.0220.A	27.9	2.40	22.0	1.2000	10.08	11.18	yes	music wire	4G
C.279.240.0220.I	27.9	2.40	22.0	0.9600	10.32	11.48	yes	stainless steel	4G
C.279.240.0224.A	27.9	2.40	22.4	0.8714	11.52	13.01	yes	music wire	4G
C.279.240.0224.AP	27.9	2.40	22.4	1.5882	9.12	10.99	yes	music wire	4I
C.279.240.0224.I	27.9	2.40	22.4	0.7500	11.52	13.01	yes	stainless steel	4G
C.279.240.0224.N	27.9	2.40	22.4	0.8714	11.52	13.01	yes	Zn coating	4I
C.279.240.0250.A	27.9	2.40	25.0	0.9600	11.04	12.40	yes	music wire	4G
C.279.240.0250.AP	27.9	2.40	25.0	1.4748	9.36	12.71	yes	music wire	4I
C.279.240.0250.I	27.9	2.40	25.0	0.8800	10.80	12.09	yes	stainless steel	4G
C.279.240.0254.A	27.9	2.40	25.4	0.7673	12.48	14.23	yes	music wire	4G
C.279.240.0254.AP	27.9	2.40	25.4	1.3764	9.60	12.23	yes	music wire	4I
C.279.240.0254.I	27.9	2.40	25.4	0.6590	12.48	14.23	yes	stainless steel	4G
C.279.240.0254.N	27.9	2.40	25.4	0.7673	12.48	14.23	yes	Zn coating	4I
C.279.240.0305.A	27.9	2.40	30.5	0.6114	13.92	16.05	yes	music wire	4G
C.279.240.0305.AP	27.9	2.40	30.5	1.1470	10.32	14.70	yes	music wire	4I
C.279.240.0305.I	27.9	2.40	30.5	0.5319	13.92	16.05	yes	stainless steel	4H
C.279.240.0318.A	27.9	2.40	31.8	0.6193	13.92	16.05	yes	music wire	4G
C.279.240.0318.AP	27.9	2.40	31.8	1.0867	10.56	15.12	yes	music wire	4I
C.279.240.0318.I	27.9	2.40	31.8	0.5388	13.68	15.75	yes	stainless steel	4H
C.279.240.0318.N	27.9	2.40	31.8	0.6193	13.92	16.05	yes	Zn coating	4I
C.279.240.0320.A	27.9	2.40	32.0	0.7241	12.72	14.53	yes	music wire	4G
C.279.240.0320.AP	27.9	2.40	32.0	1.0867	10.56	15.32	yes	music wire	4I
C.279.240.0320.I	27.9	2.40	32.0	0.6300	12.72	14.53	yes	stainless steel	4H
C.279.240.0381.A	27.9	2.40	38.1	0.5191	15.36	17.88	yes	music wire	4G
C.279.240.0381.AP	27.9	2.40	38.1	0.8977	11.52	17.91	yes	music wire	4I
C.279.240.0381.I	27.9	2.40	38.1	0.4459	15.36	17.88	yes	stainless steel	4H
C.279.240.0381.N	27.9	2.40	38.1	0.5191	15.36	17.88	yes	Zn coating	4I
C.279.240.0450.A	27.9	2.40	45.0	0.5100	15.60	18.19	yes	music wire	4H
C.279.240.0450.AP	27.9	2.40	45.0	0.7374	12.72	20.42	yes	music wire	4J
C.279.240.0450.I	27.9	2.40	45.0	0.4300	15.84	18.49	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.279.240.0508.A	27.9	2.40	50.8	0.3923	18.48	21.84	yes	music wire	4H
C.279.240.0508.AP	27.9	2.40	50.8	0.6452	13.68	22.71	yes	music wire	4J
C.279.240.0508.I	27.9	2.40	50.8	0.3369	18.48	21.84	yes	stainless steel	4I
C.279.240.0508.N	27.9	2.40	50.8	0.3923	18.48	21.84	yes	Zn coating	4I
C.279.240.0635.A	27.9	2.40	63.5	0.3152	21.60	25.80	yes	music wire	4I
C.279.240.0635.AP	27.9	2.40	63.5	0.5036	15.60	27.51	yes	music wire	4J
C.279.240.0635.I	27.9	2.40	63.5	0.2707	21.60	25.80	yes	stainless steel	4I
C.279.240.0635.N	27.9	2.40	63.5	0.3152	21.60	25.80	yes	Zn coating	4I
C.279.240.0762.A	27.9	2.40	76.2	0.2635	24.48	29.46	yes	music wire	4I
C.279.240.0762.AP	27.9	2.40	76.2	0.4214	17.52	33.18	yes	music wire	4J
C.279.240.0762.I	27.9	2.40	76.2	0.2263	24.48	29.46	yes	stainless steel	4I
C.279.240.0762.N	27.9	2.40	76.2	0.2635	24.48	29.46	yes	Zn coating	4J
C.279.240.0889.A	27.9	2.40	88.9	0.2263	27.60	33.42	yes	music wire	4I
C.279.240.0889.AP	27.9	2.40	88.9	0.3560	19.68	37.98	yes	music wire	4J
C.279.240.0889.I	27.9	2.40	88.9	0.1944	27.60	33.42	yes	stainless steel	4I
C.279.240.0889.N	27.9	2.40	88.9	0.2263	27.60	33.42	yes	Zn coating	4J
C.279.240.1016.A	27.9	2.40	101.6	0.1963	30.96	37.68	yes	music wire	4I
C.279.240.1016.AP	27.9	2.40	101.6	0.3082	21.84	42.78	yes	music wire	4J
C.279.240.1016.I	27.9	2.40	101.6	0.1686	30.96	37.68	yes	stainless steel	4I
C.279.240.1016.N	27.9	2.40	101.6	0.1963	30.96	37.68	yes	Zn coating	4J
C.279.240.1143.A	27.9	2.40	114.3	0.1749	34.08	41.64	yes	music wire	4I
C.279.240.1143.AP	27.9	2.40	114.3	0.2753	23.76	48.46	yes	music wire	4J
C.279.240.1143.I	27.9	2.40	114.3	0.1503	34.08	41.64	yes	stainless steel	4I
C.279.240.1143.N	27.9	2.40	114.3	0.1749	34.08	41.64	yes	Zn coating	4J
C.279.250.0224.A	27.9	2.50	22.4	0.9442	12.75	14.41	yes	music wire	4G
C.279.250.0224.AP	27.9	2.50	22.4	1.8938	9.50	11.68	yes	music wire	4I
C.279.250.0224.I	27.9	2.50	22.4	0.8110	12.75	14.41	yes	stainless steel	4H
C.279.250.0224.N	27.9	2.50	22.4	0.9442	12.75	14.41	yes	Zn coating	4I
C.279.250.0254.A	27.9	2.50	25.4	0.8154	13.75	15.66	yes	music wire	4G
C.279.250.0254.AP	27.9	2.50	25.4	1.6413	10.00	13.03	yes	music wire	4I
C.279.250.0254.I	27.9	2.50	25.4	0.7000	13.75	15.66	yes	stainless steel	4H
C.279.250.0254.N	27.9	2.50	25.4	0.8154	13.75	15.66	yes	Zn coating	4I
C.279.250.0305.A	27.9	2.50	30.5	0.6498	15.50	17.86	yes	music wire	4H
C.279.250.0305.AP	27.9	2.50	30.5	1.2958	11.00	14.83	yes	music wire	4I
C.279.250.0305.I	27.9	2.50	30.5	0.5653	15.50	17.86	yes	stainless steel	4H
C.279.250.0318.A	27.9	2.50	31.8	0.6582	15.50	17.86	yes	music wire	4H
C.279.250.0318.AP	27.9	2.50	31.8	1.2310	11.25	15.31	yes	music wire	4I
C.279.250.0318.I	27.9	2.50	31.8	0.5726	15.25	17.54	yes	stainless steel	4H
C.279.250.0318.N	27.9	2.50	31.8	0.6582	15.50	17.86	yes	Zn coating	4I
C.279.250.0381.A	27.9	2.50	38.1	0.5518	17.25	20.05	yes	music wire	4H
C.279.250.0381.AP	27.9	2.50	38.1	1.0258	12.25	18.31	yes	music wire	4J
C.279.250.0381.I	27.9	2.50	38.1	0.4740	17.25	20.05	yes	stainless steel	4H
C.279.250.0381.N	27.9	2.50	38.1	0.5518	17.25	20.05	yes	Zn coating	4I
C.279.250.0508.A	27.9	2.50	50.8	0.4099	21.00	24.76	yes	music wire	4I
C.279.250.0508.AP	27.9	2.50	50.8	0.7460	14.50	23.59	yes	music wire	4J
C.279.250.0508.I	27.9	2.50	50.8	0.3520	21.00	24.76	yes	stainless steel	4I
C.279.250.0508.N	27.9	2.50	50.8	0.4099	21.00	24.76	yes	Zn coating	4I
C.279.250.0635.A	27.9	2.50	63.5	0.3305	24.50	29.15	yes	music wire	4I
C.279.250.0635.AP	27.9	2.50	63.5	0.5862	16.50	28.87	yes	music wire	4J
C.279.250.0635.I	27.9	2.50	63.5	0.2839	24.50	29.15	yes	stainless steel	4I
C.279.250.0635.N	27.9	2.50	63.5	0.3305	24.50	29.15	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.279.250.0762.A	27.9	2.50	76.2	0.2769	28.25	33.86	yes	music wire	4I
C.279.250.0762.AP	27.9	2.50	76.2	0.4827	18.75	34.15	yes	music wire	4J
C.279.250.0762.I	27.9	2.50	76.2	0.2378	28.25	33.86	yes	stainless steel	4I
C.279.250.0762.N	27.9	2.50	76.2	0.2769	28.25	33.86	yes	Zn coating	4J
C.279.250.0889.A	27.9	2.50	88.9	0.2359	32.00	38.56	yes	music wire	4I
C.279.250.0889.AP	27.9	2.50	88.9	0.4103	21.00	39.43	yes	music wire	4J
C.279.250.0889.I	27.9	2.50	88.9	0.2053	31.75	38.25	yes	stainless steel	4I
C.279.250.0889.N	27.9	2.50	88.9	0.2359	32.00	38.56	yes	Zn coating	4J
C.279.270.0320.A	27.9	2.70	32.0	1.0690	15.39	17.38	yes	music wire	4H
C.279.270.0320.AP	27.9	2.70	32.0	1.6362	12.42	16.65	yes	music wire	4I
C.279.270.0320.I	27.9	2.70	32.0	0.9300	15.12	17.05	yes	stainless steel	4H
C.279.270.0500.A	27.9	2.70	50.0	0.6300	21.33	24.69	yes	music wire	4H
C.279.270.0500.AP	27.9	2.70	50.0	0.9817	15.93	24.41	yes	music wire	4J
C.279.270.0500.I	27.9	2.70	50.0	0.5481	21.06	24.36	yes	stainless steel	4I
C.279.270.0640.A	27.9	2.70	64.0	0.5000	25.11	29.34	yes	music wire	4I
C.279.270.0640.AP	27.9	2.70	64.0	0.7470	18.90	30.37	yes	music wire	4J
C.279.270.0640.I	27.9	2.70	64.0	0.4117	25.92	30.34	yes	stainless steel	4I
C.279.270.0760.A	27.9	2.70	76.0	0.3887	30.24	35.66	yes	music wire	4I
C.279.270.0760.AP	27.9	2.70	76.0	0.6247	21.33	35.79	yes	music wire	4J
C.279.270.0760.I	27.9	2.70	76.0	0.3382	29.97	35.33	yes	stainless steel	4I
C.279.270.0889.A	27.9	2.70	88.9	0.3560	32.40	38.32	yes	music wire	4I
C.279.270.0889.AP	27.9	2.70	88.9	0.5286	24.03	41.38	yes	music wire	4J
C.279.270.0889.I	27.9	2.70	88.9	0.3097	32.13	37.98	yes	stainless steel	4I
C.279.270.0890.A	27.9	2.70	89.0	0.3400	33.75	39.98	yes	music wire	4I
C.279.270.0890.AP	27.9	2.70	89.0	0.5286	24.03	41.48	yes	music wire	4J
C.279.270.0890.I	27.9	2.70	89.0	0.2958	33.21	39.31	yes	stainless steel	4I
C.279.270.1020.A	27.9	2.70	102.0	0.2874	38.61	45.96	yes	music wire	4I
C.279.270.1020.AP	27.9	2.70	102.0	0.4581	26.73	47.17	yes	music wire	4J
C.279.270.1020.I	27.9	2.70	102.0	0.2500	38.07	45.29	yes	stainless steel	4I
C.279.270.1150.A	27.9	2.70	115.0	0.2600	41.85	49.95	yes	music wire	4I
C.279.270.1150.AP	27.9	2.70	115.0	0.4042	29.43	52.86	yes	music wire	4K
C.279.270.1150.I	27.9	2.70	115.0	0.2200	42.39	50.61	yes	stainless steel	4I
C.279.280.0224.A	27.9	2.80	22.4	1.6196	13.72	15.20	yes	music wire	4I
C.279.280.0224.AP	27.9	2.80	22.4	2.8753	10.92	12.74	yes	music wire	4J
C.279.280.0224.I	27.9	2.80	22.4	1.3910	13.72	15.20	yes	stainless steel	4I
C.279.280.0224.N	27.9	2.80	22.4	1.6196	13.72	15.20	yes	Zn coating	4J
C.279.280.0254.A	27.9	2.80	25.4	1.4103	14.84	16.57	yes	music wire	4I
C.279.280.0254.AP	27.9	2.80	25.4	2.3679	11.76	13.67	yes	music wire	4J
C.279.280.0254.I	27.9	2.80	25.4	1.2113	14.84	16.57	yes	stainless steel	4I
C.279.280.0254.N	27.9	2.80	25.4	1.4103	14.84	16.57	yes	Zn coating	4J
C.279.280.0305.A	27.9	2.80	30.5	1.1063	17.08	19.30	yes	music wire	4I
C.279.280.0305.AP	27.9	2.80	30.5	1.9169	12.88	16.01	yes	music wire	4J
C.279.280.0305.I	27.9	2.80	30.5	0.9625	16.80	18.96	yes	stainless steel	4I
C.279.280.0318.A	27.9	2.80	31.8	1.1206	16.80	18.96	yes	music wire	4I
C.279.280.0318.AP	27.9	2.80	31.8	1.8297	13.16	16.62	yes	music wire	4J
C.279.280.0318.I	27.9	2.80	31.8	0.9750	16.80	18.96	yes	stainless steel	4I
C.279.280.0318.N	27.9	2.80	31.8	1.1206	16.80	18.96	yes	Zn coating	4J
C.279.280.0320.A	27.9	2.80	32.0	1.3793	15.12	16.91	yes	music wire	4I
C.279.280.0320.AP	27.9	2.80	32.0	1.8297	13.16	16.82	yes	music wire	4J
C.279.280.0320.I	27.9	2.80	32.0	1.2000	14.84	16.57	yes	stainless steel	4I
C.279.280.0381.A	27.9	2.80	38.1	0.9297	19.04	21.70	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.279.280.0381.AP	27.9	2.80	38.1	1.4909	14.56	19.47	yes	music wire	4J
C.279.280.0381.I	27.9	2.80	38.1	0.8000	19.04	21.70	yes	stainless steel	4I
C.279.280.0381.N	27.9	2.80	38.1	0.9297	19.04	21.70	yes	Zn coating	4J
C.279.280.0444.A	27.9	2.80	44.4	0.7944	21.00	24.09	yes	music wire	4I
C.279.280.0444.AP	27.9	2.80	44.4	1.2580	15.68	22.32	yes	music wire	4J
C.279.280.0444.I	27.9	2.80	44.4	0.6911	20.72	23.75	yes	stainless steel	4I
C.279.280.0444.N	27.9	2.80	44.4	0.7944	21.00	24.09	yes	Zn coating	4J
C.279.280.0457.A	27.9	2.80	45.7	0.7842	21.00	24.09	yes	music wire	4I
C.279.280.0457.AP	27.9	2.80	45.7	1.2198	15.96	22.93	yes	music wire	4J
C.279.280.0457.I	27.9	2.80	45.7	0.6823	21.00	24.09	yes	stainless steel	4I
C.279.280.0508.A	27.9	2.80	50.8	0.6846	23.24	26.82	yes	music wire	4I
C.279.280.0508.AP	27.9	2.80	50.8	1.0880	17.08	25.27	yes	music wire	4J
C.279.280.0508.I	27.9	2.80	50.8	0.5956	22.96	26.48	yes	stainless steel	4I
C.279.280.0559.A	27.9	2.80	55.9	0.6074	25.20	29.21	yes	music wire	4I
C.279.280.0559.AP	27.9	2.80	55.9	0.9818	18.20	27.61	yes	music wire	4K
C.279.280.0559.I	27.9	2.80	55.9	0.5284	24.92	28.87	yes	stainless steel	4I
C.279.280.0572.A	27.9	2.80	57.2	0.6152	24.92	28.87	yes	music wire	4I
C.279.280.0572.AP	27.9	2.80	57.2	0.9584	18.48	28.22	yes	music wire	4K
C.279.280.0572.I	27.9	2.80	57.2	0.5352	24.92	28.87	yes	stainless steel	4I
C.279.280.0572.N	27.9	2.80	57.2	0.6152	24.92	28.87	yes	Zn coating	4J
C.279.280.0635.A	27.9	2.80	63.5	0.5458	27.44	31.95	yes	music wire	4I
C.279.280.0635.AP	27.9	2.80	63.5	0.8565	19.88	31.07	yes	music wire	4K
C.279.280.0635.I	27.9	2.80	63.5	0.4749	27.16	31.61	yes	stainless steel	4I
C.279.280.0640.A	27.9	2.80	64.0	0.6437	24.36	28.19	yes	music wire	4I
C.279.280.0640.I	27.9	2.80	64.0	0.5600	24.08	27.85	yes	stainless steel	4I
C.279.280.0762.A	27.9	2.80	76.2	0.4597	31.08	36.39	yes	music wire	4I
C.279.280.0762.AP	27.9	2.80	76.2	0.7062	22.68	36.87	yes	music wire	4L
C.279.280.0762.I	27.9	2.80	76.2	0.3949	31.08	36.39	yes	stainless steel	4I
C.279.280.0762.N	27.9	2.80	76.2	0.4597	31.08	36.39	yes	Zn coating	4J
C.279.280.0889.A	27.9	2.80	88.9	0.3934	35.28	41.52	yes	music wire	4I
C.279.280.0889.AP	27.9	2.80	88.9	0.5920	25.76	41.98	yes	music wire	4L
C.279.280.0889.I	27.9	2.80	88.9	0.3379	35.28	41.52	yes	stainless steel	4J
C.279.280.0889.N	27.9	2.80	88.9	0.3934	35.28	41.52	yes	Zn coating	4J
C.279.280.1016.A	27.9	2.80	101.6	0.3438	39.20	46.30	yes	music wire	4J
C.279.280.1016.AP	27.9	2.80	101.6	0.5161	28.56	47.78	yes	music wire	4L
C.279.280.1016.I	27.9	2.80	101.6	0.2953	39.20	46.30	yes	stainless steel	4J
C.279.280.1016.N	27.9	2.80	101.6	0.3438	39.20	46.30	yes	Zn coating	4K
C.279.280.1143.A	27.9	2.80	114.3	0.3032	43.68	51.77	yes	music wire	4J
C.279.280.1143.AP	27.9	2.80	114.3	0.4574	31.36	53.58	yes	music wire	4L
C.279.280.1143.I	27.9	2.80	114.3	0.2605	43.68	51.77	yes	stainless steel	4J
C.279.280.1143.N	27.9	2.80	114.3	0.3032	43.68	51.77	yes	Zn coating	4L
C.279.300.0224.A	27.9	3.00	22.4	1.9498	15.60	17.25	yes	music wire	4I
C.279.300.0224.AP	27.9	3.00	22.4	3.6290	12.00	13.14	yes	music wire	4J
C.279.300.0224.I	27.9	3.00	22.4	1.7000	15.60	17.25	yes	stainless steel	4I
C.279.300.0224.N	27.9	3.00	22.4	1.9498	15.60	17.25	yes	Zn coating	4J
C.279.300.0250.A	27.9	3.00	25.0	2.6437	13.50	14.72	yes	music wire	4I
C.279.300.0250.I	27.9	3.00	25.0	2.3000	13.50	14.72	yes	stainless steel	4I
C.279.300.0254.A	27.9	3.00	25.4	1.7354	16.80	18.69	yes	music wire	4I
C.279.300.0254.AP	27.9	3.00	25.4	3.2020	12.60	14.91	yes	music wire	4J
C.279.300.0254.I	27.9	3.00	25.4	1.4905	16.80	18.69	yes	stainless steel	4I
C.279.300.0254.N	27.9	3.00	25.4	1.7354	16.80	18.69	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.279.300.0305.A	27.9	3.00	30.5	1.3439	19.50	21.94	yes	music wire	4I
C.279.300.0305.AP	27.9	3.00	30.5	2.4743	14.10	16.92	yes	music wire	4J
C.279.300.0305.I	27.9	3.00	30.5	1.1692	19.20	21.58	yes	stainless steel	4I
C.279.300.0318.A	27.9	3.00	31.8	1.3612	19.20	21.58	yes	music wire	4I
C.279.300.0318.AP	27.9	3.00	31.8	2.3667	14.40	17.61	yes	music wire	4J
C.279.300.0318.I	27.9	3.00	31.8	1.1843	19.20	21.58	yes	stainless steel	4I
C.279.300.0318.N	27.9	3.00	31.8	1.3612	19.20	21.58	yes	Zn coating	4J
C.279.300.0381.A	27.9	3.00	38.1	1.1198	21.90	24.83	yes	music wire	4I
C.279.300.0381.AP	27.9	3.00	38.1	1.9441	15.60	20.82	yes	music wire	4J
C.279.300.0381.I	27.9	3.00	38.1	0.9618	21.90	24.83	yes	stainless steel	4I
C.279.300.0381.N	27.9	3.00	38.1	1.1198	21.90	24.83	yes	Zn coating	4J
C.279.300.0444.A	27.9	3.00	44.4	0.9656	24.00	27.36	yes	music wire	4I
C.279.300.0444.AP	27.9	3.00	44.4	1.6010	17.40	23.42	yes	music wire	4J
C.279.300.0444.I	27.9	3.00	44.4	0.8401	24.00	27.36	yes	stainless steel	4I
C.279.300.0444.N	27.9	3.00	44.4	0.9656	24.00	27.36	yes	Zn coating	4J
C.279.300.0450.A	27.9	3.00	45.0	1.4000	18.90	21.22	yes	music wire	4J
C.279.300.0450.I	27.9	3.00	45.0	1.1000	20.10	22.66	yes	stainless steel	4I
C.279.300.0457.A	27.9	3.00	45.7	0.9533	24.30	27.72	yes	music wire	4I
C.279.300.0457.AP	27.9	3.00	45.7	1.5553	17.70	24.10	yes	music wire	4J
C.279.300.0457.I	27.9	3.00	45.7	0.8294	24.00	27.36	yes	stainless steel	4I
C.279.300.0508.A	27.9	3.00	50.8	0.8375	26.70	30.60	yes	music wire	4I
C.279.300.0508.AP	27.9	3.00	50.8	1.3958	18.90	26.73	yes	music wire	4J
C.279.300.0508.I	27.9	3.00	50.8	0.7194	26.70	30.60	yes	stainless steel	4I
C.279.300.0508.N	27.9	3.00	50.8	0.8375	26.70	30.60	yes	Zn coating	4J
C.279.300.0559.A	27.9	3.00	55.9	0.7300	29.40	33.85	yes	music wire	4I
C.279.300.0559.AP	27.9	3.00	55.9	1.2372	20.40	28.75	yes	music wire	4K
C.279.300.0559.I	27.9	3.00	55.9	0.6351	29.10	33.49	yes	stainless steel	4I
C.279.300.0570.A	27.9	3.00	57.0	1.0000	23.40	26.63	yes	music wire	4I
C.279.300.0570.I	27.9	3.00	57.0	0.8600	23.40	26.63	yes	stainless steel	4I
C.279.300.0572.A	27.9	3.00	57.2	0.7394	29.10	33.49	yes	music wire	4I
C.279.300.0572.AP	27.9	3.00	57.2	1.2097	20.70	29.43	yes	music wire	4K
C.279.300.0572.I	27.9	3.00	57.2	0.6433	28.80	33.13	yes	stainless steel	4I
C.279.300.0572.N	27.9	3.00	57.2	0.7394	29.10	33.49	yes	Zn coating	4J
C.279.300.0635.A	27.9	3.00	63.5	0.6689	31.50	36.38	yes	music wire	4I
C.279.300.0635.AP	27.9	3.00	63.5	1.0887	22.20	32.65	yes	music wire	4K
C.279.300.0635.I	27.9	3.00	63.5	0.5820	31.20	36.02	yes	stainless steel	4I
C.279.300.0635.N	27.9	3.00	63.5	0.6689	31.50	36.38	yes	Zn coating	4J
C.279.300.0760.A	27.9	3.00	76.0	0.7400	29.10	33.49	yes	music wire	4L
C.279.300.0760.I	27.9	3.00	76.0	0.6438	28.80	33.13	yes	stainless steel	4L
C.279.300.0762.A	27.9	3.00	76.2	0.5520	36.60	42.52	yes	music wire	4I
C.279.300.0762.AP	27.9	3.00	76.2	0.8924	25.50	38.56	yes	music wire	4L
C.279.300.0762.I	27.9	3.00	76.2	0.4802	36.30	42.16	yes	stainless steel	4I
C.279.300.0762.N	27.9	3.00	76.2	0.5520	36.60	42.52	yes	Zn coating	4J
C.279.300.0889.A	27.9	3.00	88.9	0.4733	41.40	48.29	yes	music wire	4I
C.279.300.0889.AP	27.9	3.00	88.9	0.7560	28.80	44.47	yes	music wire	4L
C.279.300.0889.I	27.9	3.00	88.9	0.4118	40.80	47.57	yes	stainless steel	4J
C.279.300.0889.N	27.9	3.00	88.9	0.4733	41.40	48.29	yes	Zn coating	4J
C.279.300.0890.A	27.9	3.00	89.0	0.6300	33.00	38.19	yes	music wire	4L
C.279.300.0890.I	27.9	3.00	89.0	0.5481	32.70	37.82	yes	stainless steel	4L
C.279.300.1016.A	27.9	3.00	101.6	0.4143	46.20	54.07	yes	music wire	4J
C.279.300.1016.AP	27.9	3.00	101.6	0.6558	32.10	50.38	yes	music wire	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.279.300.1016.I	27.9	3.00	101.6	0.3604	45.60	53.35	yes	stainless steel	4J
C.279.300.1016.N	27.9	3.00	101.6	0.4143	46.20	54.07	yes	Zn coating	4K
C.279.300.1143.A	27.9	3.00	114.3	0.3662	51.30	60.21	yes	music wire	4J
C.279.300.1143.AP	27.9	3.00	114.3	0.5791	35.10	56.29	yes	music wire	4L
C.279.300.1143.I	27.9	3.00	114.3	0.3186	50.70	59.48	yes	stainless steel	4J
C.279.300.1143.N	27.9	3.00	114.3	0.3662	51.30	60.21	yes	Zn coating	4L
C.279.320.0220.A	27.9	3.20	22.0	3.4000	14.72	15.99	yes	music wire	4J
C.279.320.0220.AP	27.9	3.20	22.0	4.8129	12.80	13.71	yes	music wire	4L
C.279.320.0220.I	27.9	3.20	22.0	3.2677	14.08	15.23	yes	stainless steel	4J
C.279.320.0224.A	27.9	3.20	22.4	2.8623	16.00	17.51	yes	music wire	4J
C.279.320.0224.AP	27.9	3.20	22.4	4.8129	12.80	14.07	yes	music wire	4L
C.279.320.0224.I	27.9	3.20	22.4	2.4902	15.68	17.13	yes	stainless steel	4J
C.279.320.0250.A	27.9	3.20	25.0	3.1268	15.36	16.75	yes	music wire	4J
C.279.320.0250.AP	27.9	3.20	25.0	4.0107	13.76	15.00	yes	music wire	4L
C.279.320.0250.I	27.9	3.20	25.0	2.7204	15.04	16.37	yes	stainless steel	4J
C.279.320.0450.A	27.9	3.20	45.0	1.4943	23.04	25.89	yes	music wire	4J
C.279.320.0450.AP	27.9	3.20	45.0	2.0054	19.20	25.00	yes	music wire	4M
C.279.320.0450.I	27.9	3.20	45.0	1.3000	23.04	25.89	yes	stainless steel	4J
C.279.320.0570.A	27.9	3.20	57.0	1.2063	26.88	30.46	yes	music wire	4J
C.279.320.0570.I	27.9	3.20	57.0	1.0494	26.56	30.07	yes	stainless steel	4J
C.279.320.0635.A	27.9	3.20	63.5	0.9501	32.00	36.54	yes	music wire	4J
C.279.320.0635.AP	27.9	3.20	63.5	1.3621	24.64	34.05	yes	music wire	4M
C.279.320.0635.I	27.9	3.20	63.5	0.8266	31.68	36.16	yes	stainless steel	4J
C.279.320.0760.A	27.9	3.20	76.0	0.8748	33.92	38.83	yes	music wire	4J
C.279.320.0760.I	27.9	3.20	76.0	0.7611	33.60	38.45	yes	stainless steel	4J
C.279.320.0762.A	27.9	3.20	76.2	0.7816	37.12	42.63	yes	music wire	4J
C.279.320.0762.AP	27.9	3.20	76.2	1.1280	28.16	40.64	yes	music wire	4M
C.279.320.0762.I	27.9	3.20	76.2	0.6800	36.80	42.25	yes	stainless steel	4J
C.279.320.0889.A	27.9	3.20	88.9	0.6689	41.92	48.34	yes	music wire	4J
C.279.320.0889.AP	27.9	3.20	88.9	0.9499	32.00	46.68	yes	music wire	4M
C.279.320.0889.I	27.9	3.20	88.9	0.5820	41.60	47.96	yes	stainless steel	4K
C.279.320.1016.A	27.9	3.20	101.6	0.5847	46.72	54.05	yes	music wire	4K
C.279.320.1016.AP	27.9	3.20	101.6	0.8204	35.52	52.71	yes	music wire	4M
C.279.320.1016.I	27.9	3.20	101.6	0.5087	46.40	53.67	yes	stainless steel	4K
C.279.320.1143.A	27.9	3.20	114.3	0.5162	51.84	60.14	yes	music wire	4K
C.279.320.1143.AP	27.9	3.20	114.3	0.7292	39.04	59.30	yes	music wire	4N
C.279.320.1143.I	27.9	3.20	114.3	0.4491	51.52	59.76	yes	stainless steel	4L
C.279.340.0380.A	27.9	3.40	38.0	2.4000	21.76	24.12	yes	music wire	4J
C.279.340.0380.AP	27.9	3.40	38.0	3.0412	18.70	22.43	yes	music wire	4M
C.279.340.0380.I	27.9	3.40	38.0	2.0880	21.42	23.72	yes	stainless steel	4J
C.279.340.0381.A	27.9	3.40	38.1	2.0312	24.14	26.92	yes	music wire	4J
C.279.340.0381.AP	27.9	3.40	38.1	3.0412	18.70	22.53	yes	music wire	4M
C.279.340.0381.I	27.9	3.40	38.1	1.7671	23.80	26.52	yes	stainless steel	4J
C.279.340.0450.A	27.9	3.40	45.0	2.0000	24.14	26.92	yes	music wire	4J
C.279.340.0450.AP	27.9	3.40	45.0	2.5480	20.74	26.42	yes	music wire	4M
C.279.340.0450.I	27.9	3.40	45.0	1.7000	24.48	27.32	yes	stainless steel	4J
C.279.340.0500.A	27.9	3.40	50.0	1.7000	26.86	30.13	yes	music wire	4J
C.279.340.0500.AP	27.9	3.40	50.0	2.2447	22.44	28.90	yes	music wire	4M
C.279.340.0500.I	27.9	3.40	50.0	1.4790	26.86	30.13	yes	stainless steel	4J
C.279.340.0508.A	27.9	3.40	50.8	1.4877	29.58	33.33	yes	music wire	4J
C.279.340.0508.AP	27.9	3.40	50.8	2.1925	22.78	29.20	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.279.340.0508.I	27.9	3.40	50.8	1.2943	29.24	32.93	yes	stainless steel	4J
C.279.340.0570.A	27.9	3.40	57.0	1.5000	29.58	33.33	yes	music wire	4J
C.279.340.0570.AP	27.9	3.40	57.0	1.9240	24.82	32.39	yes	music wire	4M
C.279.340.0570.I	27.9	3.40	57.0	1.3000	29.24	32.93	yes	stainless steel	4J
C.279.340.0635.A	27.9	3.40	63.5	1.1737	35.36	40.14	yes	music wire	4J
C.279.340.0635.AP	27.9	3.40	63.5	1.7141	26.86	35.87	yes	music wire	4M
C.279.340.0635.I	27.9	3.40	63.5	1.0211	35.02	39.74	yes	stainless steel	4J
C.279.340.0760.A	27.9	3.40	76.0	1.1000	37.06	42.14	yes	music wire	4J
C.279.340.0760.I	27.9	3.40	76.0	0.9570	36.72	41.74	yes	stainless steel	4J
C.279.340.0762.A	27.9	3.40	76.2	0.9692	41.14	46.95	yes	music wire	4J
C.279.340.0762.AP	27.9	3.40	76.2	1.4071	30.94	42.55	yes	music wire	4M
C.279.340.0762.I	27.9	3.40	76.2	0.8432	40.46	46.15	yes	stainless steel	4J
C.279.340.0889.A	27.9	3.40	88.9	0.8253	46.58	53.35	yes	music wire	4J
C.279.340.0889.AP	27.9	3.40	88.9	1.1785	35.36	48.72	yes	music wire	4M
C.279.340.0889.I	27.9	3.40	88.9	0.7180	46.24	52.95	yes	stainless steel	4K
C.279.340.0890.A	27.9	3.40	89.0	0.9100	43.18	49.35	yes	music wire	4J
C.279.340.0890.AP	27.9	3.40	89.0	1.1785	35.36	48.82	yes	music wire	4M
C.279.340.0890.I	27.9	3.40	89.0	0.7917	42.50	48.55	yes	stainless steel	4K
C.279.340.1016.A	27.9	3.40	101.6	0.7229	52.02	59.76	yes	music wire	4K
C.279.340.1016.AP	27.9	3.40	101.6	1.0247	39.10	55.39	yes	music wire	4M
C.279.340.1016.I	27.9	3.40	101.6	0.6289	51.34	58.96	yes	stainless steel	4K
C.279.340.1020.A	27.9	3.40	102.0	0.7900	48.28	55.36	yes	music wire	4K
C.279.340.1020.AP	27.9	3.40	102.0	1.0247	39.10	55.79	yes	music wire	4M
C.279.340.1020.I	27.9	3.40	102.0	0.6873	47.94	54.96	yes	stainless steel	4K
C.279.340.1143.A	27.9	3.40	114.3	0.6397	57.80	66.57	yes	music wire	4K
C.279.340.1143.AP	27.9	3.40	114.3	0.9065	43.18	62.06	yes	music wire	4N
C.279.340.1143.I	27.9	3.40	114.3	0.5566	57.12	65.77	yes	stainless steel	4L
C.279.340.1150.A	27.9	3.40	115.0	0.6900	54.06	62.16	yes	music wire	4K
C.279.340.1150.AP	27.9	3.40	115.0	0.8979	43.52	62.26	yes	music wire	4N
C.279.340.1150.I	27.9	3.40	115.0	0.6000	53.72	61.76	yes	stainless steel	4L
C.279.340.1270.A	27.9	3.40	127.0	0.6200	59.16	68.17	yes	music wire	4L
C.279.340.1270.AP	27.9	3.40	127.0	0.8127	47.26	68.73	yes	music wire	4N
C.279.340.1270.I	27.9	3.40	127.0	0.5000	62.56	72.18	yes	stainless steel	4L
C.279.360.0450.A	27.9	3.60	45.0	2.6000	25.56	28.35	yes	music wire	4M
C.279.360.0450.I	27.9	3.60	45.0	2.2000	25.92	28.77	yes	stainless steel	4M
C.279.360.0500.A	27.9	3.60	50.0	2.1839	28.80	32.13	yes	music wire	4M
C.279.360.0500.AP	27.9	3.60	50.0	2.7601	24.48	29.95	yes	music wire	4O
C.279.360.0500.I	27.9	3.60	50.0	1.9000	28.44	31.71	yes	stainless steel	4M
C.279.360.0700.A	27.9	3.60	70.0	1.5000	37.80	42.65	yes	music wire	4M
C.279.360.0700.AP	27.9	3.60	70.0	1.8976	31.68	40.83	yes	music wire	4O
C.279.360.0700.I	27.9	3.60	70.0	1.3000	37.44	42.23	yes	stainless steel	4M
C.279.360.0762.A	27.9	3.60	76.2	1.3559	40.68	46.01	yes	music wire	4M
C.279.360.0762.AP	27.9	3.60	76.2	1.7349	33.84	44.30	yes	music wire	4O
C.279.360.0762.I	27.9	3.60	76.2	1.1796	40.32	45.59	yes	stainless steel	4M
C.279.360.0762.N	27.9	3.60	76.2	1.3559	40.68	46.01	yes	Zn coating	4O
C.279.360.0850.A	27.9	3.60	85.0	1.1000	47.88	54.43	yes	music wire	4M
C.279.360.0850.AP	27.9	3.60	85.0	1.5373	37.08	49.00	yes	music wire	4O
C.279.360.0850.I	27.9	3.60	85.0	0.9500	47.88	54.43	yes	stainless steel	4M
C.279.360.0889.A	27.9	3.60	88.9	1.1525	46.08	52.32	yes	music wire	4M
C.279.360.0889.AP	27.9	3.60	88.9	1.4632	38.52	51.07	yes	music wire	4O
C.279.360.0889.I	27.9	3.60	88.9	1.0000	45.72	51.90	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.279.360.0889.N	27.9	3.60	88.9	1.1525	46.08	52.32	yes	Zn coating	4O
C.279.360.0890.A	27.9	3.60	89.0	1.1494	46.44	52.74	yes	music wire	4M
C.279.360.0890.AP	27.9	3.60	89.0	1.4632	38.52	51.17	yes	music wire	4O
C.279.360.0890.I	27.9	3.60	89.0	1.0000	45.72	51.90	yes	stainless steel	4M
C.279.360.1016.A	27.9	3.60	101.6	1.0081	51.48	58.63	yes	music wire	4M
C.279.360.1016.I	27.9	3.60	101.6	0.8771	51.12	58.21	yes	stainless steel	4M
C.279.360.1016.N	27.9	3.60	101.6	1.0081	51.48	58.63	yes	Zn coating	4O
C.279.360.1020.A	27.9	3.60	102.0	1.0115	51.48	58.63	yes	music wire	4M
C.279.360.1020.I	27.9	3.60	102.0	0.8800	50.76	57.79	yes	stainless steel	4M
C.279.360.1143.A	27.9	3.60	114.3	0.8912	57.24	65.36	yes	music wire	4M
C.279.360.1143.I	27.9	3.60	114.3	0.7753	56.52	64.52	yes	stainless steel	4N
C.279.360.1143.N	27.9	3.60	114.3	0.8912	57.24	65.36	yes	Zn coating	4O
C.279.360.1150.A	27.9	3.60	115.0	0.8736	58.32	66.62	yes	music wire	4M
C.279.360.1150.AP	27.9	3.60	115.0	1.1142	47.52	65.32	yes	music wire	4P
C.279.360.1150.I	27.9	3.60	115.0	0.7600	57.60	65.78	yes	stainless steel	4N
C.279.360.1270.A	27.9	3.60	127.0	0.8000	62.64	71.67	yes	music wire	4N
C.279.360.1270.AP	27.9	3.60	127.0	1.0037	51.84	71.85	yes	music wire	4P
C.279.360.1270.I	27.9	3.60	127.0	0.6800	63.36	72.51	yes	stainless steel	4N
C.279.360.1270.N	27.9	3.60	127.0	0.8000	62.64	71.67	yes	Zn coating	4O
C.279.380.0450.A	27.9	3.80	45.0	3.1000	28.12	31.11	yes	music wire	4M
C.279.380.0450.AP	27.9	3.80	45.0	3.8638	24.32	28.41	yes	music wire	4O
C.279.380.0450.I	27.9	3.80	45.0	2.6000	28.50	31.55	yes	stainless steel	4M
C.279.380.0500.A	27.9	3.80	50.0	2.6000	31.54	35.07	yes	music wire	4M
C.279.380.0500.AP	27.9	3.80	50.0	3.4345	26.22	31.33	yes	music wire	4O
C.279.380.0500.I	27.9	3.80	50.0	2.2620	31.54	35.07	yes	stainless steel	4M
C.279.380.0640.A	27.9	3.80	64.0	2.0000	38.38	43.01	yes	music wire	4M
C.279.380.0640.AP	27.9	3.80	64.0	2.5758	31.92	39.11	yes	music wire	4O
C.279.380.0640.I	27.9	3.80	64.0	1.7000	38.76	43.45	yes	stainless steel	4M
C.279.380.0700.A	27.9	3.80	70.0	1.8000	41.42	46.54	yes	music wire	4M
C.279.380.0700.AP	27.9	3.80	70.0	2.3417	34.20	42.62	yes	music wire	4O
C.279.380.0700.I	27.9	3.80	70.0	1.5660	41.04	46.10	yes	stainless steel	4M
C.279.380.0890.A	27.9	3.80	89.0	1.4000	50.54	57.12	yes	music wire	4M
C.279.380.0890.AP	27.9	3.80	89.0	1.7971	41.42	53.32	yes	music wire	4O
C.279.380.0890.I	27.9	3.80	89.0	1.2000	50.92	57.56	yes	stainless steel	4M
C.279.380.1150.A	27.9	3.80	115.0	1.1000	61.94	70.35	yes	music wire	4M
C.279.380.1150.AP	27.9	3.80	115.0	1.3677	51.68	68.12	yes	music wire	4P
C.279.380.1150.I	27.9	3.80	115.0	0.9000	64.60	73.43	yes	stainless steel	4N
C.279.380.1270.A	27.9	3.80	127.0	0.9310	71.44	81.37	yes	music wire	4N
C.279.380.1270.AP	27.9	3.80	127.0	1.2364	56.24	75.14	yes	music wire	4P
C.279.380.1270.I	27.9	3.80	127.0	0.8100	70.68	80.49	yes	stainless steel	4N
C.280.160.0157.A	28.0	1.60	15.7	0.3299	5.76	6.65	yes	music wire	4E
C.280.160.0157.I	28.0	1.60	15.7	0.2833	5.76	6.65	yes	stainless steel	4F
C.280.160.0159.A	28.0	1.60	15.9	0.3299	5.76	6.65	yes	music wire	4E
C.280.160.0159.I	28.0	1.60	15.9	0.2833	5.76	6.65	yes	stainless steel	4F
C.280.160.0224.A	28.0	1.60	22.4	0.2592	6.24	7.38	yes	music wire	4F
C.280.160.0224.I	28.0	1.60	22.4	0.2226	6.24	7.38	yes	stainless steel	4F
C.280.160.0305.A	28.0	1.60	30.5	0.1910	7.04	8.59	yes	music wire	4F
C.280.160.0305.I	28.0	1.60	30.5	0.1640	7.04	8.59	yes	stainless steel	4G
C.280.160.0490.A	28.0	1.60	49.0	0.1296	8.48	10.76	yes	music wire	4G
C.280.160.0490.I	28.0	1.60	49.0	0.1113	8.48	10.76	yes	stainless steel	4G
C.280.160.0550.A	28.0	1.60	55.0	0.1037	9.60	12.45	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.160.0550.I	28.0	1.60	55.0	0.0891	9.60	12.45	yes	stainless steel	4G
C.280.160.0550.N	28.0	1.60	55.0	0.1037	9.60	12.45	yes	Zn coating	4I
C.280.160.0685.A	28.0	1.60	68.5	0.1037	9.60	12.45	yes	music wire	4I
C.280.160.0685.I	28.0	1.60	68.5	0.0891	9.60	12.45	yes	stainless steel	4I
C.280.160.0685.N	28.0	1.60	68.5	0.1037	9.60	12.45	yes	Zn coating	4J
C.280.160.0850.A	28.0	1.60	85.0	0.0660	12.80	17.27	yes	music wire	4H
C.280.160.0850.I	28.0	1.60	85.0	0.0567	12.80	17.27	yes	stainless steel	4H
C.280.160.0850.N	28.0	1.60	85.0	0.0660	12.80	17.27	yes	Zn coating	4I
C.280.160.1060.A	28.0	1.60	106.0	0.0660	12.80	17.79	yes	music wire	4J
C.280.160.1060.I	28.0	1.60	106.0	0.0567	12.80	17.27	yes	stainless steel	4J
C.280.160.1060.N	28.0	1.60	106.0	0.0660	12.80	17.79	yes	Zn coating	4L
C.280.160.1300.A	28.0	1.60	130.0	0.0427	17.60	24.51	yes	music wire	4I
C.280.160.1300.I	28.0	1.60	130.0	0.0367	17.60	24.51	yes	stainless steel	4I
C.280.160.1300.N	28.0	1.60	130.0	0.0427	17.60	24.51	yes	Zn coating	4J
C.280.160.1810.A	28.0	1.60	181.0	0.0382	19.20	28.60	yes	music wire	4L
C.280.160.1810.I	28.0	1.60	181.0	0.0328	19.20	26.93	yes	stainless steel	4L
C.280.160.1810.N	28.0	1.60	181.0	0.0382	19.20	28.60	yes	Zn coating	4M
C.280.160.2060.A	28.0	1.60	206.0	0.0269	25.60	36.58	yes	music wire	4J
C.280.160.2060.I	28.0	1.60	206.0	0.0231	25.60	36.58	yes	stainless steel	4J
C.280.160.2060.N	28.0	1.60	206.0	0.0269	25.60	36.58	yes	Zn coating	4K
C.280.160.2920.A	28.0	1.60	292.0	0.0234	28.80	43.21	yes	music wire	4M
C.280.160.2920.I	28.0	1.60	292.0	0.0201	28.80	41.41	yes	stainless steel	4M
C.280.160.2920.N	28.0	1.60	292.0	0.0234	28.80	43.21	yes	Zn coating	4O
C.280.170.0440.A	28.0	1.70	44.0	0.1799	8.67	10.70	yes	music wire	4G
C.280.170.0440.I	28.0	1.70	44.0	0.1545	8.67	10.70	yes	stainless steel	4G
C.280.170.1150.A	28.0	1.70	115.0	0.0659	16.32	21.86	yes	music wire	4I
C.280.170.1150.I	28.0	1.70	115.0	0.0566	16.32	21.86	yes	stainless steel	4I
C.280.170.1950.A	28.0	1.70	195.0	0.0387	24.82	34.26	yes	music wire	4I
C.280.170.1950.I	28.0	1.70	195.0	0.0332	24.82	34.26	yes	stainless steel	4J
C.280.175.0380.A	28.0	1.75	38.0	0.2297	8.40	10.16	yes	music wire	4F
C.280.175.0380.I	28.0	1.75	38.0	0.1973	8.40	10.16	yes	stainless steel	4G
C.280.175.0610.A	28.0	1.75	61.0	0.1390	11.03	13.94	yes	music wire	4G
C.280.175.0610.I	28.0	1.75	61.0	0.1194	11.03	13.94	yes	stainless steel	4G
C.280.175.1850.A	28.0	1.75	185.0	0.0444	25.20	34.31	yes	music wire	4I
C.280.175.1850.I	28.0	1.75	185.0	0.0381	25.20	34.31	yes	stainless steel	4I
C.280.180.0280.A	28.0	1.80	28.0	0.3498	7.56	8.84	yes	music wire	4G
C.280.180.0280.I	28.0	1.80	28.0	0.3004	7.56	8.84	yes	stainless steel	4G
C.280.180.0420.A	28.0	1.80	42.0	0.2287	9.18	11.14	yes	music wire	4G
C.280.180.0420.I	28.0	1.80	42.0	0.1964	9.18	11.14	yes	stainless steel	4H
C.280.180.0600.A	28.0	1.80	60.0	0.1525	11.52	14.45	yes	music wire	4H
C.280.180.0600.I	28.0	1.80	60.0	0.1310	11.52	14.45	yes	stainless steel	4I
C.280.180.1400.A	28.0	1.80	140.0	0.0646	21.06	27.98	yes	music wire	4I
C.280.180.1400.I	28.0	1.80	140.0	0.0555	21.06	27.98	yes	stainless steel	4I
C.280.190.0350.A	28.0	1.90	35.0	0.3247	9.12	10.79	yes	music wire	4G
C.280.190.0350.I	28.0	1.90	35.0	0.2789	9.12	10.79	yes	stainless steel	4G
C.280.200.0250.A	28.0	2.00	25.0	0.4760	8.80	10.14	yes	music wire	4G
C.280.200.0250.I	28.0	2.00	25.0	0.4141	8.80	10.14	yes	stainless steel	4G
C.280.200.0250.N	28.0	2.00	25.0	0.4760	8.80	10.14	yes	Zn coating	4I
C.280.200.0320.A	28.0	2.00	32.0	0.3760	10.00	11.77	yes	music wire	4G
C.280.200.0320.I	28.0	2.00	32.0	0.3271	9.80	11.50	yes	stainless steel	4G
C.280.200.0320.N	28.0	2.00	32.0	0.3760	10.00	11.77	yes	Zn coating	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.200.0400.A	28.0	2.00	40.0	0.2850	11.60	13.93	yes	music wire	4G
C.280.200.0400.I	28.0	2.00	40.0	0.2480	11.40	13.66	yes	stainless steel	4H
C.280.200.0400.N	28.0	2.00	40.0	0.2850	11.60	13.93	yes	Zn coating	4I
C.280.200.0500.A	28.0	2.00	50.0	0.2300	13.00	15.83	yes	music wire	4H
C.280.200.0500.AF	28.0	2.00	50.0	0.1300	19.20	24.22	yes	music wire	4H
C.280.200.0500.I	28.0	2.00	50.0	0.2000	13.00	15.83	yes	stainless steel	4H
C.280.200.0500.N	28.0	2.00	50.0	0.2300	13.00	15.83	yes	Zn coating	4I
C.280.200.0500.NF	28.0	2.00	50.0	0.1300	19.20	24.22	yes	Zn coating	4I
C.280.200.0630.A	28.0	2.00	63.0	0.1780	15.40	19.08	yes	music wire	4H
C.280.200.0630.I	28.0	2.00	63.0	0.1549	15.20	18.81	yes	stainless steel	4I
C.280.200.0630.N	28.0	2.00	63.0	0.1780	15.40	19.08	yes	Zn coating	4I
C.280.200.0700.A	28.0	2.00	70.0	0.1855	15.00	18.54	yes	music wire	4I
C.280.200.0700.I	28.0	2.00	70.0	0.1593	15.00	18.54	yes	stainless steel	4I
C.280.200.0800.A	28.0	2.00	80.0	0.1400	18.20	22.87	yes	music wire	4I
C.280.200.0800.I	28.0	2.00	80.0	0.1218	18.00	22.60	yes	stainless steel	4I
C.280.200.0800.N	28.0	2.00	80.0	0.1400	18.20	22.87	yes	Zn coating	4I
C.280.200.0900.A	28.0	2.00	90.0	0.0520	40.60	53.18	yes	music wire	4I
C.280.200.0900.I	28.0	2.00	90.0	0.0452	40.20	52.64	yes	stainless steel	4I
C.280.200.0900.N	28.0	2.00	90.0	0.0520	40.60	53.18	yes	Zn coating	4J
C.280.200.1000.A	28.0	2.00	100.0	0.1100	21.80	27.74	yes	music wire	4I
C.280.200.1000.I	28.0	2.00	100.0	0.0957	21.60	27.47	yes	stainless steel	4I
C.280.200.1000.N	28.0	2.00	100.0	0.1100	21.80	27.74	yes	Zn coating	4J
C.280.200.1250.A	28.0	2.00	125.0	0.0880	26.00	33.42	yes	music wire	4I
C.280.200.1250.I	28.0	2.00	125.0	0.0766	25.80	33.15	yes	stainless steel	4I
C.280.200.1250.N	28.0	2.00	125.0	0.0880	26.00	33.42	yes	Zn coating	4J
C.280.200.1600.A	28.0	2.00	160.0	0.0680	32.20	41.82	yes	music wire	4I
C.280.200.1600.I	28.0	2.00	160.0	0.0592	32.00	41.54	yes	stainless steel	4J
C.280.200.1600.N	28.0	2.00	160.0	0.0680	32.20	41.82	yes	Zn coating	4J
C.280.200.3600.A	28.0	2.00	360.0	0.0300	68.80	90.65	no	music wire	4L
C.280.200.3600.I	28.0	2.00	360.0	0.0261	68.00	89.56	no	stainless steel	4M
C.280.210.0290.A	28.0	2.10	29.0	0.5702	9.45	10.83	yes	music wire	4G
C.280.210.0290.I	28.0	2.10	29.0	0.4897	9.45	10.83	yes	stainless steel	4G
C.280.210.1400.A	28.0	2.10	140.0	0.1046	28.14	35.65	yes	music wire	4I
C.280.210.1400.I	28.0	2.10	140.0	0.0899	28.14	35.65	yes	stainless steel	4I
C.280.220.0250.A	28.0	2.20	25.0	0.7130	9.68	10.96	yes	music wire	4G
C.280.220.0250.I	28.0	2.20	25.0	0.6203	9.68	10.96	yes	stainless steel	4G
C.280.220.0250.N	28.0	2.20	25.0	0.7130	9.68	10.96	yes	Zn coating	4I
C.280.220.0320.A	28.0	2.20	32.0	0.5350	11.22	12.97	yes	music wire	4G
C.280.220.0320.AP	28.0	2.20	32.0	0.7805	9.46	13.83	yes	music wire	4I
C.280.220.0320.I	28.0	2.20	32.0	0.4655	11.22	12.97	yes	stainless steel	4H
C.280.220.0320.N	28.0	2.20	32.0	0.5350	11.22	12.97	yes	Zn coating	4I
C.280.220.0400.A	28.0	2.20	40.0	0.4110	12.98	15.27	yes	music wire	4H
C.280.220.0400.I	28.0	2.20	40.0	0.3576	12.76	14.98	yes	stainless steel	4H
C.280.220.0400.N	28.0	2.20	40.0	0.4110	12.98	15.27	yes	Zn coating	4I
C.280.220.0500.A	28.0	2.20	50.0	0.3240	14.96	17.86	yes	music wire	4H
C.280.220.0500.AP	28.0	2.20	50.0	0.4845	11.88	20.73	yes	music wire	4J
C.280.220.0500.I	28.0	2.20	50.0	0.2819	14.74	17.57	yes	stainless steel	4I
C.280.220.0500.N	28.0	2.20	50.0	0.3240	14.96	17.86	yes	Zn coating	4I
C.280.220.0630.A	28.0	2.20	63.0	0.2490	17.82	21.59	yes	music wire	4I
C.280.220.0630.AP	28.0	2.20	63.0	0.3797	13.64	25.65	yes	music wire	4J
C.280.220.0630.I	28.0	2.20	63.0	0.2166	17.60	21.31	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.220.0630.N	28.0	2.20	63.0	0.2490	17.82	21.59	yes	Zn coating	4I
C.280.220.0800.A	28.0	2.20	80.0	0.1940	21.34	26.19	yes	music wire	4I
C.280.220.0800.I	28.0	2.20	80.0	0.1688	21.12	25.90	yes	stainless steel	4I
C.280.220.0800.N	28.0	2.20	80.0	0.1940	21.34	26.19	yes	Zn coating	4J
C.280.220.1000.A	28.0	2.20	100.0	0.1550	25.30	31.36	yes	music wire	4I
C.280.220.1000.I	28.0	2.20	100.0	0.1349	25.08	31.08	yes	stainless steel	4I
C.280.220.1000.N	28.0	2.20	100.0	0.1550	25.30	31.36	yes	Zn coating	4J
C.280.220.1250.A	28.0	2.20	125.0	0.1230	30.36	37.97	yes	music wire	4I
C.280.220.1250.I	28.0	2.20	125.0	0.1070	30.14	37.69	yes	stainless steel	4I
C.280.220.1250.N	28.0	2.20	125.0	0.1230	30.36	37.97	yes	Zn coating	4J
C.280.220.1600.A	28.0	2.20	160.0	0.0950	37.62	47.46	yes	music wire	4J
C.280.220.1600.I	28.0	2.20	160.0	0.0827	37.18	46.88	yes	stainless steel	4J
C.280.220.1600.N	28.0	2.20	160.0	0.0950	37.62	47.46	yes	Zn coating	4K
C.280.220.1850.A	28.0	2.20	185.0	0.0920	38.72	48.90	yes	music wire	4J
C.280.220.1850.I	28.0	2.20	185.0	0.0790	38.72	48.90	yes	stainless steel	4J
C.280.220.3600.A	28.0	2.20	360.0	0.0410	82.28	105.12	no	music wire	4M
C.280.220.3600.I	28.0	2.20	360.0	0.0357	81.40	103.97	no	stainless steel	4M
C.280.225.0320.A	28.0	2.25	32.0	0.6372	11.03	12.63	yes	music wire	4G
C.280.225.0320.I	28.0	2.25	32.0	0.5473	11.03	12.63	yes	stainless steel	4H
C.280.225.0800.A	28.0	2.25	80.0	0.2500	19.35	23.42	yes	music wire	4J
C.280.225.0800.I	28.0	2.25	80.0	0.2175	19.13	23.13	yes	stainless steel	4I
C.280.225.0800.N	28.0	2.25	80.0	0.2500	19.35	23.42	yes	Zn coating	4L
C.280.225.1000.A	28.0	2.25	100.0	0.2000	22.73	27.80	yes	music wire	4J
C.280.225.1000.I	28.0	2.25	100.0	0.1740	22.50	27.50	yes	stainless steel	4J
C.280.225.1000.N	28.0	2.25	100.0	0.2000	22.73	27.80	yes	Zn coating	4L
C.280.225.1250.A	28.0	2.25	125.0	0.1587	27.23	33.63	yes	music wire	4K
C.280.225.1250.I	28.0	2.25	125.0	0.1381	27.00	33.34	yes	stainless steel	4K
C.280.225.1250.N	28.0	2.25	125.0	0.1587	27.23	33.63	yes	Zn coating	4M
C.280.225.1600.A	28.0	2.25	160.0	0.1250	33.08	41.22	yes	music wire	4L
C.280.225.1600.I	28.0	2.25	160.0	0.1088	32.85	40.92	yes	stainless steel	4L
C.280.225.1600.N	28.0	2.25	160.0	0.1250	33.08	41.22	yes	Zn coating	4M
C.280.225.2000.A	28.0	2.25	200.0	0.1000	40.05	50.26	yes	music wire	4M
C.280.225.2000.I	28.0	2.25	200.0	0.0870	39.60	49.67	yes	stainless steel	4M
C.280.225.2000.N	28.0	2.25	200.0	0.1000	40.05	50.26	yes	Zn coating	4N
C.280.225.2500.A	28.0	2.25	250.0	0.0800	48.60	61.34	yes	music wire	4M
C.280.225.2500.I	28.0	2.25	250.0	0.0696	48.15	60.76	yes	stainless steel	4M
C.280.225.2500.N	28.0	2.25	250.0	0.0800	48.60	61.34	yes	Zn coating	4O
C.280.225.3200.A	28.0	2.25	320.0	0.0625	60.75	78.44	yes	music wire	4N
C.280.225.3200.I	28.0	2.25	320.0	0.0544	60.08	76.22	yes	stainless steel	4N
C.280.225.3200.N	28.0	2.25	320.0	0.0625	60.75	78.44	yes	Zn coating	4P
C.280.225.4000.A	28.0	2.25	400.0	0.0500	74.48	98.05	yes	music wire	4O
C.280.225.4000.I	28.0	2.25	400.0	0.0435	73.58	94.03	yes	stainless steel	4O
C.280.225.4000.N	28.0	2.25	400.0	0.0500	74.48	98.05	yes	Zn coating	4Q
C.280.230.1500.A	28.0	2.30	150.0	0.1322	34.96	43.35	yes	music wire	4I
C.280.230.1500.I	28.0	2.30	150.0	0.1136	34.96	43.35	yes	stainless steel	4J
C.280.230.2000.A	28.0	2.30	200.0	0.0982	45.08	56.38	yes	music wire	4J
C.280.230.2000.I	28.0	2.30	200.0	0.0844	45.08	56.38	yes	stainless steel	4J
C.280.235.0280.A	28.0	2.35	28.0	0.8767	10.81	12.19	yes	music wire	4G
C.280.235.0280.I	28.0	2.35	28.0	0.7530	10.81	12.19	yes	stainless steel	4H
C.280.235.0350.A	28.0	2.35	35.0	0.6575	12.46	14.29	yes	music wire	4G
C.280.235.0350.I	28.0	2.35	35.0	0.5648	12.46	14.29	yes	stainless steel	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.235.0540.A	28.0	2.35	54.0	0.4091	16.45	19.40	yes	music wire	4H
C.280.235.0540.I	28.0	2.35	54.0	0.3514	16.45	19.40	yes	stainless steel	4I
C.280.235.0660.A	28.0	2.35	66.0	0.3347	18.80	22.40	yes	music wire	4I
C.280.235.0660.I	28.0	2.35	66.0	0.2875	18.80	22.40	yes	stainless steel	4I
C.280.240.1400.A	28.0	2.40	140.0	0.1625	35.76	43.81	yes	music wire	4I
C.280.240.1400.I	28.0	2.40	140.0	0.1395	35.76	43.81	yes	stainless steel	4I
C.280.240.1950.A	28.0	2.40	195.0	0.1158	47.76	59.06	yes	music wire	4J
C.280.240.1950.I	28.0	2.40	195.0	0.0994	47.76	59.06	yes	stainless steel	4J
C.280.250.0250.A	28.0	2.50	25.0	1.1540	11.50	12.84	yes	music wire	4G
C.280.250.0250.AP	28.0	2.50	25.0	1.6221	10.00	12.53	yes	music wire	4I
C.280.250.0250.I	28.0	2.50	25.0	1.0040	11.50	12.84	yes	stainless steel	4H
C.280.250.0250.N	28.0	2.50	25.0	1.1540	11.50	12.84	yes	Zn coating	4I
C.280.250.0320.A	28.0	2.50	32.0	0.8400	13.50	15.36	yes	music wire	4H
C.280.250.0320.AP	28.0	2.50	32.0	1.2166	11.25	15.37	yes	music wire	4I
C.280.250.0320.I	28.0	2.50	32.0	0.7308	13.25	15.04	yes	stainless steel	4H
C.280.250.0320.N	28.0	2.50	32.0	0.8400	13.50	15.36	yes	Zn coating	4I
C.280.250.0400.A	28.0	2.50	40.0	0.6600	15.25	17.55	yes	music wire	4H
C.280.250.0400.AP	28.0	2.50	40.0	0.9732	12.50	19.21	yes	music wire	4J
C.280.250.0400.I	28.0	2.50	40.0	0.5742	15.25	17.55	yes	stainless steel	4I
C.280.250.0400.N	28.0	2.50	40.0	0.6600	15.25	17.55	yes	Zn coating	4I
C.280.250.0500.A	28.0	2.50	50.0	0.5130	18.00	21.01	yes	music wire	4I
C.280.250.0500.AP	28.0	2.50	50.0	0.7373	14.50	22.56	yes	music wire	4J
C.280.250.0500.I	28.0	2.50	50.0	0.4463	17.75	20.69	yes	stainless steel	4I
C.280.250.0500.N	28.0	2.50	50.0	0.5130	18.00	21.01	yes	Zn coating	4I
C.280.250.0600.A	28.0	2.50	60.0	0.3930	21.50	25.40	yes	music wire	4I
C.280.250.0600.AP	28.0	2.50	60.0	0.6083	16.00	26.74	yes	music wire	4J
C.280.250.0600.I	28.0	2.50	60.0	0.3419	21.25	25.09	yes	stainless steel	4I
C.280.250.0600.N	28.0	2.50	60.0	0.3930	21.50	25.40	yes	Zn coating	4I
C.280.250.0630.A	28.0	2.50	63.0	0.4020	21.25	25.09	yes	music wire	4I
C.280.250.0630.AP	28.0	2.50	63.0	0.5793	16.50	28.08	yes	music wire	4J
C.280.250.0630.I	28.0	2.50	63.0	0.3497	21.00	24.78	yes	stainless steel	4I
C.280.250.0630.N	28.0	2.50	63.0	0.4020	21.25	25.09	yes	Zn coating	4I
C.280.250.0650.A	28.0	2.50	65.0	0.2620	29.25	35.14	yes	music wire	4I
C.280.250.0650.AP	28.0	2.50	65.0	0.5658	16.75	29.25	yes	music wire	4J
C.280.250.0650.I	28.0	2.50	65.0	0.2279	28.75	34.51	yes	stainless steel	4I
C.280.250.0650.N	28.0	2.50	65.0	0.2620	29.25	35.14	yes	Zn coating	4I
C.280.250.0800.A	28.0	2.50	80.0	0.3080	25.75	30.74	yes	music wire	4I
C.280.250.0800.AP	28.0	2.50	80.0	0.4506	19.50	35.10	yes	music wire	4J
C.280.250.0800.I	28.0	2.50	80.0	0.2680	25.50	30.43	yes	stainless steel	4I
C.280.250.0800.N	28.0	2.50	80.0	0.3080	25.75	30.74	yes	Zn coating	4J
C.280.250.1000.A	28.0	2.50	100.0	0.2460	30.75	37.02	yes	music wire	4I
C.280.250.1000.AP	28.0	2.50	100.0	0.3578	23.00	43.46	yes	music wire	4J
C.280.250.1000.I	28.0	2.50	100.0	0.2140	30.25	36.40	yes	stainless steel	4I
C.280.250.1000.N	28.0	2.50	100.0	0.2460	30.75	37.02	yes	Zn coating	4J
C.280.250.1250.A	28.0	2.50	125.0	0.1940	37.25	45.19	yes	music wire	4I
C.280.250.1250.AP	28.0	2.50	125.0	0.2829	27.50	53.50	yes	music wire	4K
C.280.250.1250.I	28.0	2.50	125.0	0.1688	36.75	44.56	yes	stainless steel	4I
C.280.250.1250.N	28.0	2.50	125.0	0.1940	37.25	45.19	yes	Zn coating	4J
C.280.250.1600.A	28.0	2.50	160.0	0.1500	46.25	56.49	yes	music wire	4J
C.280.250.1600.AP	28.0	2.50	160.0	0.2212	33.50	68.54	yes	music wire	4L
C.280.250.1600.I	28.0	2.50	160.0	0.1305	45.75	55.86	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.250.1600.N	28.0	2.50	160.0	0.1500	46.25	56.49	yes	Zn coating	4K
C.280.250.1900.A	28.0	2.50	190.0	0.1371	50.00	61.20	yes	music wire	4J
C.280.250.1900.I	28.0	2.50	190.0	0.1178	50.00	61.20	yes	stainless steel	4J
C.280.250.3600.A	28.0	2.50	360.0	0.0650	101.00	124.62	no	music wire	4M
C.280.250.3600.I	28.0	2.50	360.0	0.0566	100.00	123.37	no	stainless steel	4M
C.280.260.0290.A	28.0	2.60	29.0	1.1837	12.74	14.26	yes	music wire	4G
C.280.260.0290.I	28.0	2.60	29.0	1.0167	12.74	14.26	yes	stainless steel	4H
C.280.260.0550.A	28.0	2.60	55.0	0.5798	19.24	22.34	yes	music wire	4I
C.280.260.0550.I	28.0	2.60	55.0	0.4980	19.24	22.34	yes	stainless steel	4I
C.280.260.1100.A	28.0	2.60	110.0	0.2758	33.28	39.79	yes	music wire	4I
C.280.260.1100.I	28.0	2.60	110.0	0.2369	33.28	39.79	yes	stainless steel	4I
C.280.260.1400.A	28.0	2.60	140.0	0.2136	41.08	49.49	yes	music wire	4I
C.280.260.1400.I	28.0	2.60	140.0	0.1835	41.08	49.49	yes	stainless steel	4J
C.280.260.1950.A	28.0	2.60	195.0	0.1527	54.86	66.62	yes	music wire	4J
C.280.260.1950.I	28.0	2.60	195.0	0.1312	54.86	66.62	yes	stainless steel	4J
C.280.280.0250.A	28.0	2.80	25.0	1.7710	13.16	14.52	yes	music wire	4I
C.280.280.0250.AP	28.0	2.80	25.0	2.4861	11.48	13.87	yes	music wire	4J
C.280.280.0250.I	28.0	2.80	25.0	1.5408	13.16	14.52	yes	stainless steel	4I
C.280.280.0250.N	28.0	2.80	25.0	1.7710	13.16	14.52	yes	Zn coating	4J
C.280.280.0320.A	28.0	2.80	32.0	1.3090	15.40	17.26	yes	music wire	4I
C.280.280.0320.AP	28.0	2.80	32.0	1.8080	13.16	16.69	yes	music wire	4J
C.280.280.0320.I	28.0	2.80	32.0	1.1388	15.40	17.26	yes	stainless steel	4I
C.280.280.0320.N	28.0	2.80	32.0	1.3090	15.40	17.26	yes	Zn coating	4J
C.280.280.0400.A	28.0	2.80	40.0	1.0040	17.92	20.34	yes	music wire	4I
C.280.280.0400.AP	28.0	2.80	40.0	1.4206	14.84	20.52	yes	music wire	4J
C.280.280.0400.I	28.0	2.80	40.0	0.8735	17.64	20.00	yes	stainless steel	4I
C.280.280.0400.N	28.0	2.80	40.0	1.0040	17.92	20.34	yes	Zn coating	4J
C.280.280.0500.A	28.0	2.80	50.0	0.7920	20.72	23.76	yes	music wire	4I
C.280.280.0500.AP	28.0	2.80	50.0	1.1049	16.80	24.95	yes	music wire	4J
C.280.280.0500.I	28.0	2.80	50.0	0.6890	20.72	23.76	yes	stainless steel	4I
C.280.280.0500.N	28.0	2.80	50.0	0.7920	20.72	23.76	yes	Zn coating	4J
C.280.280.0630.A	28.0	2.80	63.0	0.6150	24.92	28.89	yes	music wire	4I
C.280.280.0630.AP	28.0	2.80	63.0	0.8647	19.60	30.99	yes	music wire	4K
C.280.280.0630.I	28.0	2.80	63.0	0.5351	24.64	28.55	yes	stainless steel	4I
C.280.280.0630.N	28.0	2.80	63.0	0.6150	24.92	28.89	yes	Zn coating	4J
C.280.280.0800.A	28.0	2.80	80.0	0.4780	29.96	35.05	yes	music wire	4I
C.280.280.0800.AP	28.0	2.80	80.0	0.6630	23.52	38.25	yes	music wire	4L
C.280.280.0800.I	28.0	2.80	80.0	0.4159	29.68	34.70	yes	stainless steel	4J
C.280.280.0800.N	28.0	2.80	80.0	0.4780	29.96	35.05	yes	Zn coating	4J
C.280.280.1000.A	28.0	2.80	100.0	0.3760	36.12	42.57	yes	music wire	4J
C.280.280.1000.AP	28.0	2.80	100.0	0.5234	28.00	47.11	yes	music wire	4L
C.280.280.1000.I	28.0	2.80	100.0	0.3271	35.84	42.23	yes	stainless steel	4J
C.280.280.1000.N	28.0	2.80	100.0	0.3760	36.12	42.57	yes	Zn coating	4K
C.280.280.1250.A	28.0	2.80	125.0	0.2980	43.68	51.80	yes	music wire	4J
C.280.280.1250.AP	28.0	2.80	125.0	0.4143	33.32	58.20	yes	music wire	4L
C.280.280.1250.I	28.0	2.80	125.0	0.2593	43.40	51.46	yes	stainless steel	4J
C.280.280.1250.N	28.0	2.80	125.0	0.2980	43.68	51.80	yes	Zn coating	4L
C.280.280.1600.A	28.0	2.80	160.0	0.2300	54.60	65.14	yes	music wire	4J
C.280.280.1600.AP	28.0	2.80	160.0	0.3208	41.16	73.71	yes	music wire	4M
C.280.280.1600.I	28.0	2.80	160.0	0.2000	54.04	64.46	yes	stainless steel	4J
C.280.280.1600.N	28.0	2.80	160.0	0.2300	54.60	65.14	yes	Zn coating	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.280.3600.A	28.0	2.80	360.0	0.1000	119.28	143.53	no	music wire	4M
C.280.280.3600.I	28.0	2.80	360.0	0.0870	117.88	141.82	no	stainless steel	4M
C.280.290.2000.A	28.0	2.90	200.0	0.2180	67.86	80.73	yes	music wire	4K
C.280.290.2000.I	28.0	2.90	200.0	0.1873	67.86	80.73	yes	stainless steel	4L
C.280.300.0400.A	28.0	3.00	40.0	1.5089	18.00	20.14	yes	music wire	4I
C.280.300.0400.I	28.0	3.00	40.0	1.2960	18.00	20.14	yes	stainless steel	4I
C.280.300.0400.N	28.0	3.00	40.0	1.5089	18.00	20.14	yes	Zn coating	4J
C.280.300.0630.A	28.0	3.00	63.0	0.9602	24.00	28.13	yes	music wire	4K
C.280.300.0630.I	28.0	3.00	63.0	0.8247	24.00	27.37	yes	stainless steel	4L
C.280.300.0630.N	28.0	3.00	63.0	0.9602	24.00	28.13	yes	Zn coating	4M
C.280.300.0970.A	28.0	3.00	97.0	0.6213	33.00	43.12	yes	music wire	4L
C.280.300.0970.I	28.0	3.00	97.0	0.5336	33.00	41.12	yes	stainless steel	4L
C.280.300.0970.N	28.0	3.00	97.0	0.6213	33.00	43.12	yes	Zn coating	4M
C.280.300.1000.A	28.0	3.00	100.0	0.5460	36.60	42.54	yes	music wire	4L
C.280.300.1000.I	28.0	3.00	100.0	0.4750	36.00	41.82	yes	stainless steel	4L
C.280.300.1000.N	28.0	3.00	100.0	0.5460	36.60	42.54	yes	Zn coating	4M
C.280.300.1200.A	28.0	3.00	120.0	0.3700	50.40	59.16	yes	music wire	4J
C.280.300.1200.AP	28.0	3.00	120.0	0.5488	36.30	59.00	yes	music wire	4L
C.280.300.1200.I	28.0	3.00	120.0	0.3219	49.80	58.44	yes	stainless steel	4J
C.280.300.1200.N	28.0	3.00	120.0	0.3700	50.40	59.16	yes	Zn coating	4L
C.280.300.1420.A	28.0	3.00	142.0	0.4225	45.00	62.76	yes	music wire	4M
C.280.300.1420.I	28.0	3.00	142.0	0.3629	45.00	59.83	yes	stainless steel	4M
C.280.300.1420.N	28.0	3.00	142.0	0.4225	45.00	62.76	yes	Zn coating	4N
C.280.310.0680.A	28.0	3.10	68.0	0.8583	29.76	34.09	yes	music wire	4I
C.280.310.0680.I	28.0	3.10	68.0	0.7372	29.76	34.09	yes	stainless steel	4I
C.280.310.1300.A	28.0	3.10	130.0	0.4353	51.15	59.69	yes	music wire	4J
C.280.310.1300.I	28.0	3.10	130.0	0.3739	51.15	59.69	yes	stainless steel	4J
C.280.310.1500.A	28.0	3.10	150.0	0.3739	58.28	68.22	yes	music wire	4J
C.280.310.1500.I	28.0	3.10	150.0	0.3211	58.28	68.22	yes	stainless steel	4J
C.280.320.0250.A	28.0	3.20	25.0	2.9940	15.36	16.76	yes	music wire	4J
C.280.320.0250.AP	28.0	3.20	25.0	3.9624	13.76	14.91	yes	music wire	4L
C.280.320.0250.I	28.0	3.20	25.0	2.6048	15.36	16.76	yes	stainless steel	4J
C.280.320.0250.N	28.0	3.20	25.0	2.9940	15.36	16.76	yes	Zn coating	4L
C.280.320.0320.A	28.0	3.20	32.0	2.1560	18.24	20.19	yes	music wire	4J
C.280.320.0320.AP	28.0	3.20	32.0	2.9718	15.68	18.55	yes	music wire	4L
C.280.320.0320.I	28.0	3.20	32.0	1.8757	18.24	20.19	yes	stainless steel	4J
C.280.320.0320.N	28.0	3.20	32.0	2.1560	18.24	20.19	yes	Zn coating	4L
C.280.320.0400.A	28.0	3.20	40.0	1.6840	21.44	23.99	yes	music wire	4J
C.280.320.0400.AP	28.0	3.20	40.0	2.3008	17.60	22.63	yes	music wire	4M
C.280.320.0400.I	28.0	3.20	40.0	1.4651	21.12	23.61	yes	stainless steel	4J
C.280.320.0400.N	28.0	3.20	40.0	1.6840	21.44	23.99	yes	Zn coating	4L
C.280.320.0500.A	28.0	3.20	50.0	1.2830	25.60	28.95	yes	music wire	4J
C.280.320.0500.AP	28.0	3.20	50.0	1.7831	20.48	27.58	yes	music wire	4M
C.280.320.0500.I	28.0	3.20	50.0	1.1162	25.28	28.56	yes	stainless steel	4J
C.280.320.0500.N	28.0	3.20	50.0	1.2830	25.60	28.95	yes	Zn coating	4L
C.280.320.0630.A	28.0	3.20	63.0	1.0000	30.40	34.66	yes	music wire	4J
C.280.320.0630.AP	28.0	3.20	63.0	1.3716	24.32	33.86	yes	music wire	4M
C.280.320.0630.I	28.0	3.20	63.0	0.8683	30.08	34.28	yes	stainless steel	4J
C.280.320.0630.N	28.0	3.20	63.0	1.0000	30.40	34.66	yes	Zn coating	4L
C.280.320.0800.A	28.0	3.20	80.0	0.7700	37.12	42.66	yes	music wire	4J
C.280.320.0800.AP	28.0	3.20	80.0	1.0645	29.12	42.45	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.320.0800.I	28.0	3.20	80.0	0.6699	36.80	42.27	yes	stainless steel	4J
C.280.320.0800.N	28.0	3.20	80.0	0.7700	37.12	42.66	yes	Zn coating	4L
C.280.320.1000.A	28.0	3.20	100.0	0.6060	45.12	52.18	yes	music wire	4K
C.280.320.1000.AP	28.0	3.20	100.0	0.8293	34.88	51.80	yes	music wire	4M
C.280.320.1000.I	28.0	3.20	100.0	0.5272	44.48	51.41	yes	stainless steel	4K
C.280.320.1000.N	28.0	3.20	100.0	0.6060	45.12	52.18	yes	Zn coating	4M
C.280.320.1250.A	28.0	3.20	125.0	0.4810	54.72	63.60	yes	music wire	4L
C.280.320.1250.AP	28.0	3.20	125.0	0.6604	41.92	64.47	yes	music wire	4N
C.280.320.1250.I	28.0	3.20	125.0	0.4185	54.08	62.84	yes	stainless steel	4L
C.280.320.1250.N	28.0	3.20	125.0	0.4810	54.72	63.60	yes	Zn coating	4M
C.280.320.1600.A	28.0	3.20	160.0	0.3720	68.16	79.60	yes	music wire	4L
C.280.320.1600.AP	28.0	3.20	160.0	0.5095	51.84	81.53	yes	music wire	4N
C.280.320.1600.I	28.0	3.20	160.0	0.3236	67.52	78.83	yes	stainless steel	4L
C.280.320.1600.N	28.0	3.20	160.0	0.3720	68.16	79.60	yes	Zn coating	4M
C.280.320.3600.A	28.0	3.20	360.0	0.1600	151.36	178.00	no	music wire	4N
C.280.320.3600.I	28.0	3.20	360.0	0.1392	149.44	175.72	no	stainless steel	4N
C.280.330.0290.A	28.0	3.30	29.0	2.9694	17.16	18.80	yes	music wire	4J
C.280.330.0290.I	28.0	3.30	29.0	2.5504	17.16	18.80	yes	stainless steel	4J
C.280.330.0410.A	28.0	3.30	41.0	1.9555	21.78	24.27	yes	music wire	4J
C.280.330.0410.I	28.0	3.30	41.0	1.6795	21.78	24.27	yes	stainless steel	4J
C.280.340.1600.A	28.0	3.40	160.0	0.4970	71.06	82.23	yes	music wire	4L
C.280.340.1600.I	28.0	3.40	160.0	0.4269	71.06	82.23	yes	stainless steel	4L
C.280.340.1850.A	28.0	3.40	185.0	0.4273	81.26	94.25	yes	music wire	4L
C.280.340.1850.I	28.0	3.40	185.0	0.3670	81.26	94.25	yes	stainless steel	4L
C.280.350.0290.A	28.0	3.50	29.0	3.7126	18.55	20.25	yes	music wire	4J
C.280.350.0290.I	28.0	3.50	29.0	3.1888	18.55	20.25	yes	stainless steel	4J
C.280.350.0410.A	28.0	3.50	41.0	2.4751	23.45	26.00	yes	music wire	4J
C.280.350.0410.I	28.0	3.50	41.0	2.1259	23.45	26.00	yes	stainless steel	4J
C.280.350.1300.A	28.0	3.50	130.0	0.8500	51.45	69.90	yes	music wire	4N
C.280.350.1300.I	28.0	3.50	130.0	0.7395	51.10	68.11	yes	stainless steel	4N
C.280.350.1300.N	28.0	3.50	130.0	0.8500	51.45	69.90	yes	Zn coating	4O
C.280.350.1700.A	28.0	3.50	170.0	0.5370	76.65	88.43	yes	music wire	4L
C.280.350.1700.I	28.0	3.50	170.0	0.4672	75.60	87.20	yes	stainless steel	4L
C.280.350.1700.N	28.0	3.50	170.0	0.5370	76.65	88.43	yes	Zn coating	4N
C.280.360.0250.A	28.0	3.60	25.0	5.0360	17.28	18.68	yes	music wire	4M
C.280.360.0250.AP	28.0	3.60	25.0	6.3136	15.84	17.00	yes	music wire	4O
C.280.360.0250.I	28.0	3.60	25.0	4.3813	17.28	18.68	yes	stainless steel	4M
C.280.360.0250.N	28.0	3.60	25.0	5.0360	17.28	18.68	yes	Zn coating	4N
C.280.360.0320.A	28.0	3.60	32.0	3.6260	20.52	22.47	yes	music wire	4M
C.280.360.0320.AP	28.0	3.60	32.0	4.6138	18.36	20.04	yes	music wire	4O
C.280.360.0320.I	28.0	3.60	32.0	3.1546	20.52	22.47	yes	stainless steel	4M
C.280.360.0320.N	28.0	3.60	32.0	3.6260	20.52	22.47	yes	Zn coating	4N
C.280.360.0400.A	28.0	3.60	40.0	2.7470	24.48	27.09	yes	music wire	4M
C.280.360.0400.AP	28.0	3.60	40.0	3.5282	20.88	24.36	yes	music wire	4O
C.280.360.0400.I	28.0	3.60	40.0	2.3899	24.12	26.67	yes	stainless steel	4M
C.280.360.0400.N	28.0	3.60	40.0	2.7470	24.48	27.09	yes	Zn coating	4N
C.280.360.0500.A	28.0	3.60	50.0	2.1080	29.16	32.57	yes	music wire	4M
C.280.360.0500.AP	28.0	3.60	50.0	2.7897	24.12	30.23	yes	music wire	4O
C.280.360.0500.I	28.0	3.60	50.0	1.8340	28.80	32.14	yes	stainless steel	4M
C.280.360.0500.N	28.0	3.60	50.0	2.1080	29.16	32.57	yes	Zn coating	4N
C.280.360.0630.A	28.0	3.60	63.0	1.6480	34.56	38.88	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.360.0630.AP	28.0	3.60	63.0	2.1421	28.80	37.25	yes	music wire	4O
C.280.360.0630.I	28.0	3.60	63.0	1.4338	34.56	38.88	yes	stainless steel	4M
C.280.360.0630.N	28.0	3.60	63.0	1.6480	34.56	38.88	yes	Zn coating	4N
C.280.360.0800.A	28.0	3.60	80.0	1.2590	42.84	48.56	yes	music wire	4M
C.280.360.0800.AP	28.0	3.60	80.0	1.6433	34.92	46.43	yes	music wire	4O
C.280.360.0800.I	28.0	3.60	80.0	1.0953	42.12	47.71	yes	stainless steel	4M
C.280.360.0800.N	28.0	3.60	80.0	1.2590	42.84	48.56	yes	Zn coating	4O
C.280.360.1000.A	28.0	3.60	100.0	0.9850	52.20	59.50	yes	music wire	4M
C.280.360.1000.AP	28.0	3.60	100.0	1.2899	41.76	57.23	yes	music wire	4P
C.280.360.1000.I	28.0	3.60	100.0	0.8570	51.48	58.66	yes	stainless steel	4M
C.280.360.1000.N	28.0	3.60	100.0	0.9850	52.20	59.50	yes	Zn coating	4O
C.280.360.1250.A	28.0	3.60	125.0	0.7810	63.36	72.54	yes	music wire	4N
C.280.360.1250.AP	28.0	3.60	125.0	1.0166	50.76	70.73	yes	music wire	4P
C.280.360.1250.I	28.0	3.60	125.0	0.6795	62.64	71.70	yes	stainless steel	4N
C.280.360.1250.N	28.0	3.60	125.0	0.7810	63.36	72.54	yes	Zn coating	4O
C.280.360.1600.A	28.0	3.60	160.0	0.6000	79.56	91.48	yes	music wire	4N
C.280.360.1600.AP	28.0	3.60	160.0	0.7840	63.00	89.64	yes	music wire	4P
C.280.360.1600.I	28.0	3.60	160.0	0.5220	78.84	90.64	yes	stainless steel	4N
C.280.360.1600.N	28.0	3.60	160.0	0.6000	79.56	91.48	yes	Zn coating	4P
C.280.360.3600.A	28.0	3.60	360.0	0.2580	177.12	204.91	no	music wire	4P
C.280.360.3600.I	28.0	3.60	360.0	0.2245	174.96	202.38	no	stainless steel	4P
C.280.380.0280.A	28.0	3.80	28.0	5.5513	19.76	21.41	yes	music wire	4M
C.280.380.0280.I	28.0	3.80	28.0	4.7680	19.76	21.41	yes	stainless steel	4M
C.280.400.0250.A	28.0	4.00	25.0	8.0660	19.20	20.62	yes	music wire	4P
C.280.400.0250.AP	28.0	4.00	25.0	10.1121	17.60	18.77	yes	music wire	4R
C.280.400.0250.I	28.0	4.00	25.0	7.0174	19.20	20.62	yes	stainless steel	4P
C.280.400.0250.N	28.0	4.00	25.0	8.0660	19.20	20.62	yes	Zn coating	4R
C.280.400.0280.A	28.0	4.00	28.0	6.9873	20.80	22.46	yes	music wire	4P
C.280.400.0280.I	28.0	4.00	28.0	6.0014	20.80	22.46	yes	stainless steel	4P
C.280.400.0320.A	28.0	4.00	32.0	5.8070	22.80	24.77	yes	music wire	4P
C.280.400.0320.AP	28.0	4.00	32.0	7.1159	20.80	22.46	yes	music wire	4R
C.280.400.0320.I	28.0	4.00	32.0	5.0521	22.80	24.77	yes	stainless steel	4P
C.280.400.0320.N	28.0	4.00	32.0	5.8070	22.80	24.77	yes	Zn coating	4R
C.280.400.0360.A	28.0	4.00	36.0	5.0988	24.80	27.08	yes	music wire	4P
C.280.400.0360.I	28.0	4.00	36.0	4.3794	24.80	27.08	yes	stainless steel	4P
C.280.400.0400.A	28.0	4.00	40.0	4.4000	27.20	29.85	yes	music wire	4P
C.280.400.0400.AP	28.0	4.00	40.0	5.4894	23.60	26.62	yes	music wire	4R
C.280.400.0400.I	28.0	4.00	40.0	3.8280	26.80	29.39	yes	stainless steel	4P
C.280.400.0400.N	28.0	4.00	40.0	4.4000	27.20	29.85	yes	Zn coating	4R
C.280.400.0440.A	28.0	4.00	44.0	3.9304	29.20	32.16	yes	music wire	4P
C.280.400.0440.I	28.0	4.00	44.0	3.3758	29.20	32.16	yes	stainless steel	4P
C.280.400.0500.A	28.0	4.00	50.0	3.3760	32.40	35.85	yes	music wire	4P
C.280.400.0500.AP	28.0	4.00	50.0	4.1767	28.00	32.42	yes	music wire	4R
C.280.400.0500.I	28.0	4.00	50.0	2.9371	32.00	35.39	yes	stainless steel	4P
C.280.400.0500.N	28.0	4.00	50.0	3.3760	32.40	35.85	yes	Zn coating	4R
C.280.400.0600.A	28.0	4.00	60.0	3.0860	34.40	38.16	yes	music wire	4R
C.280.400.0600.I	28.0	4.00	60.0	2.6848	34.00	37.70	yes	stainless steel	4R
C.280.400.0600.N	28.0	4.00	60.0	3.0860	34.40	38.16	yes	Zn coating	4T
C.280.400.0630.A	28.0	4.00	63.0	2.5930	39.20	43.70	yes	music wire	4P
C.280.400.0630.AP	28.0	4.00	63.0	3.2022	33.60	40.07	yes	music wire	4R
C.280.400.0630.I	28.0	4.00	63.0	2.2559	38.80	43.24	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.400.0630.N	28.0	4.00	63.0	2.5930	39.20	43.70	yes	Zn coating	4R
C.280.400.0790.A	28.0	4.00	79.0	2.3150	42.40	47.39	yes	music wire	4R
C.280.400.0790.I	28.0	4.00	79.0	2.0141	42.00	46.93	yes	stainless steel	4R
C.280.400.0790.N	28.0	4.00	79.0	2.3150	42.40	47.39	yes	Zn coating	4T
C.280.400.0800.A	28.0	4.00	80.0	1.9890	48.00	53.85	yes	music wire	4P
C.280.400.0800.AP	28.0	4.00	80.0	2.4632	40.80	50.19	yes	music wire	4R
C.280.400.0800.I	28.0	4.00	80.0	1.7304	47.60	53.39	yes	stainless steel	4P
C.280.400.0800.N	28.0	4.00	80.0	1.9890	48.00	53.85	yes	Zn coating	4R
C.280.400.0860.A	28.0	4.00	86.0	1.8496	50.80	57.08	yes	music wire	4P
C.280.400.0860.I	28.0	4.00	86.0	1.5886	50.80	57.08	yes	stainless steel	4P
C.280.400.1000.A	28.0	4.00	100.0	1.5610	58.40	65.85	yes	music wire	4P
C.280.400.1000.AP	28.0	4.00	100.0	1.9407	48.80	62.16	yes	music wire	4S
C.280.400.1000.I	28.0	4.00	100.0	1.3581	57.60	64.93	yes	stainless steel	4P
C.280.400.1000.N	28.0	4.00	100.0	1.5610	58.40	65.85	yes	Zn coating	4R
C.280.400.1100.A	28.0	4.00	110.0	1.4185	63.20	71.39	yes	music wire	4P
C.280.400.1100.I	28.0	4.00	110.0	1.2183	63.20	71.39	yes	stainless steel	4Q
C.280.400.1250.A	28.0	4.00	125.0	1.2300	71.20	80.62	yes	music wire	4Q
C.280.400.1250.AP	28.0	4.00	125.0	1.5248	59.60	76.84	yes	music wire	4S
C.280.400.1250.I	28.0	4.00	125.0	1.0701	70.40	79.70	yes	stainless steel	4Q
C.280.400.1250.N	28.0	4.00	125.0	1.2300	71.20	80.62	yes	Zn coating	4R
C.280.400.1300.A	28.0	4.00	130.0	1.8520	50.80	90.35	yes	music wire	4T
C.280.400.1300.I	28.0	4.00	130.0	1.6112	50.40	88.94	yes	stainless steel	5A
C.280.400.1300.N	28.0	4.00	130.0	1.8520	50.80	90.35	yes	Zn coating	5B
C.280.400.1600.A	28.0	4.00	160.0	0.9490	89.60	101.86	yes	music wire	4Q
C.280.400.1600.I	28.0	4.00	160.0	0.8256	88.40	100.47	yes	stainless steel	4Q
C.280.400.1600.N	28.0	4.00	160.0	0.9490	89.60	101.86	yes	Zn coating	4R
C.280.400.3600.A	28.0	4.00	360.0	0.4060	200.00	228.64	no	music wire	4R
C.280.400.3600.I	28.0	4.00	360.0	0.3532	197.60	225.87	no	stainless steel	4R
C.280.420.0330.A	28.0	4.20	33.0	7.1256	24.36	26.41	yes	music wire	4P
C.280.420.0330.I	28.0	4.20	33.0	6.1201	24.36	26.41	yes	stainless steel	4P
C.280.420.0410.A	28.0	4.20	41.0	5.3442	28.98	31.72	yes	music wire	4P
C.280.420.0410.I	28.0	4.20	41.0	4.5901	28.98	31.72	yes	stainless steel	4P
C.280.420.0610.A	28.0	4.20	61.0	3.3592	39.90	44.26	yes	music wire	4P
C.280.420.0610.I	28.0	4.20	61.0	2.8852	39.90	44.26	yes	stainless steel	4P
C.280.420.0700.A	28.0	4.20	70.0	2.8676	44.94	50.04	yes	music wire	4P
C.280.420.0700.I	28.0	4.20	70.0	2.4630	44.94	50.04	yes	stainless steel	4P
C.280.420.0820.A	28.0	4.20	82.0	2.3994	51.66	57.76	yes	music wire	4P
C.280.420.0820.I	28.0	4.20	82.0	2.0609	51.66	57.76	yes	stainless steel	4P
C.280.420.0950.A	28.0	4.20	95.0	2.0447	58.80	65.96	yes	music wire	4P
C.280.420.0950.I	28.0	4.20	95.0	1.7562	58.80	65.96	yes	stainless steel	4P
C.280.420.1100.A	28.0	4.20	110.0	1.7548	66.78	75.12	yes	music wire	4P
C.280.420.1100.I	28.0	4.20	110.0	1.5072	66.78	75.12	yes	stainless steel	4Q
C.280.450.0250.A	28.0	4.50	25.0	14.5720	21.15	22.55	yes	music wire	4Q
C.280.450.0250.I	28.0	4.50	25.0	12.6776	21.15	22.55	yes	stainless steel	4Q
C.280.450.0250.N	28.0	4.50	25.0	14.5720	21.15	22.55	yes	Zn coating	4S
C.280.450.0320.A	28.0	4.50	32.0	10.3220	25.20	27.17	yes	music wire	4Q
C.280.450.0320.I	28.0	4.50	32.0	8.9801	25.20	27.17	yes	stainless steel	4R
C.280.450.0320.N	28.0	4.50	32.0	10.3220	25.20	27.17	yes	Zn coating	4S
C.280.450.0400.A	28.0	4.50	40.0	7.7410	30.15	32.81	yes	music wire	4R
C.280.450.0400.I	28.0	4.50	40.0	6.7347	29.70	32.30	yes	stainless steel	4R
C.280.450.0400.N	28.0	4.50	40.0	7.7410	30.15	32.81	yes	Zn coating	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.450.0500.A	28.0	4.50	50.0	5.8980	36.00	39.49	yes	music wire	4R
C.280.450.0500.I	28.0	4.50	50.0	5.1313	35.55	38.97	yes	stainless steel	4R
C.280.450.0500.N	28.0	4.50	50.0	5.8980	36.00	39.49	yes	Zn coating	4S
C.280.450.0580.A	28.0	4.50	58.0	4.8772	40.95	45.13	yes	music wire	4R
C.280.450.0580.I	28.0	4.50	58.0	4.1890	40.95	45.13	yes	stainless steel	4R
C.280.450.0630.A	28.0	4.50	63.0	4.5040	43.20	47.70	yes	music wire	4R
C.280.450.0630.I	28.0	4.50	63.0	3.9185	43.20	47.70	yes	stainless steel	4R
C.280.450.0630.N	28.0	4.50	63.0	4.5040	43.20	47.70	yes	Zn coating	4S
C.280.450.0800.A	28.0	4.50	80.0	3.3930	54.00	60.02	yes	music wire	4R
C.280.450.0800.I	28.0	4.50	80.0	2.9519	53.55	59.51	yes	stainless steel	4R
C.280.450.0800.N	28.0	4.50	80.0	3.3930	54.00	60.02	yes	Zn coating	4S
C.280.450.1000.A	28.0	4.50	100.0	2.6640	65.70	73.37	yes	music wire	4R
C.280.450.1000.I	28.0	4.50	100.0	2.3177	64.80	72.35	yes	stainless steel	4R
C.280.450.1000.N	28.0	4.50	100.0	2.6640	65.70	73.37	yes	Zn coating	4S
C.280.450.1150.A	28.0	4.50	115.0	2.2669	75.15	84.15	yes	music wire	4R
C.280.450.1150.I	28.0	4.50	115.0	1.9470	75.15	84.15	yes	stainless steel	4R
C.280.450.1250.A	28.0	4.50	125.0	2.1000	80.10	89.80	yes	music wire	4R
C.280.450.1250.I	28.0	4.50	125.0	1.8261	79.20	88.77	yes	stainless steel	4R
C.280.450.1250.N	28.0	4.50	125.0	2.1000	80.10	89.80	yes	Zn coating	4S
C.280.450.1350.A	28.0	4.50	135.0	1.9047	87.30	98.02	yes	music wire	4R
C.280.450.1350.I	28.0	4.50	135.0	1.6359	87.30	98.02	yes	stainless steel	4R
C.280.450.1600.A	28.0	4.50	160.0	1.6090	101.25	113.93	yes	music wire	4R
C.280.450.1600.I	28.0	4.50	160.0	1.4000	99.90	112.39	yes	stainless steel	4R
C.280.450.1600.N	28.0	4.50	160.0	1.6090	101.25	113.93	yes	Zn coating	4S
C.280.450.1850.A	28.0	4.50	185.0	1.3640	117.45	132.41	yes	music wire	4R
C.280.450.1850.I	28.0	4.50	185.0	1.1715	117.45	132.41	yes	stainless steel	4R
C.280.450.3600.A	28.0	4.50	360.0	0.6840	227.70	257.57	no	music wire	4S
C.280.450.3600.I	28.0	4.50	360.0	0.5951	225.00	254.48	no	stainless steel	4S
C.280.470.0290.A	28.0	4.70	29.0	14.5555	24.44	26.18	yes	music wire	4Q
C.280.470.0290.I	28.0	4.70	29.0	12.5017	24.44	26.18	yes	stainless steel	4R
C.280.470.1950.A	28.0	4.70	195.0	1.5720	129.25	145.33	yes	music wire	4R
C.280.470.1950.I	28.0	4.70	195.0	1.3502	129.25	145.33	yes	stainless steel	4R
C.280.480.0290.A	28.0	4.80	29.0	16.0400	24.96	26.71	yes	music wire	4Q
C.280.480.0290.I	28.0	4.80	29.0	13.7767	24.96	26.71	yes	stainless steel	4R
C.280.480.0530.A	28.0	4.80	53.0	7.3403	40.32	44.14	yes	music wire	4R
C.280.480.0530.I	28.0	4.80	53.0	6.3046	40.32	44.14	yes	stainless steel	4R
C.280.480.0590.A	28.0	4.80	59.0	6.4639	44.16	48.50	yes	music wire	4R
C.280.480.0590.I	28.0	4.80	59.0	5.5518	44.16	48.50	yes	stainless steel	4R
C.280.480.0820.A	28.0	4.80	82.0	4.4192	59.04	65.39	yes	music wire	4R
C.280.480.0820.I	28.0	4.80	82.0	3.7956	59.04	65.39	yes	stainless steel	4R
C.280.480.0940.A	28.0	4.80	94.0	3.7990	66.72	74.11	yes	music wire	4R
C.280.480.0940.I	28.0	4.80	94.0	3.2629	66.72	74.11	yes	stainless steel	4R
C.280.500.0280.A	28.0	5.00	28.0	17.1230	28.00	28.00	yes	music wire	4R
C.280.500.0280.AP	28.0	5.00	28.0	24.2249	23.50	24.95	yes	music wire	4R
C.280.500.0280.I	28.0	5.00	28.0	14.8970	27.50	27.50	yes	stainless steel	4R
C.280.500.0280.N	28.0	5.00	28.0	17.1230	28.00	28.00	yes	Zn coating	4T
C.280.500.0360.A	28.0	5.00	36.0	11.4150	35.50	35.50	yes	music wire	4R
C.280.500.0360.AP	28.0	5.00	36.0	16.6546	28.00	30.04	yes	music wire	4R
C.280.500.0360.I	28.0	5.00	36.0	9.9311	35.00	35.00	yes	stainless steel	4S
C.280.500.0360.N	28.0	5.00	36.0	11.4150	35.50	35.50	yes	Zn coating	4T
C.280.500.0430.A	28.0	5.00	43.0	11.6292	35.00	37.96	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.280.500.0430.I	28.0	5.00	43.0	9.9883	35.00	37.96	yes	stainless steel	4S
C.280.500.0470.A	28.0	5.00	47.0	10.2611	38.00	41.36	yes	music wire	4R
C.280.500.0470.I	28.0	5.00	47.0	8.8132	38.00	41.36	yes	stainless steel	4S
C.280.500.0560.A	28.0	5.00	56.0	8.3066	44.00	48.15	yes	music wire	4S
C.280.500.0560.I	28.0	5.00	56.0	7.1345	44.00	48.15	yes	stainless steel	4S
C.280.500.0680.A	28.0	5.00	68.0	6.6243	52.00	57.20	yes	music wire	4S
C.280.500.0680.I	28.0	5.00	68.0	5.6895	52.00	57.20	yes	stainless steel	4S
C.280.500.0840.A	28.0	5.00	84.0	5.1813	63.00	69.65	yes	music wire	4S
C.280.500.0840.I	28.0	5.00	84.0	4.4502	63.00	69.65	yes	stainless steel	4S
C.280.500.1020.A	28.0	5.00	102.0	5.1370	63.50	76.01	yes	music wire	5C
C.280.500.1020.I	28.0	5.00	102.0	4.4692	63.00	74.83	yes	stainless steel	5D
C.280.500.1020.N	28.0	5.00	102.0	5.1370	63.50	76.01	yes	Zn coating	5D
C.280.500.1450.A	28.0	5.00	145.0	2.8754	103.50	115.49	yes	music wire	4S
C.280.500.1450.I	28.0	5.00	145.0	2.4696	103.50	115.49	yes	stainless steel	4S
C.280.530.0440.A	28.0	5.30	44.0	14.9395	37.63	40.74	yes	music wire	4R
C.280.530.0440.I	28.0	5.30	44.0	12.8315	37.63	40.74	yes	stainless steel	4S
C.280.530.0570.A	28.0	5.30	57.0	10.9082	46.64	50.90	yes	music wire	4S
C.280.530.0570.I	28.0	5.30	57.0	9.3690	46.64	50.90	yes	stainless steel	4S
C.280.530.0680.A	28.0	5.30	68.0	8.8105	54.59	59.86	yes	music wire	4S
C.280.530.0680.I	28.0	5.30	68.0	7.5673	54.59	59.86	yes	stainless steel	4S
C.280.530.0820.A	28.0	5.30	82.0	7.0847	64.66	71.22	yes	music wire	4S
C.280.530.0820.I	28.0	5.30	82.0	6.0850	64.66	71.22	yes	stainless steel	4S
C.280.530.0970.A	28.0	5.30	97.0	5.8736	75.26	83.17	yes	music wire	4S
C.280.530.0970.I	28.0	5.30	97.0	5.0448	75.26	83.17	yes	stainless steel	4S
C.280.530.1600.A	28.0	5.30	160.0	3.4190	119.78	133.36	yes	music wire	4S
C.280.530.1600.I	28.0	5.30	160.0	2.9366	119.78	133.36	yes	stainless steel	4S
C.280.550.0320.A	28.0	5.50	32.0	28.2210	29.70	31.70	yes	music wire	5A
C.280.550.0320.I	28.0	5.50	32.0	24.2389	29.70	31.70	yes	stainless steel	5A
C.280.550.0393.A	28.0	5.50	39.3	23.3831	33.00	35.41	yes	music wire	5A
C.280.550.0393.I	28.0	5.50	39.3	20.0836	33.00	35.41	yes	stainless steel	5A
C.280.550.0393.N	28.0	5.50	39.3	23.3831	33.00	35.41	yes	Zn coating	5C
C.280.550.0555.A	28.0	5.50	55.5	14.8802	44.00	47.78	yes	music wire	5A
C.280.550.0555.I	28.0	5.50	55.5	12.7805	44.00	47.78	yes	stainless steel	5A
C.280.550.0555.N	28.0	5.50	55.5	14.8802	44.00	47.78	yes	Zn coating	5C
C.280.550.0620.A	28.0	5.50	62.0	11.8610	51.70	56.45	yes	music wire	5A
C.280.550.0620.I	28.0	5.50	62.0	10.1874	51.70	56.45	yes	stainless steel	5A
C.280.550.0720.A	28.0	5.50	72.0	9.9806	58.85	64.49	yes	music wire	5A
C.280.550.0720.I	28.0	5.50	72.0	8.5723	58.85	64.49	yes	stainless steel	5A
C.280.550.0878.A	28.0	5.50	87.8	8.6148	66.00	72.54	yes	music wire	5D
C.280.550.0878.I	28.0	5.50	87.8	7.3992	66.00	72.54	yes	stainless steel	5D
C.280.550.0878.N	28.0	5.50	87.8	8.6148	66.00	72.54	yes	Zn coating	5E
C.280.550.1000.A	28.0	5.50	100.0	6.8201	79.75	88.01	yes	music wire	5A
C.280.550.1000.I	28.0	5.50	100.0	5.8577	79.75	88.01	yes	stainless steel	5B
C.280.550.1150.A	28.0	5.50	115.0	5.8458	90.75	100.38	yes	music wire	5A
C.280.550.1150.I	28.0	5.50	115.0	5.0209	90.75	100.38	yes	stainless steel	5B
C.280.550.1360.A	28.0	5.50	136.0	5.2801	99.00	109.67	yes	music wire	5D
C.280.550.1360.I	28.0	5.50	136.0	4.5351	99.00	109.67	yes	stainless steel	5D
C.280.550.1360.N	28.0	5.50	136.0	5.2801	99.00	109.67	yes	Zn coating	5E
C.280.550.1500.A	28.0	5.50	150.0	4.4001	116.05	128.85	yes	music wire	5B
C.280.550.1500.I	28.0	5.50	150.0	3.7792	116.05	128.85	yes	stainless steel	5B
C.280.550.1700.A	28.0	5.50	170.0	4.4238	115.50	131.23	yes	music wire	5F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.280.550.1700.I	28.0	5.50	170.0	3.7996	115.50	128.77	yes	stainless steel	5E
C.280.550.1700.N	28.0	5.50	170.0	4.4238	115.50	131.23	yes	Zn coating	5H
C.280.550.2000.A	28.0	5.50	200.0	3.2348	152.90	170.31	yes	music wire	5B
C.280.550.2000.I	28.0	5.50	200.0	2.7784	152.90	170.31	yes	stainless steel	5B
C.280.550.3450.A	28.0	5.50	345.0	2.0719	231.00	262.22	yes	music wire	5E
C.280.550.3450.I	28.0	5.50	345.0	1.7795	231.00	258.18	yes	stainless steel	5E
C.280.550.3450.N	28.0	5.50	345.0	2.0719	231.00	262.22	yes	Zn coating	5G
C.280.550.3750.A	28.0	5.50	375.0	2.0208	236.50	290.13	yes	music wire	5G
C.280.550.3750.I	28.0	5.50	375.0	1.7357	236.50	284.74	yes	stainless steel	5H
C.280.550.3750.N	28.0	5.50	375.0	2.0208	236.50	290.13	yes	Zn coating	5I
C.280.560.0660.A	28.0	5.60	66.0	11.8854	56.00	61.21	yes	music wire	5A
C.280.560.0660.AP	28.0	5.60	66.0	13.5494	50.96	55.54	yes	music wire	5D
C.280.560.0660.I	28.0	5.60	66.0	10.2083	56.00	61.21	yes	stainless steel	5A
C.280.560.0660.N	28.0	5.60	66.0	11.8854	56.00	61.21	yes	Zn coating	5C
C.280.560.1250.A	28.0	5.60	125.0	6.6030	89.60	98.97	yes	music wire	5D
C.280.560.1250.I	28.0	5.60	125.0	5.6713	89.60	98.97	yes	stainless steel	5D
C.280.560.1250.N	28.0	5.60	125.0	6.6030	89.60	98.97	yes	Zn coating	5E
C.280.600.1000.A	28.0	6.00	100.0	12.8120	73.20	83.23	yes	music wire	5I
C.280.600.1000.I	28.0	6.00	100.0	11.1464	72.60	82.32	yes	stainless steel	5J
C.280.600.1000.N	28.0	6.00	100.0	12.8120	73.20	83.23	yes	Zn coating	5J
C.281.420.0270.A	28.1	4.20	27.0	17.2414	15.96	22.16	yes	music wire	4T
C.281.420.0270.I	28.1	4.20	27.0	15.0000	15.96	21.97	yes	stainless steel	4T
C.282.120.0540.A	28.2	1.20	54.0	0.0195	10.80	16.47	no	music wire	4E
C.282.120.0540.I	28.2	1.20	54.0	0.0170	10.68	16.25	no	stainless steel	4E
C.282.150.0330.A	28.2	1.50	33.0	0.1200	7.20	9.18	yes	music wire	4F
C.282.150.0330.I	28.2	1.50	33.0	0.1044	7.05	8.95	yes	stainless steel	4G
C.282.160.0300.A	28.2	1.60	30.0	0.0586	13.76	18.78	yes	music wire	4F
C.282.160.0300.I	28.2	1.60	30.0	0.0510	13.60	18.54	yes	stainless steel	4G
C.282.200.0280.A	28.2	2.00	28.0	0.2200	13.20	16.13	yes	music wire	4G
C.282.200.0280.I	28.2	2.00	28.0	0.1914	13.20	16.13	yes	stainless steel	4G
C.282.230.0950.A	28.2	2.30	95.0	0.1609	29.21	36.02	yes	music wire	4I
C.282.230.0950.AP	28.2	2.30	95.0	0.2863	18.86	39.33	yes	music wire	4J
C.282.230.0950.I	28.2	2.30	95.0	0.1400	28.98	35.72	yes	stainless steel	4I
C.282.300.0174.A	28.2	3.00	17.4	5.4000	10.50	11.24	yes	music wire	4J
C.282.300.0174.I	28.2	3.00	17.4	4.6980	10.20	11.10	yes	stainless steel	4J
C.282.300.0350.A	28.2	3.00	35.0	1.2644	19.80	22.33	yes	music wire	4I
C.282.300.0350.AP	28.2	3.00	35.0	2.1005	15.00	19.17	yes	music wire	4J
C.282.300.0350.I	28.2	3.00	35.0	1.1000	19.50	21.97	yes	stainless steel	4I
C.282.300.0680.A	28.2	3.00	68.0	1.0805	21.90	37.22	yes	music wire	4M
C.282.300.0680.I	28.2	3.00	68.0	0.9400	21.60	36.49	yes	stainless steel	4M
C.282.320.0425.A	28.2	3.20	42.5	1.9533	19.20	22.17	yes	music wire	4M
C.282.320.0425.I	28.2	3.20	42.5	1.6777	19.20	21.37	yes	stainless steel	4M
C.282.320.0425.N	28.2	3.20	42.5	1.9533	19.20	22.17	yes	Zn coating	4N
C.282.320.0508.A	28.2	3.20	50.8	1.2271	25.92	29.35	yes	music wire	4J
C.282.320.0508.AP	28.2	3.20	50.8	1.7406	20.48	27.99	yes	music wire	4M
C.282.320.0508.I	28.2	3.20	50.8	1.0676	25.60	28.97	yes	stainless steel	4J
C.282.320.0635.A	28.2	3.20	63.5	1.2430	25.60	31.56	yes	music wire	4M
C.282.320.0635.I	28.2	3.20	63.5	1.0676	25.60	30.29	yes	stainless steel	4M
C.282.320.0635.N	28.2	3.20	63.5	1.2430	25.60	31.56	yes	Zn coating	4N
C.282.320.0794.A	28.2	3.20	79.4	0.7105	38.72	44.60	yes	music wire	4J
C.282.320.0794.AP	28.2	3.20	79.4	1.0549	28.80	41.76	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.282.320.0794.I	28.2	3.20	79.4	0.6181	38.40	44.22	yes	stainless steel	4J
C.282.320.0945.A	28.2	3.20	94.5	0.8043	35.20	45.13	yes	music wire	4M
C.282.320.0945.I	28.2	3.20	94.5	0.6908	35.20	43.18	yes	stainless steel	4M
C.282.320.0945.N	28.2	3.20	94.5	0.8043	35.20	45.13	yes	Zn coating	4O
C.282.320.1130.A	28.2	3.20	113.0	0.5000	51.84	60.24	yes	music wire	4K
C.282.320.1130.AP	28.2	3.20	113.0	0.7253	38.08	58.25	yes	music wire	4N
C.282.320.1130.I	28.2	3.20	113.0	0.4349	51.20	59.48	yes	stainless steel	4L
C.282.320.1350.A	28.2	3.20	135.0	0.5469	48.00	62.40	yes	music wire	4N
C.282.320.1350.AF	28.2	3.20	135.0	0.3696	67.20	78.54	yes	music wire	4L
C.282.320.1350.AP	28.2	3.20	135.0	0.6002	44.48	68.84	yes	music wire	4N
C.282.320.1350.I	28.2	3.20	135.0	0.4697	48.00	59.52	yes	stainless steel	4N
C.282.320.1350.IF	28.2	3.20	135.0	0.3174	67.20	78.54	yes	stainless steel	4L
C.282.320.1350.N	28.2	3.20	135.0	0.5469	48.00	62.40	yes	Zn coating	4O
C.282.320.1350.NF	28.2	3.20	135.0	0.3696	67.20	78.54	yes	Zn coating	4M
C.282.320.2000.A	28.2	3.20	200.0	0.3696	67.20	92.55	yes	music wire	4O
C.282.320.2000.AF	28.2	3.20	200.0	0.3039	80.00	93.79	yes	music wire	4M
C.282.320.2000.AP	28.2	3.20	200.0	0.4001	62.72	100.77	yes	music wire	4O
C.282.320.2000.I	28.2	3.20	200.0	0.3174	67.20	88.30	yes	stainless steel	4O
C.282.320.2000.IF	28.2	3.20	200.0	0.2610	80.00	93.79	yes	stainless steel	4M
C.282.320.2000.N	28.2	3.20	200.0	0.3696	67.20	92.55	yes	Zn coating	4P
C.282.320.2000.NF	28.2	3.20	200.0	0.3039	80.00	93.79	yes	Zn coating	4N
C.282.380.0350.A	28.2	3.80	35.0	3.6000	25.08	27.60	yes	music wire	4M
C.282.380.0350.AP	28.2	3.80	35.0	5.1352	20.14	22.64	yes	music wire	4O
C.282.380.0350.I	28.2	3.80	35.0	3.1320	24.70	27.16	yes	stainless steel	4M
C.282.380.0500.A	28.2	3.80	50.0	2.7586	29.64	32.90	yes	music wire	4M
C.282.380.0500.I	28.2	3.80	50.0	2.4000	29.26	32.46	yes	stainless steel	4M
C.282.380.0800.A	28.2	3.80	80.0	3.1034	27.36	59.54	yes	music wire	4R
C.282.380.0800.I	28.2	3.80	80.0	2.7000	27.36	58.86	yes	stainless steel	4R
C.282.470.0570.A	28.2	4.70	57.0	5.9770	41.83	45.97	yes	music wire	4R
C.282.470.0570.I	28.2	4.70	57.0	5.2000	41.36	45.43	yes	stainless steel	4R
C.284.340.0490.A	28.4	3.40	49.0	2.1380	22.44	27.22	yes	music wire	4M
C.284.340.0490.I	28.4	3.40	49.0	1.8601	22.10	26.59	yes	stainless steel	4M
C.284.340.0490.N	28.4	3.40	49.0	2.1380	22.44	27.22	yes	Zn coating	4N
C.284.340.1050.A	28.4	3.40	105.0	0.6861	51.68	59.50	yes	music wire	4K
C.284.340.1050.I	28.4	3.40	105.0	0.5893	51.68	59.50	yes	stainless steel	4L
C.285.180.0200.A	28.5	1.80	20.0	0.4322	6.84	7.85	yes	music wire	4G
C.285.180.0200.I	28.5	1.80	20.0	0.3712	6.84	7.85	yes	stainless steel	4G
C.285.180.0800.A	28.5	1.80	80.0	0.0805	17.10	22.52	yes	music wire	4I
C.285.180.0800.I	28.5	1.80	80.0	0.0700	16.92	22.26	yes	stainless steel	4I
C.285.300.0370.A	28.5	3.00	37.0	0.9770	22.80	25.99	yes	music wire	4I
C.285.300.0370.AP	28.5	3.00	37.0	1.9493	15.30	20.11	yes	music wire	4J
C.285.300.0370.I	28.5	3.00	37.0	0.8500	22.50	25.63	yes	stainless steel	4I
C.285.300.0370.N	28.5	3.00	37.0	0.9770	22.80	25.99	yes	Zn coating	4J
C.285.300.0730.A	28.5	3.00	73.0	0.7500	27.30	31.43	yes	music wire	4L
C.285.300.0730.I	28.5	3.00	73.0	0.6542	27.00	31.06	yes	stainless steel	4L
C.285.300.0730.N	28.5	3.00	73.0	0.7500	27.30	31.43	yes	Zn coating	4M
C.285.300.1200.A	28.5	3.00	120.0	0.3633	48.60	57.16	yes	music wire	4J
C.285.300.1200.I	28.5	3.00	120.0	0.3120	48.60	57.16	yes	stainless steel	4J
C.285.300.1600.A	28.5	3.00	160.0	0.2690	63.00	74.56	yes	music wire	4J
C.285.300.1600.I	28.5	3.00	160.0	0.2310	63.00	74.56	yes	stainless steel	4J
C.285.300.2050.A	28.5	3.00	205.0	0.2082	79.20	94.14	yes	music wire	4K

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.285.300.2050.I	28.5	3.00	205.0	0.1788	79.20	94.14	yes	stainless steel	4L
C.285.420.0550.A	28.5	4.20	55.0	3.0980	40.32	44.80	yes	music wire	4P
C.285.420.0550.AP	28.5	4.20	55.0	4.4116	31.50	36.31	yes	music wire	4R
C.285.420.0550.I	28.5	4.20	55.0	2.6953	39.90	44.32	yes	stainless steel	4P
C.285.420.0550.N	28.5	4.20	55.0	3.0980	40.32	44.80	yes	Zn coating	4R
C.285.420.2000.A	28.5	4.20	200.0	0.8337	121.80	138.52	yes	music wire	4Q
C.285.420.2000.I	28.5	4.20	200.0	0.7160	121.80	138.52	yes	stainless steel	4Q
C.285.600.0800.A	28.5	6.00	80.0	11.9770	73.20	73.20	yes	music wire	5D
C.285.600.0800.AP	28.5	6.00	80.0	14.5734	63.00	68.81	yes	music wire	5G
C.285.600.0800.I	28.5	6.00	80.0	10.4200	72.60	79.58	yes	stainless steel	5E
C.285.600.0800.N	28.5	6.00	80.0	11.9770	73.20	73.20	yes	Zn coating	5E
C.285.600.1000.A	28.5	6.00	100.0	9.8230	85.80	94.37	yes	music wire	5D
C.285.600.1000.I	28.5	6.00	100.0	8.4369	85.80	94.37	yes	stainless steel	5E
C.285.600.1250.A	28.5	6.00	125.0	7.6762	105.60	116.57	yes	music wire	5D
C.285.600.1250.I	28.5	6.00	125.0	6.5931	105.60	116.57	yes	stainless steel	5E
C.285.600.1600.A	28.5	6.00	160.0	5.8541	133.80	148.19	yes	music wire	5D
C.285.600.1600.I	28.5	6.00	160.0	5.0281	133.80	148.19	yes	stainless steel	5E
C.285.600.1900.A	28.5	6.00	190.0	7.1110	112.80	160.21	yes	music wire	5I
C.285.600.1900.I	28.5	6.00	190.0	6.1866	111.60	158.59	yes	stainless steel	5K
C.285.600.1900.N	28.5	6.00	190.0	7.1110	112.80	160.21	yes	Zn coating	5J
C.286.120.0350.A	28.6	1.20	35.0	0.0184	10.92	16.85	no	music wire	4E
C.286.120.0350.I	28.6	1.20	35.0	0.0160	10.80	16.62	no	stainless steel	4E
C.286.120.0850.A	28.6	1.20	85.0	0.0080	19.56	33.11	no	music wire	4F
C.286.120.0850.I	28.6	1.20	85.0	0.0070	19.32	32.66	no	stainless steel	4G
C.286.130.0220.A	28.6	1.30	22.0	0.0552	7.93	10.50	no	music wire	4D
C.286.130.0220.AP	28.6	1.30	22.0	0.1304	5.98	7.07	no	music wire	4D
C.286.130.0220.I	28.6	1.30	22.0	0.0480	7.93	10.50	no	stainless steel	4E
C.286.130.0250.A	28.6	1.30	25.0	0.0345	9.88	13.94	no	music wire	4D
C.286.130.0250.I	28.6	1.30	25.0	0.0300	9.88	13.94	no	stainless steel	4E
C.286.150.0310.A	28.6	1.50	31.0	0.1400	6.60	8.28	yes	music wire	4F
C.286.150.0310.I	28.6	1.50	31.0	0.1218	6.45	8.04	yes	stainless steel	4G
C.286.150.0440.A	28.6	1.50	44.0	0.0736	9.00	12.10	yes	music wire	4G
C.286.150.0440.I	28.6	1.50	44.0	0.0640	9.00	12.10	yes	stainless steel	4G
C.286.160.0191.A	28.6	1.60	19.1	0.1839	6.88	8.40	yes	music wire	4F
C.286.160.0191.I	28.6	1.60	19.1	0.1600	6.88	8.40	yes	stainless steel	4F
C.286.170.0350.A	28.6	1.70	35.0	0.0851	12.92	17.04	yes	music wire	4F
C.286.170.0350.I	28.6	1.70	35.0	0.0740	12.92	17.04	yes	stainless steel	4G
C.286.180.0320.A	28.6	1.80	32.0	0.1954	9.54	11.72	yes	music wire	4G
C.286.180.0320.I	28.6	1.80	32.0	0.1700	9.54	11.72	yes	stainless steel	4G
C.286.180.0370.A	28.6	1.80	37.0	0.1494	11.16	14.04	yes	music wire	4G
C.286.180.0370.I	28.6	1.80	37.0	0.1300	11.16	14.04	yes	stainless steel	4H
C.286.190.1020.A	28.6	1.90	102.0	0.0920	19.19	24.91	yes	music wire	4I
C.286.190.1020.I	28.6	1.90	102.0	0.0800	19.00	24.65	yes	stainless steel	4I
C.286.200.0580.A	28.6	2.00	58.0	0.1609	15.80	19.75	yes	music wire	4H
C.286.200.0580.I	28.6	2.00	58.0	0.1400	15.60	19.47	yes	stainless steel	4I
C.286.200.0760.A	28.6	2.00	76.0	0.1126	20.40	26.03	yes	music wire	4I
C.286.200.0760.I	28.6	2.00	76.0	0.0980	20.20	25.75	yes	stainless steel	4I
C.286.210.1200.A	28.6	2.10	120.0	0.1034	26.88	34.21	yes	music wire	4I
C.286.210.1200.I	28.6	2.10	120.0	0.0900	26.67	33.93	yes	stainless steel	4I
C.286.230.0530.A	28.6	2.30	53.0	0.3793	15.18	17.97	yes	music wire	4H
C.286.230.0530.I	28.6	2.30	53.0	0.3300	15.18	17.97	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.286.260.0690.A	28.6	2.60	69.0	0.4800	20.80	24.38	yes	music wire	4J
C.286.260.0690.I	28.6	2.60	69.0	0.4176	20.54	24.05	yes	stainless steel	4J
C.286.270.0270.A	28.6	2.70	27.0	1.1494	14.04	15.78	yes	music wire	4G
C.286.270.0270.AP	28.6	2.70	27.0	1.8617	11.34	13.82	yes	music wire	4I
C.286.270.0270.I	28.6	2.70	27.0	1.0000	14.04	15.78	yes	stainless steel	4H
C.286.320.0380.A	28.6	3.20	38.0	1.7241	20.16	22.53	yes	music wire	4J
C.286.320.0380.AP	28.6	3.20	38.0	2.3710	16.64	21.47	yes	music wire	4M
C.286.320.0380.I	28.6	3.20	38.0	1.5000	19.84	22.14	yes	stainless steel	4J
C.286.320.0600.A	28.6	3.20	60.0	1.3793	23.04	31.59	yes	music wire	4M
C.286.320.0600.I	28.6	3.20	60.0	1.2000	23.04	30.84	yes	stainless steel	4M
C.286.320.0680.A	28.6	3.20	68.0	1.1000	26.88	32.38	yes	music wire	4M
C.286.320.0680.I	28.6	3.20	68.0	0.9570	26.88	31.44	yes	stainless steel	4M
C.286.360.0389.A	28.6	3.60	38.9	3.1289	21.60	23.77	yes	music wire	4O
C.286.360.0389.I	28.6	3.60	38.9	2.6874	21.60	23.77	yes	stainless steel	4M
C.286.360.0389.N	28.6	3.60	38.9	3.1289	21.60	23.77	yes	Zn coating	4Q
C.286.360.0560.A	28.6	3.60	56.0	1.9910	28.80	32.21	yes	music wire	4O
C.286.360.0560.I	28.6	3.60	56.0	1.7101	28.80	32.21	yes	stainless steel	4M
C.286.360.0560.N	28.6	3.60	56.0	1.9910	28.80	32.21	yes	Zn coating	4Q
C.286.360.0746.A	28.6	3.60	74.6	1.4601	36.00	40.65	yes	music wire	4O
C.286.360.0746.I	28.6	3.60	74.6	1.2541	36.00	40.65	yes	stainless steel	4M
C.286.360.0746.N	28.6	3.60	74.6	1.4601	36.00	40.65	yes	Zn coating	4Q
C.286.360.0800.A	28.6	3.60	80.0	1.5000	35.28	43.94	yes	music wire	4O
C.286.360.0800.I	28.6	3.60	80.0	1.3050	34.92	42.82	yes	stainless steel	4P
C.286.360.0800.N	28.6	3.60	80.0	1.5000	35.28	43.94	yes	Zn coating	4Q
C.286.360.0913.A	28.6	3.60	91.3	1.1527	43.20	49.09	yes	music wire	4P
C.286.360.0913.I	28.6	3.60	91.3	0.9900	43.20	49.09	yes	stainless steel	4M
C.286.360.0913.N	28.6	3.60	91.3	1.1527	43.20	49.09	yes	Zn coating	4R
C.286.360.1000.A	28.6	3.60	100.0	1.1842	42.12	54.32	yes	music wire	4P
C.286.360.1000.I	28.6	3.60	100.0	1.0303	41.76	52.91	yes	stainless steel	4P
C.286.360.1000.N	28.6	3.60	100.0	1.1842	42.12	54.32	yes	Zn coating	4R
C.286.360.1090.A	28.6	3.60	109.0	0.9523	50.40	57.53	yes	music wire	4P
C.286.360.1090.I	28.6	3.60	109.0	0.8179	50.40	57.53	yes	stainless steel	4N
C.286.360.1090.N	28.6	3.60	109.0	0.9523	50.40	57.53	yes	Zn coating	4R
C.286.360.1250.A	28.6	3.60	125.0	0.9375	51.12	67.30	yes	music wire	4P
C.286.360.1250.I	28.6	3.60	125.0	0.8156	50.40	65.51	yes	stainless steel	4P
C.286.360.1250.N	28.6	3.60	125.0	0.9375	51.12	67.30	yes	Zn coating	4R
C.286.360.1600.A	28.6	3.60	160.0	0.7500	61.56	87.88	yes	music wire	4P
C.286.360.1600.I	28.6	3.60	160.0	0.6525	60.84	85.64	yes	stainless steel	4Q
C.286.360.1600.N	28.6	3.60	160.0	0.7500	61.56	87.88	yes	Zn coating	4R
C.286.360.2000.A	28.6	3.60	200.0	0.5921	75.60	108.64	yes	music wire	4Q
C.286.360.2000.I	28.6	3.60	200.0	0.5151	74.88	105.81	yes	stainless steel	4Q
C.286.360.2000.N	28.6	3.60	200.0	0.5921	75.60	108.64	yes	Zn coating	4R
C.286.360.2500.A	28.6	3.60	250.0	0.4688	93.24	134.62	yes	music wire	4R
C.286.360.2500.I	28.6	3.60	250.0	0.4079	92.16	131.04	yes	stainless steel	4R
C.286.360.2500.N	28.6	3.60	250.0	0.4688	93.24	134.62	yes	Zn coating	4S
C.286.360.3200.A	28.6	3.60	320.0	0.3750	114.12	175.75	yes	music wire	4T
C.286.360.3200.I	28.6	3.60	320.0	0.3263	112.68	171.28	yes	stainless steel	4R
C.286.360.3200.N	28.6	3.60	320.0	0.3750	114.12	175.75	yes	Zn coating	5A
C.286.360.4000.A	28.6	3.60	400.0	0.3000	140.40	219.69	yes	music wire	4T
C.286.360.4000.I	28.6	3.60	400.0	0.2610	138.60	214.10	yes	stainless steel	4T
C.286.360.4000.N	28.6	3.60	400.0	0.3000	140.40	219.69	yes	Zn coating	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.286.380.1050.A	28.6	3.80	105.0	1.1379	55.86	63.46	yes	music wire	4M
C.286.380.1050.AP	28.6	3.80	105.0	1.4472	45.98	61.69	yes	music wire	4P
C.286.380.1050.I	28.6	3.80	105.0	0.9900	55.48	63.02	yes	stainless steel	4M
C.286.400.0950.A	28.6	4.00	95.0	1.4943	56.80	64.14	yes	music wire	4P
C.286.400.0950.AP	28.6	4.00	95.0	1.9606	45.60	58.26	yes	music wire	4S
C.286.400.0950.I	28.6	4.00	95.0	1.3000	56.40	63.67	yes	stainless steel	4P
C.290.120.0330.A	29.0	1.20	33.0	0.0161	11.52	18.14	no	music wire	4E
C.290.120.0330.I	29.0	1.20	33.0	0.0140	11.40	17.92	no	stainless steel	4E
C.290.140.0460.A	29.0	1.40	46.0	0.0483	8.96	12.69	yes	music wire	4G
C.290.140.0460.I	29.0	1.40	46.0	0.0420	8.82	12.45	yes	stainless steel	4G
C.290.150.0350.A	29.0	1.50	35.0	0.0500	11.25	15.78	yes	music wire	4F
C.290.150.0350.I	29.0	1.50	35.0	0.0435	11.10	15.54	yes	stainless steel	4G
C.290.150.0350.N	29.0	1.50	35.0	0.0500	11.25	15.78	yes	Zn coating	4I
C.290.160.0280.A	29.0	1.60	28.0	0.0575	12.96	17.80	yes	music wire	4F
C.290.160.0280.I	29.0	1.60	28.0	0.0500	12.96	17.80	yes	stainless steel	4G
C.290.160.0360.A	29.0	1.60	36.0	0.1708	7.04	8.68	yes	music wire	4F
C.290.160.0360.I	29.0	1.60	36.0	0.1467	7.04	8.68	yes	stainless steel	4G
C.290.160.0457.A	29.0	1.60	45.7	0.1159	8.48	10.90	yes	music wire	4G
C.290.160.0457.I	29.0	1.60	45.7	0.0996	8.48	10.90	yes	stainless steel	4G
C.290.160.0559.A	29.0	1.60	55.9	0.0955	9.44	12.38	yes	music wire	4G
C.290.160.0559.I	29.0	1.60	55.9	0.0820	9.44	12.38	yes	stainless steel	4G
C.290.160.0572.A	29.0	1.60	57.2	0.0927	9.60	12.62	yes	music wire	4G
C.290.160.0572.I	29.0	1.60	57.2	0.0796	9.60	12.62	yes	stainless steel	4G
C.290.160.0698.A	29.0	1.60	69.8	0.0755	10.88	14.59	yes	music wire	4G
C.290.160.0698.I	29.0	1.60	69.8	0.0648	10.88	14.59	yes	stainless steel	4H
C.290.160.0780.I	29.0	1.60	78.0	0.0664	10.72	14.35	yes	stainless steel	4H
C.290.170.0500.A	29.0	1.70	50.0	0.1494	9.01	11.33	yes	music wire	4G
C.290.170.0500.I	29.0	1.70	50.0	0.1283	9.01	11.33	yes	stainless steel	4G
C.290.170.0620.A	29.0	1.70	62.0	0.1195	10.20	13.10	yes	music wire	4G
C.290.170.0620.I	29.0	1.70	62.0	0.1026	10.20	13.10	yes	stainless steel	4G
C.290.170.0990.A	29.0	1.70	99.0	0.0734	13.94	18.66	yes	music wire	4I
C.290.170.0990.I	29.0	1.70	99.0	0.0630	13.94	18.66	yes	stainless steel	4I
C.290.170.1400.A	29.0	1.70	140.0	0.0516	18.02	24.72	yes	music wire	4I
C.290.170.1400.I	29.0	1.70	140.0	0.0443	18.02	24.72	yes	stainless steel	4I
C.290.170.1750.A	29.0	1.70	175.0	0.0414	21.42	29.78	yes	music wire	4I
C.290.170.1750.I	29.0	1.70	175.0	0.0356	21.42	29.78	yes	stainless steel	4I
C.290.175.0820.A	29.0	1.75	82.0	0.0984	12.78	16.68	yes	music wire	4H
C.290.175.0820.I	29.0	1.75	82.0	0.0845	12.78	16.68	yes	stainless steel	4H
C.290.175.1200.A	29.0	1.75	120.0	0.0665	16.80	22.56	yes	music wire	4I
C.290.175.1200.I	29.0	1.75	120.0	0.0571	16.80	22.56	yes	stainless steel	4I
C.290.180.0970.A	29.0	1.80	97.0	0.0901	15.12	19.82	yes	music wire	4I
C.290.180.0970.I	29.0	1.80	97.0	0.0774	15.12	19.82	yes	stainless steel	4I
C.290.180.1250.A	29.0	1.80	125.0	0.0690	18.36	24.49	yes	music wire	4I
C.290.180.1250.I	29.0	1.80	125.0	0.0593	18.36	24.49	yes	stainless steel	4I
C.290.180.1600.A	29.0	1.80	160.0	0.0537	22.32	30.21	yes	music wire	4I
C.290.180.1600.I	29.0	1.80	160.0	0.0461	22.32	30.21	yes	stainless steel	4J
C.290.190.0470.A	29.0	1.90	47.0	0.2300	10.26	12.49	yes	music wire	4G
C.290.190.0470.I	29.0	1.90	47.0	0.1976	10.26	12.49	yes	stainless steel	4H
C.290.190.0770.A	29.0	1.90	77.0	0.1361	14.06	17.83	yes	music wire	4I
C.290.190.0770.I	29.0	1.90	77.0	0.1169	14.06	17.83	yes	stainless steel	4I
C.290.190.1350.A	29.0	1.90	135.0	0.0758	21.47	28.24	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.290.190.1350.I	29.0	1.90	135.0	0.0651	21.47	28.24	yes	stainless steel	4I
C.290.200.0440.A	29.0	2.00	44.0	0.2856	10.80	12.97	yes	music wire	4H
C.290.200.0440.I	29.0	2.00	44.0	0.2453	10.80	12.97	yes	stainless steel	4H
C.290.200.0550.A	29.0	2.00	55.0	0.0960	22.20	28.62	yes	music wire	4H
C.290.200.0550.I	29.0	2.00	55.0	0.0835	22.00	28.35	yes	stainless steel	4I
C.290.200.0550.N	29.0	2.00	55.0	0.0960	22.20	28.62	yes	Zn coating	4I
C.290.200.0900.A	29.0	2.00	90.0	0.0370	49.80	66.53	yes	music wire	4I
C.290.200.0900.I	29.0	2.00	90.0	0.0322	49.20	65.70	yes	stainless steel	4I
C.290.200.0900.N	29.0	2.00	90.0	0.0370	49.80	66.53	yes	Zn coating	4J
C.290.210.0350.A	29.0	2.10	35.0	0.4241	10.29	12.03	yes	music wire	4G
C.290.210.0350.I	29.0	2.10	35.0	0.3643	10.29	12.03	yes	stainless steel	4H
C.290.210.2000.A	29.0	2.10	200.0	0.0697	35.91	46.52	yes	music wire	4J
C.290.210.2000.I	29.0	2.10	200.0	0.0599	35.91	46.52	yes	stainless steel	4J
C.290.220.0350.A	29.0	2.20	35.0	0.4959	11.00	12.77	yes	music wire	4G
C.290.220.0350.I	29.0	2.20	35.0	0.4259	11.00	12.77	yes	stainless steel	4H
C.290.220.1240.A	29.0	2.20	124.0	0.1011	32.56	41.29	yes	music wire	4I
C.290.220.1240.I	29.0	2.20	124.0	0.0880	32.12	40.71	yes	stainless steel	4I
C.290.230.0250.A	29.0	2.30	25.0	0.6207	11.27	12.94	yes	music wire	4G
C.290.230.0250.AP	29.0	2.30	25.0	1.1659	8.74	11.69	yes	music wire	4I
C.290.230.0250.I	29.0	2.30	25.0	0.5400	11.27	12.94	yes	stainless steel	4G
C.290.230.0760.A	29.0	2.30	76.0	0.1839	24.38	30.01	yes	music wire	4I
C.290.230.0760.AP	29.0	2.30	76.0	0.3445	15.64	30.96	yes	music wire	4J
C.290.230.0760.I	29.0	2.30	76.0	0.1600	24.15	29.71	yes	stainless steel	4I
C.290.235.1250.A	29.0	2.35	125.0	0.1625	29.61	36.56	yes	music wire	4I
C.290.235.1250.I	29.0	2.35	125.0	0.1396	29.61	36.56	yes	stainless steel	4I
C.290.235.1750.A	29.0	2.35	175.0	0.1148	39.48	49.32	yes	music wire	4J
C.290.235.1750.I	29.0	2.35	175.0	0.0986	39.48	49.32	yes	stainless steel	4J
C.290.250.0350.A	29.0	2.50	35.0	0.5250	16.50	19.25	yes	music wire	4H
C.290.250.0350.AP	29.0	2.50	35.0	1.0840	11.25	16.96	yes	music wire	4J
C.290.250.0350.I	29.0	2.50	35.0	0.4568	16.25	18.94	yes	stainless steel	4H
C.290.250.0350.N	29.0	2.50	35.0	0.5250	16.50	19.25	yes	Zn coating	4I
C.290.250.1350.A	29.0	2.50	135.0	0.1843	35.25	43.04	yes	music wire	4I
C.290.250.1350.I	29.0	2.50	135.0	0.1583	35.25	43.04	yes	stainless steel	4J
C.290.260.0390.A	29.0	2.60	39.0	0.7907	14.82	16.94	yes	music wire	4H
C.290.260.0390.I	29.0	2.60	39.0	0.6791	14.82	16.94	yes	stainless steel	4I
C.290.270.0550.A	29.0	2.70	55.0	0.6200	19.71	22.85	yes	music wire	4I
C.290.270.0550.I	29.0	2.70	55.0	0.5325	19.71	22.85	yes	stainless steel	4I
C.290.270.2000.A	29.0	2.70	200.0	0.1600	56.97	69.14	yes	music wire	4J
C.290.270.2000.I	29.0	2.70	200.0	0.1374	56.97	69.14	yes	stainless steel	4J
C.290.280.1450.A	29.0	2.80	145.0	0.2523	45.64	54.58	yes	music wire	4J
C.290.280.1450.I	29.0	2.80	145.0	0.2167	45.64	54.58	yes	stainless steel	4J
C.290.290.0310.A	29.0	2.90	31.0	1.5587	14.79	16.46	yes	music wire	4I
C.290.290.0310.I	29.0	2.90	31.0	1.3388	14.79	16.46	yes	stainless steel	4I
C.290.290.0550.A	29.0	2.90	55.0	0.7946	22.04	25.32	yes	music wire	4I
C.290.290.0550.I	29.0	2.90	55.0	0.6825	22.04	25.32	yes	stainless steel	4I
C.290.290.0660.A	29.0	2.90	66.0	0.6537	25.23	29.21	yes	music wire	4I
C.290.290.0660.I	29.0	2.90	66.0	0.5614	25.23	29.21	yes	stainless steel	4I
C.290.290.0830.A	29.0	2.90	83.0	0.5130	30.16	35.23	yes	music wire	4I
C.290.290.0830.I	29.0	2.90	83.0	0.4406	30.16	35.23	yes	stainless steel	4J
C.290.290.0980.A	29.0	2.90	98.0	0.4311	34.51	40.55	yes	music wire	4J
C.290.290.0980.I	29.0	2.90	98.0	0.3703	34.51	40.55	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.290.290.1250.A	29.0	2.90	125.0	0.3349	42.34	50.11	yes	music wire	4J
C.290.290.1250.I	29.0	2.90	125.0	0.2877	42.34	50.11	yes	stainless steel	4J
C.290.290.1650.A	29.0	2.90	165.0	0.2502	54.23	64.64	yes	music wire	4J
C.290.290.1650.I	29.0	2.90	165.0	0.2149	54.23	64.64	yes	stainless steel	4J
C.290.300.0320.A	29.0	3.00	32.0	1.6092	16.20	18.05	yes	music wire	4I
C.290.300.0320.AP	29.0	3.00	32.0	2.1734	14.10	17.10	yes	music wire	4J
C.290.300.0320.I	29.0	3.00	32.0	1.4000	16.20	18.05	yes	stainless steel	4I
C.290.300.1800.A	29.0	3.00	180.0	0.2580	62.10	73.71	yes	music wire	4J
C.290.300.1800.I	29.0	3.00	180.0	0.2216	62.10	73.71	yes	stainless steel	4K
C.290.310.1100.A	29.0	3.10	110.0	0.4879	42.16	49.20	yes	music wire	4J
C.290.310.1100.I	29.0	3.10	110.0	0.4190	42.16	49.20	yes	stainless steel	4J
C.290.320.0300.A	29.0	3.20	30.0	2.3038	16.64	18.35	yes	music wire	4J
C.290.320.0300.I	29.0	3.20	30.0	1.9787	16.64	18.35	yes	stainless steel	4J
C.290.320.1700.A	29.0	3.20	170.0	0.3475	65.28	76.59	yes	music wire	4L
C.290.320.1700.I	29.0	3.20	170.0	0.2985	65.28	76.59	yes	stainless steel	4L
C.290.330.0480.A	29.0	3.30	48.0	1.9540	20.13	26.46	yes	music wire	4M
C.290.330.0480.I	29.0	3.30	48.0	1.7000	20.13	25.87	yes	stainless steel	4M
C.290.330.0500.A	29.0	3.30	50.0	1.7241	21.78	25.59	yes	music wire	4M
C.290.330.0500.I	29.0	3.30	50.0	1.5000	21.78	24.92	yes	stainless steel	4M
C.290.330.0800.A	29.0	3.30	80.0	0.8575	35.64	40.87	yes	music wire	4J
C.290.330.0800.I	29.0	3.30	80.0	0.7365	35.64	40.87	yes	stainless steel	4J
C.290.330.0960.A	29.0	3.30	96.0	0.7117	41.25	47.55	yes	music wire	4K
C.290.330.0960.I	29.0	3.30	96.0	0.6113	41.25	47.55	yes	stainless steel	4K
C.290.330.1200.A	29.0	3.30	120.0	0.5604	50.16	58.16	yes	music wire	4L
C.290.330.1200.I	29.0	3.30	120.0	0.4813	50.16	58.16	yes	stainless steel	4L
C.290.340.0300.A	29.0	3.40	30.0	3.0054	17.68	19.38	yes	music wire	4J
C.290.340.0300.I	29.0	3.40	30.0	2.5813	17.68	19.38	yes	stainless steel	4J
C.290.350.0360.A	29.0	3.50	36.0	2.7117	20.65	22.79	yes	music wire	4J
C.290.350.0360.I	29.0	3.50	36.0	2.3291	20.65	22.79	yes	stainless steel	4J
C.290.350.0490.A	29.0	3.50	49.0	1.8816	25.90	28.98	yes	music wire	4J
C.290.350.0490.I	29.0	3.50	49.0	1.6161	25.90	28.98	yes	stainless steel	4J
C.290.350.1800.A	29.0	3.50	180.0	0.3550	99.75	116.10	yes	music wire	4L
C.290.350.1800.AP	29.0	3.50	180.0	0.5868	63.70	95.75	yes	music wire	4N
C.290.350.1800.I	29.0	3.50	180.0	0.3089	98.35	114.44	yes	stainless steel	4M
C.290.350.1800.N	29.0	3.50	180.0	0.3550	99.75	116.10	yes	Zn coating	4N
C.290.360.0151.A	29.0	3.60	15.1	10.0000	12.60	13.23	yes	music wire	4L
C.290.360.0151.I	29.0	3.60	15.1	8.7000	12.60	13.23	yes	stainless steel	4M
C.290.360.0350.A	29.0	3.60	35.0	3.0711	21.24	23.38	yes	music wire	4M
C.290.360.0350.I	29.0	3.60	35.0	2.6378	21.24	23.38	yes	stainless steel	4M
C.290.380.1850.A	29.0	3.80	185.0	0.6174	91.20	104.76	yes	music wire	4N
C.290.380.1850.I	29.0	3.80	185.0	0.5303	91.20	104.76	yes	stainless steel	4N
C.290.400.0300.A	29.0	4.00	30.0	5.9611	21.20	22.98	yes	music wire	4P
C.290.400.0300.I	29.0	4.00	30.0	5.1200	21.20	22.98	yes	stainless steel	4P
C.290.400.0340.A	29.0	4.00	34.0	5.0579	23.20	25.29	yes	music wire	4P
C.290.400.0340.I	29.0	4.00	34.0	4.3442	23.20	25.29	yes	stainless steel	4P
C.290.400.0400.A	29.0	4.00	40.0	4.0960	26.40	29.00	yes	music wire	4P
C.290.400.0400.AP	29.0	4.00	40.0	5.1510	22.80	26.19	yes	music wire	4R
C.290.400.0400.I	29.0	4.00	40.0	3.5635	26.00	28.54	yes	stainless steel	4P
C.290.400.0400.N	29.0	4.00	40.0	4.0960	26.40	29.00	yes	Zn coating	4R
C.290.400.0410.A	29.0	4.00	41.0	4.7689	24.00	26.22	yes	music wire	4R
C.290.400.0410.I	29.0	4.00	41.0	4.0960	24.00	26.22	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.290.400.0410.N	29.0	4.00	41.0	4.7689	24.00	26.22	yes	Zn coating	4S
C.290.400.0500.A	29.0	4.00	50.0	3.2770	30.40	33.64	yes	music wire	4P
C.290.400.0500.I	29.0	4.00	50.0	2.8510	30.00	33.17	yes	stainless steel	4P
C.290.400.0500.N	29.0	4.00	50.0	3.2770	30.40	33.64	yes	Zn coating	4R
C.290.400.0605.A	29.0	4.00	60.5	3.0348	32.00	37.06	yes	music wire	4R
C.290.400.0605.I	29.0	4.00	60.5	2.6066	32.00	35.92	yes	stainless steel	4R
C.290.400.0605.N	29.0	4.00	60.5	3.0348	32.00	37.06	yes	Zn coating	4T
C.290.400.0895.A	29.0	4.00	89.5	1.9637	44.00	53.28	yes	music wire	4R
C.290.400.0895.I	29.0	4.00	89.5	1.6866	44.00	51.51	yes	stainless steel	4S
C.290.400.0895.N	29.0	4.00	89.5	1.9637	44.00	53.28	yes	Zn coating	4T
C.290.400.1300.A	29.0	4.00	130.0	1.3353	60.00	76.74	yes	music wire	4S
C.290.400.1300.AP	29.0	4.00	130.0	1.3599	59.20	77.70	yes	music wire	4S
C.290.400.1300.I	29.0	4.00	130.0	1.1469	60.00	74.14	yes	stainless steel	4S
C.290.400.1300.IF	29.0	4.00	130.0	0.7749	84.00	95.74	yes	stainless steel	4Q
C.290.400.1300.N	29.0	4.00	130.0	1.3353	60.00	76.74	yes	Zn coating	4T
C.290.400.1850.A	29.0	4.00	185.0	0.9000	84.00	105.97	yes	music wire	4S
C.290.400.1850.AP	29.0	4.00	185.0	0.9444	80.80	109.68	yes	music wire	4S
C.290.400.1850.I	29.0	4.00	185.0	0.7749	84.00	102.32	yes	stainless steel	4S
C.290.400.1850.IF	29.0	4.00	185.0	0.6371	100.00	114.27	yes	stainless steel	4Q
C.290.400.1850.N	29.0	4.00	185.0	0.9000	84.00	105.97	yes	Zn coating	5A
C.290.420.0300.A	29.0	4.20	30.0	7.4225	22.26	24.05	yes	music wire	4P
C.290.420.0300.I	29.0	4.20	30.0	6.3752	22.26	24.05	yes	stainless steel	4P
C.290.450.0300.A	29.0	4.50	30.0	10.1452	23.85	25.67	yes	music wire	4Q
C.290.450.0300.I	29.0	4.50	30.0	8.7137	23.85	25.67	yes	stainless steel	4R
C.290.450.0360.A	29.0	4.50	36.0	7.8907	27.45	29.79	yes	music wire	4Q
C.290.450.0360.I	29.0	4.50	36.0	6.7773	27.45	29.79	yes	stainless steel	4R
C.290.450.0430.A	29.0	4.50	43.0	6.3126	31.50	34.43	yes	music wire	4R
C.290.450.0430.I	29.0	4.50	43.0	5.4218	31.50	34.43	yes	stainless steel	4R
C.290.450.0550.A	29.0	4.50	55.0	4.7344	38.25	42.15	yes	music wire	4R
C.290.450.0550.I	29.0	4.50	55.0	4.0664	38.25	42.15	yes	stainless steel	4R
C.290.450.0860.A	29.0	4.50	86.0	2.8407	56.25	62.75	yes	music wire	4R
C.290.450.0860.I	29.0	4.50	86.0	2.4398	56.25	62.75	yes	stainless steel	4R
C.290.450.1100.A	29.0	4.50	110.0	2.1684	70.20	78.72	yes	music wire	4R
C.290.450.1100.I	29.0	4.50	110.0	1.8625	70.20	78.72	yes	stainless steel	4R
C.290.450.2500.A	29.0	4.50	250.0	1.1380	123.75	164.12	yes	music wire	5C
C.290.450.2500.I	29.0	4.50	250.0	0.9901	121.95	160.63	yes	stainless steel	5C
C.290.450.2500.N	29.0	4.50	250.0	1.1380	123.75	164.12	yes	Zn coating	5D
C.290.450.3100.A	29.0	4.50	310.0	0.7850	174.15	197.68	yes	music wire	5A
C.290.450.3100.I	29.0	4.50	310.0	0.6830	171.90	195.11	yes	stainless steel	5A
C.290.450.3100.N	29.0	4.50	310.0	0.7850	174.15	197.68	yes	Zn coating	5C
C.290.470.0400.A	29.0	4.70	40.0	8.4500	31.02	33.72	yes	music wire	4R
C.290.470.0400.I	29.0	4.70	40.0	7.2577	31.02	33.72	yes	stainless steel	4R
C.290.470.0720.AP	29.0	4.70	72.0	5.0404	44.18	50.21	yes	music wire	4T
C.290.470.0720.S	29.0	4.70	72.0	4.1000	51.23	56.76	yes	Cr-Si steel	4T
C.290.470.0970.A	29.0	4.70	97.0	3.0390	65.33	72.84	yes	music wire	4R
C.290.470.0970.I	29.0	4.70	97.0	2.6102	65.33	72.84	yes	stainless steel	4R
C.290.470.1350.A	29.0	4.70	135.0	2.1255	88.36	99.09	yes	music wire	4R
C.290.470.1350.I	29.0	4.70	135.0	1.8255	88.36	99.09	yes	stainless steel	4R
C.290.470.1550.A	29.0	4.70	155.0	1.8331	100.58	113.02	yes	music wire	4R
C.290.470.1550.I	29.0	4.70	155.0	1.5744	100.58	113.02	yes	stainless steel	4R
C.290.480.0420.A	29.0	4.80	42.0	8.8740	32.64	35.49	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.290.480.0420.I	29.0	4.80	42.0	7.6218	32.64	35.49	yes	stainless steel	4R
C.290.480.0680.A	29.0	4.80	68.0	4.9556	48.96	54.07	yes	music wire	4R
C.290.480.0680.I	29.0	4.80	68.0	4.2563	48.96	54.07	yes	stainless steel	4R
C.290.480.1800.A	29.0	4.80	180.0	1.7188	118.56	133.28	yes	music wire	4R
C.290.480.1800.I	29.0	4.80	180.0	1.4763	118.56	133.28	yes	stainless steel	4R
C.290.500.0310.A	29.0	5.00	31.0	16.4496	26.50	28.38	yes	music wire	4R
C.290.500.0310.I	29.0	5.00	31.0	14.1285	26.50	28.38	yes	stainless steel	4R
C.290.500.0500.A	29.0	5.00	50.0	7.1264	45.00	49.37	yes	music wire	4S
C.290.500.0500.AP	29.0	5.00	50.0	10.1971	35.00	38.03	yes	music wire	5A
C.290.500.0500.I	29.0	5.00	50.0	6.2000	44.50	48.81	yes	stainless steel	4S
C.290.500.0760.A	29.0	5.00	76.0	5.2941	56.00	61.85	yes	music wire	4S
C.290.500.0760.I	29.0	5.00	76.0	4.5471	56.00	61.85	yes	stainless steel	4S
C.290.500.0940.A	29.0	5.00	94.0	4.1872	67.50	74.90	yes	music wire	4S
C.290.500.0940.I	29.0	5.00	94.0	3.5963	67.50	74.90	yes	stainless steel	4S
C.290.500.1150.A	29.0	5.00	115.0	3.3376	81.50	90.78	yes	music wire	4S
C.290.500.1150.I	29.0	5.00	115.0	2.8667	81.50	90.78	yes	stainless steel	4S
C.290.500.1350.A	29.0	5.00	135.0	2.8085	94.50	105.53	yes	music wire	4S
C.290.500.1350.I	29.0	5.00	135.0	2.4122	94.50	105.53	yes	stainless steel	4S
C.290.500.1700.A	29.0	5.00	170.0	2.2038	117.00	131.06	yes	music wire	4S
C.290.500.1700.I	29.0	5.00	170.0	1.8928	117.00	131.06	yes	stainless steel	4S
C.290.500.1900.A	29.0	5.00	190.0	1.9600	130.00	145.81	yes	music wire	4S
C.290.500.1900.I	29.0	5.00	190.0	1.6834	130.00	145.81	yes	stainless steel	4S
C.290.530.0300.A	29.0	5.30	30.0	23.2248	27.03	28.82	yes	music wire	4R
C.290.530.0300.I	29.0	5.30	30.0	19.9477	27.03	28.82	yes	stainless steel	4R
C.290.530.0390.A	29.0	5.30	39.0	15.8907	33.39	36.01	yes	music wire	4R
C.290.530.0390.I	29.0	5.30	39.0	13.6484	33.39	36.01	yes	stainless steel	4S
C.290.530.1270.S	29.0	5.30	127.0	4.4661	84.80	94.10	yes	Cr-Si steel	5D
C.290.530.1900.A	29.0	5.30	190.0	2.5805	137.27	153.39	yes	music wire	4S
C.290.530.1900.I	29.0	5.30	190.0	2.2164	137.27	153.39	yes	stainless steel	4S
C.290.550.0290.A	29.0	5.50	29.0	28.7326	27.50	27.50	yes	music wire	5A
C.290.550.0290.I	29.0	5.50	29.0	24.6783	27.50	27.50	yes	stainless steel	5A
C.290.550.0340.A	29.0	5.50	34.0	23.1714	30.80	32.97	yes	music wire	5A
C.290.550.0340.I	29.0	5.50	34.0	19.9019	30.80	32.97	yes	stainless steel	5A
C.290.550.0440.A	29.0	5.50	44.0	16.3253	37.95	41.03	yes	music wire	5A
C.290.550.0440.I	29.0	5.50	44.0	14.0218	37.95	41.03	yes	stainless steel	5A
C.290.550.0500.A	29.0	5.50	50.0	13.8137	42.35	45.99	yes	music wire	5A
C.290.550.0500.I	29.0	5.50	50.0	11.8646	42.35	45.99	yes	stainless steel	5A
C.290.550.0680.A	29.0	5.50	68.0	9.5775	55.00	60.25	yes	music wire	5A
C.290.550.0680.I	29.0	5.50	68.0	8.2261	55.00	60.25	yes	stainless steel	5A
C.290.550.0770.A	29.0	5.50	77.0	8.2565	61.60	67.70	yes	music wire	5A
C.290.550.0770.I	29.0	5.50	77.0	7.0915	61.60	67.70	yes	stainless steel	5A
C.290.560.0290.A	29.0	5.60	29.0	32.5807	27.44	27.44	yes	music wire	5A
C.290.560.0290.I	29.0	5.60	29.0	27.9835	27.44	27.44	yes	stainless steel	5A
C.290.560.0360.A	29.0	5.60	36.0	23.6951	32.48	34.81	yes	music wire	5A
C.290.560.0360.I	29.0	5.60	36.0	20.3516	32.48	34.81	yes	stainless steel	5A
C.290.560.0430.A	29.0	5.60	43.0	18.6176	37.52	40.49	yes	music wire	5A
C.290.560.0430.I	29.0	5.60	43.0	15.9905	37.52	40.49	yes	stainless steel	5A
C.290.560.0480.A	29.0	5.60	48.0	15.9579	41.44	44.90	yes	music wire	5A
C.290.560.0480.I	29.0	5.60	48.0	13.7062	41.44	44.90	yes	stainless steel	5A
C.290.560.0560.A	29.0	5.60	56.0	13.2532	47.04	51.21	yes	music wire	5A
C.290.560.0560.I	29.0	5.60	56.0	11.3831	47.04	51.21	yes	stainless steel	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.290.560.0740.A	29.0	5.60	74.0	9.5358	59.92	65.71	yes	music wire	5A
C.290.560.0740.I	29.0	5.60	74.0	8.1903	59.92	65.71	yes	stainless steel	5A
C.290.560.0890.A	29.0	5.60	89.0	7.6661	71.12	78.33	yes	music wire	5A
C.290.560.0890.I	29.0	5.60	89.0	6.5843	71.12	78.33	yes	stainless steel	5B
C.290.560.1100.A	29.0	5.60	110.0	6.0615	86.24	95.36	yes	music wire	5A
C.290.560.1100.I	29.0	5.60	110.0	5.2062	86.24	95.36	yes	stainless steel	5B
C.290.560.1400.A	29.0	5.60	140.0	4.6544	108.08	119.95	yes	music wire	5B
C.290.560.1400.I	29.0	5.60	140.0	3.9976	108.08	119.95	yes	stainless steel	5B
C.290.560.1700.A	29.0	5.60	170.0	3.7958	129.36	143.92	yes	music wire	5B
C.290.560.1700.I	29.0	5.60	170.0	3.2602	129.36	143.92	yes	stainless steel	5B
C.290.560.1900.A	29.0	5.60	190.0	3.3704	143.92	160.31	yes	music wire	5B
C.290.560.1900.I	29.0	5.60	190.0	2.8948	143.92	160.31	yes	stainless steel	5B
C.291.530.1150.S	29.1	5.30	115.0	4.9918	76.32	84.82	yes	Cr-Si steel	5D
C.292.480.1270.S	29.2	4.80	127.0	3.0823	70.08	89.54	yes	Cr-Si steel	5D
C.293.400.0250.A	29.3	4.00	25.0	11.7241	15.60	18.99	yes	music wire	4T
C.293.400.0250.I	29.3	4.00	25.0	10.2000	15.60	18.78	yes	stainless steel	4T
C.293.530.1400.S	29.3	5.30	140.0	3.9405	91.69	101.99	yes	Cr-Si steel	5D
C.293.530.1520.S	29.3	5.30	152.0	3.5903	99.11	110.34	yes	Cr-Si steel	5D
C.294.120.0127.A	29.4	1.20	12.7	0.0448	6.72	9.06	no	music wire	4C
C.294.120.0127.AP	29.4	1.20	12.7	0.0944	5.40	6.51	no	music wire	4C
C.294.120.0127.I	29.4	1.20	12.7	0.0390	6.72	9.06	no	stainless steel	4D
C.294.130.0220.A	29.4	1.30	22.0	0.0471	8.19	11.11	no	music wire	4D
C.294.130.0220.AP	29.4	1.30	22.0	0.1195	5.98	7.13	no	music wire	4D
C.294.130.0220.I	29.4	1.30	22.0	0.0410	8.06	10.87	no	stainless steel	4E
C.294.130.0360.A	29.4	1.30	36.0	0.0161	15.08	23.51	no	music wire	4E
C.294.130.0360.I	29.4	1.30	36.0	0.0140	14.95	23.28	no	stainless steel	4E
C.294.130.0500.A	29.4	1.30	50.0	0.0310	10.01	14.38	no	music wire	4E
C.294.130.0500.I	29.4	1.30	50.0	0.0270	10.01	14.38	no	stainless steel	4E
C.294.130.0600.A	29.4	1.30	60.0	0.0452	8.32	11.34	no	music wire	4E
C.294.130.0600.I	29.4	1.30	60.0	0.0388	8.32	11.34	no	stainless steel	4F
C.294.130.0800.A	29.4	1.30	80.0	0.0336	9.62	13.68	no	music wire	4F
C.294.130.0800.I	29.4	1.30	80.0	0.0289	9.62	13.68	no	stainless steel	4G
C.294.130.2000.A	29.4	1.30	200.0	0.0134	17.29	27.49	no	music wire	4I
C.294.130.2000.I	29.4	1.30	200.0	0.0115	17.29	27.49	no	stainless steel	4I
C.294.140.0220.A	29.4	1.40	22.0	0.1839	6.30	7.28	no	music wire	4E
C.294.140.0220.I	29.4	1.40	22.0	0.1600	6.30	7.28	no	stainless steel	4F
C.294.140.0450.A	29.4	1.40	45.0	0.0775	8.12	10.37	no	music wire	4G
C.294.140.0450.I	29.4	1.40	45.0	0.0666	8.12	10.37	no	stainless steel	4G
C.294.140.0730.A	29.4	1.40	73.0	0.0264	14.28	20.85	no	music wire	4G
C.294.140.0730.I	29.4	1.40	73.0	0.0230	14.28	20.85	no	stainless steel	4H
C.294.140.0760.A	29.4	1.40	76.0	0.0253	14.84	21.80	no	music wire	4G
C.294.140.0760.I	29.4	1.40	76.0	0.0220	14.70	21.56	no	stainless steel	4H
C.294.140.1000.A	29.4	1.40	100.0	0.0336	12.32	17.51	no	music wire	4I
C.294.140.1000.I	29.4	1.40	100.0	0.0289	12.32	17.51	no	stainless steel	4I
C.294.140.1600.A	29.4	1.40	160.0	0.0210	16.80	25.13	no	music wire	4I
C.294.140.1600.I	29.4	1.40	160.0	0.0180	16.80	25.13	no	stainless steel	4I
C.294.160.0200.A	29.4	1.60	20.0	0.2825	5.76	6.73	yes	music wire	4F
C.294.160.0200.I	29.4	1.60	20.0	0.2426	5.76	6.73	yes	stainless steel	4F
C.294.160.0700.A	29.4	1.60	70.0	0.0563	12.80	17.66	yes	music wire	4G
C.294.160.0700.I	29.4	1.60	70.0	0.0490	12.64	17.42	yes	stainless steel	4H
C.294.230.0200.A	29.4	2.30	20.0	0.9549	9.20	10.26	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.294.230.0200.I	29.4	2.30	20.0	0.8202	9.20	10.26	yes	stainless steel	4G
C.294.230.1280.A	29.4	2.30	128.0	0.1100	35.65	44.87	yes	music wire	4I
C.294.230.1280.I	29.4	2.30	128.0	0.0957	35.42	44.57	yes	stainless steel	4I
C.294.250.0200.A	29.4	2.50	20.0	1.3629	10.00	11.03	yes	music wire	4G
C.294.250.0200.I	29.4	2.50	20.0	1.1706	10.00	11.03	yes	stainless steel	4H
C.294.250.1150.A	29.4	2.50	115.0	0.1494	40.50	49.87	yes	music wire	4I
C.294.250.1150.AP	29.4	2.50	115.0	0.2919	23.75	48.88	yes	music wire	4K
C.294.250.1150.I	29.4	2.50	115.0	0.1300	40.00	49.24	yes	stainless steel	4I
C.294.270.0430.A	29.4	2.70	43.0	0.5287	21.33	24.93	yes	music wire	4H
C.294.270.0430.AP	29.4	2.70	43.0	1.0700	14.04	20.67	yes	music wire	4J
C.294.270.0430.I	29.4	2.70	43.0	0.4600	21.06	24.59	yes	stainless steel	4I
C.294.270.3200.A	29.4	2.70	320.0	0.0857	96.39	118.50	yes	music wire	4L
C.294.270.3200.I	29.4	2.70	320.0	0.0736	96.39	118.50	yes	stainless steel	4L
C.294.330.0350.A	29.4	3.30	35.0	1.0460	29.70	33.86	yes	music wire	4J
C.294.330.0350.AP	29.4	3.30	35.0	2.7681	16.50	19.99	yes	music wire	4L
C.294.330.0350.I	29.4	3.30	35.0	0.9100	29.37	33.46	yes	stainless steel	4J
C.294.330.2000.A	29.4	3.30	200.0	0.2892	85.80	100.83	yes	music wire	4M
C.294.330.2000.I	29.4	3.30	200.0	0.2484	85.80	100.83	yes	stainless steel	4M
C.294.340.0240.A	29.4	3.40	24.0	4.4828	14.28	15.37	yes	music wire	4J
C.294.340.0240.I	29.4	3.40	24.0	3.9000	14.28	15.37	yes	stainless steel	4J
C.294.340.0980.A	29.4	3.40	98.0	0.8046	41.14	47.27	yes	music wire	4M
C.294.340.0980.I	29.4	3.40	98.0	0.7000	40.80	46.86	yes	stainless steel	4K
C.294.340.2400.A	29.4	3.40	240.0	0.2689	106.42	124.80	yes	music wire	4M
C.294.340.2400.I	29.4	3.40	240.0	0.2310	106.42	124.80	yes	stainless steel	4M
C.294.480.1150.S	29.4	4.80	115.0	3.3971	63.36	81.22	yes	Cr-Si steel	5D
C.294.480.1400.S	29.4	4.80	140.0	2.7499	75.36	98.26	yes	Cr-Si steel	5D
C.294.480.1520.S	29.4	4.80	152.0	2.5224	81.12	106.50	yes	Cr-Si steel	5D
C.294.480.2000.A	29.4	4.80	200.0	1.4026	136.32	153.65	yes	music wire	4R
C.294.480.2000.I	29.4	4.80	200.0	1.2047	136.32	153.65	yes	stainless steel	4R
C.295.380.0630.A	29.5	3.80	63.0	1.8200	35.72	40.14	yes	music wire	4M
C.295.380.0630.AP	29.5	3.80	63.0	2.3601	29.64	37.19	yes	music wire	4O
C.295.380.0630.I	29.5	3.80	63.0	1.5834	35.34	39.70	yes	stainless steel	4M
C.295.380.0630.N	29.5	3.80	63.0	1.8200	35.72	40.14	yes	Zn coating	4N
C.295.500.0500.S	29.5	5.00	50.0	9.4569	35.50	38.63	yes	Cr-Si steel	5C
C.295.530.0890.S	29.5	5.30	89.0	6.3922	60.42	66.61	yes	Cr-Si steel	5D
C.296.530.0760.S	29.6	5.30	76.0	7.5308	52.47	57.63	yes	Cr-Si steel	5D
C.297.420.1400.S	29.7	4.20	140.0	1.5760	61.32	89.61	yes	Cr-Si steel	5C
C.297.420.1520.S	29.7	4.20	152.0	1.4446	65.94	97.02	yes	Cr-Si steel	5C
C.297.450.0500.S	29.7	4.50	50.0	6.2873	30.15	34.78	yes	Cr-Si steel	5B
C.297.480.0760.S	29.7	4.80	76.0	5.0261	45.60	53.37	yes	Cr-Si steel	5B
C.297.480.0890.S	29.7	4.80	89.0	4.3259	50.88	62.71	yes	Cr-Si steel	5D
C.297.480.1020.S	29.7	4.80	102.0	3.7826	56.64	71.93	yes	Cr-Si steel	5D
C.298.200.0198.A	29.8	2.00	19.8	0.4483	8.40	9.73	yes	music wire	4G
C.298.200.0198.I	29.8	2.00	19.8	0.3900	8.40	9.73	yes	stainless steel	4G
C.298.200.0350.A	29.8	2.00	35.0	0.3035	10.00	11.95	yes	music wire	4G
C.298.200.0350.I	29.8	2.00	35.0	0.2606	10.00	11.95	yes	stainless steel	4H
C.298.200.0550.A	29.8	2.00	55.0	0.1839	13.20	16.40	yes	music wire	4H
C.298.200.0550.I	29.8	2.00	55.0	0.1600	13.20	16.40	yes	stainless steel	4I
C.298.200.0750.A	29.8	2.00	75.0	0.1600	14.40	18.06	yes	music wire	4I
C.298.200.0750.I	29.8	2.00	75.0	0.1392	14.40	18.06	yes	stainless steel	4I
C.298.200.0920.A	29.8	2.00	92.0	0.1609	14.40	28.41	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.298.200.0920.I	29.8	2.00	92.0	0.1400	14.40	27.81	yes	stainless steel	4J
C.298.200.1200.A	29.8	2.00	120.0	0.0834	23.20	30.29	yes	music wire	4I
C.298.200.1200.I	29.8	2.00	120.0	0.0716	23.20	30.29	yes	stainless steel	4I
C.298.200.2000.A	29.8	2.00	200.0	0.0496	35.60	47.53	yes	music wire	4J
C.298.200.2000.I	29.8	2.00	200.0	0.0426	35.60	47.53	yes	stainless steel	4J
C.298.230.0200.A	29.8	2.30	20.0	0.9792	8.97	9.98	yes	music wire	4G
C.298.230.0200.I	29.8	2.30	20.0	0.8410	8.97	9.98	yes	stainless steel	4G
C.298.230.1780.A	29.8	2.30	178.0	0.0667	53.13	68.03	yes	music wire	4J
C.298.230.1780.I	29.8	2.30	178.0	0.0580	52.44	67.12	yes	stainless steel	4J
C.298.250.0290.A	29.8	2.50	29.0	0.7400	12.75	14.56	yes	music wire	4H
C.298.250.0290.AP	29.8	2.50	29.0	1.2393	10.25	13.63	yes	music wire	4I
C.298.250.0290.I	29.8	2.50	29.0	0.6438	12.75	14.56	yes	stainless steel	4H
C.298.250.1000.A	29.8	2.50	100.0	0.2126	29.25	35.66	yes	music wire	4I
C.298.250.1000.I	29.8	2.50	100.0	0.1826	29.25	35.66	yes	stainless steel	4I
C.298.340.0500.A	29.8	3.40	50.0	1.4943	25.50	28.74	yes	music wire	4J
C.298.340.0500.AP	29.8	3.40	50.0	1.9829	21.08	27.55	yes	music wire	4M
C.298.340.0500.I	29.8	3.40	50.0	1.3000	25.16	28.33	yes	stainless steel	4J
C.298.340.2400.A	29.8	3.40	240.0	0.2624	104.38	122.64	yes	music wire	4M
C.298.340.2400.I	29.8	3.40	240.0	0.2254	104.38	122.64	yes	stainless steel	4M
C.299.420.1150.S	29.9	4.20	115.0	1.9261	51.24	74.02	yes	Cr-Si steel	5C
C.299.470.0640.S	29.9	4.70	64.0	5.5694	38.07	44.81	yes	Cr-Si steel	5B
C.300.125.1000.A	30.0	1.25	100.0	0.0140	13.75	22.13	no	music wire	4G
C.300.125.1000.I	30.0	1.25	100.0	0.0122	13.63	21.89	no	stainless steel	4G
C.300.125.1000.N	30.0	1.25	100.0	0.0140	13.75	22.13	no	Zn coating	4I
C.300.150.0400.A	30.0	1.50	40.0	0.0500	10.50	14.83	yes	music wire	4G
C.300.150.0400.I	30.0	1.50	40.0	0.0435	10.35	14.58	yes	stainless steel	4G
C.300.150.0400.N	30.0	1.50	40.0	0.0500	10.50	14.83	yes	Zn coating	4I
C.300.150.0550.A	30.0	1.50	55.0	0.0500	10.50	14.83	yes	music wire	4G
C.300.150.0550.I	30.0	1.50	55.0	0.0435	10.35	14.58	yes	stainless steel	4G
C.300.150.0550.N	30.0	1.50	55.0	0.0500	10.50	14.83	yes	Zn coating	4I
C.300.150.0660.A	30.0	1.50	66.0	0.0400	12.15	17.54	yes	music wire	4G
C.300.150.0660.I	30.0	1.50	66.0	0.0348	12.00	17.29	yes	stainless steel	4H
C.300.150.0660.N	30.0	1.50	66.0	0.0400	12.15	17.54	yes	Zn coating	4I
C.300.150.0690.A	30.0	1.50	69.0	0.0200	20.40	31.08	yes	music wire	4G
C.300.150.0690.I	30.0	1.50	69.0	0.0174	20.25	30.83	yes	stainless steel	4H
C.300.150.0690.N	30.0	1.50	69.0	0.0200	20.40	31.08	yes	Zn coating	4I
C.300.170.0300.A	30.0	1.70	30.0	0.2503	6.80	8.12	yes	music wire	4F
C.300.170.0300.I	30.0	1.70	30.0	0.2150	6.80	8.12	yes	stainless steel	4G
C.300.170.0830.A	30.0	1.70	83.0	0.0853	11.73	15.59	yes	music wire	4H
C.300.170.0830.I	30.0	1.70	83.0	0.0733	11.73	15.59	yes	stainless steel	4I
C.300.175.0500.A	30.0	1.75	50.0	0.1570	9.10	11.42	yes	music wire	4G
C.300.175.0500.I	30.0	1.75	50.0	0.1348	9.10	11.42	yes	stainless steel	4G
C.300.180.0540.A	30.0	1.80	54.0	0.1590	9.90	12.43	yes	music wire	4H
C.300.180.0540.I	30.0	1.80	54.0	0.1365	9.90	12.43	yes	stainless steel	4I
C.300.180.0691.A	30.0	1.80	69.1	0.1363	10.80	13.75	yes	music wire	4J
C.300.180.0691.I	30.0	1.80	69.1	0.1171	10.80	13.75	yes	stainless steel	4J
C.300.180.0691.N	30.0	1.80	69.1	0.1363	10.80	13.75	yes	Zn coating	4L
C.300.180.1070.A	30.0	1.80	107.0	0.0867	14.40	19.67	yes	music wire	4J
C.300.180.1070.I	30.0	1.80	107.0	0.0745	14.40	19.03	yes	stainless steel	4J
C.300.180.1070.N	30.0	1.80	107.0	0.0867	14.40	19.67	yes	Zn coating	4L
C.300.180.1810.A	30.0	1.80	181.0	0.0502	21.60	30.18	yes	music wire	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.180.1810.I	30.0	1.80	181.0	0.0431	21.60	29.61	yes	stainless steel	4L
C.300.180.1810.N	30.0	1.80	181.0	0.0502	21.60	30.18	yes	Zn coating	4N
C.300.180.2940.A	30.0	1.80	294.0	0.0308	32.40	48.18	yes	music wire	4N
C.300.180.2940.I	30.0	1.80	294.0	0.0265	32.40	45.46	yes	stainless steel	4N
C.300.180.2940.N	30.0	1.80	294.0	0.0308	32.40	48.18	yes	Zn coating	4P
C.300.190.0300.A	30.0	1.90	30.0	0.3520	7.98	9.36	yes	music wire	4G
C.300.190.0300.I	30.0	1.90	30.0	0.3023	7.98	9.36	yes	stainless steel	4G
C.300.190.0400.A	30.0	1.90	40.0	0.2602	9.12	10.99	yes	music wire	4G
C.300.190.0400.I	30.0	1.90	40.0	0.2234	9.12	10.99	yes	stainless steel	4H
C.300.190.1600.A	30.0	1.90	160.0	0.0611	23.37	31.34	yes	music wire	4J
C.300.190.1600.I	30.0	1.90	160.0	0.0524	23.37	31.34	yes	stainless steel	4J
C.300.190.1900.A	30.0	1.90	190.0	0.0511	26.98	36.50	yes	music wire	4J
C.300.190.1900.I	30.0	1.90	190.0	0.0439	26.98	36.50	yes	stainless steel	4J
C.300.200.0300.A	30.0	2.00	30.0	0.4125	8.60	10.02	yes	music wire	4G
C.300.200.0300.I	30.0	2.00	30.0	0.3543	8.60	10.02	yes	stainless steel	4H
C.300.200.0500.A	30.0	2.00	50.0	0.2122	12.00	14.76	yes	music wire	4H
C.300.200.0500.I	30.0	2.00	50.0	0.1823	12.00	14.76	yes	stainless steel	4I
C.300.200.0500.N	30.0	2.00	50.0	0.2122	12.00	14.76	yes	Zn coating	4I
C.300.200.0660.A	30.0	2.00	66.0	0.1768	13.40	16.71	yes	music wire	4I
C.300.200.0660.I	30.0	2.00	66.0	0.1518	13.40	16.71	yes	stainless steel	4I
C.300.200.0760.A	30.0	2.00	76.0	0.1350	16.00	20.33	yes	music wire	4I
C.300.200.0760.I	30.0	2.00	76.0	0.1160	16.00	20.33	yes	stainless steel	4I
C.300.200.0760.N	30.0	2.00	76.0	0.1350	16.00	20.33	yes	Zn coating	4J
C.300.200.1150.A	30.0	2.00	115.0	0.0874	22.00	28.70	yes	music wire	4I
C.300.200.1150.I	30.0	2.00	115.0	0.0751	22.00	28.70	yes	stainless steel	4I
C.300.200.1150.N	30.0	2.00	115.0	0.0874	22.00	28.70	yes	Zn coating	4J
C.300.200.1160.A	30.0	2.00	116.0	0.0660	27.60	36.50	yes	music wire	4I
C.300.200.1160.I	30.0	2.00	116.0	0.0574	27.20	35.95	yes	stainless steel	4I
C.300.200.1160.N	30.0	2.00	116.0	0.0660	27.60	36.50	yes	Zn coating	4J
C.300.200.1400.A	30.0	2.00	140.0	0.0825	23.00	30.09	yes	music wire	4I
C.300.200.1400.I	30.0	2.00	140.0	0.0709	23.00	30.09	yes	stainless steel	4I
C.300.200.1700.A	30.0	2.00	170.0	0.0550	32.00	42.64	yes	music wire	4J
C.300.200.1700.I	30.0	2.00	170.0	0.0472	32.00	42.64	yes	stainless steel	4J
C.300.200.1700.N	30.0	2.00	170.0	0.0550	32.00	42.64	yes	Zn coating	4L
C.300.200.1820.A	30.0	2.00	182.0	0.0550	32.00	42.64	yes	music wire	4J
C.300.200.1820.I	30.0	2.00	182.0	0.0472	32.00	42.64	yes	stainless steel	4J
C.300.200.1820.N	30.0	2.00	182.0	0.0550	32.00	42.64	yes	Zn coating	4L
C.300.210.0826.A	30.0	2.10	82.6	0.1425	18.69	23.59	yes	music wire	4I
C.300.210.0826.I	30.0	2.10	82.6	0.1224	18.69	23.59	yes	stainless steel	4I
C.300.210.0889.A	30.0	2.10	88.9	0.1322	19.74	25.03	yes	music wire	4I
C.300.210.0889.I	30.0	2.10	88.9	0.1136	19.74	25.03	yes	stainless steel	4I
C.300.210.0952.A	30.0	2.10	95.2	0.1233	20.79	26.46	yes	music wire	4I
C.300.210.0952.I	30.0	2.10	95.2	0.1059	20.79	26.46	yes	stainless steel	4I
C.300.210.1016.A	30.0	2.10	101.6	0.1155	21.84	27.89	yes	music wire	4I
C.300.210.1016.I	30.0	2.10	101.6	0.0992	21.84	27.89	yes	stainless steel	4I
C.300.210.1650.A	30.0	2.10	165.0	0.0807	28.98	37.64	yes	music wire	4J
C.300.210.1650.I	30.0	2.10	165.0	0.0693	28.98	37.64	yes	stainless steel	4J
C.300.220.0250.A	30.0	2.20	25.0	0.6110	9.46	10.80	yes	music wire	4G
C.300.220.0250.I	30.0	2.20	25.0	0.5316	9.46	10.80	yes	stainless steel	4H
C.300.220.0250.N	30.0	2.20	25.0	0.6110	9.46	10.80	yes	Zn coating	4I
C.300.220.0320.A	30.0	2.20	32.0	0.4750	10.56	12.28	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.220.0320.I	30.0	2.20	32.0	0.4133	10.56	12.28	yes	stainless steel	4H
C.300.220.0320.N	30.0	2.20	32.0	0.4750	10.56	12.28	yes	Zn coating	4I
C.300.220.0400.A	30.0	2.20	40.0	0.3720	12.10	14.34	yes	music wire	4H
C.300.220.0400.I	30.0	2.20	40.0	0.3236	11.88	14.05	yes	stainless steel	4H
C.300.220.0400.N	30.0	2.20	40.0	0.3720	12.10	14.34	yes	Zn coating	4I
C.300.220.0500.A	30.0	2.20	50.0	0.2850	14.08	16.99	yes	music wire	4H
C.300.220.0500.I	30.0	2.20	50.0	0.2480	13.86	16.70	yes	stainless steel	4I
C.300.220.0500.N	30.0	2.20	50.0	0.2850	14.08	16.99	yes	Zn coating	4I
C.300.220.0630.A	30.0	2.20	63.0	0.2250	16.28	19.94	yes	music wire	4I
C.300.220.0630.I	30.0	2.20	63.0	0.1958	16.28	19.94	yes	stainless steel	4I
C.300.220.0630.N	30.0	2.20	63.0	0.2250	16.28	19.94	yes	Zn coating	4I
C.300.220.0800.A	30.0	2.20	80.0	0.1740	19.58	24.36	yes	music wire	4I
C.300.220.0800.I	30.0	2.20	80.0	0.1514	19.36	24.07	yes	stainless steel	4I
C.300.220.0800.N	30.0	2.20	80.0	0.1740	19.58	24.36	yes	Zn coating	4J
C.300.220.0826.A	30.0	2.20	82.6	0.1658	20.24	25.24	yes	music wire	4I
C.300.220.0826.I	30.0	2.20	82.6	0.1424	20.24	25.24	yes	stainless steel	4I
C.300.220.0952.A	30.0	2.20	95.2	0.1443	22.44	28.19	yes	music wire	4I
C.300.220.0952.I	30.0	2.20	95.2	0.1239	22.44	28.19	yes	stainless steel	4I
C.300.220.1000.A	30.0	2.20	100.0	0.1400	22.88	28.78	yes	music wire	4I
C.300.220.1000.I	30.0	2.20	100.0	0.1218	22.66	28.49	yes	stainless steel	4I
C.300.220.1000.N	30.0	2.20	100.0	0.1400	22.88	28.78	yes	Zn coating	4J
C.300.220.1060.A	30.0	2.20	106.0	0.1292	24.42	30.84	yes	music wire	4I
C.300.220.1060.I	30.0	2.20	106.0	0.1109	24.42	30.84	yes	stainless steel	4I
C.300.220.1250.A	30.0	2.20	125.0	0.1110	27.50	34.97	yes	music wire	4I
C.300.220.1250.I	30.0	2.20	125.0	0.0966	27.28	34.67	yes	stainless steel	4I
C.300.220.1250.N	30.0	2.20	125.0	0.1110	27.50	34.97	yes	Zn coating	4J
C.300.220.1400.A	30.0	2.20	140.0	0.1111	27.50	34.97	yes	music wire	4I
C.300.220.1400.I	30.0	2.20	140.0	0.0954	27.50	34.97	yes	stainless steel	4J
C.300.220.1600.A	30.0	2.20	160.0	0.0850	34.32	44.10	yes	music wire	4J
C.300.220.1600.I	30.0	2.20	160.0	0.0740	33.88	43.52	yes	stainless steel	4J
C.300.220.1600.N	30.0	2.20	160.0	0.0850	34.32	44.10	yes	Zn coating	4K
C.300.220.3600.A	30.0	2.20	360.0	0.0370	73.70	96.11	no	music wire	4M
C.300.220.3600.I	30.0	2.20	360.0	0.0322	72.82	94.93	no	stainless steel	4M
C.300.225.0390.A	30.0	2.25	39.0	0.4525	11.70	13.69	yes	music wire	4H
C.300.225.0390.I	30.0	2.25	39.0	0.3887	11.70	13.69	yes	stainless steel	4H
C.300.225.0470.A	30.0	2.25	47.0	0.3702	13.05	15.49	yes	music wire	4H
C.300.225.0470.I	30.0	2.25	47.0	0.3180	13.05	15.49	yes	stainless steel	4I
C.300.230.0400.A	30.0	2.30	40.0	0.4791	12.19	14.24	yes	music wire	4H
C.300.230.0400.I	30.0	2.30	40.0	0.4115	12.19	14.24	yes	stainless steel	4H
C.300.235.0762.A	30.0	2.35	76.2	0.2261	21.15	25.85	yes	music wire	4I
C.300.235.0762.I	30.0	2.35	76.2	0.1942	21.15	25.85	yes	stainless steel	4I
C.300.235.0826.A	30.0	2.35	82.6	0.2070	22.56	27.69	yes	music wire	4I
C.300.235.0826.I	30.0	2.35	82.6	0.1778	22.56	27.69	yes	stainless steel	4I
C.300.235.0889.A	30.0	2.35	88.9	0.1934	23.74	29.23	yes	music wire	4I
C.300.235.0889.I	30.0	2.35	88.9	0.1661	23.74	29.23	yes	stainless steel	4I
C.300.235.0952.A	30.0	2.35	95.2	0.1792	25.15	31.08	yes	music wire	4I
C.300.235.0952.I	30.0	2.35	95.2	0.1540	25.15	31.08	yes	stainless steel	4I
C.300.235.1016.A	30.0	2.35	101.6	0.1670	26.56	32.92	yes	music wire	4I
C.300.235.1016.I	30.0	2.35	101.6	0.1435	26.56	32.92	yes	stainless steel	4I
C.300.240.1000.A	30.0	2.40	100.0	0.1860	26.64	32.80	yes	music wire	4I
C.300.240.1000.AP	30.0	2.40	100.0	0.2857	19.44	40.84	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.240.1000.I	30.0	2.40	100.0	0.1618	26.40	32.49	yes	stainless steel	4I
C.300.240.1000.N	30.0	2.40	100.0	0.1860	26.64	32.80	yes	Zn coating	4J
C.300.250.0250.A	30.0	2.50	25.0	0.9820	11.00	12.34	yes	music wire	4G
C.300.250.0250.I	30.0	2.50	25.0	0.8543	11.00	12.34	yes	stainless steel	4H
C.300.250.0250.N	30.0	2.50	25.0	0.9820	11.00	12.34	yes	Zn coating	4I
C.300.250.0320.A	30.0	2.50	32.0	0.7750	12.50	14.26	yes	music wire	4H
C.300.250.0320.AP	30.0	2.50	32.0	1.1411	10.50	15.41	yes	music wire	4I
C.300.250.0320.I	30.0	2.50	32.0	0.6743	12.25	13.94	yes	stainless steel	4H
C.300.250.0320.N	30.0	2.50	32.0	0.7750	12.50	14.26	yes	Zn coating	4I
C.300.250.0400.A	30.0	2.50	40.0	0.5890	14.25	16.50	yes	music wire	4H
C.300.250.0400.AP	30.0	2.50	40.0	0.8818	11.75	18.53	yes	music wire	4J
C.300.250.0400.I	30.0	2.50	40.0	0.5124	14.25	16.50	yes	stainless steel	4I
C.300.250.0400.N	30.0	2.50	40.0	0.5890	14.25	16.50	yes	Zn coating	4I
C.300.250.0500.A	30.0	2.50	50.0	0.4600	16.75	19.71	yes	music wire	4I
C.300.250.0500.AP	30.0	2.50	50.0	0.6928	13.25	22.68	yes	music wire	4J
C.300.250.0500.I	30.0	2.50	50.0	0.4000	16.50	19.39	yes	stainless steel	4I
C.300.250.0500.N	30.0	2.50	50.0	0.4600	16.75	19.71	yes	Zn coating	4I
C.300.250.0570.A	30.0	2.50	57.0	0.3420	20.25	24.19	yes	music wire	4I
C.300.250.0570.AP	30.0	2.50	57.0	0.5879	14.50	24.80	yes	music wire	4J
C.300.250.0570.I	30.0	2.50	57.0	0.2975	20.00	23.87	yes	stainless steel	4I
C.300.250.0570.N	30.0	2.50	57.0	0.3420	20.25	24.19	yes	Zn coating	4I
C.300.250.0572.A	30.0	2.50	57.2	0.3827	18.75	22.27	yes	music wire	4I
C.300.250.0572.I	30.0	2.50	57.2	0.3287	18.75	22.27	yes	stainless steel	4I
C.300.250.0580.A	30.0	2.50	58.0	0.3130	21.50	25.79	yes	music wire	4I
C.300.250.0580.AP	30.0	2.50	58.0	0.5879	14.50	25.80	yes	music wire	4J
C.300.250.0580.I	30.0	2.50	58.0	0.2723	21.25	25.47	yes	stainless steel	4I
C.300.250.0580.N	30.0	2.50	58.0	0.3130	21.50	25.79	yes	Zn coating	4I
C.300.250.0610.A	30.0	2.50	61.0	0.3544	19.75	23.55	yes	music wire	4I
C.300.250.0610.I	30.0	2.50	61.0	0.3044	19.75	23.55	yes	stainless steel	4I
C.300.250.0630.A	30.0	2.50	63.0	0.3590	19.50	23.23	yes	music wire	4I
C.300.250.0630.AP	30.0	2.50	63.0	0.5243	15.25	26.89	yes	music wire	4J
C.300.250.0630.I	30.0	2.50	63.0	0.3123	19.50	23.23	yes	stainless steel	4I
C.300.250.0630.N	30.0	2.50	63.0	0.3590	19.50	23.23	yes	Zn coating	4J
C.300.250.0698.A	30.0	2.50	69.8	0.3086	21.75	26.11	yes	music wire	4I
C.300.250.0698.I	30.0	2.50	69.8	0.2651	21.75	26.11	yes	stainless steel	4I
C.300.250.0800.A	30.0	2.50	80.0	0.2780	23.50	28.36	yes	music wire	4I
C.300.250.0800.AP	30.0	2.50	80.0	0.4127	17.75	34.13	yes	music wire	4J
C.300.250.0800.I	30.0	2.50	80.0	0.2419	23.25	28.04	yes	stainless steel	4I
C.300.250.0800.N	30.0	2.50	80.0	0.2780	23.50	28.36	yes	Zn coating	4J
C.300.250.0826.A	30.0	2.50	82.6	0.2586	24.75	29.96	yes	music wire	4I
C.300.250.0826.I	30.0	2.50	82.6	0.2221	24.75	29.96	yes	stainless steel	4I
C.300.250.0880.A	30.0	2.50	88.0	0.2392	26.25	31.88	yes	music wire	4I
C.300.250.0880.I	30.0	2.50	88.0	0.2054	26.25	31.88	yes	stainless steel	4I
C.300.250.0900.A	30.0	2.50	90.0	0.2334	26.75	32.52	yes	music wire	4I
C.300.250.0900.I	30.0	2.50	90.0	0.2004	26.75	32.52	yes	stainless steel	4I
C.300.250.0952.A	30.0	2.50	95.2	0.2225	27.75	33.80	yes	music wire	4I
C.300.250.0952.I	30.0	2.50	95.2	0.1911	27.75	33.80	yes	stainless steel	4I
C.300.250.1000.A	30.0	2.50	100.0	0.2200	28.00	34.12	yes	music wire	4I
C.300.250.1000.AP	30.0	2.50	100.0	0.3288	20.75	42.42	yes	music wire	4J
C.300.250.1000.I	30.0	2.50	100.0	0.1914	27.75	33.80	yes	stainless steel	4I
C.300.250.1000.N	30.0	2.50	100.0	0.2200	28.00	34.12	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.250.1010.A	30.0	2.50	101.0	0.1390	40.75	50.46	yes	music wire	4I
C.300.250.1010.AP	30.0	2.50	101.0	0.3233	21.00	42.45	yes	music wire	4J
C.300.250.1010.I	30.0	2.50	101.0	0.1209	40.25	49.82	yes	stainless steel	4I
C.300.250.1010.N	30.0	2.50	101.0	0.1390	40.75	50.46	yes	Zn coating	4J
C.300.250.1250.A	30.0	2.50	125.0	0.1730	34.00	41.81	yes	music wire	4I
C.300.250.1250.AP	30.0	2.50	125.0	0.2587	24.75	51.81	yes	music wire	4L
C.300.250.1250.I	30.0	2.50	125.0	0.1505	33.50	41.17	yes	stainless steel	4I
C.300.250.1250.N	30.0	2.50	125.0	0.1730	34.00	41.81	yes	Zn coating	4J
C.300.250.1600.A	30.0	2.50	160.0	0.1350	41.75	51.74	yes	music wire	4J
C.300.250.1600.AP	30.0	2.50	160.0	0.2000	30.25	65.34	yes	music wire	4L
C.300.250.1600.I	30.0	2.50	160.0	0.1175	41.25	51.10	yes	stainless steel	4J
C.300.250.1600.N	30.0	2.50	160.0	0.1350	41.75	51.74	yes	Zn coating	4L
C.300.250.1800.A	30.0	2.50	180.0	0.1302	43.00	53.35	yes	music wire	4J
C.300.250.1800.I	30.0	2.50	180.0	0.1118	43.00	53.35	yes	stainless steel	4J
C.300.250.3500.A	30.0	2.50	350.0	0.0582	88.50	111.65	yes	music wire	4M
C.300.250.3500.I	30.0	2.50	350.0	0.0500	88.50	111.65	yes	stainless steel	4M
C.300.250.3600.A	30.0	2.50	360.0	0.0590	89.75	112.55	no	music wire	4M
C.300.250.3600.I	30.0	2.50	360.0	0.0513	88.75	111.27	no	stainless steel	4M
C.300.270.0700.A	30.0	2.70	70.0	0.4510	22.68	26.72	yes	music wire	4I
C.300.270.0700.I	30.0	2.70	70.0	0.3874	22.68	26.72	yes	stainless steel	4I
C.300.270.0830.A	30.0	2.70	83.0	0.3326	28.35	33.82	yes	music wire	4I
C.300.270.0830.I	30.0	2.70	83.0	0.2857	28.35	33.82	yes	stainless steel	4I
C.300.270.1400.A	30.0	2.70	140.0	0.2199	39.42	47.70	yes	music wire	4J
C.300.270.1400.I	30.0	2.70	140.0	0.1889	39.42	47.70	yes	stainless steel	4J
C.300.280.0250.A	30.0	2.80	25.0	1.6000	12.32	13.61	yes	music wire	4I
C.300.280.0250.I	30.0	2.80	25.0	1.3885	12.32	13.61	yes	stainless steel	4I
C.300.280.0250.N	30.0	2.80	25.0	1.6000	12.32	13.61	yes	Zn coating	4J
C.300.280.0320.A	30.0	2.80	32.0	1.2000	14.28	16.04	yes	music wire	4I
C.300.280.0320.AP	30.0	2.80	32.0	1.6648	12.32	16.43	yes	music wire	4J
C.300.280.0320.I	30.0	2.80	32.0	1.0414	14.28	16.04	yes	stainless steel	4I
C.300.280.0320.N	30.0	2.80	32.0	1.2000	14.28	16.04	yes	Zn coating	4J
C.300.280.0340.A	30.0	2.80	34.0	0.8890	16.80	19.17	yes	music wire	4I
C.300.280.0340.AP	30.0	2.80	34.0	1.5063	12.88	16.79	yes	music wire	4J
C.300.280.0340.I	30.0	2.80	34.0	0.7636	16.80	19.17	yes	stainless steel	4I
C.300.280.0340.N	30.0	2.80	34.0	0.8890	16.80	19.17	yes	Zn coating	4J
C.300.280.0400.A	30.0	2.80	40.0	0.8870	16.80	19.17	yes	music wire	4I
C.300.280.0400.AP	30.0	2.80	40.0	1.2653	14.00	19.52	yes	music wire	4J
C.300.280.0400.I	30.0	2.80	40.0	0.7717	16.80	19.17	yes	stainless steel	4I
C.300.280.0400.N	30.0	2.80	40.0	0.8870	16.80	19.17	yes	Zn coating	4J
C.300.280.0470.A	30.0	2.80	47.0	0.8891	16.80	19.17	yes	music wire	4J
C.300.280.0470.I	30.0	2.80	47.0	0.7636	16.80	19.17	yes	stainless steel	4K
C.300.280.0470.N	30.0	2.80	47.0	0.8891	16.80	19.17	yes	Zn coating	4M
C.300.280.0500.A	30.0	2.80	50.0	0.7040	19.32	22.30	yes	music wire	4I
C.300.280.0500.AP	30.0	2.80	50.0	0.9885	15.68	23.78	yes	music wire	4K
C.300.280.0500.I	30.0	2.80	50.0	0.6125	19.32	22.30	yes	stainless steel	4I
C.300.280.0500.N	30.0	2.80	50.0	0.7040	19.32	22.30	yes	Zn coating	4J
C.300.280.0630.A	30.0	2.80	63.0	0.5440	22.96	26.82	yes	music wire	4I
C.300.280.0630.AP	30.0	2.80	63.0	0.7715	18.20	29.41	yes	music wire	4L
C.300.280.0630.I	30.0	2.80	63.0	0.4733	22.68	26.47	yes	stainless steel	4I
C.300.280.0630.N	30.0	2.80	63.0	0.5440	22.96	26.82	yes	Zn coating	4J
C.300.280.0698.A	30.0	2.80	69.8	0.4576	26.04	30.64	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.280.0698.I	30.0	2.80	69.8	0.3930	26.04	30.64	yes	stainless steel	4I
C.300.280.0707.A	30.0	2.80	70.7	0.5658	22.40	26.12	yes	music wire	4L
C.300.280.0707.I	30.0	2.80	70.7	0.4859	22.40	26.12	yes	stainless steel	4L
C.300.280.0707.N	30.0	2.80	70.7	0.5658	22.40	26.12	yes	Zn coating	4M
C.300.280.0800.A	30.0	2.80	80.0	0.4200	27.72	32.72	yes	music wire	4I
C.300.280.0800.AP	30.0	2.80	80.0	0.5968	21.56	36.58	yes	music wire	4L
C.300.280.0800.I	30.0	2.80	80.0	0.3654	27.44	32.38	yes	stainless steel	4J
C.300.280.0800.N	30.0	2.80	80.0	0.4200	27.72	32.72	yes	Zn coating	4J
C.300.280.1000.A	30.0	2.80	100.0	0.3330	33.04	39.33	yes	music wire	4J
C.300.280.1000.AP	30.0	2.80	100.0	0.4721	25.48	45.11	yes	music wire	4L
C.300.280.1000.I	30.0	2.80	100.0	0.2897	32.76	38.98	yes	stainless steel	4J
C.300.280.1000.N	30.0	2.80	100.0	0.3330	33.04	39.33	yes	Zn coating	4L
C.300.280.1180.A	30.0	2.80	118.0	0.3275	33.60	40.03	yes	music wire	4L
C.300.280.1180.I	30.0	2.80	118.0	0.2813	33.60	40.03	yes	stainless steel	4M
C.300.280.1180.N	30.0	2.80	118.0	0.3275	33.60	40.03	yes	Zn coating	4N
C.300.280.1250.A	30.0	2.80	125.0	0.2630	40.04	48.02	yes	music wire	4J
C.300.280.1250.AP	30.0	2.80	125.0	0.3766	30.24	56.18	yes	music wire	4M
C.300.280.1250.I	30.0	2.80	125.0	0.2288	39.76	47.67	yes	stainless steel	4J
C.300.280.1250.N	30.0	2.80	125.0	0.2630	40.04	48.02	yes	Zn coating	4L
C.300.280.1350.A	30.0	2.80	135.0	0.1886	53.20	64.36	yes	music wire	4J
C.300.280.1350.AP	30.0	2.80	135.0	0.3476	32.20	60.44	yes	music wire	4M
C.300.280.1350.I	30.0	2.80	135.0	0.1620	53.20	64.36	yes	stainless steel	4J
C.300.280.1350.N	30.0	2.80	135.0	0.1886	53.20	64.36	yes	Zn coating	4L
C.300.280.1600.A	30.0	2.80	160.0	0.2050	49.56	59.84	yes	music wire	4J
C.300.280.1600.AP	30.0	2.80	160.0	0.2902	36.96	70.69	yes	music wire	4M
C.300.280.1600.I	30.0	2.80	160.0	0.1784	49.00	59.15	yes	stainless steel	4J
C.300.280.1600.N	30.0	2.80	160.0	0.2050	49.56	59.84	yes	Zn coating	4L
C.300.280.1890.A	30.0	2.80	189.0	0.2008	50.40	60.88	yes	music wire	4M
C.300.280.1890.I	30.0	2.80	189.0	0.1725	50.40	60.88	yes	stainless steel	4N
C.300.280.1890.N	30.0	2.80	189.0	0.2008	50.40	60.88	yes	Zn coating	4O
C.300.280.2500.A	30.0	2.80	250.0	0.1211	78.96	96.34	yes	music wire	4L
C.300.280.2500.I	30.0	2.80	250.0	0.1040	78.96	96.34	yes	stainless steel	4L
C.300.280.3200.A	30.0	2.80	320.0	0.0943	99.40	121.72	yes	music wire	4M
C.300.280.3200.I	30.0	2.80	320.0	0.0810	99.40	121.72	yes	stainless steel	4M
C.300.280.3500.A	30.0	2.80	350.0	0.0860	108.36	132.84	yes	music wire	4M
C.300.280.3500.I	30.0	2.80	350.0	0.0738	108.36	132.84	yes	stainless steel	4M
C.300.280.3600.A	30.0	2.80	360.0	0.0880	108.92	132.86	no	music wire	4M
C.300.280.3600.I	30.0	2.80	360.0	0.0766	107.52	131.12	no	stainless steel	4N
C.300.290.0450.A	30.0	2.90	45.0	0.9527	18.27	20.82	yes	music wire	4I
C.300.290.0450.I	30.0	2.90	45.0	0.8183	18.27	20.82	yes	stainless steel	4I
C.300.300.0700.A	30.0	3.00	70.0	0.4570	35.10	41.21	yes	music wire	4I
C.300.300.0700.AP	30.0	3.00	70.0	0.8713	21.90	34.01	yes	music wire	4L
C.300.300.0700.I	30.0	3.00	70.0	0.3976	34.80	40.85	yes	stainless steel	4I
C.300.300.0700.N	30.0	3.00	70.0	0.4570	35.10	41.21	yes	Zn coating	4J
C.300.300.0800.A	30.0	3.00	80.0	0.5140	32.10	37.55	yes	music wire	4I
C.300.300.0800.AP	30.0	3.00	80.0	0.7624	24.00	38.87	yes	music wire	4L
C.300.300.0800.I	30.0	3.00	80.0	0.4472	31.80	37.18	yes	stainless steel	4J
C.300.300.0800.N	30.0	3.00	80.0	0.5140	32.10	37.55	yes	Zn coating	4J
C.300.310.0300.A	30.0	3.10	30.0	1.9334	15.50	17.15	yes	music wire	4I
C.300.310.0300.I	30.0	3.10	30.0	1.6606	15.50	17.15	yes	stainless steel	4I
C.300.310.0380.A	30.0	3.10	38.0	1.4647	17.98	20.16	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.310.0380.I	30.0	3.10	38.0	1.2580	17.98	20.16	yes	stainless steel	4I
C.300.310.0610.A	30.0	3.10	61.0	0.8631	25.11	28.81	yes	music wire	4I
C.300.310.0610.I	30.0	3.10	61.0	0.7413	25.11	28.81	yes	stainless steel	4I
C.300.310.0820.A	30.0	3.10	82.0	0.6277	31.62	36.70	yes	music wire	4I
C.300.310.0820.I	30.0	3.10	82.0	0.5391	31.62	36.70	yes	stainless steel	4J
C.300.310.1750.A	30.0	3.10	175.0	0.2827	60.76	72.05	yes	music wire	4J
C.300.310.1750.I	30.0	3.10	175.0	0.2428	60.76	72.05	yes	stainless steel	4K
C.300.320.0250.A	30.0	3.20	25.0	2.6690	14.72	16.10	yes	music wire	4J
C.300.320.0250.AL	30.0	3.20	25.0	2.5000	15.04	16.48	yes	music wire	4I
C.300.320.0250.AP	30.0	3.20	25.0	3.5323	13.12	14.40	yes	music wire	4L
C.300.320.0250.I	30.0	3.20	25.0	2.3220	14.72	16.10	yes	stainless steel	4J
C.300.320.0250.N	30.0	3.20	25.0	2.6690	14.72	16.10	yes	Zn coating	4L
C.300.320.0280.A	30.0	3.20	28.0	2.7240	14.40	15.71	yes	music wire	4J
C.300.320.0280.I	30.0	3.20	28.0	2.3699	14.40	15.71	yes	stainless steel	4J
C.300.320.0280.N	30.0	3.20	28.0	2.7240	14.40	15.71	yes	Zn coating	4L
C.300.320.0320.A	30.0	3.20	32.0	1.9410	17.28	19.18	yes	music wire	4J
C.300.320.0320.AP	30.0	3.20	32.0	2.6913	14.72	18.08	yes	music wire	4L
C.300.320.0320.I	30.0	3.20	32.0	1.6887	16.96	18.80	yes	stainless steel	4J
C.300.320.0320.N	30.0	3.20	32.0	1.9410	17.28	19.18	yes	Zn coating	4L
C.300.320.0350.A	30.0	3.20	35.0	1.8499	17.60	19.57	yes	music wire	4J
C.300.320.0350.I	30.0	3.20	35.0	1.5888	17.60	19.57	yes	stainless steel	4J
C.300.320.0400.A	30.0	3.20	40.0	1.4730	20.16	22.66	yes	music wire	4J
C.300.320.0400.AL	30.0	3.20	40.0	1.6071	19.20	21.50	yes	music wire	4I
C.300.320.0400.AP	30.0	3.20	40.0	2.0185	16.64	21.44	yes	music wire	4M
C.300.320.0400.I	30.0	3.20	40.0	1.2815	19.84	22.27	yes	stainless steel	4J
C.300.320.0400.N	30.0	3.20	40.0	1.4730	20.16	22.66	yes	Zn coating	4L
C.300.320.0500.A	30.0	3.20	50.0	1.1240	23.68	26.90	yes	music wire	4J
C.300.320.0500.AL	30.0	3.20	50.0	1.2500	22.08	24.97	yes	music wire	4I
C.300.320.0500.AP	30.0	3.20	50.0	1.5699	19.20	26.14	yes	music wire	4M
C.300.320.0500.I	30.0	3.20	50.0	0.9779	23.68	26.90	yes	stainless steel	4J
C.300.320.0500.N	30.0	3.20	50.0	1.1240	23.68	26.90	yes	Zn coating	4L
C.300.320.0540.A	30.0	3.20	54.0	1.1099	24.00	27.28	yes	music wire	4J
C.300.320.0540.I	30.0	3.20	54.0	0.9533	24.00	27.28	yes	stainless steel	4J
C.300.320.0630.A	30.0	3.20	63.0	0.8720	28.48	32.68	yes	music wire	4J
C.300.320.0630.AL	30.0	3.20	63.0	1.0000	25.60	29.21	yes	music wire	4I
C.300.320.0630.AP	30.0	3.20	63.0	1.2286	22.40	32.51	yes	music wire	4M
C.300.320.0630.I	30.0	3.20	63.0	0.7586	28.16	32.30	yes	stainless steel	4J
C.300.320.0630.N	30.0	3.20	63.0	0.8720	28.48	32.68	yes	Zn coating	4L
C.300.320.0800.A	30.0	3.20	80.0	0.6780	34.24	39.62	yes	music wire	4J
C.300.320.0800.AL	30.0	3.20	80.0	0.8036	30.08	34.61	yes	music wire	4I
C.300.320.0800.AP	30.0	3.20	80.0	0.9420	26.88	40.24	yes	music wire	4M
C.300.320.0800.I	30.0	3.20	80.0	0.5899	33.92	39.24	yes	stainless steel	4J
C.300.320.0800.N	30.0	3.20	80.0	0.6780	34.24	39.62	yes	Zn coating	4M
C.300.320.1000.A	30.0	3.20	100.0	0.5340	41.28	48.11	yes	music wire	4K
C.300.320.1000.AL	30.0	3.20	100.0	0.6250	36.48	42.32	yes	music wire	4I
C.300.320.1000.AP	30.0	3.20	100.0	0.7437	32.00	49.63	yes	music wire	4M
C.300.320.1000.I	30.0	3.20	100.0	0.4646	40.96	47.72	yes	stainless steel	4L
C.300.320.1000.N	30.0	3.20	100.0	0.5340	41.28	48.11	yes	Zn coating	4M
C.300.320.1250.A	30.0	3.20	125.0	0.4190	50.24	58.91	yes	music wire	4L
C.300.320.1250.AF	30.0	3.20	125.0	0.5000	43.52	50.81	yes	music wire	4N
C.300.320.1250.AL	30.0	3.20	125.0	0.5000	43.52	50.81	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.320.1250.AP	30.0	3.20	125.0	0.5887	38.08	61.38	yes	music wire	4N
C.300.320.1250.I	30.0	3.20	125.0	0.4350	43.20	50.42	yes	stainless steel	4N
C.300.320.1250.N	30.0	3.20	125.0	0.5000	43.52	50.81	yes	Zn coating	4O
C.300.320.1250.NF	30.0	3.20	125.0	0.4190	50.24	58.91	yes	Zn coating	4M
C.300.320.1600.A	30.0	3.20	160.0	0.3240	62.72	73.95	yes	music wire	4L
C.300.320.1600.AF	30.0	3.20	160.0	0.4000	52.48	66.36	yes	music wire	4N
C.300.320.1600.AL	30.0	3.20	160.0	0.4018	52.16	66.77	yes	music wire	4J
C.300.320.1600.AP	30.0	3.20	160.0	0.4558	47.04	77.82	yes	music wire	4N
C.300.320.1600.I	30.0	3.20	160.0	0.4000	46.08	76.39	yes	stainless steel	4N
C.300.320.1600.N	30.0	3.20	160.0	0.4000	52.48	66.36	yes	Zn coating	4P
C.300.320.1600.NF	30.0	3.20	160.0	0.3240	62.72	73.95	yes	Zn coating	4N
C.300.320.2000.A	30.0	3.20	200.0	0.3111	64.96	79.60	yes	music wire	4O
C.300.320.2000.I	30.0	3.20	200.0	0.2707	64.32	76.44	yes	stainless steel	4O
C.300.320.2000.N	30.0	3.20	200.0	0.3111	64.96	79.60	yes	Zn coating	4Q
C.300.320.2500.A	30.0	3.20	250.0	0.2500	79.04	100.17	yes	music wire	4P
C.300.320.2500.I	30.0	3.20	250.0	0.2175	78.08	96.24	yes	stainless steel	4P
C.300.320.2500.N	30.0	3.20	250.0	0.2500	79.04	100.17	yes	Zn coating	4R
C.300.320.3200.A	30.0	3.20	320.0	0.2000	96.64	132.72	yes	music wire	4P
C.300.320.3200.I	30.0	3.20	320.0	0.1740	95.68	127.80	yes	stainless steel	4Q
C.300.320.3200.N	30.0	3.20	320.0	0.2000	96.64	132.72	yes	Zn coating	4R
C.300.320.3600.A	30.0	3.20	360.0	0.1400	137.92	163.92	no	music wire	4N
C.300.320.3600.I	30.0	3.20	360.0	0.1218	136.32	162.00	no	stainless steel	4N
C.300.330.0590.A	30.0	3.30	59.0	1.1334	26.73	30.39	yes	music wire	4J
C.300.330.0590.I	30.0	3.30	59.0	0.9735	26.73	30.39	yes	stainless steel	4J
C.300.330.1400.A	30.0	3.30	140.0	0.4470	55.11	64.40	yes	music wire	4L
C.300.330.1400.I	30.0	3.30	140.0	0.3839	55.11	64.40	yes	stainless steel	4L
C.300.350.0900.A	30.0	3.50	90.0	0.8134	44.10	50.67	yes	music wire	4J
C.300.350.0900.I	30.0	3.50	90.0	0.6986	44.10	50.67	yes	stainless steel	4K
C.300.350.1050.A	30.0	3.50	105.0	1.0080	37.10	57.48	yes	music wire	4O
C.300.350.1050.I	30.0	3.50	105.0	0.8770	36.75	56.06	yes	stainless steel	4N
C.300.350.1050.N	30.0	3.50	105.0	1.0080	37.10	57.48	yes	Zn coating	4Q
C.300.360.0250.A	30.0	3.60	25.0	4.4730	16.56	17.93	yes	music wire	4M
C.300.360.0250.AP	30.0	3.60	25.0	5.5711	15.12	16.23	yes	music wire	4O
C.300.360.0250.I	30.0	3.60	25.0	3.8915	16.56	17.93	yes	stainless steel	4M
C.300.360.0250.N	30.0	3.60	25.0	4.4730	16.56	17.93	yes	Zn coating	4N
C.300.360.0320.A	30.0	3.60	32.0	3.1120	19.80	21.75	yes	music wire	4M
C.300.360.0320.AP	30.0	3.60	32.0	4.1177	17.28	19.44	yes	music wire	4O
C.300.360.0320.I	30.0	3.60	32.0	2.7074	19.80	21.75	yes	stainless steel	4M
C.300.360.0320.N	30.0	3.60	32.0	3.1120	19.80	21.75	yes	Zn coating	4N
C.300.360.0400.A	30.0	3.60	40.0	2.3860	23.04	25.58	yes	music wire	4M
C.300.360.0400.AP	30.0	3.60	40.0	3.1569	19.44	23.61	yes	music wire	4O
C.300.360.0400.I	30.0	3.60	40.0	2.0758	22.68	25.15	yes	stainless steel	4M
C.300.360.0400.N	30.0	3.60	40.0	2.3860	23.04	25.58	yes	Zn coating	4N
C.300.360.0500.A	30.0	3.60	50.0	1.8350	27.36	30.68	yes	music wire	4M
C.300.360.0500.AP	30.0	3.60	50.0	2.4284	22.68	28.70	yes	music wire	4O
C.300.360.0500.I	30.0	3.60	50.0	1.6000	27.00	30.25	yes	stainless steel	4M
C.300.360.0500.N	30.0	3.60	50.0	1.8350	27.36	30.68	yes	Zn coating	4N
C.300.360.0630.A	30.0	3.60	63.0	1.4000	32.76	37.05	yes	music wire	4M
C.300.360.0630.AP	30.0	3.60	63.0	1.8942	26.64	35.69	yes	music wire	4O
C.300.360.0630.I	30.0	3.60	63.0	1.2206	32.40	36.63	yes	stainless steel	4M
C.300.360.0630.N	30.0	3.60	63.0	1.4000	32.76	37.05	yes	Zn coating	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.360.0800.A	30.0	3.60	80.0	1.0840	39.96	45.55	yes	music wire	4M
C.300.360.0800.AP	30.0	3.60	80.0	1.4350	32.40	43.95	yes	music wire	4O
C.300.360.0800.I	30.0	3.60	80.0	0.9431	39.60	45.13	yes	stainless steel	4M
C.300.360.0800.N	30.0	3.60	80.0	1.0840	39.96	45.55	yes	Zn coating	4O
C.300.360.1000.A	30.0	3.60	100.0	0.8520	48.24	55.33	yes	music wire	4M
C.300.360.1000.AP	30.0	3.60	100.0	1.1411	38.52	54.66	yes	music wire	4P
C.300.360.1000.I	30.0	3.60	100.0	0.7412	47.88	54.90	yes	stainless steel	4M
C.300.360.1000.N	30.0	3.60	100.0	0.8520	48.24	55.33	yes	Zn coating	4O
C.300.360.1250.A	30.0	3.60	125.0	0.6750	58.68	67.66	yes	music wire	4N
C.300.360.1250.AP	30.0	3.60	125.0	0.8935	46.44	67.09	yes	music wire	4P
C.300.360.1250.I	30.0	3.60	125.0	0.5873	57.96	66.81	yes	stainless steel	4N
C.300.360.1250.N	30.0	3.60	125.0	0.6750	58.68	67.66	yes	Zn coating	4O
C.300.360.1400.A	30.0	3.60	140.0	0.6241	62.64	72.33	yes	music wire	4N
C.300.360.1400.I	30.0	3.60	140.0	0.5361	62.64	72.33	yes	stainless steel	4N
C.300.360.1600.A	30.0	3.60	160.0	0.5190	73.44	85.08	yes	music wire	4N
C.300.360.1600.AP	30.0	3.60	160.0	0.6913	57.60	85.16	yes	music wire	4Q
C.300.360.1600.I	30.0	3.60	160.0	0.4515	72.72	84.23	yes	stainless steel	4N
C.300.360.1600.N	30.0	3.60	160.0	0.5190	73.44	85.08	yes	Zn coating	4P
C.300.360.3600.A	30.0	3.60	360.0	0.2240	162.00	188.99	no	music wire	4P
C.300.360.3600.I	30.0	3.60	360.0	0.1949	160.20	186.87	no	stainless steel	4P
C.300.380.0420.A	30.0	3.80	42.0	2.8808	25.08	27.75	yes	music wire	4M
C.300.380.0420.I	30.0	3.80	42.0	2.4743	25.08	27.75	yes	stainless steel	4M
C.300.380.0508.A	30.0	3.80	50.8	2.1475	30.40	33.98	yes	music wire	4M
C.300.380.0508.I	30.0	3.80	50.8	1.8445	30.40	33.98	yes	stainless steel	4M
C.300.380.0635.A	30.0	3.80	63.5	1.6636	36.48	41.10	yes	music wire	4M
C.300.380.0635.I	30.0	3.80	63.5	1.4288	36.48	41.10	yes	stainless steel	4M
C.300.380.0762.A	30.0	3.80	76.2	1.3576	42.56	48.22	yes	music wire	4M
C.300.380.0762.I	30.0	3.80	76.2	1.1661	42.56	48.22	yes	stainless steel	4M
C.300.380.0889.A	30.0	3.80	88.9	1.1467	48.64	55.34	yes	music wire	4M
C.300.380.0889.I	30.0	3.80	88.9	0.9849	48.64	55.34	yes	stainless steel	4M
C.300.380.1016.A	30.0	3.80	101.6	0.9925	54.72	62.47	yes	music wire	4M
C.300.380.1016.I	30.0	3.80	101.6	0.8525	54.72	62.47	yes	stainless steel	4N
C.300.380.1397.A	30.0	3.80	139.7	0.7073	72.96	83.83	yes	music wire	4N
C.300.380.1397.I	30.0	3.80	139.7	0.6075	72.96	83.83	yes	stainless steel	4N
C.300.380.1650.A	30.0	3.80	165.0	0.6490	78.66	90.51	yes	music wire	4N
C.300.380.1650.I	30.0	3.80	165.0	0.5574	78.66	90.51	yes	stainless steel	4N
C.300.400.0250.A	30.0	4.00	25.0	7.1370	18.40	19.77	yes	music wire	4P
C.300.400.0250.AP	30.0	4.00	25.0	8.8891	16.80	17.91	yes	music wire	4R
C.300.400.0250.I	30.0	4.00	25.0	6.2092	18.40	19.77	yes	stainless steel	4P
C.300.400.0250.N	30.0	4.00	25.0	7.1370	18.40	19.77	yes	Zn coating	4R
C.300.400.0320.A	30.0	4.00	32.0	4.9650	22.00	23.96	yes	music wire	4P
C.300.400.0320.AP	30.0	4.00	32.0	6.2965	19.60	21.17	yes	music wire	4R
C.300.400.0320.I	30.0	4.00	32.0	4.3196	22.00	23.96	yes	stainless steel	4P
C.300.400.0320.N	30.0	4.00	32.0	4.9650	22.00	23.96	yes	Zn coating	4R
C.300.400.0400.A	30.0	4.00	40.0	3.8060	25.60	28.15	yes	music wire	4P
C.300.400.0400.AP	30.0	4.00	40.0	4.7223	22.40	25.40	yes	music wire	4R
C.300.400.0400.I	30.0	4.00	40.0	3.3112	25.20	27.68	yes	stainless steel	4P
C.300.400.0400.N	30.0	4.00	40.0	3.8060	25.60	28.15	yes	Zn coating	4R
C.300.400.0500.A	30.0	4.00	50.0	2.9280	30.40	33.73	yes	music wire	4P
C.300.400.0500.AP	30.0	4.00	50.0	3.6857	26.00	31.29	yes	music wire	4R
C.300.400.0500.I	30.0	4.00	50.0	2.5474	30.00	33.27	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.400.0500.N	30.0	4.00	50.0	2.9280	30.40	33.73	yes	Zn coating	4R
C.300.400.0550.A	30.0	4.00	55.0	2.9130	30.40	33.73	yes	music wire	4R
C.300.400.0550.I	30.0	4.00	55.0	2.5343	30.00	33.27	yes	stainless steel	4R
C.300.400.0550.N	30.0	4.00	55.0	2.9130	30.40	33.73	yes	Zn coating	4T
C.300.400.0600.A	30.0	4.00	60.0	2.0810	38.40	43.04	yes	music wire	4P
C.300.400.0600.AP	30.0	4.00	60.0	2.9630	30.00	36.73	yes	music wire	4R
C.300.400.0600.I	30.0	4.00	60.0	1.8105	38.00	42.57	yes	stainless steel	4P
C.300.400.0600.N	30.0	4.00	60.0	2.0810	38.40	43.04	yes	Zn coating	4R
C.300.400.0630.A	30.0	4.00	63.0	2.2390	36.40	40.71	yes	music wire	4P
C.300.400.0630.AP	30.0	4.00	63.0	2.7984	31.20	38.36	yes	music wire	4R
C.300.400.0630.I	30.0	4.00	63.0	1.9479	36.00	40.25	yes	stainless steel	4P
C.300.400.0630.N	30.0	4.00	63.0	2.2390	36.40	40.71	yes	Zn coating	4R
C.300.400.0635.A	30.0	4.00	63.5	2.0609	38.80	43.51	yes	music wire	4P
C.300.400.0635.I	30.0	4.00	63.5	1.7701	38.80	43.51	yes	stainless steel	4P
C.300.400.0700.A	30.0	4.00	70.0	2.2828	36.00	40.25	yes	music wire	4R
C.300.400.0700.I	30.0	4.00	70.0	1.9607	36.00	40.25	yes	stainless steel	4R
C.300.400.0700.N	30.0	4.00	70.0	2.2828	36.00	40.25	yes	Zn coating	4T
C.300.400.0762.A	30.0	4.00	76.2	1.6862	45.20	50.95	yes	music wire	4P
C.300.400.0762.I	30.0	4.00	76.2	1.4483	45.20	50.95	yes	stainless steel	4P
C.300.400.0780.A	30.0	4.00	78.0	1.9420	40.40	45.37	yes	music wire	4R
C.300.400.0780.I	30.0	4.00	78.0	1.6895	40.00	44.90	yes	stainless steel	4R
C.300.400.0780.N	30.0	4.00	78.0	1.9420	40.40	45.37	yes	Zn coating	4T
C.300.400.0800.A	30.0	4.00	80.0	1.7000	44.80	50.49	yes	music wire	4P
C.300.400.0800.AP	30.0	4.00	80.0	2.1588	37.60	48.06	yes	music wire	4R
C.300.400.0800.I	30.0	4.00	80.0	1.4825	44.40	50.02	yes	stainless steel	4P
C.300.400.0800.N	30.0	4.00	80.0	1.7000	44.80	50.49	yes	Zn coating	4R
C.300.400.0830.A	30.0	4.00	83.0	1.5297	48.80	55.14	yes	music wire	4P
C.300.400.0830.I	30.0	4.00	83.0	1.3139	48.80	55.14	yes	stainless steel	4P
C.300.400.0889.A	30.0	4.00	88.9	1.4132	52.00	58.86	yes	music wire	4P
C.300.400.0889.I	30.0	4.00	88.9	1.2138	52.00	58.86	yes	stainless steel	4P
C.300.400.0920.A	30.0	4.00	92.0	1.3240	54.80	62.12	yes	music wire	4P
C.300.400.0920.AP	30.0	4.00	92.0	1.8429	42.40	54.59	yes	music wire	4S
C.300.400.0920.I	30.0	4.00	92.0	1.1519	54.40	61.65	yes	stainless steel	4P
C.300.400.0920.N	30.0	4.00	92.0	1.3240	54.80	62.12	yes	Zn coating	4R
C.300.400.1000.A	30.0	4.00	100.0	1.3280	54.80	62.12	yes	music wire	4P
C.300.400.1000.AP	30.0	4.00	100.0	1.6979	44.80	59.40	yes	music wire	4S
C.300.400.1000.I	30.0	4.00	100.0	1.1554	54.00	61.19	yes	stainless steel	4P
C.300.400.1000.N	30.0	4.00	100.0	1.3280	54.80	62.12	yes	Zn coating	4R
C.300.400.1016.A	30.0	4.00	101.6	1.2263	58.40	66.31	yes	music wire	4P
C.300.400.1016.I	30.0	4.00	101.6	1.0533	58.40	66.31	yes	stainless steel	4P
C.300.400.1250.A	30.0	4.00	125.0	1.0480	66.80	76.08	yes	music wire	4Q
C.300.400.1250.I	30.0	4.00	125.0	1.0620	58.00	66.52	yes	stainless steel	4S
C.300.400.1250.N	30.0	4.00	125.0	1.0480	66.80	76.08	yes	Zn coating	4R
C.300.400.1397.A	30.0	4.00	139.7	0.8728	78.00	89.11	yes	music wire	4Q
C.300.400.1397.I	30.0	4.00	139.7	0.7497	78.00	89.11	yes	stainless steel	4Q
C.300.400.1450.A	30.0	4.00	145.0	0.8383	80.80	92.37	yes	music wire	4Q
C.300.400.1450.I	30.0	4.00	145.0	0.7200	80.80	92.37	yes	stainless steel	4Q
C.300.400.1600.A	30.0	4.00	160.0	0.8100	83.20	95.16	yes	music wire	4Q
C.300.400.1600.I	30.0	4.00	160.0	0.8100	72.80	83.33	yes	stainless steel	4S
C.300.400.1600.N	30.0	4.00	160.0	0.8100	83.20	95.16	yes	Zn coating	4R
C.300.400.1650.A	30.0	4.00	165.0	0.7346	90.80	104.00	yes	music wire	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.400.1650.I	30.0	4.00	165.0	0.6309	90.80	104.00	yes	stainless steel	4Q
C.300.400.2300.A	30.0	4.00	230.0	0.5188	124.40	143.09	yes	music wire	4R
C.300.400.2300.I	30.0	4.00	230.0	0.4456	124.40	143.09	yes	stainless steel	4R
C.300.400.2350.A	30.0	4.00	235.0	0.5082	126.80	145.88	yes	music wire	4R
C.300.400.2350.I	30.0	4.00	235.0	0.4365	126.80	145.88	yes	stainless steel	4R
C.300.400.2500.A	30.0	4.00	250.0	0.4756	134.80	155.19	yes	music wire	4R
C.300.400.2500.I	30.0	4.00	250.0	0.4085	134.80	155.19	yes	stainless steel	4R
C.300.400.3600.A	30.0	4.00	360.0	0.3460	185.60	213.64	no	music wire	4R
C.300.400.3600.I	30.0	4.00	360.0	0.3010	183.20	210.84	no	stainless steel	4R
C.300.420.0360.A	30.0	4.20	36.0	5.4291	24.78	27.02	yes	music wire	4P
C.300.420.0360.I	30.0	4.20	36.0	4.6630	24.78	27.02	yes	stainless steel	4P
C.300.420.1800.A	30.0	4.20	180.0	0.8874	97.86	111.54	yes	music wire	4Q
C.300.420.1800.I	30.0	4.20	180.0	0.7622	97.86	111.54	yes	stainless steel	4Q
C.300.450.0250.A	30.0	4.50	25.0	12.1180	20.70	22.10	yes	music wire	4Q
C.300.450.0250.AP	30.0	4.50	25.0	14.2543	19.35	20.55	yes	music wire	4Q
C.300.450.0250.I	30.0	4.50	25.0	10.5427	20.70	22.10	yes	stainless steel	4Q
C.300.450.0250.N	30.0	4.50	25.0	12.1180	20.70	22.10	yes	Zn coating	4S
C.300.450.0320.A	30.0	4.50	32.0	8.8130	24.30	26.23	yes	music wire	4Q
C.300.450.0320.I	30.0	4.50	32.0	7.6673	23.85	25.72	yes	stainless steel	4R
C.300.450.0320.N	30.0	4.50	32.0	8.8130	24.30	26.23	yes	Zn coating	4S
C.300.450.0400.A	30.0	4.50	40.0	6.4630	28.80	31.40	yes	music wire	4R
C.300.450.0400.I	30.0	4.50	40.0	5.6228	28.35	30.88	yes	stainless steel	4R
C.300.450.0400.N	30.0	4.50	40.0	6.4630	28.80	31.40	yes	Zn coating	4S
C.300.450.0500.A	30.0	4.50	50.0	4.9710	34.20	37.60	yes	music wire	4R
C.300.450.0500.I	30.0	4.50	50.0	4.3248	33.75	37.08	yes	stainless steel	4R
C.300.450.0500.N	30.0	4.50	50.0	4.9710	34.20	37.60	yes	Zn coating	4S
C.300.450.0630.A	30.0	4.50	63.0	3.8020	40.95	45.35	yes	music wire	4R
C.300.450.0630.I	30.0	4.50	63.0	3.3077	40.50	44.83	yes	stainless steel	4R
C.300.450.0630.N	30.0	4.50	63.0	3.8020	40.95	45.35	yes	Zn coating	4S
C.300.450.0690.A	30.0	4.50	69.0	3.3592	45.00	50.00	yes	music wire	4R
C.300.450.0690.I	30.0	4.50	69.0	2.8852	45.00	50.00	yes	stainless steel	4R
C.300.450.0800.A	30.0	4.50	80.0	2.8510	50.85	56.72	yes	music wire	4R
C.300.450.0800.I	30.0	4.50	80.0	2.4804	50.40	56.20	yes	stainless steel	4R
C.300.450.0800.N	30.0	4.50	80.0	2.8510	50.85	56.72	yes	Zn coating	4S
C.300.450.0900.A	30.0	4.50	90.0	2.3350	59.85	67.05	yes	music wire	4R
C.300.450.0900.AP	30.0	4.50	90.0	3.0186	48.60	58.59	yes	music wire	4T
C.300.450.0900.I	30.0	4.50	90.0	2.0315	59.40	66.53	yes	stainless steel	4R
C.300.450.0900.N	30.0	4.50	90.0	2.3350	59.85	67.05	yes	Zn coating	4S
C.300.450.1000.A	30.0	4.50	100.0	2.2540	61.65	69.12	yes	music wire	4R
C.300.450.1000.I	30.0	4.50	100.0	1.9610	60.75	68.08	yes	stainless steel	4R
C.300.450.1000.N	30.0	4.50	100.0	2.2540	61.65	69.12	yes	Zn coating	4S
C.300.450.1250.A	30.0	4.50	125.0	1.7630	75.60	85.13	yes	music wire	4R
C.300.450.1250.I	30.0	4.50	125.0	1.5338	74.70	84.10	yes	stainless steel	4R
C.300.450.1250.N	30.0	4.50	125.0	1.7630	75.60	85.13	yes	Zn coating	4S
C.300.450.1330.A	30.0	4.50	133.0	1.5362	85.05	95.98	yes	music wire	4R
C.300.450.1330.I	30.0	4.50	133.0	1.3195	85.05	95.98	yes	stainless steel	4R
C.300.450.1397.A	30.0	4.50	139.7	1.4563	89.10	100.63	yes	music wire	4R
C.300.450.1397.I	30.0	4.50	139.7	1.2508	89.10	100.63	yes	stainless steel	4R
C.300.450.1460.A	30.0	4.50	146.0	1.3843	93.15	105.28	yes	music wire	4R
C.300.450.1460.I	30.0	4.50	146.0	1.1890	93.15	105.28	yes	stainless steel	4R
C.300.450.1524.A	30.0	4.50	152.4	1.3260	96.75	109.42	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.300.450.1524.I	30.0	4.50	152.4	1.1389	96.75	109.42	yes	stainless steel	4R
C.300.450.1600.A	30.0	4.50	160.0	1.3560	94.95	107.35	yes	music wire	4R
C.300.450.1600.I	30.0	4.50	160.0	1.1797	93.60	105.80	yes	stainless steel	4R
C.300.450.1600.N	30.0	4.50	160.0	1.3560	94.95	107.35	yes	Zn coating	4S
C.300.450.1750.A	30.0	4.50	175.0	1.2230	103.95	117.69	yes	music wire	4R
C.300.450.1750.I	30.0	4.50	175.0	1.0504	103.95	117.69	yes	stainless steel	4R
C.300.450.3600.A	30.0	4.50	360.0	0.5770	212.40	241.54	no	music wire	4S
C.300.450.3600.I	30.0	4.50	360.0	0.5020	209.70	238.44	no	stainless steel	4S
C.300.470.0310.A	30.0	4.70	31.0	10.9633	24.91	26.80	yes	music wire	4Q
C.300.470.0310.I	30.0	4.70	31.0	9.4163	24.91	26.80	yes	stainless steel	4R
C.300.470.0470.A	30.0	4.70	47.0	6.3952	34.31	37.55	yes	music wire	4R
C.300.470.0470.I	30.0	4.70	47.0	5.4928	34.31	37.55	yes	stainless steel	4R
C.300.470.1200.A	30.0	4.70	120.0	2.2084	77.08	86.45	yes	music wire	4R
C.300.470.1200.I	30.0	4.70	120.0	1.8968	77.08	86.45	yes	stainless steel	4R
C.300.470.1750.A	30.0	4.70	175.0	1.4830	109.04	123.00	yes	music wire	4R
C.300.470.1750.I	30.0	4.70	175.0	1.2737	109.04	123.00	yes	stainless steel	4R
C.300.480.0330.A	30.0	4.80	33.0	11.2644	26.40	28.44	yes	music wire	4Q
C.300.480.0330.I	30.0	4.80	33.0	9.6750	26.40	28.44	yes	stainless steel	4R
C.300.480.0550.A	30.0	4.80	55.0	5.8264	39.84	43.77	yes	music wire	4R
C.300.480.0550.I	30.0	4.80	55.0	5.0043	39.84	43.77	yes	stainless steel	4R
C.300.480.1397.A	30.0	4.80	139.7	1.9421	95.52	107.33	yes	music wire	4R
C.300.480.1397.I	30.0	4.80	139.7	1.6681	95.52	107.33	yes	stainless steel	4R
C.300.480.1524.A	30.0	4.80	152.4	1.7786	103.20	116.09	yes	music wire	4R
C.300.480.1524.I	30.0	4.80	152.4	1.5276	103.20	116.09	yes	stainless steel	4R
C.300.500.0250.A	30.0	5.00	25.0	20.9070	22.00	23.31	yes	music wire	4R
C.300.500.0250.I	30.0	5.00	25.0	18.1891	22.00	23.31	yes	stainless steel	4R
C.300.500.0250.N	30.0	5.00	25.0	20.9070	22.00	23.31	yes	Zn coating	4T
C.300.500.0320.A	30.0	5.00	32.0	14.9330	26.00	27.86	yes	music wire	4R
C.300.500.0320.I	30.0	5.00	32.0	12.9917	26.00	27.86	yes	stainless steel	4R
C.300.500.0320.N	30.0	5.00	32.0	14.9330	26.00	27.86	yes	Zn coating	4T
C.300.500.0340.A	30.0	5.00	34.0	11.6429	30.00	32.41	yes	music wire	4R
C.300.500.0340.AP	30.0	5.00	34.0	15.3704	26.00	27.86	yes	music wire	5A
C.300.500.0340.I	30.0	5.00	34.0	10.0000	30.00	32.41	yes	stainless steel	4S
C.300.500.0340.N	30.0	5.00	34.0	11.6429	30.00	32.41	yes	Zn coating	4T
C.300.500.0400.A	30.0	5.00	40.0	10.8140	31.50	34.11	yes	music wire	4R
C.300.500.0400.I	30.0	5.00	40.0	9.4082	31.00	33.54	yes	stainless steel	4S
C.300.500.0400.N	30.0	5.00	40.0	10.8140	31.50	34.11	yes	Zn coating	4T
C.300.500.0410.A	30.0	5.00	41.0	11.6429	30.00	32.41	yes	music wire	5A
C.300.500.0410.I	30.0	5.00	41.0	10.0000	30.00	32.41	yes	stainless steel	4S
C.300.500.0410.N	30.0	5.00	41.0	11.6429	30.00	32.41	yes	Zn coating	5B
C.300.500.0450.A	30.0	5.00	45.0	8.8890	35.50	38.66	yes	music wire	4R
C.300.500.0450.AP	30.0	5.00	45.0	10.6410	31.50	34.11	yes	music wire	5A
C.300.500.0450.I	30.0	5.00	45.0	7.7334	35.00	38.09	yes	stainless steel	4S
C.300.500.0450.N	30.0	5.00	45.0	8.8890	35.50	38.66	yes	Zn coating	4T
C.300.500.0500.A	30.0	5.00	50.0	8.2530	37.00	40.37	yes	music wire	4S
C.300.500.0500.AP	30.0	5.00	50.0	9.4318	34.00	36.96	yes	music wire	5A
C.300.500.0500.I	30.0	5.00	50.0	6.3636	40.00	43.78	yes	stainless steel	4S
C.300.500.0500.N	30.0	5.00	50.0	8.2530	37.00	40.37	yes	Zn coating	4T
C.300.500.0600.A	30.0	5.00	60.0	7.4091	40.00	43.78	yes	music wire	5A
C.300.500.0600.I	30.0	5.00	60.0	6.3636	40.00	43.78	yes	stainless steel	5A
C.300.500.0600.N	30.0	5.00	60.0	7.4091	40.00	43.78	yes	Zn coating	5C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.300.500.0630.A	30.0	5.00	63.0	6.1490	45.50	50.04	yes	music wire	4S
C.300.500.0630.I	30.0	5.00	63.0	5.3496	45.00	49.47	yes	stainless steel	4S
C.300.500.0630.N	30.0	5.00	63.0	6.1490	45.50	50.04	yes	Zn coating	4T
C.300.500.0660.A	30.0	5.00	66.0	5.3330	50.50	55.73	yes	music wire	4S
C.300.500.0660.AP	30.0	5.00	66.0	6.6935	43.00	47.22	yes	music wire	5A
C.300.500.0660.I	30.0	5.00	66.0	4.6397	50.00	55.16	yes	stainless steel	4S
C.300.500.0660.N	30.0	5.00	66.0	5.3330	50.50	55.73	yes	Zn coating	4T
C.300.500.0700.A	30.0	5.00	70.0	6.1540	45.50	50.04	yes	music wire	5A
C.300.500.0700.I	30.0	5.00	70.0	5.3540	45.00	49.47	yes	stainless steel	5A
C.300.500.0700.N	30.0	5.00	70.0	6.1540	45.50	50.04	yes	Zn coating	5C
C.300.500.0720.A	30.0	5.00	72.0	4.7329	55.50	61.41	yes	music wire	4S
C.300.500.0720.AP	30.0	5.00	72.0	6.1029	46.00	51.40	yes	music wire	5A
C.300.500.0720.I	30.0	5.00	72.0	4.1176	55.00	60.84	yes	stainless steel	4S
C.300.500.0800.A	30.0	5.00	80.0	4.6810	56.00	61.98	yes	music wire	4S
C.300.500.0800.I	30.0	5.00	80.0	4.0725	55.50	61.41	yes	stainless steel	4S
C.300.500.0800.N	30.0	5.00	80.0	4.6810	56.00	61.98	yes	Zn coating	4T
C.300.500.0820.A	30.0	5.00	82.0	3.6360	68.50	76.20	yes	music wire	4S
C.300.500.0820.AP	30.0	5.00	82.0	5.2532	51.50	58.07	yes	music wire	5A
C.300.500.0820.I	30.0	5.00	82.0	3.1633	68.00	75.63	yes	stainless steel	4S
C.300.500.0820.N	30.0	5.00	82.0	3.6360	68.50	76.20	yes	Zn coating	4T
C.300.500.0875.A	30.0	5.00	87.5	4.7941	55.00	61.28	yes	music wire	5A
C.300.500.0875.I	30.0	5.00	87.5	4.1176	55.00	60.84	yes	stainless steel	5A
C.300.500.0875.N	30.0	5.00	87.5	4.7941	55.00	61.28	yes	Zn coating	5C
C.300.500.0900.A	30.0	5.00	90.0	3.8084	66.00	73.36	yes	music wire	4S
C.300.500.0900.I	30.0	5.00	90.0	3.2710	66.00	73.36	yes	stainless steel	4S
C.300.500.1000.A	30.0	5.00	100.0	3.6470	68.50	76.20	yes	music wire	4S
C.300.500.1000.I	30.0	5.00	100.0	3.1729	67.50	75.06	yes	stainless steel	4S
C.300.500.1000.N	30.0	5.00	100.0	3.6470	68.50	76.20	yes	Zn coating	4T
C.300.500.1100.A	30.0	5.00	110.0	3.0185	80.00	89.28	yes	music wire	4S
C.300.500.1100.AP	30.0	5.00	110.0	3.8073	66.00	76.98	yes	music wire	5A
C.300.500.1100.I	30.0	5.00	110.0	2.5926	80.00	89.28	yes	stainless steel	4S
C.300.500.1100.N	30.0	5.00	110.0	3.0185	80.00	89.28	yes	Zn coating	4T
C.300.500.1250.A	30.0	5.00	125.0	2.8510	84.00	93.83	yes	music wire	4S
C.300.500.1250.I	30.0	5.00	125.0	2.8000	75.00	84.16	yes	stainless steel	5A
C.300.500.1250.N	30.0	5.00	125.0	2.8510	84.00	93.83	yes	Zn coating	4T
C.300.500.1600.A	30.0	5.00	160.0	2.1930	105.50	118.29	yes	music wire	4S
C.300.500.1600.I	30.0	5.00	160.0	2.1212	95.00	106.34	yes	stainless steel	5B
C.300.500.1600.N	30.0	5.00	160.0	2.1930	105.50	118.29	yes	Zn coating	5A
C.300.500.1780.A	30.0	5.00	178.0	1.8192	124.50	139.90	yes	music wire	4S
C.300.500.1780.I	30.0	5.00	178.0	1.5625	124.50	139.90	yes	stainless steel	4S
C.300.500.1800.A	30.0	5.00	180.0	2.2000	105.00	122.86	yes	music wire	5B
C.300.500.1800.AF	30.0	5.00	180.0	1.8111	125.00	140.47	yes	music wire	4S
C.300.500.1800.AP	30.0	5.00	180.0	2.2432	103.50	123.96	yes	music wire	5B
C.300.500.1800.I	30.0	5.00	180.0	1.8919	105.00	119.56	yes	stainless steel	5B
C.300.500.1800.IF	30.0	5.00	180.0	1.5555	125.00	140.47	yes	stainless steel	4S
C.300.500.1800.N	30.0	5.00	180.0	2.2000	105.00	122.86	yes	Zn coating	5D
C.300.500.1800.NF	30.0	5.00	180.0	1.8111	125.00	140.47	yes	Zn coating	5A
C.300.500.2000.A	30.0	5.00	200.0	1.9000	119.50	134.21	yes	music wire	5B
C.300.500.2000.I	30.0	5.00	200.0	1.6574	118.00	132.51	yes	stainless steel	5B
C.300.500.2000.N	30.0	5.00	200.0	1.9000	119.50	134.21	yes	Zn coating	5D
C.300.500.2050.A	30.0	5.00	205.0	1.5673	142.50	160.38	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.500.2050.I	30.0	5.00	205.0	1.3462	142.50	160.38	yes	stainless steel	4S
C.300.500.2350.A	30.0	5.00	235.0	1.3583	162.50	183.13	yes	music wire	4T
C.300.500.2350.I	30.0	5.00	235.0	1.1667	162.50	183.13	yes	stainless steel	4T
C.300.500.2500.A	30.0	5.00	250.0	1.2734	172.50	194.50	yes	music wire	4T
C.300.500.2500.I	30.0	5.00	250.0	1.0938	172.50	194.50	yes	stainless steel	4T
C.300.500.2750.A	30.0	5.00	275.0	1.1544	189.00	213.27	yes	music wire	4T
C.300.500.2750.I	30.0	5.00	275.0	0.9915	189.00	213.27	yes	stainless steel	4T
C.300.500.2800.A	30.0	5.00	280.0	1.1319	192.50	217.25	yes	music wire	4T
C.300.500.2800.I	30.0	5.00	280.0	0.9722	192.50	217.25	yes	stainless steel	4T
C.300.500.3200.A	30.0	5.00	320.0	0.9867	219.00	247.39	yes	music wire	4T
C.300.500.3200.I	30.0	5.00	320.0	0.8475	219.00	247.39	yes	stainless steel	4T
C.300.500.3600.A	30.0	5.00	360.0	0.9310	236.50	266.61	no	music wire	4T
C.300.500.3600.I	30.0	5.00	360.0	0.8100	233.50	263.20	no	stainless steel	4T
C.300.530.0350.A	30.0	5.30	35.0	16.6698	30.21	32.46	yes	music wire	4R
C.300.530.0350.I	30.0	5.30	35.0	14.3176	30.21	32.46	yes	stainless steel	4S
C.300.530.1750.A	30.0	5.30	175.0	2.5646	123.49	138.11	yes	music wire	4S
C.300.530.1750.I	30.0	5.30	175.0	2.2027	123.49	138.11	yes	stainless steel	4S
C.300.550.0370.A	30.0	5.50	37.0	18.6441	32.45	34.88	yes	music wire	5A
C.300.550.0370.I	30.0	5.50	37.0	16.0133	32.45	34.88	yes	stainless steel	5A
C.300.550.0470.A	30.0	5.50	47.0	13.7804	39.05	42.33	yes	music wire	5A
C.300.550.0470.I	30.0	5.50	47.0	11.8359	39.05	42.33	yes	stainless steel	5A
C.300.550.0570.A	30.0	5.50	57.0	10.7441	46.20	50.41	yes	music wire	5A
C.300.550.0570.I	30.0	5.50	57.0	9.2280	46.20	50.41	yes	stainless steel	5A
C.300.550.0920.A	30.0	5.50	92.0	6.1544	70.40	77.75	yes	music wire	5A
C.300.550.0920.I	30.0	5.50	92.0	5.2860	70.40	77.75	yes	stainless steel	5B
C.300.550.1100.A	30.0	5.50	110.0	6.5500	67.10	85.29	yes	music wire	5E
C.300.550.1100.I	30.0	5.50	110.0	5.6985	66.55	84.06	yes	stainless steel	5G
C.300.550.1100.N	30.0	5.50	110.0	6.5500	67.10	85.29	yes	Zn coating	5G
C.300.550.1240.A	30.0	5.50	124.0	4.2544	95.70	106.33	yes	music wire	5A
C.300.550.1240.I	30.0	5.50	124.0	3.6540	95.70	106.33	yes	stainless steel	5B
C.300.550.1550.A	30.0	5.50	155.0	3.4830	113.85	126.84	yes	music wire	5B
C.300.550.1550.I	30.0	5.50	155.0	2.9915	113.85	126.84	yes	stainless steel	5B
C.300.550.1800.A	30.0	5.50	180.0	2.9621	131.45	146.72	yes	music wire	5B
C.300.550.1800.I	30.0	5.50	180.0	2.5442	131.45	146.72	yes	stainless steel	5B
C.300.550.2900.A	30.0	5.50	290.0	1.7226	216.15	242.41	yes	music wire	5B
C.300.550.2900.I	30.0	5.50	290.0	1.4795	216.15	242.41	yes	stainless steel	5C
C.300.580.0300.A	30.0	5.80	30.0	33.8940	28.42	28.42	yes	music wire	5A
C.300.580.0300.I	30.0	5.80	30.0	29.1114	28.42	28.42	yes	stainless steel	5A
C.300.580.0340.A	30.0	5.80	34.0	28.0502	31.32	33.44	yes	music wire	5A
C.300.580.0340.I	30.0	5.80	34.0	24.0922	31.32	33.44	yes	stainless steel	5A
C.300.580.0410.A	30.0	5.80	41.0	21.4067	36.54	39.32	yes	music wire	5A
C.300.580.0410.I	30.0	5.80	41.0	18.3861	36.54	39.32	yes	stainless steel	5A
C.300.580.0550.A	30.0	5.80	55.0	14.5260	46.98	51.08	yes	music wire	5A
C.300.580.0550.I	30.0	5.80	55.0	12.4763	46.98	51.08	yes	stainless steel	5A
C.300.580.0620.A	30.0	5.80	62.0	12.7102	51.62	56.30	yes	music wire	5A
C.300.580.0620.I	30.0	5.80	62.0	10.9168	51.62	56.30	yes	stainless steel	5A
C.300.580.0740.A	30.0	5.80	74.0	10.2969	60.32	66.10	yes	music wire	5A
C.300.580.0740.I	30.0	5.80	74.0	8.8440	60.32	66.10	yes	stainless steel	5A
C.300.580.0810.A	30.0	5.80	81.0	9.2438	65.54	71.98	yes	music wire	5A
C.300.580.0810.I	30.0	5.80	81.0	7.9395	65.54	71.98	yes	stainless steel	5A
C.300.580.0940.A	30.0	5.80	94.0	7.8217	74.82	82.43	yes	music wire	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.300.580.0940.I	30.0	5.80	94.0	6.7180	74.82	82.43	yes	stainless steel	5B
C.300.580.1100.A	30.0	5.80	110.0	6.5601	86.42	95.49	yes	music wire	5A
C.300.580.1100.I	30.0	5.80	110.0	5.6345	86.42	95.49	yes	stainless steel	5B
C.300.580.1250.A	30.0	5.80	125.0	5.6885	97.44	107.90	yes	music wire	5A
C.300.580.1250.I	30.0	5.80	125.0	4.8858	97.44	107.90	yes	stainless steel	5B
C.300.580.1400.A	30.0	5.80	140.0	5.0213	108.46	120.31	yes	music wire	5B
C.300.580.1400.I	30.0	5.80	140.0	4.3128	108.46	120.31	yes	stainless steel	5B
C.300.580.1550.A	30.0	5.80	155.0	4.4942	119.48	132.72	yes	music wire	5B
C.300.580.1550.I	30.0	5.80	155.0	3.8601	119.48	132.72	yes	stainless steel	5B
C.300.580.1800.A	30.0	5.80	180.0	3.8371	137.46	152.97	yes	music wire	5B
C.300.580.1800.I	30.0	5.80	180.0	3.2956	137.46	152.97	yes	stainless steel	5B
C.300.600.0760.S	30.0	6.00	76.0	13.1355	58.80	64.23	yes	Cr-Si steel	5I
C.301.400.0610.A	30.1	4.00	61.0	4.1379	24.00	44.39	yes	music wire	4T
C.301.400.0610.I	30.1	4.00	61.0	3.6000	24.00	43.80	yes	stainless steel	4T
C.301.400.0760.A	30.1	4.00	76.0	2.4138	34.40	47.52	yes	music wire	4T
C.301.400.0760.I	30.1	4.00	76.0	2.1000	34.00	46.52	yes	stainless steel	4T
C.301.400.2050.A	30.1	4.00	205.0	0.5798	111.20	127.78	yes	music wire	4R
C.301.400.2050.I	30.1	4.00	205.0	0.4980	111.20	127.78	yes	stainless steel	4R
C.302.150.0250.A	30.2	1.50	25.0	0.0828	7.65	10.18	yes	music wire	4F
C.302.150.0250.I	30.2	1.50	25.0	0.0720	7.65	10.18	yes	stainless steel	4F
C.302.150.0480.A	30.2	1.50	48.0	0.0644	8.85	12.16	yes	music wire	4G
C.302.150.0480.I	30.2	1.50	48.0	0.0560	8.70	11.91	yes	stainless steel	4G
C.302.150.2600.A	30.2	1.50	260.0	0.0154	25.05	38.88	yes	music wire	4J
C.302.150.2600.I	30.2	1.50	260.0	0.0132	25.05	38.88	yes	stainless steel	4J
C.302.200.0350.A	30.2	2.00	35.0	0.3000	9.80	11.71	yes	music wire	4G
C.302.200.0350.I	30.2	2.00	35.0	0.2610	9.80	11.71	yes	stainless steel	4H
C.302.200.1000.A	30.2	2.00	100.0	0.0996	19.60	25.41	yes	music wire	4I
C.302.200.1000.I	30.2	2.00	100.0	0.0855	19.60	25.41	yes	stainless steel	4I
C.302.270.0200.A	30.2	2.70	20.0	1.7355	10.80	11.84	yes	music wire	4G
C.302.270.0200.I	30.2	2.70	20.0	1.4906	10.80	11.84	yes	stainless steel	4H
C.302.270.1180.A	30.2	2.70	118.0	0.1609	50.49	61.67	yes	music wire	4I
C.302.270.1180.AP	30.2	2.70	118.0	0.3479	27.00	51.07	yes	music wire	4L
C.302.270.1180.I	30.2	2.70	118.0	0.1400	49.95	60.99	yes	stainless steel	4I
C.302.300.0400.A	30.2	3.00	40.0	1.0791	18.90	21.45	yes	music wire	4I
C.302.300.0400.I	30.2	3.00	40.0	0.9268	18.90	21.45	yes	stainless steel	4I
C.302.300.1550.A	30.2	3.00	155.0	0.2644	54.00	64.38	yes	music wire	4J
C.302.300.1550.AP	30.2	3.00	155.0	0.3729	40.50	71.43	yes	music wire	4M
C.302.300.1550.I	30.2	3.00	155.0	0.2300	53.40	63.65	yes	stainless steel	4J
C.302.330.0191.A	30.2	3.30	19.1	4.8276	12.54	13.40	yes	music wire	4J
C.302.330.0191.I	30.2	3.30	19.1	4.2000	12.54	13.40	yes	stainless steel	4J
C.302.330.2000.A	30.2	3.30	200.0	0.2746	82.83	97.72	yes	music wire	4M
C.302.330.2000.I	30.2	3.30	200.0	0.2359	82.83	97.72	yes	stainless steel	4M
C.302.360.0191.A	30.2	3.60	19.1	8.3908	12.96	13.68	yes	music wire	4O
C.302.360.0191.I	30.2	3.60	19.1	7.3000	12.96	13.68	yes	stainless steel	4M
C.302.360.2000.A	30.2	3.60	200.0	0.3852	93.96	109.41	yes	music wire	4N
C.302.360.2000.I	30.2	3.60	200.0	0.3309	93.96	109.41	yes	stainless steel	4O
C.302.450.0320.A	30.2	4.50	32.0	7.8750	25.20	27.28	yes	music wire	4N
C.302.450.0320.S	30.2	4.50	32.0	8.0000	25.20	27.28	yes	Cr-Si steel	4S
C.302.450.0400.A	30.2	4.50	40.0	6.3000	28.80	31.41	yes	music wire	4N
C.302.450.0400.S	30.2	4.50	40.0	6.4000	28.35	30.90	yes	Cr-Si steel	4S
C.302.450.0450.S	30.2	4.50	45.0	7.0758	27.00	31.68	yes	Cr-Si steel	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.302.450.0500.A	30.2	4.50	50.0	5.0400	33.30	36.58	yes	music wire	4N
C.302.450.0500.S	30.2	4.50	50.0	5.0000	33.30	36.58	yes	Cr-Si steel	4S
C.302.450.0600.A	30.2	4.50	60.0	3.6732	41.40	45.89	yes	music wire	4R
C.302.450.0600.I	30.2	4.50	60.0	3.1549	41.40	45.89	yes	stainless steel	4R
C.302.450.0630.A	30.2	4.50	63.0	3.9375	39.60	43.82	yes	music wire	4N
C.302.450.0630.S	30.2	4.50	63.0	4.0000	39.15	43.31	yes	Cr-Si steel	5B
C.302.450.0750.A	30.2	4.50	75.0	2.8288	50.40	56.23	yes	music wire	4R
C.302.450.0750.I	30.2	4.50	75.0	2.4296	50.40	56.23	yes	stainless steel	4R
C.302.450.0800.A	30.2	4.50	80.0	3.1500	46.35	51.58	yes	music wire	4N
C.302.450.0800.S	30.2	4.50	80.0	3.2000	45.90	51.06	yes	Cr-Si steel	5B
C.302.450.1000.A	30.2	4.50	100.0	2.5200	55.35	62.60	yes	music wire	4O
C.302.450.1000.S	30.2	4.50	100.0	2.5000	55.35	62.31	yes	Cr-Si steel	5B
C.302.450.1200.A	30.2	4.50	120.0	1.6856	76.95	86.73	yes	music wire	4R
C.302.450.1200.I	30.2	4.50	120.0	1.4478	76.95	86.73	yes	stainless steel	4R
C.302.450.1250.A	30.2	4.50	125.0	1.9688	67.50	77.13	yes	music wire	4O
C.302.450.1250.S	30.2	4.50	125.0	2.0000	66.60	77.88	yes	Cr-Si steel	5B
C.302.450.1400.A	30.2	4.50	140.0	1.4308	88.65	100.18	yes	music wire	4R
C.302.450.1400.I	30.2	4.50	140.0	1.2289	88.65	100.18	yes	stainless steel	4R
C.302.450.1600.A	30.2	4.50	160.0	1.5750	81.45	100.17	yes	music wire	4O
C.302.450.1600.S	30.2	4.50	160.0	1.6000	80.55	101.10	yes	Cr-Si steel	5C
C.302.450.2000.A	30.2	4.50	200.0	1.2600	99.00	125.21	yes	music wire	4P
C.302.450.2000.S	30.2	4.50	200.0	1.2698	98.55	125.79	yes	Cr-Si steel	5C
C.302.450.2500.A	30.2	4.50	250.0	1.0000	121.95	155.76	yes	music wire	4P
C.302.450.2500.S	30.2	4.50	250.0	1.0000	121.95	155.76	yes	Cr-Si steel	5D
C.302.450.3200.A	30.2	4.50	320.0	0.7875	152.10	200.33	yes	music wire	4Q
C.302.450.3200.S	30.2	4.50	320.0	0.8000	149.85	202.20	yes	Cr-Si steel	5E
C.302.480.1000.A	30.2	4.80	100.0	3.4483	58.08	67.50	yes	music wire	4T
C.302.480.1000.I	30.2	4.80	100.0	3.0000	57.12	66.09	yes	stainless steel	4T
C.302.480.2000.A	30.2	4.80	200.0	1.3096	132.96	150.14	yes	music wire	4R
C.302.480.2000.I	30.2	4.80	200.0	1.1248	132.96	150.14	yes	stainless steel	4R
C.302.530.0500.A	30.2	5.30	50.0	8.8506	44.52	48.68	yes	music wire	4S
C.302.530.0500.AP	30.2	5.30	50.0	12.0515	36.04	39.07	yes	music wire	5A
C.302.530.0500.I	30.2	5.30	50.0	7.7000	43.99	48.08	yes	stainless steel	4S
C.302.530.2000.A	30.2	5.30	200.0	2.0827	145.75	163.39	yes	music wire	4S
C.302.530.2000.I	30.2	5.30	200.0	1.7888	145.75	163.39	yes	stainless steel	4S
C.302.560.0320.A	30.2	5.60	32.0	26.6200	28.00	29.81	yes	music wire	4R
C.302.560.0320.S	30.2	5.60	32.0	20.0000	32.00	32.00	yes	Cr-Si steel	5D
C.302.560.0400.A	30.2	5.60	40.0	17.6000	35.28	38.02	yes	music wire	4R
C.302.560.0400.S	30.2	5.60	40.0	15.5556	38.08	38.08	yes	Cr-Si steel	5D
C.302.560.0450.A	30.2	5.60	45.0	14.9555	39.20	42.45	yes	music wire	5A
C.302.560.0450.I	30.2	5.60	45.0	12.8452	39.20	42.45	yes	stainless steel	5A
C.302.560.0500.A	30.2	5.60	50.0	12.4444	44.24	48.14	yes	music wire	4R
C.302.560.0500.S	30.2	5.60	50.0	12.5000	44.24	48.14	yes	Cr-Si steel	5D
C.302.560.0630.A	30.2	5.60	63.0	10.0000	51.52	56.36	yes	music wire	4R
C.302.560.0630.S	30.2	5.60	63.0	10.0000	51.52	56.36	yes	Cr-Si steel	5D
C.302.560.0800.A	30.2	5.60	80.0	8.0000	61.04	67.11	yes	music wire	4R
C.302.560.0800.S	30.2	5.60	80.0	7.7778	62.72	69.00	yes	Cr-Si steel	5D
C.302.560.1000.A	30.2	5.60	100.0	6.2222	74.48	82.28	yes	music wire	4R
C.302.560.1000.S	30.2	5.60	100.0	6.2222	74.48	82.28	yes	Cr-Si steel	5D
C.302.560.1200.A	30.2	5.60	120.0	4.7063	94.08	104.41	yes	music wire	5A
C.302.560.1200.I	30.2	5.60	120.0	4.0422	94.08	104.41	yes	stainless steel	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.302.560.1250.A	30.2	5.60	125.0	4.9778	89.60	99.35	yes	music wire	4R
C.302.560.1250.S	30.2	5.60	125.0	5.0000	89.60	99.35	yes	Cr-Si steel	5F
C.302.560.1600.A	30.2	5.60	160.0	4.0000	108.08	120.21	yes	music wire	4R
C.302.560.1600.S	30.2	5.60	160.0	3.8889	110.88	123.37	yes	Cr-Si steel	5G
C.302.560.1800.A	30.2	5.60	180.0	3.0452	137.76	153.72	yes	music wire	5B
C.302.560.1800.I	30.2	5.60	180.0	2.6155	137.76	153.72	yes	stainless steel	5B
C.302.560.2000.A	30.2	5.60	200.0	3.1111	134.96	150.56	yes	music wire	4S
C.302.560.2000.S	30.2	5.60	200.0	3.1111	134.96	150.56	yes	Cr-Si steel	5G
C.302.560.2500.A	30.2	5.60	250.0	2.4889	165.20	184.70	yes	music wire	4S
C.302.560.2500.S	30.2	5.60	250.0	2.5000	164.64	184.06	yes	Cr-Si steel	5G
C.302.560.3200.A	30.2	5.60	320.0	2.0000	202.16	235.63	yes	music wire	4S
C.302.560.3200.S	30.2	5.60	320.0	2.0000	202.16	235.63	yes	Cr-Si steel	5G
C.303.500.0450.S	30.3	5.00	45.0	10.5082	31.00	33.56	yes	Cr-Si steel	5C
C.303.580.0380.S	30.3	5.80	38.0	23.6427	33.64	36.07	yes	Cr-Si steel	5D
C.303.580.0450.S	30.3	5.80	45.0	19.2649	38.28	41.29	yes	Cr-Si steel	5D
C.303.580.0500.S	30.3	5.80	50.0	17.5133	40.60	43.91	yes	Cr-Si steel	5D
C.303.580.2050.A	30.3	5.80	205.0	3.1233	160.08	178.53	yes	music wire	5B
C.303.580.2050.I	30.3	5.80	205.0	2.6826	160.08	178.53	yes	stainless steel	5B
C.303.600.0640.S	30.3	6.00	64.0	15.9374	49.80	54.14	yes	Cr-Si steel	5I
C.304.420.0450.A	30.4	4.20	45.0	3.4600	31.92	35.31	yes	music wire	4P
C.304.420.0450.AP	30.4	4.20	45.0	4.8515	25.62	28.97	yes	music wire	4R
C.304.420.0450.I	30.4	4.20	45.0	3.0102	31.50	34.83	yes	stainless steel	4P
C.304.420.0450.N	30.4	4.20	45.0	3.4600	31.92	35.31	yes	Zn coating	4R
C.304.420.0890.S	30.4	4.20	89.0	2.4518	40.74	57.29	yes	Cr-Si steel	5C
C.304.420.1020.S	30.4	4.20	102.0	2.1000	45.78	64.98	yes	Cr-Si steel	5C
C.304.450.0380.S	30.4	4.50	38.0	8.1967	24.30	26.57	yes	Cr-Si steel	5B
C.305.220.0200.A	30.5	2.20	20.0	0.8099	8.36	9.36	yes	music wire	4G
C.305.220.0200.I	30.5	2.20	20.0	0.6957	8.36	9.36	yes	stainless steel	4G
C.305.220.0254.A	30.5	2.20	25.4	0.5093	10.12	11.73	yes	music wire	4G
C.305.220.0254.I	30.5	2.20	25.4	0.4431	9.90	11.43	yes	stainless steel	4H
C.305.220.0381.A	30.5	2.20	38.1	0.3506	12.10	14.40	yes	music wire	4H
C.305.220.0381.I	30.5	2.20	38.1	0.3051	12.10	14.40	yes	stainless steel	4H
C.305.220.0508.A	30.5	2.20	50.8	0.2596	14.52	17.66	yes	music wire	4H
C.305.220.0508.I	30.5	2.20	50.8	0.2259	14.30	17.36	yes	stainless steel	4I
C.305.220.0635.A	30.5	2.20	63.5	0.2110	16.50	20.33	yes	music wire	4I
C.305.220.0635.I	30.5	2.20	63.5	0.1835	16.28	20.03	yes	stainless steel	4I
C.305.220.0750.A	30.5	2.20	75.0	0.2070	16.72	20.63	yes	music wire	4I
C.305.220.0750.I	30.5	2.20	75.0	0.1801	16.50	20.33	yes	stainless steel	4I
C.305.220.0750.N	30.5	2.20	75.0	0.2070	16.72	20.63	yes	Zn coating	4J
C.305.220.0762.A	30.5	2.20	76.2	0.1777	18.48	23.00	yes	music wire	4I
C.305.220.0762.I	30.5	2.20	76.2	0.1546	18.48	23.00	yes	stainless steel	4I
C.305.220.0889.A	30.5	2.20	88.9	0.1509	20.90	26.26	yes	music wire	4I
C.305.220.0889.I	30.5	2.20	88.9	0.1313	20.68	25.97	yes	stainless steel	4I
C.305.220.1016.A	30.5	2.20	101.6	0.1330	22.88	28.93	yes	music wire	4I
C.305.220.1016.I	30.5	2.20	101.6	0.1157	22.66	28.64	yes	stainless steel	4I
C.305.220.1143.A	30.5	2.20	114.3	0.1190	24.86	31.60	yes	music wire	4I
C.305.220.1143.I	30.5	2.20	114.3	0.1035	24.64	31.30	yes	stainless steel	4I
C.305.220.1270.A	30.5	2.20	127.0	0.1069	27.06	34.57	yes	music wire	4I
C.305.220.1270.I	30.5	2.20	127.0	0.0930	26.84	34.27	yes	stainless steel	4I
C.305.220.1600.A	30.5	2.20	160.0	0.0823	33.66	43.47	yes	music wire	4J
C.305.220.1600.I	30.5	2.20	160.0	0.0707	33.66	43.47	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.305.220.2000.A	30.5	2.20	200.0	0.0654	40.92	53.25	yes	music wire	4J
C.305.220.2000.I	30.5	2.20	200.0	0.0562	40.92	53.25	yes	stainless steel	4J
C.305.220.3200.A	30.5	2.20	320.0	0.0407	62.48	82.32	yes	music wire	4L
C.305.220.3200.I	30.5	2.20	320.0	0.0349	62.48	82.32	yes	stainless steel	4M
C.305.240.0254.A	30.5	2.40	25.4	0.6734	11.52	13.21	yes	music wire	4G
C.305.240.0254.I	30.5	2.40	25.4	0.5858	11.28	12.89	yes	stainless steel	4H
C.305.240.0305.A	30.5	2.40	30.5	0.5444	12.72	14.77	yes	music wire	4G
C.305.240.0305.I	30.5	2.40	30.5	0.4736	12.72	14.77	yes	stainless steel	4H
C.305.240.0381.A	30.5	2.40	38.1	0.4569	13.92	16.34	yes	music wire	4H
C.305.240.0381.AP	30.5	2.40	38.1	0.7715	10.80	16.54	yes	music wire	4I
C.305.240.0381.I	30.5	2.40	38.1	0.3975	13.92	16.34	yes	stainless steel	4H
C.305.240.0457.A	30.5	2.40	45.7	0.3936	15.36	18.22	yes	music wire	4H
C.305.240.0457.I	30.5	2.40	45.7	0.3424	15.12	17.91	yes	stainless steel	4I
C.305.240.0508.A	30.5	2.40	50.8	0.3457	16.56	19.79	yes	music wire	4H
C.305.240.0508.I	30.5	2.40	50.8	0.3000	16.56	19.79	yes	stainless steel	4I
C.305.240.0559.A	30.5	2.40	55.9	0.3082	17.76	21.35	yes	music wire	4I
C.305.240.0559.I	30.5	2.40	55.9	0.2682	17.76	21.35	yes	stainless steel	4I
C.305.240.0635.A	30.5	2.40	63.5	0.2781	19.20	23.23	yes	music wire	4I
C.305.240.0635.I	30.5	2.40	63.5	0.2419	18.96	22.92	yes	stainless steel	4I
C.305.240.0711.A	30.5	2.40	71.1	0.2533	20.40	24.80	yes	music wire	4I
C.305.240.0711.AP	30.5	2.40	71.1	0.3956	15.36	29.06	yes	music wire	4J
C.305.240.0711.I	30.5	2.40	71.1	0.2204	20.16	24.49	yes	stainless steel	4I
C.305.240.0762.A	30.5	2.40	76.2	0.2326	21.84	26.68	yes	music wire	4I
C.305.240.0762.I	30.5	2.40	76.2	0.2023	21.60	26.37	yes	stainless steel	4I
C.305.240.0889.A	30.5	2.40	88.9	0.2000	24.24	29.81	yes	music wire	4I
C.305.240.0889.I	30.5	2.40	88.9	0.1739	24.00	29.50	yes	stainless steel	4I
C.305.240.1016.A	30.5	2.40	101.6	0.1752	26.88	33.26	yes	music wire	4I
C.305.240.1016.I	30.5	2.40	101.6	0.1524	26.64	32.95	yes	stainless steel	4I
C.305.240.1200.A	30.5	2.40	120.0	0.1479	30.72	38.28	yes	music wire	4I
C.305.240.1200.I	30.5	2.40	120.0	0.1270	30.72	38.28	yes	stainless steel	4I
C.305.240.1600.A	30.5	2.40	160.0	0.1096	39.36	49.56	yes	music wire	4J
C.305.240.1600.I	30.5	2.40	160.0	0.0941	39.36	49.56	yes	stainless steel	4J
C.305.240.2400.A	30.5	2.40	240.0	0.0725	56.40	71.80	yes	music wire	4K
C.305.240.2400.I	30.5	2.40	240.0	0.0623	56.40	71.80	yes	stainless steel	4K
C.305.240.3200.A	30.5	2.40	320.0	0.0540	73.68	94.36	yes	music wire	4L
C.305.240.3200.I	30.5	2.40	320.0	0.0464	73.68	94.36	yes	stainless steel	4M
C.305.250.0224.A	30.5	2.50	22.4	0.7894	12.00	13.66	yes	music wire	4G
C.305.250.0224.AP	30.5	2.50	22.4	1.6708	9.00	11.25	yes	music wire	4I
C.305.250.0224.I	30.5	2.50	22.4	0.6868	12.00	13.66	yes	stainless steel	4H
C.305.250.0254.A	30.5	2.50	25.4	0.6958	12.75	14.62	yes	music wire	4G
C.305.250.0254.AP	30.5	2.50	25.4	1.4137	9.50	12.22	yes	music wire	4I
C.305.250.0254.I	30.5	2.50	25.4	0.6054	12.75	14.62	yes	stainless steel	4H
C.305.250.0305.A	30.5	2.50	30.5	0.5625	14.25	16.56	yes	music wire	4H
C.305.250.0305.AP	30.5	2.50	30.5	1.1486	10.25	14.28	yes	music wire	4I
C.305.250.0305.I	30.5	2.50	30.5	0.4894	14.25	16.56	yes	stainless steel	4H
C.305.250.0381.A	30.5	2.50	38.1	0.4721	15.75	18.49	yes	music wire	4H
C.305.250.0381.AP	30.5	2.50	38.1	0.9189	11.25	17.82	yes	music wire	4J
C.305.250.0381.I	30.5	2.50	38.1	0.4107	15.75	18.49	yes	stainless steel	4I
C.305.250.0508.A	30.5	2.50	50.8	0.3572	19.00	22.67	yes	music wire	4I
C.305.250.0508.AP	30.5	2.50	50.8	0.6564	13.25	22.41	yes	music wire	4J
C.305.250.0508.I	30.5	2.50	50.8	0.3108	18.75	22.35	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.305.250.0635.A	30.5	2.50	63.5	0.2873	22.00	26.54	yes	music wire	4I
C.305.250.0635.AP	30.5	2.50	63.5	0.5105	15.25	27.00	yes	music wire	4J
C.305.250.0635.I	30.5	2.50	63.5	0.2500	21.75	26.22	yes	stainless steel	4I
C.305.250.0762.A	30.5	2.50	76.2	0.2403	25.00	30.40	yes	music wire	4I
C.305.250.0762.AP	30.5	2.50	76.2	0.4274	16.75	32.61	yes	music wire	4J
C.305.250.0762.I	30.5	2.50	76.2	0.2090	24.75	30.08	yes	stainless steel	4I
C.305.250.0889.A	30.5	2.50	88.9	0.2089	28.00	34.27	yes	music wire	4I
C.305.250.0889.AP	30.5	2.50	88.9	0.3604	18.75	37.20	yes	music wire	4J
C.305.250.0889.I	30.5	2.50	88.9	0.1818	27.75	33.95	yes	stainless steel	4I
C.305.250.1100.A	30.5	2.50	110.0	0.1980	29.25	35.88	yes	music wire	4I
C.305.250.1100.AP	30.5	2.50	110.0	0.2872	22.00	45.12	yes	music wire	4K
C.305.250.1100.I	30.5	2.50	110.0	0.1723	28.75	35.23	yes	stainless steel	4I
C.305.250.1100.N	30.5	2.50	110.0	0.1980	29.25	35.88	yes	Zn coating	4J
C.305.250.1600.A	30.5	2.50	160.0	0.1259	42.25	52.62	yes	music wire	4J
C.305.250.1600.I	30.5	2.50	160.0	0.1081	42.25	52.62	yes	stainless steel	4J
C.305.250.2400.A	30.5	2.50	240.0	0.0832	60.75	76.45	yes	music wire	4K
C.305.250.2400.I	30.5	2.50	240.0	0.0714	60.75	76.45	yes	stainless steel	4L
C.305.250.3200.A	30.5	2.50	320.0	0.0621	79.25	100.29	yes	music wire	4L
C.305.250.3200.I	30.5	2.50	320.0	0.0533	79.25	100.29	yes	stainless steel	4M
C.305.280.0254.A	30.5	2.80	25.4	1.1896	14.00	15.73	yes	music wire	4I
C.305.280.0254.AP	30.5	2.80	25.4	2.1393	10.92	13.48	yes	music wire	4J
C.305.280.0254.I	30.5	2.80	25.4	1.0350	13.72	15.38	yes	stainless steel	4I
C.305.280.0305.A	30.5	2.80	30.5	0.9443	15.68	17.82	yes	music wire	4I
C.305.280.0305.AP	30.5	2.80	30.5	1.6639	12.04	15.17	yes	music wire	4J
C.305.280.0305.I	30.5	2.80	30.5	0.8216	15.68	17.82	yes	stainless steel	4I
C.305.280.0381.A	30.5	2.80	38.1	0.8025	17.36	19.92	yes	music wire	4I
C.305.280.0381.AP	30.5	2.80	38.1	1.3022	13.44	18.51	yes	music wire	4J
C.305.280.0381.I	30.5	2.80	38.1	0.7000	17.08	19.57	yes	stainless steel	4I
C.305.280.0508.A	30.5	2.80	50.8	0.5943	21.00	24.46	yes	music wire	4I
C.305.280.0508.AP	30.5	2.80	50.8	0.9661	15.40	24.40	yes	music wire	4K
C.305.280.0508.I	30.5	2.80	50.8	0.5170	20.72	24.11	yes	stainless steel	4I
C.305.280.0635.A	30.5	2.80	63.5	0.4789	24.36	28.64	yes	music wire	4I
C.305.280.0635.AP	30.5	2.80	63.5	0.7487	17.92	29.43	yes	music wire	4L
C.305.280.0635.I	30.5	2.80	63.5	0.4166	24.08	28.30	yes	stainless steel	4I
C.305.280.1000.A	30.5	2.80	100.0	0.3037	34.16	40.86	yes	music wire	4J
C.305.280.1000.I	30.5	2.80	100.0	0.2609	34.16	40.86	yes	stainless steel	4J
C.305.280.3200.A	30.5	2.80	320.0	0.0918	96.88	119.06	yes	music wire	4M
C.305.280.3200.I	30.5	2.80	320.0	0.0788	96.88	119.06	yes	stainless steel	4M
C.305.300.0254.A	30.5	3.00	25.4	1.4289	15.90	17.80	yes	music wire	4I
C.305.300.0254.AP	30.5	3.00	25.4	2.6939	12.00	13.94	yes	music wire	4J
C.305.300.0254.I	30.5	3.00	25.4	1.2432	15.60	17.43	yes	stainless steel	4I
C.305.300.0305.A	30.5	3.00	30.5	1.1458	18.00	20.37	yes	music wire	4I
C.305.300.0305.AP	30.5	3.00	30.5	2.1268	13.20	15.99	yes	music wire	4J
C.305.300.0305.I	30.5	3.00	30.5	0.9969	17.70	20.01	yes	stainless steel	4I
C.305.300.0381.A	30.5	3.00	38.1	0.9563	19.80	22.58	yes	music wire	4I
C.305.300.0381.AP	30.5	3.00	38.1	1.6837	14.70	19.77	yes	music wire	4J
C.305.300.0381.I	30.5	3.00	38.1	0.8320	19.80	22.58	yes	stainless steel	4I
C.305.300.0457.A	30.5	3.00	45.7	0.8206	21.90	25.16	yes	music wire	4I
C.305.300.0457.AP	30.5	3.00	45.7	1.3470	16.20	22.78	yes	music wire	4J
C.305.300.0457.I	30.5	3.00	45.7	0.7140	21.90	25.16	yes	stainless steel	4I
C.305.300.0508.A	30.5	3.00	50.8	0.7077	24.30	28.10	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.305.300.0508.AP	30.5	3.00	50.8	1.2245	17.10	25.59	yes	music wire	4K
C.305.300.0508.I	30.5	3.00	50.8	0.6157	24.00	27.73	yes	stainless steel	4I
C.305.300.0559.A	30.5	3.00	55.9	0.6305	26.40	30.67	yes	music wire	4I
C.305.300.0559.AP	30.5	3.00	55.9	1.0921	18.30	27.64	yes	music wire	4K
C.305.300.0559.I	30.5	3.00	55.9	0.5486	26.10	30.30	yes	stainless steel	4I
C.305.300.0635.A	30.5	3.00	63.5	0.5685	28.50	33.25	yes	music wire	4I
C.305.300.0635.AP	30.5	3.00	63.5	0.9397	20.10	30.65	yes	music wire	4L
C.305.300.0635.I	30.5	3.00	63.5	0.4946	28.20	32.88	yes	stainless steel	4I
C.305.300.1000.A	30.5	3.00	100.0	0.3890	38.10	45.02	yes	music wire	4J
C.305.300.1000.I	30.5	3.00	100.0	0.3341	38.10	45.02	yes	stainless steel	4J
C.305.300.1600.A	30.5	3.00	160.0	0.2390	57.30	68.56	yes	music wire	4J
C.305.300.1600.I	30.5	3.00	160.0	0.2053	57.30	68.56	yes	stainless steel	4J
C.305.300.2000.A	30.5	3.00	200.0	0.1898	70.20	84.37	yes	music wire	4L
C.305.300.2000.I	30.5	3.00	200.0	0.1631	70.20	84.37	yes	stainless steel	4L
C.305.360.0224.A	30.5	3.60	22.4	4.4480	16.20	17.52	yes	music wire	4M
C.305.360.0224.I	30.5	3.60	22.4	3.8697	16.20	17.52	yes	stainless steel	4M
C.305.360.0254.A	30.5	3.60	25.4	3.7669	17.28	18.80	yes	music wire	4M
C.305.360.0254.AP	30.5	3.60	25.4	5.2661	15.12	16.24	yes	music wire	4O
C.305.360.0254.I	30.5	3.60	25.4	3.2772	17.28	18.80	yes	stainless steel	4M
C.305.360.0305.A	30.5	3.60	30.5	2.9530	19.80	21.78	yes	music wire	4M
C.305.360.0305.AP	30.5	3.60	30.5	4.2631	16.56	18.55	yes	music wire	4O
C.305.360.0305.I	30.5	3.60	30.5	2.5691	19.44	21.36	yes	stainless steel	4M
C.305.360.0381.A	30.5	3.60	38.1	2.3813	22.32	24.77	yes	music wire	4M
C.305.360.0381.AP	30.5	3.60	38.1	3.1973	18.72	22.17	yes	music wire	4O
C.305.360.0381.I	30.5	3.60	38.1	2.0717	21.96	24.34	yes	stainless steel	4M
C.305.360.0508.A	30.5	3.60	50.8	1.7659	27.00	30.31	yes	music wire	4M
C.305.360.0508.AP	30.5	3.60	50.8	2.2955	22.68	28.61	yes	music wire	4O
C.305.360.0508.I	30.5	3.60	50.8	1.5363	26.64	29.88	yes	stainless steel	4M
C.305.360.0635.A	30.5	3.60	63.5	1.3874	31.68	35.85	yes	music wire	4M
C.305.360.0635.AP	30.5	3.60	63.5	1.8270	26.28	35.62	yes	music wire	4O
C.305.360.0635.I	30.5	3.60	63.5	1.2071	31.68	35.85	yes	stainless steel	4M
C.305.360.1200.A	30.5	3.60	120.0	0.6464	57.96	66.96	yes	music wire	4N
C.305.360.1200.I	30.5	3.60	120.0	0.5552	57.96	66.96	yes	stainless steel	4N
C.305.360.2000.A	30.5	3.60	200.0	0.3773	92.88	108.29	yes	music wire	4N
C.305.360.2000.I	30.5	3.60	200.0	0.3240	92.88	108.29	yes	stainless steel	4O
C.305.380.0224.A	30.5	3.80	22.4	5.1383	17.86	19.32	yes	music wire	4M
C.305.380.0224.AP	30.5	3.80	22.4	8.1182	14.82	15.75	yes	music wire	4O
C.305.380.0224.I	30.5	3.80	22.4	4.4704	17.48	18.87	yes	stainless steel	4M
C.305.380.0254.A	30.5	3.80	25.4	4.4454	19.00	20.65	yes	music wire	4M
C.305.380.0254.AP	30.5	3.80	25.4	6.6856	15.96	17.08	yes	music wire	4O
C.305.380.0254.I	30.5	3.80	25.4	3.8675	19.00	20.65	yes	stainless steel	4M
C.305.380.0305.A	30.5	3.80	30.5	3.4284	22.04	24.22	yes	music wire	4M
C.305.380.0305.AP	30.5	3.80	30.5	5.1661	17.86	19.32	yes	music wire	4O
C.305.380.0305.I	30.5	3.80	30.5	2.9827	21.66	23.78	yes	stainless steel	4M
C.305.380.0381.A	30.5	3.80	38.1	2.7900	24.70	27.35	yes	music wire	4M
C.305.380.0381.AP	30.5	3.80	38.1	4.0591	19.76	23.55	yes	music wire	4O
C.305.380.0381.I	30.5	3.80	38.1	2.4273	24.32	26.90	yes	stainless steel	4M
C.305.380.0600.A	30.5	3.80	60.0	1.7169	34.20	38.50	yes	music wire	4M
C.305.380.0600.I	30.5	3.80	60.0	1.4747	34.20	38.50	yes	stainless steel	4M
C.305.380.1000.A	30.5	3.80	100.0	0.9704	53.20	60.81	yes	music wire	4M
C.305.380.1000.I	30.5	3.80	100.0	0.8335	53.20	60.81	yes	stainless steel	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.305.400.0380.S	30.5	4.00	38.0	4.7289	22.00	23.99	yes	Cr-Si steel	4T
C.305.400.0381.A	30.5	4.00	38.1	3.3778	26.40	29.12	yes	music wire	4P
C.305.400.0381.AP	30.5	4.00	38.1	4.9214	21.20	24.30	yes	music wire	4R
C.305.400.0381.I	30.5	4.00	38.1	2.9387	26.40	29.12	yes	stainless steel	4P
C.305.400.0450.S	30.5	4.00	45.0	3.8532	24.40	27.38	yes	Cr-Si steel	4T
C.305.400.0500.S	30.5	4.00	50.0	3.3275	26.80	29.59	yes	Cr-Si steel	4T
C.305.400.0508.A	30.5	4.00	50.8	2.4618	32.80	36.58	yes	music wire	4P
C.305.400.0508.AP	30.5	4.00	50.8	3.4810	26.00	31.29	yes	music wire	4R
C.305.400.0508.I	30.5	4.00	50.8	2.1418	32.40	36.11	yes	stainless steel	4P
C.305.400.2000.A	30.5	4.00	200.0	0.5791	106.80	122.85	yes	music wire	4Q
C.305.400.2000.I	30.5	4.00	200.0	0.4974	106.80	122.85	yes	stainless steel	4R
C.305.420.0640.S	30.5	4.20	64.0	2.9774	35.28	39.22	yes	Cr-Si steel	4T
C.305.470.0800.A	30.5	4.70	80.0	3.1126	55.46	61.81	yes	music wire	4R
C.305.470.0800.I	30.5	4.70	80.0	2.6734	55.46	61.81	yes	stainless steel	4R
C.305.470.4000.A	30.5	4.70	400.0	0.8480	172.02	276.19	yes	music wire	5D
C.305.470.4000.I	30.5	4.70	400.0	0.7378	170.14	270.93	yes	stainless steel	5D
C.305.470.4000.N	30.5	4.70	400.0	0.8480	172.02	276.19	yes	Zn coating	5E
C.305.500.0380.S	30.5	5.00	38.0	12.6971	27.50	29.59	yes	Cr-Si steel	5C
C.306.130.0300.A	30.6	1.30	30.0	0.0126	16.38	26.58	no	music wire	4E
C.306.130.0300.I	30.6	1.30	30.0	0.0110	16.25	26.34	no	stainless steel	4E
C.306.130.0800.A	30.6	1.30	80.0	0.0321	9.23	13.26	no	music wire	4F
C.306.130.0800.I	30.6	1.30	80.0	0.0276	9.23	13.26	no	stainless steel	4G
C.306.160.0200.A	30.6	1.60	20.0	0.2489	5.76	6.80	yes	music wire	4F
C.306.160.0200.I	30.6	1.60	20.0	0.2137	5.76	6.80	yes	stainless steel	4F
C.306.160.0850.A	30.6	1.60	85.0	0.0322	17.60	25.66	yes	music wire	4H
C.306.160.0850.I	30.6	1.60	85.0	0.0280	17.44	25.41	yes	stainless steel	4I
C.306.180.0200.A	30.6	1.80	20.0	0.4070	6.48	7.44	yes	music wire	4G
C.306.180.0200.I	30.6	1.80	20.0	0.3496	6.48	7.44	yes	stainless steel	4G
C.306.180.0880.A	30.6	1.80	88.0	0.0494	20.88	28.81	yes	music wire	4I
C.306.180.0880.I	30.6	1.80	88.0	0.0430	20.52	28.27	yes	stainless steel	4I
C.306.200.0330.A	30.6	2.00	33.0	0.2900	9.80	11.75	yes	music wire	4G
C.306.200.0330.I	30.6	2.00	33.0	0.2523	9.80	11.75	yes	stainless steel	4H
C.306.200.1000.A	30.6	2.00	100.0	0.0981	19.20	24.98	yes	music wire	4I
C.306.200.1000.I	30.6	2.00	100.0	0.0843	19.20	24.98	yes	stainless steel	4I
C.306.230.0200.A	30.6	2.30	20.0	0.8984	8.97	10.02	yes	music wire	4G
C.306.230.0200.I	30.6	2.30	20.0	0.7717	8.97	10.02	yes	stainless steel	4G
C.306.230.4060.A	30.6	2.30	406.0	0.0333	92.46	120.82	yes	music wire	4M
C.306.230.4060.I	30.6	2.30	406.0	0.0290	91.54	119.60	yes	stainless steel	4M
C.306.270.0200.A	30.6	2.70	20.0	1.6620	10.80	11.85	yes	music wire	4G
C.306.270.0200.I	30.6	2.70	20.0	1.4274	10.80	11.85	yes	stainless steel	4H
C.306.270.0600.A	30.6	2.70	60.0	0.4598	21.33	25.12	yes	music wire	4I
C.306.270.0600.AP	30.6	2.70	60.0	0.7033	16.20	27.31	yes	music wire	4J
C.306.270.0600.I	30.6	2.70	60.0	0.4000	21.33	25.12	yes	stainless steel	4I
C.306.270.1850.A	30.6	2.70	185.0	0.1724	45.90	56.09	yes	music wire	4M
C.306.270.1850.I	30.6	2.70	185.0	0.1500	45.36	55.41	yes	stainless steel	4M
C.306.300.0290.A	30.6	3.00	29.0	2.3000	12.60	15.62	yes	music wire	4J
C.306.300.0290.I	30.6	3.00	29.0	2.0000	12.60	15.30	yes	stainless steel	4J
C.306.300.0600.A	30.6	3.00	60.0	0.9080	20.40	26.11	yes	music wire	4K
C.306.300.0600.I	30.6	3.00	60.0	0.7900	20.40	25.31	yes	stainless steel	4L
C.306.300.2000.A	30.6	3.00	200.0	0.1887	69.90	84.06	yes	music wire	4L
C.306.300.2000.I	30.6	3.00	200.0	0.1621	69.90	84.06	yes	stainless steel	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.306.340.0320.A	30.6	3.40	32.0	2.7586	17.00	18.67	yes	music wire	4J
C.306.340.0320.I	30.6	3.40	32.0	2.4000	16.66	18.26	yes	stainless steel	4J
C.306.340.2400.A	30.6	3.40	240.0	0.2496	100.64	118.70	yes	music wire	4M
C.306.340.2400.I	30.6	3.40	240.0	0.2144	100.64	118.70	yes	stainless steel	4M
C.306.380.0520.A	30.6	3.80	52.0	2.9000	23.94	31.70	yes	music wire	4O
C.306.380.0520.I	30.6	3.80	52.0	2.5230	23.94	31.02	yes	stainless steel	4O
C.306.380.0600.A	30.6	3.80	60.0	1.8391	32.30	36.28	yes	music wire	4M
C.306.380.0600.AP	30.6	3.80	60.0	2.3414	27.36	34.86	yes	music wire	4O
C.306.380.0600.I	30.6	3.80	60.0	1.6000	31.92	35.83	yes	stainless steel	4M
C.306.380.3000.A	30.6	3.80	300.0	0.3065	146.30	170.19	yes	music wire	4P
C.306.380.3000.I	30.6	3.80	300.0	0.2633	146.30	170.19	yes	stainless steel	4P
C.308.420.0760.S	30.8	4.20	76.0	2.7587	36.12	48.15	yes	Cr-Si steel	5C
C.309.280.0220.A	30.9	2.80	22.0	1.9000	11.20	12.25	yes	music wire	4I
C.309.280.0220.I	30.9	2.80	22.0	1.6569	11.20	12.25	yes	stainless steel	4I
C.309.280.3200.A	30.9	2.80	320.0	0.0899	94.92	116.99	yes	music wire	4M
C.309.280.3200.I	30.9	2.80	320.0	0.0772	94.92	116.99	yes	stainless steel	4M
C.309.340.0200.A	30.9	3.40	20.0	4.0913	13.94	15.02	yes	music wire	4J
C.309.340.0200.I	30.9	3.40	20.0	3.5140	13.94	15.02	yes	stainless steel	4J
C.309.340.0320.A	30.9	3.40	32.0	2.6969	16.66	18.28	yes	music wire	4J
C.309.340.0320.I	30.9	3.40	32.0	2.3463	16.66	18.28	yes	stainless steel	4J
C.309.340.0400.A	30.9	3.40	40.0	1.6785	21.76	24.39	yes	music wire	4J
C.309.340.0400.I	30.9	3.40	40.0	1.4417	21.76	24.39	yes	stainless steel	4J
C.309.340.0500.A	30.9	3.40	50.0	1.5299	23.12	26.02	yes	music wire	4J
C.309.340.0500.I	30.9	3.40	50.0	1.3310	22.78	25.61	yes	stainless steel	4J
C.309.340.0640.A	30.9	3.40	64.0	1.1866	27.20	30.91	yes	music wire	4M
C.309.340.0640.I	30.9	3.40	64.0	1.0324	26.86	30.50	yes	stainless steel	4J
C.309.340.0760.A	30.9	3.40	76.0	0.9277	32.64	37.42	yes	music wire	4J
C.309.340.0760.I	30.9	3.40	76.0	0.8071	32.30	37.02	yes	stainless steel	4J
C.309.340.0890.A	30.9	3.40	89.0	0.7841	36.72	42.31	yes	music wire	4K
C.309.340.0890.I	30.9	3.40	89.0	0.6821	36.38	41.90	yes	stainless steel	4K
C.309.340.1020.A	30.9	3.40	102.0	0.7090	39.78	45.98	yes	music wire	4M
C.309.340.1020.I	30.9	3.40	102.0	0.6169	39.44	45.57	yes	stainless steel	4N
C.309.340.1200.A	30.9	3.40	120.0	0.5035	52.70	61.46	yes	music wire	4L
C.309.340.1200.I	30.9	3.40	120.0	0.4325	52.70	61.46	yes	stainless steel	4L
C.309.340.1400.A	30.9	3.40	140.0	0.4279	60.52	70.83	yes	music wire	4L
C.309.340.1400.I	30.9	3.40	140.0	0.3675	60.52	70.83	yes	stainless steel	4L
C.309.340.2000.A	30.9	3.40	200.0	0.2949	83.98	98.93	yes	music wire	4M
C.309.340.2000.I	30.9	3.40	200.0	0.2533	83.98	98.93	yes	stainless steel	4M
C.309.340.2350.A	30.9	3.40	235.0	0.2499	97.58	115.23	yes	music wire	4M
C.309.340.2350.I	30.9	3.40	235.0	0.2146	97.58	115.23	yes	stainless steel	4M
C.309.400.0350.A	30.9	4.00	35.0	5.9770	18.80	23.78	yes	music wire	4T
C.309.400.0350.I	30.9	4.00	35.0	5.2000	18.80	23.38	yes	stainless steel	4R
C.309.400.2000.A	30.9	4.00	200.0	0.5630	105.20	121.18	yes	music wire	4R
C.309.400.2000.I	30.9	4.00	200.0	0.4835	105.20	121.18	yes	stainless steel	4R
C.309.450.0500.A	30.9	4.50	50.0	4.3043	35.10	38.72	yes	music wire	4R
C.309.450.0500.AP	30.9	4.50	50.0	5.5053	29.70	33.23	yes	music wire	4S
C.309.450.0500.I	30.9	4.50	50.0	3.7447	34.65	38.20	yes	stainless steel	4R
C.309.450.0640.A	30.9	4.50	64.0	3.3010	42.30	47.01	yes	music wire	4R
C.309.450.0640.AP	30.9	4.50	64.0	4.2040	35.55	42.04	yes	music wire	4T
C.309.450.0640.I	30.9	4.50	64.0	2.8719	41.85	46.49	yes	stainless steel	4R
C.309.450.2000.A	30.9	4.50	200.0	0.9267	121.50	138.22	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.309.450.2000.I	30.9	4.50	200.0	0.7959	121.50	138.22	yes	stainless steel	4R
C.309.480.0500.A	30.9	4.80	50.0	6.2422	35.52	38.92	yes	music wire	4R
C.309.480.0500.I	30.9	4.80	50.0	5.4307	35.04	38.37	yes	stainless steel	4R
C.309.480.2000.A	30.9	4.80	200.0	1.2364	130.08	147.12	yes	music wire	4R
C.309.480.2000.I	30.9	4.80	200.0	1.0620	130.08	147.12	yes	stainless steel	4R
C.310.110.0620.A	31.0	1.10	62.0	0.0090	10.67	18.91	no	music wire	4E
C.310.130.0760.A	31.0	1.30	76.0	0.0115	17.16	28.29	no	music wire	4F
C.310.130.0760.I	31.0	1.30	76.0	0.0100	16.90	27.80	no	stainless steel	4G
C.310.175.0310.A	31.0	1.75	31.0	0.2545	7.00	8.36	yes	music wire	4F
C.310.175.0310.I	31.0	1.75	31.0	0.2186	7.00	8.36	yes	stainless steel	4G
C.310.180.0350.A	31.0	1.80	35.0	0.1839	8.64	10.69	yes	music wire	4G
C.310.180.0350.I	31.0	1.80	35.0	0.1600	8.64	10.69	yes	stainless steel	4H
C.310.180.0381.A	31.0	1.80	38.1	0.1868	8.64	10.69	yes	music wire	4G
C.310.180.0381.I	31.0	1.80	38.1	0.1604	8.64	10.69	yes	stainless steel	4H
C.310.180.0444.A	31.0	1.80	44.4	0.1591	9.36	11.76	yes	music wire	4G
C.310.180.0444.I	31.0	1.80	44.4	0.1366	9.36	11.76	yes	stainless steel	4H
C.310.180.0730.A	31.0	1.80	73.0	0.1115	11.52	14.99	yes	music wire	4I
C.310.180.0730.I	31.0	1.80	73.0	0.0970	11.34	14.72	yes	stainless steel	4I
C.310.180.1450.A	31.0	1.80	145.0	0.0551	18.54	25.49	yes	music wire	4I
C.310.180.1450.I	31.0	1.80	145.0	0.0473	18.54	25.49	yes	stainless steel	4J
C.310.180.2000.A	31.0	1.80	200.0	0.0394	24.12	33.83	yes	music wire	4J
C.310.180.2000.I	31.0	1.80	200.0	0.0338	24.12	33.83	yes	stainless steel	4J
C.310.190.1150.A	31.0	1.90	115.0	0.0816	17.29	22.96	yes	music wire	4I
C.310.190.1150.I	31.0	1.90	115.0	0.0701	17.29	22.96	yes	stainless steel	4I
C.310.200.0390.A	31.0	2.00	39.0	0.3038	9.40	11.23	yes	music wire	4G
C.310.200.0390.I	31.0	2.00	39.0	0.2609	9.40	11.23	yes	stainless steel	4H
C.310.200.0840.A	31.0	2.00	84.0	0.1337	15.00	19.15	yes	music wire	4I
C.310.200.0840.I	31.0	2.00	84.0	0.1148	15.00	19.15	yes	stainless steel	4I
C.310.200.2500.A	31.0	2.00	250.0	0.0375	40.60	55.39	yes	music wire	4K
C.310.200.2500.I	31.0	2.00	250.0	0.0322	40.60	55.39	yes	stainless steel	4L
C.310.210.0157.A	31.0	2.10	15.7	0.7462	7.56	8.45	yes	music wire	4G
C.310.210.0157.I	31.0	2.10	15.7	0.6409	7.56	8.45	yes	stainless steel	4G
C.310.210.0224.A	31.0	2.10	22.4	0.5863	8.19	9.32	yes	music wire	4G
C.310.210.0224.I	31.0	2.10	22.4	0.5036	8.19	9.32	yes	stainless steel	4G
C.310.210.0254.A	31.0	2.10	25.4	0.4828	8.82	10.19	yes	music wire	4G
C.310.210.0254.I	31.0	2.10	25.4	0.4147	8.82	10.19	yes	stainless steel	4G
C.310.210.0305.A	31.0	2.10	30.5	0.4104	9.45	11.06	yes	music wire	4G
C.310.210.0305.I	31.0	2.10	30.5	0.3525	9.45	11.06	yes	stainless steel	4H
C.310.210.0318.A	31.0	2.10	31.8	0.3909	9.66	11.35	yes	music wire	4G
C.310.210.0318.I	31.0	2.10	31.8	0.3357	9.66	11.35	yes	stainless steel	4H
C.310.210.0381.A	31.0	2.10	38.1	0.3157	10.71	12.81	yes	music wire	4G
C.310.210.0381.I	31.0	2.10	38.1	0.2712	10.71	12.81	yes	stainless steel	4H
C.310.210.0444.A	31.0	2.10	44.4	0.2648	11.76	14.26	yes	music wire	4H
C.310.210.0444.I	31.0	2.10	44.4	0.2274	11.76	14.26	yes	stainless steel	4H
C.310.210.0457.A	31.0	2.10	45.7	0.2565	11.97	14.55	yes	music wire	4H
C.310.210.0457.I	31.0	2.10	45.7	0.2203	11.97	14.55	yes	stainless steel	4H
C.310.210.0508.A	31.0	2.10	50.8	0.2280	12.81	15.71	yes	music wire	4H
C.310.210.0508.I	31.0	2.10	50.8	0.1958	12.81	15.71	yes	stainless steel	4I
C.310.210.0559.A	31.0	2.10	55.9	0.2052	13.65	16.88	yes	music wire	4H
C.310.210.0559.I	31.0	2.10	55.9	0.1763	13.65	16.88	yes	stainless steel	4I
C.310.210.0572.A	31.0	2.10	57.2	0.2002	13.86	17.17	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.310.210.0572.I	31.0	2.10	57.2	0.1720	13.86	17.17	yes	stainless steel	4I
C.310.210.0610.A	31.0	2.10	61.0	0.1866	14.49	18.04	yes	music wire	4I
C.310.210.0610.I	31.0	2.10	61.0	0.1602	14.49	18.04	yes	stainless steel	4I
C.310.210.0635.A	31.0	2.10	63.5	0.1824	14.70	18.33	yes	music wire	4I
C.310.210.0635.I	31.0	2.10	63.5	0.1567	14.70	18.33	yes	stainless steel	4I
C.310.210.0698.A	31.0	2.10	69.8	0.1642	15.75	19.78	yes	music wire	4I
C.310.210.0698.I	31.0	2.10	69.8	0.1410	15.75	19.78	yes	stainless steel	4I
C.310.210.0711.A	31.0	2.10	71.1	0.1609	15.96	20.07	yes	music wire	4I
C.310.210.0711.I	31.0	2.10	71.1	0.1382	15.96	20.07	yes	stainless steel	4I
C.310.210.0762.A	31.0	2.10	76.2	0.1492	16.80	21.24	yes	music wire	4I
C.310.210.0762.I	31.0	2.10	76.2	0.1282	16.80	21.24	yes	stainless steel	4I
C.310.220.0444.A	31.0	2.20	44.4	0.3122	12.54	15.05	yes	music wire	4H
C.310.220.0444.I	31.0	2.20	44.4	0.2681	12.54	15.05	yes	stainless steel	4I
C.310.220.0457.A	31.0	2.20	45.7	0.3027	12.76	15.35	yes	music wire	4H
C.310.220.0457.I	31.0	2.20	45.7	0.2600	12.76	15.35	yes	stainless steel	4I
C.310.220.0500.A	31.0	2.20	50.0	0.2471	14.30	17.44	yes	music wire	4H
C.310.220.0500.I	31.0	2.20	50.0	0.2150	14.30	17.44	yes	stainless steel	4I
C.310.220.0559.A	31.0	2.20	55.9	0.2437	14.52	17.74	yes	music wire	4I
C.310.220.0559.I	31.0	2.20	55.9	0.2093	14.52	17.74	yes	stainless steel	4I
C.310.220.0572.A	31.0	2.20	57.2	0.2379	14.74	18.04	yes	music wire	4I
C.310.220.0572.I	31.0	2.20	57.2	0.2043	14.74	18.04	yes	stainless steel	4I
C.310.220.0640.A	31.0	2.20	64.0	0.1942	16.72	20.73	yes	music wire	4I
C.310.220.0640.I	31.0	2.20	64.0	0.1689	16.72	20.73	yes	stainless steel	4I
C.310.220.0698.A	31.0	2.20	69.8	0.1885	17.16	21.32	yes	music wire	4I
C.310.220.0698.I	31.0	2.20	69.8	0.1619	17.16	21.32	yes	stainless steel	4I
C.310.220.0720.A	31.0	2.20	72.0	0.1850	17.38	21.62	yes	music wire	4I
C.310.220.0720.I	31.0	2.20	72.0	0.1589	17.38	21.62	yes	stainless steel	4I
C.310.220.0760.A	31.0	2.20	76.0	0.1531	19.80	24.91	yes	music wire	4I
C.310.220.0760.I	31.0	2.20	76.0	0.1332	19.58	24.61	yes	stainless steel	4I
C.310.220.0890.A	31.0	2.20	89.0	0.1305	22.44	28.49	yes	music wire	4I
C.310.220.0890.I	31.0	2.20	89.0	0.1136	22.22	28.19	yes	stainless steel	4I
C.310.220.0980.A	31.0	2.20	98.0	0.1494	20.24	25.50	yes	music wire	4I
C.310.220.0980.I	31.0	2.20	98.0	0.1300	20.02	25.20	yes	stainless steel	4I
C.310.220.2500.A	31.0	2.20	250.0	0.0510	48.62	64.02	yes	music wire	4K
C.310.220.2500.I	31.0	2.20	250.0	0.0438	48.62	64.02	yes	stainless steel	4L
C.310.225.0650.A	31.0	2.25	65.0	0.2555	15.30	18.64	yes	music wire	4I
C.310.225.0650.I	31.0	2.25	65.0	0.2195	15.30	18.64	yes	stainless steel	4I
C.310.225.1750.A	31.0	2.25	175.0	0.0908	32.85	42.24	yes	music wire	4J
C.310.225.1750.I	31.0	2.25	175.0	0.0780	32.85	42.24	yes	stainless steel	4J
C.310.225.2200.A	31.0	2.25	220.0	0.0624	45.23	58.89	yes	music wire	4J
C.310.225.2200.I	31.0	2.25	220.0	0.0536	45.23	58.89	yes	stainless steel	4J
C.310.225.3000.A	31.0	2.25	300.0	0.0456	59.85	78.55	yes	music wire	4L
C.310.225.3000.I	31.0	2.25	300.0	0.0392	59.85	78.55	yes	stainless steel	4L
C.310.230.0450.I	31.0	2.30	45.0	0.5100	10.35	19.84	yes	stainless steel	4J
C.310.230.0600.A	31.0	2.30	60.0	0.2759	15.87	19.25	yes	music wire	4I
C.310.230.0600.I	31.0	2.30	60.0	0.2400	15.64	18.94	yes	stainless steel	4I
C.310.235.1550.A	31.0	2.35	155.0	0.1190	31.96	40.38	yes	music wire	4J
C.310.235.1550.I	31.0	2.35	155.0	0.1022	31.96	40.38	yes	stainless steel	4J
C.310.240.0167.A	31.0	2.40	16.7	1.3135	8.64	9.47	yes	music wire	4G
C.310.240.0167.I	31.0	2.40	16.7	1.1281	8.64	9.47	yes	stainless steel	4G
C.310.250.0444.A	31.0	2.50	44.4	0.4775	15.25	17.90	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.310.250.0444.I	31.0	2.50	44.4	0.4101	15.25	17.90	yes	stainless steel	4I
C.310.250.0450.A	31.0	2.50	45.0	0.4912	15.00	17.58	yes	music wire	4H
C.310.250.0450.AP	31.0	2.50	45.0	0.7262	12.25	19.74	yes	music wire	4J
C.310.250.0450.I	31.0	2.50	45.0	0.4219	15.00	17.58	yes	stainless steel	4I
C.310.250.0450.N	31.0	2.50	45.0	0.4912	15.00	17.58	yes	Zn coating	4I
C.310.250.0457.A	31.0	2.50	45.7	0.4646	15.50	18.23	yes	music wire	4I
C.310.250.0457.I	31.0	2.50	45.7	0.3991	15.50	18.23	yes	stainless steel	4I
C.310.250.0690.A	31.0	2.50	69.0	0.3126	20.00	24.06	yes	music wire	4I
C.310.250.0690.AP	31.0	2.50	69.0	0.4586	15.50	29.01	yes	music wire	4J
C.310.250.0690.I	31.0	2.50	69.0	0.2685	20.00	24.06	yes	stainless steel	4I
C.310.250.0690.N	31.0	2.50	69.0	0.3126	20.00	24.06	yes	Zn coating	4J
C.310.250.1030.A	31.0	2.50	103.0	0.2022	27.50	33.77	yes	music wire	4I
C.310.250.1030.AP	31.0	2.50	103.0	0.3005	20.50	41.96	yes	music wire	4K
C.310.250.1030.I	31.0	2.50	103.0	0.1737	27.50	33.77	yes	stainless steel	4I
C.310.250.1030.N	31.0	2.50	103.0	0.2022	27.50	33.77	yes	Zn coating	4J
C.310.250.1630.A	31.0	2.50	163.0	0.1273	40.00	49.95	yes	music wire	4J
C.310.250.1630.AP	31.0	2.50	163.0	0.1894	29.00	66.18	yes	music wire	4L
C.310.250.1630.I	31.0	2.50	163.0	0.1093	40.00	49.95	yes	stainless steel	4J
C.310.250.1630.N	31.0	2.50	163.0	0.1273	40.00	49.95	yes	Zn coating	4L
C.310.260.1600.A	31.0	2.60	160.0	0.1600	39.52	48.73	yes	music wire	4J
C.310.260.1600.I	31.0	2.60	160.0	0.1374	39.52	48.73	yes	stainless steel	4J
C.310.270.0174.A	31.0	2.70	17.4	1.9906	9.99	10.85	yes	music wire	4G
C.310.270.0174.I	31.0	2.70	17.4	1.7097	9.99	10.85	yes	stainless steel	4H
C.310.270.0191.A	31.0	2.70	19.1	1.7062	10.53	11.53	yes	music wire	4G
C.310.270.0191.I	31.0	2.70	19.1	1.4655	10.53	11.53	yes	stainless steel	4H
C.310.270.0330.A	31.0	2.70	33.0	0.5632	18.09	21.09	yes	music wire	4H
C.310.270.0330.AP	31.0	2.70	33.0	1.3478	11.61	16.15	yes	music wire	4J
C.310.270.0330.I	31.0	2.70	33.0	0.4900	18.09	21.09	yes	stainless steel	4H
C.310.270.0390.A	31.0	2.70	39.0	0.8237	14.58	16.65	yes	music wire	4H
C.310.270.0390.I	31.0	2.70	39.0	0.7075	14.58	16.65	yes	stainless steel	4I
C.310.270.0500.A	31.0	2.70	50.0	0.5146	19.17	22.46	yes	music wire	4I
C.310.270.0500.AP	31.0	2.70	50.0	0.8366	14.58	22.86	yes	music wire	4J
C.310.270.0500.I	31.0	2.70	50.0	0.4477	19.17	22.46	yes	stainless steel	4I
C.310.280.0430.A	31.0	2.80	43.0	0.8461	16.24	18.57	yes	music wire	4I
C.310.280.0430.I	31.0	2.80	43.0	0.7267	16.24	18.57	yes	stainless steel	4I
C.310.290.0730.A	31.0	2.90	73.0	0.5324	24.94	29.20	yes	music wire	4I
C.310.290.0730.I	31.0	2.90	73.0	0.4572	24.94	29.20	yes	stainless steel	4J
C.310.290.1100.A	31.0	2.90	110.0	0.3418	34.80	41.44	yes	music wire	4J
C.310.290.1100.I	31.0	2.90	110.0	0.2936	34.80	41.44	yes	stainless steel	4J
C.310.300.0300.A	31.0	3.00	30.0	2.0690	12.90	15.31	yes	music wire	4J
C.310.300.0300.I	31.0	3.00	30.0	1.8000	12.90	14.96	yes	stainless steel	4J
C.310.300.0390.A	31.0	3.00	39.0	1.2300	16.80	18.95	yes	music wire	4I
C.310.300.0390.I	31.0	3.00	39.0	1.0701	16.50	18.58	yes	stainless steel	4I
C.310.300.0390.N	31.0	3.00	39.0	1.2300	16.80	18.95	yes	Zn coating	4J
C.310.310.0990.A	31.0	3.10	99.0	0.4868	35.34	41.45	yes	music wire	4J
C.310.310.0990.I	31.0	3.10	99.0	0.4181	35.34	41.45	yes	stainless steel	4J
C.310.320.0250.A	31.0	3.20	25.0	2.4694	14.40	15.76	yes	music wire	4J
C.310.320.0250.I	31.0	3.20	25.0	2.1000	14.40	15.76	yes	stainless steel	4J
C.310.320.0320.A	31.0	3.20	32.0	1.8476	16.64	18.48	yes	music wire	4J
C.310.320.0320.AP	31.0	3.20	32.0	2.5318	14.40	17.66	yes	music wire	4L
C.310.320.0320.I	31.0	3.20	32.0	1.5391	16.96	18.87	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.310.320.0500.A	31.0	3.20	50.0	1.0592	23.04	26.25	yes	music wire	4J
C.310.320.0500.AP	31.0	3.20	50.0	1.4893	18.56	25.62	yes	music wire	4M
C.310.320.0500.I	31.0	3.20	50.0	0.9215	22.72	25.86	yes	stainless steel	4J
C.310.320.0640.A	31.0	3.20	64.0	0.8238	27.20	31.29	yes	music wire	4J
C.310.320.0640.AP	31.0	3.20	64.0	1.1508	21.76	32.45	yes	music wire	4M
C.310.320.0640.I	31.0	3.20	64.0	0.6862	27.84	32.07	yes	stainless steel	4J
C.310.320.1020.A	31.0	3.20	102.0	0.4904	40.32	47.21	yes	music wire	4K
C.310.320.1020.AP	31.0	3.20	102.0	0.6936	31.04	49.65	yes	music wire	4M
C.310.320.1020.I	31.0	3.20	102.0	0.4266	40.00	46.82	yes	stainless steel	4L
C.310.320.1200.A	31.0	3.20	120.0	0.4880	40.64	47.60	yes	music wire	4N
C.310.320.1200.I	31.0	3.20	120.0	0.4246	40.32	47.21	yes	stainless steel	4N
C.310.320.1200.N	31.0	3.20	120.0	0.4880	40.64	47.60	yes	Zn coating	4O
C.310.320.1270.A	31.0	3.20	127.0	0.3893	48.96	57.69	yes	music wire	4L
C.310.320.1270.AP	31.0	3.20	127.0	0.5504	36.80	61.03	yes	music wire	4N
C.310.320.1270.I	31.0	3.20	127.0	0.3387	48.32	56.92	yes	stainless steel	4L
C.310.320.1400.A	31.0	3.20	140.0	0.3767	50.24	59.25	yes	music wire	4L
C.310.320.1400.I	31.0	3.20	140.0	0.3235	50.24	59.25	yes	stainless steel	4L
C.310.320.1800.A	31.0	3.20	180.0	0.2908	62.72	74.39	yes	music wire	4M
C.310.320.1800.I	31.0	3.20	180.0	0.2497	62.72	74.39	yes	stainless steel	4M
C.310.330.0710.A	31.0	3.30	71.0	0.8745	29.70	34.11	yes	music wire	4J
C.310.330.0710.I	31.0	3.30	71.0	0.7511	29.70	34.11	yes	stainless steel	4J
C.310.340.0560.A	31.0	3.40	56.0	1.1000	28.56	32.55	yes	music wire	4J
C.310.340.0560.AP	31.0	3.40	56.0	1.6486	21.76	29.98	yes	music wire	4M
C.310.340.0560.I	31.0	3.40	56.0	0.9570	28.22	32.14	yes	stainless steel	4J
C.310.350.0620.A	31.0	3.50	62.0	1.3120	28.35	32.13	yes	music wire	4J
C.310.350.0620.I	31.0	3.50	62.0	1.1414	28.00	31.71	yes	stainless steel	4J
C.310.350.0620.N	31.0	3.50	62.0	1.3120	28.35	32.13	yes	Zn coating	4L
C.310.350.0730.A	31.0	3.50	73.0	1.0501	33.25	37.97	yes	music wire	4J
C.310.350.0730.I	31.0	3.50	73.0	0.9020	33.25	37.97	yes	stainless steel	4J
C.310.350.1200.A	31.0	3.50	120.0	0.6177	50.40	58.42	yes	music wire	4L
C.310.350.1200.I	31.0	3.50	120.0	0.5306	50.40	58.42	yes	stainless steel	4L
C.310.350.1400.A	31.0	3.50	140.0	0.5251	57.75	67.19	yes	music wire	4L
C.310.350.1400.I	31.0	3.50	140.0	0.4510	57.75	67.19	yes	stainless steel	4L
C.310.360.0440.A	31.0	3.60	44.0	2.0795	23.40	26.09	yes	music wire	4M
C.310.360.0440.I	31.0	3.60	44.0	1.7861	23.40	26.09	yes	stainless steel	4M
C.310.360.1750.A	31.0	3.60	175.0	0.4621	73.80	85.91	yes	music wire	4N
C.310.360.1750.I	31.0	3.60	175.0	0.3969	73.80	85.91	yes	stainless steel	4N
C.310.380.0570.A	31.0	3.80	57.0	1.8270	31.54	35.44	yes	music wire	4M
C.310.380.0570.AP	31.0	3.80	57.0	2.4432	25.84	33.19	yes	music wire	4O
C.310.380.0570.I	31.0	3.80	57.0	1.5219	32.30	36.33	yes	stainless steel	4M
C.310.380.0950.A	31.0	3.80	95.0	1.0337	48.26	55.11	yes	music wire	4M
C.310.380.0950.AP	31.0	3.80	95.0	1.3782	38.76	52.80	yes	music wire	4P
C.310.380.0950.I	31.0	3.80	95.0	0.8610	49.40	56.46	yes	stainless steel	4M
C.310.380.1400.A	31.0	3.80	140.0	0.6855	68.02	78.37	yes	music wire	4N
C.310.380.1400.AP	31.0	3.80	140.0	0.9188	53.20	76.70	yes	music wire	4P
C.310.380.1400.I	31.0	3.80	140.0	0.5710	69.92	80.61	yes	stainless steel	4N
C.310.380.1520.A	31.0	3.80	152.0	0.6257	73.72	85.08	yes	music wire	4N
C.310.380.1520.AP	31.0	3.80	152.0	0.8399	57.38	82.75	yes	music wire	4Q
C.310.380.1520.I	31.0	3.80	152.0	0.5212	75.62	87.31	yes	stainless steel	4N
C.310.400.0450.A	31.0	4.00	45.0	2.8900	28.40	31.50	yes	music wire	4P
C.310.400.0450.AP	31.0	4.00	45.0	3.8554	23.60	27.65	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.310.400.0450.I	31.0	4.00	45.0	2.5143	28.00	31.03	yes	stainless steel	4P
C.310.400.0450.N	31.0	4.00	45.0	2.8900	28.40	31.50	yes	Zn coating	4R
C.310.400.0640.A	31.0	4.00	64.0	1.9761	36.80	41.31	yes	music wire	4P
C.310.400.0640.AP	31.0	4.00	64.0	2.5950	30.40	38.22	yes	music wire	4R
C.310.400.0640.I	31.0	4.00	64.0	1.6461	37.60	42.25	yes	stainless steel	4P
C.310.400.0900.A	31.0	4.00	90.0	1.5300	44.80	50.66	yes	music wire	4S
C.310.400.0900.I	31.0	4.00	90.0	1.3311	44.00	49.72	yes	stainless steel	4S
C.310.400.0900.N	31.0	4.00	90.0	1.5300	44.80	50.66	yes	Zn coating	4T
C.310.400.1050.A	31.0	4.00	105.0	1.4450	46.80	58.71	yes	music wire	4S
C.310.400.1050.I	31.0	4.00	105.0	1.2572	46.40	57.07	yes	stainless steel	4S
C.310.400.1050.N	31.0	4.00	105.0	1.4450	46.80	58.71	yes	Zn coating	4T
C.310.400.1400.A	31.0	4.00	140.0	0.8405	73.20	83.84	yes	music wire	4Q
C.310.400.1400.AP	31.0	4.00	140.0	1.1061	58.00	79.53	yes	music wire	4S
C.310.400.1400.I	31.0	4.00	140.0	0.7000	75.20	86.18	yes	stainless steel	4Q
C.310.400.1520.A	31.0	4.00	152.0	0.7708	78.80	90.38	yes	music wire	4Q
C.310.400.1520.AP	31.0	4.00	152.0	1.0223	62.00	86.57	yes	music wire	4S
C.310.400.1520.I	31.0	4.00	152.0	0.6421	80.80	92.72	yes	stainless steel	4Q
C.310.420.0320.A	31.0	4.20	32.0	5.8817	22.26	24.15	yes	music wire	4P
C.310.420.0320.I	31.0	4.20	32.0	5.0518	22.26	24.15	yes	stainless steel	4P
C.310.420.0381.A	31.0	4.20	38.1	4.3339	26.46	29.03	yes	music wire	4P
C.310.420.0381.I	31.0	4.20	38.1	3.7224	26.46	29.03	yes	stainless steel	4P
C.310.420.0500.A	31.0	4.20	50.0	3.0294	33.18	36.83	yes	music wire	4P
C.310.420.0500.AP	31.0	4.20	50.0	4.1930	26.88	31.79	yes	music wire	4R
C.310.420.0500.I	31.0	4.20	50.0	2.5235	34.02	37.81	yes	stainless steel	4P
C.310.420.1020.A	31.0	4.20	102.0	1.3818	60.48	68.53	yes	music wire	4P
C.310.420.1020.AP	31.0	4.20	102.0	1.8845	47.04	61.48	yes	music wire	4S
C.310.420.1020.I	31.0	4.20	102.0	1.2000	60.06	68.04	yes	stainless steel	4Q
C.310.420.1270.A	31.0	4.20	127.0	1.1000	73.50	83.65	yes	music wire	4Q
C.310.420.1270.AP	31.0	4.20	127.0	1.4842	57.12	75.55	yes	music wire	4S
C.310.420.1270.I	31.0	4.20	127.0	0.9582	72.66	82.67	yes	stainless steel	4Q
C.310.450.0350.A	31.0	4.50	35.0	7.0150	25.65	27.84	yes	music wire	4Q
C.310.450.0350.I	31.0	4.50	35.0	6.0252	25.65	27.84	yes	stainless steel	4R
C.310.470.0360.A	31.0	4.70	36.0	8.2809	27.26	29.54	yes	music wire	4Q
C.310.470.0360.I	31.0	4.70	36.0	7.1124	27.26	29.54	yes	stainless steel	4R
C.310.500.1460.A	31.0	5.00	146.0	1.9220	106.50	119.71	yes	music wire	4S
C.310.500.1460.AP	31.0	5.00	146.0	2.5981	82.00	98.99	yes	music wire	5A
C.310.500.1460.I	31.0	5.00	146.0	1.6721	105.50	118.57	yes	stainless steel	4S
C.310.500.1460.N	31.0	5.00	146.0	1.9220	106.50	119.71	yes	Zn coating	5A
C.310.500.1500.A	31.0	5.00	150.0	1.9760	104.00	116.86	yes	music wire	4S
C.310.500.1500.AP	31.0	5.00	150.0	2.5269	84.00	101.67	yes	music wire	5A
C.310.500.1500.I	31.0	5.00	150.0	1.7191	103.00	115.72	yes	stainless steel	4S
C.310.500.1500.N	31.0	5.00	150.0	1.9760	104.00	116.86	yes	Zn coating	5A
C.310.530.0400.A	31.0	5.30	40.0	12.7988	32.86	35.51	yes	music wire	4R
C.310.530.0400.I	31.0	5.30	40.0	10.9929	32.86	35.51	yes	stainless steel	4S
C.310.530.0580.A	31.0	5.30	58.0	8.0264	44.52	48.75	yes	music wire	4S
C.310.530.0580.I	31.0	5.30	58.0	6.8938	44.52	48.75	yes	stainless steel	4S
C.310.530.0690.A	31.0	5.30	69.0	6.5772	51.41	56.57	yes	music wire	4S
C.310.530.0690.I	31.0	5.30	69.0	5.6491	51.41	56.57	yes	stainless steel	4S
C.310.550.0320.A	31.0	5.50	32.0	20.8226	28.60	30.56	yes	music wire	5A
C.310.550.0320.I	31.0	5.50	32.0	17.8844	28.60	30.56	yes	stainless steel	5A
C.310.550.0410.A	31.0	5.50	41.0	14.7950	34.65	37.41	yes	music wire	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.310.550.0410.I	31.0	5.50	41.0	12.7073	34.65	37.41	yes	stainless steel	5A
C.310.550.0520.A	31.0	5.50	52.0	11.0237	41.80	45.51	yes	music wire	5A
C.310.550.0520.I	31.0	5.50	52.0	9.4682	41.80	45.51	yes	stainless steel	5A
C.310.550.0700.A	31.0	5.50	70.0	7.7015	53.90	59.21	yes	music wire	5A
C.310.550.0700.I	31.0	5.50	70.0	6.6148	53.90	59.21	yes	stainless steel	5A
C.310.550.0830.A	31.0	5.50	83.0	6.3170	62.70	69.17	yes	music wire	5A
C.310.550.0830.I	31.0	5.50	83.0	5.4256	62.70	69.17	yes	stainless steel	5B
C.310.550.0970.A	31.0	5.50	97.0	5.3039	72.05	79.76	yes	music wire	5A
C.310.550.0970.I	31.0	5.50	97.0	4.5555	72.05	79.76	yes	stainless steel	5B
C.310.550.1350.A	31.0	5.50	135.0	3.6746	97.90	109.03	yes	music wire	5B
C.310.550.1350.I	31.0	5.50	135.0	3.1561	97.90	109.03	yes	stainless steel	5B
C.310.550.1900.A	31.0	5.50	190.0	2.5555	134.75	150.75	yes	music wire	5B
C.310.550.1900.I	31.0	5.50	190.0	2.1949	134.75	150.75	yes	stainless steel	5B
C.310.560.0540.A	31.0	5.60	54.0	11.5357	43.68	47.56	yes	music wire	5A
C.310.560.0540.I	31.0	5.60	54.0	9.9079	43.68	47.56	yes	stainless steel	5A
C.310.560.0710.A	31.0	5.60	71.0	8.2620	55.44	60.86	yes	music wire	5A
C.310.560.0710.I	31.0	5.60	71.0	7.0962	55.44	60.86	yes	stainless steel	5A
C.310.560.1450.A	31.0	5.60	145.0	3.7054	106.40	118.49	yes	music wire	5B
C.310.560.1450.I	31.0	5.60	145.0	3.1825	106.40	118.49	yes	stainless steel	5B
C.310.600.0310.A	31.0	6.00	31.0	35.2080	29.40	29.40	yes	music wire	5D
C.310.600.0310.I	31.0	6.00	31.0	30.2400	29.40	29.40	yes	stainless steel	5D
C.310.600.0350.A	31.0	6.00	35.0	29.1377	32.40	34.59	yes	music wire	5D
C.310.600.0350.I	31.0	6.00	35.0	25.0262	32.40	34.59	yes	stainless steel	5D
C.310.600.0400.A	31.0	6.00	40.0	24.1426	36.00	38.65	yes	music wire	5D
C.310.600.0400.I	31.0	6.00	40.0	20.7360	36.00	38.65	yes	stainless steel	5D
C.310.600.0450.A	31.0	6.00	45.0	20.6096	39.60	42.70	yes	music wire	5D
C.310.600.0450.I	31.0	6.00	45.0	17.7015	39.60	42.70	yes	stainless steel	5D
C.310.600.0490.A	31.0	6.00	49.0	18.3694	42.60	46.08	yes	music wire	5D
C.310.600.0490.I	31.0	6.00	49.0	15.7774	42.60	46.08	yes	stainless steel	5D
C.310.600.0530.A	31.0	6.00	53.0	16.5685	45.60	49.46	yes	music wire	5D
C.310.600.0530.I	31.0	6.00	53.0	14.2306	45.60	49.46	yes	stainless steel	5D
C.310.600.0590.A	31.0	6.00	59.0	14.5688	49.80	54.19	yes	music wire	5D
C.310.600.0590.I	31.0	6.00	59.0	12.5131	49.80	54.19	yes	stainless steel	5D
C.310.600.0700.A	31.0	6.00	70.0	11.7360	58.20	63.65	yes	music wire	5D
C.310.600.0700.I	31.0	6.00	70.0	10.0800	58.20	63.65	yes	stainless steel	5E
C.310.600.0840.A	31.0	6.00	84.0	9.4943	68.40	75.13	yes	music wire	5D
C.310.600.0840.I	31.0	6.00	84.0	8.1546	68.40	75.13	yes	stainless steel	5E
C.310.600.0900.A	31.0	6.00	90.0	8.8020	72.60	79.86	yes	music wire	5D
C.310.600.0900.I	31.0	6.00	90.0	7.5600	72.60	79.86	yes	stainless steel	5E
C.310.600.0980.A	31.0	6.00	98.0	7.9716	78.60	86.62	yes	music wire	5D
C.310.600.0980.I	31.0	6.00	98.0	6.8468	78.60	86.62	yes	stainless steel	5E
C.310.600.1100.A	31.0	6.00	110.0	7.0416	87.00	96.08	yes	music wire	5D
C.310.600.1100.I	31.0	6.00	110.0	6.0480	87.00	96.08	yes	stainless steel	5E
C.310.600.1200.A	31.0	6.00	120.0	6.4015	94.20	104.18	yes	music wire	5D
C.310.600.1200.I	31.0	6.00	120.0	5.4982	94.20	104.18	yes	stainless steel	5E
C.310.600.1300.A	31.0	6.00	130.0	5.8680	101.40	112.29	yes	music wire	5D
C.310.600.1300.I	31.0	6.00	130.0	5.0400	101.40	112.29	yes	stainless steel	5E
C.310.600.1450.A	31.0	6.00	145.0	5.1840	112.80	125.13	yes	music wire	5D
C.310.600.1450.I	31.0	6.00	145.0	4.4525	112.80	125.13	yes	stainless steel	5E
C.310.600.1650.A	31.0	6.00	165.0	4.5187	127.20	141.34	yes	music wire	5D
C.310.600.1650.I	31.0	6.00	165.0	3.8811	127.20	141.34	yes	stainless steel	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.310.600.1800.A	31.0	6.00	180.0	4.1219	138.00	153.50	yes	music wire	5D
C.310.600.1800.I	31.0	6.00	180.0	3.5403	138.00	153.50	yes	stainless steel	5E
C.310.600.2000.A	31.0	6.00	200.0	3.6899	152.40	169.72	yes	music wire	5D
C.310.600.2000.I	31.0	6.00	200.0	3.1693	152.40	169.72	yes	stainless steel	5E
C.311.220.0300.A	31.1	2.20	30.0	0.4708	10.12	11.78	yes	music wire	4G
C.311.220.0300.I	31.1	2.20	30.0	0.4044	10.12	11.78	yes	stainless steel	4H
C.311.220.1020.A	31.1	2.20	102.0	0.1149	24.42	31.21	yes	music wire	4I
C.311.220.1020.I	31.1	2.20	102.0	0.1000	24.20	30.91	yes	stainless steel	4I
C.311.220.1150.A	31.1	2.20	115.0	0.1023	26.84	34.50	yes	music wire	4I
C.311.220.1150.I	31.1	2.20	115.0	0.0890	26.40	33.90	yes	stainless steel	4I
C.311.220.1270.A	31.1	2.20	127.0	0.0908	29.48	38.09	yes	music wire	4I
C.311.220.1270.I	31.1	2.20	127.0	0.0790	29.04	37.49	yes	stainless steel	4I
C.311.240.0220.A	31.1	2.40	22.0	1.0000	9.36	10.42	yes	music wire	4G
C.311.240.0220.I	31.1	2.40	22.0	0.8900	9.36	10.42	yes	stainless steel	4G
C.311.240.0250.A	31.1	2.40	25.0	0.8621	10.08	11.36	yes	music wire	4G
C.311.240.0250.I	31.1	2.40	25.0	0.7500	9.84	11.05	yes	stainless steel	4H
C.311.240.0320.A	31.1	2.40	32.0	0.6552	11.28	12.94	yes	music wire	4G
C.311.240.0320.AP	31.1	2.40	32.0	0.9051	9.84	13.97	yes	music wire	4I
C.311.240.0320.I	31.1	2.40	32.0	0.5700	11.28	12.94	yes	stainless steel	4H
C.311.240.0380.A	31.1	2.40	38.0	0.5400	12.24	14.20	yes	music wire	4H
C.311.240.0380.I	31.1	2.40	38.0	0.4698	12.24	14.20	yes	stainless steel	4H
C.311.240.0570.A	31.1	2.40	57.0	0.3500	15.84	18.93	yes	music wire	4I
C.311.240.0570.I	31.1	2.40	57.0	0.3045	15.60	18.62	yes	stainless steel	4I
C.311.240.1250.A	31.1	2.40	125.0	0.1375	30.96	38.81	yes	music wire	4I
C.311.240.1250.I	31.1	2.40	125.0	0.1181	30.96	38.81	yes	stainless steel	4I
C.311.270.0320.A	31.1	2.70	32.0	0.9080	13.77	15.64	yes	music wire	4H
C.311.270.0320.AP	31.1	2.70	32.0	1.4121	11.34	15.97	yes	music wire	4J
C.311.270.0320.I	31.1	2.70	32.0	0.7900	13.77	15.64	yes	stainless steel	4H
C.311.270.0450.A	31.1	2.70	45.0	0.6500	16.47	19.06	yes	music wire	4I
C.311.270.0450.AP	31.1	2.70	45.0	0.9233	13.77	20.48	yes	music wire	4J
C.311.270.0450.I	31.1	2.70	45.0	0.5655	16.47	19.06	yes	stainless steel	4I
C.311.270.0500.A	31.1	2.70	50.0	0.5400	18.63	21.79	yes	music wire	4I
C.311.270.0500.AP	31.1	2.70	50.0	0.8278	14.58	22.65	yes	music wire	4J
C.311.270.0500.I	31.1	2.70	50.0	0.4698	18.36	21.45	yes	stainless steel	4I
C.311.270.0640.A	31.1	2.70	64.0	0.4200	21.87	25.89	yes	music wire	4I
C.311.270.0640.AP	31.1	2.70	64.0	0.6317	16.74	28.16	yes	music wire	4J
C.311.270.0640.I	31.1	2.70	64.0	0.3600	21.87	25.89	yes	stainless steel	4I
C.311.270.1150.A	31.1	2.70	115.0	0.2200	35.64	43.32	yes	music wire	4I
C.311.270.1150.AP	31.1	2.70	115.0	0.3429	25.38	48.99	yes	music wire	4L
C.311.270.1150.I	31.1	2.70	115.0	0.1914	35.37	42.98	yes	stainless steel	4I
C.311.270.2550.A	31.1	2.70	255.0	0.0989	71.28	88.44	yes	music wire	4L
C.311.270.2550.I	31.1	2.70	255.0	0.0849	71.28	88.44	yes	stainless steel	4L
C.311.280.0220.A	31.1	2.80	22.0	1.8391	11.20	12.26	yes	music wire	4I
C.311.280.0220.I	31.1	2.80	22.0	1.6000	11.20	12.26	yes	stainless steel	4I
C.311.280.0320.A	31.1	2.80	32.0	1.1379	13.72	15.42	yes	music wire	4I
C.311.280.0320.AP	31.1	2.80	32.0	1.5603	12.04	15.95	yes	music wire	4J
C.311.280.0320.I	31.1	2.80	32.0	0.9900	13.72	15.42	yes	stainless steel	4I
C.311.280.0750.A	31.1	2.80	75.0	0.4004	26.32	31.21	yes	music wire	4I
C.311.280.0750.I	31.1	2.80	75.0	0.3439	26.32	31.21	yes	stainless steel	4J
C.311.280.1150.A	31.1	2.80	115.0	0.3103	31.92	38.23	yes	music wire	4L
C.311.280.1150.I	31.1	2.80	115.0	0.2700	31.64	37.88	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.311.280.1270.A	31.1	2.80	127.0	0.2759	35.00	42.09	yes	music wire	4M
C.311.280.1270.I	31.1	2.80	127.0	0.2400	34.72	41.74	yes	stainless steel	4J
C.311.320.0220.A	31.1	3.20	22.0	2.8000	13.76	14.99	yes	music wire	4J
C.311.320.0220.I	31.1	3.20	22.0	2.4000	13.76	14.99	yes	stainless steel	4J
C.311.320.0380.A	31.1	3.20	38.0	1.4000	19.20	21.60	yes	music wire	4J
C.311.320.0380.AP	31.1	3.20	38.0	2.0872	15.68	20.66	yes	music wire	4M
C.311.320.0380.I	31.1	3.20	38.0	1.2000	19.20	21.60	yes	stainless steel	4J
C.311.320.0450.A	31.1	3.20	45.0	1.2000	21.12	23.93	yes	music wire	4J
C.311.320.0450.AP	31.1	3.20	45.0	1.6698	17.28	23.32	yes	music wire	4M
C.311.320.0450.I	31.1	3.20	45.0	1.0000	21.44	24.32	yes	stainless steel	4J
C.311.320.0500.A	31.1	3.20	50.0	0.9885	24.00	27.42	yes	music wire	4J
C.311.320.0500.AP	31.1	3.20	50.0	1.5180	18.24	26.15	yes	music wire	4M
C.311.320.0500.I	31.1	3.20	50.0	0.8600	23.68	27.04	yes	stainless steel	4J
C.311.320.0570.A	31.1	3.20	57.0	0.8800	25.92	29.76	yes	music wire	4J
C.311.320.0570.AP	31.1	3.20	57.0	1.2844	20.16	28.82	yes	music wire	4M
C.311.320.0570.I	31.1	3.20	57.0	0.7500	25.92	29.76	yes	stainless steel	4J
C.311.320.0700.A	31.1	3.20	70.0	0.7100	30.08	34.81	yes	music wire	4J
C.311.320.0700.AP	31.1	3.20	70.0	1.0436	23.04	35.31	yes	music wire	4M
C.311.320.0700.I	31.1	3.20	70.0	0.6177	29.76	34.42	yes	stainless steel	4J
C.311.320.0760.A	31.1	3.20	76.0	0.6400	32.64	37.91	yes	music wire	4J
C.311.320.0760.AP	31.1	3.20	76.0	0.9451	24.64	37.70	yes	music wire	4M
C.311.320.0760.I	31.1	3.20	76.0	0.5568	32.32	37.53	yes	stainless steel	4J
C.311.320.0890.A	31.1	3.20	89.0	0.5400	37.12	43.35	yes	music wire	4K
C.311.320.0890.AP	31.1	3.20	89.0	0.7951	27.84	43.47	yes	music wire	4M
C.311.320.0890.I	31.1	3.20	89.0	0.4698	36.80	42.96	yes	stainless steel	4K
C.311.320.1150.A	31.1	3.20	115.0	0.4200	45.44	53.45	yes	music wire	4L
C.311.320.1150.AP	31.1	3.20	115.0	0.6109	33.92	55.74	yes	music wire	4N
C.311.320.1150.I	31.1	3.20	115.0	0.3654	45.12	53.06	yes	stainless steel	4L
C.311.320.1600.A	31.1	3.20	160.0	0.2928	61.76	73.27	yes	music wire	4L
C.311.320.1600.I	31.1	3.20	160.0	0.2515	61.76	73.27	yes	stainless steel	4L
C.311.320.2050.A	31.1	3.20	205.0	0.2267	77.44	92.30	yes	music wire	4M
C.311.320.2050.I	31.1	3.20	205.0	0.1947	77.44	92.30	yes	stainless steel	4M
C.311.340.0220.A	31.1	3.40	22.0	3.7931	14.28	15.43	yes	music wire	4J
C.311.340.0220.I	31.1	3.40	22.0	3.3000	14.28	15.43	yes	stainless steel	4J
C.311.340.0250.A	31.1	3.40	25.0	3.2000	15.30	16.66	yes	music wire	4J
C.311.340.0250.I	31.1	3.40	25.0	2.7000	15.30	16.66	yes	stainless steel	4J
C.311.340.0320.A	31.1	3.40	32.0	2.3000	18.02	19.92	yes	music wire	4J
C.311.340.0320.AP	31.1	3.40	32.0	3.1063	15.64	18.23	yes	music wire	4L
C.311.340.0320.I	31.1	3.40	32.0	2.0000	18.02	19.92	yes	stainless steel	4J
C.311.340.0380.A	31.1	3.40	38.0	1.9540	19.72	21.96	yes	music wire	4J
C.311.340.0380.AP	31.1	3.40	38.0	2.5089	17.34	20.95	yes	music wire	4M
C.311.340.0380.I	31.1	3.40	38.0	1.7000	19.38	21.55	yes	stainless steel	4J
C.311.340.0450.A	31.1	3.40	45.0	1.6000	22.10	24.81	yes	music wire	4J
C.311.340.0450.I	31.1	3.40	45.0	1.4000	21.76	24.41	yes	stainless steel	4J
C.311.340.0500.A	31.1	3.40	50.0	1.3793	24.14	27.26	yes	music wire	4J
C.311.340.0500.AP	31.1	3.40	50.0	1.8638	20.06	27.05	yes	music wire	4M
C.311.340.0500.I	31.1	3.40	50.0	1.2000	24.14	27.26	yes	stainless steel	4J
C.311.340.0640.A	31.1	3.40	64.0	1.0920	28.56	32.56	yes	music wire	4J
C.311.340.0640.I	31.1	3.40	64.0	0.9500	28.22	32.16	yes	stainless steel	4J
C.311.340.0760.A	31.1	3.40	76.0	0.9100	32.30	37.05	yes	music wire	4J
C.311.340.0760.I	31.1	3.40	76.0	0.7917	31.96	36.64	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.311.340.0890.A	31.1	3.40	89.0	0.7700	36.72	42.35	yes	music wire	4K
C.311.340.0890.I	31.1	3.40	89.0	0.6699	36.38	41.94	yes	stainless steel	4K
C.311.340.1020.A	31.1	3.40	102.0	0.6897	40.12	46.43	yes	music wire	4K
C.311.340.1020.I	31.1	3.40	102.0	0.6000	39.78	46.02	yes	stainless steel	4L
C.311.340.1150.A	31.1	3.40	115.0	0.5700	46.58	54.18	yes	music wire	4L
C.311.340.1150.AP	31.1	3.40	115.0	0.7498	37.40	57.96	yes	music wire	4N
C.311.340.1150.I	31.1	3.40	115.0	0.4800	47.60	55.40	yes	stainless steel	4L
C.311.340.1270.A	31.1	3.40	127.0	0.5100	51.34	59.89	yes	music wire	4L
C.311.340.1270.AP	31.1	3.40	127.0	0.6795	40.46	64.06	yes	music wire	4N
C.311.340.1270.I	31.1	3.40	127.0	0.4300	52.02	60.70	yes	stainless steel	4L
C.311.340.1750.A	31.1	3.40	175.0	0.3354	73.44	86.40	yes	music wire	4L
C.311.340.1750.I	31.1	3.40	175.0	0.2880	73.44	86.40	yes	stainless steel	4M
C.311.340.2350.A	31.1	3.40	235.0	0.2473	96.56	114.13	yes	music wire	4M
C.311.340.2350.I	31.1	3.40	235.0	0.2124	96.56	114.13	yes	stainless steel	4M
C.311.380.0220.A	31.1	3.80	22.0	5.7000	16.34	17.55	yes	music wire	4M
C.311.380.0220.I	31.1	3.80	22.0	4.9590	16.34	17.55	yes	stainless steel	4M
C.311.380.0320.A	31.1	3.80	32.0	3.4483	20.90	22.92	yes	music wire	4M
C.311.380.0320.AP	31.1	3.80	32.0	4.8329	17.86	20.00	yes	music wire	4O
C.311.380.0320.I	31.1	3.80	32.0	3.0000	20.90	22.92	yes	stainless steel	4M
C.311.380.0450.A	31.1	3.80	45.0	2.3000	26.60	29.63	yes	music wire	4M
C.311.380.0450.AP	31.1	3.80	45.0	3.1272	22.04	26.46	yes	music wire	4O
C.311.380.0450.I	31.1	3.80	45.0	2.0000	26.60	29.63	yes	stainless steel	4M
C.311.380.1300.A	31.1	3.80	130.0	0.7054	65.74	75.72	yes	music wire	4N
C.311.380.1300.I	31.1	3.80	130.0	0.6059	65.74	75.72	yes	stainless steel	4N
C.311.400.0250.A	31.1	4.00	25.0	7.3000	17.20	18.42	yes	music wire	4P
C.311.400.0250.I	31.1	4.00	25.0	6.3510	17.20	18.42	yes	stainless steel	4P
C.311.400.0380.A	31.1	4.00	38.0	4.2000	22.40	24.49	yes	music wire	4P
C.311.400.0380.I	31.1	4.00	38.0	3.5000	22.80	24.96	yes	stainless steel	4P
C.311.400.0500.A	31.1	4.00	50.0	2.5200	30.80	34.31	yes	music wire	4P
C.311.400.0500.I	31.1	4.00	50.0	2.1644	30.80	34.31	yes	stainless steel	4P
C.311.400.0570.A	31.1	4.00	57.0	2.3000	32.80	36.65	yes	music wire	4P
C.311.400.0570.AP	31.1	4.00	57.0	2.9656	27.60	34.51	yes	music wire	4R
C.311.400.0570.I	31.1	4.00	57.0	1.9000	33.60	37.58	yes	stainless steel	4P
C.311.400.0640.A	31.1	4.00	64.0	2.3000	32.80	36.65	yes	music wire	4R
C.311.400.0640.I	31.1	4.00	64.0	2.0000	32.40	36.18	yes	stainless steel	4R
C.311.400.0760.A	31.1	4.00	76.0	1.9000	37.60	42.26	yes	music wire	4R
C.311.400.0760.AP	31.1	4.00	76.0	2.1183	34.80	44.52	yes	music wire	4R
C.311.400.0760.I	31.1	4.00	76.0	1.4000	42.00	47.40	yes	stainless steel	4P
C.311.400.0890.A	31.1	4.00	89.0	1.3793	48.00	54.42	yes	music wire	4P
C.311.400.0890.AP	31.1	4.00	89.0	1.7793	39.60	51.52	yes	music wire	4S
C.311.400.0890.I	31.1	4.00	89.0	1.2000	47.60	53.95	yes	stainless steel	4P
C.311.400.0950.A	31.1	4.00	95.0	1.3000	50.40	57.22	yes	music wire	4P
C.311.400.0950.AP	31.1	4.00	95.0	1.6681	41.60	55.02	yes	music wire	4S
C.311.400.0950.I	31.1	4.00	95.0	1.1000	50.80	57.69	yes	stainless steel	4P
C.311.400.1020.A	31.1	4.00	102.0	1.1494	55.60	63.30	yes	music wire	4P
C.311.400.1020.AP	31.1	4.00	102.0	1.5517	43.60	59.02	yes	music wire	4S
C.311.400.1020.I	31.1	4.00	102.0	1.0000	55.20	62.83	yes	stainless steel	4Q
C.311.400.1150.A	31.1	4.00	115.0	1.2000	53.60	60.96	yes	music wire	4S
C.311.400.1150.AP	31.1	4.00	115.0	1.3617	48.40	66.03	yes	music wire	4S
C.311.400.1150.I	31.1	4.00	115.0	0.8900	60.40	68.91	yes	stainless steel	4Q
C.311.400.1270.A	31.1	4.00	127.0	0.9080	67.60	77.33	yes	music wire	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.311.400.1270.AP	31.1	4.00	127.0	1.2243	52.80	72.53	yes	music wire	4S
C.311.400.1270.I	31.1	4.00	127.0	0.7900	66.80	76.39	yes	stainless steel	4Q
C.311.400.1330.A	31.1	4.00	133.0	1.1000	57.60	72.37	yes	music wire	4S
C.311.400.1330.I	31.1	4.00	133.0	0.8900	60.40	68.91	yes	stainless steel	4S
C.311.400.1400.A	31.1	4.00	140.0	0.9800	63.60	72.65	yes	music wire	4S
C.311.400.1400.I	31.1	4.00	140.0	0.8300	64.40	73.59	yes	stainless steel	4S
C.311.400.1520.A	31.1	4.00	152.0	0.8900	68.80	78.73	yes	music wire	4S
C.311.400.1520.I	31.1	4.00	152.0	0.7600	69.20	79.20	yes	stainless steel	4S
C.311.400.2050.A	31.1	4.00	205.0	0.5393	107.20	123.61	yes	music wire	4R
C.311.400.2050.I	31.1	4.00	205.0	0.4632	107.20	123.61	yes	stainless steel	4R
C.312.220.0224.A	31.2	2.20	22.4	0.5406	9.46	10.89	yes	music wire	4G
C.312.220.0224.I	31.2	2.20	22.4	0.4643	9.46	10.89	yes	stainless steel	4G
C.312.220.0224.N	31.2	2.20	22.4	0.5406	9.46	10.89	yes	Zn coating	4I
C.312.220.0254.A	31.2	2.20	25.4	0.4795	9.90	11.49	yes	music wire	4G
C.312.220.0254.I	31.2	2.20	25.4	0.4171	9.90	11.49	yes	stainless steel	4H
C.312.220.0254.N	31.2	2.20	25.4	0.4795	9.90	11.49	yes	Zn coating	4I
C.312.220.0381.A	31.2	2.20	38.1	0.3301	12.10	14.48	yes	music wire	4H
C.312.220.0381.I	31.2	2.20	38.1	0.2872	11.88	14.18	yes	stainless steel	4H
C.312.220.0381.N	31.2	2.20	38.1	0.3301	12.10	14.48	yes	Zn coating	4I
C.312.220.0550.A	31.2	2.20	55.0	0.2446	14.30	17.47	yes	music wire	4I
C.312.220.0550.I	31.2	2.20	55.0	0.2101	14.30	17.47	yes	stainless steel	4I
C.312.220.0762.A	31.2	2.20	76.2	0.1672	18.48	23.16	yes	music wire	4I
C.312.220.0762.I	31.2	2.20	76.2	0.1455	18.26	22.86	yes	stainless steel	4I
C.312.220.0762.N	31.2	2.20	76.2	0.1672	18.48	23.16	yes	Zn coating	4J
C.312.220.0889.A	31.2	2.20	88.9	0.1420	20.68	26.15	yes	music wire	4I
C.312.220.0889.I	31.2	2.20	88.9	0.1236	20.46	25.86	yes	stainless steel	4I
C.312.220.0889.N	31.2	2.20	88.9	0.1420	20.68	26.15	yes	Zn coating	4J
C.312.220.1016.A	31.2	2.20	101.6	0.1252	22.66	28.85	yes	music wire	4I
C.312.220.1016.I	31.2	2.20	101.6	0.1090	22.44	28.55	yes	stainless steel	4I
C.312.220.1016.N	31.2	2.20	101.6	0.1252	22.66	28.85	yes	Zn coating	4J
C.312.220.1143.A	31.2	2.20	114.3	0.1120	24.64	31.54	yes	music wire	4I
C.312.220.1143.I	31.2	2.20	114.3	0.0974	24.42	31.24	yes	stainless steel	4I
C.312.220.1143.N	31.2	2.20	114.3	0.1120	24.64	31.54	yes	Zn coating	4J
C.312.220.1270.A	31.2	2.20	127.0	0.1000	27.06	34.84	yes	music wire	4I
C.312.220.1270.I	31.2	2.20	127.0	0.0871	26.84	34.54	yes	stainless steel	4I
C.312.220.1270.N	31.2	2.20	127.0	0.1000	27.06	34.84	yes	Zn coating	4J
C.312.220.2450.A	31.2	2.20	245.0	0.0515	47.30	62.37	yes	music wire	4K
C.312.220.2450.I	31.2	2.20	245.0	0.0442	47.30	62.37	yes	stainless steel	4L
C.312.240.0224.A	31.2	2.40	22.4	0.7000	10.80	12.32	yes	music wire	4G
C.312.240.0224.I	31.2	2.40	22.4	0.6000	10.80	12.32	yes	stainless steel	4G
C.312.240.0224.N	31.2	2.40	22.4	0.7000	10.80	12.32	yes	Zn coating	4I
C.312.240.0254.A	31.2	2.40	25.4	0.6336	11.28	12.95	yes	music wire	4G
C.312.240.0254.AP	31.2	2.40	25.4	1.1943	8.88	11.78	yes	music wire	4I
C.312.240.0254.I	31.2	2.40	25.4	0.5512	11.28	12.95	yes	stainless steel	4H
C.312.240.0254.N	31.2	2.40	25.4	0.6336	11.28	12.95	yes	Zn coating	4I
C.312.240.0318.A	31.2	2.40	31.8	0.5122	12.72	14.84	yes	music wire	4G
C.312.240.0318.I	31.2	2.40	31.8	0.4456	12.48	14.53	yes	stainless steel	4H
C.312.240.0318.N	31.2	2.40	31.8	0.5122	12.72	14.84	yes	Zn coating	4I
C.312.240.0350.A	31.2	2.40	35.0	0.5442	12.24	14.21	yes	music wire	4H
C.312.240.0350.I	31.2	2.40	35.0	0.4674	12.24	14.21	yes	stainless steel	4H
C.312.240.0381.A	31.2	2.40	38.1	0.4299	13.92	16.42	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.312.240.0381.I	31.2	2.40	38.1	0.3740	13.68	16.11	yes	stainless steel	4H
C.312.240.0381.N	31.2	2.40	38.1	0.4299	13.92	16.42	yes	Zn coating	4I
C.312.240.0444.A	31.2	2.40	44.4	0.3703	15.12	18.00	yes	music wire	4H
C.312.240.0444.I	31.2	2.40	44.4	0.3222	15.12	18.00	yes	stainless steel	4I
C.312.240.0444.N	31.2	2.40	44.4	0.3703	15.12	18.00	yes	Zn coating	4I
C.312.240.0508.A	31.2	2.40	50.8	0.3253	16.56	19.90	yes	music wire	4H
C.312.240.0508.I	31.2	2.40	50.8	0.2830	16.32	19.58	yes	stainless steel	4I
C.312.240.0508.N	31.2	2.40	50.8	0.3253	16.56	19.90	yes	Zn coating	4I
C.312.240.0572.A	31.2	2.40	57.2	0.2900	17.76	21.48	yes	music wire	4I
C.312.240.0572.I	31.2	2.40	57.2	0.2523	17.52	21.16	yes	stainless steel	4I
C.312.240.0572.N	31.2	2.40	57.2	0.2900	17.76	21.48	yes	Zn coating	4I
C.312.240.0635.A	31.2	2.40	63.5	0.2616	18.96	23.06	yes	music wire	4I
C.312.240.0635.I	31.2	2.40	63.5	0.2276	18.72	22.74	yes	stainless steel	4I
C.312.240.0635.N	31.2	2.40	63.5	0.2616	18.96	23.06	yes	Zn coating	4I
C.312.240.0698.A	31.2	2.40	69.8	0.2383	20.16	24.63	yes	music wire	4I
C.312.240.0698.I	31.2	2.40	69.8	0.2073	20.16	24.63	yes	stainless steel	4I
C.312.240.0698.N	31.2	2.40	69.8	0.2383	20.16	24.63	yes	Zn coating	4J
C.312.240.0762.A	31.2	2.40	76.2	0.2188	21.60	26.53	yes	music wire	4I
C.312.240.0762.I	31.2	2.40	76.2	0.1904	21.36	26.21	yes	stainless steel	4I
C.312.240.0762.N	31.2	2.40	76.2	0.2188	21.60	26.53	yes	Zn coating	4J
C.312.240.0889.A	31.2	2.40	88.9	0.1880	24.00	29.69	yes	music wire	4I
C.312.240.0889.I	31.2	2.40	88.9	0.1636	23.76	29.37	yes	stainless steel	4I
C.312.240.0889.N	31.2	2.40	88.9	0.1880	24.00	29.69	yes	Zn coating	4J
C.312.240.1016.A	31.2	2.40	101.6	0.1649	26.64	33.16	yes	music wire	4I
C.312.240.1016.I	31.2	2.40	101.6	0.1434	26.40	32.85	yes	stainless steel	4I
C.312.240.1016.N	31.2	2.40	101.6	0.1649	26.64	33.16	yes	Zn coating	4J
C.312.240.1143.A	31.2	2.40	114.3	0.1468	29.04	36.32	yes	music wire	4I
C.312.240.1143.I	31.2	2.40	114.3	0.1260	29.04	36.32	yes	stainless steel	4I
C.312.240.1143.N	31.2	2.40	114.3	0.1468	29.04	36.32	yes	Zn coating	4J
C.312.240.1270.A	31.2	2.40	127.0	0.1322	31.68	39.79	yes	music wire	4I
C.312.240.1270.I	31.2	2.40	127.0	0.1136	31.68	39.79	yes	stainless steel	4I
C.312.240.1270.N	31.2	2.40	127.0	0.1322	31.68	39.79	yes	Zn coating	4J
C.312.240.1650.A	31.2	2.40	165.0	0.1025	39.12	49.59	yes	music wire	4J
C.312.240.1650.I	31.2	2.40	165.0	0.0881	39.12	49.59	yes	stainless steel	4J
C.312.240.2450.A	31.2	2.40	245.0	0.0687	55.44	71.06	yes	music wire	4K
C.312.240.2450.I	31.2	2.40	245.0	0.0590	55.44	71.06	yes	stainless steel	4L
C.312.240.3250.A	31.2	2.40	325.0	0.0515	72.00	92.86	yes	music wire	4M
C.312.240.3250.I	31.2	2.40	325.0	0.0442	72.00	92.86	yes	stainless steel	4M
C.312.250.0224.A	31.2	2.50	22.4	0.7425	12.00	13.71	yes	music wire	4G
C.312.250.0224.AP	31.2	2.50	22.4	1.5515	9.00	10.65	yes	music wire	4I
C.312.250.0224.I	31.2	2.50	22.4	0.6460	11.75	13.39	yes	stainless steel	4H
C.312.250.0224.N	31.2	2.50	22.4	0.7425	12.00	13.71	yes	Zn coating	4I
C.312.250.0254.A	31.2	2.50	25.4	0.6550	12.75	14.69	yes	music wire	4G
C.312.250.0254.AP	31.2	2.50	25.4	1.4222	9.25	12.58	yes	music wire	4I
C.312.250.0254.I	31.2	2.50	25.4	0.5699	12.50	14.36	yes	stainless steel	4H
C.312.250.0254.N	31.2	2.50	25.4	0.6550	12.75	14.69	yes	Zn coating	4I
C.312.250.0318.A	31.2	2.50	31.8	0.5291	14.25	16.63	yes	music wire	4H
C.312.250.0318.AP	31.2	2.50	31.8	1.0666	10.25	14.71	yes	music wire	4J
C.312.250.0318.I	31.2	2.50	31.8	0.4603	14.00	16.31	yes	stainless steel	4H
C.312.250.0318.N	31.2	2.50	31.8	0.5291	14.25	16.63	yes	Zn coating	4I
C.312.250.0381.A	31.2	2.50	38.1	0.4440	15.75	18.58	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.312.250.0381.AP	31.2	2.50	38.1	0.8533	11.25	16.74	yes	music wire	4J
C.312.250.0381.I	31.2	2.50	38.1	0.3863	15.50	18.25	yes	stainless steel	4I
C.312.250.0381.N	31.2	2.50	38.1	0.4440	15.75	18.58	yes	Zn coating	4I
C.312.250.0450.A	31.2	2.50	45.0	0.4676	15.25	17.93	yes	music wire	4I
C.312.250.0450.I	31.2	2.50	45.0	0.4016	15.25	17.93	yes	stainless steel	4I
C.312.250.0508.A	31.2	2.50	50.8	0.3360	18.75	22.47	yes	music wire	4I
C.312.250.0508.AP	31.2	2.50	50.8	0.6321	13.00	21.96	yes	music wire	4J
C.312.250.0508.I	31.2	2.50	50.8	0.2923	18.50	22.15	yes	stainless steel	4I
C.312.250.0508.N	31.2	2.50	50.8	0.3360	18.75	22.47	yes	Zn coating	4I
C.312.250.0635.A	31.2	2.50	63.5	0.2702	21.75	26.36	yes	music wire	4I
C.312.250.0635.AP	31.2	2.50	63.5	0.5019	14.75	27.18	yes	music wire	4J
C.312.250.0635.I	31.2	2.50	63.5	0.2351	21.75	26.36	yes	stainless steel	4I
C.312.250.0635.N	31.2	2.50	63.5	0.2702	21.75	26.36	yes	Zn coating	4J
C.312.250.0762.A	31.2	2.50	76.2	0.2260	24.75	30.26	yes	music wire	4I
C.312.250.0762.I	31.2	2.50	76.2	0.1966	24.75	30.26	yes	stainless steel	4I
C.312.250.0762.N	31.2	2.50	76.2	0.2260	24.75	30.26	yes	Zn coating	4J
C.312.250.0889.A	31.2	2.50	88.9	0.1965	27.75	34.15	yes	music wire	4I
C.312.250.0889.AP	31.2	2.50	88.9	0.3483	18.25	36.56	yes	music wire	4J
C.312.250.0889.I	31.2	2.50	88.9	0.1710	27.50	33.83	yes	stainless steel	4I
C.312.250.0889.N	31.2	2.50	88.9	0.1965	27.75	34.15	yes	Zn coating	4J
C.312.250.1016.A	31.2	2.50	101.6	0.1720	30.75	38.04	yes	music wire	4I
C.312.250.1016.AP	31.2	2.50	101.6	0.3048	20.00	41.79	yes	music wire	4K
C.312.250.1016.I	31.2	2.50	101.6	0.1497	30.50	37.72	yes	stainless steel	4I
C.312.250.1016.N	31.2	2.50	101.6	0.1720	30.75	38.04	yes	Zn coating	4J
C.312.250.1143.A	31.2	2.50	114.3	0.1530	33.75	41.94	yes	music wire	4I
C.312.250.1143.I	31.2	2.50	114.3	0.1331	33.50	41.61	yes	stainless steel	4I
C.312.250.1143.N	31.2	2.50	114.3	0.1530	33.75	41.94	yes	Zn coating	4J
C.312.250.1270.A	31.2	2.50	127.0	0.1377	36.75	45.83	yes	music wire	4I
C.312.250.1270.AP	31.2	2.50	127.0	0.2404	23.75	51.17	yes	music wire	4L
C.312.250.1270.I	31.2	2.50	127.0	0.1198	36.50	45.51	yes	stainless steel	4J
C.312.250.1270.N	31.2	2.50	127.0	0.1377	36.75	45.83	yes	Zn coating	4J
C.312.250.1650.A	31.2	2.50	165.0	0.1177	42.00	52.64	yes	music wire	4J
C.312.250.1650.I	31.2	2.50	165.0	0.1011	42.00	52.64	yes	stainless steel	4J
C.312.250.2450.A	31.2	2.50	245.0	0.0787	59.75	75.68	yes	music wire	4L
C.312.250.2450.I	31.2	2.50	245.0	0.0676	59.75	75.68	yes	stainless steel	4L
C.312.270.0300.A	31.2	2.70	30.0	0.9745	13.23	14.96	yes	music wire	4H
C.312.270.0300.I	31.2	2.70	30.0	0.8370	13.23	14.96	yes	stainless steel	4H
C.312.270.1016.A	31.2	2.70	101.6	0.2591	31.05	37.54	yes	music wire	4I
C.312.270.1016.AP	31.2	2.70	101.6	0.3894	22.95	43.64	yes	music wire	4K
C.312.270.1016.I	31.2	2.70	101.6	0.2254	30.78	37.20	yes	stainless steel	4I
C.312.270.1143.A	31.2	2.70	114.3	0.2299	34.29	41.65	yes	music wire	4I
C.312.270.1143.AP	31.2	2.70	114.3	0.3443	25.11	48.74	yes	music wire	4L
C.312.270.1143.I	31.2	2.70	114.3	0.2000	33.75	40.96	yes	stainless steel	4I
C.312.270.1270.A	31.2	2.70	127.0	0.2067	37.26	45.41	yes	music wire	4I
C.312.270.1270.AP	31.2	2.70	127.0	0.3085	27.27	53.84	yes	music wire	4L
C.312.270.1270.I	31.2	2.70	127.0	0.1798	36.99	45.07	yes	stainless steel	4J
C.312.280.0224.A	31.2	2.80	22.4	1.2581	13.16	14.73	yes	music wire	4I
C.312.280.0224.AP	31.2	2.80	22.4	2.3158	10.36	11.62	yes	music wire	4J
C.312.280.0224.I	31.2	2.80	22.4	1.0806	13.16	14.73	yes	stainless steel	4I
C.312.280.0224.N	31.2	2.80	22.4	1.2581	13.16	14.73	yes	Zn coating	4J
C.312.280.0254.A	31.2	2.80	25.4	1.1181	13.72	15.43	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.312.280.0254.AP	31.2	2.80	25.4	1.9850	10.92	12.82	yes	music wire	4J
C.312.280.0254.I	31.2	2.80	25.4	0.9727	13.72	15.43	yes	stainless steel	4I
C.312.280.0254.N	31.2	2.80	25.4	1.1181	13.72	15.43	yes	Zn coating	4J
C.312.280.0318.A	31.2	2.80	31.8	0.8876	15.68	17.89	yes	music wire	4I
C.312.280.0318.AP	31.2	2.80	31.8	1.5439	12.04	15.63	yes	music wire	4J
C.312.280.0318.I	31.2	2.80	31.8	0.7722	15.40	17.54	yes	stainless steel	4I
C.312.280.0318.N	31.2	2.80	31.8	0.8876	15.68	17.89	yes	Zn coating	4J
C.312.280.0381.A	31.2	2.80	38.1	0.7543	17.08	19.64	yes	music wire	4I
C.312.280.0381.AP	31.2	2.80	38.1	1.2632	13.16	18.34	yes	music wire	4J
C.312.280.0381.I	31.2	2.80	38.1	0.6562	17.08	19.64	yes	stainless steel	4I
C.312.280.0381.N	31.2	2.80	38.1	0.7543	17.08	19.64	yes	Zn coating	4J
C.312.280.0762.A	31.2	2.80	76.2	0.3723	27.44	32.64	yes	music wire	4I
C.312.280.0762.AP	31.2	2.80	76.2	0.5913	19.88	33.98	yes	music wire	4L
C.312.280.0762.I	31.2	2.80	76.2	0.3197	27.44	32.64	yes	stainless steel	4J
C.312.280.0762.N	31.2	2.80	76.2	0.3723	27.44	32.64	yes	Zn coating	4J
C.312.280.0889.A	31.2	2.80	88.9	0.3207	30.80	36.85	yes	music wire	4J
C.312.280.0889.AP	31.2	2.80	88.9	0.5053	22.12	39.50	yes	music wire	4L
C.312.280.0889.I	31.2	2.80	88.9	0.2755	30.80	36.85	yes	stainless steel	4J
C.312.280.0889.N	31.2	2.80	88.9	0.3207	30.80	36.85	yes	Zn coating	4K
C.312.280.1016.A	31.2	2.80	101.6	0.2818	34.16	41.07	yes	music wire	4J
C.312.280.1016.AP	31.2	2.80	101.6	0.4411	24.36	45.01	yes	music wire	4L
C.312.280.1016.I	31.2	2.80	101.6	0.2420	34.16	41.07	yes	stainless steel	4J
C.312.280.1016.N	31.2	2.80	101.6	0.2818	34.16	41.07	yes	Zn coating	4L
C.312.280.1650.A	31.2	2.80	165.0	0.1741	50.96	62.14	yes	music wire	4J
C.312.280.1650.I	31.2	2.80	165.0	0.1496	50.96	62.14	yes	stainless steel	4K
C.312.280.2550.A	31.2	2.80	255.0	0.1116	75.60	93.05	yes	music wire	4L
C.312.280.2550.I	31.2	2.80	255.0	0.0958	75.60	93.05	yes	stainless steel	4M
C.312.300.0224.A	31.2	3.00	22.4	1.5315	14.70	16.37	yes	music wire	4I
C.312.300.0224.AP	31.2	3.00	22.4	3.1228	11.10	12.73	yes	music wire	4J
C.312.300.0224.I	31.2	3.00	22.4	1.3324	14.70	16.37	yes	stainless steel	4I
C.312.300.0224.N	31.2	3.00	22.4	1.5315	14.70	16.37	yes	Zn coating	4J
C.312.300.0254.A	31.2	3.00	25.4	1.3423	15.60	17.48	yes	music wire	4I
C.312.300.0254.AP	31.2	3.00	25.4	2.6767	11.70	14.12	yes	music wire	4J
C.312.300.0254.I	31.2	3.00	25.4	1.1678	15.60	17.48	yes	stainless steel	4I
C.312.300.0254.N	31.2	3.00	25.4	1.3423	15.60	17.48	yes	Zn coating	4J
C.312.300.0318.A	31.2	3.00	31.8	1.0763	17.70	20.07	yes	music wire	4I
C.312.300.0318.AP	31.2	3.00	31.8	1.9723	13.20	16.48	yes	music wire	4J
C.312.300.0318.I	31.2	3.00	31.8	0.9364	17.70	20.07	yes	stainless steel	4I
C.312.300.0318.N	31.2	3.00	31.8	1.0763	17.70	20.07	yes	Zn coating	4J
C.312.300.0381.A	31.2	3.00	38.1	0.9000	19.80	22.66	yes	music wire	4I
C.312.300.0381.AP	31.2	3.00	38.1	1.6293	14.40	19.56	yes	music wire	4J
C.312.300.0381.I	31.2	3.00	38.1	0.7816	19.50	22.29	yes	stainless steel	4I
C.312.300.0381.N	31.2	3.00	38.1	0.9000	19.80	22.66	yes	Zn coating	4J
C.312.300.0444.A	31.2	3.00	44.4	0.7709	21.90	25.25	yes	music wire	4I
C.312.300.0444.AP	31.2	3.00	44.4	1.3383	15.60	21.83	yes	music wire	4J
C.312.300.0444.I	31.2	3.00	44.4	0.6707	21.60	24.88	yes	stainless steel	4I
C.312.300.0444.N	31.2	3.00	44.4	0.7709	21.90	25.25	yes	Zn coating	4J
C.312.300.0508.A	31.2	3.00	50.8	0.6648	24.00	27.84	yes	music wire	4I
C.312.300.0508.AP	31.2	3.00	50.8	1.1711	16.80	25.01	yes	music wire	4K
C.312.300.0508.I	31.2	3.00	50.8	0.5783	24.00	27.84	yes	stainless steel	4I
C.312.300.0508.N	31.2	3.00	50.8	0.6648	24.00	27.84	yes	Zn coating	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.312.300.0572.A	31.2	3.00	57.2	0.5923	26.10	30.43	yes	music wire	4I
C.312.300.0572.AP	31.2	3.00	57.2	1.0128	18.30	27.38	yes	music wire	4K
C.312.300.0572.I	31.2	3.00	57.2	0.5153	25.80	30.06	yes	stainless steel	4I
C.312.300.0572.N	31.2	3.00	57.2	0.5923	26.10	30.43	yes	Zn coating	4J
C.312.300.0635.A	31.2	3.00	63.5	0.5341	28.20	33.01	yes	music wire	4I
C.312.300.0635.AP	31.2	3.00	63.5	0.9140	19.50	30.45	yes	music wire	4L
C.312.300.0635.I	31.2	3.00	63.5	0.4646	27.90	32.64	yes	stainless steel	4I
C.312.300.0635.N	31.2	3.00	63.5	0.5341	28.20	33.01	yes	Zn coating	4J
C.312.300.0698.A	31.2	3.00	69.8	0.4863	30.30	35.60	yes	music wire	4I
C.312.300.0698.AP	31.2	3.00	69.8	0.8327	20.70	33.53	yes	music wire	4L
C.312.300.0698.I	31.2	3.00	69.8	0.4230	30.00	35.23	yes	stainless steel	4I
C.312.300.0698.N	31.2	3.00	69.8	0.4863	30.30	35.60	yes	Zn coating	4J
C.312.300.0762.A	31.2	3.00	76.2	0.4463	32.10	37.82	yes	music wire	4I
C.312.300.0762.AP	31.2	3.00	76.2	0.7495	22.20	35.90	yes	music wire	4L
C.312.300.0762.I	31.2	3.00	76.2	0.3883	31.80	37.45	yes	stainless steel	4J
C.312.300.0762.N	31.2	3.00	76.2	0.4463	32.10	37.82	yes	Zn coating	4J
C.312.300.0889.A	31.2	3.00	88.9	0.3800	36.60	43.37	yes	music wire	4J
C.312.300.0889.AP	31.2	3.00	88.9	0.6351	24.90	41.34	yes	music wire	4L
C.312.300.0889.I	31.2	3.00	88.9	0.3306	36.30	43.00	yes	stainless steel	4J
C.312.300.0889.N	31.2	3.00	88.9	0.3800	36.60	43.37	yes	Zn coating	4K
C.312.300.1016.A	31.2	3.00	101.6	0.3333	40.50	48.17	yes	music wire	4J
C.312.300.1016.AP	31.2	3.00	101.6	0.5511	27.60	46.79	yes	music wire	4L
C.312.300.1016.I	31.2	3.00	101.6	0.2900	40.20	47.80	yes	stainless steel	4J
C.312.300.1016.N	31.2	3.00	101.6	0.3333	40.50	48.17	yes	Zn coating	4L
C.312.300.1143.A	31.2	3.00	114.3	0.2969	44.70	53.35	yes	music wire	4J
C.312.300.1143.AP	31.2	3.00	114.3	0.4867	30.30	52.23	yes	music wire	4L
C.312.300.1143.I	31.2	3.00	114.3	0.2583	44.10	52.61	yes	stainless steel	4J
C.312.300.1143.N	31.2	3.00	114.3	0.2969	44.70	53.35	yes	Zn coating	4L
C.312.300.1270.A	31.2	3.00	127.0	0.2677	48.60	58.16	yes	music wire	4J
C.312.300.1270.AP	31.2	3.00	127.0	0.4409	32.40	58.48	yes	music wire	4M
C.312.300.1270.I	31.2	3.00	127.0	0.2329	48.30	57.79	yes	stainless steel	4J
C.312.300.1270.N	31.2	3.00	127.0	0.2677	48.60	58.16	yes	Zn coating	4L
C.312.300.1550.A	31.2	3.00	155.0	0.2374	54.00	64.81	yes	music wire	4J
C.312.300.1550.I	31.2	3.00	155.0	0.2039	54.00	64.81	yes	stainless steel	4J
C.312.300.1650.A	31.2	3.00	165.0	0.2230	57.00	68.51	yes	music wire	4J
C.312.300.1650.I	31.2	3.00	165.0	0.1915	57.00	68.51	yes	stainless steel	4K
C.312.300.1950.A	31.2	3.00	195.0	0.1877	66.30	79.97	yes	music wire	4L
C.312.300.1950.I	31.2	3.00	195.0	0.1612	66.30	79.97	yes	stainless steel	4L
C.312.300.2050.A	31.2	3.00	205.0	0.1778	69.60	84.04	yes	music wire	4L
C.312.300.2050.I	31.2	3.00	205.0	0.1527	69.60	84.04	yes	stainless steel	4L
C.312.320.0224.A	31.2	3.20	22.4	2.2581	15.04	16.55	yes	music wire	4J
C.312.320.0224.AP	31.2	3.20	22.4	3.8122	12.16	13.05	yes	music wire	4L
C.312.320.0224.I	31.2	3.20	22.4	1.9646	14.72	16.16	yes	stainless steel	4J
C.312.320.0698.A	31.2	3.20	69.8	0.6893	30.72	35.60	yes	music wire	4J
C.312.320.0698.AP	31.2	3.20	69.8	1.0325	23.04	34.84	yes	music wire	4M
C.312.320.0698.I	31.2	3.20	69.8	0.6000	30.40	35.21	yes	stainless steel	4J
C.312.320.0762.A	31.2	3.20	76.2	0.6318	32.64	37.93	yes	music wire	4J
C.312.320.0762.AP	31.2	3.20	76.2	0.9351	24.64	37.60	yes	music wire	4M
C.312.320.0762.I	31.2	3.20	76.2	0.5496	32.32	37.55	yes	stainless steel	4J
C.312.320.0889.A	31.2	3.20	88.9	0.5366	37.12	43.38	yes	music wire	4K
C.312.320.0889.AP	31.2	3.20	88.9	0.7993	27.52	43.75	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.312.320.0889.I	31.2	3.20	88.9	0.4668	36.80	42.99	yes	stainless steel	4K
C.312.320.1016.A	31.2	3.20	101.6	0.4699	41.28	48.43	yes	music wire	4K
C.312.320.1016.AP	31.2	3.20	101.6	0.6883	30.72	49.17	yes	music wire	4M
C.312.320.1016.I	31.2	3.20	101.6	0.4088	40.64	47.65	yes	stainless steel	4L
C.312.320.1143.A	31.2	3.20	114.3	0.4180	45.12	53.09	yes	music wire	4L
C.312.320.1143.AP	31.2	3.20	114.3	0.6118	33.60	55.31	yes	music wire	4N
C.312.320.1143.I	31.2	3.20	114.3	0.3636	44.80	52.71	yes	stainless steel	4L
C.312.320.1270.A	31.2	3.20	127.0	0.3764	49.28	58.15	yes	music wire	4L
C.312.320.1270.AP	31.2	3.20	127.0	0.5446	36.48	60.73	yes	music wire	4N
C.312.320.1270.I	31.2	3.20	127.0	0.3275	48.96	57.76	yes	stainless steel	4L
C.312.320.2050.A	31.2	3.20	205.0	0.2253	77.12	91.97	yes	music wire	4M
C.312.320.2050.I	31.2	3.20	205.0	0.1935	77.12	91.97	yes	stainless steel	4M
C.312.340.0762.A	31.2	3.40	76.2	0.7737	36.38	41.96	yes	music wire	4J
C.312.340.0762.AP	31.2	3.40	76.2	1.1523	27.20	39.20	yes	music wire	4M
C.312.340.0762.I	31.2	3.40	76.2	0.6731	36.04	41.56	yes	stainless steel	4J
C.312.340.0889.A	31.2	3.40	88.9	0.6582	41.14	47.68	yes	music wire	4K
C.312.340.0889.AP	31.2	3.40	88.9	0.9777	30.60	45.29	yes	music wire	4M
C.312.340.0889.I	31.2	3.40	88.9	0.5726	40.80	47.27	yes	stainless steel	4K
C.312.360.0224.A	31.2	3.60	22.4	4.1713	16.20	17.55	yes	music wire	4M
C.312.360.0224.I	31.2	3.60	22.4	3.6290	15.84	17.13	yes	stainless steel	4M
C.312.360.0224.N	31.2	3.60	22.4	4.1713	16.20	17.55	yes	Zn coating	4N
C.312.360.0381.A	31.2	3.60	38.1	2.2332	21.96	24.40	yes	music wire	4M
C.312.360.0381.AP	31.2	3.60	38.1	3.1878	18.36	22.46	yes	music wire	4O
C.312.360.0381.I	31.2	3.60	38.1	1.9428	21.96	24.40	yes	stainless steel	4M
C.312.360.0381.N	31.2	3.60	38.1	2.2332	21.96	24.40	yes	Zn coating	4N
C.312.360.0762.A	31.2	3.60	76.2	1.0815	36.00	41.08	yes	music wire	4M
C.312.360.0762.AP	31.2	3.60	76.2	1.4290	29.52	41.30	yes	music wire	4O
C.312.360.0762.I	31.2	3.60	76.2	0.9409	35.64	40.65	yes	stainless steel	4M
C.312.360.0762.N	31.2	3.60	76.2	1.0815	36.00	41.08	yes	Zn coating	4O
C.312.360.0889.A	31.2	3.60	88.9	0.9180	41.04	47.07	yes	music wire	4M
C.312.360.0889.AP	31.2	3.60	88.9	1.2012	33.48	47.38	yes	music wire	4P
C.312.360.0889.I	31.2	3.60	88.9	0.8000	40.32	46.21	yes	stainless steel	4M
C.312.360.0889.N	31.2	3.60	88.9	0.9180	41.04	47.07	yes	Zn coating	4O
C.312.360.2050.A	31.2	3.60	205.0	0.3523	92.16	107.81	yes	music wire	4O
C.312.360.2050.I	31.2	3.60	205.0	0.3026	92.16	107.81	yes	stainless steel	4O
C.312.380.0224.A	31.2	3.80	22.4	4.8160	17.48	18.90	yes	music wire	4M
C.312.380.0224.AP	31.2	3.80	22.4	7.5118	14.82	15.77	yes	music wire	4M
C.312.380.0224.I	31.2	3.80	22.4	4.1899	17.48	18.90	yes	stainless steel	4M
C.312.380.0224.N	31.2	3.80	22.4	4.8160	17.48	18.90	yes	Zn coating	4N
C.312.380.0254.A	31.2	3.80	25.4	4.1665	19.00	20.69	yes	music wire	4M
C.312.380.0254.AP	31.2	3.80	25.4	6.5728	15.58	16.66	yes	music wire	4O
C.312.380.0254.I	31.2	3.80	25.4	3.6249	18.62	20.24	yes	stainless steel	4M
C.312.380.0254.N	31.2	3.80	25.4	4.1665	19.00	20.69	yes	Zn coating	4N
C.312.380.0318.A	31.2	3.80	31.8	3.2133	21.66	23.82	yes	music wire	4M
C.312.380.0318.AP	31.2	3.80	31.8	4.7802	17.86	19.71	yes	music wire	4O
C.312.380.0318.I	31.2	3.80	31.8	2.7955	21.66	23.82	yes	stainless steel	4M
C.312.380.0318.N	31.2	3.80	31.8	3.2133	21.66	23.82	yes	Zn coating	4N
C.312.380.0381.A	31.2	3.80	38.1	2.6150	24.32	26.96	yes	music wire	4M
C.312.380.0381.AP	31.2	3.80	38.1	3.8950	19.76	23.26	yes	music wire	4O
C.312.380.0381.I	31.2	3.80	38.1	2.2750	24.32	26.96	yes	stainless steel	4M
C.312.380.0381.N	31.2	3.80	38.1	2.6150	24.32	26.96	yes	Zn coating	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.312.380.0450.A	31.2	3.80	45.0	2.2948	26.60	29.64	yes	music wire	4M
C.312.380.0450.I	31.2	3.80	45.0	1.9710	26.60	29.64	yes	stainless steel	4M
C.312.380.0508.A	31.2	3.80	50.8	1.9292	30.02	33.67	yes	music wire	4M
C.312.380.0508.AP	31.2	3.80	50.8	2.7675	23.56	29.91	yes	music wire	4O
C.312.380.0508.I	31.2	3.80	50.8	1.6570	30.02	33.67	yes	stainless steel	4M
C.312.380.0508.N	31.2	3.80	50.8	1.9292	30.02	33.67	yes	Zn coating	4N
C.312.380.0550.A	31.2	3.80	55.0	1.8117	31.16	35.02	yes	music wire	4M
C.312.380.0550.I	31.2	3.80	55.0	1.5560	31.16	35.02	yes	stainless steel	4M
C.312.380.0635.A	31.2	3.80	63.5	1.5134	35.34	39.94	yes	music wire	4M
C.312.380.0635.AP	31.2	3.80	63.5	2.1462	27.74	36.56	yes	music wire	4O
C.312.380.0635.I	31.2	3.80	63.5	1.3000	35.34	39.94	yes	stainless steel	4M
C.312.380.0635.N	31.2	3.80	63.5	1.5134	35.34	39.94	yes	Zn coating	4O
C.312.380.0762.A	31.2	3.80	76.2	1.2552	40.66	46.21	yes	music wire	4M
C.312.380.0762.AP	31.2	3.80	76.2	1.7527	31.92	43.21	yes	music wire	4O
C.312.380.0762.I	31.2	3.80	76.2	1.0781	40.66	46.21	yes	stainless steel	4M
C.312.380.0762.N	31.2	3.80	76.2	1.2552	40.66	46.21	yes	Zn coating	4O
C.312.380.0889.A	31.2	3.80	88.9	1.0649	46.36	52.92	yes	music wire	4M
C.312.380.0889.AP	31.2	3.80	88.9	1.4606	36.48	49.32	yes	music wire	4P
C.312.380.0889.I	31.2	3.80	88.9	0.9146	46.36	52.92	yes	stainless steel	4M
C.312.380.0889.N	31.2	3.80	88.9	1.0649	46.36	52.92	yes	Zn coating	4O
C.312.380.1016.A	31.2	3.80	101.6	0.9247	52.06	59.64	yes	music wire	4M
C.312.380.1016.AP	31.2	3.80	101.6	1.2670	40.66	55.97	yes	music wire	4P
C.312.380.1016.I	31.2	3.80	101.6	0.7942	52.06	59.64	yes	stainless steel	4N
C.312.380.1016.N	31.2	3.80	101.6	0.9247	52.06	59.64	yes	Zn coating	4O
C.312.380.1143.A	31.2	3.80	114.3	0.8214	57.38	65.90	yes	music wire	4N
C.312.380.1143.AP	31.2	3.80	114.3	1.1188	44.46	62.62	yes	music wire	4P
C.312.380.1143.I	31.2	3.80	114.3	0.7055	57.38	65.90	yes	stainless steel	4N
C.312.380.1143.N	31.2	3.80	114.3	0.8214	57.38	65.90	yes	Zn coating	4O
C.312.380.1270.A	31.2	3.80	127.0	0.7354	62.70	72.17	yes	music wire	4N
C.312.380.1270.AP	31.2	3.80	127.0	1.0016	48.64	69.27	yes	music wire	4P
C.312.380.1270.I	31.2	3.80	127.0	0.6316	62.70	72.17	yes	stainless steel	4N
C.312.380.1270.N	31.2	3.80	127.0	0.7354	62.70	72.17	yes	Zn coating	4O
C.312.380.2950.A	31.2	3.80	295.0	0.2993	140.60	163.93	yes	music wire	4P
C.312.380.2950.I	31.2	3.80	295.0	0.2571	140.60	163.93	yes	stainless steel	4P
C.312.400.0254.A	31.2	4.00	25.4	4.9174	20.40	22.16	yes	music wire	4P
C.312.400.0254.AP	31.2	4.00	25.4	7.7638	16.80	17.95	yes	music wire	4R
C.312.400.0254.I	31.2	4.00	25.4	4.2782	20.40	22.16	yes	stainless steel	4P
C.312.400.0254.N	31.2	4.00	25.4	4.9174	20.40	22.16	yes	Zn coating	4R
C.312.400.0381.A	31.2	4.00	38.1	3.1640	26.40	29.18	yes	music wire	4P
C.312.400.0381.AP	31.2	4.00	38.1	4.7137	20.80	23.99	yes	music wire	4R
C.312.400.0381.I	31.2	4.00	38.1	2.7527	26.00	28.71	yes	stainless steel	4P
C.312.400.0381.N	31.2	4.00	38.1	3.1640	26.40	29.18	yes	Zn coating	4R
C.312.400.0550.A	31.2	4.00	55.0	2.2345	33.20	37.13	yes	music wire	4P
C.312.400.0550.I	31.2	4.00	55.0	1.9192	33.20	37.13	yes	stainless steel	4P
C.312.400.0762.A	31.2	4.00	76.2	1.4951	44.80	50.69	yes	music wire	4P
C.312.400.0762.AP	31.2	4.00	76.2	2.0950	34.80	44.46	yes	music wire	4R
C.312.400.0762.I	31.2	4.00	76.2	1.3000	44.40	50.23	yes	stainless steel	4P
C.312.400.0762.N	31.2	4.00	76.2	1.4951	44.80	50.69	yes	Zn coating	4R
C.312.400.0889.A	31.2	4.00	88.9	1.2716	50.80	57.71	yes	music wire	4P
C.312.400.0889.AP	31.2	4.00	88.9	1.7836	39.20	51.62	yes	music wire	4S
C.312.400.0889.I	31.2	4.00	88.9	1.1063	50.40	57.24	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.312.400.0889.N	31.2	4.00	88.9	1.2716	50.80	57.71	yes	Zn coating	4R
C.312.400.1016.A	31.2	4.00	101.6	1.1062	56.80	64.73	yes	music wire	4P
C.312.400.1016.AP	31.2	4.00	101.6	1.5347	43.60	58.27	yes	music wire	4S
C.312.400.1016.I	31.2	4.00	101.6	0.9624	56.40	64.26	yes	stainless steel	4Q
C.312.400.1016.N	31.2	4.00	101.6	1.1062	56.80	64.73	yes	Zn coating	4R
C.312.400.1143.A	31.2	4.00	114.3	0.9788	62.80	71.74	yes	music wire	4Q
C.312.400.1143.AP	31.2	4.00	114.3	1.3607	48.00	65.43	yes	music wire	4S
C.312.400.1143.I	31.2	4.00	114.3	0.8516	62.40	71.27	yes	stainless steel	4Q
C.312.400.1143.N	31.2	4.00	114.3	0.9788	62.80	71.74	yes	Zn coating	4R
C.312.400.1270.A	31.2	4.00	127.0	0.8816	68.80	78.76	yes	music wire	4Q
C.312.400.1270.AP	31.2	4.00	127.0	1.2109	52.80	72.09	yes	music wire	4S
C.312.400.1270.I	31.2	4.00	127.0	0.7670	68.00	77.82	yes	stainless steel	4Q
C.312.400.1270.N	31.2	4.00	127.0	0.8816	68.80	78.76	yes	Zn coating	4R
C.312.400.2050.A	31.2	4.00	205.0	0.5355	106.80	123.19	yes	music wire	4R
C.312.400.2050.I	31.2	4.00	205.0	0.4600	106.80	123.19	yes	stainless steel	4R
C.312.420.0254.A	31.2	4.20	25.4	6.5845	20.58	22.21	yes	music wire	4P
C.312.420.0254.AP	31.2	4.20	25.4	9.6482	17.64	18.80	yes	music wire	4R
C.312.420.0254.I	31.2	4.20	25.4	5.7285	20.58	22.21	yes	stainless steel	4P
C.312.420.0635.A	31.2	4.20	63.5	2.3701	39.06	43.69	yes	music wire	4P
C.312.420.0635.AP	31.2	4.20	63.5	3.1542	31.92	39.43	yes	music wire	4R
C.312.420.0635.I	31.2	4.20	63.5	2.0620	38.64	43.20	yes	stainless steel	4P
C.312.420.0762.A	31.2	4.20	76.2	1.9485	45.36	51.01	yes	music wire	4P
C.312.420.0762.AP	31.2	4.20	76.2	2.5628	36.96	46.58	yes	music wire	4R
C.312.420.0762.I	31.2	4.20	76.2	1.7000	44.52	50.03	yes	stainless steel	4P
C.312.420.0889.A	31.2	4.20	88.9	1.6543	51.24	57.84	yes	music wire	4P
C.312.420.0889.AP	31.2	4.20	88.9	2.1581	42.00	53.72	yes	music wire	4S
C.312.420.0889.I	31.2	4.20	88.9	1.4392	50.82	57.35	yes	stainless steel	4P
C.312.420.1016.A	31.2	4.20	101.6	1.4372	57.54	65.16	yes	music wire	4P
C.312.420.1016.AP	31.2	4.20	101.6	1.8639	46.62	60.87	yes	music wire	4S
C.312.420.1016.I	31.2	4.20	101.6	1.2500	57.12	64.67	yes	stainless steel	4Q
C.312.420.1143.A	31.2	4.20	114.3	1.2705	63.84	72.48	yes	music wire	4Q
C.312.420.1143.AP	31.2	4.20	114.3	1.6402	51.66	68.01	yes	music wire	4S
C.312.420.1143.I	31.2	4.20	114.3	1.1054	63.00	71.50	yes	stainless steel	4Q
C.312.420.1270.A	31.2	4.20	127.0	1.1434	69.72	79.31	yes	music wire	4Q
C.312.420.1270.AP	31.2	4.20	127.0	1.4645	56.70	75.16	yes	music wire	4S
C.312.420.1270.I	31.2	4.20	127.0	0.9948	68.88	78.34	yes	stainless steel	4Q
C.312.420.2050.A	31.2	4.20	205.0	0.6574	113.40	130.07	yes	music wire	4R
C.312.420.2050.I	31.2	4.20	205.0	0.5646	113.40	130.07	yes	stainless steel	4R
C.312.450.0381.A	31.2	4.50	38.1	5.5101	29.25	32.00	yes	music wire	4R
C.312.450.0381.AP	31.2	4.50	38.1	7.7074	23.85	26.23	yes	music wire	4S
C.312.450.0381.I	31.2	4.50	38.1	4.7326	29.25	32.00	yes	stainless steel	4R
C.312.450.0381.N	31.2	4.50	38.1	5.5101	29.25	32.00	yes	Zn coating	4S
C.312.450.0508.A	31.2	4.50	50.8	3.9752	36.00	39.78	yes	music wire	4R
C.312.450.0508.AP	31.2	4.50	50.8	5.3218	29.70	33.61	yes	music wire	4S
C.312.450.0508.I	31.2	4.50	50.8	3.4584	36.00	39.78	yes	stainless steel	4R
C.312.450.0635.A	31.2	4.50	63.5	3.1066	43.20	48.08	yes	music wire	4R
C.312.450.0635.AP	31.2	4.50	63.5	4.1391	35.10	41.39	yes	music wire	4T
C.312.450.0635.I	31.2	4.50	63.5	2.7027	42.75	47.56	yes	stainless steel	4R
C.312.450.0762.A	31.2	4.50	76.2	2.5825	49.50	55.34	yes	music wire	4R
C.312.450.0762.AP	31.2	4.50	76.2	3.3360	40.95	48.77	yes	music wire	4T
C.312.450.0762.I	31.2	4.50	76.2	2.2181	49.50	55.34	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.312.450.0762.N	31.2	4.50	76.2	2.5825	49.50	55.34	yes	Zn coating	4S
C.312.450.0889.A	31.2	4.50	88.9	2.1898	56.25	63.13	yes	music wire	4R
C.312.450.0889.AP	31.2	4.50	88.9	2.8293	46.35	56.56	yes	music wire	4T
C.312.450.0889.I	31.2	4.50	88.9	1.8808	56.25	63.13	yes	stainless steel	4R
C.312.450.0889.N	31.2	4.50	88.9	2.1898	56.25	63.13	yes	Zn coating	4S
C.312.450.1016.A	31.2	4.50	101.6	1.9000	63.45	71.43	yes	music wire	4R
C.312.450.1016.AP	31.2	4.50	101.6	2.4562	51.30	64.35	yes	music wire	4T
C.312.450.1016.I	31.2	4.50	101.6	1.6326	63.00	70.91	yes	stainless steel	4R
C.312.450.1016.N	31.2	4.50	101.6	1.9000	63.45	71.43	yes	Zn coating	4S
C.312.450.1143.A	31.2	4.50	114.3	1.6791	70.20	79.21	yes	music wire	4R
C.312.450.1143.AP	31.2	4.50	114.3	2.1492	57.15	71.73	yes	music wire	4T
C.312.450.1143.I	31.2	4.50	114.3	1.4422	70.20	79.21	yes	stainless steel	4R
C.312.450.1143.N	31.2	4.50	114.3	1.6791	70.20	79.21	yes	Zn coating	4S
C.312.450.1270.A	31.2	4.50	127.0	1.5096	76.50	86.47	yes	music wire	4R
C.312.450.1270.AP	31.2	4.50	127.0	1.9268	62.55	79.51	yes	music wire	4T
C.312.450.1270.I	31.2	4.50	127.0	1.3000	76.50	86.47	yes	stainless steel	4R
C.312.450.1270.N	31.2	4.50	127.0	1.5096	76.50	86.47	yes	Zn coating	4S
C.312.450.1650.A	31.2	4.50	165.0	1.1085	100.35	113.97	yes	music wire	4R
C.312.450.1650.I	31.2	4.50	165.0	0.9520	100.35	113.97	yes	stainless steel	4R
C.312.450.2050.A	31.2	4.50	205.0	0.8814	123.30	140.42	yes	music wire	4R
C.312.450.2050.I	31.2	4.50	205.0	0.7571	123.30	140.42	yes	stainless steel	4S
C.312.480.0381.A	31.2	4.80	38.1	7.2886	31.20	33.99	yes	music wire	4R
C.312.480.0381.AP	31.2	4.80	38.1	9.9775	25.92	27.94	yes	music wire	4S
C.312.480.0381.I	31.2	4.80	38.1	6.2602	31.20	33.99	yes	stainless steel	4R
C.312.480.0381.N	31.2	4.80	38.1	7.2886	31.20	33.99	yes	Zn coating	4S
C.312.480.0508.A	31.2	4.80	50.8	5.2298	38.88	42.79	yes	music wire	4R
C.312.480.0508.AP	31.2	4.80	50.8	6.9610	32.16	35.16	yes	music wire	4S
C.312.480.0508.I	31.2	4.80	50.8	4.4919	38.88	42.79	yes	stainless steel	4R
C.312.480.0508.N	31.2	4.80	50.8	5.2298	38.88	42.79	yes	Zn coating	4S
C.312.480.0635.A	31.2	4.80	63.5	4.1081	46.56	51.58	yes	music wire	4R
C.312.480.0635.AP	31.2	4.80	63.5	5.4423	37.92	43.50	yes	music wire	4T
C.312.480.0635.I	31.2	4.80	63.5	3.5284	46.56	51.58	yes	stainless steel	4R
C.312.480.0635.N	31.2	4.80	63.5	4.1081	46.56	51.58	yes	Zn coating	4S
C.312.480.0762.A	31.2	4.80	76.2	3.3825	53.76	59.83	yes	music wire	4R
C.312.480.0762.AP	31.2	4.80	76.2	4.4018	44.16	51.47	yes	music wire	4T
C.312.480.0762.I	31.2	4.80	76.2	2.9053	53.76	59.83	yes	stainless steel	4R
C.312.480.0762.N	31.2	4.80	76.2	3.3825	53.76	59.83	yes	Zn coating	4S
C.312.480.0889.A	31.2	4.80	88.9	2.8600	61.44	68.63	yes	music wire	4R
C.312.480.0889.AP	31.2	4.80	88.9	3.6954	50.40	59.44	yes	music wire	4T
C.312.480.0889.I	31.2	4.80	88.9	2.4565	61.44	68.63	yes	stainless steel	4R
C.312.480.0889.N	31.2	4.80	88.9	2.8600	61.44	68.63	yes	Zn coating	4S
C.312.480.1016.A	31.2	4.80	101.6	2.4773	69.12	77.42	yes	music wire	4R
C.312.480.1016.AP	31.2	4.80	101.6	3.1843	56.16	67.42	yes	music wire	4T
C.312.480.1016.I	31.2	4.80	101.6	2.1278	69.12	77.42	yes	stainless steel	4R
C.312.480.1016.N	31.2	4.80	101.6	2.4773	69.12	77.42	yes	Zn coating	4S
C.312.480.1143.A	31.2	4.80	114.3	2.2000	76.32	85.67	yes	music wire	4R
C.312.480.1143.AP	31.2	4.80	114.3	2.7974	62.40	75.39	yes	music wire	4T
C.312.480.1143.I	31.2	4.80	114.3	1.8841	76.32	85.67	yes	stainless steel	4R
C.312.480.1143.N	31.2	4.80	114.3	2.2000	76.32	85.67	yes	Zn coating	4S
C.312.480.1270.A	31.2	4.80	127.0	1.9612	84.00	94.47	yes	music wire	4R
C.312.480.1270.AP	31.2	4.80	127.0	2.4944	68.64	83.36	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.312.480.1270.I	31.2	4.80	127.0	1.6845	84.00	94.47	yes	stainless steel	4R
C.312.480.1270.N	31.2	4.80	127.0	1.9612	84.00	94.47	yes	Zn coating	4S
C.312.480.1650.A	31.2	4.80	165.0	1.4770	107.52	121.41	yes	music wire	4R
C.312.480.1650.I	31.2	4.80	165.0	1.2686	107.52	121.41	yes	stainless steel	4R
C.312.480.2050.A	31.2	4.80	205.0	1.1757	132.00	149.44	yes	music wire	4R
C.312.480.2050.I	31.2	4.80	205.0	1.0098	132.00	149.44	yes	stainless steel	4S
C.312.500.0380.A	31.2	5.00	38.0	9.0000	32.00	34.75	yes	music wire	4R
C.312.500.0380.AP	31.2	5.00	38.0	12.0183	27.00	29.05	yes	music wire	5A
C.312.500.0380.I	31.2	5.00	38.0	7.7000	32.00	34.75	yes	stainless steel	4S
C.312.500.0500.A	31.2	5.00	50.0	6.0920	41.50	45.59	yes	music wire	4S
C.312.500.0500.AP	31.2	5.00	50.0	8.5845	33.00	35.89	yes	music wire	5A
C.312.500.0500.I	31.2	5.00	50.0	5.3000	41.00	45.02	yes	stainless steel	4S
C.312.530.0508.A	31.2	5.30	50.8	8.5992	41.87	45.76	yes	music wire	4S
C.312.530.0508.AP	31.2	5.30	50.8	10.9578	35.51	38.53	yes	music wire	5A
C.312.530.0508.I	31.2	5.30	50.8	7.3858	41.87	45.76	yes	stainless steel	4S
C.312.530.0508.N	31.2	5.30	50.8	8.5992	41.87	45.76	yes	Zn coating	4T
C.312.530.0635.A	31.2	5.30	63.5	6.6458	50.35	55.39	yes	music wire	4S
C.312.530.0635.AP	31.2	5.30	63.5	8.2664	42.93	46.96	yes	music wire	5A
C.312.530.0635.I	31.2	5.30	63.5	5.7080	50.35	55.39	yes	stainless steel	4S
C.312.530.0635.N	31.2	5.30	63.5	6.6458	50.35	55.39	yes	Zn coating	4T
C.312.530.0762.A	31.2	5.30	76.2	5.4461	58.30	64.42	yes	music wire	4S
C.312.530.0762.AP	31.2	5.30	76.2	6.7312	49.82	55.13	yes	music wire	5A
C.312.530.0762.I	31.2	5.30	76.2	4.6776	58.30	64.42	yes	stainless steel	4S
C.312.530.0762.N	31.2	5.30	76.2	5.4461	58.30	64.42	yes	Zn coating	4T
C.312.530.0889.A	31.2	5.30	88.9	4.6133	66.25	73.45	yes	music wire	4S
C.312.530.0889.AP	31.2	5.30	88.9	5.6769	56.71	63.92	yes	music wire	5A
C.312.530.0889.I	31.2	5.30	88.9	3.9623	66.25	73.45	yes	stainless steel	4S
C.312.530.0889.N	31.2	5.30	88.9	4.6133	66.25	73.45	yes	Zn coating	4T
C.312.530.1016.A	31.2	5.30	101.6	3.9849	74.73	83.08	yes	music wire	4S
C.312.530.1016.AP	31.2	5.30	101.6	4.8576	63.60	72.40	yes	music wire	5A
C.312.530.1016.I	31.2	5.30	101.6	3.4226	74.73	83.08	yes	stainless steel	4S
C.312.530.1016.N	31.2	5.30	101.6	3.9849	74.73	83.08	yes	Zn coating	4T
C.312.530.1143.A	31.2	5.30	114.3	3.5200	82.68	92.11	yes	music wire	4S
C.312.530.1143.AP	31.2	5.30	114.3	4.2835	70.49	81.19	yes	music wire	5A
C.312.530.1143.I	31.2	5.30	114.3	3.0233	82.68	92.11	yes	stainless steel	4S
C.312.530.1143.N	31.2	5.30	114.3	3.5200	82.68	92.11	yes	Zn coating	4T
C.312.530.1270.A	31.2	5.30	127.0	3.1522	91.16	101.74	yes	music wire	4S
C.312.530.1270.AP	31.2	5.30	127.0	3.8308	77.38	89.98	yes	music wire	5A
C.312.530.1270.I	31.2	5.30	127.0	2.7074	91.16	101.74	yes	stainless steel	4S
C.312.530.1270.N	31.2	5.30	127.0	3.1522	91.16	101.74	yes	Zn coating	4T
C.312.530.1650.A	31.2	5.30	165.0	2.3367	118.19	132.44	yes	music wire	4S
C.312.530.1650.I	31.2	5.30	165.0	2.0070	118.19	132.44	yes	stainless steel	4S
C.312.530.2050.A	31.2	5.30	205.0	1.8507	145.75	163.75	yes	music wire	4S
C.312.530.2050.I	31.2	5.30	205.0	1.5895	145.75	163.75	yes	stainless steel	4T
C.313.140.0360.A	31.3	1.40	36.0	0.0333	11.06	15.89	no	music wire	4F
C.313.140.0360.I	31.3	1.40	36.0	0.0290	10.92	15.64	no	stainless steel	4G
C.313.140.0800.A	31.3	1.40	80.0	0.0396	10.08	14.14	no	music wire	4H
C.313.140.0800.I	31.3	1.40	80.0	0.0340	10.08	14.14	no	stainless steel	4H
C.313.160.0200.A	31.3	1.60	20.0	0.2317	5.76	6.85	yes	music wire	4F
C.313.160.0200.I	31.3	1.60	20.0	0.1990	5.76	6.85	yes	stainless steel	4F
C.313.160.0450.A	31.3	1.60	45.0	0.0460	12.80	18.23	yes	music wire	4G

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.313.160.0450.I	31.3	1.60	45.0	0.0400	12.80	18.23	yes	stainless steel	4G
C.313.160.0920.A	31.3	1.60	92.0	0.0195	24.80	37.63	yes	music wire	4I
C.313.160.0920.I	31.3	1.60	92.0	0.0170	24.64	37.37	yes	stainless steel	4I
C.313.200.0198.A	31.3	2.00	19.8	0.6700	7.00	7.84	yes	music wire	4G
C.313.200.0198.I	31.3	2.00	19.8	0.5829	7.00	7.84	yes	stainless steel	4G
C.313.200.1000.A	31.3	2.00	100.0	0.0953	18.60	24.34	yes	music wire	4I
C.313.200.1000.I	31.3	2.00	100.0	0.0818	18.60	24.34	yes	stainless steel	4I
C.313.220.0200.A	31.3	2.20	20.0	0.7450	8.36	9.40	yes	music wire	4G
C.313.220.0200.I	31.3	2.20	20.0	0.6398	8.36	9.40	yes	stainless steel	4G
C.313.220.0800.A	31.3	2.20	80.0	0.2069	15.84	19.59	yes	music wire	4J
C.313.220.0800.I	31.3	2.20	80.0	0.1800	15.62	19.29	yes	stainless steel	4J
C.313.270.0345.A	31.3	2.70	34.5	0.8410	14.31	16.34	yes	music wire	4H
C.313.270.0345.AP	31.3	2.70	34.5	1.2371	11.88	16.31	yes	music wire	4J
C.313.270.0345.I	31.3	2.70	34.5	0.7317	14.04	16.00	yes	stainless steel	4I
C.313.270.0345.N	31.3	2.70	34.5	0.8410	14.31	16.34	yes	Zn coating	4I
C.313.270.3200.A	31.3	2.70	320.0	0.0777	87.21	108.80	yes	music wire	4M
C.313.270.3200.I	31.3	2.70	320.0	0.0667	87.21	108.80	yes	stainless steel	4M
C.314.250.0200.A	31.4	2.50	20.0	1.1776	9.75	10.80	yes	music wire	4G
C.314.250.0200.I	31.4	2.50	20.0	1.0115	9.75	10.80	yes	stainless steel	4H
C.314.250.0300.A	31.4	2.50	30.0	0.7494	11.75	13.40	yes	music wire	4H
C.314.250.0300.I	31.4	2.50	30.0	0.6437	11.75	13.40	yes	stainless steel	4H
C.314.250.0400.A	31.4	2.50	40.0	0.5318	14.00	16.33	yes	music wire	4H
C.314.250.0400.I	31.4	2.50	40.0	0.4568	14.00	16.33	yes	stainless steel	4I
C.314.250.0450.A	31.4	2.50	45.0	0.4580	15.25	17.95	yes	music wire	4I
C.314.250.0450.I	31.4	2.50	45.0	0.3933	15.25	17.95	yes	stainless steel	4I
C.314.250.0550.A	31.4	2.50	55.0	0.3747	17.25	20.56	yes	music wire	4I
C.314.250.0550.I	31.4	2.50	55.0	0.3218	17.25	20.56	yes	stainless steel	4I
C.314.250.0600.A	31.4	2.50	60.0	0.3365	18.50	22.18	yes	music wire	4I
C.314.250.0600.I	31.4	2.50	60.0	0.2890	18.50	22.18	yes	stainless steel	4I
C.314.250.0800.A	31.4	2.50	80.0	0.3125	19.50	23.48	yes	music wire	4J
C.314.250.0800.I	31.4	2.50	80.0	0.2719	19.25	23.16	yes	stainless steel	4J
C.314.250.0800.N	31.4	2.50	80.0	0.3125	19.50	23.48	yes	Zn coating	4L
C.314.250.1000.A	31.4	2.50	100.0	0.2500	22.75	27.71	yes	music wire	4K
C.314.250.1000.I	31.4	2.50	100.0	0.2175	22.50	27.38	yes	stainless steel	4K
C.314.250.1000.N	31.4	2.50	100.0	0.2500	22.75	27.71	yes	Zn coating	4M
C.314.250.1200.A	31.4	2.50	120.0	0.1616	31.75	39.41	yes	music wire	4I
C.314.250.1200.I	31.4	2.50	120.0	0.1388	31.75	39.41	yes	stainless steel	4I
C.314.250.1250.A	31.4	2.50	125.0	0.1984	27.00	33.69	yes	music wire	4L
C.314.250.1250.I	31.4	2.50	125.0	0.1726	26.75	32.91	yes	stainless steel	4L
C.314.250.1250.N	31.4	2.50	125.0	0.1984	27.00	33.69	yes	Zn coating	4M
C.314.250.1400.A	31.4	2.50	140.0	0.1385	36.00	44.94	yes	music wire	4J
C.314.250.1400.I	31.4	2.50	140.0	0.1190	36.00	44.94	yes	stainless steel	4J
C.314.250.1600.A	31.4	2.50	160.0	0.1563	32.50	44.09	yes	music wire	4L
C.314.250.1600.I	31.4	2.50	160.0	0.1360	32.25	42.12	yes	stainless steel	4M
C.314.250.1600.N	31.4	2.50	160.0	0.1563	32.50	44.09	yes	Zn coating	4N
C.314.250.2000.A	31.4	2.50	200.0	0.1250	39.25	55.07	yes	music wire	4M
C.314.250.2000.I	31.4	2.50	200.0	0.1088	38.75	52.60	yes	stainless steel	4M
C.314.250.2000.N	31.4	2.50	200.0	0.1250	39.25	55.07	yes	Zn coating	4N
C.314.250.2500.A	31.4	2.50	250.0	0.1000	47.50	68.84	yes	music wire	4N
C.314.250.2500.I	31.4	2.50	250.0	0.0870	47.00	65.75	yes	stainless steel	4N
C.314.250.2500.N	31.4	2.50	250.0	0.1000	47.50	68.84	yes	Zn coating	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.314.250.3200.A	31.4	2.50	320.0	0.0781	59.00	88.04	yes	music wire	4O
C.314.250.3200.I	31.4	2.50	320.0	0.0679	58.25	84.09	yes	stainless steel	4O
C.314.250.3200.N	31.4	2.50	320.0	0.0781	59.00	88.04	yes	Zn coating	4Q
C.314.250.4000.A	31.4	2.50	400.0	0.0625	72.25	110.14	yes	music wire	4P
C.314.250.4000.I	31.4	2.50	400.0	0.0544	71.25	105.21	yes	stainless steel	4P
C.314.250.4000.N	31.4	2.50	400.0	0.0625	72.25	110.14	yes	Zn coating	4R
C.315.300.0400.A	31.5	3.00	40.0	0.8750	19.80	22.70	yes	music wire	4I
C.315.300.0400.AP	31.5	3.00	40.0	1.5126	14.70	20.21	yes	music wire	4J
C.315.300.0400.I	31.5	3.00	40.0	0.7613	19.50	22.32	yes	stainless steel	4I
C.315.300.0400.N	31.5	3.00	40.0	0.8750	19.80	22.70	yes	Zn coating	4J
C.315.300.2050.A	31.5	3.00	205.0	0.1747	68.70	83.11	yes	music wire	4L
C.315.300.2050.I	31.5	3.00	205.0	0.1501	68.70	83.11	yes	stainless steel	4L
C.316.360.0333.A	31.6	3.60	33.3	2.2271	21.60	24.00	yes	music wire	4M
C.316.360.0333.AP	31.6	3.60	33.3	3.6083	16.92	19.64	yes	music wire	4O
C.316.360.0333.I	31.6	3.60	33.3	1.9128	21.60	24.00	yes	stainless steel	4M
C.316.360.0333.N	31.6	3.60	33.3	2.2271	21.60	24.00	yes	Zn coating	4N
C.316.360.0539.A	31.6	3.60	53.9	1.4000	29.16	33.01	yes	music wire	4M
C.316.360.0539.AP	31.6	3.60	53.9	2.0354	22.68	29.69	yes	music wire	4O
C.316.360.0539.I	31.6	3.60	53.9	1.2172	28.80	32.58	yes	stainless steel	4M
C.316.360.0627.A	31.6	3.60	62.7	1.1839	32.76	37.29	yes	music wire	4M
C.316.360.0627.AP	31.6	3.60	62.7	1.7257	25.20	34.14	yes	music wire	4O
C.316.360.0627.I	31.6	3.60	62.7	1.0300	32.40	36.86	yes	stainless steel	4M
C.316.360.0722.A	31.6	3.60	72.2	1.0261	36.36	41.58	yes	music wire	4M
C.316.360.0722.AP	31.6	3.60	72.2	1.4700	28.08	38.68	yes	music wire	4O
C.316.360.0722.I	31.6	3.60	72.2	0.8927	36.00	41.15	yes	stainless steel	4M
C.316.360.0800.A	31.6	3.60	80.0	0.9279	39.24	45.01	yes	music wire	4M
C.316.360.0800.I	31.6	3.60	80.0	0.7970	39.24	45.01	yes	stainless steel	4M
C.316.360.0920.A	31.6	3.60	92.0	0.9170	39.60	45.44	yes	music wire	4M
C.316.360.0920.I	31.6	3.60	92.0	0.7876	39.60	45.44	yes	stainless steel	4M
C.316.360.0920.N	31.6	3.60	92.0	0.9170	39.60	45.44	yes	Zn coating	4O
C.316.360.1000.A	31.6	3.60	100.0	0.7285	47.52	54.87	yes	music wire	4M
C.316.360.1000.I	31.6	3.60	100.0	0.6257	47.52	54.87	yes	stainless steel	4N
C.316.360.1200.A	31.6	3.60	120.0	0.5996	55.80	64.73	yes	music wire	4N
C.316.360.1200.I	31.6	3.60	120.0	0.5150	55.80	64.73	yes	stainless steel	4N
C.316.360.1550.A	31.6	3.60	155.0	0.4585	70.20	81.87	yes	music wire	4N
C.316.360.1550.I	31.6	3.60	155.0	0.3938	70.20	81.87	yes	stainless steel	4N
C.316.360.2050.A	31.6	3.60	205.0	0.3434	90.72	106.31	yes	music wire	4O
C.316.360.2050.I	31.6	3.60	205.0	0.2949	90.72	106.31	yes	stainless steel	4O
C.316.360.3200.A	31.6	3.60	320.0	0.2171	138.24	162.89	yes	music wire	4P
C.316.360.3200.I	31.6	3.60	320.0	0.1865	138.24	162.89	yes	stainless steel	4P
C.318.140.0200.A	31.8	1.40	20.0	0.1266	6.44	7.68	no	music wire	4E
C.318.140.0200.I	31.8	1.40	20.0	0.1088	6.44	7.68	no	stainless steel	4F
C.318.140.0670.A	31.8	1.40	67.0	0.0448	9.24	12.74	no	music wire	4G
C.318.140.0670.I	31.8	1.40	67.0	0.0390	9.24	12.74	no	stainless steel	4H
C.318.150.0200.A	31.8	1.50	20.0	0.1685	6.90	8.07	no	music wire	4F
C.318.150.0200.I	31.8	1.50	20.0	0.1448	6.90	8.07	no	stainless steel	4F
C.318.150.0520.A	31.8	1.50	52.0	0.0241	16.80	25.02	no	music wire	4G
C.318.150.0520.I	31.8	1.50	52.0	0.0210	16.65	24.77	no	stainless steel	4G
C.318.160.0320.A	31.8	1.60	32.0	0.1103	7.52	9.75	yes	music wire	4F
C.318.160.0320.I	31.8	1.60	32.0	0.0960	7.52	9.75	yes	stainless steel	4G
C.318.160.0800.A	31.8	1.60	80.0	0.0577	10.72	14.98	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.318.160.0800.I	31.8	1.60	80.0	0.0496	10.72	14.98	yes	stainless steel	4I
C.318.160.1200.A	31.8	1.60	120.0	0.0149	29.92	46.36	yes	music wire	4I
C.318.160.1200.I	31.8	1.60	120.0	0.0130	29.60	45.84	yes	stainless steel	4I
C.318.180.0200.A	31.8	1.80	20.0	0.3601	6.48	7.50	yes	music wire	4G
C.318.180.0200.I	31.8	1.80	20.0	0.3093	6.48	7.50	yes	stainless steel	4G
C.318.180.0830.A	31.8	1.80	83.0	0.0793	13.50	18.15	yes	music wire	4I
C.318.180.0830.I	31.8	1.80	83.0	0.0690	13.32	17.88	yes	stainless steel	4I
C.318.190.0600.A	31.8	1.90	60.0	0.1149	12.92	16.77	yes	music wire	4H
C.318.190.0600.I	31.8	1.90	60.0	0.1000	12.92	16.77	yes	stainless steel	4I
C.318.190.0850.A	31.8	1.90	85.0	0.0920	15.01	19.85	yes	music wire	4I
C.318.190.0850.I	31.8	1.90	85.0	0.0800	14.82	19.57	yes	stainless steel	4I
C.318.190.2200.A	31.8	1.90	220.0	0.0352	31.54	44.17	yes	music wire	4J
C.318.190.2200.I	31.8	1.90	220.0	0.0303	31.54	44.17	yes	stainless steel	4J
C.318.230.0127.A	31.8	2.30	12.7	1.0805	8.05	8.85	yes	music wire	4G
C.318.230.0127.I	31.8	2.30	12.7	0.9400	8.05	8.85	yes	stainless steel	4G
C.318.230.0290.A	31.8	2.30	29.0	0.4023	12.19	14.42	yes	music wire	4G
C.318.230.0290.I	31.8	2.30	29.0	0.3500	11.96	14.11	yes	stainless steel	4H
C.318.230.0640.A	31.8	2.30	64.0	0.2299	16.79	20.62	yes	music wire	4I
C.318.230.0640.I	31.8	2.30	64.0	0.2000	16.79	20.62	yes	stainless steel	4I
C.318.230.0800.A	31.8	2.30	80.0	0.1851	19.55	24.34	yes	music wire	4I
C.318.230.0800.I	31.8	2.30	80.0	0.1590	19.55	24.34	yes	stainless steel	4I
C.318.230.1000.A	31.8	2.30	100.0	0.1461	23.23	29.29	yes	music wire	4I
C.318.230.1000.I	31.8	2.30	100.0	0.1255	23.23	29.29	yes	stainless steel	4I
C.318.230.1300.A	31.8	2.30	130.0	0.1110	28.75	36.73	yes	music wire	4I
C.318.230.1300.I	31.8	2.30	130.0	0.0954	28.75	36.73	yes	stainless steel	4J
C.318.230.4060.A	31.8	2.30	406.0	0.0299	91.31	120.98	yes	music wire	4N
C.318.230.4060.I	31.8	2.30	406.0	0.0260	90.16	119.43	yes	stainless steel	4N
C.318.240.0191.A	31.8	2.40	19.1	1.3793	8.40	9.18	yes	music wire	4G
C.318.240.0191.I	31.8	2.40	19.1	1.2000	8.40	9.18	yes	stainless steel	4G
C.318.240.1000.A	31.8	2.40	100.0	0.1684	24.96	31.12	yes	music wire	4I
C.318.240.1000.I	31.8	2.40	100.0	0.1446	24.96	31.12	yes	stainless steel	4I
C.318.270.0330.A	31.8	2.70	33.0	0.8161	14.04	16.04	yes	music wire	4H
C.318.270.0330.AP	31.8	2.70	33.0	1.3126	11.34	16.12	yes	music wire	4J
C.318.270.0330.I	31.8	2.70	33.0	0.7100	14.04	16.04	yes	stainless steel	4H
C.318.270.3200.A	31.8	2.70	320.0	0.0758	85.05	106.52	yes	music wire	4M
C.318.270.3200.I	31.8	2.70	320.0	0.0651	85.05	106.52	yes	stainless steel	4M
C.318.300.0950.A	31.8	3.00	95.0	0.4253	31.80	37.59	yes	music wire	4J
C.318.300.0950.AP	31.8	3.00	95.0	0.5767	25.50	43.57	yes	music wire	4L
C.318.300.0950.I	31.8	3.00	95.0	0.3700	31.50	37.22	yes	stainless steel	4J
C.318.300.2000.A	31.8	3.00	200.0	0.1771	66.00	79.94	yes	music wire	4L
C.318.300.2000.I	31.8	3.00	200.0	0.1522	66.00	79.94	yes	stainless steel	4L
C.318.340.0440.A	31.8	3.40	44.0	1.4943	22.10	24.88	yes	music wire	4J
C.318.340.0440.AP	31.8	3.40	44.0	2.0871	18.02	23.94	yes	music wire	4M
C.318.340.0440.I	31.8	3.40	44.0	1.3000	21.76	24.47	yes	stainless steel	4J
C.318.340.2400.A	31.8	3.40	240.0	0.2322	95.54	113.35	yes	music wire	4M
C.318.340.2400.I	31.8	3.40	240.0	0.1994	95.54	113.35	yes	stainless steel	4M
C.318.380.0600.A	31.8	3.80	60.0	1.5608	33.06	37.33	yes	music wire	4M
C.318.380.0600.I	31.8	3.80	60.0	1.3405	33.06	37.33	yes	stainless steel	4M
C.318.380.1750.A	31.8	3.80	175.0	0.4368	93.86	109.17	yes	music wire	4N
C.318.380.1750.AP	31.8	3.80	175.0	0.6940	62.32	93.16	yes	music wire	4Q
C.318.380.1750.I	31.8	3.80	175.0	0.3800	92.72	107.82	yes	stainless steel	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.150.0856.A	32.0	1.50	85.6	0.0300	14.40	20.99	no	music wire	4H
C.320.150.0856.I	32.0	1.50	85.6	0.0261	14.25	20.73	no	stainless steel	4I
C.320.150.0856.N	32.0	1.50	85.6	0.0300	14.40	20.99	no	Zn coating	4I
C.320.180.1350.I	32.0	1.80	135.0	0.0490	16.74	23.13	yes	stainless steel	4I
C.320.180.1650.A	32.0	1.80	165.0	0.0462	19.62	27.52	yes	music wire	4J
C.320.180.1650.I	32.0	1.80	165.0	0.0397	19.62	27.52	yes	stainless steel	4J
C.320.190.0440.A	32.0	1.90	44.0	0.2117	9.12	11.20	yes	music wire	4H
C.320.190.0440.I	32.0	1.90	44.0	0.1818	9.12	11.20	yes	stainless steel	4H
C.320.200.0450.A	32.0	2.00	45.0	0.2515	9.80	11.90	yes	music wire	4H
C.320.200.0450.I	32.0	2.00	45.0	0.2160	9.80	11.90	yes	stainless steel	4H
C.320.200.0700.A	32.0	2.00	70.0	0.0740	21.40	28.57	yes	music wire	4I
C.320.200.0700.I	32.0	2.00	70.0	0.0644	21.20	28.29	yes	stainless steel	4I
C.320.200.0700.N	32.0	2.00	70.0	0.0740	21.40	28.57	yes	Zn coating	4I
C.320.200.1300.A	32.0	2.00	130.0	0.0816	19.80	26.27	yes	music wire	4I
C.320.200.1300.I	32.0	2.00	130.0	0.0701	19.80	26.27	yes	stainless steel	4I
C.320.200.1500.A	32.0	2.00	150.0	0.0702	22.20	29.73	yes	music wire	4J
C.320.200.1500.I	32.0	2.00	150.0	0.0603	22.20	29.73	yes	stainless steel	4J
C.320.220.0250.A	32.0	2.20	25.0	0.5780	9.02	10.34	yes	music wire	4G
C.320.220.0250.I	32.0	2.20	25.0	0.5029	8.80	10.04	yes	stainless steel	4H
C.320.220.0250.N	32.0	2.20	25.0	0.5780	9.02	10.34	yes	Zn coating	4I
C.320.220.0320.A	32.0	2.20	32.0	0.4340	10.12	11.85	yes	music wire	4G
C.320.220.0320.I	32.0	2.20	32.0	0.3776	10.12	11.85	yes	stainless steel	4H
C.320.220.0320.N	32.0	2.20	32.0	0.4340	10.12	11.85	yes	Zn coating	4I
C.320.220.0400.A	32.0	2.20	40.0	0.3300	11.44	13.67	yes	music wire	4H
C.320.220.0400.I	32.0	2.20	40.0	0.2871	11.44	13.67	yes	stainless steel	4H
C.320.220.0400.N	32.0	2.20	40.0	0.3300	11.44	13.67	yes	Zn coating	4I
C.320.220.0500.A	32.0	2.20	50.0	0.2670	12.98	15.79	yes	music wire	4H
C.320.220.0500.I	32.0	2.20	50.0	0.2323	12.76	15.48	yes	stainless steel	4I
C.320.220.0500.N	32.0	2.20	50.0	0.2670	12.98	15.79	yes	Zn coating	4I
C.320.220.0630.A	32.0	2.20	63.0	0.2040	15.18	18.81	yes	music wire	4I
C.320.220.0630.I	32.0	2.20	63.0	0.1775	15.18	18.81	yes	stainless steel	4I
C.320.220.0630.N	32.0	2.20	63.0	0.2040	15.18	18.81	yes	Zn coating	4I
C.320.220.0750.A	32.0	2.20	75.0	0.1770	16.72	20.93	yes	music wire	4I
C.320.220.0750.I	32.0	2.20	75.0	0.1540	16.50	20.63	yes	stainless steel	4I
C.320.220.0750.N	32.0	2.20	75.0	0.1770	16.72	20.93	yes	Zn coating	4J
C.320.220.0800.A	32.0	2.20	80.0	0.1610	17.82	22.44	yes	music wire	4I
C.320.220.0800.I	32.0	2.20	80.0	0.1401	17.60	22.14	yes	stainless steel	4I
C.320.220.0800.N	32.0	2.20	80.0	0.1610	17.82	22.44	yes	Zn coating	4J
C.320.220.1000.A	32.0	2.20	100.0	0.1260	21.34	27.28	yes	music wire	4I
C.320.220.1000.I	32.0	2.20	100.0	0.1096	21.12	26.98	yes	stainless steel	4I
C.320.220.1000.N	32.0	2.20	100.0	0.1260	21.34	27.28	yes	Zn coating	4J
C.320.220.1250.A	32.0	2.20	125.0	0.1010	25.08	32.43	yes	music wire	4I
C.320.220.1250.I	32.0	2.20	125.0	0.0879	24.86	32.12	yes	stainless steel	4I
C.320.220.1250.N	32.0	2.20	125.0	0.1010	25.08	32.43	yes	Zn coating	4J
C.320.220.1600.A	32.0	2.20	160.0	0.0780	31.02	40.60	yes	music wire	4J
C.320.220.1600.I	32.0	2.20	160.0	0.0679	30.58	39.99	yes	stainless steel	4J
C.320.220.1600.N	32.0	2.20	160.0	0.0780	31.02	40.60	yes	Zn coating	4L
C.320.220.1800.A	32.0	2.20	180.0	0.0791	30.58	39.99	yes	music wire	4J
C.320.220.1800.I	32.0	2.20	180.0	0.0679	30.58	39.99	yes	stainless steel	4J
C.320.220.3600.A	32.0	2.20	360.0	0.0340	66.00	87.88	no	music wire	4M
C.320.220.3600.I	32.0	2.20	360.0	0.0300	64.46	85.76	no	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.225.0340.A	32.0	2.25	34.0	0.4958	10.13	11.76	yes	music wire	4H
C.320.225.0340.I	32.0	2.25	34.0	0.4258	10.13	11.76	yes	stainless steel	4H
C.320.225.0530.A	32.0	2.25	53.0	0.3005	13.05	15.74	yes	music wire	4I
C.320.225.0530.I	32.0	2.25	53.0	0.2581	13.05	15.74	yes	stainless steel	4I
C.320.225.0890.A	32.0	2.25	89.0	0.1740	18.45	23.10	yes	music wire	4I
C.320.225.0890.I	32.0	2.25	89.0	0.1494	18.45	23.10	yes	stainless steel	4I
C.320.225.1050.A	32.0	2.25	105.0	0.1480	20.70	26.16	yes	music wire	4I
C.320.225.1050.I	32.0	2.25	105.0	0.1271	20.70	26.16	yes	stainless steel	4I
C.320.225.1400.A	32.0	2.25	140.0	0.1102	25.88	33.22	yes	music wire	4J
C.320.225.1400.I	32.0	2.25	140.0	0.0946	25.88	33.22	yes	stainless steel	4J
C.320.225.2500.A	32.0	2.25	250.0	0.0525	48.15	63.55	yes	music wire	4L
C.320.225.2500.I	32.0	2.25	250.0	0.0451	48.15	63.55	yes	stainless steel	4L
C.320.230.0174.A	32.0	2.30	17.4	0.9893	8.28	9.17	yes	music wire	4G
C.320.230.0174.I	32.0	2.30	17.4	0.8497	8.28	9.17	yes	stainless steel	4G
C.320.230.0198.A	32.0	2.30	19.8	0.9068	8.51	9.48	yes	music wire	4G
C.320.230.0198.I	32.0	2.30	19.8	0.7789	8.51	9.48	yes	stainless steel	4G
C.320.230.0360.A	32.0	2.30	36.0	0.4946	10.81	12.58	yes	music wire	4H
C.320.230.0360.I	32.0	2.30	36.0	0.4248	10.81	12.58	yes	stainless steel	4H
C.320.235.0224.A	32.0	2.35	22.4	0.7946	9.40	10.59	yes	music wire	4G
C.320.235.0224.I	32.0	2.35	22.4	0.6825	9.40	10.59	yes	stainless steel	4G
C.320.235.0254.A	32.0	2.35	25.4	0.7012	9.87	11.22	yes	music wire	4G
C.320.235.0254.I	32.0	2.35	25.4	0.6022	9.87	11.22	yes	stainless steel	4H
C.320.235.0305.A	32.0	2.35	30.5	0.5676	10.81	12.48	yes	music wire	4G
C.320.235.0305.I	32.0	2.35	30.5	0.4875	10.81	12.48	yes	stainless steel	4H
C.320.235.0318.A	32.0	2.35	31.8	0.5418	11.05	12.80	yes	music wire	4G
C.320.235.0318.I	32.0	2.35	31.8	0.4654	11.05	12.80	yes	stainless steel	4H
C.320.235.0381.A	32.0	2.35	38.1	0.4415	12.22	14.37	yes	music wire	4H
C.320.235.0381.I	32.0	2.35	38.1	0.3792	12.22	14.37	yes	stainless steel	4H
C.320.235.0444.A	32.0	2.35	44.4	0.3725	13.40	15.95	yes	music wire	4H
C.320.235.0444.I	32.0	2.35	44.4	0.3199	13.40	15.95	yes	stainless steel	4I
C.320.235.0457.A	32.0	2.35	45.7	0.3612	13.63	16.26	yes	music wire	4H
C.320.235.0457.I	32.0	2.35	45.7	0.3102	13.63	16.26	yes	stainless steel	4I
C.320.235.0508.A	32.0	2.35	50.8	0.3222	14.57	17.52	yes	music wire	4H
C.320.235.0508.I	32.0	2.35	50.8	0.2767	14.57	17.52	yes	stainless steel	4I
C.320.235.0572.A	32.0	2.35	57.2	0.2772	15.98	19.40	yes	music wire	4I
C.320.235.0572.I	32.0	2.35	57.2	0.2381	15.98	19.40	yes	stainless steel	4I
C.320.235.0635.A	32.0	2.35	63.5	0.2483	17.16	20.98	yes	music wire	4I
C.320.235.0635.I	32.0	2.35	63.5	0.2133	17.16	20.98	yes	stainless steel	4I
C.320.235.0698.A	32.0	2.35	69.8	0.2249	18.33	22.55	yes	music wire	4I
C.320.235.0698.I	32.0	2.35	69.8	0.1932	18.33	22.55	yes	stainless steel	4I
C.320.250.0250.A	32.0	2.50	25.0	0.9180	10.50	11.81	yes	music wire	4G
C.320.250.0250.I	32.0	2.50	25.0	0.8000	10.50	11.81	yes	stainless steel	4H
C.320.250.0250.N	32.0	2.50	25.0	0.9180	10.50	11.81	yes	Zn coating	4I
C.320.250.0305.A	32.0	2.50	30.5	0.7046	11.75	13.45	yes	music wire	4H
C.320.250.0305.I	32.0	2.50	30.5	0.6052	11.75	13.45	yes	stainless steel	4H
C.320.250.0320.A	32.0	2.50	32.0	0.7000	11.75	13.45	yes	music wire	4H
C.320.250.0320.I	32.0	2.50	32.0	0.6107	11.75	13.45	yes	stainless steel	4H
C.320.250.0320.N	32.0	2.50	32.0	0.7000	11.75	13.45	yes	Zn coating	4I
C.320.250.0400.A	32.0	2.50	40.0	0.5420	13.50	15.74	yes	music wire	4H
C.320.250.0400.AP	32.0	2.50	40.0	0.7858	11.25	17.36	yes	music wire	4J
C.320.250.0400.I	32.0	2.50	40.0	0.4715	13.25	15.41	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.250.0400.N	32.0	2.50	40.0	0.5420	13.50	15.74	yes	Zn coating	4I
C.320.250.0500.A	32.0	2.50	50.0	0.4110	15.75	18.68	yes	music wire	4I
C.320.250.0500.I	32.0	2.50	50.0	0.3576	15.50	18.36	yes	stainless steel	4I
C.320.250.0500.N	32.0	2.50	50.0	0.4110	15.75	18.68	yes	Zn coating	4I
C.320.250.0630.A	32.0	2.50	63.0	0.3220	18.25	21.96	yes	music wire	4I
C.320.250.0630.I	32.0	2.50	63.0	0.2801	18.25	21.96	yes	stainless steel	4I
C.320.250.0630.N	32.0	2.50	63.0	0.3220	18.25	21.96	yes	Zn coating	4J
C.320.250.0800.A	32.0	2.50	80.0	0.2490	21.75	26.54	yes	music wire	4I
C.320.250.0800.I	32.0	2.50	80.0	0.2166	21.50	26.21	yes	stainless steel	4I
C.320.250.0800.N	32.0	2.50	80.0	0.2490	21.75	26.54	yes	Zn coating	4J
C.320.250.1000.A	32.0	2.50	100.0	0.1990	25.75	31.77	yes	music wire	4I
C.320.250.1000.AF	32.0	2.50	100.0	0.1550	31.25	38.97	yes	music wire	4I
C.320.250.1000.I	32.0	2.50	100.0	0.1331	31.25	38.97	yes	stainless steel	4I
C.320.250.1000.N	32.0	2.50	100.0	0.1990	25.75	31.77	yes	Zn coating	4J
C.320.250.1000.NF	32.0	2.50	100.0	0.1550	31.25	38.97	yes	Zn coating	4J
C.320.250.1250.A	32.0	2.50	125.0	0.1570	31.00	38.64	yes	music wire	4I
C.320.250.1250.I	32.0	2.50	125.0	0.1366	30.50	37.99	yes	stainless steel	4J
C.320.250.1250.N	32.0	2.50	125.0	0.1570	31.00	38.64	yes	Zn coating	4J
C.320.250.1600.A	32.0	2.50	160.0	0.1220	38.00	47.81	yes	music wire	4J
C.320.250.1600.I	32.0	2.50	160.0	0.1061	37.50	47.15	yes	stainless steel	4J
C.320.250.1600.N	32.0	2.50	160.0	0.1220	38.00	47.81	yes	Zn coating	4L
C.320.250.3600.A	32.0	2.50	360.0	0.0530	81.75	104.30	no	music wire	4M
C.320.250.3600.I	32.0	2.50	360.0	0.0461	81.00	103.32	no	stainless steel	4M
C.320.260.0330.A	32.0	2.60	33.0	0.8327	12.22	13.89	yes	music wire	4H
C.320.260.0330.I	32.0	2.60	33.0	0.7152	12.22	13.89	yes	stainless steel	4H
C.320.260.0500.A	32.0	2.60	50.0	0.5234	15.60	18.26	yes	music wire	4I
C.320.260.0500.I	32.0	2.60	50.0	0.4496	15.60	18.26	yes	stainless steel	4I
C.320.260.0860.A	32.0	2.60	86.0	0.2908	22.88	27.66	yes	music wire	4I
C.320.260.0860.I	32.0	2.60	86.0	0.2498	22.88	27.66	yes	stainless steel	4I
C.320.260.1300.A	32.0	2.60	130.0	0.1889	31.72	39.08	yes	music wire	4I
C.320.260.1300.I	32.0	2.60	130.0	0.1622	31.72	39.08	yes	stainless steel	4J
C.320.270.1550.A	32.0	2.70	155.0	0.1794	39.15	48.11	yes	music wire	4J
C.320.270.1550.I	32.0	2.70	155.0	0.1541	39.15	48.11	yes	stainless steel	4J
C.320.280.0250.A	32.0	2.80	25.0	1.3830	12.04	13.37	yes	music wire	4I
C.320.280.0250.I	32.0	2.80	25.0	1.2000	12.04	13.37	yes	stainless steel	4I
C.320.280.0250.N	32.0	2.80	25.0	1.3830	12.04	13.37	yes	Zn coating	4J
C.320.280.0320.A	32.0	2.80	32.0	1.0750	13.44	15.13	yes	music wire	4I
C.320.280.0320.AP	32.0	2.80	32.0	1.5040	11.76	15.80	yes	music wire	4J
C.320.280.0320.I	32.0	2.80	32.0	0.9353	13.44	15.13	yes	stainless steel	4I
C.320.280.0320.N	32.0	2.80	32.0	1.0750	13.44	15.13	yes	Zn coating	4J
C.320.280.0400.A	32.0	2.80	40.0	0.8060	15.68	17.96	yes	music wire	4I
C.320.280.0400.AP	32.0	2.80	40.0	1.1622	13.16	19.04	yes	music wire	4J
C.320.280.0400.I	32.0	2.80	40.0	0.7000	15.68	17.96	yes	stainless steel	4I
C.320.280.0400.N	32.0	2.80	40.0	0.8060	15.68	17.96	yes	Zn coating	4J
C.320.280.0500.A	32.0	2.80	50.0	0.6240	18.20	21.15	yes	music wire	4I
C.320.280.0500.AP	32.0	2.80	50.0	0.9131	14.84	23.32	yes	music wire	4K
C.320.280.0500.I	32.0	2.80	50.0	0.5429	18.20	21.15	yes	stainless steel	4I
C.320.280.0500.N	32.0	2.80	50.0	0.6240	18.20	21.15	yes	Zn coating	4J
C.320.280.0560.A	32.0	2.80	56.0	0.5988	18.76	21.85	yes	music wire	4I
C.320.280.0560.I	32.0	2.80	56.0	0.5143	18.76	21.85	yes	stainless steel	4I
C.320.280.0630.A	32.0	2.80	63.0	0.4840	21.56	25.39	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.280.0630.AP	32.0	2.80	63.0	0.7102	16.80	28.70	yes	music wire	4L
C.320.280.0630.I	32.0	2.80	63.0	0.4211	21.28	25.04	yes	stainless steel	4I
C.320.280.0630.N	32.0	2.80	63.0	0.4840	21.56	25.39	yes	Zn coating	4J
C.320.280.0800.A	32.0	2.80	80.0	0.3800	25.48	30.34	yes	music wire	4J
C.320.280.0800.AP	32.0	2.80	80.0	0.5440	19.88	35.22	yes	music wire	4L
C.320.280.0800.I	32.0	2.80	80.0	0.3306	25.20	29.99	yes	stainless steel	4J
C.320.280.0800.N	32.0	2.80	80.0	0.3800	25.48	30.34	yes	Zn coating	4K
C.320.280.1000.A	32.0	2.80	100.0	0.2980	30.52	36.71	yes	music wire	4J
C.320.280.1000.AP	32.0	2.80	100.0	0.4333	23.24	43.78	yes	music wire	4L
C.320.280.1000.I	32.0	2.80	100.0	0.2593	30.24	36.36	yes	stainless steel	4J
C.320.280.1000.N	32.0	2.80	100.0	0.2980	30.52	36.71	yes	Zn coating	4L
C.320.280.1250.A	32.0	2.80	125.0	0.2360	36.96	44.84	yes	music wire	4J
C.320.280.1250.AP	32.0	2.80	125.0	0.3409	27.72	53.54	yes	music wire	4M
C.320.280.1250.I	32.0	2.80	125.0	0.2053	36.40	44.14	yes	stainless steel	4J
C.320.280.1250.N	32.0	2.80	125.0	0.2360	36.96	44.84	yes	Zn coating	4L
C.320.280.1600.A	32.0	2.80	160.0	0.1840	45.36	55.45	yes	music wire	4J
C.320.280.1600.AP	32.0	2.80	160.0	0.2663	33.32	68.53	yes	music wire	4M
C.320.280.1600.I	32.0	2.80	160.0	0.1601	44.80	54.75	yes	stainless steel	4K
C.320.280.1600.N	32.0	2.80	160.0	0.1840	45.36	55.45	yes	Zn coating	4M
C.320.280.3600.A	32.0	2.80	360.0	0.0800	97.72	120.85	no	music wire	4N
C.320.280.3600.I	32.0	2.80	360.0	0.0696	96.60	119.44	no	stainless steel	4N
C.320.290.0390.A	32.0	2.90	39.0	1.0083	15.66	17.77	yes	music wire	4I
C.320.290.0390.I	32.0	2.90	39.0	0.8660	15.66	17.77	yes	stainless steel	4I
C.320.290.0510.A	32.0	2.90	51.0	0.7497	18.56	21.40	yes	music wire	4I
C.320.290.0510.I	32.0	2.90	51.0	0.6440	18.56	21.40	yes	stainless steel	4I
C.320.300.0191.A	32.0	3.00	19.1	2.4167	11.70	12.71	yes	music wire	4I
C.320.300.0191.I	32.0	3.00	19.1	2.0757	11.70	12.71	yes	stainless steel	4I
C.320.300.0285.A	32.0	3.00	28.5	1.4711	14.40	16.06	yes	music wire	4I
C.320.300.0285.I	32.0	3.00	28.5	1.2635	14.40	16.06	yes	stainless steel	4I
C.320.300.0730.A	32.0	3.00	73.0	0.3160	39.60	47.31	yes	music wire	4I
C.320.300.0730.AP	32.0	3.00	73.0	0.7657	20.70	34.49	yes	music wire	4L
C.320.300.0730.I	32.0	3.00	73.0	0.2749	39.30	46.94	yes	stainless steel	4J
C.320.300.0730.N	32.0	3.00	73.0	0.3160	39.60	47.31	yes	Zn coating	4J
C.320.300.0950.A	32.0	3.00	95.0	0.3690	35.10	41.73	yes	music wire	4J
C.320.300.0950.AP	32.0	3.00	95.0	0.5743	25.20	43.66	yes	music wire	4L
C.320.300.0950.I	32.0	3.00	95.0	0.3210	34.80	41.36	yes	stainless steel	4J
C.320.300.0950.N	32.0	3.00	95.0	0.3690	35.10	41.73	yes	Zn coating	4L
C.320.310.0490.A	32.0	3.10	49.0	0.9745	20.15	23.01	yes	music wire	4I
C.320.310.0490.I	32.0	3.10	49.0	0.8370	20.15	23.01	yes	stainless steel	4I
C.320.320.0250.A	32.0	3.20	25.0	2.3000	14.08	15.43	yes	music wire	4J
C.320.320.0250.I	32.0	3.20	25.0	2.0000	14.08	15.43	yes	stainless steel	4J
C.320.320.0250.N	32.0	3.20	25.0	2.3000	14.08	15.43	yes	Zn coating	4L
C.320.320.0320.A	32.0	3.20	32.0	1.7210	16.32	18.16	yes	music wire	4J
C.320.320.0320.AP	32.0	3.20	32.0	2.3969	14.08	17.30	yes	music wire	4L
C.320.320.0320.I	32.0	3.20	32.0	1.5000	16.32	18.16	yes	stainless steel	4J
C.320.320.0320.N	32.0	3.20	32.0	1.7210	16.32	18.16	yes	Zn coating	4L
C.320.320.0400.A	32.0	3.20	40.0	1.2750	19.20	21.68	yes	music wire	4J
C.320.320.0400.AP	32.0	3.20	40.0	1.8217	16.00	20.66	yes	music wire	4M
C.320.320.0400.I	32.0	3.20	40.0	1.1093	19.20	21.68	yes	stainless steel	4J
C.320.320.0400.N	32.0	3.20	40.0	1.2750	19.20	21.68	yes	Zn coating	4L
C.320.320.0500.A	32.0	3.20	50.0	1.0120	22.08	25.20	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.320.0500.AP	32.0	3.20	50.0	1.4232	17.92	25.24	yes	music wire	4M
C.320.320.0500.I	32.0	3.20	50.0	0.8804	22.08	25.20	yes	stainless steel	4J
C.320.320.0500.N	32.0	3.20	50.0	1.0120	22.08	25.20	yes	Zn coating	4L
C.320.320.0630.A	32.0	3.20	63.0	0.7820	26.24	30.28	yes	music wire	4J
C.320.320.0630.AP	32.0	3.20	63.0	1.1108	20.80	31.28	yes	music wire	4M
C.320.320.0630.I	32.0	3.20	63.0	0.6803	25.92	29.89	yes	stainless steel	4J
C.320.320.0630.N	32.0	3.20	63.0	0.7820	26.24	30.28	yes	Zn coating	4L
C.320.320.0800.A	32.0	3.20	80.0	0.5930	32.00	37.32	yes	music wire	4J
C.320.320.0800.AP	32.0	3.20	80.0	0.8593	24.64	39.00	yes	music wire	4M
C.320.320.0800.I	32.0	3.20	80.0	0.5159	31.68	36.93	yes	stainless steel	4K
C.320.320.0800.N	32.0	3.20	80.0	0.5930	32.00	37.32	yes	Zn coating	4M
C.320.320.0840.A	32.0	3.20	84.0	0.5160	35.84	42.01	yes	music wire	4J
C.320.320.0840.AP	32.0	3.20	84.0	0.8132	25.60	40.68	yes	music wire	4M
C.320.320.0840.I	32.0	3.20	84.0	0.4489	35.52	41.62	yes	stainless steel	4K
C.320.320.0840.N	32.0	3.20	84.0	0.5160	35.84	42.01	yes	Zn coating	4M
C.320.320.1000.A	32.0	3.20	100.0	0.4710	38.40	45.13	yes	music wire	4K
C.320.320.1000.AP	32.0	3.20	100.0	0.6797	29.12	48.17	yes	music wire	4N
C.320.320.1000.I	32.0	3.20	100.0	0.4098	38.08	44.74	yes	stainless steel	4L
C.320.320.1000.N	32.0	3.20	100.0	0.4710	38.40	45.13	yes	Zn coating	4M
C.320.320.1250.A	32.0	3.20	125.0	0.3740	46.40	54.91	yes	music wire	4L
C.320.320.1250.AP	32.0	3.20	125.0	0.5358	34.56	59.24	yes	music wire	4N
C.320.320.1250.I	32.0	3.20	125.0	0.3254	45.76	54.12	yes	stainless steel	4L
C.320.320.1250.N	32.0	3.20	125.0	0.3740	46.40	54.91	yes	Zn coating	4M
C.320.320.1600.A	32.0	3.20	160.0	0.2870	57.92	68.98	yes	music wire	4L
C.320.320.1600.AP	32.0	3.20	160.0	0.4140	42.56	74.90	yes	music wire	4N
C.320.320.1600.I	32.0	3.20	160.0	0.2500	57.28	68.20	yes	stainless steel	4L
C.320.320.1600.N	32.0	3.20	160.0	0.2870	57.92	68.98	yes	Zn coating	4N
C.320.320.3600.A	32.0	3.20	360.0	0.1240	126.72	152.31	no	music wire	4O
C.320.320.3600.I	32.0	3.20	360.0	0.1079	125.12	150.35	no	stainless steel	4O
C.320.330.0890.A	32.0	3.30	89.0	0.6469	34.32	39.88	yes	music wire	4K
C.320.330.0890.I	32.0	3.30	89.0	0.5556	34.32	39.88	yes	stainless steel	4K
C.320.330.1050.A	32.0	3.30	105.0	0.5437	39.27	45.89	yes	music wire	4L
C.320.330.1050.I	32.0	3.30	105.0	0.4670	39.27	45.89	yes	stainless steel	4L
C.320.330.1600.A	32.0	3.30	160.0	0.3477	56.76	67.11	yes	music wire	4L
C.320.330.1600.I	32.0	3.30	160.0	0.2986	56.76	67.11	yes	stainless steel	4L
C.320.350.0540.A	32.0	3.50	54.0	1.3758	25.55	28.90	yes	music wire	4J
C.320.350.0540.I	32.0	3.50	54.0	1.1817	25.55	28.90	yes	stainless steel	4J
C.320.360.0250.A	32.0	3.60	25.0	3.8320	15.84	17.16	yes	music wire	4M
C.320.360.0250.I	32.0	3.60	25.0	3.3338	15.84	17.16	yes	stainless steel	4M
C.320.360.0250.N	32.0	3.60	25.0	3.8320	15.84	17.16	yes	Zn coating	4N
C.320.360.0320.A	32.0	3.60	32.0	2.7370	18.72	20.60	yes	music wire	4M
C.320.360.0320.AP	32.0	3.60	32.0	3.6226	16.56	18.56	yes	music wire	4O
C.320.360.0320.I	32.0	3.60	32.0	2.3812	18.72	20.60	yes	stainless steel	4M
C.320.360.0320.N	32.0	3.60	32.0	2.7370	18.72	20.60	yes	Zn coating	4N
C.320.360.0400.A	32.0	3.60	40.0	2.1290	21.60	24.04	yes	music wire	4M
C.320.360.0400.AP	32.0	3.60	40.0	2.8176	18.72	22.72	yes	music wire	4O
C.320.360.0400.I	32.0	3.60	40.0	1.8522	21.60	24.04	yes	stainless steel	4M
C.320.360.0400.N	32.0	3.60	40.0	2.1290	21.60	24.04	yes	Zn coating	4N
C.320.360.0500.A	32.0	3.60	50.0	1.6000	25.92	29.19	yes	music wire	4M
C.320.360.0500.AP	32.0	3.60	50.0	2.1736	21.24	27.60	yes	music wire	4O
C.320.360.0500.I	32.0	3.60	50.0	1.3894	25.56	28.76	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.360.0500.N	32.0	3.60	50.0	1.6000	25.92	29.19	yes	Zn coating	4N
C.320.360.0630.A	32.0	3.60	63.0	1.2500	30.60	34.78	yes	music wire	4M
C.320.360.0630.AP	32.0	3.60	63.0	1.6906	24.84	34.19	yes	music wire	4O
C.320.360.0630.I	32.0	3.60	63.0	1.0875	30.24	34.35	yes	stainless steel	4M
C.320.360.0630.N	32.0	3.60	63.0	1.2500	30.60	34.78	yes	Zn coating	4O
C.320.360.0800.A	32.0	3.60	80.0	0.9580	37.08	42.51	yes	music wire	4M
C.320.360.0800.AP	32.0	3.60	80.0	1.2894	29.88	42.23	yes	music wire	4P
C.320.360.0800.I	32.0	3.60	80.0	0.8335	36.72	42.08	yes	stainless steel	4M
C.320.360.0800.N	32.0	3.60	80.0	0.9580	37.08	42.51	yes	Zn coating	4O
C.320.360.1000.A	32.0	3.60	100.0	0.7470	45.00	51.96	yes	music wire	4M
C.320.360.1000.AP	32.0	3.60	100.0	1.0143	35.64	51.99	yes	music wire	4P
C.320.360.1000.I	32.0	3.60	100.0	0.6499	44.64	51.53	yes	stainless steel	4N
C.320.360.1000.N	32.0	3.60	100.0	0.7470	45.00	51.96	yes	Zn coating	4O
C.320.360.1250.A	32.0	3.60	125.0	0.5930	54.36	63.13	yes	music wire	4N
C.320.360.1250.AP	32.0	3.60	125.0	0.8008	42.48	64.19	yes	music wire	4P
C.320.360.1250.I	32.0	3.60	125.0	0.5159	53.64	62.27	yes	stainless steel	4N
C.320.360.1250.N	32.0	3.60	125.0	0.5930	54.36	63.13	yes	Zn coating	4O
C.320.360.1600.A	32.0	3.60	160.0	0.4560	68.04	79.46	yes	music wire	4N
C.320.360.1600.AP	32.0	3.60	160.0	0.6236	52.20	81.90	yes	music wire	4Q
C.320.360.1600.I	32.0	3.60	160.0	0.3967	67.32	78.60	yes	stainless steel	4N
C.320.360.1600.N	32.0	3.60	160.0	0.4560	68.04	79.46	yes	Zn coating	4P
C.320.360.3600.A	32.0	3.60	360.0	0.1960	149.76	176.28	no	music wire	4P
C.320.360.3600.I	32.0	3.60	360.0	0.1705	147.96	174.13	no	stainless steel	4Q
C.320.400.0250.A	32.0	4.00	25.0	6.0950	17.60	18.92	yes	music wire	4P
C.320.400.0250.I	32.0	4.00	25.0	5.3027	17.60	18.92	yes	stainless steel	4P
C.320.400.0250.N	32.0	4.00	25.0	6.0950	17.60	18.92	yes	Zn coating	4R
C.320.400.0320.A	32.0	4.00	32.0	4.3540	20.80	22.67	yes	music wire	4P
C.320.400.0320.AP	32.0	4.00	32.0	5.4996	18.80	20.33	yes	music wire	4R
C.320.400.0320.I	32.0	4.00	32.0	3.7880	20.80	22.67	yes	stainless steel	4P
C.320.400.0320.N	32.0	4.00	32.0	4.3540	20.80	22.67	yes	Zn coating	4R
C.320.400.0340.A	32.0	4.00	34.0	3.3320	24.40	26.90	yes	music wire	4P
C.320.400.0340.AP	32.0	4.00	34.0	5.2605	19.20	21.65	yes	music wire	4R
C.320.400.0340.I	32.0	4.00	34.0	2.8988	24.00	26.43	yes	stainless steel	4P
C.320.400.0340.N	32.0	4.00	34.0	3.3320	24.40	26.90	yes	Zn coating	4R
C.320.400.0400.A	32.0	4.00	40.0	3.2650	24.40	26.90	yes	music wire	4P
C.320.400.0400.AP	32.0	4.00	40.0	4.1721	21.20	24.43	yes	music wire	4R
C.320.400.0400.I	32.0	4.00	40.0	2.8406	24.40	26.90	yes	stainless steel	4P
C.320.400.0400.N	32.0	4.00	40.0	3.2650	24.40	26.90	yes	Zn coating	4R
C.320.400.0500.A	32.0	4.00	50.0	2.5400	28.80	32.06	yes	music wire	4P
C.320.400.0500.AP	32.0	4.00	50.0	3.2700	24.40	30.14	yes	music wire	4R
C.320.400.0500.I	32.0	4.00	50.0	2.2098	28.40	31.59	yes	stainless steel	4P
C.320.400.0500.N	32.0	4.00	50.0	2.5400	28.80	32.06	yes	Zn coating	4R
C.320.400.0630.A	32.0	4.00	63.0	1.9450	34.40	38.63	yes	music wire	4P
C.320.400.0630.AP	32.0	4.00	63.0	2.4692	29.20	36.70	yes	music wire	4R
C.320.400.0630.I	32.0	4.00	63.0	1.6922	34.00	38.16	yes	stainless steel	4P
C.320.400.0630.N	32.0	4.00	63.0	1.9450	34.40	38.63	yes	Zn coating	4R
C.320.400.0800.A	32.0	4.00	80.0	1.4750	42.40	48.02	yes	music wire	4P
C.320.400.0800.AF	32.0	4.00	80.0	1.8667	35.60	45.21	yes	music wire	4R
C.320.400.0800.AP	32.0	4.00	80.0	1.9205	34.80	46.18	yes	music wire	4R
C.320.400.0800.I	32.0	4.00	80.0	1.6240	35.20	43.98	yes	stainless steel	4S
C.320.400.0800.N	32.0	4.00	80.0	1.8667	35.60	45.21	yes	Zn coating	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.400.0800.NF	32.0	4.00	80.0	1.4750	42.40	48.02	yes	Zn coating	4R
C.320.400.1000.A	32.0	4.00	100.0	1.1570	51.20	58.35	yes	music wire	4P
C.320.400.1000.AF	32.0	4.00	100.0	1.4737	42.40	55.93	yes	music wire	4S
C.320.400.1000.AP	32.0	4.00	100.0	1.4937	42.00	56.52	yes	music wire	4S
C.320.400.1000.I	32.0	4.00	100.0	1.2821	42.00	54.37	yes	stainless steel	4S
C.320.400.1000.N	32.0	4.00	100.0	1.4737	42.40	55.93	yes	Zn coating	4T
C.320.400.1000.NF	32.0	4.00	100.0	1.1570	51.20	58.35	yes	Zn coating	4R
C.320.400.1250.A	32.0	4.00	125.0	0.9140	62.00	71.02	yes	music wire	4Q
C.320.400.1250.AF	32.0	4.00	125.0	1.1667	50.80	69.33	yes	music wire	4S
C.320.400.1250.AP	32.0	4.00	125.0	1.1842	50.00	70.16	yes	music wire	4N
C.320.400.1250.I	32.0	4.00	125.0	1.0150	50.40	67.36	yes	stainless steel	4S
C.320.400.1250.N	32.0	4.00	125.0	1.1667	50.80	69.33	yes	Zn coating	4T
C.320.400.1250.NF	32.0	4.00	125.0	0.9140	62.00	71.02	yes	Zn coating	4R
C.320.400.1600.A	32.0	4.00	160.0	0.7030	77.60	89.33	yes	music wire	4Q
C.320.400.1600.AF	32.0	4.00	160.0	0.9333	60.80	90.41	yes	music wire	5A
C.320.400.1600.AP	32.0	4.00	160.0	0.9097	62.40	88.61	yes	music wire	4S
C.320.400.1600.I	32.0	4.00	160.0	0.8120	60.40	87.95	yes	stainless steel	4S
C.320.400.1600.N	32.0	4.00	160.0	0.9333	60.80	90.41	yes	Zn coating	5C
C.320.400.1600.NF	32.0	4.00	160.0	0.7030	77.60	89.33	yes	Zn coating	4R
C.320.400.1750.A	32.0	4.00	175.0	0.6528	82.80	95.43	yes	music wire	4Q
C.320.400.1750.I	32.0	4.00	175.0	0.5607	82.80	95.43	yes	stainless steel	4Q
C.320.400.2000.A	32.0	4.00	200.0	0.7368	74.40	111.85	yes	music wire	5A
C.320.400.2000.I	32.0	4.00	200.0	0.6410	73.60	108.73	yes	stainless steel	4S
C.320.400.2000.N	32.0	4.00	200.0	0.7368	74.40	111.85	yes	Zn coating	5C
C.320.400.2500.A	32.0	4.00	250.0	0.5833	91.60	138.66	yes	music wire	5B
C.320.400.2500.I	32.0	4.00	250.0	0.5075	90.40	134.71	yes	stainless steel	4T
C.320.400.2500.N	32.0	4.00	250.0	0.5833	91.60	138.66	yes	Zn coating	5D
C.320.400.3200.A	32.0	4.00	320.0	0.4667	112.00	180.84	yes	music wire	5B
C.320.400.3200.I	32.0	4.00	320.0	0.4060	110.40	175.91	yes	stainless steel	5C
C.320.400.3200.N	32.0	4.00	320.0	0.4667	112.00	180.84	yes	Zn coating	5D
C.320.400.3600.A	32.0	4.00	360.0	0.3010	172.00	199.41	no	music wire	4R
C.320.400.3600.I	32.0	4.00	360.0	0.2619	170.00	197.07	no	stainless steel	4S
C.320.400.4000.A	32.0	4.00	400.0	0.3733	137.20	226.02	yes	music wire	5C
C.320.400.4000.I	32.0	4.00	400.0	0.3248	135.60	219.86	yes	stainless steel	5C
C.320.400.4000.N	32.0	4.00	400.0	0.3733	137.20	226.02	yes	Zn coating	5D
C.320.420.1700.A	32.0	4.20	170.0	0.8197	86.10	98.63	yes	music wire	4Q
C.320.420.1700.I	32.0	4.20	170.0	0.7040	86.10	98.63	yes	stainless steel	4Q
C.320.450.0250.A	32.0	4.50	25.0	10.3060	19.80	21.13	yes	music wire	4Q
C.320.450.0250.I	32.0	4.50	25.0	8.9662	19.80	21.13	yes	stainless steel	4R
C.320.450.0250.N	32.0	4.50	25.0	10.3060	19.80	21.13	yes	Zn coating	4S
C.320.450.0320.A	32.0	4.50	32.0	7.3610	23.40	25.30	yes	music wire	4Q
C.320.450.0320.AP	32.0	4.50	32.0	8.8943	21.60	23.21	yes	music wire	4S
C.320.450.0320.I	32.0	4.50	32.0	6.4041	23.40	25.30	yes	stainless steel	4R
C.320.450.0320.N	32.0	4.50	32.0	7.3610	23.40	25.30	yes	Zn coating	4S
C.320.450.0400.A	32.0	4.50	40.0	5.5210	27.45	29.98	yes	music wire	4R
C.320.450.0400.AP	32.0	4.50	40.0	6.8190	24.30	26.89	yes	music wire	4S
C.320.450.0400.I	32.0	4.50	40.0	4.8033	27.45	29.98	yes	stainless steel	4R
C.320.450.0400.N	32.0	4.50	40.0	5.5210	27.45	29.98	yes	Zn coating	4S
C.320.450.0417.A	32.0	4.50	41.7	5.7392	27.00	29.46	yes	music wire	4R
C.320.450.0417.I	32.0	4.50	41.7	4.9294	27.00	29.46	yes	stainless steel	4R
C.320.450.0417.N	32.0	4.50	41.7	5.7392	27.00	29.46	yes	Zn coating	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.450.0500.A	32.0	4.50	50.0	4.2940	32.40	35.70	yes	music wire	4R
C.320.450.0500.I	32.0	4.50	50.0	3.7358	31.95	35.18	yes	stainless steel	4R
C.320.450.0500.N	32.0	4.50	50.0	4.2940	32.40	35.70	yes	Zn coating	4S
C.320.450.0604.A	32.0	4.50	60.4	3.6056	36.45	40.38	yes	music wire	4R
C.320.450.0604.I	32.0	4.50	60.4	3.1369	36.00	39.86	yes	stainless steel	4R
C.320.450.0630.A	32.0	4.50	63.0	3.2210	39.15	43.50	yes	music wire	4R
C.320.450.0630.I	32.0	4.50	63.0	2.8023	39.15	43.50	yes	stainless steel	4R
C.320.450.0630.N	32.0	4.50	63.0	3.2210	39.15	43.50	yes	Zn coating	4S
C.320.450.0800.A	32.0	4.50	80.0	2.4540	48.15	53.91	yes	music wire	4R
C.320.450.0800.I	32.0	4.50	80.0	2.1350	47.70	53.39	yes	stainless steel	4R
C.320.450.0800.N	32.0	4.50	80.0	2.4540	48.15	53.91	yes	Zn coating	4S
C.320.450.0977.A	32.0	4.50	97.7	2.0874	54.45	61.19	yes	music wire	4T
C.320.450.0977.I	32.0	4.50	97.7	1.8160	54.00	60.67	yes	stainless steel	4R
C.320.450.1000.A	32.0	4.50	100.0	1.9320	58.05	65.35	yes	music wire	4R
C.320.450.1000.I	32.0	4.50	100.0	1.6808	57.60	64.83	yes	stainless steel	4R
C.320.450.1000.N	32.0	4.50	100.0	1.9320	58.05	65.35	yes	Zn coating	4S
C.320.450.1250.A	32.0	4.50	125.0	1.5160	71.10	80.44	yes	music wire	4R
C.320.450.1250.I	32.0	4.50	125.0	1.3189	70.20	79.40	yes	stainless steel	4R
C.320.450.1250.N	32.0	4.50	125.0	1.5160	71.10	80.44	yes	Zn coating	4S
C.320.450.1540.A	32.0	4.50	154.0	1.2793	81.90	92.92	yes	music wire	4T
C.320.450.1540.I	32.0	4.50	154.0	1.1130	81.00	91.88	yes	stainless steel	4T
C.320.450.1600.A	32.0	4.50	160.0	1.1620	89.10	101.25	yes	music wire	4R
C.320.450.1600.I	32.0	4.50	160.0	1.0109	88.20	100.21	yes	stainless steel	4R
C.320.450.1600.N	32.0	4.50	160.0	1.1620	89.10	101.25	yes	Zn coating	4T
C.320.450.1850.A	32.0	4.50	185.0	0.9944	102.15	116.33	yes	music wire	4R
C.320.450.1850.I	32.0	4.50	185.0	0.8541	102.15	116.33	yes	stainless steel	4R
C.320.450.3600.A	32.0	4.50	360.0	0.4950	198.45	226.95	no	music wire	4S
C.320.450.3600.I	32.0	4.50	360.0	0.4307	196.20	224.35	no	stainless steel	4S
C.320.470.0540.A	32.0	4.70	54.0	4.6099	36.66	40.41	yes	music wire	4R
C.320.470.0540.I	32.0	4.70	54.0	3.9595	36.66	40.41	yes	stainless steel	4R
C.320.470.0900.A	32.0	4.70	90.0	2.5992	55.93	62.58	yes	music wire	4R
C.320.470.0900.I	32.0	4.70	90.0	2.2325	55.93	62.58	yes	stainless steel	4R
C.320.470.1050.A	32.0	4.70	105.0	2.1815	64.39	72.32	yes	music wire	4R
C.320.470.1050.I	32.0	4.70	105.0	1.8737	64.39	72.32	yes	stainless steel	4R
C.320.470.1300.A	32.0	4.70	130.0	1.7452	77.55	87.46	yes	music wire	4R
C.320.470.1300.I	32.0	4.70	130.0	1.4989	77.55	87.46	yes	stainless steel	4R
C.320.470.1600.A	32.0	4.70	160.0	1.3962	94.00	106.39	yes	music wire	4R
C.320.470.1600.I	32.0	4.70	160.0	1.1991	94.00	106.39	yes	stainless steel	4R
C.320.470.1900.A	32.0	4.70	190.0	1.1635	110.45	125.32	yes	music wire	4R
C.320.470.1900.I	32.0	4.70	190.0	0.9993	110.45	125.32	yes	stainless steel	4R
C.320.480.0450.A	32.0	4.80	45.0	6.5950	31.68	34.60	yes	music wire	4R
C.320.480.0450.I	32.0	4.80	45.0	5.7377	31.20	34.04	yes	stainless steel	4R
C.320.480.0450.N	32.0	4.80	45.0	6.5950	31.68	34.60	yes	Zn coating	4S
C.320.500.0250.A	32.0	5.00	25.0	17.7820	21.50	22.79	yes	music wire	4R
C.320.500.0250.I	32.0	5.00	25.0	15.4703	21.50	22.79	yes	stainless steel	4R
C.320.500.0250.N	32.0	5.00	25.0	17.7820	21.50	22.79	yes	Zn coating	4T
C.320.500.0320.A	32.0	5.00	32.0	12.4470	25.50	27.37	yes	music wire	4R
C.320.500.0320.I	32.0	5.00	32.0	10.8289	25.50	27.37	yes	stainless steel	4S
C.320.500.0320.N	32.0	5.00	32.0	12.4470	25.50	27.37	yes	Zn coating	4T
C.320.500.0400.A	32.0	5.00	40.0	9.2200	30.00	32.52	yes	music wire	4R
C.320.500.0400.I	32.0	5.00	40.0	8.0214	30.00	32.52	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.500.0400.N	32.0	5.00	40.0	9.2200	30.00	32.52	yes	Zn coating	4T
C.320.500.0500.A	32.0	5.00	50.0	6.9150	36.00	39.38	yes	music wire	4S
C.320.500.0500.I	32.0	5.00	50.0	6.0161	35.50	38.81	yes	stainless steel	4S
C.320.500.0500.N	32.0	5.00	50.0	6.9150	36.00	39.38	yes	Zn coating	4T
C.320.500.0550.A	32.0	5.00	55.0	5.9905	39.50	43.38	yes	music wire	4S
C.320.500.0550.I	32.0	5.00	55.0	5.1452	39.50	43.38	yes	stainless steel	4S
C.320.500.0630.A	32.0	5.00	63.0	5.1860	43.50	47.96	yes	music wire	4S
C.320.500.0630.I	32.0	5.00	63.0	4.5118	43.50	47.96	yes	stainless steel	4S
C.320.500.0630.N	32.0	5.00	63.0	5.1860	43.50	47.96	yes	Zn coating	4T
C.320.500.0800.A	32.0	5.00	80.0	3.9520	53.50	59.39	yes	music wire	4S
C.320.500.0800.I	32.0	5.00	80.0	3.4382	53.00	58.82	yes	stainless steel	4S
C.320.500.0800.N	32.0	5.00	80.0	3.9520	53.50	59.39	yes	Zn coating	4T
C.320.500.1000.A	32.0	5.00	100.0	3.1120	64.50	71.97	yes	music wire	4S
C.320.500.1000.I	32.0	5.00	100.0	2.7074	64.00	71.40	yes	stainless steel	4S
C.320.500.1000.N	32.0	5.00	100.0	3.1120	64.50	71.97	yes	Zn coating	4T
C.320.500.1250.A	32.0	5.00	125.0	2.4170	79.50	89.13	yes	music wire	4S
C.320.500.1250.I	32.0	5.00	125.0	2.1000	78.50	87.99	yes	stainless steel	4S
C.320.500.1250.N	32.0	5.00	125.0	2.4170	79.50	89.13	yes	Zn coating	4T
C.320.500.1600.A	32.0	5.00	160.0	1.8580	99.50	112.01	yes	music wire	4S
C.320.500.1600.I	32.0	5.00	160.0	1.6165	98.50	110.86	yes	stainless steel	4S
C.320.500.1600.N	32.0	5.00	160.0	1.8580	99.50	112.01	yes	Zn coating	5A
C.320.500.3000.A	32.0	5.00	300.0	1.3479	132.50	211.92	yes	music wire	5D
C.320.500.3000.I	32.0	5.00	300.0	1.1577	132.50	206.73	yes	stainless steel	5E
C.320.500.3000.N	32.0	5.00	300.0	1.3479	132.50	211.92	yes	Zn coating	5F
C.320.500.3600.A	32.0	5.00	360.0	0.7880	223.00	252.54	no	music wire	4T
C.320.500.3600.I	32.0	5.00	360.0	0.6856	220.00	249.11	no	stainless steel	4T
C.320.530.0320.A	32.0	5.30	32.0	16.2429	27.03	28.93	yes	music wire	4R
C.320.530.0320.I	32.0	5.30	32.0	13.9510	27.03	28.93	yes	stainless steel	4S
C.320.530.0900.A	32.0	5.30	90.0	5.1820	56.18	63.23	yes	music wire	5A
C.320.530.0900.I	32.0	5.30	90.0	4.5083	55.65	61.94	yes	stainless steel	5A
C.320.530.0900.N	32.0	5.30	90.0	5.1820	56.18	63.23	yes	Zn coating	5C
C.320.530.1450.A	32.0	5.30	145.0	2.6395	98.05	109.76	yes	music wire	4S
C.320.530.1450.I	32.0	5.30	145.0	2.2670	98.05	109.76	yes	stainless steel	4S
C.320.550.0360.A	32.0	5.50	36.0	16.1592	30.80	33.10	yes	music wire	5A
C.320.550.0360.I	32.0	5.50	36.0	13.8790	30.80	33.10	yes	stainless steel	5A
C.320.550.0590.A	32.0	5.50	59.0	8.6368	45.65	49.95	yes	music wire	5A
C.320.550.0590.I	32.0	5.50	59.0	7.4181	45.65	49.95	yes	stainless steel	5A
C.320.550.0650.A	32.0	5.50	65.0	7.7067	49.50	54.32	yes	music wire	5A
C.320.550.0650.I	32.0	5.50	65.0	6.6192	49.50	54.32	yes	stainless steel	5A
C.320.550.0750.A	32.0	5.50	75.0	6.5056	56.10	61.81	yes	music wire	5A
C.320.550.0750.I	32.0	5.50	75.0	5.5877	56.10	61.81	yes	stainless steel	5A
C.320.550.1050.A	32.0	5.50	105.0	4.4330	75.90	84.28	yes	music wire	5A
C.320.550.1050.I	32.0	5.50	105.0	3.8075	75.90	84.28	yes	stainless steel	5B
C.320.550.1450.A	32.0	5.50	145.0	3.1308	101.75	113.61	yes	music wire	5B
C.320.550.1450.I	32.0	5.50	145.0	2.6891	101.75	113.61	yes	stainless steel	5B
C.320.560.0350.A	32.0	5.60	35.0	18.7763	30.24	32.41	yes	music wire	5A
C.320.560.0350.I	32.0	5.60	35.0	16.1269	30.24	32.41	yes	stainless steel	5A
C.320.560.0470.A	32.0	5.60	47.0	12.3753	38.64	41.93	yes	music wire	5A
C.320.560.0470.I	32.0	5.60	47.0	10.6291	38.64	41.93	yes	stainless steel	5A
C.320.560.0580.A	32.0	5.60	58.0	9.5529	45.92	50.18	yes	music wire	5A
C.320.560.0580.I	32.0	5.60	58.0	8.2049	45.92	50.18	yes	stainless steel	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.320.560.0960.A	32.0	5.60	96.0	5.3384	71.12	78.74	yes	music wire	5A
C.320.560.0960.I	32.0	5.60	96.0	4.5851	71.12	78.74	yes	stainless steel	5B
C.320.560.1350.A	32.0	5.60	135.0	3.6791	96.88	107.93	yes	music wire	5B
C.320.560.1350.I	32.0	5.60	135.0	3.1600	96.88	107.93	yes	stainless steel	5B
C.320.560.1700.A	32.0	5.60	170.0	2.8659	120.40	134.59	yes	music wire	5B
C.320.560.1700.I	32.0	5.60	170.0	2.4615	120.40	134.59	yes	stainless steel	5B
C.320.580.0330.A	32.0	5.80	33.0	23.7417	30.16	32.21	yes	music wire	5A
C.320.580.0330.I	32.0	5.80	33.0	20.3917	30.16	32.21	yes	stainless steel	5A
C.320.580.0590.A	32.0	5.80	59.0	11.2461	47.56	51.88	yes	music wire	5A
C.320.580.0590.I	32.0	5.80	59.0	9.6592	47.56	51.88	yes	stainless steel	5A
C.320.580.0680.A	32.0	5.80	68.0	9.4269	53.94	59.09	yes	music wire	5A
C.320.580.0680.I	32.0	5.80	68.0	8.0967	53.94	59.09	yes	stainless steel	5A
C.320.580.0830.A	32.0	5.80	83.0	7.4538	64.38	70.89	yes	music wire	5A
C.320.580.0830.I	32.0	5.80	83.0	6.4020	64.38	70.89	yes	stainless steel	5B
C.320.580.1200.A	32.0	5.80	120.0	4.9310	89.90	99.75	yes	music wire	5A
C.320.580.1200.I	32.0	5.80	120.0	4.2352	89.90	99.75	yes	stainless steel	5B
C.320.580.1650.A	32.0	5.80	165.0	3.5029	120.64	134.50	yes	music wire	5B
C.320.580.1650.I	32.0	5.80	165.0	3.0086	120.64	134.50	yes	stainless steel	5B
C.320.600.0370.A	32.0	6.00	37.0	24.2321	33.60	35.98	yes	music wire	5D
C.320.600.0370.I	32.0	6.00	37.0	20.8128	33.60	35.98	yes	stainless steel	5D
C.320.600.0940.A	32.0	6.00	94.0	7.6653	73.80	81.34	yes	music wire	5D
C.320.600.0940.I	32.0	6.00	94.0	6.5837	73.80	81.34	yes	stainless steel	5E
C.320.600.1250.A	32.0	6.00	125.0	6.5321	84.00	95.52	yes	music wire	5G
C.320.600.1250.I	32.0	6.00	125.0	5.6104	84.00	93.52	yes	stainless steel	5H
C.320.600.1250.N	32.0	6.00	125.0	6.5321	84.00	95.52	yes	Zn coating	5I
C.322.130.0200.A	32.2	1.30	20.0	0.0897	5.98	7.33	no	music wire	4D
C.322.130.0200.I	32.2	1.30	20.0	0.0770	5.98	7.33	no	stainless steel	4E
C.322.130.0500.A	32.2	1.30	50.0	0.0218	10.40	15.94	no	music wire	4E
C.322.130.0500.I	32.2	1.30	50.0	0.0190	10.40	15.94	no	stainless steel	4E
C.322.150.0200.A	32.2	1.50	20.0	0.1620	6.90	8.10	no	music wire	4F
C.322.150.0200.I	32.2	1.50	20.0	0.1392	6.90	8.10	no	stainless steel	4F
C.322.150.1300.A	32.2	1.50	130.0	0.0126	26.40	41.80	no	music wire	4I
C.322.150.1300.I	32.2	1.50	130.0	0.0110	26.10	41.29	no	stainless steel	4I
C.322.160.0200.A	32.2	1.60	20.0	0.2118	5.76	6.90	yes	music wire	4F
C.322.160.0200.I	32.2	1.60	20.0	0.1819	5.76	6.90	yes	stainless steel	4F
C.322.160.1080.A	32.2	1.60	108.0	0.0218	21.12	32.22	yes	music wire	4I
C.322.160.1080.I	32.2	1.60	108.0	0.0190	20.80	31.70	yes	stainless steel	4I
C.322.180.0191.A	32.2	1.80	19.1	0.3793	6.30	7.25	yes	music wire	4G
C.322.180.0191.I	32.2	1.80	19.1	0.3300	6.30	7.25	yes	stainless steel	4G
C.322.180.0630.A	32.2	1.80	63.0	0.1100	10.80	14.13	yes	music wire	4I
C.322.180.0630.I	32.2	1.80	63.0	0.0957	10.62	13.85	yes	stainless steel	4I
C.322.180.1200.A	32.2	1.80	120.0	0.0544	17.10	23.75	yes	music wire	4I
C.322.180.1200.I	32.2	1.80	120.0	0.0467	17.10	23.75	yes	stainless steel	4I
C.322.320.0700.A	32.2	3.20	70.0	0.7471	26.88	31.09	yes	music wire	4J
C.322.320.0700.I	32.2	3.20	70.0	0.6500	26.56	30.70	yes	stainless steel	4J
C.322.320.2000.A	32.2	3.20	200.0	0.2179	72.32	86.68	yes	music wire	4M
C.322.320.2000.I	32.2	3.20	200.0	0.1872	72.32	86.68	yes	stainless steel	4M
C.322.450.1060.A	32.2	4.50	106.0	2.1000	53.55	63.66	yes	music wire	4T
C.322.450.1060.I	32.2	4.50	106.0	1.8270	52.65	61.95	yes	stainless steel	4T
C.322.450.2000.A	32.2	4.50	200.0	0.8400	116.55	133.06	yes	music wire	4R
C.322.450.2000.I	32.2	4.50	200.0	0.7214	116.55	133.06	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.322.500.1020.A	32.2	5.00	102.0	4.4828	48.00	75.66	yes	music wire	5C
C.322.500.1020.I	32.2	5.00	102.0	3.9000	47.50	74.47	yes	stainless steel	5D
C.322.500.2000.A	32.2	5.00	200.0	1.3350	131.00	148.11	yes	music wire	4S
C.322.500.2000.I	32.2	5.00	200.0	1.1467	131.00	148.11	yes	stainless steel	4T
C.325.160.0290.A	32.5	1.60	29.0	0.1023	7.52	9.84	yes	music wire	4F
C.325.160.0290.I	32.5	1.60	29.0	0.0890	7.52	9.84	yes	stainless steel	4G
C.325.160.0600.A	32.5	1.60	60.0	0.0754	8.80	11.97	yes	music wire	4G
C.325.160.0600.I	32.5	1.60	60.0	0.0648	8.80	11.97	yes	stainless steel	4H
C.325.160.1050.A	32.5	1.60	105.0	0.0218	20.64	31.61	yes	music wire	4I
C.325.160.1050.I	32.5	1.60	105.0	0.0190	20.32	31.08	yes	stainless steel	4I
C.325.180.0200.A	32.5	1.80	20.0	0.3360	6.48	7.54	yes	music wire	4G
C.325.180.0200.I	32.5	1.80	20.0	0.2886	6.48	7.54	yes	stainless steel	4G
C.325.180.0890.A	32.5	1.80	89.0	0.0586	15.84	21.92	yes	music wire	4I
C.325.180.0890.I	32.5	1.80	89.0	0.0510	15.66	21.65	yes	stainless steel	4I
C.325.200.0151.A	32.5	2.00	15.1	0.2184	10.20	12.53	yes	music wire	4G
C.325.200.0151.AP	32.5	2.00	15.1	0.5798	7.00	7.90	yes	music wire	4G
C.325.200.0151.I	32.5	2.00	15.1	0.1900	10.20	12.53	yes	stainless steel	4G
C.325.200.0600.A	32.5	2.00	60.0	0.1553	12.40	15.72	yes	music wire	4I
C.325.200.0600.I	32.5	2.00	60.0	0.1334	12.40	15.72	yes	stainless steel	4I
C.325.200.1100.A	32.5	2.00	110.0	0.0598	24.20	32.82	yes	music wire	4I
C.325.200.1100.I	32.5	2.00	110.0	0.0520	24.00	32.53	yes	stainless steel	4I
C.325.210.0320.A	32.5	2.10	32.0	0.2874	10.50	12.68	yes	music wire	4G
C.325.210.0320.I	32.5	2.10	32.0	0.2500	10.29	12.38	yes	stainless steel	4H
C.325.210.1000.A	32.5	2.10	100.0	0.1053	19.32	25.15	yes	music wire	4I
C.325.210.1000.I	32.5	2.10	100.0	0.0904	19.32	25.15	yes	stainless steel	4I
C.325.230.0250.A	32.5	2.30	25.0	0.4138	11.50	13.56	yes	music wire	4G
C.325.230.0250.I	32.5	2.30	25.0	0.3600	11.50	13.56	yes	stainless steel	4H
C.325.230.0800.A	32.5	2.30	80.0	0.1785	19.09	23.87	yes	music wire	4I
C.325.230.0800.I	32.5	2.30	80.0	0.1533	19.09	23.87	yes	stainless steel	4I
C.325.230.1350.A	32.5	2.30	135.0	0.0828	34.50	44.81	yes	music wire	4I
C.325.230.1350.I	32.5	2.30	135.0	0.0720	34.04	44.19	yes	stainless steel	4J
C.325.350.0430.A	32.5	3.50	43.0	1.7580	21.35	23.91	yes	music wire	4J
C.325.350.0430.I	32.5	3.50	43.0	1.5295	21.00	23.49	yes	stainless steel	4J
C.325.350.0430.N	32.5	3.50	43.0	1.7580	21.35	23.91	yes	Zn coating	4L
C.325.350.2000.A	32.5	3.50	200.0	0.2999	81.90	96.75	yes	music wire	4M
C.325.350.2000.I	32.5	3.50	200.0	0.2576	81.90	96.75	yes	stainless steel	4M
C.325.360.0250.A	32.5	3.60	25.0	4.5977	14.40	15.46	yes	music wire	4O
C.325.360.0250.I	32.5	3.60	25.0	4.0000	14.40	15.46	yes	stainless steel	4M
C.325.360.2000.A	32.5	3.60	200.0	0.3328	85.68	100.76	yes	music wire	4O
C.325.360.2000.I	32.5	3.60	200.0	0.2859	85.68	100.76	yes	stainless steel	4O
C.325.400.0400.A	32.5	4.00	40.0	2.9648	25.20	27.88	yes	music wire	4P
C.325.400.0400.I	32.5	4.00	40.0	2.5464	25.20	27.88	yes	stainless steel	4P
C.325.400.2800.A	32.5	4.00	280.0	0.4943	101.20	150.48	yes	music wire	4T
C.325.400.2800.I	32.5	4.00	280.0	0.4300	100.00	145.89	yes	stainless steel	4T
C.325.420.0780.A	32.5	4.20	78.0	1.9000	41.58	46.80	yes	music wire	4P
C.325.420.0780.I	32.5	4.20	78.0	1.6530	41.16	46.31	yes	stainless steel	4P
C.325.420.2000.A	32.5	4.20	200.0	0.6161	105.84	121.87	yes	music wire	4R
C.325.420.2000.I	32.5	4.20	200.0	0.5292	105.84	121.87	yes	stainless steel	4R
C.325.450.0410.A	32.5	4.50	41.0	3.7360	34.20	37.83	yes	music wire	4R
C.325.450.0410.AP	32.5	4.50	41.0	6.4602	24.30	27.35	yes	music wire	4S
C.325.450.0410.I	32.5	4.50	41.0	3.2503	33.75	37.31	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.325.450.0410.N	32.5	4.50	41.0	3.7360	34.20	37.83	yes	Zn coating	4S
C.325.450.2000.A	32.5	4.50	200.0	0.8238	115.20	131.63	yes	music wire	4R
C.325.450.2000.I	32.5	4.50	200.0	0.7076	115.20	131.63	yes	stainless steel	4S
C.329.160.0200.A	32.9	1.60	20.0	0.1979	5.76	6.95	yes	music wire	4F
C.329.160.0200.I	32.9	1.60	20.0	0.1700	5.76	6.95	yes	stainless steel	4F
C.329.160.0760.A	32.9	1.60	76.0	0.0287	16.16	24.36	yes	music wire	4H
C.329.160.0760.I	32.9	1.60	76.0	0.0250	16.00	24.09	yes	stainless steel	4I
C.329.180.0200.A	32.9	1.80	20.0	0.3232	6.48	7.56	yes	music wire	4G
C.329.180.0200.I	32.9	1.80	20.0	0.2776	6.48	7.56	yes	stainless steel	4G
C.329.180.1520.A	32.9	1.80	152.0	0.0333	23.76	34.31	yes	music wire	4J
C.329.180.1520.I	32.9	1.80	152.0	0.0290	23.40	33.75	yes	stainless steel	4J
C.329.230.0200.A	32.9	2.30	20.0	0.8292	8.51	9.52	yes	music wire	4G
C.329.230.0200.I	32.9	2.30	20.0	0.7122	8.51	9.52	yes	stainless steel	4G
C.329.230.0600.A	32.9	2.30	60.0	0.1609	20.01	25.22	yes	music wire	4I
C.329.230.0600.I	32.9	2.30	60.0	0.1400	19.78	24.91	yes	stainless steel	4I
C.329.230.1150.A	32.9	2.30	115.0	0.1092	26.68	34.33	yes	music wire	4I
C.329.230.1150.I	32.9	2.30	115.0	0.0950	26.45	34.02	yes	stainless steel	4I
C.329.320.0800.A	32.9	3.20	80.0	0.5510	31.68	37.11	yes	music wire	4J
C.329.320.0800.I	32.9	3.20	80.0	0.4733	31.68	37.11	yes	stainless steel	4K
C.329.320.5590.A	32.9	3.20	559.0	0.0678	200.32	244.40	yes	music wire	4Q
C.329.320.5590.AP	32.9	3.20	559.0	0.1107	125.76	249.14	yes	music wire	4S
C.329.320.5590.I	32.9	3.20	559.0	0.0590	198.08	241.65	yes	stainless steel	4Q
C.329.340.0680.A	32.9	3.40	68.0	0.8851	28.90	33.24	yes	music wire	4J
C.329.340.0680.AP	32.9	3.40	68.0	1.2001	23.46	34.21	yes	music wire	4M
C.329.340.0680.I	32.9	3.40	68.0	0.7700	28.56	32.83	yes	stainless steel	4J
C.329.340.2400.A	32.9	3.40	240.0	0.2182	91.12	108.71	yes	music wire	4M
C.329.340.2400.I	32.9	3.40	240.0	0.1874	91.12	108.71	yes	stainless steel	4M
C.329.400.0760.A	32.9	4.00	76.0	1.7000	35.60	40.16	yes	music wire	4R
C.329.400.0760.I	32.9	4.00	76.0	1.4790	35.20	39.69	yes	stainless steel	4S
C.329.400.2000.A	32.9	4.00	200.0	0.4911	98.00	113.69	yes	music wire	4R
C.329.400.2000.I	32.9	4.00	200.0	0.4218	98.00	113.69	yes	stainless steel	4R
C.330.140.0224.A	33.0	1.40	22.4	0.1128	6.44	7.77	no	music wire	4F
C.330.140.0224.I	33.0	1.40	22.4	0.0968	6.44	7.77	no	stainless steel	4F
C.330.140.0305.A	33.0	1.40	30.5	0.1034	6.58	8.03	no	music wire	4F
C.330.140.0305.I	33.0	1.40	30.5	0.0888	6.58	8.03	no	stainless steel	4G
C.330.140.0381.A	33.0	1.40	38.1	0.0775	7.14	9.08	no	music wire	4G
C.330.140.0381.I	33.0	1.40	38.1	0.0666	7.14	9.08	no	stainless steel	4G
C.330.140.0444.A	33.0	1.40	44.4	0.0689	7.42	9.60	no	music wire	4G
C.330.140.0444.I	33.0	1.40	44.4	0.0592	7.42	9.60	no	stainless steel	4G
C.330.140.0457.A	33.0	1.40	45.7	0.0653	7.56	9.86	no	music wire	4G
C.330.140.0457.I	33.0	1.40	45.7	0.0561	7.56	9.86	no	stainless steel	4G
C.330.140.0559.A	33.0	1.40	55.9	0.0539	8.12	10.90	no	music wire	4G
C.330.140.0559.I	33.0	1.40	55.9	0.0463	8.12	10.90	no	stainless steel	4G
C.330.140.0572.A	33.0	1.40	57.2	0.0517	8.26	11.16	no	music wire	4G
C.330.140.0572.I	33.0	1.40	57.2	0.0444	8.26	11.16	no	stainless steel	4G
C.330.140.0698.A	33.0	1.40	69.8	0.0428	8.96	12.47	no	music wire	4G
C.330.140.0698.I	33.0	1.40	69.8	0.0367	8.96	12.47	no	stainless steel	4H
C.330.140.0762.A	33.0	1.40	76.2	0.0388	9.38	13.25	no	music wire	4H
C.330.140.0762.I	33.0	1.40	76.2	0.0333	9.38	13.25	no	stainless steel	4H
C.330.180.0510.A	33.0	1.80	51.0	0.1467	8.82	11.20	yes	music wire	4H
C.330.180.0510.I	33.0	1.80	51.0	0.1260	8.82	11.20	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.330.190.0340.A	33.0	1.90	34.0	0.2759	7.79	9.32	yes	music wire	4G
C.330.190.0340.I	33.0	1.90	34.0	0.2369	7.79	9.32	yes	stainless steel	4H
C.330.200.0650.A	33.0	2.00	65.0	0.0670	21.40	28.95	yes	music wire	4I
C.330.200.0650.I	33.0	2.00	65.0	0.0583	21.20	28.66	yes	stainless steel	4I
C.330.200.0650.N	33.0	2.00	65.0	0.0670	21.40	28.95	yes	Zn coating	4I
C.330.200.0890.A	33.0	2.00	89.0	0.1164	14.40	18.73	yes	music wire	4I
C.330.200.0890.I	33.0	2.00	89.0	0.1000	14.40	18.73	yes	stainless steel	4I
C.330.200.1900.A	33.0	2.00	190.0	0.0531	25.60	35.08	yes	music wire	4J
C.330.200.1900.I	33.0	2.00	190.0	0.0456	25.60	35.08	yes	stainless steel	4J
C.330.210.1300.A	33.0	2.10	130.0	0.0920	20.58	27.09	yes	music wire	4I
C.330.210.1300.I	33.0	2.10	130.0	0.0790	20.58	27.09	yes	stainless steel	4J
C.330.230.0510.A	33.0	2.30	51.0	0.3284	12.65	15.18	yes	music wire	4I
C.330.230.0510.I	33.0	2.30	51.0	0.2821	12.65	15.18	yes	stainless steel	4I
C.330.235.1100.A	33.0	2.35	110.0	0.1542	22.33	28.17	yes	music wire	4I
C.330.235.1100.I	33.0	2.35	110.0	0.1324	22.33	28.17	yes	stainless steel	4I
C.330.235.1400.A	33.0	2.35	140.0	0.1212	26.79	34.22	yes	music wire	4J
C.330.235.1400.I	33.0	2.35	140.0	0.1041	26.79	34.22	yes	stainless steel	4J
C.330.235.1700.A	33.0	2.35	170.0	0.0990	31.49	40.59	yes	music wire	4J
C.330.235.1700.I	33.0	2.35	170.0	0.0850	31.49	40.59	yes	stainless steel	4J
C.330.240.2000.A	33.0	2.40	200.0	0.0900	37.44	48.25	yes	music wire	4J
C.330.240.2000.I	33.0	2.40	200.0	0.0773	37.44	48.25	yes	stainless steel	4J
C.330.250.1850.A	33.0	2.50	185.0	0.1113	37.75	47.93	yes	music wire	4J
C.330.250.1850.I	33.0	2.50	185.0	0.0956	37.75	47.93	yes	stainless steel	4J
C.330.270.0740.A	33.0	2.70	74.0	0.3743	20.79	24.85	yes	music wire	4I
C.330.270.0740.I	33.0	2.70	74.0	0.3215	20.79	24.85	yes	stainless steel	4I
C.330.280.0250.A	33.0	2.80	25.0	1.1367	12.60	14.14	yes	music wire	4I
C.330.280.0250.I	33.0	2.80	25.0	0.9763	12.60	14.14	yes	stainless steel	4I
C.330.280.0250.N	33.0	2.80	25.0	1.1367	12.60	14.14	yes	Zn coating	4J
C.330.280.0500.A	33.0	2.80	50.0	0.5684	18.20	21.27	yes	music wire	4I
C.330.280.0500.AP	33.0	2.80	50.0	0.8560	14.56	22.37	yes	music wire	4K
C.330.280.0500.I	33.0	2.80	50.0	0.4882	18.20	21.27	yes	stainless steel	4I
C.330.280.0500.N	33.0	2.80	50.0	0.5684	18.20	21.27	yes	Zn coating	4J
C.330.280.0680.A	33.0	2.80	68.0	0.4547	21.00	24.84	yes	music wire	4I
C.330.280.0680.I	33.0	2.80	68.0	0.3905	21.00	24.84	yes	stainless steel	4J
C.330.280.1000.A	33.0	2.80	100.0	0.2842	29.40	35.55	yes	music wire	4J
C.330.280.1000.AP	33.0	2.80	100.0	0.4127	22.40	42.69	yes	music wire	4L
C.330.280.1000.I	33.0	2.80	100.0	0.2441	29.40	35.55	yes	stainless steel	4J
C.330.280.1000.N	33.0	2.80	100.0	0.2842	29.40	35.55	yes	Zn coating	4L
C.330.280.1500.A	33.0	2.80	150.0	0.1895	40.60	49.82	yes	music wire	4J
C.330.280.1500.AP	33.0	2.80	150.0	0.2719	30.52	63.01	yes	music wire	4M
C.330.280.1500.I	33.0	2.80	150.0	0.1628	40.60	49.82	yes	stainless steel	4J
C.330.280.1500.N	33.0	2.80	150.0	0.1895	40.60	49.82	yes	Zn coating	4M
C.330.280.1800.A	33.0	2.80	180.0	0.1659	45.36	55.89	yes	music wire	4L
C.330.280.1800.I	33.0	2.80	180.0	0.1425	45.36	55.89	yes	stainless steel	4L
C.330.290.0610.A	33.0	2.90	61.0	0.5871	20.30	23.71	yes	music wire	4I
C.330.290.0610.I	33.0	2.90	61.0	0.5043	20.30	23.71	yes	stainless steel	4I
C.330.290.1450.A	33.0	2.90	145.0	0.2338	40.02	48.59	yes	music wire	4J
C.330.290.1450.I	33.0	2.90	145.0	0.2008	40.02	48.59	yes	stainless steel	4J
C.330.300.0350.A	33.0	3.00	35.0	1.2225	15.00	16.88	yes	music wire	4I
C.330.300.0350.I	33.0	3.00	35.0	1.0500	15.00	16.88	yes	stainless steel	4I
C.330.300.0395.A	33.0	3.00	39.5	0.6670	21.30	24.75	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.330.300.0395.AP	33.0	3.00	39.5	1.4148	14.10	19.26	yes	music wire	4J
C.330.300.0395.I	33.0	3.00	39.5	0.5803	21.00	24.38	yes	stainless steel	4I
C.330.300.0395.N	33.0	3.00	39.5	0.6670	21.30	24.75	yes	Zn coating	4J
C.330.300.0483.A	33.0	3.00	48.3	0.8732	18.00	20.63	yes	music wire	4I
C.330.300.0483.I	33.0	3.00	48.3	0.7500	18.00	20.63	yes	stainless steel	4I
C.330.300.0483.N	33.0	3.00	48.3	0.8732	18.00	20.63	yes	Zn coating	4J
C.330.300.0503.A	33.0	3.00	50.3	0.6670	21.30	24.75	yes	music wire	4I
C.330.300.0503.AP	33.0	3.00	50.3	1.0733	15.90	23.63	yes	music wire	4K
C.330.300.0503.I	33.0	3.00	50.3	0.5803	21.00	24.38	yes	stainless steel	4I
C.330.300.0503.N	33.0	3.00	50.3	0.6670	21.30	24.75	yes	Zn coating	4J
C.330.300.0725.A	33.0	3.00	72.5	0.5557	24.00	28.13	yes	music wire	4I
C.330.300.0725.I	33.0	3.00	72.5	0.4773	24.00	28.13	yes	stainless steel	4J
C.330.300.0725.N	33.0	3.00	72.5	0.5557	24.00	28.13	yes	Zn coating	4J
C.330.300.1080.A	33.0	3.00	108.0	0.3596	33.00	39.38	yes	music wire	4J
C.330.300.1080.I	33.0	3.00	108.0	0.3089	33.00	39.38	yes	stainless steel	4J
C.330.300.1080.N	33.0	3.00	108.0	0.3596	33.00	39.38	yes	Zn coating	4L
C.330.300.1400.A	33.0	3.00	140.0	0.2729	41.10	49.50	yes	music wire	4J
C.330.300.1400.I	33.0	3.00	140.0	0.2344	41.10	49.50	yes	stainless steel	4J
C.330.300.1570.A	33.0	3.00	157.0	0.2445	45.00	54.38	yes	music wire	4J
C.330.300.1570.I	33.0	3.00	157.0	0.2100	45.00	54.38	yes	stainless steel	4K
C.330.300.1570.N	33.0	3.00	157.0	0.2445	45.00	54.38	yes	Zn coating	4M
C.330.300.2000.A	33.0	3.00	200.0	0.1540	66.90	81.75	yes	music wire	4L
C.330.300.2000.AP	33.0	3.00	200.0	0.2530	43.80	86.87	yes	music wire	4N
C.330.300.2000.I	33.0	3.00	200.0	0.1340	66.30	81.00	yes	stainless steel	4L
C.330.300.2000.N	33.0	3.00	200.0	0.1540	66.90	81.75	yes	Zn coating	4M
C.330.300.2290.A	33.0	3.00	229.0	0.1652	63.00	76.88	yes	music wire	4L
C.330.300.2290.I	33.0	3.00	229.0	0.1419	63.00	76.88	yes	stainless steel	4L
C.330.300.2290.N	33.0	3.00	229.0	0.1652	63.00	76.88	yes	Zn coating	4N
C.330.310.0660.A	33.0	3.10	66.0	0.6769	23.87	27.73	yes	music wire	4I
C.330.310.0660.I	33.0	3.10	66.0	0.5814	23.87	27.73	yes	stainless steel	4I
C.330.310.1200.A	33.0	3.10	120.0	0.3591	38.13	45.41	yes	music wire	4J
C.330.310.1200.I	33.0	3.10	120.0	0.3085	38.13	45.41	yes	stainless steel	4J
C.330.320.0430.A	33.0	3.20	43.0	1.1533	19.20	21.78	yes	music wire	4J
C.330.320.0430.AP	33.0	3.20	43.0	1.6444	16.00	22.19	yes	music wire	4M
C.330.320.0430.I	33.0	3.20	43.0	0.9906	19.20	21.78	yes	stainless steel	4J
C.330.320.0430.N	33.0	3.20	43.0	1.1533	19.20	21.78	yes	Zn coating	4L
C.330.320.0640.A	33.0	3.20	64.0	0.7339	25.60	29.65	yes	music wire	4J
C.330.320.0640.AP	33.0	3.20	64.0	1.0541	20.16	31.54	yes	music wire	4M
C.330.320.0640.I	33.0	3.20	64.0	0.6303	25.60	29.65	yes	stainless steel	4J
C.330.320.0640.N	33.0	3.20	64.0	0.7339	25.60	29.65	yes	Zn coating	4L
C.330.320.0960.A	33.0	3.20	96.0	0.4749	35.20	41.46	yes	music wire	4K
C.330.320.0960.AP	33.0	3.20	96.0	0.6739	27.20	45.23	yes	music wire	4M
C.330.320.0960.I	33.0	3.20	96.0	0.4079	35.20	41.46	yes	stainless steel	4L
C.330.320.0960.N	33.0	3.20	96.0	0.4749	35.20	41.46	yes	Zn coating	4M
C.330.320.1480.A	33.0	3.20	148.0	0.2990	51.20	61.14	yes	music wire	4L
C.330.320.1480.AP	33.0	3.20	148.0	0.4282	38.08	68.10	yes	music wire	4N
C.330.320.1480.I	33.0	3.20	148.0	0.2568	51.20	61.14	yes	stainless steel	4L
C.330.320.1480.N	33.0	3.20	148.0	0.2990	51.20	61.14	yes	Zn coating	4N
C.330.330.0460.A	33.0	3.30	46.0	1.2810	20.13	22.76	yes	music wire	4J
C.330.330.0460.I	33.0	3.30	46.0	1.1003	20.13	22.76	yes	stainless steel	4J
C.330.330.0640.A	33.0	3.30	64.0	0.8701	25.74	29.61	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.330.330.0640.I	33.0	3.30	64.0	0.7473	25.74	29.61	yes	stainless steel	4J
C.330.330.1300.A	33.0	3.30	130.0	0.4118	45.21	53.40	yes	music wire	4L
C.330.330.1300.I	33.0	3.30	130.0	0.3537	45.21	53.40	yes	stainless steel	4L
C.330.340.1600.A	33.0	3.40	160.0	0.3671	57.12	67.51	yes	music wire	4L
C.330.340.1600.I	33.0	3.40	160.0	0.3153	57.12	67.51	yes	stainless steel	4M
C.330.350.0330.A	33.0	3.50	33.0	2.3820	17.50	19.31	yes	music wire	4J
C.330.350.0330.I	33.0	3.50	33.0	2.0459	17.50	19.31	yes	stainless steel	4J
C.330.360.1100.A	33.0	3.60	110.0	0.6733	45.00	52.20	yes	music wire	4N
C.330.360.1100.I	33.0	3.60	110.0	0.5783	45.00	52.20	yes	stainless steel	4N
C.330.400.0320.A	33.0	4.00	32.0	3.4990	22.40	24.62	yes	music wire	4P
C.330.400.0320.AP	33.0	4.00	32.0	5.1858	18.40	19.90	yes	music wire	4R
C.330.400.0320.I	33.0	4.00	32.0	3.0441	22.00	24.15	yes	stainless steel	4P
C.330.400.0320.N	33.0	4.00	32.0	3.4990	22.40	24.62	yes	Zn coating	4R
C.330.400.0470.A	33.0	4.00	47.0	2.6081	26.40	29.33	yes	music wire	4P
C.330.400.0470.I	33.0	4.00	47.0	2.2401	26.40	29.33	yes	stainless steel	4P
C.330.420.0430.A	33.0	4.20	43.0	3.4922	26.46	29.18	yes	music wire	4P
C.330.420.0430.I	33.0	4.20	43.0	2.9995	26.46	29.18	yes	stainless steel	4P
C.330.450.0700.A	33.0	4.50	70.0	2.6538	41.85	46.75	yes	music wire	4R
C.330.450.0700.I	33.0	4.50	70.0	2.2794	41.85	46.75	yes	stainless steel	4R
C.330.450.1080.A	33.0	4.50	108.0	1.6870	59.40	67.11	yes	music wire	4R
C.330.450.1080.I	33.0	4.50	108.0	1.4677	58.95	66.59	yes	stainless steel	4R
C.330.450.1080.N	33.0	4.50	108.0	1.6870	59.40	67.11	yes	Zn coating	4S
C.330.450.1140.A	33.0	4.50	114.0	1.6100	61.65	69.72	yes	music wire	4R
C.330.450.1140.I	33.0	4.50	114.0	1.4000	61.20	69.20	yes	stainless steel	4R
C.330.450.1140.N	33.0	4.50	114.0	1.6100	61.65	69.72	yes	Zn coating	4S
C.330.450.1350.A	33.0	4.50	135.0	1.2983	73.80	83.82	yes	music wire	4R
C.330.450.1350.I	33.0	4.50	135.0	1.1151	73.80	83.82	yes	stainless steel	4R
C.330.470.0420.A	33.0	4.70	42.0	5.9279	29.14	31.82	yes	music wire	4R
C.330.470.0420.I	33.0	4.70	42.0	5.0914	29.14	31.82	yes	stainless steel	4R
C.330.470.0730.A	33.0	4.70	73.0	3.0463	45.59	50.81	yes	music wire	4R
C.330.470.0730.I	33.0	4.70	73.0	2.6164	45.59	50.81	yes	stainless steel	4R
C.330.470.1450.A	33.0	4.70	145.0	1.4430	83.19	94.22	yes	music wire	4R
C.330.470.1450.I	33.0	4.70	145.0	1.2394	83.19	94.22	yes	stainless steel	4R
C.330.480.0570.A	33.0	4.80	57.0	4.4657	37.92	41.85	yes	music wire	4R
C.330.480.0570.I	33.0	4.80	57.0	3.8356	37.92	41.85	yes	stainless steel	4R
C.330.480.0690.A	33.0	4.80	69.0	3.5463	44.64	49.59	yes	music wire	4R
C.330.480.0690.I	33.0	4.80	69.0	3.0459	44.64	49.59	yes	stainless steel	4R
C.330.480.0950.A	33.0	4.80	95.0	2.4861	58.56	65.63	yes	music wire	4R
C.330.480.0950.I	33.0	4.80	95.0	2.1353	58.56	65.63	yes	stainless steel	4R
C.330.480.1800.A	33.0	4.80	180.0	1.2560	104.16	118.15	yes	music wire	4R
C.330.480.1800.I	33.0	4.80	180.0	1.0788	104.16	118.15	yes	stainless steel	4R
C.330.500.0350.A	33.0	5.00	35.0	10.0017	27.00	29.13	yes	music wire	4R
C.330.500.0350.I	33.0	5.00	35.0	8.5905	27.00	29.13	yes	stainless steel	4S
C.330.500.0730.A	33.0	5.00	73.0	4.0285	48.50	53.79	yes	music wire	4S
C.330.500.0730.I	33.0	5.00	73.0	3.4600	48.50	53.79	yes	stainless steel	4S
C.330.500.0920.A	33.0	5.00	92.0	3.0856	59.50	66.41	yes	music wire	4S
C.330.500.0920.I	33.0	5.00	92.0	2.6502	59.50	66.41	yes	stainless steel	4S
C.330.500.1350.A	33.0	5.00	135.0	2.0283	84.00	94.51	yes	music wire	4S
C.330.500.1350.I	33.0	5.00	135.0	1.7421	84.00	94.51	yes	stainless steel	4S
C.330.500.1750.A	33.0	5.00	175.0	1.5428	106.50	120.32	yes	music wire	4S
C.330.500.1750.I	33.0	5.00	175.0	1.3251	106.50	120.32	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.330.530.0380.A	33.0	5.30	38.0	11.4609	30.74	33.21	yes	music wire	4R
C.330.530.0380.I	33.0	5.30	38.0	9.8437	30.74	33.21	yes	stainless steel	4S
C.330.530.0440.A	33.0	5.30	44.0	9.6977	33.92	36.83	yes	music wire	4S
C.330.530.0440.I	33.0	5.30	44.0	8.3293	33.92	36.83	yes	stainless steel	4S
C.330.530.0550.A	33.0	5.30	55.0	7.2732	40.81	44.70	yes	music wire	4S
C.330.530.0550.I	33.0	5.30	55.0	6.2470	40.81	44.70	yes	stainless steel	4S
C.330.530.1950.A	33.0	5.30	195.0	1.7840	125.61	141.45	yes	music wire	4S
C.330.530.1950.I	33.0	5.30	195.0	1.5323	125.61	141.45	yes	stainless steel	4T
C.330.550.0390.A	33.0	5.50	39.0	13.5833	31.90	34.40	yes	music wire	5A
C.330.550.0390.I	33.0	5.50	39.0	11.6667	31.90	34.40	yes	stainless steel	5A
C.330.550.0440.A	33.0	5.50	44.0	11.4936	35.20	38.15	yes	music wire	5A
C.330.550.0440.I	33.0	5.50	44.0	9.8718	35.20	38.15	yes	stainless steel	5A
C.330.550.0490.A	33.0	5.50	49.0	9.9611	38.50	41.90	yes	music wire	5A
C.330.550.0490.I	33.0	5.50	49.0	8.5556	38.50	41.90	yes	stainless steel	5A
C.330.550.0890.A	33.0	5.50	89.0	4.9258	63.80	70.68	yes	music wire	5A
C.330.550.0890.I	33.0	5.50	89.0	4.2308	63.80	70.68	yes	stainless steel	5B
C.330.550.1150.A	33.0	5.50	115.0	3.7045	80.30	89.45	yes	music wire	5A
C.330.550.1150.I	33.0	5.50	115.0	3.1818	80.30	89.45	yes	stainless steel	5B
C.330.550.1300.A	33.0	5.50	130.0	3.2482	89.65	100.09	yes	music wire	5B
C.330.550.1300.I	33.0	5.50	130.0	2.7899	89.65	100.09	yes	stainless steel	5B
C.330.550.1700.A	33.0	5.50	170.0	2.4361	114.95	128.87	yes	music wire	5B
C.330.550.1700.I	33.0	5.50	170.0	2.0924	114.95	128.87	yes	stainless steel	5B
C.330.550.2000.A	33.0	5.50	200.0	2.0468	134.20	150.76	yes	music wire	5B
C.330.550.2000.I	33.0	5.50	200.0	1.7580	134.20	150.76	yes	stainless steel	5B
C.330.560.0390.A	33.0	5.60	39.0	14.7589	32.48	34.99	yes	music wire	5A
C.330.560.0390.I	33.0	5.60	39.0	12.6764	32.48	34.99	yes	stainless steel	5A
C.330.560.0520.A	33.0	5.60	52.0	10.1467	40.88	44.53	yes	music wire	5A
C.330.560.0520.I	33.0	5.60	52.0	8.7150	40.88	44.53	yes	stainless steel	5A
C.330.560.0840.A	33.0	5.60	84.0	5.7299	61.60	68.07	yes	music wire	5A
C.330.560.0840.I	33.0	5.60	84.0	4.9214	61.60	68.07	yes	stainless steel	5B
C.330.560.1150.A	33.0	5.60	115.0	4.0252	81.76	90.97	yes	music wire	5A
C.330.560.1150.I	33.0	5.60	115.0	3.4572	81.76	90.97	yes	stainless steel	5B
C.330.560.1550.A	33.0	5.60	155.0	2.9164	107.52	120.23	yes	music wire	5B
C.330.560.1550.I	33.0	5.60	155.0	2.5049	107.52	120.23	yes	stainless steel	5B
C.330.560.1850.A	33.0	5.60	185.0	2.4231	126.56	141.86	yes	music wire	5B
C.330.560.1850.I	33.0	5.60	185.0	2.0812	126.56	141.86	yes	stainless steel	5B
C.330.580.0430.A	33.0	5.80	43.0	15.4836	35.96	38.81	yes	music wire	5A
C.330.580.0430.I	33.0	5.80	43.0	13.2988	35.96	38.81	yes	stainless steel	5A
C.330.580.0520.A	33.0	5.80	52.0	11.9353	42.34	46.04	yes	music wire	5A
C.330.580.0520.I	33.0	5.80	52.0	10.2511	42.34	46.04	yes	stainless steel	5A
C.330.580.0750.A	33.0	5.80	75.0	7.7418	57.42	63.13	yes	music wire	5A
C.330.580.0750.I	33.0	5.80	75.0	6.6494	57.42	63.13	yes	stainless steel	5A
C.330.580.0890.A	33.0	5.80	89.0	6.3655	66.70	73.64	yes	music wire	5A
C.330.580.0890.I	33.0	5.80	89.0	5.4673	66.70	73.64	yes	stainless steel	5B
C.330.580.1000.A	33.0	5.80	100.0	5.5621	74.24	82.18	yes	music wire	5A
C.330.580.1000.I	33.0	5.80	100.0	4.7772	74.24	82.18	yes	stainless steel	5B
C.330.600.0340.A	33.0	6.00	34.0	24.8438	31.20	33.31	yes	music wire	5D
C.330.600.0340.I	33.0	6.00	34.0	21.3382	31.20	33.31	yes	stainless steel	5D
C.330.600.0430.A	33.0	6.00	43.0	18.1292	37.20	40.09	yes	music wire	5D
C.330.600.0430.I	33.0	6.00	43.0	15.5711	37.20	40.09	yes	stainless steel	5D
C.330.600.0480.A	33.0	6.00	48.0	15.5996	40.80	44.16	yes	music wire	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.330.600.0480.I	33.0	6.00	48.0	13.3984	40.80	44.16	yes	stainless steel	5D
C.330.600.0550.A	33.0	6.00	55.0	13.1526	45.60	49.59	yes	music wire	5D
C.330.600.0550.I	33.0	6.00	55.0	11.2967	45.60	49.59	yes	stainless steel	5D
C.330.600.0630.A	33.0	6.00	63.0	11.1797	51.00	55.69	yes	music wire	5D
C.330.600.0630.I	33.0	6.00	63.0	9.6022	51.00	55.69	yes	stainless steel	5E
C.330.600.0780.A	33.0	6.00	78.0	8.7115	61.20	67.22	yes	music wire	5D
C.330.600.0780.I	33.0	6.00	78.0	7.4822	61.20	67.22	yes	stainless steel	5E
C.330.600.1150.A	33.0	6.00	115.0	5.5898	87.00	96.39	yes	music wire	5D
C.330.600.1150.I	33.0	6.00	115.0	4.8011	87.00	96.39	yes	stainless steel	5E
C.330.600.1550.A	33.0	6.00	155.0	4.0409	114.60	127.59	yes	music wire	5D
C.330.600.1550.I	33.0	6.00	155.0	3.4707	114.60	127.59	yes	stainless steel	5E
C.330.600.1750.A	33.0	6.00	175.0	3.5491	128.40	143.18	yes	music wire	5D
C.330.600.1750.I	33.0	6.00	175.0	3.0483	128.40	143.18	yes	stainless steel	5E
C.333.160.0240.A	33.3	1.60	24.0	0.0540	10.24	14.54	yes	music wire	4F
C.333.160.0240.AP	33.3	1.60	24.0	0.1916	5.76	6.97	yes	music wire	4F
C.333.160.0240.I	33.3	1.60	24.0	0.0470	10.08	14.27	yes	stainless steel	4G
C.333.160.0800.A	33.3	1.60	80.0	0.0552	10.08	14.27	yes	music wire	4H
C.333.160.0800.I	33.3	1.60	80.0	0.0474	10.08	14.27	yes	stainless steel	4I
C.333.180.0200.A	33.3	1.80	20.0	0.3111	6.48	7.59	yes	music wire	4G
C.333.180.0200.I	33.3	1.80	20.0	0.2672	6.48	7.59	yes	stainless steel	4G
C.333.180.0900.A	33.3	1.80	90.0	0.0356	21.78	31.45	yes	music wire	4I
C.333.180.0900.I	33.3	1.80	90.0	0.0310	21.60	31.17	yes	stainless steel	4I
C.333.200.0360.A	33.3	2.00	36.0	0.2759	8.80	10.58	yes	music wire	4G
C.333.200.0360.I	33.3	2.00	36.0	0.2400	8.80	10.58	yes	stainless steel	4H
C.333.200.1000.A	33.3	2.00	100.0	0.0871	17.20	22.90	yes	music wire	4I
C.333.200.1000.I	33.3	2.00	100.0	0.0748	17.20	22.90	yes	stainless steel	4I
C.333.220.0200.A	33.3	2.20	20.0	0.7212	7.92	8.89	yes	music wire	4G
C.333.220.0200.I	33.3	2.20	20.0	0.6195	7.92	8.89	yes	stainless steel	4G
C.333.220.0640.A	33.3	2.20	64.0	0.1149	20.68	26.75	yes	music wire	4I
C.333.220.0640.I	33.3	2.20	64.0	0.1000	20.46	26.44	yes	stainless steel	4I
C.333.250.0350.A	33.3	2.50	35.0	0.4023	14.75	17.54	yes	music wire	4H
C.333.250.0350.I	33.3	2.50	35.0	0.3500	14.50	17.20	yes	stainless steel	4I
C.333.250.1000.A	33.3	2.50	100.0	0.1792	25.25	31.48	yes	music wire	4I
C.333.250.1000.I	33.3	2.50	100.0	0.1539	25.25	31.48	yes	stainless steel	4I
C.333.270.0310.A	33.3	2.70	31.0	0.8851	12.42	14.08	yes	music wire	4H
C.333.270.0310.AP	33.3	2.70	31.0	1.2794	10.80	14.43	yes	music wire	4J
C.333.270.0310.I	33.3	2.70	31.0	0.7700	12.42	14.08	yes	stainless steel	4H
C.333.270.0460.A	33.3	2.70	46.0	0.5862	15.39	17.92	yes	music wire	4I
C.333.270.0460.AP	33.3	2.70	46.0	0.8344	12.96	20.60	yes	music wire	4J
C.333.270.0460.I	33.3	2.70	46.0	0.5100	15.39	17.92	yes	stainless steel	4I
C.333.270.3200.A	33.3	2.70	320.0	0.0705	79.11	100.29	yes	music wire	4M
C.333.270.3200.I	33.3	2.70	320.0	0.0606	79.11	100.29	yes	stainless steel	4M
C.333.280.0200.A	33.3	2.80	20.0	1.6977	10.64	11.65	yes	music wire	4I
C.333.280.0200.I	33.3	2.80	20.0	1.4581	10.64	11.65	yes	stainless steel	4I
C.333.280.1430.A	33.3	2.80	143.0	0.1609	45.36	56.02	yes	music wire	4J
C.333.280.1430.AP	33.3	2.80	143.0	0.2840	28.84	60.44	yes	music wire	4M
C.333.280.1430.I	33.3	2.80	143.0	0.1400	44.80	55.31	yes	stainless steel	4J
C.333.450.0900.A	33.3	4.50	90.0	2.0000	50.40	56.72	yes	music wire	4R
C.333.450.0900.I	33.3	4.50	90.0	1.7400	49.95	56.20	yes	stainless steel	4R
C.333.450.2000.A	33.3	4.50	200.0	0.7772	112.50	128.85	yes	music wire	4R
C.333.450.2000.I	33.3	4.50	200.0	0.6676	112.50	128.85	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.333.480.0800.A	33.3	4.80	80.0	2.7484	52.80	59.04	yes	music wire	4R
C.333.480.0800.I	33.3	4.80	80.0	2.3606	52.80	59.04	yes	stainless steel	4R
C.333.480.2220.A	33.3	4.80	222.0	1.0690	117.12	133.19	yes	music wire	5A
C.333.480.2220.I	33.3	4.80	222.0	0.9300	115.68	131.53	yes	stainless steel	5A
C.334.380.5850.A	33.4	3.80	585.0	0.1149	280.44	332.19	yes	music wire	4R
C.334.380.5850.AP	33.4	3.80	585.0	0.1862	176.70	293.68	yes	music wire	5C
C.334.380.5850.I	33.4	3.80	585.0	0.1000	277.02	328.12	yes	stainless steel	4R
C.335.350.1100.A	33.5	3.50	110.0	0.5050	47.95	56.19	yes	music wire	4L
C.335.350.1100.AP	33.5	3.50	110.0	0.7792	34.30	54.60	yes	music wire	4N
C.335.350.1100.I	33.5	3.50	110.0	0.4394	47.60	55.77	yes	stainless steel	4L
C.335.350.1100.N	33.5	3.50	110.0	0.5050	47.95	56.19	yes	Zn coating	4M
C.335.450.0330.A	33.5	4.50	33.0	6.7250	22.50	24.33	yes	music wire	4Q
C.335.450.0330.I	33.5	4.50	33.0	5.8508	22.50	24.33	yes	stainless steel	4R
C.335.450.0330.N	33.5	4.50	33.0	6.7250	22.50	24.33	yes	Zn coating	4S
C.336.500.0320.A	33.6	5.00	32.0	10.0000	26.00	28.01	yes	music wire	4O
C.336.500.0320.S	33.6	5.00	32.0	10.0000	26.00	28.01	yes	Cr-Si steel	5A
C.336.500.0400.A	33.6	5.00	40.0	8.0000	29.50	32.03	yes	music wire	4O
C.336.500.0400.S	33.6	5.00	40.0	8.0000	29.50	32.03	yes	Cr-Si steel	5A
C.336.500.0450.A	33.6	5.00	45.0	6.4804	33.50	36.63	yes	music wire	4S
C.336.500.0450.I	33.6	5.00	45.0	5.5660	33.50	36.63	yes	stainless steel	4S
C.336.500.0500.A	33.6	5.00	50.0	6.4000	34.00	37.21	yes	music wire	4O
C.336.500.0500.S	33.6	5.00	50.0	6.2500	34.50	37.78	yes	Cr-Si steel	5A
C.336.500.0630.A	33.6	5.00	63.0	5.0000	39.50	43.53	yes	music wire	4O
C.336.500.0630.S	33.6	5.00	63.0	5.0000	39.50	43.53	yes	Cr-Si steel	5D
C.336.500.0800.A	33.6	5.00	80.0	4.0000	46.50	51.59	yes	music wire	4O
C.336.500.0800.S	33.6	5.00	80.0	4.0000	46.50	51.59	yes	Cr-Si steel	5D
C.336.500.1000.A	33.6	5.00	100.0	3.2000	55.00	64.49	yes	music wire	4P
C.336.500.1000.S	33.6	5.00	100.0	3.1250	56.00	63.64	yes	Cr-Si steel	5D
C.336.500.1050.A	33.6	5.00	105.0	2.3875	69.50	78.00	yes	music wire	4S
C.336.500.1050.I	33.6	5.00	105.0	2.0506	69.50	78.00	yes	stainless steel	4S
C.336.500.1250.A	33.6	5.00	125.0	2.5000	67.00	79.55	yes	music wire	4P
C.336.500.1250.S	33.6	5.00	125.0	2.5000	67.00	79.55	yes	Cr-Si steel	5D
C.336.500.1600.A	33.6	5.00	160.0	2.0000	80.50	103.18	yes	music wire	4P
C.336.500.1600.S	33.6	5.00	160.0	2.0000	80.50	103.18	yes	Cr-Si steel	5D
C.336.500.2000.A	33.6	5.00	200.0	1.6000	97.50	128.98	yes	music wire	4Q
C.336.500.2000.S	33.6	5.00	200.0	1.5873	98.00	128.41	yes	Cr-Si steel	5F
C.336.500.2200.A	33.6	5.00	220.0	1.3700	112.00	137.06	yes	music wire	5B
C.336.500.2200.I	33.6	5.00	220.0	1.1919	110.50	133.29	yes	stainless steel	5B
C.336.500.2200.N	33.6	5.00	220.0	1.3700	112.00	137.06	yes	Zn coating	5D
C.336.500.2500.A	33.6	5.00	250.0	1.2698	119.50	160.52	yes	music wire	4R
C.336.500.2500.S	33.6	5.00	250.0	1.2500	121.50	159.09	yes	Cr-Si steel	5G
C.336.500.2550.A	33.6	5.00	255.0	1.3360	114.50	169.95	yes	music wire	5D
C.336.500.2550.I	33.6	5.00	255.0	1.1623	113.00	166.08	yes	stainless steel	5E
C.336.500.2550.N	33.6	5.00	255.0	1.3360	114.50	169.95	yes	Zn coating	5E
C.336.500.3200.A	33.6	5.00	320.0	1.0000	148.50	206.37	yes	music wire	4R
C.336.500.3200.S	33.6	5.00	320.0	1.0000	148.50	206.37	yes	Cr-Si steel	5G
C.336.560.0660.A	33.6	5.60	66.0	8.2982	44.80	49.03	yes	music wire	5D
C.336.560.0660.I	33.6	5.60	66.0	7.1273	44.80	49.03	yes	stainless steel	5D
C.336.560.0660.N	33.6	5.60	66.0	8.2982	44.80	49.03	yes	Zn coating	5E
C.336.560.1250.A	33.6	5.60	125.0	3.9687	78.40	87.25	yes	music wire	5D
C.336.560.1250.I	33.6	5.60	125.0	3.4087	78.40	87.25	yes	stainless steel	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.336.560.1250.N	33.6	5.60	125.0	3.9687	78.40	87.25	yes	Zn coating	5E
C.336.560.2050.A	33.6	5.60	205.0	1.9672	143.92	161.78	yes	music wire	5B
C.336.560.2050.I	33.6	5.60	205.0	1.6897	143.92	161.78	yes	stainless steel	5B
C.337.130.0800.A	33.7	1.30	80.0	0.0184	10.66	16.96	no	music wire	4G
C.337.130.0800.I	33.7	1.30	80.0	0.0160	10.53	16.70	no	stainless steel	4G
C.337.150.0350.A	33.7	1.50	35.0	0.0805	8.10	10.36	no	music wire	4G
C.337.150.0350.I	33.7	1.50	35.0	0.0700	8.10	10.36	no	stainless steel	4G
C.337.310.1520.A	33.7	3.10	152.0	0.2644	46.19	55.65	yes	music wire	4J
C.337.310.1520.AP	33.7	3.10	152.0	0.3635	35.65	67.48	yes	music wire	4M
C.337.310.1520.I	33.7	3.10	152.0	0.2300	45.88	55.27	yes	stainless steel	4K
C.337.340.0320.A	33.7	3.40	32.0	1.2644	21.76	24.67	yes	music wire	4J
C.337.340.0320.AP	33.7	3.40	32.0	2.7689	14.62	17.69	yes	music wire	4M
C.337.340.0320.I	33.7	3.40	32.0	1.1000	21.42	24.25	yes	stainless steel	4J
C.337.340.1110.A	33.7	3.40	111.0	0.4943	42.16	49.54	yes	music wire	4L
C.337.340.1110.AP	33.7	3.40	111.0	0.6922	32.64	53.74	yes	music wire	4N
C.337.340.1110.I	33.7	3.40	111.0	0.4300	41.82	49.12	yes	stainless steel	4L
C.337.360.0250.A	33.7	3.60	25.0	3.2143	16.20	17.68	yes	music wire	4M
C.337.360.0250.I	33.7	3.60	25.0	2.7964	15.84	17.24	yes	stainless steel	4M
C.337.360.0250.N	33.7	3.60	25.0	3.2143	16.20	17.68	yes	Zn coating	4N
C.337.360.0320.A	33.7	3.60	32.0	2.5714	17.64	19.41	yes	music wire	4M
C.337.360.0320.AP	33.7	3.60	32.0	3.3631	15.84	18.21	yes	music wire	4O
C.337.360.0320.I	33.7	3.60	32.0	2.2371	17.64	19.41	yes	stainless steel	4M
C.337.360.0320.N	33.7	3.60	32.0	2.5714	17.64	19.41	yes	Zn coating	4N
C.337.360.0400.A	33.7	3.60	40.0	2.0000	20.16	22.45	yes	music wire	4M
C.337.360.0400.I	33.7	3.60	40.0	1.7400	20.16	22.45	yes	stainless steel	4M
C.337.360.0400.N	33.7	3.60	40.0	2.0000	20.16	22.45	yes	Zn coating	4N
C.337.360.0500.A	33.7	3.60	50.0	1.6000	23.04	25.92	yes	music wire	4M
C.337.360.0500.I	33.7	3.60	50.0	1.3920	23.04	25.92	yes	stainless steel	4M
C.337.360.0500.N	33.7	3.60	50.0	1.6000	23.04	25.92	yes	Zn coating	4N
C.337.360.0630.A	33.7	3.60	63.0	1.2857	26.64	30.25	yes	music wire	4O
C.337.360.0630.I	33.7	3.60	63.0	1.1186	26.28	29.82	yes	stainless steel	4M
C.337.360.0630.N	33.7	3.60	63.0	1.2857	26.64	30.25	yes	Zn coating	4Q
C.337.360.0800.A	33.7	3.60	80.0	1.0000	31.68	36.33	yes	music wire	4P
C.337.360.0800.I	33.7	3.60	80.0	0.8700	31.32	35.89	yes	stainless steel	4P
C.337.360.0800.N	33.7	3.60	80.0	1.0000	31.68	36.33	yes	Zn coating	4R
C.337.360.1000.A	33.7	3.60	100.0	0.8000	37.08	42.83	yes	music wire	4P
C.337.360.1000.I	33.7	3.60	100.0	0.6960	36.72	42.40	yes	stainless steel	4P
C.337.360.1000.N	33.7	3.60	100.0	0.8000	37.08	42.83	yes	Zn coating	4R
C.337.360.1250.A	33.7	3.60	125.0	0.6429	44.28	52.86	yes	music wire	4P
C.337.360.1250.I	33.7	3.60	125.0	0.5593	43.56	50.64	yes	stainless steel	4P
C.337.360.1250.N	33.7	3.60	125.0	0.6429	44.28	52.86	yes	Zn coating	4R
C.337.360.1600.A	33.7	3.60	160.0	0.5143	52.92	69.83	yes	music wire	4Q
C.337.360.1600.I	33.7	3.60	160.0	0.4474	52.20	67.03	yes	stainless steel	4Q
C.337.360.1600.N	33.7	3.60	160.0	0.5143	52.92	69.83	yes	Zn coating	4R
C.337.360.2000.A	33.7	3.60	200.0	0.4000	65.52	84.06	yes	music wire	4Q
C.337.360.2000.I	33.7	3.60	200.0	0.3480	64.80	80.47	yes	stainless steel	4R
C.337.360.2000.N	33.7	3.60	200.0	0.4000	65.52	84.06	yes	Zn coating	4S
C.337.360.2500.A	33.7	3.60	250.0	0.3214	79.20	105.70	yes	music wire	4R
C.337.360.2500.I	33.7	3.60	250.0	0.2796	78.48	101.23	yes	stainless steel	4R
C.337.360.2500.N	33.7	3.60	250.0	0.3214	79.20	105.70	yes	Zn coating	4S
C.337.360.3200.A	33.7	3.60	320.0	0.2571	96.84	139.62	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.337.360.3200.I	33.7	3.60	320.0	0.2237	95.76	134.03	yes	stainless steel	4S
C.337.360.3200.N	33.7	3.60	320.0	0.2571	96.84	139.62	yes	Zn coating	4T
C.337.400.0400.A	33.7	4.00	40.0	3.7931	20.40	23.68	yes	music wire	4R
C.337.400.0400.I	33.7	4.00	40.0	3.3000	20.40	23.11	yes	stainless steel	4R
C.337.470.0650.A	33.7	4.70	65.0	3.4000	39.95	44.38	yes	music wire	4R
C.337.470.0650.I	33.7	4.70	65.0	2.9580	39.48	43.84	yes	stainless steel	4R
C.340.140.0540.A	34.0	1.40	54.0	0.0174	14.00	22.31	no	music wire	4G
C.340.140.0540.I	34.0	1.40	54.0	0.0149	14.00	22.31	no	stainless steel	4G
C.340.140.0540.N	34.0	1.40	54.0	0.0174	14.00	22.31	no	Zn coating	4I
C.340.140.1030.A	34.0	1.40	103.0	0.0090	22.54	38.65	no	music wire	4I
C.340.140.1030.I	34.0	1.40	103.0	0.0077	22.54	38.65	no	stainless steel	4I
C.340.140.1030.N	34.0	1.40	103.0	0.0090	22.54	38.65	no	Zn coating	4J
C.340.140.1530.A	34.0	1.40	153.0	0.0061	30.80	54.46	no	music wire	4I
C.340.140.1530.I	34.0	1.40	153.0	0.0052	31.08	54.99	no	stainless steel	4I
C.340.140.1530.N	34.0	1.40	153.0	0.0061	30.80	54.46	no	Zn coating	4J
C.340.150.0691.A	34.0	1.50	69.1	0.0429	10.50	14.72	no	music wire	4H
C.340.150.0691.I	34.0	1.50	69.1	0.0368	10.50	14.72	no	stainless steel	4H
C.340.150.0691.N	34.0	1.50	69.1	0.0429	10.50	14.72	no	Zn coating	4I
C.340.150.1070.A	34.0	1.50	107.0	0.0273	13.50	20.13	no	music wire	4I
C.340.150.1070.I	34.0	1.50	107.0	0.0234	13.50	20.13	no	stainless steel	4I
C.340.150.1070.N	34.0	1.50	107.0	0.0273	13.50	20.13	no	Zn coating	4J
C.340.150.1640.A	34.0	1.50	164.0	0.0177	18.00	28.25	no	music wire	4I
C.340.150.1640.I	34.0	1.50	164.0	0.0152	18.00	28.25	no	stainless steel	4J
C.340.150.1640.N	34.0	1.50	164.0	0.0177	18.00	28.25	no	Zn coating	4J
C.340.150.2390.A	34.0	1.50	239.0	0.0120	24.00	39.08	no	music wire	4J
C.340.150.2390.I	34.0	1.50	239.0	0.0103	24.00	39.08	no	stainless steel	4K
C.340.150.2390.N	34.0	1.50	239.0	0.0120	24.00	39.08	no	Zn coating	4M
C.340.150.3520.A	34.0	1.50	352.0	0.0081	33.00	55.32	no	music wire	4M
C.340.150.3520.I	34.0	1.50	352.0	0.0070	32.85	55.05	no	stainless steel	4M
C.340.150.3520.N	34.0	1.50	352.0	0.0081	33.00	55.32	no	Zn coating	4N
C.340.190.1300.I	34.0	1.90	130.0	0.0556	16.53	22.75	yes	stainless steel	4J
C.340.190.1500.I	34.0	1.90	150.0	0.0479	18.43	25.66	yes	stainless steel	4J
C.340.200.0400.A	34.0	2.00	40.0	0.0570	22.40	30.82	yes	music wire	4H
C.340.200.0400.I	34.0	2.00	40.0	0.0496	22.20	30.52	yes	stainless steel	4H
C.340.200.0400.N	34.0	2.00	40.0	0.0570	22.40	30.82	yes	Zn coating	4I
C.340.200.0530.A	34.0	2.00	53.0	0.1913	10.20	12.72	yes	music wire	4I
C.340.200.0530.I	34.0	2.00	53.0	0.1643	10.20	12.72	yes	stainless steel	4I
C.340.200.0781.A	34.0	2.00	78.1	0.1421	12.00	15.39	yes	music wire	4J
C.340.200.0781.I	34.0	2.00	78.1	0.1220	12.00	15.39	yes	stainless steel	4J
C.340.200.0781.N	34.0	2.00	78.1	0.1421	12.00	15.39	yes	Zn coating	4L
C.340.200.1200.A	34.0	2.00	120.0	0.0904	16.00	21.32	yes	music wire	4L
C.340.200.1200.I	34.0	2.00	120.0	0.0776	16.00	21.32	yes	stainless steel	4L
C.340.200.1200.N	34.0	2.00	120.0	0.0904	16.00	21.32	yes	Zn coating	4M
C.340.200.2050.A	34.0	2.00	205.0	0.0524	24.00	33.28	yes	music wire	4M
C.340.200.2050.I	34.0	2.00	205.0	0.0450	24.00	33.20	yes	stainless steel	4M
C.340.200.2050.N	34.0	2.00	205.0	0.0524	24.00	33.28	yes	Zn coating	4O
C.340.200.3320.A	34.0	2.00	332.0	0.0321	36.00	51.69	yes	music wire	4O
C.340.200.3320.I	34.0	2.00	332.0	0.0276	36.00	51.00	yes	stainless steel	4O
C.340.200.3320.N	34.0	2.00	332.0	0.0321	36.00	51.69	yes	Zn coating	4Q
C.340.210.0870.A	34.0	2.10	87.0	0.1327	14.91	19.22	yes	music wire	4I
C.340.210.0870.I	34.0	2.10	87.0	0.1140	14.91	19.22	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.340.210.1550.A	34.0	2.10	155.0	0.0735	22.68	30.46	yes	music wire	4J
C.340.210.1550.I	34.0	2.10	155.0	0.0632	22.68	30.46	yes	stainless steel	4J
C.340.210.2000.A	34.0	2.10	200.0	0.0570	27.72	37.74	yes	music wire	4J
C.340.210.2000.I	34.0	2.10	200.0	0.0490	27.72	37.74	yes	stainless steel	4J
C.340.220.1100.A	34.0	2.20	110.0	0.1217	18.92	24.47	yes	music wire	4I
C.340.220.1100.I	34.0	2.20	110.0	0.1045	18.92	24.47	yes	stainless steel	4I
C.340.220.1950.A	34.0	2.20	195.0	0.0675	29.70	39.70	yes	music wire	4J
C.340.220.1950.I	34.0	2.20	195.0	0.0579	29.70	39.70	yes	stainless steel	4J
C.340.225.1950.A	34.0	2.25	195.0	0.0722	31.05	41.19	yes	music wire	4J
C.340.225.1950.I	34.0	2.25	195.0	0.0620	31.05	41.19	yes	stainless steel	4J
C.340.230.0420.A	34.0	2.30	42.0	0.3891	11.04	13.08	yes	music wire	4H
C.340.230.0420.I	34.0	2.30	42.0	0.3342	11.04	13.08	yes	stainless steel	4I
C.340.230.2000.A	34.0	2.30	200.0	0.0752	33.12	43.66	yes	music wire	4J
C.340.230.2000.I	34.0	2.30	200.0	0.0646	33.12	43.66	yes	stainless steel	4J
C.340.235.2000.A	34.0	2.35	200.0	0.0810	34.31	44.89	yes	music wire	4J
C.340.235.2000.I	34.0	2.35	200.0	0.0696	34.31	44.89	yes	stainless steel	4J
C.340.240.0410.A	34.0	2.40	41.0	0.4463	11.76	13.83	yes	music wire	4H
C.340.240.0410.I	34.0	2.40	41.0	0.3833	11.76	13.83	yes	stainless steel	4I
C.340.250.0470.A	34.0	2.50	47.0	0.4547	13.25	15.62	yes	music wire	4I
C.340.250.0470.I	34.0	2.50	47.0	0.3906	13.25	15.62	yes	stainless steel	4I
C.340.250.0640.A	34.0	2.50	64.0	0.1320	30.25	38.37	yes	music wire	4I
C.340.250.0640.I	34.0	2.50	64.0	0.1148	30.00	38.03	yes	stainless steel	4I
C.340.250.0640.N	34.0	2.50	64.0	0.1320	30.25	38.37	yes	Zn coating	4J
C.340.250.1500.A	34.0	2.50	150.0	0.1326	30.25	38.37	yes	music wire	4J
C.340.250.1500.I	34.0	2.50	150.0	0.1139	30.25	38.37	yes	stainless steel	4J
C.340.260.0380.A	34.0	2.60	38.0	0.6538	12.48	14.39	yes	music wire	4H
C.340.260.0380.I	34.0	2.60	38.0	0.5615	12.48	14.39	yes	stainless steel	4I
C.340.270.0370.A	34.0	2.70	37.0	0.7676	12.96	14.83	yes	music wire	4H
C.340.270.0370.I	34.0	2.70	37.0	0.6593	12.96	14.83	yes	stainless steel	4I
C.340.270.0540.A	34.0	2.70	54.0	0.5045	16.20	19.05	yes	music wire	4I
C.340.270.0540.I	34.0	2.70	54.0	0.4333	16.20	19.05	yes	stainless steel	4I
C.340.270.0920.A	34.0	2.70	92.0	0.2803	23.76	28.89	yes	music wire	4I
C.340.270.0920.I	34.0	2.70	92.0	0.2407	23.76	28.89	yes	stainless steel	4I
C.340.280.0350.A	34.0	2.80	35.0	0.9372	13.16	14.92	yes	music wire	4I
C.340.280.0350.I	34.0	2.80	35.0	0.8049	13.16	14.92	yes	stainless steel	4I
C.340.280.0440.A	34.0	2.80	44.0	0.7109	15.12	17.44	yes	music wire	4I
C.340.280.0440.I	34.0	2.80	44.0	0.6106	15.12	17.44	yes	stainless steel	4I
C.340.280.0750.A	34.0	2.80	75.0	0.2530	29.68	36.17	yes	music wire	4J
C.340.280.0750.AP	34.0	2.80	75.0	0.5374	17.64	32.24	yes	music wire	4L
C.340.280.0750.I	34.0	2.80	75.0	0.2201	29.40	35.81	yes	stainless steel	4J
C.340.280.0750.N	34.0	2.80	75.0	0.2530	29.68	36.17	yes	Zn coating	4K
C.340.280.0860.A	34.0	2.80	86.0	0.3436	23.80	28.61	yes	music wire	4J
C.340.280.0860.I	34.0	2.80	86.0	0.2951	23.80	28.61	yes	stainless steel	4J
C.340.280.1100.A	34.0	2.80	110.0	0.2643	28.84	35.09	yes	music wire	4J
C.340.280.1100.I	34.0	2.80	110.0	0.2270	28.84	35.09	yes	stainless steel	4J
C.340.290.0340.A	34.0	2.90	34.0	1.0888	13.63	15.37	yes	music wire	4I
C.340.290.0340.I	34.0	2.90	34.0	0.9352	13.63	15.37	yes	stainless steel	4I
C.340.290.0970.A	34.0	2.90	97.0	0.3374	27.84	33.45	yes	music wire	4J
C.340.290.0970.I	34.0	2.90	97.0	0.2898	27.84	33.45	yes	stainless steel	4J
C.340.290.1200.A	34.0	2.90	120.0	0.2722	32.77	39.72	yes	music wire	4J
C.340.290.1200.I	34.0	2.90	120.0	0.2338	32.77	39.72	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.340.300.0550.A	34.0	3.00	55.0	0.7102	19.20	22.24	yes	music wire	4I
C.340.300.0550.I	34.0	3.00	55.0	0.6100	19.20	22.24	yes	stainless steel	4I
C.340.300.0610.A	34.0	3.00	61.0	0.6295	20.70	24.13	yes	music wire	4I
C.340.300.0610.I	34.0	3.00	61.0	0.5407	20.70	24.13	yes	stainless steel	4I
C.340.310.0350.A	34.0	3.10	35.0	1.3287	15.19	17.04	yes	music wire	4I
C.340.310.0350.I	34.0	3.10	35.0	1.1412	15.19	17.04	yes	stainless steel	4I
C.340.320.0350.A	34.0	3.20	35.0	1.4624	16.00	17.91	yes	music wire	4J
C.340.320.0350.I	34.0	3.20	35.0	1.2561	16.00	17.91	yes	stainless steel	4J
C.340.320.0540.A	34.0	3.20	54.0	0.8917	21.12	24.26	yes	music wire	4J
C.340.320.0540.I	34.0	3.20	54.0	0.7659	21.12	24.26	yes	stainless steel	4J
C.340.320.1100.A	34.0	3.20	110.0	0.4155	36.16	42.89	yes	music wire	4L
C.340.320.1100.I	34.0	3.20	110.0	0.3568	36.16	42.89	yes	stainless steel	4L
C.340.320.1700.A	34.0	3.20	170.0	0.2649	52.16	62.71	yes	music wire	4M
C.340.320.1700.I	34.0	3.20	170.0	0.2275	52.16	62.71	yes	stainless steel	4M
C.340.330.0350.A	34.0	3.30	35.0	1.6702	16.50	18.40	yes	music wire	4J
C.340.330.0350.I	34.0	3.30	35.0	1.4345	16.50	18.40	yes	stainless steel	4J
C.340.330.0560.A	34.0	3.30	56.0	0.9710	22.44	25.70	yes	music wire	4J
C.340.330.0560.I	34.0	3.30	56.0	0.8340	22.44	25.70	yes	stainless steel	4J
C.340.340.0480.A	34.0	3.40	48.0	1.2842	21.08	23.87	yes	music wire	4J
C.340.340.0480.I	34.0	3.40	48.0	1.1030	21.08	23.87	yes	stainless steel	4J
C.340.340.0820.A	34.0	3.40	82.0	0.7092	31.28	36.33	yes	music wire	4K
C.340.340.0820.I	34.0	3.40	82.0	0.6091	31.28	36.33	yes	stainless steel	4K
C.340.340.0950.A	34.0	3.40	95.0	0.6014	35.36	41.31	yes	music wire	4K
C.340.340.0950.I	34.0	3.40	95.0	0.5166	35.36	41.31	yes	stainless steel	4L
C.340.340.1350.A	34.0	3.40	135.0	0.4168	47.26	55.85	yes	music wire	4L
C.340.340.1350.I	34.0	3.40	135.0	0.3580	47.26	55.85	yes	stainless steel	4L
C.340.340.1850.A	34.0	3.40	185.0	0.3007	62.22	74.12	yes	music wire	4M
C.340.340.1850.I	34.0	3.40	185.0	0.2583	62.22	74.12	yes	stainless steel	4M
C.340.350.0400.A	34.0	3.50	40.0	1.7630	19.60	21.92	yes	music wire	4J
C.340.350.0400.AP	34.0	3.50	40.0	2.2864	17.15	21.38	yes	music wire	4M
C.340.350.0400.I	34.0	3.50	40.0	1.5338	19.25	21.50	yes	stainless steel	4J
C.340.350.0400.N	34.0	3.50	40.0	1.7630	19.60	21.92	yes	Zn coating	4L
C.340.350.0780.A	34.0	3.50	78.0	0.8289	31.50	36.37	yes	music wire	4J
C.340.350.0780.I	34.0	3.50	78.0	0.7120	31.50	36.37	yes	stainless steel	4K
C.340.350.1550.A	34.0	3.50	155.0	0.2860	74.55	88.63	yes	music wire	4L
C.340.350.1550.AP	34.0	3.50	155.0	0.5276	44.45	74.33	yes	music wire	4N
C.340.350.1550.I	34.0	3.50	155.0	0.2488	73.85	87.78	yes	stainless steel	4M
C.340.350.1550.N	34.0	3.50	155.0	0.2860	74.55	88.63	yes	Zn coating	4N
C.340.350.1750.A	34.0	3.50	175.0	0.3545	61.95	73.33	yes	music wire	4M
C.340.350.1750.I	34.0	3.50	175.0	0.3045	61.95	73.33	yes	stainless steel	4M
C.340.360.1450.A	34.0	3.60	145.0	0.4872	54.00	63.31	yes	music wire	4N
C.340.360.1450.I	34.0	3.60	145.0	0.4185	54.00	63.31	yes	stainless steel	4N
C.340.360.1450.N	34.0	3.60	145.0	0.4872	54.00	63.31	yes	Zn coating	4P
C.340.380.0350.A	34.0	3.80	35.0	2.8564	19.76	21.76	yes	music wire	4M
C.340.380.0350.I	34.0	3.80	35.0	2.4533	19.76	21.76	yes	stainless steel	4M
C.340.380.0470.A	34.0	3.80	47.0	1.9775	24.32	27.21	yes	music wire	4M
C.340.380.0470.I	34.0	3.80	47.0	1.6985	24.32	27.21	yes	stainless steel	4M
C.340.380.0680.A	34.0	3.80	68.0	1.3072	31.92	36.29	yes	music wire	4M
C.340.380.0680.I	34.0	3.80	68.0	1.1227	31.92	36.29	yes	stainless steel	4M
C.340.380.0830.A	34.0	3.80	83.0	1.0565	37.24	42.64	yes	music wire	4M
C.340.380.0830.I	34.0	3.80	83.0	0.9074	37.24	42.64	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.340.380.1350.A	34.0	3.80	135.0	0.6270	56.24	65.34	yes	music wire	4N
C.340.380.1350.I	34.0	3.80	135.0	0.5385	56.24	65.34	yes	stainless steel	4N
C.340.380.1600.A	34.0	3.80	160.0	0.5246	65.36	76.24	yes	music wire	4N
C.340.380.1600.I	34.0	3.80	160.0	0.4506	65.36	76.24	yes	stainless steel	4N
C.340.380.2000.A	34.0	3.80	200.0	0.4169	79.80	93.49	yes	music wire	4O
C.340.380.2000.I	34.0	3.80	200.0	0.3581	79.80	93.49	yes	stainless steel	4O
C.340.400.0550.A	34.0	4.00	55.0	1.5800	34.40	38.90	yes	music wire	4P
C.340.400.0550.AP	34.0	4.00	55.0	2.5887	24.80	31.29	yes	music wire	4R
C.340.400.0550.I	34.0	4.00	55.0	1.3746	34.00	38.42	yes	stainless steel	4P
C.340.400.0550.N	34.0	4.00	55.0	1.5800	34.40	38.90	yes	Zn coating	4R
C.340.400.0590.A	34.0	4.00	59.0	1.5800	34.40	38.90	yes	music wire	4P
C.340.400.0590.AP	34.0	4.00	59.0	2.3993	26.00	33.42	yes	music wire	4R
C.340.400.0590.I	34.0	4.00	59.0	1.3746	34.00	38.42	yes	stainless steel	4P
C.340.400.0590.N	34.0	4.00	59.0	1.5800	34.40	38.90	yes	Zn coating	4R
C.340.400.0690.A	34.0	4.00	69.0	1.5835	34.40	38.90	yes	music wire	4P
C.340.400.0690.I	34.0	4.00	69.0	1.3600	34.40	38.90	yes	stainless steel	4P
C.340.400.1500.A	34.0	4.00	150.0	0.6851	66.40	76.80	yes	music wire	4Q
C.340.400.1500.I	34.0	4.00	150.0	0.5884	66.40	76.80	yes	stainless steel	4Q
C.340.400.1800.A	34.0	4.00	180.0	0.5649	78.40	91.01	yes	music wire	4Q
C.340.400.1800.I	34.0	4.00	180.0	0.4852	78.40	91.01	yes	stainless steel	4R
C.340.400.3300.A	34.0	4.00	330.0	0.2646	156.00	182.92	yes	music wire	4R
C.340.400.3300.AP	34.0	4.00	330.0	0.3873	109.60	171.52	yes	music wire	4T
C.340.400.3300.I	34.0	4.00	330.0	0.2273	156.00	182.92	yes	stainless steel	4R
C.340.400.3300.N	34.0	4.00	330.0	0.2646	156.00	182.92	yes	Zn coating	4T
C.340.420.0340.A	34.0	4.20	34.0	4.4366	21.84	23.83	yes	music wire	4P
C.340.420.0340.I	34.0	4.20	34.0	3.8106	21.84	23.83	yes	stainless steel	4P
C.340.420.0580.A	34.0	4.20	58.0	2.3488	31.92	35.68	yes	music wire	4P
C.340.420.0580.I	34.0	4.20	58.0	2.0174	31.92	35.68	yes	stainless steel	4P
C.340.420.0690.A	34.0	4.20	69.0	1.9014	36.96	41.60	yes	music wire	4P
C.340.420.0690.I	34.0	4.20	69.0	1.6331	36.96	41.60	yes	stainless steel	4P
C.340.420.0950.A	34.0	4.20	95.0	1.3459	47.88	54.44	yes	music wire	4P
C.340.420.0950.I	34.0	4.20	95.0	1.1560	47.88	54.44	yes	stainless steel	4Q
C.340.420.1200.A	34.0	4.20	120.0	1.0416	58.80	67.28	yes	music wire	4Q
C.340.420.1200.I	34.0	4.20	120.0	0.8947	58.80	67.28	yes	stainless steel	4Q
C.340.420.1450.A	34.0	4.20	145.0	0.8556	69.30	79.62	yes	music wire	4Q
C.340.420.1450.I	34.0	4.20	145.0	0.7349	69.30	79.62	yes	stainless steel	4Q
C.340.450.0370.A	34.0	4.50	37.0	5.4241	24.75	26.97	yes	music wire	4R
C.340.450.0370.I	34.0	4.50	37.0	4.6588	24.75	26.97	yes	stainless steel	4R
C.340.450.0460.A	34.0	4.50	46.0	4.0681	29.25	32.21	yes	music wire	4R
C.340.450.0460.I	34.0	4.50	46.0	3.4941	29.25	32.21	yes	stainless steel	4R
C.340.450.0530.A	34.0	4.50	53.0	3.4622	32.40	35.88	yes	music wire	4R
C.340.450.0530.I	34.0	4.50	53.0	2.9737	32.40	35.88	yes	stainless steel	4R
C.340.450.0650.A	34.0	4.50	65.0	1.8790	50.40	56.84	yes	music wire	4R
C.340.450.0650.AP	34.0	4.50	65.0	3.3820	32.85	39.99	yes	music wire	4T
C.340.450.0650.I	34.0	4.50	65.0	1.6347	49.50	55.79	yes	stainless steel	4R
C.340.450.0650.N	34.0	4.50	65.0	1.8790	50.40	56.84	yes	Zn coating	4S
C.340.450.1800.A	34.0	4.50	180.0	0.8990	92.70	106.10	yes	music wire	4R
C.340.450.1800.I	34.0	4.50	180.0	0.7722	92.70	106.10	yes	stainless steel	4R
C.340.470.0340.A	34.0	4.70	34.0	7.3197	24.44	26.45	yes	music wire	4R
C.340.470.0340.I	34.0	4.70	34.0	6.2868	24.44	26.45	yes	stainless steel	4R
C.340.480.1350.A	34.0	4.80	135.0	1.5855	77.76	87.99	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.340.480.1350.I	34.0	4.80	135.0	1.3618	77.76	87.99	yes	stainless steel	4R
C.340.480.1550.A	34.0	4.80	155.0	1.3748	87.84	99.63	yes	music wire	4R
C.340.480.1550.I	34.0	4.80	155.0	1.1808	87.84	99.63	yes	stainless steel	4R
C.340.500.0480.A	34.0	5.00	48.0	6.5267	32.50	35.51	yes	music wire	4S
C.340.500.0480.I	34.0	5.00	48.0	5.6058	32.50	35.51	yes	stainless steel	4S
C.340.500.0480.N	34.0	5.00	48.0	6.5267	32.50	35.51	yes	Zn coating	4T
C.340.500.0680.A	34.0	5.00	68.0	4.3581	42.50	47.01	yes	music wire	4S
C.340.500.0680.I	34.0	5.00	68.0	3.7432	42.50	47.01	yes	stainless steel	4S
C.340.500.0680.N	34.0	5.00	68.0	4.3581	42.50	47.01	yes	Zn coating	4T
C.340.500.0880.A	34.0	5.00	88.0	3.2634	52.50	58.52	yes	music wire	5A
C.340.500.0880.I	34.0	5.00	88.0	2.8029	52.50	58.52	yes	stainless steel	4S
C.340.500.0880.N	34.0	5.00	88.0	3.2634	52.50	58.52	yes	Zn coating	5C
C.340.500.1070.A	34.0	5.00	107.0	2.6107	62.50	70.02	yes	music wire	5A
C.340.500.1070.I	34.0	5.00	107.0	2.2423	62.50	70.02	yes	stainless steel	4S
C.340.500.1070.N	34.0	5.00	107.0	2.6107	62.50	70.02	yes	Zn coating	5C
C.340.500.1270.A	34.0	5.00	127.0	2.1756	72.50	81.53	yes	music wire	5A
C.340.500.1270.I	34.0	5.00	127.0	1.8686	72.50	81.53	yes	stainless steel	4S
C.340.500.1270.N	34.0	5.00	127.0	2.1756	72.50	81.53	yes	Zn coating	5C
C.340.500.1470.A	34.0	5.00	147.0	1.8648	82.50	93.03	yes	music wire	5A
C.340.500.1470.I	34.0	5.00	147.0	1.6000	82.50	93.03	yes	stainless steel	5B
C.340.500.1470.N	34.0	5.00	147.0	1.8648	82.50	93.03	yes	Zn coating	5C
C.340.500.1660.A	34.0	5.00	166.0	1.6317	92.50	104.54	yes	music wire	5B
C.340.500.1660.I	34.0	5.00	166.0	1.4000	92.50	104.54	yes	stainless steel	5B
C.340.500.1660.N	34.0	5.00	166.0	1.6317	92.50	104.54	yes	Zn coating	5D
C.340.500.1860.A	34.0	5.00	186.0	1.4504	102.50	116.04	yes	music wire	5B
C.340.500.1860.I	34.0	5.00	186.0	1.2457	102.50	116.04	yes	stainless steel	5B
C.340.500.1860.N	34.0	5.00	186.0	1.4504	102.50	116.04	yes	Zn coating	5D
C.340.500.2060.A	34.0	5.00	206.0	1.3053	112.50	127.55	yes	music wire	5B
C.340.500.2060.I	34.0	5.00	206.0	1.1211	112.50	127.55	yes	stainless steel	5B
C.340.500.2060.N	34.0	5.00	206.0	1.3053	112.50	127.55	yes	Zn coating	5D
C.340.530.0750.A	34.0	5.30	75.0	4.6580	51.94	57.51	yes	music wire	4S
C.340.530.0750.I	34.0	5.30	75.0	4.0008	51.94	57.51	yes	stainless steel	4S
C.340.530.0850.A	34.0	5.30	85.0	4.0481	57.77	64.18	yes	music wire	4S
C.340.530.0850.I	34.0	5.30	85.0	3.4769	57.77	64.18	yes	stainless steel	4S
C.340.530.0970.A	34.0	5.30	97.0	3.5055	64.66	72.06	yes	music wire	4S
C.340.530.0970.I	34.0	5.30	97.0	3.0109	64.66	72.06	yes	stainless steel	4S
C.340.530.1200.A	34.0	5.30	120.0	2.7872	77.91	87.22	yes	music wire	4S
C.340.530.1200.I	34.0	5.30	120.0	2.3939	77.91	87.22	yes	stainless steel	4S
C.340.530.1800.A	34.0	5.30	180.0	1.7991	113.42	127.84	yes	music wire	4S
C.340.530.1800.I	34.0	5.30	180.0	1.5453	113.42	127.84	yes	stainless steel	4S
C.340.550.0340.A	34.0	5.50	34.0	14.9149	28.60	30.68	yes	music wire	5A
C.340.550.0340.I	34.0	5.50	34.0	12.8103	28.60	30.68	yes	stainless steel	5A
C.340.550.0540.A	34.0	5.50	54.0	8.2184	40.70	44.48	yes	music wire	5A
C.340.550.0540.I	34.0	5.50	54.0	7.0588	40.70	44.48	yes	stainless steel	5A
C.340.550.0680.A	34.0	5.50	68.0	6.1954	49.50	54.51	yes	music wire	5A
C.340.550.0680.I	34.0	5.50	68.0	5.3212	49.50	54.51	yes	stainless steel	5A
C.340.550.1850.A	34.0	5.50	185.0	2.0651	121.00	136.04	yes	music wire	5B
C.340.550.1850.I	34.0	5.50	185.0	1.7737	121.00	136.04	yes	stainless steel	5B
C.340.560.0360.A	34.0	5.60	36.0	15.0823	30.24	32.49	yes	music wire	5A
C.340.560.0360.I	34.0	5.60	36.0	12.9541	30.24	32.49	yes	stainless steel	5A
C.340.560.0430.A	34.0	5.60	43.0	11.8212	34.72	37.59	yes	music wire	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.340.560.0430.I	34.0	5.60	43.0	10.1532	34.72	37.59	yes	stainless steel	5A
C.340.560.0490.A	34.0	5.60	49.0	10.1718	38.08	41.42	yes	music wire	5A
C.340.560.0490.I	34.0	5.60	49.0	8.7365	38.08	41.42	yes	stainless steel	5A
C.340.560.0760.A	34.0	5.60	76.0	5.9106	55.44	61.18	yes	music wire	5A
C.340.560.0760.I	34.0	5.60	76.0	5.0766	55.44	61.18	yes	stainless steel	5B
C.340.560.0920.A	34.0	5.60	92.0	4.8064	64.96	72.02	yes	music wire	5A
C.340.560.0920.I	34.0	5.60	92.0	4.1282	64.96	72.02	yes	stainless steel	5B
C.340.560.1050.A	34.0	5.60	105.0	4.1263	73.36	81.59	yes	music wire	5A
C.340.560.1050.I	34.0	5.60	105.0	3.5440	73.36	81.59	yes	stainless steel	5B
C.340.580.0350.A	34.0	5.80	35.0	19.0401	30.16	32.28	yes	music wire	5A
C.340.580.0350.I	34.0	5.80	35.0	16.3534	30.16	32.28	yes	stainless steel	5A
C.340.580.0560.A	34.0	5.80	56.0	10.0800	44.08	48.09	yes	music wire	5A
C.340.580.0560.I	34.0	5.80	56.0	8.6577	44.08	48.09	yes	stainless steel	5A
C.340.580.0640.A	34.0	5.80	64.0	8.5680	49.30	54.01	yes	music wire	5A
C.340.580.0640.I	34.0	5.80	64.0	7.3590	49.30	54.01	yes	stainless steel	5A
C.340.580.1500.A	34.0	5.80	150.0	3.2954	104.98	117.24	yes	music wire	5B
C.340.580.1500.I	34.0	5.80	150.0	2.8304	104.98	117.24	yes	stainless steel	5B
C.340.580.1900.A	34.0	5.80	190.0	2.5576	131.08	146.87	yes	music wire	5B
C.340.580.1900.I	34.0	5.80	190.0	2.1967	131.08	146.87	yes	stainless steel	5B
C.340.600.0410.A	34.0	6.00	41.0	17.6897	35.40	38.11	yes	music wire	5D
C.340.600.0410.I	34.0	6.00	41.0	15.1936	35.40	38.11	yes	stainless steel	5D
C.340.600.0580.A	34.0	6.00	58.0	11.3481	46.80	51.02	yes	music wire	5D
C.340.600.0580.I	34.0	6.00	58.0	9.7468	46.80	51.02	yes	stainless steel	5D
C.340.600.0710.A	34.0	6.00	71.0	8.9768	55.20	60.53	yes	music wire	5D
C.340.600.0710.I	34.0	6.00	71.0	7.7102	55.20	60.53	yes	stainless steel	5E
C.340.600.0850.A	34.0	6.00	85.0	7.2464	64.80	71.41	yes	music wire	5D
C.340.600.0850.I	34.0	6.00	85.0	6.2239	64.80	71.41	yes	stainless steel	5E
C.340.600.1050.A	34.0	6.00	105.0	5.7281	78.00	86.36	yes	music wire	5D
C.340.600.1050.I	34.0	6.00	105.0	4.9198	78.00	86.36	yes	stainless steel	5E
C.340.600.1200.A	34.0	6.00	120.0	4.9299	88.20	97.91	yes	music wire	5D
C.340.600.1200.I	34.0	6.00	120.0	4.2343	88.20	97.91	yes	stainless steel	5E
C.340.600.1350.A	34.0	6.00	135.0	4.3270	98.40	109.46	yes	music wire	5D
C.340.600.1350.I	34.0	6.00	135.0	3.7164	98.40	109.46	yes	stainless steel	5E
C.340.600.1900.A	34.0	6.00	190.0	2.9923	135.60	151.60	yes	music wire	5D
C.340.600.1900.I	34.0	6.00	190.0	2.5701	135.60	151.60	yes	stainless steel	5E
C.341.150.0200.A	34.1	1.50	20.0	0.1353	6.90	8.23	no	music wire	4F
C.341.150.0200.I	34.1	1.50	20.0	0.1162	6.90	8.23	no	stainless steel	4F
C.341.150.1050.A	34.1	1.50	105.0	0.0210	15.90	24.51	no	music wire	4I
C.341.150.1050.I	34.1	1.50	105.0	0.0183	15.75	24.24	no	stainless steel	4I
C.341.150.1150.A	34.1	1.50	115.0	0.0218	15.45	23.70	no	music wire	4I
C.341.150.1150.I	34.1	1.50	115.0	0.0190	15.30	23.43	no	stainless steel	4I
C.341.180.0200.A	34.1	1.80	20.0	0.2885	6.48	7.63	yes	music wire	4G
C.341.180.0200.I	34.1	1.80	20.0	0.2478	6.48	7.63	yes	stainless steel	4G
C.341.180.1150.A	34.1	1.80	115.0	0.0333	21.60	31.57	yes	music wire	4I
C.341.180.1150.I	34.1	1.80	115.0	0.0290	21.42	31.28	yes	stainless steel	4I
C.341.260.0200.A	34.1	2.60	20.0	1.2412	9.62	10.62	yes	music wire	4G
C.341.260.0200.I	34.1	2.60	20.0	1.0661	9.62	10.62	yes	stainless steel	4H
C.341.260.1020.A	34.1	2.60	102.0	0.1609	30.68	38.42	yes	music wire	4I
C.341.260.1020.I	34.1	2.60	102.0	0.1400	30.16	37.74	yes	stainless steel	4I
C.341.400.0400.A	34.1	4.00	40.0	2.7324	24.00	26.59	yes	music wire	4P
C.341.400.0400.I	34.1	4.00	40.0	2.3468	24.00	26.59	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.341.400.2540.A	34.1	4.00	254.0	0.4300	98.80	115.22	yes	music wire	4T
C.341.400.2540.I	34.1	4.00	254.0	0.3741	98.00	114.27	yes	stainless steel	4T
C.345.150.1200.A	34.5	1.50	120.0	0.0287	12.75	18.95	no	music wire	4I
C.345.150.1200.I	34.5	1.50	120.0	0.0250	12.60	18.67	no	stainless steel	4I
C.345.180.0370.A	34.5	1.80	37.0	0.0890	10.62	14.26	yes	music wire	4G
C.345.180.0370.I	34.5	1.80	37.0	0.0774	10.62	14.26	yes	stainless steel	4H
C.345.200.0830.A	34.5	2.00	83.0	0.0943	15.00	19.96	yes	music wire	4I
C.345.200.0830.I	34.5	2.00	83.0	0.0820	15.00	19.96	yes	stainless steel	4I
C.345.230.0320.A	34.5	2.30	32.0	0.3678	11.04	13.12	yes	music wire	4H
C.345.230.0320.I	34.5	2.30	32.0	0.3200	11.04	13.12	yes	stainless steel	4H
C.345.230.0680.A	34.5	2.30	68.0	0.2184	14.72	18.25	yes	music wire	4I
C.345.230.0680.I	34.5	2.30	68.0	0.1900	14.72	18.25	yes	stainless steel	4I
C.345.230.0830.A	34.5	2.30	83.0	0.1724	17.25	21.78	yes	music wire	4I
C.345.230.0830.I	34.5	2.30	83.0	0.1500	17.02	21.46	yes	stainless steel	4I
C.345.230.0850.A	34.5	2.30	85.0	0.1800	16.56	20.82	yes	music wire	4I
C.345.230.0850.I	34.5	2.30	85.0	0.1566	16.56	20.82	yes	stainless steel	4I
C.345.250.0127.A	34.5	2.50	12.7	2.5287	7.50	7.93	yes	music wire	4G
C.345.250.0127.I	34.5	2.50	12.7	2.2000	7.50	7.93	yes	stainless steel	4G
C.345.250.0330.A	34.5	2.50	33.0	0.4770	12.50	14.66	yes	music wire	4H
C.345.250.0330.I	34.5	2.50	33.0	0.4150	12.50	14.66	yes	stainless steel	4I
C.345.250.0330.N	34.5	2.50	33.0	0.4770	12.50	14.66	yes	Zn coating	4I
C.345.250.0715.A	34.5	2.50	71.5	0.3470	15.00	23.84	yes	music wire	4J
C.345.250.0715.AF	34.5	2.50	71.5	0.2208	20.00	24.75	yes	music wire	4I
C.345.250.0715.I	34.5	2.50	71.5	0.2980	15.00	22.40	yes	stainless steel	4J
C.345.250.0715.IF	34.5	2.50	71.5	0.1896	20.00	24.75	yes	stainless steel	4I
C.345.250.0715.N	34.5	2.50	71.5	0.3470	15.00	23.84	yes	Zn coating	4L
C.345.250.0715.NF	34.5	2.50	71.5	0.2208	20.00	24.75	yes	Zn coating	4J
C.345.250.0890.A	34.5	2.50	89.0	0.1494	26.50	33.50	yes	music wire	4I
C.345.250.0890.I	34.5	2.50	89.0	0.1300	26.25	33.17	yes	stainless steel	4I
C.345.250.1100.A	34.5	2.50	110.0	0.2208	20.00	35.10	yes	music wire	4L
C.345.250.1100.I	34.5	2.50	110.0	0.1896	20.00	32.82	yes	stainless steel	4L
C.345.250.1100.N	34.5	2.50	110.0	0.2208	20.00	35.10	yes	Zn coating	4M
C.345.250.1700.A	34.5	2.50	170.0	0.1429	27.50	54.27	yes	music wire	4M
C.345.250.1700.I	34.5	2.50	170.0	0.1227	27.50	50.74	yes	stainless steel	4M
C.345.250.1700.N	34.5	2.50	170.0	0.1429	27.50	54.27	yes	Zn coating	4N
C.345.250.2450.A	34.5	2.50	245.0	0.0972	37.50	74.86	yes	music wire	4N
C.345.250.2450.I	34.5	2.50	245.0	0.0835	37.50	69.76	yes	stainless steel	4N
C.345.250.2450.IF	34.5	2.50	245.0	0.0563	52.50	68.49	yes	stainless steel	4L
C.345.250.2450.N	34.5	2.50	245.0	0.0972	37.50	74.86	yes	Zn coating	4P
C.345.250.3600.A	34.5	2.50	360.0	0.0656	55.00	107.90	no	music wire	4P
C.345.250.3600.I	34.5	2.50	360.0	0.0563	55.00	100.10	no	stainless steel	4P
C.345.250.3600.IF	34.5	2.50	360.0	0.0464	65.00	84.45	no	stainless steel	4N
C.345.250.3600.N	34.5	2.50	360.0	0.0656	55.00	107.90	no	Zn coating	4R
C.345.260.0760.A	34.5	2.60	76.0	0.3793	16.38	27.37	yes	music wire	4J
C.345.260.0760.I	34.5	2.60	76.0	0.3300	16.12	26.48	yes	stainless steel	4J
C.345.300.0320.A	34.5	3.00	32.0	1.4000	13.20	14.71	yes	music wire	4I
C.345.300.0320.I	34.5	3.00	32.0	1.2180	13.20	14.71	yes	stainless steel	4I
C.345.330.0300.A	34.5	3.30	30.0	0.9700	21.78	24.95	yes	music wire	4J
C.345.330.0300.AP	34.5	3.30	30.0	2.5320	13.53	15.90	yes	music wire	4M
C.345.330.0300.I	34.5	3.30	30.0	0.8439	21.45	24.54	yes	stainless steel	4J
C.345.400.0890.A	34.5	4.00	89.0	1.2000	40.80	46.57	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.345.400.0890.I	34.5	4.00	89.0	1.0440	40.40	46.09	yes	stainless steel	4Q
C.345.500.1270.A	34.5	5.00	127.0	2.5287	61.50	83.13	yes	music wire	5D
C.345.500.1270.I	34.5	5.00	127.0	2.2000	61.00	81.13	yes	stainless steel	5D
C.346.280.0200.A	34.6	2.80	20.0	1.6227	10.36	11.35	yes	music wire	4I
C.346.280.0200.I	34.6	2.80	20.0	1.3937	10.36	11.35	yes	stainless steel	4I
C.346.280.0400.A	34.6	2.80	40.0	0.6715	15.12	17.50	yes	music wire	4I
C.346.280.0400.I	34.6	2.80	40.0	0.5767	15.12	17.50	yes	stainless steel	4I
C.346.280.0600.A	34.6	2.80	60.0	0.4327	19.60	23.30	yes	music wire	4I
C.346.280.0600.I	34.6	2.80	60.0	0.3717	19.60	23.30	yes	stainless steel	4I
C.346.280.0800.A	34.6	2.80	80.0	0.3141	24.36	29.45	yes	music wire	4J
C.346.280.0800.I	34.6	2.80	80.0	0.2698	24.36	29.45	yes	stainless steel	4J
C.346.280.1000.A	34.6	2.80	100.0	0.3200	24.08	29.39	yes	music wire	4L
C.346.280.1000.I	34.6	2.80	100.0	0.2784	23.80	28.73	yes	stainless steel	4M
C.346.280.1000.N	34.6	2.80	100.0	0.3200	24.08	29.39	yes	Zn coating	4N
C.346.280.1250.A	34.6	2.80	125.0	0.2540	28.56	36.04	yes	music wire	4M
C.346.280.1250.I	34.6	2.80	125.0	0.2210	28.28	34.53	yes	stainless steel	4M
C.346.280.1250.N	34.6	2.80	125.0	0.2540	28.56	36.04	yes	Zn coating	4N
C.346.280.1600.A	34.6	2.80	160.0	0.2000	34.16	47.02	yes	music wire	4M
C.346.280.1600.I	34.6	2.80	160.0	0.1740	33.88	44.63	yes	stainless steel	4N
C.346.280.1600.N	34.6	2.80	160.0	0.2000	34.16	47.02	yes	Zn coating	4O
C.346.280.2000.A	34.6	2.80	200.0	0.1600	41.16	58.78	yes	music wire	4N
C.346.280.2000.I	34.6	2.80	200.0	0.1392	40.60	55.79	yes	stainless steel	4N
C.346.280.2000.N	34.6	2.80	200.0	0.1600	41.16	58.78	yes	Zn coating	4P
C.346.280.2500.A	34.6	2.80	250.0	0.1280	49.56	73.47	yes	music wire	4O
C.346.280.2500.I	34.6	2.80	250.0	0.1114	49.00	69.73	yes	stainless steel	4O
C.346.280.2500.N	34.6	2.80	250.0	0.1280	49.56	73.47	yes	Zn coating	4Q
C.346.280.3200.A	34.6	2.80	320.0	0.1000	61.60	94.04	yes	music wire	4P
C.346.280.3200.I	34.6	2.80	320.0	0.0870	60.76	89.26	yes	stainless steel	4P
C.346.280.3200.N	34.6	2.80	320.0	0.1000	61.60	94.04	yes	Zn coating	4R
C.346.280.4000.A	34.6	2.80	400.0	0.0800	75.04	117.55	yes	music wire	4Q
C.346.280.4000.I	34.6	2.80	400.0	0.0696	74.20	111.58	yes	stainless steel	4Q
C.346.280.4000.N	34.6	2.80	400.0	0.0800	75.04	117.55	yes	Zn coating	4S
C.346.280.5000.A	34.6	2.80	500.0	0.0640	92.12	146.94	yes	music wire	4R
C.346.280.5000.I	34.6	2.80	500.0	0.0557	91.00	139.47	yes	stainless steel	4R
C.346.280.5000.N	34.6	2.80	500.0	0.0640	92.12	146.94	yes	Zn coating	4T
C.346.380.0550.A	34.6	3.80	55.0	1.2644	31.54	35.92	yes	music wire	4M
C.346.380.0550.AP	34.6	3.80	55.0	2.1154	22.42	30.20	yes	music wire	4O
C.346.380.0550.I	34.6	3.80	55.0	1.1000	31.16	35.46	yes	stainless steel	4M
C.346.380.0570.A	34.6	3.80	57.0	1.3000	30.78	35.01	yes	music wire	4M
C.346.380.0570.AP	34.6	3.80	57.0	2.0011	23.18	30.78	yes	music wire	4O
C.346.380.0570.I	34.6	3.80	57.0	1.1310	30.40	34.55	yes	stainless steel	4M
C.346.380.3000.A	34.6	3.80	300.0	0.2399	124.64	147.50	yes	music wire	4P
C.346.380.3000.I	34.6	3.80	300.0	0.2061	124.64	147.50	yes	stainless steel	4P
C.346.500.0890.S	34.6	5.00	89.0	3.4148	48.50	56.60	yes	Cr-Si steel	5D
C.348.280.1000.A	34.8	2.80	100.0	0.3125	24.08	29.13	yes	music wire	4I
C.348.280.1250.A	34.8	2.80	125.0	0.2500	28.28	35.12	yes	music wire	4I
C.348.280.1600.A	34.8	2.80	160.0	0.1984	33.88	46.75	yes	music wire	4J
C.348.280.2000.A	34.8	2.80	200.0	0.1563	41.16	56.19	yes	music wire	4J
C.348.280.2500.A	34.8	2.80	250.0	0.1250	49.84	70.24	yes	music wire	4L
C.348.280.3200.A	34.8	2.80	320.0	0.1000	60.48	95.30	yes	music wire	4M
C.348.280.4000.A	34.8	2.80	400.0	0.0781	75.60	112.38	yes	music wire	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.348.280.5000.A	34.8	2.80	500.0	0.0625	92.68	140.47	yes	music wire	4O
C.349.160.0200.A	34.9	1.60	20.0	0.1644	7.36	8.68	no	music wire	4F
C.349.160.0200.I	34.9	1.60	20.0	0.1412	7.36	8.68	no	stainless steel	4F
C.349.160.0950.A	34.9	1.60	95.0	0.0299	15.36	22.68	no	music wire	4I
C.349.160.0950.I	34.9	1.60	95.0	0.0260	15.20	22.40	no	stainless steel	4I
C.349.180.0200.A	34.9	1.80	20.0	0.2681	6.48	7.68	yes	music wire	4G
C.349.180.0200.I	34.9	1.80	20.0	0.2303	6.48	7.68	yes	stainless steel	4G
C.349.180.0950.A	34.9	1.80	95.0	0.0529	14.58	20.70	yes	music wire	4I
C.349.180.0950.I	34.9	1.80	95.0	0.0460	14.40	20.41	yes	stainless steel	4I
C.349.180.0980.A	34.9	1.80	98.0	0.0529	14.58	20.70	yes	music wire	4I
C.349.180.0980.I	34.9	1.80	98.0	0.0460	14.40	20.41	yes	stainless steel	4I
C.349.200.0200.A	34.9	2.00	20.0	0.4161	7.20	8.31	yes	music wire	4G
C.349.200.0200.I	34.9	2.00	20.0	0.3574	7.20	8.31	yes	stainless steel	4G
C.349.200.1360.A	34.9	2.00	136.0	0.0678	18.40	25.18	yes	music wire	4J
C.349.200.1360.I	34.9	2.00	136.0	0.0590	18.40	25.18	yes	stainless steel	4J
C.349.220.0200.A	34.9	2.20	20.0	0.6205	7.92	8.96	yes	music wire	4G
C.349.220.0200.I	34.9	2.20	20.0	0.5329	7.92	8.96	yes	stainless steel	4G
C.349.220.0950.A	34.9	2.20	95.0	0.1379	16.28	20.93	yes	music wire	4I
C.349.220.0950.I	34.9	2.20	95.0	0.1200	16.28	20.93	yes	stainless steel	4I
C.349.230.0200.A	34.9	2.30	20.0	0.7481	8.28	9.30	yes	music wire	4G
C.349.230.0200.I	34.9	2.30	20.0	0.6425	8.28	9.30	yes	stainless steel	4G
C.349.230.0590.A	34.9	2.30	59.0	0.1379	19.55	25.09	yes	music wire	4I
C.349.230.0590.I	34.9	2.30	59.0	0.1200	19.32	24.77	yes	stainless steel	4I
C.349.230.0620.A	34.9	2.30	62.0	0.1379	19.55	25.09	yes	music wire	4I
C.349.230.0620.I	34.9	2.30	62.0	0.1200	19.32	24.77	yes	stainless steel	4I
C.349.260.0200.A	34.9	2.60	20.0	1.1513	9.62	10.65	yes	music wire	4G
C.349.260.0200.I	34.9	2.60	20.0	0.9888	9.62	10.65	yes	stainless steel	4H
C.349.260.0640.A	34.9	2.60	64.0	0.3678	16.38	19.66	yes	music wire	4I
C.349.260.0640.I	34.9	2.60	64.0	0.3200	16.12	19.31	yes	stainless steel	4I
C.349.300.0410.A	34.9	3.00	41.0	0.9655	15.30	17.40	yes	music wire	4I
C.349.300.0410.I	34.9	3.00	41.0	0.8400	15.30	17.40	yes	stainless steel	4I
C.349.300.2000.A	34.9	3.00	200.0	0.1522	57.60	71.11	yes	music wire	4L
C.349.300.2000.I	34.9	3.00	200.0	0.1307	57.60	71.11	yes	stainless steel	4L
C.349.320.0880.A	34.9	3.20	88.0	0.4800	30.40	35.94	yes	music wire	4K
C.349.320.0880.AP	34.9	3.20	88.0	0.6830	23.68	40.52	yes	music wire	4M
C.349.320.0880.I	34.9	3.20	88.0	0.4176	30.08	35.54	yes	stainless steel	4L
C.349.320.2000.A	34.9	3.20	200.0	0.1905	64.32	78.24	yes	music wire	4M
C.349.320.2000.I	34.9	3.20	200.0	0.1637	64.32	78.24	yes	stainless steel	4M
C.349.330.0400.A	34.9	3.30	40.0	0.8300	23.43	27.04	yes	music wire	4J
C.349.330.0400.AP	34.9	3.30	40.0	1.7724	15.51	20.08	yes	music wire	4M
C.349.330.0400.I	34.9	3.30	40.0	0.7221	23.43	27.04	yes	stainless steel	4J
C.349.330.2000.A	34.9	3.30	200.0	0.2127	67.65	81.76	yes	music wire	4M
C.349.330.2000.I	34.9	3.30	200.0	0.1827	67.65	81.76	yes	stainless steel	4M
C.349.340.0430.A	34.9	3.40	43.0	1.2644	20.06	22.70	yes	music wire	4J
C.349.340.0430.AP	34.9	3.40	43.0	1.8483	16.66	22.26	yes	music wire	4M
C.349.340.0430.I	34.9	3.40	43.0	1.1000	20.06	22.70	yes	stainless steel	4J
C.349.340.0640.A	34.9	3.40	64.0	0.9195	24.48	28.14	yes	music wire	4J
C.349.340.0640.I	34.9	3.40	64.0	0.8000	24.48	28.14	yes	stainless steel	4J
C.349.340.2400.A	34.9	3.40	240.0	0.1962	83.98	101.25	yes	music wire	4N
C.349.340.2400.I	34.9	3.40	240.0	0.1685	83.98	101.25	yes	stainless steel	4N
C.349.400.0950.A	34.9	4.00	95.0	1.2644	38.00	47.63	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.349.400.0950.I	34.9	4.00	95.0	1.1000	37.60	45.96	yes	stainless steel	4S
C.349.400.2000.A	34.9	4.00	200.0	0.4376	90.80	106.11	yes	music wire	4R
C.349.400.2000.I	34.9	4.00	200.0	0.3759	90.80	106.11	yes	stainless steel	4R
C.349.450.0760.A	34.9	4.50	76.0	3.1034	32.85	49.40	yes	music wire	5B
C.349.450.0760.I	34.9	4.50	76.0	2.7000	32.40	48.32	yes	stainless steel	5B
C.349.450.2000.A	34.9	4.50	200.0	0.7014	106.65	122.72	yes	music wire	4S
C.349.450.2000.I	34.9	4.50	200.0	0.6024	106.65	122.72	yes	stainless steel	4S
C.349.480.0300.A	34.9	4.80	30.0	10.0000	21.60	23.13	yes	music wire	4Q
C.349.480.0300.I	34.9	4.80	30.0	8.7000	21.60	23.13	yes	stainless steel	4R
C.349.480.2000.A	34.9	4.80	200.0	0.9181	115.68	132.16	yes	music wire	4S
C.349.480.2000.I	34.9	4.80	200.0	0.7885	115.68	132.16	yes	stainless steel	4S
C.350.150.0206.A	35.0	1.50	20.6	0.1247	6.90	8.30	no	music wire	4F
C.350.150.0206.I	35.0	1.50	20.6	0.1071	6.90	8.30	no	stainless steel	4F
C.350.150.0224.A	35.0	1.50	22.4	0.1247	6.90	8.30	no	music wire	4F
C.350.150.0224.I	35.0	1.50	22.4	0.1071	6.90	8.30	no	stainless steel	4F
C.350.150.0239.A	35.0	1.50	23.9	0.1247	6.90	8.30	no	music wire	4F
C.350.150.0239.I	35.0	1.50	23.9	0.1071	6.90	8.30	no	stainless steel	4G
C.350.150.0254.A	35.0	1.50	25.4	0.1247	6.90	8.30	no	music wire	4F
C.350.150.0254.I	35.0	1.50	25.4	0.1071	6.90	8.30	no	stainless steel	4G
C.350.150.0284.A	35.0	1.50	28.4	0.1247	6.90	8.30	no	music wire	4F
C.350.150.0284.I	35.0	1.50	28.4	0.1071	6.90	8.30	no	stainless steel	4G
C.350.150.0305.A	35.0	1.50	30.5	0.1143	7.05	8.58	no	music wire	4F
C.350.150.0305.I	35.0	1.50	30.5	0.0982	7.05	8.58	no	stainless steel	4G
C.350.150.0318.A	35.0	1.50	31.8	0.1143	7.05	8.58	no	music wire	4F
C.350.150.0318.I	35.0	1.50	31.8	0.0982	7.05	8.58	no	stainless steel	4G
C.350.150.0345.A	35.0	1.50	34.5	0.1055	7.20	8.85	no	music wire	4G
C.350.150.0345.I	35.0	1.50	34.5	0.0906	7.20	8.85	no	stainless steel	4G
C.350.150.0351.A	35.0	1.50	35.1	0.0980	7.35	9.13	no	music wire	4G
C.350.150.0351.I	35.0	1.50	35.1	0.0842	7.35	9.13	no	stainless steel	4G
C.350.150.0381.A	35.0	1.50	38.1	0.0915	7.50	9.41	no	music wire	4G
C.350.150.0381.I	35.0	1.50	38.1	0.0786	7.50	9.41	no	stainless steel	4G
C.350.150.0444.A	35.0	1.50	44.4	0.0762	7.95	10.24	no	music wire	4G
C.350.150.0444.I	35.0	1.50	44.4	0.0655	7.95	10.24	no	stainless steel	4G
C.350.150.0457.A	35.0	1.50	45.7	0.0762	7.95	10.24	no	music wire	4G
C.350.150.0457.I	35.0	1.50	45.7	0.0655	7.95	10.24	no	stainless steel	4G
C.350.150.0508.A	35.0	1.50	50.8	0.0686	8.25	10.79	no	music wire	4G
C.350.150.0508.I	35.0	1.50	50.8	0.0589	8.25	10.79	no	stainless steel	4G
C.350.150.0559.A	35.0	1.50	55.9	0.0624	8.55	11.35	no	music wire	4G
C.350.150.0559.I	35.0	1.50	55.9	0.0536	8.55	11.35	no	stainless steel	4H
C.350.150.0572.A	35.0	1.50	57.2	0.0596	8.70	11.63	no	music wire	4G
C.350.150.0572.I	35.0	1.50	57.2	0.0512	8.70	11.63	no	stainless steel	4H
C.350.150.0635.A	35.0	1.50	63.5	0.0549	9.00	12.18	no	music wire	4G
C.350.150.0635.I	35.0	1.50	63.5	0.0471	9.00	12.18	no	stainless steel	4H
C.350.150.0698.A	35.0	1.50	69.8	0.0490	9.45	13.01	no	music wire	4H
C.350.150.0698.I	35.0	1.50	69.8	0.0421	9.45	13.01	no	stainless steel	4H
C.350.150.0711.A	35.0	1.50	71.1	0.0490	9.45	13.01	no	music wire	4H
C.350.150.0711.I	35.0	1.50	71.1	0.0421	9.45	13.01	no	stainless steel	4I
C.350.150.0762.A	35.0	1.50	76.2	0.0443	9.90	13.84	no	music wire	4H
C.350.150.0762.I	35.0	1.50	76.2	0.0380	9.90	13.84	no	stainless steel	4I
C.350.150.0826.A	35.0	1.50	82.6	0.0416	10.20	14.40	no	music wire	4I
C.350.150.0826.I	35.0	1.50	82.6	0.0357	10.20	14.40	no	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.350.150.0889.A	35.0	1.50	88.9	0.0381	10.65	15.23	no	music wire	4I
C.350.150.0889.I	35.0	1.50	88.9	0.0327	10.65	15.23	no	stainless steel	4I
C.350.150.1620.A	35.0	1.50	162.0	0.0208	15.15	23.55	no	music wire	4J
C.350.150.1620.I	35.0	1.50	162.0	0.0179	15.15	23.55	no	stainless steel	4J
C.350.150.1650.A	35.0	1.50	165.0	0.0205	15.30	23.82	no	music wire	4J
C.350.150.1650.I	35.0	1.50	165.0	0.0176	15.30	23.82	no	stainless steel	4J
C.350.150.2200.A	35.0	1.50	220.0	0.0152	18.75	30.20	no	music wire	4J
C.350.150.2200.I	35.0	1.50	220.0	0.0131	18.75	30.20	no	stainless steel	4J
C.350.180.0800.A	35.0	1.80	80.0	0.0410	17.28	25.08	yes	music wire	4I
C.350.180.0800.I	35.0	1.80	80.0	0.0357	17.10	24.79	yes	stainless steel	4I
C.350.180.0800.N	35.0	1.80	80.0	0.0410	17.28	25.08	yes	Zn coating	4J
C.350.190.0390.A	35.0	1.90	39.0	0.2154	7.98	9.77	yes	music wire	4G
C.350.190.0390.I	35.0	1.90	39.0	0.1850	7.98	9.77	yes	stainless steel	4H
C.350.190.0480.I	35.0	1.90	48.0	0.1497	8.74	10.96	yes	stainless steel	4I
C.350.200.0440.A	35.0	2.00	44.0	0.2268	9.00	11.03	yes	music wire	4H
C.350.200.0440.I	35.0	2.00	44.0	0.1948	9.00	11.03	yes	stainless steel	4I
C.350.200.1800.A	35.0	2.00	180.0	0.0527	22.20	30.94	yes	music wire	4J
C.350.200.1800.I	35.0	2.00	180.0	0.0453	22.20	30.94	yes	stainless steel	4J
C.350.210.0360.A	35.0	2.10	36.0	0.3273	8.82	10.49	yes	music wire	4H
C.350.210.0360.I	35.0	2.10	36.0	0.2811	8.82	10.49	yes	stainless steel	4H
C.350.210.1800.A	35.0	2.10	180.0	0.0611	24.36	33.31	yes	music wire	4J
C.350.210.1800.I	35.0	2.10	180.0	0.0525	24.36	33.31	yes	stainless steel	4J
C.350.220.0360.A	35.0	2.20	36.0	0.3757	9.46	11.18	yes	music wire	4H
C.350.220.0360.I	35.0	2.20	36.0	0.3227	9.46	11.18	yes	stainless steel	4H
C.350.220.0530.A	35.0	2.20	53.0	0.2505	11.44	14.01	yes	music wire	4I
C.350.220.0530.I	35.0	2.20	53.0	0.2151	11.44	14.01	yes	stainless steel	4I
C.350.220.1450.A	35.0	2.20	145.0	0.0878	22.44	29.78	yes	music wire	4J
C.350.220.1450.I	35.0	2.20	145.0	0.0754	22.44	29.78	yes	stainless steel	4J
C.350.225.0410.A	35.0	2.25	41.0	0.3540	10.35	12.32	yes	music wire	4H
C.350.225.0410.I	35.0	2.25	41.0	0.3040	10.35	12.32	yes	stainless steel	4I
C.350.225.0480.A	35.0	2.25	48.0	0.2973	11.25	13.60	yes	music wire	4I
C.350.225.0480.I	35.0	2.25	48.0	0.2554	11.25	13.60	yes	stainless steel	4I
C.350.225.0770.A	35.0	2.25	77.0	0.1813	14.85	18.70	yes	music wire	4I
C.350.225.0770.I	35.0	2.25	77.0	0.1557	14.85	18.70	yes	stainless steel	4I
C.350.225.1150.A	35.0	2.25	115.0	0.1199	19.58	25.41	yes	music wire	4I
C.350.225.1150.I	35.0	2.25	115.0	0.1030	19.58	25.41	yes	stainless steel	4I
C.350.230.1550.A	35.0	2.30	155.0	0.0948	25.53	33.51	yes	music wire	4J
C.350.230.1550.I	35.0	2.30	155.0	0.0814	25.53	33.51	yes	stainless steel	4J
C.350.235.0770.A	35.0	2.35	77.0	0.2076	15.98	19.92	yes	music wire	4I
C.350.235.0770.I	35.0	2.35	77.0	0.1783	15.98	19.92	yes	stainless steel	4I
C.350.235.0980.A	35.0	2.35	98.0	0.1623	18.80	23.83	yes	music wire	4I
C.350.235.0980.I	35.0	2.35	98.0	0.1394	18.80	23.83	yes	stainless steel	4I
C.350.240.0730.A	35.0	2.40	73.0	0.2379	15.84	19.55	yes	music wire	4I
C.350.240.0730.I	35.0	2.40	73.0	0.2044	15.84	19.55	yes	stainless steel	4I
C.350.240.0930.A	35.0	2.40	93.0	0.1841	18.72	23.51	yes	music wire	4I
C.350.240.0930.I	35.0	2.40	93.0	0.1581	18.72	23.51	yes	stainless steel	4I
C.350.240.1500.A	35.0	2.40	150.0	0.1121	26.88	34.75	yes	music wire	4J
C.350.240.1500.I	35.0	2.40	150.0	0.0963	26.88	34.75	yes	stainless steel	4J
C.350.250.0560.A	35.0	2.50	56.0	0.3513	14.50	17.42	yes	music wire	4I
C.350.250.0560.I	35.0	2.50	56.0	0.3017	14.50	17.42	yes	stainless steel	4I
C.350.250.0635.A	35.0	2.50	63.5	0.2696	17.00	20.80	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.350.250.0635.I	35.0	2.50	63.5	0.2316	17.00	20.80	yes	stainless steel	4I
C.350.250.0762.A	35.0	2.50	76.2	0.2229	19.25	23.85	yes	music wire	4I
C.350.250.0762.I	35.0	2.50	76.2	0.1915	19.25	23.85	yes	stainless steel	4I
C.350.250.0889.A	35.0	2.50	88.9	0.1900	21.50	26.89	yes	music wire	4I
C.350.250.0889.I	35.0	2.50	88.9	0.1632	21.50	26.89	yes	stainless steel	4I
C.350.250.1016.A	35.0	2.50	101.6	0.1656	23.75	29.94	yes	music wire	4I
C.350.250.1016.I	35.0	2.50	101.6	0.1422	23.75	29.94	yes	stainless steel	4I
C.350.250.1350.A	35.0	2.50	135.0	0.1414	26.75	34.00	yes	music wire	4J
C.350.250.1350.I	35.0	2.50	135.0	0.1214	26.75	34.00	yes	stainless steel	4J
C.350.260.1850.A	35.0	2.60	185.0	0.1160	37.18	47.39	yes	music wire	4J
C.350.260.1850.I	35.0	2.60	185.0	0.0996	37.18	47.39	yes	stainless steel	4J
C.350.270.1400.A	35.0	2.70	140.0	0.1746	31.59	39.41	yes	music wire	4J
C.350.270.1400.I	35.0	2.70	140.0	0.1500	31.59	39.41	yes	stainless steel	4J
C.350.270.1700.A	35.0	2.70	170.0	0.1434	36.99	46.51	yes	music wire	4J
C.350.270.1700.I	35.0	2.70	170.0	0.1232	36.99	46.51	yes	stainless steel	4J
C.350.290.0450.A	35.0	2.90	45.0	0.7512	15.66	18.05	yes	music wire	4I
C.350.290.0450.I	35.0	2.90	45.0	0.6452	15.66	18.05	yes	stainless steel	4I
C.350.290.0860.A	35.0	2.90	86.0	0.3692	24.36	29.22	yes	music wire	4J
C.350.290.0860.I	35.0	2.90	86.0	0.3171	24.36	29.22	yes	stainless steel	4J
C.350.290.1900.A	35.0	2.90	190.0	0.1614	46.40	57.51	yes	music wire	4L
C.350.290.1900.I	35.0	2.90	190.0	0.1386	46.40	57.51	yes	stainless steel	4L
C.350.300.0390.A	35.0	3.00	39.0	0.6180	19.80	23.13	yes	music wire	4I
C.350.300.0390.AP	35.0	3.00	39.0	1.3498	13.20	18.96	yes	music wire	4J
C.350.300.0390.I	35.0	3.00	39.0	0.5377	19.50	22.75	yes	stainless steel	4I
C.350.300.0390.N	35.0	3.00	39.0	0.6180	19.80	23.13	yes	Zn coating	4J
C.350.300.0670.A	35.0	3.00	67.0	0.5358	21.60	25.42	yes	music wire	4I
C.350.300.0670.I	35.0	3.00	67.0	0.4602	21.60	25.42	yes	stainless steel	4J
C.350.300.1150.A	35.0	3.00	115.0	0.3034	32.40	39.14	yes	music wire	4J
C.350.300.1150.I	35.0	3.00	115.0	0.2606	32.40	39.14	yes	stainless steel	4J
C.350.300.1600.A	35.0	3.00	160.0	0.1650	53.40	65.82	yes	music wire	4K
C.350.300.1600.AP	35.0	3.00	160.0	0.2948	33.00	68.22	yes	music wire	4M
C.350.300.1600.I	35.0	3.00	160.0	0.1436	52.80	65.06	yes	stainless steel	4L
C.350.300.1600.N	35.0	3.00	160.0	0.1650	53.40	65.82	yes	Zn coating	4M
C.350.310.0870.A	35.0	3.10	87.0	0.4600	27.28	32.34	yes	music wire	4J
C.350.310.0870.I	35.0	3.10	87.0	0.3951	27.28	32.34	yes	stainless steel	4J
C.350.320.0460.A	35.0	3.20	46.0	1.0381	18.24	20.78	yes	music wire	4J
C.350.320.0460.I	35.0	3.20	46.0	0.8916	18.24	20.78	yes	stainless steel	4J
C.350.320.0730.A	35.0	3.20	73.0	0.6152	25.28	29.57	yes	music wire	4J
C.350.320.0730.I	35.0	3.20	73.0	0.5284	25.28	29.57	yes	stainless steel	4K
C.350.340.0540.A	35.0	3.40	54.0	1.0786	22.10	25.22	yes	music wire	4J
C.350.340.0540.I	35.0	3.40	54.0	0.9264	22.10	25.22	yes	stainless steel	4J
C.350.340.1500.A	35.0	3.40	150.0	0.3566	49.64	59.08	yes	music wire	4L
C.350.340.1500.I	35.0	3.40	150.0	0.3063	49.64	59.08	yes	stainless steel	4M
C.350.350.0500.A	35.0	3.50	50.0	0.8730	28.35	32.69	yes	music wire	4J
C.350.350.0500.AP	35.0	3.50	50.0	1.7176	18.55	25.89	yes	music wire	4M
C.350.350.0500.I	35.0	3.50	50.0	0.7595	28.00	32.26	yes	stainless steel	4J
C.350.350.0500.N	35.0	3.50	50.0	0.8730	28.35	32.69	yes	Zn coating	4L
C.350.350.0600.A	35.0	3.50	60.0	0.8730	28.35	32.69	yes	music wire	4J
C.350.350.0600.AP	35.0	3.50	60.0	1.3836	21.00	30.07	yes	music wire	4M
C.350.350.0600.I	35.0	3.50	60.0	0.7595	28.00	32.26	yes	stainless steel	4J
C.350.350.0600.N	35.0	3.50	60.0	0.8730	28.35	32.69	yes	Zn coating	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.350.350.0650.A	35.0	3.50	65.0	0.8730	28.35	32.69	yes	music wire	4J
C.350.350.0650.AP	35.0	3.50	65.0	1.2772	22.05	32.58	yes	music wire	4M
C.350.350.0650.I	35.0	3.50	65.0	0.7595	28.00	32.26	yes	stainless steel	4J
C.350.350.0650.N	35.0	3.50	65.0	0.8730	28.35	32.69	yes	Zn coating	4L
C.350.350.0980.A	35.0	3.50	98.0	0.6191	36.40	42.52	yes	music wire	4L
C.350.350.0980.I	35.0	3.50	98.0	0.5318	36.40	42.52	yes	stainless steel	4L
C.350.360.0360.A	35.0	3.60	36.0	2.1258	18.36	20.36	yes	music wire	4M
C.350.360.0360.I	35.0	3.60	36.0	1.8258	18.36	20.36	yes	stainless steel	4M
C.350.360.0450.A	35.0	3.60	45.0	1.6256	21.24	23.86	yes	music wire	4M
C.350.360.0450.I	35.0	3.60	45.0	1.3962	21.24	23.86	yes	stainless steel	4M
C.350.360.0560.A	35.0	3.60	56.0	1.2561	24.84	28.23	yes	music wire	4M
C.350.360.0560.I	35.0	3.60	56.0	1.0789	24.84	28.23	yes	stainless steel	4M
C.350.360.0700.A	35.0	3.60	70.0	0.9870	29.16	33.48	yes	music wire	4M
C.350.360.0700.I	35.0	3.60	70.0	0.8477	29.16	33.48	yes	stainless steel	4M
C.350.360.1143.A	35.0	3.60	114.3	0.5214	47.16	55.33	yes	music wire	4N
C.350.360.1143.I	35.0	3.60	114.3	0.4478	47.16	55.33	yes	stainless steel	4N
C.350.360.1800.A	35.0	3.60	180.0	0.3612	64.08	75.87	yes	music wire	4O
C.350.360.1800.I	35.0	3.60	180.0	0.3103	64.08	75.87	yes	stainless steel	4O
C.350.360.4000.A	35.0	3.60	400.0	0.1428	148.32	178.15	yes	music wire	4Q
C.350.360.4000.I	35.0	3.60	400.0	0.1227	148.32	178.15	yes	stainless steel	4Q
C.350.380.0300.A	35.0	3.80	30.0	3.6000	16.72	18.17	yes	music wire	4M
C.350.380.0300.I	35.0	3.80	30.0	3.1320	16.72	18.17	yes	stainless steel	4M
C.350.380.0420.A	35.0	3.80	42.0	2.1857	21.66	24.11	yes	music wire	4M
C.350.380.0420.I	35.0	3.80	42.0	1.8773	21.66	24.11	yes	stainless steel	4M
C.350.380.0940.A	35.0	3.80	94.0	0.8743	39.90	46.01	yes	music wire	4M
C.350.380.0940.I	35.0	3.80	94.0	0.7509	39.90	46.01	yes	stainless steel	4N
C.350.380.1100.A	35.0	3.80	110.0	0.7362	45.60	52.86	yes	music wire	4N
C.350.380.1100.I	35.0	3.80	110.0	0.6323	45.60	52.86	yes	stainless steel	4N
C.350.400.0360.A	35.0	4.00	36.0	3.2423	20.80	22.85	yes	music wire	4P
C.350.400.0360.I	35.0	4.00	36.0	2.7848	20.80	22.85	yes	stainless steel	4P
C.350.400.0440.A	35.0	4.00	44.0	2.5012	24.00	26.66	yes	music wire	4P
C.350.400.0440.I	35.0	4.00	44.0	2.1483	24.00	26.66	yes	stainless steel	4P
C.350.400.0760.A	35.0	4.00	76.0	1.2500	38.00	43.32	yes	music wire	4P
C.350.400.0760.AP	35.0	4.00	76.0	1.7145	30.40	41.16	yes	music wire	4R
C.350.400.0760.I	35.0	4.00	76.0	1.0741	38.00	43.32	yes	stainless steel	4P
C.350.400.0760.N	35.0	4.00	76.0	1.2500	38.00	43.32	yes	Zn coating	4R
C.350.400.2050.A	35.0	4.00	205.0	0.4229	92.80	108.54	yes	music wire	4R
C.350.400.2050.I	35.0	4.00	205.0	0.3632	92.80	108.54	yes	stainless steel	4R
C.350.400.4500.A	35.0	4.00	450.0	0.1577	232.00	274.20	yes	music wire	4S
C.350.400.4500.AP	35.0	4.00	450.0	0.2693	140.00	228.25	yes	music wire	5B
C.350.400.4500.I	35.0	4.00	450.0	0.1354	232.00	274.20	yes	stainless steel	4S
C.350.400.4500.N	35.0	4.00	450.0	0.1577	232.00	274.20	yes	Zn coating	5A
C.350.420.0400.A	35.0	4.20	40.0	2.6620	27.72	30.83	yes	music wire	4P
C.350.420.0400.AP	35.0	4.20	40.0	4.4197	21.00	24.56	yes	music wire	4R
C.350.420.0400.I	35.0	4.20	40.0	2.3159	27.30	30.34	yes	stainless steel	4P
C.350.420.0400.N	35.0	4.20	40.0	2.6620	27.72	30.83	yes	Zn coating	4R
C.350.420.0508.A	35.0	4.20	50.8	2.3586	29.82	33.31	yes	music wire	4P
C.350.420.0508.I	35.0	4.20	50.8	2.0258	29.82	33.31	yes	stainless steel	4P
C.350.420.0820.A	35.0	4.20	82.0	1.4862	41.16	46.70	yes	music wire	4P
C.350.420.0820.I	35.0	4.20	82.0	1.2765	41.16	46.70	yes	stainless steel	4P
C.350.420.1800.A	35.0	4.20	180.0	0.6420	81.48	94.30	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.350.420.1800.I	35.0	4.20	180.0	0.5514	81.48	94.30	yes	stainless steel	4R
C.350.450.0635.A	35.0	4.50	63.5	2.4137	38.70	43.34	yes	music wire	4R
C.350.450.0635.I	35.0	4.50	63.5	2.0731	38.70	43.34	yes	stainless steel	4R
C.350.450.0762.A	35.0	4.50	76.2	1.9632	45.00	50.70	yes	music wire	4R
C.350.450.0762.I	35.0	4.50	76.2	1.6862	45.00	50.70	yes	stainless steel	4R
C.350.450.0889.A	35.0	4.50	88.9	1.6544	51.30	58.06	yes	music wire	4R
C.350.450.0889.I	35.0	4.50	88.9	1.4209	51.30	58.06	yes	stainless steel	4R
C.350.450.1016.A	35.0	4.50	101.6	1.4295	57.60	65.43	yes	music wire	4R
C.350.450.1016.I	35.0	4.50	101.6	1.2278	57.60	65.43	yes	stainless steel	4R
C.350.450.1143.A	35.0	4.50	114.3	1.2584	63.90	72.79	yes	music wire	4R
C.350.450.1143.I	35.0	4.50	114.3	1.0809	63.90	72.79	yes	stainless steel	4R
C.350.450.1450.A	35.0	4.50	145.0	1.0593	73.80	84.37	yes	music wire	4R
C.350.450.1450.I	35.0	4.50	145.0	0.9098	73.80	84.37	yes	stainless steel	4R
C.350.470.0380.A	35.0	4.70	38.0	5.7646	26.32	28.69	yes	music wire	4R
C.350.470.0380.I	35.0	4.70	38.0	4.9512	26.32	28.69	yes	stainless steel	4R
C.350.470.0580.A	35.0	4.70	58.0	3.5040	35.72	39.61	yes	music wire	4R
C.350.470.0580.I	35.0	4.70	58.0	3.0095	35.72	39.61	yes	stainless steel	4R
C.350.470.0820.A	35.0	4.70	82.0	2.3514	47.47	53.27	yes	music wire	4R
C.350.470.0820.I	35.0	4.70	82.0	2.0196	47.47	53.27	yes	stainless steel	4R
C.350.470.0950.A	35.0	4.70	95.0	2.0079	53.58	60.37	yes	music wire	4R
C.350.470.0950.I	35.0	4.70	95.0	1.7246	53.58	60.37	yes	stainless steel	4R
C.350.470.1750.A	35.0	4.70	175.0	1.0390	92.59	105.71	yes	music wire	4R
C.350.470.1750.I	35.0	4.70	175.0	0.8924	92.59	105.71	yes	stainless steel	4R
C.350.480.0350.A	35.0	4.80	35.0	7.2719	24.96	27.03	yes	music wire	4R
C.350.480.0350.I	35.0	4.80	35.0	6.2458	24.96	27.03	yes	stainless steel	4R
C.350.480.0470.A	35.0	4.80	47.0	4.9085	31.20	34.26	yes	music wire	4R
C.350.480.0470.I	35.0	4.80	47.0	4.2159	31.20	34.26	yes	stainless steel	4R
C.350.480.0530.A	35.0	4.80	53.0	4.2683	34.08	37.60	yes	music wire	4R
C.350.480.0530.I	35.0	4.80	53.0	3.6660	34.08	37.60	yes	stainless steel	4R
C.350.480.0635.A	35.0	4.80	63.5	3.2187	41.28	45.95	yes	music wire	4R
C.350.480.0635.I	35.0	4.80	63.5	2.7645	41.28	45.95	yes	stainless steel	4R
C.350.480.0762.A	35.0	4.80	76.2	2.5834	48.48	54.29	yes	music wire	4R
C.350.480.0762.I	35.0	4.80	76.2	2.2189	48.48	54.29	yes	stainless steel	4R
C.350.480.0889.A	35.0	4.80	88.9	2.1816	55.20	62.09	yes	music wire	4R
C.350.480.0889.I	35.0	4.80	88.9	1.8737	55.20	62.09	yes	stainless steel	4R
C.350.480.1016.A	35.0	4.80	101.6	1.8879	61.92	69.88	yes	music wire	4R
C.350.480.1016.I	35.0	4.80	101.6	1.6215	61.92	69.88	yes	stainless steel	4R
C.350.480.1143.A	35.0	4.80	114.3	1.6499	69.12	78.22	yes	music wire	4R
C.350.480.1143.I	35.0	4.80	114.3	1.4171	69.12	78.22	yes	stainless steel	4R
C.350.500.0360.A	35.0	5.00	36.0	8.1318	27.00	29.23	yes	music wire	4R
C.350.500.0360.I	35.0	5.00	36.0	6.9844	27.00	29.23	yes	stainless steel	4S
C.350.500.0560.A	35.0	5.00	56.0	4.7164	37.50	41.35	yes	music wire	4S
C.350.500.0560.I	35.0	5.00	56.0	4.0509	37.50	41.35	yes	stainless steel	4S
C.350.500.1150.A	35.0	5.00	115.0	2.1056	68.50	77.12	yes	music wire	4S
C.350.500.1150.I	35.0	5.00	115.0	1.8084	68.50	77.12	yes	stainless steel	4S
C.350.500.3500.A	35.0	5.00	350.0	0.6094	206.00	235.80	yes	music wire	4T
C.350.500.3500.I	35.0	5.00	350.0	0.5234	206.00	235.80	yes	stainless steel	5A
C.350.530.0350.A	35.0	5.30	35.0	11.3642	27.56	29.67	yes	music wire	4R
C.350.530.0350.I	35.0	5.30	35.0	9.7606	27.56	29.67	yes	stainless steel	4S
C.350.530.0480.A	35.0	5.30	48.0	8.6050	32.33	35.14	yes	music wire	5A
C.350.530.0480.I	35.0	5.30	48.0	7.4864	31.80	34.53	yes	stainless steel	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.350.530.0480.N	35.0	5.30	48.0	8.6050	32.33	35.14	yes	Zn coating	5B
C.350.530.0580.A	35.0	5.30	58.0	5.9006	40.81	44.86	yes	music wire	4S
C.350.530.0580.I	35.0	5.30	58.0	5.0680	40.81	44.86	yes	stainless steel	4S
C.350.530.0690.A	35.0	5.30	69.0	4.7943	47.17	52.16	yes	music wire	4S
C.350.530.0690.I	35.0	5.30	69.0	4.1178	47.17	52.16	yes	stainless steel	4S
C.350.550.0460.A	35.0	5.50	46.0	9.3108	35.20	38.27	yes	music wire	5A
C.350.550.0460.I	35.0	5.50	46.0	7.9970	35.20	38.27	yes	stainless steel	5A
C.350.550.0580.A	35.0	5.50	58.0	6.9831	42.35	46.44	yes	music wire	5A
C.350.550.0580.I	35.0	5.50	58.0	5.9978	42.35	46.44	yes	stainless steel	5A
C.350.550.0730.A	35.0	5.50	73.0	5.3400	51.15	56.50	yes	music wire	5A
C.350.550.0730.I	35.0	5.50	73.0	4.5865	51.15	56.50	yes	stainless steel	5A
C.350.550.0940.A	35.0	5.50	94.0	3.9903	63.80	70.96	yes	music wire	5A
C.350.550.0940.I	35.0	5.50	94.0	3.4273	63.80	70.96	yes	stainless steel	5B
C.350.550.1100.A	35.0	5.50	110.0	3.3622	73.15	81.65	yes	music wire	5A
C.350.550.1100.I	35.0	5.50	110.0	2.8878	73.15	81.65	yes	stainless steel	5B
C.350.550.1500.A	35.0	5.50	150.0	2.3890	97.35	109.32	yes	music wire	5B
C.350.550.1500.I	35.0	5.50	150.0	2.0519	97.35	109.32	yes	stainless steel	5B
C.350.560.0550.A	35.0	5.60	55.0	8.0460	41.44	45.32	yes	music wire	5A
C.350.560.0550.I	35.0	5.60	55.0	6.9107	41.44	45.32	yes	stainless steel	5A
C.350.560.0600.A	35.0	5.60	60.0	7.3010	44.24	48.51	yes	music wire	5A
C.350.560.0600.I	35.0	5.60	60.0	6.2708	44.24	48.51	yes	stainless steel	5A
C.350.560.1450.A	35.0	5.60	145.0	2.7004	95.76	107.32	yes	music wire	5B
C.350.560.1450.I	35.0	5.60	145.0	2.3193	95.76	107.32	yes	stainless steel	5B
C.350.560.1750.A	35.0	5.60	175.0	2.2025	114.24	128.41	yes	music wire	5B
C.350.560.1750.I	35.0	5.60	175.0	1.8918	114.24	128.41	yes	stainless steel	5B
C.350.580.0390.A	35.0	5.80	39.0	14.9372	32.48	34.96	yes	music wire	5A
C.350.580.0390.I	35.0	5.80	39.0	12.8295	32.48	34.96	yes	stainless steel	5A
C.350.580.0470.A	35.0	5.80	47.0	11.5763	37.70	40.90	yes	music wire	5A
C.350.580.0470.I	35.0	5.80	47.0	9.9429	37.70	40.90	yes	stainless steel	5A
C.350.580.0800.A	35.0	5.80	80.0	6.0928	58.58	64.66	yes	music wire	5A
C.350.580.0800.I	35.0	5.80	80.0	5.2331	58.58	64.66	yes	stainless steel	5B
C.350.580.0930.A	35.0	5.80	93.0	5.1450	66.70	73.90	yes	music wire	5A
C.350.580.0930.I	35.0	5.80	93.0	4.4191	66.70	73.90	yes	stainless steel	5B
C.350.580.1350.A	35.0	5.80	135.0	3.4048	93.38	104.27	yes	music wire	5B
C.350.580.1350.I	35.0	5.80	135.0	2.9244	93.38	104.27	yes	stainless steel	5B
C.350.580.1750.A	35.0	5.80	175.0	2.5869	118.32	132.65	yes	music wire	5B
C.350.580.1750.I	35.0	5.80	175.0	2.2219	118.32	132.65	yes	stainless steel	5B
C.350.600.0360.A	35.0	6.00	36.0	20.0500	31.20	33.39	yes	music wire	5D
C.350.600.0360.I	35.0	6.00	36.0	17.2209	31.20	33.39	yes	stainless steel	5D
C.350.600.0440.A	35.0	6.00	44.0	15.0375	36.60	39.52	yes	music wire	5D
C.350.600.0440.I	35.0	6.00	44.0	12.9157	36.60	39.52	yes	stainless steel	5D
C.350.600.0530.A	35.0	6.00	53.0	11.7685	42.60	46.33	yes	music wire	5D
C.350.600.0530.I	35.0	6.00	53.0	10.1079	42.60	46.33	yes	stainless steel	5D
C.350.600.0760.A	35.0	6.00	76.0	7.6247	57.60	63.35	yes	music wire	5D
C.350.600.0760.I	35.0	6.00	76.0	6.5488	57.60	63.35	yes	stainless steel	5E
C.350.600.0950.A	35.0	6.00	95.0	5.8842	70.20	77.65	yes	music wire	5D
C.350.600.0950.I	35.0	6.00	95.0	5.0540	70.20	77.65	yes	stainless steel	5E
C.350.600.1450.A	35.0	6.00	145.0	3.7079	102.60	114.43	yes	music wire	5D
C.350.600.1450.I	35.0	6.00	145.0	3.1847	102.60	114.43	yes	stainless steel	5E
C.350.600.1650.A	35.0	6.00	165.0	3.2223	115.80	129.41	yes	music wire	5D
C.350.600.1650.I	35.0	6.00	165.0	2.7676	115.80	129.41	yes	stainless steel	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.352.320.0200.A	35.2	3.20	20.0	2.5077	12.16	13.20	yes	music wire	4J
C.352.320.0200.I	35.2	3.20	20.0	2.1538	12.16	13.20	yes	stainless steel	4J
C.352.320.0400.A	35.2	3.20	40.0	1.0516	17.92	20.40	yes	music wire	4J
C.352.320.0400.I	35.2	3.20	40.0	0.9032	17.92	20.40	yes	stainless steel	4J
C.352.320.0585.A	35.2	3.20	58.5	0.9314	19.20	23.97	yes	music wire	4M
C.352.320.0585.I	35.2	3.20	58.5	0.8000	19.20	22.60	yes	stainless steel	4M
C.352.320.0585.N	35.2	3.20	58.5	0.9314	19.20	23.97	yes	Zn coating	4N
C.352.320.0885.A	35.2	3.20	88.5	0.5927	25.60	34.23	yes	music wire	4M
C.352.320.0885.I	35.2	3.20	88.5	0.5091	25.60	32.09	yes	stainless steel	4N
C.352.320.0885.N	35.2	3.20	88.5	0.5927	25.60	34.23	yes	Zn coating	4O
C.352.320.1200.A	35.2	3.20	120.0	0.3196	40.64	48.80	yes	music wire	4L
C.352.320.1200.I	35.2	3.20	120.0	0.2745	40.64	48.80	yes	stainless steel	4L
C.352.320.1350.A	35.2	3.20	135.0	0.3835	35.20	51.13	yes	music wire	4N
C.352.320.1350.I	35.2	3.20	135.0	0.3294	35.20	47.81	yes	stainless steel	4N
C.352.320.1350.N	35.2	3.20	135.0	0.3835	35.20	51.13	yes	Zn coating	4P
C.352.320.1600.A	35.2	3.20	160.0	0.2362	52.16	63.20	yes	music wire	4M
C.352.320.1600.I	35.2	3.20	160.0	0.2029	52.16	63.20	yes	stainless steel	4M
C.352.320.1900.A	35.2	3.20	190.0	0.2608	48.00	66.66	yes	music wire	4O
C.352.320.1900.AP	35.2	3.20	190.0	0.3018	42.56	83.43	yes	music wire	4O
C.352.320.1900.I	35.2	3.20	190.0	0.2240	48.00	61.79	yes	stainless steel	4O
C.352.320.1900.IF	35.2	3.20	190.0	0.1513	67.20	82.00	yes	stainless steel	4M
C.352.320.1900.N	35.2	3.20	190.0	0.2608	48.00	66.66	yes	Zn coating	4Q
C.352.320.2300.A	35.2	3.20	230.0	0.1863	64.00	78.00	yes	music wire	4M
C.352.320.2300.I	35.2	3.20	230.0	0.1600	64.00	78.00	yes	stainless steel	4N
C.352.320.2300.N	35.2	3.20	230.0	0.1863	64.00	78.00	yes	Zn coating	4O
C.352.320.2800.A	35.2	3.20	280.0	0.1762	67.20	97.45	yes	music wire	4Q
C.352.320.2800.AP	35.2	3.20	280.0	0.2024	59.52	121.11	yes	music wire	4Q
C.352.320.2800.I	35.2	3.20	280.0	0.1513	67.20	90.18	yes	stainless steel	4Q
C.352.320.2800.IF	35.2	3.20	280.0	0.1245	80.00	98.00	yes	stainless steel	4N
C.352.320.2800.N	35.2	3.20	280.0	0.1762	67.20	97.45	yes	Zn coating	4R
C.352.530.1520.S	35.2	5.30	152.0	2.3203	82.15	97.08	yes	Cr-Si steel	5D
C.353.180.0200.A	35.3	1.80	20.0	0.2586	6.48	7.71	yes	music wire	4G
C.353.180.0200.I	35.3	1.80	20.0	0.2221	6.48	7.71	yes	stainless steel	4G
C.353.180.0700.A	35.3	1.80	70.0	0.0700	11.88	16.45	yes	music wire	4I
C.353.180.0700.I	35.3	1.80	70.0	0.0610	11.70	16.16	yes	stainless steel	4I
C.353.200.0200.A	35.3	2.00	20.0	0.4013	7.20	8.33	yes	music wire	4G
C.353.200.0200.I	35.3	2.00	20.0	0.3447	7.20	8.33	yes	stainless steel	4G
C.353.200.0780.A	35.3	2.00	78.0	0.1103	13.00	17.13	yes	music wire	4I
C.353.200.0780.I	35.3	2.00	78.0	0.0960	12.80	16.82	yes	stainless steel	4I
C.353.300.0830.A	35.3	3.00	83.0	0.5057	21.90	29.94	yes	music wire	4L
C.353.300.0830.I	35.3	3.00	83.0	0.4400	21.90	28.68	yes	stainless steel	4L
C.353.300.2000.A	35.3	3.00	200.0	0.1493	56.70	70.17	yes	music wire	4L
C.353.300.2000.I	35.3	3.00	200.0	0.1282	56.70	70.17	yes	stainless steel	4L
C.353.310.0430.A	35.3	3.10	43.0	0.7471	19.53	22.61	yes	music wire	4I
C.353.310.0430.AP	35.3	3.10	43.0	1.3045	14.57	20.48	yes	music wire	4K
C.353.310.0430.I	35.3	3.10	43.0	0.6500	19.22	22.22	yes	stainless steel	4I
C.353.310.2000.A	35.3	3.10	200.0	0.1677	59.83	73.47	yes	music wire	4L
C.353.310.2000.I	35.3	3.10	200.0	0.1441	59.83	73.47	yes	stainless steel	4L
C.353.340.0240.A	35.3	3.40	24.0	2.8736	13.60	14.78	yes	music wire	4J
C.353.340.0240.I	35.3	3.40	24.0	2.5000	13.26	14.36	yes	stainless steel	4J
C.353.340.2400.A	35.3	3.40	240.0	0.1924	82.62	99.82	yes	music wire	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.353.340.2400.I	35.3	3.40	240.0	0.1652	82.62	99.82	yes	stainless steel	4N
C.354.500.0760.S	35.4	5.00	76.0	3.8532	42.00	47.87	yes	Cr-Si steel	5D
C.354.580.0700.A	35.4	5.80	70.0	5.8000	59.16	65.37	yes	music wire	5A
C.354.580.0700.AP	35.4	5.80	70.0	8.2312	45.82	50.40	yes	music wire	5D
C.354.580.0700.I	35.4	5.80	70.0	5.0460	58.58	64.71	yes	stainless steel	5A
C.355.150.0745.A	35.5	1.50	74.5	0.0375	10.50	15.07	no	music wire	4H
C.355.150.0745.I	35.5	1.50	74.5	0.0322	10.50	15.07	no	stainless steel	4I
C.355.150.0745.N	35.5	1.50	74.5	0.0375	10.50	15.07	no	Zn coating	4I
C.355.150.1150.A	35.5	1.50	115.0	0.0239	13.50	20.68	no	music wire	4I
C.355.150.1150.I	35.5	1.50	115.0	0.0205	13.50	20.68	no	stainless steel	4I
C.355.150.1150.N	35.5	1.50	115.0	0.0239	13.50	20.68	no	Zn coating	4J
C.355.150.1760.A	35.5	1.50	176.0	0.0154	18.00	29.10	no	music wire	4J
C.355.150.1760.I	35.5	1.50	176.0	0.0132	18.00	29.10	no	stainless steel	4J
C.355.150.1760.N	35.5	1.50	176.0	0.0154	18.00	29.10	no	Zn coating	4L
C.355.150.2600.A	35.5	1.50	260.0	0.0105	24.00	40.33	no	music wire	4L
C.355.150.2600.I	35.5	1.50	260.0	0.0090	24.00	40.33	no	stainless steel	4L
C.355.150.2600.N	35.5	1.50	260.0	0.0105	24.00	40.33	no	Zn coating	4M
C.355.150.3840.A	35.5	1.50	384.0	0.0071	33.00	57.16	no	music wire	4M
C.355.150.3840.I	35.5	1.50	384.0	0.0061	33.00	57.16	no	stainless steel	4M
C.355.150.3840.N	35.5	1.50	384.0	0.0071	33.00	57.16	no	Zn coating	4O
C.355.240.1300.A	35.5	2.40	130.0	0.1310	23.04	29.61	yes	music wire	4J
C.355.240.1300.I	35.5	2.40	130.0	0.1140	22.80	29.27	yes	stainless steel	4J
C.355.240.1300.N	35.5	2.40	130.0	0.1310	23.04	29.61	yes	Zn coating	4K
C.355.400.0570.A	35.5	4.00	57.0	2.0000	26.80	30.04	yes	music wire	4R
C.355.400.0570.I	35.5	4.00	57.0	1.7000	26.80	30.04	yes	stainless steel	4P
C.355.400.0640.A	35.5	4.00	64.0	1.7241	29.20	32.91	yes	music wire	4R
C.355.400.0640.I	35.5	4.00	64.0	1.5000	29.20	32.91	yes	stainless steel	4P
C.355.400.0760.A	35.5	4.00	76.0	1.5000	32.40	36.72	yes	music wire	4R
C.355.400.0760.I	35.5	4.00	76.0	1.3050	32.00	36.25	yes	stainless steel	4S
C.355.400.0890.A	35.5	4.00	89.0	1.2000	38.00	43.40	yes	music wire	4S
C.355.400.0890.I	35.5	4.00	89.0	1.0000	38.80	44.36	yes	stainless steel	4Q
C.355.400.1020.A	35.5	4.00	102.0	1.1000	40.40	48.42	yes	music wire	4S
C.355.400.1020.I	35.5	4.00	102.0	0.9000	42.00	48.18	yes	stainless steel	4S
C.355.400.1080.A	35.5	4.00	108.0	1.0000	43.20	49.61	yes	music wire	4S
C.355.400.1080.I	35.5	4.00	108.0	0.8500	43.60	50.09	yes	stainless steel	4S
C.355.400.1150.A	35.5	4.00	115.0	0.9400	45.60	52.47	yes	music wire	4S
C.355.400.1150.I	35.5	4.00	115.0	0.8000	46.00	52.95	yes	stainless steel	4S
C.355.400.1270.A	35.5	4.00	127.0	0.8161	50.80	58.68	yes	music wire	4S
C.355.400.1270.I	35.5	4.00	127.0	0.7100	50.40	58.20	yes	stainless steel	4S
C.355.400.1330.A	35.5	4.00	133.0	0.7900	52.40	60.58	yes	music wire	4S
C.355.400.1330.I	35.5	4.00	133.0	0.6800	52.00	60.11	yes	stainless steel	4S
C.355.450.0800.A	35.5	4.50	80.0	2.3333	38.25	45.17	yes	music wire	4T
C.355.450.0800.I	35.5	4.50	80.0	2.0300	37.80	43.76	yes	stainless steel	4T
C.355.450.0800.N	35.5	4.50	80.0	2.3333	38.25	45.17	yes	Zn coating	5A
C.355.450.1000.A	35.5	4.50	100.0	1.8421	45.45	55.89	yes	music wire	4T
C.355.450.1000.I	35.5	4.50	100.0	1.6000	45.00	54.02	yes	stainless steel	4T
C.355.450.1000.N	35.5	4.50	100.0	1.8421	45.45	55.89	yes	Zn coating	5B
C.355.450.1250.A	35.5	4.50	125.0	1.4583	54.45	69.28	yes	music wire	4T
C.355.450.1250.I	35.5	4.50	125.0	1.2687	54.00	67.01	yes	stainless steel	4T
C.355.450.1250.N	35.5	4.50	125.0	1.4583	54.45	69.28	yes	Zn coating	5B
C.355.450.1600.A	35.5	4.50	160.0	1.1667	65.25	90.35	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.355.450.1600.I	35.5	4.50	160.0	1.0150	64.80	87.52	yes	stainless steel	5A
C.355.450.1600.N	35.5	4.50	160.0	1.1667	65.25	90.35	yes	Zn coating	5B
C.355.450.2000.A	35.5	4.50	200.0	0.9211	79.65	111.78	yes	music wire	5A
C.355.450.2000.I	35.5	4.50	200.0	0.8000	79.20	108.04	yes	stainless steel	5A
C.355.450.2000.N	35.5	4.50	200.0	0.9211	79.65	111.78	yes	Zn coating	5C
C.355.450.2500.A	35.5	4.50	250.0	0.7292	97.65	138.56	yes	music wire	5A
C.355.450.2500.I	35.5	4.50	250.0	0.6344	96.75	134.04	yes	stainless steel	5A
C.355.450.2500.N	35.5	4.50	250.0	0.7292	97.65	138.56	yes	Zn coating	5C
C.355.450.3200.A	35.5	4.50	320.0	0.5833	119.25	180.68	yes	music wire	5D
C.355.450.3200.I	35.5	4.50	320.0	0.5075	117.90	175.03	yes	stainless steel	5B
C.355.450.3200.N	35.5	4.50	320.0	0.5833	119.25	180.68	yes	Zn coating	5E
C.355.450.4000.A	35.5	4.50	400.0	0.4667	146.25	225.88	yes	music wire	5D
C.355.450.4000.I	35.5	4.50	400.0	0.4060	144.90	218.81	yes	stainless steel	5E
C.355.450.4000.N	35.5	4.50	400.0	0.4667	146.25	225.88	yes	Zn coating	5F
C.355.450.4400.A	35.5	4.50	440.0	0.3530	189.90	220.48	yes	music wire	5C
C.355.450.4400.I	35.5	4.50	440.0	0.3071	187.65	217.85	yes	stainless steel	5C
C.355.450.4400.N	35.5	4.50	440.0	0.3530	189.90	220.48	yes	Zn coating	5D
C.356.450.0400.A	35.6	4.50	40.0	4.0847	26.55	29.18	yes	music wire	4R
C.356.450.0400.I	35.6	4.50	40.0	3.5083	26.55	29.18	yes	stainless steel	4R
C.356.450.0570.A	35.6	4.50	57.0	3.0000	31.95	35.50	yes	music wire	4R
C.356.450.0570.AP	35.6	4.50	57.0	3.6265	28.35	34.65	yes	music wire	4T
C.356.450.0570.I	35.6	4.50	57.0	2.5000	32.85	36.56	yes	stainless steel	4R
C.356.450.0640.A	35.6	4.50	64.0	2.5287	36.00	40.25	yes	music wire	4R
C.356.450.0640.I	35.6	4.50	64.0	2.2000	35.55	39.72	yes	stainless steel	4R
C.356.450.0760.A	35.6	4.50	76.0	2.1000	40.95	46.05	yes	music wire	4R
C.356.450.0760.I	35.6	4.50	76.0	1.8000	40.95	46.05	yes	stainless steel	4R
C.356.450.0800.A	35.6	4.50	80.0	1.8036	45.90	51.85	yes	music wire	4R
C.356.450.0800.I	35.6	4.50	80.0	1.5491	45.90	51.85	yes	stainless steel	4R
C.356.450.0890.A	35.6	4.50	89.0	1.8000	45.90	51.85	yes	music wire	4R
C.356.450.0890.AP	35.6	4.50	89.0	2.1759	40.05	51.75	yes	music wire	4T
C.356.450.0890.I	35.6	4.50	89.0	1.5000	47.25	53.43	yes	stainless steel	4R
C.356.450.1020.A	35.6	4.50	102.0	1.4943	53.10	60.28	yes	music wire	4R
C.356.450.1020.I	35.6	4.50	102.0	1.3000	52.65	59.76	yes	stainless steel	4R
C.356.450.1080.A	35.6	4.50	108.0	1.4000	55.80	63.45	yes	music wire	4R
C.356.450.1080.AP	35.6	4.50	108.0	1.7679	46.80	62.15	yes	music wire	4T
C.356.450.1080.I	35.6	4.50	108.0	1.2000	55.80	63.45	yes	stainless steel	4R
C.356.450.1150.A	35.6	4.50	115.0	1.3000	59.40	67.66	yes	music wire	4R
C.356.450.1150.AP	35.6	4.50	115.0	1.6446	49.05	65.72	yes	music wire	4T
C.356.450.1150.I	35.6	4.50	115.0	1.1000	59.85	68.19	yes	stainless steel	4R
C.356.450.1330.A	35.6	4.50	133.0	1.1000	67.95	77.68	yes	music wire	4R
C.356.450.1330.AP	35.6	4.50	133.0	1.4144	55.35	75.69	yes	music wire	4T
C.356.450.1330.I	35.6	4.50	133.0	0.9700	66.60	76.10	yes	stainless steel	4R
C.356.450.1650.A	35.6	4.50	165.0	0.8218	87.30	100.35	yes	music wire	4R
C.356.450.1650.I	35.6	4.50	165.0	0.7058	87.30	100.35	yes	stainless steel	4R
C.356.450.2000.A	35.6	4.50	200.0	0.6709	104.40	120.39	yes	music wire	4S
C.356.450.2000.I	35.6	4.50	200.0	0.5762	104.40	120.39	yes	stainless steel	4S
C.356.450.2050.A	35.6	4.50	205.0	0.6551	106.65	123.02	yes	music wire	4S
C.356.450.2050.I	35.6	4.50	205.0	0.5627	106.65	123.02	yes	stainless steel	4S
C.356.450.3200.A	35.6	4.50	320.0	0.4121	162.90	188.93	yes	music wire	4S
C.356.450.3200.I	35.6	4.50	320.0	0.3540	162.90	188.93	yes	stainless steel	4S
C.357.110.0250.A	35.7	1.10	25.0	0.0161	6.27	10.10	no	music wire	4D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.357.150.0225.A	35.7	1.50	22.5	0.0200	14.85	14.85	no	music wire	4F
C.357.150.0225.AP	35.7	1.50	22.5	0.1177	6.90	8.35	no	music wire	4F
C.357.150.2600.I	35.7	1.50	260.0	0.0109	20.55	34.01	no	stainless steel	4L
C.357.190.0250.A	35.7	1.90	25.0	0.1954	8.17	10.14	yes	music wire	4G
C.357.190.0250.I	35.7	1.90	25.0	0.1700	7.98	9.84	yes	stainless steel	4G
C.357.190.2200.A	35.7	1.90	220.0	0.0304	26.22	38.56	yes	music wire	4K
C.357.190.2200.I	35.7	1.90	220.0	0.0261	26.22	38.56	yes	stainless steel	4L
C.357.200.0220.A	35.7	2.00	22.0	0.2989	7.80	9.27	yes	music wire	4G
C.357.200.0220.I	35.7	2.00	22.0	0.2600	7.80	9.27	yes	stainless steel	4G
C.357.200.1000.A	35.7	2.00	100.0	0.0804	15.60	21.17	yes	music wire	4I
C.357.200.1000.I	35.7	2.00	100.0	0.0690	15.60	21.17	yes	stainless steel	4I
C.357.210.0410.A	35.7	2.10	41.0	0.2644	9.45	11.48	yes	music wire	4H
C.357.210.0410.I	35.7	2.10	41.0	0.2300	9.45	11.48	yes	stainless steel	4I
C.357.210.1000.A	35.7	2.10	100.0	0.0933	17.01	22.70	yes	music wire	4I
C.357.210.1000.I	35.7	2.10	100.0	0.0801	17.01	22.70	yes	stainless steel	4I
C.357.220.0200.A	35.7	2.20	20.0	0.5771	7.92	9.00	yes	music wire	4G
C.357.220.0200.I	35.7	2.20	20.0	0.4956	7.92	9.00	yes	stainless steel	4G
C.357.220.1020.A	35.7	2.20	102.0	0.0966	20.02	26.52	yes	music wire	4I
C.357.220.1020.I	35.7	2.20	102.0	0.0840	19.80	26.20	yes	stainless steel	4I
C.357.230.0290.A	35.7	2.30	29.0	0.3678	10.58	12.59	yes	music wire	4G
C.357.230.0290.I	35.7	2.30	29.0	0.3200	10.58	12.59	yes	stainless steel	4H
C.357.230.0600.A	35.7	2.30	60.0	0.2125	14.03	17.48	yes	music wire	4I
C.357.230.0600.I	35.7	2.30	60.0	0.1825	14.03	17.48	yes	stainless steel	4I
C.357.230.0950.A	35.7	2.30	95.0	0.0885	25.53	33.76	yes	music wire	4I
C.357.230.0950.I	35.7	2.30	95.0	0.0770	25.30	33.44	yes	stainless steel	4I
C.357.240.0200.A	35.7	2.40	20.0	0.8321	8.64	9.67	yes	music wire	4G
C.357.240.0200.I	35.7	2.40	20.0	0.7147	8.64	9.67	yes	stainless steel	4G
C.357.240.1120.A	35.7	2.40	112.0	0.1100	25.92	33.66	yes	music wire	4I
C.357.240.1120.I	35.7	2.40	112.0	0.0957	25.68	33.33	yes	stainless steel	4I
C.357.270.0200.A	35.7	2.70	20.0	1.3696	9.72	10.68	yes	music wire	4G
C.357.270.0200.I	35.7	2.70	20.0	1.1763	9.72	10.68	yes	stainless steel	4H
C.357.270.1080.A	35.7	2.70	108.0	0.0931	50.49	64.67	yes	music wire	4I
C.357.270.1080.I	35.7	2.70	108.0	0.0810	49.95	63.95	yes	stainless steel	4J
C.357.300.0400.A	35.7	3.00	40.0	0.8138	16.20	18.62	yes	music wire	4I
C.357.300.0400.I	35.7	3.00	40.0	0.6990	16.20	18.62	yes	stainless steel	4I
C.357.300.1460.A	35.7	3.00	146.0	0.2500	35.70	43.55	yes	music wire	4M
C.357.300.1460.I	35.7	3.00	146.0	0.2175	35.40	43.16	yes	stainless steel	4M
C.357.300.1780.A	35.7	3.00	178.0	0.2000	42.90	52.75	yes	music wire	4N
C.357.300.1780.I	35.7	3.00	178.0	0.1740	42.30	51.98	yes	stainless steel	4L
C.357.340.0191.A	35.7	3.40	19.1	4.0230	11.90	12.70	yes	music wire	4J
C.357.340.0191.I	35.7	3.40	19.1	3.5000	11.90	12.70	yes	stainless steel	4J
C.357.340.0380.A	35.7	3.40	38.0	1.3793	18.36	20.68	yes	music wire	4J
C.357.340.0380.AP	35.7	3.40	38.0	2.0572	15.30	19.76	yes	music wire	4M
C.357.340.0380.I	35.7	3.40	38.0	1.2000	18.36	20.68	yes	stainless steel	4J
C.357.340.2400.A	35.7	3.40	240.0	0.1888	81.26	98.39	yes	music wire	4N
C.357.340.2400.I	35.7	3.40	240.0	0.1621	81.26	98.39	yes	stainless steel	4N
C.357.400.0310.A	35.7	4.00	31.0	5.7471	15.60	20.80	yes	music wire	4T
C.357.400.0310.I	35.7	4.00	31.0	5.0000	15.60	20.44	yes	stainless steel	4T
C.357.400.2000.A	35.7	4.00	200.0	0.4177	88.40	103.63	yes	music wire	4R
C.357.400.2000.I	35.7	4.00	200.0	0.3588	88.40	103.63	yes	stainless steel	4R
C.357.470.0290.A	35.7	4.70	29.0	11.3793	18.80	21.01	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.357.470.0290.I	35.7	4.70	29.0	9.9000	18.33	20.67	yes	stainless steel	4S
C.357.470.0480.A	35.7	4.70	48.0	3.8000	32.43	35.85	yes	music wire	4R
C.357.470.0480.AP	35.7	4.70	48.0	5.1497	26.79	30.33	yes	music wire	4S
C.357.470.0480.I	35.7	4.70	48.0	3.3060	31.96	35.30	yes	stainless steel	4R
C.357.470.2000.A	35.7	4.70	200.0	0.7984	109.98	126.21	yes	music wire	4S
C.357.470.2000.I	35.7	4.70	200.0	0.6858	109.98	126.21	yes	stainless steel	4S
C.358.230.0953.A	35.8	2.30	95.3	0.0885	25.53	33.80	yes	music wire	4I
C.358.230.0953.I	35.8	2.30	95.3	0.0770	25.30	33.48	yes	stainless steel	4I
C.358.580.1080.A	35.8	5.80	108.0	6.4368	52.78	83.19	yes	music wire	5E
C.358.580.1080.I	35.8	5.80	108.0	5.6000	52.20	81.88	yes	stainless steel	5G
C.359.530.1400.S	35.9	5.30	140.0	2.4518	73.67	88.94	yes	Cr-Si steel	5D
C.360.150.1010.A	36.0	1.50	101.0	0.0200	14.70	23.14	no	music wire	4I
C.360.150.1010.I	36.0	1.50	101.0	0.0174	14.55	22.86	no	stainless steel	4I
C.360.150.1010.N	36.0	1.50	101.0	0.0200	14.70	23.14	no	Zn coating	4J
C.360.200.0480.A	36.0	2.00	48.0	0.1975	9.20	11.44	yes	music wire	4H
C.360.200.0480.I	36.0	2.00	48.0	0.1696	9.20	11.44	yes	stainless steel	4I
C.360.200.0670.A	36.0	2.00	67.0	0.1382	11.00	14.20	yes	music wire	4I
C.360.200.0670.I	36.0	2.00	67.0	0.1187	11.00	14.20	yes	stainless steel	4I
C.360.200.1650.I	36.0	2.00	165.0	0.0475	20.00	28.00	yes	stainless steel	4J
C.360.210.0530.A	36.0	2.10	53.0	0.2119	10.29	12.76	yes	music wire	4I
C.360.210.0530.I	36.0	2.10	53.0	0.1820	10.29	12.76	yes	stainless steel	4I
C.360.210.0670.A	36.0	2.10	67.0	0.1641	11.76	14.96	yes	music wire	4I
C.360.210.0670.I	36.0	2.10	67.0	0.1409	11.76	14.96	yes	stainless steel	4I
C.360.220.0470.A	36.0	2.20	47.0	0.2687	10.56	12.86	yes	music wire	4I
C.360.220.0470.I	36.0	2.20	47.0	0.2308	10.56	12.86	yes	stainless steel	4I
C.360.220.0800.A	36.0	2.20	80.0	0.1585	14.08	17.98	yes	music wire	4I
C.360.220.0800.I	36.0	2.20	80.0	0.1361	14.08	17.98	yes	stainless steel	4I
C.360.220.1800.A	36.0	2.20	180.0	0.0679	25.52	34.61	yes	music wire	4J
C.360.220.1800.I	36.0	2.20	180.0	0.0583	25.52	34.61	yes	stainless steel	4J
C.360.225.0600.A	36.0	2.25	60.0	0.2264	12.38	15.33	yes	music wire	4I
C.360.225.0600.I	36.0	2.25	60.0	0.1944	12.38	15.33	yes	stainless steel	4I
C.360.225.1650.A	36.0	2.25	165.0	0.0799	24.75	33.12	yes	music wire	4J
C.360.225.1650.I	36.0	2.25	165.0	0.0686	24.75	33.12	yes	stainless steel	4J
C.360.230.0480.A	36.0	2.30	48.0	0.3104	11.27	13.60	yes	music wire	4I
C.360.230.0480.I	36.0	2.30	48.0	0.2666	11.27	13.60	yes	stainless steel	4I
C.360.235.0360.A	36.0	2.35	36.0	0.4530	10.11	11.83	yes	music wire	4H
C.360.235.0360.I	36.0	2.35	36.0	0.3891	10.11	11.83	yes	stainless steel	4H
C.360.235.1200.A	36.0	2.35	120.0	0.1274	20.92	27.05	yes	music wire	4I
C.360.235.1200.I	36.0	2.35	120.0	0.1094	20.92	27.05	yes	stainless steel	4J
C.360.240.0490.A	36.0	2.40	49.0	0.3427	12.24	14.70	yes	music wire	4I
C.360.240.0490.I	36.0	2.40	49.0	0.2943	12.24	14.70	yes	stainless steel	4I
C.360.240.1850.A	36.0	2.40	185.0	0.0865	30.72	40.46	yes	music wire	4J
C.360.240.1850.I	36.0	2.40	185.0	0.0743	30.72	40.46	yes	stainless steel	4J
C.360.250.0224.A	36.0	2.50	22.4	0.8821	9.25	10.36	yes	music wire	4G
C.360.250.0224.I	36.0	2.50	22.4	0.7576	9.25	10.36	yes	stainless steel	4H
C.360.250.0254.A	36.0	2.50	25.4	0.7561	9.75	11.04	yes	music wire	4H
C.360.250.0254.I	36.0	2.50	25.4	0.6494	9.75	11.04	yes	stainless steel	4H
C.360.250.0305.A	36.0	2.50	30.5	0.5881	10.75	12.41	yes	music wire	4H
C.360.250.0305.I	36.0	2.50	30.5	0.5051	10.75	12.41	yes	stainless steel	4I
C.360.250.0320.A	36.0	2.50	32.0	0.5820	10.75	12.41	yes	music wire	4H
C.360.250.0320.I	36.0	2.50	32.0	0.5063	10.75	12.41	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.360.250.0320.N	36.0	2.50	32.0	0.5820	10.75	12.41	yes	Zn coating	4I
C.360.250.0381.A	36.0	2.50	38.1	0.4602	12.00	14.12	yes	music wire	4H
C.360.250.0381.I	36.0	2.50	38.1	0.3953	12.00	14.12	yes	stainless steel	4I
C.360.250.0400.A	36.0	2.50	40.0	0.4530	12.00	14.12	yes	music wire	4I
C.360.250.0400.I	36.0	2.50	40.0	0.5207	10.50	13.04	yes	stainless steel	4J
C.360.250.0400.N	36.0	2.50	40.0	0.4530	12.00	14.12	yes	Zn coating	4I
C.360.250.0500.A	36.0	2.50	50.0	0.3540	13.75	16.52	yes	music wire	4I
C.360.250.0500.I	36.0	2.50	50.0	0.3080	13.75	16.52	yes	stainless steel	4I
C.360.250.0500.N	36.0	2.50	50.0	0.3540	13.75	16.52	yes	Zn coating	4I
C.360.250.0508.A	36.0	2.50	50.8	0.3308	14.25	17.20	yes	music wire	4I
C.360.250.0508.I	36.0	2.50	50.8	0.2841	14.25	17.20	yes	stainless steel	4I
C.360.250.0630.A	36.0	2.50	63.0	0.2720	16.00	19.60	yes	music wire	4I
C.360.250.0630.I	36.0	2.50	63.0	0.2366	15.75	19.26	yes	stainless steel	4I
C.360.250.0630.N	36.0	2.50	63.0	0.2720	16.00	19.60	yes	Zn coating	4J
C.360.250.0800.A	36.0	2.50	80.0	0.2090	19.00	23.71	yes	music wire	4I
C.360.250.0800.I	36.0	2.50	80.0	0.2090	17.00	20.97	yes	stainless steel	4I
C.360.250.0800.N	36.0	2.50	80.0	0.2090	19.00	23.71	yes	Zn coating	4J
C.360.250.1000.A	36.0	2.50	100.0	0.1660	22.25	28.16	yes	music wire	4I
C.360.250.1000.I	36.0	2.50	100.0	0.1444	22.00	27.82	yes	stainless steel	4I
C.360.250.1000.N	36.0	2.50	100.0	0.1660	22.25	28.16	yes	Zn coating	4J
C.360.250.1250.A	36.0	2.50	125.0	0.1310	26.50	33.98	yes	music wire	4J
C.360.250.1250.I	36.0	2.50	125.0	0.1140	26.25	33.64	yes	stainless steel	4J
C.360.250.1250.N	36.0	2.50	125.0	0.1310	26.50	33.98	yes	Zn coating	4K
C.360.250.1600.A	36.0	2.50	160.0	0.1030	32.00	41.51	yes	music wire	4J
C.360.250.1600.I	36.0	2.50	160.0	0.1061	27.75	35.69	yes	stainless steel	4M
C.360.250.1600.N	36.0	2.50	160.0	0.1030	32.00	41.51	yes	Zn coating	4L
C.360.250.2000.A	36.0	2.50	200.0	0.0810	39.00	51.10	yes	music wire	4K
C.360.250.2000.I	36.0	2.50	200.0	0.0705	38.50	50.41	yes	stainless steel	4K
C.360.250.2000.N	36.0	2.50	200.0	0.0810	39.00	51.10	yes	Zn coating	4M
C.360.250.3600.A	36.0	2.50	360.0	0.0450	67.50	89.20	no	music wire	4N
C.360.250.3600.I	36.0	2.50	360.0	0.0392	66.75	88.17	no	stainless steel	4N
C.360.260.1400.A	36.0	2.60	140.0	0.1487	28.34	35.93	yes	music wire	4J
C.360.260.1400.I	36.0	2.60	140.0	0.1278	28.34	35.93	yes	stainless steel	4J
C.360.270.0400.A	36.0	2.70	40.0	0.6375	12.96	15.00	yes	music wire	4I
C.360.270.0400.I	36.0	2.70	40.0	0.5475	12.96	15.00	yes	stainless steel	4I
C.360.270.2000.A	36.0	2.70	200.0	0.1164	40.77	51.93	yes	music wire	4K
C.360.270.2000.I	36.0	2.70	200.0	0.0999	40.77	51.93	yes	stainless steel	4K
C.360.280.0320.A	36.0	2.80	32.0	0.8780	12.32	13.97	yes	music wire	4I
C.360.280.0320.I	36.0	2.80	32.0	0.7639	12.32	13.97	yes	stainless steel	4I
C.360.280.0320.N	36.0	2.80	32.0	0.8780	12.32	13.97	yes	Zn coating	4J
C.360.280.0400.A	36.0	2.80	40.0	0.6580	14.28	16.54	yes	music wire	4I
C.360.280.0400.AP	36.0	2.80	40.0	0.9664	12.04	17.50	yes	music wire	4J
C.360.280.0400.I	36.0	2.80	40.0	0.5725	14.28	16.54	yes	stainless steel	4I
C.360.280.0400.N	36.0	2.80	40.0	0.6580	14.28	16.54	yes	Zn coating	4J
C.360.280.0500.A	36.0	2.80	50.0	0.5270	15.96	18.75	yes	music wire	4I
C.360.280.0500.AP	36.0	2.80	50.0	0.7563	13.44	21.25	yes	music wire	4K
C.360.280.0500.I	36.0	2.80	50.0	0.4585	15.96	18.75	yes	stainless steel	4I
C.360.280.0500.N	36.0	2.80	50.0	0.5270	15.96	18.75	yes	Zn coating	4J
C.360.280.0550.A	36.0	2.80	55.0	0.5033	16.52	19.48	yes	music wire	4I
C.360.280.0550.I	36.0	2.80	55.0	0.4323	16.52	19.48	yes	stainless steel	4I
C.360.280.0630.A	36.0	2.80	63.0	0.4120	18.76	22.42	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.360.280.0630.I	36.0	2.80	63.0	0.3584	18.48	22.05	yes	stainless steel	4J
C.360.280.0630.N	36.0	2.80	63.0	0.4120	18.76	22.42	yes	Zn coating	4J
C.360.280.0700.A	36.0	2.80	70.0	0.3889	19.32	23.15	yes	music wire	4I
C.360.280.0700.I	36.0	2.80	70.0	0.3340	19.32	23.15	yes	stainless steel	4J
C.360.280.0800.A	36.0	2.80	80.0	0.3140	22.12	26.82	yes	music wire	4J
C.360.280.0800.I	36.0	2.80	80.0	0.2732	22.12	26.82	yes	stainless steel	4J
C.360.280.0800.N	36.0	2.80	80.0	0.3140	22.12	26.82	yes	Zn coating	4K
C.360.280.1000.A	36.0	2.80	100.0	0.2480	26.32	32.33	yes	music wire	4J
C.360.280.1000.I	36.0	2.80	100.0	0.2158	26.04	31.96	yes	stainless steel	4J
C.360.280.1000.N	36.0	2.80	100.0	0.2480	26.32	32.33	yes	Zn coating	4L
C.360.280.1250.A	36.0	2.80	125.0	0.1970	31.36	38.93	yes	music wire	4J
C.360.280.1250.I	36.0	2.80	125.0	0.1714	31.08	38.57	yes	stainless steel	4J
C.360.280.1250.N	36.0	2.80	125.0	0.1970	31.36	38.93	yes	Zn coating	4L
C.360.280.1600.A	36.0	2.80	160.0	0.1530	38.36	48.11	yes	music wire	4K
C.360.280.1600.I	36.0	2.80	160.0	0.1331	37.80	47.38	yes	stainless steel	4L
C.360.280.1600.N	36.0	2.80	160.0	0.1530	38.36	48.11	yes	Zn coating	4M
C.360.280.2000.A	36.0	2.80	200.0	0.1210	46.48	58.75	yes	music wire	4L
C.360.280.2000.I	36.0	2.80	200.0	0.1053	46.20	58.39	yes	stainless steel	4L
C.360.280.2000.N	36.0	2.80	200.0	0.1210	46.48	58.75	yes	Zn coating	4N
C.360.280.3600.A	36.0	2.80	360.0	0.0660	82.32	104.87	no	music wire	4N
C.360.280.3600.I	36.0	2.80	360.0	0.0574	81.48	103.76	no	stainless steel	4N
C.360.290.0560.A	36.0	2.90	56.0	0.5677	17.40	20.40	yes	music wire	4I
C.360.290.0560.I	36.0	2.90	56.0	0.4876	17.40	20.40	yes	stainless steel	4I
C.360.300.0460.A	36.0	3.00	46.0	0.7918	16.20	18.65	yes	music wire	4I
C.360.300.0460.I	36.0	3.00	46.0	0.6801	16.20	18.65	yes	stainless steel	4I
C.360.300.1000.A	36.0	3.00	100.0	0.2370	36.60	44.79	yes	music wire	4J
C.360.300.1000.AP	36.0	3.00	100.0	0.4585	22.50	42.57	yes	music wire	4M
C.360.300.1000.I	36.0	3.00	100.0	0.2062	36.30	44.41	yes	stainless steel	4J
C.360.300.1000.N	36.0	3.00	100.0	0.2370	36.60	44.79	yes	Zn coating	4L
C.360.300.1300.A	36.0	3.00	130.0	0.1550	51.90	64.40	yes	music wire	4J
C.360.300.1300.AP	36.0	3.00	130.0	0.3490	27.30	54.56	yes	music wire	4M
C.360.300.1300.I	36.0	3.00	130.0	0.1349	51.30	63.63	yes	stainless steel	4J
C.360.300.1300.N	36.0	3.00	130.0	0.1550	51.90	64.40	yes	Zn coating	4L
C.360.310.0730.A	36.0	3.10	73.0	0.5284	23.25	27.42	yes	music wire	4J
C.360.310.0730.I	36.0	3.10	73.0	0.4538	23.25	27.42	yes	stainless steel	4J
C.360.320.0320.A	36.0	3.20	32.0	1.3700	15.04	16.85	yes	music wire	4J
C.360.320.0320.AP	36.0	3.20	32.0	2.0553	12.80	16.68	yes	music wire	4M
C.360.320.0320.I	36.0	3.20	32.0	1.1919	15.04	16.85	yes	stainless steel	4J
C.360.320.0320.N	36.0	3.20	32.0	1.3700	15.04	16.85	yes	Zn coating	4L
C.360.320.0400.A	36.0	3.20	40.0	1.0590	17.28	19.67	yes	music wire	4J
C.360.320.0400.AP	36.0	3.20	40.0	1.5415	14.40	19.58	yes	music wire	4M
C.360.320.0400.I	36.0	3.20	40.0	0.9213	16.96	19.27	yes	stainless steel	4J
C.360.320.0400.N	36.0	3.20	40.0	1.0590	17.28	19.67	yes	Zn coating	4L
C.360.320.0500.A	36.0	3.20	50.0	0.8030	20.16	23.29	yes	music wire	4J
C.360.320.0500.AP	36.0	3.20	50.0	1.1858	16.32	23.45	yes	music wire	4M
C.360.320.0500.I	36.0	3.20	50.0	0.7000	19.84	22.89	yes	stainless steel	4J
C.360.320.0500.N	36.0	3.20	50.0	0.8030	20.16	23.29	yes	Zn coating	4L
C.360.320.0630.A	36.0	3.20	63.0	0.6300	23.36	27.32	yes	music wire	4J
C.360.320.0630.AP	36.0	3.20	63.0	0.9342	18.24	29.30	yes	music wire	4M
C.360.320.0630.I	36.0	3.20	63.0	0.5481	23.04	26.91	yes	stainless steel	4J
C.360.320.0630.N	36.0	3.20	63.0	0.6300	23.36	27.32	yes	Zn coating	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.360.320.0800.A	36.0	3.20	80.0	0.4850	27.84	32.95	yes	music wire	4K
C.360.320.0800.AP	36.0	3.20	80.0	0.7170	21.44	36.09	yes	music wire	4M
C.360.320.0800.I	36.0	3.20	80.0	0.4220	27.84	32.95	yes	stainless steel	4K
C.360.320.0800.N	36.0	3.20	80.0	0.4850	27.84	32.95	yes	Zn coating	4M
C.360.320.1000.A	36.0	3.20	100.0	0.3820	33.28	39.79	yes	music wire	4L
C.360.320.1000.AP	36.0	3.20	100.0	0.5709	24.96	44.86	yes	music wire	4N
C.360.320.1000.I	36.0	3.20	100.0	0.3323	32.96	39.39	yes	stainless steel	4L
C.360.320.1000.N	36.0	3.20	100.0	0.3820	33.28	39.79	yes	Zn coating	4M
C.360.320.1250.A	36.0	3.20	125.0	0.3030	40.00	48.24	yes	music wire	4L
C.360.320.1250.AP	36.0	3.20	125.0	0.4534	29.44	55.57	yes	music wire	4N
C.360.320.1250.I	36.0	3.20	125.0	0.2636	39.68	47.84	yes	stainless steel	4L
C.360.320.1250.N	36.0	3.20	125.0	0.3030	40.00	48.24	yes	Zn coating	4M
C.360.320.1600.A	36.0	3.20	160.0	0.2350	49.28	59.91	yes	music wire	4M
C.360.320.1600.AP	36.0	3.20	160.0	0.3503	35.52	70.14	yes	music wire	4O
C.360.320.1600.I	36.0	3.20	160.0	0.2045	48.64	59.11	yes	stainless steel	4M
C.360.320.1600.N	36.0	3.20	160.0	0.2350	49.28	59.91	yes	Zn coating	4N
C.360.320.2000.A	36.0	3.20	200.0	0.1860	60.16	73.60	yes	music wire	4M
C.360.320.2000.AP	36.0	3.20	200.0	0.2777	42.88	86.66	yes	music wire	4O
C.360.320.2000.I	36.0	3.20	200.0	0.1618	59.52	72.79	yes	stainless steel	4M
C.360.320.2000.N	36.0	3.20	200.0	0.1860	60.16	73.60	yes	Zn coating	4O
C.360.320.3600.A	36.0	3.20	360.0	0.1010	107.20	131.93	no	music wire	4O
C.360.320.3600.I	36.0	3.20	360.0	0.0879	105.92	130.32	no	stainless steel	4O
C.360.330.0770.A	36.0	3.30	77.0	0.6170	26.73	31.30	yes	music wire	4K
C.360.330.0770.I	36.0	3.30	77.0	0.5299	26.73	31.30	yes	stainless steel	4K
C.360.330.1500.A	36.0	3.30	150.0	0.3058	45.54	54.76	yes	music wire	4L
C.360.330.1500.I	36.0	3.30	150.0	0.2626	45.54	54.76	yes	stainless steel	4M
C.360.360.0320.A	36.0	3.60	32.0	2.1510	17.28	19.11	yes	music wire	4M
C.360.360.0320.AP	36.0	3.60	32.0	3.0138	15.12	17.55	yes	music wire	4O
C.360.360.0320.I	36.0	3.60	32.0	1.8714	17.28	19.11	yes	stainless steel	4M
C.360.360.0320.N	36.0	3.60	32.0	2.1510	17.28	19.11	yes	Zn coating	4N
C.360.360.0400.A	36.0	3.60	40.0	1.6830	19.80	22.19	yes	music wire	4M
C.360.360.0400.AP	36.0	3.60	40.0	2.3288	16.92	21.30	yes	music wire	4O
C.360.360.0400.I	36.0	3.60	40.0	1.4642	19.80	22.19	yes	stainless steel	4M
C.360.360.0400.N	36.0	3.60	40.0	1.6830	19.80	22.19	yes	Zn coating	4N
C.360.360.0500.A	36.0	3.60	50.0	1.2910	23.04	26.15	yes	music wire	4M
C.360.360.0500.AP	36.0	3.60	50.0	1.8298	18.72	26.19	yes	music wire	4O
C.360.360.0500.I	36.0	3.60	50.0	1.1232	22.68	25.71	yes	stainless steel	4M
C.360.360.0500.N	36.0	3.60	50.0	1.2910	23.04	26.15	yes	Zn coating	4N
C.360.360.0630.A	36.0	3.60	63.0	0.9930	27.36	31.43	yes	music wire	4M
C.360.360.0630.AP	36.0	3.60	63.0	1.3847	21.96	31.54	yes	music wire	4O
C.360.360.0630.I	36.0	3.60	63.0	0.8639	27.00	30.99	yes	stainless steel	4M
C.360.360.0630.N	36.0	3.60	63.0	0.9930	27.36	31.43	yes	Zn coating	4O
C.360.360.0800.A	36.0	3.60	80.0	0.7590	32.76	38.02	yes	music wire	4M
C.360.360.0800.AP	36.0	3.60	80.0	1.0674	25.92	39.19	yes	music wire	4P
C.360.360.0800.I	36.0	3.60	80.0	0.6603	32.40	37.58	yes	stainless steel	4M
C.360.360.0800.N	36.0	3.60	80.0	0.7590	32.76	38.02	yes	Zn coating	4O
C.360.360.1000.A	36.0	3.60	100.0	0.6050	38.88	45.50	yes	music wire	4N
C.360.360.1000.AP	36.0	3.60	100.0	0.8399	30.60	48.14	yes	music wire	4P
C.360.360.1000.I	36.0	3.60	100.0	0.5264	38.52	45.06	yes	stainless steel	4N
C.360.360.1000.N	36.0	3.60	100.0	0.6050	38.88	45.50	yes	Zn coating	4O
C.360.360.1250.A	36.0	3.60	125.0	0.4720	47.52	56.05	yes	music wire	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.360.360.1250.AP	36.0	3.60	125.0	0.6654	36.36	59.53	yes	music wire	4P
C.360.360.1250.I	36.0	3.60	125.0	0.4106	46.80	55.17	yes	stainless steel	4N
C.360.360.1250.N	36.0	3.60	125.0	0.4720	47.52	56.05	yes	Zn coating	4P
C.360.360.1600.A	36.0	3.60	160.0	0.3650	58.68	69.68	yes	music wire	4N
C.360.360.1600.AP	36.0	3.60	160.0	0.5175	43.92	75.83	yes	music wire	4Q
C.360.360.1600.I	36.0	3.60	160.0	0.3176	57.96	68.80	yes	stainless steel	4N
C.360.360.1600.N	36.0	3.60	160.0	0.3650	58.68	69.68	yes	Zn coating	4P
C.360.360.2000.A	36.0	3.60	200.0	0.2910	71.28	85.08	yes	music wire	4O
C.360.360.2000.AP	36.0	3.60	200.0	0.4099	53.28	93.72	yes	music wire	4R
C.360.360.2000.I	36.0	3.60	200.0	0.2532	70.56	84.20	yes	stainless steel	4O
C.360.360.2000.N	36.0	3.60	200.0	0.2910	71.28	85.08	yes	Zn coating	4Q
C.360.360.3600.A	36.0	3.60	360.0	0.1570	127.80	153.32	no	music wire	4Q
C.360.360.3600.I	36.0	3.60	360.0	0.1366	126.36	151.56	no	stainless steel	4Q
C.360.380.0500.A	36.0	3.80	50.0	1.2500	28.88	32.91	yes	music wire	4M
C.360.380.0500.AP	36.0	3.80	50.0	2.1599	20.52	26.60	yes	music wire	4O
C.360.380.0500.I	36.0	3.80	50.0	1.0866	28.50	32.45	yes	stainless steel	4M
C.360.380.0500.N	36.0	3.80	50.0	1.2500	28.88	32.91	yes	Zn coating	4N
C.360.380.1850.A	36.0	3.80	185.0	0.4079	68.78	81.09	yes	music wire	4O
C.360.380.1850.I	36.0	3.80	185.0	0.3503	68.78	81.09	yes	stainless steel	4O
C.360.400.0320.A	36.0	4.00	32.0	3.4030	19.20	21.00	yes	music wire	4P
C.360.400.0320.AP	36.0	4.00	32.0	4.5030	17.20	19.08	yes	music wire	4R
C.360.400.0320.I	36.0	4.00	32.0	2.9606	19.20	21.00	yes	stainless steel	4P
C.360.400.0320.N	36.0	4.00	32.0	3.4030	19.20	21.00	yes	Zn coating	4R
C.360.400.0400.A	36.0	4.00	40.0	2.5520	22.40	24.83	yes	music wire	4P
C.360.400.0400.AP	36.0	4.00	40.0	3.3773	19.60	22.78	yes	music wire	4R
C.360.400.0400.I	36.0	4.00	40.0	2.2202	22.40	24.83	yes	stainless steel	4P
C.360.400.0400.N	36.0	4.00	40.0	2.5520	22.40	24.83	yes	Zn coating	4R
C.360.400.0410.A	36.0	4.00	41.0	2.2740	24.00	26.74	yes	music wire	4P
C.360.400.0410.AP	36.0	4.00	41.0	3.3773	19.60	23.78	yes	music wire	4R
C.360.400.0410.I	36.0	4.00	41.0	1.9531	24.00	26.74	yes	stainless steel	4P
C.360.400.0410.N	36.0	4.00	41.0	2.2740	24.00	26.74	yes	Zn coating	4R
C.360.400.0500.A	36.0	4.00	50.0	1.9760	26.00	29.14	yes	music wire	4P
C.360.400.0500.AP	36.0	4.00	50.0	2.6147	22.00	27.75	yes	music wire	4R
C.360.400.0500.I	36.0	4.00	50.0	1.7191	26.00	29.14	yes	stainless steel	4P
C.360.400.0500.N	36.0	4.00	50.0	1.9760	26.00	29.14	yes	Zn coating	4R
C.360.400.0535.A	36.0	4.00	53.5	2.2740	24.00	27.92	yes	music wire	4R
C.360.400.0535.I	36.0	4.00	53.5	1.9531	24.00	26.74	yes	stainless steel	4R
C.360.400.0535.N	36.0	4.00	53.5	2.2740	24.00	27.92	yes	Zn coating	4T
C.360.400.0610.A	36.0	4.00	61.0	1.4286	32.40	36.79	yes	music wire	4P
C.360.400.0610.AP	36.0	4.00	61.0	2.0783	25.20	33.01	yes	music wire	4R
C.360.400.0610.I	36.0	4.00	61.0	1.2429	32.00	36.31	yes	stainless steel	4P
C.360.400.0630.A	36.0	4.00	63.0	1.5310	30.80	34.88	yes	music wire	4P
C.360.400.0630.AP	36.0	4.00	63.0	2.0264	25.60	34.30	yes	music wire	4R
C.360.400.0630.I	36.0	4.00	63.0	1.3320	30.40	34.40	yes	stainless steel	4P
C.360.400.0630.N	36.0	4.00	63.0	1.5310	30.80	34.88	yes	Zn coating	4R
C.360.400.0795.A	36.0	4.00	79.5	1.4471	32.00	39.30	yes	music wire	4S
C.360.400.0795.I	36.0	4.00	79.5	1.2429	32.00	37.34	yes	stainless steel	4S
C.360.400.0795.N	36.0	4.00	79.5	1.4471	32.00	39.30	yes	Zn coating	4T
C.360.400.0800.A	36.0	4.00	80.0	1.1560	37.60	43.01	yes	music wire	4P
C.360.400.0800.AP	36.0	4.00	80.0	1.5587	30.40	42.68	yes	music wire	4S
C.360.400.0800.I	36.0	4.00	80.0	1.0057	37.20	42.53	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.360.400.0800.N	36.0	4.00	80.0	1.1560	37.60	43.01	yes	Zn coating	4R
C.360.400.0920.A	36.0	4.00	92.0	0.9245	44.40	51.14	yes	music wire	4P
C.360.400.0920.AP	36.0	4.00	92.0	1.3288	34.00	48.23	yes	music wire	4S
C.360.400.0920.I	36.0	4.00	92.0	0.8043	44.00	50.66	yes	stainless steel	4Q
C.360.400.1000.A	36.0	4.00	100.0	0.9140	44.80	51.62	yes	music wire	4Q
C.360.400.1000.AP	36.0	4.00	100.0	1.2281	36.00	52.64	yes	music wire	4S
C.360.400.1000.I	36.0	4.00	100.0	0.7952	44.40	51.14	yes	stainless steel	4Q
C.360.400.1000.N	36.0	4.00	100.0	0.9140	44.80	51.62	yes	Zn coating	4R
C.360.400.1200.A	36.0	4.00	120.0	0.9364	44.00	57.88	yes	music wire	4S
C.360.400.1200.I	36.0	4.00	120.0	0.8043	44.00	54.85	yes	stainless steel	4S
C.360.400.1200.N	36.0	4.00	120.0	0.9364	44.00	57.88	yes	Zn coating	4T
C.360.400.1250.A	36.0	4.00	125.0	0.7210	54.00	62.62	yes	music wire	4Q
C.360.400.1250.AP	36.0	4.00	125.0	0.9649	42.80	64.72	yes	music wire	4S
C.360.400.1250.I	36.0	4.00	125.0	0.6273	53.60	62.15	yes	stainless steel	4Q
C.360.400.1250.N	36.0	4.00	125.0	0.7210	54.00	62.62	yes	Zn coating	4R
C.360.400.1410.A	36.0	4.00	141.0	0.5821	64.80	75.54	yes	music wire	4Q
C.360.400.1410.AP	36.0	4.00	141.0	0.8532	47.20	72.83	yes	music wire	4S
C.360.400.1410.I	36.0	4.00	141.0	0.5064	64.00	74.58	yes	stainless steel	4Q
C.360.400.1600.A	36.0	4.00	160.0	0.5520	67.60	78.89	yes	music wire	4Q
C.360.400.1600.AP	36.0	4.00	160.0	0.7436	52.80	81.78	yes	music wire	4S
C.360.400.1600.I	36.0	4.00	160.0	0.4802	66.80	77.93	yes	stainless steel	4Q
C.360.400.1600.N	36.0	4.00	160.0	0.5520	67.60	78.89	yes	Zn coating	4S
C.360.400.1700.A	36.0	4.00	170.0	0.6364	60.00	78.60	yes	music wire	4S
C.360.400.1700.AP	36.0	4.00	170.0	0.6987	55.60	86.76	yes	music wire	4S
C.360.400.1700.I	36.0	4.00	170.0	0.5466	60.00	74.14	yes	stainless steel	4S
C.360.400.1700.IF	36.0	4.00	170.0	0.3695	84.00	98.50	yes	stainless steel	4R
C.360.400.1700.N	36.0	4.00	170.0	0.6364	60.00	78.60	yes	Zn coating	5A
C.360.400.2000.A	36.0	4.00	200.0	0.4370	82.80	97.07	yes	music wire	4R
C.360.400.2000.AP	36.0	4.00	200.0	0.5916	64.00	101.69	yes	music wire	4T
C.360.400.2000.I	36.0	4.00	200.0	0.3802	82.00	96.11	yes	stainless steel	4R
C.360.400.2000.N	36.0	4.00	200.0	0.4370	82.80	97.07	yes	Zn coating	4S
C.360.400.2500.A	36.0	4.00	250.0	0.4302	84.00	114.80	yes	music wire	4T
C.360.400.2500.AF	36.0	4.00	250.0	0.3537	100.00	117.64	yes	music wire	4R
C.360.400.2500.AP	36.0	4.00	250.0	0.4685	78.00	125.85	yes	music wire	4T
C.360.400.2500.I	36.0	4.00	250.0	0.3695	84.00	108.20	yes	stainless steel	4T
C.360.400.2500.IF	36.0	4.00	250.0	0.3038	100.00	117.64	yes	stainless steel	4R
C.360.400.2500.N	36.0	4.00	250.0	0.4302	84.00	114.80	yes	Zn coating	5B
C.360.400.2500.NF	36.0	4.00	250.0	0.3537	100.00	117.64	yes	Zn coating	4S
C.360.400.3600.A	36.0	4.00	360.0	0.2360	148.80	175.22	no	music wire	4S
C.360.400.3600.I	36.0	4.00	360.0	0.2053	147.20	173.31	no	stainless steel	4S
C.360.450.0320.A	36.0	4.50	32.0	5.7140	21.60	23.40	yes	music wire	4R
C.360.450.0320.AP	36.0	4.50	32.0	7.1640	19.80	21.28	yes	music wire	4S
C.360.450.0320.I	36.0	4.50	32.0	4.9712	21.60	23.40	yes	stainless steel	4R
C.360.450.0320.N	36.0	4.50	32.0	5.7140	21.60	23.40	yes	Zn coating	4S
C.360.450.0400.A	36.0	4.50	40.0	4.2860	25.20	27.62	yes	music wire	4R
C.360.450.0400.AP	36.0	4.50	40.0	5.4446	22.50	25.27	yes	music wire	4S
C.360.450.0400.I	36.0	4.50	40.0	3.7288	25.20	27.62	yes	stainless steel	4R
C.360.450.0400.N	36.0	4.50	40.0	4.2860	25.20	27.62	yes	Zn coating	4S
C.360.450.0440.A	36.0	4.50	44.0	3.8187	27.00	29.73	yes	music wire	4R
C.360.450.0440.I	36.0	4.50	44.0	3.2799	27.00	29.73	yes	stainless steel	4R
C.360.450.0500.A	36.0	4.50	50.0	3.2140	30.15	33.43	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.360.450.0500.AP	36.0	4.50	50.0	4.1247	25.65	30.55	yes	music wire	4S
C.360.450.0500.I	36.0	4.50	50.0	2.7962	29.70	32.90	yes	stainless steel	4R
C.360.450.0500.N	36.0	4.50	50.0	3.2140	30.15	33.43	yes	Zn coating	4S
C.360.450.0630.A	36.0	4.50	63.0	2.5090	35.10	39.24	yes	music wire	4R
C.360.450.0630.I	36.0	4.50	63.0	2.1828	35.10	39.24	yes	stainless steel	4R
C.360.450.0630.N	36.0	4.50	63.0	2.5090	35.10	39.24	yes	Zn coating	4S
C.360.450.0800.A	36.0	4.50	80.0	1.9000	42.75	48.22	yes	music wire	4R
C.360.450.0800.I	36.0	4.50	80.0	1.6574	42.30	47.69	yes	stainless steel	4R
C.360.450.0800.N	36.0	4.50	80.0	1.9000	42.75	48.22	yes	Zn coating	4S
C.360.450.1000.A	36.0	4.50	100.0	1.4910	51.75	58.78	yes	music wire	4R
C.360.450.1000.I	36.0	4.50	100.0	1.3000	50.85	57.72	yes	stainless steel	4R
C.360.450.1000.N	36.0	4.50	100.0	1.4910	51.75	58.78	yes	Zn coating	4S
C.360.450.1250.A	36.0	4.50	125.0	1.1690	62.55	71.45	yes	music wire	4R
C.360.450.1250.I	36.0	4.50	125.0	1.0170	62.10	70.92	yes	stainless steel	4R
C.360.450.1250.N	36.0	4.50	125.0	1.1690	62.55	71.45	yes	Zn coating	4S
C.360.450.1600.A	36.0	4.50	160.0	0.8940	78.75	90.46	yes	music wire	4R
C.360.450.1600.AP	36.0	4.50	160.0	1.1438	63.90	89.87	yes	music wire	4T
C.360.450.1600.I	36.0	4.50	160.0	0.7778	77.85	89.41	yes	stainless steel	4R
C.360.450.1600.N	36.0	4.50	160.0	0.8940	78.75	90.46	yes	Zn coating	4T
C.360.450.2000.A	36.0	4.50	200.0	0.7090	96.30	111.06	yes	music wire	4S
C.360.450.2000.AP	36.0	4.50	200.0	0.9014	77.85	111.01	yes	music wire	5A
C.360.450.2000.I	36.0	4.50	200.0	0.6168	94.95	109.47	yes	stainless steel	4S
C.360.450.2000.N	36.0	4.50	200.0	0.7090	96.30	111.06	yes	Zn coating	4T
C.360.450.3600.A	36.0	4.50	360.0	0.3810	173.70	201.10	no	music wire	4T
C.360.450.3600.I	36.0	4.50	360.0	0.3315	171.45	198.46	no	stainless steel	4T
C.360.480.0410.A	36.0	4.80	41.0	5.3958	27.84	30.43	yes	music wire	4R
C.360.480.0410.I	36.0	4.80	41.0	4.6344	27.84	30.43	yes	stainless steel	4R
C.360.500.0320.A	36.0	5.00	32.0	9.1380	24.00	25.81	yes	music wire	4R
C.360.500.0320.AP	36.0	5.00	32.0	11.4559	22.00	23.50	yes	music wire	5A
C.360.500.0320.I	36.0	5.00	32.0	7.9501	24.00	25.81	yes	stainless steel	4S
C.360.500.0320.N	36.0	5.00	32.0	9.1380	24.00	25.81	yes	Zn coating	4T
C.360.500.0400.A	36.0	5.00	40.0	6.8530	28.00	30.44	yes	music wire	4S
C.360.500.0400.I	36.0	5.00	40.0	5.9621	28.00	30.44	yes	stainless steel	4S
C.360.500.0400.N	36.0	5.00	40.0	6.8530	28.00	30.44	yes	Zn coating	4T
C.360.500.0500.A	36.0	5.00	50.0	5.1400	33.50	36.81	yes	music wire	4S
C.360.500.0500.I	36.0	5.00	50.0	4.4718	33.00	36.23	yes	stainless steel	4S
C.360.500.0500.N	36.0	5.00	50.0	5.1400	33.50	36.81	yes	Zn coating	4T
C.360.500.0630.A	36.0	5.00	63.0	3.9160	40.00	44.34	yes	music wire	4S
C.360.500.0630.I	36.0	5.00	63.0	3.4069	39.50	43.76	yes	stainless steel	4S
C.360.500.0630.N	36.0	5.00	63.0	3.9160	40.00	44.34	yes	Zn coating	4T
C.360.500.0800.A	36.0	5.00	80.0	2.9910	48.00	53.60	yes	music wire	4S
C.360.500.0800.I	36.0	5.00	80.0	2.6022	48.00	53.60	yes	stainless steel	4S
C.360.500.0800.N	36.0	5.00	80.0	2.9910	48.00	53.60	yes	Zn coating	4T
C.360.500.1000.A	36.0	5.00	100.0	2.3170	58.50	65.75	yes	music wire	4S
C.360.500.1000.I	36.0	5.00	100.0	2.0158	58.00	65.17	yes	stainless steel	4S
C.360.500.1000.N	36.0	5.00	100.0	2.3170	58.50	65.75	yes	Zn coating	4T
C.360.500.1250.A	36.0	5.00	125.0	1.8280	71.00	80.22	yes	music wire	4S
C.360.500.1250.I	36.0	5.00	125.0	1.5904	70.00	79.07	yes	stainless steel	4S
C.360.500.1250.N	36.0	5.00	125.0	1.8280	71.00	80.22	yes	Zn coating	5A
C.360.500.1600.A	36.0	5.00	160.0	1.4060	88.50	100.48	yes	music wire	4S
C.360.500.1600.I	36.0	5.00	160.0	1.2232	87.50	99.32	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.360.500.1600.N	36.0	5.00	160.0	1.4060	88.50	100.48	yes	Zn coating	5A
C.360.500.2000.A	36.0	5.00	200.0	1.1110	108.50	123.64	yes	music wire	4T
C.360.500.2000.I	36.0	5.00	200.0	0.9666	107.50	122.48	yes	stainless steel	4T
C.360.500.2000.N	36.0	5.00	200.0	1.1110	108.50	123.64	yes	Zn coating	5A
C.360.500.3600.A	36.0	5.00	360.0	0.5940	197.50	225.88	no	music wire	5A
C.360.500.3600.I	36.0	5.00	360.0	0.5168	195.00	222.98	no	stainless steel	5A
C.360.530.0420.A	36.0	5.30	42.0	8.1710	31.27	33.98	yes	music wire	4S
C.360.530.0420.I	36.0	5.30	42.0	7.0181	31.27	33.98	yes	stainless steel	4S
C.360.530.0910.A	36.0	5.30	91.0	3.2684	58.30	65.07	yes	music wire	4S
C.360.530.0910.I	36.0	5.30	91.0	2.8072	58.30	65.07	yes	stainless steel	4S
C.360.550.0320.A	36.0	5.50	32.0	14.8740	25.85	27.62	yes	music wire	5A
C.360.550.0320.I	36.0	5.50	32.0	12.9404	25.85	27.62	yes	stainless steel	5A
C.360.550.0320.N	36.0	5.50	32.0	14.8740	25.85	27.62	yes	Zn coating	5C
C.360.550.0360.A	36.0	5.50	36.0	12.1690	28.60	30.77	yes	music wire	5A
C.360.550.0360.I	36.0	5.50	36.0	10.4519	28.60	30.77	yes	stainless steel	5A
C.360.550.0400.A	36.0	5.50	40.0	10.9940	30.25	32.66	yes	music wire	5A
C.360.550.0400.I	36.0	5.50	40.0	9.5648	30.25	32.66	yes	stainless steel	5A
C.360.550.0400.N	36.0	5.50	40.0	10.9940	30.25	32.66	yes	Zn coating	5C
C.360.550.0500.A	36.0	5.50	50.0	8.1570	35.75	38.96	yes	music wire	5A
C.360.550.0500.I	36.0	5.50	50.0	7.0966	35.75	38.96	yes	stainless steel	5A
C.360.550.0500.N	36.0	5.50	50.0	8.1570	35.75	38.96	yes	Zn coating	5C
C.360.550.0630.A	36.0	5.50	63.0	6.1670	42.90	47.16	yes	music wire	5A
C.360.550.0630.I	36.0	5.50	63.0	5.3653	42.90	47.16	yes	stainless steel	5A
C.360.550.0630.N	36.0	5.50	63.0	6.1670	42.90	47.16	yes	Zn coating	5C
C.360.550.0800.A	36.0	5.50	80.0	4.5970	52.80	58.51	yes	music wire	5A
C.360.550.0800.I	36.0	5.50	80.0	3.9994	52.80	58.51	yes	stainless steel	5B
C.360.550.0800.N	36.0	5.50	80.0	4.5970	52.80	58.51	yes	Zn coating	5C
C.360.550.1000.A	36.0	5.50	100.0	3.5610	64.35	71.74	yes	music wire	5A
C.360.550.1000.I	36.0	5.50	100.0	3.0981	63.80	71.11	yes	stainless steel	5B
C.360.550.1000.N	36.0	5.50	100.0	3.5610	64.35	71.74	yes	Zn coating	5C
C.360.550.1250.A	36.0	5.50	125.0	2.8090	78.10	87.50	yes	music wire	5B
C.360.550.1250.I	36.0	5.50	125.0	2.4438	77.00	86.24	yes	stainless steel	5B
C.360.550.1250.N	36.0	5.50	125.0	2.8090	78.10	87.50	yes	Zn coating	5D
C.360.550.1400.A	36.0	5.50	140.0	2.4159	88.55	99.48	yes	music wire	5B
C.360.550.1400.I	36.0	5.50	140.0	2.0750	88.55	99.48	yes	stainless steel	5B
C.360.550.1600.A	36.0	5.50	160.0	2.1430	97.90	110.20	yes	music wire	5B
C.360.550.1600.I	36.0	5.50	160.0	1.8644	96.80	108.94	yes	stainless steel	5B
C.360.550.1600.N	36.0	5.50	160.0	2.1430	97.90	110.20	yes	Zn coating	5D
C.360.550.2000.A	36.0	5.50	200.0	1.7000	119.90	135.41	yes	music wire	5B
C.360.550.2000.I	36.0	5.50	200.0	1.4764	118.80	134.15	yes	stainless steel	5B
C.360.550.2000.N	36.0	5.50	200.0	1.7000	119.90	135.41	yes	Zn coating	5D
C.360.550.3600.A	36.0	5.50	360.0	0.9030	219.45	248.70	no	music wire	5C
C.360.550.3600.I	36.0	5.50	360.0	0.7856	216.70	245.55	no	stainless steel	5D
C.360.560.1900.A	36.0	5.60	190.0	1.8868	119.84	135.10	yes	music wire	5B
C.360.560.1900.I	36.0	5.60	190.0	1.6206	119.84	135.10	yes	stainless steel	5B
C.360.580.0530.A	36.0	5.80	53.0	9.3014	40.60	44.27	yes	music wire	5A
C.360.580.0530.I	36.0	5.80	53.0	7.9889	40.60	44.27	yes	stainless steel	5A
C.360.580.1200.A	36.0	5.80	120.0	3.6083	81.78	91.24	yes	music wire	5B
C.360.580.1200.I	36.0	5.80	120.0	3.0991	81.78	91.24	yes	stainless steel	5B
C.360.600.0650.A	36.0	6.00	65.0	8.5789	49.20	53.90	yes	music wire	5D
C.360.600.0650.I	36.0	6.00	65.0	7.3684	49.20	53.90	yes	stainless steel	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.360.600.2000.A	36.0	6.00	200.0	2.6670	124.80	139.90	yes	music wire	5G
C.360.600.2000.I	36.0	6.00	200.0	2.3203	123.60	138.53	yes	stainless steel	5I
C.360.600.2000.N	36.0	6.00	200.0	2.6670	124.80	139.90	yes	Zn coating	5I
C.361.190.0640.A	36.1	1.90	64.0	0.0897	11.78	15.90	yes	music wire	4I
C.361.190.0640.I	36.1	1.90	64.0	0.0780	11.78	15.90	yes	stainless steel	4I
C.361.190.2200.A	36.1	1.90	220.0	0.0302	25.65	37.90	yes	music wire	4K
C.361.190.2200.I	36.1	1.90	220.0	0.0259	25.65	37.90	yes	stainless steel	4L
C.361.280.0300.A	36.1	2.80	30.0	0.9195	12.04	13.61	yes	music wire	4I
C.361.280.0300.I	36.1	2.80	30.0	0.8000	12.04	13.61	yes	stainless steel	4I
C.361.280.3200.A	36.1	2.80	320.0	0.0707	74.20	95.18	yes	music wire	4N
C.361.280.3200.I	36.1	2.80	320.0	0.0607	74.20	95.18	yes	stainless steel	4N
C.361.400.0760.A	36.1	4.00	76.0	1.3793	32.80	37.28	yes	music wire	4S
C.361.400.0760.I	36.1	4.00	76.0	1.2000	32.40	36.80	yes	stainless steel	4P
C.361.400.2000.A	36.1	4.00	200.0	0.4085	87.20	102.38	yes	music wire	4R
C.361.400.2000.I	36.1	4.00	200.0	0.3509	87.20	102.38	yes	stainless steel	4R
C.361.530.0800.A	36.1	5.30	80.0	3.5272	54.59	60.82	yes	music wire	4S
C.361.530.0800.I	36.1	5.30	80.0	3.0295	54.59	60.82	yes	stainless steel	4S
C.361.530.3050.A	36.1	5.30	305.0	0.9500	166.95	190.11	yes	music wire	5C
C.361.530.3050.I	36.1	5.30	305.0	0.8265	164.83	187.67	yes	stainless steel	5C
C.362.600.0500.S	36.2	6.00	50.0	13.0472	37.20	40.26	yes	Cr-Si steel	5G
C.363.470.0500.S	36.3	4.70	50.0	4.9035	26.79	31.73	yes	Cr-Si steel	5B
C.363.480.0640.S	36.3	4.80	64.0	4.2033	31.68	41.44	yes	Cr-Si steel	5D
C.364.530.1270.S	36.4	5.30	127.0	2.6273	67.31	79.95	yes	Cr-Si steel	5D
C.365.150.0450.A	36.5	1.50	45.0	0.0207	13.95	21.93	no	music wire	4G
C.365.150.0450.I	36.5	1.50	45.0	0.0180	13.80	21.64	no	stainless steel	4G
C.365.200.0220.A	36.5	2.00	22.0	0.2529	8.20	9.95	yes	music wire	4G
C.365.200.0220.I	36.5	2.00	22.0	0.2200	8.00	9.64	yes	stainless steel	4G
C.365.200.0380.A	36.5	2.00	38.0	0.1149	12.00	15.82	yes	music wire	4H
C.365.200.0380.I	36.5	2.00	38.0	0.1000	11.80	15.52	yes	stainless steel	4H
C.365.200.0600.A	36.5	2.00	60.0	0.1323	11.00	14.28	yes	music wire	4I
C.365.200.0600.I	36.5	2.00	60.0	0.1136	11.00	14.28	yes	stainless steel	4I
C.365.200.0910.A	36.5	2.00	91.0	0.0529	20.00	28.20	yes	music wire	4I
C.365.200.0910.I	36.5	2.00	91.0	0.0460	19.80	27.89	yes	stainless steel	4I
C.365.200.2000.A	36.5	2.00	200.0	0.0385	25.60	36.85	yes	music wire	4J
C.365.200.2000.I	36.5	2.00	200.0	0.0331	25.60	36.85	yes	stainless steel	4K
C.365.230.0380.A	36.5	2.30	38.0	0.2414	12.65	15.63	yes	music wire	4H
C.365.230.0380.I	36.5	2.30	38.0	0.2100	12.42	15.30	yes	stainless steel	4I
C.365.230.1000.A	36.5	2.30	100.0	0.1208	19.32	25.18	yes	music wire	4I
C.365.230.1000.I	36.5	2.30	100.0	0.1038	19.32	25.18	yes	stainless steel	4I
C.365.250.0143.A	36.5	2.50	14.3	1.3793	8.00	8.66	yes	music wire	4G
C.365.250.0143.I	36.5	2.50	14.3	1.2000	8.00	8.66	yes	stainless steel	4H
C.365.250.0430.A	36.5	2.50	43.0	0.5287	11.00	13.39	yes	music wire	4J
C.365.250.0430.I	36.5	2.50	43.0	0.4600	11.00	12.89	yes	stainless steel	4J
C.365.250.1000.A	36.5	2.50	100.0	0.1582	22.25	28.29	yes	music wire	4I
C.365.250.1000.I	36.5	2.50	100.0	0.1359	22.25	28.29	yes	stainless steel	4I
C.365.300.0360.A	36.5	3.00	36.0	0.7180	16.80	19.47	yes	music wire	4I
C.365.300.0360.AP	36.5	3.00	36.0	1.3971	12.30	17.40	yes	music wire	4J
C.365.300.0360.I	36.5	3.00	36.0	0.6247	16.50	19.08	yes	stainless steel	4I
C.365.300.0360.N	36.5	3.00	36.0	0.7180	16.80	19.47	yes	Zn coating	4J
C.365.300.2000.A	36.5	3.00	200.0	0.1416	54.00	67.35	yes	music wire	4L
C.365.300.2000.I	36.5	3.00	200.0	0.1216	54.00	67.35	yes	stainless steel	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.365.380.0600.A	36.5	3.80	60.0	1.1912	28.88	32.97	yes	music wire	4M
C.365.380.0600.I	36.5	3.80	60.0	1.0231	28.88	32.97	yes	stainless steel	4M
C.365.380.1240.A	36.5	3.80	124.0	0.7471	40.28	57.24	yes	music wire	4P
C.365.380.1240.I	36.5	3.80	124.0	0.6500	39.90	55.02	yes	stainless steel	4Q
C.365.400.0470.A	36.5	4.00	47.0	2.4000	22.80	25.35	yes	music wire	4R
C.365.400.0470.I	36.5	4.00	47.0	2.0880	22.40	24.87	yes	stainless steel	4P
C.365.400.2000.A	36.5	4.00	200.0	0.3999	86.00	101.13	yes	music wire	4R
C.365.400.2000.I	36.5	4.00	200.0	0.3434	86.00	101.13	yes	stainless steel	4R
C.365.550.0500.S	36.5	5.50	50.0	8.9665	33.00	35.84	yes	Cr-Si steel	5F
C.365.550.0640.S	36.5	5.50	64.0	6.7247	39.60	43.74	yes	Cr-Si steel	5F
C.365.550.2000.A	36.5	5.50	200.0	1.4972	128.70	145.67	yes	music wire	5B
C.365.550.2000.I	36.5	5.50	200.0	1.2860	128.70	145.67	yes	stainless steel	5B
C.366.580.0760.S	36.6	5.80	76.0	6.1470	51.62	56.90	yes	Cr-Si steel	5D
C.366.600.0400.A	36.6	6.00	40.0	14.8644	33.60	36.19	yes	music wire	5D
C.366.600.0400.I	36.6	6.00	40.0	12.7669	33.60	36.19	yes	stainless steel	5D
C.366.600.0800.A	36.6	6.00	80.0	6.0631	60.60	66.94	yes	music wire	5D
C.366.600.0800.I	36.6	6.00	80.0	5.2076	60.60	66.94	yes	stainless steel	5E
C.366.600.0890.S	36.6	6.00	89.0	6.3226	58.80	64.89	yes	Cr-Si steel	5I
C.366.600.1020.S	36.6	6.00	102.0	5.1663	68.40	75.82	yes	Cr-Si steel	5I
C.366.600.1150.S	36.6	6.00	115.0	4.5014	76.20	84.71	yes	Cr-Si steel	5I
C.366.600.1270.S	36.6	6.00	127.0	4.3788	78.00	87.85	yes	Cr-Si steel	5I
C.366.600.1400.S	36.6	6.00	140.0	3.6776	90.00	100.43	yes	Cr-Si steel	5I
C.366.600.1520.S	36.6	6.00	152.0	3.5031	94.20	105.21	yes	Cr-Si steel	5I
C.366.600.2050.A	36.6	6.00	205.0	2.1533	143.40	161.25	yes	music wire	5E
C.366.600.2050.I	36.6	6.00	205.0	1.8494	143.40	161.25	yes	stainless steel	5E
C.369.230.0730.A	36.9	2.30	73.0	0.1264	18.17	23.63	yes	music wire	4I
C.369.230.0730.I	36.9	2.30	73.0	0.1100	18.17	23.63	yes	stainless steel	4I
C.369.380.0720.A	36.9	3.80	72.0	1.1000	29.64	33.95	yes	music wire	4M
C.369.380.0720.I	36.9	3.80	72.0	0.9570	29.64	33.95	yes	stainless steel	4M
C.369.530.1020.S	36.9	5.30	102.0	3.2402	55.12	64.32	yes	Cr-Si steel	5D
C.369.530.1150.S	36.9	5.30	115.0	2.8019	61.48	71.42	yes	Cr-Si steel	5D
C.370.110.0381.A	37.0	1.10	38.1	0.0293	5.06	7.11	no	music wire	4E
C.370.200.1400.A	37.0	2.00	140.0	0.0340	27.40	39.93	yes	music wire	4J
C.370.200.1400.I	37.0	2.00	140.0	0.0296	27.00	39.31	yes	stainless steel	4J
C.370.200.1400.N	37.0	2.00	140.0	0.0340	27.40	39.93	yes	Zn coating	4L
C.370.210.0470.A	37.0	2.10	47.0	0.2330	9.45	11.61	yes	music wire	4H
C.370.210.0470.I	37.0	2.10	47.0	0.2002	9.45	11.61	yes	stainless steel	4I
C.370.210.1200.A	37.0	2.10	120.0	0.0863	16.59	22.42	yes	music wire	4I
C.370.210.1200.I	37.0	2.10	120.0	0.0741	16.59	22.42	yes	stainless steel	4J
C.370.210.1450.A	37.0	2.10	145.0	0.0706	19.11	26.24	yes	music wire	4J
C.370.210.1450.I	37.0	2.10	145.0	0.0607	19.11	26.24	yes	stainless steel	4J
C.370.220.0420.A	37.0	2.20	42.0	0.2980	9.68	11.67	yes	music wire	4H
C.370.220.0420.I	37.0	2.20	42.0	0.2560	9.68	11.67	yes	stainless steel	4I
C.370.220.0570.A	37.0	2.20	57.0	0.2178	11.22	13.94	yes	music wire	4I
C.370.220.0570.I	37.0	2.20	57.0	0.1871	11.22	13.94	yes	stainless steel	4I
C.370.220.0720.A	37.0	2.20	72.0	0.1665	12.98	16.54	yes	music wire	4I
C.370.220.0720.I	37.0	2.20	72.0	0.1430	12.98	16.54	yes	stainless steel	4I
C.370.220.1150.A	37.0	2.20	115.0	0.1049	17.38	23.03	yes	music wire	4I
C.370.220.1150.I	37.0	2.20	115.0	0.0901	17.38	23.03	yes	stainless steel	4J
C.370.225.1350.A	37.0	2.25	135.0	0.0943	20.48	27.28	yes	music wire	4J
C.370.225.1350.I	37.0	2.25	135.0	0.0810	20.48	27.28	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.370.235.1600.A	37.0	2.35	160.0	0.0911	25.15	33.36	yes	music wire	4J
C.370.235.1600.I	37.0	2.35	160.0	0.0782	25.15	33.36	yes	stainless steel	4J
C.370.235.1850.A	37.0	2.35	185.0	0.0786	28.20	37.71	yes	music wire	4J
C.370.235.1850.I	37.0	2.35	185.0	0.0675	28.20	37.71	yes	stainless steel	4J
C.370.240.0380.A	37.0	2.40	38.0	0.4533	10.32	12.10	yes	music wire	4H
C.370.240.0380.I	37.0	2.40	38.0	0.3894	10.32	12.10	yes	stainless steel	4I
C.370.240.0570.A	37.0	2.40	57.0	0.2814	12.96	15.83	yes	music wire	4I
C.370.240.0570.I	37.0	2.40	57.0	0.2417	12.96	15.83	yes	stainless steel	4I
C.370.240.0820.A	37.0	2.40	82.0	0.1943	16.08	20.23	yes	music wire	4I
C.370.240.0820.I	37.0	2.40	82.0	0.1669	16.08	20.23	yes	stainless steel	4I
C.370.260.0420.A	37.0	2.60	42.0	0.5198	12.22	14.29	yes	music wire	4I
C.370.260.0420.I	37.0	2.60	42.0	0.4465	12.22	14.29	yes	stainless steel	4I
C.370.260.0530.A	37.0	2.60	53.0	0.3944	14.04	16.77	yes	music wire	4I
C.370.260.0530.I	37.0	2.60	53.0	0.3387	14.04	16.77	yes	stainless steel	4I
C.370.270.0490.A	37.0	2.70	49.0	0.4969	14.04	16.53	yes	music wire	4I
C.370.270.0490.I	37.0	2.70	49.0	0.4268	14.04	16.53	yes	stainless steel	4I
C.370.290.0680.A	37.0	2.90	68.0	0.4327	19.43	23.17	yes	music wire	4I
C.370.290.0680.I	37.0	2.90	68.0	0.3716	19.43	23.17	yes	stainless steel	4J
C.370.290.1050.A	37.0	2.90	105.0	0.2753	26.39	32.27	yes	music wire	4J
C.370.290.1050.I	37.0	2.90	105.0	0.2365	26.39	32.27	yes	stainless steel	4J
C.370.300.0174.A	37.0	3.00	17.4	2.0995	10.50	11.38	yes	music wire	4I
C.370.300.0174.I	37.0	3.00	17.4	1.8033	10.50	11.38	yes	stainless steel	4I
C.370.300.0574.A	37.0	3.00	57.4	0.6000	18.00	21.07	yes	music wire	4I
C.370.300.0574.I	37.0	3.00	57.4	0.5153	18.00	21.07	yes	stainless steel	4I
C.370.300.0574.N	37.0	3.00	57.4	0.6000	18.00	21.07	yes	Zn coating	4J
C.370.300.0871.A	37.0	3.00	87.1	0.3817	24.00	28.83	yes	music wire	4J
C.370.300.0871.I	37.0	3.00	87.1	0.3278	24.00	28.83	yes	stainless steel	4J
C.370.300.0871.N	37.0	3.00	87.1	0.3817	24.00	28.83	yes	Zn coating	4L
C.370.300.1310.A	37.0	3.00	131.0	0.2470	33.00	40.46	yes	music wire	4J
C.370.300.1310.I	37.0	3.00	131.0	0.2121	33.00	40.46	yes	stainless steel	4J
C.370.300.1310.N	37.0	3.00	131.0	0.2470	33.00	40.46	yes	Zn coating	4L
C.370.300.1900.A	37.0	3.00	190.0	0.1680	45.00	55.98	yes	music wire	4L
C.370.300.1900.I	37.0	3.00	190.0	0.1443	45.00	55.98	yes	stainless steel	4L
C.370.300.1900.N	37.0	3.00	190.0	0.1680	45.00	55.98	yes	Zn coating	4M
C.370.300.2790.A	37.0	3.00	279.0	0.1135	63.00	79.24	yes	music wire	4M
C.370.300.2790.I	37.0	3.00	279.0	0.0975	63.00	79.24	yes	stainless steel	4M
C.370.300.2790.N	37.0	3.00	279.0	0.1135	63.00	79.24	yes	Zn coating	4O
C.370.310.1300.A	37.0	3.10	130.0	0.2744	35.03	42.65	yes	music wire	4J
C.370.310.1300.I	37.0	3.10	130.0	0.2357	35.03	42.65	yes	stainless steel	4J
C.370.310.1700.A	37.0	3.10	170.0	0.2082	43.71	53.76	yes	music wire	4L
C.370.310.1700.I	37.0	3.10	170.0	0.1788	43.71	53.76	yes	stainless steel	4L
C.370.330.1200.A	37.0	3.30	120.0	0.3714	36.30	43.49	yes	music wire	4L
C.370.330.1200.I	37.0	3.30	120.0	0.3190	36.30	43.49	yes	stainless steel	4L
C.370.340.1700.A	37.0	3.40	170.0	0.2871	51.00	61.48	yes	music wire	4M
C.370.340.1700.I	37.0	3.40	170.0	0.2466	51.00	61.48	yes	stainless steel	4M
C.370.350.0370.A	37.0	3.50	37.0	1.6943	17.15	19.14	yes	music wire	4J
C.370.350.0370.I	37.0	3.50	37.0	1.4552	17.15	19.14	yes	stainless steel	4J
C.370.350.0430.A	37.0	3.50	43.0	1.3310	19.60	22.18	yes	music wire	4J
C.370.350.0430.AP	37.0	3.50	43.0	1.8824	16.45	22.14	yes	music wire	4M
C.370.350.0430.I	37.0	3.50	43.0	1.1580	19.25	21.74	yes	stainless steel	4J
C.370.350.0430.N	37.0	3.50	43.0	1.3310	19.60	22.18	yes	Zn coating	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.370.350.1300.A	37.0	3.50	130.0	0.4192	42.70	50.76	yes	music wire	4L
C.370.350.1300.I	37.0	3.50	130.0	0.3601	42.70	50.76	yes	stainless steel	4L
C.370.350.1900.A	37.0	3.50	190.0	0.2824	59.15	71.12	yes	music wire	4M
C.370.350.1900.I	37.0	3.50	190.0	0.2425	59.15	71.12	yes	stainless steel	4M
C.370.380.1700.A	37.0	3.80	170.0	0.4237	61.56	72.73	yes	music wire	4O
C.370.380.1700.I	37.0	3.80	170.0	0.3639	61.56	72.73	yes	stainless steel	4O
C.370.400.0500.A	37.0	4.00	50.0	2.0000	24.40	27.31	yes	music wire	4P
C.370.400.0500.I	37.0	4.00	50.0	1.7400	24.40	27.31	yes	stainless steel	4P
C.370.400.0640.A	37.0	4.00	64.0	1.5000	29.20	33.08	yes	music wire	4P
C.370.400.0640.I	37.0	4.00	64.0	1.3050	29.20	33.08	yes	stainless steel	4P
C.370.400.0760.A	37.0	4.00	76.0	1.3000	32.40	36.93	yes	music wire	4S
C.370.400.0760.I	37.0	4.00	76.0	1.1310	32.00	36.45	yes	stainless steel	4P
C.370.400.0890.A	37.0	4.00	89.0	1.1000	36.40	41.74	yes	music wire	4S
C.370.400.0890.I	37.0	4.00	89.0	0.9570	36.00	41.25	yes	stainless steel	4Q
C.370.400.1020.A	37.0	4.00	102.0	0.9100	42.00	48.47	yes	music wire	4Q
C.370.400.1020.I	37.0	4.00	102.0	0.7917	41.60	47.99	yes	stainless steel	4Q
C.370.400.1150.A	37.0	4.00	115.0	0.8000	46.40	53.76	yes	music wire	4Q
C.370.400.1150.I	37.0	4.00	115.0	0.6960	46.00	53.28	yes	stainless steel	4Q
C.370.400.1270.A	37.0	4.00	127.0	0.7100	50.80	59.05	yes	music wire	4Q
C.370.400.1270.I	37.0	4.00	127.0	0.6177	50.40	58.56	yes	stainless steel	4Q
C.370.400.1350.A	37.0	4.00	135.0	0.7639	48.00	60.80	yes	music wire	4S
C.370.400.1350.I	37.0	4.00	135.0	0.6561	48.00	57.18	yes	stainless steel	4S
C.370.400.1350.N	37.0	4.00	135.0	0.7639	48.00	60.80	yes	Zn coating	5A
C.370.420.0440.A	37.0	4.20	44.0	2.7223	24.36	27.01	yes	music wire	4P
C.370.420.0440.I	37.0	4.20	44.0	2.3381	24.36	27.01	yes	stainless steel	4P
C.370.450.0700.A	37.0	4.50	70.0	2.0982	37.35	42.00	yes	music wire	4R
C.370.450.0700.I	37.0	4.50	70.0	1.8021	37.35	42.00	yes	stainless steel	4R
C.370.480.1450.A	37.0	4.80	145.0	1.2271	75.36	85.97	yes	music wire	4R
C.370.480.1450.I	37.0	4.80	145.0	1.0540	75.36	85.97	yes	stainless steel	4R
C.370.480.1700.A	37.0	4.80	170.0	1.0383	86.88	99.42	yes	music wire	4R
C.370.480.1700.I	37.0	4.80	170.0	0.8918	86.88	99.42	yes	stainless steel	4R
C.370.500.0430.A	37.0	5.00	43.0	5.5517	30.00	32.83	yes	music wire	4S
C.370.500.0430.AP	37.0	5.00	43.0	7.0674	26.00	28.27	yes	music wire	5A
C.370.500.0430.I	37.0	5.00	43.0	4.7683	30.00	32.83	yes	stainless steel	4S
C.370.500.0430.N	37.0	5.00	43.0	5.5517	30.00	32.83	yes	Zn coating	4T
C.370.500.0510.A	37.0	5.00	51.0	5.5517	30.00	32.83	yes	music wire	5A
C.370.500.0510.I	37.0	5.00	51.0	4.7683	30.00	32.83	yes	stainless steel	5A
C.370.500.0510.N	37.0	5.00	51.0	5.5517	30.00	32.83	yes	Zn coating	5C
C.370.500.0630.A	37.0	5.00	63.0	3.4878	40.50	45.02	yes	music wire	4S
C.370.500.0630.AP	37.0	5.00	63.0	4.4974	34.00	39.86	yes	music wire	5A
C.370.500.0630.I	37.0	5.00	63.0	3.0344	40.00	44.44	yes	stainless steel	4S
C.370.500.0750.A	37.0	5.00	75.0	3.5329	40.00	45.54	yes	music wire	5A
C.370.500.0750.I	37.0	5.00	75.0	3.0344	40.00	44.44	yes	stainless steel	5A
C.370.500.0750.N	37.0	5.00	75.0	3.5329	40.00	45.54	yes	Zn coating	5C
C.370.500.0940.A	37.0	5.00	94.0	2.2860	55.00	61.86	yes	music wire	4S
C.370.500.0940.AP	37.0	5.00	94.0	2.8679	46.50	57.71	yes	music wire	5A
C.370.500.0940.I	37.0	5.00	94.0	1.9634	55.00	61.86	yes	stainless steel	4S
C.370.500.0940.N	37.0	5.00	94.0	2.2860	55.00	61.86	yes	Zn coating	4T
C.370.500.1100.A	37.0	5.00	110.0	2.2860	55.00	64.47	yes	music wire	5A
C.370.500.1100.I	37.0	5.00	110.0	1.9634	55.00	61.86	yes	stainless steel	5A
C.370.500.1100.N	37.0	5.00	110.0	2.2860	55.00	64.47	yes	Zn coating	5C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.370.500.1440.A	37.0	5.00	144.0	1.4393	80.00	90.90	yes	music wire	4S
C.370.500.1440.AP	37.0	5.00	144.0	1.8155	66.00	86.67	yes	music wire	5B
C.370.500.1440.I	37.0	5.00	144.0	1.2362	80.00	90.90	yes	stainless steel	4S
C.370.500.1440.N	37.0	5.00	144.0	1.4393	80.00	90.90	yes	Zn coating	5A
C.370.500.1600.A	37.0	5.00	160.0	1.5545	75.00	93.05	yes	music wire	5B
C.370.500.1600.AF	37.0	5.00	160.0	1.0503	105.00	119.93	yes	music wire	4S
C.370.500.1600.AP	37.0	5.00	160.0	1.6220	72.50	95.84	yes	music wire	5B
C.370.500.1600.I	37.0	5.00	160.0	1.3352	75.00	89.10	yes	stainless steel	5B
C.370.500.1600.IF	37.0	5.00	160.0	0.9000	105.00	119.93	yes	stainless steel	4S
C.370.500.1600.N	37.0	5.00	160.0	1.5545	75.00	93.05	yes	Zn coating	5D
C.370.500.1600.NF	37.0	5.00	160.0	1.0503	105.00	119.93	yes	Zn coating	5A
C.370.500.2300.A	37.0	5.00	230.0	1.0503	105.00	130.91	yes	music wire	5B
C.370.500.2300.AF	37.0	5.00	230.0	0.8636	125.00	143.16	yes	music wire	4T
C.370.500.2300.AP	37.0	5.00	230.0	1.1055	100.50	135.86	yes	music wire	5B
C.370.500.2300.I	37.0	5.00	230.0	0.9000	105.00	124.82	yes	stainless steel	5C
C.370.500.2300.IF	37.0	5.00	230.0	0.7417	125.00	143.16	yes	stainless steel	4T
C.370.500.2300.N	37.0	5.00	230.0	1.0503	105.00	130.91	yes	Zn coating	5D
C.370.500.2300.NF	37.0	5.00	230.0	0.8636	125.00	143.16	yes	Zn coating	5A
C.370.530.0620.A	37.0	5.30	62.0	4.7612	41.34	45.66	yes	music wire	4S
C.370.530.0620.I	37.0	5.30	62.0	4.0894	41.34	45.66	yes	stainless steel	4S
C.370.560.0370.A	37.0	5.60	37.0	11.9858	29.12	31.35	yes	music wire	5A
C.370.560.0370.I	37.0	5.60	37.0	10.2946	29.12	31.35	yes	stainless steel	5A
C.370.560.0720.A	37.0	5.60	72.0	5.1368	49.28	54.47	yes	music wire	5A
C.370.560.0720.I	37.0	5.60	72.0	4.4120	49.28	54.47	yes	stainless steel	5B
C.370.560.1100.A	37.0	5.60	110.0	3.1727	71.12	79.53	yes	music wire	5B
C.370.560.1100.I	37.0	5.60	110.0	2.7250	71.12	79.53	yes	stainless steel	5B
C.370.560.1350.A	37.0	5.60	135.0	2.5283	85.68	96.23	yes	music wire	5B
C.370.560.1350.I	37.0	5.60	135.0	2.1715	85.68	96.23	yes	stainless steel	5B
C.370.580.0410.A	37.0	5.80	41.0	12.2449	32.48	35.06	yes	music wire	5A
C.370.580.0410.I	37.0	5.80	41.0	10.5171	32.48	35.06	yes	stainless steel	5A
C.370.580.0610.A	37.0	5.80	61.0	7.2998	44.66	48.99	yes	music wire	5A
C.370.580.0610.I	37.0	5.80	61.0	6.2698	44.66	48.99	yes	stainless steel	5A
C.370.580.0970.A	37.0	5.80	97.0	4.2651	66.12	73.52	yes	music wire	5A
C.370.580.0970.I	37.0	5.80	97.0	3.6632	66.12	73.52	yes	stainless steel	5B
C.370.580.1650.A	37.0	5.80	165.0	2.3874	106.72	119.94	yes	music wire	5B
C.370.580.1650.I	37.0	5.80	165.0	2.0505	106.72	119.94	yes	stainless steel	5B
C.370.600.0460.A	37.0	6.00	46.0	12.3108	36.60	39.62	yes	music wire	5D
C.370.600.0460.I	37.0	6.00	46.0	10.5737	36.60	39.62	yes	stainless steel	5D
C.370.600.0600.A	37.0	6.00	60.0	8.6900	45.60	49.89	yes	music wire	5D
C.370.600.0600.I	37.0	6.00	60.0	7.4638	45.60	49.89	yes	stainless steel	5E
C.370.600.0700.A	37.0	6.00	70.0	7.2654	51.60	56.73	yes	music wire	5D
C.370.600.0700.I	37.0	6.00	70.0	6.2402	51.60	56.73	yes	stainless steel	5E
C.371.280.0200.A	37.1	2.80	20.0	1.4107	10.08	11.08	yes	music wire	4I
C.371.280.0200.I	37.1	2.80	20.0	1.2116	10.08	11.08	yes	stainless steel	4I
C.371.280.0380.A	37.1	2.80	38.0	0.7000	13.16	15.16	yes	music wire	4I
C.371.280.0380.I	37.1	2.80	38.0	0.6100	13.16	15.16	yes	stainless steel	4I
C.371.280.0381.A	37.1	2.80	38.1	0.5526	14.84	17.39	yes	music wire	4I
C.371.280.0381.I	37.1	2.80	38.1	0.4747	14.84	17.39	yes	stainless steel	4I
C.371.280.0381.N	37.1	2.80	38.1	0.5526	14.84	17.39	yes	Zn coating	4J
C.371.280.0500.A	37.1	2.80	50.0	0.5057	15.68	18.50	yes	music wire	4I
C.371.280.0500.I	37.1	2.80	50.0	0.4400	15.40	18.13	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.371.280.0508.A	37.1	2.80	50.8	0.4177	17.36	20.73	yes	music wire	4I
C.371.280.0508.I	37.1	2.80	50.8	0.3634	17.36	20.73	yes	stainless steel	4I
C.371.280.0508.N	37.1	2.80	50.8	0.4177	17.36	20.73	yes	Zn coating	4J
C.371.280.0600.A	37.1	2.80	60.0	0.3879	18.20	21.84	yes	music wire	4I
C.371.280.0600.I	37.1	2.80	60.0	0.3332	18.20	21.84	yes	stainless steel	4J
C.371.280.0635.A	37.1	2.80	63.5	0.3357	19.88	24.07	yes	music wire	4I
C.371.280.0635.I	37.1	2.80	63.5	0.2921	19.88	24.07	yes	stainless steel	4J
C.371.280.0635.N	37.1	2.80	63.5	0.3357	19.88	24.07	yes	Zn coating	4J
C.371.280.0640.A	37.1	2.80	64.0	0.3908	18.20	21.84	yes	music wire	4I
C.371.280.0640.I	37.1	2.80	64.0	0.3400	17.92	21.47	yes	stainless steel	4J
C.371.280.0760.A	37.1	2.80	76.0	0.3218	20.44	24.81	yes	music wire	4J
C.371.280.0760.I	37.1	2.80	76.0	0.2800	20.44	24.81	yes	stainless steel	4J
C.371.280.0762.A	37.1	2.80	76.2	0.2853	22.12	27.04	yes	music wire	4J
C.371.280.0762.I	37.1	2.80	76.2	0.2482	22.12	27.04	yes	stainless steel	4J
C.371.280.0762.N	37.1	2.80	76.2	0.2853	22.12	27.04	yes	Zn coating	4K
C.371.280.0889.A	37.1	2.80	88.9	0.2445	24.64	30.37	yes	music wire	4J
C.371.280.0889.I	37.1	2.80	88.9	0.2127	24.64	30.37	yes	stainless steel	4J
C.371.280.0889.N	37.1	2.80	88.9	0.2445	24.64	30.37	yes	Zn coating	4L
C.371.280.0890.A	37.1	2.80	89.0	0.2759	22.68	27.78	yes	music wire	4J
C.371.280.0890.I	37.1	2.80	89.0	0.2400	22.68	27.78	yes	stainless steel	4J
C.371.280.1016.A	37.1	2.80	101.6	0.2140	27.44	34.08	yes	music wire	4J
C.371.280.1016.I	37.1	2.80	101.6	0.1861	27.16	33.71	yes	stainless steel	4J
C.371.280.1016.N	37.1	2.80	101.6	0.2140	27.44	34.08	yes	Zn coating	4L
C.371.280.1020.A	37.1	2.80	102.0	0.2414	24.92	30.75	yes	music wire	4J
C.371.280.1020.I	37.1	2.80	102.0	0.2100	24.64	30.37	yes	stainless steel	4J
C.371.280.1150.A	37.1	2.80	115.0	0.2400	25.20	31.12	yes	music wire	4M
C.371.280.1150.I	37.1	2.80	115.0	0.2100	24.64	30.37	yes	stainless steel	4M
C.371.280.1270.A	37.1	2.80	127.0	0.2200	26.88	33.34	yes	music wire	4M
C.371.280.1270.I	37.1	2.80	127.0	0.1900	26.60	32.97	yes	stainless steel	4M
C.371.280.1600.A	37.1	2.80	160.0	0.1385	38.36	48.55	yes	music wire	4L
C.371.280.1600.I	37.1	2.80	160.0	0.1190	38.36	48.55	yes	stainless steel	4L
C.371.280.2000.A	37.1	2.80	200.0	0.1101	46.48	59.31	yes	music wire	4L
C.371.280.2000.I	37.1	2.80	200.0	0.0945	46.48	59.31	yes	stainless steel	4L
C.371.280.2600.A	37.1	2.80	260.0	0.0839	58.80	75.64	yes	music wire	4M
C.371.280.2600.I	37.1	2.80	260.0	0.0720	58.80	75.64	yes	stainless steel	4M
C.371.280.3200.A	37.1	2.80	320.0	0.0681	70.84	91.59	yes	music wire	4N
C.371.280.3200.I	37.1	2.80	320.0	0.0585	70.84	91.59	yes	stainless steel	4N
C.371.300.0381.A	37.1	3.00	38.1	0.6405	17.10	19.92	yes	music wire	4I
C.371.300.0381.AP	37.1	3.00	38.1	1.2467	12.60	17.58	yes	music wire	4J
C.371.300.0381.I	37.1	3.00	38.1	0.5572	17.10	19.92	yes	stainless steel	4I
C.371.300.0381.N	37.1	3.00	38.1	0.6405	17.10	19.92	yes	Zn coating	4J
C.371.300.0508.A	37.1	3.00	50.8	0.4879	20.40	24.19	yes	music wire	4I
C.371.300.0508.AP	37.1	3.00	50.8	0.9215	14.40	23.04	yes	music wire	4L
C.371.300.0508.I	37.1	3.00	50.8	0.4245	20.10	23.80	yes	stainless steel	4I
C.371.300.0508.N	37.1	3.00	50.8	0.4879	20.40	24.19	yes	Zn coating	4J
C.371.300.0635.A	37.1	3.00	63.5	0.3941	23.40	28.07	yes	music wire	4I
C.371.300.0635.AP	37.1	3.00	63.5	0.7065	16.20	27.29	yes	music wire	4L
C.371.300.0635.I	37.1	3.00	63.5	0.3428	23.10	27.68	yes	stainless steel	4J
C.371.300.0635.N	37.1	3.00	63.5	0.3941	23.40	28.07	yes	Zn coating	4J
C.371.300.0762.A	37.1	3.00	76.2	0.3305	26.40	31.95	yes	music wire	4J
C.371.300.0762.AP	37.1	3.00	76.2	0.5887	18.00	32.75	yes	music wire	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.371.300.0762.I	37.1	3.00	76.2	0.2875	26.10	31.56	yes	stainless steel	4J
C.371.300.0762.N	37.1	3.00	76.2	0.3305	26.40	31.95	yes	Zn coating	4K
C.371.300.0889.A	37.1	3.00	88.9	0.2846	29.40	35.83	yes	music wire	4J
C.371.300.0889.AP	37.1	3.00	88.9	0.5046	19.80	38.21	yes	music wire	4L
C.371.300.0889.I	37.1	3.00	88.9	0.2476	29.10	35.45	yes	stainless steel	4J
C.371.300.0889.N	37.1	3.00	88.9	0.2846	29.40	35.83	yes	Zn coating	4L
C.371.300.1016.A	37.1	3.00	101.6	0.2500	32.40	39.72	yes	music wire	4J
C.371.300.1016.AP	37.1	3.00	101.6	0.4325	21.90	42.46	yes	music wire	4M
C.371.300.1016.I	37.1	3.00	101.6	0.2174	32.10	39.33	yes	stainless steel	4J
C.371.300.1016.N	37.1	3.00	101.6	0.2500	32.40	39.72	yes	Zn coating	4L
C.371.300.1200.A	37.1	3.00	120.0	0.2338	34.20	42.04	yes	music wire	4J
C.371.300.1200.I	37.1	3.00	120.0	0.2008	34.20	42.04	yes	stainless steel	4J
C.371.300.1600.A	37.1	3.00	160.0	0.1749	43.20	53.69	yes	music wire	4L
C.371.300.1600.I	37.1	3.00	160.0	0.1502	43.20	53.69	yes	stainless steel	4L
C.371.300.2000.A	37.1	3.00	200.0	0.1387	52.50	65.72	yes	music wire	4L
C.371.300.2000.I	37.1	3.00	200.0	0.1192	52.50	65.72	yes	stainless steel	4L
C.371.320.0380.A	37.1	3.20	38.0	1.1000	16.00	18.15	yes	music wire	4J
C.371.320.0380.AP	37.1	3.20	38.0	1.5514	13.76	18.29	yes	music wire	4M
C.371.320.0380.I	37.1	3.20	38.0	0.9570	16.00	18.15	yes	stainless steel	4J
C.371.320.0500.A	37.1	3.20	50.0	0.7600	19.52	22.61	yes	music wire	4J
C.371.320.0500.AP	37.1	3.20	50.0	1.1635	15.68	23.72	yes	music wire	4M
C.371.320.0500.I	37.1	3.20	50.0	0.6500	19.52	22.61	yes	stainless steel	4J
C.371.320.0640.A	37.1	3.20	64.0	0.5900	22.72	26.67	yes	music wire	4J
C.371.320.0640.AP	37.1	3.20	64.0	0.8726	17.92	28.95	yes	music wire	4M
C.371.320.0640.I	37.1	3.20	64.0	0.5000	23.04	27.08	yes	stainless steel	4J
C.371.320.0760.A	37.1	3.20	76.0	0.4800	26.24	31.13	yes	music wire	4K
C.371.320.0760.AP	37.1	3.20	76.0	0.7349	19.84	34.38	yes	music wire	4M
C.371.320.0760.I	37.1	3.20	76.0	0.4100	26.24	31.13	yes	stainless steel	4K
C.371.320.0890.A	37.1	3.20	89.0	0.4100	29.44	35.19	yes	music wire	4K
C.371.320.0890.AP	37.1	3.20	89.0	0.6205	22.08	39.72	yes	music wire	4N
C.371.320.0890.I	37.1	3.20	89.0	0.3500	29.44	35.19	yes	stainless steel	4L
C.371.320.1016.A	37.1	3.20	101.6	0.3529	32.96	39.66	yes	music wire	4L
C.371.320.1016.AP	37.1	3.20	101.6	0.5370	24.32	44.65	yes	music wire	4N
C.371.320.1016.I	37.1	3.20	101.6	0.3070	32.64	39.25	yes	stainless steel	4L
C.371.320.1020.A	37.1	3.20	102.0	0.3500	32.96	39.66	yes	music wire	4L
C.371.320.1020.AP	37.1	3.20	102.0	0.5370	24.32	45.05	yes	music wire	4N
C.371.320.1020.I	37.1	3.20	102.0	0.3045	32.64	39.25	yes	stainless steel	4L
C.371.320.1200.A	37.1	3.20	120.0	0.2948	37.76	45.75	yes	music wire	4L
C.371.320.1200.I	37.1	3.20	120.0	0.2532	37.76	45.75	yes	stainless steel	4L
C.371.320.1600.A	37.1	3.20	160.0	0.2176	48.32	59.14	yes	music wire	4M
C.371.320.1600.I	37.1	3.20	160.0	0.1869	48.32	59.14	yes	stainless steel	4M
C.371.320.2000.A	37.1	3.20	200.0	0.1725	58.88	72.53	yes	music wire	4M
C.371.320.2000.I	37.1	3.20	200.0	0.1481	58.88	72.53	yes	stainless steel	4M
C.371.340.0380.A	37.1	3.40	38.0	1.4000	17.00	19.10	yes	music wire	4J
C.371.340.0380.AP	37.1	3.40	38.0	1.9066	14.96	19.04	yes	music wire	4M
C.371.340.0380.I	37.1	3.40	38.0	1.2000	17.00	19.10	yes	stainless steel	4J
C.371.340.0381.A	37.1	3.40	38.1	1.1402	19.04	21.65	yes	music wire	4J
C.371.340.0381.AP	37.1	3.40	38.1	1.9066	14.96	19.14	yes	music wire	4M
C.371.340.0381.I	37.1	3.40	38.1	0.9919	19.04	21.65	yes	stainless steel	4J
C.371.340.0400.A	37.1	3.40	40.0	1.2266	18.36	20.80	yes	music wire	4J
C.371.340.0400.I	37.1	3.40	40.0	1.0535	18.36	20.80	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.371.340.0500.A	37.1	3.40	50.0	1.0000	20.74	23.77	yes	music wire	4J
C.371.340.0500.AP	37.1	3.40	50.0	1.3933	17.34	24.05	yes	music wire	4M
C.371.340.0500.I	37.1	3.40	50.0	0.8500	20.74	23.77	yes	stainless steel	4J
C.371.340.0600.A	37.1	3.40	60.0	0.7733	24.14	28.01	yes	music wire	4J
C.371.340.0600.I	37.1	3.40	60.0	0.6642	24.14	28.01	yes	stainless steel	4J
C.371.340.0640.A	37.1	3.40	64.0	0.7800	24.14	28.01	yes	music wire	4J
C.371.340.0640.AP	37.1	3.40	64.0	1.0655	19.72	30.06	yes	music wire	4M
C.371.340.0640.I	37.1	3.40	64.0	0.6600	24.14	28.01	yes	stainless steel	4J
C.371.340.0760.A	37.1	3.40	76.0	0.6300	27.54	32.25	yes	music wire	4K
C.371.340.0760.AP	37.1	3.40	76.0	0.8835	22.10	35.08	yes	music wire	4M
C.371.340.0760.I	37.1	3.40	76.0	0.5481	27.54	32.25	yes	stainless steel	4K
C.371.340.0762.A	37.1	3.40	76.2	0.5648	29.92	35.22	yes	music wire	4K
C.371.340.0762.AP	37.1	3.40	76.2	0.8835	22.10	35.28	yes	music wire	4M
C.371.340.0762.I	37.1	3.40	76.2	0.4914	29.58	34.79	yes	stainless steel	4K
C.371.340.0889.A	37.1	3.40	88.9	0.4835	33.66	39.88	yes	music wire	4K
C.371.340.0889.AP	37.1	3.40	88.9	0.7547	24.48	40.99	yes	music wire	4N
C.371.340.0889.I	37.1	3.40	88.9	0.4206	33.32	39.46	yes	stainless steel	4L
C.371.340.0890.A	37.1	3.40	89.0	0.5400	30.94	36.49	yes	music wire	4K
C.371.340.0890.AP	37.1	3.40	89.0	0.7547	24.48	41.09	yes	music wire	4N
C.371.340.0890.I	37.1	3.40	89.0	0.4698	30.60	36.07	yes	stainless steel	4L
C.371.340.1016.A	37.1	3.40	101.6	0.4189	37.40	44.55	yes	music wire	4L
C.371.340.1016.AP	37.1	3.40	101.6	0.6586	26.86	46.70	yes	music wire	4N
C.371.340.1016.I	37.1	3.40	101.6	0.3644	37.06	44.12	yes	stainless steel	4L
C.371.340.1020.A	37.1	3.40	102.0	0.4600	34.68	41.16	yes	music wire	4L
C.371.340.1020.AP	37.1	3.40	102.0	0.6586	26.86	47.10	yes	music wire	4N
C.371.340.1020.I	37.1	3.40	102.0	0.4000	34.34	40.73	yes	stainless steel	4L
C.371.340.1150.A	37.1	3.40	115.0	0.4200	37.40	44.55	yes	music wire	4L
C.371.340.1150.AP	37.1	3.40	115.0	0.5750	29.58	52.12	yes	music wire	4N
C.371.340.1150.I	37.1	3.40	115.0	0.3600	37.40	44.55	yes	stainless steel	4L
C.371.340.1270.A	37.1	3.40	127.0	0.3700	41.14	49.21	yes	music wire	4L
C.371.340.1270.AP	37.1	3.40	127.0	0.5175	31.96	57.13	yes	music wire	4N
C.371.340.1270.I	37.1	3.40	127.0	0.3200	40.80	48.79	yes	stainless steel	4L
C.371.340.2000.A	37.1	3.40	200.0	0.2143	64.94	78.90	yes	music wire	4M
C.371.340.2000.I	37.1	3.40	200.0	0.1840	64.94	78.90	yes	stainless steel	4M
C.371.340.2400.A	37.1	3.40	240.0	0.1770	76.84	93.74	yes	music wire	4N
C.371.340.2400.I	37.1	3.40	240.0	0.1520	76.84	93.74	yes	stainless steel	4N
C.371.360.0381.A	37.1	3.60	38.1	1.6268	19.08	21.40	yes	music wire	4M
C.371.360.0381.AP	37.1	3.60	38.1	2.3176	16.20	19.84	yes	music wire	4O
C.371.360.0381.I	37.1	3.60	38.1	1.4153	19.08	21.40	yes	stainless steel	4M
C.371.360.0381.N	37.1	3.60	38.1	1.6268	19.08	21.40	yes	Zn coating	4N
C.371.360.0508.A	37.1	3.60	50.8	1.2000	22.68	25.82	yes	music wire	4M
C.371.360.0508.AP	37.1	3.60	50.8	1.7167	18.72	26.14	yes	music wire	4O
C.371.360.0508.I	37.1	3.60	50.8	1.0460	22.32	25.38	yes	stainless steel	4M
C.371.360.0508.N	37.1	3.60	50.8	1.2000	22.68	25.82	yes	Zn coating	4N
C.371.360.0635.A	37.1	3.60	63.5	0.9535	26.28	30.25	yes	music wire	4M
C.371.360.0635.AP	37.1	3.60	63.5	1.3243	21.24	31.54	yes	music wire	4O
C.371.360.0635.I	37.1	3.60	63.5	0.8295	25.92	29.81	yes	stainless steel	4M
C.371.360.0635.N	37.1	3.60	63.5	0.9535	26.28	30.25	yes	Zn coating	4O
C.371.360.0762.A	37.1	3.60	76.2	0.7900	29.88	34.68	yes	music wire	4M
C.371.360.0762.AP	37.1	3.60	76.2	1.0779	24.12	36.93	yes	music wire	4P
C.371.360.0762.I	37.1	3.60	76.2	0.6873	29.52	34.24	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.371.360.0762.N	37.1	3.60	76.2	0.7900	29.88	34.68	yes	Zn coating	4O
C.371.360.0889.A	37.1	3.60	88.9	0.6744	33.12	38.66	yes	music wire	4M
C.371.360.0889.AP	37.1	3.60	88.9	0.9089	27.00	42.33	yes	music wire	4P
C.371.360.0889.I	37.1	3.60	88.9	0.5867	33.12	38.66	yes	stainless steel	4N
C.371.360.0889.N	37.1	3.60	88.9	0.6744	33.12	38.66	yes	Zn coating	4O
C.371.360.1016.A	37.1	3.60	101.6	0.5830	37.08	43.54	yes	music wire	4N
C.371.360.1016.AP	37.1	3.60	101.6	0.7992	29.52	48.63	yes	music wire	4P
C.371.360.1016.I	37.1	3.60	101.6	0.5072	36.72	43.09	yes	stainless steel	4N
C.371.360.1016.N	37.1	3.60	101.6	0.5830	37.08	43.54	yes	Zn coating	4O
C.371.360.1600.A	37.1	3.60	160.0	0.3298	58.68	70.10	yes	music wire	4N
C.371.360.1600.I	37.1	3.60	160.0	0.2833	58.68	70.10	yes	stainless steel	4O
C.371.360.2000.A	37.1	3.60	200.0	0.2631	71.28	85.60	yes	music wire	4O
C.371.360.2000.I	37.1	3.60	200.0	0.2260	71.28	85.60	yes	stainless steel	4O
C.371.360.3200.A	37.1	3.60	320.0	0.1620	110.16	133.42	yes	music wire	4Q
C.371.360.3200.I	37.1	3.60	320.0	0.1391	110.16	133.42	yes	stainless steel	4Q
C.371.380.0381.A	37.1	3.80	38.1	1.8281	21.28	23.81	yes	music wire	4M
C.371.380.0381.AP	37.1	3.80	38.1	2.9293	17.10	21.33	yes	music wire	4O
C.371.380.0381.I	37.1	3.80	38.1	1.5701	21.28	23.81	yes	stainless steel	4M
C.371.380.0381.N	37.1	3.80	38.1	1.8281	21.28	23.81	yes	Zn coating	4N
C.371.380.0500.A	37.1	3.80	50.0	1.3793	25.46	28.89	yes	music wire	4M
C.371.380.0500.AP	37.1	3.80	50.0	2.0923	19.76	26.53	yes	music wire	4O
C.371.380.0500.I	37.1	3.80	50.0	1.2000	25.08	28.43	yes	stainless steel	4M
C.371.380.0508.A	37.1	3.80	50.8	1.3644	25.46	28.89	yes	music wire	4M
C.371.380.0508.AP	37.1	3.80	50.8	2.0202	20.14	26.49	yes	music wire	4O
C.371.380.0508.I	37.1	3.80	50.8	1.1870	25.46	28.89	yes	stainless steel	4M
C.371.380.0508.N	37.1	3.80	50.8	1.3644	25.46	28.89	yes	Zn coating	4N
C.371.380.0600.A	37.1	3.80	60.0	1.1740	28.12	32.13	yes	music wire	4M
C.371.380.0600.I	37.1	3.80	60.0	1.0084	28.12	32.13	yes	stainless steel	4M
C.371.380.0635.A	37.1	3.80	63.5	1.0747	30.02	34.44	yes	music wire	4M
C.371.380.0635.AP	37.1	3.80	63.5	1.5834	23.18	32.48	yes	music wire	4O
C.371.380.0635.I	37.1	3.80	63.5	0.9350	29.64	33.97	yes	stainless steel	4M
C.371.380.0635.N	37.1	3.80	63.5	1.0747	30.02	34.44	yes	Zn coating	4O
C.371.380.0640.A	37.1	3.80	64.0	1.0575	30.02	34.44	yes	music wire	4M
C.371.380.0640.AP	37.1	3.80	64.0	1.5834	23.18	32.98	yes	music wire	4O
C.371.380.0640.I	37.1	3.80	64.0	0.9200	30.02	34.44	yes	stainless steel	4M
C.371.380.0762.A	37.1	3.80	76.2	0.8958	33.82	39.05	yes	music wire	4M
C.371.380.0762.AP	37.1	3.80	76.2	1.3019	26.22	38.47	yes	music wire	4P
C.371.380.0762.I	37.1	3.80	76.2	0.7694	33.82	39.05	yes	stainless steel	4M
C.371.380.0762.N	37.1	3.80	76.2	0.8958	33.82	39.05	yes	Zn coating	4O
C.371.380.0800.A	37.1	3.80	80.0	0.8460	35.34	40.90	yes	music wire	4M
C.371.380.0800.I	37.1	3.80	80.0	0.7266	35.34	40.90	yes	stainless steel	4M
C.371.380.0889.A	37.1	3.80	88.9	0.7611	38.38	44.59	yes	music wire	4M
C.371.380.0889.AP	37.1	3.80	88.9	1.1054	29.26	44.47	yes	music wire	4P
C.371.380.0889.I	37.1	3.80	88.9	0.6537	38.38	44.59	yes	stainless steel	4N
C.371.380.0889.N	37.1	3.80	88.9	0.7611	38.38	44.59	yes	Zn coating	4O
C.371.380.1016.A	37.1	3.80	101.6	0.6668	42.18	49.21	yes	music wire	4N
C.371.380.1016.AP	37.1	3.80	101.6	0.9604	32.30	50.46	yes	music wire	4P
C.371.380.1016.I	37.1	3.80	101.6	0.5727	42.18	49.21	yes	stainless steel	4N
C.371.380.1016.N	37.1	3.80	101.6	0.6668	42.18	49.21	yes	Zn coating	4O
C.371.380.1400.A	37.1	3.80	140.0	0.4639	56.62	66.76	yes	music wire	4N
C.371.380.1400.I	37.1	3.80	140.0	0.3985	56.62	66.76	yes	stainless steel	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.371.380.3000.A	37.1	3.80	300.0	0.2107	113.24	135.56	yes	music wire	4P
C.371.380.3000.I	37.1	3.80	300.0	0.1810	113.24	135.56	yes	stainless steel	4P
C.371.400.0380.A	37.1	4.00	38.0	2.5000	21.60	23.95	yes	music wire	4P
C.371.400.0380.AP	37.1	4.00	38.0	3.4876	18.40	21.79	yes	music wire	4R
C.371.400.0380.I	37.1	4.00	38.0	2.1750	21.20	23.47	yes	stainless steel	4P
C.371.400.0381.A	37.1	4.00	38.1	2.0779	24.00	26.84	yes	music wire	4P
C.371.400.0381.AP	37.1	4.00	38.1	3.4876	18.40	21.89	yes	music wire	4R
C.371.400.0381.I	37.1	4.00	38.1	1.8078	23.60	26.36	yes	stainless steel	4P
C.371.400.0381.N	37.1	4.00	38.1	2.0779	24.00	26.84	yes	Zn coating	4R
C.371.400.0500.A	37.1	4.00	50.0	1.7241	26.80	30.21	yes	music wire	4P
C.371.400.0500.AP	37.1	4.00	50.0	2.5255	21.20	27.61	yes	music wire	4R
C.371.400.0500.I	37.1	4.00	50.0	1.5000	26.40	29.72	yes	stainless steel	4P
C.371.400.0508.A	37.1	4.00	50.8	1.5408	28.80	32.61	yes	music wire	4P
C.371.400.0508.AP	37.1	4.00	50.8	2.4413	21.60	27.64	yes	music wire	4R
C.371.400.0508.I	37.1	4.00	50.8	1.3405	28.40	32.13	yes	stainless steel	4P
C.371.400.0508.N	37.1	4.00	50.8	1.5408	28.80	32.61	yes	Zn coating	4R
C.371.400.0600.A	37.1	4.00	60.0	1.4101	30.40	34.54	yes	music wire	4P
C.371.400.0600.I	37.1	4.00	60.0	1.2111	30.40	34.54	yes	stainless steel	4P
C.371.400.0635.A	37.1	4.00	63.5	1.2243	33.60	38.38	yes	music wire	4P
C.371.400.0635.AP	37.1	4.00	63.5	1.9273	24.80	34.17	yes	music wire	4R
C.371.400.0635.I	37.1	4.00	63.5	1.0652	33.20	37.90	yes	stainless steel	4P
C.371.400.0635.N	37.1	4.00	63.5	1.2243	33.60	38.38	yes	Zn coating	4R
C.371.400.0640.A	37.1	4.00	64.0	1.3793	30.80	35.02	yes	music wire	4P
C.371.400.0640.AP	37.1	4.00	64.0	1.8779	25.20	33.89	yes	music wire	4R
C.371.400.0640.I	37.1	4.00	64.0	1.2000	30.40	34.54	yes	stainless steel	4P
C.371.400.0760.A	37.1	4.00	76.0	1.0805	36.80	42.23	yes	music wire	4P
C.371.400.0760.AP	37.1	4.00	76.0	1.5583	28.40	39.72	yes	music wire	4S
C.371.400.0760.I	37.1	4.00	76.0	0.9400	36.40	41.75	yes	stainless steel	4P
C.371.400.0762.A	37.1	4.00	76.2	1.0157	38.40	44.16	yes	music wire	4P
C.371.400.0762.AP	37.1	4.00	76.2	1.5583	28.40	39.92	yes	music wire	4S
C.371.400.0762.I	37.1	4.00	76.2	0.8837	38.00	43.68	yes	stainless steel	4P
C.371.400.0762.N	37.1	4.00	76.2	1.0157	38.40	44.16	yes	Zn coating	4R
C.371.400.0800.A	37.1	4.00	80.0	1.0274	38.00	43.68	yes	music wire	4P
C.371.400.0800.I	37.1	4.00	80.0	0.8824	38.00	43.68	yes	stainless steel	4P
C.371.400.0889.A	37.1	4.00	88.9	0.8678	43.20	49.93	yes	music wire	4P
C.371.400.0889.AP	37.1	4.00	88.9	1.3316	31.60	46.44	yes	music wire	4S
C.371.400.0889.I	37.1	4.00	88.9	0.7550	42.80	49.45	yes	stainless steel	4Q
C.371.400.0889.N	37.1	4.00	88.9	0.8678	43.20	49.93	yes	Zn coating	4R
C.371.400.0890.A	37.1	4.00	89.0	0.9080	41.60	48.01	yes	music wire	4P
C.371.400.0890.AP	37.1	4.00	89.0	1.3316	31.60	46.54	yes	music wire	4S
C.371.400.0890.I	37.1	4.00	89.0	0.7900	41.20	47.52	yes	stainless steel	4Q
C.371.400.1016.A	37.1	4.00	101.6	0.7525	48.40	56.18	yes	music wire	4Q
C.371.400.1016.AP	37.1	4.00	101.6	1.1444	35.20	52.20	yes	music wire	4S
C.371.400.1016.I	37.1	4.00	101.6	0.6547	47.60	55.22	yes	stainless steel	4Q
C.371.400.1016.N	37.1	4.00	101.6	0.7525	48.40	56.18	yes	Zn coating	4R
C.371.400.1020.A	37.1	4.00	102.0	0.7931	46.40	53.78	yes	music wire	4Q
C.371.400.1020.AP	37.1	4.00	102.0	1.1444	35.20	52.60	yes	music wire	4S
C.371.400.1020.I	37.1	4.00	102.0	0.6900	46.00	53.30	yes	stainless steel	4Q
C.371.400.1143.A	37.1	4.00	114.3	0.6681	53.20	61.96	yes	music wire	4Q
C.371.400.1143.AP	37.1	4.00	114.3	1.0033	38.80	57.95	yes	music wire	4S
C.371.400.1143.I	37.1	4.00	114.3	0.5813	52.40	60.99	yes	stainless steel	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.371.400.1143.N	37.1	4.00	114.3	0.6681	53.20	61.96	yes	Zn coating	4R
C.371.400.1150.A	37.1	4.00	115.0	0.7000	51.20	59.55	yes	music wire	4Q
C.371.400.1150.AP	37.1	4.00	115.0	1.0033	38.80	58.65	yes	music wire	4S
C.371.400.1150.I	37.1	4.00	115.0	0.6100	50.40	58.59	yes	stainless steel	4Q
C.371.400.1200.A	37.1	4.00	120.0	0.6659	53.20	61.96	yes	music wire	4Q
C.371.400.1200.I	37.1	4.00	120.0	0.5719	53.20	61.96	yes	stainless steel	4Q
C.371.400.1270.A	37.1	4.00	127.0	0.6000	58.00	67.73	yes	music wire	4Q
C.371.400.1270.AP	37.1	4.00	127.0	0.9042	42.00	64.47	yes	music wire	4S
C.371.400.1270.I	37.1	4.00	127.0	0.5400	55.60	64.84	yes	stainless steel	4Q
C.371.400.1270.N	37.1	4.00	127.0	0.6000	58.00	67.73	yes	Zn coating	4R
C.371.400.1600.A	37.1	4.00	160.0	0.4892	68.80	80.72	yes	music wire	4Q
C.371.400.1600.I	37.1	4.00	160.0	0.4202	68.80	80.72	yes	stainless steel	4R
C.371.400.2000.A	37.1	4.00	200.0	0.3887	84.00	99.00	yes	music wire	4R
C.371.400.2000.I	37.1	4.00	200.0	0.3339	84.00	99.00	yes	stainless steel	4R
C.371.400.3200.A	37.1	4.00	320.0	0.2389	130.40	154.81	yes	music wire	4S
C.371.400.3200.I	37.1	4.00	320.0	0.2052	130.40	154.81	yes	stainless steel	4S
C.371.420.0381.A	37.1	4.20	38.1	2.7455	23.94	26.52	yes	music wire	4P
C.371.420.0381.AP	37.1	4.20	38.1	4.1207	19.74	22.42	yes	music wire	4R
C.371.420.0381.I	37.1	4.20	38.1	2.3886	23.94	26.52	yes	stainless steel	4P
C.371.420.0635.A	37.1	4.20	63.5	1.6000	34.02	38.54	yes	music wire	4P
C.371.420.0635.AP	37.1	4.20	63.5	2.2664	26.88	34.99	yes	music wire	4R
C.371.420.0635.I	37.1	4.20	63.5	1.3904	33.60	38.04	yes	stainless steel	4P
C.371.420.0762.A	37.1	4.20	76.2	1.3219	38.64	44.04	yes	music wire	4P
C.371.420.0762.AP	37.1	4.20	76.2	1.8501	30.66	41.28	yes	music wire	4S
C.371.420.0762.I	37.1	4.20	76.2	1.1501	38.22	43.54	yes	stainless steel	4P
C.371.420.0889.A	37.1	4.20	88.9	1.1271	43.68	50.05	yes	music wire	4P
C.371.420.0889.AP	37.1	4.20	88.9	1.5630	34.44	47.56	yes	music wire	4S
C.371.420.0889.I	37.1	4.20	88.9	0.9806	43.26	49.55	yes	stainless steel	4Q
C.371.420.1016.A	37.1	4.20	101.6	0.9757	48.72	56.06	yes	music wire	4Q
C.371.420.1016.AP	37.1	4.20	101.6	1.3531	38.22	53.85	yes	music wire	4S
C.371.420.1016.I	37.1	4.20	101.6	0.8489	48.30	55.56	yes	stainless steel	4Q
C.371.420.1143.A	37.1	4.20	114.3	0.8653	53.76	62.07	yes	music wire	4Q
C.371.420.1143.AP	37.1	4.20	114.3	1.2087	41.58	60.84	yes	music wire	4S
C.371.420.1143.I	37.1	4.20	114.3	0.7529	53.34	61.57	yes	stainless steel	4Q
C.371.420.1270.A	37.1	4.20	127.0	0.7774	58.80	68.08	yes	music wire	4Q
C.371.420.1270.AP	37.1	4.20	127.0	1.0792	44.94	67.13	yes	music wire	4S
C.371.420.1270.I	37.1	4.20	127.0	0.6763	57.96	67.07	yes	stainless steel	4Q
C.371.420.1600.A	37.1	4.20	160.0	0.5895	73.92	86.10	yes	music wire	4Q
C.371.420.1600.I	37.1	4.20	160.0	0.5063	73.92	86.10	yes	stainless steel	4R
C.371.420.2000.A	37.1	4.20	200.0	0.4685	90.30	105.62	yes	music wire	4R
C.371.420.2000.I	37.1	4.20	200.0	0.4024	90.30	105.62	yes	stainless steel	4R
C.371.420.3200.A	37.1	4.20	320.0	0.2881	140.28	165.20	yes	music wire	4S
C.371.420.3200.I	37.1	4.20	320.0	0.2474	140.28	165.20	yes	stainless steel	4S
C.371.450.0380.A	37.1	4.50	38.0	4.2000	24.30	26.63	yes	music wire	4R
C.371.450.0380.AP	37.1	4.50	38.0	5.5817	21.15	24.03	yes	music wire	4S
C.371.450.0380.I	37.1	4.50	38.0	3.6000	24.30	26.63	yes	stainless steel	4R
C.371.450.0500.A	37.1	4.50	50.0	2.9000	30.15	33.53	yes	music wire	4R
C.371.450.0500.AP	37.1	4.50	50.0	3.9612	24.75	30.31	yes	music wire	4S
C.371.450.0500.I	37.1	4.50	50.0	2.5000	29.70	33.00	yes	stainless steel	4R
C.371.450.0640.A	37.1	4.50	64.0	2.2000	36.00	40.42	yes	music wire	4R
C.371.450.0640.AP	37.1	4.50	64.0	2.9237	29.70	37.32	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.371.450.0640.I	37.1	4.50	64.0	1.9000	36.00	40.42	yes	stainless steel	4R
C.371.450.0760.A	37.1	4.50	76.0	1.8000	41.40	46.79	yes	music wire	4R
C.371.450.0760.AP	37.1	4.50	76.0	2.4078	33.75	43.61	yes	music wire	4T
C.371.450.0760.I	37.1	4.50	76.0	1.5000	42.30	47.85	yes	stainless steel	4R
C.371.450.0890.A	37.1	4.50	89.0	1.5000	47.25	53.68	yes	music wire	4R
C.371.450.0890.AP	37.1	4.50	89.0	2.0131	38.25	50.25	yes	music wire	4T
C.371.450.0890.I	37.1	4.50	89.0	1.3000	47.25	53.68	yes	stainless steel	4R
C.371.450.1020.A	37.1	4.50	102.0	1.3000	53.10	60.58	yes	music wire	4R
C.371.450.1020.AP	37.1	4.50	102.0	1.7542	42.30	57.54	yes	music wire	4T
C.371.450.1020.I	37.1	4.50	102.0	1.1000	53.55	61.11	yes	stainless steel	4R
C.371.450.1150.A	37.1	4.50	115.0	1.2000	56.25	64.29	yes	music wire	4R
C.371.450.1150.AP	37.1	4.50	115.0	1.5350	46.80	64.19	yes	music wire	4T
C.371.450.1150.I	37.1	4.50	115.0	0.9900	58.50	66.94	yes	stainless steel	4R
C.371.450.1270.A	37.1	4.50	127.0	1.0000	65.70	75.43	yes	music wire	4R
C.371.450.1270.AP	37.1	4.50	127.0	1.3797	50.40	70.47	yes	music wire	4T
C.371.450.1270.I	37.1	4.50	127.0	0.8800	64.35	73.84	yes	stainless steel	4R
C.371.450.1600.A	37.1	4.50	160.0	0.7779	81.00	93.47	yes	music wire	4R
C.371.450.1600.I	37.1	4.50	160.0	0.6681	81.00	93.47	yes	stainless steel	4R
C.371.450.2000.A	37.1	4.50	200.0	0.6152	99.45	115.21	yes	music wire	4S
C.371.450.2000.I	37.1	4.50	200.0	0.5284	99.45	115.21	yes	stainless steel	4S
C.371.450.3200.A	37.1	4.50	320.0	0.3780	154.80	180.46	yes	music wire	4S
C.371.450.3200.I	37.1	4.50	320.0	0.3246	154.80	180.46	yes	stainless steel	4T
C.371.470.0640.A	37.1	4.70	64.0	2.9000	35.25	39.28	yes	music wire	4R
C.371.470.0640.I	37.1	4.70	64.0	2.5000	35.25	39.28	yes	stainless steel	4R
C.371.470.0760.A	37.1	4.70	76.0	2.4000	40.42	45.33	yes	music wire	4R
C.371.470.0760.I	37.1	4.70	76.0	2.1000	39.95	44.78	yes	stainless steel	4R
C.371.470.0890.A	37.1	4.70	89.0	2.0000	46.06	51.94	yes	music wire	4R
C.371.470.0890.I	37.1	4.70	89.0	1.7000	46.53	52.49	yes	stainless steel	4R
C.371.470.1020.A	37.1	4.70	102.0	1.7000	52.17	59.09	yes	music wire	4R
C.371.470.1020.I	37.1	4.70	102.0	1.5000	51.23	57.99	yes	stainless steel	4R
C.371.470.1080.A	37.1	4.70	108.0	1.6000	54.52	61.85	yes	music wire	4R
C.371.470.1080.I	37.1	4.70	108.0	1.4000	54.05	61.30	yes	stainless steel	4R
C.371.470.1150.A	37.1	4.70	115.0	1.5000	57.34	65.15	yes	music wire	4R
C.371.470.1150.I	37.1	4.70	115.0	1.3000	57.34	65.15	yes	stainless steel	4R
C.371.470.1270.A	37.1	4.70	127.0	1.3000	64.39	73.41	yes	music wire	4R
C.371.470.1270.AP	37.1	4.70	127.0	1.6179	54.05	72.74	yes	music wire	4T
C.371.470.1270.I	37.1	4.70	127.0	1.1000	65.33	74.51	yes	stainless steel	4R
C.371.470.1330.A	37.1	4.70	133.0	1.3000	64.39	73.41	yes	music wire	4T
C.371.470.1330.I	37.1	4.70	133.0	1.1000	65.33	74.51	yes	stainless steel	4R
C.371.470.1600.A	37.1	4.70	160.0	0.9309	85.54	98.18	yes	music wire	4R
C.371.470.1600.I	37.1	4.70	160.0	0.7996	85.54	98.18	yes	stainless steel	4R
C.371.470.2000.A	37.1	4.70	200.0	0.7345	105.28	121.30	yes	music wire	4S
C.371.470.2000.I	37.1	4.70	200.0	0.6308	105.28	121.30	yes	stainless steel	4S
C.371.470.3200.A	37.1	4.70	320.0	0.4511	164.03	190.11	yes	music wire	4S
C.371.470.3200.I	37.1	4.70	320.0	0.3875	164.03	190.11	yes	stainless steel	4T
C.373.200.0200.A	37.3	2.00	20.0	0.3369	7.20	8.45	yes	music wire	4G
C.373.200.0200.I	37.3	2.00	20.0	0.2893	7.20	8.45	yes	stainless steel	4G
C.373.200.0400.I	37.3	2.00	40.0	0.2300	7.80	9.39	yes	stainless steel	4J
C.373.200.0600.A	37.3	2.00	60.0	0.1278	10.80	14.09	yes	music wire	4I
C.373.200.0600.I	37.3	2.00	60.0	0.1098	10.80	14.09	yes	stainless steel	4I
C.373.200.0890.A	37.3	2.00	89.0	0.0471	20.80	29.76	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.373.200.0890.I	37.3	2.00	89.0	0.0410	20.60	29.45	yes	stainless steel	4I
C.373.200.1330.A	37.3	2.00	133.0	0.0322	28.00	41.05	yes	music wire	4J
C.373.200.1330.I	37.3	2.00	133.0	0.0280	27.80	40.73	yes	stainless steel	4J
C.373.200.2000.A	37.3	2.00	200.0	0.0374	24.80	36.03	yes	music wire	4K
C.373.200.2000.I	37.3	2.00	200.0	0.0321	24.80	36.03	yes	stainless steel	4K
C.373.220.0200.A	37.3	2.20	20.0	0.5017	7.92	9.09	yes	music wire	4G
C.373.220.0200.I	37.3	2.20	20.0	0.4309	7.92	9.09	yes	stainless steel	4H
C.373.220.0920.A	37.3	2.20	92.0	0.1103	16.50	21.80	yes	music wire	4I
C.373.220.0920.I	37.3	2.20	92.0	0.0960	16.28	21.47	yes	stainless steel	4I
C.373.230.0200.A	37.3	2.30	20.0	0.6045	8.28	9.41	yes	music wire	4G
C.373.230.0200.I	37.3	2.30	20.0	0.5192	8.28	9.41	yes	stainless steel	4H
C.373.230.0640.A	37.3	2.30	64.0	0.2299	12.42	15.40	yes	music wire	4I
C.373.230.0640.I	37.3	2.30	64.0	0.2000	12.42	15.40	yes	stainless steel	4I
C.373.250.0200.A	37.3	2.50	20.0	0.8584	9.00	10.07	yes	music wire	4G
C.373.250.0200.I	37.3	2.50	20.0	0.7373	9.00	10.07	yes	stainless steel	4H
C.373.250.0450.A	37.3	2.50	45.0	0.4943	11.00	13.98	yes	music wire	4J
C.373.250.0450.I	37.3	2.50	45.0	0.4300	11.00	13.46	yes	stainless steel	4J
C.373.250.1150.A	37.3	2.50	115.0	0.1494	22.00	28.15	yes	music wire	4J
C.373.250.1150.I	37.3	2.50	115.0	0.1300	21.75	27.81	yes	stainless steel	4J
C.373.270.0620.A	37.3	2.70	62.0	0.1609	28.62	36.19	yes	music wire	4I
C.373.270.0620.I	37.3	2.70	62.0	0.1400	28.35	35.83	yes	stainless steel	4I
C.373.270.0680.A	37.3	2.70	68.0	0.2414	21.33	26.38	yes	music wire	4I
C.373.270.0680.I	37.3	2.70	68.0	0.2100	21.06	26.02	yes	stainless steel	4I
C.373.270.3200.A	37.3	2.70	320.0	0.0600	65.61	85.99	yes	music wire	4M
C.373.270.3200.I	37.3	2.70	320.0	0.0515	65.61	85.99	yes	stainless steel	4M
C.373.290.0400.A	37.3	2.90	40.0	0.6808	14.79	17.14	yes	music wire	4I
C.373.290.0400.I	37.3	2.90	40.0	0.5847	14.79	17.14	yes	stainless steel	4I
C.373.290.1300.A	37.3	2.90	130.0	0.1724	37.12	46.41	yes	music wire	4J
C.373.290.1300.I	37.3	2.90	130.0	0.1500	36.54	45.65	yes	stainless steel	4J
C.373.300.0540.A	37.3	3.00	54.0	0.6900	16.50	19.16	yes	music wire	4L
C.373.300.0540.I	37.3	3.00	54.0	0.6000	16.20	18.78	yes	stainless steel	4I
C.373.300.0830.A	37.3	3.00	83.0	0.3333	25.80	31.22	yes	music wire	4J
C.373.300.0830.AP	37.3	3.00	83.0	0.5340	18.90	35.35	yes	music wire	4L
C.373.300.0830.I	37.3	3.00	83.0	0.2900	25.80	31.22	yes	stainless steel	4J
C.373.300.2000.A	37.3	3.00	200.0	0.1372	52.20	65.43	yes	music wire	4L
C.373.300.2000.I	37.3	3.00	200.0	0.1179	52.20	65.43	yes	stainless steel	4L
C.373.310.0540.A	37.3	3.10	54.0	0.7126	17.98	20.87	yes	music wire	4I
C.373.310.0540.I	37.3	3.10	54.0	0.6200	17.98	20.87	yes	stainless steel	4I
C.373.310.2000.A	37.3	3.10	200.0	0.1537	55.18	68.58	yes	music wire	4L
C.373.310.2000.I	37.3	3.10	200.0	0.1320	55.18	68.58	yes	stainless steel	4L
C.373.470.0520.A	37.3	4.70	52.0	4.2529	27.73	31.46	yes	music wire	4S
C.373.470.0520.I	37.3	4.70	52.0	3.7000	27.26	30.59	yes	stainless steel	4T
C.373.470.2000.A	37.3	4.70	200.0	0.7247	104.81	120.83	yes	music wire	4S
C.373.470.2000.I	37.3	4.70	200.0	0.6224	104.81	120.83	yes	stainless steel	4S
C.373.530.0380.A	37.3	5.30	38.0	7.8161	29.68	32.22	yes	music wire	4S
C.373.530.0380.AP	37.3	5.30	38.0	10.4095	25.97	27.94	yes	music wire	5A
C.373.530.0380.I	37.3	5.30	38.0	6.8000	29.68	32.22	yes	stainless steel	4S
C.373.530.0470.A	37.3	5.30	47.0	6.5517	32.86	35.89	yes	music wire	4S
C.373.530.0470.AP	37.3	5.30	47.0	8.0590	29.15	32.00	yes	music wire	5A
C.373.530.0470.I	37.3	5.30	47.0	5.7000	32.86	35.89	yes	stainless steel	4S
C.373.530.2000.A	37.3	5.30	200.0	1.2025	121.37	138.09	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.373.530.2000.I	37.3	5.30	200.0	1.0328	121.37	138.09	yes	stainless steel	4T
C.377.270.0830.A	37.7	2.70	83.0	0.2644	19.71	24.27	yes	music wire	4I
C.377.270.0830.I	37.7	2.70	83.0	0.2300	19.44	23.91	yes	stainless steel	4I
C.377.560.0320.A	37.7	5.60	32.0	12.5000	27.44	29.45	yes	music wire	4R
C.377.560.0320.S	37.7	5.60	32.0	12.5000	27.44	29.45	yes	Cr-Si steel	5D
C.377.560.0400.A	37.7	5.60	40.0	10.0000	30.80	33.31	yes	music wire	4R
C.377.560.0400.S	37.7	5.60	40.0	10.0000	30.80	33.31	yes	Cr-Si steel	5D
C.377.560.0450.A	37.7	5.60	45.0	8.1866	34.72	37.81	yes	music wire	5A
C.377.560.0450.I	37.7	5.60	45.0	7.0314	34.72	37.81	yes	stainless steel	5A
C.377.560.0500.A	37.7	5.60	50.0	8.0000	35.28	38.46	yes	music wire	4R
C.377.560.0500.S	37.7	5.60	50.0	7.8125	35.84	39.10	yes	Cr-Si steel	5D
C.377.560.0630.A	37.7	5.60	63.0	6.2500	40.88	44.89	yes	music wire	4R
C.377.560.0630.S	37.7	5.60	63.0	6.2500	40.88	44.89	yes	Cr-Si steel	5D
C.377.560.0800.A	37.7	5.60	80.0	5.0000	48.16	53.26	yes	music wire	4R
C.377.560.0800.S	37.7	5.60	80.0	5.0000	48.16	53.26	yes	Cr-Si steel	5F
C.377.560.0850.A	37.7	5.60	85.0	3.8342	58.24	64.84	yes	music wire	5A
C.377.560.0850.I	37.7	5.60	85.0	3.2932	58.24	64.84	yes	stainless steel	5B
C.377.560.1000.A	37.7	5.60	100.0	4.0000	56.56	65.29	yes	music wire	4R
C.377.560.1000.S	37.7	5.60	100.0	3.9063	57.68	64.46	yes	Cr-Si steel	5F
C.377.560.1200.A	37.7	5.60	120.0	2.5889	79.52	89.30	yes	music wire	5B
C.377.560.1200.I	37.7	5.60	120.0	2.2236	79.52	89.30	yes	stainless steel	5B
C.377.560.1250.A	37.7	5.60	125.0	3.1250	68.32	80.57	yes	music wire	4R
C.377.560.1250.S	37.7	5.60	125.0	3.1250	68.32	80.57	yes	Cr-Si steel	5G
C.377.560.1600.A	37.7	5.60	160.0	2.5000	81.76	104.46	yes	music wire	4S
C.377.560.1600.S	37.7	5.60	160.0	2.5000	81.76	104.46	yes	Cr-Si steel	5I
C.377.560.2000.A	37.7	5.60	200.0	2.0000	98.56	130.58	yes	music wire	4S
C.377.560.2000.S	37.7	5.60	200.0	1.9841	99.68	130.02	yes	Cr-Si steel	5I
C.377.560.2050.A	37.7	5.60	205.0	1.4563	130.48	147.87	yes	music wire	5B
C.377.560.2050.I	37.7	5.60	205.0	1.2508	130.48	147.87	yes	stainless steel	5C
C.377.560.2500.A	37.7	5.60	250.0	1.5873	120.96	162.53	yes	music wire	4S
C.377.560.2500.S	37.7	5.60	250.0	1.5625	122.64	161.14	yes	Cr-Si steel	5I
C.377.560.3200.A	37.7	5.60	320.0	1.2500	149.52	208.93	yes	music wire	4T
C.377.560.3200.S	37.7	5.60	320.0	1.2500	149.52	208.93	yes	Cr-Si steel	5I
C.377.560.4000.A	37.7	5.60	400.0	1.0000	183.68	261.16	yes	music wire	4T
C.377.560.4000.S	37.7	5.60	400.0	1.0000	183.68	261.16	yes	Cr-Si steel	5J
C.380.160.0860.A	38.0	1.60	86.0	0.0300	12.96	19.41	no	music wire	4I
C.380.160.0860.I	38.0	1.60	86.0	0.0261	12.96	19.41	no	stainless steel	4I
C.380.160.0860.N	38.0	1.60	86.0	0.0300	12.96	19.41	no	Zn coating	4J
C.380.210.0820.A	38.0	2.10	82.0	0.1223	12.60	16.56	yes	music wire	4I
C.380.210.0820.I	38.0	2.10	82.0	0.1051	12.60	16.56	yes	stainless steel	4I
C.380.220.0866.A	38.0	2.20	86.6	0.1486	13.20	17.03	yes	music wire	4J
C.380.220.0866.I	38.0	2.20	86.6	0.1276	13.20	17.03	yes	stainless steel	4K
C.380.220.0866.N	38.0	2.20	86.6	0.1486	13.20	17.03	yes	Zn coating	4M
C.380.220.1340.A	38.0	2.20	134.0	0.0946	17.60	23.62	yes	music wire	4L
C.380.220.1340.I	38.0	2.20	134.0	0.0813	17.60	23.62	yes	stainless steel	4L
C.380.220.1340.N	38.0	2.20	134.0	0.0946	17.60	23.62	yes	Zn coating	4N
C.380.220.2280.A	38.0	2.20	228.0	0.0548	26.40	36.79	yes	music wire	4N
C.380.220.2280.I	38.0	2.20	228.0	0.0471	26.40	36.79	yes	stainless steel	4N
C.380.220.2280.N	38.0	2.20	228.0	0.0548	26.40	36.79	yes	Zn coating	4P
C.380.220.3680.A	38.0	2.20	368.0	0.0336	39.60	56.55	yes	music wire	4P
C.380.220.3680.I	38.0	2.20	368.0	0.0289	39.60	56.55	yes	stainless steel	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.380.220.3680.N	38.0	2.20	368.0	0.0336	39.60	56.55	yes	Zn coating	4R
C.380.230.1200.A	38.0	2.30	120.0	0.1099	18.86	24.91	yes	music wire	4J
C.380.230.1200.I	38.0	2.30	120.0	0.0944	18.86	24.91	yes	stainless steel	4J
C.380.235.0410.A	38.0	2.35	41.0	0.3609	10.34	12.33	yes	music wire	4H
C.380.235.0410.I	38.0	2.35	41.0	0.3100	10.34	12.33	yes	stainless steel	4I
C.380.235.0500.A	38.0	2.35	50.0	0.2981	11.28	13.69	yes	music wire	4I
C.380.235.0500.I	38.0	2.35	50.0	0.2561	11.28	13.69	yes	stainless steel	4I
C.380.235.0880.A	38.0	2.35	88.0	0.1633	15.75	20.14	yes	music wire	4I
C.380.235.0880.I	38.0	2.35	88.0	0.1402	15.75	20.14	yes	stainless steel	4I
C.380.240.1650.A	38.0	2.40	165.0	0.0914	25.68	34.14	yes	music wire	4J
C.380.240.1650.I	38.0	2.40	165.0	0.0785	25.68	34.14	yes	stainless steel	4J
C.380.250.0140.A	38.0	2.50	14.0	0.8730	8.75	9.76	yes	music wire	4G
C.380.250.0140.I	38.0	2.50	14.0	0.7595	8.75	9.76	yes	stainless steel	4H
C.380.250.0140.N	38.0	2.50	14.0	0.8730	8.75	9.76	yes	Zn coating	4I
C.380.250.0590.A	38.0	2.50	59.0	0.3067	13.50	16.42	yes	music wire	4I
C.380.250.0590.I	38.0	2.50	59.0	0.2634	13.50	16.42	yes	stainless steel	4I
C.380.250.0680.A	38.0	2.50	68.0	0.2616	14.75	18.17	yes	music wire	4I
C.380.250.0680.I	38.0	2.50	68.0	0.2247	14.75	18.17	yes	stainless steel	4I
C.380.250.0930.A	38.0	2.50	93.0	0.1853	18.25	23.08	yes	music wire	4I
C.380.250.0930.I	38.0	2.50	93.0	0.1592	18.25	23.08	yes	stainless steel	4I
C.380.250.1450.A	38.0	2.50	145.0	0.1186	25.00	32.55	yes	music wire	4J
C.380.250.1450.I	38.0	2.50	145.0	0.1019	25.00	32.55	yes	stainless steel	4J
C.380.250.1750.A	38.0	2.50	175.0	0.0977	29.00	38.16	yes	music wire	4J
C.380.250.1750.I	38.0	2.50	175.0	0.0840	29.00	38.16	yes	stainless steel	4K
C.380.260.0840.A	38.0	2.60	84.0	0.2332	18.20	22.62	yes	music wire	4I
C.380.260.0840.I	38.0	2.60	84.0	0.2003	18.20	22.62	yes	stainless steel	4I
C.380.260.1200.A	38.0	2.60	120.0	0.1614	23.40	29.79	yes	music wire	4J
C.380.260.1200.I	38.0	2.60	120.0	0.1387	23.40	29.79	yes	stainless steel	4J
C.380.270.1200.A	38.0	2.70	120.0	0.1837	24.84	31.29	yes	music wire	4J
C.380.270.1200.I	38.0	2.70	120.0	0.1578	24.84	31.29	yes	stainless steel	4J
C.380.290.1700.A	38.0	2.90	170.0	0.1618	37.12	46.67	yes	music wire	4L
C.380.290.1700.I	38.0	2.90	170.0	0.1389	37.12	46.67	yes	stainless steel	4L
C.380.300.0950.A	38.0	3.00	95.0	0.1990	36.60	45.45	yes	music wire	4J
C.380.300.0950.I	38.0	3.00	95.0	0.1731	36.00	44.67	yes	stainless steel	4J
C.380.300.0950.N	38.0	3.00	95.0	0.1990	36.60	45.45	yes	Zn coating	4L
C.380.310.0640.A	38.0	3.10	64.0	0.5675	19.84	23.35	yes	music wire	4I
C.380.310.0640.I	38.0	3.10	64.0	0.4874	19.84	23.35	yes	stainless steel	4J
C.380.310.1100.A	38.0	3.10	110.0	0.3162	29.45	35.75	yes	music wire	4J
C.380.310.1100.I	38.0	3.10	110.0	0.2716	29.45	35.75	yes	stainless steel	4J
C.380.320.0430.A	38.0	3.20	43.0	0.9749	16.32	18.63	yes	music wire	4J
C.380.320.0430.I	38.0	3.20	43.0	0.8373	16.32	18.63	yes	stainless steel	4J
C.380.330.1750.A	38.0	3.30	175.0	0.2410	47.85	58.38	yes	music wire	4M
C.380.330.1750.I	38.0	3.30	175.0	0.2070	47.85	58.38	yes	stainless steel	4M
C.380.350.0910.A	38.0	3.50	91.0	0.5817	31.15	36.65	yes	music wire	4L
C.380.350.0910.I	38.0	3.50	91.0	0.4996	31.15	36.65	yes	stainless steel	4L
C.380.360.0440.A	38.0	3.60	44.0	1.4495	19.44	21.91	yes	music wire	4M
C.380.360.0440.I	38.0	3.60	44.0	1.2449	19.44	21.91	yes	stainless steel	4M
C.380.360.1400.A	38.0	3.60	140.0	0.4081	46.08	54.87	yes	music wire	4N
C.380.360.1400.I	38.0	3.60	140.0	0.3505	46.08	54.87	yes	stainless steel	4N
C.380.360.1750.A	38.0	3.60	175.0	0.3258	55.44	66.44	yes	music wire	4O
C.380.360.1750.I	38.0	3.60	175.0	0.2799	55.44	66.44	yes	stainless steel	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.380.380.0440.A	38.0	3.80	44.0	1.7701	20.90	23.43	yes	music wire	4M
C.380.380.0440.I	38.0	3.80	44.0	1.5203	20.90	23.43	yes	stainless steel	4M
C.380.380.2000.A	38.0	3.80	200.0	0.3426	68.40	81.45	yes	music wire	4O
C.380.380.2000.I	38.0	3.80	200.0	0.2943	68.40	81.45	yes	stainless steel	4O
C.380.400.0250.A	38.0	4.00	25.0	4.0179	16.80	18.22	yes	music wire	4P
C.380.400.0250.I	38.0	4.00	25.0	3.4956	16.40	17.73	yes	stainless steel	4P
C.380.400.0250.N	38.0	4.00	25.0	4.0179	16.80	18.22	yes	Zn coating	4R
C.380.400.0320.A	38.0	4.00	32.0	3.2143	18.40	20.15	yes	music wire	4P
C.380.400.0320.I	38.0	4.00	32.0	2.7964	18.00	19.67	yes	stainless steel	4P
C.380.400.0320.N	38.0	4.00	32.0	3.2143	18.40	20.15	yes	Zn coating	4R
C.380.400.0370.A	38.0	4.00	37.0	1.6280	26.40	29.82	yes	music wire	4P
C.380.400.0370.AP	38.0	4.00	37.0	3.3788	18.00	20.64	yes	music wire	4R
C.380.400.0370.I	38.0	4.00	37.0	1.4164	26.00	29.33	yes	stainless steel	4P
C.380.400.0370.N	38.0	4.00	37.0	1.6280	26.40	29.82	yes	Zn coating	4R
C.380.400.0400.A	38.0	4.00	40.0	2.5000	20.80	23.05	yes	music wire	4P
C.380.400.0400.I	38.0	4.00	40.0	2.1750	20.40	22.57	yes	stainless steel	4P
C.380.400.0400.N	38.0	4.00	40.0	2.5000	20.80	23.05	yes	Zn coating	4R
C.380.400.0500.A	38.0	4.00	50.0	2.0000	23.20	25.95	yes	music wire	4P
C.380.400.0500.I	38.0	4.00	50.0	1.7400	23.20	25.95	yes	stainless steel	4P
C.380.400.0500.N	38.0	4.00	50.0	2.0000	23.20	25.95	yes	Zn coating	4R
C.380.400.0580.A	38.0	4.00	58.0	2.1710	22.40	32.54	yes	music wire	4T
C.380.400.0580.I	38.0	4.00	58.0	1.8888	22.00	31.64	yes	stainless steel	4R
C.380.400.0580.N	38.0	4.00	58.0	2.1710	22.40	32.54	yes	Zn coating	5B
C.380.400.0630.A	38.0	4.00	63.0	1.6071	26.40	29.82	yes	music wire	4R
C.380.400.0630.I	38.0	4.00	63.0	1.4000	26.40	29.82	yes	stainless steel	4S
C.380.400.0630.N	38.0	4.00	63.0	1.6071	26.40	29.82	yes	Zn coating	4T
C.380.400.0800.A	38.0	4.00	80.0	1.2500	31.20	35.78	yes	music wire	4S
C.380.400.0800.I	38.0	4.00	80.0	1.0875	30.80	35.13	yes	stainless steel	4S
C.380.400.0800.N	38.0	4.00	80.0	1.2500	31.20	35.78	yes	Zn coating	4T
C.380.400.0880.A	38.0	4.00	88.0	0.6860	48.80	56.88	yes	music wire	4P
C.380.400.0880.AP	38.0	4.00	88.0	1.2750	30.80	44.65	yes	music wire	4S
C.380.400.0880.I	38.0	4.00	88.0	0.5968	48.00	55.92	yes	stainless steel	4Q
C.380.400.0880.N	38.0	4.00	88.0	0.6860	48.80	56.88	yes	Zn coating	4R
C.380.400.1000.A	38.0	4.00	100.0	1.0000	36.40	44.73	yes	music wire	4S
C.380.400.1000.I	38.0	4.00	100.0	0.8700	36.40	42.77	yes	stainless steel	4S
C.380.400.1000.N	38.0	4.00	100.0	1.0000	36.40	44.73	yes	Zn coating	4T
C.380.400.1250.A	38.0	4.00	125.0	0.8036	43.20	56.22	yes	music wire	4S
C.380.400.1250.I	38.0	4.00	125.0	0.7000	42.40	53.88	yes	stainless steel	4S
C.380.400.1250.N	38.0	4.00	125.0	0.8036	43.20	56.22	yes	Zn coating	4T
C.380.400.1600.A	38.0	4.00	160.0	0.6429	51.20	74.03	yes	music wire	4S
C.380.400.1600.I	38.0	4.00	160.0	0.5593	50.80	70.99	yes	stainless steel	4S
C.380.400.1600.N	38.0	4.00	160.0	0.6429	51.20	74.03	yes	Zn coating	5A
C.380.400.2000.A	38.0	4.00	200.0	0.5000	63.20	89.46	yes	music wire	4T
C.380.400.2000.I	38.0	4.00	200.0	0.4350	62.40	85.55	yes	stainless steel	4T
C.380.400.2000.N	38.0	4.00	200.0	0.5000	63.20	89.46	yes	Zn coating	5A
C.380.400.2500.A	38.0	4.00	250.0	0.4018	76.00	112.45	yes	music wire	4T
C.380.400.2500.I	38.0	4.00	250.0	0.3496	75.20	107.58	yes	stainless steel	4T
C.380.400.2500.N	38.0	4.00	250.0	0.4018	76.00	112.45	yes	Zn coating	5B
C.380.400.3200.A	38.0	4.00	320.0	0.3214	92.40	148.04	yes	music wire	5A
C.380.400.3200.I	38.0	4.00	320.0	0.2796	91.60	141.95	yes	stainless steel	5A
C.380.400.3200.N	38.0	4.00	320.0	0.3214	92.40	148.04	yes	Zn coating	5C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.380.400.5500.A	38.0	4.00	550.0	0.1920	148.40	262.14	yes	music wire	5C
C.380.400.5500.I	38.0	4.00	550.0	0.1670	146.40	251.95	yes	stainless steel	5C
C.380.400.5500.N	38.0	4.00	550.0	0.1920	148.40	262.14	yes	Zn coating	5D
C.380.420.0490.A	38.0	4.20	49.0	2.2804	25.62	28.60	yes	music wire	4P
C.380.420.0490.I	38.0	4.20	49.0	1.9586	25.62	28.60	yes	stainless steel	4P
C.380.450.0420.A	38.0	4.50	42.0	3.5844	25.20	27.75	yes	music wire	4R
C.380.450.0420.I	38.0	4.50	42.0	3.0787	25.20	27.75	yes	stainless steel	4R
C.380.450.0540.A	38.0	4.50	54.0	2.7102	29.70	33.08	yes	music wire	4R
C.380.450.0540.I	38.0	4.50	54.0	2.3278	29.70	33.08	yes	stainless steel	4R
C.380.480.0380.A	38.0	4.80	38.0	5.4734	24.96	27.19	yes	music wire	4R
C.380.480.0380.I	38.0	4.80	38.0	4.7011	24.96	27.19	yes	stainless steel	4R
C.380.480.0740.A	38.0	4.80	74.0	2.4226	41.28	46.31	yes	music wire	4R
C.380.480.0740.I	38.0	4.80	74.0	2.0808	41.28	46.31	yes	stainless steel	4R
C.380.480.1250.A	38.0	4.80	125.0	1.3558	64.32	73.31	yes	music wire	4R
C.380.480.1250.I	38.0	4.80	125.0	1.1645	64.32	73.31	yes	stainless steel	4R
C.380.500.0380.A	38.0	5.00	38.0	6.3277	26.50	28.81	yes	music wire	4S
C.380.500.0380.I	38.0	5.00	38.0	5.4349	26.50	28.81	yes	stainless steel	4S
C.380.500.0460.A	38.0	5.00	46.0	5.0622	30.00	32.89	yes	music wire	4S
C.380.500.0460.I	38.0	5.00	46.0	4.3479	30.00	32.89	yes	stainless steel	4S
C.380.500.0550.A	38.0	5.00	55.0	4.0267	34.50	38.14	yes	music wire	4S
C.380.500.0550.I	38.0	5.00	55.0	3.4585	34.50	38.14	yes	stainless steel	4S
C.380.500.0680.A	38.0	5.00	68.0	3.1639	40.50	45.13	yes	music wire	4S
C.380.500.0680.I	38.0	5.00	68.0	2.7174	40.50	45.13	yes	stainless steel	4S
C.380.500.0850.A	38.0	5.00	85.0	2.4608	48.50	54.45	yes	music wire	4S
C.380.500.0850.I	38.0	5.00	85.0	2.1136	48.50	54.45	yes	stainless steel	4S
C.380.500.1200.A	38.0	5.00	120.0	1.6715	65.50	74.26	yes	music wire	4S
C.380.500.1200.I	38.0	5.00	120.0	1.4356	65.50	74.26	yes	stainless steel	4S
C.380.500.1800.A	38.0	5.00	180.0	1.0870	94.00	107.48	yes	music wire	4S
C.380.500.1800.I	38.0	5.00	180.0	0.9336	94.00	107.48	yes	stainless steel	4T
C.380.530.0720.A	38.0	5.30	72.0	3.7688	45.58	50.66	yes	music wire	4S
C.380.530.0720.I	38.0	5.30	72.0	3.2370	45.58	50.66	yes	stainless steel	4S
C.380.530.1750.A	38.0	5.30	175.0	1.4279	98.58	111.99	yes	music wire	4S
C.380.530.1750.I	38.0	5.30	175.0	1.2264	98.58	111.99	yes	stainless steel	4T
C.380.550.0486.A	38.0	5.50	48.6	7.7589	33.00	35.93	yes	music wire	5A
C.380.550.0486.I	38.0	5.50	48.6	6.6641	33.00	35.93	yes	stainless steel	5A
C.380.550.0486.N	38.0	5.50	48.6	7.7589	33.00	35.93	yes	Zn coating	5C
C.380.550.0560.A	38.0	5.50	56.0	6.0347	38.50	42.27	yes	music wire	5A
C.380.550.0560.I	38.0	5.50	56.0	5.1832	38.50	42.27	yes	stainless steel	5A
C.380.550.0700.A	38.0	5.50	70.0	4.9375	44.00	48.61	yes	music wire	5A
C.380.550.0700.I	38.0	5.50	70.0	4.2408	44.00	48.61	yes	stainless steel	5B
C.380.550.0700.N	38.0	5.50	70.0	4.9375	44.00	48.61	yes	Zn coating	5C
C.380.550.0880.A	38.0	5.50	88.0	3.5268	56.10	62.55	yes	music wire	5A
C.380.550.0880.I	38.0	5.50	88.0	3.0291	56.10	62.55	yes	stainless steel	5B
C.380.550.1130.A	38.0	5.50	113.0	2.8525	66.00	73.96	yes	music wire	5D
C.380.550.1130.I	38.0	5.50	113.0	2.4500	66.00	73.96	yes	stainless steel	5B
C.380.550.1130.N	38.0	5.50	113.0	2.8525	66.00	73.96	yes	Zn coating	5E
C.380.550.1770.A	38.0	5.50	177.0	1.7500	99.00	111.99	yes	music wire	5D
C.380.550.1770.I	38.0	5.50	177.0	1.5048	99.00	111.99	yes	stainless steel	5B
C.380.550.1770.N	38.0	5.50	177.0	1.7500	99.00	111.99	yes	Zn coating	5F
C.380.560.0570.A	38.0	5.60	57.0	6.4036	39.76	43.63	yes	music wire	5A
C.380.560.0570.I	38.0	5.60	57.0	5.5001	39.76	43.63	yes	stainless steel	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.380.580.0570.A	38.0	5.80	57.0	7.5068	41.18	45.08	yes	music wire	5A
C.380.580.0570.I	38.0	5.80	57.0	6.4475	41.18	45.08	yes	stainless steel	5A
C.380.580.1400.A	38.0	5.80	140.0	2.6768	89.32	100.26	yes	music wire	5B
C.380.580.1400.I	38.0	5.80	140.0	2.2991	89.32	100.26	yes	stainless steel	5B
C.380.580.1900.A	38.0	5.80	190.0	1.9291	118.32	133.50	yes	music wire	5B
C.380.580.1900.I	38.0	5.80	190.0	1.6569	118.32	133.50	yes	stainless steel	5B
C.380.600.0430.A	38.0	6.00	43.0	12.5914	34.20	36.94	yes	music wire	5D
C.380.600.0430.I	38.0	6.00	43.0	10.8147	34.20	36.94	yes	stainless steel	5D
C.380.600.0560.A	38.0	6.00	56.0	8.9539	42.00	45.85	yes	music wire	5D
C.380.600.0560.I	38.0	6.00	56.0	7.6904	42.00	45.85	yes	stainless steel	5E
C.380.600.0740.A	38.0	6.00	74.0	6.3956	52.80	58.19	yes	music wire	5D
C.380.600.0740.I	38.0	6.00	74.0	5.4932	52.80	58.19	yes	stainless steel	5E
C.380.600.0940.A	38.0	6.00	94.0	4.7967	65.40	72.59	yes	music wire	5D
C.380.600.0940.I	38.0	6.00	94.0	4.1199	65.40	72.59	yes	stainless steel	5E
C.380.600.1070.A	38.0	6.00	107.0	4.3950	70.20	78.08	yes	music wire	5D
C.380.600.1070.I	38.0	6.00	107.0	3.8237	69.60	77.39	yes	stainless steel	5E
C.380.600.1070.N	38.0	6.00	107.0	4.3950	70.20	78.08	yes	Zn coating	5F
C.380.600.1200.A	38.0	6.00	120.0	4.1630	73.20	81.50	yes	music wire	5G
C.380.600.1200.I	38.0	6.00	120.0	3.6218	72.60	80.82	yes	stainless steel	5H
C.380.600.1200.N	38.0	6.00	120.0	4.1630	73.20	81.50	yes	Zn coating	5I
C.380.600.1800.A	38.0	6.00	180.0	2.3701	117.00	131.55	yes	music wire	5E
C.380.600.1800.I	38.0	6.00	180.0	2.0357	117.00	131.55	yes	stainless steel	5E
C.381.150.0445.A	38.1	1.50	44.5	0.0402	9.15	13.02	no	music wire	4G
C.381.150.0445.I	38.1	1.50	44.5	0.0350	9.15	13.02	no	stainless steel	4G
C.381.160.0450.A	38.1	1.60	45.0	0.0506	9.92	13.72	no	music wire	4G
C.381.160.0450.I	38.1	1.60	45.0	0.0440	9.92	13.72	no	stainless steel	4G
C.381.200.0570.A	38.1	2.00	57.0	0.0805	13.60	18.66	yes	music wire	4I
C.381.200.0570.I	38.1	2.00	57.0	0.0700	13.60	18.66	yes	stainless steel	4I
C.381.200.0850.A	38.1	2.00	85.0	0.0563	17.40	24.70	yes	music wire	4I
C.381.200.0850.I	38.1	2.00	85.0	0.0490	17.20	24.38	yes	stainless steel	4I
C.381.230.0670.A	38.1	2.30	67.0	0.1379	16.10	20.90	yes	music wire	4I
C.381.230.0670.I	38.1	2.30	67.0	0.1200	15.87	20.56	yes	stainless steel	4I
C.381.280.0508.A	38.1	2.80	50.8	0.3783	17.64	21.24	yes	music wire	4I
C.381.280.0508.I	38.1	2.80	50.8	0.3291	17.36	20.87	yes	stainless steel	4I
C.381.280.0635.A	38.1	2.80	63.5	0.3041	20.16	24.61	yes	music wire	4I
C.381.280.0635.I	38.1	2.80	63.5	0.2645	19.88	24.24	yes	stainless steel	4J
C.381.280.0762.A	38.1	2.80	76.2	0.2584	22.40	27.61	yes	music wire	4J
C.381.280.0762.I	38.1	2.80	76.2	0.2248	22.12	27.24	yes	stainless steel	4J
C.381.280.0889.A	38.1	2.80	88.9	0.2215	24.92	30.98	yes	music wire	4J
C.381.280.0889.I	38.1	2.80	88.9	0.1927	24.64	30.61	yes	stainless steel	4J
C.381.280.1016.A	38.1	2.80	101.6	0.1938	27.44	34.36	yes	music wire	4J
C.381.280.1016.I	38.1	2.80	101.6	0.1686	27.44	34.36	yes	stainless steel	4J
C.381.290.0500.A	38.1	2.90	50.0	0.4700	17.40	20.66	yes	music wire	4I
C.381.290.0500.I	38.1	2.90	50.0	0.4089	17.40	20.66	yes	stainless steel	4I
C.381.300.0381.A	38.1	3.00	38.1	0.5798	17.40	20.42	yes	music wire	4I
C.381.300.0381.AP	38.1	3.00	38.1	1.2146	12.30	17.58	yes	music wire	4K
C.381.300.0381.I	38.1	3.00	38.1	0.5044	17.10	20.03	yes	stainless steel	4I
C.381.300.0508.A	38.1	3.00	50.8	0.4417	20.40	24.34	yes	music wire	4I
C.381.300.0508.I	38.1	3.00	50.8	0.3843	20.40	24.34	yes	stainless steel	4I
C.381.300.0635.A	38.1	3.00	63.5	0.3567	23.40	28.25	yes	music wire	4I
C.381.300.0635.I	38.1	3.00	63.5	0.3103	23.40	28.25	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.381.300.0700.A	38.1	3.00	70.0	0.3678	23.10	27.86	yes	music wire	4J
C.381.300.0700.I	38.1	3.00	70.0	0.3200	22.80	27.47	yes	stainless steel	4J
C.381.300.0762.A	38.1	3.00	76.2	0.3000	26.70	32.56	yes	music wire	4J
C.381.300.0762.I	38.1	3.00	76.2	0.2603	26.40	32.17	yes	stainless steel	4J
C.381.300.0889.A	38.1	3.00	88.9	0.2576	29.70	36.48	yes	music wire	4J
C.381.300.0889.I	38.1	3.00	88.9	0.2241	29.40	36.09	yes	stainless steel	4J
C.381.320.1750.A	38.1	3.20	175.0	0.1839	51.84	64.05	yes	music wire	4M
C.381.320.1750.AP	38.1	3.20	175.0	0.2942	35.20	73.66	yes	music wire	4O
C.381.320.1750.I	38.1	3.20	175.0	0.1600	51.20	63.23	yes	stainless steel	4M
C.381.330.1020.A	38.1	3.30	102.0	0.3333	36.63	44.20	yes	music wire	4L
C.381.330.1020.AP	38.1	3.30	102.0	0.5724	24.75	45.30	yes	music wire	4N
C.381.330.1020.I	38.1	3.30	102.0	0.2900	36.30	43.78	yes	stainless steel	4L
C.381.340.0210.A	38.1	3.40	21.0	2.5287	12.92	14.05	yes	music wire	4J
C.381.340.0210.I	38.1	3.40	21.0	2.2000	12.92	14.05	yes	stainless steel	4J
C.381.360.0508.A	38.1	3.60	50.8	1.0867	22.68	25.93	yes	music wire	4M
C.381.360.0508.AP	38.1	3.60	50.8	1.6322	18.36	25.52	yes	music wire	4O
C.381.360.0508.I	38.1	3.60	50.8	0.9454	22.68	25.93	yes	stainless steel	4M
C.381.360.0635.A	38.1	3.60	63.5	0.8618	26.28	30.39	yes	music wire	4M
C.381.360.0635.AP	38.1	3.60	63.5	1.2860	20.52	31.41	yes	music wire	4O
C.381.360.0635.I	38.1	3.60	63.5	0.7500	26.28	30.39	yes	stainless steel	4M
C.381.380.0508.A	38.1	3.80	50.8	1.2326	25.84	29.47	yes	music wire	4M
C.381.380.0508.AP	38.1	3.80	50.8	1.9855	19.76	26.68	yes	music wire	4O
C.381.380.0508.I	38.1	3.80	50.8	1.0723	25.46	29.01	yes	stainless steel	4M
C.381.380.0635.A	38.1	3.80	63.5	0.9709	30.02	34.58	yes	music wire	4M
C.381.380.0635.AP	38.1	3.80	63.5	1.5317	22.42	32.23	yes	music wire	4O
C.381.380.0635.I	38.1	3.80	63.5	0.8447	30.02	34.58	yes	stainless steel	4M
C.381.400.0400.A	38.1	4.00	40.0	3.2000	18.40	22.77	yes	music wire	4R
C.381.400.0400.I	38.1	4.00	40.0	2.7840	18.00	22.16	yes	stainless steel	4R
C.381.400.0450.S	38.1	4.00	45.0	2.5000	20.40	22.95	yes	Cr-Si steel	4T
C.381.400.0508.A	38.1	4.00	50.8	1.3912	28.80	32.73	yes	music wire	4P
C.381.400.0508.AP	38.1	4.00	50.8	2.3923	20.80	27.75	yes	music wire	4R
C.381.400.0508.I	38.1	4.00	50.8	1.2103	28.80	32.73	yes	stainless steel	4P
C.381.530.0960.A	38.1	5.30	96.0	2.4138	63.07	70.91	yes	music wire	4S
C.381.530.0960.AP	38.1	5.30	96.0	3.3622	49.29	60.73	yes	music wire	5A
C.381.530.0960.I	38.1	5.30	96.0	2.1000	62.54	70.30	yes	stainless steel	4S
C.381.580.0850.A	38.1	5.80	85.0	4.3000	60.90	67.70	yes	music wire	5A
C.381.580.0850.AP	38.1	5.80	85.0	5.5303	50.46	57.68	yes	music wire	5D
C.381.580.0850.I	38.1	5.80	85.0	3.7410	60.32	67.03	yes	stainless steel	5B
C.385.180.0200.A	38.5	1.80	20.0	0.1967	8.28	9.71	no	music wire	4G
C.385.180.0200.I	38.5	1.80	20.0	0.1689	8.28	9.71	no	stainless steel	4G
C.385.180.0540.A	38.5	1.80	54.0	0.0506	14.04	19.64	no	music wire	4I
C.385.180.0540.I	38.5	1.80	54.0	0.0440	13.86	19.33	no	stainless steel	4I
C.385.400.0380.A	38.5	4.00	38.0	2.6000	19.60	21.63	yes	music wire	4P
C.385.400.0380.I	38.5	4.00	38.0	2.2620	19.60	21.63	yes	stainless steel	4P
C.385.400.2000.A	38.5	4.00	200.0	0.3629	80.00	94.81	yes	music wire	4R
C.385.400.2000.I	38.5	4.00	200.0	0.3117	80.00	94.81	yes	stainless steel	4R
C.385.470.0550.A	38.5	4.70	55.0	3.8000	27.73	32.68	yes	music wire	4T
C.385.470.0550.I	38.5	4.70	55.0	3.3060	27.26	31.73	yes	stainless steel	4T
C.385.470.0640.A	38.5	4.70	64.0	3.8000	27.73	41.68	yes	music wire	5A
C.385.470.0640.I	38.5	4.70	64.0	3.3060	27.26	40.73	yes	stainless steel	5B
C.385.470.2000.A	38.5	4.70	200.0	0.6776	101.05	116.91	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.385.470.2000.I	38.5	4.70	200.0	0.5820	101.05	116.91	yes	stainless steel	4S
C.385.480.0480.A	38.5	4.80	48.0	4.1379	28.32	31.16	yes	music wire	4R
C.385.480.0480.I	38.5	4.80	48.0	3.6000	28.32	31.16	yes	stainless steel	4R
C.385.480.2000.A	38.5	4.80	200.0	0.7398	103.68	119.63	yes	music wire	4S
C.385.480.2000.I	38.5	4.80	200.0	0.6354	103.68	119.63	yes	stainless steel	4S
C.386.550.0450.A	38.6	5.50	45.0	7.1406	33.55	36.61	yes	music wire	5A
C.386.550.0450.I	38.6	5.50	45.0	6.1330	33.55	36.61	yes	stainless steel	5A
C.386.550.1500.A	38.6	5.50	150.0	2.3000	75.35	93.70	yes	music wire	5D
C.386.550.1500.I	38.6	5.50	150.0	2.0000	74.25	90.86	yes	stainless steel	5E
C.386.550.1500.N	38.6	5.50	150.0	2.3000	75.35	93.70	yes	Zn coating	5F
C.389.180.0200.A	38.9	1.80	20.0	0.1904	8.28	9.74	no	music wire	4G
C.389.180.0200.I	38.9	1.80	20.0	0.1635	8.28	9.74	no	stainless steel	4G
C.389.180.0500.A	38.9	1.80	50.0	0.0793	10.98	14.43	no	music wire	4I
C.389.180.0500.I	38.9	1.80	50.0	0.0690	10.98	14.43	no	stainless steel	4I
C.389.270.0350.A	38.9	2.70	35.0	0.4253	14.04	16.73	yes	music wire	4H
C.389.270.0350.I	38.9	2.70	35.0	0.3700	13.77	16.36	yes	stainless steel	4I
C.389.270.0560.A	38.9	2.70	56.0	0.2200	20.79	25.98	yes	music wire	4I
C.389.270.0560.I	38.9	2.70	56.0	0.1914	20.52	25.61	yes	stainless steel	4I
C.389.270.0850.A	38.9	2.70	85.0	0.2299	20.25	25.24	yes	music wire	4I
C.389.270.0850.I	38.9	2.70	85.0	0.2000	19.98	24.87	yes	stainless steel	4I
C.389.270.1600.A	38.9	2.70	160.0	0.1141	33.75	43.73	yes	music wire	4J
C.389.270.1600.I	38.9	2.70	160.0	0.0980	33.75	43.73	yes	stainless steel	4J
C.389.270.2550.A	38.9	2.70	255.0	0.0713	49.95	65.92	yes	music wire	4M
C.389.270.2550.I	38.9	2.70	255.0	0.0613	49.95	65.92	yes	stainless steel	4M
C.389.270.3200.A	38.9	2.70	320.0	0.0565	61.29	81.45	yes	music wire	4M
C.389.270.3200.I	38.9	2.70	320.0	0.0485	61.29	81.45	yes	stainless steel	4N
C.389.360.0300.A	38.9	3.60	30.0	1.6092	17.64	19.75	yes	music wire	4M
C.389.360.0300.AP	38.9	3.60	30.0	3.0474	13.68	16.72	yes	music wire	4O
C.389.360.0300.I	38.9	3.60	30.0	1.4000	17.64	19.75	yes	stainless steel	4M
C.389.360.2000.A	38.9	3.60	200.0	0.2416	66.96	81.12	yes	music wire	4O
C.389.360.2000.I	38.9	3.60	200.0	0.2075	66.96	81.12	yes	stainless steel	4O
C.389.500.0500.A	38.9	5.00	50.0	4.0230	33.00	36.46	yes	music wire	4S
C.389.500.0500.AP	38.9	5.00	50.0	5.3692	27.50	31.49	yes	music wire	5A
C.389.500.0500.I	38.9	5.00	50.0	3.5000	32.50	35.88	yes	stainless steel	4S
C.389.500.1000.A	38.9	5.00	100.0	1.7960	58.00	65.69	yes	music wire	4S
C.389.500.1000.I	38.9	5.00	100.0	1.5426	58.00	65.69	yes	stainless steel	4S
C.389.500.1650.A	38.9	5.00	165.0	0.9195	101.50	116.54	yes	music wire	4S
C.389.500.1650.AP	38.9	5.00	165.0	1.4226	70.00	95.14	yes	music wire	5B
C.389.500.1650.I	38.9	5.00	165.0	0.8000	100.00	114.78	yes	stainless steel	4T
C.390.200.0600.A	39.0	2.00	60.0	0.0330	24.60	36.62	yes	music wire	4I
C.390.200.0600.I	39.0	2.00	60.0	0.0287	24.20	35.98	yes	stainless steel	4I
C.390.200.0600.N	39.0	2.00	60.0	0.0330	24.60	36.62	yes	Zn coating	4J
C.390.220.1600.A	39.0	2.20	160.0	0.0694	20.68	28.57	yes	music wire	4J
C.390.220.1600.I	39.0	2.20	160.0	0.0596	20.68	28.57	yes	stainless steel	4J
C.390.220.1900.A	39.0	2.20	190.0	0.0584	23.54	32.92	yes	music wire	4K
C.390.220.1900.I	39.0	2.20	190.0	0.0502	23.54	32.92	yes	stainless steel	4K
C.390.225.0510.A	39.0	2.25	51.0	0.2391	10.58	13.06	yes	music wire	4I
C.390.225.0510.I	39.0	2.25	51.0	0.2054	10.58	13.06	yes	stainless steel	4I
C.390.225.0960.A	39.0	2.25	96.0	0.1252	15.08	19.81	yes	music wire	4I
C.390.225.0960.I	39.0	2.25	96.0	0.1076	15.08	19.81	yes	stainless steel	4I
C.390.225.1800.A	39.0	2.25	180.0	0.0658	23.63	32.63	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.390.225.1800.I	39.0	2.25	180.0	0.0565	23.63	32.63	yes	stainless steel	4K
C.390.230.0540.A	39.0	2.30	54.0	0.2508	11.04	13.59	yes	music wire	4I
C.390.230.0540.I	39.0	2.30	54.0	0.2154	11.04	13.59	yes	stainless steel	4I
C.390.235.0700.A	39.0	2.35	70.0	0.1972	13.40	16.90	yes	music wire	4I
C.390.235.0700.I	39.0	2.35	70.0	0.1694	13.40	16.90	yes	stainless steel	4I
C.390.240.0440.A	39.0	2.40	44.0	0.3447	10.80	12.95	yes	music wire	4I
C.390.240.0440.I	39.0	2.40	44.0	0.2961	10.80	12.95	yes	stainless steel	4I
C.390.240.0650.A	39.0	2.40	65.0	0.2298	13.20	16.43	yes	music wire	4I
C.390.240.0650.I	39.0	2.40	65.0	0.1974	13.20	16.43	yes	stainless steel	4I
C.390.240.0960.A	39.0	2.40	96.0	0.1532	16.80	21.65	yes	music wire	4I
C.390.240.0960.I	39.0	2.40	96.0	0.1316	16.80	21.65	yes	stainless steel	4I
C.390.240.1400.A	39.0	2.40	140.0	0.1045	21.84	28.95	yes	music wire	4J
C.390.240.1400.I	39.0	2.40	140.0	0.0897	21.84	28.95	yes	stainless steel	4J
C.390.240.2000.A	39.0	2.40	200.0	0.0726	28.80	39.03	yes	music wire	4L
C.390.240.2000.I	39.0	2.40	200.0	0.0623	28.80	39.03	yes	stainless steel	4L
C.390.250.0550.A	39.0	2.50	55.0	0.3148	12.75	15.48	yes	music wire	4I
C.390.250.0550.I	39.0	2.50	55.0	0.2703	12.75	15.48	yes	stainless steel	4I
C.390.250.0850.A	39.0	2.50	85.0	0.1996	16.50	20.80	yes	music wire	4I
C.390.250.0850.I	39.0	2.50	85.0	0.1714	16.50	20.80	yes	stainless steel	4I
C.390.250.1900.A	39.0	2.50	190.0	0.0871	29.75	39.61	yes	music wire	4K
C.390.250.1900.I	39.0	2.50	190.0	0.0748	29.75	39.61	yes	stainless steel	4L
C.390.260.1000.A	39.0	2.60	100.0	0.1460	23.66	30.42	yes	music wire	4I
C.390.260.1000.I	39.0	2.60	100.0	0.1270	23.40	30.06	yes	stainless steel	4J
C.390.260.1000.N	39.0	2.60	100.0	0.1460	23.66	30.42	yes	Zn coating	4J
C.390.260.1550.A	39.0	2.60	155.0	0.1207	27.30	35.50	yes	music wire	4J
C.390.260.1550.I	39.0	2.60	155.0	0.1036	27.30	35.50	yes	stainless steel	4J
C.390.280.0224.A	39.0	2.80	22.4	1.1000	10.36	11.54	yes	music wire	4I
C.390.280.0224.I	39.0	2.80	22.4	0.9448	10.36	11.54	yes	stainless steel	4I
C.390.280.0254.A	39.0	2.80	25.4	0.9429	10.92	12.29	yes	music wire	4I
C.390.280.0254.I	39.0	2.80	25.4	0.8098	10.92	12.29	yes	stainless steel	4I
C.390.280.0305.A	39.0	2.80	30.5	0.7765	11.76	13.43	yes	music wire	4I
C.390.280.0305.I	39.0	2.80	30.5	0.6669	11.76	13.43	yes	stainless steel	4I
C.390.280.0444.A	39.0	2.80	44.4	0.5077	14.28	16.83	yes	music wire	4I
C.390.280.0444.I	39.0	2.80	44.4	0.4361	14.28	16.83	yes	stainless steel	4I
C.390.280.0457.A	39.0	2.80	45.7	0.4889	14.56	17.21	yes	music wire	4I
C.390.280.0457.I	39.0	2.80	45.7	0.4199	14.56	17.21	yes	stainless steel	4I
C.390.280.1400.A	39.0	2.80	140.0	0.1692	28.84	36.50	yes	music wire	4K
C.390.280.1400.I	39.0	2.80	140.0	0.1454	28.84	36.50	yes	stainless steel	4K
C.390.280.1800.A	39.0	2.80	180.0	0.1307	35.28	45.20	yes	music wire	4L
C.390.280.1800.I	39.0	2.80	180.0	0.1123	35.28	45.20	yes	stainless steel	4L
C.390.290.0920.A	39.0	2.90	92.0	0.2945	22.33	27.34	yes	music wire	4J
C.390.290.0920.I	39.0	2.90	92.0	0.2530	22.33	27.34	yes	stainless steel	4J
C.390.300.1100.A	39.0	3.00	110.0	0.2721	27.00	33.16	yes	music wire	4J
C.390.300.1100.I	39.0	3.00	110.0	0.2337	27.00	33.16	yes	stainless steel	4J
C.390.320.0690.A	39.0	3.20	69.0	0.5543	21.44	25.31	yes	music wire	4J
C.390.320.0690.I	39.0	3.20	69.0	0.4761	21.44	25.31	yes	stainless steel	4K
C.390.320.1450.A	39.0	3.20	145.0	0.2531	37.44	45.91	yes	music wire	4M
C.390.320.1450.I	39.0	3.20	145.0	0.2174	37.44	45.91	yes	stainless steel	4M
C.390.330.0480.A	39.0	3.30	48.0	0.9156	17.82	20.46	yes	music wire	4J
C.390.330.0480.I	39.0	3.30	48.0	0.7864	17.82	20.46	yes	stainless steel	4J
C.390.330.0660.A	39.0	3.30	66.0	0.6476	21.78	25.51	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.390.330.0660.I	39.0	3.30	66.0	0.5563	21.78	25.51	yes	stainless steel	4K
C.390.350.0560.A	39.0	3.50	56.0	0.9492	21.35	24.55	yes	music wire	4J
C.390.350.0560.I	39.0	3.50	56.0	0.8153	21.35	24.55	yes	stainless steel	4J
C.390.350.0720.A	39.0	3.50	72.0	0.7270	25.20	29.38	yes	music wire	4K
C.390.350.0720.I	39.0	3.50	72.0	0.6244	25.20	29.38	yes	stainless steel	4K
C.390.350.1700.A	39.0	3.50	170.0	0.2921	49.70	60.11	yes	music wire	4M
C.390.350.1700.I	39.0	3.50	170.0	0.2508	49.70	60.11	yes	stainless steel	4M
C.390.360.1100.A	39.0	3.60	110.0	0.5075	36.36	43.06	yes	music wire	4N
C.390.360.1100.I	39.0	3.60	110.0	0.4359	36.36	43.06	yes	stainless steel	4N
C.390.400.0700.A	39.0	4.00	70.0	1.2166	30.00	34.30	yes	music wire	4P
C.390.400.0700.I	39.0	4.00	70.0	1.0449	30.00	34.30	yes	stainless steel	4P
C.390.400.1450.A	39.0	4.00	145.0	0.5530	54.00	63.45	yes	music wire	4Q
C.390.400.1450.I	39.0	4.00	145.0	0.4750	54.00	63.45	yes	stainless steel	4Q
C.390.400.1800.A	39.0	4.00	180.0	0.4408	65.20	77.06	yes	music wire	4R
C.390.400.1800.I	39.0	4.00	180.0	0.3786	65.20	77.06	yes	stainless steel	4R
C.390.450.0450.A	39.0	4.50	45.0	3.1791	25.65	28.36	yes	music wire	4R
C.390.450.0450.I	39.0	4.50	45.0	2.7306	25.65	28.36	yes	stainless steel	4R
C.390.450.0590.A	39.0	4.50	59.0	2.3121	31.05	34.78	yes	music wire	4R
C.390.450.0590.I	39.0	4.50	59.0	1.9859	31.05	34.78	yes	stainless steel	4R
C.390.450.0930.A	39.0	4.50	93.0	1.3748	44.55	50.82	yes	music wire	4R
C.390.450.0930.I	39.0	4.50	93.0	1.1808	44.55	50.82	yes	stainless steel	4R
C.390.450.1400.A	39.0	4.50	140.0	0.8846	63.00	72.74	yes	music wire	4R
C.390.450.1400.I	39.0	4.50	140.0	0.7598	63.00	72.74	yes	stainless steel	4R
C.390.450.1800.A	39.0	4.50	180.0	0.6828	78.30	90.92	yes	music wire	4S
C.390.450.1800.I	39.0	4.50	180.0	0.5864	78.30	90.92	yes	stainless steel	4S
C.390.470.0400.A	39.0	4.70	40.0	4.3997	24.91	27.28	yes	music wire	4R
C.390.470.0400.I	39.0	4.70	40.0	3.7788	24.91	27.28	yes	stainless steel	4R
C.390.470.0460.A	39.0	4.70	46.0	3.6232	27.73	30.60	yes	music wire	4R
C.390.470.0460.I	39.0	4.70	46.0	3.1120	27.73	30.60	yes	stainless steel	4R
C.390.470.1450.A	39.0	4.70	145.0	1.0098	69.09	79.40	yes	music wire	4R
C.390.470.1450.I	39.0	4.70	145.0	0.8673	69.09	79.40	yes	stainless steel	4R
C.390.480.0570.A	39.0	4.80	57.0	3.0726	33.12	36.84	yes	music wire	4R
C.390.480.0570.I	39.0	4.80	57.0	2.6390	33.12	36.84	yes	stainless steel	4R
C.390.480.0820.A	39.0	4.80	82.0	2.0484	43.68	49.26	yes	music wire	4R
C.390.480.0820.I	39.0	4.80	82.0	1.7593	43.68	49.26	yes	stainless steel	4R
C.390.480.0950.A	39.0	4.80	95.0	1.7332	49.44	56.03	yes	music wire	4R
C.390.480.0950.I	39.0	4.80	95.0	1.4887	49.44	56.03	yes	stainless steel	4R
C.390.480.1100.A	39.0	4.80	110.0	1.4856	55.68	63.37	yes	music wire	4R
C.390.480.1100.I	39.0	4.80	110.0	1.2760	55.68	63.37	yes	stainless steel	4R
C.390.480.1550.A	39.0	4.80	155.0	1.0242	75.36	86.52	yes	music wire	4R
C.390.480.1550.I	39.0	4.80	155.0	0.8797	75.36	86.52	yes	stainless steel	4R
C.390.500.0580.A	39.0	5.00	58.0	3.6000	35.00	38.81	yes	music wire	4S
C.390.500.0580.I	39.0	5.00	58.0	3.0920	35.00	38.81	yes	stainless steel	4S
C.390.500.0730.A	39.0	5.00	73.0	2.2720	48.00	54.01	yes	music wire	4S
C.390.500.0730.AP	39.0	5.00	73.0	3.4371	36.00	44.16	yes	music wire	5A
C.390.500.0730.I	39.0	5.00	73.0	1.9766	47.50	53.43	yes	stainless steel	4S
C.390.500.0730.N	39.0	5.00	73.0	2.2720	48.00	54.01	yes	Zn coating	4T
C.390.500.1500.A	39.0	5.00	150.0	1.2461	77.50	88.51	yes	music wire	4S
C.390.500.1500.I	39.0	5.00	150.0	1.0703	77.50	88.51	yes	stainless steel	4S
C.390.530.0530.A	39.0	5.30	53.0	5.1227	34.98	38.47	yes	music wire	4S
C.390.530.0530.I	39.0	5.30	53.0	4.3999	34.98	38.47	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.390.550.1350.A	39.0	5.50	135.0	2.0663	79.75	90.02	yes	music wire	5B
C.390.550.1350.I	39.0	5.50	135.0	1.7748	79.75	90.02	yes	stainless steel	5B
C.390.580.0450.A	39.0	5.80	45.0	9.5467	33.64	36.49	yes	music wire	5A
C.390.580.0450.I	39.0	5.80	45.0	8.1996	33.64	36.49	yes	stainless steel	5A
C.390.580.0510.A	39.0	5.80	51.0	9.6935	33.64	36.49	yes	music wire	5D
C.390.580.0510.I	39.0	5.80	51.0	8.3257	33.64	36.49	yes	stainless steel	5D
C.390.580.0510.N	39.0	5.80	51.0	9.6935	33.64	36.49	yes	Zn coating	5E
C.390.580.0640.A	39.0	5.80	64.0	7.4127	38.86	44.04	yes	music wire	5D
C.390.580.0640.I	39.0	5.80	64.0	6.3667	39.44	43.16	yes	stainless steel	5D
C.390.580.0640.N	39.0	5.80	64.0	7.4127	38.86	44.04	yes	Zn coating	5E
C.390.580.0760.A	39.0	5.80	76.0	6.0008	44.66	51.35	yes	music wire	5D
C.390.580.0760.I	39.0	5.80	76.0	5.1541	44.66	49.71	yes	stainless steel	5D
C.390.580.0760.N	39.0	5.80	76.0	6.0008	44.66	51.35	yes	Zn coating	5E
C.390.580.0890.A	39.0	5.80	89.0	5.2507	49.30	60.82	yes	music wire	5E
C.390.580.0890.I	39.0	5.80	89.0	4.5098	49.30	58.96	yes	stainless steel	5D
C.390.580.0890.N	39.0	5.80	89.0	5.2507	49.30	60.82	yes	Zn coating	5H
C.390.580.1020.A	39.0	5.80	102.0	4.5006	55.10	69.13	yes	music wire	5F
C.390.580.1020.I	39.0	5.80	102.0	3.8655	55.10	66.95	yes	stainless steel	5D
C.390.580.1020.N	39.0	5.80	102.0	4.5006	55.10	69.13	yes	Zn coating	5H
C.390.580.1150.A	39.0	5.80	115.0	3.9380	60.90	77.43	yes	music wire	5F
C.390.580.1150.I	39.0	5.80	115.0	3.3823	60.90	74.94	yes	stainless steel	5D
C.390.580.1150.N	39.0	5.80	115.0	3.9380	60.90	77.43	yes	Zn coating	5H
C.390.580.1270.A	39.0	5.80	127.0	3.6005	64.96	85.91	yes	music wire	5F
C.390.580.1270.I	39.0	5.80	127.0	3.0925	64.96	83.19	yes	stainless steel	5G
C.390.580.1270.N	39.0	5.80	127.0	3.6005	64.96	85.91	yes	Zn coating	5H
C.390.580.1520.A	39.0	5.80	152.0	3.0004	75.40	102.69	yes	music wire	5F
C.390.580.1520.I	39.0	5.80	152.0	2.5770	75.40	99.42	yes	stainless steel	5G
C.390.580.1520.N	39.0	5.80	152.0	3.0004	75.40	102.69	yes	Zn coating	5H
C.390.580.1780.A	39.0	5.80	178.0	2.5203	87.00	119.30	yes	music wire	5F
C.390.580.1780.I	39.0	5.80	178.0	2.1647	87.00	115.41	yes	stainless steel	5H
C.390.580.1780.N	39.0	5.80	178.0	2.5203	87.00	119.30	yes	Zn coating	5H
C.390.580.2030.A	39.0	5.80	203.0	2.1727	98.60	134.91	yes	music wire	5G
C.390.580.2030.I	39.0	5.80	203.0	1.8661	98.60	130.39	yes	stainless steel	5H
C.390.580.2030.N	39.0	5.80	203.0	2.1727	98.60	134.91	yes	Zn coating	5H
C.390.580.2540.A	39.0	5.80	254.0	1.8000	116.00	171.81	yes	music wire	5G
C.390.580.2540.I	39.0	5.80	254.0	1.5462	116.00	166.37	yes	stainless steel	5H
C.390.580.2540.N	39.0	5.80	254.0	1.8000	116.00	171.81	yes	Zn coating	5I
C.390.600.0470.A	39.0	6.00	47.0	10.4969	36.00	39.05	yes	music wire	5D
C.390.600.0470.AP	39.0	6.00	47.0	12.4718	32.40	34.93	yes	music wire	5G
C.390.600.0470.I	39.0	6.00	47.0	9.0157	36.00	39.05	yes	stainless steel	5D
C.390.600.0470.N	39.0	6.00	47.0	10.4969	36.00	39.05	yes	Zn coating	5E
C.390.600.0680.A	39.0	6.00	68.0	6.6799	48.00	52.80	yes	music wire	5D
C.390.600.0680.AP	39.0	6.00	68.0	7.9607	42.60	47.65	yes	music wire	5G
C.390.600.0680.I	39.0	6.00	68.0	5.7373	48.00	52.80	yes	stainless steel	5E
C.390.600.0680.N	39.0	6.00	68.0	6.6799	48.00	52.80	yes	Zn coating	5E
C.390.600.0850.A	39.0	6.00	85.0	5.1027	58.20	64.48	yes	music wire	5D
C.390.600.0850.I	39.0	6.00	85.0	4.3827	58.20	64.48	yes	stainless steel	5E
C.390.600.1000.A	39.0	6.00	100.0	4.2671	66.60	74.10	yes	music wire	5D
C.390.600.1000.I	39.0	6.00	100.0	3.7124	66.00	73.41	yes	stainless steel	5E
C.390.600.1350.A	39.0	6.00	135.0	3.0363	87.60	98.15	yes	music wire	5D
C.390.600.1350.I	39.0	6.00	135.0	2.6079	87.60	98.15	yes	stainless steel	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.390.600.1520.A	39.0	6.00	152.0	2.7214	96.00	107.78	yes	music wire	5D
C.390.600.1520.I	39.0	6.00	152.0	2.3374	96.00	107.78	yes	stainless steel	5E
C.390.600.1520.N	39.0	6.00	152.0	2.7214	96.00	107.78	yes	Zn coating	5F
C.393.230.0200.A	39.3	2.30	20.0	0.5117	8.28	9.52	yes	music wire	4G
C.393.230.0200.I	39.3	2.30	20.0	0.4395	8.28	9.52	yes	stainless steel	4H
C.393.230.1780.A	39.3	2.30	178.0	0.0333	44.62	63.60	yes	music wire	4J
C.393.230.1780.I	39.3	2.30	178.0	0.0290	44.16	62.91	yes	stainless steel	4K
C.393.300.0450.A	39.3	3.00	45.0	0.5747	16.50	19.38	yes	music wire	4I
C.393.300.0450.I	39.3	3.00	45.0	0.5000	16.50	19.38	yes	stainless steel	4I
C.393.300.2000.A	39.3	3.00	200.0	0.1269	48.30	61.34	yes	music wire	4L
C.393.300.2000.I	39.3	3.00	200.0	0.1090	48.30	61.34	yes	stainless steel	4M
C.393.320.1040.A	39.3	3.20	104.0	0.2759	34.24	41.87	yes	music wire	4L
C.393.320.1040.AP	39.3	3.20	104.0	0.4818	23.04	43.94	yes	music wire	4N
C.393.320.1040.I	39.3	3.20	104.0	0.2400	33.92	41.46	yes	stainless steel	4L
C.393.320.2000.A	39.3	3.20	200.0	0.1577	54.08	67.48	yes	music wire	4M
C.393.320.2000.I	39.3	3.20	200.0	0.1354	54.08	67.48	yes	stainless steel	4M
C.393.470.0550.A	39.3	4.70	55.0	3.7931	26.79	33.06	yes	music wire	4T
C.393.470.0550.I	39.3	4.70	55.0	3.3000	26.32	32.13	yes	stainless steel	4T
C.393.470.2000.A	39.3	4.70	200.0	0.6487	98.70	114.46	yes	music wire	4S
C.393.470.2000.I	39.3	4.70	200.0	0.5572	98.70	114.46	yes	stainless steel	4S
C.395.320.0200.A	39.5	3.20	20.0	2.0303	11.52	12.55	yes	music wire	4J
C.395.320.0200.I	39.5	3.20	20.0	1.7438	11.52	12.55	yes	stainless steel	4J
C.395.320.0400.A	39.5	3.20	40.0	0.8933	16.00	18.34	yes	music wire	4J
C.395.320.0400.I	39.5	3.20	40.0	0.7673	16.00	18.34	yes	stainless steel	4J
C.395.320.0450.A	39.5	3.20	45.0	0.7701	17.28	20.00	yes	music wire	4J
C.395.320.0450.I	39.5	3.20	45.0	0.6614	17.28	20.00	yes	stainless steel	4J
C.395.320.0600.A	39.5	3.20	60.0	0.5583	20.80	24.55	yes	music wire	4J
C.395.320.0600.I	39.5	3.20	60.0	0.4795	20.80	24.55	yes	stainless steel	4J
C.395.320.0750.A	39.5	3.20	75.0	0.4379	24.32	29.10	yes	music wire	4K
C.395.320.0750.I	39.5	3.20	75.0	0.3761	24.32	29.10	yes	stainless steel	4K
C.395.320.0800.A	39.5	3.20	80.0	0.4136	25.28	30.34	yes	music wire	4K
C.395.320.0800.I	39.5	3.20	80.0	0.3552	25.28	30.34	yes	stainless steel	4L
C.395.320.1000.A	39.5	3.20	100.0	0.4000	25.92	31.17	yes	music wire	4N
C.395.320.1000.I	39.5	3.20	100.0	0.3480	25.60	30.76	yes	stainless steel	4N
C.395.320.1000.N	39.5	3.20	100.0	0.4000	25.92	31.17	yes	Zn coating	4P
C.395.320.1200.A	39.5	3.20	120.0	0.2659	34.88	42.76	yes	music wire	4L
C.395.320.1200.I	39.5	3.20	120.0	0.2284	34.88	42.76	yes	stainless steel	4L
C.395.320.1250.A	39.5	3.20	125.0	0.3175	30.40	36.96	yes	music wire	4N
C.395.320.1250.I	39.5	3.20	125.0	0.2762	30.08	36.55	yes	stainless steel	4N
C.395.320.1250.N	39.5	3.20	125.0	0.3175	30.40	36.96	yes	Zn coating	4P
C.395.320.1600.A	39.5	3.20	160.0	0.2500	36.48	44.84	yes	music wire	4O
C.395.320.1600.I	39.5	3.20	160.0	0.2175	36.16	44.41	yes	stainless steel	4O
C.395.320.1600.N	39.5	3.20	160.0	0.2500	36.48	44.84	yes	Zn coating	4Q
C.395.320.2000.A	39.5	3.20	200.0	0.2000	43.84	56.05	yes	music wire	4P
C.395.320.2000.I	39.5	3.20	200.0	0.1740	43.20	53.51	yes	stainless steel	4P
C.395.320.2000.N	39.5	3.20	200.0	0.2000	43.84	56.05	yes	Zn coating	4R
C.395.320.2500.A	39.5	3.20	250.0	0.1600	52.80	70.06	yes	music wire	4Q
C.395.320.2500.I	39.5	3.20	250.0	0.1392	52.16	65.34	yes	stainless steel	4Q
C.395.320.2500.N	39.5	3.20	250.0	0.1600	52.80	70.06	yes	Zn coating	4R
C.395.320.2800.A	39.5	3.20	280.0	0.1111	72.32	91.17	yes	music wire	4N
C.395.320.2800.I	39.5	3.20	280.0	0.0954	72.32	91.17	yes	stainless steel	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.395.320.3200.A	39.5	3.20	320.0	0.1250	65.28	89.68	yes	music wire	4R
C.395.320.3200.I	39.5	3.20	320.0	0.1088	64.32	83.63	yes	stainless steel	4R
C.395.320.3200.N	39.5	3.20	320.0	0.1250	65.28	89.68	yes	Zn coating	4S
C.395.320.4000.A	39.5	3.20	400.0	0.1000	79.36	112.10	yes	music wire	4R
C.395.320.4000.I	39.5	3.20	400.0	0.0870	78.40	104.54	yes	stainless steel	4S
C.395.320.4000.N	39.5	3.20	400.0	0.1000	79.36	112.10	yes	Zn coating	4T
C.395.320.5000.A	39.5	3.20	500.0	0.0800	97.28	140.12	yes	music wire	4S
C.395.320.5000.I	39.5	3.20	500.0	0.0696	96.32	130.67	yes	stainless steel	4S
C.395.320.5000.N	39.5	3.20	500.0	0.0800	97.28	140.12	yes	Zn coating	5A
C.397.160.0800.A	39.7	1.60	80.0	0.0425	10.08	14.34	no	music wire	4I
C.397.160.0800.I	39.7	1.60	80.0	0.0370	10.08	14.34	no	stainless steel	4I
C.397.230.1400.A	39.7	2.30	140.0	0.0943	19.09	25.72	yes	music wire	4J
C.397.230.1400.I	39.7	2.30	140.0	0.0820	18.86	25.37	yes	stainless steel	4J
C.400.200.1200.A	40.0	2.00	120.0	0.0240	29.80	45.71	yes	music wire	4J
C.400.200.1200.I	40.0	2.00	120.0	0.0209	29.40	45.05	yes	stainless steel	4J
C.400.200.1200.N	40.0	2.00	120.0	0.0240	29.80	45.71	yes	Zn coating	4K
C.400.200.1280.A	40.0	2.00	128.0	0.0220	32.00	49.32	yes	music wire	4J
C.400.200.1280.I	40.0	2.00	128.0	0.0191	31.60	48.66	yes	stainless steel	4J
C.400.200.1280.N	40.0	2.00	128.0	0.0220	32.00	49.32	yes	Zn coating	4L
C.400.220.0224.A	40.0	2.20	22.4	0.4017	7.92	9.23	yes	music wire	4G
C.400.220.0224.I	40.0	2.20	22.4	0.3450	7.92	9.23	yes	stainless steel	4H
C.400.220.0254.A	40.0	2.20	25.4	0.4017	7.92	9.23	yes	music wire	4G
C.400.220.0254.I	40.0	2.20	25.4	0.3450	7.92	9.23	yes	stainless steel	4H
C.400.220.0381.A	40.0	2.20	38.1	0.2599	9.24	11.27	yes	music wire	4H
C.400.220.0381.I	40.0	2.20	38.1	0.2232	9.24	11.27	yes	stainless steel	4I
C.400.220.0508.A	40.0	2.20	50.8	0.1921	10.56	13.31	yes	music wire	4I
C.400.220.0508.I	40.0	2.20	50.8	0.1650	10.56	13.31	yes	stainless steel	4I
C.400.220.0635.A	40.0	2.20	63.5	0.1524	11.88	15.34	yes	music wire	4I
C.400.220.0635.I	40.0	2.20	63.5	0.1309	11.88	15.34	yes	stainless steel	4I
C.400.220.0889.A	40.0	2.20	88.9	0.1052	14.74	19.76	yes	music wire	4I
C.400.220.0889.I	40.0	2.20	88.9	0.0904	14.74	19.76	yes	stainless steel	4I
C.400.220.1016.A	40.0	2.20	101.6	0.0921	16.06	21.79	yes	music wire	4I
C.400.220.1016.I	40.0	2.20	101.6	0.0791	16.06	21.79	yes	stainless steel	4I
C.400.230.0860.A	40.0	2.30	86.0	0.1478	14.03	18.19	yes	music wire	4I
C.400.230.0860.I	40.0	2.30	86.0	0.1269	14.03	18.19	yes	stainless steel	4I
C.400.250.0410.A	40.0	2.50	41.0	0.4192	10.75	12.72	yes	music wire	4I
C.400.250.0410.I	40.0	2.50	41.0	0.3601	10.75	12.72	yes	stainless steel	4I
C.400.250.0490.A	40.0	2.50	49.0	0.3430	11.75	14.16	yes	music wire	4I
C.400.250.0490.I	40.0	2.50	49.0	0.2946	11.75	14.16	yes	stainless steel	4I
C.400.250.0730.A	40.0	2.50	73.0	0.2287	14.50	18.11	yes	music wire	4I
C.400.250.0730.I	40.0	2.50	73.0	0.1964	14.50	18.11	yes	stainless steel	4I
C.400.250.1050.A	40.0	2.50	105.0	0.1540	18.50	23.86	yes	music wire	4J
C.400.250.1050.I	40.0	2.50	105.0	0.1323	18.50	23.86	yes	stainless steel	4J
C.400.250.1300.A	40.0	2.50	130.0	0.1237	21.50	28.17	yes	music wire	4J
C.400.250.1300.I	40.0	2.50	130.0	0.1063	21.50	28.17	yes	stainless steel	4J
C.400.250.1650.A	40.0	2.50	165.0	0.0967	25.75	34.28	yes	music wire	4J
C.400.250.1650.I	40.0	2.50	165.0	0.0831	25.75	34.28	yes	stainless steel	4J
C.400.260.0730.A	40.0	2.60	73.0	0.2543	15.60	19.33	yes	music wire	4I
C.400.260.0730.I	40.0	2.60	73.0	0.2184	15.60	19.33	yes	stainless steel	4I
C.400.270.0698.A	40.0	2.70	69.8	0.2608	17.55	21.72	yes	music wire	4I
C.400.270.0698.I	40.0	2.70	69.8	0.2240	17.55	21.72	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.400.270.0762.A	40.0	2.70	76.2	0.2371	18.63	23.22	yes	music wire	4I
C.400.270.0762.I	40.0	2.70	76.2	0.2037	18.63	23.22	yes	stainless steel	4I
C.400.270.0889.A	40.0	2.70	88.9	0.2046	20.52	25.84	yes	music wire	4I
C.400.270.0889.I	40.0	2.70	88.9	0.1757	20.52	25.84	yes	stainless steel	4I
C.400.270.1016.A	40.0	2.70	101.6	0.1768	22.68	28.83	yes	music wire	4I
C.400.270.1016.I	40.0	2.70	101.6	0.1519	22.68	28.83	yes	stainless steel	4J
C.400.270.1850.A	40.0	2.70	185.0	0.1098	32.40	42.31	yes	music wire	4K
C.400.270.1850.I	40.0	2.70	185.0	0.0943	32.40	42.31	yes	stainless steel	4L
C.400.280.0400.A	40.0	2.80	40.0	0.5850	12.88	15.02	yes	music wire	4I
C.400.280.0400.I	40.0	2.80	40.0	0.5090	12.88	15.02	yes	stainless steel	4I
C.400.280.0400.N	40.0	2.80	40.0	0.5850	12.88	15.02	yes	Zn coating	4J
C.400.280.0500.A	40.0	2.80	50.0	0.4460	14.56	17.32	yes	music wire	4I
C.400.280.0500.I	40.0	2.80	50.0	0.3880	14.56	17.32	yes	stainless steel	4I
C.400.280.0500.N	40.0	2.80	50.0	0.4460	14.56	17.32	yes	Zn coating	4J
C.400.280.0572.A	40.0	2.80	57.2	0.3686	16.24	19.61	yes	music wire	4I
C.400.280.0572.I	40.0	2.80	57.2	0.3166	16.24	19.61	yes	stainless steel	4J
C.400.280.0630.A	40.0	2.80	63.0	0.3470	16.80	20.37	yes	music wire	4I
C.400.280.0630.I	40.0	2.80	63.0	0.3019	16.80	20.37	yes	stainless steel	4J
C.400.280.0630.N	40.0	2.80	63.0	0.3470	16.80	20.37	yes	Zn coating	4J
C.400.280.0690.A	40.0	2.80	69.0	0.3475	16.80	20.37	yes	music wire	4J
C.400.280.0690.I	40.0	2.80	69.0	0.2985	16.80	20.37	yes	stainless steel	4J
C.400.280.0800.A	40.0	2.80	80.0	0.2670	19.88	24.58	yes	music wire	4J
C.400.280.0800.I	40.0	2.80	80.0	0.2323	19.60	24.20	yes	stainless steel	4J
C.400.280.0800.N	40.0	2.80	80.0	0.2670	19.88	24.58	yes	Zn coating	4L
C.400.280.1000.A	40.0	2.80	100.0	0.2130	22.96	28.78	yes	music wire	4J
C.400.280.1000.I	40.0	2.80	100.0	0.1853	22.68	28.40	yes	stainless steel	4J
C.400.280.1000.N	40.0	2.80	100.0	0.2130	22.96	28.78	yes	Zn coating	4L
C.400.280.1250.A	40.0	2.80	125.0	0.1670	27.44	34.90	yes	music wire	4J
C.400.280.1250.I	40.0	2.80	125.0	0.1453	27.16	34.51	yes	stainless steel	4K
C.400.280.1250.N	40.0	2.80	125.0	0.1670	27.44	34.90	yes	Zn coating	4M
C.400.280.1600.A	40.0	2.80	160.0	0.1300	33.32	42.92	yes	music wire	4L
C.400.280.1600.I	40.0	2.80	160.0	0.1131	32.76	42.16	yes	stainless steel	4L
C.400.280.1600.N	40.0	2.80	160.0	0.1300	33.32	42.92	yes	Zn coating	4M
C.400.280.2000.A	40.0	2.80	200.0	0.1040	39.76	51.71	yes	music wire	4L
C.400.280.2000.I	40.0	2.80	200.0	0.0905	39.20	50.95	yes	stainless steel	4M
C.400.280.2000.N	40.0	2.80	200.0	0.1040	39.76	51.71	yes	Zn coating	4N
C.400.280.3600.A	40.0	2.80	360.0	0.0570	69.44	91.19	no	music wire	4O
C.400.280.3600.I	40.0	2.80	360.0	0.0496	68.88	90.43	no	stainless steel	4O
C.400.300.0950.A	40.0	3.00	95.0	0.2460	27.30	33.80	yes	music wire	4J
C.400.300.0950.I	40.0	3.00	95.0	0.2140	27.00	33.40	yes	stainless steel	4J
C.400.300.0950.N	40.0	3.00	95.0	0.2460	27.30	33.80	yes	Zn coating	4L
C.400.300.1000.A	40.0	3.00	100.0	0.1715	36.00	45.35	yes	music wire	4J
C.400.300.1000.I	40.0	3.00	100.0	0.1473	36.00	45.35	yes	stainless steel	4J
C.400.300.1000.N	40.0	3.00	100.0	0.1715	36.00	45.35	yes	Zn coating	4L
C.400.300.1250.A	40.0	3.00	125.0	0.2295	28.80	35.79	yes	music wire	4J
C.400.300.1250.I	40.0	3.00	125.0	0.1971	28.80	35.79	yes	stainless steel	4K
C.400.300.1500.A	40.0	3.00	150.0	0.1917	33.00	41.37	yes	music wire	4L
C.400.300.1500.I	40.0	3.00	150.0	0.1646	33.00	41.37	yes	stainless steel	4L
C.400.300.1800.A	40.0	3.00	180.0	0.1582	38.40	48.54	yes	music wire	4L
C.400.300.1800.I	40.0	3.00	180.0	0.1358	38.40	48.54	yes	stainless steel	4L
C.400.320.0400.A	40.0	3.20	40.0	0.8680	16.00	18.39	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.400.320.0400.AP	40.0	3.20	40.0	1.3643	13.12	19.15	yes	music wire	4M
C.400.320.0400.I	40.0	3.20	40.0	0.7552	15.68	17.97	yes	stainless steel	4J
C.400.320.0400.N	40.0	3.20	40.0	0.8680	16.00	18.39	yes	Zn coating	4L
C.400.320.0500.A	40.0	3.20	50.0	0.6870	17.92	20.88	yes	music wire	4J
C.400.320.0500.AP	40.0	3.20	50.0	1.0395	14.72	22.64	yes	music wire	4M
C.400.320.0500.I	40.0	3.20	50.0	0.5977	17.92	20.88	yes	stainless steel	4J
C.400.320.0500.N	40.0	3.20	50.0	0.6870	17.92	20.88	yes	Zn coating	4L
C.400.320.0630.A	40.0	3.20	63.0	0.5320	20.80	24.62	yes	music wire	4J
C.400.320.0630.AP	40.0	3.20	63.0	0.8085	16.64	27.82	yes	music wire	4M
C.400.320.0630.I	40.0	3.20	63.0	0.4628	20.80	24.62	yes	stainless steel	4K
C.400.320.0630.N	40.0	3.20	63.0	0.5320	20.80	24.62	yes	Zn coating	4M
C.400.320.0800.A	40.0	3.20	80.0	0.4120	24.64	29.61	yes	music wire	4K
C.400.320.0800.AP	40.0	3.20	80.0	0.6237	18.88	34.40	yes	music wire	4N
C.400.320.0800.I	40.0	3.20	80.0	0.3584	24.32	29.19	yes	stainless steel	4L
C.400.320.0800.N	40.0	3.20	80.0	0.4120	24.64	29.61	yes	Zn coating	4M
C.400.320.0830.A	40.0	3.20	83.0	0.3897	25.60	30.85	yes	music wire	4L
C.400.320.0830.I	40.0	3.20	83.0	0.3347	25.60	30.85	yes	stainless steel	4L
C.400.320.1000.A	40.0	3.20	100.0	0.3230	29.12	35.42	yes	music wire	4L
C.400.320.1000.I	40.0	3.20	100.0	0.2810	29.12	35.42	yes	stainless steel	4L
C.400.320.1000.N	40.0	3.20	100.0	0.3230	29.12	35.42	yes	Zn coating	4M
C.400.320.1250.A	40.0	3.20	125.0	0.2580	34.56	42.48	yes	music wire	4L
C.400.320.1250.AP	40.0	3.20	125.0	0.3898	25.60	52.03	yes	music wire	4N
C.400.320.1250.I	40.0	3.20	125.0	0.2245	34.24	42.07	yes	stainless steel	4L
C.400.320.1250.N	40.0	3.20	125.0	0.2580	34.56	42.48	yes	Zn coating	4N
C.400.320.1600.A	40.0	3.20	160.0	0.1990	42.56	52.87	yes	music wire	4M
C.400.320.1600.I	40.0	3.20	160.0	0.1731	41.92	52.04	yes	stainless steel	4M
C.400.320.1600.N	40.0	3.20	160.0	0.1990	42.56	52.87	yes	Zn coating	4N
C.400.320.2000.A	40.0	3.20	200.0	0.1570	51.84	64.92	yes	music wire	4M
C.400.320.2000.I	40.0	3.20	200.0	0.1366	51.20	64.09	yes	stainless steel	4M
C.400.320.2000.N	40.0	3.20	200.0	0.1570	51.84	64.92	yes	Zn coating	4O
C.400.320.3600.A	40.0	3.20	360.0	0.0850	91.84	115.90	no	music wire	4P
C.400.320.3600.I	40.0	3.20	360.0	0.0740	90.88	114.65	no	stainless steel	4P
C.400.330.0550.A	40.0	3.30	55.0	0.7638	18.81	21.83	yes	music wire	4J
C.400.330.0550.I	40.0	3.30	55.0	0.6560	18.81	21.83	yes	stainless steel	4J
C.400.330.0860.A	40.0	3.30	86.0	0.4700	25.41	30.31	yes	music wire	4L
C.400.330.0860.I	40.0	3.30	86.0	0.4037	25.41	30.31	yes	stainless steel	4L
C.400.330.1400.A	40.0	3.30	140.0	0.2809	36.96	45.16	yes	music wire	4M
C.400.330.1400.I	40.0	3.30	140.0	0.2413	36.96	45.16	yes	stainless steel	4M
C.400.340.0450.A	40.0	3.40	45.0	1.0680	17.34	19.76	yes	music wire	4J
C.400.340.0450.I	40.0	3.40	45.0	0.9173	17.34	19.76	yes	stainless steel	4J
C.400.340.0950.A	40.0	3.40	95.0	0.4706	28.56	34.05	yes	music wire	4L
C.400.340.0950.I	40.0	3.40	95.0	0.4042	28.56	34.05	yes	stainless steel	4L
C.400.340.1400.A	40.0	3.40	140.0	0.3120	38.76	47.05	yes	music wire	4M
C.400.340.1400.I	40.0	3.40	140.0	0.2680	38.76	47.05	yes	stainless steel	4M
C.400.350.1050.A	40.0	3.50	105.0	0.4623	32.55	38.81	yes	music wire	4L
C.400.350.1050.I	40.0	3.50	105.0	0.3971	32.55	38.81	yes	stainless steel	4L
C.400.360.0400.A	40.0	3.60	40.0	1.3650	18.36	20.73	yes	music wire	4M
C.400.360.0400.AP	40.0	3.60	40.0	2.0073	15.48	20.38	yes	music wire	4O
C.400.360.0400.I	40.0	3.60	40.0	1.1876	18.36	20.73	yes	stainless steel	4M
C.400.360.0400.N	40.0	3.60	40.0	1.3650	18.36	20.73	yes	Zn coating	4N
C.400.360.0500.A	40.0	3.60	50.0	1.0920	20.52	23.44	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.400.360.0500.AP	40.0	3.60	50.0	1.5710	17.28	24.93	yes	music wire	4O
C.400.360.0500.I	40.0	3.60	50.0	0.9500	20.52	23.44	yes	stainless steel	4M
C.400.360.0500.N	40.0	3.60	50.0	1.0920	20.52	23.44	yes	Zn coating	4O
C.400.360.0550.A	40.0	3.60	55.0	1.0435	21.24	24.34	yes	music wire	4M
C.400.360.0550.I	40.0	3.60	55.0	0.8963	21.24	24.34	yes	stainless steel	4M
C.400.360.0617.A	40.0	3.60	61.7	1.0137	21.60	24.79	yes	music wire	4O
C.400.360.0617.I	40.0	3.60	61.7	0.8707	21.60	24.79	yes	stainless steel	4M
C.400.360.0617.N	40.0	3.60	61.7	1.0137	21.60	24.79	yes	Zn coating	4Q
C.400.360.0630.A	40.0	3.60	63.0	0.8270	24.48	28.40	yes	music wire	4M
C.400.360.0630.AP	40.0	3.60	63.0	1.2044	19.44	30.30	yes	music wire	4P
C.400.360.0630.I	40.0	3.60	63.0	0.7195	24.12	27.95	yes	stainless steel	4M
C.400.360.0630.N	40.0	3.60	63.0	0.8270	24.48	28.40	yes	Zn coating	4O
C.400.360.0710.A	40.0	3.60	71.0	0.7884	25.20	29.30	yes	music wire	4M
C.400.360.0710.I	40.0	3.60	71.0	0.6772	25.20	29.30	yes	stainless steel	4M
C.400.360.0800.A	40.0	3.60	80.0	0.6350	29.16	34.27	yes	music wire	4M
C.400.360.0800.AP	40.0	3.60	80.0	0.9265	22.68	37.48	yes	music wire	4P
C.400.360.0800.I	40.0	3.60	80.0	0.5525	28.80	33.82	yes	stainless steel	4N
C.400.360.0800.N	40.0	3.60	80.0	0.6350	29.16	34.27	yes	Zn coating	4O
C.400.360.0928.A	40.0	3.60	92.8	0.6451	28.80	33.82	yes	music wire	4P
C.400.360.0928.I	40.0	3.60	92.8	0.5541	28.80	33.82	yes	stainless steel	4P
C.400.360.0928.N	40.0	3.60	92.8	0.6451	28.80	33.82	yes	Zn coating	4R
C.400.360.1000.A	40.0	3.60	100.0	0.4960	34.92	41.49	yes	music wire	4N
C.400.360.1000.AP	40.0	3.60	100.0	0.7226	26.64	45.49	yes	music wire	4P
C.400.360.1000.I	40.0	3.60	100.0	0.4315	34.56	41.04	yes	stainless steel	4N
C.400.360.1000.N	40.0	3.60	100.0	0.4960	34.92	41.49	yes	Zn coating	4O
C.400.360.1250.A	40.0	3.60	125.0	0.3960	41.40	49.61	yes	music wire	4N
C.400.360.1250.AP	40.0	3.60	125.0	0.5735	31.32	56.32	yes	music wire	4Q
C.400.360.1250.I	40.0	3.60	125.0	0.3445	40.68	48.71	yes	stainless steel	4N
C.400.360.1250.N	40.0	3.60	125.0	0.3960	41.40	49.61	yes	Zn coating	4P
C.400.360.1550.A	40.0	3.60	155.0	0.3735	43.20	51.86	yes	music wire	4Q
C.400.360.1550.I	40.0	3.60	155.0	0.3208	43.20	51.86	yes	stainless steel	4Q
C.400.360.1550.N	40.0	3.60	155.0	0.3735	43.20	51.86	yes	Zn coating	4S
C.400.360.1600.A	40.0	3.60	160.0	0.3030	51.12	61.79	yes	music wire	4O
C.400.360.1600.AP	40.0	3.60	160.0	0.4406	38.16	70.61	yes	music wire	4Q
C.400.360.1600.I	40.0	3.60	160.0	0.2636	50.76	61.34	yes	stainless steel	4O
C.400.360.1600.N	40.0	3.60	160.0	0.3030	51.12	61.79	yes	Zn coating	4P
C.400.360.2000.A	40.0	3.60	200.0	0.2420	61.92	75.33	yes	music wire	4O
C.400.360.2000.AP	40.0	3.60	200.0	0.3508	45.36	87.72	yes	music wire	4R
C.400.360.2000.I	40.0	3.60	200.0	0.2105	61.20	74.42	yes	stainless steel	4O
C.400.360.2000.N	40.0	3.60	200.0	0.2420	61.92	75.33	yes	Zn coating	4Q
C.400.360.2480.A	40.0	3.60	248.0	0.2260	65.52	79.84	yes	music wire	4R
C.400.360.2480.I	40.0	3.60	248.0	0.1966	64.80	78.94	yes	stainless steel	4R
C.400.360.3600.A	40.0	3.60	360.0	0.1310	110.16	134.88	no	music wire	4Q
C.400.360.3600.I	40.0	3.60	360.0	0.1140	108.72	133.07	no	stainless steel	4R
C.400.380.0470.A	40.0	3.80	47.0	1.4926	20.90	23.59	yes	music wire	4M
C.400.380.0470.I	40.0	3.80	47.0	1.2820	20.90	23.59	yes	stainless steel	4M
C.400.380.0840.A	40.0	3.80	84.0	0.7856	31.16	36.27	yes	music wire	4N
C.400.380.0840.I	40.0	3.80	84.0	0.6747	31.16	36.27	yes	stainless steel	4N
C.400.380.0950.A	40.0	3.80	95.0	0.6889	34.20	40.03	yes	music wire	4N
C.400.380.0950.I	40.0	3.80	95.0	0.5917	34.20	40.03	yes	stainless steel	4N
C.400.380.1200.A	40.0	3.80	120.0	0.5395	41.04	48.49	yes	music wire	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.400.380.1200.I	40.0	3.80	120.0	0.4634	41.04	48.49	yes	stainless steel	4N
C.400.380.1550.A	40.0	3.80	155.0	0.4108	50.92	60.70	yes	music wire	4O
C.400.380.1550.I	40.0	3.80	155.0	0.3529	50.92	60.70	yes	stainless steel	4O
C.400.400.0350.A	40.0	4.00	35.0	1.3720	26.40	30.03	yes	music wire	4P
C.400.400.0350.AP	40.0	4.00	35.0	3.3487	16.80	19.28	yes	music wire	4R
C.400.400.0350.I	40.0	4.00	35.0	1.1936	26.00	29.54	yes	stainless steel	4P
C.400.400.0350.N	40.0	4.00	35.0	1.3720	26.40	30.03	yes	Zn coating	4R
C.400.400.0400.A	40.0	4.00	40.0	2.1510	20.40	22.70	yes	music wire	4P
C.400.400.0400.AP	40.0	4.00	40.0	2.8464	18.00	21.51	yes	music wire	4R
C.400.400.0400.I	40.0	4.00	40.0	1.8714	20.40	22.70	yes	stainless steel	4P
C.400.400.0400.N	40.0	4.00	40.0	2.1510	20.40	22.70	yes	Zn coating	4R
C.400.400.0450.A	40.0	4.00	45.0	1.8290	22.40	25.15	yes	music wire	4P
C.400.400.0450.AP	40.0	4.00	45.0	2.4751	19.20	23.73	yes	music wire	4R
C.400.400.0450.I	40.0	4.00	45.0	1.5912	22.00	24.66	yes	stainless steel	4P
C.400.400.0450.N	40.0	4.00	45.0	1.8290	22.40	25.15	yes	Zn coating	4R
C.400.400.0500.A	40.0	4.00	50.0	1.5930	24.00	27.10	yes	music wire	4P
C.400.400.0500.AP	40.0	4.00	50.0	2.1895	20.40	25.96	yes	music wire	4R
C.400.400.0500.I	40.0	4.00	50.0	1.3859	24.00	27.10	yes	stainless steel	4P
C.400.400.0500.N	40.0	4.00	50.0	1.5930	24.00	27.10	yes	Zn coating	4R
C.400.400.0540.A	40.0	4.00	54.0	1.5527	24.40	27.59	yes	music wire	4P
C.400.400.0540.I	40.0	4.00	54.0	1.3336	24.40	27.59	yes	stainless steel	4P
C.400.400.0630.A	40.0	4.00	63.0	1.2290	28.00	31.99	yes	music wire	4P
C.400.400.0630.AP	40.0	4.00	63.0	1.7251	22.80	32.48	yes	music wire	4R
C.400.400.0630.I	40.0	4.00	63.0	1.0692	28.00	31.99	yes	stainless steel	4P
C.400.400.0630.N	40.0	4.00	63.0	1.2290	28.00	31.99	yes	Zn coating	4R
C.400.400.0780.A	40.0	4.00	78.0	0.7320	40.40	47.13	yes	music wire	4P
C.400.400.0780.AP	40.0	4.00	78.0	1.3554	26.40	39.16	yes	music wire	4S
C.400.400.0780.I	40.0	4.00	78.0	0.6368	40.00	46.65	yes	stainless steel	4Q
C.400.400.0780.N	40.0	4.00	78.0	0.7320	40.40	47.13	yes	Zn coating	4R
C.400.400.0800.A	40.0	4.00	80.0	0.9560	33.20	38.34	yes	music wire	4P
C.400.400.0800.AP	40.0	4.00	80.0	1.3239	26.80	40.24	yes	music wire	4S
C.400.400.0800.I	40.0	4.00	80.0	0.8317	33.20	38.34	yes	stainless steel	4Q
C.400.400.0800.N	40.0	4.00	80.0	0.9560	33.20	38.34	yes	Zn coating	4R
C.400.400.1000.A	40.0	4.00	100.0	0.7420	40.00	46.65	yes	music wire	4Q
C.400.400.1000.AP	40.0	4.00	100.0	1.0350	31.60	49.14	yes	music wire	4S
C.400.400.1000.I	40.0	4.00	100.0	0.6455	39.60	46.16	yes	stainless steel	4Q
C.400.400.1000.N	40.0	4.00	100.0	0.7420	40.00	46.65	yes	Zn coating	4R
C.400.400.1100.A	40.0	4.00	110.0	0.7076	41.60	48.60	yes	music wire	4Q
C.400.400.1100.I	40.0	4.00	110.0	0.6077	41.60	48.60	yes	stainless steel	4Q
C.400.400.1250.A	40.0	4.00	125.0	0.5890	48.00	56.42	yes	music wire	4Q
C.400.400.1250.AP	40.0	4.00	125.0	0.8132	37.60	60.27	yes	music wire	4S
C.400.400.1250.I	40.0	4.00	125.0	0.5124	47.60	55.93	yes	stainless steel	4Q
C.400.400.1250.N	40.0	4.00	125.0	0.5890	48.00	56.42	yes	Zn coating	4R
C.400.400.1600.A	40.0	4.00	160.0	0.4530	59.20	70.10	yes	music wire	4R
C.400.400.1600.AP	40.0	4.00	160.0	0.6325	45.20	76.78	yes	music wire	4S
C.400.400.1600.I	40.0	4.00	160.0	0.3941	58.80	69.61	yes	stainless steel	4R
C.400.400.1600.N	40.0	4.00	160.0	0.4530	59.20	70.10	yes	Zn coating	4S
C.400.400.2000.A	40.0	4.00	200.0	0.3580	72.40	86.22	yes	music wire	4R
C.400.400.2000.AP	40.0	4.00	200.0	0.4994	54.80	94.58	yes	music wire	4T
C.400.400.2000.I	40.0	4.00	200.0	0.3115	71.60	85.24	yes	stainless steel	4R
C.400.400.2000.N	40.0	4.00	200.0	0.3580	72.40	86.22	yes	Zn coating	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.400.400.3600.A	40.0	4.00	360.0	0.1950	128.80	154.23	no	music wire	4S
C.400.400.3600.I	40.0	4.00	360.0	0.1697	127.20	152.27	no	stainless steel	4S
C.400.400.5000.A	40.0	4.00	500.0	0.1321	179.20	216.68	yes	music wire	4T
C.400.400.5000.I	40.0	4.00	500.0	0.1135	179.20	216.68	yes	stainless steel	4T
C.400.420.0410.A	40.0	4.20	41.0	2.5589	21.84	24.21	yes	music wire	4P
C.400.420.0410.I	40.0	4.20	41.0	2.1978	21.84	24.21	yes	stainless steel	4P
C.400.420.0550.A	40.0	4.20	55.0	1.8182	26.46	29.80	yes	music wire	4P
C.400.420.0550.I	40.0	4.20	55.0	1.5616	26.46	29.80	yes	stainless steel	4P
C.400.420.0690.A	40.0	4.20	69.0	1.4100	31.08	35.38	yes	music wire	4P
C.400.420.0690.I	40.0	4.20	69.0	1.2110	31.08	35.38	yes	stainless steel	4P
C.400.420.0840.A	40.0	4.20	84.0	1.1326	36.12	41.47	yes	music wire	4Q
C.400.420.0840.I	40.0	4.20	84.0	0.9728	36.12	41.47	yes	stainless steel	4Q
C.400.420.1400.A	40.0	4.20	140.0	0.6518	55.02	64.32	yes	music wire	4Q
C.400.420.1400.I	40.0	4.20	140.0	0.5598	55.02	64.32	yes	stainless steel	4Q
C.400.420.1750.A	40.0	4.20	175.0	0.5195	66.36	78.03	yes	music wire	4R
C.400.420.1750.I	40.0	4.20	175.0	0.4462	66.36	78.03	yes	stainless steel	4R
C.400.420.2050.A	40.0	4.20	205.0	0.3948	84.00	99.36	yes	music wire	4R
C.400.420.2050.I	40.0	4.20	205.0	0.3391	84.00	99.36	yes	stainless steel	4R
C.400.450.0400.A	40.0	4.50	40.0	3.4220	23.40	25.75	yes	music wire	4R
C.400.450.0400.AP	40.0	4.50	40.0	4.5283	20.70	23.95	yes	music wire	4S
C.400.450.0400.I	40.0	4.50	40.0	2.9771	23.40	25.75	yes	stainless steel	4R
C.400.450.0400.N	40.0	4.50	40.0	3.4220	23.40	25.75	yes	Zn coating	4S
C.400.450.0500.A	40.0	4.50	50.0	2.6610	27.00	30.05	yes	music wire	4R
C.400.450.0500.AP	40.0	4.50	50.0	3.3962	23.40	28.60	yes	music wire	4T
C.400.450.0500.I	40.0	4.50	50.0	2.3151	27.00	30.05	yes	stainless steel	4R
C.400.450.0500.N	40.0	4.50	50.0	2.6610	27.00	30.05	yes	Zn coating	4S
C.400.450.0630.A	40.0	4.50	63.0	2.0000	32.40	36.49	yes	music wire	4R
C.400.450.0630.AP	40.0	4.50	63.0	2.6415	27.00	35.48	yes	music wire	4T
C.400.450.0630.I	40.0	4.50	63.0	1.7365	31.95	35.95	yes	stainless steel	4R
C.400.450.0630.N	40.0	4.50	63.0	2.0000	32.40	36.49	yes	Zn coating	4S
C.400.450.0730.A	40.0	4.50	73.0	1.7292	35.55	40.25	yes	music wire	4R
C.400.450.0730.I	40.0	4.50	73.0	1.4852	35.55	40.25	yes	stainless steel	4R
C.400.450.0800.A	40.0	4.50	80.0	1.5290	38.70	44.01	yes	music wire	4R
C.400.450.0800.AP	40.0	4.50	80.0	1.9811	32.40	43.31	yes	music wire	4T
C.400.450.0800.I	40.0	4.50	80.0	1.3302	38.25	43.47	yes	stainless steel	4R
C.400.450.0800.N	40.0	4.50	80.0	1.5290	38.70	44.01	yes	Zn coating	4S
C.400.450.1000.A	40.0	4.50	100.0	1.2000	46.35	53.14	yes	music wire	4R
C.400.450.1000.AP	40.0	4.50	100.0	1.5589	38.25	53.37	yes	music wire	4T
C.400.450.1000.I	40.0	4.50	100.0	1.0423	45.90	52.60	yes	stainless steel	4R
C.400.450.1000.N	40.0	4.50	100.0	1.2000	46.35	53.14	yes	Zn coating	4S
C.400.450.1100.A	40.0	4.50	110.0	1.0985	49.50	56.90	yes	music wire	4R
C.400.450.1100.I	40.0	4.50	110.0	0.9435	49.50	56.90	yes	stainless steel	4R
C.400.450.1250.A	40.0	4.50	125.0	0.9330	56.25	64.95	yes	music wire	4R
C.400.450.1250.AP	40.0	4.50	125.0	1.2350	45.45	66.15	yes	music wire	4T
C.400.450.1250.I	40.0	4.50	125.0	0.8117	55.80	64.41	yes	stainless steel	4R
C.400.450.1250.N	40.0	4.50	125.0	0.9330	56.25	64.95	yes	Zn coating	4T
C.400.450.1600.A	40.0	4.50	160.0	0.7190	69.75	81.06	yes	music wire	4R
C.400.450.1600.AP	40.0	4.50	160.0	0.9509	55.35	83.57	yes	music wire	5A
C.400.450.1600.I	40.0	4.50	160.0	0.6255	68.85	79.99	yes	stainless steel	4S
C.400.450.1600.N	40.0	4.50	160.0	0.7190	69.75	81.06	yes	Zn coating	4T
C.400.450.2000.A	40.0	4.50	200.0	0.5700	85.05	99.32	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.400.450.2000.AP	40.0	4.50	200.0	0.7547	67.05	103.69	yes	music wire	5A
C.400.450.2000.I	40.0	4.50	200.0	0.4959	84.15	98.25	yes	stainless steel	4S
C.400.450.2000.N	40.0	4.50	200.0	0.5700	85.05	99.32	yes	Zn coating	4T
C.400.450.2050.A	40.0	4.50	205.0	0.5159	92.70	108.45	yes	music wire	4S
C.400.450.2050.I	40.0	4.50	205.0	0.4431	92.70	108.45	yes	stainless steel	4S
C.400.450.3600.A	40.0	4.50	360.0	0.3070	152.55	179.00	no	music wire	4T
C.400.450.3600.I	40.0	4.50	360.0	0.2671	150.75	176.85	no	stainless steel	4T
C.400.450.5000.A	40.0	4.50	500.0	0.2057	215.55	255.05	yes	music wire	5A
C.400.450.5000.I	40.0	4.50	500.0	0.1767	215.55	255.05	yes	stainless steel	5A
C.400.480.0410.A	40.0	4.80	41.0	4.4284	25.44	27.87	yes	music wire	4R
C.400.480.0410.I	40.0	4.80	41.0	3.8035	25.44	27.87	yes	stainless steel	4R
C.400.480.0690.A	40.0	4.80	69.0	2.3395	37.44	42.04	yes	music wire	4R
C.400.480.0690.I	40.0	4.80	69.0	2.0094	37.44	42.04	yes	stainless steel	4R
C.400.480.2050.A	40.0	4.80	205.0	0.6631	101.76	117.98	yes	music wire	4S
C.400.480.2050.I	40.0	4.80	205.0	0.5695	101.76	117.98	yes	stainless steel	4S
C.400.500.0400.A	40.0	5.00	40.0	5.4420	26.00	28.34	yes	music wire	4S
C.400.500.0400.AP	40.0	5.00	40.0	6.8745	23.50	25.91	yes	music wire	5A
C.400.500.0400.I	40.0	5.00	40.0	4.7345	26.00	28.34	yes	stainless steel	4S
C.400.500.0400.N	40.0	5.00	40.0	5.4420	26.00	28.34	yes	Zn coating	4T
C.400.500.0500.A	40.0	5.00	50.0	4.0820	30.50	33.62	yes	music wire	4S
C.400.500.0500.AP	40.0	5.00	50.0	5.0413	27.00	30.79	yes	music wire	5A
C.400.500.0500.I	40.0	5.00	50.0	3.5513	30.50	33.62	yes	stainless steel	4S
C.400.500.0500.N	40.0	5.00	50.0	4.0820	30.50	33.62	yes	Zn coating	4T
C.400.500.0630.A	40.0	5.00	63.0	3.0890	36.50	40.66	yes	music wire	4S
C.400.500.0630.AP	40.0	5.00	63.0	3.8779	31.50	38.03	yes	music wire	5A
C.400.500.0630.I	40.0	5.00	63.0	2.6874	36.00	40.08	yes	stainless steel	4S
C.400.500.0630.N	40.0	5.00	63.0	3.0890	36.50	40.66	yes	Zn coating	4T
C.400.500.0800.A	40.0	5.00	80.0	2.3810	43.50	48.88	yes	music wire	4S
C.400.500.0800.I	40.0	5.00	80.0	2.0715	43.50	48.88	yes	stainless steel	4S
C.400.500.0800.N	40.0	5.00	80.0	2.3810	43.50	48.88	yes	Zn coating	4T
C.400.500.1000.A	40.0	5.00	100.0	1.8430	53.00	60.03	yes	music wire	4S
C.400.500.1000.AF	40.0	5.00	100.0	2.3684	44.00	59.11	yes	music wire	5A
C.400.500.1000.AP	40.0	5.00	100.0	2.3333	44.50	58.50	yes	music wire	4P
C.400.500.1000.I	40.0	5.00	100.0	2.0605	43.50	57.25	yes	stainless steel	5A
C.400.500.1000.N	40.0	5.00	100.0	2.3684	44.00	59.11	yes	Zn coating	5C
C.400.500.1000.NF	40.0	5.00	100.0	1.8430	53.00	60.03	yes	Zn coating	4T
C.400.500.1250.A	40.0	5.00	125.0	1.4470	64.00	72.94	yes	music wire	4S
C.400.500.1250.AF	40.0	5.00	125.0	1.8750	52.00	73.35	yes	music wire	5D
C.400.500.1250.AP	40.0	5.00	125.0	1.8421	53.00	72.43	yes	music wire	4P
C.400.500.1250.I	40.0	5.00	125.0	1.6313	51.50	71.01	yes	stainless steel	5B
C.400.500.1250.N	40.0	5.00	125.0	1.8750	52.00	73.35	yes	Zn coating	5E
C.400.500.1250.NF	40.0	5.00	125.0	1.4470	64.00	72.94	yes	Zn coating	5A
C.400.500.1400.A	40.0	5.00	140.0	1.2802	70.50	80.56	yes	music wire	4S
C.400.500.1400.I	40.0	5.00	140.0	1.0996	70.50	80.56	yes	stainless steel	4S
C.400.500.1600.A	40.0	5.00	160.0	1.1100	79.50	91.12	yes	music wire	4S
C.400.500.1600.AF	40.0	5.00	160.0	1.5000	62.00	95.44	yes	music wire	5D
C.400.500.1600.AP	40.0	5.00	160.0	1.4583	63.50	93.60	yes	music wire	4Q
C.400.500.1600.I	40.0	5.00	160.0	1.3050	61.50	92.51	yes	stainless steel	5D
C.400.500.1600.N	40.0	5.00	160.0	1.5000	62.00	95.44	yes	Zn coating	5E
C.400.500.1600.NF	40.0	5.00	160.0	1.1100	79.50	91.12	yes	Zn coating	5A
C.400.500.2000.A	40.0	5.00	200.0	0.8790	97.00	111.66	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.400.500.2000.AF	40.0	5.00	200.0	1.1842	75.00	118.22	yes	music wire	5D
C.400.500.2000.AP	40.0	5.00	200.0	1.1667	76.00	117.00	yes	music wire	4Q
C.400.500.2000.I	40.0	5.00	200.0	1.0303	74.50	114.51	yes	stainless steel	5D
C.400.500.2000.N	40.0	5.00	200.0	1.1842	75.00	118.22	yes	Zn coating	5E
C.400.500.2000.NF	40.0	5.00	200.0	0.8790	97.00	111.66	yes	Zn coating	5A
C.400.500.2500.A	40.0	5.00	250.0	0.9375	91.50	146.71	yes	music wire	5D
C.400.500.2500.I	40.0	5.00	250.0	0.8156	90.50	142.01	yes	stainless steel	5E
C.400.500.2500.N	40.0	5.00	250.0	0.9375	91.50	146.71	yes	Zn coating	5F
C.400.500.3200.A	40.0	5.00	320.0	0.7500	111.50	190.88	yes	music wire	5E
C.400.500.3200.I	40.0	5.00	320.0	0.6525	110.00	185.02	yes	stainless steel	5E
C.400.500.3200.N	40.0	5.00	320.0	0.7500	111.50	190.88	yes	Zn coating	5G
C.400.500.3600.A	40.0	5.00	360.0	0.4700	175.50	202.91	no	music wire	5A
C.400.500.3600.I	40.0	5.00	360.0	0.4089	173.50	200.57	no	stainless steel	5A
C.400.500.4000.A	40.0	5.00	400.0	0.6000	136.50	238.60	yes	music wire	5E
C.400.500.4000.I	40.0	5.00	400.0	0.5220	134.50	231.27	yes	stainless steel	5F
C.400.500.4000.N	40.0	5.00	400.0	0.6000	136.50	238.60	yes	Zn coating	5G
C.400.500.4500.A	40.0	5.00	450.0	0.3940	201.00	233.70	yes	music wire	5D
C.400.500.4500.I	40.0	5.00	450.0	0.3428	198.50	230.77	yes	stainless steel	5B
C.400.500.4500.N	40.0	5.00	450.0	0.3940	201.00	233.70	yes	Zn coating	5E
C.400.500.5000.A	40.0	5.00	500.0	0.4737	169.50	295.57	yes	music wire	5F
C.400.500.5000.I	40.0	5.00	500.0	0.4121	167.50	286.28	yes	stainless steel	5G
C.400.500.5000.N	40.0	5.00	500.0	0.4737	169.50	295.57	yes	Zn coating	5H
C.400.530.0410.A	40.0	5.30	41.0	6.6341	28.62	31.15	yes	music wire	4S
C.400.530.0410.I	40.0	5.30	41.0	5.6980	28.62	31.15	yes	stainless steel	4S
C.400.530.0635.A	40.0	5.30	63.5	3.6300	41.34	45.96	yes	music wire	4S
C.400.530.0635.I	40.0	5.30	63.5	3.1178	41.34	45.96	yes	stainless steel	4S
C.400.530.0762.A	40.0	5.30	76.2	2.9598	47.70	53.36	yes	music wire	4S
C.400.530.0762.I	40.0	5.30	76.2	2.5422	47.70	53.36	yes	stainless steel	4S
C.400.530.0889.A	40.0	5.30	88.9	2.4665	54.59	61.38	yes	music wire	4S
C.400.530.0889.I	40.0	5.30	88.9	2.1185	54.59	61.38	yes	stainless steel	4S
C.400.530.1016.A	40.0	5.30	101.6	2.1377	60.95	68.79	yes	music wire	4S
C.400.530.1016.I	40.0	5.30	101.6	1.8360	60.95	68.79	yes	stainless steel	4S
C.400.530.1143.A	40.0	5.30	114.3	1.8679	67.84	76.81	yes	music wire	4S
C.400.530.1143.I	40.0	5.30	114.3	1.6043	67.84	76.81	yes	stainless steel	4S
C.400.530.1397.A	40.0	5.30	139.7	1.5030	81.09	92.24	yes	music wire	4S
C.400.530.1397.I	40.0	5.30	139.7	1.2910	81.09	92.24	yes	stainless steel	4S
C.400.530.1524.A	40.0	5.30	152.4	1.3645	87.98	100.26	yes	music wire	4S
C.400.530.1524.I	40.0	5.30	152.4	1.1719	87.98	100.26	yes	stainless steel	4S
C.400.530.1650.A	40.0	5.30	165.0	1.2575	94.34	107.66	yes	music wire	4S
C.400.530.1650.I	40.0	5.30	165.0	1.0800	94.34	107.66	yes	stainless steel	4T
C.400.550.0400.A	40.0	5.50	40.0	8.3190	28.60	30.96	yes	music wire	5A
C.400.550.0400.I	40.0	5.50	40.0	7.2375	28.60	30.96	yes	stainless steel	5A
C.400.550.0400.N	40.0	5.50	40.0	8.3190	28.60	30.96	yes	Zn coating	5C
C.400.550.0500.A	40.0	5.50	50.0	6.2400	33.55	36.70	yes	music wire	5A
C.400.550.0500.I	40.0	5.50	50.0	5.4288	33.55	36.70	yes	stainless steel	5A
C.400.550.0500.N	40.0	5.50	50.0	6.2400	33.55	36.70	yes	Zn coating	5C
C.400.550.0630.A	40.0	5.50	63.0	4.7220	40.15	44.35	yes	music wire	5A
C.400.550.0630.I	40.0	5.50	63.0	4.1081	39.60	43.71	yes	stainless steel	5A
C.400.550.0630.N	40.0	5.50	63.0	4.7220	40.15	44.35	yes	Zn coating	5C
C.400.550.0800.A	40.0	5.50	80.0	3.5650	48.95	54.55	yes	music wire	5A
C.400.550.0800.I	40.0	5.50	80.0	3.1016	48.40	53.91	yes	stainless steel	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.400.550.0800.N	40.0	5.50	80.0	3.5650	48.95	54.55	yes	Zn coating	5C
C.400.550.1000.A	40.0	5.50	100.0	2.7730	58.85	66.02	yes	music wire	5B
C.400.550.1000.I	40.0	5.50	100.0	2.4125	58.30	65.38	yes	stainless steel	5B
C.400.550.1000.N	40.0	5.50	100.0	2.7730	58.85	66.02	yes	Zn coating	5D
C.400.550.1250.A	40.0	5.50	125.0	2.1840	70.95	80.05	yes	music wire	5B
C.400.550.1250.I	40.0	5.50	125.0	1.9000	70.40	79.41	yes	stainless steel	5B
C.400.550.1250.N	40.0	5.50	125.0	2.1840	70.95	80.05	yes	Zn coating	5D
C.400.550.1500.A	40.0	5.50	150.0	1.7830	83.60	94.71	yes	music wire	5B
C.400.550.1500.I	40.0	5.50	150.0	1.5512	83.05	94.07	yes	stainless steel	5B
C.400.550.1500.N	40.0	5.50	150.0	1.7830	83.60	94.71	yes	Zn coating	5D
C.400.550.1600.A	40.0	5.50	160.0	1.6640	88.55	100.44	yes	music wire	5B
C.400.550.1600.I	40.0	5.50	160.0	1.4477	88.00	99.81	yes	stainless steel	5B
C.400.550.1600.N	40.0	5.50	160.0	1.6640	88.55	100.44	yes	Zn coating	5D
C.400.550.2000.A	40.0	5.50	200.0	1.3140	108.90	124.03	yes	music wire	5B
C.400.550.2000.I	40.0	5.50	200.0	1.1432	107.80	122.76	yes	stainless steel	5C
C.400.550.2000.N	40.0	5.50	200.0	1.3140	108.90	124.03	yes	Zn coating	5D
C.400.550.3600.A	40.0	5.50	360.0	0.7040	196.35	224.51	no	music wire	5C
C.400.550.3600.I	40.0	5.50	360.0	0.6125	194.15	221.96	no	stainless steel	5D
C.400.560.0540.A	40.0	5.60	54.0	6.0029	36.96	40.56	yes	music wire	5A
C.400.560.0540.I	40.0	5.60	54.0	5.1559	36.96	40.56	yes	stainless steel	5A
C.400.560.0690.A	40.0	5.60	69.0	4.4749	44.80	49.62	yes	music wire	5A
C.400.560.0690.I	40.0	5.60	69.0	3.8435	44.80	49.62	yes	stainless steel	5B
C.400.560.0880.A	40.0	5.60	88.0	3.1554	57.68	64.52	yes	music wire	5A
C.400.560.0880.I	40.0	5.60	88.0	2.7101	57.68	64.52	yes	stainless steel	5B
C.400.560.2500.A	40.0	5.60	250.0	1.0255	148.40	169.45	yes	music wire	5C
C.400.560.2500.I	40.0	5.60	250.0	0.8808	148.40	169.45	yes	stainless steel	5C
C.400.580.0690.A	40.0	5.80	69.0	5.2401	46.40	51.25	yes	music wire	5A
C.400.580.0690.I	40.0	5.80	69.0	4.5007	46.40	51.25	yes	stainless steel	5B
C.400.580.2050.A	40.0	5.80	205.0	1.4704	128.18	145.48	yes	music wire	5B
C.400.580.2050.I	40.0	5.80	205.0	1.2629	128.18	145.48	yes	stainless steel	5C
C.400.600.0400.A	40.0	6.00	40.0	11.7510	32.40	34.98	yes	music wire	5D
C.400.600.0400.AP	40.0	6.00	40.0	14.8740	28.80	30.84	yes	music wire	5G
C.400.600.0400.I	40.0	6.00	40.0	10.2234	31.80	34.29	yes	stainless steel	5D
C.400.600.0400.N	40.0	6.00	40.0	11.7510	32.40	34.98	yes	Zn coating	5E
C.400.600.0500.A	40.0	6.00	50.0	8.9140	37.80	41.18	yes	music wire	5D
C.400.600.0500.AP	40.0	6.00	50.0	11.0356	33.00	35.67	yes	music wire	5G
C.400.600.0500.I	40.0	6.00	50.0	7.7552	37.20	40.49	yes	stainless steel	5D
C.400.600.0500.N	40.0	6.00	50.0	8.9140	37.80	41.18	yes	Zn coating	5E
C.400.600.0630.A	40.0	6.00	63.0	6.6290	45.60	50.13	yes	music wire	5D
C.400.600.0630.AP	40.0	6.00	63.0	8.1453	39.60	43.56	yes	music wire	5G
C.400.600.0630.I	40.0	6.00	63.0	5.7672	45.00	49.45	yes	stainless steel	5E
C.400.600.0630.N	40.0	6.00	63.0	6.6290	45.60	50.13	yes	Zn coating	5E
C.400.600.0700.A	40.0	6.00	70.0	4.3960	60.60	67.36	yes	music wire	5D
C.400.600.0700.AP	40.0	6.00	70.0	7.2788	42.60	48.24	yes	music wire	5G
C.400.600.0700.I	40.0	6.00	70.0	3.8245	60.00	66.67	yes	stainless steel	5E
C.400.600.0700.N	40.0	6.00	70.0	4.3960	60.60	67.36	yes	Zn coating	5E
C.400.600.0800.A	40.0	6.00	80.0	4.9710	55.80	61.85	yes	music wire	5D
C.400.600.0800.AP	40.0	6.00	80.0	6.2200	47.40	54.54	yes	music wire	5G
C.400.600.0800.I	40.0	6.00	80.0	4.3248	55.20	61.16	yes	stainless steel	5E
C.400.600.0800.N	40.0	6.00	80.0	4.9710	55.80	61.85	yes	Zn coating	5F
C.400.600.0900.A	40.0	6.00	90.0	4.1990	63.00	70.11	yes	music wire	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.400.600.0900.I	40.0	6.00	90.0	3.6065	63.00	70.11	yes	stainless steel	5E
C.400.600.1000.A	40.0	6.00	100.0	3.8580	67.20	74.93	yes	music wire	5D
C.400.600.1000.AP	40.0	6.00	100.0	4.8183	57.00	67.13	yes	music wire	5G
C.400.600.1000.I	40.0	6.00	100.0	3.3565	66.60	74.25	yes	stainless steel	5E
C.400.600.1000.N	40.0	6.00	100.0	3.8580	67.20	74.93	yes	Zn coating	5F
C.400.600.1060.A	40.0	6.00	106.0	3.4992	72.60	81.13	yes	music wire	5D
C.400.600.1060.I	40.0	6.00	106.0	3.0054	72.60	81.13	yes	stainless steel	5E
C.400.600.1250.A	40.0	6.00	125.0	3.0060	82.20	92.16	yes	music wire	5D
C.400.600.1250.AP	40.0	6.00	125.0	3.7185	69.00	82.41	yes	music wire	5G
C.400.600.1250.I	40.0	6.00	125.0	2.6152	81.00	90.78	yes	stainless steel	5E
C.400.600.1250.N	40.0	6.00	125.0	3.0060	82.20	92.16	yes	Zn coating	5F
C.400.600.1600.A	40.0	6.00	160.0	2.2880	103.20	116.27	yes	music wire	5D
C.400.600.1600.AP	40.0	6.00	160.0	2.8509	85.80	104.45	yes	music wire	5G
C.400.600.1600.I	40.0	6.00	160.0	1.9906	102.00	114.89	yes	stainless steel	5E
C.400.600.1600.N	40.0	6.00	160.0	2.2880	103.20	116.27	yes	Zn coating	5F
C.400.600.2000.A	40.0	6.00	200.0	1.8080	126.60	143.14	yes	music wire	5E
C.400.600.2000.AP	40.0	6.00	200.0	2.2507	104.40	129.64	yes	music wire	5G
C.400.600.2000.I	40.0	6.00	200.0	1.5730	124.80	141.07	yes	stainless steel	5E
C.400.600.2000.N	40.0	6.00	200.0	1.8080	126.60	143.14	yes	Zn coating	5G
C.400.600.2200.A	40.0	6.00	220.0	1.5845	142.20	161.05	yes	music wire	5E
C.400.600.2200.I	40.0	6.00	220.0	1.3609	142.20	161.05	yes	stainless steel	5E
C.400.600.2300.A	40.0	6.00	230.0	1.5132	148.20	167.94	yes	music wire	5E
C.400.600.2300.I	40.0	6.00	230.0	1.2996	148.20	167.94	yes	stainless steel	5E
C.400.600.3600.A	40.0	6.00	360.0	0.9610	231.00	262.12	no	music wire	5E
C.400.600.3600.I	40.0	6.00	360.0	0.8361	228.00	258.67	no	stainless steel	5F
C.401.190.0410.A	40.1	1.90	41.0	0.0586	14.44	19.94	no	music wire	4H
C.401.190.0410.I	40.1	1.90	41.0	0.0510	14.25	19.62	no	stainless steel	4I
C.401.190.2200.A	40.1	1.90	220.0	0.0268	23.56	35.50	no	music wire	4L
C.401.190.2200.I	40.1	1.90	220.0	0.0230	23.56	35.50	no	stainless steel	4L
C.401.220.0200.A	40.1	2.20	20.0	0.3985	7.92	9.24	yes	music wire	4G
C.401.220.0200.I	40.1	2.20	20.0	0.3423	7.92	9.24	yes	stainless steel	4H
C.401.220.1050.A	40.1	2.20	105.0	0.0966	15.40	20.80	yes	music wire	4I
C.401.220.1050.I	40.1	2.20	105.0	0.0840	15.40	20.80	yes	stainless steel	4J
C.401.230.0440.A	40.1	2.30	44.0	0.1115	16.56	22.02	yes	music wire	4I
C.401.230.0440.I	40.1	2.30	44.0	0.0970	16.56	22.02	yes	stainless steel	4I
C.401.230.1000.A	40.1	2.30	100.0	0.1077	17.02	22.71	yes	music wire	4I
C.401.230.1000.I	40.1	2.30	100.0	0.0925	17.02	22.71	yes	stainless steel	4I
C.401.230.1720.A	40.1	2.30	172.0	0.0345	40.94	58.72	yes	music wire	4J
C.401.230.1720.I	40.1	2.30	172.0	0.0300	40.48	58.02	yes	stainless steel	4K
C.401.340.0760.A	40.1	3.40	76.0	0.5517	25.50	30.17	yes	music wire	4K
C.401.340.0760.AP	40.1	3.40	76.0	0.8014	20.06	34.13	yes	music wire	4M
C.401.340.0760.I	40.1	3.40	76.0	0.4800	25.16	29.74	yes	stainless steel	4L
C.401.340.2400.A	40.1	3.40	240.0	0.1565	68.34	84.78	yes	music wire	4N
C.401.340.2400.I	40.1	3.40	240.0	0.1344	68.34	84.78	yes	stainless steel	4N
C.401.530.0450.A	40.1	5.30	45.0	5.6099	31.27	34.24	yes	music wire	4S
C.401.530.0450.I	40.1	5.30	45.0	4.8183	31.27	34.24	yes	stainless steel	4S
C.401.530.0640.A	40.1	5.30	64.0	3.7000	40.81	45.35	yes	music wire	4S
C.401.530.0640.AP	40.1	5.30	64.0	4.7377	34.45	40.12	yes	music wire	5A
C.401.530.0640.I	40.1	5.30	64.0	3.1000	41.34	45.97	yes	stainless steel	4S
C.401.530.0760.A	40.1	5.30	76.0	3.0000	47.17	52.76	yes	music wire	4S
C.401.530.0760.AP	40.1	5.30	76.0	3.8849	39.22	46.88	yes	music wire	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.401.530.0760.I	40.1	5.30	76.0	2.5000	48.23	53.99	yes	stainless steel	4S
C.401.530.0890.A	40.1	5.30	89.0	2.5000	53.53	60.16	yes	music wire	4S
C.401.530.0890.AP	40.1	5.30	89.0	3.2923	43.99	54.63	yes	music wire	5A
C.401.530.0890.I	40.1	5.30	89.0	2.1000	54.59	61.40	yes	stainless steel	4S
C.401.530.1020.A	40.1	5.30	102.0	2.0690	62.01	70.04	yes	music wire	4S
C.401.530.1020.AP	40.1	5.30	102.0	2.8152	49.29	61.81	yes	music wire	5A
C.401.530.1020.I	40.1	5.30	102.0	1.8000	61.48	69.42	yes	stainless steel	4S
C.401.530.1150.A	40.1	5.30	115.0	1.9000	66.25	74.98	yes	music wire	4S
C.401.530.1150.AP	40.1	5.30	115.0	2.4903	54.06	69.57	yes	music wire	5A
C.401.530.1150.I	40.1	5.30	115.0	1.6000	67.31	76.21	yes	stainless steel	4S
C.401.530.1200.A	40.1	5.30	120.0	1.7661	70.49	79.92	yes	music wire	4S
C.401.530.1200.I	40.1	5.30	120.0	1.5169	70.49	79.92	yes	stainless steel	4S
C.401.530.1270.A	40.1	5.30	127.0	1.6092	76.32	86.71	yes	music wire	4S
C.401.530.1270.AP	40.1	5.30	127.0	2.2327	58.30	76.33	yes	music wire	5A
C.401.530.1270.I	40.1	5.30	127.0	1.4000	75.26	85.47	yes	stainless steel	4S
C.401.530.1400.A	40.1	5.30	140.0	1.5000	80.56	91.64	yes	music wire	4S
C.401.530.1400.AP	40.1	5.30	140.0	2.0025	63.60	83.50	yes	music wire	5B
C.401.530.1400.I	40.1	5.30	140.0	1.3000	80.03	91.03	yes	stainless steel	4S
C.401.530.1520.A	40.1	5.30	152.0	1.4000	85.33	97.20	yes	music wire	4S
C.401.530.1520.AP	40.1	5.30	152.0	1.8325	68.37	90.26	yes	music wire	5B
C.401.530.1520.I	40.1	5.30	152.0	1.2000	85.86	97.82	yes	stainless steel	4S
C.401.530.1600.A	40.1	5.30	160.0	1.2888	91.69	104.61	yes	music wire	4S
C.401.530.1600.I	40.1	5.30	160.0	1.1069	91.69	104.61	yes	stainless steel	4T
C.401.530.2000.A	40.1	5.30	200.0	1.0200	112.36	128.68	yes	music wire	4T
C.401.530.2000.I	40.1	5.30	200.0	0.8761	112.36	128.68	yes	stainless steel	4T
C.401.530.2050.A	40.1	5.30	205.0	0.9934	115.01	131.77	yes	music wire	4T
C.401.530.2050.I	40.1	5.30	205.0	0.8532	115.01	131.77	yes	stainless steel	4T
C.401.530.3400.A	40.1	5.30	340.0	0.5869	185.50	213.86	yes	music wire	5A
C.401.530.3400.I	40.1	5.30	340.0	0.5041	185.50	213.86	yes	stainless steel	5A
C.405.220.0670.A	40.5	2.20	67.0	0.1494	11.66	15.08	yes	music wire	4I
C.405.220.0670.I	40.5	2.20	67.0	0.1300	11.66	15.08	yes	stainless steel	4I
C.405.250.0250.A	40.5	2.50	25.0	0.1580	17.75	22.89	yes	music wire	4H
C.405.250.0250.AP	40.5	2.50	25.0	0.6684	9.00	10.23	yes	music wire	4H
C.405.250.0250.I	40.5	2.50	25.0	0.1375	17.50	22.52	yes	stainless steel	4H
C.405.250.0250.N	40.5	2.50	25.0	0.1580	17.75	22.89	yes	Zn coating	4I
C.405.310.0570.A	40.5	3.10	57.0	0.3103	25.73	31.45	yes	music wire	4I
C.405.310.0570.I	40.5	3.10	57.0	0.2700	25.42	31.04	yes	stainless steel	4J
C.405.450.0680.A	40.5	4.50	68.0	1.0340	50.40	58.07	yes	music wire	4R
C.405.450.0680.AP	40.5	4.50	68.0	2.3381	28.35	37.27	yes	music wire	4T
C.405.450.0680.I	40.5	4.50	68.0	0.9000	49.50	57.00	yes	stainless steel	4R
C.405.450.0680.N	40.5	4.50	68.0	1.0340	50.40	58.07	yes	Zn coating	4S
C.405.530.1300.A	40.5	5.30	130.0	2.1839	57.77	78.67	yes	music wire	5D
C.405.530.1300.I	40.5	5.30	130.0	1.9000	57.24	76.19	yes	stainless steel	5B
C.409.560.0610.A	40.9	5.60	61.0	6.8966	32.48	42.31	yes	music wire	5E
C.409.560.0610.I	40.9	5.60	61.0	6.0000	32.48	41.36	yes	stainless steel	5G
C.410.225.0420.A	41.0	2.25	42.0	0.2805	9.23	11.19	yes	music wire	4I
C.410.225.0420.I	41.0	2.25	42.0	0.2409	9.23	11.19	yes	stainless steel	4I
C.410.225.0690.I	41.0	2.25	69.0	0.1427	11.70	15.01	yes	stainless steel	4I
C.410.225.1200.I	41.0	2.25	120.0	0.0803	16.43	22.32	yes	stainless steel	4J
C.410.235.0590.A	41.0	2.35	59.0	0.2242	11.52	14.37	yes	music wire	4I
C.410.235.0590.I	41.0	2.35	59.0	0.1926	11.52	14.37	yes	stainless steel	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.410.235.1100.A	41.0	2.35	110.0	0.1170	16.69	22.16	yes	music wire	4J
C.410.235.1100.I	41.0	2.35	110.0	0.1005	16.69	22.16	yes	stainless steel	4J
C.410.235.2000.A	41.0	2.35	200.0	0.0641	25.62	35.60	yes	music wire	4L
C.410.235.2000.I	41.0	2.35	200.0	0.0550	25.62	35.60	yes	stainless steel	4L
C.410.240.1550.A	41.0	2.40	155.0	0.0877	22.08	29.93	yes	music wire	4J
C.410.240.1550.I	41.0	2.40	155.0	0.0753	22.08	29.93	yes	stainless steel	4J
C.410.250.0610.A	41.0	2.50	61.0	0.2682	12.75	15.71	yes	music wire	4I
C.410.250.0610.I	41.0	2.50	61.0	0.2304	12.75	15.71	yes	stainless steel	4I
C.410.250.1500.A	41.0	2.50	150.0	0.1041	23.00	30.63	yes	music wire	4J
C.410.250.1500.I	41.0	2.50	150.0	0.0894	23.00	30.63	yes	stainless steel	4J
C.410.250.1800.A	41.0	2.50	180.0	0.0861	26.50	35.73	yes	music wire	4K
C.410.250.1800.I	41.0	2.50	180.0	0.0739	26.50	35.73	yes	stainless steel	4L
C.410.250.2000.A	41.0	2.50	200.0	0.0775	28.75	39.00	yes	music wire	4L
C.410.250.2000.I	41.0	2.50	200.0	0.0665	28.75	39.00	yes	stainless steel	4L
C.410.260.0200.A	41.0	2.60	20.0	0.7474	9.36	10.58	yes	music wire	4G
C.410.260.0200.I	41.0	2.60	20.0	0.6420	9.36	10.58	yes	stainless steel	4H
C.410.260.0600.A	41.0	2.60	60.0	0.2020	17.16	21.71	yes	music wire	4I
C.410.260.0600.I	41.0	2.60	60.0	0.1757	16.90	21.34	yes	stainless steel	4I
C.410.260.0600.N	41.0	2.60	60.0	0.2020	17.16	21.71	yes	Zn coating	4J
C.410.260.0620.A	41.0	2.60	62.0	0.2690	14.56	18.00	yes	music wire	4I
C.410.260.0620.I	41.0	2.60	62.0	0.2340	14.30	17.63	yes	stainless steel	4I
C.410.260.0620.N	41.0	2.60	62.0	0.2690	14.56	18.00	yes	Zn coating	4J
C.410.260.3200.A	41.0	2.60	320.0	0.0467	52.26	71.81	yes	music wire	4N
C.410.260.3200.I	41.0	2.60	320.0	0.0401	52.26	71.81	yes	stainless steel	4N
C.410.270.0430.A	41.0	2.70	43.0	0.5072	11.88	13.94	yes	music wire	4I
C.410.270.0430.I	41.0	2.70	43.0	0.4356	11.88	13.94	yes	stainless steel	4I
C.410.270.1300.A	41.0	2.70	130.0	0.1530	23.76	30.60	yes	music wire	4J
C.410.270.1300.I	41.0	2.70	130.0	0.1314	23.76	30.60	yes	stainless steel	4J
C.410.290.1150.A	41.0	2.90	115.0	0.2171	24.65	30.90	yes	music wire	4J
C.410.290.1150.I	41.0	2.90	115.0	0.1865	24.65	30.90	yes	stainless steel	4J
C.410.290.1550.A	41.0	2.90	155.0	0.1608	30.74	39.17	yes	music wire	4L
C.410.290.1550.I	41.0	2.90	155.0	0.1381	30.74	39.17	yes	stainless steel	4L
C.410.300.0610.A	41.0	3.00	61.0	0.4700	17.10	20.37	yes	music wire	4I
C.410.300.0610.I	41.0	3.00	61.0	0.4036	17.10	20.37	yes	stainless steel	4J
C.410.300.0920.A	41.0	3.00	92.0	0.1671	34.50	43.70	yes	music wire	4J
C.410.300.0920.I	41.0	3.00	92.0	0.1435	34.50	43.70	yes	stainless steel	4J
C.410.300.0920.N	41.0	3.00	92.0	0.1671	34.50	43.70	yes	Zn coating	4L
C.410.300.2000.A	41.0	3.00	200.0	0.1194	45.30	58.18	yes	music wire	4M
C.410.300.2000.I	41.0	3.00	200.0	0.1025	45.30	58.18	yes	stainless steel	4M
C.410.310.0410.A	41.0	3.10	41.0	0.8230	14.26	16.37	yes	music wire	4I
C.410.310.0410.I	41.0	3.10	41.0	0.7068	14.26	16.37	yes	stainless steel	4I
C.410.310.0790.A	41.0	3.10	79.0	0.4019	21.08	25.40	yes	music wire	4J
C.410.310.0790.I	41.0	3.10	79.0	0.3452	21.08	25.40	yes	stainless steel	4J
C.410.310.1000.A	41.0	3.10	100.0	0.3142	24.80	30.33	yes	music wire	4J
C.410.310.1000.I	41.0	3.10	100.0	0.2699	24.80	30.33	yes	stainless steel	4J
C.410.310.1200.A	41.0	3.10	120.0	0.2579	28.52	35.25	yes	music wire	4J
C.410.310.1200.I	41.0	3.10	120.0	0.2215	28.52	35.25	yes	stainless steel	4J
C.410.310.1550.A	41.0	3.10	155.0	0.1986	34.72	43.46	yes	music wire	4L
C.410.310.1550.I	41.0	3.10	155.0	0.1706	34.72	43.46	yes	stainless steel	4L
C.410.320.1800.A	41.0	3.20	180.0	0.1884	41.60	51.99	yes	music wire	4M
C.410.320.1800.I	41.0	3.20	180.0	0.1618	41.60	51.99	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.410.330.0410.A	41.0	3.30	41.0	1.0249	15.51	17.66	yes	music wire	4J
C.410.330.0410.I	41.0	3.30	41.0	0.8803	15.51	17.66	yes	stainless steel	4J
C.410.340.1600.A	41.0	3.40	160.0	0.2613	41.82	51.26	yes	music wire	4M
C.410.340.1600.I	41.0	3.40	160.0	0.2245	41.82	51.26	yes	stainless steel	4M
C.410.350.0480.A	41.0	3.50	48.0	1.0354	18.55	21.22	yes	music wire	4J
C.410.350.0480.I	41.0	3.50	48.0	0.8893	18.55	21.22	yes	stainless steel	4J
C.410.350.1400.A	41.0	3.50	140.0	0.3294	39.55	47.93	yes	music wire	4M
C.410.350.1400.I	41.0	3.50	140.0	0.2829	39.55	47.93	yes	stainless steel	4M
C.410.360.1350.A	41.0	3.60	135.0	0.3760	40.32	48.52	yes	music wire	4N
C.410.360.1350.I	41.0	3.60	135.0	0.3229	40.32	48.52	yes	stainless steel	4N
C.410.380.0550.A	41.0	3.80	55.0	1.2137	22.42	25.57	yes	music wire	4M
C.410.380.0550.I	41.0	3.80	55.0	1.0424	22.42	25.57	yes	stainless steel	4M
C.410.380.0690.A	41.0	3.80	69.0	0.9378	26.22	30.30	yes	music wire	4M
C.410.380.0690.I	41.0	3.80	69.0	0.8055	26.22	30.30	yes	stainless steel	4M
C.410.380.1900.A	41.0	3.80	190.0	0.3199	58.52	70.47	yes	music wire	4O
C.410.380.1900.I	41.0	3.80	190.0	0.2747	58.52	70.47	yes	stainless steel	4O
C.410.400.1400.A	41.0	4.00	140.0	0.5254	49.20	58.15	yes	music wire	4Q
C.410.400.1400.I	41.0	4.00	140.0	0.4512	49.20	58.15	yes	stainless steel	4Q
C.410.420.0470.A	41.0	4.20	47.0	2.1203	23.10	25.81	yes	music wire	4P
C.410.420.0470.I	41.0	4.20	47.0	1.8211	23.10	25.81	yes	stainless steel	4P
C.410.450.0560.A	41.0	4.50	56.0	2.2028	28.80	32.29	yes	music wire	4R
C.410.450.0560.I	41.0	4.50	56.0	1.8920	28.80	32.29	yes	stainless steel	4R
C.410.470.0490.A	41.0	4.70	49.0	3.0568	27.73	30.76	yes	music wire	4R
C.410.470.0490.I	41.0	4.70	49.0	2.6254	27.73	30.76	yes	stainless steel	4R
C.410.470.0830.A	41.0	4.70	83.0	1.6763	40.89	46.41	yes	music wire	4R
C.410.470.0830.I	41.0	4.70	83.0	1.4398	40.89	46.41	yes	stainless steel	4R
C.410.470.1050.A	41.0	4.70	105.0	1.2991	49.35	56.47	yes	music wire	4R
C.410.470.1050.I	41.0	4.70	105.0	1.1158	49.35	56.47	yes	stainless steel	4R
C.410.480.1400.A	41.0	4.80	140.0	1.0364	64.80	74.58	yes	music wire	4R
C.410.480.1400.I	41.0	4.80	140.0	0.8901	64.80	74.58	yes	stainless steel	4R
C.410.480.1750.A	41.0	4.80	175.0	0.8143	79.20	91.65	yes	music wire	4S
C.410.480.1750.I	41.0	4.80	175.0	0.6994	79.20	91.65	yes	stainless steel	4S
C.410.500.0540.A	41.0	5.00	54.0	3.4993	32.00	35.47	yes	music wire	4S
C.410.500.0540.I	41.0	5.00	54.0	3.0055	32.00	35.47	yes	stainless steel	4S
C.410.500.1850.A	41.0	5.00	185.0	0.9038	88.00	101.42	yes	music wire	4T
C.410.500.1850.I	41.0	5.00	185.0	0.7763	88.00	101.42	yes	stainless steel	4T
C.410.550.0580.A	41.0	5.50	58.0	4.8458	37.40	41.24	yes	music wire	5A
C.410.550.0580.I	41.0	5.50	58.0	4.1620	37.40	41.24	yes	stainless steel	5A
C.410.550.0730.A	41.0	5.50	73.0	3.6556	45.10	50.19	yes	music wire	5A
C.410.550.0730.I	41.0	5.50	73.0	3.1398	45.10	50.19	yes	stainless steel	5B
C.410.550.1850.A	41.0	5.50	185.0	1.3272	100.10	114.13	yes	music wire	5B
C.410.550.1850.I	41.0	5.50	185.0	1.1399	100.10	114.13	yes	stainless steel	5C
C.410.560.0420.A	41.0	5.60	42.0	7.7877	30.24	32.84	yes	music wire	5A
C.410.560.0420.I	41.0	5.60	42.0	6.6889	30.24	32.84	yes	stainless steel	5A
C.410.560.1400.A	41.0	5.60	140.0	1.9303	79.52	90.00	yes	music wire	5B
C.410.560.1400.I	41.0	5.60	140.0	1.6579	79.52	90.00	yes	stainless steel	5B
C.410.560.1800.A	41.0	5.60	180.0	1.4665	100.24	114.03	yes	music wire	5B
C.410.560.1800.I	41.0	5.60	180.0	1.2596	100.24	114.03	yes	stainless steel	5B
C.410.580.0550.A	41.0	5.80	55.0	6.4471	38.28	41.97	yes	music wire	5A
C.410.580.0550.I	41.0	5.80	55.0	5.5374	38.28	41.97	yes	stainless steel	5A
C.410.600.0800.A	41.0	6.00	80.0	4.5286	55.80	61.96	yes	music wire	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.410.600.0800.I	41.0	6.00	80.0	3.8896	55.80	61.96	yes	stainless steel	5E
C.410.600.1500.A	41.0	6.00	150.0	2.7480	82.20	93.65	yes	music wire	5G
C.410.600.1500.I	41.0	6.00	150.0	2.3908	81.60	91.66	yes	stainless steel	5H
C.410.600.1500.N	41.0	6.00	150.0	2.7480	82.20	93.65	yes	Zn coating	5I
C.410.600.1750.A	41.0	6.00	175.0	2.0259	106.20	119.97	yes	music wire	5E
C.410.600.1750.I	41.0	6.00	175.0	1.7401	106.20	119.97	yes	stainless steel	5E
C.413.160.0200.A	41.3	1.60	20.0	0.0970	7.36	9.16	no	music wire	4F
C.413.160.0200.I	41.3	1.60	20.0	0.0833	7.36	9.16	no	stainless steel	4G
C.413.160.0640.A	41.3	1.60	64.0	0.0368	10.24	14.99	no	music wire	4H
C.413.160.0640.I	41.3	1.60	64.0	0.0320	10.24	14.99	no	stainless steel	4I
C.413.230.0200.A	41.3	2.30	20.0	0.4369	8.28	9.62	yes	music wire	4G
C.413.230.0200.I	41.3	2.30	20.0	0.3753	8.28	9.62	yes	stainless steel	4H
C.413.230.1100.A	41.3	2.30	110.0	0.0530	26.68	37.80	yes	music wire	4J
C.413.230.1100.I	41.3	2.30	110.0	0.0461	26.45	37.45	yes	stainless steel	4J
C.413.320.0127.A	41.3	3.20	12.7	1.8391	11.52	12.62	yes	music wire	4J
C.413.320.0127.I	41.3	3.20	12.7	1.6000	11.20	12.20	yes	stainless steel	4J
C.413.320.0950.A	41.3	3.20	95.0	0.2759	30.40	37.40	yes	music wire	4L
C.413.320.0950.I	41.3	3.20	95.0	0.2400	30.08	36.98	yes	stainless steel	4L
C.413.320.2000.A	41.3	3.20	200.0	0.1463	50.24	63.45	yes	music wire	4M
C.413.320.2000.I	41.3	3.20	200.0	0.1257	50.24	63.45	yes	stainless steel	4N
C.413.500.0890.A	41.3	5.00	89.0	2.3000	41.50	48.13	yes	music wire	5A
C.413.500.0890.I	41.3	5.00	89.0	2.0000	41.00	46.25	yes	stainless steel	5A
C.413.500.2000.A	41.3	5.00	200.0	0.7521	101.00	116.85	yes	music wire	4T
C.413.500.2000.I	41.3	5.00	200.0	0.6459	101.00	116.85	yes	stainless steel	4T
C.416.420.0920.A	41.6	4.20	92.0	0.8621	39.90	46.34	yes	music wire	4Q
C.416.420.0920.AP	41.6	4.20	92.0	1.2594	30.66	45.96	yes	music wire	4S
C.416.420.0920.I	41.6	4.20	92.0	0.7500	39.48	45.82	yes	stainless steel	4Q
C.416.450.0370.A	41.6	4.50	37.0	4.3678	19.80	21.53	yes	music wire	4S
C.416.450.0370.I	41.6	4.50	37.0	3.8000	19.35	20.99	yes	stainless steel	4T
C.417.170.0200.A	41.7	1.70	20.0	0.1209	7.82	9.56	no	music wire	4F
C.417.170.0200.I	41.7	1.70	20.0	0.1038	7.82	9.56	no	stainless steel	4G
C.417.170.0950.A	41.7	1.70	95.0	0.0264	14.45	22.36	no	music wire	4I
C.417.170.0950.I	41.7	1.70	95.0	0.0230	14.45	22.36	no	stainless steel	4I
C.417.220.0350.A	41.7	2.20	35.0	0.2644	8.80	10.73	yes	music wire	4H
C.417.220.0350.I	41.7	2.20	35.0	0.2300	8.58	10.38	yes	stainless steel	4I
C.417.220.1000.A	41.7	2.20	100.0	0.0901	14.96	20.48	yes	music wire	4I
C.417.220.1000.I	41.7	2.20	100.0	0.0773	14.96	20.48	yes	stainless steel	4J
C.417.320.0600.A	41.7	3.20	60.0	0.4023	23.04	27.81	yes	music wire	4J
C.417.320.0600.I	41.7	3.20	60.0	0.3500	22.72	27.39	yes	stainless steel	4K
C.417.320.2000.A	41.7	3.20	200.0	0.1451	49.28	62.37	yes	music wire	4N
C.417.320.2000.I	41.7	3.20	200.0	0.1246	49.28	62.37	yes	stainless steel	4N
C.417.340.0570.A	41.7	3.40	57.0	0.8391	18.36	21.22	yes	music wire	4M
C.417.340.0570.I	41.7	3.40	57.0	0.7300	18.36	21.22	yes	stainless steel	4J
C.417.340.2400.A	41.7	3.40	240.0	0.1469	64.60	80.89	yes	music wire	4N
C.417.340.2400.I	41.7	3.40	240.0	0.1261	64.60	80.89	yes	stainless steel	4N
C.417.380.0430.A	41.7	3.80	43.0	1.2644	21.28	24.22	yes	music wire	4M
C.417.380.0430.AP	41.7	3.80	43.0	2.0915	16.72	21.99	yes	music wire	4O
C.417.380.0430.I	41.7	3.80	43.0	1.1000	20.90	23.74	yes	stainless steel	4M
C.417.380.3000.A	41.7	3.80	300.0	0.1727	95.38	116.78	yes	music wire	4Q
C.417.380.3000.I	41.7	3.80	300.0	0.1483	95.38	116.78	yes	stainless steel	4Q
C.417.400.0830.A	41.7	4.00	83.0	0.7586	35.60	41.57	yes	music wire	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.417.400.0830.AP	41.7	4.00	83.0	1.1802	26.40	40.13	yes	music wire	4S
C.417.400.0830.I	41.7	4.00	83.0	0.6600	35.20	41.08	yes	stainless steel	4Q
C.417.400.2000.A	41.7	4.00	200.0	0.3140	72.00	86.46	yes	music wire	4R
C.417.400.2000.I	41.7	4.00	200.0	0.2697	72.00	86.46	yes	stainless steel	4R
C.420.180.0450.A	42.0	1.80	45.0	0.0810	9.90	12.95	no	music wire	4H
C.420.180.0450.I	42.0	1.80	45.0	0.0705	9.90	12.95	no	stainless steel	4I
C.420.180.0450.N	42.0	1.80	45.0	0.0810	9.90	12.95	no	Zn coating	4I
C.420.180.1020.A	42.0	1.80	102.0	0.0300	16.20	24.60	no	music wire	4I
C.420.180.1020.I	42.0	1.80	102.0	0.0261	16.02	24.26	no	stainless steel	4I
C.420.180.1020.N	42.0	1.80	102.0	0.0300	16.20	24.60	no	Zn coating	4J
C.420.220.0210.A	42.0	2.20	21.0	0.1082	13.20	17.75	yes	music wire	4G
C.420.220.0210.AP	42.0	2.20	21.0	0.3479	7.92	9.35	yes	music wire	4G
C.420.220.0210.I	42.0	2.20	21.0	0.0929	13.20	17.75	yes	stainless steel	4H
C.420.220.0210.N	42.0	2.20	21.0	0.1082	13.20	17.75	yes	Zn coating	4I
C.420.220.0330.A	42.0	2.20	33.0	0.0688	17.60	24.75	yes	music wire	4H
C.420.220.0330.I	42.0	2.20	33.0	0.0591	17.60	24.75	yes	stainless steel	4I
C.420.220.0330.N	42.0	2.20	33.0	0.0688	17.60	24.75	yes	Zn coating	4I
C.420.220.0450.A	42.0	2.20	45.0	0.0505	22.00	31.75	yes	music wire	4I
C.420.220.0450.I	42.0	2.20	45.0	0.0434	22.00	31.75	yes	stainless steel	4I
C.420.220.0450.N	42.0	2.20	45.0	0.0505	22.00	31.75	yes	Zn coating	4I
C.420.220.0750.A	42.0	2.20	75.0	0.0303	33.00	49.25	yes	music wire	4I
C.420.220.0750.I	42.0	2.20	75.0	0.0260	33.00	49.25	yes	stainless steel	4I
C.420.220.0750.N	42.0	2.20	75.0	0.0303	33.00	49.25	yes	Zn coating	4J
C.420.240.0530.A	42.0	2.40	53.0	0.2592	11.04	13.60	yes	music wire	4I
C.420.240.0530.I	42.0	2.40	53.0	0.2226	11.04	13.60	yes	stainless steel	4I
C.420.240.1150.A	42.0	2.40	115.0	0.1158	17.28	23.01	yes	music wire	4J
C.420.240.1150.I	42.0	2.40	115.0	0.0995	17.28	23.01	yes	stainless steel	4J
C.420.240.1800.A	42.0	2.40	180.0	0.0736	23.76	32.79	yes	music wire	4K
C.420.240.1800.I	42.0	2.40	180.0	0.0632	23.76	32.79	yes	stainless steel	4L
C.420.250.0440.A	42.0	2.50	44.0	0.3587	10.75	12.89	yes	music wire	4I
C.420.250.0440.I	42.0	2.50	44.0	0.3081	10.75	12.89	yes	stainless steel	4I
C.420.250.0530.A	42.0	2.50	53.0	0.2935	11.75	14.36	yes	music wire	4I
C.420.250.0530.I	42.0	2.50	53.0	0.2521	11.75	14.36	yes	stainless steel	4I
C.420.250.0670.A	42.0	2.50	67.0	0.2306	13.25	16.57	yes	music wire	4I
C.420.250.0670.I	42.0	2.50	67.0	0.1981	13.25	16.57	yes	stainless steel	4I
C.420.250.0800.A	42.0	2.50	80.0	0.1899	14.75	18.78	yes	music wire	4I
C.420.250.0800.I	42.0	2.50	80.0	0.1631	14.75	18.78	yes	stainless steel	4I
C.420.250.0917.A	42.0	2.50	91.7	0.1845	15.00	19.15	yes	music wire	4L
C.420.250.0917.I	42.0	2.50	91.7	0.1585	15.00	19.15	yes	stainless steel	4L
C.420.250.0917.N	42.0	2.50	91.7	0.1845	15.00	19.15	yes	Zn coating	4M
C.420.250.1410.A	42.0	2.50	141.0	0.1174	20.00	26.52	yes	music wire	4M
C.420.250.1410.I	42.0	2.50	141.0	0.1008	20.00	26.52	yes	stainless steel	4M
C.420.250.1410.N	42.0	2.50	141.0	0.1174	20.00	26.52	yes	Zn coating	4N
C.420.250.2400.A	42.0	2.50	240.0	0.0680	30.00	41.27	yes	music wire	4O
C.420.250.2400.I	42.0	2.50	240.0	0.0584	30.00	41.27	yes	stainless steel	4O
C.420.250.2400.N	42.0	2.50	240.0	0.0680	30.00	41.27	yes	Zn coating	4Q
C.420.250.3890.A	42.0	2.50	389.0	0.0417	45.00	63.39	yes	music wire	4R
C.420.250.3890.I	42.0	2.50	389.0	0.0358	45.00	63.39	yes	stainless steel	4R
C.420.250.3890.N	42.0	2.50	389.0	0.0417	45.00	63.39	yes	Zn coating	4S
C.420.280.0740.A	42.0	2.80	74.0	0.2970	16.80	20.66	yes	music wire	4J
C.420.280.0740.I	42.0	2.80	74.0	0.2551	16.80	20.66	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.420.290.0430.A	42.0	2.90	43.0	0.6027	13.05	15.21	yes	music wire	4I
C.420.290.0430.I	42.0	2.90	43.0	0.5177	13.05	15.21	yes	stainless steel	4I
C.420.290.0590.A	42.0	2.90	59.0	0.4305	15.37	18.40	yes	music wire	4I
C.420.290.0590.I	42.0	2.90	59.0	0.3698	15.37	18.40	yes	stainless steel	4J
C.420.290.0830.A	42.0	2.90	83.0	0.2940	19.14	23.57	yes	music wire	4J
C.420.290.0830.I	42.0	2.90	83.0	0.2525	19.14	23.57	yes	stainless steel	4J
C.420.290.1850.A	42.0	2.90	185.0	0.1296	34.22	44.27	yes	music wire	4L
C.420.290.1850.I	42.0	2.90	185.0	0.1113	34.22	44.27	yes	stainless steel	4L
C.420.300.0420.A	42.0	3.00	42.0	0.6956	13.50	15.62	yes	music wire	4I
C.420.300.0420.I	42.0	3.00	42.0	0.5974	13.50	15.62	yes	stainless steel	4I
C.420.300.0480.A	42.0	3.00	48.0	0.6048	14.40	16.84	yes	music wire	4I
C.420.300.0480.I	42.0	3.00	48.0	0.5195	14.40	16.84	yes	stainless steel	4I
C.420.300.0530.A	42.0	3.00	53.0	0.5350	15.30	18.06	yes	music wire	4I
C.420.300.0530.I	42.0	3.00	53.0	0.4595	15.30	18.06	yes	stainless steel	4J
C.420.300.0730.A	42.0	3.00	73.0	0.3760	18.60	22.52	yes	music wire	4J
C.420.300.0730.I	42.0	3.00	73.0	0.3229	18.60	22.52	yes	stainless steel	4J
C.420.300.1150.A	42.0	3.00	115.0	0.2358	25.20	31.46	yes	music wire	4J
C.420.300.1150.I	42.0	3.00	115.0	0.2025	25.20	31.46	yes	stainless steel	4J
C.420.300.1400.A	42.0	3.00	140.0	0.1932	29.10	36.74	yes	music wire	4L
C.420.300.1400.I	42.0	3.00	140.0	0.1659	29.10	36.74	yes	stainless steel	4L
C.420.300.1700.A	42.0	3.00	170.0	0.1563	34.20	43.64	yes	music wire	4L
C.420.300.1700.I	42.0	3.00	170.0	0.1342	34.20	43.64	yes	stainless steel	4L
C.420.320.0470.A	42.0	3.20	47.0	0.7620	15.68	18.14	yes	music wire	4J
C.420.320.0470.I	42.0	3.20	47.0	0.6545	15.68	18.14	yes	stainless steel	4J
C.420.320.1400.A	42.0	3.20	140.0	0.2375	32.64	40.54	yes	music wire	4M
C.420.320.1400.I	42.0	3.20	140.0	0.2040	32.64	40.54	yes	stainless steel	4M
C.420.330.0720.A	42.0	3.30	72.0	0.5345	21.12	25.06	yes	music wire	4K
C.420.330.0720.I	42.0	3.30	72.0	0.4591	21.12	25.06	yes	stainless steel	4L
C.420.350.0630.A	42.0	3.50	63.0	0.7441	21.35	24.90	yes	music wire	4J
C.420.350.0630.I	42.0	3.50	63.0	0.6391	21.35	24.90	yes	stainless steel	4K
C.420.360.0430.A	42.0	3.60	43.0	1.2591	17.64	19.98	yes	music wire	4M
C.420.360.0430.I	42.0	3.60	43.0	1.0815	17.64	19.98	yes	stainless steel	4M
C.420.360.1800.A	42.0	3.60	180.0	0.2698	49.32	60.23	yes	music wire	4O
C.420.360.1800.I	42.0	3.60	180.0	0.2317	49.32	60.23	yes	stainless steel	4O
C.420.400.0430.A	42.0	4.00	43.0	1.8280	20.40	22.85	yes	music wire	4P
C.420.400.0430.I	42.0	4.00	43.0	1.5701	20.40	22.85	yes	stainless steel	4P
C.420.400.0560.A	42.0	4.00	56.0	1.3580	24.00	27.30	yes	music wire	4P
C.420.400.0560.I	42.0	4.00	56.0	1.1664	24.00	27.30	yes	stainless steel	4P
C.420.400.0680.A	42.0	4.00	68.0	1.1053	27.20	31.25	yes	music wire	4P
C.420.400.0680.I	42.0	4.00	68.0	0.9494	27.20	31.25	yes	stainless steel	4P
C.420.450.0250.A	42.0	4.50	25.0	5.0000	18.45	19.92	yes	music wire	4Q
C.420.450.0250.I	42.0	4.50	25.0	4.3500	18.45	19.92	yes	stainless steel	4R
C.420.450.0250.N	42.0	4.50	25.0	5.0000	18.45	19.92	yes	Zn coating	4S
C.420.450.0320.A	42.0	4.50	32.0	4.0000	20.25	22.09	yes	music wire	4R
C.420.450.0320.I	42.0	4.50	32.0	3.4800	20.25	22.09	yes	stainless steel	4R
C.420.450.0320.N	42.0	4.50	32.0	4.0000	20.25	22.09	yes	Zn coating	4S
C.420.450.0400.A	42.0	4.50	40.0	3.1111	22.50	24.80	yes	music wire	4R
C.420.450.0400.AP	42.0	4.50	40.0	4.0338	20.25	22.79	yes	music wire	4S
C.420.450.0400.I	42.0	4.50	40.0	2.7067	22.50	24.80	yes	stainless steel	4R
C.420.450.0400.N	42.0	4.50	40.0	3.1111	22.50	24.80	yes	Zn coating	4S
C.420.450.0500.A	42.0	4.50	50.0	2.4889	25.65	28.59	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.420.450.0500.I	42.0	4.50	50.0	2.1653	25.20	28.05	yes	stainless steel	4R
C.420.450.0500.N	42.0	4.50	50.0	2.4889	25.65	28.59	yes	Zn coating	4S
C.420.450.0630.A	42.0	4.50	63.0	2.0000	29.25	32.92	yes	music wire	4R
C.420.450.0630.I	42.0	4.50	63.0	1.7400	28.80	32.38	yes	stainless steel	4R
C.420.450.0630.N	42.0	4.50	63.0	2.0000	29.25	32.92	yes	Zn coating	4S
C.420.450.0800.A	42.0	4.50	80.0	1.5556	34.20	38.89	yes	music wire	4T
C.420.450.0800.I	42.0	4.50	80.0	1.3534	33.75	38.34	yes	stainless steel	4R
C.420.450.0800.N	42.0	4.50	80.0	1.5556	34.20	38.89	yes	Zn coating	5A
C.420.450.1000.A	42.0	4.50	100.0	1.2444	40.05	45.93	yes	music wire	4T
C.420.450.1000.I	42.0	4.50	100.0	1.0826	39.60	45.39	yes	stainless steel	4T
C.420.450.1000.N	42.0	4.50	100.0	1.2444	40.05	45.93	yes	Zn coating	5B
C.420.450.1250.A	42.0	4.50	125.0	1.0000	46.80	55.59	yes	music wire	4T
C.420.450.1250.I	42.0	4.50	125.0	0.8700	46.35	53.52	yes	stainless steel	4T
C.420.450.1250.N	42.0	4.50	125.0	1.0000	46.80	55.59	yes	Zn coating	5B
C.420.450.1450.A	42.0	4.50	145.0	0.7473	58.95	68.69	yes	music wire	4R
C.420.450.1450.I	42.0	4.50	145.0	0.6419	58.95	68.69	yes	stainless steel	4R
C.420.450.1600.A	42.0	4.50	160.0	0.8000	55.80	73.23	yes	music wire	5A
C.420.450.1600.I	42.0	4.50	160.0	0.6960	55.35	69.71	yes	stainless steel	5A
C.420.450.1600.N	42.0	4.50	160.0	0.8000	55.80	73.23	yes	Zn coating	5B
C.420.450.2000.A	42.0	4.50	200.0	0.6222	68.40	88.44	yes	music wire	5A
C.420.450.2000.I	42.0	4.50	200.0	0.5413	67.95	83.91	yes	stainless steel	5A
C.420.450.2000.N	42.0	4.50	200.0	0.6222	68.40	88.44	yes	Zn coating	5C
C.420.450.2500.A	42.0	4.50	250.0	0.5000	82.35	111.17	yes	music wire	5A
C.420.450.2500.I	42.0	4.50	250.0	0.4350	81.45	105.54	yes	stainless steel	5B
C.420.450.2500.N	42.0	4.50	250.0	0.5000	82.35	111.17	yes	Zn coating	5C
C.420.450.3200.A	42.0	4.50	320.0	0.4000	100.35	146.46	yes	music wire	5B
C.420.450.3200.I	42.0	4.50	320.0	0.3480	99.45	139.42	yes	stainless steel	5C
C.420.450.3200.N	42.0	4.50	320.0	0.4000	100.35	146.46	yes	Zn coating	5D
C.420.470.0430.A	42.0	4.70	43.0	3.4212	24.91	27.47	yes	music wire	4R
C.420.470.0430.I	42.0	4.70	43.0	2.9384	24.91	27.47	yes	stainless steel	4R
C.420.470.0710.A	42.0	4.70	71.0	1.9159	35.25	39.82	yes	music wire	4R
C.420.470.0710.I	42.0	4.70	71.0	1.6455	35.25	39.82	yes	stainless steel	4R
C.420.470.0950.A	42.0	4.70	95.0	1.3883	44.18	50.49	yes	music wire	4R
C.420.470.0950.I	42.0	4.70	95.0	1.1924	44.18	50.49	yes	stainless steel	4R
C.420.470.1550.A	42.0	4.70	155.0	0.8187	66.74	77.43	yes	music wire	4R
C.420.470.1550.I	42.0	4.70	155.0	0.7032	66.74	77.43	yes	stainless steel	4S
C.420.480.0440.A	42.0	4.80	44.0	3.6225	25.92	28.57	yes	music wire	4R
C.420.480.0440.I	42.0	4.80	44.0	3.1113	25.92	28.57	yes	stainless steel	4R
C.420.500.0450.A	42.0	5.00	45.0	4.1901	27.50	30.23	yes	music wire	4S
C.420.500.0450.I	42.0	5.00	45.0	3.5988	27.50	30.23	yes	stainless steel	4S
C.420.500.0670.A	42.0	5.00	67.0	2.3500	39.00	43.83	yes	music wire	4S
C.420.500.0670.AP	42.0	5.00	67.0	3.2825	31.50	38.81	yes	music wire	5A
C.420.500.0670.I	42.0	5.00	67.0	2.0445	39.00	43.83	yes	stainless steel	4S
C.420.500.0670.N	42.0	5.00	67.0	2.3500	39.00	43.83	yes	Zn coating	4T
C.420.500.0760.A	42.0	5.00	76.0	2.2447	40.50	45.60	yes	music wire	4S
C.420.500.0760.I	42.0	5.00	76.0	1.9279	40.50	45.60	yes	stainless steel	4S
C.420.500.0900.A	42.0	5.00	90.0	1.3710	58.50	66.88	yes	music wire	4S
C.420.500.0900.AP	42.0	5.00	90.0	2.3707	39.00	50.97	yes	music wire	5A
C.420.500.0900.I	42.0	5.00	90.0	1.1928	58.00	66.29	yes	stainless steel	4S
C.420.500.0900.N	42.0	5.00	90.0	1.3710	58.50	66.88	yes	Zn coating	4T
C.420.500.1150.A	42.0	5.00	115.0	1.4284	56.50	64.51	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.420.500.1150.I	42.0	5.00	115.0	1.2269	56.50	64.51	yes	stainless steel	4S
C.420.500.1350.A	42.0	5.00	135.0	1.1972	65.00	74.56	yes	music wire	4S
C.420.500.1350.I	42.0	5.00	135.0	1.0282	65.00	74.56	yes	stainless steel	4S
C.420.500.1750.A	42.0	5.00	175.0	0.9109	81.50	94.07	yes	music wire	4T
C.420.500.1750.I	42.0	5.00	175.0	0.7824	81.50	94.07	yes	stainless steel	4T
C.420.530.0500.A	42.0	5.30	50.0	4.6463	31.80	34.99	yes	music wire	4S
C.420.530.0500.I	42.0	5.30	50.0	3.9907	31.80	34.99	yes	stainless steel	4S
C.420.530.0590.A	42.0	5.30	59.0	3.8719	35.51	39.34	yes	music wire	4S
C.420.530.0590.I	42.0	5.30	59.0	3.3256	35.51	39.34	yes	stainless steel	4S
C.420.550.0690.A	42.0	5.50	69.0	3.7590	41.80	46.46	yes	music wire	5A
C.420.550.0690.I	42.0	5.50	69.0	3.2286	41.80	46.46	yes	stainless steel	5B
C.420.550.1020.A	42.0	5.50	102.0	2.9494	49.50	61.37	yes	music wire	5D
C.420.550.1020.I	42.0	5.50	102.0	2.5332	49.50	58.79	yes	stainless steel	5D
C.420.550.1020.N	42.0	5.50	102.0	2.9494	49.50	61.37	yes	Zn coating	5E
C.420.560.0490.A	42.0	5.60	49.0	6.1099	33.04	36.15	yes	music wire	5A
C.420.560.0490.I	42.0	5.60	49.0	5.2478	33.04	36.15	yes	stainless steel	5A
C.420.560.0770.A	42.0	5.60	77.0	3.5210	47.04	52.44	yes	music wire	5A
C.420.560.0770.I	42.0	5.60	77.0	3.0242	47.04	52.44	yes	stainless steel	5B
C.420.560.0960.A	42.0	5.60	96.0	2.7698	56.00	62.86	yes	music wire	5B
C.420.560.0960.I	42.0	5.60	96.0	2.3790	56.00	62.86	yes	stainless steel	5B
C.420.560.1100.A	42.0	5.60	110.0	2.3607	63.28	71.33	yes	music wire	5B
C.420.560.1100.I	42.0	5.60	110.0	2.0276	63.28	71.33	yes	stainless steel	5B
C.420.560.1200.A	42.0	5.60	120.0	2.1639	67.76	76.54	yes	music wire	5B
C.420.560.1200.I	42.0	5.60	120.0	1.8586	67.76	76.54	yes	stainless steel	5B
C.420.560.1550.A	42.0	5.60	155.0	1.6357	85.12	96.74	yes	music wire	5B
C.420.560.1550.I	42.0	5.60	155.0	1.4049	85.12	96.74	yes	stainless steel	5B
C.420.580.0430.A	42.0	5.80	43.0	8.3802	31.32	33.98	yes	music wire	5A
C.420.580.0430.I	42.0	5.80	43.0	7.1977	31.32	33.98	yes	stainless steel	5A
C.420.580.0810.A	42.0	5.80	81.0	3.8576	51.04	56.83	yes	music wire	5A
C.420.580.0810.I	42.0	5.80	81.0	3.3132	51.04	56.83	yes	stainless steel	5B
C.420.580.1850.A	42.0	5.80	185.0	1.5679	104.40	118.64	yes	music wire	5B
C.420.580.1850.I	42.0	5.80	185.0	1.3467	104.40	118.64	yes	stainless steel	5C
C.420.600.0430.A	42.0	6.00	43.0	9.7581	32.40	35.08	yes	music wire	5D
C.420.600.0430.I	42.0	6.00	43.0	8.3812	32.40	35.08	yes	stainless steel	5D
C.420.600.0480.A	42.0	6.00	48.0	8.5753	34.80	37.85	yes	music wire	5D
C.420.600.0480.I	42.0	6.00	48.0	7.3653	34.80	37.85	yes	stainless steel	5D
C.420.600.0580.A	42.0	6.00	58.0	6.7378	40.20	44.08	yes	music wire	5D
C.420.600.0580.I	42.0	6.00	58.0	5.7870	40.20	44.08	yes	stainless steel	5E
C.420.600.1215.A	42.0	6.00	121.5	2.7780	76.20	85.62	yes	music wire	5D
C.420.600.1215.AP	42.0	6.00	121.5	3.4722	64.20	77.87	yes	music wire	5G
C.420.600.1215.I	42.0	6.00	121.5	2.4169	75.60	84.93	yes	stainless steel	5E
C.420.600.1215.N	42.0	6.00	121.5	2.7780	76.20	85.62	yes	Zn coating	5F
C.421.320.0730.A	42.1	3.20	73.0	0.4253	21.76	26.19	yes	music wire	4K
C.421.320.0730.I	42.1	3.20	73.0	0.3700	21.44	25.76	yes	stainless steel	4L
C.428.200.0350.A	42.8	2.00	35.0	0.0747	13.40	18.04	no	music wire	4H
C.428.200.0350.I	42.8	2.00	35.0	0.0650	13.40	18.04	no	stainless steel	4I
C.428.230.0500.A	42.8	2.30	50.0	0.2529	9.66	11.87	yes	music wire	4I
C.428.230.0500.I	42.8	2.30	50.0	0.2200	9.66	11.87	yes	stainless steel	4I
C.428.270.1080.A	42.8	2.70	108.0	0.1494	21.87	28.38	yes	music wire	4J
C.428.270.1080.I	42.8	2.70	108.0	0.1300	21.60	28.00	yes	stainless steel	4J
C.428.320.1600.A	42.8	3.20	160.0	0.1500	44.80	56.93	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.428.320.1600.I	42.8	3.20	160.0	0.1305	44.16	56.08	yes	stainless steel	4M
C.428.340.0380.A	42.8	3.40	38.0	1.1034	15.30	17.35	yes	music wire	4J
C.428.340.0380.I	42.8	3.40	38.0	0.9600	15.30	17.35	yes	stainless steel	4J
C.428.340.0500.A	42.8	3.40	50.0	0.8000	18.02	20.89	yes	music wire	4J
C.428.340.0500.AP	42.8	3.40	50.0	1.1334	15.30	22.20	yes	music wire	4M
C.428.340.0500.I	42.8	3.40	50.0	0.6800	18.02	20.89	yes	stainless steel	4J
C.428.340.0640.A	42.8	3.40	64.0	0.6200	20.74	24.43	yes	music wire	4J
C.428.340.0640.AP	42.8	3.40	64.0	0.8718	17.34	27.86	yes	music wire	4M
C.428.340.0640.I	42.8	3.40	64.0	0.5300	20.74	24.43	yes	stainless steel	4K
C.428.340.0760.A	42.8	3.40	76.0	0.5100	23.46	27.97	yes	music wire	4K
C.428.340.0760.AP	42.8	3.40	76.0	0.7312	18.70	32.90	yes	music wire	4N
C.428.340.0760.I	42.8	3.40	76.0	0.4300	23.46	27.97	yes	stainless steel	4L
C.428.340.0890.A	42.8	3.40	89.0	0.4300	26.18	31.51	yes	music wire	4L
C.428.340.0890.AP	42.8	3.40	89.0	0.6127	20.74	37.56	yes	music wire	4N
C.428.340.0890.I	42.8	3.40	89.0	0.3600	26.52	31.95	yes	stainless steel	4L
C.428.340.1020.A	42.8	3.40	102.0	0.3700	28.90	35.05	yes	music wire	4L
C.428.340.1020.I	42.8	3.40	102.0	0.3219	28.56	34.61	yes	stainless steel	4L
C.428.340.1150.A	42.8	3.40	115.0	0.3300	31.28	38.15	yes	music wire	4L
C.428.340.1150.I	42.8	3.40	115.0	0.2871	31.28	38.15	yes	stainless steel	4L
C.428.340.2350.A	42.8	3.40	235.0	0.1445	60.86	76.64	yes	music wire	4N
C.428.340.2350.I	42.8	3.40	235.0	0.1241	60.86	76.64	yes	stainless steel	4N
C.428.360.0570.A	42.8	3.60	57.0	0.8736	20.88	24.18	yes	music wire	4M
C.428.360.0570.AP	42.8	3.60	57.0	1.2054	17.64	26.38	yes	music wire	4O
C.428.360.0570.I	42.8	3.60	57.0	0.7600	20.52	23.72	yes	stainless steel	4M
C.428.400.0380.A	42.8	4.00	38.0	2.0000	18.80	20.92	yes	music wire	4P
C.428.400.0380.AP	42.8	4.00	38.0	2.8419	16.40	20.63	yes	music wire	4R
C.428.400.0380.I	42.8	4.00	38.0	1.7400	18.80	20.92	yes	stainless steel	4P
C.428.400.0500.A	42.8	4.00	50.0	1.4000	22.80	25.89	yes	music wire	4P
C.428.400.0500.AP	42.8	4.00	50.0	1.9770	19.20	25.04	yes	music wire	4R
C.428.400.0500.I	42.8	4.00	50.0	1.2000	22.80	25.89	yes	stainless steel	4P
C.428.400.0640.A	42.8	4.00	64.0	1.1000	26.40	30.35	yes	music wire	4P
C.428.400.0640.AP	42.8	4.00	64.0	1.5157	21.60	31.44	yes	music wire	4S
C.428.400.0640.I	42.8	4.00	64.0	0.9100	26.80	30.85	yes	stainless steel	4P
C.428.400.0760.A	42.8	4.00	76.0	0.8506	30.80	35.82	yes	music wire	4P
C.428.400.0760.AP	42.8	4.00	76.0	1.2631	24.00	36.93	yes	music wire	4S
C.428.400.0760.I	42.8	4.00	76.0	0.7400	30.80	35.82	yes	stainless steel	4Q
C.428.400.0890.A	42.8	4.00	89.0	0.7126	35.20	41.28	yes	music wire	4Q
C.428.400.0890.AP	42.8	4.00	89.0	1.0575	26.80	42.33	yes	music wire	4S
C.428.400.0890.I	42.8	4.00	89.0	0.6200	34.80	40.78	yes	stainless steel	4Q
C.428.400.1020.A	42.8	4.00	102.0	0.6207	38.80	45.74	yes	music wire	4Q
C.428.400.1020.AP	42.8	4.00	102.0	0.9094	29.60	47.73	yes	music wire	4S
C.428.400.1020.I	42.8	4.00	102.0	0.5400	38.40	45.25	yes	stainless steel	4Q
C.428.400.1150.A	42.8	4.00	115.0	0.5402	43.20	51.21	yes	music wire	4Q
C.428.400.1150.AP	42.8	4.00	115.0	0.8120	32.00	54.22	yes	music wire	4S
C.428.400.1150.I	42.8	4.00	115.0	0.4700	42.80	50.71	yes	stainless steel	4Q
C.428.400.1270.A	42.8	4.00	127.0	0.4828	46.80	55.67	yes	music wire	4Q
C.428.400.1270.AP	42.8	4.00	127.0	0.7218	34.80	58.62	yes	music wire	4S
C.428.400.1270.I	42.8	4.00	127.0	0.4200	46.40	55.18	yes	stainless steel	4Q
C.428.400.1650.A	42.8	4.00	165.0	0.3690	58.40	70.07	yes	music wire	4R
C.428.400.1650.I	42.8	4.00	165.0	0.3169	58.40	70.07	yes	stainless steel	4R
C.428.400.2050.A	42.8	4.00	205.0	0.2937	70.80	85.46	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.428.400.2050.I	42.8	4.00	205.0	0.2523	70.80	85.46	yes	stainless steel	4R
C.428.550.0450.A	42.8	5.50	45.0	5.6136	31.35	34.32	yes	music wire	5A
C.428.550.0450.I	42.8	5.50	45.0	4.8215	31.35	34.32	yes	stainless steel	5A
C.428.550.0640.A	42.8	5.50	64.0	4.0000	38.50	42.68	yes	music wire	5A
C.428.550.0640.AP	42.8	5.50	64.0	4.9444	33.55	40.18	yes	music wire	5D
C.428.550.0640.I	42.8	5.50	64.0	3.4000	38.50	42.68	yes	stainless steel	5B
C.428.550.0760.A	42.8	5.50	76.0	3.2000	44.55	49.75	yes	music wire	5A
C.428.550.0760.AP	42.8	5.50	76.0	3.9770	38.50	46.39	yes	music wire	5D
C.428.550.0760.I	42.8	5.50	76.0	2.7000	45.10	50.40	yes	stainless steel	5B
C.428.550.0890.A	42.8	5.50	89.0	2.7000	50.60	56.83	yes	music wire	5A
C.428.550.0890.AP	42.8	5.50	89.0	3.3262	43.45	53.60	yes	music wire	5D
C.428.550.0890.I	42.8	5.50	89.0	2.3000	50.60	56.83	yes	stainless steel	5B
C.428.550.1020.A	42.8	5.50	102.0	2.3000	56.65	63.90	yes	music wire	5B
C.428.550.1020.AP	42.8	5.50	102.0	2.8585	48.40	60.80	yes	music wire	5D
C.428.550.1020.I	42.8	5.50	102.0	1.9000	58.30	65.83	yes	stainless steel	5B
C.428.550.1150.A	42.8	5.50	115.0	2.0000	63.25	71.61	yes	music wire	5B
C.428.550.1150.AP	42.8	5.50	115.0	2.5060	53.35	68.01	yes	music wire	5D
C.428.550.1150.I	42.8	5.50	115.0	1.7000	63.80	72.26	yes	stainless steel	5B
C.428.550.1270.A	42.8	5.50	127.0	1.8000	68.75	78.04	yes	music wire	5B
C.428.550.1270.AP	42.8	5.50	127.0	2.2585	57.75	74.86	yes	music wire	5D
C.428.550.1270.I	42.8	5.50	127.0	1.5000	70.40	79.97	yes	stainless steel	5B
C.428.550.1400.A	42.8	5.50	140.0	1.6000	75.35	85.76	yes	music wire	5B
C.428.550.1400.AP	42.8	5.50	140.0	2.0327	62.15	82.07	yes	music wire	5D
C.428.550.1400.I	42.8	5.50	140.0	1.4000	74.25	84.47	yes	stainless steel	5B
C.428.550.1520.A	42.8	5.50	152.0	1.5000	79.75	90.90	yes	music wire	5B
C.428.550.1520.I	42.8	5.50	152.0	1.3000	79.20	90.26	yes	stainless steel	5B
C.428.550.2050.A	42.8	5.50	205.0	1.0036	112.20	128.84	yes	music wire	5B
C.428.550.2050.I	42.8	5.50	205.0	0.8619	112.20	128.84	yes	stainless steel	5C
C.429.340.0381.A	42.9	3.40	38.1	0.8785	17.00	19.57	yes	music wire	4J
C.429.340.0381.I	42.9	3.40	38.1	0.7643	17.00	19.57	yes	stainless steel	4J
C.429.340.0600.A	42.9	3.40	60.0	0.6136	20.74	24.44	yes	music wire	4J
C.429.340.0600.I	42.9	3.40	60.0	0.5270	20.74	24.44	yes	stainless steel	4K
C.429.340.1016.A	42.9	3.40	101.6	0.3309	31.28	38.17	yes	music wire	4L
C.429.340.1016.I	42.9	3.40	101.6	0.2879	30.94	37.73	yes	stainless steel	4L
C.429.340.1143.A	42.9	3.40	114.3	0.2942	34.00	41.71	yes	music wire	4L
C.429.340.1143.I	42.9	3.40	114.3	0.2559	33.66	41.27	yes	stainless steel	4L
C.429.340.1270.A	42.9	3.40	127.0	0.2648	36.72	45.26	yes	music wire	4L
C.429.340.1270.I	42.9	3.40	127.0	0.2304	36.38	44.81	yes	stainless steel	4M
C.429.340.2400.A	42.9	3.40	240.0	0.1407	61.88	78.03	yes	music wire	4N
C.429.340.2400.I	42.9	3.40	240.0	0.1208	61.88	78.03	yes	stainless steel	4N
C.429.360.0381.A	42.9	3.60	38.1	1.2623	16.92	19.13	yes	music wire	4M
C.429.360.0381.AP	42.9	3.60	38.1	1.9139	14.40	18.86	yes	music wire	4O
C.429.360.0381.I	42.9	3.60	38.1	1.1000	16.92	19.13	yes	stainless steel	4M
C.429.360.0381.N	42.9	3.60	38.1	1.2623	16.92	19.13	yes	Zn coating	4N
C.429.360.0508.A	42.9	3.60	50.8	0.9367	19.80	22.81	yes	music wire	4M
C.429.360.0508.AP	42.9	3.60	50.8	1.3671	16.56	23.86	yes	music wire	4O
C.429.360.0508.I	42.9	3.60	50.8	0.8150	19.80	22.81	yes	stainless steel	4M
C.429.360.0508.N	42.9	3.60	50.8	0.9367	19.80	22.81	yes	Zn coating	4O
C.429.360.0635.A	42.9	3.60	63.5	0.7447	22.68	26.49	yes	music wire	4M
C.429.360.0635.AP	42.9	3.60	63.5	1.0633	18.72	28.87	yes	music wire	4P
C.429.360.0635.I	42.9	3.60	63.5	0.6479	22.32	26.03	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.429.360.0635.N	42.9	3.60	63.5	0.7447	22.68	26.49	yes	Zn coating	4O
C.429.360.0762.A	42.9	3.60	76.2	0.6180	25.56	30.18	yes	music wire	4M
C.429.360.0762.AP	42.9	3.60	76.2	0.8700	20.52	33.87	yes	music wire	4P
C.429.360.0762.I	42.9	3.60	76.2	0.5376	25.20	29.72	yes	stainless steel	4N
C.429.360.0762.N	42.9	3.60	76.2	0.6180	25.56	30.18	yes	Zn coating	4O
C.429.360.0889.A	42.9	3.60	88.9	0.5281	28.08	33.40	yes	music wire	4N
C.429.360.0889.AP	42.9	3.60	88.9	0.7361	22.68	38.87	yes	music wire	4P
C.429.360.0889.I	42.9	3.60	88.9	0.4595	28.08	33.40	yes	stainless steel	4N
C.429.360.0889.N	42.9	3.60	88.9	0.5281	28.08	33.40	yes	Zn coating	4O
C.429.360.1016.A	42.9	3.60	101.6	0.4611	30.96	37.08	yes	music wire	4N
C.429.360.1016.AP	42.9	3.60	101.6	0.6525	24.48	45.16	yes	music wire	4P
C.429.360.1016.I	42.9	3.60	101.6	0.4000	30.96	37.08	yes	stainless steel	4N
C.429.360.1016.N	42.9	3.60	101.6	0.4611	30.96	37.08	yes	Zn coating	4P
C.429.360.1143.A	42.9	3.60	114.3	0.4092	33.84	40.76	yes	music wire	4N
C.429.360.1143.AP	42.9	3.60	114.3	0.5742	26.64	50.16	yes	music wire	4Q
C.429.360.1143.I	42.9	3.60	114.3	0.3560	33.48	40.30	yes	stainless steel	4N
C.429.360.1143.N	42.9	3.60	114.3	0.4092	33.84	40.76	yes	Zn coating	4P
C.429.360.1200.A	42.9	3.60	120.0	0.3524	37.80	45.83	yes	music wire	4N
C.429.360.1200.I	42.9	3.60	120.0	0.3027	37.80	45.83	yes	stainless steel	4N
C.429.360.1270.A	42.9	3.60	127.0	0.3677	36.72	44.45	yes	music wire	4N
C.429.360.1270.AP	42.9	3.60	127.0	0.5127	28.80	55.17	yes	music wire	4Q
C.429.360.1270.I	42.9	3.60	127.0	0.3199	36.36	43.99	yes	stainless steel	4N
C.429.360.1270.N	42.9	3.60	127.0	0.3677	36.72	44.45	yes	Zn coating	4P
C.429.360.1600.A	42.9	3.60	160.0	0.2610	47.88	58.72	yes	music wire	4O
C.429.360.1600.I	42.9	3.60	160.0	0.2242	47.88	58.72	yes	stainless steel	4O
C.429.360.2000.A	42.9	3.60	200.0	0.2073	57.96	71.61	yes	music wire	4O
C.429.360.2000.I	42.9	3.60	200.0	0.1780	57.96	71.61	yes	stainless steel	4O
C.429.360.3200.A	42.9	3.60	320.0	0.1276	88.56	110.74	yes	music wire	4Q
C.429.360.3200.I	42.9	3.60	320.0	0.1096	88.56	110.74	yes	stainless steel	4Q
C.429.380.0381.A	42.9	3.80	38.1	1.4000	19.00	21.46	yes	music wire	4M
C.429.380.0381.AP	42.9	3.80	38.1	2.2619	15.58	19.20	yes	music wire	4O
C.429.380.0381.I	42.9	3.80	38.1	1.2000	19.00	21.46	yes	stainless steel	4M
C.429.380.0381.N	42.9	3.80	38.1	1.4000	19.00	21.46	yes	Zn coating	4N
C.429.380.0508.A	42.9	3.80	50.8	1.0408	22.42	25.76	yes	music wire	4M
C.429.380.0508.AP	42.9	3.80	50.8	1.6450	17.86	24.81	yes	music wire	4O
C.429.380.0508.I	42.9	3.80	50.8	0.9055	22.42	25.76	yes	stainless steel	4M
C.429.380.0508.N	42.9	3.80	50.8	1.0408	22.42	25.76	yes	Zn coating	4O
C.429.380.0600.A	42.9	3.80	60.0	0.9112	24.32	28.16	yes	music wire	4M
C.429.380.0600.I	42.9	3.80	60.0	0.7826	24.32	28.16	yes	stainless steel	4M
C.429.380.0635.A	42.9	3.80	63.5	0.8297	25.84	30.07	yes	music wire	4M
C.429.380.0635.AP	42.9	3.80	63.5	1.2925	19.76	30.42	yes	music wire	4P
C.429.380.0635.I	42.9	3.80	63.5	0.7218	25.46	29.59	yes	stainless steel	4M
C.429.380.0635.N	42.9	3.80	63.5	0.8297	25.84	30.07	yes	Zn coating	4O
C.429.380.0762.A	42.9	3.80	76.2	0.6897	29.26	34.37	yes	music wire	4M
C.429.380.0762.AP	42.9	3.80	76.2	1.0644	22.04	36.03	yes	music wire	4P
C.429.380.0762.I	42.9	3.80	76.2	0.6000	28.88	33.90	yes	stainless steel	4N
C.429.380.0762.N	42.9	3.80	76.2	0.6897	29.26	34.37	yes	Zn coating	4O
C.429.380.0800.A	42.9	3.80	80.0	0.6581	30.02	35.33	yes	music wire	4N
C.429.380.0800.I	42.9	3.80	80.0	0.5652	30.02	35.33	yes	stainless steel	4N
C.429.380.0889.A	42.9	3.80	88.9	0.5902	32.30	38.20	yes	music wire	4N
C.429.380.0889.AP	42.9	3.80	88.9	0.8827	24.70	40.47	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.429.380.0889.I	42.9	3.80	88.9	0.5069	32.30	38.20	yes	stainless steel	4N
C.429.380.0889.N	42.9	3.80	88.9	0.5902	32.30	38.20	yes	Zn coating	4O
C.429.380.1016.A	42.9	3.80	101.6	0.5158	35.72	42.51	yes	music wire	4N
C.429.380.1016.AP	42.9	3.80	101.6	0.7700	26.98	46.08	yes	music wire	4P
C.429.380.1016.I	42.9	3.80	101.6	0.4430	35.72	42.51	yes	stainless steel	4N
C.429.380.1016.N	42.9	3.80	101.6	0.5158	35.72	42.51	yes	Zn coating	4P
C.429.380.1143.A	42.9	3.80	114.3	0.4580	39.14	46.81	yes	music wire	4N
C.429.380.1143.AP	42.9	3.80	114.3	0.6828	29.26	51.69	yes	music wire	4Q
C.429.380.1143.I	42.9	3.80	114.3	0.3934	39.14	46.81	yes	stainless steel	4N
C.429.380.1143.N	42.9	3.80	114.3	0.4580	39.14	46.81	yes	Zn coating	4P
C.429.380.1270.A	42.9	3.80	127.0	0.4119	42.18	50.64	yes	music wire	4N
C.429.380.1270.AP	42.9	3.80	127.0	0.6134	31.54	57.30	yes	music wire	4Q
C.429.380.1270.I	42.9	3.80	127.0	0.3538	42.18	50.64	yes	stainless steel	4N
C.429.380.1270.N	42.9	3.80	127.0	0.4119	42.18	50.64	yes	Zn coating	4P
C.429.380.1400.A	42.9	3.80	140.0	0.3626	46.74	56.38	yes	music wire	4N
C.429.380.1400.I	42.9	3.80	140.0	0.3114	46.74	56.38	yes	stainless steel	4O
C.429.380.3000.A	42.9	3.80	300.0	0.1645	91.58	112.82	yes	music wire	4Q
C.429.380.3000.I	42.9	3.80	300.0	0.1413	91.58	112.82	yes	stainless steel	4Q
C.429.400.0381.A	42.9	4.00	38.1	1.5333	21.60	24.41	yes	music wire	4P
C.429.400.0381.AP	42.9	4.00	38.1	2.8201	16.40	20.64	yes	music wire	4R
C.429.400.0381.I	42.9	4.00	38.1	1.3340	21.60	24.41	yes	stainless steel	4P
C.429.400.0381.N	42.9	4.00	38.1	1.5333	21.60	24.41	yes	Zn coating	4R
C.429.400.0508.A	42.9	4.00	50.8	1.1532	25.20	28.88	yes	music wire	4P
C.429.400.0508.AP	42.9	4.00	50.8	1.9618	19.20	25.70	yes	music wire	4R
C.429.400.0508.I	42.9	4.00	50.8	1.0033	25.20	28.88	yes	stainless steel	4P
C.429.400.0508.N	42.9	4.00	50.8	1.1532	25.20	28.88	yes	Zn coating	4R
C.429.400.0635.A	42.9	4.00	63.5	0.9241	29.20	33.84	yes	music wire	4P
C.429.400.0635.AP	42.9	4.00	63.5	1.5559	21.20	31.85	yes	music wire	4S
C.429.400.0635.I	42.9	4.00	63.5	0.8040	28.80	33.35	yes	stainless steel	4P
C.429.400.0635.N	42.9	4.00	63.5	0.9241	29.20	33.84	yes	Zn coating	4R
C.429.400.0762.A	42.9	4.00	76.2	0.7709	32.80	38.31	yes	music wire	4P
C.429.400.0762.AP	42.9	4.00	76.2	1.2534	24.00	36.91	yes	music wire	4S
C.429.400.0762.I	42.9	4.00	76.2	0.6707	32.80	38.31	yes	stainless steel	4Q
C.429.400.0762.N	42.9	4.00	76.2	0.7709	32.80	38.31	yes	Zn coating	4R
C.429.400.0800.A	42.9	4.00	80.0	0.7912	32.40	37.82	yes	music wire	4Q
C.429.400.0800.I	42.9	4.00	80.0	0.6795	32.40	37.82	yes	stainless steel	4Q
C.429.400.0889.A	42.9	4.00	88.9	0.6551	37.20	43.78	yes	music wire	4Q
C.429.400.0889.AP	42.9	4.00	88.9	1.0493	26.80	41.97	yes	music wire	4S
C.429.400.0889.I	42.9	4.00	88.9	0.5700	36.80	43.28	yes	stainless steel	4Q
C.429.400.0889.N	42.9	4.00	88.9	0.6551	37.20	43.78	yes	Zn coating	4R
C.429.400.1016.A	42.9	4.00	101.6	0.5742	40.80	48.25	yes	music wire	4Q
C.429.400.1016.AP	42.9	4.00	101.6	0.9208	29.20	48.13	yes	music wire	4S
C.429.400.1016.I	42.9	4.00	101.6	0.5000	40.40	47.75	yes	stainless steel	4Q
C.429.400.1016.N	42.9	4.00	101.6	0.5742	40.80	48.25	yes	Zn coating	4R
C.429.400.1143.A	42.9	4.00	114.3	0.5111	44.80	53.22	yes	music wire	4Q
C.429.400.1143.AP	42.9	4.00	114.3	0.8057	32.00	53.19	yes	music wire	4S
C.429.400.1143.I	42.9	4.00	114.3	0.4447	44.40	52.72	yes	stainless steel	4Q
C.429.400.1143.N	42.9	4.00	114.3	0.5111	44.80	53.22	yes	Zn coating	4R
C.429.400.1270.A	42.9	4.00	127.0	0.4605	48.40	57.69	yes	music wire	4Q
C.429.400.1270.AP	42.9	4.00	127.0	0.7278	34.40	59.34	yes	music wire	4S
C.429.400.1270.I	42.9	4.00	127.0	0.4000	48.00	57.19	yes	stainless steel	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.429.400.1270.N	42.9	4.00	127.0	0.4605	48.40	57.69	yes	Zn coating	4S
C.429.400.1600.A	42.9	4.00	160.0	0.3787	56.80	68.12	yes	music wire	4R
C.429.400.1600.I	42.9	4.00	160.0	0.3252	56.80	68.12	yes	stainless steel	4R
C.429.400.2000.A	42.9	4.00	200.0	0.2994	69.20	83.52	yes	music wire	4R
C.429.400.2000.I	42.9	4.00	200.0	0.2571	69.20	83.52	yes	stainless steel	4R
C.429.400.3200.A	42.9	4.00	320.0	0.1846	106.00	129.22	yes	music wire	4S
C.429.400.3200.I	42.9	4.00	320.0	0.1586	106.00	129.22	yes	stainless steel	4S
C.429.420.0381.A	42.9	4.20	38.1	2.0324	21.84	24.42	yes	music wire	4P
C.429.420.0381.AP	42.9	4.20	38.1	3.2764	17.64	20.91	yes	music wire	4R
C.429.420.0381.I	42.9	4.20	38.1	1.7682	21.84	24.42	yes	stainless steel	4P
C.429.420.0635.A	42.9	4.20	63.5	1.2077	29.40	33.70	yes	music wire	4P
C.429.420.0635.AP	42.9	4.20	63.5	1.7968	23.10	32.16	yes	music wire	4S
C.429.420.0635.I	42.9	4.20	63.5	1.0507	29.40	33.70	yes	stainless steel	4P
C.429.420.0760.A	42.9	4.20	76.0	0.9689	34.02	39.37	yes	music wire	4P
C.429.420.0760.AP	42.9	4.20	76.0	1.4658	26.04	37.58	yes	music wire	4S
C.429.420.0760.I	42.9	4.20	76.0	0.8430	34.02	39.37	yes	stainless steel	4Q
C.429.420.0762.A	42.9	4.20	76.2	1.0040	33.18	38.34	yes	music wire	4P
C.429.420.0762.AP	42.9	4.20	76.2	1.4658	26.04	37.78	yes	music wire	4S
C.429.420.0762.I	42.9	4.20	76.2	0.8735	33.18	38.34	yes	stainless steel	4Q
C.429.420.0800.A	42.9	4.20	80.0	0.9595	34.44	39.88	yes	music wire	4Q
C.429.420.0800.I	42.9	4.20	80.0	0.8241	34.44	39.88	yes	stainless steel	4Q
C.429.420.0889.A	42.9	4.20	88.9	0.8509	37.38	43.49	yes	music wire	4Q
C.429.420.0889.AP	42.9	4.20	88.9	1.2378	28.98	43.41	yes	music wire	4S
C.429.420.0889.I	42.9	4.20	88.9	0.7403	36.96	42.98	yes	stainless steel	4Q
C.429.420.0890.A	42.9	4.20	89.0	0.8159	38.64	45.04	yes	music wire	4Q
C.429.420.0890.AP	42.9	4.20	89.0	1.2378	28.98	43.51	yes	music wire	4S
C.429.420.0890.I	42.9	4.20	89.0	0.7099	38.22	44.52	yes	stainless steel	4Q
C.429.420.1016.A	42.9	4.20	101.6	0.7445	41.16	48.13	yes	music wire	4Q
C.429.420.1016.AP	42.9	4.20	101.6	1.0711	31.92	49.03	yes	music wire	4S
C.429.420.1016.I	42.9	4.20	101.6	0.6477	41.16	48.13	yes	stainless steel	4Q
C.429.420.1020.A	42.9	4.20	102.0	0.7041	43.26	50.71	yes	music wire	4Q
C.429.420.1020.AP	42.9	4.20	102.0	1.0711	31.92	49.43	yes	music wire	4S
C.429.420.1020.I	42.9	4.20	102.0	0.6126	42.84	50.19	yes	stainless steel	4Q
C.429.420.1143.A	42.9	4.20	114.3	0.6617	45.36	53.29	yes	music wire	4Q
C.429.420.1143.AP	42.9	4.20	114.3	0.9603	34.44	55.67	yes	music wire	4S
C.429.420.1143.I	42.9	4.20	114.3	0.5757	44.94	52.77	yes	stainless steel	4Q
C.429.420.1150.A	42.9	4.20	115.0	0.6198	47.46	55.86	yes	music wire	4Q
C.429.420.1150.AP	42.9	4.20	115.0	0.9441	34.86	55.36	yes	music wire	4S
C.429.420.1150.I	42.9	4.20	115.0	0.5392	47.04	55.35	yes	stainless steel	4Q
C.429.420.1270.A	42.9	4.20	127.0	0.5531	52.08	61.53	yes	music wire	4Q
C.429.420.1270.AP	42.9	4.20	127.0	0.8569	37.38	61.29	yes	music wire	4S
C.429.420.1270.I	42.9	4.20	127.0	0.5181	48.72	57.41	yes	stainless steel	4Q
C.429.420.1600.A	42.9	4.20	160.0	0.4520	61.32	72.87	yes	music wire	4R
C.429.420.1600.I	42.9	4.20	160.0	0.3882	61.32	72.87	yes	stainless steel	4R
C.429.420.2000.A	42.9	4.20	200.0	0.3575	74.76	89.37	yes	music wire	4R
C.429.420.2000.I	42.9	4.20	200.0	0.3070	74.76	89.37	yes	stainless steel	4R
C.429.420.3200.A	42.9	4.20	320.0	0.2205	114.66	138.34	yes	music wire	4S
C.429.420.3200.I	42.9	4.20	320.0	0.1894	114.66	138.34	yes	stainless steel	4S
C.429.450.0381.A	42.9	4.50	38.1	2.6370	23.85	26.49	yes	music wire	4R
C.429.450.0381.AP	42.9	4.50	38.1	4.1742	19.35	21.80	yes	music wire	4S
C.429.450.0381.I	42.9	4.50	38.1	2.2649	23.85	26.49	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.429.450.0381.N	42.9	4.50	38.1	2.6370	23.85	26.49	yes	Zn coating	4S
C.429.450.0508.A	42.9	4.50	50.8	1.9345	28.35	31.93	yes	music wire	4R
C.429.450.0508.AP	42.9	4.50	50.8	3.0054	22.50	28.16	yes	music wire	4T
C.429.450.0508.I	42.9	4.50	50.8	1.6830	28.35	31.93	yes	stainless steel	4R
C.429.450.0508.N	42.9	4.50	50.8	1.9345	28.35	31.93	yes	Zn coating	4S
C.429.450.0635.A	42.9	4.50	63.5	1.5276	32.85	37.37	yes	music wire	4R
C.429.450.0635.AP	42.9	4.50	63.5	2.3480	25.20	34.52	yes	music wire	4T
C.429.450.0635.I	42.9	4.50	63.5	1.3120	32.85	37.37	yes	stainless steel	4R
C.429.450.0635.N	42.9	4.50	63.5	1.5276	32.85	37.37	yes	Zn coating	4S
C.429.450.0762.A	42.9	4.50	76.2	1.2621	37.35	42.81	yes	music wire	4R
C.429.450.0762.AP	42.9	4.50	76.2	1.8784	28.80	39.98	yes	music wire	4T
C.429.450.0762.I	42.9	4.50	76.2	1.0840	37.35	42.81	yes	stainless steel	4R
C.429.450.0762.N	42.9	4.50	76.2	1.2621	37.35	42.81	yes	Zn coating	4S
C.429.450.0889.A	42.9	4.50	88.9	1.0841	41.85	48.25	yes	music wire	4R
C.429.450.0889.AP	42.9	4.50	88.9	1.5986	31.95	46.34	yes	music wire	4T
C.429.450.0889.I	42.9	4.50	88.9	0.9311	41.85	48.25	yes	stainless steel	4R
C.429.450.0889.N	42.9	4.50	88.9	1.0841	41.85	48.25	yes	Zn coating	4S
C.429.450.1016.A	42.9	4.50	101.6	0.9433	46.35	53.69	yes	music wire	4R
C.429.450.1016.AP	42.9	4.50	101.6	1.3661	35.55	51.80	yes	music wire	4T
C.429.450.1016.I	42.9	4.50	101.6	0.8102	46.35	53.69	yes	stainless steel	4R
C.429.450.1016.N	42.9	4.50	101.6	0.9433	46.35	53.69	yes	Zn coating	4S
C.429.450.1143.A	42.9	4.50	114.3	0.8348	50.85	59.14	yes	music wire	4R
C.429.450.1143.AP	42.9	4.50	114.3	1.2119	38.70	58.16	yes	music wire	4T
C.429.450.1143.I	42.9	4.50	114.3	0.7170	50.85	59.14	yes	stainless steel	4R
C.429.450.1143.N	42.9	4.50	114.3	0.8348	50.85	59.14	yes	Zn coating	4T
C.429.450.1200.A	42.9	4.50	120.0	0.7933	53.10	61.86	yes	music wire	4R
C.429.450.1200.I	42.9	4.50	120.0	0.6814	53.10	61.86	yes	stainless steel	4R
C.429.450.1270.A	42.9	4.50	127.0	0.7500	55.35	64.58	yes	music wire	4R
C.429.450.1270.AP	42.9	4.50	127.0	1.0889	41.85	64.52	yes	music wire	4T
C.429.450.1270.I	42.9	4.50	127.0	0.6431	55.80	65.12	yes	stainless steel	4R
C.429.450.1270.N	42.9	4.50	127.0	0.7500	55.35	64.58	yes	Zn coating	4T
C.429.450.1600.A	42.9	4.50	160.0	0.5855	67.95	79.81	yes	music wire	4S
C.429.450.1600.I	42.9	4.50	160.0	0.5029	67.95	79.81	yes	stainless steel	4S
C.429.450.2000.A	42.9	4.50	200.0	0.4611	83.25	98.31	yes	music wire	4S
C.429.450.2000.I	42.9	4.50	200.0	0.3960	83.25	98.31	yes	stainless steel	4S
C.429.450.3200.A	42.9	4.50	320.0	0.2849	127.80	152.19	yes	music wire	4T
C.429.450.3200.I	42.9	4.50	320.0	0.2447	127.80	152.19	yes	stainless steel	4T
C.429.480.0381.A	42.9	4.80	38.1	3.3473	25.92	28.63	yes	music wire	4R
C.429.480.0381.AP	42.9	4.80	38.1	5.5323	20.64	23.43	yes	music wire	4S
C.429.480.0381.I	42.9	4.80	38.1	2.8749	25.92	28.63	yes	stainless steel	4R
C.429.480.0381.N	42.9	4.80	38.1	3.3473	25.92	28.63	yes	Zn coating	4S
C.429.480.0508.A	42.9	4.80	50.8	2.4248	31.20	34.93	yes	music wire	4R
C.429.480.0508.AP	42.9	4.80	50.8	3.8301	24.48	29.61	yes	music wire	4T
C.429.480.0508.I	42.9	4.80	50.8	2.1096	31.20	34.93	yes	stainless steel	4R
C.429.480.0508.N	42.9	4.80	50.8	2.4248	31.20	34.93	yes	Zn coating	4S
C.429.480.0635.A	42.9	4.80	63.5	1.9207	36.48	41.24	yes	music wire	4R
C.429.480.0635.AP	42.9	4.80	63.5	2.9289	27.84	35.79	yes	music wire	4T
C.429.480.0635.I	42.9	4.80	63.5	1.6497	36.48	41.24	yes	stainless steel	4R
C.429.480.0635.N	42.9	4.80	63.5	1.9207	36.48	41.24	yes	Zn coating	4S
C.429.480.0762.A	42.9	4.80	76.2	1.5902	41.28	46.98	yes	music wire	4R
C.429.480.0762.AP	42.9	4.80	76.2	2.3710	31.68	41.97	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.429.480.0762.I	42.9	4.80	76.2	1.3658	41.28	46.98	yes	stainless steel	4R
C.429.480.0762.N	42.9	4.80	76.2	1.5902	41.28	46.98	yes	Zn coating	4S
C.429.480.0889.A	42.9	4.80	88.9	1.3468	47.04	53.86	yes	music wire	4R
C.429.480.0889.AP	42.9	4.80	88.9	1.9916	35.52	48.15	yes	music wire	4T
C.429.480.0889.I	42.9	4.80	88.9	1.1567	47.04	53.86	yes	stainless steel	4R
C.429.480.0889.N	42.9	4.80	88.9	1.3468	47.04	53.86	yes	Zn coating	4S
C.429.480.1016.A	42.9	4.80	101.6	1.1754	51.84	59.59	yes	music wire	4R
C.429.480.1016.AP	42.9	4.80	101.6	1.7169	39.36	54.33	yes	music wire	4T
C.429.480.1016.I	42.9	4.80	101.6	1.0096	51.84	59.59	yes	stainless steel	4R
C.429.480.1016.N	42.9	4.80	101.6	1.1754	51.84	59.59	yes	Zn coating	4S
C.429.480.1143.A	42.9	4.80	114.3	1.0428	57.12	65.90	yes	music wire	4R
C.429.480.1143.AP	42.9	4.80	114.3	1.5320	42.72	61.32	yes	music wire	4T
C.429.480.1143.I	42.9	4.80	114.3	0.8956	57.12	65.90	yes	stainless steel	4R
C.429.480.1143.N	42.9	4.80	114.3	1.0428	57.12	65.90	yes	Zn coating	4T
C.429.480.1200.A	42.9	4.80	120.0	1.0186	58.08	67.04	yes	music wire	4R
C.429.480.1200.I	42.9	4.80	120.0	0.8748	58.08	67.04	yes	stainless steel	4R
C.429.480.1270.A	42.9	4.80	127.0	0.9323	62.40	72.20	yes	music wire	4R
C.429.480.1270.AP	42.9	4.80	127.0	1.3641	46.56	67.50	yes	music wire	4T
C.429.480.1270.I	42.9	4.80	127.0	0.8000	62.40	72.20	yes	stainless steel	4R
C.429.480.1270.N	42.9	4.80	127.0	0.9323	62.40	72.20	yes	Zn coating	4T
C.429.480.1600.A	42.9	4.80	160.0	0.7464	74.88	87.11	yes	music wire	4S
C.429.480.1600.I	42.9	4.80	160.0	0.6411	74.88	87.11	yes	stainless steel	4S
C.429.480.2000.A	42.9	4.80	200.0	0.5926	91.20	106.60	yes	music wire	4S
C.429.480.2000.I	42.9	4.80	200.0	0.5090	91.20	106.60	yes	stainless steel	4S
C.429.480.3200.A	42.9	4.80	320.0	0.3635	141.12	166.23	yes	music wire	4T
C.429.480.3200.I	42.9	4.80	320.0	0.3122	141.12	166.23	yes	stainless steel	4T
C.429.500.0380.A	42.9	5.00	38.0	4.3000	26.00	28.51	yes	music wire	4S
C.429.500.0380.AP	42.9	5.00	38.0	6.2690	22.00	23.77	yes	music wire	5A
C.429.500.0380.I	42.9	5.00	38.0	3.7000	26.00	28.51	yes	stainless steel	4S
C.429.500.0500.A	42.9	5.00	50.0	3.0000	32.00	35.63	yes	music wire	4S
C.429.500.0500.AP	42.9	5.00	50.0	4.5812	25.50	30.20	yes	music wire	5A
C.429.500.0500.I	42.9	5.00	50.0	2.5000	32.50	36.22	yes	stainless steel	4S
C.429.500.2000.A	42.9	5.00	200.0	0.6962	96.50	112.14	yes	music wire	4T
C.429.500.2000.I	42.9	5.00	200.0	0.5979	96.50	112.14	yes	stainless steel	4T
C.429.600.0640.A	42.9	6.00	64.0	5.4000	44.40	49.01	yes	music wire	5D
C.429.600.0640.AP	42.9	6.00	64.0	6.8620	37.80	42.34	yes	music wire	5G
C.429.600.0640.I	42.9	6.00	64.0	4.6000	44.40	49.01	yes	stainless steel	5E
C.429.600.0760.A	42.9	6.00	76.0	4.4000	51.00	56.64	yes	music wire	5D
C.429.600.0760.AP	42.9	6.00	76.0	5.6940	42.60	49.90	yes	music wire	5G
C.429.600.0760.I	42.9	6.00	76.0	3.7000	51.60	57.34	yes	stainless steel	5E
C.429.600.0890.A	42.9	6.00	89.0	3.6000	58.80	65.66	yes	music wire	5D
C.429.600.0890.AP	42.9	6.00	89.0	4.6950	48.60	57.35	yes	music wire	5G
C.429.600.0890.I	42.9	6.00	89.0	3.1000	58.80	65.66	yes	stainless steel	5E
C.429.600.1000.A	42.9	6.00	100.0	3.1660	64.80	72.61	yes	music wire	5D
C.429.600.1000.I	42.9	6.00	100.0	2.7193	64.80	72.61	yes	stainless steel	5E
C.429.600.1150.A	42.9	6.00	115.0	2.7000	73.20	82.32	yes	music wire	5D
C.429.600.1150.AP	42.9	6.00	115.0	3.5213	60.00	72.80	yes	music wire	5G
C.429.600.1150.I	42.9	6.00	115.0	2.3000	73.80	83.02	yes	stainless steel	5E
C.429.600.1270.A	42.9	6.00	127.0	2.4000	80.40	90.65	yes	music wire	5D
C.429.600.1270.AP	42.9	6.00	127.0	3.1859	64.20	80.36	yes	music wire	5G
C.429.600.1270.I	42.9	6.00	127.0	2.1000	79.20	89.26	yes	stainless steel	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.429.600.1400.A	42.9	6.00	140.0	2.2000	86.40	97.59	yes	music wire	5D
C.429.600.1400.AP	42.9	6.00	140.0	2.8470	70.20	87.80	yes	music wire	5G
C.429.600.1400.I	42.9	6.00	140.0	1.9000	86.40	97.59	yes	stainless steel	5E
C.429.600.1520.A	42.9	6.00	152.0	2.0000	93.60	105.92	yes	music wire	5D
C.429.600.1520.AP	42.9	6.00	152.0	2.5982	75.60	94.80	yes	music wire	5G
C.429.600.1520.I	42.9	6.00	152.0	1.7000	94.80	107.31	yes	stainless steel	5E
C.429.600.1600.A	42.9	6.00	160.0	1.8770	99.00	112.17	yes	music wire	5E
C.429.600.1600.I	42.9	6.00	160.0	1.6122	99.00	112.17	yes	stainless steel	5E
C.429.600.2000.A	42.9	6.00	200.0	1.4846	121.20	137.85	yes	music wire	5E
C.429.600.2000.I	42.9	6.00	200.0	1.2751	121.20	137.85	yes	stainless steel	5E
C.430.240.0690.I	43.0	2.40	69.0	0.1668	12.24	15.54	yes	stainless steel	4I
C.430.250.1200.A	43.0	2.50	120.0	0.1223	18.50	24.55	yes	music wire	4J
C.430.250.1200.I	43.0	2.50	120.0	0.1050	18.50	24.55	yes	stainless steel	4J
C.430.260.1100.A	43.0	2.60	110.0	0.1535	18.46	23.99	yes	music wire	4J
C.430.260.1100.I	43.0	2.60	110.0	0.1318	18.46	23.99	yes	stainless steel	4J
C.430.260.1700.A	43.0	2.60	170.0	0.0967	25.48	34.25	yes	music wire	4K
C.430.260.1700.I	43.0	2.60	170.0	0.0831	25.48	34.25	yes	stainless steel	4L
C.430.270.0530.A	43.0	2.70	53.0	0.3760	12.69	15.27	yes	music wire	4I
C.430.270.0530.I	43.0	2.70	53.0	0.3229	12.69	15.27	yes	stainless steel	4I
C.430.280.0430.A	43.0	2.80	43.0	0.5355	12.04	14.10	yes	music wire	4I
C.430.280.0430.I	43.0	2.80	43.0	0.4599	12.04	14.10	yes	stainless steel	4I
C.430.280.0860.A	43.0	2.80	86.0	0.2471	17.92	22.39	yes	music wire	4J
C.430.280.0860.I	43.0	2.80	86.0	0.2123	17.92	22.39	yes	stainless steel	4J
C.430.280.1100.A	43.0	2.80	110.0	0.1928	21.00	26.73	yes	music wire	4J
C.430.280.1100.I	43.0	2.80	110.0	0.1656	21.00	26.73	yes	stainless steel	4J
C.430.280.1450.A	43.0	2.80	145.0	0.1439	25.76	33.44	yes	music wire	4L
C.430.280.1450.I	43.0	2.80	145.0	0.1236	25.76	33.44	yes	stainless steel	4L
C.430.280.1850.A	43.0	2.80	185.0	0.1121	31.08	40.93	yes	music wire	4L
C.430.280.1850.I	43.0	2.80	185.0	0.0963	31.08	40.93	yes	stainless steel	4M
C.430.300.0180.A	43.0	3.00	18.0	2.5310	9.00	9.55	yes	music wire	4J
C.430.300.0180.I	43.0	3.00	18.0	2.2000	9.00	9.55	yes	stainless steel	4J
C.430.300.0180.N	43.0	3.00	18.0	2.5310	9.00	9.55	yes	Zn coating	4L
C.430.300.0670.A	43.0	3.00	67.0	0.4029	17.10	20.62	yes	music wire	4J
C.430.300.0670.I	43.0	3.00	67.0	0.3461	17.10	20.62	yes	stainless steel	4J
C.430.300.0840.A	43.0	3.00	84.0	0.3145	19.80	24.31	yes	music wire	4J
C.430.300.0840.I	43.0	3.00	84.0	0.2701	19.80	24.31	yes	stainless steel	4J
C.430.300.2000.A	43.0	3.00	200.0	0.1121	42.00	54.65	yes	music wire	4M
C.430.300.2000.I	43.0	3.00	200.0	0.0963	42.00	54.65	yes	stainless steel	4M
C.430.320.0660.A	43.0	3.20	66.0	0.5135	18.56	22.07	yes	music wire	4K
C.430.320.0660.I	43.0	3.20	66.0	0.4410	18.56	22.07	yes	stainless steel	4K
C.430.350.0800.A	43.0	3.50	80.0	0.2860	39.20	48.06	yes	music wire	4L
C.430.350.0800.AP	43.0	3.50	80.0	0.7655	19.95	35.60	yes	music wire	4N
C.430.350.0800.I	43.0	3.50	80.0	0.2488	38.85	47.61	yes	stainless steel	4L
C.430.350.0800.N	43.0	3.50	80.0	0.2860	39.20	48.06	yes	Zn coating	4M
C.430.350.1200.A	43.0	3.50	120.0	0.3595	32.90	39.93	yes	music wire	4L
C.430.350.1200.I	43.0	3.50	120.0	0.3088	32.90	39.93	yes	stainless steel	4L
C.430.350.2000.A	43.0	3.50	200.0	0.1865	55.30	68.85	yes	music wire	4N
C.430.350.2000.I	43.0	3.50	200.0	0.1602	55.30	68.85	yes	stainless steel	4N
C.430.380.1750.A	43.0	3.80	175.0	0.3235	50.92	61.67	yes	music wire	4O
C.430.380.1750.I	43.0	3.80	175.0	0.2779	50.92	61.67	yes	stainless steel	4O
C.430.420.0510.A	43.0	4.20	51.0	1.7507	23.52	26.49	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.430.420.0510.I	43.0	4.20	51.0	1.5037	23.52	26.49	yes	stainless steel	4P
C.430.470.1250.A	43.0	4.70	125.0	0.9832	54.05	62.49	yes	music wire	4R
C.430.470.1250.I	43.0	4.70	125.0	0.8444	54.05	62.49	yes	stainless steel	4R
C.430.500.0570.A	43.0	5.00	57.0	2.9753	32.00	35.64	yes	music wire	4S
C.430.500.0570.I	43.0	5.00	57.0	2.5555	32.00	35.64	yes	stainless steel	4S
C.430.500.0830.A	43.0	5.00	83.0	1.9667	42.00	47.51	yes	music wire	4S
C.430.500.0830.I	43.0	5.00	83.0	1.6892	42.00	47.51	yes	stainless steel	4S
C.430.500.1050.A	43.0	5.00	105.0	1.5070	51.00	58.19	yes	music wire	4S
C.430.500.1050.I	43.0	5.00	105.0	1.2943	51.00	58.19	yes	stainless steel	4S
C.430.500.1500.A	43.0	5.00	150.0	1.0269	69.00	79.55	yes	music wire	4S
C.430.500.1500.I	43.0	5.00	150.0	0.8820	69.00	79.55	yes	stainless steel	4T
C.430.530.0820.A	43.0	5.30	82.0	2.5003	45.05	50.64	yes	music wire	4S
C.430.530.0820.I	43.0	5.30	82.0	2.1475	45.05	50.64	yes	stainless steel	4S
C.430.530.1800.A	43.0	5.30	180.0	1.0640	87.98	101.12	yes	music wire	4T
C.430.530.1800.I	43.0	5.30	180.0	0.9138	87.98	101.12	yes	stainless steel	4T
C.430.550.0550.A	43.0	5.50	55.0	4.6520	34.65	38.20	yes	music wire	5A
C.430.550.0550.I	43.0	5.50	55.0	3.9956	34.65	38.20	yes	stainless steel	5A
C.430.550.1750.A	43.0	5.50	175.0	1.2718	90.20	103.18	yes	music wire	5B
C.430.550.1750.I	43.0	5.50	175.0	1.0923	90.20	103.18	yes	stainless steel	5B
C.430.560.0570.A	43.0	5.60	57.0	4.7879	36.40	40.14	yes	music wire	5A
C.430.560.0570.I	43.0	5.60	57.0	4.1123	36.40	40.14	yes	stainless steel	5A
C.430.580.0520.A	43.0	5.80	52.0	6.2208	35.38	38.76	yes	music wire	5A
C.430.580.0520.I	43.0	5.80	52.0	5.3430	35.38	38.76	yes	stainless steel	5A
C.430.580.0610.A	43.0	5.80	61.0	5.0898	40.02	44.15	yes	music wire	5A
C.430.580.0610.I	43.0	5.80	61.0	4.3716	40.02	44.15	yes	stainless steel	5B
C.430.580.0880.A	43.0	5.80	88.0	3.3425	53.36	59.64	yes	music wire	5A
C.430.580.0880.I	43.0	5.80	88.0	2.8709	53.36	59.64	yes	stainless steel	5B
C.430.580.1200.A	43.0	5.80	120.0	2.3824	69.02	77.84	yes	music wire	5B
C.430.580.1200.I	43.0	5.80	120.0	2.0463	69.02	77.84	yes	stainless steel	5B
C.430.580.1350.A	43.0	5.80	135.0	2.0930	76.56	86.60	yes	music wire	5B
C.430.580.1350.I	43.0	5.80	135.0	1.7977	76.56	86.60	yes	stainless steel	5B
C.430.600.0450.A	43.0	6.00	45.0	8.6885	33.00	35.83	yes	music wire	5D
C.430.600.0450.I	43.0	6.00	45.0	7.4625	33.00	35.83	yes	stainless steel	5D
C.430.600.0530.A	43.0	6.00	53.0	5.6860	42.60	46.93	yes	music wire	5D
C.430.600.0530.AP	43.0	6.00	53.0	8.5630	33.00	35.83	yes	music wire	5G
C.430.600.0530.I	43.0	6.00	53.0	4.9468	42.00	46.24	yes	stainless steel	5E
C.430.600.0530.N	43.0	6.00	53.0	5.6860	42.60	46.93	yes	Zn coating	5E
C.430.600.2000.A	43.0	6.00	200.0	1.4726	121.20	137.88	yes	music wire	5E
C.430.600.2000.I	43.0	6.00	200.0	1.2648	121.20	137.88	yes	stainless steel	5E
C.432.320.0820.A	43.2	3.20	82.0	0.4769	19.20	26.64	yes	music wire	4N
C.432.320.0820.I	43.2	3.20	82.0	0.4096	19.20	24.45	yes	stainless steel	4N
C.432.320.0820.N	43.2	3.20	82.0	0.4769	19.20	26.64	yes	Zn coating	4O
C.432.320.1250.A	43.2	3.20	125.0	0.3035	25.60	38.01	yes	music wire	4O
C.432.320.1250.I	43.2	3.20	125.0	0.2607	25.60	34.58	yes	stainless steel	4O
C.432.320.1250.N	43.2	3.20	125.0	0.3035	25.60	38.01	yes	Zn coating	4P
C.432.320.1900.A	43.2	3.20	190.0	0.1964	35.20	55.57	yes	music wire	4P
C.432.320.1900.I	43.2	3.20	190.0	0.1687	35.20	50.27	yes	stainless steel	4P
C.432.320.1900.N	43.2	3.20	190.0	0.1964	35.20	55.57	yes	Zn coating	4R
C.432.320.2750.A	43.2	3.20	275.0	0.1335	48.00	77.24	yes	music wire	4R
C.432.320.2750.I	43.2	3.20	275.0	0.1147	48.00	69.49	yes	stainless steel	4R
C.432.320.2750.IF	43.2	3.20	275.0	0.0775	67.20	87.00	yes	stainless steel	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.432.320.2750.N	43.2	3.20	275.0	0.1335	48.00	77.24	yes	Zn coating	4S
C.432.320.4050.A	43.2	3.20	405.0	0.0900	67.20	111.65	yes	music wire	4S
C.432.320.4050.I	43.2	3.20	405.0	0.0775	67.20	100.84	yes	stainless steel	4S
C.432.320.4050.IF	43.2	3.20	405.0	0.0637	80.00	104.08	yes	stainless steel	4Q
C.432.320.4050.N	43.2	3.20	405.0	0.0900	67.20	111.65	yes	Zn coating	4T
C.432.360.0508.A	43.2	3.60	50.8	0.9039	19.80	22.84	yes	music wire	4M
C.432.360.0508.AP	43.2	3.60	50.8	1.3363	16.56	23.43	yes	music wire	4O
C.432.360.0508.I	43.2	3.60	50.8	0.7864	19.80	22.84	yes	stainless steel	4M
C.432.360.0635.A	43.2	3.60	63.5	0.7186	22.68	26.53	yes	music wire	4M
C.432.360.0635.AP	43.2	3.60	63.5	1.0793	18.36	29.61	yes	music wire	4P
C.432.360.0635.I	43.2	3.60	63.5	0.6252	22.68	26.53	yes	stainless steel	4M
C.432.360.0762.A	43.2	3.60	76.2	0.5963	25.56	30.22	yes	music wire	4M
C.432.360.0762.AP	43.2	3.60	76.2	0.8769	20.16	34.49	yes	music wire	4P
C.432.360.0762.I	43.2	3.60	76.2	0.5188	25.56	30.22	yes	stainless steel	4N
C.432.360.0889.A	43.2	3.60	88.9	0.5096	28.44	33.91	yes	music wire	4N
C.432.360.0889.AP	43.2	3.60	88.9	0.7385	22.32	39.37	yes	music wire	4P
C.432.360.0889.I	43.2	3.60	88.9	0.4434	28.08	33.45	yes	stainless steel	4N
C.432.380.0508.A	43.2	3.80	50.8	1.0043	22.80	26.27	yes	music wire	4M
C.432.380.0508.AP	43.2	3.80	50.8	1.6077	17.86	24.39	yes	music wire	4O
C.432.380.0508.I	43.2	3.80	50.8	0.8737	22.42	25.80	yes	stainless steel	4M
C.432.380.0635.A	43.2	3.80	63.5	0.8000	25.84	30.11	yes	music wire	4M
C.432.380.0635.AP	43.2	3.80	63.5	1.2632	19.76	29.88	yes	music wire	4P
C.432.380.0635.I	43.2	3.80	63.5	0.6965	25.84	30.11	yes	stainless steel	4M
C.432.380.0762.A	43.2	3.80	76.2	0.6655	29.26	34.42	yes	music wire	4M
C.432.380.0762.AP	43.2	3.80	76.2	1.0403	22.04	35.38	yes	music wire	4P
C.432.380.0762.I	43.2	3.80	76.2	0.5790	29.26	34.42	yes	stainless steel	4N
C.432.400.0508.A	43.2	4.00	50.8	1.1125	25.60	29.41	yes	music wire	4P
C.432.400.0508.AP	43.2	4.00	50.8	1.9171	19.20	25.29	yes	music wire	4R
C.432.400.0508.I	43.2	4.00	50.8	0.9679	25.20	28.91	yes	stainless steel	4P
C.432.450.0508.A	43.2	4.50	50.8	1.8657	28.80	32.50	yes	music wire	4R
C.432.450.0508.AP	43.2	4.50	50.8	2.9361	22.50	27.78	yes	music wire	4T
C.432.450.0508.I	43.2	4.50	50.8	1.6232	28.35	31.96	yes	stainless steel	4R
C.432.480.0508.A	43.2	4.80	50.8	2.3382	31.68	35.54	yes	music wire	4R
C.432.480.0508.AP	43.2	4.80	50.8	3.7410	24.48	29.25	yes	music wire	4T
C.432.480.0508.I	43.2	4.80	50.8	2.0343	31.20	34.96	yes	stainless steel	4R
C.433.140.0470.A	43.3	1.40	47.0	0.0230	8.12	12.77	no	music wire	4G
C.433.200.0450.A	43.3	2.00	45.0	0.0805	12.80	17.09	no	music wire	4I
C.433.200.0450.I	43.3	2.00	45.0	0.0700	12.60	16.74	no	stainless steel	4I
C.433.200.1000.A	43.3	2.00	100.0	0.0643	14.20	19.53	no	music wire	4I
C.433.200.1000.I	43.3	2.00	100.0	0.0552	14.20	19.53	no	stainless steel	4J
C.433.270.0200.A	43.3	2.70	20.0	0.8090	9.45	10.64	yes	music wire	4H
C.433.270.0200.I	43.3	2.70	20.0	0.6948	9.45	10.64	yes	stainless steel	4H
C.433.270.5080.A	43.3	2.70	508.0	0.0190	121.77	172.28	yes	music wire	4Q
C.433.270.5080.I	43.3	2.70	508.0	0.0165	120.15	169.95	yes	stainless steel	4Q
C.433.300.1020.A	43.3	3.00	102.0	0.1494	32.70	42.04	yes	music wire	4J
C.433.300.1020.I	43.3	3.00	102.0	0.1300	32.40	41.63	yes	stainless steel	4J
C.433.300.2000.A	43.3	3.00	200.0	0.1106	41.70	54.38	yes	music wire	4M
C.433.300.2000.I	43.3	3.00	200.0	0.0950	41.70	54.38	yes	stainless steel	4M
C.433.320.1110.A	43.3	3.20	111.0	0.1954	35.20	44.33	yes	music wire	4L
C.433.320.1110.I	43.3	3.20	111.0	0.1700	34.88	43.90	yes	stainless steel	4L
C.433.320.2000.A	43.3	3.20	200.0	0.1369	46.72	59.71	yes	music wire	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.433.320.2000.I	43.3	3.20	200.0	0.1176	46.72	59.71	yes	stainless steel	4N
C.433.340.0400.A	43.3	3.40	40.0	0.9742	15.98	18.27	yes	music wire	4J
C.433.340.0400.I	43.3	3.40	40.0	0.8367	15.98	18.27	yes	stainless steel	4J
C.433.340.1110.A	43.3	3.40	111.0	0.2759	35.02	43.15	yes	music wire	4L
C.433.340.1110.I	43.3	3.40	111.0	0.2400	34.68	42.71	yes	stainless steel	4L
C.436.180.0330.A	43.6	1.80	33.0	0.0759	9.72	12.83	no	music wire	4H
C.436.180.0330.I	43.6	1.80	33.0	0.0660	9.72	12.83	no	stainless steel	4H
C.436.250.1550.A	43.6	2.50	155.0	0.0724	26.00	35.98	yes	music wire	4J
C.436.250.1550.I	43.6	2.50	155.0	0.0630	25.75	35.61	yes	stainless steel	4K
C.440.200.0840.A	44.0	2.00	84.0	0.0480	16.20	23.21	no	music wire	4I
C.440.200.0840.I	44.0	2.00	84.0	0.0418	16.00	22.85	no	stainless steel	4I
C.440.200.0840.N	44.0	2.00	84.0	0.0480	16.20	23.21	no	Zn coating	4J
C.440.200.0870.A	44.0	2.00	87.0	0.0437	17.00	24.61	no	music wire	4I
C.440.200.0870.I	44.0	2.00	87.0	0.0380	17.00	24.61	no	stainless steel	4I
C.440.200.1620.A	44.0	2.00	162.0	0.0253	24.40	37.65	no	music wire	4J
C.440.200.1620.I	44.0	2.00	162.0	0.0220	24.20	37.30	no	stainless steel	4K
C.440.230.0600.A	44.0	2.30	60.0	0.0931	15.41	21.14	yes	music wire	4I
C.440.230.0600.I	44.0	2.30	60.0	0.0810	15.41	21.14	yes	stainless steel	4I
C.440.235.0530.I	44.0	2.35	53.0	0.1944	10.34	12.89	yes	stainless steel	4I
C.440.250.0381.A	44.0	2.50	38.1	0.3480	10.25	12.30	yes	music wire	4I
C.440.250.0381.I	44.0	2.50	38.1	0.2989	10.25	12.30	yes	stainless steel	4I
C.440.250.0508.A	44.0	2.50	50.8	0.2531	11.75	14.57	yes	music wire	4I
C.440.250.0508.I	44.0	2.50	50.8	0.2174	11.75	14.57	yes	stainless steel	4I
C.440.250.1100.A	44.0	2.50	110.0	0.1295	17.00	22.52	yes	music wire	4J
C.440.250.1100.I	44.0	2.50	110.0	0.1112	17.00	22.52	yes	stainless steel	4J
C.440.250.1900.A	44.0	2.50	190.0	0.0742	25.00	34.63	yes	music wire	4L
C.440.250.1900.I	44.0	2.50	190.0	0.0638	25.00	34.63	yes	stainless steel	4L
C.440.270.0670.A	44.0	2.70	67.0	0.2745	14.31	17.72	yes	music wire	4I
C.440.270.0670.I	44.0	2.70	67.0	0.2358	14.31	17.72	yes	stainless steel	4I
C.440.270.1700.A	44.0	2.70	170.0	0.1053	26.46	35.35	yes	music wire	4K
C.440.270.1700.I	44.0	2.70	170.0	0.0904	26.46	35.35	yes	stainless steel	4L
C.440.280.0510.A	44.0	2.80	51.0	0.4264	12.88	15.38	yes	music wire	4I
C.440.280.0510.I	44.0	2.80	51.0	0.3662	12.88	15.38	yes	stainless steel	4J
C.440.280.0610.A	44.0	2.80	61.0	0.3444	14.28	17.37	yes	music wire	4J
C.440.280.0610.I	44.0	2.80	61.0	0.2958	14.28	17.37	yes	stainless steel	4J
C.440.280.0700.A	44.0	2.80	70.0	0.2985	15.40	18.97	yes	music wire	4J
C.440.280.0700.I	44.0	2.80	70.0	0.2563	15.40	18.97	yes	stainless steel	4J
C.440.290.1000.A	44.0	2.90	100.0	0.2306	20.30	25.54	yes	music wire	4J
C.440.290.1000.I	44.0	2.90	100.0	0.1981	20.30	25.54	yes	stainless steel	4J
C.440.310.0680.A	44.0	3.10	68.0	0.4297	17.67	21.25	yes	music wire	4J
C.440.310.0680.I	44.0	3.10	68.0	0.3691	17.67	21.25	yes	stainless steel	4J
C.440.320.0440.A	44.0	3.20	44.0	0.7864	14.40	16.60	yes	music wire	4J
C.440.320.0440.I	44.0	3.20	44.0	0.6755	14.40	16.60	yes	stainless steel	4J
C.440.320.0550.A	44.0	3.20	55.0	0.6049	16.32	19.18	yes	music wire	4J
C.440.320.0550.I	44.0	3.20	55.0	0.5196	16.32	19.18	yes	stainless steel	4K
C.440.320.0900.A	44.0	3.20	90.0	0.3495	22.40	27.35	yes	music wire	4L
C.440.320.0900.I	44.0	3.20	90.0	0.3002	22.40	27.35	yes	stainless steel	4L
C.440.330.0940.A	44.0	3.30	94.0	0.3733	24.09	29.29	yes	music wire	4L
C.440.330.0940.I	44.0	3.30	94.0	0.3207	24.09	29.29	yes	stainless steel	4L
C.440.330.2000.A	44.0	3.30	200.0	0.1691	43.23	54.71	yes	music wire	4N
C.440.330.2000.I	44.0	3.30	200.0	0.1452	43.23	54.71	yes	stainless steel	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.440.340.0570.A	44.0	3.40	57.0	0.5057	22.10	26.37	yes	music wire	4J
C.440.340.0570.I	44.0	3.40	57.0	0.4400	22.10	26.37	yes	stainless steel	4K
C.440.340.1850.A	44.0	3.40	185.0	0.2034	42.50	53.17	yes	music wire	4M
C.440.340.1850.I	44.0	3.40	185.0	0.1747	42.50	53.17	yes	stainless steel	4N
C.440.350.0800.A	44.0	3.50	80.0	0.2510	40.95	50.64	yes	music wire	4L
C.440.350.0800.AP	44.0	3.50	80.0	0.7324	19.60	34.61	yes	music wire	4N
C.440.350.0800.I	44.0	3.50	80.0	0.2184	40.60	50.18	yes	stainless steel	4L
C.440.350.0800.N	44.0	3.50	80.0	0.2510	40.95	50.64	yes	Zn coating	4M
C.440.400.0450.A	44.0	4.00	45.0	1.6300	20.00	22.50	yes	music wire	4P
C.440.400.0450.I	44.0	4.00	45.0	1.4000	20.00	22.50	yes	stainless steel	4P
C.440.400.0710.A	44.0	4.00	71.0	1.1643	24.00	29.72	yes	music wire	4S
C.440.400.0710.I	44.0	4.00	71.0	1.0000	24.00	27.71	yes	stainless steel	4S
C.440.400.0710.N	44.0	4.00	71.0	1.1643	24.00	29.72	yes	Zn coating	4T
C.440.400.1050.A	44.0	4.00	105.0	0.7409	32.00	40.13	yes	music wire	4S
C.440.400.1050.I	44.0	4.00	105.0	0.6364	32.00	37.50	yes	stainless steel	4S
C.440.400.1050.N	44.0	4.00	105.0	0.7409	32.00	40.13	yes	Zn coating	4T
C.440.400.1600.A	44.0	4.00	160.0	0.4794	44.00	59.75	yes	music wire	4T
C.440.400.1600.I	44.0	4.00	160.0	0.4118	44.00	54.87	yes	stainless steel	4T
C.440.400.1600.N	44.0	4.00	160.0	0.4794	44.00	59.75	yes	Zn coating	5A
C.440.400.1800.A	44.0	4.00	180.0	0.3606	55.20	66.50	yes	music wire	4R
C.440.400.1800.I	44.0	4.00	180.0	0.3097	55.20	66.50	yes	stainless steel	4R
C.440.400.2350.A	44.0	4.00	235.0	0.3260	60.00	87.57	yes	music wire	4T
C.440.400.2350.AF	44.0	4.00	235.0	0.2203	84.00	102.50	yes	music wire	4R
C.440.400.2350.AP	44.0	4.00	235.0	0.3673	54.40	104.13	yes	music wire	4T
C.440.400.2350.I	44.0	4.00	235.0	0.2800	60.00	80.38	yes	stainless steel	4T
C.440.400.2350.IF	44.0	4.00	235.0	0.1892	84.00	102.50	yes	stainless steel	4R
C.440.400.2350.N	44.0	4.00	235.0	0.3260	60.00	87.57	yes	Zn coating	5B
C.440.400.2350.NF	44.0	4.00	235.0	0.2203	84.00	102.50	yes	Zn coating	4T
C.440.400.3400.A	44.0	4.00	340.0	0.2203	84.00	121.84	yes	music wire	5A
C.440.400.3400.AP	44.0	4.00	340.0	0.2515	74.80	148.91	yes	music wire	5A
C.440.400.3400.I	44.0	4.00	340.0	0.1892	84.00	111.18	yes	stainless steel	5B
C.440.400.3400.IF	44.0	4.00	340.0	0.1555	100.00	122.50	yes	stainless steel	4S
C.440.400.3400.N	44.0	4.00	340.0	0.2203	84.00	121.84	yes	Zn coating	5C
C.440.450.0440.A	44.0	4.50	44.0	2.6071	22.95	25.47	yes	music wire	4R
C.440.450.0440.I	44.0	4.50	44.0	2.2392	22.95	25.47	yes	stainless steel	4R
C.440.450.0920.A	44.0	4.50	92.0	0.8320	47.70	55.56	yes	music wire	4R
C.440.450.0920.AP	44.0	4.50	92.0	1.4688	31.95	46.78	yes	music wire	4T
C.440.450.0920.I	44.0	4.50	92.0	0.7238	47.25	55.01	yes	stainless steel	4R
C.440.450.0920.N	44.0	4.50	92.0	0.8320	47.70	55.56	yes	Zn coating	4S
C.440.450.1400.A	44.0	4.50	140.0	0.7135	54.00	63.22	yes	music wire	4R
C.440.450.1400.I	44.0	4.50	140.0	0.6128	54.00	63.22	yes	stainless steel	4R
C.440.450.1800.A	44.0	4.50	180.0	0.5466	67.05	79.08	yes	music wire	4S
C.440.450.1800.I	44.0	4.50	180.0	0.4695	67.05	79.08	yes	stainless steel	4S
C.440.470.0520.A	44.0	4.70	52.0	2.5594	26.79	29.87	yes	music wire	4R
C.440.470.0520.I	44.0	4.70	52.0	2.1982	26.79	29.87	yes	stainless steel	4R
C.440.470.1750.A	44.0	4.70	175.0	0.6605	70.03	81.97	yes	music wire	4S
C.440.470.1750.I	44.0	4.70	175.0	0.5673	70.03	81.97	yes	stainless steel	4S
C.440.500.0720.A	44.0	5.00	72.0	2.1906	37.00	41.69	yes	music wire	4S
C.440.500.0720.I	44.0	5.00	72.0	1.8815	37.00	41.69	yes	stainless steel	4S
C.440.530.0440.A	44.0	5.30	44.0	4.9531	28.09	30.76	yes	music wire	4S
C.440.530.0440.I	44.0	5.30	44.0	4.2542	28.09	30.76	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.440.530.0560.A	44.0	5.30	56.0	3.7483	32.86	36.39	yes	music wire	4S
C.440.530.0560.I	44.0	5.30	56.0	3.2194	32.86	36.39	yes	stainless steel	4S
C.440.530.0750.A	44.0	5.30	75.0	2.6168	41.34	46.40	yes	music wire	4S
C.440.530.0750.I	44.0	5.30	75.0	2.2475	41.34	46.40	yes	stainless steel	4S
C.440.530.0950.A	44.0	5.30	95.0	2.0100	49.82	56.40	yes	music wire	4S
C.440.530.0950.I	44.0	5.30	95.0	1.7264	49.82	56.40	yes	stainless steel	4S
C.440.530.1100.A	44.0	5.30	110.0	1.7122	56.18	63.91	yes	music wire	4S
C.440.530.1100.I	44.0	5.30	110.0	1.4706	56.18	63.91	yes	stainless steel	4S
C.440.560.0450.A	44.0	5.60	45.0	6.1014	30.24	33.01	yes	music wire	5A
C.440.560.0450.I	44.0	5.60	45.0	5.2404	30.24	33.01	yes	stainless steel	5A
C.440.560.0650.A	44.0	5.60	65.0	3.9320	39.20	43.50	yes	music wire	5A
C.440.560.0650.I	44.0	5.60	65.0	3.3772	39.20	43.50	yes	stainless steel	5B
C.440.560.0910.A	44.0	5.60	91.0	2.6409	51.52	57.92	yes	music wire	5B
C.440.560.0910.I	44.0	5.60	91.0	2.2683	51.52	57.92	yes	stainless steel	5B
C.440.580.0480.A	44.0	5.80	48.0	6.6716	32.48	35.45	yes	music wire	5A
C.440.580.0480.I	44.0	5.80	48.0	5.7302	32.48	35.45	yes	stainless steel	5A
C.440.580.0700.A	44.0	5.80	70.0	4.1364	43.50	48.29	yes	music wire	5A
C.440.580.0700.I	44.0	5.80	70.0	3.5527	43.50	48.29	yes	stainless steel	5B
C.440.580.0960.A	44.0	5.80	96.0	2.8725	56.26	63.15	yes	music wire	5B
C.440.580.0960.I	44.0	5.80	96.0	2.4672	56.26	63.15	yes	stainless steel	5B
C.440.580.1100.A	44.0	5.80	110.0	2.4918	62.64	70.59	yes	music wire	5B
C.440.580.1100.I	44.0	5.80	110.0	2.1402	62.64	70.59	yes	stainless steel	5B
C.440.580.1650.A	44.0	5.80	165.0	1.6032	89.32	101.67	yes	music wire	5B
C.440.580.1650.I	44.0	5.80	165.0	1.3770	89.32	101.67	yes	stainless steel	5B
C.440.600.1800.A	44.0	6.00	180.0	1.6826	100.80	114.54	yes	music wire	5E
C.440.600.1800.I	44.0	6.00	180.0	1.4452	100.80	114.54	yes	stainless steel	5E
C.444.190.0200.A	44.4	1.90	20.0	0.1572	8.74	10.52	no	music wire	4G
C.444.190.0200.I	44.4	1.90	20.0	0.1350	8.74	10.52	no	stainless steel	4G
C.444.190.1030.A	44.4	1.90	103.0	0.0241	20.33	31.97	no	music wire	4I
C.444.190.1030.I	44.4	1.90	103.0	0.0210	20.14	31.61	no	stainless steel	4J
C.444.200.0200.A	44.4	2.00	20.0	0.1944	9.20	10.90	no	music wire	4G
C.444.200.0200.I	44.4	2.00	20.0	0.1670	9.20	10.90	no	stainless steel	4G
C.444.200.1200.I	44.4	2.00	120.0	0.0550	13.60	18.71	no	stainless steel	4J
C.444.200.1520.A	44.4	2.00	152.0	0.0241	24.80	38.58	no	music wire	4J
C.444.200.1520.I	44.4	2.00	152.0	0.0210	24.40	37.87	no	stainless steel	4J
C.444.210.0200.A	44.4	2.10	20.0	0.2380	9.66	11.30	no	music wire	4G
C.444.210.0200.I	44.4	2.10	20.0	0.2044	9.66	11.30	no	stainless steel	4G
C.444.210.1220.A	44.4	2.10	122.0	0.0490	18.48	26.37	no	music wire	4J
C.444.210.1220.I	44.4	2.10	122.0	0.0426	18.48	26.37	no	stainless steel	4J
C.444.280.0200.A	44.4	2.80	20.0	0.8698	9.80	11.01	yes	music wire	4I
C.444.280.0200.I	44.4	2.80	20.0	0.7471	9.80	11.01	yes	stainless steel	4I
C.444.280.1270.A	44.4	2.80	127.0	0.1000	31.36	41.86	yes	music wire	4K
C.444.280.1270.I	44.4	2.80	127.0	0.0870	31.08	41.46	yes	stainless steel	4L
C.444.300.0590.A	44.4	3.00	59.0	0.1839	26.40	33.69	yes	music wire	4J
C.444.300.0590.I	44.4	3.00	59.0	0.1600	26.10	33.27	yes	stainless steel	4J
C.444.300.2000.A	44.4	3.00	200.0	0.1067	40.20	52.81	yes	music wire	4M
C.444.300.2000.I	44.4	3.00	200.0	0.0916	40.20	52.81	yes	stainless steel	4M
C.444.450.0210.A	44.4	4.50	21.0	4.3678	18.00	19.47	yes	music wire	4Q
C.444.450.0210.I	44.4	4.50	21.0	3.8000	18.00	19.47	yes	stainless steel	4R
C.444.450.0250.A	44.4	4.50	25.0	6.3218	15.75	16.73	yes	music wire	4Q
C.444.450.0250.I	44.4	4.50	25.0	5.5000	15.75	16.73	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.444.450.0380.A	44.4	4.50	38.0	2.1000	25.20	28.24	yes	music wire	4R
C.444.450.0380.AP	44.4	4.50	38.0	3.9398	18.90	21.29	yes	music wire	4S
C.444.450.0380.I	44.4	4.50	38.0	1.8270	25.20	28.24	yes	stainless steel	4R
C.444.450.0680.A	44.4	4.50	68.0	1.6092	29.70	33.72	yes	music wire	4R
C.444.450.0680.I	44.4	4.50	68.0	1.4000	29.25	33.17	yes	stainless steel	4R
C.444.450.1200.A	44.4	4.50	120.0	0.7473	50.85	59.48	yes	music wire	4R
C.444.450.1200.I	44.4	4.50	120.0	0.6419	50.85	59.48	yes	stainless steel	4R
C.444.450.1600.A	44.4	4.50	160.0	0.5480	65.25	77.02	yes	music wire	4S
C.444.450.1600.I	44.4	4.50	160.0	0.4707	65.25	77.02	yes	stainless steel	4S
C.444.450.2050.A	44.4	4.50	205.0	0.4243	81.00	96.20	yes	music wire	4S
C.444.450.2050.I	44.4	4.50	205.0	0.3644	81.00	96.20	yes	stainless steel	4S
C.445.360.0400.A	44.5	3.60	40.0	1.1368	16.92	19.25	yes	music wire	4M
C.445.360.0400.I	44.5	3.60	40.0	0.9764	16.92	19.25	yes	stainless steel	4M
C.445.360.0450.A	44.5	3.60	45.0	1.0004	18.00	20.64	yes	music wire	4M
C.445.360.0450.I	44.5	3.60	45.0	0.8592	18.00	20.64	yes	stainless steel	4M
C.445.360.0600.A	44.5	3.60	60.0	0.7146	21.60	25.30	yes	music wire	4M
C.445.360.0600.I	44.5	3.60	60.0	0.6137	21.60	25.30	yes	stainless steel	4M
C.445.360.0800.A	44.5	3.60	80.0	0.5104	26.64	31.82	yes	music wire	4N
C.445.360.0800.I	44.5	3.60	80.0	0.4384	26.64	31.82	yes	stainless steel	4N
C.445.360.0850.A	44.5	3.60	85.0	0.4810	27.72	33.22	yes	music wire	4N
C.445.360.0850.I	44.5	3.60	85.0	0.4131	27.72	33.22	yes	stainless steel	4N
C.445.360.1000.A	44.5	3.60	100.0	0.4034	31.32	37.87	yes	music wire	4N
C.445.360.1000.I	44.5	3.60	100.0	0.3465	31.32	37.87	yes	stainless steel	4N
C.445.360.1050.A	44.5	3.60	105.0	0.3848	32.40	39.27	yes	music wire	4N
C.445.360.1050.I	44.5	3.60	105.0	0.3305	32.40	39.27	yes	stainless steel	4N
C.445.360.1200.A	44.5	3.60	120.0	0.3335	36.00	43.93	yes	music wire	4N
C.445.360.1200.I	44.5	3.60	120.0	0.2864	36.00	43.93	yes	stainless steel	4N
C.445.360.1250.A	44.5	3.60	125.0	0.3968	31.68	38.34	yes	music wire	4Q
C.445.360.1250.I	44.5	3.60	125.0	0.3452	31.32	37.87	yes	stainless steel	4Q
C.445.360.1250.N	44.5	3.60	125.0	0.3968	31.68	38.34	yes	Zn coating	4R
C.445.360.1400.A	44.5	3.60	140.0	0.2842	40.68	49.98	yes	music wire	4O
C.445.360.1400.I	44.5	3.60	140.0	0.2441	40.68	49.98	yes	stainless steel	4O
C.445.360.1600.A	44.5	3.60	160.0	0.3125	37.80	46.26	yes	music wire	4R
C.445.360.1600.I	44.5	3.60	160.0	0.2719	37.44	45.79	yes	stainless steel	4R
C.445.360.1600.N	44.5	3.60	160.0	0.3125	37.80	46.26	yes	Zn coating	4S
C.445.360.2000.A	44.5	3.60	200.0	0.2500	45.00	57.81	yes	music wire	4R
C.445.360.2000.I	44.5	3.60	200.0	0.2175	44.64	55.10	yes	stainless steel	4R
C.445.360.2000.N	44.5	3.60	200.0	0.2500	45.00	57.81	yes	Zn coating	4S
C.445.360.2500.A	44.5	3.60	250.0	0.2000	54.00	72.26	yes	music wire	4S
C.445.360.2500.I	44.5	3.60	250.0	0.1740	53.28	66.75	yes	stainless steel	4S
C.445.360.2500.N	44.5	3.60	250.0	0.2000	54.00	72.26	yes	Zn coating	4T
C.445.360.3200.A	44.5	3.60	320.0	0.1563	66.60	92.56	yes	music wire	4S
C.445.360.3200.I	44.5	3.60	320.0	0.1360	65.88	85.52	yes	stainless steel	4S
C.445.360.3200.N	44.5	3.60	320.0	0.1563	66.60	92.56	yes	Zn coating	5A
C.445.360.4000.A	44.5	3.60	400.0	0.1250	81.00	115.61	yes	music wire	4T
C.445.360.4000.I	44.5	3.60	400.0	0.1088	80.28	106.80	yes	stainless steel	4T
C.445.360.4000.N	44.5	3.60	400.0	0.1250	81.00	115.61	yes	Zn coating	5B
C.445.360.5000.A	44.5	3.60	500.0	0.1000	99.00	144.52	yes	music wire	5A
C.445.360.5000.I	44.5	3.60	500.0	0.0870	97.92	133.50	yes	stainless steel	5A
C.445.360.5000.N	44.5	3.60	500.0	0.1000	99.00	144.52	yes	Zn coating	5C
C.445.380.0600.A	44.5	3.80	60.0	0.7126	26.22	30.77	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.445.380.0600.AP	44.5	3.80	60.0	1.2835	19.00	27.84	yes	music wire	4P
C.445.380.0600.I	44.5	3.80	60.0	0.6200	26.22	30.77	yes	stainless steel	4M
C.445.380.3000.A	44.5	3.80	300.0	0.1552	86.64	107.63	yes	music wire	4Q
C.445.380.3000.I	44.5	3.80	300.0	0.1333	86.64	107.63	yes	stainless steel	4Q
C.448.300.0191.A	44.8	3.00	19.1	1.1494	10.50	11.67	yes	music wire	4I
C.448.300.0191.I	44.8	3.00	19.1	1.0000	10.50	11.67	yes	stainless steel	4I
C.448.300.0450.A	44.8	3.00	45.0	0.4500	15.00	17.93	yes	music wire	4I
C.448.300.0450.I	44.8	3.00	45.0	0.3915	15.00	17.93	yes	stainless steel	4I
C.448.550.0740.A	44.8	5.50	74.0	3.0000	41.80	46.75	yes	music wire	5A
C.448.550.0740.AP	44.8	5.50	74.0	3.8148	35.75	44.41	yes	music wire	5D
C.448.550.0740.I	44.8	5.50	74.0	2.6100	41.80	46.75	yes	stainless steel	5B
C.450.100.2000.N	45.0	1.00	200.0	0.0044	6.20	14.31	no	Zn coating	4L
C.450.240.0470.I	45.0	2.40	47.0	0.2347	9.84	12.04	yes	stainless steel	4I
C.450.240.0600.I	45.0	2.40	60.0	0.1788	11.04	13.93	yes	stainless steel	4I
C.450.240.0762.A	45.0	2.40	76.2	0.1410	13.44	17.70	yes	music wire	4I
C.450.240.0762.I	45.0	2.40	76.2	0.1211	13.44	17.70	yes	stainless steel	4I
C.450.240.0889.A	45.0	2.40	88.9	0.1214	14.64	19.59	yes	music wire	4I
C.450.240.0889.I	45.0	2.40	88.9	0.1043	14.64	19.59	yes	stainless steel	4I
C.450.240.1016.A	45.0	2.40	101.6	0.1041	16.08	21.85	yes	music wire	4J
C.450.240.1016.I	45.0	2.40	101.6	0.0894	16.08	21.85	yes	stainless steel	4J
C.450.250.0320.A	45.0	2.50	32.0	0.2040	12.50	15.83	yes	music wire	4I
C.450.250.0320.AP	45.0	2.50	32.0	0.4778	9.00	10.47	yes	music wire	4I
C.450.250.0320.I	45.0	2.50	32.0	0.1775	12.50	15.83	yes	stainless steel	4I
C.450.250.0320.N	45.0	2.50	32.0	0.2040	12.50	15.83	yes	Zn coating	4I
C.450.250.0400.A	45.0	2.50	40.0	0.2540	11.25	13.92	yes	music wire	4I
C.450.250.0400.I	45.0	2.50	40.0	0.2210	11.25	13.92	yes	stainless steel	4I
C.450.250.0400.N	45.0	2.50	40.0	0.2540	11.25	13.92	yes	Zn coating	4I
C.450.250.0475.A	45.0	2.50	47.5	0.2040	12.50	15.83	yes	music wire	4I
C.450.250.0475.I	45.0	2.50	47.5	0.1775	12.50	15.83	yes	stainless steel	4I
C.450.250.0475.N	45.0	2.50	47.5	0.2040	12.50	15.83	yes	Zn coating	4J
C.450.250.0500.A	45.0	2.50	50.0	0.2040	12.50	15.83	yes	music wire	4I
C.450.250.0500.I	45.0	2.50	50.0	0.1775	12.50	15.83	yes	stainless steel	4I
C.450.250.0500.N	45.0	2.50	50.0	0.2040	12.50	15.83	yes	Zn coating	4J
C.450.250.0572.A	45.0	2.50	57.2	0.2160	12.25	15.45	yes	music wire	4I
C.450.250.0572.I	45.0	2.50	57.2	0.1855	12.25	15.45	yes	stainless steel	4I
C.450.250.0635.A	45.0	2.50	63.5	0.1920	13.00	16.60	yes	music wire	4I
C.450.250.0635.I	45.0	2.50	63.5	0.1649	13.00	16.60	yes	stainless steel	4I
C.450.250.0698.A	45.0	2.50	69.8	0.1788	13.50	17.37	yes	music wire	4I
C.450.250.0698.I	45.0	2.50	69.8	0.1535	13.50	17.37	yes	stainless steel	4I
C.450.250.0762.A	45.0	2.50	76.2	0.1620	14.25	18.52	yes	music wire	4I
C.450.250.0762.I	45.0	2.50	76.2	0.1391	14.25	18.52	yes	stainless steel	4I
C.450.250.0889.A	45.0	2.50	88.9	0.1364	15.75	20.82	yes	music wire	4I
C.450.250.0889.I	45.0	2.50	88.9	0.1172	15.75	20.82	yes	stainless steel	4J
C.450.250.1016.A	45.0	2.50	101.6	0.1178	17.25	23.12	yes	music wire	4J
C.450.250.1016.I	45.0	2.50	101.6	0.1012	17.25	23.12	yes	stainless steel	4J
C.450.250.1700.I	45.0	2.50	170.0	0.0696	22.25	30.79	yes	stainless steel	4L
C.450.250.2500.A	45.0	2.50	250.0	0.0471	33.75	48.42	yes	music wire	4M
C.450.250.2500.I	45.0	2.50	250.0	0.0405	33.75	48.42	yes	stainless steel	4M
C.450.250.3200.A	45.0	2.50	320.0	0.0368	41.50	60.31	yes	music wire	4N
C.450.250.3200.I	45.0	2.50	320.0	0.0316	41.50	60.31	yes	stainless steel	4N
C.450.260.0470.A	45.0	2.60	47.0	0.3593	10.92	13.13	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.260.0470.I	45.0	2.60	47.0	0.3086	10.92	13.13	yes	stainless steel	4I
C.450.260.0800.A	45.0	2.60	80.0	0.1970	14.56	18.58	yes	music wire	4I
C.450.260.0800.I	45.0	2.60	80.0	0.1692	14.56	18.58	yes	stainless steel	4I
C.450.260.1300.A	45.0	2.60	130.0	0.1198	19.76	26.38	yes	music wire	4J
C.450.260.1300.I	45.0	2.60	130.0	0.1029	19.76	26.38	yes	stainless steel	4J
C.450.260.2000.A	45.0	2.60	200.0	0.0773	27.04	37.29	yes	music wire	4L
C.450.260.2000.I	45.0	2.60	200.0	0.0664	27.04	37.29	yes	stainless steel	4L
C.450.270.0460.A	45.0	2.70	46.0	0.3974	11.61	13.89	yes	music wire	4I
C.450.270.0460.I	45.0	2.70	46.0	0.3413	11.61	13.89	yes	stainless steel	4I
C.450.270.0600.A	45.0	2.70	60.0	0.3110	12.96	15.87	yes	music wire	4I
C.450.270.0600.I	45.0	2.70	60.0	0.2671	12.96	15.87	yes	stainless steel	4I
C.450.270.0820.A	45.0	2.70	82.0	0.2168	15.66	19.83	yes	music wire	4I
C.450.270.0820.I	45.0	2.70	82.0	0.1862	15.66	19.83	yes	stainless steel	4I
C.450.270.0960.A	45.0	2.70	96.0	0.1882	17.01	21.81	yes	music wire	4J
C.450.270.0960.I	45.0	2.70	96.0	0.1617	17.01	21.81	yes	stainless steel	4J
C.450.270.1200.A	45.0	2.70	120.0	0.1460	19.98	26.17	yes	music wire	4J
C.450.270.1200.I	45.0	2.70	120.0	0.1254	19.98	26.17	yes	stainless steel	4J
C.450.270.1450.A	45.0	2.70	145.0	0.1212	22.68	30.14	yes	music wire	4J
C.450.270.1450.I	45.0	2.70	145.0	0.1041	22.68	30.14	yes	stainless steel	4J
C.450.270.1950.A	45.0	2.70	195.0	0.0894	28.35	38.46	yes	music wire	4L
C.450.270.1950.I	45.0	2.70	195.0	0.0768	28.35	38.46	yes	stainless steel	4L
C.450.280.0470.A	45.0	2.80	47.0	0.4385	12.32	14.66	yes	music wire	4I
C.450.280.0470.I	45.0	2.80	47.0	0.3767	12.32	14.66	yes	stainless steel	4I
C.450.280.0550.A	45.0	2.80	55.0	0.3787	13.16	15.87	yes	music wire	4I
C.450.280.0550.I	45.0	2.80	55.0	0.3253	13.16	15.87	yes	stainless steel	4J
C.450.280.0790.A	45.0	2.80	79.0	0.2525	16.24	20.31	yes	music wire	4J
C.450.280.0790.I	45.0	2.80	79.0	0.2169	16.24	20.31	yes	stainless steel	4J
C.450.280.0940.A	45.0	2.80	94.0	0.2136	17.92	22.73	yes	music wire	4J
C.450.280.0940.I	45.0	2.80	94.0	0.1835	17.92	22.73	yes	stainless steel	4J
C.450.280.1950.A	45.0	2.80	195.0	0.1004	30.24	40.48	yes	music wire	4M
C.450.280.1950.I	45.0	2.80	195.0	0.0862	30.24	40.48	yes	stainless steel	4M
C.450.290.0510.A	45.0	2.90	51.0	0.4598	13.34	15.87	yes	music wire	4I
C.450.290.0510.I	45.0	2.90	51.0	0.3949	13.34	15.87	yes	stainless steel	4J
C.450.290.0730.A	45.0	2.90	73.0	0.3115	16.24	19.98	yes	music wire	4J
C.450.290.0730.I	45.0	2.90	73.0	0.2675	16.24	19.98	yes	stainless steel	4J
C.450.290.1250.A	45.0	2.90	125.0	0.1756	23.20	29.84	yes	music wire	4K
C.450.290.1250.I	45.0	2.90	125.0	0.1508	23.20	29.84	yes	stainless steel	4L
C.450.300.1100.A	45.0	3.00	110.0	0.2228	22.50	28.41	yes	music wire	4J
C.450.300.1100.I	45.0	3.00	110.0	0.1913	22.50	28.41	yes	stainless steel	4J
C.450.300.1450.A	45.0	3.00	145.0	0.1688	27.30	35.10	yes	music wire	4L
C.450.300.1450.I	45.0	3.00	145.0	0.1449	27.30	35.10	yes	stainless steel	4L
C.450.300.1800.A	45.0	3.00	180.0	0.1358	32.10	41.79	yes	music wire	4L
C.450.300.1800.I	45.0	3.00	180.0	0.1167	32.10	41.79	yes	stainless steel	4M
C.450.310.0460.A	45.0	3.10	46.0	0.6395	13.95	16.27	yes	music wire	4I
C.450.310.0460.I	45.0	3.10	46.0	0.5493	13.95	16.27	yes	stainless steel	4I
C.450.310.0920.A	45.0	3.10	92.0	0.3045	20.77	25.64	yes	music wire	4J
C.450.310.0920.I	45.0	3.10	92.0	0.2616	20.77	25.64	yes	stainless steel	4J
C.450.310.1100.A	45.0	3.10	110.0	0.2508	23.56	29.47	yes	music wire	4J
C.450.310.1100.I	45.0	3.10	110.0	0.2154	23.56	29.47	yes	stainless steel	4J
C.450.310.1350.A	45.0	3.10	135.0	0.2030	27.28	34.58	yes	music wire	4L
C.450.310.1350.I	45.0	3.10	135.0	0.1744	27.28	34.58	yes	stainless steel	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.310.1750.A	45.0	3.10	175.0	0.1541	33.48	43.10	yes	music wire	4L
C.450.310.1750.I	45.0	3.10	175.0	0.1324	33.48	43.10	yes	stainless steel	4M
C.450.320.0400.A	45.0	3.20	40.0	0.7500	14.40	16.68	yes	music wire	4J
C.450.320.0400.I	45.0	3.20	40.0	0.6525	14.08	16.24	yes	stainless steel	4J
C.450.320.0400.N	45.0	3.20	40.0	0.7500	14.40	16.68	yes	Zn coating	4L
C.450.320.0500.A	45.0	3.20	50.0	0.5630	16.32	19.28	yes	music wire	4J
C.450.320.0500.I	45.0	3.20	50.0	0.4898	16.32	19.28	yes	stainless steel	4J
C.450.320.0500.N	45.0	3.20	50.0	0.5630	16.32	19.28	yes	Zn coating	4L
C.450.320.0630.A	45.0	3.20	63.0	0.4500	18.56	22.32	yes	music wire	4K
C.450.320.0630.I	45.0	3.20	63.0	0.3915	18.24	21.88	yes	stainless steel	4K
C.450.320.0630.N	45.0	3.20	63.0	0.4500	18.56	22.32	yes	Zn coating	4M
C.450.320.0690.A	45.0	3.20	69.0	0.4571	18.24	21.88	yes	music wire	4K
C.450.320.0690.I	45.0	3.20	69.0	0.3926	18.24	21.88	yes	stainless steel	4L
C.450.320.0800.A	45.0	3.20	80.0	0.3410	21.76	26.66	yes	music wire	4L
C.450.320.0800.I	45.0	3.20	80.0	0.2967	21.44	26.22	yes	stainless steel	4L
C.450.320.0800.N	45.0	3.20	80.0	0.3410	21.76	26.66	yes	Zn coating	4M
C.450.320.1000.A	45.0	3.20	100.0	0.2680	25.60	31.86	yes	music wire	4L
C.450.320.1000.I	45.0	3.20	100.0	0.3081	21.12	26.45	yes	stainless steel	4N
C.450.320.1000.N	45.0	3.20	100.0	0.2680	25.60	31.86	yes	Zn coating	4M
C.450.320.1250.A	45.0	3.20	125.0	0.2120	30.08	37.94	yes	music wire	4M
C.450.320.1250.I	45.0	3.20	125.0	0.1844	29.76	37.51	yes	stainless steel	4M
C.450.320.1250.N	45.0	3.20	125.0	0.2120	30.08	37.94	yes	Zn coating	4N
C.450.320.1600.A	45.0	3.20	160.0	0.1660	36.16	46.18	yes	music wire	4M
C.450.320.1600.I	45.0	3.20	160.0	0.1444	35.84	45.75	yes	stainless steel	4M
C.450.320.1600.N	45.0	3.20	160.0	0.1660	36.16	46.18	yes	Zn coating	4O
C.450.320.2000.A	45.0	3.20	200.0	0.1310	43.84	56.60	yes	music wire	4N
C.450.320.2000.I	45.0	3.20	200.0	0.1140	43.20	55.73	yes	stainless steel	4N
C.450.320.2000.N	45.0	3.20	200.0	0.1310	43.84	56.60	yes	Zn coating	4O
C.450.320.2500.A	45.0	3.20	250.0	0.1030	53.44	69.61	yes	music wire	4O
C.450.320.2500.I	45.0	3.20	250.0	0.0885	53.44	69.61	yes	stainless steel	4O
C.450.320.3200.A	45.0	3.20	320.0	0.0804	66.24	86.97	yes	music wire	4P
C.450.320.3200.I	45.0	3.20	320.0	0.0690	66.24	86.97	yes	stainless steel	4P
C.450.320.3600.A	45.0	3.20	360.0	0.0720	76.16	99.28	no	music wire	4P
C.450.320.3600.I	45.0	3.20	360.0	0.0626	75.52	98.41	no	stainless steel	4P
C.450.330.0450.A	45.0	3.30	45.0	0.7934	15.18	17.53	yes	music wire	4J
C.450.330.0450.I	45.0	3.30	45.0	0.6815	15.18	17.53	yes	stainless steel	4J
C.450.330.0570.A	45.0	3.30	57.0	0.6171	17.16	20.19	yes	music wire	4J
C.450.330.0570.I	45.0	3.30	57.0	0.5300	17.16	20.19	yes	stainless steel	4K
C.450.330.0800.A	45.0	3.30	80.0	0.4272	21.12	25.49	yes	music wire	4L
C.450.330.0800.I	45.0	3.30	80.0	0.3669	21.12	25.49	yes	stainless steel	4L
C.450.330.1150.A	45.0	3.30	115.0	0.2923	27.06	33.45	yes	music wire	4L
C.450.330.1150.I	45.0	3.30	115.0	0.2511	27.06	33.45	yes	stainless steel	4L
C.450.330.1350.A	45.0	3.30	135.0	0.2487	30.36	37.87	yes	music wire	4M
C.450.330.1350.I	45.0	3.30	135.0	0.2136	30.36	37.87	yes	stainless steel	4M
C.450.330.1650.A	45.0	3.30	165.0	0.2007	35.64	44.94	yes	music wire	4M
C.450.330.1650.I	45.0	3.30	165.0	0.1724	35.64	44.94	yes	stainless steel	4M
C.450.340.0460.A	45.0	3.40	46.0	0.8596	15.98	18.41	yes	music wire	4J
C.450.340.0460.I	45.0	3.40	46.0	0.7383	15.98	18.41	yes	stainless steel	4J
C.450.340.0635.A	45.0	3.40	63.5	0.5403	20.40	24.26	yes	music wire	4K
C.450.340.0635.I	45.0	3.40	63.5	0.4641	20.40	24.26	yes	stainless steel	4K
C.450.340.0762.A	45.0	3.40	76.2	0.4398	23.12	27.86	yes	music wire	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.340.0762.I	45.0	3.40	76.2	0.3777	23.12	27.86	yes	stainless steel	4L
C.450.340.0889.A	45.0	3.40	88.9	0.3708	25.84	31.47	yes	music wire	4L
C.450.340.0889.I	45.0	3.40	88.9	0.3185	25.84	31.47	yes	stainless steel	4L
C.450.340.1450.A	45.0	3.40	145.0	0.2521	34.00	42.28	yes	music wire	4M
C.450.340.1450.I	45.0	3.40	145.0	0.2166	34.00	42.28	yes	stainless steel	4M
C.450.340.1650.A	45.0	3.40	165.0	0.2199	37.74	47.23	yes	music wire	4M
C.450.340.1650.I	45.0	3.40	165.0	0.1889	37.74	47.23	yes	stainless steel	4M
C.450.350.0460.A	45.0	3.50	46.0	0.9722	16.45	18.84	yes	music wire	4J
C.450.350.0460.I	45.0	3.50	46.0	0.8351	16.45	18.84	yes	stainless steel	4J
C.450.350.0540.A	45.0	3.50	54.0	0.7922	18.20	21.14	yes	music wire	4J
C.450.350.0540.I	45.0	3.50	54.0	0.6804	18.20	21.14	yes	stainless steel	4K
C.450.350.0690.A	45.0	3.50	69.0	0.6111	21.00	24.81	yes	music wire	4K
C.450.350.0690.I	45.0	3.50	69.0	0.5249	21.00	24.81	yes	stainless steel	4L
C.450.350.1500.A	45.0	3.50	150.0	0.2674	36.75	45.45	yes	music wire	4M
C.450.350.1500.I	45.0	3.50	150.0	0.2296	36.75	45.45	yes	stainless steel	4M
C.450.350.1750.A	45.0	3.50	175.0	0.2275	41.65	51.88	yes	music wire	4M
C.450.350.1750.I	45.0	3.50	175.0	0.1954	41.65	51.88	yes	stainless steel	4M
C.450.350.2350.A	45.0	3.50	235.0	0.1485	59.15	74.82	yes	music wire	4N
C.450.350.2350.I	45.0	3.50	235.0	0.1276	59.15	74.82	yes	stainless steel	4N
C.450.360.0224.A	45.0	3.60	22.4	2.1922	12.96	14.14	yes	music wire	4M
C.450.360.0224.I	45.0	3.60	22.4	1.8829	12.96	14.14	yes	stainless steel	4M
C.450.360.0254.A	45.0	3.60	25.4	2.0095	13.32	14.61	yes	music wire	4M
C.450.360.0254.I	45.0	3.60	25.4	1.7260	13.32	14.61	yes	stainless steel	4M
C.450.360.0400.A	45.0	3.60	40.0	1.1600	16.56	18.82	yes	music wire	4M
C.450.360.0400.AP	45.0	3.60	40.0	1.6372	14.40	18.52	yes	music wire	4O
C.450.360.0400.I	45.0	3.60	40.0	1.0092	16.56	18.82	yes	stainless steel	4M
C.450.360.0400.N	45.0	3.60	40.0	1.1600	16.56	18.82	yes	Zn coating	4N
C.450.360.0500.A	45.0	3.60	50.0	0.8840	18.72	21.62	yes	music wire	4M
C.450.360.0500.AP	45.0	3.60	50.0	1.2925	15.84	22.79	yes	music wire	4O
C.450.360.0500.I	45.0	3.60	50.0	0.7691	18.72	21.62	yes	stainless steel	4M
C.450.360.0500.N	45.0	3.60	50.0	0.8840	18.72	21.62	yes	Zn coating	4O
C.450.360.0508.A	45.0	3.60	50.8	0.8315	19.44	22.56	yes	music wire	4M
C.450.360.0508.I	45.0	3.60	50.8	0.7142	19.44	22.56	yes	stainless steel	4M
C.450.360.0630.A	45.0	3.60	63.0	0.6870	21.60	25.36	yes	music wire	4M
C.450.360.0630.AP	45.0	3.60	63.0	1.0233	17.64	28.63	yes	music wire	4P
C.450.360.0630.I	45.0	3.60	63.0	0.5977	21.60	25.36	yes	stainless steel	4M
C.450.360.0630.N	45.0	3.60	63.0	0.6870	21.60	25.36	yes	Zn coating	4O
C.450.360.0635.A	45.0	3.60	63.5	0.6517	22.32	26.29	yes	music wire	4M
C.450.360.0635.I	45.0	3.60	63.5	0.5598	22.32	26.29	yes	stainless steel	4M
C.450.360.0720.A	45.0	3.60	72.0	0.5742	24.12	28.63	yes	music wire	4M
C.450.360.0720.I	45.0	3.60	72.0	0.4931	24.12	28.63	yes	stainless steel	4N
C.450.360.0762.A	45.0	3.60	76.2	0.5359	25.20	30.03	yes	music wire	4N
C.450.360.0762.I	45.0	3.60	76.2	0.4603	25.20	30.03	yes	stainless steel	4N
C.450.360.0800.A	45.0	3.60	80.0	0.5300	25.20	30.03	yes	music wire	4N
C.450.360.0800.I	45.0	3.60	80.0	0.4611	25.20	30.03	yes	stainless steel	4N
C.450.360.0800.N	45.0	3.60	80.0	0.5300	25.20	30.03	yes	Zn coating	4O
C.450.360.0889.A	45.0	3.60	88.9	0.4550	28.08	33.77	yes	music wire	4N
C.450.360.0889.I	45.0	3.60	88.9	0.3908	28.08	33.77	yes	stainless steel	4N
C.450.360.1000.A	45.0	3.60	100.0	0.4120	30.24	36.58	yes	music wire	4N
C.450.360.1000.AP	45.0	3.60	100.0	0.6140	23.04	42.72	yes	music wire	4P
C.450.360.1000.I	45.0	3.60	100.0	0.3584	29.88	36.11	yes	stainless steel	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.360.1000.N	45.0	3.60	100.0	0.4120	30.24	36.58	yes	Zn coating	4P
C.450.360.1016.A	45.0	3.60	101.6	0.3889	31.32	37.98	yes	music wire	4N
C.450.360.1016.I	45.0	3.60	101.6	0.3341	31.32	37.98	yes	stainless steel	4N
C.450.360.1250.A	45.0	3.60	125.0	0.3260	35.64	43.59	yes	music wire	4N
C.450.360.1250.I	45.0	3.60	125.0	0.2836	35.28	43.12	yes	stainless steel	4N
C.450.360.1250.N	45.0	3.60	125.0	0.3260	35.64	43.59	yes	Zn coating	4P
C.450.360.1450.A	45.0	3.60	145.0	0.2679	41.40	51.07	yes	music wire	4O
C.450.360.1450.I	45.0	3.60	145.0	0.2301	41.40	51.07	yes	stainless steel	4O
C.450.360.1600.A	45.0	3.60	160.0	0.2510	43.56	53.87	yes	music wire	4O
C.450.360.1600.I	45.0	3.60	160.0	0.2184	43.20	53.40	yes	stainless steel	4O
C.450.360.1600.N	45.0	3.60	160.0	0.2510	43.56	53.87	yes	Zn coating	4Q
C.450.360.2000.A	45.0	3.60	200.0	0.2000	52.56	65.56	yes	music wire	4P
C.450.360.2000.I	45.0	3.60	200.0	0.1740	51.84	64.62	yes	stainless steel	4P
C.450.360.2000.N	45.0	3.60	200.0	0.2000	52.56	65.56	yes	Zn coating	4R
C.450.360.2050.A	45.0	3.60	205.0	0.1869	55.44	69.30	yes	music wire	4P
C.450.360.2050.I	45.0	3.60	205.0	0.1606	55.44	69.30	yes	stainless steel	4P
C.450.360.3600.A	45.0	3.60	360.0	0.1090	92.16	115.90	no	music wire	4R
C.450.360.3600.I	45.0	3.60	360.0	0.0948	91.08	114.50	no	stainless steel	4R
C.450.380.0508.A	45.0	3.80	50.8	1.0125	20.90	24.05	yes	music wire	4M
C.450.380.0508.I	45.0	3.80	50.8	0.8696	20.90	24.05	yes	stainless steel	4M
C.450.380.0635.A	45.0	3.80	63.5	0.7993	23.94	27.93	yes	music wire	4M
C.450.380.0635.I	45.0	3.80	63.5	0.6865	23.94	27.93	yes	stainless steel	4M
C.450.380.0762.A	45.0	3.80	76.2	0.6463	27.36	32.30	yes	music wire	4N
C.450.380.0762.I	45.0	3.80	76.2	0.5551	27.36	32.30	yes	stainless steel	4N
C.450.380.0889.A	45.0	3.80	88.9	0.5424	30.78	36.66	yes	music wire	4N
C.450.380.0889.I	45.0	3.80	88.9	0.4659	30.78	36.66	yes	stainless steel	4N
C.450.380.1016.A	45.0	3.80	101.6	0.4746	33.82	40.54	yes	music wire	4N
C.450.380.1016.I	45.0	3.80	101.6	0.4076	33.82	40.54	yes	stainless steel	4N
C.450.380.1650.A	45.0	3.80	165.0	0.3197	45.60	55.58	yes	music wire	4O
C.450.380.1650.I	45.0	3.80	165.0	0.2746	45.60	55.58	yes	stainless steel	4O
C.450.380.2000.A	45.0	3.80	200.0	0.2618	53.58	65.76	yes	music wire	4P
C.450.380.2000.I	45.0	3.80	200.0	0.2249	53.58	65.76	yes	stainless steel	4P
C.450.400.0400.A	45.0	4.00	40.0	1.7130	18.80	21.07	yes	music wire	4P
C.450.400.0400.AP	45.0	4.00	40.0	2.4086	16.40	20.47	yes	music wire	4R
C.450.400.0400.I	45.0	4.00	40.0	1.4903	18.80	21.07	yes	stainless steel	4P
C.450.400.0400.N	45.0	4.00	40.0	1.7130	18.80	21.07	yes	Zn coating	4R
C.450.400.0500.A	45.0	4.00	50.0	1.3240	21.60	24.59	yes	music wire	4P
C.450.400.0500.AP	45.0	4.00	50.0	1.8351	18.40	24.37	yes	music wire	4R
C.450.400.0500.I	45.0	4.00	50.0	1.1519	21.20	24.09	yes	stainless steel	4P
C.450.400.0500.N	45.0	4.00	50.0	1.3240	21.60	24.59	yes	Zn coating	4R
C.450.400.0508.A	45.0	4.00	50.8	1.2207	22.40	25.59	yes	music wire	4P
C.450.400.0508.I	45.0	4.00	50.8	1.0484	22.40	25.59	yes	stainless steel	4P
C.450.400.0580.A	45.0	4.00	58.0	1.1825	22.80	26.10	yes	music wire	4P
C.450.400.0580.I	45.0	4.00	58.0	1.0157	22.80	26.10	yes	stainless steel	4P
C.450.400.0630.A	45.0	4.00	63.0	1.0040	25.20	29.12	yes	music wire	4P
C.450.400.0630.AP	45.0	4.00	63.0	1.4273	20.80	30.05	yes	music wire	4S
C.450.400.0630.I	45.0	4.00	63.0	0.8735	24.80	28.61	yes	stainless steel	4P
C.450.400.0630.N	45.0	4.00	63.0	1.0040	25.20	29.12	yes	Zn coating	4R
C.450.400.0762.A	45.0	4.00	76.2	0.7723	29.60	34.65	yes	music wire	4Q
C.450.400.0762.I	45.0	4.00	76.2	0.6633	29.60	34.65	yes	stainless steel	4Q
C.450.400.0800.A	45.0	4.00	80.0	0.7660	29.60	34.65	yes	music wire	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.400.0800.AP	45.0	4.00	80.0	1.1011	23.60	37.28	yes	music wire	4S
C.450.400.0800.I	45.0	4.00	80.0	0.6664	29.60	34.65	yes	stainless steel	4Q
C.450.400.0800.N	45.0	4.00	80.0	0.7660	29.60	34.65	yes	Zn coating	4R
C.450.400.0889.A	45.0	4.00	88.9	0.6524	33.20	39.18	yes	music wire	4Q
C.450.400.0889.I	45.0	4.00	88.9	0.5604	33.20	39.18	yes	stainless steel	4Q
C.450.400.0900.A	45.0	4.00	90.0	0.6414	33.60	39.68	yes	music wire	4Q
C.450.400.0900.I	45.0	4.00	90.0	0.5509	33.60	39.68	yes	stainless steel	4Q
C.450.400.1000.A	45.0	4.00	100.0	0.6070	34.80	41.19	yes	music wire	4Q
C.450.400.1000.AP	45.0	4.00	100.0	0.8758	27.20	46.30	yes	music wire	4S
C.450.400.1000.I	45.0	4.00	100.0	0.5281	34.80	41.19	yes	stainless steel	4Q
C.450.400.1000.N	45.0	4.00	100.0	0.6070	34.80	41.19	yes	Zn coating	4R
C.450.400.1016.A	45.0	4.00	101.6	0.5648	36.80	43.70	yes	music wire	4Q
C.450.400.1016.I	45.0	4.00	101.6	0.4851	36.80	43.70	yes	stainless steel	4Q
C.450.400.1143.A	45.0	4.00	114.3	0.4979	40.40	48.23	yes	music wire	4Q
C.450.400.1143.I	45.0	4.00	114.3	0.4276	40.40	48.23	yes	stainless steel	4Q
C.450.400.1250.A	45.0	4.00	125.0	0.4770	41.60	49.74	yes	music wire	4Q
C.450.400.1250.AP	45.0	4.00	125.0	0.6882	32.00	56.65	yes	music wire	4S
C.450.400.1250.I	45.0	4.00	125.0	0.4150	41.20	49.24	yes	stainless steel	4Q
C.450.400.1250.N	45.0	4.00	125.0	0.4770	41.60	49.74	yes	Zn coating	4S
C.450.400.1450.A	45.0	4.00	145.0	0.4349	44.80	53.76	yes	music wire	4R
C.450.400.1450.I	45.0	4.00	145.0	0.3736	44.80	53.76	yes	stainless steel	4R
C.450.400.1600.A	45.0	4.00	160.0	0.3690	51.20	61.81	yes	music wire	4R
C.450.400.1600.AP	45.0	4.00	160.0	0.5279	38.80	70.90	yes	music wire	4T
C.450.400.1600.I	45.0	4.00	160.0	0.3210	50.40	60.81	yes	stainless steel	4R
C.450.400.1600.N	45.0	4.00	160.0	0.3690	51.20	61.81	yes	Zn coating	4S
C.450.400.2000.A	45.0	4.00	200.0	0.2940	61.60	74.89	yes	music wire	4R
C.450.400.2000.AP	45.0	4.00	200.0	0.4189	46.00	87.71	yes	music wire	4T
C.450.400.2000.I	45.0	4.00	200.0	0.2558	60.80	73.89	yes	stainless steel	4R
C.450.400.2000.N	45.0	4.00	200.0	0.2940	61.60	74.89	yes	Zn coating	4S
C.450.400.2050.A	45.0	4.00	205.0	0.2703	66.00	80.43	yes	music wire	4R
C.450.400.2050.I	45.0	4.00	205.0	0.2322	66.00	80.43	yes	stainless steel	4R
C.450.400.2500.A	45.0	4.00	250.0	0.2200	78.80	96.52	yes	music wire	4R
C.450.400.2500.I	45.0	4.00	250.0	0.1890	78.80	96.52	yes	stainless steel	4R
C.450.400.3200.A	45.0	4.00	320.0	0.1705	98.80	121.67	yes	music wire	4S
C.450.400.3200.I	45.0	4.00	320.0	0.1464	98.80	121.67	yes	stainless steel	4S
C.450.400.3600.A	45.0	4.00	360.0	0.1580	109.60	134.23	no	music wire	4S
C.450.400.3600.I	45.0	4.00	360.0	0.1375	108.40	132.72	no	stainless steel	4S
C.450.420.0460.A	45.0	4.20	46.0	1.8670	21.00	23.54	yes	music wire	4P
C.450.420.0460.I	45.0	4.20	46.0	1.6036	21.00	23.54	yes	stainless steel	4P
C.450.420.0570.A	45.0	4.20	57.0	1.4144	24.36	27.71	yes	music wire	4P
C.450.420.0570.I	45.0	4.20	57.0	1.2148	24.36	27.71	yes	stainless steel	4P
C.450.420.0700.A	45.0	4.20	70.0	1.1384	27.72	31.88	yes	music wire	4P
C.450.420.0700.I	45.0	4.20	70.0	0.9778	27.72	31.88	yes	stainless steel	4Q
C.450.420.0889.A	45.0	4.20	88.9	0.7779	35.70	41.79	yes	music wire	4Q
C.450.420.0889.I	45.0	4.20	88.9	0.6681	35.70	41.79	yes	stainless steel	4Q
C.450.420.1016.A	45.0	4.20	101.6	0.6764	39.48	46.48	yes	music wire	4Q
C.450.420.1016.I	45.0	4.20	101.6	0.5810	39.48	46.48	yes	stainless steel	4Q
C.450.420.1450.A	45.0	4.20	145.0	0.5186	48.30	57.43	yes	music wire	4R
C.450.420.1450.I	45.0	4.20	145.0	0.4454	48.30	57.43	yes	stainless steel	4R
C.450.420.1800.A	45.0	4.20	180.0	0.4131	57.96	69.42	yes	music wire	4R
C.450.420.1800.I	45.0	4.20	180.0	0.3548	57.96	69.42	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.450.0287.A	45.0	4.50	28.7	4.1150	18.00	19.50	yes	music wire	4R
C.450.450.0287.I	45.0	4.50	28.7	3.5801	18.00	19.50	yes	stainless steel	4R
C.450.450.0287.N	45.0	4.50	28.7	4.1150	18.00	19.50	yes	Zn coating	4S
C.450.450.0400.A	45.0	4.50	40.0	2.6890	21.60	23.89	yes	music wire	4R
C.450.450.0400.AP	45.0	4.50	40.0	3.7672	18.90	22.74	yes	music wire	4S
C.450.450.0400.I	45.0	4.50	40.0	2.3394	21.60	23.89	yes	stainless steel	4R
C.450.450.0400.N	45.0	4.50	40.0	2.6890	21.60	23.89	yes	Zn coating	4S
C.450.450.0500.A	45.0	4.50	50.0	2.1000	24.75	27.74	yes	music wire	4R
C.450.450.0500.AP	45.0	4.50	50.0	2.7845	21.60	26.65	yes	music wire	4T
C.450.450.0500.I	45.0	4.50	50.0	1.8305	24.75	27.74	yes	stainless steel	4R
C.450.450.0500.N	45.0	4.50	50.0	2.1000	24.75	27.74	yes	Zn coating	4S
C.450.450.0550.A	45.0	4.50	55.0	1.9056	26.10	29.39	yes	music wire	4R
C.450.450.0550.I	45.0	4.50	55.0	1.6367	26.10	29.39	yes	stainless steel	4R
C.450.450.0630.A	45.0	4.50	63.0	1.6130	28.80	32.69	yes	music wire	4R
C.450.450.0630.AP	45.0	4.50	63.0	2.1348	24.30	32.54	yes	music wire	4T
C.450.450.0630.I	45.0	4.50	63.0	1.4000	28.80	32.69	yes	stainless steel	4R
C.450.450.0630.N	45.0	4.50	63.0	1.6130	28.80	32.69	yes	Zn coating	4S
C.450.450.0800.A	45.0	4.50	80.0	1.2100	34.65	39.83	yes	music wire	4R
C.450.450.0800.AP	45.0	4.50	80.0	1.6421	28.35	40.41	yes	music wire	4T
C.450.450.0800.I	45.0	4.50	80.0	1.0527	34.20	39.28	yes	stainless steel	4R
C.450.450.0800.N	45.0	4.50	80.0	1.2100	34.65	39.83	yes	Zn coating	4S
C.450.450.1000.A	45.0	4.50	100.0	0.9490	40.95	47.53	yes	music wire	4R
C.450.450.1000.AP	45.0	4.50	100.0	1.3070	32.85	50.26	yes	music wire	4T
C.450.450.1000.I	45.0	4.50	100.0	0.8256	40.50	46.98	yes	stainless steel	4R
C.450.450.1000.N	45.0	4.50	100.0	0.9490	40.95	47.53	yes	Zn coating	4S
C.450.450.1250.A	45.0	4.50	125.0	0.7560	48.60	56.87	yes	music wire	4R
C.450.450.1250.AP	45.0	4.50	125.0	1.0166	39.15	61.04	yes	music wire	4T
C.450.450.1250.I	45.0	4.50	125.0	0.6577	48.15	56.32	yes	stainless steel	4R
C.450.450.1250.N	45.0	4.50	125.0	0.7560	48.60	56.87	yes	Zn coating	4T
C.450.450.1600.A	45.0	4.50	160.0	0.5760	60.30	71.16	yes	music wire	4S
C.450.450.1600.AP	45.0	4.50	160.0	0.7907	47.25	77.77	yes	music wire	5A
C.450.450.1600.I	45.0	4.50	160.0	0.5000	59.85	70.61	yes	stainless steel	4S
C.450.450.1600.N	45.0	4.50	160.0	0.5760	60.30	71.16	yes	Zn coating	4T
C.450.450.2000.A	45.0	4.50	200.0	0.4570	73.35	87.11	yes	music wire	4S
C.450.450.2000.AP	45.0	4.50	200.0	0.6218	56.70	95.44	yes	music wire	5A
C.450.450.2000.I	45.0	4.50	200.0	0.3976	72.45	86.01	yes	stainless steel	4S
C.450.450.2000.N	45.0	4.50	200.0	0.4570	73.35	87.11	yes	Zn coating	4T
C.450.450.2500.A	45.0	4.50	250.0	0.3363	95.40	114.04	yes	music wire	4S
C.450.450.2500.I	45.0	4.50	250.0	0.2888	95.40	114.04	yes	stainless steel	4S
C.450.450.3600.A	45.0	4.50	360.0	0.2470	130.50	155.92	no	music wire	4T
C.450.450.3600.I	45.0	4.50	360.0	0.2149	128.70	153.72	no	stainless steel	4T
C.450.450.4000.A	45.0	4.50	400.0	0.2075	147.60	177.80	yes	music wire	5A
C.450.450.4000.I	45.0	4.50	400.0	0.1783	147.60	177.80	yes	stainless steel	5A
C.450.470.0460.A	45.0	4.70	46.0	2.8131	24.44	27.11	yes	music wire	4R
C.450.470.0460.I	45.0	4.70	46.0	2.4161	24.44	27.11	yes	stainless steel	4R
C.450.470.0600.A	45.0	4.70	60.0	2.0528	29.14	32.80	yes	music wire	4R
C.450.470.0600.I	45.0	4.70	60.0	1.7631	29.14	32.80	yes	stainless steel	4R
C.450.470.0790.A	45.0	4.70	79.0	1.4893	35.72	40.76	yes	music wire	4R
C.450.470.0790.I	45.0	4.70	79.0	1.2791	35.72	40.76	yes	stainless steel	4R
C.450.470.1100.A	45.0	4.70	110.0	1.0404	46.06	53.27	yes	music wire	4R
C.450.470.1100.I	45.0	4.70	110.0	0.8936	46.06	53.27	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.470.1450.A	45.0	4.70	145.0	0.7750	57.81	67.50	yes	music wire	4R
C.450.470.1450.I	45.0	4.70	145.0	0.6657	57.81	67.50	yes	stainless steel	4S
C.450.480.0470.A	45.0	4.80	47.0	2.9730	25.44	28.20	yes	music wire	4R
C.450.480.0470.I	45.0	4.80	47.0	2.5535	25.44	28.20	yes	stainless steel	4R
C.450.480.0570.A	45.0	4.80	57.0	2.3784	28.80	32.25	yes	music wire	4R
C.450.480.0570.I	45.0	4.80	57.0	2.0428	28.80	32.25	yes	stainless steel	4R
C.450.480.0700.A	45.0	4.80	70.0	1.8499	33.60	38.03	yes	music wire	4R
C.450.480.0700.I	45.0	4.80	70.0	1.5888	33.60	38.03	yes	stainless steel	4R
C.450.480.0820.A	45.0	4.80	82.0	1.5416	37.92	43.24	yes	music wire	4R
C.450.480.0820.I	45.0	4.80	82.0	1.3240	37.92	43.24	yes	stainless steel	4R
C.450.480.0950.A	45.0	4.80	95.0	1.3213	42.24	48.45	yes	music wire	4R
C.450.480.0950.I	45.0	4.80	95.0	1.1349	42.24	48.45	yes	stainless steel	4R
C.450.480.1450.A	45.0	4.80	145.0	0.8409	59.52	69.27	yes	music wire	4R
C.450.480.1450.I	45.0	4.80	145.0	0.7222	59.52	69.27	yes	stainless steel	4S
C.450.480.1800.A	45.0	4.80	180.0	0.6660	72.00	84.31	yes	music wire	4S
C.450.480.1800.I	45.0	4.80	180.0	0.5720	72.00	84.31	yes	stainless steel	4S
C.450.500.0287.A	45.0	5.00	28.7	6.5100	20.00	21.47	yes	music wire	4R
C.450.500.0287.I	45.0	5.00	28.7	5.6637	20.00	21.47	yes	stainless steel	4S
C.450.500.0287.N	45.0	5.00	28.7	6.5100	20.00	21.47	yes	Zn coating	4T
C.450.500.0400.A	45.0	5.00	40.0	4.2530	24.00	26.25	yes	music wire	4S
C.450.500.0400.AP	45.0	5.00	40.0	5.6288	21.50	24.59	yes	music wire	5A
C.450.500.0400.I	45.0	5.00	40.0	3.7001	24.00	26.25	yes	stainless steel	4S
C.450.500.0400.N	45.0	5.00	40.0	4.2530	24.00	26.25	yes	Zn coating	4T
C.450.500.0500.A	45.0	5.00	50.0	3.1900	28.00	31.04	yes	music wire	4S
C.450.500.0500.AP	45.0	5.00	50.0	4.2216	24.50	29.46	yes	music wire	5A
C.450.500.0500.I	45.0	5.00	50.0	2.7753	28.00	31.04	yes	stainless steel	4S
C.450.500.0500.N	45.0	5.00	50.0	3.1900	28.00	31.04	yes	Zn coating	4T
C.450.500.0630.A	45.0	5.00	63.0	2.4700	32.50	36.42	yes	music wire	4S
C.450.500.0630.AP	45.0	5.00	63.0	3.1662	28.00	35.61	yes	music wire	5A
C.450.500.0630.I	45.0	5.00	63.0	2.1489	32.50	36.42	yes	stainless steel	4S
C.450.500.0630.N	45.0	5.00	63.0	2.4700	32.50	36.42	yes	Zn coating	4T
C.450.500.0640.A	45.0	5.00	64.0	2.8425	30.00	33.49	yes	music wire	5A
C.450.500.0640.I	45.0	5.00	64.0	2.4414	30.00	33.43	yes	stainless steel	5A
C.450.500.0640.N	45.0	5.00	64.0	2.8425	30.00	33.49	yes	Zn coating	5C
C.450.500.0800.A	45.0	5.00	80.0	1.8670	39.00	44.19	yes	music wire	4S
C.450.500.0800.AP	45.0	5.00	80.0	2.4123	33.00	44.05	yes	music wire	5A
C.450.500.0800.I	45.0	5.00	80.0	1.5537	40.00	45.39	yes	stainless steel	4S
C.450.500.0800.N	45.0	5.00	80.0	1.8670	39.00	44.19	yes	Zn coating	4T
C.450.500.0870.A	45.0	5.00	87.0	1.7153	41.50	47.18	yes	music wire	4S
C.450.500.0870.I	45.0	5.00	87.0	1.4733	41.50	47.18	yes	stainless steel	4S
C.450.500.0955.A	45.0	5.00	95.5	1.8089	40.00	47.56	yes	music wire	5A
C.450.500.0955.I	45.0	5.00	95.5	1.5537	40.00	45.39	yes	stainless steel	5B
C.450.500.0955.N	45.0	5.00	95.5	1.8089	40.00	47.56	yes	Zn coating	5C
C.450.500.1000.A	45.0	5.00	100.0	1.4450	47.00	53.76	yes	music wire	4S
C.450.500.1000.AP	45.0	5.00	100.0	1.8763	39.00	53.78	yes	music wire	5A
C.450.500.1000.I	45.0	5.00	100.0	1.2572	46.50	53.16	yes	stainless steel	4S
C.450.500.1000.N	45.0	5.00	100.0	1.4450	47.00	53.76	yes	Zn coating	5A
C.450.500.1100.A	45.0	5.00	110.0	1.3095	50.50	57.95	yes	music wire	4S
C.450.500.1100.AP	45.0	5.00	110.0	1.6886	42.00	58.64	yes	music wire	5A
C.450.500.1100.I	45.0	5.00	110.0	1.1393	50.00	57.35	yes	stainless steel	4S
C.450.500.1250.A	45.0	5.00	125.0	1.1430	56.00	64.53	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.500.1250.AP	45.0	5.00	125.0	1.4684	46.50	65.94	yes	music wire	5B
C.450.500.1250.I	45.0	5.00	125.0	0.9944	55.50	63.93	yes	stainless steel	4S
C.450.500.1250.N	45.0	5.00	125.0	1.1430	56.00	64.53	yes	Zn coating	5A
C.450.500.1300.A	45.0	5.00	130.0	1.0913	58.00	66.92	yes	music wire	4S
C.450.500.1300.AP	45.0	5.00	130.0	1.4270	47.50	69.22	yes	music wire	5B
C.450.500.1300.I	45.0	5.00	130.0	0.9494	57.50	66.32	yes	stainless steel	4S
C.450.500.1400.A	45.0	5.00	140.0	1.1704	55.00	65.90	yes	music wire	5B
C.450.500.1400.I	45.0	5.00	140.0	1.0053	55.00	63.33	yes	stainless steel	5B
C.450.500.1400.N	45.0	5.00	140.0	1.1704	55.00	65.90	yes	Zn coating	5D
C.450.500.1600.A	45.0	5.00	160.0	0.8800	69.00	80.07	yes	music wire	4T
C.450.500.1600.AP	45.0	5.00	160.0	1.1384	56.00	83.82	yes	music wire	5B
C.450.500.1600.I	45.0	5.00	160.0	0.7656	68.50	79.48	yes	stainless steel	4T
C.450.500.1600.N	45.0	5.00	160.0	0.8800	69.00	80.07	yes	Zn coating	5A
C.450.500.1800.A	45.0	5.00	180.0	0.7772	76.50	89.04	yes	music wire	4T
C.450.500.1800.I	45.0	5.00	180.0	0.6676	76.50	89.04	yes	stainless steel	4T
C.450.500.2000.A	45.0	5.00	200.0	0.6900	84.50	98.61	yes	music wire	4T
C.450.500.2000.AP	45.0	5.00	200.0	0.8966	68.00	103.27	yes	music wire	5B
C.450.500.2000.I	45.0	5.00	200.0	0.6000	83.50	97.42	yes	stainless steel	4T
C.450.500.2000.N	45.0	5.00	200.0	0.6900	84.50	98.61	yes	Zn coating	5B
C.450.500.2050.A	45.0	5.00	205.0	0.7959	75.00	96.03	yes	music wire	5B
C.450.500.2050.AF	45.0	5.00	205.0	0.5378	105.00	123.13	yes	music wire	4T
C.450.500.2050.AP	45.0	5.00	205.0	0.8734	69.50	105.71	yes	music wire	5B
C.450.500.2050.I	45.0	5.00	205.0	0.6836	75.00	89.61	yes	stainless steel	5C
C.450.500.2050.IF	45.0	5.00	205.0	0.4619	105.00	123.13	yes	stainless steel	4T
C.450.500.2050.N	45.0	5.00	205.0	0.7959	75.00	96.03	yes	Zn coating	5D
C.450.500.2050.NF	45.0	5.00	205.0	0.5378	105.00	123.13	yes	Zn coating	5B
C.450.500.2200.A	45.0	5.00	220.0	0.5718	99.50	116.55	yes	music wire	4T
C.450.500.2200.I	45.0	5.00	220.0	0.4911	99.50	116.55	yes	stainless steel	4T
C.450.500.2250.A	45.0	5.00	225.0	0.3490	155.00	182.93	yes	music wire	4T
C.450.500.2250.AP	45.0	5.00	225.0	0.7978	75.00	116.29	yes	music wire	5C
C.450.500.2250.I	45.0	5.00	225.0	0.3036	153.00	180.54	yes	stainless steel	4T
C.450.500.2250.N	45.0	5.00	225.0	0.3490	155.00	182.93	yes	Zn coating	5B
C.450.500.3000.A	45.0	5.00	300.0	0.5378	105.00	138.74	yes	music wire	5C
C.450.500.3000.AP	45.0	5.00	300.0	0.5891	97.00	152.77	yes	music wire	5C
C.450.500.3000.I	45.0	5.00	300.0	0.4619	105.00	129.22	yes	stainless steel	5D
C.450.500.3000.IF	45.0	5.00	300.0	0.3798	125.00	147.05	yes	stainless steel	5A
C.450.500.3000.N	45.0	5.00	300.0	0.5378	105.00	138.74	yes	Zn coating	5E
C.450.500.3500.A	45.0	5.00	350.0	0.5270	107.00	185.43	yes	music wire	5E
C.450.500.3500.I	45.0	5.00	350.0	0.4585	105.50	177.95	yes	stainless steel	5F
C.450.500.3500.N	45.0	5.00	350.0	0.5270	107.00	185.43	yes	Zn coating	5G
C.450.500.3600.A	45.0	5.00	360.0	0.3720	151.00	177.17	no	music wire	5A
C.450.500.3600.I	45.0	5.00	360.0	0.3236	149.50	175.37	no	stainless steel	5A
C.450.530.0480.A	45.0	5.30	48.0	4.2823	29.15	32.08	yes	music wire	4S
C.450.530.0480.I	45.0	5.30	48.0	3.6781	29.15	32.08	yes	stainless steel	4S
C.450.530.0620.A	45.0	5.30	62.0	3.1334	34.98	38.98	yes	music wire	4S
C.450.530.0620.I	45.0	5.30	62.0	2.6913	34.98	38.98	yes	stainless steel	4S
C.450.530.0690.A	45.0	5.30	69.0	2.7928	37.63	42.12	yes	music wire	4S
C.450.530.0690.I	45.0	5.30	69.0	2.3987	37.63	42.12	yes	stainless steel	4S
C.450.530.0870.A	45.0	5.30	87.0	2.1412	45.05	50.91	yes	music wire	4S
C.450.530.0870.I	45.0	5.30	87.0	1.8390	45.05	50.91	yes	stainless steel	4S
C.450.530.1200.A	45.0	5.30	120.0	1.4938	58.83	67.22	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.530.1200.I	45.0	5.30	120.0	1.2830	58.83	67.22	yes	stainless steel	4S
C.450.530.1450.A	45.0	5.30	145.0	1.2235	68.90	79.15	yes	music wire	4S
C.450.530.1450.I	45.0	5.30	145.0	1.0509	68.90	79.15	yes	stainless steel	4T
C.450.530.1600.A	45.0	5.30	160.0	1.0980	75.26	86.68	yes	music wire	4T
C.450.530.1600.I	45.0	5.30	160.0	0.9431	75.26	86.68	yes	stainless steel	4T
C.450.530.2050.A	45.0	5.30	205.0	0.7739	101.23	117.43	yes	music wire	4T
C.450.530.2050.I	45.0	5.30	205.0	0.6647	101.23	117.43	yes	stainless steel	4T
C.450.550.0400.A	45.0	5.50	40.0	6.4670	26.40	28.64	yes	music wire	5A
C.450.550.0400.I	45.0	5.50	40.0	5.6263	26.40	28.64	yes	stainless steel	5A
C.450.550.0400.N	45.0	5.50	40.0	6.4670	26.40	28.64	yes	Zn coating	5C
C.450.550.0500.A	45.0	5.50	50.0	4.8500	30.80	33.82	yes	music wire	5A
C.450.550.0500.I	45.0	5.50	50.0	4.2195	30.80	33.82	yes	stainless steel	5A
C.450.550.0500.N	45.0	5.50	50.0	4.8500	30.80	33.82	yes	Zn coating	5C
C.450.550.0630.A	45.0	5.50	63.0	3.6380	36.85	40.95	yes	music wire	5A
C.450.550.0630.I	45.0	5.50	63.0	3.1651	36.30	40.30	yes	stainless steel	5B
C.450.550.0630.N	45.0	5.50	63.0	3.6380	36.85	40.95	yes	Zn coating	5C
C.450.550.0800.A	45.0	5.50	80.0	2.7720	44.00	49.37	yes	music wire	5A
C.450.550.0800.I	45.0	5.50	80.0	2.4116	43.45	48.72	yes	stainless steel	5B
C.450.550.0800.N	45.0	5.50	80.0	2.7720	44.00	49.37	yes	Zn coating	5C
C.450.550.1000.A	45.0	5.50	100.0	2.1560	52.25	59.08	yes	music wire	5B
C.450.550.1000.I	45.0	5.50	100.0	1.8757	51.70	58.43	yes	stainless steel	5B
C.450.550.1000.N	45.0	5.50	100.0	2.1560	52.25	59.08	yes	Zn coating	5D
C.450.550.1100.A	45.0	5.50	110.0	1.9147	57.20	64.91	yes	music wire	5B
C.450.550.1100.I	45.0	5.50	110.0	1.6445	57.20	64.91	yes	stainless steel	5B
C.450.550.1250.A	45.0	5.50	125.0	1.6870	63.25	72.03	yes	music wire	5B
C.450.550.1250.I	45.0	5.50	125.0	1.4677	62.70	71.38	yes	stainless steel	5B
C.450.550.1250.N	45.0	5.50	125.0	1.6870	63.25	72.03	yes	Zn coating	5D
C.450.550.1600.A	45.0	5.50	160.0	1.2930	78.10	89.51	yes	music wire	5B
C.450.550.1600.I	45.0	5.50	160.0	1.1249	77.00	88.22	yes	stainless steel	5B
C.450.550.1600.N	45.0	5.50	160.0	1.2930	78.10	89.51	yes	Zn coating	5D
C.450.550.2000.A	45.0	5.50	200.0	1.0210	95.15	109.59	yes	music wire	5B
C.450.550.2000.I	45.0	5.50	200.0	0.8883	94.05	108.29	yes	stainless steel	5C
C.450.550.2000.N	45.0	5.50	200.0	1.0210	95.15	109.59	yes	Zn coating	5D
C.450.550.3600.A	45.0	5.50	360.0	0.5440	172.15	199.27	no	music wire	5D
C.450.550.3600.I	45.0	5.50	360.0	0.4733	170.50	197.33	no	stainless steel	5D
C.450.560.0530.A	45.0	5.60	53.0	4.8178	33.04	36.36	yes	music wire	5A
C.450.560.0530.I	45.0	5.60	53.0	4.1380	33.04	36.36	yes	stainless steel	5A
C.450.560.0600.A	45.0	5.60	60.0	4.0952	36.40	40.30	yes	music wire	5A
C.450.560.0600.I	45.0	5.60	60.0	3.5173	36.40	40.30	yes	stainless steel	5B
C.450.560.0720.A	45.0	5.60	72.0	3.2761	42.00	46.88	yes	music wire	5A
C.450.560.0720.I	45.0	5.60	72.0	2.8139	42.00	46.88	yes	stainless steel	5B
C.450.560.0840.A	45.0	5.60	84.0	2.7764	47.04	52.80	yes	music wire	5A
C.450.560.0840.I	45.0	5.60	84.0	2.3846	47.04	52.80	yes	stainless steel	5B
C.450.560.1450.A	45.0	5.60	145.0	1.5167	74.48	85.02	yes	music wire	5B
C.450.560.1450.I	45.0	5.60	145.0	1.3027	74.48	85.02	yes	stainless steel	5B
C.450.560.1750.A	45.0	5.60	175.0	1.2410	87.92	100.80	yes	music wire	5B
C.450.560.1750.I	45.0	5.60	175.0	1.0659	87.92	100.80	yes	stainless steel	5C
C.450.560.2050.A	45.0	5.60	205.0	0.9693	108.64	125.13	yes	music wire	5B
C.450.560.2050.I	45.0	5.60	205.0	0.8325	108.64	125.13	yes	stainless steel	5C
C.450.580.0550.A	45.0	5.80	55.0	5.3164	35.38	38.90	yes	music wire	5A
C.450.580.0550.I	45.0	5.80	55.0	4.5662	35.38	38.90	yes	stainless steel	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.450.580.1450.A	45.0	5.80	145.0	1.7559	77.72	88.37	yes	music wire	5B
C.450.580.1450.I	45.0	5.80	145.0	1.5081	77.72	88.37	yes	stainless steel	5B
C.450.580.1900.A	45.0	5.80	190.0	1.3109	99.18	113.45	yes	music wire	5B
C.450.580.1900.I	45.0	5.80	190.0	1.1259	99.18	113.45	yes	stainless steel	5C
C.450.600.0400.A	45.0	6.00	40.0	9.0150	30.00	32.45	yes	music wire	5D
C.450.600.0400.AP	45.0	6.00	40.0	11.3336	27.00	28.96	yes	music wire	5G
C.450.600.0400.I	45.0	6.00	40.0	7.8431	29.40	31.75	yes	stainless steel	5D
C.450.600.0400.N	45.0	6.00	40.0	9.0150	30.00	32.45	yes	Zn coating	5E
C.450.600.0500.A	45.0	6.00	50.0	6.5880	35.40	38.73	yes	music wire	5D
C.450.600.0500.AP	45.0	6.00	50.0	8.3953	31.20	33.85	yes	music wire	5G
C.450.600.0500.I	45.0	6.00	50.0	5.7316	34.80	38.03	yes	stainless steel	5E
C.450.600.0500.N	45.0	6.00	50.0	6.5880	35.40	38.73	yes	Zn coating	5E
C.450.600.0560.A	45.0	6.00	56.0	6.0156	37.20	40.83	yes	music wire	5D
C.450.600.0560.I	45.0	6.00	56.0	5.1668	37.20	40.83	yes	stainless steel	5E
C.450.600.0630.A	45.0	6.00	63.0	4.8940	42.00	46.41	yes	music wire	5D
C.450.600.0630.AP	45.0	6.00	63.0	6.4764	35.40	41.04	yes	music wire	5G
C.450.600.0630.I	45.0	6.00	63.0	4.2578	42.00	46.41	yes	stainless steel	5E
C.450.600.0630.N	45.0	6.00	63.0	4.8940	42.00	46.41	yes	Zn coating	5E
C.450.600.0710.A	45.0	6.00	71.0	4.4515	45.00	49.90	yes	music wire	5D
C.450.600.0710.I	45.0	6.00	71.0	3.8234	45.00	49.90	yes	stainless steel	5E
C.450.600.0800.A	45.0	6.00	80.0	3.7240	51.00	56.88	yes	music wire	5D
C.450.600.0800.AP	45.0	6.00	80.0	4.8228	42.60	50.51	yes	music wire	5G
C.450.600.0800.I	45.0	6.00	80.0	3.2399	50.40	56.18	yes	stainless steel	5E
C.450.600.0800.N	45.0	6.00	80.0	3.7240	51.00	56.88	yes	Zn coating	5F
C.450.600.1000.A	45.0	6.00	100.0	2.9030	61.20	68.75	yes	music wire	5D
C.450.600.1000.AP	45.0	6.00	100.0	3.7779	50.40	62.35	yes	music wire	5G
C.450.600.1000.I	45.0	6.00	100.0	2.5256	60.60	68.05	yes	stainless steel	5E
C.450.600.1000.N	45.0	6.00	100.0	2.9030	61.20	68.75	yes	Zn coating	5F
C.450.600.1250.A	45.0	6.00	125.0	2.2540	74.40	84.10	yes	music wire	5D
C.450.600.1250.AP	45.0	6.00	125.0	2.9438	60.60	76.68	yes	music wire	5G
C.450.600.1250.I	45.0	6.00	125.0	2.2500	66.00	74.33	yes	stainless steel	5H
C.450.600.1250.N	45.0	6.00	125.0	2.2540	74.40	84.10	yes	Zn coating	5F
C.450.600.1600.A	45.0	6.00	160.0	1.7300	92.40	105.05	yes	music wire	5E
C.450.600.1600.AP	45.0	6.00	160.0	2.2443	74.40	96.62	yes	music wire	5G
C.450.600.1600.I	45.0	6.00	160.0	1.5051	91.20	103.65	yes	stainless steel	5E
C.450.600.1600.N	45.0	6.00	160.0	1.7300	92.40	105.05	yes	Zn coating	5F
C.450.600.2000.A	45.0	6.00	200.0	1.3590	113.40	129.48	yes	music wire	5E
C.450.600.2000.AP	45.0	6.00	200.0	1.7709	90.60	119.68	yes	music wire	5G
C.450.600.2000.I	45.0	6.00	200.0	1.1823	112.20	128.08	yes	stainless steel	5E
C.450.600.2000.N	45.0	6.00	200.0	1.3590	113.40	129.48	yes	Zn coating	5G
C.450.600.2050.A	45.0	6.00	205.0	1.2940	118.20	135.06	yes	music wire	5E
C.450.600.2050.I	45.0	6.00	205.0	1.1115	118.20	135.06	yes	stainless steel	5E
C.450.600.3600.A	45.0	6.00	360.0	0.7230	205.80	235.99	no	music wire	5E
C.450.600.3600.I	45.0	6.00	360.0	0.6290	203.40	233.20	no	stainless steel	5G
C.452.200.1080.A	45.2	2.00	108.0	0.0368	18.00	26.80	no	music wire	4J
C.452.200.1080.I	45.2	2.00	108.0	0.0320	17.80	26.44	no	stainless steel	4J
C.452.230.0320.A	45.2	2.30	32.0	0.3563	8.05	9.48	yes	music wire	4H
C.452.230.0320.I	45.2	2.30	32.0	0.3100	8.05	9.48	yes	stainless steel	4I
C.452.230.0330.A	45.2	2.30	33.0	0.2414	9.20	11.35	yes	music wire	4H
C.452.230.0330.I	45.2	2.30	33.0	0.2100	9.20	11.35	yes	stainless steel	4I
C.452.230.0350.A	45.2	2.30	35.0	0.1100	13.34	18.06	yes	music wire	4H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.452.230.0350.I	45.2	2.30	35.0	0.0957	13.11	17.69	yes	stainless steel	4I
C.452.280.1320.A	45.2	2.80	132.0	0.0966	30.80	41.37	yes	music wire	4L
C.452.280.1320.I	45.2	2.80	132.0	0.0840	30.52	40.96	yes	stainless steel	4L
C.452.280.1720.A	45.2	2.80	172.0	0.1264	25.20	34.14	yes	music wire	4N
C.452.280.1720.I	45.2	2.80	172.0	0.1100	24.92	32.88	yes	stainless steel	4O
C.452.300.0760.A	45.2	3.00	76.0	0.2874	18.90	23.42	yes	music wire	4J
C.452.300.0760.I	45.2	3.00	76.0	0.2500	18.90	23.42	yes	stainless steel	4J
C.452.340.0570.A	45.2	3.40	57.0	0.5517	20.06	23.84	yes	music wire	4J
C.452.340.0570.I	45.2	3.40	57.0	0.4800	19.72	23.39	yes	stainless steel	4K
C.452.340.4060.A	45.2	3.40	406.0	0.0678	102.00	132.55	yes	music wire	4Q
C.452.340.4060.I	45.2	3.40	406.0	0.0590	100.64	130.74	yes	stainless steel	4Q
C.452.560.1000.A	45.2	5.60	100.0	2.9474	44.80	60.12	yes	music wire	5D
C.452.560.1000.I	45.2	5.60	100.0	2.5642	44.24	58.09	yes	stainless steel	5D
C.452.560.1000.N	45.2	5.60	100.0	2.9474	44.80	60.12	yes	Zn coating	5E
C.452.560.1250.A	45.2	5.60	125.0	2.3333	52.64	74.62	yes	music wire	5F
C.452.560.1250.I	45.2	5.60	125.0	2.0300	52.08	72.06	yes	stainless steel	5E
C.452.560.1250.N	45.2	5.60	125.0	2.3333	52.64	74.62	yes	Zn coating	5H
C.452.560.1600.A	45.2	5.60	160.0	1.8667	62.16	97.03	yes	music wire	5F
C.452.560.1600.I	45.2	5.60	160.0	1.6240	61.60	93.83	yes	stainless steel	5H
C.452.560.1600.N	45.2	5.60	160.0	1.8667	62.16	97.03	yes	Zn coating	5H
C.452.560.2000.A	45.2	5.60	200.0	1.4737	75.04	120.24	yes	music wire	5G
C.452.560.2000.I	45.2	5.60	200.0	1.2821	74.48	116.18	yes	stainless steel	5H
C.452.560.2000.N	45.2	5.60	200.0	1.4737	75.04	120.24	yes	Zn coating	5H
C.452.560.2500.A	45.2	5.60	250.0	1.1667	91.28	149.25	yes	music wire	5G
C.452.560.2500.I	45.2	5.60	250.0	1.0150	90.72	144.12	yes	stainless steel	5I
C.452.560.2500.N	45.2	5.60	250.0	1.1667	91.28	149.25	yes	Zn coating	5I
C.452.560.3200.A	45.2	5.60	320.0	0.9333	110.88	194.06	yes	music wire	5H
C.452.560.3200.I	45.2	5.60	320.0	0.8120	109.76	187.65	yes	stainless steel	5I
C.452.560.3200.N	45.2	5.60	320.0	0.9333	110.88	194.06	yes	Zn coating	5I
C.452.560.4000.A	45.2	5.60	400.0	0.7467	134.96	242.59	yes	music wire	5H
C.452.560.4000.I	45.2	5.60	400.0	0.6496	133.28	234.57	yes	stainless steel	5J
C.452.560.4000.N	45.2	5.60	400.0	0.7467	134.96	242.59	yes	Zn coating	5J
C.452.560.5000.A	45.2	5.60	500.0	0.5895	167.44	300.61	yes	music wire	5I
C.452.560.5000.I	45.2	5.60	500.0	0.5129	165.20	290.46	yes	stainless steel	5J
C.452.560.5000.N	45.2	5.60	500.0	0.5895	167.44	300.61	yes	Zn coating	5J
C.456.200.1020.A	45.6	2.00	102.0	0.0299	20.20	30.93	no	music wire	4J
C.456.200.1020.I	45.6	2.00	102.0	0.0260	20.00	30.57	no	stainless steel	4J
C.456.280.1650.A	45.6	2.80	165.0	0.1100	27.44	36.65	yes	music wire	4L
C.456.280.1650.I	45.6	2.80	165.0	0.0957	27.16	36.24	yes	stainless steel	4L
C.456.400.1270.A	45.6	4.00	127.0	0.7586	29.20	65.78	yes	music wire	5A
C.456.400.1270.I	45.6	4.00	127.0	0.6600	28.80	63.61	yes	stainless steel	5A
C.460.250.0870.A	46.0	2.50	87.0	0.1381	15.00	19.85	yes	music wire	4I
C.460.250.0870.I	46.0	2.50	87.0	0.1186	15.00	19.85	yes	stainless steel	4J
C.460.250.0870.N	46.0	2.50	87.0	0.1381	15.00	19.85	yes	Zn coating	4J
C.460.250.1360.A	46.0	2.50	136.0	0.0879	20.00	27.62	yes	music wire	4J
C.460.250.1360.I	46.0	2.50	136.0	0.0755	20.00	27.62	yes	stainless steel	4J
C.460.250.1360.N	46.0	2.50	136.0	0.0879	20.00	27.62	yes	Zn coating	4L
C.460.250.2080.A	46.0	2.50	208.0	0.0569	27.50	39.28	yes	music wire	4L
C.460.250.2080.I	46.0	2.50	208.0	0.0489	27.50	39.28	yes	stainless steel	4M
C.460.250.2080.N	46.0	2.50	208.0	0.0569	27.50	39.28	yes	Zn coating	4N
C.460.250.3300.A	46.0	2.50	330.0	0.0358	40.00	58.70	yes	music wire	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.460.250.3300.I	46.0	2.50	330.0	0.0307	40.00	58.70	yes	stainless steel	4O
C.460.250.3300.N	46.0	2.50	330.0	0.0358	40.00	58.70	yes	Zn coating	4P
C.460.300.0500.A	46.0	3.00	50.0	0.4513	14.40	17.22	yes	music wire	4I
C.460.300.0500.I	46.0	3.00	50.0	0.3876	14.40	17.22	yes	stainless steel	4J
C.460.300.0800.A	46.0	3.00	80.0	0.2661	19.20	23.98	yes	music wire	4J
C.460.300.0800.I	46.0	3.00	80.0	0.2286	19.20	23.98	yes	stainless steel	4J
C.460.300.1000.A	46.0	3.00	100.0	0.1200	33.30	43.83	yes	music wire	4J
C.460.300.1000.I	46.0	3.00	100.0	0.1044	33.00	43.41	yes	stainless steel	4J
C.460.300.1000.N	46.0	3.00	100.0	0.1200	33.30	43.83	yes	Zn coating	4L
C.460.300.1250.A	46.0	3.00	125.0	0.1674	26.10	33.69	yes	music wire	4K
C.460.300.1250.I	46.0	3.00	125.0	0.1438	26.10	33.69	yes	stainless steel	4L
C.460.300.1600.A	46.0	3.00	160.0	0.1281	31.80	41.72	yes	music wire	4L
C.460.300.1600.I	46.0	3.00	160.0	0.1101	31.80	41.72	yes	stainless steel	4L
C.460.300.2000.A	46.0	3.00	200.0	0.1018	38.10	50.59	yes	music wire	4M
C.460.300.2000.I	46.0	3.00	200.0	0.0874	38.10	50.59	yes	stainless steel	4M
C.460.300.3600.A	46.0	3.00	360.0	0.0561	66.00	88.65	no	music wire	4P
C.460.300.3600.I	46.0	3.00	360.0	0.0482	66.00	88.65	no	stainless steel	4P
C.460.320.0500.A	46.0	3.20	50.0	0.5450	16.00	18.95	yes	music wire	4J
C.460.320.0500.I	46.0	3.20	50.0	0.4681	16.00	18.95	yes	stainless steel	4J
C.460.320.0800.A	46.0	3.20	80.0	0.3323	21.12	25.95	yes	music wire	4L
C.460.320.0800.I	46.0	3.20	80.0	0.2854	21.12	25.95	yes	stainless steel	4L
C.460.320.1000.A	46.0	3.20	100.0	0.2571	24.96	31.21	yes	music wire	4L
C.460.320.1000.I	46.0	3.20	100.0	0.2208	24.96	31.21	yes	stainless steel	4L
C.460.320.1250.A	46.0	3.20	125.0	0.2064	29.12	36.90	yes	music wire	4M
C.460.320.1250.I	46.0	3.20	125.0	0.1773	29.12	36.90	yes	stainless steel	4M
C.460.320.1600.A	46.0	3.20	160.0	0.1584	35.52	45.66	yes	music wire	4M
C.460.320.1600.I	46.0	3.20	160.0	0.1361	35.52	45.66	yes	stainless steel	4M
C.460.320.2000.A	46.0	3.20	200.0	0.1262	42.56	55.29	yes	music wire	4N
C.460.320.2000.I	46.0	3.20	200.0	0.1084	42.56	55.29	yes	stainless steel	4N
C.460.320.3600.A	46.0	3.20	360.0	0.0692	74.24	97.46	no	music wire	4P
C.460.320.3600.I	46.0	3.20	360.0	0.0594	74.24	97.46	no	stainless steel	4Q
C.460.350.2300.A	46.0	3.50	230.0	0.1220	65.80	84.12	yes	music wire	4N
C.460.350.2300.I	46.0	3.50	230.0	0.1061	65.10	83.20	yes	stainless steel	4N
C.460.350.2300.N	46.0	3.50	230.0	0.1220	65.80	84.12	yes	Zn coating	4P
C.460.360.0381.A	46.0	3.60	38.1	1.1224	16.20	18.42	yes	music wire	4M
C.460.360.0381.I	46.0	3.60	38.1	0.9640	16.20	18.42	yes	stainless steel	4M
C.460.360.0500.A	46.0	3.60	50.0	0.8314	18.72	21.71	yes	music wire	4M
C.460.360.0500.I	46.0	3.60	50.0	0.7141	18.72	21.71	yes	stainless steel	4M
C.460.360.0800.A	46.0	3.60	80.0	0.4880	25.56	30.66	yes	music wire	4N
C.460.360.0800.I	46.0	3.60	80.0	0.4191	25.56	30.66	yes	stainless steel	4N
C.460.360.1000.A	46.0	3.60	100.0	0.3870	29.88	36.31	yes	music wire	4N
C.460.360.1000.I	46.0	3.60	100.0	0.3324	29.88	36.31	yes	stainless steel	4N
C.460.360.1250.A	46.0	3.60	125.0	0.3034	35.64	43.85	yes	music wire	4N
C.460.360.1250.I	46.0	3.60	125.0	0.2605	35.64	43.85	yes	stainless steel	4N
C.460.360.1600.A	46.0	3.60	160.0	0.2338	43.56	54.21	yes	music wire	4O
C.460.360.1600.I	46.0	3.60	160.0	0.2008	43.56	54.21	yes	stainless steel	4O
C.460.360.2000.A	46.0	3.60	200.0	0.1855	52.56	65.98	yes	music wire	4P
C.460.360.2000.I	46.0	3.60	200.0	0.1593	52.56	65.98	yes	stainless steel	4P
C.460.360.3600.A	46.0	3.60	360.0	0.1020	91.80	116.20	no	music wire	4R
C.460.360.3600.I	46.0	3.60	360.0	0.0876	91.80	116.20	no	stainless steel	4R
C.460.400.0500.A	46.0	4.00	50.0	1.2138	21.60	24.68	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.460.400.0500.I	46.0	4.00	50.0	1.0426	21.60	24.68	yes	stainless steel	4P
C.460.400.0800.A	46.0	4.00	80.0	0.7040	30.00	35.31	yes	music wire	4Q
C.460.400.0800.I	46.0	4.00	80.0	0.6047	30.00	35.31	yes	stainless steel	4Q
C.460.400.1000.A	46.0	4.00	100.0	0.5588	35.20	41.89	yes	music wire	4Q
C.460.400.1000.I	46.0	4.00	100.0	0.4799	35.20	41.89	yes	stainless steel	4Q
C.460.400.1250.A	46.0	4.00	125.0	0.4400	42.00	50.49	yes	music wire	4Q
C.460.400.1250.I	46.0	4.00	125.0	0.3779	42.00	50.49	yes	stainless steel	4Q
C.460.400.1600.A	46.0	4.00	160.0	0.3385	51.60	62.64	yes	music wire	4R
C.460.400.1600.I	46.0	4.00	160.0	0.2907	51.60	62.64	yes	stainless steel	4R
C.460.400.2000.A	46.0	4.00	200.0	0.2667	62.80	76.81	yes	music wire	4R
C.460.400.2000.I	46.0	4.00	200.0	0.2290	62.80	76.81	yes	stainless steel	4R
C.460.400.3600.A	46.0	4.00	360.0	0.1461	110.40	135.98	no	music wire	4S
C.460.400.3600.I	46.0	4.00	360.0	0.1255	110.40	135.98	no	stainless steel	4S
C.460.420.1200.A	46.0	4.20	120.0	0.4730	49.14	58.74	yes	music wire	4Q
C.460.420.1200.AP	46.0	4.20	120.0	0.8186	32.76	55.65	yes	music wire	4S
C.460.420.1200.I	46.0	4.20	120.0	0.4115	48.72	58.22	yes	stainless steel	4Q
C.460.420.1200.N	46.0	4.20	120.0	0.4730	49.14	58.74	yes	Zn coating	4S
C.460.450.0500.A	46.0	4.50	50.0	1.8854	25.20	28.37	yes	music wire	4R
C.460.450.0500.I	46.0	4.50	50.0	1.6194	25.20	28.37	yes	stainless steel	4R
C.460.450.0800.A	46.0	4.50	80.0	1.0824	35.55	41.08	yes	music wire	4R
C.460.450.0800.I	46.0	4.50	80.0	0.9297	35.55	41.08	yes	stainless steel	4R
C.460.450.1000.A	46.0	4.50	100.0	0.8471	42.30	49.37	yes	music wire	4R
C.460.450.1000.I	46.0	4.50	100.0	0.7276	42.30	49.37	yes	stainless steel	4R
C.460.450.1250.A	46.0	4.50	125.0	0.6718	50.40	59.31	yes	music wire	4R
C.460.450.1250.I	46.0	4.50	125.0	0.5770	50.40	59.31	yes	stainless steel	4R
C.460.450.1600.A	46.0	4.50	160.0	0.5172	62.10	73.67	yes	music wire	4S
C.460.450.1600.I	46.0	4.50	160.0	0.4443	62.10	73.67	yes	stainless steel	4S
C.460.450.2000.A	46.0	4.50	200.0	0.4087	75.60	90.24	yes	music wire	4S
C.460.450.2000.I	46.0	4.50	200.0	0.3511	75.60	90.24	yes	stainless steel	4S
C.460.450.3600.A	46.0	4.50	360.0	0.2222	134.10	161.03	no	music wire	4T
C.460.450.3600.I	46.0	4.50	360.0	0.1909	134.10	161.03	no	stainless steel	4T
C.460.500.0500.A	46.0	5.00	50.0	2.7995	29.00	32.31	yes	music wire	4S
C.460.500.0500.I	46.0	5.00	50.0	2.4000	29.00	32.31	yes	stainless steel	4S
C.460.500.0800.A	46.0	5.00	80.0	1.6208	41.00	46.72	yes	music wire	4S
C.460.500.0800.I	46.0	5.00	80.0	1.3921	41.00	46.72	yes	stainless steel	4S
C.460.500.1000.A	46.0	5.00	100.0	1.2655	49.00	56.33	yes	music wire	4S
C.460.500.1000.I	46.0	5.00	100.0	1.0870	49.00	56.33	yes	stainless steel	4S
C.460.500.1250.A	46.0	5.00	125.0	0.9934	59.00	68.34	yes	music wire	4S
C.460.500.1250.I	46.0	5.00	125.0	0.8532	59.00	68.34	yes	stainless steel	4S
C.460.500.1600.A	46.0	5.00	160.0	0.7635	73.00	85.15	yes	music wire	4T
C.460.500.1600.I	46.0	5.00	160.0	0.6558	73.00	85.15	yes	stainless steel	4T
C.460.500.2000.A	46.0	5.00	200.0	0.6038	89.00	104.37	yes	music wire	4T
C.460.500.2000.I	46.0	5.00	200.0	0.5186	89.00	104.37	yes	stainless steel	4T
C.460.500.3600.A	46.0	5.00	360.0	0.3288	158.00	186.22	no	music wire	5A
C.460.500.3600.I	46.0	5.00	360.0	0.2824	158.00	186.22	no	stainless steel	5A
C.460.550.0500.A	46.0	5.50	50.0	4.2525	31.90	35.19	yes	music wire	5A
C.460.550.0500.I	46.0	5.50	50.0	3.6524	31.90	35.19	yes	stainless steel	5A
C.460.550.0800.A	46.0	5.50	80.0	2.4195	45.65	51.43	yes	music wire	5A
C.460.550.0800.I	46.0	5.50	80.0	2.0781	45.65	51.43	yes	stainless steel	5B
C.460.550.1000.A	46.0	5.50	100.0	1.8711	55.00	62.48	yes	music wire	5B
C.460.550.1000.I	46.0	5.50	100.0	1.6071	55.00	62.48	yes	stainless steel	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.460.550.1250.A	46.0	5.50	125.0	1.4618	66.55	76.12	yes	music wire	5B
C.460.550.1250.I	46.0	5.50	125.0	1.2555	66.55	76.12	yes	stainless steel	5B
C.460.550.1600.A	46.0	5.50	160.0	1.1137	83.05	95.62	yes	music wire	5B
C.460.550.1600.I	46.0	5.50	160.0	0.9566	83.05	95.62	yes	stainless steel	5B
C.460.550.2000.A	46.0	5.50	200.0	0.8826	101.20	117.06	yes	music wire	5B
C.460.550.2000.I	46.0	5.50	200.0	0.7580	101.20	117.06	yes	stainless steel	5C
C.460.550.3600.A	46.0	5.50	360.0	0.4773	180.95	210.27	no	music wire	5D
C.460.550.3600.I	46.0	5.50	360.0	0.4100	180.95	210.27	no	stainless steel	5D
C.460.600.0420.A	46.0	6.00	42.0	5.8942	36.00	39.50	yes	music wire	5D
C.460.600.0420.AP	46.0	6.00	42.0	10.0045	27.60	29.70	yes	music wire	5G
C.460.600.0420.I	46.0	6.00	42.0	5.0625	36.00	39.50	yes	stainless steel	5D
C.460.600.0420.N	46.0	6.00	42.0	5.8942	36.00	39.50	yes	Zn coating	5E
C.460.600.0500.A	46.0	6.00	50.0	6.2514	34.80	38.10	yes	music wire	5D
C.460.600.0500.I	46.0	6.00	50.0	5.3693	34.80	38.10	yes	stainless steel	5E
C.460.600.0660.A	46.0	6.00	66.0	3.7509	48.00	53.50	yes	music wire	5D
C.460.600.0660.AP	46.0	6.00	66.0	5.8359	36.00	42.12	yes	music wire	5G
C.460.600.0660.I	46.0	6.00	66.0	3.2216	48.00	53.50	yes	stainless steel	5E
C.460.600.0660.N	46.0	6.00	66.0	3.7509	48.00	53.50	yes	Zn coating	5F
C.460.600.0800.A	46.0	6.00	80.0	3.4966	50.40	56.30	yes	music wire	5D
C.460.600.0800.I	46.0	6.00	80.0	3.0032	50.40	56.30	yes	stainless steel	5E
C.460.600.1000.A	46.0	6.00	100.0	2.6792	61.20	68.90	yes	music wire	5D
C.460.600.1000.I	46.0	6.00	100.0	2.3000	61.20	68.90	yes	stainless steel	5E
C.460.600.1020.A	46.0	6.00	102.0	2.4270	66.00	74.50	yes	music wire	5D
C.460.600.1020.AP	46.0	6.00	102.0	3.5016	50.40	62.20	yes	music wire	5G
C.460.600.1020.I	46.0	6.00	102.0	2.0845	66.00	74.50	yes	stainless steel	5E
C.460.600.1020.N	46.0	6.00	102.0	2.4270	66.00	74.50	yes	Zn coating	5F
C.460.600.1050.A	46.0	6.00	105.0	2.8930	57.60	64.70	yes	music wire	5D
C.460.600.1050.I	46.0	6.00	105.0	2.5169	57.00	64.00	yes	stainless steel	5E
C.460.600.1050.N	46.0	6.00	105.0	2.8930	57.60	64.70	yes	Zn coating	5F
C.460.600.1250.A	46.0	6.00	125.0	2.0838	74.40	84.30	yes	music wire	5D
C.460.600.1250.I	46.0	6.00	125.0	1.7898	74.40	84.30	yes	stainless steel	5E
C.460.600.1500.A	46.0	6.00	150.0	1.6504	90.00	102.50	yes	music wire	5E
C.460.600.1500.AP	46.0	6.00	150.0	2.3087	68.40	89.63	yes	music wire	5G
C.460.600.1500.I	46.0	6.00	150.0	1.4175	90.00	102.50	yes	stainless steel	5E
C.460.600.1500.N	46.0	6.00	150.0	1.6504	90.00	102.50	yes	Zn coating	5F
C.460.600.1600.A	46.0	6.00	160.0	1.6000	92.40	105.30	yes	music wire	5E
C.460.600.1600.I	46.0	6.00	160.0	1.3735	92.40	105.30	yes	stainless steel	5E
C.460.600.2000.A	46.0	6.00	200.0	1.2579	113.40	129.80	yes	music wire	5E
C.460.600.2000.I	46.0	6.00	200.0	1.0804	113.40	129.80	yes	stainless steel	5E
C.460.600.2200.A	46.0	6.00	220.0	1.1151	126.00	144.50	yes	music wire	5E
C.460.600.2200.AP	46.0	6.00	220.0	1.5335	96.00	129.11	yes	music wire	5G
C.460.600.2200.I	46.0	6.00	220.0	0.9578	126.00	144.50	yes	stainless steel	5E
C.460.600.2200.N	46.0	6.00	220.0	1.1151	126.00	144.50	yes	Zn coating	5G
C.460.600.3600.A	46.0	6.00	360.0	0.6831	202.20	232.40	no	music wire	5E
C.460.600.3600.I	46.0	6.00	360.0	0.5867	202.20	232.40	no	stainless steel	5G
C.461.580.0850.A	46.1	5.80	85.0	3.2184	46.40	51.90	yes	music wire	5B
C.461.580.0850.I	46.1	5.80	85.0	2.8000	45.82	51.22	yes	stainless steel	5B
C.464.270.0360.A	46.4	2.70	36.0	0.2989	12.69	15.62	yes	music wire	4I
C.464.270.0360.I	46.4	2.70	36.0	0.2600	12.42	15.22	yes	stainless steel	4I
C.464.300.0890.A	46.4	3.00	89.0	0.1494	27.90	36.34	yes	music wire	4J
C.464.300.0890.I	46.4	3.00	89.0	0.1300	27.60	35.92	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.468.320.0350.A	46.8	3.20	35.0	0.6092	14.72	17.26	yes	music wire	4J
C.468.320.0350.I	46.8	3.20	35.0	0.5300	14.72	17.26	yes	stainless steel	4J
C.470.380.0381.A	47.0	3.80	38.1	1.3174	17.10	19.33	yes	music wire	4M
C.470.380.0381.I	47.0	3.80	38.1	1.1315	17.10	19.33	yes	stainless steel	4M
C.470.400.0381.A	47.0	4.00	38.1	1.6401	18.00	20.19	yes	music wire	4P
C.470.400.0381.I	47.0	4.00	38.1	1.4087	18.00	20.19	yes	stainless steel	4P
C.470.500.2500.A	47.0	5.00	250.0	0.5270	94.00	110.78	yes	music wire	4T
C.470.500.2500.I	47.0	5.00	250.0	0.4585	93.00	109.57	yes	stainless steel	5A
C.470.500.2500.N	47.0	5.00	250.0	0.5270	94.00	110.78	yes	Zn coating	5B
C.470.600.1400.A	47.0	6.00	140.0	1.8800	76.20	86.61	yes	music wire	5D
C.470.600.1400.AP	47.0	6.00	140.0	2.3792	63.60	82.57	yes	music wire	5G
C.470.600.1400.I	47.0	6.00	140.0	1.6356	75.60	85.90	yes	stainless steel	5E
C.470.600.1400.N	47.0	6.00	140.0	1.8800	76.20	86.61	yes	Zn coating	5F
C.472.230.1460.A	47.2	2.30	146.0	0.0345	26.68	40.74	yes	music wire	4J
C.472.230.1460.I	47.2	2.30	146.0	0.0300	26.45	40.35	yes	stainless steel	4K
C.472.300.0750.A	47.2	3.00	75.0	0.2874	17.40	21.61	yes	music wire	4J
C.472.300.0750.I	47.2	3.00	75.0	0.2500	17.40	21.61	yes	stainless steel	4J
C.473.580.0800.A	47.3	5.80	80.0	2.9885	45.82	51.36	yes	music wire	5A
C.473.580.0800.AP	47.3	5.80	80.0	3.8202	38.86	47.56	yes	music wire	5D
C.473.580.0800.I	47.3	5.80	80.0	2.6000	45.24	50.67	yes	stainless steel	5B
C.476.200.0320.A	47.6	2.00	32.0	0.1149	10.00	12.64	no	music wire	4H
C.476.200.0320.I	47.6	2.00	32.0	0.1000	10.00	12.64	no	stainless steel	4I
C.476.200.1000.A	47.6	2.00	100.0	0.0573	13.00	18.28	no	music wire	4J
C.476.200.1000.I	47.6	2.00	100.0	0.0492	13.00	18.28	no	stainless steel	4J
C.476.230.0200.A	47.6	2.30	20.0	0.3067	8.05	9.62	yes	music wire	4G
C.476.230.0200.I	47.6	2.30	20.0	0.2634	8.05	9.62	yes	stainless steel	4H
C.476.230.0540.A	47.6	2.30	54.0	0.0529	19.09	28.19	yes	music wire	4I
C.476.230.0540.I	47.6	2.30	54.0	0.0460	18.86	27.80	yes	stainless steel	4I
C.476.240.0410.A	47.6	2.40	41.0	0.1379	12.48	16.58	yes	music wire	4I
C.476.240.0410.I	47.6	2.40	41.0	0.1200	12.24	16.18	yes	stainless steel	4I
C.476.240.1000.A	47.6	2.40	100.0	0.0989	14.88	20.49	yes	music wire	4J
C.476.240.1000.I	47.6	2.40	100.0	0.0850	14.88	20.49	yes	stainless steel	4J
C.476.300.0790.A	47.6	3.00	79.0	0.2759	17.70	22.10	yes	music wire	4J
C.476.300.0790.I	47.6	3.00	79.0	0.2400	17.40	21.67	yes	stainless steel	4J
C.476.300.2000.A	47.6	3.00	200.0	0.0979	36.00	48.30	yes	music wire	4M
C.476.300.2000.I	47.6	3.00	200.0	0.0841	36.00	48.30	yes	stainless steel	4M
C.476.340.0400.A	47.6	3.40	40.0	0.8298	14.96	17.24	yes	music wire	4J
C.476.340.0400.I	47.6	3.40	40.0	0.7127	14.96	17.24	yes	stainless steel	4J
C.476.340.0600.A	47.6	3.40	60.0	0.5255	18.70	22.31	yes	music wire	4K
C.476.340.0600.I	47.6	3.40	60.0	0.4514	18.70	22.31	yes	stainless steel	4K
C.476.340.1080.A	47.6	3.40	108.0	0.2989	26.52	32.89	yes	music wire	4L
C.476.340.1080.I	47.6	3.40	108.0	0.2600	26.18	32.43	yes	stainless steel	4L
C.476.340.1120.A	47.6	3.40	112.0	0.2644	28.90	36.11	yes	music wire	4L
C.476.340.1120.I	47.6	3.40	112.0	0.2300	28.56	35.65	yes	stainless steel	4M
C.476.340.1180.A	47.6	3.40	118.0	0.1954	36.04	45.78	yes	music wire	4M
C.476.340.1180.I	47.6	3.40	118.0	0.1700	35.70	45.32	yes	stainless steel	4M
C.476.340.2400.A	47.6	3.40	240.0	0.1213	52.70	68.32	yes	music wire	4O
C.476.340.2400.I	47.6	3.40	240.0	0.1042	52.70	68.32	yes	stainless steel	4O
C.477.580.3940.A	47.7	5.80	394.0	0.5500	179.80	209.27	yes	music wire	5D
C.477.580.3940.I	47.7	5.80	394.0	0.4785	177.48	206.54	yes	stainless steel	5D
C.480.200.0970.A	48.0	2.00	97.0	0.0370	16.00	24.04	no	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.480.200.0970.I	48.0	2.00	97.0	0.0322	16.00	24.04	no	stainless steel	4J
C.480.200.0970.N	48.0	2.00	97.0	0.0370	16.00	24.04	no	Zn coating	4K
C.480.270.0500.A	48.0	2.70	50.0	0.1839	15.39	19.90	yes	music wire	4I
C.480.270.0500.I	48.0	2.70	50.0	0.1600	15.12	19.49	yes	stainless steel	4I
C.480.280.1040.A	48.0	2.80	104.0	0.1937	16.80	21.61	yes	music wire	4M
C.480.280.1040.I	48.0	2.80	104.0	0.1664	16.80	21.61	yes	stainless steel	4K
C.480.280.1040.N	48.0	2.80	104.0	0.1937	16.80	21.61	yes	Zn coating	4O
C.480.280.1610.A	48.0	2.80	161.0	0.1233	22.40	29.96	yes	music wire	4N
C.480.280.1610.I	48.0	2.80	161.0	0.1059	22.40	29.96	yes	stainless steel	4O
C.480.280.1610.N	48.0	2.80	161.0	0.1233	22.40	29.96	yes	Zn coating	4P
C.480.280.2730.A	48.0	2.80	273.0	0.0714	33.60	46.66	yes	music wire	4Q
C.480.280.2730.I	48.0	2.80	273.0	0.0613	33.60	46.66	yes	stainless steel	4Q
C.480.280.2730.N	48.0	2.80	273.0	0.0714	33.60	46.66	yes	Zn coating	4R
C.480.280.4430.A	48.0	2.80	443.0	0.0437	50.40	71.70	yes	music wire	4S
C.480.280.4430.I	48.0	2.80	443.0	0.0375	50.40	71.70	yes	stainless steel	4S
C.480.280.4430.N	48.0	2.80	443.0	0.0437	50.40	71.70	yes	Zn coating	5A
C.480.300.0500.A	48.0	3.00	50.0	0.4116	14.10	16.99	yes	music wire	4I
C.480.300.0500.I	48.0	3.00	50.0	0.3535	14.10	16.99	yes	stainless steel	4J
C.480.300.0800.A	48.0	3.00	80.0	0.2515	18.30	23.02	yes	music wire	4J
C.480.300.0800.I	48.0	3.00	80.0	0.2160	18.30	23.02	yes	stainless steel	4J
C.480.300.0880.A	48.0	3.00	88.0	0.2587	18.00	22.59	yes	music wire	4J
C.480.300.0880.I	48.0	3.00	88.0	0.2222	18.00	22.59	yes	stainless steel	4J
C.480.300.0880.N	48.0	3.00	88.0	0.2587	18.00	22.59	yes	Zn coating	4L
C.480.300.1000.A	48.0	3.00	100.0	0.1969	21.30	27.34	yes	music wire	4J
C.480.300.1000.I	48.0	3.00	100.0	0.1691	21.30	27.34	yes	stainless steel	4J
C.480.300.1030.A	48.0	3.00	103.0	0.1646	24.00	31.22	yes	music wire	4J
C.480.300.1030.I	48.0	3.00	103.0	0.1414	24.00	31.22	yes	stainless steel	4J
C.480.300.1030.N	48.0	3.00	103.0	0.1646	24.00	31.22	yes	Zn coating	4M
C.480.300.1250.A	48.0	3.00	125.0	0.1561	24.90	32.51	yes	music wire	4L
C.480.300.1250.I	48.0	3.00	125.0	0.1341	24.90	32.51	yes	stainless steel	4L
C.480.300.1600.A	48.0	3.00	160.0	0.1207	30.00	39.84	yes	music wire	4L
C.480.300.1600.I	48.0	3.00	160.0	0.1037	30.00	39.84	yes	stainless steel	4L
C.480.300.2000.A	48.0	3.00	200.0	0.0963	35.70	48.04	yes	music wire	4M
C.480.300.2000.I	48.0	3.00	200.0	0.0827	35.70	48.04	yes	stainless steel	4M
C.480.300.2030.A	48.0	3.00	203.0	0.1065	33.00	44.16	yes	music wire	4M
C.480.300.2030.I	48.0	3.00	203.0	0.0915	33.00	44.16	yes	stainless steel	4M
C.480.300.2030.N	48.0	3.00	203.0	0.1065	33.00	44.16	yes	Zn coating	4O
C.480.300.2950.A	48.0	3.00	295.0	0.0724	45.00	61.41	yes	music wire	4O
C.480.300.2950.I	48.0	3.00	295.0	0.0622	45.00	61.41	yes	stainless steel	4O
C.480.300.2950.N	48.0	3.00	295.0	0.0724	45.00	61.41	yes	Zn coating	4P
C.480.300.3600.A	48.0	3.00	360.0	0.0530	61.80	84.24	no	music wire	4P
C.480.300.3600.I	48.0	3.00	360.0	0.0455	61.80	84.24	no	stainless steel	4P
C.480.300.4340.A	48.0	3.00	434.0	0.0489	63.00	87.28	yes	music wire	4Q
C.480.300.4340.I	48.0	3.00	434.0	0.0420	63.00	87.28	yes	stainless steel	4Q
C.480.300.4340.N	48.0	3.00	434.0	0.0489	63.00	87.28	yes	Zn coating	4R
C.480.320.0500.A	48.0	3.20	50.0	0.5165	15.36	18.26	yes	music wire	4J
C.480.320.0500.I	48.0	3.20	50.0	0.4437	15.36	18.26	yes	stainless steel	4J
C.480.320.0760.A	48.0	3.20	76.0	0.3394	19.20	23.61	yes	music wire	4L
C.480.320.0760.I	48.0	3.20	76.0	0.2915	19.20	23.61	yes	stainless steel	4L
C.480.320.0760.N	48.0	3.20	76.0	0.3394	19.20	23.61	yes	Zn coating	4M
C.480.320.0800.A	48.0	3.20	80.0	0.3126	20.16	24.95	yes	music wire	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.480.320.0800.I	48.0	3.20	80.0	0.2685	20.16	24.95	yes	stainless steel	4L
C.480.320.1000.A	48.0	3.20	100.0	0.2425	23.68	29.86	yes	music wire	4L
C.480.320.1000.I	48.0	3.20	100.0	0.2082	23.68	29.86	yes	stainless steel	4L
C.480.320.1080.A	48.0	3.20	108.0	0.2184	25.28	32.09	yes	music wire	4L
C.480.320.1080.I	48.0	3.20	108.0	0.1900	25.28	32.09	yes	stainless steel	4L
C.480.320.1150.A	48.0	3.20	115.0	0.2160	25.60	32.53	yes	music wire	4L
C.480.320.1150.I	48.0	3.20	115.0	0.1855	25.60	32.53	yes	stainless steel	4M
C.480.320.1150.N	48.0	3.20	115.0	0.2160	25.60	32.53	yes	Zn coating	4N
C.480.320.1250.A	48.0	3.20	125.0	0.1948	27.52	35.21	yes	music wire	4M
C.480.320.1250.I	48.0	3.20	125.0	0.1673	27.52	35.21	yes	stainless steel	4M
C.480.320.1600.A	48.0	3.20	160.0	0.1504	33.28	43.24	yes	music wire	4M
C.480.320.1600.I	48.0	3.20	160.0	0.1292	33.28	43.24	yes	stainless steel	4M
C.480.320.1760.A	48.0	3.20	176.0	0.1398	35.20	45.92	yes	music wire	4N
C.480.320.1760.I	48.0	3.20	176.0	0.1201	35.20	45.92	yes	stainless steel	4N
C.480.320.1760.N	48.0	3.20	176.0	0.1398	35.20	45.92	yes	Zn coating	4O
C.480.320.2000.A	48.0	3.20	200.0	0.1188	40.00	52.61	yes	music wire	4N
C.480.320.2000.I	48.0	3.20	200.0	0.1020	40.00	52.61	yes	stainless steel	4N
C.480.320.2750.A	48.0	3.20	275.0	0.0880	51.20	68.22	yes	music wire	4O
C.480.320.2750.I	48.0	3.20	275.0	0.0756	51.20	68.22	yes	stainless steel	4O
C.480.320.2750.N	48.0	3.20	275.0	0.0880	51.20	68.22	yes	Zn coating	4Q
C.480.320.3600.A	48.0	3.20	360.0	0.0653	69.44	92.39	no	music wire	4Q
C.480.320.3600.I	48.0	3.20	360.0	0.0561	69.44	92.39	no	stainless steel	4Q
C.480.350.0950.A	48.0	3.50	95.0	0.2000	39.20	49.63	yes	music wire	4L
C.480.350.0950.I	48.0	3.50	95.0	0.1740	38.85	49.16	yes	stainless steel	4L
C.480.350.0950.N	48.0	3.50	95.0	0.2000	39.20	49.63	yes	Zn coating	4M
C.480.360.0500.A	48.0	3.60	50.0	0.7820	18.00	20.95	yes	music wire	4M
C.480.360.0500.I	48.0	3.60	50.0	0.6716	18.00	20.95	yes	stainless steel	4M
C.480.360.0800.A	48.0	3.60	80.0	0.4887	23.40	28.13	yes	music wire	4N
C.480.360.0800.I	48.0	3.60	80.0	0.4197	23.40	28.13	yes	stainless steel	4N
C.480.360.0800.N	48.0	3.60	80.0	0.4887	23.40	28.13	yes	Zn coating	4O
C.480.360.1000.A	48.0	3.60	100.0	0.3620	28.44	34.82	yes	music wire	4N
C.480.360.1000.I	48.0	3.60	100.0	0.3109	28.44	34.82	yes	stainless steel	4N
C.480.360.1200.A	48.0	3.60	120.0	0.3258	30.60	37.69	yes	music wire	4N
C.480.360.1200.I	48.0	3.60	120.0	0.2798	30.60	37.69	yes	stainless steel	4N
C.480.360.1200.N	48.0	3.60	120.0	0.3258	30.60	37.69	yes	Zn coating	4P
C.480.360.1250.A	48.0	3.60	125.0	0.2833	33.84	41.99	yes	music wire	4N
C.480.360.1250.I	48.0	3.60	125.0	0.2433	33.84	41.99	yes	stainless steel	4O
C.480.360.1600.A	48.0	3.60	160.0	0.2444	37.80	47.25	yes	music wire	4O
C.480.360.1600.I	48.0	3.60	160.0	0.2099	37.80	47.25	yes	stainless steel	4O
C.480.360.1600.N	48.0	3.60	160.0	0.2444	37.80	47.25	yes	Zn coating	4Q
C.480.360.2000.A	48.0	3.60	200.0	0.1955	45.00	56.81	yes	music wire	4P
C.480.360.2000.I	48.0	3.60	200.0	0.1679	45.00	56.81	yes	stainless steel	4P
C.480.360.2000.N	48.0	3.60	200.0	0.1955	45.00	56.81	yes	Zn coating	4R
C.480.360.2800.A	48.0	3.60	280.0	0.1396	59.40	75.94	yes	music wire	4Q
C.480.360.2800.I	48.0	3.60	280.0	0.1199	59.40	75.94	yes	stainless steel	4Q
C.480.360.2800.N	48.0	3.60	280.0	0.1396	59.40	75.94	yes	Zn coating	4R
C.480.360.3600.A	48.0	3.60	360.0	0.0958	86.04	110.14	no	music wire	4R
C.480.360.3600.I	48.0	3.60	360.0	0.0823	86.04	110.14	no	stainless steel	4R
C.480.380.0320.A	48.0	3.80	32.0	1.1494	17.48	19.90	yes	music wire	4M
C.480.380.0320.AP	48.0	3.80	32.0	2.2775	13.68	15.15	yes	music wire	4O
C.480.380.0320.I	48.0	3.80	32.0	1.0000	17.48	19.90	yes	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.480.400.0500.A	48.0	4.00	50.0	1.1339	20.80	23.84	yes	music wire	4P
C.480.400.0500.I	48.0	4.00	50.0	0.9739	20.80	23.84	yes	stainless steel	4P
C.480.400.0800.A	48.0	4.00	80.0	0.6656	28.40	33.58	yes	music wire	4Q
C.480.400.0800.I	48.0	4.00	80.0	0.5717	28.40	33.58	yes	stainless steel	4Q
C.480.400.1000.A	48.0	4.00	100.0	0.4000	40.80	49.47	yes	music wire	4Q
C.480.400.1000.AP	48.0	4.00	100.0	0.7995	25.20	44.71	yes	music wire	4S
C.480.400.1000.I	48.0	4.00	100.0	0.3489	40.00	48.45	yes	stainless steel	4Q
C.480.400.1000.N	48.0	4.00	100.0	0.4000	40.80	49.47	yes	Zn coating	4R
C.480.400.1250.A	48.0	4.00	125.0	0.4082	40.00	48.45	yes	music wire	4Q
C.480.400.1250.I	48.0	4.00	125.0	0.3506	40.00	48.45	yes	stainless steel	4R
C.480.400.1600.A	48.0	4.00	160.0	0.3156	48.80	59.72	yes	music wire	4R
C.480.400.1600.I	48.0	4.00	160.0	0.2711	48.80	59.72	yes	stainless steel	4R
C.480.400.2000.A	48.0	4.00	200.0	0.2489	59.20	73.05	yes	music wire	4R
C.480.400.2000.I	48.0	4.00	200.0	0.2138	59.20	73.05	yes	stainless steel	4R
C.480.400.3600.A	48.0	4.00	360.0	0.1367	103.60	128.82	no	music wire	4S
C.480.400.3600.I	48.0	4.00	360.0	0.1174	103.60	128.82	no	stainless steel	4T
C.480.450.0500.A	48.0	4.50	50.0	1.7500	24.30	27.43	yes	music wire	4R
C.480.450.0500.I	48.0	4.50	50.0	1.5000	24.30	27.43	yes	stainless steel	4R
C.480.450.0800.A	48.0	4.50	80.0	1.0150	33.75	39.15	yes	music wire	4R
C.480.450.0800.I	48.0	4.50	80.0	0.8718	33.75	39.15	yes	stainless steel	4R
C.480.450.1000.A	48.0	4.50	100.0	0.7930	40.05	46.97	yes	music wire	4R
C.480.450.1000.I	48.0	4.50	100.0	0.6811	40.05	46.97	yes	stainless steel	4R
C.480.450.1250.A	48.0	4.50	125.0	0.6189	48.15	57.01	yes	music wire	4R
C.480.450.1250.I	48.0	4.50	125.0	0.5316	48.15	57.01	yes	stainless steel	4R
C.480.450.1300.A	48.0	4.50	130.0	0.5632	51.75	61.48	yes	music wire	4R
C.480.450.1300.AP	48.0	4.50	130.0	0.8911	36.90	61.40	yes	music wire	4T
C.480.450.1300.I	48.0	4.50	130.0	0.4900	51.30	60.92	yes	stainless steel	4R
C.480.450.1600.A	48.0	4.50	160.0	0.4788	58.95	70.41	yes	music wire	4S
C.480.450.1600.I	48.0	4.50	160.0	0.4112	58.95	70.41	yes	stainless steel	4S
C.480.450.2000.A	48.0	4.50	200.0	0.3787	71.55	86.03	yes	music wire	4S
C.480.450.2000.I	48.0	4.50	200.0	0.3253	71.55	86.03	yes	stainless steel	4S
C.480.450.3600.A	48.0	4.50	360.0	0.2063	126.45	153.04	no	music wire	4T
C.480.450.3600.I	48.0	4.50	360.0	0.1772	126.45	153.04	no	stainless steel	5A
C.480.500.0500.A	48.0	5.00	50.0	3.1111	25.50	28.24	yes	music wire	4S
C.480.500.0500.I	48.0	5.00	50.0	2.7067	25.00	27.64	yes	stainless steel	4S
C.480.500.0500.N	48.0	5.00	50.0	3.1111	25.50	28.24	yes	Zn coating	4T
C.480.500.0630.A	48.0	5.00	63.0	2.5000	28.50	31.88	yes	music wire	5A
C.480.500.0630.I	48.0	5.00	63.0	2.1750	28.50	31.88	yes	stainless steel	5A
C.480.500.0630.N	48.0	5.00	63.0	2.5000	28.50	31.88	yes	Zn coating	5C
C.480.500.0800.A	48.0	5.00	80.0	1.9444	33.00	38.04	yes	music wire	5A
C.480.500.0800.I	48.0	5.00	80.0	1.6916	33.00	37.32	yes	stainless steel	5A
C.480.500.0800.N	48.0	5.00	80.0	1.9444	33.00	38.04	yes	Zn coating	5C
C.480.500.1000.A	48.0	5.00	100.0	1.5556	38.00	47.55	yes	music wire	5A
C.480.500.1000.I	48.0	5.00	100.0	1.3534	38.00	45.17	yes	stainless steel	5B
C.480.500.1000.N	48.0	5.00	100.0	1.5556	38.00	47.55	yes	Zn coating	5C
C.480.500.1250.A	48.0	5.00	125.0	1.2500	44.50	59.72	yes	music wire	5B
C.480.500.1250.I	48.0	5.00	125.0	1.0875	44.00	56.76	yes	stainless steel	5B
C.480.500.1250.N	48.0	5.00	125.0	1.2500	44.50	59.72	yes	Zn coating	5D
C.480.500.1600.A	48.0	5.00	160.0	1.0000	52.50	78.41	yes	music wire	5B
C.480.500.1600.I	48.0	5.00	160.0	0.8700	52.00	74.70	yes	stainless steel	5B
C.480.500.1600.N	48.0	5.00	160.0	1.0000	52.50	78.41	yes	Zn coating	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.480.500.2000.A	48.0	5.00	200.0	0.7778	64.00	95.10	yes	music wire	5C
C.480.500.2000.I	48.0	5.00	200.0	0.6767	63.50	90.33	yes	stainless steel	5C
C.480.500.2000.N	48.0	5.00	200.0	0.7778	64.00	95.10	yes	Zn coating	5D
C.480.500.2500.A	48.0	5.00	250.0	0.6250	76.50	119.45	yes	music wire	5C
C.480.500.2500.I	48.0	5.00	250.0	0.5438	75.50	113.52	yes	stainless steel	5D
C.480.500.2500.N	48.0	5.00	250.0	0.6250	76.50	119.45	yes	Zn coating	5D
C.480.500.3200.A	48.0	5.00	320.0	0.5000	92.50	156.81	yes	music wire	5D
C.480.500.3200.I	48.0	5.00	320.0	0.4350	91.50	149.40	yes	stainless steel	5D
C.480.500.3200.N	48.0	5.00	320.0	0.5000	92.50	156.81	yes	Zn coating	5E
C.480.500.3600.A	48.0	5.00	360.0	0.3045	149.00	176.74	no	music wire	5A
C.480.500.3600.I	48.0	5.00	360.0	0.2615	149.00	176.74	no	stainless steel	5B
C.480.550.0500.A	48.0	5.50	50.0	3.9173	30.80	34.03	yes	music wire	5A
C.480.550.0500.I	48.0	5.50	50.0	3.3646	30.80	34.03	yes	stainless steel	5A
C.480.550.0800.A	48.0	5.50	80.0	2.2079	44.00	49.73	yes	music wire	5A
C.480.550.0800.I	48.0	5.50	80.0	1.9000	44.00	49.73	yes	stainless steel	5B
C.480.550.1000.A	48.0	5.50	100.0	1.7104	52.80	60.20	yes	music wire	5B
C.480.550.1000.I	48.0	5.50	100.0	1.4690	52.80	60.20	yes	stainless steel	5B
C.480.550.1150.A	48.0	5.50	115.0	1.7000	52.80	60.20	yes	music wire	5B
C.480.550.1150.I	48.0	5.50	115.0	1.4816	52.25	59.55	yes	stainless steel	5B
C.480.550.1150.N	48.0	5.50	115.0	1.7000	52.80	60.20	yes	Zn coating	5D
C.480.550.1250.A	48.0	5.50	125.0	1.3345	63.80	73.29	yes	music wire	5B
C.480.550.1250.I	48.0	5.50	125.0	1.1462	63.80	73.29	yes	stainless steel	5B
C.480.550.1600.A	48.0	5.50	160.0	1.0205	79.20	91.61	yes	music wire	5B
C.480.550.1600.I	48.0	5.50	160.0	0.8765	79.20	91.61	yes	stainless steel	5C
C.480.550.2000.A	48.0	5.50	200.0	0.8096	96.25	111.89	yes	music wire	5C
C.480.550.2000.I	48.0	5.50	200.0	0.6953	96.25	111.89	yes	stainless steel	5C
C.480.550.2700.A	48.0	5.50	270.0	0.7000	108.90	126.94	yes	music wire	5E
C.480.550.2700.I	48.0	5.50	270.0	0.6099	107.80	125.63	yes	stainless steel	5F
C.480.550.2700.N	48.0	5.50	270.0	0.7000	108.90	126.94	yes	Zn coating	5G
C.480.550.2850.A	48.0	5.50	285.0	0.6270	120.45	140.68	yes	music wire	5C
C.480.550.2850.I	48.0	5.50	285.0	0.5455	118.80	138.71	yes	stainless steel	5D
C.480.550.2850.N	48.0	5.50	285.0	0.6270	120.45	140.68	yes	Zn coating	5E
C.480.550.2900.A	48.0	5.50	290.0	0.5960	125.95	147.22	yes	music wire	5C
C.480.550.2900.AP	48.0	5.50	290.0	0.7730	100.10	153.11	yes	music wire	5E
C.480.550.2900.I	48.0	5.50	290.0	0.5185	124.30	145.26	yes	stainless steel	5D
C.480.550.2900.N	48.0	5.50	290.0	0.5960	125.95	147.22	yes	Zn coating	5E
C.480.550.3600.A	48.0	5.50	360.0	0.4384	171.60	200.48	no	music wire	5D
C.480.550.3600.I	48.0	5.50	360.0	0.3765	171.60	200.48	no	stainless steel	5D
C.480.600.0500.A	48.0	6.00	50.0	5.5690	34.20	37.53	yes	music wire	5D
C.480.600.0500.I	48.0	6.00	50.0	4.7832	34.20	37.53	yes	stainless steel	5E
C.480.600.0800.A	48.0	6.00	80.0	3.1823	48.60	54.43	yes	music wire	5D
C.480.600.0800.I	48.0	6.00	80.0	2.7332	48.60	54.43	yes	stainless steel	5E
C.480.600.1000.A	48.0	6.00	100.0	2.4412	58.80	66.40	yes	music wire	5D
C.480.600.1000.I	48.0	6.00	100.0	2.1000	58.80	66.40	yes	stainless steel	5E
C.480.600.1250.A	48.0	6.00	125.0	1.9000	71.40	81.19	yes	music wire	5D
C.480.600.1250.I	48.0	6.00	125.0	1.6283	71.40	81.19	yes	stainless steel	5E
C.480.600.1600.A	48.0	6.00	160.0	1.4607	88.20	100.90	yes	music wire	5E
C.480.600.1600.I	48.0	6.00	160.0	1.2546	88.20	100.90	yes	stainless steel	5E
C.480.600.2000.A	48.0	6.00	200.0	1.1497	108.00	124.14	yes	music wire	5E
C.480.600.2000.I	48.0	6.00	200.0	0.9875	108.00	124.14	yes	stainless steel	5E
C.480.600.3600.A	48.0	6.00	360.0	0.6209	193.20	223.08	no	music wire	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.480.600.3600.I	48.0	6.00	360.0	0.5333	193.20	223.08	no	stainless steel	5G
C.483.380.0635.A	48.3	3.80	63.5	0.6836	22.80	26.87	yes	music wire	4M
C.483.380.0635.AP	48.3	3.80	63.5	1.0674	18.24	27.77	yes	music wire	4P
C.483.380.0635.I	48.3	3.80	63.5	0.5948	22.80	26.87	yes	stainless steel	4N
C.483.380.0762.A	48.3	3.80	76.2	0.5735	25.46	30.34	yes	music wire	4N
C.483.380.0762.I	48.3	3.80	76.2	0.5000	25.08	29.84	yes	stainless steel	4N
C.483.380.3000.A	48.3	3.80	300.0	0.1370	76.38	96.83	yes	music wire	4Q
C.483.380.3000.I	48.3	3.80	300.0	0.1176	76.38	96.83	yes	stainless steel	4R
C.483.400.0635.A	48.3	4.00	63.5	0.7583	26.00	30.54	yes	music wire	4P
C.483.400.0635.AP	48.3	4.00	63.5	1.2729	19.60	28.98	yes	music wire	4S
C.483.400.0635.I	48.3	4.00	63.5	0.6597	25.60	30.03	yes	stainless steel	4Q
C.483.400.0762.A	48.3	4.00	76.2	0.6345	28.80	34.14	yes	music wire	4Q
C.483.400.0762.AP	48.3	4.00	76.2	1.0535	21.20	34.49	yes	music wire	4S
C.483.400.0762.I	48.3	4.00	76.2	0.5520	28.80	34.14	yes	stainless steel	4Q
C.483.400.1200.A	48.3	4.00	120.0	0.4225	38.40	46.47	yes	music wire	4Q
C.483.400.1200.I	48.3	4.00	120.0	0.3629	38.40	46.47	yes	stainless steel	4Q
C.483.400.1630.A	48.3	4.00	163.0	0.2810	52.80	64.95	yes	music wire	4R
C.483.400.1630.AP	48.3	4.00	163.0	0.4700	35.60	69.51	yes	music wire	4T
C.483.400.1630.I	48.3	4.00	163.0	0.2445	52.00	63.93	yes	stainless steel	4R
C.483.400.1630.N	48.3	4.00	163.0	0.2810	52.80	64.95	yes	Zn coating	4S
C.483.400.2000.A	48.3	4.00	200.0	0.2479	58.40	72.14	yes	music wire	4R
C.483.400.2000.I	48.3	4.00	200.0	0.2129	58.40	72.14	yes	stainless steel	4R
C.484.230.0350.A	48.4	2.30	35.0	0.1839	11.73	14.32	no	music wire	4I
C.484.230.0350.I	48.4	2.30	35.0	0.1600	11.73	14.32	no	stainless steel	4I
C.484.230.0450.A	48.4	2.30	45.0	0.1264	13.34	17.06	no	music wire	4I
C.484.230.0450.I	48.4	2.30	45.0	0.1100	13.34	17.06	no	stainless steel	4I
C.484.230.1000.A	48.4	2.30	100.0	0.0856	15.87	21.36	no	music wire	4J
C.484.230.1000.I	48.4	2.30	100.0	0.0735	15.87	21.36	no	stainless steel	4J
C.484.290.0450.A	48.4	2.90	45.0	0.2400	16.53	20.88	yes	music wire	4I
C.484.290.0450.I	48.4	2.90	45.0	0.2088	16.24	20.46	yes	stainless steel	4I
C.484.290.2000.A	48.4	2.90	200.0	0.0859	33.06	45.17	yes	music wire	4M
C.484.290.2000.I	48.4	2.90	200.0	0.0738	33.06	45.17	yes	stainless steel	4M
C.484.320.0450.A	48.4	3.20	45.0	0.4483	16.32	19.64	yes	music wire	4J
C.484.320.0450.I	48.4	3.20	45.0	0.3900	16.00	19.19	yes	stainless steel	4J
C.484.320.2000.A	48.4	3.20	200.0	0.1180	39.36	51.88	yes	music wire	4N
C.484.320.2000.I	48.4	3.20	200.0	0.1014	39.36	51.88	yes	stainless steel	4N
C.484.380.0670.A	48.4	3.80	67.0	0.5600	25.84	30.85	yes	music wire	4M
C.484.380.0670.AP	48.4	3.80	67.0	1.0160	18.62	29.54	yes	music wire	4P
C.484.380.0670.I	48.4	3.80	67.0	0.4872	25.46	30.35	yes	stainless steel	4N
C.484.380.3000.A	48.4	3.80	300.0	0.1368	76.00	96.39	yes	music wire	4Q
C.484.380.3000.I	48.4	3.80	300.0	0.1175	76.00	96.39	yes	stainless steel	4R
C.484.400.0700.A	48.4	4.00	70.0	0.7241	26.40	31.07	yes	music wire	4Q
C.484.400.0700.AP	48.4	4.00	70.0	1.1671	20.40	32.43	yes	music wire	4S
C.484.400.0700.I	48.4	4.00	70.0	0.6300	26.40	31.07	yes	stainless steel	4Q
C.484.400.0800.A	48.4	4.00	80.0	0.8161	24.80	29.02	yes	music wire	4S
C.484.400.0800.I	48.4	4.00	80.0	0.7100	24.40	28.50	yes	stainless steel	4Q
C.484.400.2000.A	48.4	4.00	200.0	0.2462	58.40	72.19	yes	music wire	4R
C.484.400.2000.I	48.4	4.00	200.0	0.2115	58.40	72.19	yes	stainless steel	4R
C.487.400.0430.A	48.7	4.00	43.0	0.9540	22.40	25.96	yes	music wire	4P
C.487.400.0430.AP	48.7	4.00	43.0	1.9825	16.00	21.01	yes	music wire	4R
C.487.400.0430.I	48.7	4.00	43.0	0.8300	22.00	25.45	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.488.230.0570.A	48.8	2.30	57.0	0.0943	14.95	19.87	no	music wire	4I
C.488.230.0570.I	48.8	2.30	57.0	0.0820	14.95	19.87	no	stainless steel	4I
C.488.340.1080.A	48.8	3.40	108.0	0.1839	35.36	45.23	yes	music wire	4L
C.488.340.1080.I	48.8	3.40	108.0	0.1600	35.02	44.76	yes	stainless steel	4M
C.488.400.0420.A	48.8	4.00	42.0	1.8391	16.40	18.34	yes	music wire	4R
C.488.400.0420.I	48.8	4.00	42.0	1.6000	16.40	18.24	yes	stainless steel	4R
C.490.400.0400.A	49.0	4.00	40.0	0.9360	22.40	25.99	yes	music wire	4P
C.490.400.0400.AP	49.0	4.00	40.0	2.0819	15.60	19.18	yes	music wire	4R
C.490.400.0400.I	49.0	4.00	40.0	0.8143	22.00	25.48	yes	stainless steel	4P
C.490.400.0400.N	49.0	4.00	40.0	0.9360	22.40	25.99	yes	Zn coating	4R
C.490.400.0680.A	49.0	4.00	68.0	0.8177	24.00	28.06	yes	music wire	4P
C.490.400.0680.AP	49.0	4.00	68.0	1.1659	20.00	30.83	yes	music wire	4S
C.490.400.0680.I	49.0	4.00	68.0	0.7023	24.00	28.06	yes	stainless steel	4Q
C.490.400.0680.N	49.0	4.00	68.0	0.8177	24.00	28.06	yes	Zn coating	4R
C.490.400.0800.A	49.0	4.00	80.0	0.6360	28.00	33.22	yes	music wire	4Q
C.490.400.0800.I	49.0	4.00	80.0	0.5463	28.00	33.22	yes	stainless steel	4Q
C.490.400.1030.A	49.0	4.00	103.0	0.5204	32.00	38.38	yes	music wire	4Q
C.490.400.1030.AP	49.0	4.00	103.0	0.7474	25.20	45.02	yes	music wire	4S
C.490.400.1030.I	49.0	4.00	103.0	0.4470	32.00	38.38	yes	stainless steel	4Q
C.490.400.1030.N	49.0	4.00	103.0	0.5204	32.00	38.38	yes	Zn coating	4R
C.490.400.1200.A	49.0	4.00	120.0	0.4148	37.60	45.60	yes	music wire	4Q
C.490.400.1200.I	49.0	4.00	120.0	0.3563	37.60	45.60	yes	stainless steel	4R
C.490.400.1560.A	49.0	4.00	156.0	0.3367	44.00	53.85	yes	music wire	4R
C.490.400.1560.AP	49.0	4.00	156.0	0.4858	33.60	66.79	yes	music wire	4T
C.490.400.1560.I	49.0	4.00	156.0	0.2892	44.00	53.85	yes	stainless steel	4R
C.490.400.1560.N	49.0	4.00	156.0	0.3367	44.00	53.85	yes	Zn coating	4S
C.490.400.2000.A	49.0	4.00	200.0	0.2425	57.20	70.88	yes	music wire	4R
C.490.400.2000.I	49.0	4.00	200.0	0.2083	57.20	70.88	yes	stainless steel	4R
C.490.400.2430.A	49.0	4.00	243.0	0.2120	64.00	79.65	yes	music wire	4S
C.490.400.2430.AP	49.0	4.00	243.0	0.3068	47.20	101.76	yes	music wire	5A
C.490.400.2430.I	49.0	4.00	243.0	0.1821	64.00	79.65	yes	stainless steel	4S
C.490.400.2430.N	49.0	4.00	243.0	0.2120	64.00	79.65	yes	Zn coating	4T
C.492.290.1780.A	49.2	2.90	178.0	0.0621	41.18	57.55	yes	music wire	4M
C.492.290.1780.I	49.2	2.90	178.0	0.0540	40.60	56.69	yes	stainless steel	4M
C.492.400.0350.A	49.2	4.00	35.0	1.6613	16.80	18.78	yes	music wire	4P
C.492.400.0350.I	49.2	4.00	35.0	1.4269	16.80	18.78	yes	stainless steel	4P
C.492.400.0500.A	49.2	4.00	50.0	1.1000	20.40	23.43	yes	music wire	4P
C.492.400.0500.AP	49.2	4.00	50.0	1.6919	16.80	24.49	yes	music wire	4R
C.492.400.0500.I	49.2	4.00	50.0	0.9570	20.00	22.92	yes	stainless steel	4P
C.492.400.0640.A	49.2	4.00	64.0	0.8600	23.20	27.05	yes	music wire	4P
C.492.400.0640.AP	49.2	4.00	64.0	1.2505	19.20	29.48	yes	music wire	4S
C.492.400.0640.I	49.2	4.00	64.0	0.8100	22.00	25.50	yes	stainless steel	4Q
C.492.400.0760.A	49.2	4.00	76.0	0.7800	24.40	28.60	yes	music wire	4Q
C.492.400.0760.AP	49.2	4.00	76.0	1.0272	20.80	33.98	yes	music wire	4S
C.492.400.0760.I	49.2	4.00	76.0	0.6600	24.80	29.11	yes	stainless steel	4Q
C.492.400.0890.A	49.2	4.00	89.0	0.6500	27.20	32.21	yes	music wire	4Q
C.492.400.0890.AP	49.2	4.00	89.0	0.8716	22.80	39.47	yes	music wire	4S
C.492.400.0890.I	49.2	4.00	89.0	0.5000	29.60	35.31	yes	stainless steel	4Q
C.492.400.1150.A	49.2	4.00	115.0	0.5000	32.40	38.93	yes	music wire	4Q
C.492.400.1150.AP	49.2	4.00	115.0	0.6689	26.80	50.47	yes	music wire	4S
C.492.400.1150.I	49.2	4.00	115.0	0.3800	35.60	43.06	yes	stainless steel	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.492.400.1270.A	49.2	4.00	127.0	0.4400	35.60	43.06	yes	music wire	4R
C.492.400.1270.AP	49.2	4.00	127.0	0.5992	28.80	54.96	yes	music wire	4S
C.492.400.1270.I	49.2	4.00	127.0	0.3400	38.40	46.68	yes	stainless steel	4R
C.492.400.1400.A	49.2	4.00	140.0	0.4000	38.40	46.68	yes	music wire	4R
C.492.400.1400.AP	49.2	4.00	140.0	0.5427	30.80	60.46	yes	music wire	4S
C.492.400.1400.I	49.2	4.00	140.0	0.3100	41.20	50.30	yes	stainless steel	4R
C.492.400.1520.A	49.2	4.00	152.0	0.3300	44.40	54.43	yes	music wire	4R
C.492.400.1520.AP	49.2	4.00	152.0	0.4959	32.80	64.95	yes	music wire	4T
C.492.400.1520.I	49.2	4.00	152.0	0.2800	44.80	54.95	yes	stainless steel	4R
C.492.400.2050.A	49.2	4.00	205.0	0.2353	58.00	71.99	yes	music wire	4R
C.492.400.2050.I	49.2	4.00	205.0	0.2021	58.00	71.99	yes	stainless steel	4R
C.492.450.1330.A	49.2	4.50	133.0	0.5800	47.70	56.74	yes	music wire	4R
C.492.450.1330.AP	49.2	4.50	133.0	0.8357	36.45	61.55	yes	music wire	5A
C.492.450.1330.I	49.2	4.50	133.0	0.5046	47.25	56.18	yes	stainless steel	4S
C.492.480.0760.A	49.2	4.80	76.0	1.4357	32.64	37.35	yes	music wire	4R
C.492.480.0760.AP	49.2	4.80	76.0	1.9067	27.36	38.62	yes	music wire	4T
C.492.480.0760.I	49.2	4.80	76.0	1.2500	32.16	36.76	yes	stainless steel	4R
C.492.500.0500.A	49.2	5.00	50.0	2.2000	29.50	33.19	yes	music wire	4S
C.492.500.0500.AP	49.2	5.00	50.0	3.5759	23.00	27.71	yes	music wire	5A
C.492.500.0500.I	49.2	5.00	50.0	1.8000	30.00	33.80	yes	stainless steel	4S
C.492.500.0640.A	49.2	5.00	64.0	1.8000	33.00	37.45	yes	music wire	4S
C.492.500.0640.AP	49.2	5.00	64.0	2.6819	26.00	34.28	yes	music wire	5A
C.492.500.0640.I	49.2	5.00	64.0	1.5000	33.50	38.06	yes	stainless steel	4S
C.492.580.0450.A	49.2	5.80	45.0	5.2233	30.16	33.04	yes	music wire	5A
C.492.580.0450.I	49.2	5.80	45.0	4.4863	30.16	33.04	yes	stainless steel	5A
C.492.580.0640.A	49.2	5.80	64.0	3.4000	38.28	42.66	yes	music wire	5A
C.492.580.0640.AP	49.2	5.80	64.0	4.6331	31.90	38.22	yes	music wire	5D
C.492.580.0640.I	49.2	5.80	64.0	2.9000	38.86	43.34	yes	stainless steel	5B
C.492.580.0760.A	49.2	5.80	76.0	2.7000	44.66	50.21	yes	music wire	5A
C.492.580.0760.AP	49.2	5.80	76.0	3.7796	35.96	44.40	yes	music wire	5D
C.492.580.0760.I	49.2	5.80	76.0	2.3000	45.24	50.90	yes	stainless steel	5B
C.492.580.0890.A	49.2	5.80	89.0	2.3000	49.88	56.39	yes	music wire	5B
C.492.580.0890.AP	49.2	5.80	89.0	3.1917	40.02	51.58	yes	music wire	5D
C.492.580.0890.I	49.2	5.80	89.0	1.9000	51.62	58.45	yes	stainless steel	5B
C.492.580.1020.A	49.2	5.80	102.0	2.0000	55.68	63.26	yes	music wire	5B
C.492.580.1020.AP	49.2	5.80	102.0	2.7099	44.66	57.92	yes	music wire	5D
C.492.580.1020.I	49.2	5.80	102.0	1.7000	55.68	63.26	yes	stainless steel	5B
C.492.580.1150.A	49.2	5.80	115.0	1.7000	62.64	71.50	yes	music wire	5B
C.492.580.1150.AP	49.2	5.80	115.0	2.3938	48.72	65.10	yes	music wire	5D
C.492.580.1150.I	49.2	5.80	115.0	1.5000	61.48	70.12	yes	stainless steel	5B
C.492.580.1270.A	49.2	5.80	127.0	1.5000	69.02	79.05	yes	music wire	5B
C.492.580.1270.AP	49.2	5.80	127.0	2.1437	52.78	71.28	yes	music wire	5D
C.492.580.1270.I	49.2	5.80	127.0	1.3000	68.44	78.36	yes	stainless steel	5B
C.492.580.1400.A	49.2	5.80	140.0	1.4000	73.08	83.86	yes	music wire	5B
C.492.580.1400.AP	49.2	5.80	140.0	1.9409	56.84	78.46	yes	music wire	5D
C.492.580.1400.I	49.2	5.80	140.0	1.2000	73.08	83.86	yes	stainless steel	5B
C.492.580.1520.A	49.2	5.80	152.0	1.3000	77.14	88.67	yes	music wire	5B
C.492.580.1520.AP	49.2	5.80	152.0	1.7732	60.90	84.64	yes	music wire	5D
C.492.580.1520.I	49.2	5.80	152.0	1.1000	78.30	90.04	yes	stainless steel	5B
C.492.580.2050.A	49.2	5.80	205.0	0.9278	102.66	118.88	yes	music wire	5C
C.492.580.2050.I	49.2	5.80	205.0	0.7969	102.66	118.88	yes	stainless steel	5C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.493.380.0250.A	49.3	3.80	25.0	2.0501	13.68	15.00	yes	music wire	4M
C.493.380.0250.I	49.3	3.80	25.0	1.7608	13.68	15.00	yes	stainless steel	4M
C.493.380.0400.A	49.3	3.80	40.0	1.1869	16.72	18.99	yes	music wire	4M
C.493.380.0400.I	49.3	3.80	40.0	1.0194	16.72	18.99	yes	stainless steel	4M
C.493.380.0508.A	49.3	3.80	50.8	0.8000	20.14	23.49	yes	music wire	4M
C.493.380.0508.I	49.3	3.80	50.8	0.6887	20.14	23.49	yes	stainless steel	4M
C.493.380.0508.N	49.3	3.80	50.8	0.8000	20.14	23.49	yes	Zn coating	4O
C.493.380.0635.A	49.3	3.80	63.5	0.6478	22.80	26.99	yes	music wire	4M
C.493.380.0635.I	49.3	3.80	63.5	0.5636	22.42	26.49	yes	stainless steel	4N
C.493.380.0635.N	49.3	3.80	63.5	0.6478	22.80	26.99	yes	Zn coating	4O
C.493.380.0762.A	49.3	3.80	76.2	0.5435	25.08	29.99	yes	music wire	4N
C.493.380.0762.I	49.3	3.80	76.2	0.4728	25.08	29.99	yes	stainless steel	4N
C.493.380.0762.N	49.3	3.80	76.2	0.5435	25.08	29.99	yes	Zn coating	4O
C.493.380.0889.A	49.3	3.80	88.9	0.4681	27.74	33.49	yes	music wire	4N
C.493.380.0889.I	49.3	3.80	88.9	0.4020	27.74	33.49	yes	stainless steel	4N
C.493.380.0889.N	49.3	3.80	88.9	0.4681	27.74	33.49	yes	Zn coating	4P
C.493.380.1016.A	49.3	3.80	101.6	0.4110	30.40	36.98	yes	music wire	4N
C.493.380.1016.I	49.3	3.80	101.6	0.3530	30.40	36.98	yes	stainless steel	4N
C.493.380.1016.N	49.3	3.80	101.6	0.4110	30.40	36.98	yes	Zn coating	4P
C.493.380.1143.A	49.3	3.80	114.3	0.3664	33.06	40.48	yes	music wire	4N
C.493.380.1143.I	49.3	3.80	114.3	0.3147	33.06	40.48	yes	stainless steel	4N
C.493.380.1143.N	49.3	3.80	114.3	0.3664	33.06	40.48	yes	Zn coating	4P
C.493.380.1270.A	49.3	3.80	127.0	0.3305	35.34	43.48	yes	music wire	4O
C.493.380.1270.I	49.3	3.80	127.0	0.2839	35.34	43.48	yes	stainless steel	4O
C.493.380.1270.N	49.3	3.80	127.0	0.3305	35.34	43.48	yes	Zn coating	4P
C.493.380.1397.A	49.3	3.80	139.7	0.2984	38.38	47.48	yes	music wire	4O
C.493.380.1397.I	49.3	3.80	139.7	0.2563	38.38	47.48	yes	stainless steel	4O
C.493.380.1397.N	49.3	3.80	139.7	0.2984	38.38	47.48	yes	Zn coating	4Q
C.493.380.2950.A	49.3	3.80	295.0	0.1350	72.96	92.95	yes	music wire	4R
C.493.380.2950.I	49.3	3.80	295.0	0.1160	72.96	92.95	yes	stainless steel	4R
C.493.400.0350.A	49.3	4.00	35.0	1.6503	16.80	18.79	yes	music wire	4P
C.493.400.0350.I	49.3	4.00	35.0	1.4174	16.80	18.79	yes	stainless steel	4P
C.493.400.0508.A	49.3	4.00	50.8	0.8925	22.40	26.03	yes	music wire	4P
C.493.400.0508.AP	49.3	4.00	50.8	1.5873	17.20	23.66	yes	music wire	4R
C.493.400.0508.I	49.3	4.00	50.8	0.7765	22.40	26.03	yes	stainless steel	4P
C.493.400.0508.N	49.3	4.00	50.8	0.8925	22.40	26.03	yes	Zn coating	4R
C.493.400.0635.A	49.3	4.00	63.5	0.7184	25.60	30.16	yes	music wire	4P
C.493.400.0635.AP	49.3	4.00	63.5	1.2422	19.20	28.82	yes	music wire	4S
C.493.400.0635.I	49.3	4.00	63.5	0.6250	25.60	30.16	yes	stainless steel	4Q
C.493.400.0635.N	49.3	4.00	63.5	0.7184	25.60	30.16	yes	Zn coating	4R
C.493.400.0762.A	49.3	4.00	76.2	0.6000	28.80	34.30	yes	music wire	4Q
C.493.400.0762.AP	49.3	4.00	76.2	1.0204	20.80	33.98	yes	music wire	4S
C.493.400.0762.I	49.3	4.00	76.2	0.5229	28.40	33.78	yes	stainless steel	4Q
C.493.400.0762.N	49.3	4.00	76.2	0.6000	28.80	34.30	yes	Zn coating	4R
C.493.400.0889.A	49.3	4.00	88.9	0.5167	31.60	37.92	yes	music wire	4Q
C.493.400.0889.AP	49.3	4.00	88.9	0.8658	22.80	39.14	yes	music wire	4S
C.493.400.0889.I	49.3	4.00	88.9	0.4495	31.60	37.92	yes	stainless steel	4Q
C.493.400.0889.N	49.3	4.00	88.9	0.5167	31.60	37.92	yes	Zn coating	4R
C.493.400.1016.A	49.3	4.00	101.6	0.4531	34.80	42.05	yes	music wire	4Q
C.493.400.1016.AP	49.3	4.00	101.6	0.7519	24.80	44.30	yes	music wire	4S
C.493.400.1016.I	49.3	4.00	101.6	0.3942	34.40	41.53	yes	stainless steel	4Q

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.493.400.1016.N	49.3	4.00	101.6	0.4531	34.80	42.05	yes	Zn coating	4R
C.493.400.1143.A	49.3	4.00	114.3	0.4035	38.00	46.19	yes	music wire	4Q
C.493.400.1143.AP	49.3	4.00	114.3	0.6645	26.80	49.46	yes	music wire	4S
C.493.400.1143.I	49.3	4.00	114.3	0.3510	37.60	45.67	yes	stainless steel	4Q
C.493.400.1143.N	49.3	4.00	114.3	0.4035	38.00	46.19	yes	Zn coating	4S
C.493.400.1270.A	49.3	4.00	127.0	0.3636	40.80	49.81	yes	music wire	4R
C.493.400.1270.AP	49.3	4.00	127.0	0.5952	28.80	54.62	yes	music wire	4S
C.493.400.1270.I	49.3	4.00	127.0	0.3163	40.40	49.29	yes	stainless steel	4R
C.493.400.1270.N	49.3	4.00	127.0	0.3636	40.80	49.81	yes	Zn coating	4S
C.493.400.1397.A	49.3	4.00	139.7	0.3285	44.00	53.94	yes	music wire	4R
C.493.400.1397.AP	49.3	4.00	139.7	0.5391	30.80	59.79	yes	music wire	4S
C.493.400.1397.I	49.3	4.00	139.7	0.2858	43.60	53.42	yes	stainless steel	4R
C.493.400.1397.N	49.3	4.00	139.7	0.3285	44.00	53.94	yes	Zn coating	4S
C.493.400.1650.A	49.3	4.00	165.0	0.2922	48.40	59.63	yes	music wire	4R
C.493.400.1650.I	49.3	4.00	165.0	0.2510	48.40	59.63	yes	stainless steel	4R
C.493.400.2050.A	49.3	4.00	205.0	0.2338	58.00	72.03	yes	music wire	4R
C.493.400.2050.I	49.3	4.00	205.0	0.2008	58.00	72.03	yes	stainless steel	4R
C.493.420.0508.A	49.3	4.20	50.8	1.1770	22.68	26.00	yes	music wire	4P
C.493.420.0508.AP	49.3	4.20	50.8	1.9552	18.06	25.59	yes	music wire	4R
C.493.420.0508.I	49.3	4.20	50.8	1.0240	22.68	26.00	yes	stainless steel	4P
C.493.420.0889.A	49.3	4.20	88.9	0.6721	31.92	37.77	yes	music wire	4Q
C.493.420.0889.AP	49.3	4.20	88.9	1.0351	24.36	41.29	yes	music wire	4S
C.493.420.0889.I	49.3	4.20	88.9	0.5848	31.92	37.77	yes	stainless steel	4Q
C.493.420.1016.A	49.3	4.20	101.6	0.5881	35.28	42.04	yes	music wire	4Q
C.493.420.1016.AP	49.3	4.20	101.6	0.8798	26.88	45.58	yes	music wire	4S
C.493.420.1016.I	49.3	4.20	101.6	0.5116	34.86	41.51	yes	stainless steel	4Q
C.493.420.1143.A	49.3	4.20	114.3	0.5227	38.22	45.79	yes	music wire	4Q
C.493.420.1143.AP	49.3	4.20	114.3	0.7821	28.98	51.28	yes	music wire	4S
C.493.420.1143.I	49.3	4.20	114.3	0.4547	37.80	45.25	yes	stainless steel	4Q
C.493.420.1270.A	49.3	4.20	127.0	0.4704	41.16	49.53	yes	music wire	4R
C.493.420.1270.AP	49.3	4.20	127.0	0.7039	31.08	56.98	yes	music wire	4S
C.493.420.1270.I	49.3	4.20	127.0	0.4092	41.16	49.53	yes	stainless steel	4R
C.493.420.1397.A	49.3	4.20	139.7	0.4244	44.52	53.81	yes	music wire	4R
C.493.420.1397.AP	49.3	4.20	139.7	0.6284	33.60	61.28	yes	music wire	4S
C.493.420.1397.I	49.3	4.20	139.7	0.3692	44.10	53.27	yes	stainless steel	4R
C.493.420.2050.A	49.3	4.20	205.0	0.2765	63.00	77.33	yes	music wire	4R
C.493.420.2050.I	49.3	4.20	205.0	0.2374	63.00	77.33	yes	stainless steel	4R
C.493.450.0450.A	49.3	4.50	45.0	1.8584	22.50	25.30	yes	music wire	4R
C.493.450.0450.I	49.3	4.50	45.0	1.5962	22.50	25.30	yes	stainless steel	4R
C.493.450.0635.A	49.3	4.50	63.5	1.1832	28.80	33.16	yes	music wire	4R
C.493.450.0635.AP	49.3	4.50	63.5	1.8926	22.50	32.01	yes	music wire	4T
C.493.450.0635.I	49.3	4.50	63.5	1.0163	28.80	33.16	yes	stainless steel	4R
C.493.450.0635.N	49.3	4.50	63.5	1.1832	28.80	33.16	yes	Zn coating	4S
C.493.450.0762.A	49.3	4.50	76.2	0.9733	32.85	38.22	yes	music wire	4R
C.493.450.0762.AP	49.3	4.50	76.2	1.5263	24.75	37.16	yes	music wire	4T
C.493.450.0762.I	49.3	4.50	76.2	0.8360	32.85	38.22	yes	stainless steel	4R
C.493.450.0762.N	49.3	4.50	76.2	0.9733	32.85	38.22	yes	Zn coating	4S
C.493.450.0889.A	49.3	4.50	88.9	0.8351	36.45	42.72	yes	music wire	4R
C.493.450.0889.AP	49.3	4.50	88.9	1.2788	27.45	42.30	yes	music wire	4T
C.493.450.0889.I	49.3	4.50	88.9	0.7173	36.45	42.72	yes	stainless steel	4R
C.493.450.0889.N	49.3	4.50	88.9	0.8351	36.45	42.72	yes	Zn coating	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.493.450.1016.A	49.3	4.50	101.6	0.7312	40.05	47.21	yes	music wire	4R
C.493.450.1016.AP	49.3	4.50	101.6	1.1004	30.15	47.45	yes	music wire	4T
C.493.450.1016.I	49.3	4.50	101.6	0.6281	40.05	47.21	yes	stainless steel	4R
C.493.450.1016.N	49.3	4.50	101.6	0.7312	40.05	47.21	yes	Zn coating	4T
C.493.450.1143.A	49.3	4.50	114.3	0.6503	43.20	51.15	yes	music wire	4R
C.493.450.1143.AP	49.3	4.50	114.3	0.9857	32.40	53.85	yes	music wire	4T
C.493.450.1143.I	49.3	4.50	114.3	0.5586	43.20	51.15	yes	stainless steel	4R
C.493.450.1143.N	49.3	4.50	114.3	0.6503	43.20	51.15	yes	Zn coating	4T
C.493.450.1270.A	49.3	4.50	127.0	0.5814	47.25	56.20	yes	music wire	4R
C.493.450.1270.AP	49.3	4.50	127.0	0.8762	35.10	58.99	yes	music wire	4T
C.493.450.1270.I	49.3	4.50	127.0	0.5000	47.25	56.20	yes	stainless steel	4R
C.493.450.1270.N	49.3	4.50	127.0	0.5814	47.25	56.20	yes	Zn coating	4T
C.493.450.1397.A	49.3	4.50	139.7	0.5291	50.85	60.70	yes	music wire	4S
C.493.450.1397.AP	49.3	4.50	139.7	0.7886	37.80	64.14	yes	music wire	5A
C.493.450.1397.I	49.3	4.50	139.7	0.4545	50.85	60.70	yes	stainless steel	4S
C.493.450.1397.N	49.3	4.50	139.7	0.5291	50.85	60.70	yes	Zn coating	4T
C.493.450.1524.A	49.3	4.50	152.4	0.4854	54.45	65.19	yes	music wire	4S
C.493.450.1524.AP	49.3	4.50	152.4	0.7279	40.05	70.54	yes	music wire	5A
C.493.450.1524.I	49.3	4.50	152.4	0.4169	54.45	65.19	yes	stainless steel	4S
C.493.450.1524.N	49.3	4.50	152.4	0.4854	54.45	65.19	yes	Zn coating	4T
C.493.450.2050.A	49.3	4.50	205.0	0.3520	70.65	85.42	yes	music wire	4S
C.493.450.2050.I	49.3	4.50	205.0	0.3023	70.65	85.42	yes	stainless steel	4S
C.493.450.3250.A	49.3	4.50	325.0	0.2192	106.65	130.37	yes	music wire	4T
C.493.450.3250.I	49.3	4.50	325.0	0.1882	106.65	130.37	yes	stainless steel	4T
C.493.480.0450.A	49.3	4.80	45.0	2.4548	24.00	26.75	yes	music wire	4R
C.493.480.0450.I	49.3	4.80	45.0	2.1084	24.00	26.75	yes	stainless steel	4R
C.493.480.0635.A	49.3	4.80	63.5	1.4460	32.16	36.78	yes	music wire	4R
C.493.480.0635.AP	49.3	4.80	63.5	2.3148	24.96	32.77	yes	music wire	4T
C.493.480.0635.I	49.3	4.80	63.5	1.2419	32.16	36.78	yes	stainless steel	4R
C.493.480.0635.N	49.3	4.80	63.5	1.4460	32.16	36.78	yes	Zn coating	4S
C.493.480.0762.A	49.3	4.80	76.2	1.2055	36.48	42.08	yes	music wire	4R
C.493.480.0762.AP	49.3	4.80	76.2	1.8939	27.36	38.64	yes	music wire	4T
C.493.480.0762.I	49.3	4.80	76.2	1.0354	36.48	42.08	yes	stainless steel	4R
C.493.480.0762.N	49.3	4.80	76.2	1.2055	36.48	42.08	yes	Zn coating	4S
C.493.480.0889.A	49.3	4.80	88.9	1.0336	40.32	46.80	yes	music wire	4R
C.493.480.0889.AP	49.3	4.80	88.9	1.6025	30.24	44.51	yes	music wire	4T
C.493.480.0889.I	49.3	4.80	88.9	0.8878	40.32	46.80	yes	stainless steel	4R
C.493.480.0889.N	49.3	4.80	88.9	1.0336	40.32	46.80	yes	Zn coating	4S
C.493.480.1016.A	49.3	4.80	101.6	0.9000	44.64	52.11	yes	music wire	4R
C.493.480.1016.AP	49.3	4.80	101.6	1.3889	33.12	50.38	yes	music wire	4T
C.493.480.1016.I	49.3	4.80	101.6	0.7709	44.64	52.11	yes	stainless steel	4R
C.493.480.1016.N	49.3	4.80	101.6	0.9000	44.64	52.11	yes	Zn coating	4T
C.493.480.1143.A	49.3	4.80	114.3	0.8000	48.96	57.42	yes	music wire	4R
C.493.480.1143.AP	49.3	4.80	114.3	1.2255	36.00	56.25	yes	music wire	4T
C.493.480.1143.I	49.3	4.80	114.3	0.6860	48.96	57.42	yes	stainless steel	4R
C.493.480.1143.N	49.3	4.80	114.3	0.8000	48.96	57.42	yes	Zn coating	4T
C.493.480.1270.A	49.3	4.80	127.0	0.7150	53.28	62.73	yes	music wire	4R
C.493.480.1270.AP	49.3	4.80	127.0	1.0965	38.88	62.12	yes	music wire	4T
C.493.480.1270.I	49.3	4.80	127.0	0.6141	53.28	62.73	yes	stainless steel	4R
C.493.480.1270.N	49.3	4.80	127.0	0.7150	53.28	62.73	yes	Zn coating	4T
C.493.480.1397.A	49.3	4.80	139.7	0.6508	57.12	67.45	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.493.480.1397.AP	49.3	4.80	139.7	0.9920	41.76	67.99	yes	music wire	5A
C.493.480.1397.I	49.3	4.80	139.7	0.5590	57.12	67.45	yes	stainless steel	4S
C.493.480.1397.N	49.3	4.80	139.7	0.6508	57.12	67.45	yes	Zn coating	4T
C.493.480.1524.A	49.3	4.80	152.4	0.5941	61.44	72.76	yes	music wire	4S
C.493.480.1524.AP	49.3	4.80	152.4	0.8928	45.12	72.73	yes	music wire	5A
C.493.480.1524.I	49.3	4.80	152.4	0.5103	61.44	72.76	yes	stainless steel	4S
C.493.480.1524.N	49.3	4.80	152.4	0.5941	61.44	72.76	yes	Zn coating	4T
C.493.480.2050.A	49.3	4.80	205.0	0.4447	78.24	93.40	yes	music wire	4S
C.493.480.2050.I	49.3	4.80	205.0	0.3820	78.24	93.40	yes	stainless steel	4S
C.493.480.3250.A	49.3	4.80	325.0	0.2764	118.56	142.95	yes	music wire	4T
C.493.480.3250.I	49.3	4.80	325.0	0.2374	118.56	142.95	yes	stainless steel	4T
C.493.530.0450.A	49.3	5.30	45.0	3.6294	27.03	29.83	yes	music wire	4S
C.493.530.0450.I	49.3	5.30	45.0	3.1173	27.03	29.83	yes	stainless steel	4S
C.493.530.0635.A	49.3	5.30	63.5	2.2308	35.51	40.04	yes	music wire	4S
C.493.530.0635.AP	49.3	5.30	63.5	3.3139	28.09	35.35	yes	music wire	5A
C.493.530.0635.I	49.3	5.30	63.5	1.9160	35.51	40.04	yes	stainless steel	4S
C.493.530.0635.N	49.3	5.30	63.5	2.2308	35.51	40.04	yes	Zn coating	4T
C.493.530.0762.A	49.3	5.30	76.2	1.8529	40.28	45.78	yes	music wire	4S
C.493.530.0762.AP	49.3	5.30	76.2	2.6695	31.80	41.26	yes	music wire	5A
C.493.530.0762.I	49.3	5.30	76.2	1.5915	40.28	45.78	yes	stainless steel	4S
C.493.530.0762.N	49.3	5.30	76.2	1.8529	40.28	45.78	yes	Zn coating	4T
C.493.530.0889.A	49.3	5.30	88.9	1.5719	45.05	51.52	yes	music wire	4S
C.493.530.0889.AP	49.3	5.30	88.9	2.2881	34.98	48.13	yes	music wire	5A
C.493.530.0889.I	49.3	5.30	88.9	1.3501	45.05	51.52	yes	stainless steel	4S
C.493.530.0889.N	49.3	5.30	88.9	1.5719	45.05	51.52	yes	Zn coating	5A
C.493.530.1016.A	49.3	5.30	101.6	1.3649	49.82	57.26	yes	music wire	4S
C.493.530.1016.AP	49.3	5.30	101.6	1.9613	38.69	54.04	yes	music wire	5A
C.493.530.1016.I	49.3	5.30	101.6	1.1723	49.82	57.26	yes	stainless steel	4S
C.493.530.1016.N	49.3	5.30	101.6	1.3649	49.82	57.26	yes	Zn coating	5A
C.493.530.1143.A	49.3	5.30	114.3	1.2135	54.59	63.00	yes	music wire	4S
C.493.530.1143.AP	49.3	5.30	114.3	1.7161	42.40	59.95	yes	music wire	5B
C.493.530.1143.I	49.3	5.30	114.3	1.0422	54.59	63.00	yes	stainless steel	4S
C.493.530.1143.N	49.3	5.30	114.3	1.2135	54.59	63.00	yes	Zn coating	5A
C.493.530.1270.A	49.3	5.30	127.0	1.0863	59.36	68.74	yes	music wire	4S
C.493.530.1270.AP	49.3	5.30	127.0	1.5500	45.58	66.82	yes	music wire	5B
C.493.530.1270.I	49.3	5.30	127.0	0.9330	59.36	68.74	yes	stainless steel	4S
C.493.530.1270.N	49.3	5.30	127.0	1.0863	59.36	68.74	yes	Zn coating	5A
C.493.530.1397.A	49.3	5.30	139.7	0.9832	64.13	74.48	yes	music wire	4S
C.493.530.1397.AP	49.3	5.30	139.7	1.3928	49.29	72.73	yes	music wire	5B
C.493.530.1397.I	49.3	5.30	139.7	0.8445	64.13	74.48	yes	stainless steel	4T
C.493.530.1397.N	49.3	5.30	139.7	0.9832	64.13	74.48	yes	Zn coating	5A
C.493.530.1524.A	49.3	5.30	152.4	0.9000	68.90	80.22	yes	music wire	4T
C.493.530.1524.AP	49.3	5.30	152.4	1.2645	53.00	78.63	yes	music wire	5B
C.493.530.1524.I	49.3	5.30	152.4	0.7748	68.90	80.22	yes	stainless steel	4T
C.493.530.1524.N	49.3	5.30	152.4	0.9000	68.90	80.22	yes	Zn coating	5A
C.493.530.1650.A	49.3	5.30	165.0	0.8135	74.73	87.23	yes	music wire	4T
C.493.530.1650.I	49.3	5.30	165.0	0.6987	74.73	87.23	yes	stainless steel	4T
C.493.530.2050.A	49.3	5.30	205.0	0.6463	90.63	106.37	yes	music wire	4T
C.493.530.2050.I	49.3	5.30	205.0	0.5551	90.63	106.37	yes	stainless steel	4T
C.494.400.0400.A	49.4	4.00	40.0	1.3935	18.00	20.35	yes	music wire	4P
C.494.400.0400.I	49.4	4.00	40.0	1.1969	18.00	20.35	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.494.400.0450.A	49.4	4.00	45.0	1.2117	19.20	21.90	yes	music wire	4P
C.494.400.0450.I	49.4	4.00	45.0	1.0408	19.20	21.90	yes	stainless steel	4P
C.494.400.0600.A	49.4	4.00	60.0	0.8709	22.80	26.55	yes	music wire	4P
C.494.400.0600.I	49.4	4.00	60.0	0.7480	22.80	26.55	yes	stainless steel	4P
C.494.400.0800.A	49.4	4.00	80.0	0.6334	27.60	32.76	yes	music wire	4Q
C.494.400.0800.I	49.4	4.00	80.0	0.5440	27.60	32.76	yes	stainless steel	4Q
C.494.400.0850.A	49.4	4.00	85.0	0.5930	28.80	34.31	yes	music wire	4Q
C.494.400.0850.I	49.4	4.00	85.0	0.5093	28.80	34.31	yes	stainless steel	4Q
C.494.400.1000.A	49.4	4.00	100.0	0.4977	32.40	38.97	yes	music wire	4Q
C.494.400.1000.I	49.4	4.00	100.0	0.4275	32.40	38.97	yes	stainless steel	4Q
C.494.400.1050.A	49.4	4.00	105.0	0.4724	33.60	40.52	yes	music wire	4Q
C.494.400.1050.I	49.4	4.00	105.0	0.4057	33.60	40.52	yes	stainless steel	4Q
C.494.400.1200.A	49.4	4.00	120.0	0.4099	37.20	45.18	yes	music wire	4Q
C.494.400.1200.I	49.4	4.00	120.0	0.3520	37.20	45.18	yes	stainless steel	4R
C.494.400.1250.A	49.4	4.00	125.0	0.5079	32.00	40.34	yes	music wire	4S
C.494.400.1250.I	49.4	4.00	125.0	0.4419	31.60	37.93	yes	stainless steel	4S
C.494.400.1250.N	49.4	4.00	125.0	0.5079	32.00	40.34	yes	Zn coating	5A
C.494.400.1400.A	49.4	4.00	140.0	0.3484	42.00	51.38	yes	music wire	4R
C.494.400.1400.I	49.4	4.00	140.0	0.2992	42.00	51.38	yes	stainless steel	4R
C.494.400.1600.A	49.4	4.00	160.0	0.4000	38.00	52.51	yes	music wire	4T
C.494.400.1600.I	49.4	4.00	160.0	0.3480	37.60	48.70	yes	stainless steel	4T
C.494.400.1600.N	49.4	4.00	160.0	0.4000	38.00	52.51	yes	Zn coating	5A
C.494.400.2000.A	49.4	4.00	200.0	0.3200	44.80	65.64	yes	music wire	4T
C.494.400.2000.I	49.4	4.00	200.0	0.2784	44.40	60.88	yes	stainless steel	4T
C.494.400.2000.N	49.4	4.00	200.0	0.3200	44.80	65.64	yes	Zn coating	5B
C.494.400.2500.A	49.4	4.00	250.0	0.2560	53.60	82.05	yes	music wire	5A
C.494.400.2500.I	49.4	4.00	250.0	0.2227	52.80	76.10	yes	stainless steel	5A
C.494.400.2500.N	49.4	4.00	250.0	0.2560	53.60	82.05	yes	Zn coating	5C
C.494.400.3200.A	49.4	4.00	320.0	0.2000	65.60	105.02	yes	music wire	5B
C.494.400.3200.I	49.4	4.00	320.0	0.1740	65.20	97.41	yes	stainless steel	5B
C.494.400.3200.N	49.4	4.00	320.0	0.2000	65.60	105.02	yes	Zn coating	5D
C.494.400.4000.A	49.4	4.00	400.0	0.1600	79.60	131.27	yes	music wire	5B
C.494.400.4000.I	49.4	4.00	400.0	0.1392	78.80	121.76	yes	stainless steel	5C
C.494.400.4000.N	49.4	4.00	400.0	0.1600	79.60	131.27	yes	Zn coating	5D
C.494.400.5000.A	49.4	4.00	500.0	0.1280	97.20	164.09	yes	music wire	5D
C.494.400.5000.I	49.4	4.00	500.0	0.1114	96.00	152.20	yes	stainless steel	5D
C.494.400.5000.N	49.4	4.00	500.0	0.1280	97.20	164.09	yes	Zn coating	5E
C.496.340.0400.A	49.6	3.40	40.0	0.7670	14.62	16.93	yes	music wire	4J
C.496.340.0400.I	49.6	3.40	40.0	0.6588	14.62	16.93	yes	stainless steel	4J
C.496.340.1050.A	49.6	3.40	105.0	0.2529	27.20	34.25	yes	music wire	4L
C.496.340.1050.I	49.6	3.40	105.0	0.2200	26.86	33.78	yes	stainless steel	4L
C.496.380.0480.A	49.6	3.80	48.0	1.0230	17.86	20.52	yes	music wire	4M
C.496.380.0480.AP	49.6	3.80	48.0	1.4074	15.58	21.59	yes	music wire	4O
C.496.380.0480.I	49.6	3.80	48.0	0.8900	17.48	20.02	yes	stainless steel	4M
C.496.380.3000.A	49.6	3.80	300.0	0.1316	73.34	93.63	yes	music wire	4R
C.496.380.3000.I	49.6	3.80	300.0	0.1130	73.34	93.63	yes	stainless steel	4R
C.496.450.1330.A	49.6	4.50	133.0	0.5632	47.70	56.84	yes	music wire	4R
C.496.450.1330.AP	49.6	4.50	133.0	0.8282	36.00	61.46	yes	music wire	5A
C.496.450.1330.I	49.6	4.50	133.0	0.4900	47.25	56.27	yes	stainless steel	4S
C.496.450.2000.A	49.6	4.50	200.0	0.3586	68.40	82.73	yes	music wire	4S
C.496.450.2000.I	49.6	4.50	200.0	0.3080	68.40	82.73	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.496.470.2000.A	49.6	4.70	200.0	0.4192	73.32	87.91	yes	music wire	4S
C.496.470.2000.I	49.6	4.70	200.0	0.3601	73.32	87.91	yes	stainless steel	4S
C.496.530.0800.A	49.6	5.30	80.0	1.7781	40.81	46.45	yes	music wire	4S
C.496.530.0800.I	49.6	5.30	80.0	1.5272	40.81	46.45	yes	stainless steel	4S
C.496.530.1620.A	49.6	5.30	162.0	0.7241	81.09	94.98	yes	music wire	4T
C.496.530.1620.AP	49.6	5.30	162.0	1.1770	55.12	83.21	yes	music wire	5B
C.496.530.1620.I	49.6	5.30	162.0	0.6300	80.03	93.71	yes	stainless steel	4T
C.500.250.0500.A	50.0	2.50	50.0	0.1000	15.50	21.43	yes	music wire	4I
C.500.250.0500.I	50.0	2.50	50.0	0.0870	15.50	21.43	yes	stainless steel	4I
C.500.250.0500.N	50.0	2.50	50.0	0.1000	15.50	21.43	yes	Zn coating	4J
C.500.250.1400.A	50.0	2.50	140.0	0.0632	21.00	30.46	yes	music wire	4K
C.500.250.1400.I	50.0	2.50	140.0	0.0550	20.75	30.05	yes	stainless steel	4K
C.500.270.0500.A	50.0	2.70	50.0	0.1000	20.52	28.24	yes	music wire	4I
C.500.270.0500.I	50.0	2.70	50.0	0.0870	20.52	28.24	yes	stainless steel	4I
C.500.270.0500.N	50.0	2.70	50.0	0.1000	20.52	28.24	yes	Zn coating	4J
C.500.280.0508.A	50.0	2.80	50.8	0.3134	12.32	15.12	yes	music wire	4J
C.500.280.0508.I	50.0	2.80	50.8	0.2692	12.32	15.12	yes	stainless steel	4J
C.500.280.0635.A	50.0	2.80	63.5	0.2481	13.72	17.26	yes	music wire	4J
C.500.280.0635.I	50.0	2.80	63.5	0.2131	13.72	17.26	yes	stainless steel	4J
C.500.280.0762.A	50.0	2.80	76.2	0.1985	15.40	19.82	yes	music wire	4J
C.500.280.0762.I	50.0	2.80	76.2	0.1705	15.40	19.82	yes	stainless steel	4J
C.500.280.0889.A	50.0	2.80	88.9	0.1701	16.80	21.96	yes	music wire	4J
C.500.280.0889.I	50.0	2.80	88.9	0.1461	16.80	21.96	yes	stainless steel	4J
C.500.280.1016.A	50.0	2.80	101.6	0.1489	18.20	24.09	yes	music wire	4J
C.500.280.1016.I	50.0	2.80	101.6	0.1279	18.20	24.09	yes	stainless steel	4K
C.500.280.2500.A	50.0	2.80	250.0	0.0590	35.28	50.16	yes	music wire	4N
C.500.280.2500.I	50.0	2.80	250.0	0.0506	35.28	50.16	yes	stainless steel	4N
C.500.280.3200.A	50.0	2.80	320.0	0.0458	43.40	62.56	yes	music wire	4O
C.500.280.3200.I	50.0	2.80	320.0	0.0393	43.40	62.56	yes	stainless steel	4O
C.500.300.0381.A	50.0	3.00	38.1	0.5299	12.00	14.11	yes	music wire	4I
C.500.300.0381.I	50.0	3.00	38.1	0.4551	12.00	14.11	yes	stainless steel	4I
C.500.300.0444.A	50.0	3.00	44.4	0.4416	12.90	15.43	yes	music wire	4I
C.500.300.0444.I	50.0	3.00	44.4	0.3793	12.90	15.43	yes	stainless steel	4J
C.500.300.0500.A	50.0	3.00	50.0	0.3974	13.50	16.31	yes	music wire	4I
C.500.300.0500.I	50.0	3.00	50.0	0.3413	13.50	16.31	yes	stainless steel	4J
C.500.300.0508.A	50.0	3.00	50.8	0.3974	13.50	16.31	yes	music wire	4J
C.500.300.0508.I	50.0	3.00	50.8	0.3413	13.50	16.31	yes	stainless steel	4J
C.500.300.0559.A	50.0	3.00	55.9	0.3456	14.40	17.63	yes	music wire	4J
C.500.300.0559.I	50.0	3.00	55.9	0.2968	14.40	17.63	yes	stainless steel	4J
C.500.300.0572.A	50.0	3.00	57.2	0.3456	14.40	17.63	yes	music wire	4J
C.500.300.0572.I	50.0	3.00	57.2	0.2968	14.40	17.63	yes	stainless steel	4J
C.500.300.0635.A	50.0	3.00	63.5	0.3057	15.30	18.95	yes	music wire	4J
C.500.300.0635.I	50.0	3.00	63.5	0.2626	15.30	18.95	yes	stainless steel	4J
C.500.300.0698.A	50.0	3.00	69.8	0.2741	16.20	20.27	yes	music wire	4J
C.500.300.0698.I	50.0	3.00	69.8	0.2354	16.20	20.27	yes	stainless steel	4J
C.500.300.0762.A	50.0	3.00	76.2	0.2484	17.10	21.59	yes	music wire	4J
C.500.300.0762.I	50.0	3.00	76.2	0.2133	17.10	21.59	yes	stainless steel	4J
C.500.300.0800.A	50.0	3.00	80.0	0.2408	17.40	22.03	yes	music wire	4J
C.500.300.0800.I	50.0	3.00	80.0	0.2069	17.40	22.03	yes	stainless steel	4J
C.500.300.0889.A	50.0	3.00	88.9	0.2148	18.60	23.80	yes	music wire	4J
C.500.300.0889.I	50.0	3.00	88.9	0.1845	18.60	23.80	yes	stainless steel	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.500.300.1000.A	50.0	3.00	100.0	0.1892	20.10	26.00	yes	music wire	4J
C.500.300.1000.I	50.0	3.00	100.0	0.1625	20.10	26.00	yes	stainless steel	4K
C.500.300.1016.A	50.0	3.00	101.6	0.1848	20.40	26.44	yes	music wire	4J
C.500.300.1016.I	50.0	3.00	101.6	0.1588	20.40	26.44	yes	stainless steel	4K
C.500.300.1143.A	50.0	3.00	114.3	0.1622	22.20	29.08	yes	music wire	4K
C.500.300.1143.I	50.0	3.00	114.3	0.1393	22.20	29.08	yes	stainless steel	4L
C.500.300.1240.A	50.0	3.00	124.0	0.1500	23.40	30.84	yes	music wire	4L
C.500.300.1240.I	50.0	3.00	124.0	0.1288	23.40	30.84	yes	stainless steel	4L
C.500.300.1250.A	50.0	3.00	125.0	0.1500	23.40	30.84	yes	music wire	4L
C.500.300.1250.I	50.0	3.00	125.0	0.1288	23.40	30.84	yes	stainless steel	4L
C.500.300.1600.A	50.0	3.00	160.0	0.1152	28.20	37.89	yes	music wire	4L
C.500.300.1600.I	50.0	3.00	160.0	0.0989	28.20	37.89	yes	stainless steel	4M
C.500.300.1650.A	50.0	3.00	165.0	0.1119	28.80	38.77	yes	music wire	4M
C.500.300.1650.I	50.0	3.00	165.0	0.0961	28.80	38.77	yes	stainless steel	4M
C.500.300.2000.A	50.0	3.00	200.0	0.0914	33.60	45.82	yes	music wire	4M
C.500.300.2000.I	50.0	3.00	200.0	0.0785	33.60	45.82	yes	stainless steel	4M
C.500.300.3600.A	50.0	3.00	360.0	0.0503	57.90	80.09	no	music wire	4P
C.500.300.3600.I	50.0	3.00	360.0	0.0432	57.90	80.09	no	stainless steel	4P
C.500.320.0500.A	50.0	3.20	50.0	0.4963	14.72	17.55	yes	music wire	4J
C.500.320.0500.I	50.0	3.20	50.0	0.4262	14.72	17.55	yes	stainless steel	4K
C.500.320.0508.A	50.0	3.20	50.8	0.4737	15.04	18.00	yes	music wire	4J
C.500.320.0508.I	50.0	3.20	50.8	0.4069	15.04	18.00	yes	stainless steel	4K
C.500.320.0610.A	50.0	3.20	61.0	0.4008	16.32	19.82	yes	music wire	4K
C.500.320.0610.I	50.0	3.20	61.0	0.3443	16.32	19.82	yes	stainless steel	4L
C.500.320.0635.A	50.0	3.20	63.5	0.3722	16.96	20.73	yes	music wire	4K
C.500.320.0635.I	50.0	3.20	63.5	0.3197	16.96	20.73	yes	stainless steel	4L
C.500.320.0698.A	50.0	3.20	69.8	0.3362	17.92	22.09	yes	music wire	4L
C.500.320.0698.I	50.0	3.20	69.8	0.2887	17.92	22.09	yes	stainless steel	4L
C.500.320.0740.A	50.0	3.20	74.0	0.3158	18.56	23.00	yes	music wire	4L
C.500.320.0740.I	50.0	3.20	74.0	0.2712	18.56	23.00	yes	stainless steel	4L
C.500.320.0762.A	50.0	3.20	76.2	0.3065	18.88	23.46	yes	music wire	4L
C.500.320.0762.I	50.0	3.20	76.2	0.2633	18.88	23.46	yes	stainless steel	4L
C.500.320.0800.A	50.0	3.20	80.0	0.2895	19.52	24.37	yes	music wire	4L
C.500.320.0800.I	50.0	3.20	80.0	0.2486	19.52	24.37	yes	stainless steel	4L
C.500.320.0889.A	50.0	3.20	88.9	0.2605	20.80	26.19	yes	music wire	4L
C.500.320.0889.I	50.0	3.20	88.9	0.2238	20.80	26.19	yes	stainless steel	4L
C.500.320.1000.A	50.0	3.20	100.0	0.2316	22.40	28.46	yes	music wire	4L
C.500.320.1000.I	50.0	3.20	100.0	0.1989	22.40	28.46	yes	stainless steel	4L
C.500.320.1016.A	50.0	3.20	101.6	0.2266	22.72	28.91	yes	music wire	4L
C.500.320.1016.I	50.0	3.20	101.6	0.1946	22.72	28.91	yes	stainless steel	4L
C.500.320.1130.A	50.0	3.20	113.0	0.2043	24.32	31.19	yes	music wire	4M
C.500.320.1130.I	50.0	3.20	113.0	0.1755	24.32	31.19	yes	stainless steel	4M
C.500.320.1143.A	50.0	3.20	114.3	0.2004	24.64	31.64	yes	music wire	4M
C.500.320.1143.I	50.0	3.20	114.3	0.1721	24.64	31.64	yes	stainless steel	4M
C.500.320.1250.A	50.0	3.20	125.0	0.1828	26.24	33.92	yes	music wire	4M
C.500.320.1250.I	50.0	3.20	125.0	0.1570	26.24	33.92	yes	stainless steel	4M
C.500.320.1600.A	50.0	3.20	160.0	0.1408	31.68	41.65	yes	music wire	4M
C.500.320.1600.I	50.0	3.20	160.0	0.1210	31.68	41.65	yes	stainless steel	4M
C.500.320.2000.A	50.0	3.20	200.0	0.1121	37.76	50.28	yes	music wire	4N
C.500.320.2000.I	50.0	3.20	200.0	0.0962	37.76	50.28	yes	stainless steel	4N
C.500.320.2500.A	50.0	3.20	250.0	0.0898	45.12	60.74	yes	music wire	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.500.320.2500.I	50.0	3.20	250.0	0.0772	45.12	60.74	yes	stainless steel	4O
C.500.320.3200.A	50.0	3.20	320.0	0.0695	56.00	76.20	yes	music wire	4P
C.500.320.3200.I	50.0	3.20	320.0	0.0597	56.00	76.20	yes	stainless steel	4P
C.500.320.3600.A	50.0	3.20	360.0	0.0617	65.28	88.04	no	music wire	4Q
C.500.320.3600.I	50.0	3.20	360.0	0.0530	65.28	88.04	no	stainless steel	4Q
C.500.340.1080.A	50.0	3.40	108.0	0.2414	27.54	34.81	yes	music wire	4L
C.500.340.1080.I	50.0	3.40	108.0	0.2100	27.20	34.34	yes	stainless steel	4M
C.500.350.0900.A	50.0	3.50	90.0	0.1240	51.80	67.50	yes	music wire	4L
C.500.350.0900.I	50.0	3.50	90.0	0.1079	51.10	66.55	yes	stainless steel	4L
C.500.350.0900.N	50.0	3.50	90.0	0.1240	51.80	67.50	yes	Zn coating	4M
C.500.360.0500.A	50.0	3.60	50.0	0.7447	17.28	20.17	yes	music wire	4M
C.500.360.0500.I	50.0	3.60	50.0	0.6396	17.28	20.17	yes	stainless steel	4M
C.500.360.0508.A	50.0	3.60	50.8	0.7137	17.64	20.66	yes	music wire	4M
C.500.360.0508.I	50.0	3.60	50.8	0.6130	17.64	20.66	yes	stainless steel	4M
C.500.360.0635.A	50.0	3.60	63.5	0.5525	20.16	24.06	yes	music wire	4M
C.500.360.0635.I	50.0	3.60	63.5	0.4746	20.16	24.06	yes	stainless steel	4N
C.500.360.0762.A	50.0	3.60	76.2	0.4508	22.68	27.46	yes	music wire	4N
C.500.360.0762.I	50.0	3.60	76.2	0.3872	22.68	27.46	yes	stainless steel	4N
C.500.360.0800.A	50.0	3.60	80.0	0.4282	23.40	28.43	yes	music wire	4N
C.500.360.0800.I	50.0	3.60	80.0	0.3678	23.40	28.43	yes	stainless steel	4N
C.500.360.0889.A	50.0	3.60	88.9	0.3893	24.84	30.37	yes	music wire	4N
C.500.360.0889.I	50.0	3.60	88.9	0.3344	24.84	30.37	yes	stainless steel	4N
C.500.360.1000.A	50.0	3.60	100.0	0.3426	27.00	33.29	yes	music wire	4N
C.500.360.1000.I	50.0	3.60	100.0	0.2942	27.00	33.29	yes	stainless steel	4N
C.500.360.1016.A	50.0	3.60	101.6	0.3359	27.36	33.77	yes	music wire	4N
C.500.360.1016.I	50.0	3.60	101.6	0.2885	27.36	33.77	yes	stainless steel	4N
C.500.360.1250.A	50.0	3.60	125.0	0.2676	32.04	40.09	yes	music wire	4O
C.500.360.1250.I	50.0	3.60	125.0	0.2299	32.04	40.09	yes	stainless steel	4O
C.500.360.1600.A	50.0	3.60	160.0	0.2089	38.52	48.83	yes	music wire	4O
C.500.360.1600.I	50.0	3.60	160.0	0.1794	38.52	48.83	yes	stainless steel	4O
C.500.360.2000.A	50.0	3.60	200.0	0.1647	46.44	59.51	yes	music wire	4P
C.500.360.2000.I	50.0	3.60	200.0	0.1415	46.44	59.51	yes	stainless steel	4P
C.500.360.2500.A	50.0	3.60	250.0	0.1308	56.16	72.63	yes	music wire	4Q
C.500.360.2500.I	50.0	3.60	250.0	0.1123	56.16	72.63	yes	stainless steel	4Q
C.500.360.3200.A	50.0	3.60	320.0	0.1020	69.48	90.60	yes	music wire	4R
C.500.360.3200.I	50.0	3.60	320.0	0.0876	69.48	90.60	yes	stainless steel	4R
C.500.360.3600.A	50.0	3.60	360.0	0.0900	81.00	104.88	no	music wire	4R
C.500.360.3600.I	50.0	3.60	360.0	0.0774	81.00	104.88	no	stainless steel	4R
C.500.380.0224.A	50.0	3.80	22.4	2.3935	12.92	14.02	yes	music wire	4M
C.500.380.0224.I	50.0	3.80	22.4	2.0558	12.92	14.02	yes	stainless steel	4M
C.500.380.0254.A	50.0	3.80	25.4	1.9583	13.68	15.02	yes	music wire	4M
C.500.380.0254.I	50.0	3.80	25.4	1.6820	13.68	15.02	yes	stainless steel	4M
C.500.380.0318.A	50.0	3.80	31.8	1.5387	14.82	16.53	yes	music wire	4M
C.500.380.0318.I	50.0	3.80	31.8	1.3216	14.82	16.53	yes	stainless steel	4M
C.500.380.0381.A	50.0	3.80	38.1	1.1968	16.34	18.54	yes	music wire	4M
C.500.380.0381.I	50.0	3.80	38.1	1.0279	16.34	18.54	yes	stainless steel	4M
C.500.380.0790.A	50.0	3.80	79.0	0.5254	25.08	30.09	yes	music wire	4N
C.500.380.0790.I	50.0	3.80	79.0	0.4513	25.08	30.09	yes	stainless steel	4N
C.500.380.2900.A	50.0	3.80	290.0	0.1346	70.30	89.86	yes	music wire	4Q
C.500.380.2900.I	50.0	3.80	290.0	0.1156	70.30	89.86	yes	stainless steel	4R
C.500.400.0254.A	50.0	4.00	25.4	2.4358	14.40	15.71	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.500.400.0254.I	50.0	4.00	25.4	2.0921	14.40	15.71	yes	stainless steel	4P
C.500.400.0381.A	50.0	4.00	38.1	1.4885	17.20	19.35	yes	music wire	4P
C.500.400.0381.I	50.0	4.00	38.1	1.2785	17.20	19.35	yes	stainless steel	4P
C.500.400.0500.A	50.0	4.00	50.0	1.0718	20.00	22.98	yes	music wire	4P
C.500.400.0500.I	50.0	4.00	50.0	0.9205	20.00	22.98	yes	stainless steel	4P
C.500.400.0610.A	50.0	4.00	61.0	0.8373	22.80	26.62	yes	music wire	4P
C.500.400.0610.I	50.0	4.00	61.0	0.7192	22.80	26.62	yes	stainless steel	4Q
C.500.400.0720.A	50.0	4.00	72.0	0.7051	25.20	29.74	yes	music wire	4Q
C.500.400.0720.I	50.0	4.00	72.0	0.6056	25.20	29.74	yes	stainless steel	4Q
C.500.400.0790.A	50.0	4.00	79.0	0.6231	27.20	32.33	yes	music wire	4Q
C.500.400.0790.I	50.0	4.00	79.0	0.5352	27.20	32.33	yes	stainless steel	4Q
C.500.400.0800.A	50.0	4.00	80.0	0.6231	27.20	32.33	yes	music wire	4Q
C.500.400.0800.I	50.0	4.00	80.0	0.5352	27.20	32.33	yes	stainless steel	4Q
C.500.400.0880.A	50.0	4.00	88.0	0.5582	29.20	34.93	yes	music wire	4Q
C.500.400.0880.I	50.0	4.00	88.0	0.4794	29.20	34.93	yes	stainless steel	4Q
C.500.400.1000.A	50.0	4.00	100.0	0.4872	32.00	38.56	yes	music wire	4Q
C.500.400.1000.I	50.0	4.00	100.0	0.4184	32.00	38.56	yes	stainless steel	4Q
C.500.400.1250.A	50.0	4.00	125.0	0.3828	38.00	46.35	yes	music wire	4R
C.500.400.1250.I	50.0	4.00	125.0	0.3288	38.00	46.35	yes	stainless steel	4R
C.500.400.1330.A	50.0	4.00	133.0	0.3573	40.00	48.95	yes	music wire	4R
C.500.400.1330.I	50.0	4.00	133.0	0.3068	40.00	48.95	yes	stainless steel	4R
C.500.400.1600.A	50.0	4.00	160.0	0.2977	46.00	56.74	yes	music wire	4R
C.500.400.1600.I	50.0	4.00	160.0	0.2557	46.00	56.74	yes	stainless steel	4R
C.500.400.2000.A	50.0	4.00	200.0	0.2350	55.60	69.21	yes	music wire	4R
C.500.400.2000.I	50.0	4.00	200.0	0.2019	55.60	69.21	yes	stainless steel	4R
C.500.400.3600.A	50.0	4.00	360.0	0.1282	97.60	122.54	no	music wire	4T
C.500.400.3600.I	50.0	4.00	360.0	0.1101	97.60	122.54	no	stainless steel	4T
C.500.420.0635.A	50.0	4.20	63.5	0.9428	25.20	29.29	yes	music wire	4P
C.500.420.0635.I	50.0	4.20	63.5	0.8097	25.20	29.29	yes	stainless steel	4Q
C.500.420.0762.A	50.0	4.20	76.2	0.7856	28.14	33.05	yes	music wire	4Q
C.500.420.0762.I	50.0	4.20	76.2	0.6748	28.14	33.05	yes	stainless steel	4Q
C.500.450.0318.A	50.0	4.50	31.8	2.9566	18.00	19.71	yes	music wire	4R
C.500.450.0318.I	50.0	4.50	31.8	2.5394	18.00	19.71	yes	stainless steel	4R
C.500.450.0500.A	50.0	4.50	50.0	1.6426	23.40	26.48	yes	music wire	4R
C.500.450.0500.I	50.0	4.50	50.0	1.4108	23.40	26.48	yes	stainless steel	4R
C.500.450.0508.A	50.0	4.50	50.8	1.5839	23.85	27.04	yes	music wire	4R
C.500.450.0508.I	50.0	4.50	50.8	1.3604	23.85	27.04	yes	stainless steel	4R
C.500.450.0744.A	50.0	4.50	74.4	1.2671	27.00	30.99	yes	music wire	4T
C.500.450.0744.I	50.0	4.50	74.4	1.0883	27.00	30.99	yes	stainless steel	4R
C.500.450.0744.N	50.0	4.50	74.4	1.2671	27.00	30.99	yes	Zn coating	5B
C.500.450.0800.A	50.0	4.50	80.0	0.9436	32.40	37.76	yes	music wire	4R
C.500.450.0800.I	50.0	4.50	80.0	0.8104	32.40	37.76	yes	stainless steel	4R
C.500.450.0900.A	50.0	4.50	90.0	0.8368	35.10	41.14	yes	music wire	4R
C.500.450.0900.I	50.0	4.50	90.0	0.7187	35.10	41.14	yes	stainless steel	4R
C.500.450.1000.A	50.0	4.50	100.0	0.7391	38.25	45.09	yes	music wire	4R
C.500.450.1000.I	50.0	4.50	100.0	0.6349	38.25	45.09	yes	stainless steel	4R
C.500.450.1080.A	50.0	4.50	108.0	0.6823	40.50	47.91	yes	music wire	4R
C.500.450.1080.I	50.0	4.50	108.0	0.5860	40.50	47.91	yes	stainless steel	4R
C.500.450.1120.A	50.0	4.50	112.0	0.8063	36.00	42.27	yes	music wire	4T
C.500.450.1120.I	50.0	4.50	112.0	0.6925	36.00	42.27	yes	stainless steel	4R
C.500.450.1120.N	50.0	4.50	112.0	0.8063	36.00	42.27	yes	Zn coating	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.500.450.1250.A	50.0	4.50	125.0	0.5835	45.45	54.11	yes	music wire	4R
C.500.450.1250.I	50.0	4.50	125.0	0.5000	45.45	54.11	yes	stainless steel	4R
C.500.450.1600.A	50.0	4.50	160.0	0.5218	49.50	59.19	yes	music wire	4S
C.500.450.1600.I	50.0	4.50	160.0	0.4482	49.50	59.19	yes	stainless steel	4S
C.500.450.1600.N	50.0	4.50	160.0	0.5218	49.50	59.19	yes	Zn coating	4T
C.500.450.1650.A	50.0	4.50	165.0	0.4306	57.60	69.34	yes	music wire	4S
C.500.450.1650.I	50.0	4.50	165.0	0.3698	57.60	69.34	yes	stainless steel	4S
C.500.450.1870.A	50.0	4.50	187.0	0.4668	54.00	64.83	yes	music wire	5A
C.500.450.1870.I	50.0	4.50	187.0	0.4000	54.00	64.83	yes	stainless steel	4S
C.500.450.1870.N	50.0	4.50	187.0	0.4668	54.00	64.83	yes	Zn coating	5C
C.500.450.2000.A	50.0	4.50	200.0	0.3548	67.50	81.75	yes	music wire	4S
C.500.450.2000.I	50.0	4.50	200.0	0.3047	67.50	81.75	yes	stainless steel	4S
C.500.450.2500.A	50.0	4.50	250.0	0.2807	82.35	100.36	yes	music wire	4T
C.500.450.2500.I	50.0	4.50	250.0	0.2411	82.35	100.36	yes	stainless steel	4T
C.500.450.2990.A	50.0	4.50	299.0	0.2861	81.00	98.67	yes	music wire	5C
C.500.450.2990.I	50.0	4.50	299.0	0.2457	81.00	98.67	yes	stainless steel	5C
C.500.450.2990.N	50.0	4.50	299.0	0.2861	81.00	98.67	yes	Zn coating	5D
C.500.450.3200.A	50.0	4.50	320.0	0.2174	103.05	126.31	yes	music wire	4T
C.500.450.3200.I	50.0	4.50	320.0	0.1867	103.05	126.31	yes	stainless steel	4T
C.500.450.3600.A	50.0	4.50	360.0	0.1928	119.25	145.47	no	music wire	5A
C.500.450.3600.I	50.0	4.50	360.0	0.1656	119.25	145.47	no	stainless steel	5A
C.500.470.4000.A	50.0	4.70	400.0	0.2018	136.30	166.11	yes	music wire	5A
C.500.470.4000.I	50.0	4.70	400.0	0.1733	136.30	166.11	yes	stainless steel	5A
C.500.480.0508.A	50.0	4.80	50.8	2.0194	25.92	29.16	yes	music wire	4R
C.500.480.0508.I	50.0	4.80	50.8	1.7344	25.92	29.16	yes	stainless steel	4R
C.500.500.0500.A	50.0	5.00	50.0	2.4094	27.00	30.21	yes	music wire	4S
C.500.500.0500.I	50.0	5.00	50.0	2.0694	27.00	30.21	yes	stainless steel	4S
C.500.500.0800.A	50.0	5.00	80.0	1.4000	37.50	43.04	yes	music wire	4S
C.500.500.0800.I	50.0	5.00	80.0	1.2000	37.50	43.04	yes	stainless steel	4S
C.500.500.0880.A	50.0	5.00	88.0	1.2477	40.50	46.70	yes	music wire	4S
C.500.500.0880.I	50.0	5.00	88.0	1.0717	40.50	46.70	yes	stainless steel	4S
C.500.500.0950.A	50.0	5.00	95.0	1.0000	47.50	55.25	yes	music wire	4S
C.500.500.0950.I	50.0	5.00	95.0	0.8573	47.50	55.25	yes	stainless steel	4S
C.500.500.0950.N	50.0	5.00	95.0	1.0000	47.50	55.25	yes	Zn coating	5A
C.500.500.1000.A	50.0	5.00	100.0	1.0918	44.50	51.59	yes	music wire	4S
C.500.500.1000.I	50.0	5.00	100.0	0.9377	44.50	51.59	yes	stainless steel	4S
C.500.500.1250.A	50.0	5.00	125.0	0.8521	53.50	62.58	yes	music wire	4S
C.500.500.1250.I	50.0	5.00	125.0	0.7319	53.50	62.58	yes	stainless steel	4S
C.500.500.1460.A	50.0	5.00	146.0	0.7203	61.00	71.74	yes	music wire	4T
C.500.500.1460.I	50.0	5.00	146.0	0.6187	61.00	71.74	yes	stainless steel	4T
C.500.500.1600.A	50.0	5.00	160.0	0.6592	65.50	77.24	yes	music wire	4T
C.500.500.1600.I	50.0	5.00	160.0	0.5662	65.50	77.24	yes	stainless steel	4T
C.500.500.2000.A	50.0	5.00	200.0	0.5176	80.00	94.95	yes	music wire	4T
C.500.500.2000.I	50.0	5.00	200.0	0.4445	80.00	94.95	yes	stainless steel	4T
C.500.500.2300.A	50.0	5.00	230.0	0.4479	90.50	107.78	yes	music wire	4T
C.500.500.2300.I	50.0	5.00	230.0	0.3847	90.50	107.78	yes	stainless steel	4T
C.500.500.2500.A	50.0	5.00	250.0	0.4110	97.50	116.33	yes	music wire	4T
C.500.500.2500.I	50.0	5.00	250.0	0.3530	97.50	116.33	yes	stainless steel	5A
C.500.500.3000.A	50.0	5.00	300.0	0.3408	115.00	137.70	yes	music wire	5A
C.500.500.3000.I	50.0	5.00	300.0	0.2928	115.00	137.70	yes	stainless steel	5A
C.500.500.3600.A	50.0	5.00	360.0	0.2817	141.50	168.97	no	music wire	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.500.500.3600.I	50.0	5.00	360.0	0.2420	141.50	168.97	no	stainless steel	5B
C.500.500.4000.A	50.0	5.00	400.0	0.2532	150.50	181.07	yes	music wire	5B
C.500.500.4000.I	50.0	5.00	400.0	0.2174	150.50	181.07	yes	stainless steel	5B
C.500.500.5000.A	50.0	5.00	500.0	0.2014	186.00	224.43	yes	music wire	5C
C.500.500.5000.I	50.0	5.00	500.0	0.1730	186.00	224.43	yes	stainless steel	5C
C.500.530.0508.A	50.0	5.30	50.8	3.0000	29.15	32.44	yes	music wire	4S
C.500.530.0508.I	50.0	5.30	50.8	2.5767	29.15	32.44	yes	stainless steel	4S
C.500.530.0900.A	50.0	5.30	90.0	1.5254	44.52	50.98	yes	music wire	4S
C.500.530.0900.I	50.0	5.30	90.0	1.3102	44.52	50.98	yes	stainless steel	4S
C.500.550.0500.A	50.0	5.50	50.0	3.5263	30.25	33.52	yes	music wire	5A
C.500.550.0500.I	50.0	5.50	50.0	3.0287	30.25	33.52	yes	stainless steel	5A
C.500.550.0800.A	50.0	5.50	80.0	2.0344	42.35	48.02	yes	music wire	5B
C.500.550.0800.I	50.0	5.50	80.0	1.7500	42.35	48.02	yes	stainless steel	5B
C.500.550.1000.A	50.0	5.50	100.0	1.5789	50.60	57.90	yes	music wire	5B
C.500.550.1000.I	50.0	5.50	100.0	1.3561	50.60	57.90	yes	stainless steel	5B
C.500.550.1130.A	50.0	5.50	113.0	1.3739	56.10	64.49	yes	music wire	5B
C.500.550.1130.I	50.0	5.50	113.0	1.1800	56.10	64.49	yes	stainless steel	5B
C.500.550.1240.A	50.0	5.50	124.0	1.9780	42.90	72.52	yes	music wire	5F
C.500.550.1240.I	50.0	5.50	124.0	1.7209	42.90	69.95	yes	stainless steel	5G
C.500.550.1240.N	50.0	5.50	124.0	1.9780	42.90	72.52	yes	Zn coating	5H
C.500.550.1250.A	50.0	5.50	125.0	1.2301	61.05	70.42	yes	music wire	5B
C.500.550.1250.I	50.0	5.50	125.0	1.0565	61.05	70.42	yes	stainless steel	5B
C.500.550.1600.A	50.0	5.50	160.0	0.9445	75.35	87.56	yes	music wire	5B
C.500.550.1600.I	50.0	5.50	160.0	0.8113	75.35	87.56	yes	stainless steel	5C
C.500.550.2000.A	50.0	5.50	200.0	0.7450	91.85	107.33	yes	music wire	5C
C.500.550.2000.I	50.0	5.50	200.0	0.6399	91.85	107.33	yes	stainless steel	5C
C.500.550.2050.A	50.0	5.50	205.0	0.7246	94.05	109.97	yes	music wire	5C
C.500.550.2050.I	50.0	5.50	205.0	0.6223	94.05	109.97	yes	stainless steel	5C
C.500.550.3600.A	50.0	5.50	360.0	0.4038	163.35	191.91	no	music wire	5D
C.500.550.3600.I	50.0	5.50	360.0	0.3468	163.35	191.91	no	stainless steel	5D
C.500.560.2500.A	50.0	5.60	250.0	0.6324	115.36	135.05	yes	music wire	5C
C.500.560.2500.I	50.0	5.60	250.0	0.5432	115.36	135.05	yes	stainless steel	5D
C.500.560.3200.A	50.0	5.60	320.0	0.4892	145.04	170.50	yes	music wire	5D
C.500.560.3200.I	50.0	5.60	320.0	0.4201	145.04	170.50	yes	stainless steel	5D
C.500.560.4000.A	50.0	5.60	400.0	0.3893	178.64	210.63	yes	music wire	5D
C.500.560.4000.I	50.0	5.60	400.0	0.3344	178.64	210.63	yes	stainless steel	5D
C.500.560.5000.A	50.0	5.60	500.0	0.3094	221.20	261.46	yes	music wire	5D
C.500.560.5000.I	50.0	5.60	500.0	0.2657	221.20	261.46	yes	stainless steel	5E
C.500.580.1780.A	50.0	5.80	178.0	1.0430	88.74	102.63	yes	music wire	5B
C.500.580.1780.I	50.0	5.80	178.0	0.8959	88.74	102.63	yes	stainless steel	5C
C.500.580.2540.A	50.0	5.80	254.0	0.7140	122.96	143.25	yes	music wire	5C
C.500.580.2540.I	50.0	5.80	254.0	0.6132	122.96	143.25	yes	stainless steel	5D
C.500.600.0500.A	50.0	6.00	50.0	5.1665	33.00	36.25	yes	music wire	5D
C.500.600.0500.I	50.0	6.00	50.0	4.4375	33.00	36.25	yes	stainless steel	5E
C.500.600.0800.A	50.0	6.00	80.0	2.8703	47.40	53.25	yes	music wire	5D
C.500.600.0800.I	50.0	6.00	80.0	2.4653	47.40	53.25	yes	stainless steel	5E
C.500.600.1000.A	50.0	6.00	100.0	2.2463	56.40	63.88	yes	music wire	5D
C.500.600.1000.I	50.0	6.00	100.0	1.9293	56.40	63.88	yes	stainless steel	5E
C.500.600.1250.A	50.0	6.00	125.0	1.7415	68.40	78.05	yes	music wire	5D
C.500.600.1250.I	50.0	6.00	125.0	1.5000	68.40	78.05	yes	stainless steel	5E
C.500.600.1600.A	50.0	6.00	160.0	1.3362	84.60	97.17	yes	music wire	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.500.600.1600.I	50.0	6.00	160.0	1.1476	84.60	97.17	yes	stainless steel	5E
C.500.600.2000.A	50.0	6.00	200.0	1.0544	103.20	119.13	yes	music wire	5E
C.500.600.2000.I	50.0	6.00	200.0	0.9056	103.20	119.13	yes	stainless steel	5E
C.500.600.3600.A	50.0	6.00	360.0	0.5698	184.20	213.68	no	music wire	5F
C.500.600.3600.I	50.0	6.00	360.0	0.4894	184.20	213.68	no	stainless steel	5G
C.504.270.0380.A	50.4	2.70	38.0	0.3103	11.07	13.52	yes	music wire	4I
C.504.270.0380.I	50.4	2.70	38.0	0.2700	11.07	13.52	yes	stainless steel	4I
C.505.450.0800.A	50.5	4.50	80.0	0.9360	31.95	37.26	yes	music wire	4R
C.505.450.0800.I	50.5	4.50	80.0	0.8143	31.50	36.70	yes	stainless steel	4R
C.505.450.0800.N	50.5	4.50	80.0	0.9360	31.95	37.26	yes	Zn coating	4S
C.505.450.2050.A	50.5	4.50	205.0	0.3379	68.40	83.07	yes	music wire	4S
C.505.450.2050.I	50.5	4.50	205.0	0.2903	68.40	83.07	yes	stainless steel	4S
C.508.160.0640.A	50.8	1.60	64.0	0.0138	12.16	22.12	no	music wire	4I
C.508.210.0200.A	50.8	2.10	20.0	0.1906	9.24	10.95	no	music wire	4G
C.508.210.0200.I	50.8	2.10	20.0	0.1637	9.24	10.95	no	stainless steel	4H
C.508.210.0610.A	50.8	2.10	61.0	0.0810	11.76	15.76	no	music wire	4I
C.508.210.0610.I	50.8	2.10	61.0	0.0705	11.76	15.76	no	stainless steel	4I
C.508.220.0200.A	50.8	2.20	20.0	0.2310	9.68	11.33	no	music wire	4G
C.508.220.0200.I	50.8	2.20	20.0	0.1984	9.68	11.33	no	stainless steel	4H
C.508.220.0920.A	50.8	2.20	92.0	0.0379	19.80	29.87	no	music wire	4J
C.508.220.0920.I	50.8	2.20	92.0	0.0330	19.58	29.46	no	stainless steel	4J
C.508.290.0400.A	50.8	2.90	40.0	0.4371	11.60	13.82	yes	music wire	4I
C.508.290.0400.I	50.8	2.90	40.0	0.3754	11.60	13.82	yes	stainless steel	4I
C.508.290.2800.A	50.8	2.90	280.0	0.0621	37.99	53.64	yes	music wire	4O
C.508.290.2800.I	50.8	2.90	280.0	0.0540	37.41	52.77	yes	stainless steel	4O
C.508.400.0400.A	50.8	4.00	40.0	1.3391	17.60	19.92	yes	music wire	4P
C.508.400.0400.I	50.8	4.00	40.0	1.1502	17.60	19.92	yes	stainless steel	4P
C.508.400.1180.A	50.8	4.00	118.0	0.3448	39.60	48.64	yes	music wire	4Q
C.508.400.1180.I	50.8	4.00	118.0	0.3000	39.20	48.12	yes	stainless steel	4R
C.508.470.0920.A	50.8	4.70	92.0	1.4943	27.73	48.33	yes	music wire	5B
C.508.470.0920.I	50.8	4.70	92.0	1.3000	27.73	46.47	yes	stainless steel	5B
C.508.470.2000.A	50.8	4.70	200.0	0.4027	70.97	85.44	yes	music wire	4S
C.508.470.2000.I	50.8	4.70	200.0	0.3459	70.97	85.44	yes	stainless steel	4S
C.508.500.0480.A	50.8	5.00	48.0	2.8736	24.00	26.60	yes	music wire	4S
C.508.500.0480.I	50.8	5.00	48.0	2.5000	24.00	26.60	yes	stainless steel	4S
C.508.500.1150.A	50.8	5.00	115.0	0.9080	49.00	57.24	yes	music wire	4S
C.508.500.1150.I	50.8	5.00	115.0	0.7900	48.50	56.63	yes	stainless steel	4S
C.508.500.2000.A	50.8	5.00	200.0	0.5059	78.00	92.79	yes	music wire	4T
C.508.500.2000.I	50.8	5.00	200.0	0.4345	78.00	92.79	yes	stainless steel	4T
C.508.580.0450.A	50.8	5.80	45.0	4.5977	30.74	33.83	yes	music wire	5A
C.508.580.0450.I	50.8	5.80	45.0	4.0000	30.16	33.14	yes	stainless steel	5A
C.508.580.1200.A	50.8	5.80	120.0	1.5429	62.06	71.11	yes	music wire	5B
C.508.580.1200.I	50.8	5.80	120.0	1.3252	62.06	71.11	yes	stainless steel	5B
C.508.580.2030.A	50.8	5.80	203.0	0.8900	96.86	112.53	yes	music wire	5C
C.508.580.2030.I	50.8	5.80	203.0	0.7743	95.70	111.15	yes	stainless steel	5C
C.510.400.0250.A	51.0	4.00	25.0	1.6440	16.00	17.84	yes	music wire	4P
C.510.400.0250.I	51.0	4.00	25.0	1.4303	16.00	17.84	yes	stainless steel	4P
C.510.400.0250.N	51.0	4.00	25.0	1.6440	16.00	17.84	yes	Zn coating	4R
C.510.400.2050.A	51.0	4.00	205.0	0.2223	55.20	69.08	yes	music wire	4R
C.510.400.2050.I	51.0	4.00	205.0	0.1909	55.20	69.08	yes	stainless steel	4R
C.512.580.0600.A	51.2	5.80	60.0	3.5632	34.80	38.70	yes	music wire	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.512.580.0600.I	51.2	5.80	60.0	3.1000	34.22	38.00	yes	stainless steel	5B
C.512.580.0620.A	51.2	5.80	62.0	3.7931	33.06	36.62	yes	music wire	5A
C.512.580.0620.I	51.2	5.80	62.0	3.3000	33.06	36.62	yes	stainless steel	5B
C.512.580.2050.A	51.2	5.80	205.0	0.8556	98.02	114.05	yes	music wire	5C
C.512.580.2050.I	51.2	5.80	205.0	0.7348	98.02	114.05	yes	stainless steel	5C
C.516.200.1180.A	51.6	2.00	118.0	0.0264	17.20	27.63	no	music wire	4J
C.516.200.1180.I	51.6	2.00	118.0	0.0230	17.00	27.23	no	stainless steel	4J
C.520.200.1150.A	52.0	2.00	115.0	0.0280	16.40	26.15	no	music wire	4J
C.520.200.1150.I	52.0	2.00	115.0	0.0244	16.20	25.75	no	stainless steel	4J
C.520.200.1150.N	52.0	2.00	115.0	0.0280	16.40	26.15	no	Zn coating	4L
C.520.300.0500.A	52.0	3.00	50.0	0.3692	13.20	16.05	yes	music wire	4J
C.520.300.0500.I	52.0	3.00	50.0	0.3171	13.20	16.05	yes	stainless steel	4J
C.520.300.0800.A	52.0	3.00	80.0	0.2263	16.80	21.45	yes	music wire	4J
C.520.300.0800.I	52.0	3.00	80.0	0.1943	16.80	21.45	yes	stainless steel	4J
C.520.300.1000.A	52.0	3.00	100.0	0.1798	19.20	25.05	yes	music wire	4J
C.520.300.1000.I	52.0	3.00	100.0	0.1545	19.20	25.05	yes	stainless steel	4K
C.520.300.1250.A	52.0	3.00	125.0	0.1403	22.50	30.00	yes	music wire	4L
C.520.300.1250.I	52.0	3.00	125.0	0.1205	22.50	30.00	yes	stainless steel	4L
C.520.300.1600.A	52.0	3.00	160.0	0.1096	26.70	36.30	yes	music wire	4M
C.520.300.1600.I	52.0	3.00	160.0	0.0941	26.70	36.30	yes	stainless steel	4M
C.520.300.2000.A	52.0	3.00	200.0	0.0877	31.50	43.50	yes	music wire	4M
C.520.300.2000.I	52.0	3.00	200.0	0.0753	31.50	43.50	yes	stainless steel	4M
C.520.300.3600.A	52.0	3.00	360.0	0.0480	54.30	76.21	no	music wire	4P
C.520.300.3600.I	52.0	3.00	360.0	0.0413	54.30	76.21	no	stainless steel	4P
C.520.320.0500.A	52.0	3.20	50.0	0.4596	14.40	17.27	yes	music wire	4J
C.520.320.0500.I	52.0	3.20	50.0	0.3947	14.40	17.27	yes	stainless steel	4K
C.520.320.0800.A	52.0	3.20	80.0	0.2785	18.56	23.30	yes	music wire	4L
C.520.320.0800.I	52.0	3.20	80.0	0.2392	18.56	23.30	yes	stainless steel	4L
C.520.320.1000.A	52.0	3.20	100.0	0.2189	21.44	27.47	yes	music wire	4L
C.520.320.1000.I	52.0	3.20	100.0	0.1880	21.44	27.47	yes	stainless steel	4L
C.520.320.1250.A	52.0	3.20	125.0	0.1734	24.96	32.57	yes	music wire	4M
C.520.320.1250.I	52.0	3.20	125.0	0.1490	24.96	32.57	yes	stainless steel	4M
C.520.320.1600.A	52.0	3.20	160.0	0.1352	29.76	39.53	yes	music wire	4M
C.520.320.1600.I	52.0	3.20	160.0	0.1161	29.76	39.53	yes	stainless steel	4N
C.520.320.2000.A	52.0	3.20	200.0	0.1069	35.52	47.87	yes	music wire	4N
C.520.320.2000.I	52.0	3.20	200.0	0.0918	35.52	47.87	yes	stainless steel	4N
C.520.320.3600.A	52.0	3.20	360.0	0.0585	61.44	83.99	no	music wire	4Q
C.520.320.3600.I	52.0	3.20	360.0	0.0503	61.44	83.99	no	stainless steel	4Q
C.520.360.0500.A	52.0	3.60	50.0	0.6860	16.92	19.86	yes	music wire	4M
C.520.360.0500.I	52.0	3.60	50.0	0.5892	16.92	19.86	yes	stainless steel	4M
C.520.360.0800.A	52.0	3.60	80.0	0.4079	22.32	27.26	yes	music wire	4N
C.520.360.0800.I	52.0	3.60	80.0	0.3503	22.32	27.26	yes	stainless steel	4N
C.520.360.1000.A	52.0	3.60	100.0	0.3211	25.92	32.20	yes	music wire	4N
C.520.360.1000.I	52.0	3.60	100.0	0.2758	25.92	32.20	yes	stainless steel	4N
C.520.360.1250.A	52.0	3.60	125.0	0.2558	30.24	38.12	yes	music wire	4O
C.520.360.1250.I	52.0	3.60	125.0	0.2197	30.24	38.12	yes	stainless steel	4O
C.520.360.1600.A	52.0	3.60	160.0	0.1960	36.72	47.01	yes	music wire	4O
C.520.360.1600.I	52.0	3.60	160.0	0.1683	36.72	47.01	yes	stainless steel	4O
C.520.360.2000.A	52.0	3.60	200.0	0.1556	43.92	56.88	yes	music wire	4P
C.520.360.2000.I	52.0	3.60	200.0	0.1336	43.92	56.88	yes	stainless steel	4P
C.520.360.3600.A	52.0	3.60	360.0	0.0853	76.32	99.97	no	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.520.360.3600.I	52.0	3.60	360.0	0.0732	76.32	99.97	no	stainless steel	4R
C.520.400.0500.A	52.0	4.00	50.0	0.9826	19.60	22.63	yes	music wire	4P
C.520.400.0500.I	52.0	4.00	50.0	0.8439	19.60	22.63	yes	stainless steel	4P
C.520.400.0800.A	52.0	4.00	80.0	0.5896	26.00	31.06	yes	music wire	4Q
C.520.400.0800.I	52.0	4.00	80.0	0.5064	26.00	31.06	yes	stainless steel	4Q
C.520.400.1000.A	52.0	4.00	100.0	0.4624	30.40	36.85	yes	music wire	4Q
C.520.400.1000.I	52.0	4.00	100.0	0.3971	30.40	36.85	yes	stainless steel	4Q
C.520.400.1250.A	52.0	4.00	125.0	0.3628	36.00	44.22	yes	music wire	4R
C.520.400.1250.I	52.0	4.00	125.0	0.3116	36.00	44.22	yes	stainless steel	4R
C.520.400.1600.A	52.0	4.00	160.0	0.2807	43.60	54.22	yes	music wire	4R
C.520.400.1600.I	52.0	4.00	160.0	0.2411	43.60	54.22	yes	stainless steel	4R
C.520.400.2000.A	52.0	4.00	200.0	0.2204	52.80	66.32	yes	music wire	4R
C.520.400.2000.I	52.0	4.00	200.0	0.1893	52.80	66.32	yes	stainless steel	4R
C.520.400.3600.A	52.0	4.00	360.0	0.1209	92.00	116.65	no	music wire	4T
C.520.400.3600.I	52.0	4.00	360.0	0.1039	92.00	116.65	no	stainless steel	4T
C.520.450.0500.A	52.0	4.50	50.0	1.5000	22.95	26.08	yes	music wire	4R
C.520.450.0500.I	52.0	4.50	50.0	1.2877	22.95	26.08	yes	stainless steel	4R
C.520.450.0800.A	52.0	4.50	80.0	0.8859	31.05	36.34	yes	music wire	4R
C.520.450.0800.I	52.0	4.50	80.0	0.7609	31.05	36.34	yes	stainless steel	4R
C.520.450.1000.A	52.0	4.50	100.0	0.6961	36.45	43.18	yes	music wire	4R
C.520.450.1000.I	52.0	4.50	100.0	0.5978	36.45	43.18	yes	stainless steel	4R
C.520.450.1250.A	52.0	4.50	125.0	0.5414	43.65	52.31	yes	music wire	4R
C.520.450.1250.I	52.0	4.50	125.0	0.4650	43.65	52.31	yes	stainless steel	4S
C.520.450.1600.A	52.0	4.50	160.0	0.4191	53.10	64.28	yes	music wire	4S
C.520.450.1600.I	52.0	4.50	160.0	0.3600	53.10	64.28	yes	stainless steel	4S
C.520.450.2000.A	52.0	4.50	200.0	0.3332	63.90	77.96	yes	music wire	4S
C.520.450.2000.I	52.0	4.50	200.0	0.2861	63.90	77.96	yes	stainless steel	4S
C.520.450.3600.A	52.0	4.50	360.0	0.1813	112.50	138.34	no	music wire	5A
C.520.450.3600.I	52.0	4.50	360.0	0.1557	112.50	138.34	no	stainless steel	5A
C.520.500.0500.A	52.0	5.00	50.0	2.2714	26.00	29.14	yes	music wire	4S
C.520.500.0500.I	52.0	5.00	50.0	1.9509	26.00	29.14	yes	stainless steel	4S
C.520.500.0800.A	52.0	5.00	80.0	1.3048	36.00	41.46	yes	music wire	4S
C.520.500.0800.I	52.0	5.00	80.0	1.1207	36.00	41.46	yes	stainless steel	4S
C.520.500.1000.A	52.0	5.00	100.0	1.0221	42.50	49.48	yes	music wire	4S
C.520.500.1000.I	52.0	5.00	100.0	0.8779	42.50	49.48	yes	stainless steel	4S
C.520.500.1250.A	52.0	5.00	125.0	0.7965	51.00	59.95	yes	music wire	4S
C.520.500.1250.I	52.0	5.00	125.0	0.6841	51.00	59.95	yes	stainless steel	4T
C.520.500.1600.A	52.0	5.00	160.0	0.6133	62.50	74.13	yes	music wire	4T
C.520.500.1600.I	52.0	5.00	160.0	0.5267	62.50	74.13	yes	stainless steel	4T
C.520.500.2000.A	52.0	5.00	200.0	0.4829	76.00	90.77	yes	music wire	4T
C.520.500.2000.I	52.0	5.00	200.0	0.4148	76.00	90.77	yes	stainless steel	4T
C.520.500.3600.A	52.0	5.00	360.0	0.2632	134.00	161.09	no	music wire	5B
C.520.500.3600.I	52.0	5.00	360.0	0.2261	134.00	161.09	no	stainless steel	5B
C.520.550.0500.A	52.0	5.50	50.0	3.3113	29.15	32.34	yes	music wire	5A
C.520.550.0500.I	52.0	5.50	50.0	2.8441	29.15	32.34	yes	stainless steel	5B
C.520.550.0800.A	52.0	5.50	80.0	1.8922	40.70	46.28	yes	music wire	5B
C.520.550.0800.I	52.0	5.50	80.0	1.6252	40.70	46.28	yes	stainless steel	5B
C.520.550.1000.A	52.0	5.50	100.0	1.5170	47.30	54.25	yes	music wire	5B
C.520.550.1000.I	52.0	5.50	100.0	1.3198	46.75	53.59	yes	stainless steel	5B
C.520.550.1000.N	52.0	5.50	100.0	1.5170	47.30	54.25	yes	Zn coating	5D
C.520.550.1250.A	52.0	5.50	125.0	1.1447	58.30	67.53	yes	music wire	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.520.550.1250.I	52.0	5.50	125.0	0.9831	58.30	67.53	yes	stainless steel	5B
C.520.550.1600.A	52.0	5.50	160.0	0.8747	72.05	84.13	yes	music wire	5B
C.520.550.1600.I	52.0	5.50	160.0	0.7500	72.05	84.13	yes	stainless steel	5C
C.520.550.2000.A	52.0	5.50	200.0	0.6919	87.45	102.72	yes	music wire	5C
C.520.550.2000.I	52.0	5.50	200.0	0.5943	87.45	102.72	yes	stainless steel	5C
C.520.550.3600.A	52.0	5.50	360.0	0.3754	155.10	183.25	no	music wire	5D
C.520.550.3600.I	52.0	5.50	360.0	0.3224	155.10	183.25	no	stainless steel	5D
C.520.600.0500.A	52.0	6.00	50.0	4.6774	32.40	35.67	yes	music wire	5D
C.520.600.0500.I	52.0	6.00	50.0	4.0174	32.40	35.67	yes	stainless steel	5E
C.520.600.0800.A	52.0	6.00	80.0	2.6597	45.60	51.36	yes	music wire	5D
C.520.600.0800.I	52.0	6.00	80.0	2.2844	45.60	51.36	yes	stainless steel	5E
C.520.600.1000.A	52.0	6.00	100.0	2.0552	54.60	62.05	yes	music wire	5D
C.520.600.1000.I	52.0	6.00	100.0	1.7652	54.60	62.05	yes	stainless steel	5E
C.520.600.1250.A	52.0	6.00	125.0	1.6148	65.40	74.88	yes	music wire	5D
C.520.600.1250.I	52.0	6.00	125.0	1.3869	65.40	74.88	yes	stainless steel	5E
C.520.600.1600.A	52.0	6.00	160.0	1.2331	81.00	93.42	yes	music wire	5E
C.520.600.1600.I	52.0	6.00	160.0	1.0591	81.00	93.42	yes	stainless steel	5E
C.520.600.2000.A	52.0	6.00	200.0	0.9689	99.00	114.81	yes	music wire	5E
C.520.600.2000.I	52.0	6.00	200.0	0.8322	99.00	114.81	yes	stainless steel	5E
C.520.600.3600.A	52.0	6.00	360.0	0.5258	175.80	204.93	no	music wire	5F
C.520.600.3600.I	52.0	6.00	360.0	0.4516	175.80	204.93	no	stainless steel	5G
C.523.400.0450.A	52.3	4.00	45.0	1.1022	18.40	21.08	yes	music wire	4P
C.523.400.0450.I	52.3	4.00	45.0	0.9466	18.40	21.08	yes	stainless steel	4P
C.523.400.0810.A	52.3	4.00	81.0	0.6092	25.20	30.04	yes	music wire	4Q
C.523.400.0810.I	52.3	4.00	81.0	0.5300	25.20	30.04	yes	stainless steel	4Q
C.523.400.1270.A	52.3	4.00	127.0	0.4253	31.60	38.48	yes	music wire	4R
C.523.400.1270.I	52.3	4.00	127.0	0.3700	31.60	38.48	yes	stainless steel	4R
C.524.250.0200.A	52.4	2.50	20.0	0.3559	8.50	10.07	yes	music wire	4H
C.524.250.0200.I	52.4	2.50	20.0	0.3056	8.50	10.07	yes	stainless steel	4H
C.524.250.0800.A	52.4	2.50	80.0	0.1115	13.50	18.56	yes	music wire	4J
C.524.250.0800.I	52.4	2.50	80.0	0.0970	13.25	18.13	yes	stainless steel	4J
C.524.320.0830.A	52.4	3.20	83.0	0.1264	30.72	41.05	yes	music wire	4L
C.524.320.0830.I	52.4	3.20	83.0	0.1100	30.40	40.58	yes	stainless steel	4L
C.524.320.2000.A	52.4	3.20	200.0	0.1055	35.20	47.56	yes	music wire	4N
C.524.320.2000.I	52.4	3.20	200.0	0.0906	35.20	47.56	yes	stainless steel	4N
C.524.340.0400.A	52.4	3.40	40.0	0.7232	13.94	16.18	yes	music wire	4J
C.524.340.0400.I	52.4	3.40	40.0	0.6212	13.94	16.18	yes	stainless steel	4J
C.524.340.1020.A	52.4	3.40	102.0	0.2874	22.10	27.70	yes	music wire	4L
C.524.340.1020.I	52.4	3.40	102.0	0.2500	22.10	27.70	yes	stainless steel	4M
C.524.390.2000.A	52.4	3.90	200.0	0.2006	49.92	63.26	yes	music wire	4P
C.524.390.2000.I	52.4	3.90	200.0	0.1723	49.92	63.26	yes	stainless steel	4P
C.524.400.0400.A	52.4	4.00	40.0	1.2779	17.20	19.50	yes	music wire	4P
C.524.400.0400.I	52.4	4.00	40.0	1.0976	17.20	19.50	yes	stainless steel	4P
C.524.400.2480.A	52.4	4.00	248.0	0.1494	71.60	91.29	yes	music wire	4S
C.524.400.2480.I	52.4	4.00	248.0	0.1300	70.80	90.23	yes	stainless steel	4S
C.524.450.0400.A	52.4	4.50	40.0	2.0006	19.80	22.11	yes	music wire	4R
C.524.450.0400.I	52.4	4.50	40.0	1.7183	19.80	22.11	yes	stainless steel	4R
C.524.450.0890.A	52.4	4.50	89.0	0.7356	34.65	40.97	yes	music wire	4R
C.524.450.0890.I	52.4	4.50	89.0	0.6400	34.20	40.40	yes	stainless steel	4R
C.524.450.1800.A	52.4	4.50	180.0	0.4100	53.10	64.40	yes	music wire	4S
C.524.450.1800.I	52.4	4.50	180.0	0.3567	52.65	63.83	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.525.550.0600.A	52.5	5.50	60.0	1.9590	39.05	44.35	yes	music wire	5A
C.525.550.0600.I	52.5	5.50	60.0	1.7000	38.50	43.69	yes	stainless steel	5B
C.525.550.0600.N	52.5	5.50	60.0	1.9590	39.05	44.35	yes	Zn coating	5C
C.525.600.0350.A	52.5	6.00	35.0	5.1560	30.00	32.85	yes	music wire	5D
C.525.600.0350.I	52.5	6.00	35.0	4.4857	30.00	32.85	yes	stainless steel	5D
C.525.600.0350.N	52.5	6.00	35.0	5.1560	30.00	32.85	yes	Zn coating	5E
C.528.260.1130.A	52.8	2.60	113.0	0.0862	17.68	25.05	yes	music wire	4J
C.528.260.1130.I	52.8	2.60	113.0	0.0750	17.42	24.62	yes	stainless steel	4J
C.530.280.0381.A	53.0	2.80	38.1	0.4125	10.36	12.32	yes	music wire	4I
C.530.280.0381.I	53.0	2.80	38.1	0.3543	10.36	12.32	yes	stainless steel	4I
C.530.600.0550.A	53.0	6.00	55.0	5.5480	28.80	32.99	yes	music wire	5G
C.530.600.0550.I	53.0	6.00	55.0	4.8268	28.80	31.79	yes	stainless steel	5H
C.530.600.0550.N	53.0	6.00	55.0	5.5480	28.80	32.99	yes	Zn coating	5H
C.530.600.0650.A	53.0	6.00	65.0	3.1210	39.60	44.32	yes	music wire	5D
C.530.600.0650.I	53.0	6.00	65.0	2.7153	39.00	43.61	yes	stainless steel	5E
C.530.600.0650.N	53.0	6.00	65.0	3.1210	39.60	44.32	yes	Zn coating	5F
C.530.600.2050.A	53.0	6.00	205.0	0.9083	99.00	115.13	yes	music wire	5E
C.530.600.2050.I	53.0	6.00	205.0	0.7802	99.00	115.13	yes	stainless steel	5F
C.532.400.0650.A	53.2	4.00	65.0	0.3793	33.20	40.78	yes	music wire	4Q
C.532.400.0650.I	53.2	4.00	65.0	0.3300	32.80	40.25	yes	stainless steel	4Q
C.535.400.0520.A	53.5	4.00	52.0	0.5632	25.20	30.21	yes	music wire	4P
C.535.400.0520.I	53.5	4.00	52.0	0.4900	25.20	30.21	yes	stainless steel	4P
C.535.450.1400.A	53.5	4.50	140.0	0.3448	57.60	70.48	yes	music wire	4S
C.535.450.1400.I	53.5	4.50	140.0	0.3000	57.15	69.90	yes	stainless steel	4S
C.536.150.0640.I	53.6	1.50	64.0	0.0100	9.90	18.78	no	stainless steel	4I
C.536.230.0200.A	53.6	2.30	20.0	0.2346	10.12	11.87	no	music wire	4G
C.536.230.0200.I	53.6	2.30	20.0	0.2015	10.12	11.87	no	stainless steel	4H
C.536.230.1230.A	53.6	2.30	123.0	0.0529	17.25	25.04	no	music wire	4J
C.536.230.1230.I	53.6	2.30	123.0	0.0460	17.02	24.61	no	stainless steel	4J
C.536.240.0200.A	53.6	2.40	20.0	0.2798	10.56	12.25	no	music wire	4G
C.536.240.0200.I	53.6	2.40	20.0	0.2403	10.56	12.25	no	stainless steel	4H
C.536.240.1180.A	53.6	2.40	118.0	0.0759	16.32	22.52	no	music wire	4J
C.536.240.1180.I	53.6	2.40	118.0	0.0660	16.32	22.52	no	stainless steel	4J
C.536.270.0200.A	53.6	2.70	20.0	0.5132	8.91	10.28	yes	music wire	4H
C.536.270.0200.I	53.6	2.70	20.0	0.4408	8.91	10.28	yes	stainless steel	4I
C.536.270.1530.A	53.6	2.70	153.0	0.0759	21.33	30.56	yes	music wire	4L
C.536.270.1530.I	53.6	2.70	153.0	0.0660	21.06	30.12	yes	stainless steel	4L
C.536.580.0800.A	53.6	5.80	80.0	2.1991	42.34	47.96	yes	music wire	5B
C.536.580.0800.I	53.6	5.80	80.0	1.8888	42.34	47.96	yes	stainless steel	5B
C.536.580.2150.A	53.6	5.80	215.0	0.9900	76.56	103.69	yes	music wire	5E
C.536.580.2150.I	53.6	5.80	215.0	0.8613	75.40	97.83	yes	stainless steel	5F
C.537.560.0450.A	53.7	5.60	45.0	3.7512	27.44	30.27	yes	music wire	5A
C.537.560.0450.I	53.7	5.60	45.0	3.2219	27.44	30.27	yes	stainless steel	5A
C.537.560.0500.A	53.7	5.60	50.0	4.0000	26.88	29.59	yes	music wire	5A
C.537.560.0500.I	53.7	5.60	50.0	3.4800	26.32	28.92	yes	stainless steel	5B
C.537.560.0500.N	53.7	5.60	50.0	4.0000	26.88	29.59	yes	Zn coating	5C
C.537.560.0630.A	53.7	5.60	63.0	3.2143	29.68	32.98	yes	music wire	5D
C.537.560.0630.I	53.7	5.60	63.0	2.7964	29.68	32.98	yes	stainless steel	5D
C.537.560.0630.N	53.7	5.60	63.0	3.2143	29.68	32.98	yes	Zn coating	5E
C.537.560.0800.A	53.7	5.60	80.0	2.5000	34.16	40.01	yes	music wire	5D
C.537.560.0800.I	53.7	5.60	80.0	2.1750	34.16	38.41	yes	stainless steel	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.537.560.0800.N	53.7	5.60	80.0	2.5000	34.16	40.01	yes	Zn coating	5E
C.537.560.0850.A	53.7	5.60	85.0	1.7653	42.56	48.58	yes	music wire	5B
C.537.560.0850.I	53.7	5.60	85.0	1.5162	42.56	48.58	yes	stainless steel	5B
C.537.560.1000.A	53.7	5.60	100.0	2.0000	39.20	50.02	yes	music wire	5D
C.537.560.1000.I	53.7	5.60	100.0	1.7400	38.64	47.47	yes	stainless steel	5E
C.537.560.1000.N	53.7	5.60	100.0	2.0000	39.20	50.02	yes	Zn coating	5F
C.537.560.1200.A	53.7	5.60	120.0	1.2004	56.00	64.85	yes	music wire	5B
C.537.560.1200.I	53.7	5.60	120.0	1.0310	56.00	64.85	yes	stainless steel	5B
C.537.560.1250.A	53.7	5.60	125.0	1.6071	45.36	62.80	yes	music wire	5D
C.537.560.1250.I	53.7	5.60	125.0	1.4000	44.80	59.72	yes	stainless steel	5E
C.537.560.1250.N	53.7	5.60	125.0	1.6071	45.36	62.80	yes	Zn coating	5F
C.537.560.1600.A	53.7	5.60	160.0	1.2857	53.20	82.25	yes	music wire	5E
C.537.560.1600.I	53.7	5.60	160.0	1.1186	52.64	78.29	yes	stainless steel	5E
C.537.560.1600.N	53.7	5.60	160.0	1.2857	53.20	82.25	yes	Zn coating	5F
C.537.560.2000.A	53.7	5.60	200.0	1.0000	64.40	100.03	yes	music wire	5E
C.537.560.2000.I	53.7	5.60	200.0	0.8700	63.84	94.95	yes	stainless steel	5E
C.537.560.2000.N	53.7	5.60	200.0	1.0000	64.40	100.03	yes	Zn coating	5G
C.537.560.2050.A	53.7	5.60	205.0	0.6769	88.48	104.17	yes	music wire	5C
C.537.560.2050.I	53.7	5.60	205.0	0.5814	88.48	104.17	yes	stainless steel	5C
C.537.560.2500.A	53.7	5.60	250.0	0.8036	76.72	125.60	yes	music wire	5E
C.537.560.2500.I	53.7	5.60	250.0	0.7000	75.60	119.43	yes	stainless steel	5F
C.537.560.2500.N	53.7	5.60	250.0	0.8036	76.72	125.60	yes	Zn coating	5G
C.537.560.3200.A	53.7	5.60	320.0	0.6429	92.40	164.51	yes	music wire	5H
C.537.560.3200.I	53.7	5.60	320.0	0.5593	91.28	156.59	yes	stainless steel	5G
C.537.560.3200.N	53.7	5.60	320.0	0.6429	92.40	164.51	yes	Zn coating	5I
C.537.560.4000.A	53.7	5.60	400.0	0.5000	114.80	200.07	yes	music wire	5I
C.537.560.4000.I	53.7	5.60	400.0	0.4350	113.68	189.89	yes	stainless steel	5H
C.537.560.4000.N	53.7	5.60	400.0	0.5000	114.80	200.07	yes	Zn coating	5J
C.540.270.1360.A	54.0	2.70	136.0	0.0425	32.13	48.41	yes	music wire	4K
C.540.270.1360.I	54.0	2.70	136.0	0.0370	31.86	47.97	yes	stainless steel	4L
C.540.270.1530.A	54.0	2.70	153.0	0.0655	23.22	33.79	yes	music wire	4L
C.540.270.1530.I	54.0	2.70	153.0	0.0570	22.95	33.34	yes	stainless steel	4L
C.540.290.1360.A	54.0	2.90	136.0	0.0960	23.49	32.68	yes	music wire	4L
C.540.290.1360.I	54.0	2.90	136.0	0.0835	23.49	32.68	yes	stainless steel	4L
C.540.290.1400.A	54.0	2.90	140.0	0.1011	22.62	31.32	yes	music wire	4L
C.540.290.1400.I	54.0	2.90	140.0	0.0880	22.62	31.32	yes	stainless steel	4L
C.540.300.0500.A	54.0	3.00	50.0	0.3659	12.60	15.32	yes	music wire	4J
C.540.300.0500.I	54.0	3.00	50.0	0.3143	12.60	15.32	yes	stainless steel	4J
C.540.300.0800.A	54.0	3.00	80.0	0.2145	16.20	20.84	yes	music wire	4J
C.540.300.0800.I	54.0	3.00	80.0	0.1842	16.20	20.84	yes	stainless steel	4J
C.540.300.1000.A	54.0	3.00	100.0	0.1681	18.60	24.52	yes	music wire	4K
C.540.300.1000.I	54.0	3.00	100.0	0.1444	18.60	24.52	yes	stainless steel	4K
C.540.300.1250.A	54.0	3.00	125.0	0.1352	21.30	28.66	yes	music wire	4L
C.540.300.1250.I	54.0	3.00	125.0	0.1162	21.30	28.66	yes	stainless steel	4L
C.540.300.1600.A	54.0	3.00	160.0	0.1037	25.50	35.10	yes	music wire	4M
C.540.300.1600.I	54.0	3.00	160.0	0.0890	25.50	35.10	yes	stainless steel	4M
C.540.300.2000.A	54.0	3.00	200.0	0.0829	30.00	42.00	yes	music wire	4M
C.540.300.2000.I	54.0	3.00	200.0	0.0712	30.00	42.00	yes	stainless steel	4N
C.540.300.3600.A	54.0	3.00	360.0	0.0457	51.30	73.07	no	music wire	4Q
C.540.300.3600.I	54.0	3.00	360.0	0.0393	51.30	73.07	no	stainless steel	4Q
C.540.320.0174.A	54.0	3.20	17.4	1.4943	9.60	10.36	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.540.320.0174.I	54.0	3.20	17.4	1.3000	9.60	10.36	yes	stainless steel	4J
C.540.320.0224.A	54.0	3.20	22.4	0.9054	10.88	12.26	yes	music wire	4J
C.540.320.0224.I	54.0	3.20	22.4	0.7776	10.88	12.26	yes	stainless steel	4J
C.540.320.0500.A	54.0	3.20	50.0	0.4527	13.76	16.51	yes	music wire	4J
C.540.320.0500.I	54.0	3.20	50.0	0.3888	13.76	16.51	yes	stainless steel	4K
C.540.320.0800.A	54.0	3.20	80.0	0.2629	17.92	22.66	yes	music wire	4L
C.540.320.0800.I	54.0	3.20	80.0	0.2258	17.92	22.66	yes	stainless steel	4L
C.540.320.1000.A	54.0	3.20	100.0	0.2089	20.48	26.45	yes	music wire	4L
C.540.320.1000.I	54.0	3.20	100.0	0.1795	20.48	26.45	yes	stainless steel	4M
C.540.320.1250.A	54.0	3.20	125.0	0.1663	23.68	31.18	yes	music wire	4M
C.540.320.1250.I	54.0	3.20	125.0	0.1428	23.68	31.18	yes	stainless steel	4M
C.540.320.1600.A	54.0	3.20	160.0	0.1273	28.48	38.27	yes	music wire	4N
C.540.320.1600.I	54.0	3.20	160.0	0.1094	28.48	38.27	yes	stainless steel	4N
C.540.320.2000.A	54.0	3.20	200.0	0.1019	33.60	45.84	yes	music wire	4N
C.540.320.2000.I	54.0	3.20	200.0	0.0875	33.60	45.84	yes	stainless steel	4N
C.540.320.3600.A	54.0	3.20	360.0	0.0558	57.92	80.25	no	music wire	4Q
C.540.320.3600.I	54.0	3.20	360.0	0.0479	57.92	80.25	no	stainless steel	4R
C.540.330.0191.A	54.0	3.30	19.1	1.3243	10.56	11.61	yes	music wire	4J
C.540.330.0191.I	54.0	3.30	19.1	1.1375	10.56	11.61	yes	stainless steel	4J
C.540.340.1440.A	54.0	3.40	144.0	0.1264	36.72	48.92	yes	music wire	4M
C.540.340.1440.I	54.0	3.40	144.0	0.1100	36.38	48.43	yes	stainless steel	4M
C.540.340.1780.A	54.0	3.40	178.0	0.1379	34.34	45.51	yes	music wire	4N
C.540.340.1780.I	54.0	3.40	178.0	0.1200	34.00	45.02	yes	stainless steel	4N
C.540.360.0381.A	54.0	3.60	38.1	0.8910	14.40	16.53	yes	music wire	4M
C.540.360.0381.I	54.0	3.60	38.1	0.7653	14.40	16.53	yes	stainless steel	4M
C.540.360.0500.A	54.0	3.60	50.0	0.6683	16.20	19.04	yes	music wire	4M
C.540.360.0500.I	54.0	3.60	50.0	0.5740	16.20	19.04	yes	stainless steel	4M
C.540.360.0800.A	54.0	3.60	80.0	0.3931	21.24	26.06	yes	music wire	4N
C.540.360.0800.I	54.0	3.60	80.0	0.3376	21.24	26.06	yes	stainless steel	4N
C.540.360.1000.A	54.0	3.60	100.0	0.3038	24.84	31.08	yes	music wire	4N
C.540.360.1000.I	54.0	3.60	100.0	0.2609	24.84	31.08	yes	stainless steel	4N
C.540.360.1250.A	54.0	3.60	125.0	0.2430	28.80	36.60	yes	music wire	4O
C.540.360.1250.I	54.0	3.60	125.0	0.2087	28.80	36.60	yes	stainless steel	4O
C.540.360.1600.A	54.0	3.60	160.0	0.1856	34.92	45.13	yes	music wire	4O
C.540.360.1600.I	54.0	3.60	160.0	0.1594	34.92	45.13	yes	stainless steel	4P
C.540.360.2000.A	54.0	3.60	200.0	0.1485	41.40	54.17	yes	music wire	4P
C.540.360.2000.I	54.0	3.60	200.0	0.1276	41.40	54.17	yes	stainless steel	4P
C.540.360.3600.A	54.0	3.60	360.0	0.0810	72.00	95.40	no	music wire	4R
C.540.360.3600.I	54.0	3.60	360.0	0.0696	72.00	95.40	no	stainless steel	4R
C.540.400.0500.A	54.0	4.00	50.0	0.9484	18.80	21.74	yes	music wire	4P
C.540.400.0500.I	54.0	4.00	50.0	0.8145	18.80	21.74	yes	stainless steel	4P
C.540.400.0800.A	54.0	4.00	80.0	0.5491	25.20	30.28	yes	music wire	4Q
C.540.400.0800.I	54.0	4.00	80.0	0.4716	25.20	30.28	yes	stainless steel	4Q
C.540.400.0900.A	54.0	4.00	90.0	0.5961	24.00	28.68	yes	music wire	4Q
C.540.400.0900.I	54.0	4.00	90.0	0.5120	24.00	28.68	yes	stainless steel	4Q
C.540.400.0900.N	54.0	4.00	90.0	0.5961	24.00	28.68	yes	Zn coating	4R
C.540.400.0920.A	54.0	4.00	92.0	0.3218	36.00	44.69	yes	music wire	4Q
C.540.400.0920.I	54.0	4.00	92.0	0.2800	35.60	44.16	yes	stainless steel	4Q
C.540.400.0990.A	54.0	4.00	99.0	0.5961	24.00	32.82	yes	music wire	4S
C.540.400.0990.I	54.0	4.00	99.0	0.5120	24.00	29.60	yes	stainless steel	4S
C.540.400.0990.N	54.0	4.00	99.0	0.5961	24.00	32.82	yes	Zn coating	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.540.400.1000.A	54.0	4.00	100.0	0.4347	29.20	35.62	yes	music wire	4Q
C.540.400.1000.I	54.0	4.00	100.0	0.3733	29.20	35.62	yes	stainless steel	4Q
C.540.400.1250.A	54.0	4.00	125.0	0.3420	34.40	42.56	yes	music wire	4R
C.540.400.1250.I	54.0	4.00	125.0	0.2938	34.40	42.56	yes	stainless steel	4R
C.540.400.1500.A	54.0	4.00	150.0	0.3793	32.00	46.00	yes	music wire	4T
C.540.400.1500.I	54.0	4.00	150.0	0.3258	32.00	40.93	yes	stainless steel	4T
C.540.400.1500.N	54.0	4.00	150.0	0.3793	32.00	46.00	yes	Zn coating	5A
C.540.400.1600.A	54.0	4.00	160.0	0.2641	41.60	52.17	yes	music wire	4R
C.540.400.1600.I	54.0	4.00	160.0	0.2268	41.60	52.17	yes	stainless steel	4R
C.540.400.1720.A	54.0	4.00	172.0	0.2644	41.60	52.17	yes	music wire	4R
C.540.400.1720.I	54.0	4.00	172.0	0.2300	41.20	51.63	yes	stainless steel	4R
C.540.400.2000.A	54.0	4.00	200.0	0.2086	50.00	63.38	yes	music wire	4R
C.540.400.2000.I	54.0	4.00	200.0	0.1792	50.00	63.38	yes	stainless steel	4R
C.540.400.2300.A	54.0	4.00	230.0	0.2455	44.00	69.32	yes	music wire	5A
C.540.400.2300.I	54.0	4.00	230.0	0.2109	44.00	61.51	yes	stainless steel	5A
C.540.400.2300.N	54.0	4.00	230.0	0.2455	44.00	69.32	yes	Zn coating	5C
C.540.400.3350.A	54.0	4.00	335.0	0.1669	60.00	98.64	yes	music wire	5B
C.540.400.3350.I	54.0	4.00	335.0	0.1433	60.00	87.02	yes	stainless steel	5B
C.540.400.3350.IF	54.0	4.00	335.0	0.0969	84.00	108.74	yes	stainless steel	4T
C.540.400.3350.N	54.0	4.00	335.0	0.1669	60.00	98.64	yes	Zn coating	5D
C.540.400.3600.A	54.0	4.00	360.0	0.1146	86.80	111.14	no	music wire	4T
C.540.400.3600.I	54.0	4.00	360.0	0.0985	86.80	111.14	no	stainless steel	4T
C.540.400.4900.A	54.0	4.00	490.0	0.1128	84.00	140.28	yes	music wire	5D
C.540.400.4900.I	54.0	4.00	490.0	0.0969	84.00	123.28	yes	stainless steel	5D
C.540.400.4900.IF	54.0	4.00	490.0	0.0796	100.00	130.09	yes	stainless steel	5A
C.540.400.4900.N	54.0	4.00	490.0	0.1128	84.00	140.28	yes	Zn coating	5E
C.540.450.0500.A	54.0	4.50	50.0	1.4351	22.05	25.09	yes	music wire	4R
C.540.450.0500.I	54.0	4.50	50.0	1.2326	22.05	25.09	yes	stainless steel	4R
C.540.450.0800.A	54.0	4.50	80.0	0.8401	29.70	34.89	yes	music wire	4R
C.540.450.0800.I	54.0	4.50	80.0	0.7215	29.70	34.89	yes	stainless steel	4R
C.540.450.1000.A	54.0	4.50	100.0	0.6499	35.10	41.81	yes	music wire	4R
C.540.450.1000.I	54.0	4.50	100.0	0.5582	35.10	41.81	yes	stainless steel	4R
C.540.450.1250.A	54.0	4.50	125.0	0.5141	41.40	49.89	yes	music wire	4S
C.540.450.1250.I	54.0	4.50	125.0	0.4415	41.40	49.89	yes	stainless steel	4S
C.540.450.1600.A	54.0	4.50	160.0	0.3959	50.40	61.42	yes	music wire	4S
C.540.450.1600.I	54.0	4.50	160.0	0.3400	50.40	61.42	yes	stainless steel	4S
C.540.450.2000.A	54.0	4.50	200.0	0.3131	60.75	74.68	yes	music wire	4S
C.540.450.2000.I	54.0	4.50	200.0	0.2689	60.75	74.68	yes	stainless steel	4S
C.540.450.3600.A	54.0	4.50	360.0	0.1705	106.65	132.24	no	music wire	5A
C.540.450.3600.I	54.0	4.50	360.0	0.1465	106.65	132.24	no	stainless steel	5A
C.540.500.0500.A	54.0	5.00	50.0	2.0815	25.50	28.67	yes	music wire	4S
C.540.500.0500.I	54.0	5.00	50.0	1.7878	25.50	28.67	yes	stainless steel	4S
C.540.500.0800.A	54.0	5.00	80.0	1.2300	34.50	39.87	yes	music wire	4S
C.540.500.0800.I	54.0	5.00	80.0	1.0564	34.50	39.87	yes	stainless steel	4S
C.540.500.1000.A	54.0	5.00	100.0	0.9495	41.00	47.96	yes	music wire	4S
C.540.500.1000.I	54.0	5.00	100.0	0.8155	41.00	47.96	yes	stainless steel	4S
C.540.500.1250.A	54.0	5.00	125.0	0.7500	48.50	57.29	yes	music wire	4S
C.540.500.1250.I	54.0	5.00	125.0	0.6456	48.50	57.29	yes	stainless steel	4T
C.540.500.1600.A	54.0	5.00	160.0	0.5757	59.50	70.97	yes	music wire	4T
C.540.500.1600.I	54.0	5.00	160.0	0.4945	59.50	70.97	yes	stainless steel	4T
C.540.500.2000.A	54.0	5.00	200.0	0.4548	72.00	86.52	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.540.500.2000.I	54.0	5.00	200.0	0.3906	72.00	86.52	yes	stainless steel	4T
C.540.500.3600.A	54.0	5.00	360.0	0.2471	127.00	153.72	no	music wire	5B
C.540.500.3600.I	54.0	5.00	360.0	0.2123	127.00	153.72	no	stainless steel	5B
C.540.550.0500.A	54.0	5.50	50.0	3.0264	28.60	31.82	yes	music wire	5A
C.540.550.0500.I	54.0	5.50	50.0	2.5994	28.60	31.82	yes	stainless steel	5B
C.540.550.0800.A	54.0	5.50	80.0	1.7386	39.60	45.20	yes	music wire	5B
C.540.550.0800.I	54.0	5.50	80.0	1.4933	39.60	45.20	yes	stainless steel	5B
C.540.550.1000.A	54.0	5.50	100.0	1.3619	46.75	53.90	yes	music wire	5B
C.540.550.1000.I	54.0	5.50	100.0	1.1697	46.75	53.90	yes	stainless steel	5B
C.540.550.1250.A	54.0	5.50	125.0	1.0612	56.10	65.27	yes	music wire	5B
C.540.550.1250.I	54.0	5.50	125.0	0.9115	56.10	65.27	yes	stainless steel	5B
C.540.550.1600.A	54.0	5.50	160.0	0.8171	68.75	80.67	yes	music wire	5B
C.540.550.1600.I	54.0	5.50	160.0	0.7000	68.75	80.67	yes	stainless steel	5C
C.540.550.2000.A	54.0	5.50	200.0	0.6434	83.60	98.73	yes	music wire	5C
C.540.550.2000.I	54.0	5.50	200.0	0.5526	83.60	98.73	yes	stainless steel	5C
C.540.550.3600.A	54.0	5.50	360.0	0.3492	147.95	175.83	no	music wire	5D
C.540.550.3600.I	54.0	5.50	360.0	0.3000	147.95	175.83	no	stainless steel	5D
C.540.560.0380.A	54.0	5.60	38.0	2.5247	33.60	37.76	yes	music wire	5A
C.540.560.0380.I	54.0	5.60	38.0	2.1685	33.60	37.76	yes	stainless steel	5A
C.540.560.0380.N	54.0	5.60	38.0	2.5247	33.60	37.76	yes	Zn coating	5C
C.540.560.0594.A	54.0	5.60	59.4	1.6066	44.80	51.33	yes	music wire	5A
C.540.560.0594.I	54.0	5.60	59.4	1.3799	44.80	51.33	yes	stainless steel	5B
C.540.560.0594.N	54.0	5.60	59.4	1.6066	44.80	51.33	yes	Zn coating	5C
C.540.560.0920.A	54.0	5.60	92.0	1.0396	61.60	71.69	yes	music wire	5B
C.540.560.0920.I	54.0	5.60	92.0	0.8929	61.60	71.69	yes	stainless steel	5B
C.540.560.0920.N	54.0	5.60	92.0	1.0396	61.60	71.69	yes	Zn coating	5D
C.540.560.1350.A	54.0	5.60	135.0	0.7069	84.00	98.84	yes	music wire	5B
C.540.560.1350.I	54.0	5.60	135.0	0.6072	84.00	98.84	yes	stainless steel	5B
C.540.560.1350.N	54.0	5.60	135.0	0.7069	84.00	98.84	yes	Zn coating	5D
C.540.560.2000.A	54.0	5.60	200.0	0.4777	117.60	139.57	yes	music wire	5C
C.540.560.2000.I	54.0	5.60	200.0	0.4103	117.60	139.57	yes	stainless steel	5C
C.540.560.2000.N	54.0	5.60	200.0	0.4777	117.60	139.57	yes	Zn coating	5D
C.540.600.0500.A	54.0	6.00	50.0	4.4217	31.20	34.38	yes	music wire	5D
C.540.600.0500.I	54.0	6.00	50.0	3.7977	31.20	34.38	yes	stainless steel	5E
C.540.600.0800.A	54.0	6.00	80.0	2.4872	43.80	49.44	yes	music wire	5D
C.540.600.0800.I	54.0	6.00	80.0	2.1362	43.80	49.44	yes	stainless steel	5E
C.540.600.1000.A	54.0	6.00	100.0	1.9256	52.20	59.49	yes	music wire	5D
C.540.600.1000.I	54.0	6.00	100.0	1.6539	52.20	59.49	yes	stainless steel	5E
C.540.600.1250.A	54.0	6.00	125.0	1.4923	63.00	72.41	yes	music wire	5E
C.540.600.1250.I	54.0	6.00	125.0	1.2817	63.00	72.41	yes	stainless steel	5E
C.540.600.1600.A	54.0	6.00	160.0	1.1370	78.00	90.35	yes	music wire	5E
C.540.600.1600.I	54.0	6.00	160.0	0.9766	78.00	90.35	yes	stainless steel	5E
C.540.600.2000.A	54.0	6.00	200.0	0.9000	94.80	110.44	yes	music wire	5E
C.540.600.2000.I	54.0	6.00	200.0	0.7710	94.80	110.44	yes	stainless steel	5F
C.540.600.3600.A	54.0	6.00	360.0	0.4873	168.00	196.81	no	music wire	5F
C.540.600.3600.I	54.0	6.00	360.0	0.4185	168.00	196.81	no	stainless steel	5G
C.543.450.2250.A	54.3	4.50	225.0	0.2874	64.35	79.41	yes	music wire	4S
C.543.450.2250.I	54.3	4.50	225.0	0.2500	63.45	78.26	yes	stainless steel	4T
C.544.270.0400.A	54.4	2.70	40.0	0.3265	9.99	12.10	yes	music wire	4I
C.544.270.0400.I	54.4	2.70	40.0	0.2804	9.99	12.10	yes	stainless steel	4I
C.544.280.0400.A	54.4	2.80	40.0	0.3506	10.64	12.86	yes	music wire	4I

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.544.280.0400.I	54.4	2.80	40.0	0.3011	10.64	12.86	yes	stainless steel	4I
C.544.280.1110.A	54.4	2.80	111.0	0.1264	17.08	23.22	yes	music wire	4L
C.544.280.1110.I	54.4	2.80	111.0	0.1100	17.08	23.22	yes	stainless steel	4L
C.544.320.0400.A	54.4	3.20	40.0	0.5685	12.48	14.65	yes	music wire	4J
C.544.320.0400.I	54.4	3.20	40.0	0.4883	12.48	14.65	yes	stainless steel	4J
C.544.320.1620.A	54.4	3.20	162.0	0.0839	38.40	53.11	yes	music wire	4N
C.544.320.1620.I	54.4	3.20	162.0	0.0730	38.08	52.64	yes	stainless steel	4N
C.544.400.0800.A	54.4	4.00	80.0	0.6207	23.20	27.66	yes	music wire	4Q
C.544.400.0800.I	54.4	4.00	80.0	0.5400	22.80	27.13	yes	stainless steel	4Q
C.544.400.2000.A	54.4	4.00	200.0	0.2079	49.20	62.46	yes	music wire	4R
C.544.400.2000.I	54.4	4.00	200.0	0.1785	49.20	62.46	yes	stainless steel	4R
C.544.470.0830.A	54.4	4.70	83.0	0.6897	39.48	46.90	yes	music wire	4R
C.544.470.0830.I	54.4	4.70	83.0	0.6000	39.01	46.31	yes	stainless steel	4R
C.544.470.2000.A	54.4	4.70	200.0	0.3584	64.86	79.08	yes	music wire	4S
C.544.470.2000.I	54.4	4.70	200.0	0.3078	64.86	79.08	yes	stainless steel	4S
C.545.450.0800.A	54.5	4.50	80.0	0.8200	29.70	34.96	yes	music wire	4R
C.545.450.0800.I	54.5	4.50	80.0	0.7134	29.25	34.38	yes	stainless steel	4R
C.545.450.0800.N	54.5	4.50	80.0	0.8200	29.70	34.96	yes	Zn coating	4S
C.545.450.2050.A	54.5	4.50	205.0	0.3011	61.20	75.44	yes	music wire	4S
C.545.450.2050.I	54.5	4.50	205.0	0.2586	61.20	75.44	yes	stainless steel	4S
C.548.200.0370.A	54.8	2.00	37.0	0.0690	10.20	13.87	no	music wire	4I
C.548.340.1400.A	54.8	3.40	140.0	0.1264	35.36	47.25	yes	music wire	4M
C.548.340.1400.I	54.8	3.40	140.0	0.1100	35.02	46.76	yes	stainless steel	4M
C.550.320.0400.A	55.0	3.20	40.0	0.5490	12.48	14.69	yes	music wire	4J
C.550.320.0400.I	55.0	3.20	40.0	0.4715	12.48	14.69	yes	stainless steel	4J
C.550.320.0800.A	55.0	3.20	80.0	0.2562	17.60	22.33	yes	music wire	4L
C.550.320.0800.I	55.0	3.20	80.0	0.2200	17.60	22.33	yes	stainless steel	4L
C.550.320.1170.A	55.0	3.20	117.0	0.2196	19.20	24.72	yes	music wire	4O
C.550.320.1170.I	55.0	3.20	117.0	0.1886	19.20	24.72	yes	stainless steel	4M
C.550.320.1170.N	55.0	3.20	117.0	0.2196	19.20	24.72	yes	Zn coating	4Q
C.550.320.1800.A	55.0	3.20	180.0	0.1397	25.60	34.28	yes	music wire	4Q
C.550.320.1800.I	55.0	3.20	180.0	0.1200	25.60	34.28	yes	stainless steel	4N
C.550.320.1800.N	55.0	3.20	180.0	0.1397	25.60	34.28	yes	Zn coating	4R
C.550.320.3070.A	55.0	3.20	307.0	0.0809	38.40	53.39	yes	music wire	4S
C.550.320.3070.I	55.0	3.20	307.0	0.0695	38.40	53.39	yes	stainless steel	4S
C.550.320.3070.N	55.0	3.20	307.0	0.0809	38.40	53.39	yes	Zn coating	4T
C.550.320.4970.A	55.0	3.20	497.0	0.0496	57.60	82.06	yes	music wire	5A
C.550.320.4970.I	55.0	3.20	497.0	0.0426	57.60	82.06	yes	stainless steel	5A
C.550.320.4970.N	55.0	3.20	497.0	0.0496	57.60	82.06	yes	Zn coating	5C
C.550.500.0600.A	55.0	5.00	60.0	1.6431	28.00	31.88	yes	music wire	4S
C.550.500.0600.I	55.0	5.00	60.0	1.4113	28.00	31.88	yes	stainless steel	4S
C.550.500.0660.A	55.0	5.00	66.0	1.4554	30.00	34.38	yes	music wire	4S
C.550.500.0660.I	55.0	5.00	66.0	1.2500	30.00	34.38	yes	stainless steel	4S
C.550.500.0660.N	55.0	5.00	66.0	1.4554	30.00	34.38	yes	Zn coating	4T
C.550.500.0800.A	55.0	5.00	80.0	1.1846	34.00	39.38	yes	music wire	4S
C.550.500.0800.I	55.0	5.00	80.0	1.0174	34.00	39.38	yes	stainless steel	4S
C.550.500.0850.A	55.0	5.00	85.0	1.4554	30.00	35.76	yes	music wire	5A
C.550.500.0850.I	55.0	5.00	85.0	1.2500	30.00	34.38	yes	stainless steel	5B
C.550.500.0850.N	55.0	5.00	85.0	1.4554	30.00	35.76	yes	Zn coating	5C
C.550.500.1000.A	55.0	5.00	100.0	0.9261	40.00	46.88	yes	music wire	4S
C.550.500.1000.I	55.0	5.00	100.0	0.7954	40.00	46.88	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.550.500.1000.N	55.0	5.00	100.0	0.9261	40.00	46.88	yes	Zn coating	5A
C.550.500.1200.A	55.0	5.00	120.0	0.7603	46.00	54.38	yes	music wire	4S
C.550.500.1200.I	55.0	5.00	120.0	0.6530	46.00	54.38	yes	stainless steel	4T
C.550.500.1300.A	55.0	5.00	130.0	0.9261	40.00	52.62	yes	music wire	5B
C.550.500.1300.I	55.0	5.00	130.0	0.7954	40.00	48.06	yes	stainless steel	5B
C.550.500.1300.N	55.0	5.00	130.0	0.9261	40.00	52.62	yes	Zn coating	5D
C.550.500.1500.A	55.0	5.00	150.0	0.6000	55.00	65.63	yes	music wire	4T
C.550.500.1500.I	55.0	5.00	150.0	0.5147	55.00	65.63	yes	stainless steel	4T
C.550.500.1500.N	55.0	5.00	150.0	0.6000	55.00	65.63	yes	Zn coating	5A
C.550.500.1600.A	55.0	5.00	160.0	0.5537	58.50	70.00	yes	music wire	4T
C.550.500.1600.I	55.0	5.00	160.0	0.4755	58.50	70.00	yes	stainless steel	4T
C.550.500.1950.A	55.0	5.00	195.0	0.6000	55.00	75.57	yes	music wire	5C
C.550.500.1950.I	55.0	5.00	195.0	0.5147	55.00	68.37	yes	stainless steel	5C
C.550.500.1950.N	55.0	5.00	195.0	0.6000	55.00	75.57	yes	Zn coating	5D
C.550.500.2000.A	55.0	5.00	200.0	0.4391	70.50	85.00	yes	music wire	4T
C.550.500.2000.I	55.0	5.00	200.0	0.3772	70.50	85.00	yes	stainless steel	4T
C.550.500.2350.A	55.0	5.00	235.0	0.3773	80.00	96.88	yes	music wire	5A
C.550.500.2350.I	55.0	5.00	235.0	0.3241	80.00	96.88	yes	stainless steel	5A
C.550.500.2350.N	55.0	5.00	235.0	0.3773	80.00	96.88	yes	Zn coating	5B
C.550.500.2800.A	55.0	5.00	280.0	0.4075	75.00	104.15	yes	music wire	5D
C.550.500.2800.I	55.0	5.00	280.0	0.3500	75.00	93.78	yes	stainless steel	5D
C.550.500.2800.IF	55.0	5.00	280.0	0.2365	105.00	128.13	yes	stainless steel	5A
C.550.500.2800.N	55.0	5.00	280.0	0.4075	75.00	104.15	yes	Zn coating	5E
C.550.500.3200.A	55.0	5.00	320.0	0.2695	107.00	130.63	yes	music wire	5A
C.550.500.3200.I	55.0	5.00	320.0	0.2315	107.00	130.63	yes	stainless steel	5B
C.550.500.4100.A	55.0	5.00	410.0	0.2753	105.00	149.70	yes	music wire	5E
C.550.500.4100.I	55.0	5.00	410.0	0.2365	105.00	134.41	yes	stainless steel	5E
C.550.500.4100.IF	55.0	5.00	410.0	0.1945	125.00	153.13	yes	stainless steel	5C
C.550.500.4100.N	55.0	5.00	410.0	0.2753	105.00	149.70	yes	Zn coating	5F
C.550.500.4550.A	55.0	5.00	455.0	0.1720	160.50	197.50	yes	music wire	5C
C.550.500.4550.I	55.0	5.00	455.0	0.1496	158.50	195.00	yes	stainless steel	5C
C.550.500.4550.N	55.0	5.00	455.0	0.1720	160.50	197.50	yes	Zn coating	5D
C.552.270.1460.A	55.2	2.70	146.0	0.0700	21.06	30.61	yes	music wire	4L
C.552.270.1460.I	55.2	2.70	146.0	0.0610	21.06	30.61	yes	stainless steel	4L
C.556.270.0400.A	55.6	2.70	40.0	0.3048	9.99	12.18	yes	music wire	4I
C.556.270.0400.I	55.6	2.70	40.0	0.2618	9.99	12.18	yes	stainless steel	4I
C.556.270.1270.A	55.6	2.70	127.0	0.0563	24.30	36.16	yes	music wire	4K
C.556.270.1270.I	55.6	2.70	127.0	0.0490	24.03	35.71	yes	stainless steel	4K
C.556.320.0400.A	55.6	3.20	40.0	0.5303	12.48	14.73	yes	music wire	4J
C.556.320.0400.I	55.6	3.20	40.0	0.4555	12.48	14.73	yes	stainless steel	4J
C.556.320.1400.A	55.6	3.20	140.0	0.0874	35.20	48.86	yes	music wire	4M
C.556.320.1400.I	55.6	3.20	140.0	0.0760	34.88	48.38	yes	stainless steel	4M
C.556.330.0400.A	55.6	3.30	40.0	0.6032	12.87	15.07	yes	music wire	4J
C.556.330.0400.I	55.6	3.30	40.0	0.5181	12.87	15.07	yes	stainless steel	4J
C.556.330.1270.A	55.6	3.30	127.0	0.1080	33.99	46.26	yes	music wire	4M
C.556.330.1270.I	55.6	3.30	127.0	0.0940	33.66	45.77	yes	stainless steel	4M
C.556.470.1040.A	55.6	4.70	104.0	0.8276	33.37	39.34	yes	music wire	4R
C.556.470.1040.I	55.6	4.70	104.0	0.7200	32.90	38.74	yes	stainless steel	4R
C.556.470.2000.A	55.6	4.70	200.0	0.3458	62.98	77.12	yes	music wire	4S
C.556.470.2000.I	55.6	4.70	200.0	0.2970	62.98	77.12	yes	stainless steel	4S
C.556.530.0500.A	55.6	5.30	50.0	2.5265	26.50	29.62	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.556.530.0500.I	55.6	5.30	50.0	2.1700	26.50	29.62	yes	stainless steel	4S
C.556.530.0800.A	55.6	5.30	80.0	1.4355	36.57	42.05	yes	music wire	4S
C.556.530.0800.I	55.6	5.30	80.0	1.2330	36.57	42.05	yes	stainless steel	4S
C.556.530.1020.S	55.6	5.30	102.0	1.2000	41.34	47.94	yes	Cr-Si steel	5B
C.556.530.1270.S	55.6	5.30	127.0	0.9500	48.23	56.45	yes	Cr-Si steel	5B
C.556.530.1520.S	55.6	5.30	152.0	0.7700	56.71	66.93	yes	Cr-Si steel	5B
C.556.530.1780.S	55.6	5.30	178.0	0.6600	64.13	76.09	yes	Cr-Si steel	5C
C.556.530.2030.S	55.6	5.30	203.0	0.5700	72.08	85.91	yes	Cr-Si steel	5C
C.556.530.2290.S	55.6	5.30	229.0	0.5000	80.03	95.73	yes	Cr-Si steel	5C
C.556.530.2540.S	55.6	5.30	254.0	0.4500	87.45	104.89	yes	Cr-Si steel	5D
C.556.530.3400.A	55.6	5.30	340.0	0.3066	122.43	148.10	yes	music wire	5B
C.556.530.3400.I	55.6	5.30	340.0	0.2634	122.43	148.10	yes	stainless steel	5B
C.560.300.0500.A	56.0	3.00	50.0	0.3464	12.30	15.03	yes	music wire	4J
C.560.300.0500.I	56.0	3.00	50.0	0.2975	12.30	15.03	yes	stainless steel	4J
C.560.300.0800.A	56.0	3.00	80.0	0.2053	15.60	20.20	yes	music wire	4J
C.560.300.0800.I	56.0	3.00	80.0	0.1763	15.60	20.20	yes	stainless steel	4J
C.560.300.1000.A	56.0	3.00	100.0	0.1630	17.70	23.50	yes	music wire	4K
C.560.300.1000.I	56.0	3.00	100.0	0.1400	17.70	23.50	yes	stainless steel	4L
C.560.300.1250.A	56.0	3.00	125.0	0.1289	20.40	27.73	yes	music wire	4L
C.560.300.1250.I	56.0	3.00	125.0	0.1107	20.40	27.73	yes	stainless steel	4L
C.560.300.1600.A	56.0	3.00	160.0	0.1008	24.00	33.37	yes	music wire	4M
C.560.300.1600.I	56.0	3.00	160.0	0.0866	24.00	33.37	yes	stainless steel	4M
C.560.300.2000.A	56.0	3.00	200.0	0.0792	28.50	40.43	yes	music wire	4N
C.560.300.2000.I	56.0	3.00	200.0	0.0680	28.50	40.43	yes	stainless steel	4N
C.560.300.3600.A	56.0	3.00	360.0	0.0436	48.60	70.25	no	music wire	4Q
C.560.300.3600.I	56.0	3.00	360.0	0.0375	48.60	70.25	no	stainless steel	4Q
C.560.320.0500.A	56.0	3.20	50.0	0.4269	13.44	16.21	yes	music wire	4K
C.560.320.0500.I	56.0	3.20	50.0	0.3667	13.44	16.21	yes	stainless steel	4K
C.560.320.0800.A	56.0	3.20	80.0	0.2500	17.28	22.00	yes	music wire	4L
C.560.320.0800.I	56.0	3.20	80.0	0.2149	17.28	22.00	yes	stainless steel	4L
C.560.320.1000.A	56.0	3.20	100.0	0.2016	19.52	25.38	yes	music wire	4M
C.560.320.1000.I	56.0	3.20	100.0	0.1731	19.52	25.38	yes	stainless steel	4M
C.560.320.1250.A	56.0	3.20	125.0	0.1578	22.72	30.20	yes	music wire	4M
C.560.320.1250.I	56.0	3.20	125.0	0.1355	22.72	30.20	yes	stainless steel	4M
C.560.320.1600.A	56.0	3.20	160.0	0.1230	26.88	36.48	yes	music wire	4N
C.560.320.1600.I	56.0	3.20	160.0	0.1056	26.88	36.48	yes	stainless steel	4N
C.560.320.2000.A	56.0	3.20	200.0	0.0968	32.00	44.20	yes	music wire	4O
C.560.320.2000.I	56.0	3.20	200.0	0.0831	32.00	44.20	yes	stainless steel	4O
C.560.320.3600.A	56.0	3.20	360.0	0.0534	54.72	76.84	no	music wire	4R
C.560.320.3600.I	56.0	3.20	360.0	0.0458	54.72	76.84	no	stainless steel	4R
C.560.360.0500.A	56.0	3.60	50.0	0.6259	15.84	18.70	yes	music wire	4M
C.560.360.0500.I	56.0	3.60	50.0	0.5376	15.84	18.70	yes	stainless steel	4M
C.560.360.0800.A	56.0	3.60	80.0	0.3716	20.52	25.33	yes	music wire	4N
C.560.360.0800.I	56.0	3.60	80.0	0.3192	20.52	25.33	yes	stainless steel	4N
C.560.360.1000.A	56.0	3.60	100.0	0.2901	23.76	29.93	yes	music wire	4N
C.560.360.1000.I	56.0	3.60	100.0	0.2491	23.76	29.93	yes	stainless steel	4N
C.560.360.1250.A	56.0	3.60	125.0	0.2287	27.72	35.54	yes	music wire	4O
C.560.360.1250.I	56.0	3.60	125.0	0.1964	27.72	35.54	yes	stainless steel	4O
C.560.360.1600.A	56.0	3.60	160.0	0.1775	33.12	43.20	yes	music wire	4P
C.560.360.1600.I	56.0	3.60	160.0	0.1525	33.12	43.20	yes	stainless steel	4P
C.560.360.2000.A	56.0	3.60	200.0	0.1416	39.24	51.87	yes	music wire	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.560.360.2000.I	56.0	3.60	200.0	0.1216	39.24	51.87	yes	stainless steel	4P
C.560.360.3600.A	56.0	3.60	360.0	0.0772	68.04	91.20	no	music wire	4S
C.560.360.3600.I	56.0	3.60	360.0	0.0663	68.04	91.20	no	stainless steel	4S
C.560.400.0500.A	56.0	4.00	50.0	0.8832	18.40	21.37	yes	music wire	4P
C.560.400.0500.I	56.0	4.00	50.0	0.7586	18.40	21.37	yes	stainless steel	4P
C.560.400.0800.A	56.0	4.00	80.0	0.5299	24.00	28.95	yes	music wire	4Q
C.560.400.0800.I	56.0	4.00	80.0	0.4552	24.00	28.95	yes	stainless steel	4Q
C.560.400.1000.A	56.0	4.00	100.0	0.4122	28.00	34.36	yes	music wire	4Q
C.560.400.1000.I	56.0	4.00	100.0	0.3540	28.00	34.36	yes	stainless steel	4Q
C.560.400.1250.A	56.0	4.00	125.0	0.3254	32.80	40.86	yes	music wire	4R
C.560.400.1250.I	56.0	4.00	125.0	0.2795	32.80	40.86	yes	stainless steel	4R
C.560.400.1600.A	56.0	4.00	160.0	0.2500	39.60	50.06	yes	music wire	4R
C.560.400.1600.I	56.0	4.00	160.0	0.2153	39.60	50.06	yes	stainless steel	4R
C.560.400.2000.A	56.0	4.00	200.0	0.2000	47.20	60.35	yes	music wire	4R
C.560.400.2000.I	56.0	4.00	200.0	0.1713	47.20	60.35	yes	stainless steel	4R
C.560.400.3600.A	56.0	4.00	360.0	0.1085	82.40	106.58	no	music wire	4T
C.560.400.3600.I	56.0	4.00	360.0	0.0932	82.40	106.58	no	stainless steel	4T
C.560.450.0500.A	56.0	4.50	50.0	1.3297	21.60	24.67	yes	music wire	4R
C.560.450.0500.I	56.0	4.50	50.0	1.1421	21.60	24.67	yes	stainless steel	4R
C.560.450.0800.A	56.0	4.50	80.0	0.7842	28.80	34.00	yes	music wire	4R
C.560.450.0800.I	56.0	4.50	80.0	0.6736	28.80	34.00	yes	stainless steel	4R
C.560.450.1000.A	56.0	4.50	100.0	0.6117	33.75	40.42	yes	music wire	4R
C.560.450.1000.I	56.0	4.50	100.0	0.5254	33.75	40.42	yes	stainless steel	4R
C.560.450.1250.A	56.0	4.50	125.0	0.4855	39.60	48.00	yes	music wire	4S
C.560.450.1250.I	56.0	4.50	125.0	0.4170	39.60	48.00	yes	stainless steel	4S
C.560.450.1520.A	56.0	4.50	152.0	0.3340	52.65	64.92	yes	music wire	4S
C.560.450.1520.I	56.0	4.50	152.0	0.2906	51.75	63.76	yes	stainless steel	4S
C.560.450.1520.N	56.0	4.50	152.0	0.3340	52.65	64.92	yes	Zn coating	4T
C.560.450.1600.A	56.0	4.50	160.0	0.3730	48.15	59.09	yes	music wire	4S
C.560.450.1600.I	56.0	4.50	160.0	0.3203	48.15	59.09	yes	stainless steel	4S
C.560.450.2000.A	56.0	4.50	200.0	0.2941	58.05	71.92	yes	music wire	4S
C.560.450.2000.I	56.0	4.50	200.0	0.2526	58.05	71.92	yes	stainless steel	4S
C.560.450.3600.A	56.0	4.50	360.0	0.1610	101.25	126.60	no	music wire	5A
C.560.450.3600.I	56.0	4.50	360.0	0.1383	101.25	126.60	no	stainless steel	5A
C.560.480.0381.A	56.0	4.80	38.1	2.3701	20.16	22.37	yes	music wire	4R
C.560.480.0381.I	56.0	4.80	38.1	2.0357	20.16	22.37	yes	stainless steel	4R
C.560.500.0500.A	56.0	5.00	50.0	2.0000	24.50	27.57	yes	music wire	4S
C.560.500.0500.I	56.0	5.00	50.0	1.7178	24.50	27.57	yes	stainless steel	4S
C.560.500.0800.A	56.0	5.00	80.0	1.1428	33.50	38.88	yes	music wire	4S
C.560.500.0800.I	56.0	5.00	80.0	0.9816	33.50	38.88	yes	stainless steel	4S
C.560.500.1000.A	56.0	5.00	100.0	0.8889	39.50	46.41	yes	music wire	4S
C.560.500.1000.I	56.0	5.00	100.0	0.7635	39.50	46.41	yes	stainless steel	4S
C.560.500.1250.A	56.0	5.00	125.0	0.7059	46.50	55.21	yes	music wire	4T
C.560.500.1250.I	56.0	5.00	125.0	0.6063	46.50	55.21	yes	stainless steel	4T
C.560.500.1600.A	56.0	5.00	160.0	0.5393	57.00	68.39	yes	music wire	4T
C.560.500.1600.I	56.0	5.00	160.0	0.4632	57.00	68.39	yes	stainless steel	4T
C.560.500.2000.A	56.0	5.00	200.0	0.4286	68.50	82.84	yes	music wire	4T
C.560.500.2000.I	56.0	5.00	200.0	0.3681	68.50	82.84	yes	stainless steel	4T
C.560.500.3600.A	56.0	5.00	360.0	0.2319	121.00	147.50	no	music wire	5B
C.560.500.3600.I	56.0	5.00	360.0	0.1992	121.00	147.50	no	stainless steel	5B
C.560.550.0500.A	56.0	5.50	50.0	2.8954	27.50	30.61	yes	music wire	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.560.550.0500.I	56.0	5.50	50.0	2.4868	27.50	30.61	yes	stainless steel	5B
C.560.550.0800.A	56.0	5.50	80.0	1.6451	37.95	43.43	yes	music wire	5B
C.560.550.0800.I	56.0	5.50	80.0	1.4130	37.95	43.43	yes	stainless steel	5B
C.560.550.1000.A	56.0	5.50	100.0	1.2699	45.10	52.20	yes	music wire	5B
C.560.550.1000.I	56.0	5.50	100.0	1.0907	45.10	52.20	yes	stainless steel	5B
C.560.550.1250.A	56.0	5.50	125.0	0.9916	53.90	62.99	yes	music wire	5B
C.560.550.1250.I	56.0	5.50	125.0	0.8517	53.90	62.99	yes	stainless steel	5B
C.560.550.1600.A	56.0	5.50	160.0	0.7619	66.00	77.83	yes	music wire	5B
C.560.550.1600.I	56.0	5.50	160.0	0.6544	66.00	77.83	yes	stainless steel	5C
C.560.550.2000.A	56.0	5.50	200.0	0.6032	79.75	94.70	yes	music wire	5C
C.560.550.2000.I	56.0	5.50	200.0	0.5181	79.75	94.70	yes	stainless steel	5C
C.560.550.3600.A	56.0	5.50	360.0	0.3275	140.80	168.33	no	music wire	5D
C.560.550.3600.I	56.0	5.50	360.0	0.2813	140.80	168.33	no	stainless steel	5D
C.560.550.6050.A	56.0	5.50	605.0	0.1627	258.50	313.93	yes	music wire	5E
C.560.550.6050.I	56.0	5.50	605.0	0.1397	258.50	313.93	yes	stainless steel	5F
C.560.550.6050.N	56.0	5.50	605.0	0.1627	258.50	313.93	yes	Zn coating	5G
C.560.600.0500.A	56.0	6.00	50.0	4.0625	30.60	33.78	yes	music wire	5D
C.560.600.0500.I	56.0	6.00	50.0	3.4892	30.60	33.78	yes	stainless steel	5E
C.560.600.0800.A	56.0	6.00	80.0	2.3000	42.60	48.23	yes	music wire	5D
C.560.600.0800.I	56.0	6.00	80.0	1.9722	42.60	48.23	yes	stainless steel	5E
C.560.600.1000.A	56.0	6.00	100.0	1.7902	50.40	57.63	yes	music wire	5D
C.560.600.1000.I	56.0	6.00	100.0	1.5376	50.40	57.63	yes	stainless steel	5E
C.560.600.1060.A	56.0	6.00	106.0	2.3000	42.60	55.59	yes	music wire	5G
C.560.600.1060.I	56.0	6.00	106.0	2.0000	42.00	52.82	yes	stainless steel	5H
C.560.600.1060.N	56.0	6.00	106.0	2.3000	42.60	55.59	yes	Zn coating	5I
C.560.600.1250.A	56.0	6.00	125.0	1.3898	60.60	69.91	yes	music wire	5E
C.560.600.1250.I	56.0	6.00	125.0	1.1937	60.60	69.91	yes	stainless steel	5E
C.560.600.1600.A	56.0	6.00	160.0	1.0669	74.40	86.53	yes	music wire	5E
C.560.600.1600.I	56.0	6.00	160.0	0.9164	74.40	86.53	yes	stainless steel	5E
C.560.600.2000.A	56.0	6.00	200.0	0.8383	90.60	106.04	yes	music wire	5E
C.560.600.2000.I	56.0	6.00	200.0	0.7200	90.60	106.04	yes	stainless steel	5F
C.560.600.3600.A	56.0	6.00	360.0	0.4533	160.80	189.34	no	music wire	5F
C.560.600.3600.I	56.0	6.00	360.0	0.3894	160.80	189.34	no	stainless steel	5G
C.561.450.0400.A	56.1	4.50	40.0	1.7886	18.90	21.17	yes	music wire	4R
C.561.450.0400.I	56.1	4.50	40.0	1.5362	18.90	21.17	yes	stainless steel	4R
C.561.450.0450.A	56.1	4.50	45.0	1.5203	20.25	22.93	yes	music wire	4R
C.561.450.0450.I	56.1	4.50	45.0	1.3058	20.25	22.93	yes	stainless steel	4R
C.561.450.0600.A	56.1	4.50	60.0	1.0860	23.85	27.60	yes	music wire	4R
C.561.450.0600.I	56.1	4.50	60.0	0.9327	23.85	27.60	yes	stainless steel	4R
C.561.450.0800.A	56.1	4.50	80.0	0.7797	28.80	34.02	yes	music wire	4R
C.561.450.0800.I	56.1	4.50	80.0	0.6696	28.80	34.02	yes	stainless steel	4R
C.561.450.0850.A	56.1	4.50	85.0	0.7416	29.70	35.18	yes	music wire	4R
C.561.450.0850.I	56.1	4.50	85.0	0.6370	29.70	35.18	yes	stainless steel	4R
C.561.450.1000.A	56.1	4.50	100.0	0.6205	33.30	39.85	yes	music wire	4R
C.561.450.1000.I	56.1	4.50	100.0	0.5330	33.30	39.85	yes	stainless steel	4R
C.561.450.1050.A	56.1	4.50	105.0	0.5847	34.65	41.61	yes	music wire	4R
C.561.450.1050.I	56.1	4.50	105.0	0.5022	34.65	41.61	yes	stainless steel	4R
C.561.450.1200.A	56.1	4.50	120.0	0.5068	38.25	46.28	yes	music wire	4S
C.561.450.1200.I	56.1	4.50	120.0	0.4353	38.25	46.28	yes	stainless steel	4S
C.561.450.1250.A	56.1	4.50	125.0	0.6349	32.85	42.11	yes	music wire	5A
C.561.450.1250.I	56.1	4.50	125.0	0.5524	32.40	38.75	yes	stainless steel	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.561.450.1250.N	56.1	4.50	125.0	0.6349	32.85	42.11	yes	Zn coating	5C
C.561.450.1400.A	56.1	4.50	140.0	0.4283	43.20	52.70	yes	music wire	4S
C.561.450.1400.I	56.1	4.50	140.0	0.3678	43.20	52.70	yes	stainless steel	4S
C.561.450.1600.A	56.1	4.50	160.0	0.5000	38.70	54.75	yes	music wire	5A
C.561.450.1600.I	56.1	4.50	160.0	0.4350	38.25	50.48	yes	stainless steel	5A
C.561.450.1600.N	56.1	4.50	160.0	0.5000	38.70	54.75	yes	Zn coating	5C
C.561.450.2000.A	56.1	4.50	200.0	0.4000	45.45	68.44	yes	music wire	5B
C.561.450.2000.I	56.1	4.50	200.0	0.3480	45.00	63.10	yes	stainless steel	5B
C.561.450.2000.N	56.1	4.50	200.0	0.4000	45.45	68.44	yes	Zn coating	5D
C.561.450.2500.A	56.1	4.50	250.0	0.3200	54.00	85.55	yes	music wire	5B
C.561.450.2500.I	56.1	4.50	250.0	0.2784	53.55	78.88	yes	stainless steel	5C
C.561.450.2500.N	56.1	4.50	250.0	0.3200	54.00	85.55	yes	Zn coating	5D
C.561.450.3200.A	56.1	4.50	320.0	0.2500	66.15	109.51	yes	music wire	5C
C.561.450.3200.I	56.1	4.50	320.0	0.2175	65.25	100.96	yes	stainless steel	5D
C.561.450.3200.N	56.1	4.50	320.0	0.2500	66.15	109.51	yes	Zn coating	5E
C.561.450.4000.A	56.1	4.50	400.0	0.2000	79.65	136.88	yes	music wire	5D
C.561.450.4000.I	56.1	4.50	400.0	0.1740	78.75	126.20	yes	stainless steel	5D
C.561.450.4000.N	56.1	4.50	400.0	0.2000	79.65	136.88	yes	Zn coating	5E
C.561.450.5000.A	56.1	4.50	500.0	0.1600	96.75	171.10	yes	music wire	5E
C.561.450.5000.I	56.1	4.50	500.0	0.1392	95.85	157.75	yes	stainless steel	5E
C.561.450.5000.N	56.1	4.50	500.0	0.1600	96.75	171.10	yes	Zn coating	5F
C.564.230.0450.A	56.4	2.30	45.0	0.0931	12.42	16.48	no	music wire	4I
C.564.230.0450.I	56.4	2.30	45.0	0.0810	12.42	16.48	no	stainless steel	4I
C.570.500.0500.A	57.0	5.00	50.0	1.9688	24.00	27.02	yes	music wire	4S
C.570.500.0500.I	57.0	5.00	50.0	1.6910	24.00	27.02	yes	stainless steel	4S
C.570.500.2200.A	57.0	5.00	220.0	0.2960	89.00	109.06	yes	music wire	4T
C.570.500.2200.I	57.0	5.00	220.0	0.2575	88.00	107.80	yes	stainless steel	5A
C.570.500.2200.N	57.0	5.00	220.0	0.2960	89.00	109.06	yes	Zn coating	5B
C.571.400.1780.A	57.1	4.00	178.0	0.2600	36.80	46.56	yes	music wire	4R
C.571.400.1780.I	57.1	4.00	178.0	0.2262	36.40	46.02	yes	stainless steel	4R
C.572.270.0830.A	57.2	2.70	83.0	0.1264	16.47	21.46	no	music wire	4J
C.572.270.0830.I	57.2	2.70	83.0	0.1100	16.47	21.46	no	stainless steel	4J
C.572.270.3200.A	57.2	2.70	320.0	0.0348	35.37	53.80	no	music wire	4P
C.572.270.3200.I	57.2	2.70	320.0	0.0299	35.37	53.80	no	stainless steel	4P
C.572.300.0400.A	57.2	3.00	40.0	0.4319	11.10	13.22	yes	music wire	4I
C.572.300.0400.I	57.2	3.00	40.0	0.3709	11.10	13.22	yes	stainless steel	4J
C.572.300.2350.A	57.2	3.00	235.0	0.0448	42.30	62.82	yes	music wire	4N
C.572.300.2350.I	57.2	3.00	235.0	0.0390	41.70	61.86	yes	stainless steel	4O
C.572.340.0400.A	57.2	3.40	40.0	0.6245	13.26	15.52	yes	music wire	4J
C.572.340.0400.I	57.2	3.40	40.0	0.5364	13.26	15.52	yes	stainless steel	4J
C.572.340.1900.A	57.2	3.40	190.0	0.0816	44.88	62.18	yes	music wire	4N
C.572.340.1900.I	57.2	3.40	190.0	0.0710	44.54	61.68	yes	stainless steel	4O
C.572.380.0530.A	57.2	3.80	53.0	0.3103	26.60	33.38	yes	music wire	4M
C.572.380.0530.I	57.2	3.80	53.0	0.2700	26.22	32.84	yes	stainless steel	4M
C.572.380.3000.A	57.2	3.80	300.0	0.1073	58.90	78.47	yes	music wire	4R
C.572.380.3000.I	57.2	3.80	300.0	0.0922	58.90	78.47	yes	stainless steel	4R
C.576.550.0700.A	57.6	5.50	70.0	2.1839	30.25	34.12	yes	music wire	5B
C.576.550.0700.I	57.6	5.50	70.0	1.9000	30.25	34.12	yes	stainless steel	5B
C.580.300.0500.A	58.0	3.00	50.0	0.3307	12.00	14.72	yes	music wire	4J
C.580.300.0500.I	58.0	3.00	50.0	0.2840	12.00	14.72	yes	stainless steel	4J
C.580.300.0800.A	58.0	3.00	80.0	0.1984	15.00	19.53	yes	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.580.300.0800.I	58.0	3.00	80.0	0.1704	15.00	19.53	yes	stainless steel	4J
C.580.300.1000.A	58.0	3.00	100.0	0.1550	17.10	22.90	yes	music wire	4K
C.580.300.1000.I	58.0	3.00	100.0	0.1331	17.10	22.90	yes	stainless steel	4L
C.580.300.1250.A	58.0	3.00	125.0	0.1240	19.50	26.75	yes	music wire	4L
C.580.300.1250.I	58.0	3.00	125.0	0.1065	19.50	26.75	yes	stainless steel	4L
C.580.300.1600.A	58.0	3.00	160.0	0.0954	23.10	32.52	yes	music wire	4M
C.580.300.1600.I	58.0	3.00	160.0	0.0819	23.10	32.52	yes	stainless steel	4M
C.580.300.2000.A	58.0	3.00	200.0	0.0763	27.00	38.78	yes	music wire	4N
C.580.300.2000.I	58.0	3.00	200.0	0.0655	27.00	38.78	yes	stainless steel	4N
C.580.300.3600.A	58.0	3.00	360.0	0.0420	45.90	67.29	no	music wire	4Q
C.580.300.3600.I	58.0	3.00	360.0	0.0361	45.90	67.29	no	stainless steel	4Q
C.580.320.0500.A	58.0	3.20	50.0	0.4057	13.12	15.88	yes	music wire	4K
C.580.320.0500.I	58.0	3.20	50.0	0.3485	13.12	15.88	yes	stainless steel	4K
C.580.320.0800.A	58.0	3.20	80.0	0.2404	16.64	21.30	yes	music wire	4L
C.580.320.0800.I	58.0	3.20	80.0	0.2065	16.64	21.30	yes	stainless steel	4L
C.580.320.1000.A	58.0	3.20	100.0	0.1909	18.88	24.75	yes	music wire	4M
C.580.320.1000.I	58.0	3.20	100.0	0.1640	18.88	24.75	yes	stainless steel	4M
C.580.320.1250.A	58.0	3.20	125.0	0.1510	21.76	29.19	yes	music wire	4M
C.580.320.1250.I	58.0	3.20	125.0	0.1297	21.76	29.19	yes	stainless steel	4M
C.580.320.1600.A	58.0	3.20	160.0	0.1159	25.92	35.59	yes	music wire	4N
C.580.320.1600.I	58.0	3.20	160.0	0.0996	25.92	35.59	yes	stainless steel	4N
C.580.320.2000.A	58.0	3.20	200.0	0.0927	30.40	42.49	yes	music wire	4O
C.580.320.2000.I	58.0	3.20	200.0	0.0796	30.40	42.49	yes	stainless steel	4O
C.580.320.3600.A	58.0	3.20	360.0	0.0511	51.84	73.78	no	music wire	4R
C.580.320.3600.I	58.0	3.20	360.0	0.0439	51.84	73.78	no	stainless steel	4R
C.580.350.1350.A	58.0	3.50	135.0	0.1030	40.95	55.88	yes	music wire	4M
C.580.350.1350.I	58.0	3.50	135.0	0.0896	40.60	55.37	yes	stainless steel	4M
C.580.350.1350.N	58.0	3.50	135.0	0.1030	40.95	55.88	yes	Zn coating	4O
C.580.360.0500.A	58.0	3.60	50.0	0.5905	15.48	18.35	yes	music wire	4M
C.580.360.0500.I	58.0	3.60	50.0	0.5072	15.48	18.35	yes	stainless steel	4M
C.580.360.0800.A	58.0	3.60	80.0	0.3543	19.80	24.58	yes	music wire	4N
C.580.360.0800.I	58.0	3.60	80.0	0.3043	19.80	24.58	yes	stainless steel	4N
C.580.360.1000.A	58.0	3.60	100.0	0.2797	22.68	28.73	yes	music wire	4N
C.580.360.1000.I	58.0	3.60	100.0	0.2402	22.68	28.73	yes	stainless steel	4N
C.580.360.1250.A	58.0	3.60	125.0	0.2214	26.28	33.93	yes	music wire	4O
C.580.360.1250.I	58.0	3.60	125.0	0.1902	26.28	33.93	yes	stainless steel	4O
C.580.360.1600.A	58.0	3.60	160.0	0.1687	31.68	41.72	yes	music wire	4P
C.580.360.1600.I	58.0	3.60	160.0	0.1449	31.68	41.72	yes	stainless steel	4P
C.580.360.2000.A	58.0	3.60	200.0	0.1345	37.44	50.03	yes	music wire	4P
C.580.360.2000.I	58.0	3.60	200.0	0.1156	37.44	50.03	yes	stainless steel	4Q
C.580.360.3600.A	58.0	3.60	360.0	0.0738	64.44	87.38	no	music wire	4S
C.580.360.3600.I	58.0	3.60	360.0	0.0634	64.44	87.38	no	stainless steel	4S
C.580.380.0350.A	58.0	3.80	35.0	0.9310	14.82	16.98	yes	music wire	4M
C.580.380.0350.I	58.0	3.80	35.0	0.8100	14.82	16.98	yes	stainless steel	4M
C.580.400.0500.A	58.0	4.00	50.0	0.8281	18.00	20.99	yes	music wire	4P
C.580.400.0500.I	58.0	4.00	50.0	0.7113	18.00	20.99	yes	stainless steel	4P
C.580.400.0800.A	58.0	4.00	80.0	0.5019	23.20	28.13	yes	music wire	4Q
C.580.400.0800.I	58.0	4.00	80.0	0.4311	23.20	28.13	yes	stainless steel	4Q
C.580.400.1000.A	58.0	4.00	100.0	0.3943	26.80	33.07	yes	music wire	4Q
C.580.400.1000.I	58.0	4.00	100.0	0.3387	26.80	33.07	yes	stainless steel	4Q
C.580.400.1250.A	58.0	4.00	125.0	0.3067	31.60	39.66	yes	music wire	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.580.400.1250.I	58.0	4.00	125.0	0.2634	31.60	39.66	yes	stainless steel	4R
C.580.400.1600.A	58.0	4.00	160.0	0.2400	37.60	47.91	yes	music wire	4R
C.580.400.1600.I	58.0	4.00	160.0	0.2062	37.60	47.91	yes	stainless steel	4R
C.580.400.2000.A	58.0	4.00	200.0	0.1882	45.20	58.34	yes	music wire	4R
C.580.400.2000.I	58.0	4.00	200.0	0.1617	45.20	58.34	yes	stainless steel	4S
C.580.400.3600.A	58.0	4.00	360.0	0.1035	78.00	101.90	no	music wire	4T
C.580.400.3600.I	58.0	4.00	360.0	0.0889	78.00	101.90	no	stainless steel	4T
C.580.450.0381.A	58.0	4.50	38.1	1.8187	18.00	20.11	yes	music wire	4R
C.580.450.0381.I	58.0	4.50	38.1	1.5621	18.00	20.11	yes	stainless steel	4R
C.580.450.0500.A	58.0	4.50	50.0	1.3000	20.70	23.65	yes	music wire	4R
C.580.450.0500.I	58.0	4.50	50.0	1.1158	20.70	23.65	yes	stainless steel	4R
C.580.450.0800.A	58.0	4.50	80.0	0.7373	27.90	33.10	yes	music wire	4R
C.580.450.0800.I	58.0	4.50	80.0	0.6333	27.90	33.10	yes	stainless steel	4R
C.580.450.1000.A	58.0	4.50	100.0	0.5804	32.40	39.00	yes	music wire	4R
C.580.450.1000.I	58.0	4.50	100.0	0.5000	32.40	39.00	yes	stainless steel	4R
C.580.450.1250.A	58.0	4.50	125.0	0.4624	37.80	46.08	yes	music wire	4S
C.580.450.1250.I	58.0	4.50	125.0	0.3971	37.80	46.08	yes	stainless steel	4S
C.580.450.1600.A	58.0	4.50	160.0	0.3543	45.90	56.71	yes	music wire	4S
C.580.450.1600.I	58.0	4.50	160.0	0.3043	45.90	56.71	yes	stainless steel	4S
C.580.450.2000.A	58.0	4.50	200.0	0.2812	54.90	68.52	yes	music wire	4S
C.580.450.2000.I	58.0	4.50	200.0	0.2416	54.90	68.52	yes	stainless steel	4S
C.580.450.3600.A	58.0	4.50	360.0	0.1524	96.30	121.43	no	music wire	5A
C.580.450.3600.I	58.0	4.50	360.0	0.1309	96.30	121.43	no	stainless steel	5A
C.580.500.0500.A	58.0	5.00	50.0	1.8595	24.00	27.09	yes	music wire	4S
C.580.500.0500.I	58.0	5.00	50.0	1.6000	24.00	27.09	yes	stainless steel	4S
C.580.500.0620.A	58.0	5.00	62.0	0.8400	38.00	44.85	yes	music wire	4S
C.580.500.0620.I	58.0	5.00	62.0	0.7308	37.50	44.21	yes	stainless steel	4S
C.580.500.0620.N	58.0	5.00	62.0	0.8400	38.00	44.85	yes	Zn coating	4T
C.580.500.0800.A	58.0	5.00	80.0	1.0966	32.00	37.24	yes	music wire	4S
C.580.500.0800.I	58.0	5.00	80.0	0.9419	32.00	37.24	yes	stainless steel	4S
C.580.500.1000.A	58.0	5.00	100.0	0.8386	38.00	44.85	yes	music wire	4S
C.580.500.1000.I	58.0	5.00	100.0	0.7203	38.00	44.85	yes	stainless steel	4S
C.580.500.1250.A	58.0	5.00	125.0	0.6683	44.50	53.09	yes	music wire	4T
C.580.500.1250.I	58.0	5.00	125.0	0.5740	44.50	53.09	yes	stainless steel	4T
C.580.500.1600.A	58.0	5.00	160.0	0.5091	54.50	65.78	yes	music wire	4T
C.580.500.1600.I	58.0	5.00	160.0	0.4373	54.50	65.78	yes	stainless steel	4T
C.580.500.2000.A	58.0	5.00	200.0	0.4035	65.50	79.73	yes	music wire	4T
C.580.500.2000.I	58.0	5.00	200.0	0.3465	65.50	79.73	yes	stainless steel	4T
C.580.500.3600.A	58.0	5.00	360.0	0.2193	115.00	141.18	no	music wire	5B
C.580.500.3600.I	58.0	5.00	360.0	0.1884	115.00	141.18	no	stainless steel	5B
C.580.550.0500.A	58.0	5.50	50.0	2.6843	26.95	30.07	yes	music wire	5A
C.580.550.0500.I	58.0	5.50	50.0	2.3000	26.95	30.07	yes	stainless steel	5B
C.580.550.0800.A	58.0	5.50	80.0	1.5339	36.85	42.32	yes	music wire	5B
C.580.550.0800.I	58.0	5.50	80.0	1.3174	36.85	42.32	yes	stainless steel	5B
C.580.550.1000.A	58.0	5.50	100.0	1.1930	43.45	50.48	yes	music wire	5B
C.580.550.1000.I	58.0	5.50	100.0	1.0247	43.45	50.48	yes	stainless steel	5B
C.580.550.1250.A	58.0	5.50	125.0	0.9337	51.70	60.68	yes	music wire	5B
C.580.550.1250.I	58.0	5.50	125.0	0.8000	51.70	60.68	yes	stainless steel	5B
C.580.550.1600.A	58.0	5.50	160.0	0.7158	63.25	74.97	yes	music wire	5B
C.580.550.1600.I	58.0	5.50	160.0	0.6148	63.25	74.97	yes	stainless steel	5C
C.580.550.2000.A	58.0	5.50	200.0	0.5651	76.45	91.29	yes	music wire	5C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.580.550.2000.I	58.0	5.50	200.0	0.4854	76.45	91.29	yes	stainless steel	5C
C.580.550.3600.A	58.0	5.50	360.0	0.3082	134.20	161.41	no	music wire	5D
C.580.550.3600.I	58.0	5.50	360.0	0.2647	134.20	161.41	no	stainless steel	5D
C.580.600.0500.A	58.0	6.00	50.0	3.7560	30.00	33.19	yes	music wire	5D
C.580.600.0500.I	58.0	6.00	50.0	3.2260	30.00	33.19	yes	stainless steel	5E
C.580.600.0800.A	58.0	6.00	80.0	2.1341	41.40	47.01	yes	music wire	5D
C.580.600.0800.I	58.0	6.00	80.0	1.8329	41.40	47.01	yes	stainless steel	5E
C.580.600.1000.A	58.0	6.00	100.0	1.6768	48.60	55.75	yes	music wire	5D
C.580.600.1000.I	58.0	6.00	100.0	1.4402	48.60	55.75	yes	stainless steel	5E
C.580.600.1250.A	58.0	6.00	125.0	1.3042	58.20	67.39	yes	music wire	5E
C.580.600.1250.I	58.0	6.00	125.0	1.1201	58.20	67.39	yes	stainless steel	5E
C.580.600.1600.A	58.0	6.00	160.0	1.0000	71.40	83.39	yes	music wire	5E
C.580.600.1600.I	58.0	6.00	160.0	0.8580	71.40	83.39	yes	stainless steel	5E
C.580.600.2000.A	58.0	6.00	200.0	0.7825	87.00	102.31	yes	music wire	5E
C.580.600.2000.I	58.0	6.00	200.0	0.6721	87.00	102.31	yes	stainless steel	5F
C.580.600.3600.A	58.0	6.00	360.0	0.4249	153.60	181.80	no	music wire	5F
C.580.600.3600.I	58.0	6.00	360.0	0.3649	153.60	181.80	no	stainless steel	5G
C.583.300.0450.A	58.3	3.00	45.0	0.3753	11.40	13.78	yes	music wire	4J
C.583.300.0450.I	58.3	3.00	45.0	0.3224	11.40	13.78	yes	stainless steel	4J
C.583.300.2050.A	58.3	3.00	205.0	0.0667	29.40	42.75	yes	music wire	4N
C.583.300.2050.I	58.3	3.00	205.0	0.0580	29.10	42.27	yes	stainless steel	4N
C.583.300.2640.A	58.3	3.00	264.0	0.0621	31.20	45.65	yes	music wire	4O
C.583.300.2640.I	58.3	3.00	264.0	0.0540	30.90	45.17	yes	stainless steel	4O
C.591.340.1620.A	59.1	3.40	162.0	0.0793	42.16	59.08	yes	music wire	4N
C.591.340.1620.I	59.1	3.40	162.0	0.0690	41.82	58.57	yes	stainless steel	4N
C.595.380.0540.A	59.5	3.80	54.0	0.4368	20.14	24.63	yes	music wire	4M
C.595.380.0540.I	59.5	3.80	54.0	0.3800	20.14	24.63	yes	stainless steel	4N
C.595.450.1870.A	59.5	4.50	187.0	0.2740	52.65	66.07	yes	music wire	4S
C.595.450.1870.I	59.5	4.50	187.0	0.2384	51.75	64.88	yes	stainless steel	4S
C.595.450.1870.N	59.5	4.50	187.0	0.2740	52.65	66.07	yes	Zn coating	5A
C.600.300.0500.A	60.0	3.00	50.0	0.3183	11.70	14.39	yes	music wire	4J
C.600.300.0500.I	60.0	3.00	50.0	0.2734	11.70	14.39	yes	stainless steel	4J
C.600.300.0600.A	60.0	3.00	60.0	0.2621	12.60	15.87	yes	music wire	4J
C.600.300.0600.I	60.0	3.00	60.0	0.2251	12.60	15.87	yes	stainless steel	4J
C.600.300.0800.A	60.0	3.00	80.0	0.1857	14.70	19.32	yes	music wire	4J
C.600.300.0800.I	60.0	3.00	80.0	0.1595	14.70	19.32	yes	stainless steel	4J
C.600.300.1000.A	60.0	3.00	100.0	0.1485	16.50	22.27	yes	music wire	4L
C.600.300.1000.I	60.0	3.00	100.0	0.1276	16.50	22.27	yes	stainless steel	4L
C.600.300.1200.A	60.0	3.00	120.0	0.1238	18.30	25.23	yes	music wire	4L
C.600.300.1200.I	60.0	3.00	120.0	0.1063	18.30	25.23	yes	stainless steel	4L
C.600.300.1250.A	60.0	3.00	125.0	0.1173	18.90	26.21	yes	music wire	4L
C.600.300.1250.I	60.0	3.00	125.0	0.1007	18.90	26.21	yes	stainless steel	4L
C.600.300.1600.A	60.0	3.00	160.0	0.0909	22.20	31.63	yes	music wire	4M
C.600.300.1600.I	60.0	3.00	160.0	0.0781	22.20	31.63	yes	stainless steel	4M
C.600.300.2000.A	60.0	3.00	200.0	0.0730	25.80	37.54	yes	music wire	4N
C.600.300.2000.I	60.0	3.00	200.0	0.0627	25.80	37.54	yes	stainless steel	4N
C.600.300.2800.A	60.0	3.00	280.0	0.0518	33.30	49.85	yes	music wire	4P
C.600.300.2800.I	60.0	3.00	280.0	0.0445	33.30	49.85	yes	stainless steel	4P
C.600.300.3600.A	60.0	3.00	360.0	0.0401	43.80	65.16	no	music wire	4Q
C.600.300.3600.I	60.0	3.00	360.0	0.0345	43.80	65.16	no	stainless steel	4Q
C.600.320.0500.A	60.0	3.20	50.0	0.3886	12.80	15.55	yes	music wire	4K

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.600.320.0500.I	60.0	3.20	50.0	0.3338	12.80	15.55	yes	stainless steel	4L
C.600.320.0600.A	60.0	3.20	60.0	0.3239	13.76	17.06	yes	music wire	4L
C.600.320.0600.I	60.0	3.20	60.0	0.2782	13.76	17.06	yes	stainless steel	4L
C.600.320.0800.A	60.0	3.20	80.0	0.2332	16.00	20.58	yes	music wire	4L
C.600.320.0800.I	60.0	3.20	80.0	0.2000	16.00	20.58	yes	stainless steel	4L
C.600.320.1000.A	60.0	3.20	100.0	0.1822	18.24	24.10	yes	music wire	4M
C.600.320.1000.I	60.0	3.20	100.0	0.1565	18.24	24.10	yes	stainless steel	4M
C.600.320.1200.A	60.0	3.20	120.0	0.1495	20.48	27.63	yes	music wire	4M
C.600.320.1200.I	60.0	3.20	120.0	0.1284	20.48	27.63	yes	stainless steel	4M
C.600.320.1250.A	60.0	3.20	125.0	0.1457	20.80	28.13	yes	music wire	4M
C.600.320.1250.I	60.0	3.20	125.0	0.1252	20.80	28.13	yes	stainless steel	4M
C.600.320.1600.A	60.0	3.20	160.0	0.1121	24.64	34.17	yes	music wire	4N
C.600.320.1600.I	60.0	3.20	160.0	0.0963	24.64	34.17	yes	stainless steel	4N
C.600.320.2000.A	60.0	3.20	200.0	0.0897	28.80	40.71	yes	music wire	4O
C.600.320.2000.I	60.0	3.20	200.0	0.0770	28.80	40.71	yes	stainless steel	4O
C.600.320.2800.A	60.0	3.20	280.0	0.0634	37.44	54.30	yes	music wire	4Q
C.600.320.2800.I	60.0	3.20	280.0	0.0544	37.44	54.30	yes	stainless steel	4Q
C.600.320.3600.A	60.0	3.20	360.0	0.0490	49.28	71.08	no	music wire	4R
C.600.320.3600.I	60.0	3.20	360.0	0.0421	49.28	71.08	no	stainless steel	4R
C.600.360.0500.A	60.0	3.60	50.0	0.5610	15.12	17.99	yes	music wire	4M
C.600.360.0500.I	60.0	3.60	50.0	0.4819	15.12	17.99	yes	stainless steel	4M
C.600.360.0600.A	60.0	3.60	60.0	0.4542	16.56	20.10	yes	music wire	4N
C.600.360.0600.I	60.0	3.60	60.0	0.3901	16.56	20.10	yes	stainless steel	4N
C.600.360.0800.A	60.0	3.60	80.0	0.3406	19.08	23.80	yes	music wire	4N
C.600.360.0800.I	60.0	3.60	80.0	0.2926	19.08	23.80	yes	stainless steel	4N
C.600.360.1000.A	60.0	3.60	100.0	0.2649	21.96	28.03	yes	music wire	4N
C.600.360.1000.I	60.0	3.60	100.0	0.2276	21.96	28.03	yes	stainless steel	4O
C.600.360.1200.A	60.0	3.60	120.0	0.2168	24.84	32.26	yes	music wire	4O
C.600.360.1200.I	60.0	3.60	120.0	0.1862	24.84	32.26	yes	stainless steel	4O
C.600.360.1220.A	60.0	3.60	122.0	0.2725	21.60	27.50	yes	music wire	4R
C.600.360.1220.I	60.0	3.60	122.0	0.2340	21.60	27.50	yes	stainless steel	4O
C.600.360.1220.N	60.0	3.60	122.0	0.2725	21.60	27.50	yes	Zn coating	4S
C.600.360.1250.A	60.0	3.60	125.0	0.2119	25.20	32.78	yes	music wire	4O
C.600.360.1250.I	60.0	3.60	125.0	0.1820	25.20	32.78	yes	stainless steel	4O
C.600.360.1400.A	60.0	3.60	140.0	0.1870	27.36	35.96	yes	music wire	4O
C.600.360.1400.I	60.0	3.60	140.0	0.1606	27.36	35.96	yes	stainless steel	4O
C.600.360.1600.A	60.0	3.60	160.0	0.1617	30.24	40.18	yes	music wire	4P
C.600.360.1600.I	60.0	3.60	160.0	0.1388	30.24	40.18	yes	stainless steel	4P
C.600.360.1880.A	60.0	3.60	188.0	0.1734	28.80	38.07	yes	music wire	4S
C.600.360.1880.I	60.0	3.60	188.0	0.1489	28.80	38.07	yes	stainless steel	4P
C.600.360.1880.N	60.0	3.60	188.0	0.1734	28.80	38.07	yes	Zn coating	4T
C.600.360.2000.A	60.0	3.60	200.0	0.1289	35.64	48.11	yes	music wire	4Q
C.600.360.2000.I	60.0	3.60	200.0	0.1107	35.64	48.11	yes	stainless steel	4Q
C.600.360.2400.A	60.0	3.60	240.0	0.1072	41.04	56.04	yes	music wire	4Q
C.600.360.2400.I	60.0	3.60	240.0	0.0920	41.04	56.04	yes	stainless steel	4R
C.600.360.2800.A	60.0	3.60	280.0	0.0908	46.80	64.50	yes	music wire	4R
C.600.360.2800.I	60.0	3.60	280.0	0.0780	46.80	64.50	yes	stainless steel	4R
C.600.360.3190.A	60.0	3.60	319.0	0.1004	43.20	59.21	yes	music wire	4T
C.600.360.3190.I	60.0	3.60	319.0	0.0862	43.20	59.21	yes	stainless steel	4R
C.600.360.3190.N	60.0	3.60	319.0	0.1004	43.20	59.21	yes	Zn coating	5B
C.600.360.3600.A	60.0	3.60	360.0	0.0706	61.20	83.95	no	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.600.360.3600.I	60.0	3.60	360.0	0.0607	61.20	83.95	no	stainless steel	4S
C.600.360.5160.A	60.0	3.60	516.0	0.0615	64.80	90.92	yes	music wire	5C
C.600.360.5160.I	60.0	3.60	516.0	0.0528	64.80	90.92	yes	stainless steel	5A
C.600.360.5160.N	60.0	3.60	516.0	0.0615	64.80	90.92	yes	Zn coating	5D
C.600.400.0500.A	60.0	4.00	50.0	0.3240	28.40	35.65	yes	music wire	4P
C.600.400.0500.I	60.0	4.00	50.0	0.2819	28.00	35.09	yes	stainless steel	4P
C.600.400.0500.N	60.0	4.00	50.0	0.3240	28.40	35.65	yes	Zn coating	4R
C.600.400.0600.A	60.0	4.00	60.0	0.6457	19.20	22.82	yes	music wire	4Q
C.600.400.0600.I	60.0	4.00	60.0	0.5546	19.20	22.82	yes	stainless steel	4Q
C.600.400.0800.A	60.0	4.00	80.0	0.4791	22.40	27.29	yes	music wire	4Q
C.600.400.0800.I	60.0	4.00	80.0	0.4115	22.40	27.29	yes	stainless steel	4Q
C.600.400.1000.A	60.0	4.00	100.0	0.3713	26.00	32.30	yes	music wire	4Q
C.600.400.1000.I	60.0	4.00	100.0	0.3189	26.00	32.30	yes	stainless steel	4R
C.600.400.1200.A	60.0	4.00	120.0	0.3094	29.20	36.76	yes	music wire	4R
C.600.400.1200.I	60.0	4.00	120.0	0.2657	29.20	36.76	yes	stainless steel	4R
C.600.400.1250.A	60.0	4.00	125.0	0.2970	30.00	37.88	yes	music wire	4R
C.600.400.1250.I	60.0	4.00	125.0	0.2551	30.00	37.88	yes	stainless steel	4R
C.600.400.1600.A	60.0	4.00	160.0	0.2285	36.00	46.24	yes	music wire	4R
C.600.400.1600.I	60.0	4.00	160.0	0.1962	36.00	46.24	yes	stainless steel	4R
C.600.400.2000.A	60.0	4.00	200.0	0.1811	42.80	55.72	yes	music wire	4S
C.600.400.2000.I	60.0	4.00	200.0	0.1556	42.80	55.72	yes	stainless steel	4S
C.600.400.3000.A	60.0	4.00	300.0	0.1188	60.00	79.70	yes	music wire	4T
C.600.400.3000.I	60.0	4.00	300.0	0.1020	60.00	79.70	yes	stainless steel	4T
C.600.400.3600.A	60.0	4.00	360.0	0.0990	74.00	97.64	no	music wire	4T
C.600.400.3600.I	60.0	4.00	360.0	0.0850	74.00	97.64	no	stainless steel	4T
C.600.450.0500.A	60.0	4.50	50.0	1.2218	20.25	23.20	yes	music wire	4R
C.600.450.0500.I	60.0	4.50	50.0	1.0494	20.25	23.20	yes	stainless steel	4R
C.600.450.0600.A	60.0	4.50	60.0	0.9775	22.50	26.19	yes	music wire	4R
C.600.450.0600.I	60.0	4.50	60.0	0.8395	22.50	26.19	yes	stainless steel	4R
C.600.450.0800.A	60.0	4.50	80.0	0.7187	26.55	31.57	yes	music wire	4R
C.600.450.0800.I	60.0	4.50	80.0	0.6173	26.55	31.57	yes	stainless steel	4R
C.600.450.1000.A	60.0	4.50	100.0	0.5554	31.05	37.55	yes	music wire	4R
C.600.450.1000.I	60.0	4.50	100.0	0.4770	31.05	37.55	yes	stainless steel	4R
C.600.450.1200.A	60.0	4.50	120.0	0.4525	35.55	43.52	yes	music wire	4S
C.600.450.1200.I	60.0	4.50	120.0	0.3887	35.55	43.52	yes	stainless steel	4S
C.600.450.1250.A	60.0	4.50	125.0	0.4364	36.45	44.72	yes	music wire	4S
C.600.450.1250.I	60.0	4.50	125.0	0.3748	36.45	44.72	yes	stainless steel	4S
C.600.450.1600.A	60.0	4.50	160.0	0.3347	44.10	54.88	yes	music wire	4S
C.600.450.1600.I	60.0	4.50	160.0	0.2875	44.10	54.88	yes	stainless steel	4S
C.600.450.2000.A	60.0	4.50	200.0	0.2656	52.65	66.24	yes	music wire	4S
C.600.450.2000.I	60.0	4.50	200.0	0.2281	52.65	66.24	yes	stainless steel	4T
C.600.450.3200.A	60.0	4.50	320.0	0.1640	78.30	100.30	yes	music wire	5A
C.600.450.3200.I	60.0	4.50	320.0	0.1409	78.30	100.30	yes	stainless steel	5A
C.600.450.3600.A	60.0	4.50	360.0	0.1455	91.35	116.16	no	music wire	5A
C.600.450.3600.I	60.0	4.50	360.0	0.1249	91.35	116.16	no	stainless steel	5A
C.600.500.0500.A	60.0	5.00	50.0	1.7395	23.50	26.60	yes	music wire	4S
C.600.500.0500.I	60.0	5.00	50.0	1.4941	23.50	26.60	yes	stainless steel	4S
C.600.500.0600.A	60.0	5.00	60.0	1.4174	26.00	29.80	yes	music wire	4S
C.600.500.0600.I	60.0	5.00	60.0	1.2174	26.00	29.80	yes	stainless steel	4S
C.600.500.0800.A	60.0	5.00	80.0	1.0343	31.00	36.21	yes	music wire	4S
C.600.500.0800.I	60.0	5.00	80.0	0.8884	31.00	36.21	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.600.500.1000.A	60.0	5.00	100.0	0.7973	36.50	43.26	yes	music wire	4S
C.600.500.1000.I	60.0	5.00	100.0	0.6848	36.50	43.26	yes	stainless steel	4S
C.600.500.1250.A	60.0	5.00	125.0	0.6274	43.00	51.59	yes	music wire	4T
C.600.500.1250.I	60.0	5.00	125.0	0.5389	43.00	51.59	yes	stainless steel	4T
C.600.500.1600.A	60.0	5.00	160.0	0.4844	52.00	63.12	yes	music wire	4T
C.600.500.1600.I	60.0	5.00	160.0	0.4161	52.00	63.12	yes	stainless steel	4T
C.600.500.1900.A	60.0	5.00	190.0	0.4252	57.50	70.17	yes	music wire	4T
C.600.500.1900.I	60.0	5.00	190.0	0.3652	57.50	70.17	yes	stainless steel	4T
C.600.500.1900.N	60.0	5.00	190.0	0.4252	57.50	70.17	yes	Zn coating	5B
C.600.500.2000.A	60.0	5.00	200.0	0.3827	62.50	76.58	yes	music wire	4T
C.600.500.2000.I	60.0	5.00	200.0	0.3287	62.50	76.58	yes	stainless steel	5A
C.600.500.2800.A	60.0	5.00	280.0	0.2695	83.50	103.49	yes	music wire	5A
C.600.500.2800.I	60.0	5.00	280.0	0.2315	83.50	103.49	yes	stainless steel	5A
C.600.500.3200.A	60.0	5.00	320.0	0.2348	94.00	116.94	yes	music wire	5B
C.600.500.3200.I	60.0	5.00	320.0	0.2017	94.00	116.94	yes	stainless steel	5B
C.600.500.3600.A	60.0	5.00	360.0	0.2080	109.50	135.40	no	music wire	5B
C.600.500.3600.I	60.0	5.00	360.0	0.1786	109.50	135.40	no	stainless steel	5B
C.600.550.0500.A	60.0	5.50	50.0	2.5000	26.40	29.53	yes	music wire	5A
C.600.550.0500.I	60.0	5.50	50.0	2.1505	26.40	29.53	yes	stainless steel	5B
C.600.550.0600.A	60.0	5.50	60.0	2.0567	29.15	32.96	yes	music wire	5A
C.600.550.0600.I	60.0	5.50	60.0	1.7665	29.15	32.96	yes	stainless steel	5B
C.600.550.0800.A	60.0	5.50	80.0	1.4397	35.75	41.19	yes	music wire	5B
C.600.550.0800.I	60.0	5.50	80.0	1.2365	35.75	41.19	yes	stainless steel	5B
C.600.550.0854.A	60.0	5.50	85.4	1.6454	33.00	37.76	yes	music wire	5D
C.600.550.0854.I	60.0	5.50	85.4	1.4132	33.00	37.76	yes	stainless steel	5B
C.600.550.0854.N	60.0	5.50	85.4	1.6454	33.00	37.76	yes	Zn coating	5E
C.600.550.1000.A	60.0	5.50	100.0	1.1292	41.80	48.74	yes	music wire	5B
C.600.550.1000.I	60.0	5.50	100.0	0.9698	41.80	48.74	yes	stainless steel	5B
C.600.550.1200.A	60.0	5.50	120.0	0.9288	47.85	56.28	yes	music wire	5B
C.600.550.1200.I	60.0	5.50	120.0	0.7978	47.85	56.28	yes	stainless steel	5B
C.600.550.1250.A	60.0	5.50	125.0	0.8860	49.50	58.34	yes	music wire	5B
C.600.550.1250.I	60.0	5.50	125.0	0.7609	49.50	58.34	yes	stainless steel	5B
C.600.550.1280.A	60.0	5.50	128.0	1.0470	44.00	51.48	yes	music wire	5D
C.600.550.1280.I	60.0	5.50	128.0	0.9000	44.00	51.48	yes	stainless steel	5C
C.600.550.1280.N	60.0	5.50	128.0	1.0470	44.00	51.48	yes	Zn coating	5F
C.600.550.1400.A	60.0	5.50	140.0	0.7782	54.45	64.51	yes	music wire	5B
C.600.550.1400.I	60.0	5.50	140.0	0.6684	54.45	64.51	yes	stainless steel	5C
C.600.550.1600.A	60.0	5.50	160.0	0.6775	60.50	72.06	yes	music wire	5C
C.600.550.1600.I	60.0	5.50	160.0	0.5819	60.50	72.06	yes	stainless steel	5C
C.600.550.2000.A	60.0	5.50	200.0	0.5332	73.15	87.84	yes	music wire	5C
C.600.550.2000.I	60.0	5.50	200.0	0.4580	73.15	87.84	yes	stainless steel	5C
C.600.550.2130.A	60.0	5.50	213.0	0.6062	66.00	78.92	yes	music wire	5E
C.600.550.2130.I	60.0	5.50	213.0	0.5207	66.00	78.92	yes	stainless steel	5D
C.600.550.2130.N	60.0	5.50	213.0	0.6062	66.00	78.92	yes	Zn coating	5G
C.600.550.2800.A	60.0	5.50	280.0	0.3764	97.90	118.71	yes	music wire	5D
C.600.550.2800.I	60.0	5.50	280.0	0.3233	97.90	118.71	yes	stainless steel	5D
C.600.550.3200.A	60.0	5.50	320.0	0.3272	110.55	134.49	yes	music wire	5D
C.600.550.3200.I	60.0	5.50	320.0	0.2810	110.55	134.49	yes	stainless steel	5D
C.600.550.3410.A	60.0	5.50	341.0	0.3715	99.00	120.08	yes	music wire	5F
C.600.550.3410.I	60.0	5.50	341.0	0.3191	99.00	120.08	yes	stainless steel	5D
C.600.550.3410.N	60.0	5.50	341.0	0.3715	99.00	120.08	yes	Zn coating	5H

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.600.550.3600.A	60.0	5.50	360.0	0.2908	128.15	155.08	no	music wire	5D
C.600.550.3600.I	60.0	5.50	360.0	0.2500	128.15	155.08	no	stainless steel	5E
C.600.580.1240.A	60.0	5.80	124.0	1.0230	55.68	65.19	yes	music wire	5B
C.600.580.1240.I	60.0	5.80	124.0	0.8900	55.10	64.48	yes	stainless steel	5B
C.600.580.2000.A	60.0	5.80	200.0	0.6523	78.88	93.75	yes	music wire	5C
C.600.580.2000.I	60.0	5.80	200.0	0.5603	78.88	93.75	yes	stainless steel	5C
C.600.600.0500.A	60.0	6.00	50.0	3.6456	28.80	31.86	yes	music wire	5D
C.600.600.0500.I	60.0	6.00	50.0	3.1312	28.80	31.86	yes	stainless steel	5E
C.600.600.0600.A	60.0	6.00	60.0	2.8913	32.40	36.25	yes	music wire	5D
C.600.600.0600.I	60.0	6.00	60.0	2.4833	32.40	36.25	yes	stainless steel	5E
C.600.600.0800.A	60.0	6.00	80.0	2.0451	39.60	45.05	yes	music wire	5D
C.600.600.0800.I	60.0	6.00	80.0	1.7565	39.60	45.05	yes	stainless steel	5E
C.600.600.1000.A	60.0	6.00	100.0	1.5527	47.40	54.58	yes	music wire	5D
C.600.600.1000.I	60.0	6.00	100.0	1.3336	47.40	54.58	yes	stainless steel	5E
C.600.600.1200.A	60.0	6.00	120.0	1.2704	54.60	63.37	yes	music wire	5E
C.600.600.1200.I	60.0	6.00	120.0	1.0912	54.60	63.37	yes	stainless steel	5E
C.600.600.1250.A	60.0	6.00	125.0	1.2660	54.60	63.37	yes	music wire	5E
C.600.600.1250.I	60.0	6.00	125.0	1.1000	54.00	62.64	yes	stainless steel	5E
C.600.600.1250.N	60.0	6.00	125.0	1.2660	54.60	63.37	yes	Zn coating	5F
C.600.600.1600.A	60.0	6.00	160.0	0.9316	69.00	80.96	yes	music wire	5E
C.600.600.1600.I	60.0	6.00	160.0	0.8000	69.00	80.96	yes	stainless steel	5E
C.600.600.2000.A	60.0	6.00	200.0	0.7355	83.40	98.55	yes	music wire	5E
C.600.600.2000.I	60.0	6.00	200.0	0.6317	83.40	98.55	yes	stainless steel	5F
C.600.600.2600.A	60.0	6.00	260.0	0.5590	105.00	124.94	yes	music wire	5E
C.600.600.2600.I	60.0	6.00	260.0	0.4801	105.00	124.94	yes	stainless steel	5G
C.600.600.3600.A	60.0	6.00	360.0	0.4000	147.00	174.91	no	music wire	5F
C.600.600.3600.I	60.0	6.00	360.0	0.3429	147.00	174.91	no	stainless steel	5G
C.603.270.1250.A	60.3	2.70	125.0	0.0655	21.06	30.15	no	music wire	4K
C.603.270.1250.I	60.3	2.70	125.0	0.0570	21.06	30.15	no	stainless steel	4L
C.603.270.1460.A	60.3	2.70	146.0	0.0552	23.22	34.00	no	music wire	4L
C.603.270.1460.I	60.3	2.70	146.0	0.0480	23.22	34.00	no	stainless steel	4L
C.603.270.3200.A	60.3	2.70	320.0	0.0326	32.94	51.32	no	music wire	4P
C.603.270.3200.I	60.3	2.70	320.0	0.0280	32.94	51.32	no	stainless steel	4P
C.603.400.0450.A	60.3	4.00	45.0	0.9134	16.40	18.94	yes	music wire	4P
C.603.400.0450.I	60.3	4.00	45.0	0.7845	16.40	18.94	yes	stainless steel	4P
C.603.400.0800.A	60.3	4.00	80.0	0.4714	22.40	27.32	yes	music wire	4Q
C.603.400.0800.I	60.3	4.00	80.0	0.4049	22.40	27.32	yes	stainless steel	4Q
C.603.400.1050.A	60.3	4.00	105.0	0.2299	35.60	45.77	yes	music wire	4R
C.603.400.1050.I	60.3	4.00	105.0	0.2000	35.20	45.21	yes	stainless steel	4R
C.603.400.1130.A	60.3	4.00	113.0	0.2874	30.40	38.50	yes	music wire	4R
C.603.400.1130.I	60.3	4.00	113.0	0.2500	30.00	37.94	yes	stainless steel	4R
C.603.400.1680.A	60.3	4.00	168.0	0.2759	31.20	39.62	yes	music wire	4T
C.603.400.1680.I	60.3	4.00	168.0	0.2400	30.80	39.06	yes	stainless steel	4T
C.603.400.2000.A	60.3	4.00	200.0	0.1804	42.40	55.27	yes	music wire	4S
C.603.400.2000.I	60.3	4.00	200.0	0.1550	42.40	55.27	yes	stainless steel	4S
C.603.400.2980.A	60.3	4.00	298.0	0.1092	63.60	84.89	yes	music wire	4T
C.603.400.2980.I	60.3	4.00	298.0	0.0950	62.80	83.77	yes	stainless steel	4T
C.611.300.0800.A	61.1	3.00	80.0	0.1829	14.40	18.97	yes	music wire	4J
C.611.300.0800.I	61.1	3.00	80.0	0.1571	14.40	18.97	yes	stainless steel	4J
C.611.300.1780.A	61.1	3.00	178.0	0.0747	24.30	35.43	yes	music wire	4M
C.611.300.1780.I	61.1	3.00	178.0	0.0650	24.30	35.43	yes	stainless steel	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.611.380.0540.A	61.1	3.80	54.0	0.3793	20.90	25.93	yes	music wire	4M
C.611.380.0540.I	61.1	3.80	54.0	0.3300	20.52	25.38	yes	stainless steel	4N
C.611.380.3000.A	61.1	3.80	300.0	0.0982	53.20	72.47	yes	music wire	4R
C.611.380.3000.I	61.1	3.80	300.0	0.0843	53.20	72.47	yes	stainless steel	4R
C.611.400.0800.A	61.1	4.00	80.0	0.4670	22.00	26.87	yes	music wire	4Q
C.611.400.0800.I	61.1	4.00	80.0	0.4011	22.00	26.87	yes	stainless steel	4Q
C.611.400.4060.A	61.1	4.00	406.0	0.1149	58.80	101.64	yes	music wire	5D
C.611.400.4060.I	61.1	4.00	406.0	0.1000	58.00	90.86	yes	stainless steel	5D
C.611.530.0800.A	61.1	5.30	80.0	1.2644	32.86	38.08	yes	music wire	4S
C.611.530.0800.I	61.1	5.30	80.0	1.1000	32.33	37.41	yes	stainless steel	4S
C.611.530.2000.A	61.1	5.30	200.0	0.4536	67.31	81.70	yes	music wire	4T
C.611.530.2000.I	61.1	5.30	200.0	0.3896	67.31	81.70	yes	stainless steel	5A
C.618.500.0500.A	61.8	5.00	50.0	1.7373	22.50	25.44	yes	music wire	4S
C.618.500.0500.I	61.8	5.00	50.0	1.4922	22.50	25.44	yes	stainless steel	4S
C.618.500.0600.A	61.8	5.00	60.0	1.3898	25.00	28.67	yes	music wire	4S
C.618.500.0600.I	61.8	5.00	60.0	1.1937	25.00	28.67	yes	stainless steel	4S
C.618.500.0800.A	61.8	5.00	80.0	0.9927	30.00	35.14	yes	music wire	4S
C.618.500.0800.I	61.8	5.00	80.0	0.8527	30.00	35.14	yes	stainless steel	4S
C.618.500.1000.A	61.8	5.00	100.0	0.7721	35.00	41.61	yes	music wire	4S
C.618.500.1000.I	61.8	5.00	100.0	0.6632	35.00	41.61	yes	stainless steel	4S
C.618.500.1050.A	61.8	5.00	105.0	0.7239	36.50	43.55	yes	music wire	4S
C.618.500.1050.I	61.8	5.00	105.0	0.6217	36.50	43.55	yes	stainless steel	4T
C.618.500.1200.A	61.8	5.00	120.0	0.6317	40.00	48.07	yes	music wire	4T
C.618.500.1200.I	61.8	5.00	120.0	0.5426	40.00	48.07	yes	stainless steel	4T
C.618.500.1600.A	61.8	5.00	160.0	0.6250	40.50	57.51	yes	music wire	5C
C.618.500.1600.I	61.8	5.00	160.0	0.5438	40.00	52.85	yes	stainless steel	5C
C.618.500.1600.N	61.8	5.00	160.0	0.6250	40.50	57.51	yes	Zn coating	5D
C.618.500.2000.A	61.8	5.00	200.0	0.5000	47.00	71.88	yes	music wire	5C
C.618.500.2000.I	61.8	5.00	200.0	0.4350	47.00	66.06	yes	stainless steel	5D
C.618.500.2000.N	61.8	5.00	200.0	0.5000	47.00	71.88	yes	Zn coating	5D
C.618.500.2500.A	61.8	5.00	250.0	0.4000	56.00	89.85	yes	music wire	5D
C.618.500.2500.I	61.8	5.00	250.0	0.3480	55.50	82.58	yes	stainless steel	5D
C.618.500.2500.N	61.8	5.00	250.0	0.4000	56.00	89.85	yes	Zn coating	5E
C.618.500.3200.A	61.8	5.00	320.0	0.3125	68.00	115.01	yes	music wire	5D
C.618.500.3200.I	61.8	5.00	320.0	0.2719	67.50	105.70	yes	stainless steel	5E
C.618.500.3200.N	61.8	5.00	320.0	0.3125	68.00	115.01	yes	Zn coating	5F
C.618.500.4000.A	61.8	5.00	400.0	0.2500	82.00	143.76	yes	music wire	5E
C.618.500.4000.I	61.8	5.00	400.0	0.2175	81.00	132.12	yes	stainless steel	5E
C.618.500.4000.N	61.8	5.00	400.0	0.2500	82.00	143.76	yes	Zn coating	5G
C.618.500.5000.A	61.8	5.00	500.0	0.2000	99.50	179.70	yes	music wire	5E
C.618.500.5000.I	61.8	5.00	500.0	0.1740	98.50	165.15	yes	stainless steel	5G
C.618.500.5000.N	61.8	5.00	500.0	0.2000	99.50	179.70	yes	Zn coating	5H
C.620.300.0500.A	62.0	3.00	50.0	0.3091	11.40	14.05	yes	music wire	4J
C.620.300.0500.I	62.0	3.00	50.0	0.2655	11.40	14.05	yes	stainless steel	4J
C.620.300.0800.A	62.0	3.00	80.0	0.1826	14.10	18.59	yes	music wire	4J
C.620.300.0800.I	62.0	3.00	80.0	0.1569	14.10	18.59	yes	stainless steel	4J
C.620.300.1000.A	62.0	3.00	100.0	0.1435	15.90	21.61	yes	music wire	4L
C.620.300.1000.I	62.0	3.00	100.0	0.1232	15.90	21.61	yes	stainless steel	4L
C.620.300.1250.A	62.0	3.00	125.0	0.1148	18.00	25.14	yes	music wire	4L
C.620.300.1250.I	62.0	3.00	125.0	0.0986	18.00	25.14	yes	stainless steel	4L
C.620.300.1600.A	62.0	3.00	160.0	0.0893	21.00	30.18	yes	music wire	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.620.300.1600.I	62.0	3.00	160.0	0.0767	21.00	30.18	yes	stainless steel	4M
C.620.300.2000.A	62.0	3.00	200.0	0.0705	24.60	36.23	yes	music wire	4N
C.620.300.2000.I	62.0	3.00	200.0	0.0605	24.60	36.23	yes	stainless steel	4N
C.620.300.3600.A	62.0	3.00	360.0	0.0386	41.70	62.92	no	music wire	4R
C.620.300.3600.I	62.0	3.00	360.0	0.0332	41.70	62.92	no	stainless steel	4R
C.620.320.0500.A	62.0	3.20	50.0	0.3753	12.48	15.20	yes	music wire	4K
C.620.320.0500.I	62.0	3.20	50.0	0.3224	12.48	15.20	yes	stainless steel	4L
C.620.320.0800.A	62.0	3.20	80.0	0.2189	15.68	20.34	yes	music wire	4L
C.620.320.0800.I	62.0	3.20	80.0	0.1880	15.68	20.34	yes	stainless steel	4L
C.620.320.1000.A	62.0	3.20	100.0	0.1752	17.60	23.42	yes	music wire	4M
C.620.320.1000.I	62.0	3.20	100.0	0.1504	17.60	23.42	yes	stainless steel	4M
C.620.320.1250.A	62.0	3.20	125.0	0.1383	20.16	27.53	yes	music wire	4M
C.620.320.1250.I	62.0	3.20	125.0	0.1188	20.16	27.53	yes	stainless steel	4M
C.620.320.1600.A	62.0	3.20	160.0	0.1072	23.68	33.19	yes	music wire	4N
C.620.320.1600.I	62.0	3.20	160.0	0.0921	23.68	33.19	yes	stainless steel	4N
C.620.320.2000.A	62.0	3.20	200.0	0.0861	27.52	39.36	yes	music wire	4O
C.620.320.2000.I	62.0	3.20	200.0	0.0740	27.52	39.36	yes	stainless steel	4O
C.620.320.3600.A	62.0	3.20	360.0	0.0469	47.04	68.78	no	music wire	4R
C.620.320.3600.I	62.0	3.20	360.0	0.0403	47.04	68.78	no	stainless steel	4R
C.620.360.0500.A	62.0	3.60	50.0	0.5369	14.76	17.61	yes	music wire	4M
C.620.360.0500.I	62.0	3.60	50.0	0.4612	14.76	17.61	yes	stainless steel	4N
C.620.360.0800.A	62.0	3.60	80.0	0.3182	18.72	23.53	yes	music wire	4N
C.620.360.0800.I	62.0	3.60	80.0	0.2733	18.72	23.53	yes	stainless steel	4N
C.620.360.1000.A	62.0	3.60	100.0	0.2527	21.24	27.30	yes	music wire	4O
C.620.360.1000.I	62.0	3.60	100.0	0.2170	21.24	27.30	yes	stainless steel	4O
C.620.360.1250.A	62.0	3.60	125.0	0.2000	24.48	32.14	yes	music wire	4O
C.620.360.1250.I	62.0	3.60	125.0	0.1716	24.48	32.14	yes	stainless steel	4O
C.620.360.1600.A	62.0	3.60	160.0	0.1562	28.80	38.60	yes	music wire	4P
C.620.360.1600.I	62.0	3.60	160.0	0.1342	28.80	38.60	yes	stainless steel	4P
C.620.360.2000.A	62.0	3.60	200.0	0.1227	34.20	46.67	yes	music wire	4Q
C.620.360.2000.I	62.0	3.60	200.0	0.1054	34.20	46.67	yes	stainless steel	4Q
C.620.360.3600.A	62.0	3.60	360.0	0.0676	58.32	80.94	no	music wire	4S
C.620.360.3600.I	62.0	3.60	360.0	0.0581	58.32	80.94	no	stainless steel	4S
C.620.400.0500.A	62.0	4.00	50.0	0.7863	16.80	19.62	yes	music wire	4P
C.620.400.0500.I	62.0	4.00	50.0	0.6753	16.80	19.62	yes	stainless steel	4Q
C.620.400.0800.A	62.0	4.00	80.0	0.4609	21.60	26.42	yes	music wire	4Q
C.620.400.0800.I	62.0	4.00	80.0	0.3959	21.60	26.42	yes	stainless steel	4Q
C.620.400.1000.A	62.0	4.00	100.0	0.3613	24.80	30.95	yes	music wire	4R
C.620.400.1000.I	62.0	4.00	100.0	0.3103	24.80	30.95	yes	stainless steel	4R
C.620.400.1250.A	62.0	4.00	125.0	0.2844	28.80	36.61	yes	music wire	4R
C.620.400.1250.I	62.0	4.00	125.0	0.2443	28.80	36.61	yes	stainless steel	4R
C.620.400.1600.A	62.0	4.00	160.0	0.2191	34.40	44.54	yes	music wire	4R
C.620.400.1600.I	62.0	4.00	160.0	0.1882	34.40	44.54	yes	stainless steel	4R
C.620.400.2000.A	62.0	4.00	200.0	0.1736	40.80	53.59	yes	music wire	4S
C.620.400.2000.I	62.0	4.00	200.0	0.1491	40.80	53.59	yes	stainless steel	4S
C.620.400.3600.A	62.0	4.00	360.0	0.0948	70.40	93.83	no	music wire	4T
C.620.400.3600.I	62.0	4.00	360.0	0.0814	70.40	93.83	no	stainless steel	5A
C.620.450.0500.A	62.0	4.50	50.0	1.1565	19.80	22.75	yes	music wire	4R
C.620.450.0500.I	62.0	4.50	50.0	0.9933	19.80	22.75	yes	stainless steel	4R
C.620.450.0800.A	62.0	4.50	80.0	0.6867	25.65	30.62	yes	music wire	4R
C.620.450.0800.I	62.0	4.50	80.0	0.5898	25.65	30.62	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.620.450.1000.A	62.0	4.50	100.0	0.5360	29.70	36.06	yes	music wire	4R
C.620.450.1000.I	62.0	4.50	100.0	0.4603	29.70	36.06	yes	stainless steel	4R
C.620.450.1250.A	62.0	4.50	125.0	0.4146	35.10	43.33	yes	music wire	4S
C.620.450.1250.I	62.0	4.50	125.0	0.3561	35.10	43.33	yes	stainless steel	4S
C.620.450.1600.A	62.0	4.50	160.0	0.3185	42.30	53.01	yes	music wire	4S
C.620.450.1600.I	62.0	4.50	160.0	0.2735	42.30	53.01	yes	stainless steel	4S
C.620.450.2000.A	62.0	4.50	200.0	0.2526	50.40	63.90	yes	music wire	4T
C.620.450.2000.I	62.0	4.50	200.0	0.2169	50.40	63.90	yes	stainless steel	4T
C.620.450.3600.A	62.0	4.50	360.0	0.1382	87.30	111.98	no	music wire	5A
C.620.450.3600.I	62.0	4.50	360.0	0.1187	87.30	111.98	no	stainless steel	5B
C.620.500.0500.A	62.0	5.00	50.0	1.7191	22.50	25.45	yes	music wire	4S
C.620.500.0500.I	62.0	5.00	50.0	1.4765	22.50	25.45	yes	stainless steel	4S
C.620.500.0800.A	62.0	5.00	80.0	0.9823	30.00	35.16	yes	music wire	4S
C.620.500.0800.I	62.0	5.00	80.0	0.8437	30.00	35.16	yes	stainless steel	4S
C.620.500.1000.A	62.0	5.00	100.0	0.7640	35.00	41.64	yes	music wire	4S
C.620.500.1000.I	62.0	5.00	100.0	0.6562	35.00	41.64	yes	stainless steel	4S
C.620.500.1250.A	62.0	5.00	125.0	0.5928	41.50	50.05	yes	music wire	4T
C.620.500.1250.I	62.0	5.00	125.0	0.5091	41.50	50.05	yes	stainless steel	4T
C.620.500.1600.A	62.0	5.00	160.0	0.4584	50.00	61.06	yes	music wire	4T
C.620.500.1600.I	62.0	5.00	160.0	0.3937	50.00	61.06	yes	stainless steel	4T
C.620.500.2000.A	62.0	5.00	200.0	0.3619	60.00	74.01	yes	music wire	4T
C.620.500.2000.I	62.0	5.00	200.0	0.3108	60.00	74.01	yes	stainless steel	5A
C.620.500.3600.A	62.0	5.00	360.0	0.1976	104.50	130.16	no	music wire	5B
C.620.500.3600.I	62.0	5.00	360.0	0.1697	104.50	130.16	no	stainless steel	5C
C.620.550.0500.A	62.0	5.50	50.0	2.4612	25.30	28.28	yes	music wire	5A
C.620.550.0500.I	62.0	5.50	50.0	2.1139	25.30	28.28	yes	stainless steel	5B
C.620.550.0800.A	62.0	5.50	80.0	1.3602	34.65	40.05	yes	music wire	5B
C.620.550.0800.I	62.0	5.50	80.0	1.1682	34.65	40.05	yes	stainless steel	5B
C.620.550.1000.A	62.0	5.50	100.0	1.0768	40.15	46.97	yes	music wire	5B
C.620.550.1000.I	62.0	5.50	100.0	0.9249	40.15	46.97	yes	stainless steel	5B
C.620.550.1250.A	62.0	5.50	125.0	0.8336	47.85	56.66	yes	music wire	5B
C.620.550.1250.I	62.0	5.50	125.0	0.7160	47.85	56.66	yes	stainless steel	5C
C.620.550.1600.A	62.0	5.50	160.0	0.6381	58.30	69.81	yes	music wire	5C
C.620.550.1600.I	62.0	5.50	160.0	0.5481	58.30	69.81	yes	stainless steel	5C
C.620.550.2000.A	62.0	5.50	200.0	0.5067	69.85	84.34	yes	music wire	5C
C.620.550.2000.I	62.0	5.50	200.0	0.4352	69.85	84.34	yes	stainless steel	5D
C.620.550.2250.A	62.0	5.50	225.0	0.5690	63.80	79.20	yes	music wire	5E
C.620.550.2250.I	62.0	5.50	225.0	0.4950	63.25	76.04	yes	stainless steel	5F
C.620.550.2250.N	62.0	5.50	225.0	0.5690	63.80	79.20	yes	Zn coating	5G
C.620.550.3600.A	62.0	5.50	360.0	0.2749	122.65	149.36	no	music wire	5D
C.620.550.3600.I	62.0	5.50	360.0	0.2361	122.65	149.36	no	stainless steel	5E
C.620.600.0500.A	62.0	6.00	50.0	3.4173	28.20	31.24	yes	music wire	5D
C.620.600.0500.I	62.0	6.00	50.0	2.9351	28.20	31.24	yes	stainless steel	5E
C.620.600.0800.A	62.0	6.00	80.0	1.9277	38.40	43.80	yes	music wire	5D
C.620.600.0800.I	62.0	6.00	80.0	1.6557	38.40	43.80	yes	stainless steel	5E
C.620.600.1000.A	62.0	6.00	100.0	1.4741	45.60	52.66	yes	music wire	5D
C.620.600.1000.I	62.0	6.00	100.0	1.2661	45.60	52.66	yes	stainless steel	5E
C.620.600.1250.A	62.0	6.00	125.0	1.1566	54.00	63.00	yes	music wire	5E
C.620.600.1250.I	62.0	6.00	125.0	0.9934	54.00	63.00	yes	stainless steel	5E
C.620.600.1600.A	62.0	6.00	160.0	0.8845	66.00	77.76	yes	music wire	5E
C.620.600.1600.I	62.0	6.00	160.0	0.7597	66.00	77.76	yes	stainless steel	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.620.600.2000.A	62.0	6.00	200.0	0.6961	79.80	94.75	yes	music wire	5E
C.620.600.2000.I	62.0	6.00	200.0	0.5979	79.80	94.75	yes	stainless steel	5F
C.620.600.3600.A	62.0	6.00	360.0	0.3759	141.00	168.68	no	music wire	5F
C.620.600.3600.I	62.0	6.00	360.0	0.3229	141.00	168.68	no	stainless steel	5G
C.630.550.0800.A	63.0	5.50	80.0	1.0150	40.15	47.12	yes	music wire	5B
C.630.550.0800.I	63.0	5.50	80.0	0.8831	40.15	47.12	yes	stainless steel	5B
C.630.550.0800.N	63.0	5.50	80.0	1.0150	40.15	47.12	yes	Zn coating	5D
C.630.550.2050.A	63.0	5.50	205.0	0.4807	69.85	84.66	yes	music wire	5C
C.630.550.2050.I	63.0	5.50	205.0	0.4129	69.85	84.66	yes	stainless steel	5D
C.635.380.1270.A	63.5	3.80	127.0	0.1900	29.64	39.11	yes	music wire	4O
C.635.380.1270.I	63.5	3.80	127.0	0.1653	29.26	38.55	yes	stainless steel	4O
C.635.400.4320.A	63.5	4.00	432.0	0.0517	105.60	146.89	yes	music wire	5A
C.635.400.4320.I	63.5	4.00	432.0	0.0450	104.40	145.17	yes	stainless steel	5B
C.635.600.2670.A	63.5	6.00	267.0	0.4138	115.80	139.77	yes	music wire	5E
C.635.600.2670.I	63.5	6.00	267.0	0.3600	114.60	138.28	yes	stainless steel	5G
C.640.300.0500.A	64.0	3.00	50.0	0.2797	14.40	17.21	no	music wire	4J
C.640.300.0500.I	64.0	3.00	50.0	0.2402	14.40	17.21	no	stainless steel	4J
C.640.300.0800.A	64.0	3.00	80.0	0.1731	16.80	21.34	no	music wire	4J
C.640.300.0800.I	64.0	3.00	80.0	0.1487	16.80	21.34	no	stainless steel	4K
C.640.300.1000.A	64.0	3.00	100.0	0.1398	18.30	23.92	no	music wire	4L
C.640.300.1000.I	64.0	3.00	100.0	0.1201	18.30	23.92	no	stainless steel	4L
C.640.300.1250.A	64.0	3.00	125.0	0.1102	20.40	27.53	no	music wire	4L
C.640.300.1250.I	64.0	3.00	125.0	0.0946	20.40	27.53	no	stainless steel	4M
C.640.300.1600.A	64.0	3.00	160.0	0.0845	23.40	32.69	no	music wire	4M
C.640.300.1600.I	64.0	3.00	160.0	0.0726	23.40	32.69	no	stainless steel	4M
C.640.300.2000.A	64.0	3.00	200.0	0.0673	26.70	38.37	no	music wire	4N
C.640.300.2000.I	64.0	3.00	200.0	0.0578	26.70	38.37	no	stainless steel	4N
C.640.300.3600.A	64.0	3.00	360.0	0.0371	39.90	61.07	no	music wire	4R
C.640.300.3600.I	64.0	3.00	360.0	0.0319	39.90	61.07	no	stainless steel	4R
C.640.320.0500.A	64.0	3.20	50.0	0.3656	12.16	14.83	yes	music wire	4K
C.640.320.0500.I	64.0	3.20	50.0	0.3140	12.16	14.83	yes	stainless steel	4L
C.640.320.0800.A	64.0	3.20	80.0	0.2160	15.04	19.56	yes	music wire	4L
C.640.320.0800.I	64.0	3.20	80.0	0.1856	15.04	19.56	yes	stainless steel	4L
C.640.320.1000.A	64.0	3.20	100.0	0.1697	16.96	22.71	yes	music wire	4M
C.640.320.1000.I	64.0	3.20	100.0	0.1458	16.96	22.71	yes	stainless steel	4M
C.640.320.1250.A	64.0	3.20	125.0	0.1320	19.52	26.91	yes	music wire	4M
C.640.320.1250.I	64.0	3.20	125.0	0.1134	19.52	26.91	yes	stainless steel	4M
C.640.320.1600.A	64.0	3.20	160.0	0.1033	22.72	32.16	yes	music wire	4N
C.640.320.1600.I	64.0	3.20	160.0	0.0887	22.72	32.16	yes	stainless steel	4N
C.640.320.2000.A	64.0	3.20	200.0	0.0819	26.56	38.47	yes	music wire	4O
C.640.320.2000.I	64.0	3.20	200.0	0.0704	26.56	38.47	yes	stainless steel	4O
C.640.320.3600.A	64.0	3.20	360.0	0.0453	44.80	66.35	no	music wire	4R
C.640.320.3600.I	64.0	3.20	360.0	0.0389	44.80	66.35	no	stainless steel	4R
C.640.360.0500.A	64.0	3.60	50.0	0.5177	14.40	17.22	yes	music wire	4M
C.640.360.0500.I	64.0	3.60	50.0	0.4446	14.40	17.22	yes	stainless steel	4N
C.640.360.0800.A	64.0	3.60	80.0	0.3106	18.00	22.70	yes	music wire	4N
C.640.360.0800.I	64.0	3.60	80.0	0.2668	18.00	22.70	yes	stainless steel	4N
C.640.360.1000.A	64.0	3.60	100.0	0.2427	20.52	26.54	yes	music wire	4O
C.640.360.1000.I	64.0	3.60	100.0	0.2084	20.52	26.54	yes	stainless steel	4O
C.640.360.1250.A	64.0	3.60	125.0	0.1941	23.40	30.92	yes	music wire	4O
C.640.360.1250.I	64.0	3.60	125.0	0.1667	23.40	30.92	yes	stainless steel	4O

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.640.360.1600.A	64.0	3.60	160.0	0.1493	27.72	37.50	yes	music wire	4P
C.640.360.1600.I	64.0	3.60	160.0	0.1283	27.72	37.50	yes	stainless steel	4P
C.640.360.2000.A	64.0	3.60	200.0	0.1195	32.40	44.62	yes	music wire	4Q
C.640.360.2000.I	64.0	3.60	200.0	0.1026	32.40	44.62	yes	stainless steel	4Q
C.640.360.3600.A	64.0	3.60	360.0	0.0653	55.44	77.81	no	music wire	4S
C.640.360.3600.I	64.0	3.60	360.0	0.0560	55.44	77.81	no	stainless steel	4S
C.640.400.0500.A	64.0	4.00	50.0	0.7546	16.40	19.20	yes	music wire	4P
C.640.400.0500.I	64.0	4.00	50.0	0.6481	16.40	19.20	yes	stainless steel	4Q
C.640.400.0800.A	64.0	4.00	80.0	0.4312	21.20	26.10	yes	music wire	4Q
C.640.400.0800.I	64.0	4.00	80.0	0.3704	21.20	26.10	yes	stainless steel	4Q
C.640.400.1000.A	64.0	4.00	100.0	0.3450	24.00	30.13	yes	music wire	4R
C.640.400.1000.I	64.0	4.00	100.0	0.2963	24.00	30.13	yes	stainless steel	4R
C.640.400.1250.A	64.0	4.00	125.0	0.2683	28.00	35.88	yes	music wire	4R
C.640.400.1250.I	64.0	4.00	125.0	0.2305	28.00	35.88	yes	stainless steel	4R
C.640.400.1600.A	64.0	4.00	160.0	0.2082	33.20	43.35	yes	music wire	4R
C.640.400.1600.I	64.0	4.00	160.0	0.1788	33.20	43.35	yes	stainless steel	4R
C.640.400.2000.A	64.0	4.00	200.0	0.1654	39.20	51.98	yes	music wire	4S
C.640.400.2000.I	64.0	4.00	200.0	0.1421	39.20	51.98	yes	stainless steel	4S
C.640.400.3600.A	64.0	4.00	360.0	0.0908	67.20	90.47	no	music wire	5A
C.640.400.3600.I	64.0	4.00	360.0	0.0780	67.20	90.47	no	stainless steel	5A
C.640.450.0500.A	64.0	4.50	50.0	1.1000	19.35	22.28	yes	music wire	4R
C.640.450.0500.I	64.0	4.50	50.0	0.9463	19.35	22.28	yes	stainless steel	4R
C.640.450.0800.A	64.0	4.50	80.0	0.6397	25.20	30.25	yes	music wire	4R
C.640.450.0800.I	64.0	4.50	80.0	0.5495	25.20	30.25	yes	stainless steel	4R
C.640.450.1000.A	64.0	4.50	100.0	0.5085	28.80	35.16	yes	music wire	4R
C.640.450.1000.I	64.0	4.50	100.0	0.4368	28.80	35.16	yes	stainless steel	4S
C.640.450.1250.A	64.0	4.50	125.0	0.3966	33.75	41.90	yes	music wire	4S
C.640.450.1250.I	64.0	4.50	125.0	0.3407	33.75	41.90	yes	stainless steel	4S
C.640.450.1355.A	64.0	4.50	135.5	0.3540	36.45	45.58	yes	music wire	4S
C.640.450.1355.I	64.0	4.50	135.5	0.3080	36.00	44.97	yes	stainless steel	4S
C.640.450.1355.N	64.0	4.50	135.5	0.3540	36.45	45.58	yes	Zn coating	4T
C.640.450.1600.A	64.0	4.50	160.0	0.3051	40.50	51.10	yes	music wire	4S
C.640.450.1600.I	64.0	4.50	160.0	0.2621	40.50	51.10	yes	stainless steel	4S
C.640.450.2000.A	64.0	4.50	200.0	0.2419	48.15	61.52	yes	music wire	4T
C.640.450.2000.I	64.0	4.50	200.0	0.2077	48.15	61.52	yes	stainless steel	4T
C.640.450.3600.A	64.0	4.50	360.0	0.1322	83.25	107.70	no	music wire	5A
C.640.450.3600.I	64.0	4.50	360.0	0.1136	83.25	107.70	no	stainless steel	5B
C.640.500.0500.A	64.0	5.00	50.0	1.6317	22.00	24.93	yes	music wire	4S
C.640.500.0500.I	64.0	5.00	50.0	1.4000	22.00	24.93	yes	stainless steel	4S
C.640.500.0800.A	64.0	5.00	80.0	0.9395	29.00	34.10	yes	music wire	4S
C.640.500.0800.I	64.0	5.00	80.0	0.8069	29.00	34.10	yes	stainless steel	4S
C.640.500.1000.A	64.0	5.00	100.0	0.7210	34.00	40.64	yes	music wire	4S
C.640.500.1000.I	64.0	5.00	100.0	0.6192	34.00	40.64	yes	stainless steel	4T
C.640.500.1250.A	64.0	5.00	125.0	0.5637	40.00	48.49	yes	music wire	4T
C.640.500.1250.I	64.0	5.00	125.0	0.4841	40.00	48.49	yes	stainless steel	4T
C.640.500.1600.A	64.0	5.00	160.0	0.4366	48.00	58.96	yes	music wire	4T
C.640.500.1600.I	64.0	5.00	160.0	0.3750	48.00	58.96	yes	stainless steel	4T
C.640.500.2000.A	64.0	5.00	200.0	0.3445	57.50	71.40	yes	music wire	5A
C.640.500.2000.I	64.0	5.00	200.0	0.2959	57.50	71.40	yes	stainless steel	5A
C.640.500.3600.A	64.0	5.00	360.0	0.1879	100.00	125.48	no	music wire	5B
C.640.500.3600.I	64.0	5.00	360.0	0.1614	100.00	125.48	no	stainless steel	5C

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.640.550.0500.A	64.0	5.50	50.0	2.3282	24.75	27.72	yes	music wire	5A
C.640.550.0500.I	64.0	5.50	50.0	2.0000	24.75	27.72	yes	stainless steel	5B
C.640.550.0800.A	64.0	5.50	80.0	1.2934	33.55	38.89	yes	music wire	5B
C.640.550.0800.I	64.0	5.50	80.0	1.1109	33.55	38.89	yes	stainless steel	5B
C.640.550.1000.A	64.0	5.50	100.0	1.0123	39.05	45.87	yes	music wire	5B
C.640.550.1000.I	64.0	5.50	100.0	0.8694	39.05	45.87	yes	stainless steel	5B
C.640.550.1250.A	64.0	5.50	125.0	0.7892	46.20	54.95	yes	music wire	5B
C.640.550.1250.I	64.0	5.50	125.0	0.6779	46.20	54.95	yes	stainless steel	5C
C.640.550.1600.A	64.0	5.50	160.0	0.6127	55.55	66.82	yes	music wire	5C
C.640.550.1600.I	64.0	5.50	160.0	0.5262	55.55	66.82	yes	stainless steel	5C
C.640.550.2000.A	64.0	5.50	200.0	0.4800	67.10	81.49	yes	music wire	5C
C.640.550.2000.I	64.0	5.50	200.0	0.4123	67.10	81.49	yes	stainless steel	5D
C.640.550.3600.A	64.0	5.50	360.0	0.2616	117.15	143.55	no	music wire	5D
C.640.550.3600.I	64.0	5.50	360.0	0.2247	117.15	143.55	no	stainless steel	5E
C.640.600.0500.A	64.0	6.00	50.0	3.2223	27.60	30.63	yes	music wire	5D
C.640.600.0500.I	64.0	6.00	50.0	2.7676	27.60	30.63	yes	stainless steel	5E
C.640.600.0800.A	64.0	6.00	80.0	1.7808	37.80	43.28	yes	music wire	5D
C.640.600.0800.I	64.0	6.00	80.0	1.5295	37.80	43.28	yes	stainless steel	5E
C.640.600.1000.A	64.0	6.00	100.0	1.4098	43.80	50.72	yes	music wire	5D
C.640.600.1000.I	64.0	6.00	100.0	1.2108	43.80	50.72	yes	stainless steel	5E
C.640.600.1250.A	64.0	6.00	125.0	1.0914	52.20	61.13	yes	music wire	5E
C.640.600.1250.I	64.0	6.00	125.0	0.9374	52.20	61.13	yes	stainless steel	5E
C.640.600.1600.A	64.0	6.00	160.0	0.8354	63.60	75.27	yes	music wire	5E
C.640.600.1600.I	64.0	6.00	160.0	0.7175	63.60	75.27	yes	stainless steel	5E
C.640.600.2000.A	64.0	6.00	200.0	0.6570	76.80	91.64	yes	music wire	5E
C.640.600.2000.I	64.0	6.00	200.0	0.5643	76.80	91.64	yes	stainless steel	5F
C.640.600.3600.A	64.0	6.00	360.0	0.3562	135.00	162.38	no	music wire	5F
C.640.600.3600.I	64.0	6.00	360.0	0.3059	135.00	162.38	no	stainless steel	5H
C.650.400.0620.A	65.0	4.00	62.0	0.2510	28.40	36.66	yes	music wire	4Q
C.650.400.0620.I	65.0	4.00	62.0	0.2184	28.00	36.08	yes	stainless steel	4Q
C.650.400.0620.N	65.0	4.00	62.0	0.2510	28.40	36.66	yes	Zn coating	4R
C.650.400.2050.A	65.0	4.00	205.0	0.1574	39.20	52.31	yes	music wire	4S
C.650.400.2050.I	65.0	4.00	205.0	0.1352	39.20	52.31	yes	stainless steel	4S
C.651.500.0500.A	65.1	5.00	50.0	0.8736	29.50	34.88	yes	music wire	4S
C.651.500.0500.I	65.1	5.00	50.0	0.7600	29.00	34.23	yes	stainless steel	4S
C.659.270.2223.A	65.9	2.70	222.3	0.0402	23.76	36.95	no	music wire	4N
C.659.270.2223.I	65.9	2.70	222.3	0.0350	23.76	36.95	no	stainless steel	4N
C.659.600.2450.A	65.9	6.00	245.0	0.5300	84.60	101.97	yes	music wire	5E
C.659.600.2450.I	65.9	6.00	245.0	0.4611	83.40	100.47	yes	stainless steel	5G
C.660.300.0500.A	66.0	3.00	50.0	0.2750	14.10	16.84	no	music wire	4J
C.660.300.0500.I	66.0	3.00	50.0	0.2362	14.10	16.84	no	stainless steel	4J
C.660.300.0800.A	66.0	3.00	80.0	0.1650	16.50	21.07	no	music wire	4J
C.660.300.0800.I	66.0	3.00	80.0	0.1417	16.50	21.07	no	stainless steel	4K
C.660.300.1000.A	66.0	3.00	100.0	0.1320	18.00	23.71	no	music wire	4L
C.660.300.1000.I	66.0	3.00	100.0	0.1134	18.00	23.71	no	stainless steel	4L
C.660.300.1250.A	66.0	3.00	125.0	0.1065	19.80	26.88	no	music wire	4M
C.660.300.1250.I	66.0	3.00	125.0	0.0914	19.80	26.88	no	stainless steel	4M
C.660.300.1600.A	66.0	3.00	160.0	0.0825	22.50	31.64	no	music wire	4M
C.660.300.1600.I	66.0	3.00	160.0	0.0709	22.50	31.64	no	stainless steel	4M
C.660.300.2000.A	66.0	3.00	200.0	0.0647	25.80	37.45	no	music wire	4N
C.660.300.2000.I	66.0	3.00	200.0	0.0556	25.80	37.45	no	stainless steel	4N

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.660.300.3600.A	66.0	3.00	360.0	0.0359	38.10	59.12	no	music wire	4R
C.660.300.3600.I	66.0	3.00	360.0	0.0308	38.10	59.12	no	stainless steel	4R
C.660.320.0500.A	66.0	3.20	50.0	0.3318	12.16	14.98	yes	music wire	4K
C.660.320.0500.I	66.0	3.20	50.0	0.2850	12.16	14.98	yes	stainless steel	4L
C.660.320.0800.A	66.0	3.20	80.0	0.2054	14.72	19.27	yes	music wire	4L
C.660.320.0800.I	66.0	3.20	80.0	0.1764	14.72	19.27	yes	stainless steel	4M
C.660.320.1000.A	66.0	3.20	100.0	0.1597	16.64	22.50	yes	music wire	4M
C.660.320.1000.I	66.0	3.20	100.0	0.1372	16.64	22.50	yes	stainless steel	4M
C.660.320.1250.A	66.0	3.20	125.0	0.1307	18.56	25.72	yes	music wire	4M
C.660.320.1250.I	66.0	3.20	125.0	0.1123	18.56	25.72	yes	stainless steel	4N
C.660.320.1600.A	66.0	3.20	160.0	0.1003	21.76	31.09	yes	music wire	4N
C.660.320.1600.I	66.0	3.20	160.0	0.0862	21.76	31.09	yes	stainless steel	4N
C.660.320.2000.A	66.0	3.20	200.0	0.0800	25.28	36.99	yes	music wire	4O
C.660.320.2000.I	66.0	3.20	200.0	0.0686	25.28	36.99	yes	stainless steel	4O
C.660.320.3600.A	66.0	3.20	360.0	0.0436	42.88	64.35	no	music wire	4R
C.660.320.3600.I	66.0	3.20	360.0	0.0374	42.88	64.35	no	stainless steel	4R
C.660.360.0500.A	66.0	3.60	50.0	0.5030	14.04	16.82	yes	music wire	4M
C.660.360.0500.I	66.0	3.60	50.0	0.4321	14.04	16.82	yes	stainless steel	4N
C.660.360.0800.A	66.0	3.60	80.0	0.2934	17.64	22.40	yes	music wire	4N
C.660.360.0800.I	66.0	3.60	80.0	0.2520	17.64	22.40	yes	stainless steel	4N
C.660.360.1000.A	66.0	3.60	100.0	0.2347	19.80	25.75	yes	music wire	4O
C.660.360.1000.I	66.0	3.60	100.0	0.2016	19.80	25.75	yes	stainless steel	4O
C.660.360.1250.A	66.0	3.60	125.0	0.1853	22.68	30.21	yes	music wire	4O
C.660.360.1250.I	66.0	3.60	125.0	0.1592	22.68	30.21	yes	stainless steel	4O
C.660.360.1600.A	66.0	3.60	160.0	0.1437	26.64	36.35	yes	music wire	4P
C.660.360.1600.I	66.0	3.60	160.0	0.1234	26.64	36.35	yes	stainless steel	4P
C.660.360.2000.A	66.0	3.60	200.0	0.1136	31.32	43.61	yes	music wire	4Q
C.660.360.2000.I	66.0	3.60	200.0	0.0976	31.32	43.61	yes	stainless steel	4Q
C.660.360.3600.A	66.0	3.60	360.0	0.0629	52.92	75.12	no	music wire	4S
C.660.360.3600.I	66.0	3.60	360.0	0.0540	52.92	75.12	no	stainless steel	4S
C.660.400.0500.A	66.0	4.00	50.0	0.7295	16.00	18.76	yes	music wire	4P
C.660.400.0500.I	66.0	4.00	50.0	0.6266	16.00	18.76	yes	stainless steel	4Q
C.660.400.0800.A	66.0	4.00	80.0	0.4209	20.40	25.19	yes	music wire	4Q
C.660.400.0800.I	66.0	4.00	80.0	0.3615	20.40	25.19	yes	stainless steel	4Q
C.660.400.1000.A	66.0	4.00	100.0	0.3316	23.20	29.28	yes	music wire	4R
C.660.400.1000.I	66.0	4.00	100.0	0.2848	23.20	29.28	yes	stainless steel	4R
C.660.400.1250.A	66.0	4.00	125.0	0.2605	26.80	34.53	yes	music wire	4R
C.660.400.1250.I	66.0	4.00	125.0	0.2238	26.80	34.53	yes	stainless steel	4R
C.660.400.1600.A	66.0	4.00	160.0	0.1990	32.00	42.13	yes	music wire	4R
C.660.400.1600.I	66.0	4.00	160.0	0.1709	32.00	42.13	yes	stainless steel	4R
C.660.400.2000.A	66.0	4.00	200.0	0.1586	37.60	50.31	yes	music wire	4S
C.660.400.2000.I	66.0	4.00	200.0	0.1362	37.60	50.31	yes	stainless steel	4S
C.660.400.3600.A	66.0	4.00	360.0	0.0868	64.40	87.60	no	music wire	5A
C.660.400.3600.I	66.0	4.00	360.0	0.0746	64.40	87.60	no	stainless steel	5A
C.660.450.0500.A	66.0	4.50	50.0	1.0564	18.90	21.81	yes	music wire	4R
C.660.450.0500.I	66.0	4.50	50.0	0.9074	18.90	21.81	yes	stainless steel	4R
C.660.450.0800.A	66.0	4.50	80.0	0.6193	24.30	29.26	yes	music wire	4R
C.660.450.0800.I	66.0	4.50	80.0	0.5319	24.30	29.26	yes	stainless steel	4R
C.660.450.1000.A	66.0	4.50	100.0	0.4854	27.90	34.23	yes	music wire	4R
C.660.450.1000.I	66.0	4.50	100.0	0.4169	27.90	34.23	yes	stainless steel	4S
C.660.450.1250.A	66.0	4.50	125.0	0.3821	32.40	40.44	yes	music wire	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.660.450.1250.I	66.0	4.50	125.0	0.3282	32.40	40.44	yes	stainless steel	4S
C.660.450.1600.A	66.0	4.50	160.0	0.2944	38.70	49.14	yes	music wire	4S
C.660.450.1600.I	66.0	4.50	160.0	0.2529	38.70	49.14	yes	stainless steel	4S
C.660.450.2000.A	66.0	4.50	200.0	0.2332	45.90	59.07	yes	music wire	4T
C.660.450.2000.I	66.0	4.50	200.0	0.2000	45.90	59.07	yes	stainless steel	4T
C.660.450.3600.A	66.0	4.50	360.0	0.1265	79.65	103.94	no	music wire	5B
C.660.450.3600.I	66.0	4.50	360.0	0.1086	79.65	103.94	no	stainless steel	5B
C.660.500.0500.A	66.0	5.00	50.0	1.5584	21.50	24.41	yes	music wire	4S
C.660.500.0500.I	66.0	5.00	50.0	1.3385	21.50	24.41	yes	stainless steel	4S
C.660.500.0800.A	66.0	5.00	80.0	0.8766	28.50	33.67	yes	music wire	4S
C.660.500.0800.I	66.0	5.00	80.0	0.7529	28.50	33.67	yes	stainless steel	4S
C.660.500.1000.A	66.0	5.00	100.0	0.6842	33.00	39.63	yes	music wire	4S
C.660.500.1000.I	66.0	5.00	100.0	0.5876	33.00	39.63	yes	stainless steel	4T
C.660.500.1250.A	66.0	5.00	125.0	0.5395	38.50	46.90	yes	music wire	4T
C.660.500.1250.I	66.0	5.00	125.0	0.4633	38.50	46.90	yes	stainless steel	4T
C.660.500.1600.A	66.0	5.00	160.0	0.4187	46.00	56.83	yes	music wire	4T
C.660.500.1600.I	66.0	5.00	160.0	0.3596	46.00	56.83	yes	stainless steel	4T
C.660.500.2000.A	66.0	5.00	200.0	0.3300	55.00	68.74	yes	music wire	5A
C.660.500.2000.I	66.0	5.00	200.0	0.2835	55.00	68.74	yes	stainless steel	5A
C.660.500.3600.A	66.0	5.00	360.0	0.1798	95.50	120.71	no	music wire	5C
C.660.500.3600.I	66.0	5.00	360.0	0.1544	95.50	120.71	no	stainless steel	5C
C.660.550.0500.A	66.0	5.50	50.0	2.2156	24.20	27.14	yes	music wire	5A
C.660.550.0500.I	66.0	5.50	50.0	1.9000	24.20	27.14	yes	stainless steel	5B
C.660.550.0800.A	66.0	5.50	80.0	1.2382	32.45	37.71	yes	music wire	5B
C.660.550.0800.I	66.0	5.50	80.0	1.0634	32.45	37.71	yes	stainless steel	5B
C.660.550.1000.A	66.0	5.50	100.0	0.9568	37.95	44.76	yes	music wire	5B
C.660.550.1000.I	66.0	5.50	100.0	0.8218	37.95	44.76	yes	stainless steel	5B
C.660.550.1250.A	66.0	5.50	125.0	0.7500	44.55	53.22	yes	music wire	5B
C.660.550.1250.I	66.0	5.50	125.0	0.6457	44.55	53.22	yes	stainless steel	5C
C.660.550.1600.A	66.0	5.50	160.0	0.5767	53.90	65.20	yes	music wire	5C
C.660.550.1600.I	66.0	5.50	160.0	0.4953	53.90	65.20	yes	stainless steel	5C
C.660.550.2000.A	66.0	5.50	200.0	0.4576	64.35	78.59	yes	music wire	5C
C.660.550.2000.I	66.0	5.50	200.0	0.3930	64.35	78.59	yes	stainless steel	5D
C.660.550.3600.A	66.0	5.50	360.0	0.2491	112.20	138.37	no	music wire	5D
C.660.550.3600.I	66.0	5.50	360.0	0.2139	112.20	138.37	no	stainless steel	5E
C.660.600.0500.A	66.0	6.00	50.0	3.0563	27.00	30.00	yes	music wire	5D
C.660.600.0500.I	66.0	6.00	50.0	2.6250	27.00	30.00	yes	stainless steel	5E
C.660.600.0800.A	66.0	6.00	80.0	1.7000	36.60	42.00	yes	music wire	5D
C.660.600.0800.I	66.0	6.00	80.0	1.4583	36.60	42.00	yes	stainless steel	5E
C.660.600.1000.A	66.0	6.00	100.0	1.3288	42.60	49.50	yes	music wire	5D
C.660.600.1000.I	66.0	6.00	100.0	1.1413	42.60	49.50	yes	stainless steel	5E
C.660.600.1250.A	66.0	6.00	125.0	1.0360	50.40	59.25	yes	music wire	5E
C.660.600.1250.I	66.0	6.00	125.0	0.8898	50.40	59.25	yes	stainless steel	5E
C.660.600.1600.A	66.0	6.00	160.0	0.7938	61.20	72.75	yes	music wire	5E
C.660.600.1600.I	66.0	6.00	160.0	0.6818	61.20	72.75	yes	stainless steel	5E
C.660.600.2000.A	66.0	6.00	200.0	0.6237	73.80	88.50	yes	music wire	5E
C.660.600.2000.I	66.0	6.00	200.0	0.5357	73.80	88.50	yes	stainless steel	5F
C.660.600.3600.A	66.0	6.00	360.0	0.3377	129.60	156.75	no	music wire	5G
C.660.600.3600.I	66.0	6.00	360.0	0.2901	129.60	156.75	no	stainless steel	5H
C.667.230.0760.A	66.7	2.30	76.0	0.0391	14.26	22.18	no	music wire	4J
C.680.300.0500.A	68.0	3.00	50.0	0.2732	13.80	16.45	no	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.680.300.0500.I	68.0	3.00	50.0	0.2346	13.80	16.45	no	stainless steel	4J
C.680.300.0800.A	68.0	3.00	80.0	0.1669	15.90	20.24	no	music wire	4K
C.680.300.0800.I	68.0	3.00	80.0	0.1434	15.90	20.24	no	stainless steel	4K
C.680.300.1000.A	68.0	3.00	100.0	0.1306	17.40	22.95	no	music wire	4L
C.680.300.1000.I	68.0	3.00	100.0	0.1122	17.40	22.95	no	stainless steel	4L
C.680.300.1250.A	68.0	3.00	125.0	0.1036	19.20	26.20	no	music wire	4M
C.680.300.1250.I	68.0	3.00	125.0	0.0890	19.20	26.20	no	stainless steel	4M
C.680.300.1600.A	68.0	3.00	160.0	0.0791	21.90	31.07	no	music wire	4M
C.680.300.1600.I	68.0	3.00	160.0	0.0679	21.90	31.07	no	stainless steel	4N
C.680.300.2000.A	68.0	3.00	200.0	0.0626	24.90	36.48	no	music wire	4N
C.680.300.2000.I	68.0	3.00	200.0	0.0538	24.90	36.48	no	stainless steel	4O
C.680.300.3600.A	68.0	3.00	360.0	0.0345	36.60	57.59	no	music wire	4R
C.680.300.3600.I	68.0	3.00	360.0	0.0297	36.60	57.59	no	stainless steel	4R
C.680.320.0500.A	68.0	3.20	50.0	0.3272	15.04	17.79	no	music wire	4L
C.680.320.0500.I	68.0	3.20	50.0	0.2810	15.04	17.79	no	stainless steel	4L
C.680.320.0800.A	68.0	3.20	80.0	0.1963	17.60	22.18	no	music wire	4L
C.680.320.0800.I	68.0	3.20	80.0	0.1686	17.60	22.18	no	stainless steel	4M
C.680.320.1000.A	68.0	3.20	100.0	0.1570	19.20	24.92	no	music wire	4M
C.680.320.1000.I	68.0	3.20	100.0	0.1349	19.20	24.92	no	stainless steel	4M
C.680.320.1250.A	68.0	3.20	125.0	0.1227	21.44	28.76	no	music wire	4N
C.680.320.1250.I	68.0	3.20	125.0	0.1054	21.44	28.76	no	stainless steel	4N
C.680.320.1600.A	68.0	3.20	160.0	0.0958	24.32	33.70	no	music wire	4N
C.680.320.1600.I	68.0	3.20	160.0	0.0822	24.32	33.70	no	stainless steel	4O
C.680.320.2000.A	68.0	3.20	200.0	0.0770	27.52	39.19	no	music wire	4O
C.680.320.2000.I	68.0	3.20	200.0	0.0661	27.52	39.19	no	stainless steel	4O
C.680.320.3600.A	68.0	3.20	360.0	0.0422	40.96	62.24	no	music wire	4R
C.680.320.3600.I	68.0	3.20	360.0	0.0363	40.96	62.24	no	stainless steel	4R
C.680.360.0500.A	68.0	3.60	50.0	0.4928	13.68	16.39	yes	music wire	4N
C.680.360.0500.I	68.0	3.60	50.0	0.4233	13.68	16.39	yes	stainless steel	4N
C.680.360.0800.A	68.0	3.60	80.0	0.2912	16.92	21.51	yes	music wire	4N
C.680.360.0800.I	68.0	3.60	80.0	0.2500	16.92	21.51	yes	stainless steel	4N
C.680.360.1000.A	68.0	3.60	100.0	0.2288	19.08	24.93	yes	music wire	4O
C.680.360.1000.I	68.0	3.60	100.0	0.1965	19.08	24.93	yes	stainless steel	4O
C.680.360.1250.A	68.0	3.60	125.0	0.1780	21.96	29.48	yes	music wire	4O
C.680.360.1250.I	68.0	3.60	125.0	0.1528	21.96	29.48	yes	stainless steel	4O
C.680.360.1600.A	68.0	3.60	160.0	0.1393	25.56	35.17	yes	music wire	4P
C.680.360.1600.I	68.0	3.60	160.0	0.1196	25.56	35.17	yes	stainless steel	4P
C.680.360.2000.A	68.0	3.60	200.0	0.1105	29.88	41.99	yes	music wire	4Q
C.680.360.2000.I	68.0	3.60	200.0	0.0949	29.88	41.99	yes	stainless steel	4Q
C.680.360.3600.A	68.0	3.60	360.0	0.0604	50.76	72.89	no	music wire	4S
C.680.360.3600.I	68.0	3.60	360.0	0.0519	50.76	72.89	no	stainless steel	4S
C.680.400.0500.A	68.0	4.00	50.0	0.6632	16.00	18.90	yes	music wire	4Q
C.680.400.0500.I	68.0	4.00	50.0	0.5697	16.00	18.90	yes	stainless steel	4Q
C.680.400.0800.A	68.0	4.00	80.0	0.3979	20.00	24.84	yes	music wire	4Q
C.680.400.0800.I	68.0	4.00	80.0	0.3418	20.00	24.84	yes	stainless steel	4Q
C.680.400.1000.A	68.0	4.00	100.0	0.3209	22.40	28.40	yes	music wire	4R
C.680.400.1000.I	68.0	4.00	100.0	0.2756	22.40	28.40	yes	stainless steel	4R
C.680.400.1250.A	68.0	4.00	125.0	0.2487	26.00	33.74	yes	music wire	4R
C.680.400.1250.I	68.0	4.00	125.0	0.2136	26.00	33.74	yes	stainless steel	4R
C.680.400.1600.A	68.0	4.00	160.0	0.1913	30.80	40.87	yes	music wire	4R
C.680.400.1600.I	68.0	4.00	160.0	0.1643	30.80	40.87	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.680.400.2000.A	68.0	4.00	200.0	0.1531	36.00	48.58	yes	music wire	4S
C.680.400.2000.I	68.0	4.00	200.0	0.1315	36.00	48.58	yes	stainless steel	4S
C.680.400.3600.A	68.0	4.00	360.0	0.0836	61.60	84.64	no	music wire	5A
C.680.400.3600.I	68.0	4.00	360.0	0.0718	61.60	84.64	no	stainless steel	5A
C.680.450.0450.A	68.0	4.50	45.0	0.8158	20.25	23.84	yes	music wire	4R
C.680.450.0450.I	68.0	4.50	45.0	0.7097	20.25	23.84	yes	stainless steel	4R
C.680.450.0450.N	68.0	4.50	45.0	0.8158	20.25	23.84	yes	Zn coating	4S
C.680.450.0500.A	68.0	4.50	50.0	1.0197	18.45	21.32	yes	music wire	4R
C.680.450.0500.I	68.0	4.50	50.0	0.8758	18.45	21.32	yes	stainless steel	4R
C.680.450.0800.A	68.0	4.50	80.0	0.5827	23.85	28.87	yes	music wire	4R
C.680.450.0800.I	68.0	4.50	80.0	0.5000	23.85	28.87	yes	stainless steel	4R
C.680.450.0910.A	68.0	4.50	91.0	0.4662	27.00	33.28	yes	music wire	4R
C.680.450.0910.I	68.0	4.50	91.0	0.4056	27.00	33.28	yes	stainless steel	4R
C.680.450.0910.N	68.0	4.50	91.0	0.4662	27.00	33.28	yes	Zn coating	4T
C.680.450.1000.A	68.0	4.50	100.0	0.4662	27.00	33.28	yes	music wire	4S
C.680.450.1000.I	68.0	4.50	100.0	0.4000	27.00	33.28	yes	stainless steel	4S
C.680.450.1250.A	68.0	4.50	125.0	0.3626	31.50	39.57	yes	music wire	4S
C.680.450.1250.I	68.0	4.50	125.0	0.3114	31.50	39.57	yes	stainless steel	4S
C.680.450.1600.A	68.0	4.50	160.0	0.2813	37.35	47.76	yes	music wire	4S
C.680.450.1600.I	68.0	4.50	160.0	0.2416	37.35	47.76	yes	stainless steel	4S
C.680.450.1730.A	68.0	4.50	173.0	0.2510	40.50	52.16	yes	music wire	4S
C.680.450.1730.I	68.0	4.50	173.0	0.2184	40.05	51.53	yes	stainless steel	4T
C.680.450.1730.N	68.0	4.50	173.0	0.2510	40.50	52.16	yes	Zn coating	5A
C.680.450.2000.A	68.0	4.50	200.0	0.2235	44.10	57.20	yes	music wire	4T
C.680.450.2000.I	68.0	4.50	200.0	0.1920	44.10	57.20	yes	stainless steel	4T
C.680.450.3250.A	68.0	4.50	325.0	0.1305	67.50	89.93	yes	music wire	5A
C.680.450.3250.I	68.0	4.50	325.0	0.1135	66.60	88.67	yes	stainless steel	5A
C.680.450.3250.N	68.0	4.50	325.0	0.1305	67.50	89.93	yes	Zn coating	5C
C.680.450.3600.A	68.0	4.50	360.0	0.1218	76.05	100.09	no	music wire	5B
C.680.450.3600.I	68.0	4.50	360.0	0.1046	76.05	100.09	no	stainless steel	5B
C.680.500.0500.A	68.0	5.00	50.0	1.5000	21.00	23.87	yes	music wire	4S
C.680.500.0500.I	68.0	5.00	50.0	1.2865	21.00	23.87	yes	stainless steel	4S
C.680.500.0800.A	68.0	5.00	80.0	0.8488	27.50	32.57	yes	music wire	4S
C.680.500.0800.I	68.0	5.00	80.0	0.7290	27.50	32.57	yes	stainless steel	4S
C.680.500.1000.A	68.0	5.00	100.0	0.6701	31.50	37.92	yes	music wire	4S
C.680.500.1000.I	68.0	5.00	100.0	0.5755	31.50	37.92	yes	stainless steel	4T
C.680.500.1200.A	68.0	5.00	120.0	0.7275	30.00	39.73	yes	music wire	5B
C.680.500.1200.I	68.0	5.00	120.0	0.6248	30.00	35.92	yes	stainless steel	5C
C.680.500.1200.N	68.0	5.00	120.0	0.7275	30.00	39.73	yes	Zn coating	5D
C.680.500.1250.A	68.0	5.00	125.0	0.5197	37.00	45.28	yes	music wire	4T
C.680.500.1250.I	68.0	5.00	125.0	0.4463	37.00	45.28	yes	stainless steel	4T
C.680.500.1600.A	68.0	5.00	160.0	0.3979	44.50	55.32	yes	music wire	4T
C.680.500.1600.I	68.0	5.00	160.0	0.3417	44.50	55.32	yes	stainless steel	4T
C.680.500.1800.A	68.0	5.00	180.0	0.4630	40.00	53.86	yes	music wire	5C
C.680.500.1800.I	68.0	5.00	180.0	0.3977	40.00	49.30	yes	stainless steel	5D
C.680.500.1800.N	68.0	5.00	180.0	0.4630	40.00	53.86	yes	Zn coating	5D
C.680.500.2000.A	68.0	5.00	200.0	0.3144	53.00	66.69	yes	music wire	5A
C.680.500.2000.I	68.0	5.00	200.0	0.2700	53.00	66.69	yes	stainless steel	5A
C.680.500.2750.A	68.0	5.00	275.0	0.3000	55.00	80.34	yes	music wire	5D
C.680.500.2750.I	68.0	5.00	275.0	0.2573	55.00	69.37	yes	stainless steel	5D
C.680.500.2750.N	68.0	5.00	275.0	0.3000	55.00	80.34	yes	Zn coating	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.680.500.3600.A	68.0	5.00	360.0	0.1721	91.50	116.52	no	music wire	5C
C.680.500.3600.I	68.0	5.00	360.0	0.1478	91.50	116.52	no	stainless steel	5C
C.680.500.3950.A	68.0	5.00	395.0	0.2037	75.00	108.31	yes	music wire	5E
C.680.500.3950.I	68.0	5.00	395.0	0.1750	75.00	96.13	yes	stainless steel	5F
C.680.500.3950.IF	68.0	5.00	395.0	0.1182	105.00	136.28	yes	stainless steel	5D
C.680.500.3950.N	68.0	5.00	395.0	0.2037	75.00	108.31	yes	Zn coating	5G
C.680.500.5850.A	68.0	5.00	585.0	0.1376	105.00	160.59	yes	music wire	5G
C.680.500.5850.I	68.0	5.00	585.0	0.1182	105.00	136.28	yes	stainless steel	5H
C.680.500.5850.IF	68.0	5.00	585.0	0.0972	125.00	163.04	yes	stainless steel	5E
C.680.500.5850.N	68.0	5.00	585.0	0.1376	105.00	160.59	yes	Zn coating	5I
C.680.550.0500.A	68.0	5.50	50.0	2.1213	23.65	26.56	yes	music wire	5A
C.680.550.0500.I	68.0	5.50	50.0	1.8220	23.65	26.56	yes	stainless steel	5B
C.680.550.0800.A	68.0	5.50	80.0	1.1932	31.35	36.52	yes	music wire	5B
C.680.550.0800.I	68.0	5.50	80.0	1.0249	31.35	36.52	yes	stainless steel	5B
C.680.550.1000.A	68.0	5.50	100.0	0.9313	36.30	42.92	yes	music wire	5B
C.680.550.1000.I	68.0	5.50	100.0	0.8000	36.30	42.92	yes	stainless steel	5B
C.680.550.1250.A	68.0	5.50	125.0	0.7204	42.90	51.46	yes	music wire	5B
C.680.550.1250.I	68.0	5.50	125.0	0.6188	42.90	51.46	yes	stainless steel	5C
C.680.550.1600.A	68.0	5.50	160.0	0.5534	51.70	62.85	yes	music wire	5C
C.680.550.1600.I	68.0	5.50	160.0	0.4753	51.70	62.85	yes	stainless steel	5C
C.680.550.2000.A	68.0	5.50	200.0	0.4389	61.60	75.65	yes	music wire	5C
C.680.550.2000.I	68.0	5.50	200.0	0.3770	61.60	75.65	yes	stainless steel	5D
C.680.550.3600.A	68.0	5.50	360.0	0.2372	107.80	133.81	no	music wire	5D
C.680.550.3600.I	68.0	5.50	360.0	0.2037	107.80	133.81	no	stainless steel	5E
C.680.600.0500.A	68.0	6.00	50.0	2.9157	26.40	29.37	yes	music wire	5D
C.680.600.0500.I	68.0	6.00	50.0	2.5000	26.40	29.37	yes	stainless steel	5E
C.680.600.0800.A	68.0	6.00	80.0	1.6294	35.40	40.71	yes	music wire	5D
C.680.600.0800.I	68.0	6.00	80.0	1.4000	35.40	40.71	yes	stainless steel	5E
C.680.600.1000.A	68.0	6.00	100.0	1.2591	41.40	48.27	yes	music wire	5E
C.680.600.1000.I	68.0	6.00	100.0	1.0814	41.40	48.27	yes	stainless steel	5E
C.680.600.1250.A	68.0	6.00	125.0	0.9893	48.60	57.34	yes	music wire	5E
C.680.600.1250.I	68.0	6.00	125.0	0.8497	48.60	57.34	yes	stainless steel	5E
C.680.600.1600.A	68.0	6.00	160.0	0.7500	59.40	70.95	yes	music wire	5E
C.680.600.1600.I	68.0	6.00	160.0	0.6430	59.40	70.95	yes	stainless steel	5F
C.680.600.2000.A	68.0	6.00	200.0	0.5957	70.80	85.32	yes	music wire	5E
C.680.600.2000.I	68.0	6.00	200.0	0.5116	70.80	85.32	yes	stainless steel	5F
C.680.600.3600.A	68.0	6.00	360.0	0.3202	124.80	151.81	no	music wire	5G
C.680.600.3600.I	68.0	6.00	360.0	0.2750	124.80	151.81	no	stainless steel	5H
C.682.400.2410.A	68.2	4.00	241.0	0.1609	34.40	46.27	yes	music wire	5B
C.682.400.2410.I	68.2	4.00	241.0	0.1400	34.00	45.67	yes	stainless steel	5B
C.685.600.0900.A	68.5	6.00	90.0	0.6660	63.60	76.37	yes	music wire	5D
C.685.600.0900.I	68.5	6.00	90.0	0.5794	63.00	75.61	yes	stainless steel	5E
C.685.600.0900.N	68.5	6.00	90.0	0.6660	63.60	76.37	yes	Zn coating	5F
C.685.600.2050.A	68.5	6.00	205.0	0.5693	72.00	86.98	yes	music wire	5E
C.685.600.2050.I	68.5	6.00	205.0	0.4889	72.00	86.98	yes	stainless steel	5F
C.690.560.0560.A	69.0	5.60	56.0	1.1233	33.60	39.33	yes	music wire	5A
C.690.560.0560.I	69.0	5.60	56.0	0.9648	33.60	39.33	yes	stainless steel	5B
C.690.560.0560.N	69.0	5.60	56.0	1.1233	33.60	39.33	yes	Zn coating	5C
C.690.560.0800.A	69.0	5.60	80.0	1.2286	31.92	37.16	yes	music wire	5B
C.690.560.0800.I	69.0	5.60	80.0	1.0552	31.92	37.16	yes	stainless steel	5B
C.690.560.0880.A	69.0	5.60	88.0	0.7148	44.80	53.80	yes	music wire	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.690.560.0880.I	69.0	5.60	88.0	0.6139	44.80	53.80	yes	stainless steel	5B
C.690.560.0880.N	69.0	5.60	88.0	0.7148	44.80	53.80	yes	Zn coating	5D
C.690.560.1000.A	69.0	5.60	100.0	0.9589	36.96	43.67	yes	music wire	5B
C.690.560.1000.I	69.0	5.60	100.0	0.8236	36.96	43.67	yes	stainless steel	5B
C.690.560.1200.A	69.0	5.60	120.0	0.7863	42.00	50.18	yes	music wire	5B
C.690.560.1200.I	69.0	5.60	120.0	0.6753	42.00	50.18	yes	stainless steel	5C
C.690.560.1360.A	69.0	5.60	136.0	0.4625	61.60	75.51	yes	music wire	5B
C.690.560.1360.I	69.0	5.60	136.0	0.3972	61.60	75.51	yes	stainless steel	5C
C.690.560.1360.N	69.0	5.60	136.0	0.4625	61.60	75.51	yes	Zn coating	5D
C.690.560.1600.A	69.0	5.60	160.0	0.5782	52.08	63.21	yes	music wire	5C
C.690.560.1600.I	69.0	5.60	160.0	0.4966	52.08	63.21	yes	stainless steel	5C
C.690.560.1650.A	69.0	5.60	165.0	0.5537	53.76	65.38	yes	music wire	5C
C.690.560.1650.I	69.0	5.60	165.0	0.4756	53.76	65.38	yes	stainless steel	5C
C.690.560.2000.A	69.0	5.60	200.0	0.3145	84.00	104.46	yes	music wire	5C
C.690.560.2000.I	69.0	5.60	200.0	0.2701	84.00	104.46	yes	stainless steel	5D
C.690.560.2000.N	69.0	5.60	200.0	0.3145	84.00	104.46	yes	Zn coating	5E
C.690.560.2960.A	69.0	5.60	296.0	0.2125	117.60	147.88	yes	music wire	5D
C.690.560.2960.I	69.0	5.60	296.0	0.1825	117.60	147.88	yes	stainless steel	5D
C.690.560.2960.N	69.0	5.60	296.0	0.2125	117.60	147.88	yes	Zn coating	5E
C.690.560.3200.A	69.0	5.60	320.0	0.2788	92.96	116.04	yes	music wire	5D
C.690.560.3200.I	69.0	5.60	320.0	0.2395	92.96	116.04	yes	stainless steel	5E
C.692.560.0500.A	69.2	5.60	50.0	2.1636	24.08	27.04	yes	music wire	5A
C.692.560.0500.I	69.2	5.60	50.0	1.8583	24.08	27.04	yes	stainless steel	5B
C.692.560.0800.A	69.2	5.60	80.0	1.2170	31.92	37.18	yes	music wire	5B
C.692.560.0800.I	69.2	5.60	80.0	1.0453	31.92	37.18	yes	stainless steel	5B
C.692.560.1000.A	69.2	5.60	100.0	0.9499	36.96	43.70	yes	music wire	5B
C.692.560.1000.I	69.2	5.60	100.0	0.8158	36.96	43.70	yes	stainless steel	5B
C.692.560.1200.A	69.2	5.60	120.0	0.7789	42.00	50.22	yes	music wire	5B
C.692.560.1200.I	69.2	5.60	120.0	0.6690	42.00	50.22	yes	stainless steel	5C
C.692.560.1250.A	69.2	5.60	125.0	0.7489	43.12	51.67	yes	music wire	5B
C.692.560.1250.I	69.2	5.60	125.0	0.6433	43.12	51.67	yes	stainless steel	5C
C.692.560.1600.A	69.2	5.60	160.0	0.5727	52.08	63.26	yes	music wire	5C
C.692.560.1600.I	69.2	5.60	160.0	0.4919	52.08	63.26	yes	stainless steel	5C
C.692.560.2000.A	69.2	5.60	200.0	0.6300	48.72	75.53	yes	music wire	5E
C.692.560.2000.I	69.2	5.60	200.0	0.5481	48.16	69.19	yes	stainless steel	5F
C.692.560.2000.N	69.2	5.60	200.0	0.6300	48.72	75.53	yes	Zn coating	5G
C.692.560.2500.A	69.2	5.60	250.0	0.5040	57.12	94.41	yes	music wire	5F
C.692.560.2500.I	69.2	5.60	250.0	0.4385	56.56	86.49	yes	stainless steel	5G
C.692.560.2500.N	69.2	5.60	250.0	0.5040	57.12	94.41	yes	Zn coating	5H
C.692.560.3200.A	69.2	5.60	320.0	0.3938	69.44	120.87	yes	music wire	5G
C.692.560.3200.I	69.2	5.60	320.0	0.3426	68.88	110.73	yes	stainless steel	5H
C.692.560.3200.N	69.2	5.60	320.0	0.3938	69.44	120.87	yes	Zn coating	5H
C.692.560.4000.A	69.2	5.60	400.0	0.3150	83.44	151.06	yes	music wire	5G
C.692.560.4000.I	69.2	5.60	400.0	0.2741	82.32	138.39	yes	stainless steel	5I
C.692.560.4000.N	69.2	5.60	400.0	0.3150	83.44	151.06	yes	Zn coating	5I
C.692.560.5000.A	69.2	5.60	500.0	0.2520	100.80	188.82	yes	music wire	5H
C.692.560.5000.I	69.2	5.60	500.0	0.2192	99.68	172.98	yes	stainless steel	5J
C.692.560.5000.N	69.2	5.60	500.0	0.2520	100.80	188.82	yes	Zn coating	5J
C.699.500.0640.A	69.9	5.00	64.0	1.6092	19.50	28.67	yes	music wire	5A
C.699.500.0640.I	69.9	5.00	64.0	1.4000	19.50	27.06	yes	stainless steel	5B
C.700.300.0500.A	70.0	3.00	50.0	0.2500	13.80	16.60	no	music wire	4J

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.700.300.0500.I	70.0	3.00	50.0	0.2142	13.80	16.60	no	stainless steel	4J
C.700.300.0600.A	70.0	3.00	60.0	0.2110	14.40	17.71	no	music wire	4J
C.700.300.0600.I	70.0	3.00	60.0	0.1813	14.40	17.71	no	stainless steel	4J
C.700.300.0800.A	70.0	3.00	80.0	0.1614	15.60	19.93	no	music wire	4K
C.700.300.0800.I	70.0	3.00	80.0	0.1386	15.60	19.93	no	stainless steel	4L
C.700.300.1000.A	70.0	3.00	100.0	0.1247	17.10	22.70	no	music wire	4L
C.700.300.1000.I	70.0	3.00	100.0	0.1071	17.10	22.70	no	stainless steel	4L
C.700.300.1200.A	70.0	3.00	120.0	0.1016	18.60	25.47	no	music wire	4M
C.700.300.1200.I	70.0	3.00	120.0	0.0873	18.60	25.47	no	stainless steel	4M
C.700.300.1250.A	70.0	3.00	125.0	0.0980	18.90	26.02	no	music wire	4M
C.700.300.1250.I	70.0	3.00	125.0	0.0842	18.90	26.02	no	stainless steel	4M
C.700.300.1600.A	70.0	3.00	160.0	0.0762	21.30	30.46	no	music wire	4N
C.700.300.1600.I	70.0	3.00	160.0	0.0655	21.30	30.46	no	stainless steel	4N
C.700.300.2000.A	70.0	3.00	200.0	0.0610	24.00	35.45	no	music wire	4O
C.700.300.2000.I	70.0	3.00	200.0	0.0524	24.00	35.45	no	stainless steel	4O
C.700.300.2800.A	70.0	3.00	280.0	0.0435	29.40	45.43	no	music wire	4Q
C.700.300.2800.I	70.0	3.00	280.0	0.0374	29.40	45.43	no	stainless steel	4Q
C.700.300.3600.A	70.0	3.00	360.0	0.0335	35.10	55.96	no	music wire	4R
C.700.300.3600.I	70.0	3.00	360.0	0.0287	35.10	55.96	no	stainless steel	4R
C.700.320.0500.A	70.0	3.20	50.0	0.3258	14.72	17.37	no	music wire	4L
C.700.320.0500.I	70.0	3.20	50.0	0.2798	14.72	17.37	no	stainless steel	4L
C.700.320.0600.A	70.0	3.20	60.0	0.2560	15.68	19.06	no	music wire	4L
C.700.320.0600.I	70.0	3.20	60.0	0.2199	15.68	19.06	no	stainless steel	4L
C.700.320.0800.A	70.0	3.20	80.0	0.1886	17.28	21.86	no	music wire	4M
C.700.320.0800.I	70.0	3.20	80.0	0.1620	17.28	21.86	no	stainless steel	4M
C.700.320.1000.A	70.0	3.20	100.0	0.1493	18.88	24.67	no	music wire	4M
C.700.320.1000.I	70.0	3.20	100.0	0.1283	18.88	24.67	no	stainless steel	4M
C.700.320.1200.A	70.0	3.20	120.0	0.1236	20.48	27.47	no	music wire	4N
C.700.320.1200.I	70.0	3.20	120.0	0.1061	20.48	27.47	no	stainless steel	4N
C.700.320.1250.A	70.0	3.20	125.0	0.1195	20.80	28.04	no	music wire	4N
C.700.320.1250.I	70.0	3.20	125.0	0.1026	20.80	28.04	no	stainless steel	4N
C.700.320.1600.A	70.0	3.20	160.0	0.0943	23.36	32.52	no	music wire	4O
C.700.320.1600.I	70.0	3.20	160.0	0.0810	23.36	32.52	no	stainless steel	4O
C.700.320.2000.A	70.0	3.20	200.0	0.0747	26.56	38.14	no	music wire	4P
C.700.320.2000.I	70.0	3.20	200.0	0.0641	26.56	38.14	no	stainless steel	4P
C.700.320.2800.A	70.0	3.20	280.0	0.0527	32.96	49.36	no	music wire	4R
C.700.320.2800.I	70.0	3.20	280.0	0.0453	32.96	49.36	no	stainless steel	4R
C.700.320.3600.A	70.0	3.20	360.0	0.0407	39.36	60.58	no	music wire	4S
C.700.320.3600.I	70.0	3.20	360.0	0.0350	39.36	60.58	no	stainless steel	4S
C.700.360.0500.A	70.0	3.60	50.0	0.4496	13.68	16.54	yes	music wire	4N
C.700.360.0500.I	70.0	3.60	50.0	0.3862	13.68	16.54	yes	stainless steel	4N
C.700.360.0600.A	70.0	3.60	60.0	0.3897	14.40	17.70	yes	music wire	4N
C.700.360.0600.I	70.0	3.60	60.0	0.3347	14.40	17.70	yes	stainless steel	4N
C.700.360.0800.A	70.0	3.60	80.0	0.2783	16.56	21.17	yes	music wire	4N
C.700.360.0800.I	70.0	3.60	80.0	0.2391	16.56	21.17	yes	stainless steel	4N
C.700.360.1000.A	70.0	3.60	100.0	0.2165	18.72	24.65	yes	music wire	4O
C.700.360.1000.I	70.0	3.60	100.0	0.1859	18.72	24.65	yes	stainless steel	4O
C.700.360.1200.A	70.0	3.60	120.0	0.1827	20.52	27.55	yes	music wire	4O
C.700.360.1200.I	70.0	3.60	120.0	0.1569	20.52	27.55	yes	stainless steel	4O
C.700.360.1250.A	70.0	3.60	125.0	0.1719	21.24	28.71	yes	music wire	4O
C.700.360.1250.I	70.0	3.60	125.0	0.1477	21.24	28.71	yes	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.700.360.1600.A	70.0	3.60	160.0	0.1328	24.84	34.51	yes	music wire	4P
C.700.360.1600.I	70.0	3.60	160.0	0.1141	24.84	34.51	yes	stainless steel	4P
C.700.360.2000.A	70.0	3.60	200.0	0.1063	28.80	40.88	yes	music wire	4Q
C.700.360.2000.I	70.0	3.60	200.0	0.0913	28.80	40.88	yes	stainless steel	4Q
C.700.360.3200.A	70.0	3.60	320.0	0.0657	41.04	60.59	yes	music wire	4S
C.700.360.3200.I	70.0	3.60	320.0	0.0564	41.04	60.59	yes	stainless steel	4S
C.700.360.3600.A	70.0	3.60	360.0	0.0584	48.60	70.57	no	music wire	4S
C.700.360.3600.I	70.0	3.60	360.0	0.0502	48.60	70.57	no	stainless steel	4T
C.700.400.0500.A	70.0	4.00	50.0	0.6480	15.60	18.45	yes	music wire	4Q
C.700.400.0500.I	70.0	4.00	50.0	0.5565	15.60	18.45	yes	stainless steel	4Q
C.700.400.0600.A	70.0	4.00	60.0	0.5336	16.80	20.26	yes	music wire	4Q
C.700.400.0600.I	70.0	4.00	60.0	0.4583	16.80	20.26	yes	stainless steel	4Q
C.700.400.0800.A	70.0	4.00	80.0	0.3944	19.20	23.88	yes	music wire	4Q
C.700.400.0800.I	70.0	4.00	80.0	0.3388	19.20	23.88	yes	stainless steel	4Q
C.700.400.1000.A	70.0	4.00	100.0	0.3024	22.00	28.10	yes	music wire	4R
C.700.400.1000.I	70.0	4.00	100.0	0.2597	22.00	28.10	yes	stainless steel	4R
C.700.400.1200.A	70.0	4.00	120.0	0.2520	24.40	31.72	yes	music wire	4R
C.700.400.1200.I	70.0	4.00	120.0	0.2164	24.40	31.72	yes	stainless steel	4R
C.700.400.1250.A	70.0	4.00	125.0	0.2387	25.20	32.93	yes	music wire	4R
C.700.400.1250.I	70.0	4.00	125.0	0.2050	25.20	32.93	yes	stainless steel	4R
C.700.400.1330.A	70.0	4.00	133.0	0.2592	24.00	31.12	yes	music wire	4R
C.700.400.1330.I	70.0	4.00	133.0	0.2226	24.00	31.12	yes	stainless steel	4R
C.700.400.1330.N	70.0	4.00	133.0	0.2592	24.00	31.12	yes	Zn coating	4S
C.700.400.1400.A	70.0	4.00	140.0	0.2160	26.80	35.34	yes	music wire	4R
C.700.400.1400.I	70.0	4.00	140.0	0.1855	26.80	35.34	yes	stainless steel	4R
C.700.400.1450.A	70.0	4.00	145.0	0.2592	24.00	31.12	yes	music wire	4T
C.700.400.1450.I	70.0	4.00	145.0	0.2226	24.00	31.12	yes	stainless steel	4R
C.700.400.1450.N	70.0	4.00	145.0	0.2592	24.00	31.12	yes	Zn coating	5B
C.700.400.1600.A	70.0	4.00	160.0	0.1851	29.60	39.56	yes	music wire	4R
C.700.400.1600.I	70.0	4.00	160.0	0.1590	29.60	39.56	yes	stainless steel	4R
C.700.400.1800.A	70.0	4.00	180.0	0.1649	32.00	43.18	yes	music wire	4S
C.700.400.1800.I	70.0	4.00	180.0	0.1417	32.00	43.18	yes	stainless steel	4S
C.700.400.2000.A	70.0	4.00	200.0	0.1463	34.80	47.41	yes	music wire	4S
C.700.400.2000.I	70.0	4.00	200.0	0.1257	34.80	47.41	yes	stainless steel	4S
C.700.400.2030.A	70.0	4.00	203.0	0.1649	32.00	43.18	yes	music wire	4S
C.700.400.2030.I	70.0	4.00	203.0	0.1416	32.00	43.18	yes	stainless steel	4S
C.700.400.2030.N	70.0	4.00	203.0	0.1649	32.00	43.18	yes	Zn coating	4T
C.700.400.2330.A	70.0	4.00	233.0	0.1649	32.00	47.23	yes	music wire	5B
C.700.400.2330.I	70.0	4.00	233.0	0.1416	32.00	43.18	yes	stainless steel	5B
C.700.400.3000.A	70.0	4.00	300.0	0.0975	47.20	66.11	yes	music wire	4T
C.700.400.3000.I	70.0	4.00	300.0	0.0838	47.20	66.11	yes	stainless steel	4T
C.700.400.3120.A	70.0	4.00	312.0	0.1067	44.00	61.28	yes	music wire	4T
C.700.400.3120.I	70.0	4.00	312.0	0.0916	44.00	61.28	yes	stainless steel	4T
C.700.400.3120.N	70.0	4.00	312.0	0.1067	44.00	61.28	yes	Zn coating	5B
C.700.400.3200.A	70.0	4.00	320.0	0.0907	50.00	70.33	yes	music wire	4T
C.700.400.3200.I	70.0	4.00	320.0	0.0779	50.00	70.33	yes	stainless steel	5A
C.700.400.3400.A	70.0	4.00	340.0	0.0856	52.40	73.96	yes	music wire	5A
C.700.400.3400.I	70.0	4.00	340.0	0.0735	52.40	73.96	yes	stainless steel	5A
C.700.400.3600.A	70.0	4.00	360.0	0.0810	58.80	81.58	no	music wire	5A
C.700.400.3600.I	70.0	4.00	360.0	0.0696	58.80	81.58	no	stainless steel	5A
C.700.400.3790.A	70.0	4.00	379.0	0.0955	48.00	67.32	yes	music wire	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.700.400.3790.I	70.0	4.00	379.0	0.0820	48.00	67.32	yes	stainless steel	5A
C.700.400.3790.N	70.0	4.00	379.0	0.0955	48.00	67.32	yes	Zn coating	5E
C.700.400.4920.A	70.0	4.00	492.0	0.0672	64.00	91.45	yes	music wire	5C
C.700.400.4920.I	70.0	4.00	492.0	0.0577	64.00	91.45	yes	stainless steel	5C
C.700.400.4920.N	70.0	4.00	492.0	0.0672	64.00	91.45	yes	Zn coating	5D
C.700.400.6130.A	70.0	4.00	613.0	0.0585	72.00	103.52	yes	music wire	5F
C.700.400.6130.I	70.0	4.00	613.0	0.0502	72.00	103.52	yes	stainless steel	5D
C.700.400.6130.N	70.0	4.00	613.0	0.0585	72.00	103.52	yes	Zn coating	5H
C.700.450.0500.A	70.0	4.50	50.0	0.9911	18.00	20.82	yes	music wire	4R
C.700.450.0500.I	70.0	4.50	50.0	0.8512	18.00	20.82	yes	stainless steel	4R
C.700.450.0600.A	70.0	4.50	60.0	0.7824	19.80	23.37	yes	music wire	4R
C.700.450.0600.I	70.0	4.50	60.0	0.6720	19.80	23.37	yes	stainless steel	4R
C.700.450.0800.A	70.0	4.50	80.0	0.5718	22.95	27.84	yes	music wire	4R
C.700.450.0800.I	70.0	4.50	80.0	0.4911	22.95	27.84	yes	stainless steel	4R
C.700.450.1000.A	70.0	4.50	100.0	0.4505	26.10	32.30	yes	music wire	4S
C.700.450.1000.I	70.0	4.50	100.0	0.3869	26.10	32.30	yes	stainless steel	4S
C.700.450.1200.A	70.0	4.50	120.0	0.3626	29.70	37.41	yes	music wire	4S
C.700.450.1200.I	70.0	4.50	120.0	0.3114	29.70	37.41	yes	stainless steel	4S
C.700.450.1250.A	70.0	4.50	125.0	0.3540	30.15	38.05	yes	music wire	4S
C.700.450.1250.I	70.0	4.50	125.0	0.3040	30.15	38.05	yes	stainless steel	4S
C.700.450.1600.A	70.0	4.50	160.0	0.2703	36.00	46.34	yes	music wire	4S
C.700.450.1600.I	70.0	4.50	160.0	0.2322	36.00	46.34	yes	stainless steel	4S
C.700.450.2000.A	70.0	4.50	200.0	0.2154	42.30	55.27	yes	music wire	4T
C.700.450.2000.I	70.0	4.50	200.0	0.1850	42.30	55.27	yes	stainless steel	4T
C.700.450.3200.A	70.0	4.50	320.0	0.1316	62.10	83.34	yes	music wire	5A
C.700.450.3200.I	70.0	4.50	320.0	0.1130	62.10	83.34	yes	stainless steel	5B
C.700.450.3600.A	70.0	4.50	360.0	0.1171	72.90	96.78	no	music wire	5B
C.700.450.3600.I	70.0	4.50	360.0	0.1005	72.90	96.78	no	stainless steel	5B
C.700.500.0500.A	70.0	5.00	50.0	1.3638	21.00	24.00	yes	music wire	4S
C.700.500.0500.I	70.0	5.00	50.0	1.1714	21.00	24.00	yes	stainless steel	4S
C.700.500.0600.A	70.0	5.00	60.0	1.1040	23.00	26.71	yes	music wire	4S
C.700.500.0600.I	70.0	5.00	60.0	0.9483	23.00	26.71	yes	stainless steel	4S
C.700.500.0800.A	70.0	5.00	80.0	0.8000	27.00	32.13	yes	music wire	4S
C.700.500.0800.I	70.0	5.00	80.0	0.6867	27.00	32.13	yes	stainless steel	4S
C.700.500.1000.A	70.0	5.00	100.0	0.6266	31.00	37.54	yes	music wire	4T
C.700.500.1000.I	70.0	5.00	100.0	0.5382	31.00	37.54	yes	stainless steel	4T
C.700.500.1250.A	70.0	5.00	125.0	0.4933	36.00	44.31	yes	music wire	4T
C.700.500.1250.I	70.0	5.00	125.0	0.4237	36.00	44.31	yes	stainless steel	4T
C.700.500.1600.A	70.0	5.00	160.0	0.3801	43.00	53.78	yes	music wire	4T
C.700.500.1600.I	70.0	5.00	160.0	0.3265	43.00	53.78	yes	stainless steel	4T
C.700.500.2000.A	70.0	5.00	200.0	0.3011	51.00	64.61	yes	music wire	5A
C.700.500.2000.I	70.0	5.00	200.0	0.2586	51.00	64.61	yes	stainless steel	5A
C.700.500.2800.A	70.0	5.00	280.0	0.2127	67.00	86.27	yes	music wire	5B
C.700.500.2800.I	70.0	5.00	280.0	0.1827	67.00	86.27	yes	stainless steel	5B
C.700.500.3200.A	70.0	5.00	320.0	0.1855	75.00	97.09	yes	music wire	5B
C.700.500.3200.I	70.0	5.00	320.0	0.1593	75.00	97.09	yes	stainless steel	5C
C.700.500.3600.A	70.0	5.00	360.0	0.1644	88.00	112.92	no	music wire	5C
C.700.500.3600.I	70.0	5.00	360.0	0.1412	88.00	112.92	no	stainless steel	5C
C.700.550.0500.A	70.0	5.50	50.0	1.9300	23.65	26.68	yes	music wire	5A
C.700.550.0500.I	70.0	5.50	50.0	1.6577	23.65	26.68	yes	stainless steel	5B
C.700.550.0600.A	70.0	5.50	60.0	1.5791	25.85	29.56	yes	music wire	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.700.550.0600.I	70.0	5.50	60.0	1.3563	25.85	29.56	yes	stainless steel	5B
C.700.550.0800.A	70.0	5.50	80.0	1.1207	30.80	36.02	yes	music wire	5B
C.700.550.0800.I	70.0	5.50	80.0	0.9625	30.80	36.02	yes	stainless steel	5B
C.700.550.1000.A	70.0	5.50	100.0	0.8908	35.20	41.77	yes	music wire	5B
C.700.550.1000.I	70.0	5.50	100.0	0.7651	35.20	41.77	yes	stainless steel	5B
C.700.550.1200.A	70.0	5.50	120.0	0.7238	40.15	48.24	yes	music wire	5B
C.700.550.1200.I	70.0	5.50	120.0	0.6216	40.15	48.24	yes	stainless steel	5C
C.700.550.1250.A	70.0	5.50	125.0	0.6948	41.25	49.67	yes	music wire	5B
C.700.550.1250.I	70.0	5.50	125.0	0.5968	41.25	49.67	yes	stainless steel	5C
C.700.550.1600.A	70.0	5.50	160.0	0.5264	50.05	61.17	yes	music wire	5C
C.700.550.1600.I	70.0	5.50	160.0	0.4521	50.05	61.17	yes	stainless steel	5C
C.700.550.2000.A	70.0	5.50	200.0	0.4186	59.40	73.38	yes	music wire	5C
C.700.550.2000.I	70.0	5.50	200.0	0.3595	59.40	73.38	yes	stainless steel	5D
C.700.550.3200.A	70.0	5.50	320.0	0.2554	88.55	111.46	yes	music wire	5D
C.700.550.3200.I	70.0	5.50	320.0	0.2194	88.55	111.46	yes	stainless steel	5E
C.700.550.3600.A	70.0	5.50	360.0	0.2271	103.40	129.17	no	music wire	5D
C.700.550.3600.I	70.0	5.50	360.0	0.1950	103.40	129.17	no	stainless steel	5E
C.700.600.0500.A	70.0	6.00	50.0	2.7981	25.80	28.72	yes	music wire	5D
C.700.600.0500.I	70.0	6.00	50.0	2.4000	25.80	28.72	yes	stainless steel	5E
C.700.600.0600.A	70.0	6.00	60.0	2.1898	28.80	32.54	yes	music wire	5D
C.700.600.0600.I	70.0	6.00	60.0	1.8808	28.80	32.54	yes	stainless steel	5E
C.700.600.0800.A	70.0	6.00	80.0	1.5262	34.80	40.16	yes	music wire	5D
C.700.600.0800.I	70.0	6.00	80.0	1.3109	34.80	40.16	yes	stainless steel	5E
C.700.600.1000.A	70.0	6.00	100.0	1.2000	40.20	47.02	yes	music wire	5E
C.700.600.1000.I	70.0	6.00	100.0	1.0300	40.20	47.02	yes	stainless steel	5E
C.700.600.1200.A	70.0	6.00	120.0	0.9876	45.60	53.88	yes	music wire	5E
C.700.600.1200.I	70.0	6.00	120.0	0.8482	45.60	53.88	yes	stainless steel	5E
C.700.600.1250.A	70.0	6.00	125.0	0.9327	47.40	56.17	yes	music wire	5E
C.700.600.1250.I	70.0	6.00	125.0	0.8000	47.40	56.17	yes	stainless steel	5E
C.700.600.1600.A	70.0	6.00	160.0	0.7195	57.00	68.37	yes	music wire	5E
C.700.600.1600.I	70.0	6.00	160.0	0.6180	57.00	68.37	yes	stainless steel	5F
C.700.600.2000.A	70.0	6.00	200.0	0.5659	68.40	82.85	yes	music wire	5E
C.700.600.2000.I	70.0	6.00	200.0	0.4861	68.40	82.85	yes	stainless steel	5F
C.700.600.2600.A	70.0	6.00	260.0	0.4305	85.20	104.20	yes	music wire	5F
C.700.600.2600.I	70.0	6.00	260.0	0.3697	85.20	104.20	yes	stainless steel	5G
C.700.600.3600.A	70.0	6.00	360.0	0.3052	120.00	146.80	no	music wire	5G
C.700.600.3600.I	70.0	6.00	360.0	0.2622	120.00	146.80	no	stainless steel	5H
C.710.290.2290.A	71.0	2.90	229.0	0.0310	31.61	51.51	no	music wire	4O
C.710.290.2290.I	71.0	2.90	229.0	0.0270	31.32	50.95	no	stainless steel	4P
C.710.600.0600.A	71.0	6.00	60.0	1.3480	36.60	42.56	yes	music wire	5D
C.710.600.0600.I	71.0	6.00	60.0	1.1728	36.00	41.80	yes	stainless steel	5E
C.710.600.0600.N	71.0	6.00	60.0	1.3480	36.60	42.56	yes	Zn coating	5F
C.710.600.2650.A	71.0	6.00	265.0	0.2780	118.80	147.45	yes	music wire	5F
C.710.600.2650.I	71.0	6.00	265.0	0.2419	117.60	145.92	yes	stainless steel	5G
C.710.600.2650.N	71.0	6.00	265.0	0.2780	118.80	147.45	yes	Zn coating	5H
C.720.300.0500.A	72.0	3.00	50.0	0.2284	13.80	16.75	no	music wire	4J
C.720.300.0500.I	72.0	3.00	50.0	0.1961	13.80	16.75	no	stainless steel	4J
C.720.300.0800.A	72.0	3.00	80.0	0.1478	15.60	20.16	no	music wire	4K
C.720.300.0800.I	72.0	3.00	80.0	0.1269	15.60	20.16	no	stainless steel	4L
C.720.300.1000.A	72.0	3.00	100.0	0.1196	16.80	22.43	no	music wire	4L
C.720.300.1000.I	72.0	3.00	100.0	0.1027	16.80	22.43	no	stainless steel	4L

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.720.300.1250.A	72.0	3.00	125.0	0.0966	18.30	25.27	no	music wire	4M
C.720.300.1250.I	72.0	3.00	125.0	0.0830	18.30	25.27	no	stainless steel	4M
C.720.300.1600.A	72.0	3.00	160.0	0.0739	20.70	29.81	no	music wire	4N
C.720.300.1600.I	72.0	3.00	160.0	0.0635	20.70	29.81	no	stainless steel	4N
C.720.300.2000.A	72.0	3.00	200.0	0.0584	23.40	34.93	no	music wire	4O
C.720.300.2000.I	72.0	3.00	200.0	0.0502	23.40	34.93	no	stainless steel	4O
C.720.300.3600.I	72.0	3.00	360.0	0.0280	33.60	54.24	no	stainless steel	4R
C.720.320.0500.A	72.0	3.20	50.0	0.2982	14.72	17.51	no	music wire	4L
C.720.320.0500.I	72.0	3.20	50.0	0.2561	14.72	17.51	no	stainless steel	4L
C.720.320.0800.A	72.0	3.20	80.0	0.1822	16.96	21.53	no	music wire	4M
C.720.320.0800.I	72.0	3.20	80.0	0.1565	16.96	21.53	no	stainless steel	4M
C.720.320.1000.A	72.0	3.20	100.0	0.1491	18.24	23.83	no	music wire	4M
C.720.320.1000.I	72.0	3.20	100.0	0.1281	18.24	23.83	no	stainless steel	4M
C.720.320.1250.A	72.0	3.20	125.0	0.1172	20.16	27.27	no	music wire	4N
C.720.320.1250.I	72.0	3.20	125.0	0.1006	20.16	27.27	no	stainless steel	4N
C.720.320.1600.A	72.0	3.20	160.0	0.0911	22.72	31.86	no	music wire	4O
C.720.320.1600.I	72.0	3.20	160.0	0.0783	22.72	31.86	no	stainless steel	4O
C.720.320.2000.A	72.0	3.20	200.0	0.0713	25.92	37.60	no	music wire	4P
C.720.320.2000.I	72.0	3.20	200.0	0.0612	25.92	37.60	no	stainless steel	4P
C.720.320.3600.A	72.0	3.20	360.0	0.0395	37.76	58.83	no	music wire	4S
C.720.320.3600.I	72.0	3.20	360.0	0.0339	37.76	58.83	no	stainless steel	4S
C.720.360.0500.A	72.0	3.60	50.0	0.4456	13.32	16.09	yes	music wire	4N
C.720.360.0500.I	72.0	3.60	50.0	0.3827	13.32	16.09	yes	stainless steel	4N
C.720.360.0800.A	72.0	3.60	80.0	0.2673	16.20	20.82	yes	music wire	4N
C.720.360.0800.I	72.0	3.60	80.0	0.2296	16.20	20.82	yes	stainless steel	4N
C.720.360.1000.A	72.0	3.60	100.0	0.2139	18.00	23.77	yes	music wire	4O
C.720.360.1000.I	72.0	3.60	100.0	0.1837	18.00	23.77	yes	stainless steel	4O
C.720.360.1250.A	72.0	3.60	125.0	0.1671	20.52	27.91	yes	music wire	4P
C.720.360.1250.I	72.0	3.60	125.0	0.1435	20.52	27.91	yes	stainless steel	4P
C.720.360.1600.A	72.0	3.60	160.0	0.1304	23.76	33.23	yes	music wire	4P
C.720.360.1600.I	72.0	3.60	160.0	0.1120	23.76	33.23	yes	stainless steel	4Q
C.720.360.2000.A	72.0	3.60	200.0	0.1028	27.72	39.73	yes	music wire	4Q
C.720.360.2000.I	72.0	3.60	200.0	0.0883	27.72	39.73	yes	stainless steel	4R
C.720.360.3600.A	72.0	3.60	360.0	0.0563	46.80	68.74	no	music wire	4T
C.720.360.3600.I	72.0	3.60	360.0	0.0483	46.80	68.74	no	stainless steel	4T
C.720.400.0500.A	72.0	4.00	50.0	0.6380	15.20	17.97	yes	music wire	4Q
C.720.400.0500.I	72.0	4.00	50.0	0.5480	15.20	17.97	yes	stainless steel	4Q
C.720.400.0700.A	72.0	4.00	70.0	0.1250	36.40	50.48	yes	music wire	4Q
C.720.400.0700.I	72.0	4.00	70.0	0.1088	36.40	50.48	yes	stainless steel	4Q
C.720.400.0700.N	72.0	4.00	70.0	0.1250	36.40	50.48	yes	Zn coating	4R
C.720.400.0800.A	72.0	4.00	80.0	0.3770	18.80	23.49	yes	music wire	4Q
C.720.400.0800.I	72.0	4.00	80.0	0.3238	18.80	23.49	yes	stainless steel	4Q
C.720.400.1000.A	72.0	4.00	100.0	0.2962	21.20	27.18	yes	music wire	4R
C.720.400.1000.I	72.0	4.00	100.0	0.2544	21.20	27.18	yes	stainless steel	4R
C.720.400.1250.A	72.0	4.00	125.0	0.2304	24.40	32.08	yes	music wire	4R
C.720.400.1250.I	72.0	4.00	125.0	0.1979	24.40	32.08	yes	stainless steel	4R
C.720.400.1600.A	72.0	4.00	160.0	0.1803	28.40	38.22	yes	music wire	4R
C.720.400.1600.I	72.0	4.00	160.0	0.1549	28.40	38.22	yes	stainless steel	4S
C.720.400.2000.A	72.0	4.00	200.0	0.1430	33.20	45.58	yes	music wire	4S
C.720.400.2000.I	72.0	4.00	200.0	0.1228	33.20	45.58	yes	stainless steel	4S
C.720.400.3600.A	72.0	4.00	360.0	0.0775	56.80	79.63	no	music wire	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.720.400.3600.I	72.0	4.00	360.0	0.0666	56.80	79.63	no	stainless steel	5A
C.720.450.0500.A	72.0	4.50	50.0	0.9056	18.00	20.95	yes	music wire	4R
C.720.450.0500.I	72.0	4.50	50.0	0.7778	18.00	20.95	yes	stainless steel	4R
C.720.450.0800.A	72.0	4.50	80.0	0.5433	22.50	27.42	yes	music wire	4R
C.720.450.0800.I	72.0	4.50	80.0	0.4667	22.50	27.42	yes	stainless steel	4R
C.720.450.1000.A	72.0	4.50	100.0	0.4245	25.65	31.95	yes	music wire	4S
C.720.450.1000.I	72.0	4.50	100.0	0.3646	25.65	31.95	yes	stainless steel	4S
C.720.450.1250.A	72.0	4.50	125.0	0.3396	29.25	37.13	yes	music wire	4S
C.720.450.1250.I	72.0	4.50	125.0	0.2917	29.25	37.13	yes	stainless steel	4S
C.720.450.1600.A	72.0	4.50	160.0	0.2612	34.65	44.89	yes	music wire	4S
C.720.450.1600.I	72.0	4.50	160.0	0.2244	34.65	44.89	yes	stainless steel	4S
C.720.450.2000.A	72.0	4.50	200.0	0.2058	40.95	53.94	yes	music wire	4T
C.720.450.2000.I	72.0	4.50	200.0	0.1768	40.95	53.94	yes	stainless steel	4T
C.720.450.3600.A	72.0	4.50	360.0	0.1132	69.75	93.38	no	music wire	5B
C.720.450.3600.I	72.0	4.50	360.0	0.0972	69.75	93.38	no	stainless steel	5B
C.720.500.0500.A	72.0	5.00	50.0	1.3231	20.50	23.45	yes	music wire	4S
C.720.500.0500.I	72.0	5.00	50.0	1.1364	20.50	23.45	yes	stainless steel	4S
C.720.500.0800.A	72.0	5.00	80.0	0.7841	26.00	30.99	yes	music wire	4S
C.720.500.0800.I	72.0	5.00	80.0	0.6734	26.00	30.99	yes	stainless steel	4S
C.720.500.1000.A	72.0	5.00	100.0	0.6049	30.00	36.46	yes	music wire	4T
C.720.500.1000.I	72.0	5.00	100.0	0.5195	30.00	36.46	yes	stainless steel	4T
C.720.500.1250.A	72.0	5.00	125.0	0.4811	34.50	42.63	yes	music wire	4T
C.720.500.1250.I	72.0	5.00	125.0	0.4132	34.50	42.63	yes	stainless steel	4T
C.720.500.1600.A	72.0	5.00	160.0	0.3650	41.50	52.21	yes	music wire	4T
C.720.500.1600.I	72.0	5.00	160.0	0.3135	41.50	52.21	yes	stainless steel	4T
C.720.500.2000.A	72.0	5.00	200.0	0.2900	49.00	62.48	yes	music wire	5A
C.720.500.2000.I	72.0	5.00	200.0	0.2491	49.00	62.48	yes	stainless steel	5A
C.720.500.3600.A	72.0	5.00	360.0	0.1580	84.50	109.25	no	music wire	5C
C.720.500.3600.I	72.0	5.00	360.0	0.1357	84.50	109.25	no	stainless steel	5C
C.720.550.0500.A	72.0	5.50	50.0	1.8647	23.10	26.09	yes	music wire	5A
C.720.550.0500.I	72.0	5.50	50.0	1.6000	23.10	26.09	yes	stainless steel	5B
C.720.550.0800.A	72.0	5.50	80.0	1.0931	29.70	34.79	yes	music wire	5B
C.720.550.0800.I	72.0	5.50	80.0	0.9388	29.70	34.79	yes	stainless steel	5B
C.720.550.1000.A	72.0	5.50	100.0	0.8342	34.65	41.32	yes	music wire	5B
C.720.550.1000.I	72.0	5.50	100.0	0.7165	34.65	41.32	yes	stainless steel	5B
C.720.550.1250.A	72.0	5.50	125.0	0.6604	40.15	48.58	yes	music wire	5B
C.720.550.1250.I	72.0	5.50	125.0	0.5672	40.15	48.58	yes	stainless steel	5C
C.720.550.1600.A	72.0	5.50	160.0	0.5032	48.40	59.46	yes	music wire	5C
C.720.550.1600.I	72.0	5.50	160.0	0.4322	48.40	59.46	yes	stainless steel	5C
C.720.550.2000.A	72.0	5.50	200.0	0.4013	57.20	71.07	yes	music wire	5C
C.720.550.2000.I	72.0	5.50	200.0	0.3446	57.20	71.07	yes	stainless steel	5D
C.720.550.3600.A	72.0	5.50	360.0	0.2171	99.55	125.19	no	music wire	5D
C.720.550.3600.I	72.0	5.50	360.0	0.1865	99.55	125.19	no	stainless steel	5E
C.720.600.0500.A	72.0	6.00	50.0	2.5513	25.80	28.84	yes	music wire	5D
C.720.600.0500.I	72.0	6.00	50.0	2.1913	25.80	28.84	yes	stainless steel	5E
C.720.600.0800.A	72.0	6.00	80.0	1.4814	33.60	38.84	yes	music wire	5D
C.720.600.0800.I	72.0	6.00	80.0	1.2724	33.60	38.84	yes	stainless steel	5E
C.720.600.1000.A	72.0	6.00	100.0	1.1481	39.00	45.76	yes	music wire	5E
C.720.600.1000.I	72.0	6.00	100.0	0.9861	39.00	45.76	yes	stainless steel	5E
C.720.600.1250.A	72.0	6.00	125.0	0.9000	45.60	54.21	yes	music wire	5E
C.720.600.1250.I	72.0	6.00	125.0	0.7734	45.60	54.21	yes	stainless steel	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.720.600.1600.A	72.0	6.00	160.0	0.6854	55.20	66.52	yes	music wire	5E
C.720.600.1600.I	72.0	6.00	160.0	0.5887	55.20	66.52	yes	stainless steel	5F
C.720.600.2000.A	72.0	6.00	200.0	0.5403	66.00	80.36	yes	music wire	5E
C.720.600.2000.I	72.0	6.00	200.0	0.4640	66.00	80.36	yes	stainless steel	5F
C.720.600.3600.A	72.0	6.00	360.0	0.2925	115.20	141.72	no	music wire	5G
C.720.600.3600.I	72.0	6.00	360.0	0.2512	115.20	141.72	no	stainless steel	5H
C.730.300.0790.A	73.0	3.00	79.0	0.0590	22.80	34.08	no	music wire	4K
C.730.300.0790.I	73.0	3.00	79.0	0.0513	22.50	33.50	no	stainless steel	4L
C.730.300.0790.N	73.0	3.00	79.0	0.0590	22.80	34.08	no	Zn coating	4M
C.731.500.0760.A	73.1	5.00	76.0	0.7816	25.50	30.42	yes	music wire	4S
C.731.500.0760.I	73.1	5.00	76.0	0.6800	25.00	29.73	yes	stainless steel	4S
C.740.300.0500.A	74.0	3.00	50.0	0.2096	13.80	16.90	no	music wire	4J
C.740.300.0500.I	74.0	3.00	50.0	0.1800	13.80	16.90	no	stainless steel	4J
C.740.300.0800.A	74.0	3.00	80.0	0.1441	15.30	19.81	no	music wire	4L
C.740.300.0800.I	74.0	3.00	80.0	0.1238	15.30	19.81	no	stainless steel	4L
C.740.300.1000.A	74.0	3.00	100.0	0.1153	16.50	22.14	no	music wire	4L
C.740.300.1000.I	74.0	3.00	100.0	0.0990	16.50	22.14	no	stainless steel	4L
C.740.300.1250.I	74.0	3.00	125.0	0.0792	18.00	25.05	no	stainless steel	4M
C.740.300.1600.I	74.0	3.00	160.0	0.0619	20.10	29.13	no	stainless steel	4N
C.740.320.0500.A	74.0	3.20	50.0	0.2736	14.72	17.66	no	music wire	4L
C.740.320.0500.I	74.0	3.20	50.0	0.2350	14.72	17.66	no	stainless steel	4L
C.740.320.0800.A	74.0	3.20	80.0	0.1771	16.64	21.18	no	music wire	4M
C.740.320.0800.I	74.0	3.20	80.0	0.1521	16.64	21.18	no	stainless steel	4M
C.740.320.1000.A	74.0	3.20	100.0	0.1433	17.92	23.53	no	music wire	4M
C.740.320.1000.I	74.0	3.20	100.0	0.1231	17.92	23.53	no	stainless steel	4M
C.740.320.1250.A	74.0	3.20	125.0	0.1115	19.84	27.05	no	music wire	4N
C.740.320.1250.I	74.0	3.20	125.0	0.0958	19.84	27.05	no	stainless steel	4N
C.740.320.1600.A	74.0	3.20	160.0	0.0860	22.40	31.74	no	music wire	4O
C.740.320.1600.I	74.0	3.20	160.0	0.0739	22.40	31.74	no	stainless steel	4O
C.740.320.2000.A	74.0	3.20	200.0	0.0700	24.96	36.44	no	music wire	4P
C.740.320.2000.I	74.0	3.20	200.0	0.0600	24.96	36.44	no	stainless steel	4P
C.740.320.3600.A	74.0	3.20	360.0	0.0381	36.48	57.57	no	music wire	4S
C.740.320.3600.I	74.0	3.20	360.0	0.0327	36.48	57.57	no	stainless steel	4S
C.740.360.0500.A	74.0	3.60	50.0	0.4458	12.96	15.63	yes	music wire	4N
C.740.360.0500.I	74.0	3.60	50.0	0.3829	12.96	15.63	yes	stainless steel	4N
C.740.360.0800.A	74.0	3.60	80.0	0.2581	15.84	20.45	yes	music wire	4N
C.740.360.0800.I	74.0	3.60	80.0	0.2217	15.84	20.45	yes	stainless steel	4O
C.740.360.1000.A	74.0	3.60	100.0	0.2043	17.64	23.46	yes	music wire	4O
C.740.360.1000.I	74.0	3.60	100.0	0.1755	17.64	23.46	yes	stainless steel	4O
C.740.360.1250.A	74.0	3.60	125.0	0.1635	19.80	27.08	yes	music wire	4P
C.740.360.1250.I	74.0	3.60	125.0	0.1404	19.80	27.08	yes	stainless steel	4P
C.740.360.1600.A	74.0	3.60	160.0	0.1257	23.04	32.50	yes	music wire	4Q
C.740.360.1600.I	74.0	3.60	160.0	0.1080	23.04	32.50	yes	stainless steel	4Q
C.740.360.2000.A	74.0	3.60	200.0	0.1000	26.64	38.52	yes	music wire	4R
C.740.360.2000.I	74.0	3.60	200.0	0.0860	26.64	38.52	yes	stainless steel	4R
C.740.360.3600.A	74.0	3.60	360.0	0.0545	45.00	66.83	no	music wire	4T
C.740.360.3600.I	74.0	3.60	360.0	0.0468	45.00	66.83	no	stainless steel	4T
C.740.400.0500.A	74.0	4.00	50.0	0.6336	14.80	17.48	yes	music wire	4Q
C.740.400.0500.I	74.0	4.00	50.0	0.5442	14.80	17.48	yes	stainless steel	4Q
C.740.400.0800.A	74.0	4.00	80.0	0.3621	18.40	23.10	yes	music wire	4Q
C.740.400.0800.I	74.0	4.00	80.0	0.3110	18.40	23.10	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.740.400.1000.A	74.0	4.00	100.0	0.2816	20.80	26.84	yes	music wire	4R
C.740.400.1000.I	74.0	4.00	100.0	0.2419	20.80	26.84	yes	stainless steel	4R
C.740.400.1250.A	74.0	4.00	125.0	0.2236	23.60	31.21	yes	music wire	4R
C.740.400.1250.I	74.0	4.00	125.0	0.1921	23.60	31.21	yes	stainless steel	4R
C.740.400.1600.A	74.0	4.00	160.0	0.1728	27.60	37.45	yes	music wire	4S
C.740.400.1600.I	74.0	4.00	160.0	0.1484	27.60	37.45	yes	stainless steel	4S
C.740.400.2000.A	74.0	4.00	200.0	0.1382	32.00	44.31	yes	music wire	4S
C.740.400.2000.I	74.0	4.00	200.0	0.1187	32.00	44.31	yes	stainless steel	4S
C.740.400.3600.A	74.0	4.00	360.0	0.0753	54.40	77.00	no	music wire	5A
C.740.400.3600.I	74.0	4.00	360.0	0.0647	54.40	77.00	no	stainless steel	5A
C.740.450.0500.A	74.0	4.50	50.0	0.8889	17.55	20.43	yes	music wire	4R
C.740.450.0500.I	74.0	4.50	50.0	0.7634	17.55	20.43	yes	stainless steel	4R
C.740.450.0800.A	74.0	4.50	80.0	0.5185	22.05	26.99	yes	music wire	4R
C.740.450.0800.I	74.0	4.50	80.0	0.4453	22.05	26.99	yes	stainless steel	4R
C.740.450.1000.A	74.0	4.50	100.0	0.4148	24.75	30.93	yes	music wire	4S
C.740.450.1000.I	74.0	4.50	100.0	0.3563	24.75	30.93	yes	stainless steel	4S
C.740.450.1250.A	74.0	4.50	125.0	0.3275	28.35	36.18	yes	music wire	4S
C.740.450.1250.I	74.0	4.50	125.0	0.2813	28.35	36.18	yes	stainless steel	4S
C.740.450.1600.A	74.0	4.50	160.0	0.2489	33.75	44.05	yes	music wire	4S
C.740.450.1600.I	74.0	4.50	160.0	0.2138	33.75	44.05	yes	stainless steel	4T
C.740.450.2000.A	74.0	4.50	200.0	0.2007	39.15	51.92	yes	music wire	4T
C.740.450.2000.I	74.0	4.50	200.0	0.1724	39.15	51.92	yes	stainless steel	4T
C.740.450.3600.A	74.0	4.50	360.0	0.1092	67.05	90.53	no	music wire	5B
C.740.450.3600.I	74.0	4.50	360.0	0.0938	67.05	90.53	no	stainless steel	5B
C.740.500.0500.A	74.0	5.00	50.0	1.2921	20.00	22.89	yes	music wire	4S
C.740.500.0500.I	74.0	5.00	50.0	1.1098	20.00	22.89	yes	stainless steel	4S
C.740.500.0800.A	74.0	5.00	80.0	0.7455	25.50	30.51	yes	music wire	4S
C.740.500.0800.I	74.0	5.00	80.0	0.6403	25.50	30.51	yes	stainless steel	4S
C.740.500.1000.A	74.0	5.00	100.0	0.5873	29.00	35.36	yes	music wire	4T
C.740.500.1000.I	74.0	5.00	100.0	0.5045	29.00	35.36	yes	stainless steel	4T
C.740.500.1250.A	74.0	5.00	125.0	0.4615	33.50	41.60	yes	music wire	4T
C.740.500.1250.I	74.0	5.00	125.0	0.3964	33.50	41.60	yes	stainless steel	4T
C.740.500.1600.A	74.0	5.00	160.0	0.3524	40.00	50.61	yes	music wire	4T
C.740.500.1600.I	74.0	5.00	160.0	0.3027	40.00	50.61	yes	stainless steel	5A
C.740.500.2000.A	74.0	5.00	200.0	0.2809	47.00	60.31	yes	music wire	5A
C.740.500.2000.I	74.0	5.00	200.0	0.2413	47.00	60.31	yes	stainless steel	5A
C.740.500.3600.A	74.0	5.00	360.0	0.1526	81.00	105.49	no	music wire	5C
C.740.500.3600.I	74.0	5.00	360.0	0.1311	81.00	105.49	no	stainless steel	5D
C.740.550.0500.A	74.0	5.50	50.0	1.8127	22.55	25.48	yes	music wire	5A
C.740.550.0500.I	74.0	5.50	50.0	1.5569	22.55	25.48	yes	stainless steel	5B
C.740.550.0800.A	74.0	5.50	80.0	1.0358	29.15	34.27	yes	music wire	5B
C.740.550.0800.I	74.0	5.50	80.0	0.8897	29.15	34.27	yes	stainless steel	5B
C.740.550.1000.A	74.0	5.50	100.0	0.8056	33.55	40.14	yes	music wire	5B
C.740.550.1000.I	74.0	5.50	100.0	0.6920	33.55	40.14	yes	stainless steel	5B
C.740.550.1250.A	74.0	5.50	125.0	0.6305	39.05	47.47	yes	music wire	5B
C.740.550.1250.I	74.0	5.50	125.0	0.5415	39.05	47.47	yes	stainless steel	5C
C.740.550.1600.A	74.0	5.50	160.0	0.4834	46.75	57.73	yes	music wire	5C
C.740.550.1600.I	74.0	5.50	160.0	0.4152	46.75	57.73	yes	stainless steel	5C
C.740.550.2000.A	74.0	5.50	200.0	0.3816	55.55	69.46	yes	music wire	5C
C.740.550.2000.I	74.0	5.50	200.0	0.3278	55.55	69.46	yes	stainless steel	5D
C.740.550.3600.A	74.0	5.50	360.0	0.2087	95.70	121.13	no	music wire	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.740.550.3600.I	74.0	5.50	360.0	0.1792	95.70	121.13	no	stainless steel	5E
C.740.600.0500.A	74.0	6.00	50.0	2.4700	25.20	28.19	yes	music wire	5D
C.740.600.0500.I	74.0	6.00	50.0	2.1215	25.20	28.19	yes	stainless steel	5E
C.740.600.0800.A	74.0	6.00	80.0	1.4000	33.00	38.27	yes	music wire	5D
C.740.600.0800.I	74.0	6.00	80.0	1.2000	33.00	38.27	yes	stainless steel	5E
C.740.600.1000.A	74.0	6.00	100.0	1.1050	37.80	44.47	yes	music wire	5E
C.740.600.1000.I	74.0	6.00	100.0	0.9491	37.80	44.47	yes	stainless steel	5E
C.740.600.1250.A	74.0	6.00	125.0	0.8569	44.40	53.00	yes	music wire	5E
C.740.600.1250.I	74.0	6.00	125.0	0.7360	44.40	53.00	yes	stainless steel	5E
C.740.600.1600.A	74.0	6.00	160.0	0.6561	53.40	64.64	yes	music wire	5E
C.740.600.1600.I	74.0	6.00	160.0	0.5635	53.40	64.64	yes	stainless steel	5F
C.740.600.2000.A	74.0	6.00	200.0	0.5184	63.60	77.82	yes	music wire	5E
C.740.600.2000.I	74.0	6.00	200.0	0.4452	63.60	77.82	yes	stainless steel	5G
C.740.600.3600.A	74.0	6.00	360.0	0.2799	111.00	137.34	no	music wire	5G
C.740.600.3600.I	74.0	6.00	360.0	0.2404	111.00	137.34	no	stainless steel	5H
C.746.470.2670.A	74.6	4.70	267.0	0.1839	48.88	64.91	yes	music wire	5A
C.746.470.2670.I	74.6	4.70	267.0	0.1600	48.41	64.24	yes	stainless steel	5A
C.750.450.0500.A	75.0	4.50	50.0	0.9171	17.10	19.84	yes	music wire	4R
C.750.450.0500.I	75.0	4.50	50.0	0.7877	17.10	19.84	yes	stainless steel	4R
C.750.450.0800.A	75.0	4.50	80.0	0.5183	21.60	26.45	yes	music wire	4R
C.750.450.0800.I	75.0	4.50	80.0	0.4452	21.60	26.45	yes	stainless steel	4R
C.750.450.1000.A	75.0	4.50	100.0	0.4111	24.30	30.41	yes	music wire	4S
C.750.450.1000.I	75.0	4.50	100.0	0.3531	24.30	30.41	yes	stainless steel	4S
C.750.450.1460.A	75.0	4.50	146.0	0.3406	27.00	34.37	yes	music wire	5B
C.750.450.1460.I	75.0	4.50	146.0	0.2925	27.00	34.37	yes	stainless steel	4S
C.750.450.1460.N	75.0	4.50	146.0	0.3406	27.00	34.37	yes	Zn coating	5D
C.750.450.2000.A	75.0	4.50	200.0	0.1954	38.70	51.55	yes	music wire	4T
C.750.450.2000.I	75.0	4.50	200.0	0.1679	38.70	51.55	yes	stainless steel	4T
C.750.450.2240.A	75.0	4.50	224.0	0.2168	36.00	47.59	yes	music wire	5C
C.750.450.2240.I	75.0	4.50	224.0	0.1862	36.00	47.59	yes	stainless steel	4T
C.750.450.2240.N	75.0	4.50	224.0	0.2168	36.00	47.59	yes	Zn coating	5D
C.750.450.3800.A	75.0	4.50	380.0	0.1255	54.00	74.01	yes	music wire	5E
C.750.450.3800.I	75.0	4.50	380.0	0.1078	54.00	74.01	yes	stainless steel	5C
C.750.450.3800.N	75.0	4.50	380.0	0.1255	54.00	74.01	yes	Zn coating	5G
C.750.450.6150.A	75.0	4.50	615.0	0.0769	81.00	113.65	yes	music wire	5G
C.750.450.6150.I	75.0	4.50	615.0	0.0660	81.00	113.65	yes	stainless steel	5E
C.750.450.6150.N	75.0	4.50	615.0	0.0769	81.00	113.65	yes	Zn coating	5I
C.750.500.0500.A	75.0	5.00	50.0	1.2375	20.00	22.95	yes	music wire	4S
C.750.500.0500.I	75.0	5.00	50.0	1.0629	20.00	22.95	yes	stainless steel	4S
C.750.500.0800.A	75.0	5.00	80.0	0.7425	25.00	29.93	yes	music wire	4S
C.750.500.0800.I	75.0	5.00	80.0	0.6378	25.00	29.93	yes	stainless steel	4S
C.750.500.1000.A	75.0	5.00	100.0	0.5801	28.50	34.80	yes	music wire	4T
C.750.500.1000.I	75.0	5.00	100.0	0.4982	28.50	34.80	yes	stainless steel	4T
C.750.500.1170.A	75.0	5.00	117.0	0.5304	30.00	36.90	yes	music wire	4T
C.750.500.1170.I	75.0	5.00	117.0	0.4556	30.00	36.90	yes	stainless steel	4T
C.750.500.1170.N	75.0	5.00	117.0	0.5304	30.00	36.90	yes	Zn coating	5A
C.750.500.1780.A	75.0	5.00	178.0	0.3375	40.00	50.84	yes	music wire	5A
C.750.500.1780.I	75.0	5.00	178.0	0.2899	40.00	50.84	yes	stainless steel	5A
C.750.500.1780.N	75.0	5.00	178.0	0.3375	40.00	50.84	yes	Zn coating	5B
C.750.500.2000.A	75.0	5.00	200.0	0.2730	46.50	59.90	yes	music wire	5A
C.750.500.2000.I	75.0	5.00	200.0	0.2345	46.50	59.90	yes	stainless steel	5A

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.750.500.2730.A	75.0	5.00	273.0	0.2184	55.00	71.75	yes	music wire	5B
C.750.500.2730.I	75.0	5.00	273.0	0.1876	55.00	71.75	yes	stainless steel	5B
C.750.500.2730.N	75.0	5.00	273.0	0.2184	55.00	71.75	yes	Zn coating	5D
C.750.500.4300.A	75.0	5.00	430.0	0.1375	80.00	106.60	yes	music wire	5D
C.750.500.4300.I	75.0	5.00	430.0	0.1181	80.00	106.60	yes	stainless steel	5D
C.750.500.4300.N	75.0	5.00	430.0	0.1375	80.00	106.60	yes	Zn coating	5E
C.750.600.0500.A	75.0	6.00	50.0	2.6300	24.00	26.69	yes	music wire	5D
C.750.600.0500.I	75.0	6.00	50.0	2.2881	24.00	26.69	yes	stainless steel	5E
C.750.600.0500.N	75.0	6.00	50.0	2.6300	24.00	26.69	yes	Zn coating	5F
C.750.600.2000.A	75.0	6.00	200.0	0.5087	62.40	76.54	yes	music wire	5E
C.750.600.2000.I	75.0	6.00	200.0	0.4370	62.40	76.54	yes	stainless steel	5G
C.760.300.0500.A	76.0	3.00	50.0	0.1928	13.80	17.06	no	music wire	4J
C.760.300.0500.I	76.0	3.00	50.0	0.1656	13.80	17.06	no	stainless steel	4J
C.760.300.0800.I	76.0	3.00	80.0	0.1215	15.00	19.45	no	stainless steel	4L
C.760.300.1000.I	76.0	3.00	100.0	0.0959	16.20	21.83	no	stainless steel	4L
C.760.300.1250.I	76.0	3.00	125.0	0.0759	17.70	24.81	no	stainless steel	4M
C.760.320.0500.A	76.0	3.20	50.0	0.2517	14.72	17.80	no	music wire	4L
C.760.320.0500.I	76.0	3.20	50.0	0.2162	14.72	17.80	no	stainless steel	4L
C.760.320.0800.A	76.0	3.20	80.0	0.1730	16.32	20.81	no	music wire	4M
C.760.320.0800.I	76.0	3.20	80.0	0.1486	16.32	20.81	no	stainless steel	4M
C.760.320.1000.A	76.0	3.20	100.0	0.1384	17.60	23.21	no	music wire	4M
C.760.320.1000.I	76.0	3.20	100.0	0.1189	17.60	23.21	no	stainless steel	4M
C.760.320.1250.A	76.0	3.20	125.0	0.1107	19.20	26.21	no	music wire	4N
C.760.320.1250.I	76.0	3.20	125.0	0.0951	19.20	26.21	no	stainless steel	4N
C.760.320.1600.A	76.0	3.20	160.0	0.0839	21.76	31.01	no	music wire	4O
C.760.320.1600.I	76.0	3.20	160.0	0.0721	21.76	31.01	no	stainless steel	4O
C.760.320.2000.A	76.0	3.20	200.0	0.0675	24.32	35.82	no	music wire	4P
C.760.320.2000.I	76.0	3.20	200.0	0.0580	24.32	35.82	no	stainless steel	4P
C.760.320.3600.I	76.0	3.20	360.0	0.0317	35.20	56.23	no	stainless steel	4S
C.760.360.0500.A	76.0	3.60	50.0	0.4099	16.56	19.36	no	music wire	4N
C.760.360.0500.I	76.0	3.60	50.0	0.3521	16.56	19.36	no	stainless steel	4N
C.760.360.0800.A	76.0	3.60	80.0	0.2500	19.08	23.66	no	music wire	4N
C.760.360.0800.I	76.0	3.60	80.0	0.2151	19.08	23.66	no	stainless steel	4O
C.760.360.1000.A	76.0	3.60	100.0	0.1960	20.88	26.73	no	music wire	4O
C.760.360.1000.I	76.0	3.60	100.0	0.1684	20.88	26.73	no	stainless steel	4O
C.760.360.1250.A	76.0	3.60	125.0	0.1555	23.04	30.42	no	music wire	4P
C.760.360.1250.I	76.0	3.60	125.0	0.1335	23.04	30.42	no	stainless steel	4P
C.760.360.1600.A	76.0	3.60	160.0	0.1219	25.92	35.33	no	music wire	4Q
C.760.360.1600.I	76.0	3.60	160.0	0.1047	25.92	35.33	no	stainless steel	4Q
C.760.360.2000.A	76.0	3.60	200.0	0.0959	29.52	41.48	no	music wire	4R
C.760.360.2000.I	76.0	3.60	200.0	0.0824	29.52	41.48	no	stainless steel	4R
C.760.360.3600.A	76.0	3.60	360.0	0.0530	43.20	64.82	no	music wire	4T
C.760.360.3600.I	76.0	3.60	360.0	0.0456	43.20	64.82	no	stainless steel	4T
C.760.400.0500.A	76.0	4.00	50.0	0.5823	14.80	17.61	yes	music wire	4Q
C.760.400.0500.I	76.0	4.00	50.0	0.5000	14.80	17.61	yes	stainless steel	4Q
C.760.400.0800.A	76.0	4.00	80.0	0.3494	18.00	22.69	yes	music wire	4Q
C.760.400.0800.I	76.0	4.00	80.0	0.3000	18.00	22.69	yes	stainless steel	4R
C.760.400.1000.A	76.0	4.00	100.0	0.2795	20.00	25.86	yes	music wire	4R
C.760.400.1000.I	76.0	4.00	100.0	0.2401	20.00	25.86	yes	stainless steel	4R
C.760.400.1250.A	76.0	4.00	125.0	0.2184	22.80	30.30	yes	music wire	4R
C.760.400.1250.I	76.0	4.00	125.0	0.1875	22.80	30.30	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.760.400.1600.A	76.0	4.00	160.0	0.1664	26.80	36.64	yes	music wire	4S
C.760.400.1600.I	76.0	4.00	160.0	0.1429	26.80	36.64	yes	stainless steel	4S
C.760.400.2000.A	76.0	4.00	200.0	0.1318	31.20	43.62	yes	music wire	4S
C.760.400.2000.I	76.0	4.00	200.0	0.1132	31.20	43.62	yes	stainless steel	4S
C.760.400.3600.A	76.0	4.00	360.0	0.0728	52.40	74.90	no	music wire	5A
C.760.400.3600.I	76.0	4.00	360.0	0.0625	52.40	74.90	no	stainless steel	5B
C.760.450.0500.A	76.0	4.50	50.0	0.8791	17.10	19.90	yes	music wire	4R
C.760.450.0500.I	76.0	4.50	50.0	0.7551	17.10	19.90	yes	stainless steel	4R
C.760.450.0800.A	76.0	4.50	80.0	0.5195	21.15	25.89	yes	music wire	4R
C.760.450.0800.I	76.0	4.50	80.0	0.4462	21.15	25.89	yes	stainless steel	4R
C.760.450.1000.A	76.0	4.50	100.0	0.3941	24.30	30.55	yes	music wire	4S
C.760.450.1000.I	76.0	4.50	100.0	0.3385	24.30	30.55	yes	stainless steel	4S
C.760.450.1250.A	76.0	4.50	125.0	0.3175	27.45	35.20	yes	music wire	4S
C.760.450.1250.I	76.0	4.50	125.0	0.2727	27.45	35.20	yes	stainless steel	4S
C.760.450.1600.A	76.0	4.50	160.0	0.2432	32.40	42.52	yes	music wire	4S
C.760.450.1600.I	76.0	4.50	160.0	0.2089	32.40	42.52	yes	stainless steel	4T
C.760.450.2000.A	76.0	4.50	200.0	0.1937	37.80	50.51	yes	music wire	4T
C.760.450.2000.I	76.0	4.50	200.0	0.1664	37.80	50.51	yes	stainless steel	4T
C.760.450.3600.A	76.0	4.50	360.0	0.1049	64.80	88.28	no	music wire	5B
C.760.450.3600.I	76.0	4.50	360.0	0.0900	64.80	88.28	no	stainless steel	5C
C.760.500.0500.A	76.0	5.00	50.0	1.2707	19.50	22.32	yes	music wire	4S
C.760.500.0500.I	76.0	5.00	50.0	1.0914	19.50	22.32	yes	stainless steel	4S
C.760.500.0800.A	76.0	5.00	80.0	0.7116	25.00	30.03	yes	music wire	4S
C.760.500.0800.I	76.0	5.00	80.0	0.6112	25.00	30.03	yes	stainless steel	4S
C.760.500.1000.A	76.0	5.00	100.0	0.5559	28.50	34.94	yes	music wire	4T
C.760.500.1000.I	76.0	5.00	100.0	0.4775	28.50	34.94	yes	stainless steel	4T
C.760.500.1250.A	76.0	5.00	125.0	0.4447	32.50	40.55	yes	music wire	4T
C.760.500.1250.I	76.0	5.00	125.0	0.3820	32.50	40.55	yes	stainless steel	4T
C.760.500.1600.A	76.0	5.00	160.0	0.3421	38.50	48.96	yes	music wire	4T
C.760.500.1600.I	76.0	5.00	160.0	0.2938	38.50	48.96	yes	stainless steel	5A
C.760.500.2000.A	76.0	5.00	200.0	0.2695	45.50	58.78	yes	music wire	5A
C.760.500.2000.I	76.0	5.00	200.0	0.2315	45.50	58.78	yes	stainless steel	5A
C.760.500.3600.A	76.0	5.00	360.0	0.1470	78.00	102.35	no	music wire	5C
C.760.500.3600.I	76.0	5.00	360.0	0.1263	78.00	102.35	no	stainless steel	5D
C.760.550.0500.A	76.0	5.50	50.0	1.7736	22.00	24.86	yes	music wire	5A
C.760.550.0500.I	76.0	5.50	50.0	1.5234	22.00	24.86	yes	stainless steel	5B
C.760.550.0800.A	76.0	5.50	80.0	0.9853	28.60	33.74	yes	music wire	5B
C.760.550.0800.I	76.0	5.50	80.0	0.8463	28.60	33.74	yes	stainless steel	5B
C.760.550.1000.A	76.0	5.50	100.0	0.7825	32.45	38.93	yes	music wire	5B
C.760.550.1000.I	76.0	5.50	100.0	0.6721	32.45	38.93	yes	stainless steel	5C
C.760.550.1250.A	76.0	5.50	125.0	0.6046	37.95	46.33	yes	music wire	5C
C.760.550.1250.I	76.0	5.50	125.0	0.5193	37.95	46.33	yes	stainless steel	5C
C.760.550.1600.A	76.0	5.50	160.0	0.4667	45.10	55.96	yes	music wire	5C
C.760.550.1600.I	76.0	5.50	160.0	0.4000	45.10	55.96	yes	stainless steel	5C
C.760.550.2000.A	76.0	5.50	200.0	0.3695	53.35	67.07	yes	music wire	5D
C.760.550.2000.I	76.0	5.50	200.0	0.3174	53.35	67.07	yes	stainless steel	5D
C.760.550.3600.A	76.0	5.50	360.0	0.2000	92.40	117.74	no	music wire	5E
C.760.550.3600.I	76.0	5.50	360.0	0.1718	92.40	117.74	no	stainless steel	5E
C.760.600.0500.A	76.0	6.00	50.0	2.4000	24.60	27.52	yes	music wire	5D
C.760.600.0500.I	76.0	6.00	50.0	2.0663	24.60	27.52	yes	stainless steel	5E
C.760.600.0800.A	76.0	6.00	80.0	1.3747	31.80	36.91	yes	music wire	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.760.600.0800.I	76.0	6.00	80.0	1.1808	31.80	36.91	yes	stainless steel	5E
C.760.600.1000.A	76.0	6.00	100.0	1.0403	37.20	43.95	yes	music wire	5E
C.760.600.1000.I	76.0	6.00	100.0	0.8935	37.20	43.95	yes	stainless steel	5E
C.760.600.1250.A	76.0	6.00	125.0	0.8190	43.20	51.78	yes	music wire	5E
C.760.600.1250.I	76.0	6.00	125.0	0.7034	43.20	51.78	yes	stainless steel	5E
C.760.600.1600.A	76.0	6.00	160.0	0.6310	51.60	62.73	yes	music wire	5E
C.760.600.1600.I	76.0	6.00	160.0	0.5420	51.60	62.73	yes	stainless steel	5F
C.760.600.2000.A	76.0	6.00	200.0	0.4935	61.80	76.03	yes	music wire	5E
C.760.600.2000.I	76.0	6.00	200.0	0.4239	61.80	76.03	yes	stainless steel	5G
C.760.600.3600.A	76.0	6.00	360.0	0.2692	106.80	132.90	no	music wire	5G
C.760.600.3600.I	76.0	6.00	360.0	0.2312	106.80	132.90	no	stainless steel	5H
C.762.500.0690.A	76.2	5.00	69.0	0.6207	26.50	32.16	yes	music wire	4S
C.762.500.0690.I	76.2	5.00	69.0	0.5400	26.50	32.16	yes	stainless steel	4S
C.762.500.1550.A	76.2	5.00	155.0	0.3528	37.50	47.60	yes	music wire	4T
C.762.500.1550.I	76.2	5.00	155.0	0.3030	37.50	47.60	yes	stainless steel	5A
C.762.500.2290.A	76.2	5.00	229.0	0.2529	47.50	61.65	yes	music wire	5A
C.762.500.2290.I	76.2	5.00	229.0	0.2200	47.00	60.94	yes	stainless steel	5B
C.770.550.0570.A	77.0	5.50	57.0	0.8736	29.70	35.34	yes	music wire	5B
C.770.550.0570.I	77.0	5.50	57.0	0.7600	29.70	35.34	yes	stainless steel	5B
C.770.550.2000.A	77.0	5.50	200.0	0.3643	52.25	65.86	yes	music wire	5D
C.770.550.2000.I	77.0	5.50	200.0	0.3129	52.25	65.86	yes	stainless steel	5D
C.770.600.0500.A	77.0	6.00	50.0	2.3056	24.60	27.58	yes	music wire	5D
C.770.600.0500.I	77.0	6.00	50.0	1.9802	24.60	27.58	yes	stainless steel	5E
C.770.600.0800.A	77.0	6.00	80.0	1.3175	31.80	37.01	yes	music wire	5D
C.770.600.0800.I	77.0	6.00	80.0	1.1316	31.80	37.01	yes	stainless steel	5E
C.770.600.1020.A	77.0	6.00	102.0	1.0540	36.00	42.51	yes	music wire	5E
C.770.600.1020.I	77.0	6.00	102.0	0.9053	36.00	42.51	yes	stainless steel	5E
C.770.600.1020.N	77.0	6.00	102.0	1.0540	36.00	42.51	yes	Zn coating	5G
C.770.600.1200.A	77.0	6.00	120.0	0.8384	41.40	49.59	yes	music wire	5E
C.770.600.1200.I	77.0	6.00	120.0	0.7201	41.40	49.59	yes	stainless steel	5E
C.770.600.1530.A	77.0	6.00	153.0	0.6707	48.00	58.23	yes	music wire	5E
C.770.600.1530.I	77.0	6.00	153.0	0.5761	48.00	58.23	yes	stainless steel	5F
C.770.600.1530.N	77.0	6.00	153.0	0.6707	48.00	58.23	yes	Zn coating	5G
C.770.600.1950.A	77.0	6.00	195.0	0.4985	59.40	73.17	yes	music wire	5E
C.770.600.1950.I	77.0	6.00	195.0	0.4282	59.40	73.17	yes	stainless steel	5G
C.770.600.2000.A	77.0	6.00	200.0	0.4854	60.60	74.74	yes	music wire	5E
C.770.600.2000.I	77.0	6.00	200.0	0.4169	60.60	74.74	yes	stainless steel	5G
C.770.600.2300.A	77.0	6.00	230.0	0.4340	66.00	81.81	yes	music wire	5E
C.770.600.2300.I	77.0	6.00	230.0	0.3728	66.00	81.81	yes	stainless steel	5G
C.770.600.2300.N	77.0	6.00	230.0	0.4340	66.00	81.81	yes	Zn coating	5H
C.770.600.3650.A	77.0	6.00	365.0	0.2733	96.00	121.11	yes	music wire	5G
C.770.600.3650.I	77.0	6.00	365.0	0.2347	96.00	121.11	yes	stainless steel	5H
C.770.600.3650.N	77.0	6.00	365.0	0.2733	96.00	121.11	yes	Zn coating	5I
C.780.300.0500.A	78.0	3.00	50.0	0.1778	13.80	17.22	no	music wire	4J
C.780.300.0500.I	78.0	3.00	50.0	0.1527	13.80	17.22	no	stainless steel	4J
C.780.320.0500.A	78.0	3.20	50.0	0.2320	14.72	17.96	no	music wire	4L
C.780.320.0500.I	78.0	3.20	50.0	0.1993	14.72	17.96	no	stainless steel	4L
C.780.320.0800.A	78.0	3.20	80.0	0.1702	16.00	20.41	no	music wire	4M
C.780.320.0800.I	78.0	3.20	80.0	0.1462	16.00	20.41	no	stainless steel	4M
C.780.320.1000.A	78.0	3.20	100.0	0.1343	17.28	22.87	no	music wire	4M
C.780.320.1000.I	78.0	3.20	100.0	0.1154	17.28	22.87	no	stainless steel	4M

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.780.320.1250.I	78.0	3.20	125.0	0.0913	18.88	25.94	no	stainless steel	4N
C.780.320.1600.I	78.0	3.20	160.0	0.0707	21.12	30.24	no	stainless steel	4O
C.780.320.2000.I	78.0	3.20	200.0	0.0562	23.68	35.16	no	stainless steel	4P
C.780.320.3600.I	78.0	3.20	360.0	0.0309	33.92	54.81	no	stainless steel	4S
C.780.360.0500.A	78.0	3.60	50.0	0.3777	16.56	19.49	no	music wire	4N
C.780.360.0500.I	78.0	3.60	50.0	0.3244	16.56	19.49	no	stainless steel	4N
C.780.360.0800.A	78.0	3.60	80.0	0.2444	18.72	23.25	no	music wire	4O
C.780.360.0800.I	78.0	3.60	80.0	0.2099	18.72	23.25	no	stainless steel	4O
C.780.360.1000.A	78.0	3.60	100.0	0.1889	20.52	26.39	no	music wire	4O
C.780.360.1000.I	78.0	3.60	100.0	0.1622	20.52	26.39	no	stainless steel	4O
C.780.360.1250.A	78.0	3.60	125.0	0.1539	22.32	29.52	no	music wire	4P
C.780.360.1250.I	78.0	3.60	125.0	0.1322	22.32	29.52	no	stainless steel	4P
C.780.360.1600.A	78.0	3.60	160.0	0.1187	25.20	34.53	no	music wire	4Q
C.780.360.1600.I	78.0	3.60	160.0	0.1020	25.20	34.53	no	stainless steel	4Q
C.780.360.2000.A	78.0	3.60	200.0	0.0923	28.80	40.80	no	music wire	4R
C.780.360.2000.I	78.0	3.60	200.0	0.0793	28.80	40.80	no	stainless steel	4R
C.780.360.3600.A	78.0	3.60	360.0	0.0513	41.76	63.36	no	music wire	4T
C.780.360.3600.I	78.0	3.60	360.0	0.0441	41.76	63.36	no	stainless steel	4T
C.780.400.0500.A	78.0	4.00	50.0	0.5851	14.40	17.10	yes	music wire	4Q
C.780.400.0500.I	78.0	4.00	50.0	0.5025	14.40	17.10	yes	stainless steel	4Q
C.780.400.0800.A	78.0	4.00	80.0	0.3387	17.60	22.26	yes	music wire	4R
C.780.400.0800.I	78.0	4.00	80.0	0.2909	17.60	22.26	yes	stainless steel	4R
C.780.400.1000.A	78.0	4.00	100.0	0.2682	19.60	25.49	yes	music wire	4R
C.780.400.1000.I	78.0	4.00	100.0	0.2303	19.60	25.49	yes	stainless steel	4R
C.780.400.1250.A	78.0	4.00	125.0	0.2076	22.40	30.01	yes	music wire	4R
C.780.400.1250.I	78.0	4.00	125.0	0.1783	22.40	30.01	yes	stainless steel	4R
C.780.400.1600.A	78.0	4.00	160.0	0.1609	26.00	35.81	yes	music wire	4S
C.780.400.1600.I	78.0	4.00	160.0	0.1382	26.00	35.81	yes	stainless steel	4S
C.780.400.2000.A	78.0	4.00	200.0	0.1287	30.00	42.27	yes	music wire	4S
C.780.400.2000.I	78.0	4.00	200.0	0.1106	30.00	42.27	yes	stainless steel	4S
C.780.400.3600.A	78.0	4.00	360.0	0.0707	50.40	72.73	no	music wire	5A
C.780.400.3600.I	78.0	4.00	360.0	0.0607	50.40	72.73	no	stainless steel	5B
C.780.450.0500.A	78.0	4.50	50.0	0.8093	17.10	20.03	yes	music wire	4R
C.780.450.0500.I	78.0	4.50	50.0	0.6951	17.10	20.03	yes	stainless steel	4R
C.780.450.0800.A	78.0	4.50	80.0	0.5000	20.70	25.43	yes	music wire	4R
C.780.450.0800.I	78.0	4.50	80.0	0.4303	20.70	25.43	yes	stainless steel	4R
C.780.450.1000.A	78.0	4.50	100.0	0.3897	23.40	29.48	yes	music wire	4S
C.780.450.1000.I	78.0	4.50	100.0	0.3347	23.40	29.48	yes	stainless steel	4S
C.780.450.1250.A	78.0	4.50	125.0	0.3000	27.00	34.88	yes	music wire	4S
C.780.450.1250.I	78.0	4.50	125.0	0.2582	27.00	34.88	yes	stainless steel	4S
C.780.450.1600.A	78.0	4.50	160.0	0.2338	31.50	41.63	yes	music wire	4T
C.780.450.1600.I	78.0	4.50	160.0	0.2008	31.50	41.63	yes	stainless steel	4T
C.780.450.2000.A	78.0	4.50	200.0	0.1846	36.90	49.73	yes	music wire	4T
C.780.450.2000.I	78.0	4.50	200.0	0.1585	36.90	49.73	yes	stainless steel	4T
C.780.450.3600.A	78.0	4.50	360.0	0.1012	62.55	85.96	no	music wire	5B
C.780.450.3600.I	78.0	4.50	360.0	0.0869	62.55	85.96	no	stainless steel	5C
C.780.500.0500.A	78.0	5.00	50.0	1.1691	19.50	22.44	yes	music wire	4S
C.780.500.0500.I	78.0	5.00	50.0	1.0041	19.50	22.44	yes	stainless steel	4S
C.780.500.0800.A	78.0	5.00	80.0	0.7116	24.00	28.83	yes	music wire	4S
C.780.500.0800.I	78.0	5.00	80.0	0.6112	24.00	28.83	yes	stainless steel	4S
C.780.500.1000.A	78.0	5.00	100.0	0.5456	27.50	33.80	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.780.500.1000.I	78.0	5.00	100.0	0.4686	27.50	33.80	yes	stainless steel	4T
C.780.500.1250.A	78.0	5.00	125.0	0.4307	31.50	39.48	yes	music wire	4T
C.780.500.1250.I	78.0	5.00	125.0	0.3699	31.50	39.48	yes	stainless steel	4T
C.780.500.1600.A	78.0	5.00	160.0	0.3273	37.50	47.99	yes	music wire	4T
C.780.500.1600.I	78.0	5.00	160.0	0.2812	37.50	47.99	yes	stainless steel	5A
C.780.500.2000.A	78.0	5.00	200.0	0.2598	44.00	57.22	yes	music wire	5A
C.780.500.2000.I	78.0	5.00	200.0	0.2231	44.00	57.22	yes	stainless steel	5A
C.780.500.3600.A	78.0	5.00	360.0	0.1423	75.00	99.14	no	music wire	5C
C.780.500.3600.I	78.0	5.00	360.0	0.1222	75.00	99.14	no	stainless steel	5D
C.780.550.0500.A	78.0	5.50	50.0	1.6308	22.00	24.98	yes	music wire	5A
C.780.550.0500.I	78.0	5.50	50.0	1.4000	22.00	24.98	yes	stainless steel	5B
C.780.550.0800.A	78.0	5.50	80.0	0.9785	27.50	32.46	yes	music wire	5B
C.780.550.0800.I	78.0	5.50	80.0	0.8404	27.50	32.46	yes	stainless steel	5B
C.780.550.1000.A	78.0	5.50	100.0	0.7413	31.90	38.45	yes	music wire	5B
C.780.550.1000.I	78.0	5.50	100.0	0.6367	31.90	38.45	yes	stainless steel	5C
C.780.550.1250.A	78.0	5.50	125.0	0.5824	36.85	45.18	yes	music wire	5C
C.780.550.1250.I	78.0	5.50	125.0	0.5000	36.85	45.18	yes	stainless steel	5C
C.780.550.1600.A	78.0	5.50	160.0	0.4530	43.45	54.16	yes	music wire	5C
C.780.550.1600.I	78.0	5.50	160.0	0.3891	43.45	54.16	yes	stainless steel	5D
C.780.550.2000.A	78.0	5.50	200.0	0.3545	51.70	65.39	yes	music wire	5D
C.780.550.2000.I	78.0	5.50	200.0	0.3045	51.70	65.39	yes	stainless steel	5D
C.780.550.3600.A	78.0	5.50	360.0	0.1926	89.10	114.29	no	music wire	5E
C.780.550.3600.I	78.0	5.50	360.0	0.1654	89.10	114.29	no	stainless steel	5E
C.780.600.0500.A	78.0	6.00	50.0	2.3582	24.00	26.84	yes	music wire	5D
C.780.600.0500.I	78.0	6.00	50.0	2.0255	24.00	26.84	yes	stainless steel	5E
C.780.600.0800.A	78.0	6.00	80.0	1.3101	31.20	36.32	yes	music wire	5D
C.780.600.0800.I	78.0	6.00	80.0	1.1253	31.20	36.32	yes	stainless steel	5E
C.780.600.1000.A	78.0	6.00	100.0	1.0107	36.00	42.64	yes	music wire	5E
C.780.600.1000.I	78.0	6.00	100.0	0.8681	36.00	42.64	yes	stainless steel	5E
C.780.600.1250.A	78.0	6.00	125.0	0.7861	42.00	50.53	yes	music wire	5E
C.780.600.1250.I	78.0	6.00	125.0	0.6752	42.00	50.53	yes	stainless steel	5E
C.780.600.1600.A	78.0	6.00	160.0	0.6099	49.80	60.80	yes	music wire	5E
C.780.600.1600.I	78.0	6.00	160.0	0.5238	49.80	60.80	yes	stainless steel	5F
C.780.600.2000.A	78.0	6.00	200.0	0.4780	59.40	73.43	yes	music wire	5E
C.780.600.2000.I	78.0	6.00	200.0	0.4106	59.40	73.43	yes	stainless steel	5G
C.780.600.3600.A	78.0	6.00	360.0	0.2582	103.20	129.18	no	music wire	5G
C.780.600.3600.I	78.0	6.00	360.0	0.2218	103.20	129.18	no	stainless steel	5H
C.800.320.0500.A	80.0	3.20	50.0	0.2144	14.72	18.11	no	music wire	4L
C.800.320.0500.I	80.0	3.20	50.0	0.1841	14.72	18.11	no	stainless steel	4L
C.800.320.0800.I	80.0	3.20	80.0	0.1447	15.68	20.00	no	stainless steel	4M
C.800.320.1000.I	80.0	3.20	100.0	0.1125	16.96	22.51	no	stainless steel	4M
C.800.320.1250.I	80.0	3.20	125.0	0.0881	18.56	25.66	no	stainless steel	4N
C.800.320.1600.I	80.0	3.20	160.0	0.0675	20.80	30.05	no	stainless steel	4O
C.800.360.0500.A	80.0	3.60	50.0	0.3488	16.56	19.63	no	music wire	4N
C.800.360.0500.I	80.0	3.60	50.0	0.3000	16.56	19.63	no	stainless steel	4N
C.800.360.0800.A	80.0	3.60	80.0	0.2398	18.36	22.83	no	music wire	4O
C.800.360.0800.I	80.0	3.60	80.0	0.2060	18.36	22.83	no	stainless steel	4O
C.800.360.1000.A	80.0	3.60	100.0	0.1827	20.16	26.02	no	music wire	4O
C.800.360.1000.I	80.0	3.60	100.0	0.1569	20.16	26.02	no	stainless steel	4O
C.800.360.1250.A	80.0	3.60	125.0	0.1476	21.96	29.22	no	music wire	4P
C.800.360.1250.I	80.0	3.60	125.0	0.1268	21.96	29.22	no	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.800.360.1600.A	80.0	3.60	160.0	0.1129	24.84	34.33	no	music wire	4Q
C.800.360.1600.I	80.0	3.60	160.0	0.0969	24.84	34.33	no	stainless steel	4Q
C.800.360.2000.A	80.0	3.60	200.0	0.0914	27.72	39.45	no	music wire	4R
C.800.360.2000.I	80.0	3.60	200.0	0.0785	27.72	39.45	no	stainless steel	4R
C.800.360.3600.A	80.0	3.60	360.0	0.0498	40.32	61.82	no	music wire	4T
C.800.360.3600.I	80.0	3.60	360.0	0.0428	40.32	61.82	no	stainless steel	4T
C.800.400.0500.A	80.0	4.00	50.0	0.5401	14.40	17.22	yes	music wire	4Q
C.800.400.0500.I	80.0	4.00	50.0	0.4639	14.40	17.22	yes	stainless steel	4Q
C.800.400.0800.A	80.0	4.00	80.0	0.3301	17.20	21.82	yes	music wire	4R
C.800.400.0800.I	80.0	4.00	80.0	0.2835	17.20	21.82	yes	stainless steel	4R
C.800.400.1000.A	80.0	4.00	100.0	0.2583	19.20	25.10	yes	music wire	4R
C.800.400.1000.I	80.0	4.00	100.0	0.2219	19.20	25.10	yes	stainless steel	4R
C.800.400.1250.A	80.0	4.00	125.0	0.2049	21.60	29.04	yes	music wire	4R
C.800.400.1250.I	80.0	4.00	125.0	0.1760	21.60	29.04	yes	stainless steel	4R
C.800.400.1600.A	80.0	4.00	160.0	0.1563	25.20	34.95	yes	music wire	4S
C.800.400.1600.I	80.0	4.00	160.0	0.1343	25.20	34.95	yes	stainless steel	4S
C.800.400.2000.A	80.0	4.00	200.0	0.1238	29.20	41.52	yes	music wire	4S
C.800.400.2000.I	80.0	4.00	200.0	0.1063	29.20	41.52	yes	stainless steel	4S
C.800.400.3600.A	80.0	4.00	360.0	0.0683	48.80	71.12	no	music wire	5B
C.800.400.3600.I	80.0	4.00	360.0	0.0587	48.80	71.12	no	stainless steel	5B
C.800.450.0500.A	80.0	4.50	50.0	0.8089	16.65	19.47	yes	music wire	4R
C.800.450.0500.I	80.0	4.50	50.0	0.6948	16.65	19.47	yes	stainless steel	4R
C.800.450.0800.A	80.0	4.50	80.0	0.4853	20.25	24.95	yes	music wire	4R
C.800.450.0800.I	80.0	4.50	80.0	0.4169	20.25	24.95	yes	stainless steel	4S
C.800.450.1000.A	80.0	4.50	100.0	0.3733	22.95	29.06	yes	music wire	4S
C.800.450.1000.I	80.0	4.50	100.0	0.3207	22.95	29.06	yes	stainless steel	4S
C.800.450.1250.A	80.0	4.50	125.0	0.2941	26.10	33.86	yes	music wire	4S
C.800.450.1250.I	80.0	4.50	125.0	0.2526	26.10	33.86	yes	stainless steel	4S
C.800.450.1600.A	80.0	4.50	160.0	0.2257	30.60	40.71	yes	music wire	4T
C.800.450.1600.I	80.0	4.50	160.0	0.1939	30.60	40.71	yes	stainless steel	4T
C.800.450.2000.A	80.0	4.50	200.0	0.1798	35.55	48.24	yes	music wire	4T
C.800.450.2000.I	80.0	4.50	200.0	0.1544	35.55	48.24	yes	stainless steel	4T
C.800.450.3600.A	80.0	4.50	360.0	0.0980	60.30	83.57	no	music wire	5B
C.800.450.3600.I	80.0	4.50	360.0	0.0842	60.30	83.57	no	stainless steel	5C
C.800.500.0500.A	80.0	5.00	50.0	1.1610	19.00	21.84	yes	music wire	4S
C.800.500.0500.I	80.0	5.00	50.0	1.0000	19.00	21.84	yes	stainless steel	4S
C.800.500.0800.A	80.0	5.00	80.0	0.6860	23.50	28.31	yes	music wire	4S
C.800.500.0800.I	80.0	5.00	80.0	0.5892	23.50	28.31	yes	stainless steel	4T
C.800.500.1000.A	80.0	5.00	100.0	0.5204	27.00	33.34	yes	music wire	4T
C.800.500.1000.I	80.0	5.00	100.0	0.4470	27.00	33.34	yes	stainless steel	4T
C.800.500.1250.A	80.0	5.00	125.0	0.4079	31.00	39.09	yes	music wire	4T
C.800.500.1250.I	80.0	5.00	125.0	0.3504	31.00	39.09	yes	stainless steel	4T
C.800.500.1600.A	80.0	5.00	160.0	0.3211	36.00	46.28	yes	music wire	5A
C.800.500.1600.I	80.0	5.00	160.0	0.2758	36.00	46.28	yes	stainless steel	5A
C.800.500.2000.A	80.0	5.00	200.0	0.2515	42.50	55.63	yes	music wire	5A
C.800.500.2000.I	80.0	5.00	200.0	0.2160	42.50	55.63	yes	stainless steel	5A
C.800.500.3600.A	80.0	5.00	360.0	0.1372	72.50	96.56	no	music wire	5C
C.800.500.3600.I	80.0	5.00	360.0	0.1178	72.50	96.56	no	stainless steel	5D
C.800.550.0500.A	80.0	5.50	50.0	1.6104	21.45	24.34	yes	music wire	5B
C.800.550.0500.I	80.0	5.50	50.0	1.3831	21.45	24.34	yes	stainless steel	5B
C.800.550.0800.A	80.0	5.50	80.0	0.9394	26.95	31.90	yes	music wire	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.800.550.0800.I	80.0	5.50	80.0	0.8068	26.95	31.90	yes	stainless steel	5B
C.800.550.1000.A	80.0	5.50	100.0	0.7273	30.80	37.20	yes	music wire	5B
C.800.550.1000.I	80.0	5.50	100.0	0.6246	30.80	37.20	yes	stainless steel	5C
C.800.550.1250.A	80.0	5.50	125.0	0.5636	35.75	44.00	yes	music wire	5C
C.800.550.1250.I	80.0	5.50	125.0	0.4841	35.75	44.00	yes	stainless steel	5C
C.800.550.1600.A	80.0	5.50	160.0	0.4336	42.35	53.08	yes	music wire	5C
C.800.550.1600.I	80.0	5.50	160.0	0.3724	42.35	53.08	yes	stainless steel	5D
C.800.550.2000.A	80.0	5.50	200.0	0.3416	50.05	63.67	yes	music wire	5D
C.800.550.2000.I	80.0	5.50	200.0	0.2934	50.05	63.67	yes	stainless steel	5D
C.800.550.3600.A	80.0	5.50	360.0	0.1863	85.80	110.77	no	music wire	5E
C.800.550.3600.I	80.0	5.50	360.0	0.1600	85.80	110.77	no	stainless steel	5E
C.800.600.0500.A	80.0	6.00	50.0	2.1721	24.00	26.95	yes	music wire	5D
C.800.600.0500.I	80.0	6.00	50.0	1.8656	24.00	26.95	yes	stainless steel	5E
C.800.600.0800.A	80.0	6.00	80.0	1.2500	30.60	35.72	yes	music wire	5D
C.800.600.0800.I	80.0	6.00	80.0	1.0763	30.60	35.72	yes	stainless steel	5E
C.800.600.1000.A	80.0	6.00	100.0	0.9873	34.80	41.30	yes	music wire	5E
C.800.600.1000.I	80.0	6.00	100.0	0.8480	34.80	41.30	yes	stainless steel	5E
C.800.600.1250.A	80.0	6.00	125.0	0.7577	40.80	49.27	yes	music wire	5E
C.800.600.1250.I	80.0	6.00	125.0	0.6508	40.80	49.27	yes	stainless steel	5E
C.800.600.1600.A	80.0	6.00	160.0	0.5818	48.60	59.63	yes	music wire	5E
C.800.600.1600.I	80.0	6.00	160.0	0.5000	48.60	59.63	yes	stainless steel	5F
C.800.600.2000.A	80.0	6.00	200.0	0.4589	57.60	71.58	yes	music wire	5E
C.800.600.2000.I	80.0	6.00	200.0	0.3941	57.60	71.58	yes	stainless steel	5G
C.800.600.3600.A	80.0	6.00	360.0	0.2487	99.60	125.39	no	music wire	5G
C.800.600.3600.I	80.0	6.00	360.0	0.2136	99.60	125.39	no	stainless steel	5H
C.801.400.0480.A	80.1	4.00	48.0	0.6437	13.60	15.91	yes	music wire	4Q
C.801.400.0480.I	80.1	4.00	48.0	0.5600	13.60	15.91	yes	stainless steel	4Q
C.802.380.0810.A	80.2	3.80	81.0	0.2184	21.66	27.56	no	music wire	4O
C.802.380.0810.I	80.2	3.80	81.0	0.1900	21.66	27.56	no	stainless steel	4O
C.820.320.0500.A	82.0	3.20	50.0	0.1985	14.72	18.27	no	music wire	4L
C.820.320.0500.I	82.0	3.20	50.0	0.1705	14.72	18.27	no	stainless steel	4L
C.820.320.0800.A	82.0	3.20	80.0	0.1559	15.68	20.20	no	music wire	4M
C.820.320.0800.I	82.0	3.20	80.0	0.1339	15.68	20.20	no	stainless steel	4M
C.820.360.0500.A	82.0	3.60	50.0	0.3228	16.56	19.77	no	music wire	4N
C.820.360.0500.I	82.0	3.60	50.0	0.2773	16.56	19.77	no	stainless steel	4N
C.820.360.0800.A	82.0	3.60	80.0	0.2219	18.36	23.03	no	music wire	4O
C.820.360.0800.I	82.0	3.60	80.0	0.1906	18.36	23.03	no	stainless steel	4O
C.820.360.1000.A	82.0	3.60	100.0	0.1775	19.80	25.64	no	music wire	4O
C.820.360.1000.I	82.0	3.60	100.0	0.1525	19.80	25.64	no	stainless steel	4O
C.820.360.1250.A	82.0	3.60	125.0	0.1420	21.60	28.90	no	music wire	4P
C.820.360.1250.I	82.0	3.60	125.0	0.1220	21.60	28.90	no	stainless steel	4P
C.820.360.1600.A	82.0	3.60	160.0	0.1110	24.12	33.47	no	music wire	4Q
C.820.360.1600.I	82.0	3.60	160.0	0.0953	24.12	33.47	no	stainless steel	4Q
C.820.360.2000.A	82.0	3.60	200.0	0.0888	27.00	38.68	no	music wire	4R
C.820.360.2000.I	82.0	3.60	200.0	0.0762	27.00	38.68	no	stainless steel	4R
C.820.360.3600.A	82.0	3.60	360.0	0.0480	39.24	60.86	no	music wire	4T
C.820.360.3600.I	82.0	3.60	360.0	0.0412	39.24	60.86	no	stainless steel	4T
C.820.400.0500.A	82.0	4.00	50.0	0.5000	14.40	17.35	yes	music wire	4Q
C.820.400.0500.I	82.0	4.00	50.0	0.4291	14.40	17.35	yes	stainless steel	4Q
C.820.400.0800.A	82.0	4.00	80.0	0.3233	16.80	21.36	yes	music wire	4R
C.820.400.0800.I	82.0	4.00	80.0	0.2777	16.80	21.36	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.820.400.1000.A	82.0	4.00	100.0	0.2500	18.80	24.70	yes	music wire	4R
C.820.400.1000.I	82.0	4.00	100.0	0.2146	18.80	24.70	yes	stainless steel	4R
C.820.400.1250.A	82.0	4.00	125.0	0.1963	21.20	28.71	yes	music wire	4R
C.820.400.1250.I	82.0	4.00	125.0	0.1686	21.20	28.71	yes	stainless steel	4R
C.820.400.1600.A	82.0	4.00	160.0	0.1527	24.40	34.05	yes	music wire	4S
C.820.400.1600.I	82.0	4.00	160.0	0.1311	24.40	34.05	yes	stainless steel	4S
C.820.400.2000.A	82.0	4.00	200.0	0.1221	28.00	40.07	yes	music wire	4S
C.820.400.2000.I	82.0	4.00	200.0	0.1049	28.00	40.07	yes	stainless steel	4S
C.820.400.3600.A	82.0	4.00	360.0	0.0662	47.20	69.46	no	music wire	5B
C.820.400.3600.I	82.0	4.00	360.0	0.0569	47.20	69.46	no	stainless steel	5B
C.820.450.0500.A	82.0	4.50	50.0	0.8159	16.20	18.90	yes	music wire	4R
C.820.450.0500.I	82.0	4.50	50.0	0.7000	16.20	18.90	yes	stainless steel	4R
C.820.450.0800.A	82.0	4.50	80.0	0.4723	19.80	24.46	yes	music wire	4R
C.820.450.0800.I	82.0	4.50	80.0	0.4057	19.80	24.46	yes	stainless steel	4S
C.820.450.1000.A	82.0	4.50	100.0	0.3590	22.50	28.63	yes	music wire	4S
C.820.450.1000.I	82.0	4.50	100.0	0.3083	22.50	28.63	yes	stainless steel	4S
C.820.450.1250.A	82.0	4.50	125.0	0.2895	25.20	32.80	yes	music wire	4S
C.820.450.1250.I	82.0	4.50	125.0	0.2487	25.20	32.80	yes	stainless steel	4S
C.820.450.1600.A	82.0	4.50	160.0	0.2189	29.70	39.75	yes	music wire	4T
C.820.450.1600.I	82.0	4.50	160.0	0.1880	29.70	39.75	yes	stainless steel	4T
C.820.450.2000.A	82.0	4.50	200.0	0.1760	34.20	46.71	yes	music wire	4T
C.820.450.2000.I	82.0	4.50	200.0	0.1511	34.20	46.71	yes	stainless steel	4T
C.820.450.3600.A	82.0	4.50	360.0	0.0955	58.05	81.10	no	music wire	5C
C.820.450.3600.I	82.0	4.50	360.0	0.0820	58.05	81.10	no	stainless steel	5C
C.820.500.0500.A	82.0	5.00	50.0	1.1622	18.50	21.23	yes	music wire	4S
C.820.500.0500.I	82.0	5.00	50.0	1.0000	18.50	21.23	yes	stainless steel	4S
C.820.500.0800.A	82.0	5.00	80.0	0.6641	23.00	27.79	yes	music wire	4S
C.820.500.0800.I	82.0	5.00	80.0	0.5704	23.00	27.79	yes	stainless steel	4T
C.820.500.1000.A	82.0	5.00	100.0	0.5165	26.00	32.15	yes	music wire	4T
C.820.500.1000.I	82.0	5.00	100.0	0.4437	26.00	32.15	yes	stainless steel	4T
C.820.500.1250.A	82.0	5.00	125.0	0.3985	30.00	37.98	yes	music wire	4T
C.820.500.1250.I	82.0	5.00	125.0	0.3423	30.00	37.98	yes	stainless steel	4T
C.820.500.1600.A	82.0	5.00	160.0	0.3099	35.00	45.25	yes	music wire	5A
C.820.500.1600.I	82.0	5.00	160.0	0.2662	35.00	45.25	yes	stainless steel	5A
C.820.500.2000.A	82.0	5.00	200.0	0.2447	41.00	53.99	yes	music wire	5A
C.820.500.2000.I	82.0	5.00	200.0	0.2102	41.00	53.99	yes	stainless steel	5A
C.820.500.3600.A	82.0	5.00	360.0	0.1328	70.00	93.93	no	music wire	5D
C.820.500.3600.I	82.0	5.00	360.0	0.1141	70.00	93.93	no	stainless steel	5D
C.820.550.0500.A	82.0	5.50	50.0	1.6000	20.90	23.69	yes	music wire	5B
C.820.550.0500.I	82.0	5.50	50.0	1.3757	20.90	23.69	yes	stainless steel	5B
C.820.550.0800.A	82.0	5.50	80.0	0.9053	26.40	31.34	yes	music wire	5B
C.820.550.0800.I	82.0	5.50	80.0	0.7776	26.40	31.34	yes	stainless steel	5B
C.820.550.1000.A	82.0	5.50	100.0	0.6941	30.25	36.69	yes	music wire	5B
C.820.550.1000.I	82.0	5.50	100.0	0.5961	30.25	36.69	yes	stainless steel	5C
C.820.550.1250.A	82.0	5.50	125.0	0.5480	34.65	42.81	yes	music wire	5C
C.820.550.1250.I	82.0	5.50	125.0	0.4706	34.65	42.81	yes	stainless steel	5C
C.820.550.1600.A	82.0	5.50	160.0	0.4165	41.25	51.98	yes	music wire	5C
C.820.550.1600.I	82.0	5.50	160.0	0.3577	41.25	51.98	yes	stainless steel	5D
C.820.550.2000.A	82.0	5.50	200.0	0.3305	48.40	61.92	yes	music wire	5D
C.820.550.2000.I	82.0	5.50	200.0	0.2839	48.40	61.92	yes	stainless steel	5D
C.820.550.3600.A	82.0	5.50	360.0	0.1795	83.05	107.94	no	music wire	5E

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.820.550.3600.I	82.0	5.50	360.0	0.1542	83.05	107.94	no	stainless steel	5E
C.820.600.0500.A	82.0	6.00	50.0	2.1483	23.40	26.26	yes	music wire	5D
C.820.600.0500.I	82.0	6.00	50.0	1.8452	23.40	26.26	yes	stainless steel	5E
C.820.600.0800.A	82.0	6.00	80.0	1.2000	30.00	35.11	yes	music wire	5D
C.820.600.0800.I	82.0	6.00	80.0	1.0333	30.00	35.11	yes	stainless steel	5E
C.820.600.1000.A	82.0	6.00	100.0	0.9399	34.20	40.74	yes	music wire	5E
C.820.600.1000.I	82.0	6.00	100.0	0.8073	34.20	40.74	yes	stainless steel	5E
C.820.600.1250.A	82.0	6.00	125.0	0.7336	39.60	47.98	yes	music wire	5E
C.820.600.1250.I	82.0	6.00	125.0	0.6301	39.60	47.98	yes	stainless steel	5E
C.820.600.1600.A	82.0	6.00	160.0	0.5570	47.40	58.44	yes	music wire	5E
C.820.600.1600.I	82.0	6.00	160.0	0.4784	47.40	58.44	yes	stainless steel	5F
C.820.600.2000.A	82.0	6.00	200.0	0.4423	55.80	69.70	yes	music wire	5E
C.820.600.2000.I	82.0	6.00	200.0	0.3799	55.80	69.70	yes	stainless steel	5G
C.820.600.3600.A	82.0	6.00	360.0	0.2406	96.00	121.55	no	music wire	5G
C.820.600.3600.I	82.0	6.00	360.0	0.2067	96.00	121.55	no	stainless steel	5H
C.840.360.0500.A	84.0	3.60	50.0	0.3000	16.56	19.92	no	music wire	4N
C.840.360.0500.I	84.0	3.60	50.0	0.2571	16.56	19.92	no	stainless steel	4N
C.840.360.0800.A	84.0	3.60	80.0	0.2195	18.00	22.58	no	music wire	4O
C.840.360.0800.I	84.0	3.60	80.0	0.1885	18.00	22.58	no	stainless steel	4O
C.840.360.1000.A	84.0	3.60	100.0	0.1733	19.44	25.24	no	music wire	4O
C.840.360.1000.I	84.0	3.60	100.0	0.1488	19.44	25.24	no	stainless steel	4O
C.840.360.1250.A	84.0	3.60	125.0	0.1372	21.24	28.57	no	music wire	4P
C.840.360.1250.I	84.0	3.60	125.0	0.1178	21.24	28.57	no	stainless steel	4P
C.840.360.1600.A	84.0	3.60	160.0	0.1062	23.76	33.23	no	music wire	4Q
C.840.360.1600.I	84.0	3.60	160.0	0.0912	23.76	33.23	no	stainless steel	4Q
C.840.360.2000.A	84.0	3.60	200.0	0.0844	26.64	38.55	no	music wire	4R
C.840.360.2000.I	84.0	3.60	200.0	0.0725	26.64	38.55	no	stainless steel	4R
C.840.360.3600.A	84.0	3.60	360.0	0.0470	37.80	59.17	no	music wire	4T
C.840.360.3600.I	84.0	3.60	360.0	0.0404	37.80	59.17	no	stainless steel	4T
C.840.400.0500.A	84.0	4.00	50.0	0.4631	18.40	21.48	no	music wire	4Q
C.840.400.0500.I	84.0	4.00	50.0	0.3977	18.40	21.48	no	stainless steel	4Q
C.840.400.0800.A	84.0	4.00	80.0	0.3000	20.80	25.56	no	music wire	4R
C.840.400.0800.I	84.0	4.00	80.0	0.2574	20.80	25.56	no	stainless steel	4R
C.840.400.1000.A	84.0	4.00	100.0	0.2426	22.40	28.28	no	music wire	4R
C.840.400.1000.I	84.0	4.00	100.0	0.2083	22.40	28.28	no	stainless steel	4R
C.840.400.1250.A	84.0	4.00	125.0	0.1887	24.80	32.36	no	music wire	4R
C.840.400.1250.I	84.0	4.00	125.0	0.1620	24.80	32.36	no	stainless steel	4R
C.840.400.1600.A	84.0	4.00	160.0	0.1498	27.60	37.12	no	music wire	4S
C.840.400.1600.I	84.0	4.00	160.0	0.1287	27.60	37.12	no	stainless steel	4S
C.840.400.2000.A	84.0	4.00	200.0	0.1185	31.20	43.24	no	music wire	4S
C.840.400.2000.I	84.0	4.00	200.0	0.1017	31.20	43.24	no	stainless steel	4T
C.840.400.3600.A	84.0	4.00	360.0	0.0645	45.60	67.72	no	music wire	5B
C.840.400.3600.I	84.0	4.00	360.0	0.0554	45.60	67.72	no	stainless steel	5B
C.840.450.0500.A	84.0	4.50	50.0	0.7558	16.20	19.01	yes	music wire	4R
C.840.450.0500.I	84.0	4.50	50.0	0.6492	16.20	19.01	yes	stainless steel	4R
C.840.450.0800.A	84.0	4.50	80.0	0.4376	19.80	24.66	yes	music wire	4S
C.840.450.0800.I	84.0	4.50	80.0	0.3758	19.80	24.66	yes	stainless steel	4S
C.840.450.1000.A	84.0	4.50	100.0	0.3464	22.05	28.19	yes	music wire	4S
C.840.450.1000.I	84.0	4.50	100.0	0.2975	22.05	28.19	yes	stainless steel	4S
C.840.450.1250.A	84.0	4.50	125.0	0.2771	24.75	32.42	yes	music wire	4S
C.840.450.1250.I	84.0	4.50	125.0	0.2380	24.75	32.42	yes	stainless steel	4S

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.840.450.1600.A	84.0	4.50	160.0	0.2132	28.80	38.77	yes	music wire	4T
C.840.450.1600.I	84.0	4.50	160.0	0.1831	28.80	38.77	yes	stainless steel	4T
C.840.450.2000.A	84.0	4.50	200.0	0.1697	33.30	45.83	yes	music wire	4T
C.840.450.2000.I	84.0	4.50	200.0	0.1457	33.30	45.83	yes	stainless steel	4T
C.840.450.3600.A	84.0	4.50	360.0	0.0924	56.25	79.26	no	music wire	5C
C.840.450.3600.I	84.0	4.50	360.0	0.0793	56.25	79.26	no	stainless steel	5C
C.840.500.0500.A	84.0	5.00	50.0	1.0762	18.50	21.35	yes	music wire	4S
C.840.500.0500.I	84.0	5.00	50.0	0.9243	18.50	21.35	yes	stainless steel	4S
C.840.500.0800.A	84.0	5.00	80.0	0.6457	22.50	27.24	yes	music wire	4S
C.840.500.0800.I	84.0	5.00	80.0	0.5546	22.50	27.24	yes	stainless steel	4T
C.840.500.1000.A	84.0	5.00	100.0	0.4967	25.50	31.67	yes	music wire	4T
C.840.500.1000.I	84.0	5.00	100.0	0.4266	25.50	31.67	yes	stainless steel	4T
C.840.500.1250.A	84.0	5.00	125.0	0.3913	29.00	36.83	yes	music wire	4T
C.840.500.1250.I	84.0	5.00	125.0	0.3361	29.00	36.83	yes	stainless steel	4T
C.840.500.1600.A	84.0	5.00	160.0	0.3000	34.00	44.20	yes	music wire	5A
C.840.500.1600.I	84.0	5.00	160.0	0.2580	34.00	44.20	yes	stainless steel	5A
C.840.500.2000.A	84.0	5.00	200.0	0.2348	40.00	53.05	yes	music wire	5A
C.840.500.2000.I	84.0	5.00	200.0	0.2017	40.00	53.05	yes	stainless steel	5A
C.840.500.3600.A	84.0	5.00	360.0	0.1291	67.50	91.22	no	music wire	5D
C.840.500.3600.I	84.0	5.00	360.0	0.1109	67.50	91.22	no	stainless steel	5D
C.840.550.0500.A	84.0	5.50	50.0	1.4824	20.90	23.80	yes	music wire	5B
C.840.550.0500.I	84.0	5.50	50.0	1.2732	20.90	23.80	yes	stainless steel	5B
C.840.550.0800.A	84.0	5.50	80.0	0.8760	25.85	30.76	yes	music wire	5B
C.840.550.0800.I	84.0	5.50	80.0	0.7524	25.85	30.76	yes	stainless steel	5B
C.840.550.1000.A	84.0	5.50	100.0	0.6645	29.70	36.17	yes	music wire	5B
C.840.550.1000.I	84.0	5.50	100.0	0.5708	29.70	36.17	yes	stainless steel	5C
C.840.550.1250.A	84.0	5.50	125.0	0.5353	33.55	41.58	yes	music wire	5C
C.840.550.1250.I	84.0	5.50	125.0	0.4598	33.55	41.58	yes	stainless steel	5C
C.840.550.1600.A	84.0	5.50	160.0	0.4100	39.60	50.08	yes	music wire	5C
C.840.550.1600.I	84.0	5.50	160.0	0.3522	39.60	50.08	yes	stainless steel	5D
C.840.550.2000.A	84.0	5.50	200.0	0.3212	46.75	60.13	yes	music wire	5D
C.840.550.2000.I	84.0	5.50	200.0	0.2759	46.75	60.13	yes	stainless steel	5D
C.840.550.3600.A	84.0	5.50	360.0	0.1736	80.30	105.06	no	music wire	5E
C.840.550.3600.I	84.0	5.50	360.0	0.1491	80.30	105.06	no	stainless steel	5F
C.840.600.0500.A	84.0	6.00	50.0	1.9873	23.40	26.37	yes	music wire	5D
C.840.600.0500.I	84.0	6.00	50.0	1.7069	23.40	26.37	yes	stainless steel	5E
C.840.600.0800.A	84.0	6.00	80.0	1.1593	29.40	34.49	yes	music wire	5E
C.840.600.0800.I	84.0	6.00	80.0	0.9957	29.40	34.49	yes	stainless steel	5E
C.840.600.1000.A	84.0	6.00	100.0	0.9000	33.60	40.18	yes	music wire	5E
C.840.600.1000.I	84.0	6.00	100.0	0.7708	33.60	40.18	yes	stainless steel	5E
C.840.600.1250.A	84.0	6.00	125.0	0.7134	38.40	46.67	yes	music wire	5E
C.840.600.1250.I	84.0	6.00	125.0	0.6127	38.40	46.67	yes	stainless steel	5E
C.840.600.1600.A	84.0	6.00	160.0	0.5455	45.60	56.42	yes	music wire	5E
C.840.600.1600.I	84.0	6.00	160.0	0.4686	45.60	56.42	yes	stainless steel	5F
C.840.600.2000.A	84.0	6.00	200.0	0.4280	54.00	67.79	yes	music wire	5E
C.840.600.2000.I	84.0	6.00	200.0	0.3676	54.00	67.79	yes	stainless steel	5G
C.840.600.3600.A	84.0	6.00	360.0	0.2319	93.00	118.45	no	music wire	5G
C.840.600.3600.I	84.0	6.00	360.0	0.1991	93.00	118.45	no	stainless steel	5I
C.850.500.0800.A	85.0	5.00	80.0	0.6218	22.50	27.34	yes	music wire	4S
C.850.500.0800.I	85.0	5.00	80.0	0.5341	22.50	27.34	yes	stainless steel	4T
C.850.500.1640.A	85.0	5.00	164.0	0.3553	30.00	38.47	yes	music wire	5D

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.850.500.1640.I	85.0	5.00	164.0	0.3052	30.00	38.47	yes	stainless steel	5A
C.850.500.1640.N	85.0	5.00	164.0	0.3553	30.00	38.47	yes	Zn coating	5E
C.850.500.2000.A	85.0	5.00	200.0	0.2303	39.50	52.57	yes	music wire	5A
C.850.500.2000.I	85.0	5.00	200.0	0.1978	39.50	52.57	yes	stainless steel	5B
C.850.500.2520.A	85.0	5.00	252.0	0.2261	40.00	53.31	yes	music wire	5D
C.850.500.2520.I	85.0	5.00	252.0	0.1942	40.00	53.31	yes	stainless steel	5B
C.850.500.2520.N	85.0	5.00	252.0	0.2261	40.00	53.31	yes	Zn coating	5F
C.850.500.4280.A	85.0	5.00	428.0	0.1309	60.00	82.99	yes	music wire	5G
C.850.500.4280.I	85.0	5.00	428.0	0.1124	60.00	82.99	yes	stainless steel	5E
C.850.500.4280.N	85.0	5.00	428.0	0.1309	60.00	82.99	yes	Zn coating	5H
C.850.500.6910.A	85.0	5.00	691.0	0.0800	90.00	127.51	yes	music wire	5I
C.850.500.6910.I	85.0	5.00	691.0	0.0689	90.00	127.51	yes	stainless steel	5H
C.850.500.6910.N	85.0	5.00	691.0	0.0800	90.00	127.51	yes	Zn coating	5J
C.860.360.0500.A	86.0	3.60	50.0	0.2780	16.56	20.07	no	music wire	4N
C.860.360.0500.I	86.0	3.60	50.0	0.2388	16.56	20.07	no	stainless steel	4N
C.860.360.0800.A	86.0	3.60	80.0	0.2185	17.64	22.10	no	music wire	4O
C.860.360.0800.I	86.0	3.60	80.0	0.1876	17.64	22.10	no	stainless steel	4O
C.860.360.1000.A	86.0	3.60	100.0	0.1699	19.08	24.82	no	music wire	4O
C.860.360.1000.I	86.0	3.60	100.0	0.1459	19.08	24.82	no	stainless steel	4O
C.860.360.1250.A	86.0	3.60	125.0	0.1330	20.88	28.21	no	music wire	4P
C.860.360.1250.I	86.0	3.60	125.0	0.1142	20.88	28.21	no	stainless steel	4P
C.860.360.1600.A	86.0	3.60	160.0	0.1055	23.04	32.29	no	music wire	4Q
C.860.360.1600.I	86.0	3.60	160.0	0.0906	23.04	32.29	no	stainless steel	4Q
C.860.360.2000.A	86.0	3.60	200.0	0.0827	25.92	37.72	no	music wire	4R
C.860.360.2000.I	86.0	3.60	200.0	0.0710	25.92	37.72	no	stainless steel	4R
C.860.360.3600.I	86.0	3.60	360.0	0.0392	36.72	58.09	no	stainless steel	5A
C.860.400.0500.A	86.0	4.00	50.0	0.4300	18.40	21.61	no	music wire	4Q
C.860.400.0500.I	86.0	4.00	50.0	0.3693	18.40	21.61	no	stainless steel	4Q
C.860.400.0800.A	86.0	4.00	80.0	0.2956	20.40	25.07	no	music wire	4R
C.860.400.0800.I	86.0	4.00	80.0	0.2539	20.40	25.07	no	stainless steel	4R
C.860.400.1000.A	86.0	4.00	100.0	0.2365	22.00	27.84	no	music wire	4R
C.860.400.1000.I	86.0	4.00	100.0	0.2031	22.00	27.84	no	stainless steel	4R
C.860.400.1250.A	86.0	4.00	125.0	0.1892	24.00	31.30	no	music wire	4R
C.860.400.1250.I	86.0	4.00	125.0	0.1625	24.00	31.30	no	stainless steel	4R
C.860.400.1600.A	86.0	4.00	160.0	0.1433	27.20	36.84	no	music wire	4S
C.860.400.1600.I	86.0	4.00	160.0	0.1231	27.20	36.84	no	stainless steel	4S
C.860.400.2000.A	86.0	4.00	200.0	0.1154	30.40	42.38	no	music wire	4S
C.860.400.2000.I	86.0	4.00	200.0	0.0991	30.40	42.38	no	stainless steel	4T
C.860.400.3600.A	86.0	4.00	360.0	0.0631	44.00	65.91	no	music wire	5B
C.860.400.3600.I	86.0	4.00	360.0	0.0542	44.00	65.91	no	stainless steel	5B
C.860.450.0500.A	86.0	4.50	50.0	0.7000	16.20	19.13	yes	music wire	4R
C.860.450.0500.I	86.0	4.50	50.0	0.6025	16.20	19.13	yes	stainless steel	4R
C.860.450.0800.A	86.0	4.50	80.0	0.4287	19.35	24.15	yes	music wire	4S
C.860.450.0800.I	86.0	4.50	80.0	0.3682	19.35	24.15	yes	stainless steel	4S
C.860.450.1000.A	86.0	4.50	100.0	0.3355	21.60	27.73	yes	music wire	4S
C.860.450.1000.I	86.0	4.50	100.0	0.2882	21.60	27.73	yes	stainless steel	4S
C.860.450.1250.A	86.0	4.50	125.0	0.2661	24.30	32.03	yes	music wire	4S
C.860.450.1250.I	86.0	4.50	125.0	0.2286	24.30	32.03	yes	stainless steel	4S
C.860.450.1600.A	86.0	4.50	160.0	0.2086	27.90	37.76	yes	music wire	4T
C.860.450.1600.I	86.0	4.50	160.0	0.1791	27.90	37.76	yes	stainless steel	4T
C.860.450.2000.A	86.0	4.50	200.0	0.1642	32.40	44.92	yes	music wire	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.860.450.2000.I	86.0	4.50	200.0	0.1410	32.40	44.92	yes	stainless steel	5A
C.860.450.3600.A	86.0	4.50	360.0	0.0900	54.45	77.36	no	music wire	5C
C.860.450.3600.I	86.0	4.50	360.0	0.0771	54.45	77.36	no	stainless steel	5C
C.860.500.0500.A	86.0	5.00	50.0	1.0892	18.00	20.72	yes	music wire	4S
C.860.500.0500.I	86.0	5.00	50.0	0.9355	18.00	20.72	yes	stainless steel	4S
C.860.500.0800.A	86.0	5.00	80.0	0.6000	22.50	27.44	yes	music wire	4S
C.860.500.0800.I	86.0	5.00	80.0	0.5145	22.50	27.44	yes	stainless steel	4T
C.860.500.1000.A	86.0	5.00	100.0	0.4792	25.00	31.17	yes	music wire	4T
C.860.500.1000.I	86.0	5.00	100.0	0.4116	25.00	31.17	yes	stainless steel	4T
C.860.500.1250.A	86.0	5.00	125.0	0.3744	28.50	36.40	yes	music wire	4T
C.860.500.1250.I	86.0	5.00	125.0	0.3216	28.50	36.40	yes	stainless steel	4T
C.860.500.1600.A	86.0	5.00	160.0	0.2922	33.00	43.12	yes	music wire	5A
C.860.500.1600.I	86.0	5.00	160.0	0.2510	33.00	43.12	yes	stainless steel	5A
C.860.500.2000.A	86.0	5.00	200.0	0.2304	38.50	51.34	yes	music wire	5A
C.860.500.2000.I	86.0	5.00	200.0	0.1979	38.50	51.34	yes	stainless steel	5B
C.860.500.3600.A	86.0	5.00	360.0	0.1248	65.50	89.20	no	music wire	5D
C.860.500.3600.I	86.0	5.00	360.0	0.1072	65.50	89.20	no	stainless steel	5D
C.860.550.0500.A	86.0	5.50	50.0	1.4892	20.35	23.13	yes	music wire	5B
C.860.550.0500.I	86.0	5.50	50.0	1.2791	20.35	23.13	yes	stainless steel	5B
C.860.550.0800.A	86.0	5.50	80.0	0.8510	25.30	30.17	yes	music wire	5B
C.860.550.0800.I	86.0	5.50	80.0	0.7309	25.30	30.17	yes	stainless steel	5B
C.860.550.1000.A	86.0	5.50	100.0	0.6619	28.60	34.86	yes	music wire	5B
C.860.550.1000.I	86.0	5.50	100.0	0.5685	28.60	34.86	yes	stainless steel	5C
C.860.550.1250.A	86.0	5.50	125.0	0.5106	33.00	41.11	yes	music wire	5C
C.860.550.1250.I	86.0	5.50	125.0	0.4385	33.00	41.11	yes	stainless steel	5C
C.860.550.1600.A	86.0	5.50	160.0	0.3971	38.50	48.93	yes	music wire	5C
C.860.550.1600.I	86.0	5.50	160.0	0.3411	38.50	48.93	yes	stainless steel	5D
C.860.550.2000.A	86.0	5.50	200.0	0.3081	45.65	59.09	yes	music wire	5D
C.860.550.2000.I	86.0	5.50	200.0	0.2646	45.65	59.09	yes	stainless steel	5D
C.860.550.3600.A	86.0	5.50	360.0	0.1686	77.55	102.11	no	music wire	5E
C.860.550.3600.I	86.0	5.50	360.0	0.1448	77.55	102.11	no	stainless steel	5F
C.860.600.0500.A	86.0	6.00	50.0	1.9836	22.80	25.66	yes	music wire	5D
C.860.600.0500.I	86.0	6.00	50.0	1.7000	22.80	25.66	yes	stainless steel	5E
C.860.600.0800.A	86.0	6.00	80.0	1.1212	28.80	33.86	yes	music wire	5E
C.860.600.0800.I	86.0	6.00	80.0	0.9630	28.80	33.86	yes	stainless steel	5E
C.860.600.1000.A	86.0	6.00	100.0	0.8892	32.40	38.78	yes	music wire	5E
C.860.600.1000.I	86.0	6.00	100.0	0.7637	32.40	38.78	yes	stainless steel	5E
C.860.600.1250.A	86.0	6.00	125.0	0.6786	37.80	46.16	yes	music wire	5E
C.860.600.1250.I	86.0	6.00	125.0	0.5829	37.80	46.16	yes	stainless steel	5F
C.860.600.1600.A	86.0	6.00	160.0	0.5263	44.40	55.18	yes	music wire	5E
C.860.600.1600.I	86.0	6.00	160.0	0.4520	44.40	55.18	yes	stainless steel	5F
C.860.600.2000.A	86.0	6.00	200.0	0.4159	52.20	65.84	yes	music wire	5E
C.860.600.2000.I	86.0	6.00	200.0	0.3572	52.20	65.84	yes	stainless steel	5G
C.860.600.3600.A	86.0	6.00	360.0	0.2242	90.00	115.30	no	music wire	5G
C.860.600.3600.I	86.0	6.00	360.0	0.1926	90.00	115.30	no	stainless steel	5I
C.880.360.0500.A	88.0	3.60	50.0	0.2587	16.56	20.22	no	music wire	4N
C.880.360.0500.I	88.0	3.60	50.0	0.2222	16.56	20.22	no	stainless steel	4N
C.880.360.0800.A	88.0	3.60	80.0	0.2033	17.64	22.30	no	music wire	4O
C.880.360.0800.I	88.0	3.60	80.0	0.1746	17.64	22.30	no	stainless steel	4O
C.880.360.1000.A	88.0	3.60	100.0	0.1674	18.72	24.38	no	music wire	4O
C.880.360.1000.I	88.0	3.60	100.0	0.1438	18.72	24.38	no	stainless steel	4P

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.880.360.1250.A	88.0	3.60	125.0	0.1294	20.52	27.84	no	music wire	4P
C.880.360.1250.I	88.0	3.60	125.0	0.1111	20.52	27.84	no	stainless steel	4P
C.880.360.1600.I	88.0	3.60	160.0	0.0873	22.68	32.00	no	stainless steel	4Q
C.880.360.2000.I	88.0	3.60	200.0	0.0700	25.20	36.85	no	stainless steel	4R
C.880.360.3600.I	88.0	3.60	360.0	0.0382	35.64	56.94	no	stainless steel	5A
C.880.400.0500.A	88.0	4.00	50.0	0.4000	18.40	21.75	no	music wire	4Q
C.880.400.0500.I	88.0	4.00	50.0	0.3436	18.40	21.75	no	stainless steel	4Q
C.880.400.0800.A	88.0	4.00	80.0	0.2933	20.00	24.57	no	music wire	4R
C.880.400.0800.I	88.0	4.00	80.0	0.2520	20.00	24.57	no	stainless steel	4R
C.880.400.1000.A	88.0	4.00	100.0	0.2316	21.60	27.39	no	music wire	4R
C.880.400.1000.I	88.0	4.00	100.0	0.1989	21.60	27.39	no	stainless steel	4R
C.880.400.1250.A	88.0	4.00	125.0	0.1833	23.60	30.91	no	music wire	4R
C.880.400.1250.I	88.0	4.00	125.0	0.1575	23.60	30.91	no	stainless steel	4R
C.880.400.1600.A	88.0	4.00	160.0	0.1419	26.40	35.84	no	music wire	4S
C.880.400.1600.I	88.0	4.00	160.0	0.1219	26.40	35.84	no	stainless steel	4S
C.880.400.2000.A	88.0	4.00	200.0	0.1100	30.00	42.18	no	music wire	4T
C.880.400.2000.I	88.0	4.00	200.0	0.0945	30.00	42.18	no	stainless steel	4T
C.880.400.3600.A	88.0	4.00	360.0	0.0611	42.80	64.73	no	music wire	5B
C.880.400.3600.I	88.0	4.00	360.0	0.0525	42.80	64.73	no	stainless steel	5B
C.880.450.0500.A	88.0	4.50	50.0	0.6523	16.20	19.25	yes	music wire	4R
C.880.450.0500.I	88.0	4.50	50.0	0.5603	16.20	19.25	yes	stainless steel	4R
C.880.450.0800.A	88.0	4.50	80.0	0.4221	18.90	23.62	yes	music wire	4S
C.880.450.0800.I	88.0	4.50	80.0	0.3625	18.90	23.62	yes	stainless steel	4S
C.880.450.1000.A	88.0	4.50	100.0	0.3262	21.15	27.25	yes	music wire	4S
C.880.450.1000.I	88.0	4.50	100.0	0.2801	21.15	27.25	yes	stainless steel	4S
C.880.450.1250.A	88.0	4.50	125.0	0.2658	23.40	30.89	yes	music wire	4S
C.880.450.1250.I	88.0	4.50	125.0	0.2283	23.40	30.89	yes	stainless steel	4S
C.880.450.1600.A	88.0	4.50	160.0	0.1993	27.45	37.44	yes	music wire	4T
C.880.450.1600.I	88.0	4.50	160.0	0.1712	27.45	37.44	yes	stainless steel	4T
C.880.450.2000.A	88.0	4.50	200.0	0.1595	31.50	43.98	yes	music wire	4T
C.880.450.2000.I	88.0	4.50	200.0	0.1370	31.50	43.98	yes	stainless steel	5A
C.880.450.3600.A	88.0	4.50	360.0	0.0875	52.65	75.40	no	music wire	5C
C.880.450.3600.I	88.0	4.50	360.0	0.0752	52.65	75.40	no	stainless steel	5C
C.880.500.0500.A	88.0	5.00	50.0	1.0123	18.00	20.82	yes	music wire	4S
C.880.500.0500.I	88.0	5.00	50.0	0.8695	18.00	20.82	yes	stainless steel	4S
C.880.500.0800.A	88.0	5.00	80.0	0.5861	22.00	26.88	yes	music wire	4T
C.880.500.0800.I	88.0	5.00	80.0	0.5034	22.00	26.88	yes	stainless steel	4T
C.880.500.1000.A	88.0	5.00	100.0	0.4640	24.50	30.66	yes	music wire	4T
C.880.500.1000.I	88.0	5.00	100.0	0.3985	24.50	30.66	yes	stainless steel	4T
C.880.500.1250.A	88.0	5.00	125.0	0.3592	28.00	35.96	yes	music wire	4T
C.880.500.1250.I	88.0	5.00	125.0	0.3085	28.00	35.96	yes	stainless steel	4T
C.880.500.1600.A	88.0	5.00	160.0	0.2784	32.50	42.77	yes	music wire	5A
C.880.500.1600.I	88.0	5.00	160.0	0.2391	32.50	42.77	yes	stainless steel	5A
C.880.500.2000.A	88.0	5.00	200.0	0.2227	37.50	50.33	yes	music wire	5A
C.880.500.2000.I	88.0	5.00	200.0	0.1913	37.50	50.33	yes	stainless steel	5B
C.880.500.3600.A	88.0	5.00	360.0	0.1210	63.50	87.11	no	music wire	5D
C.880.500.3600.I	88.0	5.00	360.0	0.1040	63.50	87.11	no	stainless steel	5D
C.880.550.0500.A	88.0	5.50	50.0	1.3835	20.35	23.24	yes	music wire	5B
C.880.550.0500.I	88.0	5.50	50.0	1.1883	20.35	23.24	yes	stainless steel	5B
C.880.550.0800.A	88.0	5.50	80.0	0.8301	24.75	29.56	yes	music wire	5B
C.880.550.0800.I	88.0	5.50	80.0	0.7130	24.75	29.56	yes	stainless steel	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.880.550.1000.A	88.0	5.50	100.0	0.6385	28.05	34.31	yes	music wire	5B
C.880.550.1000.I	88.0	5.50	100.0	0.5484	28.05	34.31	yes	stainless steel	5C
C.880.550.1250.A	88.0	5.50	125.0	0.5031	31.90	39.84	yes	music wire	5C
C.880.550.1250.I	88.0	5.50	125.0	0.4321	31.90	39.84	yes	stainless steel	5C
C.880.550.1600.A	88.0	5.50	160.0	0.3773	37.95	48.54	yes	music wire	5C
C.880.550.1600.I	88.0	5.50	160.0	0.3241	37.95	48.54	yes	stainless steel	5D
C.880.550.2000.A	88.0	5.50	200.0	0.3019	44.00	57.23	yes	music wire	5D
C.880.550.2000.I	88.0	5.50	200.0	0.2593	44.00	57.23	yes	stainless steel	5D
C.880.550.3600.A	88.0	5.50	360.0	0.1644	74.80	99.10	no	music wire	5E
C.880.550.3600.I	88.0	5.50	360.0	0.1412	74.80	99.10	no	stainless steel	5F
C.880.600.0500.A	88.0	6.00	50.0	1.8420	22.80	25.77	yes	music wire	5D
C.880.600.0500.I	88.0	6.00	50.0	1.5821	22.80	25.77	yes	stainless steel	5E
C.880.600.0800.A	88.0	6.00	80.0	1.0884	28.20	33.22	yes	music wire	5E
C.880.600.0800.I	88.0	6.00	80.0	0.9349	28.20	33.22	yes	stainless steel	5E
C.880.600.1000.A	88.0	6.00	100.0	0.8552	31.80	38.19	yes	music wire	5E
C.880.600.1000.I	88.0	6.00	100.0	0.7345	31.80	38.19	yes	stainless steel	5E
C.880.600.1250.A	88.0	6.00	125.0	0.6652	36.60	44.81	yes	music wire	5E
C.880.600.1250.I	88.0	6.00	125.0	0.5713	36.60	44.81	yes	stainless steel	5F
C.880.600.1600.A	88.0	6.00	160.0	0.5095	43.20	53.92	yes	music wire	5E
C.880.600.1600.I	88.0	6.00	160.0	0.4376	43.20	53.92	yes	stainless steel	5F
C.880.600.2000.A	88.0	6.00	200.0	0.4000	51.00	64.69	yes	music wire	5E
C.880.600.2000.I	88.0	6.00	200.0	0.3428	51.00	64.69	yes	stainless steel	5G
C.880.600.3600.A	88.0	6.00	360.0	0.2177	87.00	112.09	no	music wire	5G
C.880.600.3600.I	88.0	6.00	360.0	0.1870	87.00	112.09	no	stainless steel	5I
C.889.550.2150.A	88.9	5.50	215.0	0.2759	45.65	59.84	yes	music wire	5D
C.889.550.2150.I	88.9	5.50	215.0	0.2400	45.65	59.84	yes	stainless steel	5D
C.900.300.0500.A	90.0	3.00	50.0	0.1139	13.80	18.29	no	music wire	4J
C.900.360.0500.A	90.0	3.60	50.0	0.2412	16.56	20.38	no	music wire	4N
C.900.360.0500.I	90.0	3.60	50.0	0.2071	16.56	20.38	no	stainless steel	4N
C.900.360.0800.A	90.0	3.60	80.0	0.2041	17.28	21.79	no	music wire	4O
C.900.360.0800.I	90.0	3.60	80.0	0.1753	17.28	21.79	no	stainless steel	4O
C.900.360.1000.I	90.0	3.60	100.0	0.1424	18.36	23.91	no	stainless steel	4P
C.900.360.1250.I	90.0	3.60	125.0	0.1085	20.16	27.45	no	stainless steel	4P
C.900.360.1600.I	90.0	3.60	160.0	0.0844	22.32	31.69	no	stainless steel	4R
C.900.360.2000.I	90.0	3.60	200.0	0.0670	24.84	36.64	no	stainless steel	4R
C.900.400.0500.A	90.0	4.00	50.0	0.3728	18.40	21.89	no	music wire	4Q
C.900.400.0500.I	90.0	4.00	50.0	0.3202	18.40	21.89	no	stainless steel	4Q
C.900.400.0800.A	90.0	4.00	80.0	0.2929	19.60	24.04	no	music wire	4R
C.900.400.0800.I	90.0	4.00	80.0	0.2516	19.60	24.04	no	stainless steel	4R
C.900.400.1000.A	90.0	4.00	100.0	0.2278	21.20	26.91	no	music wire	4R
C.900.400.1000.I	90.0	4.00	100.0	0.1957	21.20	26.91	no	stainless steel	4R
C.900.400.1250.A	90.0	4.00	125.0	0.1783	23.20	30.50	no	music wire	4R
C.900.400.1250.I	90.0	4.00	125.0	0.1531	23.20	30.50	no	stainless steel	4R
C.900.400.1600.A	90.0	4.00	160.0	0.1367	26.00	35.52	no	music wire	4S
C.900.400.1600.I	90.0	4.00	160.0	0.1174	26.00	35.52	no	stainless steel	4S
C.900.400.2000.A	90.0	4.00	200.0	0.1079	29.20	41.26	no	music wire	4T
C.900.400.2000.I	90.0	4.00	200.0	0.0927	29.20	41.26	no	stainless steel	4T
C.900.400.3600.A	90.0	4.00	360.0	0.0594	41.60	63.50	no	music wire	5B
C.900.400.3600.I	90.0	4.00	360.0	0.0510	41.60	63.50	no	stainless steel	5C
C.900.450.0500.A	90.0	4.50	50.0	0.6076	16.20	19.38	yes	music wire	4R
C.900.450.0500.I	90.0	4.50	50.0	0.5219	16.20	19.38	yes	stainless steel	4R

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.900.450.0800.A	90.0	4.50	80.0	0.4177	18.45	23.07	yes	music wire	4S
C.900.450.0800.I	90.0	4.50	80.0	0.3588	18.45	23.07	yes	stainless steel	4S
C.900.450.1000.A	90.0	4.50	100.0	0.3183	20.70	26.76	yes	music wire	4S
C.900.450.1000.I	90.0	4.50	100.0	0.2734	20.70	26.76	yes	stainless steel	4S
C.900.450.1250.A	90.0	4.50	125.0	0.2571	22.95	30.46	yes	music wire	4S
C.900.450.1250.I	90.0	4.50	125.0	0.2208	22.95	30.46	yes	stainless steel	4S
C.900.450.1600.A	90.0	4.50	160.0	0.1966	26.55	36.37	yes	music wire	4T
C.900.450.1600.I	90.0	4.50	160.0	0.1688	26.55	36.37	yes	stainless steel	4T
C.900.450.2000.A	90.0	4.50	200.0	0.1554	30.60	43.01	yes	music wire	5A
C.900.450.2000.I	90.0	4.50	200.0	0.1335	30.60	43.01	yes	stainless steel	5A
C.900.450.3600.A	90.0	4.50	360.0	0.0846	51.30	74.11	no	music wire	5C
C.900.450.3600.I	90.0	4.50	360.0	0.0727	51.30	74.11	no	stainless steel	5D
C.900.500.0500.A	90.0	5.00	50.0	0.9425	18.00	20.93	yes	music wire	4S
C.900.500.0500.I	90.0	5.00	50.0	0.8095	18.00	20.93	yes	stainless steel	4S
C.900.500.0800.A	90.0	5.00	80.0	0.5760	21.50	26.30	yes	music wire	4T
C.900.500.0800.I	90.0	5.00	80.0	0.4947	21.50	26.30	yes	stainless steel	4T
C.900.500.1000.A	90.0	5.00	100.0	0.4508	24.00	30.14	yes	music wire	4T
C.900.500.1000.I	90.0	5.00	100.0	0.3872	24.00	30.14	yes	stainless steel	4T
C.900.500.1250.A	90.0	5.00	125.0	0.3575	27.00	34.74	yes	music wire	4T
C.900.500.1250.I	90.0	5.00	125.0	0.3071	27.00	34.74	yes	stainless steel	4T
C.900.500.1600.A	90.0	5.00	160.0	0.2728	31.50	41.64	yes	music wire	5A
C.900.500.1600.I	90.0	5.00	160.0	0.2343	31.50	41.64	yes	stainless steel	5A
C.900.500.2000.A	90.0	5.00	200.0	0.2160	36.50	49.30	yes	music wire	5A
C.900.500.2000.I	90.0	5.00	200.0	0.1855	36.50	49.30	yes	stainless steel	5B
C.900.500.3600.A	90.0	5.00	360.0	0.1178	61.50	84.97	no	music wire	5D
C.900.500.3600.I	90.0	5.00	360.0	0.1012	61.50	84.97	no	stainless steel	5D
C.900.550.0500.A	90.0	5.50	50.0	1.4046	19.80	22.55	yes	music wire	5B
C.900.550.0500.I	90.0	5.50	50.0	1.2064	19.80	22.55	yes	stainless steel	5B
C.900.550.0800.A	90.0	5.50	80.0	0.7725	24.75	29.74	yes	music wire	5B
C.900.550.0800.I	90.0	5.50	80.0	0.6635	24.75	29.74	yes	stainless steel	5B
C.900.550.1000.A	90.0	5.50	100.0	0.6180	27.50	33.74	yes	music wire	5B
C.900.550.1000.I	90.0	5.50	100.0	0.5308	27.50	33.74	yes	stainless steel	5C
C.900.550.1250.A	90.0	5.50	125.0	0.4828	31.35	39.34	yes	music wire	5C
C.900.550.1250.I	90.0	5.50	125.0	0.4147	31.35	39.34	yes	stainless steel	5C
C.900.550.1600.A	90.0	5.50	160.0	0.3679	36.85	47.34	yes	music wire	5C
C.900.550.1600.I	90.0	5.50	160.0	0.3160	36.85	47.34	yes	stainless steel	5D
C.900.550.2000.A	90.0	5.50	200.0	0.2915	42.90	56.14	yes	music wire	5D
C.900.550.2000.I	90.0	5.50	200.0	0.2500	42.90	56.14	yes	stainless steel	5D
C.900.550.3600.A	90.0	5.50	360.0	0.1593	72.60	96.82	no	music wire	5E
C.900.550.3600.I	90.0	5.50	360.0	0.1368	72.60	96.82	no	stainless steel	5F
C.900.600.0500.A	90.0	6.00	50.0	1.8563	22.20	25.04	yes	music wire	5D
C.900.600.0500.I	90.0	6.00	50.0	1.5944	22.20	25.04	yes	stainless steel	5E
C.900.600.0800.A	90.0	6.00	80.0	1.0608	27.60	32.56	yes	music wire	5E
C.900.600.0800.I	90.0	6.00	80.0	0.9111	27.60	32.56	yes	stainless steel	5E
C.900.600.1000.A	90.0	6.00	100.0	0.8250	31.20	37.58	yes	music wire	5E
C.900.600.1000.I	90.0	6.00	100.0	0.7086	31.20	37.58	yes	stainless steel	5E
C.900.600.1250.A	90.0	6.00	125.0	0.6365	36.00	44.27	yes	music wire	5E
C.900.600.1250.I	90.0	6.00	125.0	0.5466	36.00	44.27	yes	stainless steel	5F
C.900.600.1600.A	90.0	6.00	160.0	0.4950	42.00	52.64	yes	music wire	5E
C.900.600.1600.I	90.0	6.00	160.0	0.4252	42.00	52.64	yes	stainless steel	5F
C.900.600.2000.A	90.0	6.00	200.0	0.3841	49.80	63.51	yes	music wire	5F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.900.600.2000.I	90.0	6.00	200.0	0.3299	49.80	63.51	yes	stainless steel	5G
C.900.600.3600.A	90.0	6.00	360.0	0.2101	84.60	109.66	no	music wire	5G
C.900.600.3600.I	90.0	6.00	360.0	0.1805	84.60	109.66	no	stainless steel	5I
C.920.360.0500.A	92.0	3.60	50.0	0.2252	16.56	20.54	no	music wire	4N
C.920.360.0500.I	92.0	3.60	50.0	0.1934	16.56	20.54	no	stainless steel	4N
C.920.360.1000.I	92.0	3.60	100.0	0.1330	18.36	24.15	no	stainless steel	4P
C.920.360.1250.I	92.0	3.60	125.0	0.1064	19.80	27.03	no	stainless steel	4Q
C.920.360.1600.I	92.0	3.60	160.0	0.0818	21.96	31.36	no	stainless steel	4R
C.920.400.0500.A	92.0	4.00	50.0	0.3479	18.40	22.03	no	music wire	4Q
C.920.400.0500.I	92.0	4.00	50.0	0.2988	18.40	22.03	no	stainless steel	4Q
C.920.400.0800.A	92.0	4.00	80.0	0.2734	19.60	24.23	no	music wire	4R
C.920.400.0800.I	92.0	4.00	80.0	0.2348	19.60	24.23	no	stainless steel	4R
C.920.400.1000.A	92.0	4.00	100.0	0.2126	21.20	27.15	no	music wire	4R
C.920.400.1000.I	92.0	4.00	100.0	0.1826	21.20	27.15	no	stainless steel	4R
C.920.400.1250.A	92.0	4.00	125.0	0.1740	22.80	30.07	no	music wire	4R
C.920.400.1250.I	92.0	4.00	125.0	0.1494	22.80	30.07	no	stainless steel	4S
C.920.400.1600.A	92.0	4.00	160.0	0.1320	25.60	35.18	no	music wire	4S
C.920.400.1600.I	92.0	4.00	160.0	0.1133	25.60	35.18	no	stainless steel	4S
C.920.400.2000.A	92.0	4.00	200.0	0.1063	28.40	40.29	no	music wire	4T
C.920.400.2000.I	92.0	4.00	200.0	0.0913	28.40	40.29	no	stainless steel	4T
C.920.400.3600.A	92.0	4.00	360.0	0.0580	40.40	62.21	no	music wire	5B
C.920.400.3600.I	92.0	4.00	360.0	0.0498	40.40	62.21	no	stainless steel	5C
C.920.450.0500.A	92.0	4.50	50.0	0.5669	16.20	19.50	yes	music wire	4R
C.920.450.0500.I	92.0	4.50	50.0	0.4869	16.20	19.50	yes	stainless steel	4R
C.920.450.0800.A	92.0	4.50	80.0	0.3897	18.45	23.25	yes	music wire	4S
C.920.450.0800.I	92.0	4.50	80.0	0.3347	18.45	23.25	yes	stainless steel	4S
C.920.450.1000.A	92.0	4.50	100.0	0.3118	20.25	26.25	yes	music wire	4S
C.920.450.1000.I	92.0	4.50	100.0	0.2678	20.25	26.25	yes	stainless steel	4S
C.920.450.1250.A	92.0	4.50	125.0	0.2500	22.50	30.01	yes	music wire	4S
C.920.450.1250.I	92.0	4.50	125.0	0.2142	22.50	30.01	yes	stainless steel	4S
C.920.450.1600.A	92.0	4.50	160.0	0.1890	26.10	36.01	yes	music wire	4T
C.920.450.1600.I	92.0	4.50	160.0	0.1623	26.10	36.01	yes	stainless steel	4T
C.920.450.2000.A	92.0	4.50	200.0	0.1521	29.70	42.01	yes	music wire	5A
C.920.450.2000.I	92.0	4.50	200.0	0.1306	29.70	42.01	yes	stainless steel	5A
C.920.450.3600.A	92.0	4.50	360.0	0.0831	49.50	72.02	no	music wire	5C
C.920.450.3600.I	92.0	4.50	360.0	0.0714	49.50	72.02	no	stainless steel	5D
C.920.500.0500.A	92.0	5.00	50.0	0.8790	18.00	21.05	yes	music wire	4S
C.920.500.0500.I	92.0	5.00	50.0	0.7550	18.00	21.05	yes	stainless steel	4S
C.920.500.0800.A	92.0	5.00	80.0	0.5688	21.00	25.71	yes	music wire	4T
C.920.500.0800.I	92.0	5.00	80.0	0.4885	21.00	25.71	yes	stainless steel	4T
C.920.500.1000.A	92.0	5.00	100.0	0.4395	23.50	29.60	yes	music wire	4T
C.920.500.1000.I	92.0	5.00	100.0	0.3775	23.50	29.60	yes	stainless steel	4T
C.920.500.1250.A	92.0	5.00	125.0	0.3453	26.50	34.26	yes	music wire	4T
C.920.500.1250.I	92.0	5.00	125.0	0.2966	26.50	34.26	yes	stainless steel	4T
C.920.500.1600.A	92.0	5.00	160.0	0.2686	30.50	40.47	yes	music wire	5A
C.920.500.1600.I	92.0	5.00	160.0	0.2307	30.50	40.47	yes	stainless steel	5A
C.920.500.2000.A	92.0	5.00	200.0	0.2102	35.50	48.25	yes	music wire	5B
C.920.500.2000.I	92.0	5.00	200.0	0.1805	35.50	48.25	yes	stainless steel	5B
C.920.500.3600.A	92.0	5.00	360.0	0.1151	59.50	82.77	no	music wire	5D
C.920.500.3600.I	92.0	5.00	360.0	0.0989	59.50	82.77	no	stainless steel	5D
C.920.550.0500.A	92.0	5.50	50.0	1.3094	19.80	22.65	yes	music wire	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.920.550.0500.I	92.0	5.50	50.0	1.1247	19.80	22.65	yes	stainless steel	5B
C.920.550.0800.A	92.0	5.50	80.0	0.7581	24.20	29.12	yes	music wire	5B
C.920.550.0800.I	92.0	5.50	80.0	0.6511	24.20	29.12	yes	stainless steel	5B
C.920.550.1000.A	92.0	5.50	100.0	0.6000	26.95	33.17	yes	music wire	5B
C.920.550.1000.I	92.0	5.50	100.0	0.5155	26.95	33.17	yes	stainless steel	5C
C.920.550.1250.A	92.0	5.50	125.0	0.4646	30.80	38.83	yes	music wire	5C
C.920.550.1250.I	92.0	5.50	125.0	0.4000	30.80	38.83	yes	stainless steel	5C
C.920.550.1600.A	92.0	5.50	160.0	0.3601	35.75	46.11	yes	music wire	5C
C.920.550.1600.I	92.0	5.50	160.0	0.3093	35.75	46.11	yes	stainless steel	5D
C.920.550.2000.A	92.0	5.50	200.0	0.2824	41.80	55.01	yes	music wire	5D
C.920.550.2000.I	92.0	5.50	200.0	0.2426	41.80	55.01	yes	stainless steel	5D
C.920.550.3600.A	92.0	5.50	360.0	0.1549	70.40	94.49	no	music wire	5E
C.920.550.3600.I	92.0	5.50	360.0	0.1330	70.40	94.49	no	stainless steel	5F
C.920.600.0500.A	92.0	6.00	50.0	1.7298	22.20	25.14	yes	music wire	5D
C.920.600.0500.I	92.0	6.00	50.0	1.4857	22.20	25.14	yes	stainless steel	5E
C.920.600.0800.A	92.0	6.00	80.0	1.0379	27.00	31.90	yes	music wire	5E
C.920.600.0800.I	92.0	6.00	80.0	0.8914	27.00	31.90	yes	stainless steel	5E
C.920.600.1000.A	92.0	6.00	100.0	0.8000	30.60	36.97	yes	music wire	5E
C.920.600.1000.I	92.0	6.00	100.0	0.6857	30.60	36.97	yes	stainless steel	5E
C.920.600.1250.A	92.0	6.00	125.0	0.6290	34.80	42.88	yes	music wire	5E
C.920.600.1250.I	92.0	6.00	125.0	0.5403	34.80	42.88	yes	stainless steel	5F
C.920.600.1600.A	92.0	6.00	160.0	0.4718	41.40	52.18	yes	music wire	5E
C.920.600.1600.I	92.0	6.00	160.0	0.4052	41.40	52.18	yes	stainless steel	5G
C.920.600.2000.A	92.0	6.00	200.0	0.3774	48.00	61.47	yes	music wire	5F
C.920.600.2000.I	92.0	6.00	200.0	0.3242	48.00	61.47	yes	stainless steel	5G
C.920.600.3600.A	92.0	6.00	360.0	0.2035	82.20	107.18	no	music wire	5G
C.920.600.3600.I	92.0	6.00	360.0	0.1748	82.20	107.18	no	stainless steel	5I
C.936.450.2380.A	93.6	4.50	238.0	0.0851	42.30	63.66	yes	music wire	5A
C.936.450.2380.I	93.6	4.50	238.0	0.0740	42.30	63.66	yes	stainless steel	5B
C.940.400.0500.A	94.0	4.00	50.0	0.3252	18.40	22.18	no	music wire	4Q
C.940.400.0500.I	94.0	4.00	50.0	0.2793	18.40	22.18	no	stainless steel	4Q
C.940.400.0800.A	94.0	4.00	80.0	0.2752	19.20	23.67	no	music wire	4R
C.940.400.0800.I	94.0	4.00	80.0	0.2364	19.20	23.67	no	stainless steel	4R
C.940.400.1000.A	94.0	4.00	100.0	0.2104	20.80	26.64	no	music wire	4R
C.940.400.1000.I	94.0	4.00	100.0	0.1807	20.80	26.64	no	stainless steel	4R
C.940.400.1250.A	94.0	4.00	125.0	0.1704	22.40	29.62	no	music wire	4S
C.940.400.1250.I	94.0	4.00	125.0	0.1463	22.40	29.62	no	stainless steel	4S
C.940.400.1600.A	94.0	4.00	160.0	0.1278	25.20	34.83	no	music wire	4S
C.940.400.1600.I	94.0	4.00	160.0	0.1097	25.20	34.83	no	stainless steel	4S
C.940.400.2000.A	94.0	4.00	200.0	0.1022	28.00	40.03	no	music wire	4T
C.940.400.2000.I	94.0	4.00	200.0	0.0878	28.00	40.03	no	stainless steel	4T
C.940.400.3600.A	94.0	4.00	360.0	0.0568	39.20	60.86	no	music wire	5B
C.940.400.3600.I	94.0	4.00	360.0	0.0488	39.20	60.86	no	stainless steel	5C
C.940.450.0500.A	94.0	4.50	50.0	0.5297	16.20	19.63	yes	music wire	4R
C.940.450.0500.I	94.0	4.50	50.0	0.4550	16.20	19.63	yes	stainless steel	4R
C.940.450.0800.A	94.0	4.50	80.0	0.3885	18.00	22.68	yes	music wire	4S
C.940.450.0800.I	94.0	4.50	80.0	0.3337	18.00	22.68	yes	stainless steel	4S
C.940.450.1000.A	94.0	4.50	100.0	0.3067	19.80	25.73	yes	music wire	4S
C.940.450.1000.I	94.0	4.50	100.0	0.2634	19.80	25.73	yes	stainless steel	4S
C.940.450.1250.A	94.0	4.50	125.0	0.2428	22.05	29.54	yes	music wire	4S
C.940.450.1250.I	94.0	4.50	125.0	0.2085	22.05	29.54	yes	stainless steel	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.940.450.1600.A	94.0	4.50	160.0	0.1880	25.20	34.87	yes	music wire	4T
C.940.450.1600.I	94.0	4.50	160.0	0.1614	25.20	34.87	yes	stainless steel	4T
C.940.450.2000.A	94.0	4.50	200.0	0.1457	29.25	41.73	yes	music wire	5A
C.940.450.2000.I	94.0	4.50	200.0	0.1251	29.25	41.73	yes	stainless steel	5A
C.940.450.3600.A	94.0	4.50	360.0	0.0809	48.15	70.61	no	music wire	5C
C.940.450.3600.I	94.0	4.50	360.0	0.0695	48.15	70.61	no	stainless steel	5D
C.940.500.0500.A	94.0	5.00	50.0	0.8211	18.00	21.16	yes	music wire	4S
C.940.500.0500.I	94.0	5.00	50.0	0.7052	18.00	21.16	yes	stainless steel	4S
C.940.500.0800.A	94.0	5.00	80.0	0.5313	21.00	25.89	yes	music wire	4T
C.940.500.0800.I	94.0	5.00	80.0	0.4563	21.00	25.89	yes	stainless steel	4T
C.940.500.1000.A	94.0	5.00	100.0	0.4301	23.00	29.04	yes	music wire	4T
C.940.500.1000.I	94.0	5.00	100.0	0.3694	23.00	29.04	yes	stainless steel	4T
C.940.500.1250.A	94.0	5.00	125.0	0.3345	26.00	33.77	yes	music wire	4T
C.940.500.1250.I	94.0	5.00	125.0	0.2873	26.00	33.77	yes	stainless steel	5A
C.940.500.1600.A	94.0	5.00	160.0	0.2581	30.00	40.07	yes	music wire	5A
C.940.500.1600.I	94.0	5.00	160.0	0.2216	30.00	40.07	yes	stainless steel	5A
C.940.500.2000.A	94.0	5.00	200.0	0.2053	34.50	47.16	yes	music wire	5B
C.940.500.2000.I	94.0	5.00	200.0	0.1763	34.50	47.16	yes	stainless steel	5B
C.940.500.3600.A	94.0	5.00	360.0	0.1115	58.00	81.30	no	music wire	5D
C.940.500.3600.I	94.0	5.00	360.0	0.0958	58.00	81.30	no	stainless steel	5D
C.940.550.0500.A	94.0	5.50	50.0	1.2226	19.80	22.75	yes	music wire	5B
C.940.550.0500.I	94.0	5.50	50.0	1.0501	19.80	22.75	yes	stainless steel	5B
C.940.550.0800.A	94.0	5.50	80.0	0.7472	23.65	28.48	yes	music wire	5B
C.940.550.0800.I	94.0	5.50	80.0	0.6417	23.65	28.48	yes	stainless steel	5B
C.940.550.1000.A	94.0	5.50	100.0	0.5847	26.40	32.58	yes	music wire	5B
C.940.550.1000.I	94.0	5.50	100.0	0.5022	26.40	32.58	yes	stainless steel	5C
C.940.550.1250.A	94.0	5.50	125.0	0.4483	30.25	38.31	yes	music wire	5C
C.940.550.1250.I	94.0	5.50	125.0	0.3850	30.25	38.31	yes	stainless steel	5C
C.940.550.1600.A	94.0	5.50	160.0	0.3448	35.20	45.68	yes	music wire	5C
C.940.550.1600.I	94.0	5.50	160.0	0.2962	35.20	45.68	yes	stainless steel	5D
C.940.550.2000.A	94.0	5.50	200.0	0.2745	40.70	53.86	yes	music wire	5D
C.940.550.2000.I	94.0	5.50	200.0	0.2357	40.70	53.86	yes	stainless steel	5D
C.940.550.3600.A	94.0	5.50	360.0	0.1494	68.75	92.92	no	music wire	5E
C.940.550.3600.I	94.0	5.50	360.0	0.1283	68.75	92.92	no	stainless steel	5F
C.940.600.0500.A	94.0	6.00	50.0	1.7613	21.60	24.39	yes	music wire	5D
C.940.600.0500.I	94.0	6.00	50.0	1.5128	21.60	24.39	yes	stainless steel	5E
C.940.600.0800.A	94.0	6.00	80.0	0.9687	27.00	32.07	yes	music wire	5E
C.940.600.0800.I	94.0	6.00	80.0	0.8320	27.00	32.07	yes	stainless steel	5E
C.940.600.1000.A	94.0	6.00	100.0	0.7750	30.00	36.34	yes	music wire	5E
C.940.600.1000.I	94.0	6.00	100.0	0.6656	30.00	36.34	yes	stainless steel	5E
C.940.600.1250.A	94.0	6.00	125.0	0.6054	34.20	42.32	yes	music wire	5E
C.940.600.1250.I	94.0	6.00	125.0	0.5200	34.20	42.32	yes	stainless steel	5F
C.940.600.1600.A	94.0	6.00	160.0	0.4613	40.20	50.85	yes	music wire	5E
C.940.600.1600.I	94.0	6.00	160.0	0.3962	40.20	50.85	yes	stainless steel	5G
C.940.600.2000.A	94.0	6.00	200.0	0.3656	46.80	60.24	yes	music wire	5F
C.940.600.2000.I	94.0	6.00	200.0	0.3140	46.80	60.24	yes	stainless steel	5G
C.940.600.3600.A	94.0	6.00	360.0	0.1977	79.80	104.65	no	music wire	5G
C.940.600.3600.I	94.0	6.00	360.0	0.1698	79.80	104.65	no	stainless steel	5I
C.950.550.0500.A	95.0	5.50	50.0	1.1821	19.80	22.81	yes	music wire	5B
C.950.550.0500.I	95.0	5.50	50.0	1.0153	19.80	22.81	yes	stainless steel	5B
C.950.550.0800.A	95.0	5.50	80.0	0.7224	23.65	28.57	yes	music wire	5B

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.950.550.0800.I	95.0	5.50	80.0	0.6205	23.65	28.57	yes	stainless steel	5C
C.950.550.1000.A	95.0	5.50	100.0	0.5654	26.40	32.69	yes	music wire	5C
C.950.550.1000.I	95.0	5.50	100.0	0.4856	26.40	32.69	yes	stainless steel	5C
C.950.550.1250.A	95.0	5.50	125.0	0.4484	29.70	37.63	yes	music wire	5C
C.950.550.1250.I	95.0	5.50	125.0	0.3851	29.70	37.63	yes	stainless steel	5C
C.950.550.1810.A	95.0	5.50	181.0	0.3715	33.00	42.57	yes	music wire	5F
C.950.550.1810.I	95.0	5.50	181.0	0.3191	33.00	42.57	yes	stainless steel	5D
C.950.550.1810.N	95.0	5.50	181.0	0.3715	33.00	42.57	yes	Zn coating	5H
C.950.550.2000.A	95.0	5.50	200.0	0.2709	40.15	53.28	yes	music wire	5D
C.950.550.2000.I	95.0	5.50	200.0	0.2327	40.15	53.28	yes	stainless steel	5D
C.950.550.2780.A	95.0	5.50	278.0	0.2364	44.00	59.04	yes	music wire	5G
C.950.550.2780.I	95.0	5.50	278.0	0.2030	44.00	59.04	yes	stainless steel	5E
C.950.550.2780.N	95.0	5.50	278.0	0.2364	44.00	59.04	yes	Zn coating	5I
C.950.550.4720.A	95.0	5.50	472.0	0.1369	66.00	91.98	yes	music wire	5I
C.950.550.4720.I	95.0	5.50	472.0	0.1176	66.00	91.98	yes	stainless steel	5H
C.950.550.4720.N	95.0	5.50	472.0	0.1369	66.00	91.98	yes	Zn coating	5K
C.950.550.7630.A	95.0	5.50	763.0	0.0839	99.00	141.39	yes	music wire	5K
C.950.550.7630.I	95.0	5.50	763.0	0.0721	99.00	141.39	yes	stainless steel	5K
C.950.550.7630.N	95.0	5.50	763.0	0.0839	99.00	141.39	yes	Zn coating	5M
C.952.530.0760.A	95.2	5.30	76.0	0.4598	25.97	32.73	yes	music wire	4T
C.952.530.0760.I	95.2	5.30	76.0	0.4000	25.97	32.73	yes	stainless steel	4T
C.960.320.0800.I	96.0	3.20	80.0	0.1044	14.72	19.51	no	stainless steel	4M
C.960.360.0800.I	96.0	3.60	80.0	0.1694	16.56	20.87	no	stainless steel	4O
C.960.400.0500.A	96.0	4.00	50.0	0.3045	18.40	22.33	no	music wire	4Q
C.960.400.0500.I	96.0	4.00	50.0	0.2615	18.40	22.33	no	stainless steel	4Q
C.960.400.0800.A	96.0	4.00	80.0	0.2576	19.20	23.85	no	music wire	4R
C.960.400.0800.I	96.0	4.00	80.0	0.2213	19.20	23.85	no	stainless steel	4R
C.960.400.1000.A	96.0	4.00	100.0	0.2093	20.40	26.12	no	music wire	4R
C.960.400.1000.I	96.0	4.00	100.0	0.1798	20.40	26.12	no	stainless steel	4R
C.960.400.1250.I	96.0	4.00	125.0	0.1438	22.00	29.15	no	stainless steel	4S
C.960.400.1600.I	96.0	4.00	160.0	0.1106	24.40	33.69	no	stainless steel	4S
C.960.400.2000.I	96.0	4.00	200.0	0.0872	27.20	38.99	no	stainless steel	4T
C.960.400.3600.I	96.0	4.00	360.0	0.0472	38.40	60.20	no	stainless steel	5C
C.960.450.0500.A	96.0	4.50	50.0	0.4957	20.70	24.26	no	music wire	4R
C.960.450.0500.I	96.0	4.50	50.0	0.4258	20.70	24.26	no	stainless steel	4R
C.960.450.0800.A	96.0	4.50	80.0	0.3895	22.05	26.59	no	music wire	4S
C.960.450.0800.I	96.0	4.50	80.0	0.3346	22.05	26.59	no	stainless steel	4S
C.960.450.1000.A	96.0	4.50	100.0	0.3030	23.85	29.68	no	music wire	4S
C.960.450.1000.I	96.0	4.50	100.0	0.2602	23.85	29.68	no	stainless steel	4S
C.960.450.1250.A	96.0	4.50	125.0	0.2371	26.10	33.55	no	music wire	4S
C.960.450.1250.I	96.0	4.50	125.0	0.2036	26.10	33.55	no	stainless steel	4T
C.960.450.1600.A	96.0	4.50	160.0	0.1818	29.25	38.97	no	music wire	4T
C.960.450.1600.I	96.0	4.50	160.0	0.1561	29.25	38.97	no	stainless steel	4T
C.960.450.2000.A	96.0	4.50	200.0	0.1435	32.85	45.16	no	music wire	5A
C.960.450.2000.I	96.0	4.50	200.0	0.1233	32.85	45.16	no	stainless steel	5A
C.960.450.3600.A	96.0	4.50	360.0	0.0790	46.80	69.16	no	music wire	5C
C.960.450.3600.I	96.0	4.50	360.0	0.0679	46.80	69.16	no	stainless steel	5D
C.960.500.0500.A	96.0	5.00	50.0	0.7681	18.00	21.28	yes	music wire	4S
C.960.500.0500.I	96.0	5.00	50.0	0.6597	18.00	21.28	yes	stainless steel	4S
C.960.500.0800.A	96.0	5.00	80.0	0.5281	20.50	25.27	yes	music wire	4T
C.960.500.0800.I	96.0	5.00	80.0	0.4536	20.50	25.27	yes	stainless steel	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.960.500.1000.A	96.0	5.00	100.0	0.4225	22.50	28.47	yes	music wire	4T
C.960.500.1000.I	96.0	5.00	100.0	0.3629	22.50	28.47	yes	stainless steel	4T
C.960.500.1250.A	96.0	5.00	125.0	0.3250	25.50	33.26	yes	music wire	4T
C.960.500.1250.I	96.0	5.00	125.0	0.2791	25.50	33.26	yes	stainless steel	5A
C.960.500.1600.A	96.0	5.00	160.0	0.2485	29.50	39.65	yes	music wire	5A
C.960.500.1600.I	96.0	5.00	160.0	0.2134	29.50	39.65	yes	stainless steel	5A
C.960.500.2000.A	96.0	5.00	200.0	0.2012	33.50	46.03	yes	music wire	5B
C.960.500.2000.I	96.0	5.00	200.0	0.1728	33.50	46.03	yes	stainless steel	5B
C.960.500.3600.A	96.0	5.00	360.0	0.1083	56.50	79.78	no	music wire	5D
C.960.500.3600.I	96.0	5.00	360.0	0.0930	56.50	79.78	no	stainless steel	5D
C.960.550.0500.A	96.0	5.50	50.0	1.1434	19.80	22.86	yes	music wire	5B
C.960.550.0500.I	96.0	5.50	50.0	0.9820	19.80	22.86	yes	stainless steel	5B
C.960.550.0800.A	96.0	5.50	80.0	0.7398	23.10	27.83	yes	music wire	5B
C.960.550.0800.I	96.0	5.50	80.0	0.6354	23.10	27.83	yes	stainless steel	5C
C.960.550.1000.A	96.0	5.50	100.0	0.5717	25.85	31.97	yes	music wire	5C
C.960.550.1000.I	96.0	5.50	100.0	0.4910	25.85	31.97	yes	stainless steel	5C
C.960.550.1250.A	96.0	5.50	125.0	0.4492	29.15	36.94	yes	music wire	5C
C.960.550.1250.I	96.0	5.50	125.0	0.3858	29.15	36.94	yes	stainless steel	5C
C.960.550.1600.A	96.0	5.50	160.0	0.3399	34.10	44.40	yes	music wire	5D
C.960.550.1600.I	96.0	5.50	160.0	0.2920	34.10	44.40	yes	stainless steel	5D
C.960.550.2000.A	96.0	5.50	200.0	0.2676	39.60	52.68	yes	music wire	5D
C.960.550.2000.I	96.0	5.50	200.0	0.2298	39.60	52.68	yes	stainless steel	5D
C.960.550.3600.A	96.0	5.50	360.0	0.1462	66.55	90.49	no	music wire	5E
C.960.550.3600.I	96.0	5.50	360.0	0.1256	66.55	90.49	no	stainless steel	5G
C.960.600.0500.A	96.0	6.00	50.0	1.6465	21.60	24.49	yes	music wire	5D
C.960.600.0500.I	96.0	6.00	50.0	1.4141	21.60	24.49	yes	stainless steel	5E
C.960.600.0800.A	96.0	6.00	80.0	0.9532	26.40	31.39	yes	music wire	5E
C.960.600.0800.I	96.0	6.00	80.0	0.8187	26.40	31.39	yes	stainless steel	5E
C.960.600.1000.A	96.0	6.00	100.0	0.7546	29.40	35.70	yes	music wire	5E
C.960.600.1000.I	96.0	6.00	100.0	0.6481	29.40	35.70	yes	stainless steel	5E
C.960.600.1250.A	96.0	6.00	125.0	0.5842	33.60	41.74	yes	music wire	5E
C.960.600.1250.I	96.0	6.00	125.0	0.5018	33.60	41.74	yes	stainless steel	5F
C.960.600.1600.A	96.0	6.00	160.0	0.4528	39.00	49.50	yes	music wire	5E
C.960.600.1600.I	96.0	6.00	160.0	0.3889	39.00	49.50	yes	stainless steel	5G
C.960.600.2000.A	96.0	6.00	200.0	0.3551	45.60	58.99	yes	music wire	5F
C.960.600.2000.I	96.0	6.00	200.0	0.3050	45.60	58.99	yes	stainless steel	5G
C.960.600.3600.A	96.0	6.00	360.0	0.1927	77.40	102.08	no	music wire	5G
C.960.600.3600.I	96.0	6.00	360.0	0.1655	77.40	102.08	no	stainless steel	5I
C.980.400.0500.A	98.0	4.00	50.0	0.2855	18.40	22.48	no	music wire	4Q
C.980.400.0500.I	98.0	4.00	50.0	0.2452	18.40	22.48	no	stainless steel	4Q
C.980.400.0600.A	98.0	4.00	60.0	0.0880	28.40	41.77	no	music wire	4Q
C.980.400.0600.I	98.0	4.00	60.0	0.0766	28.00	41.00	no	stainless steel	4R
C.980.400.0600.N	98.0	4.00	60.0	0.0880	28.40	41.77	no	Zn coating	4S
C.980.400.0800.A	98.0	4.00	80.0	0.2617	18.80	23.26	no	music wire	4R
C.980.400.0800.I	98.0	4.00	80.0	0.2247	18.80	23.26	no	stainless steel	4R
C.980.400.1000.A	98.0	4.00	100.0	0.1962	20.40	26.34	no	music wire	4R
C.980.400.1000.I	98.0	4.00	100.0	0.1686	20.40	26.34	no	stainless steel	4R
C.980.400.1250.A	98.0	4.00	125.0	0.1570	22.00	29.43	no	music wire	4S
C.980.400.1250.I	98.0	4.00	125.0	0.1348	22.00	29.43	no	stainless steel	4S
C.980.400.1600.I	98.0	4.00	160.0	0.1079	24.00	33.28	no	stainless steel	4S
C.980.400.2000.I	98.0	4.00	200.0	0.0843	26.80	38.68	no	stainless steel	4T

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tarif Code
C.980.400.3600.I	98.0	4.00	360.0	0.0465	37.20	58.74	no	stainless steel	5C
C.980.450.0500.A	98.0	4.50	50.0	0.4646	20.70	24.40	no	music wire	4R
C.980.450.0500.I	98.0	4.50	50.0	0.4000	20.70	24.40	no	stainless steel	4R
C.980.450.0800.A	98.0	4.50	80.0	0.3651	22.05	26.76	no	music wire	4S
C.980.450.0800.I	98.0	4.50	80.0	0.3135	22.05	26.76	no	stainless steel	4S
C.980.450.1000.A	98.0	4.50	100.0	0.2839	23.85	29.91	no	music wire	4S
C.980.450.1000.I	98.0	4.50	100.0	0.2439	23.85	29.91	no	stainless steel	4S
C.980.450.1250.A	98.0	4.50	125.0	0.2323	25.65	33.05	no	music wire	4S
C.980.450.1250.I	98.0	4.50	125.0	0.2000	25.65	33.05	no	stainless steel	4T
C.980.450.1600.A	98.0	4.50	160.0	0.1762	28.80	38.56	no	music wire	4T
C.980.450.1600.I	98.0	4.50	160.0	0.1514	28.80	38.56	no	stainless steel	4T
C.980.450.2000.A	98.0	4.50	200.0	0.1420	31.95	44.06	no	music wire	5A
C.980.450.2000.I	98.0	4.50	200.0	0.1219	31.95	44.06	no	stainless steel	5A
C.980.450.3600.A	98.0	4.50	360.0	0.0763	45.90	68.44	no	music wire	5D
C.980.450.3600.I	98.0	4.50	360.0	0.0655	45.90	68.44	no	stainless steel	5D
C.980.500.0500.A	98.0	5.00	50.0	0.7196	18.00	21.40	yes	music wire	4S
C.980.500.0500.I	98.0	5.00	50.0	0.6181	18.00	21.40	yes	stainless steel	4S
C.980.500.0800.A	98.0	5.00	80.0	0.5277	20.00	24.64	yes	music wire	4T
C.980.500.0800.I	98.0	5.00	80.0	0.4533	20.00	24.64	yes	stainless steel	4T
C.980.500.1000.A	98.0	5.00	100.0	0.3958	22.50	28.69	yes	music wire	4T
C.980.500.1000.I	98.0	5.00	100.0	0.3399	22.50	28.69	yes	stainless steel	4T
C.980.500.1250.A	98.0	5.00	125.0	0.3166	25.00	32.74	yes	music wire	4T
C.980.500.1250.I	98.0	5.00	125.0	0.2720	25.00	32.74	yes	stainless steel	5A
C.980.500.1600.A	98.0	5.00	160.0	0.2474	28.50	38.40	yes	music wire	5A
C.980.500.1600.I	98.0	5.00	160.0	0.2125	28.50	38.40	yes	stainless steel	5A
C.980.500.2000.A	98.0	5.00	200.0	0.1931	33.00	45.69	yes	music wire	5B
C.980.500.2000.I	98.0	5.00	200.0	0.1658	33.00	45.69	yes	stainless steel	5B
C.980.500.3600.A	98.0	5.00	360.0	0.1055	55.00	78.21	no	music wire	5D
C.980.500.3600.I	98.0	5.00	360.0	0.0907	55.00	78.21	no	stainless steel	5D
C.980.550.0500.A	98.0	5.50	50.0	1.0708	19.80	22.97	yes	music wire	5B
C.980.550.0500.I	98.0	5.50	50.0	0.9197	19.80	22.97	yes	stainless steel	5B
C.980.550.0800.A	98.0	5.50	80.0	0.6929	23.10	28.00	yes	music wire	5B
C.980.550.0800.I	98.0	5.50	80.0	0.5951	23.10	28.00	yes	stainless steel	5C
C.980.550.1000.A	98.0	5.50	100.0	0.5609	25.30	31.36	yes	music wire	5C
C.980.550.1000.I	98.0	5.50	100.0	0.4817	25.30	31.36	yes	stainless steel	5C
C.980.550.1250.A	98.0	5.50	125.0	0.4362	28.60	36.39	yes	music wire	5C
C.980.550.1250.I	98.0	5.50	125.0	0.3747	28.60	36.39	yes	stainless steel	5C
C.980.550.1600.A	98.0	5.50	160.0	0.3272	33.55	43.93	yes	music wire	5D
C.980.550.1600.I	98.0	5.50	160.0	0.2810	33.55	43.93	yes	stainless steel	5D
C.980.550.2000.A	98.0	5.50	200.0	0.2617	38.50	51.48	yes	music wire	5D
C.980.550.2000.I	98.0	5.50	200.0	0.2248	38.50	51.48	yes	stainless steel	5D
C.980.550.3600.A	98.0	5.50	360.0	0.1419	64.90	88.83	no	music wire	5E
C.980.550.3600.I	98.0	5.50	360.0	0.1219	64.90	88.83	no	stainless steel	5G
C.980.600.0500.A	98.0	6.00	50.0	1.5414	21.60	24.59	yes	music wire	5D
C.980.600.0500.I	98.0	6.00	50.0	1.3239	21.60	24.59	yes	stainless steel	5E
C.980.600.0800.A	98.0	6.00	80.0	0.9420	25.80	30.69	yes	music wire	5E
C.980.600.0800.I	98.0	6.00	80.0	0.8091	25.80	30.69	yes	stainless steel	5E
C.980.600.1000.A	98.0	6.00	100.0	0.7372	28.80	35.05	yes	music wire	5E
C.980.600.1000.I	98.0	6.00	100.0	0.6332	28.80	35.05	yes	stainless steel	5E
C.980.600.1250.A	98.0	6.00	125.0	0.5652	33.00	41.15	yes	music wire	5E
C.980.600.1250.I	98.0	6.00	125.0	0.4854	33.00	41.15	yes	stainless steel	5F

Reference number	External diameter (mm)	Wire diameter (mm)	Free length (mm)	Spring rate (DaN/mm)	Block Length (mm)	Allowable length (mm)	Grinding	Material	Tariff Code
C.980.600.1600.A	98.0	6.00	160.0	0.4348	38.40	48.99	yes	music wire	5E
C.980.600.1600.I	98.0	6.00	160.0	0.3734	38.40	48.99	yes	stainless steel	5G
C.980.600.2000.A	98.0	6.00	200.0	0.3460	44.40	57.71	yes	music wire	5F
C.980.600.2000.I	98.0	6.00	200.0	0.2972	44.40	57.71	yes	stainless steel	5G
C.980.600.3600.A	98.0	6.00	360.0	0.1863	75.60	100.32	no	music wire	5H
C.980.600.3600.I	98.0	6.00	360.0	0.1600	75.60	100.32	no	stainless steel	5I
C.990.600.4100.A	99.0	6.00	410.0	0.1460	82.20	113.14	yes	music wire	5H
C.990.600.4100.I	99.0	6.00	410.0	0.1270	81.60	112.26	yes	stainless steel	5J
C.990.600.4100.N	99.0	6.00	410.0	0.1460	82.20	113.14	yes	Zn coating	5J